

Analiza evolutie pe mai multi senzori

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Cianuri	9/20/2016 1:59:50 AM	0	mg/l
ZONA ALPROM	Clor	9/20/2016 1:59:30 AM	0	mg/l
ZONA ALPROM	Grasimi	9/20/2016 1:59:10 AM	0	mg/l
ZONA ALPROM	Substante organice	9/20/2016 1:59:00 AM	17	mg/l
ZONA ALPROM	Substante organice	9/20/2016 1:58:51 AM	17	mg/l
ZONA ALPROM	Cianuri	9/20/2016 1:58:44 AM	0	mg/l
ZONA ALPROM	Clor	9/20/2016 1:58:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/20/2016 1:58:42 AM	0	mg/l
ZONA ALPROM	Temp	9/20/2016 1:58:41 AM	23	gradCels
ZONA ALPROM	pH	9/20/2016 1:58:40 AM	8	unit pH
ZONA ALPROM	Temp	9/20/2016 1:58:20 AM	23	gradCels
ZONA ALPROM	pH	9/20/2016 1:58:10 AM	8	unit pH
ZONA ALPROM	Substante organice	9/20/2016 1:53:41 AM	17	mg/l
ZONA ALPROM	Cianuri	9/20/2016 1:52:56 AM	0	mg/l
ZONA ALPROM	Clor	9/20/2016 1:52:55 AM	0	mg/l
ZONA ALPROM	Grasimi	9/20/2016 1:52:54 AM	0	mg/l
ZONA ALPROM	Temp	9/20/2016 1:52:53 AM	23	gradCels
ZONA ALPROM	pH	9/20/2016 1:52:52 AM	8	unit pH
ZONA ALPROM	Substante organice	9/20/2016 1:47:51 AM	17	mg/l
ZONA ALPROM	Cianuri	9/20/2016 1:47:44 AM	0	mg/l
ZONA ALPROM	Clor	9/20/2016 1:47:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/20/2016 1:47:42 AM	0	mg/l
ZONA ALPROM	Temp	9/20/2016 1:47:41 AM	23	gradCels
ZONA ALPROM	pH	9/20/2016 1:47:40 AM	8	unit pH
ZONA ALPROM	Substante organice	9/20/2016 1:42:41 AM	17	mg/l
ZONA ALPROM	Cianuri	9/20/2016 1:41:58 AM	0	mg/l
ZONA ALPROM	Clor	9/20/2016 1:41:57 AM	0	mg/l
ZONA ALPROM	Grasimi	9/20/2016 1:41:56 AM	0	mg/l
ZONA ALPROM	Temp	9/20/2016 1:41:55 AM	23	gradCels
ZONA ALPROM	pH	9/20/2016 1:41:54 AM	8	unit pH
ZONA ALPROM	Cianuri	9/20/2016 1:39:00 AM	0	mg/l
ZONA ALPROM	Clor	9/20/2016 1:38:50 AM	0	mg/l
ZONA ALPROM	Grasimi	9/20/2016 1:38:10 AM	0	mg/l
ZONA ALPROM	Substante organice	9/20/2016 1:38:00 AM	17	mg/l
ZONA ALPROM	Temp	9/20/2016 1:37:50 AM	23	gradCels
ZONA ALPROM	pH	9/20/2016 1:37:40 AM	8	unit pH
ZONA ALPROM	Substante organice	9/20/2016 1:36:51 AM	17	mg/l
ZONA ALPROM	Cianuri	9/20/2016 1:36:44 AM	0	mg/l
ZONA ALPROM	Clor	9/20/2016 1:36:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/20/2016 1:36:42 AM	0	mg/l
ZONA ALPROM	Temp	9/20/2016 1:36:41 AM	23	gradCels
ZONA ALPROM	pH	9/20/2016 1:36:40 AM	8	unit pH
ZONA ALPROM	Substante organice	9/20/2016 1:31:40 AM	17	mg/l
ZONA ALPROM	Cianuri	9/20/2016 1:30:56 AM	0	mg/l
ZONA ALPROM	Clor	9/20/2016 1:30:55 AM	0	mg/l
ZONA ALPROM	Grasimi	9/20/2016 1:30:54 AM	0	mg/l
ZONA ALPROM	Temp	9/20/2016 1:30:53 AM	23	gradCels
ZONA ALPROM	pH	9/20/2016 1:30:52 AM	8	unit pH
ZONA ALPROM	Substante organice	9/20/2016 1:25:51 AM	17	mg/l
ZONA ALPROM	Cianuri	9/20/2016 1:25:44 AM	0	mg/l
ZONA ALPROM	Clor	9/20/2016 1:25:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/20/2016 1:25:42 AM	0	mg/l
ZONA ALPROM	Temp	9/20/2016 1:25:41 AM	23	gradCels
ZONA ALPROM	pH	9/20/2016 1:25:40 AM	8	unit pH
ZONA ALPROM	Cianuri	9/20/2016 1:21:40 AM	0	mg/l
ZONA ALPROM	Clor	9/20/2016 1:21:30 AM	0	mg/l
ZONA ALPROM	Grasimi	9/20/2016 1:21:10 AM	0	mg/l
ZONA ALPROM	Substante organice	9/20/2016 1:21:00 AM	17	mg/l
ZONA ALPROM	Temp	9/20/2016 1:20:50 AM	23	gradCels
ZONA ALPROM	pH	9/20/2016 1:20:30 AM	8	unit pH
ZONA ALPROM	Cianuri	9/20/2016 1:20:05 AM	0	mg/l
ZONA ALPROM	Clor	9/20/2016 1:20:04 AM	0	mg/l
ZONA ALPROM	Grasimi	9/20/2016 1:20:03 AM	0	mg/l
ZONA ALPROM	Substante organice	9/20/2016 1:20:02 AM	17	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	pH	9/20/2016 1:20:01 AM	8	unit pH
ZONA ALPROM	Temp	9/20/2016 1:20:00 AM	23	gradCels
ZONA ALPROM	Substante organice	9/20/2016 1:14:41 AM	17	mg/l
ZONA ALPROM	Cianuri	9/20/2016 1:14:35 AM	0	mg/l
ZONA ALPROM	Clor	9/20/2016 1:14:34 AM	0	mg/l
ZONA ALPROM	Grasimi	9/20/2016 1:14:33 AM	0	mg/l
ZONA ALPROM	Temp	9/20/2016 1:14:31 AM	23	gradCels
ZONA ALPROM	pH	9/20/2016 1:14:28 AM	8	unit pH
ZONA ALPROM	Substante organice	9/20/2016 1:09:42 AM	17	mg/l
ZONA ALPROM	Cianuri	9/20/2016 1:09:24 AM	0	mg/l
ZONA ALPROM	Clor	9/20/2016 1:09:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/20/2016 1:09:22 AM	0	mg/l
ZONA ALPROM	Temp	9/20/2016 1:09:21 AM	23	gradCels
ZONA ALPROM	pH	9/20/2016 1:09:20 AM	8	unit pH
ZONA ALPROM	Substante organice	9/20/2016 1:04:40 AM	17	mg/l
ZONA ALPROM	Cianuri	9/20/2016 1:04:24 AM	0	mg/l
ZONA ALPROM	Clor	9/20/2016 1:04:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/20/2016 1:04:22 AM	0	mg/l
ZONA ALPROM	Temp	9/20/2016 1:04:21 AM	23	gradCels
ZONA ALPROM	pH	9/20/2016 1:04:20 AM	8	unit pH
ZONA ALPROM	Cianuri	9/20/2016 1:02:11 AM	0	mg/l
ZONA ALPROM	Clor	9/20/2016 1:01:10 AM	0	mg/l
ZONA ALPROM	Grasimi	9/20/2016 1:00:50 AM	0	mg/l
ZONA ALPROM	Substante organice	9/20/2016 1:00:20 AM	17	mg/l
ZONA ALPROM	Temp	9/20/2016 1:00:10 AM	23	gradCels
ZONA ALPROM	pH	9/20/2016 1:00:00 AM	8	unit pH
ZONA ALPROM	Substante organice	9/20/2016 12:59:40 AM	17	mg/l
ZONA ALPROM	Cianuri	9/20/2016 12:59:04 AM	0	mg/l
ZONA ALPROM	Clor	9/20/2016 12:59:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/20/2016 12:59:02 AM	0	mg/l
ZONA ALPROM	Temp	9/20/2016 12:59:01 AM	23	gradCels
ZONA ALPROM	pH	9/20/2016 12:59:00 AM	8	unit pH
ZONA ALPROM	Substante organice	9/20/2016 12:53:40 AM	17	mg/l
ZONA ALPROM	Cianuri	9/20/2016 12:53:24 AM	0	mg/l
ZONA ALPROM	Clor	9/20/2016 12:53:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/20/2016 12:53:22 AM	0	mg/l
ZONA ALPROM	Temp	9/20/2016 12:53:21 AM	23	gradCels
ZONA ALPROM	pH	9/20/2016 12:53:20 AM	8	unit pH
ZONA ALPROM	Cianuri	9/20/2016 12:48:05 AM	0	mg/l
ZONA ALPROM	Clor	9/20/2016 12:48:04 AM	0	mg/l
ZONA ALPROM	Grasimi	9/20/2016 12:48:03 AM	0	mg/l
ZONA ALPROM	Substante organice	9/20/2016 12:48:02 AM	17	mg/l
ZONA ALPROM	Temp	9/20/2016 12:48:01 AM	23	gradCels
ZONA ALPROM	pH	9/20/2016 12:48:00 AM	8	unit pH
ZONA ALPROM	Substante organice	9/20/2016 12:42:40 AM	17	mg/l
ZONA ALPROM	Cianuri	9/20/2016 12:42:30 AM	0	mg/l
ZONA ALPROM	Cianuri	9/20/2016 12:42:24 AM	0	mg/l
ZONA ALPROM	Clor	9/20/2016 12:42:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/20/2016 12:42:22 AM	0	mg/l
ZONA ALPROM	Temp	9/20/2016 12:42:21 AM	23	gradCels
ZONA ALPROM	pH	9/20/2016 12:42:20 AM	8	unit pH
ZONA ALPROM	Clor	9/20/2016 12:42:10 AM	0	mg/l
ZONA ALPROM	Grasimi	9/20/2016 12:41:50 AM	0	mg/l
ZONA ALPROM	Substante organice	9/20/2016 12:41:30 AM	17	mg/l
ZONA ALPROM	Temp	9/20/2016 12:41:00 AM	23	gradCels
ZONA ALPROM	pH	9/20/2016 12:40:50 AM	8	unit pH
ZONA ALPROM	Substante organice	9/20/2016 12:37:40 AM	17	mg/l
ZONA ALPROM	Cianuri	9/20/2016 12:36:45 AM	0	mg/l
ZONA ALPROM	Clor	9/20/2016 12:36:44 AM	0	mg/l
ZONA ALPROM	Grasimi	9/20/2016 12:36:43 AM	0	mg/l
ZONA ALPROM	Temp	9/20/2016 12:36:42 AM	23	gradCels
ZONA ALPROM	pH	9/20/2016 12:36:41 AM	8	unit pH
ZONA ALPROM	Substante organice	9/20/2016 12:31:40 AM	17	mg/l
ZONA ALPROM	Cianuri	9/20/2016 12:31:24 AM	0	mg/l
ZONA ALPROM	Clor	9/20/2016 12:31:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/20/2016 12:31:22 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/20/2016 12:31:21 AM	23	gradCels
ZONA ALPROM	pH	9/20/2016 12:31:20 AM	8	unit pH
ZONA ALPROM	Substante organice	9/20/2016 12:25:45 AM	17	mg/l
ZONA ALPROM	Cianuri	9/20/2016 12:25:44 AM	0	mg/l
ZONA ALPROM	Clor	9/20/2016 12:25:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/20/2016 12:25:42 AM	0	mg/l
ZONA ALPROM	Temp	9/20/2016 12:25:41 AM	23	gradCels
ZONA ALPROM	pH	9/20/2016 12:25:40 AM	8	unit pH
ZONA ALPROM	Cianuri	9/20/2016 12:23:10 AM	0	mg/l
ZONA ALPROM	Clor	9/20/2016 12:22:30 AM	0	mg/l
ZONA ALPROM	Grasimi	9/20/2016 12:22:10 AM	0	mg/l
ZONA ALPROM	Substante organice	9/20/2016 12:21:50 AM	17	mg/l
ZONA ALPROM	Temp	9/20/2016 12:21:40 AM	23	gradCels
ZONA ALPROM	pH	9/20/2016 12:21:30 AM	8	unit pH
ZONA ALPROM	Cianuri	9/20/2016 12:20:25 AM	0	mg/l
ZONA ALPROM	Clor	9/20/2016 12:20:24 AM	0	mg/l
ZONA ALPROM	Grasimi	9/20/2016 12:20:23 AM	0	mg/l
ZONA ALPROM	Substante organice	9/20/2016 12:20:22 AM	17	mg/l
ZONA ALPROM	Temp	9/20/2016 12:20:21 AM	23	gradCels
ZONA ALPROM	pH	9/20/2016 12:20:20 AM	8	unit pH
ZONA ALPROM	Substante organice	9/20/2016 12:14:45 AM	16	mg/l
ZONA ALPROM	Cianuri	9/20/2016 12:14:44 AM	0	mg/l
ZONA ALPROM	Clor	9/20/2016 12:14:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/20/2016 12:14:42 AM	0	mg/l
ZONA ALPROM	Temp	9/20/2016 12:14:41 AM	23	gradCels
ZONA ALPROM	pH	9/20/2016 12:14:40 AM	8	unit pH
ZONA ALPROM	Substante organice	9/20/2016 12:09:40 AM	16	mg/l
ZONA ALPROM	Cianuri	9/20/2016 12:09:24 AM	0	mg/l
ZONA ALPROM	Clor	9/20/2016 12:09:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/20/2016 12:09:22 AM	0	mg/l
ZONA ALPROM	Temp	9/20/2016 12:09:21 AM	23	gradCels
ZONA ALPROM	pH	9/20/2016 12:09:20 AM	8	unit pH
ZONA ALPROM	Cianuri	9/20/2016 12:03:45 AM	0	mg/l
ZONA ALPROM	Substante organice	9/20/2016 12:03:44 AM	16	mg/l
ZONA ALPROM	Clor	9/20/2016 12:03:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/20/2016 12:03:42 AM	0	mg/l
ZONA ALPROM	Temp	9/20/2016 12:03:41 AM	23	gradCels
ZONA ALPROM	pH	9/20/2016 12:03:40 AM	8	unit pH
ZONA ALPROM	Cianuri	9/20/2016 12:03:30 AM	0	mg/l
ZONA ALPROM	Clor	9/20/2016 12:03:20 AM	0	mg/l
ZONA ALPROM	Grasimi	9/20/2016 12:03:00 AM	0	mg/l
ZONA ALPROM	Substante organice	9/20/2016 12:02:20 AM	16	mg/l
ZONA ALPROM	Temp	9/20/2016 12:02:10 AM	23	gradCels
ZONA ALPROM	pH	9/20/2016 12:01:30 AM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 11:58:40 PM	16	mg/l
ZONA ALPROM	Cianuri	9/19/2016 11:58:24 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 11:58:23 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 11:58:22 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 11:58:21 PM	23	gradCels
ZONA ALPROM	pH	9/19/2016 11:58:20 PM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 11:52:45 PM	16	mg/l
ZONA ALPROM	Cianuri	9/19/2016 11:52:44 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 11:52:43 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 11:52:42 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 11:52:41 PM	23	gradCels
ZONA ALPROM	pH	9/19/2016 11:52:40 PM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 11:47:40 PM	16	mg/l
ZONA ALPROM	Cianuri	9/19/2016 11:47:24 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 11:47:23 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 11:47:22 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 11:47:21 PM	23	gradCels
ZONA ALPROM	pH	9/19/2016 11:47:20 PM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 11:43:10 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 11:43:00 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 11:42:40 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 11:42:30 PM	16	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/19/2016 11:42:20 PM	23	gradCels
ZONA ALPROM	pH	9/19/2016 11:42:10 PM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 11:41:45 PM	16	mg/l
ZONA ALPROM	Cianuri	9/19/2016 11:41:44 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 11:41:43 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 11:41:42 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 11:41:41 PM	23	gradCels
ZONA ALPROM	pH	9/19/2016 11:41:40 PM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 11:36:40 PM	16	mg/l
ZONA ALPROM	Cianuri	9/19/2016 11:36:04 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 11:36:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 11:36:02 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 11:36:01 PM	23	gradCels
ZONA ALPROM	pH	9/19/2016 11:36:00 PM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 11:30:45 PM	16	mg/l
ZONA ALPROM	Cianuri	9/19/2016 11:30:44 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 11:30:43 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 11:30:42 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 11:30:41 PM	24	gradCels
ZONA ALPROM	pH	9/19/2016 11:30:40 PM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 11:25:40 PM	16	mg/l
ZONA ALPROM	Cianuri	9/19/2016 11:25:04 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 11:25:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 11:25:02 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 11:25:01 PM	24	gradCels
ZONA ALPROM	pH	9/19/2016 11:25:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 11:24:30 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 11:24:20 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 11:23:50 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 11:23:30 PM	16	mg/l
ZONA ALPROM	Temp	9/19/2016 11:23:00 PM	24	gradCels
ZONA ALPROM	pH	9/19/2016 11:22:50 PM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 11:19:45 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 11:19:44 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 11:19:43 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 11:19:42 PM	16	mg/l
ZONA ALPROM	Temp	9/19/2016 11:19:41 PM	24	gradCels
ZONA ALPROM	pH	9/19/2016 11:19:40 PM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 11:14:40 PM	16	mg/l
ZONA ALPROM	Cianuri	9/19/2016 11:14:04 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 11:14:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 11:14:02 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 11:14:01 PM	24	gradCels
ZONA ALPROM	pH	9/19/2016 11:14:00 PM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 11:08:45 PM	16	mg/l
ZONA ALPROM	Cianuri	9/19/2016 11:08:44 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 11:08:43 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 11:08:42 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 11:08:41 PM	24	gradCels
ZONA ALPROM	pH	9/19/2016 11:08:40 PM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 11:04:20 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 11:04:10 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 11:03:50 PM	0	mg/l
ZONA ALPROM	Cianuri	9/19/2016 11:03:41 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 11:03:40 PM	16	mg/l
ZONA ALPROM	Substante organice	9/19/2016 11:03:30 PM	16	mg/l
ZONA ALPROM	Temp	9/19/2016 11:03:20 PM	24	gradCels
ZONA ALPROM	pH	9/19/2016 11:03:10 PM	8	unit pH
ZONA ALPROM	Clor	9/19/2016 11:03:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 11:03:02 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 11:03:01 PM	24	gradCels
ZONA ALPROM	pH	9/19/2016 11:03:00 PM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 10:57:47 PM	16	mg/l
ZONA ALPROM	Cianuri	9/19/2016 10:57:46 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 10:57:45 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 10:57:44 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/19/2016 10:57:42 PM	24	gradCels
ZONA ALPROM	pH	9/19/2016 10:57:40 PM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 10:52:05 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 10:52:04 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 10:52:03 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 10:52:02 PM	16	mg/l
ZONA ALPROM	pH	9/19/2016 10:52:01 PM	8	unit pH
ZONA ALPROM	Temp	9/19/2016 10:52:00 PM	24	gradCels
ZONA ALPROM	Substante organice	9/19/2016 10:46:45 PM	16	mg/l
ZONA ALPROM	Cianuri	9/19/2016 10:46:44 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 10:46:43 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 10:46:42 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 10:46:41 PM	24	gradCels
ZONA ALPROM	pH	9/19/2016 10:46:40 PM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 10:43:50 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 10:43:00 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 10:42:30 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 10:42:20 PM	16	mg/l
ZONA ALPROM	Temp	9/19/2016 10:42:10 PM	24	gradCels
ZONA ALPROM	pH	9/19/2016 10:42:00 PM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 10:41:40 PM	16	mg/l
ZONA ALPROM	Cianuri	9/19/2016 10:41:04 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 10:41:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 10:41:02 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 10:41:01 PM	24	gradCels
ZONA ALPROM	pH	9/19/2016 10:41:00 PM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 10:35:45 PM	16	mg/l
ZONA ALPROM	Cianuri	9/19/2016 10:35:44 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 10:35:43 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 10:35:42 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 10:35:41 PM	24	gradCels
ZONA ALPROM	pH	9/19/2016 10:35:40 PM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 10:30:40 PM	16	mg/l
ZONA ALPROM	Cianuri	9/19/2016 10:30:09 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 10:30:07 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 10:30:04 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 10:30:02 PM	24	gradCels
ZONA ALPROM	pH	9/19/2016 10:30:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 10:25:00 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 10:24:50 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 10:24:45 PM	16	mg/l
ZONA ALPROM	Cianuri	9/19/2016 10:24:44 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 10:24:43 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 10:24:42 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 10:24:41 PM	24	gradCels
ZONA ALPROM	pH	9/19/2016 10:24:40 PM	8	unit pH
ZONA ALPROM	Grasimi	9/19/2016 10:24:10 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 10:24:00 PM	16	mg/l
ZONA ALPROM	Temp	9/19/2016 10:23:50 PM	24	gradCels
ZONA ALPROM	pH	9/19/2016 10:23:30 PM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 10:19:05 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 10:19:04 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 10:19:03 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 10:19:02 PM	16	mg/l
ZONA ALPROM	Temp	9/19/2016 10:19:01 PM	24	gradCels
ZONA ALPROM	pH	9/19/2016 10:19:00 PM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 10:13:45 PM	16	mg/l
ZONA ALPROM	Cianuri	9/19/2016 10:13:44 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 10:13:43 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 10:13:42 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 10:13:41 PM	24	gradCels
ZONA ALPROM	pH	9/19/2016 10:13:40 PM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 10:08:41 PM	16	mg/l
ZONA ALPROM	Cianuri	9/19/2016 10:08:40 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 10:08:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 10:08:02 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/19/2016 10:08:01 PM	24	gradCels
ZONA ALPROM	pH	9/19/2016 10:08:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 10:05:10 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 10:04:30 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 10:04:10 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 10:03:50 PM	16	mg/l
ZONA ALPROM	Temp	9/19/2016 10:03:40 PM	24	gradCels
ZONA ALPROM	pH	9/19/2016 10:03:30 PM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 10:02:45 PM	16	mg/l
ZONA ALPROM	Cianuri	9/19/2016 10:02:44 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 10:02:43 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 10:02:42 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 10:02:41 PM	24	gradCels
ZONA ALPROM	pH	9/19/2016 10:02:40 PM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 9:57:40 PM	16	mg/l
ZONA ALPROM	Cianuri	9/19/2016 9:57:04 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 9:57:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 9:57:02 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 9:57:01 PM	24	gradCels
ZONA ALPROM	pH	9/19/2016 9:57:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 9:51:45 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 9:51:44 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 9:51:43 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 9:51:42 PM	16	mg/l
ZONA ALPROM	Temp	9/19/2016 9:51:41 PM	24	gradCels
ZONA ALPROM	pH	9/19/2016 9:51:40 PM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 9:46:40 PM	16	mg/l
ZONA ALPROM	Cianuri	9/19/2016 9:46:04 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 9:46:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 9:46:02 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 9:46:01 PM	24	gradCels
ZONA ALPROM	pH	9/19/2016 9:46:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 9:45:20 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 9:45:10 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 9:44:30 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 9:44:20 PM	16	mg/l
ZONA ALPROM	Temp	9/19/2016 9:44:10 PM	24	gradCels
ZONA ALPROM	pH	9/19/2016 9:44:00 PM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 9:40:40 PM	16	mg/l
ZONA ALPROM	Cianuri	9/19/2016 9:40:24 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 9:40:23 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 9:40:22 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 9:40:21 PM	24	gradCels
ZONA ALPROM	pH	9/19/2016 9:40:20 PM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 9:35:40 PM	16	mg/l
ZONA ALPROM	Cianuri	9/19/2016 9:35:24 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 9:35:23 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 9:35:22 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 9:35:21 PM	24	gradCels
ZONA ALPROM	pH	9/19/2016 9:35:20 PM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 9:30:40 PM	16	mg/l
ZONA ALPROM	Cianuri	9/19/2016 9:30:04 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 9:30:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 9:30:02 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 9:30:01 PM	24	gradCels
ZONA ALPROM	pH	9/19/2016 9:30:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 9:24:50 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 9:24:40 PM	16	mg/l
ZONA ALPROM	Clor	9/19/2016 9:24:30 PM	0	mg/l
ZONA ALPROM	Cianuri	9/19/2016 9:24:24 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 9:24:23 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 9:24:22 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 9:24:21 PM	24	gradCels
ZONA ALPROM	pH	9/19/2016 9:24:20 PM	8	unit pH
ZONA ALPROM	Grasimi	9/19/2016 9:24:00 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 9:23:50 PM	16	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/19/2016 9:23:40 PM	24	gradCels
ZONA ALPROM	pH	9/19/2016 9:23:30 PM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 9:19:40 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 9:19:04 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 9:19:03 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 9:19:02 PM	16	mg/l
ZONA ALPROM	Temp	9/19/2016 9:19:01 PM	24	gradCels
ZONA ALPROM	pH	9/19/2016 9:19:00 PM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 9:13:40 PM	16	mg/l
ZONA ALPROM	Cianuri	9/19/2016 9:13:24 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 9:13:23 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 9:13:22 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 9:13:21 PM	24	gradCels
ZONA ALPROM	pH	9/19/2016 9:13:20 PM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 9:08:40 PM	16	mg/l
ZONA ALPROM	Cianuri	9/19/2016 9:08:04 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 9:08:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 9:08:02 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 9:08:01 PM	24	gradCels
ZONA ALPROM	pH	9/19/2016 9:08:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 9:04:20 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 9:04:10 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 9:03:10 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 9:03:00 PM	16	mg/l
ZONA ALPROM	Temp	9/19/2016 9:02:50 PM	24	gradCels
ZONA ALPROM	Substante organice	9/19/2016 9:02:40 PM	16	mg/l
ZONA ALPROM	pH	9/19/2016 9:02:30 PM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 9:02:24 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 9:02:23 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 9:02:22 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 9:02:21 PM	24	gradCels
ZONA ALPROM	pH	9/19/2016 9:02:20 PM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 8:57:40 PM	16	mg/l
ZONA ALPROM	Cianuri	9/19/2016 8:56:44 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 8:56:43 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 8:56:42 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 8:56:41 PM	24	gradCels
ZONA ALPROM	pH	9/19/2016 8:56:40 PM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 8:51:45 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 8:51:44 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 8:51:43 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 8:51:42 PM	16	mg/l
ZONA ALPROM	Temp	9/19/2016 8:51:41 PM	24	gradCels
ZONA ALPROM	pH	9/19/2016 8:51:40 PM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 8:46:40 PM	16	mg/l
ZONA ALPROM	Cianuri	9/19/2016 8:46:24 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 8:46:23 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 8:46:22 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 8:46:21 PM	24	gradCels
ZONA ALPROM	pH	9/19/2016 8:46:20 PM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 8:45:20 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 8:45:10 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 8:44:50 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 8:44:30 PM	16	mg/l
ZONA ALPROM	Temp	9/19/2016 8:44:20 PM	24	gradCels
ZONA ALPROM	pH	9/19/2016 8:44:10 PM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 8:40:45 PM	16	mg/l
ZONA ALPROM	Cianuri	9/19/2016 8:40:44 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 8:40:43 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 8:40:42 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 8:40:41 PM	24	gradCels
ZONA ALPROM	pH	9/19/2016 8:40:40 PM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 8:35:40 PM	16	mg/l
ZONA ALPROM	Cianuri	9/19/2016 8:35:24 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 8:35:23 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 8:35:22 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/19/2016 8:35:21 PM	24	gradCels
ZONA ALPROM	pH	9/19/2016 8:35:20 PM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 8:29:45 PM	16	mg/l
ZONA ALPROM	Cianuri	9/19/2016 8:29:44 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 8:29:43 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 8:29:42 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 8:29:41 PM	24	gradCels
ZONA ALPROM	pH	9/19/2016 8:29:40 PM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 8:24:40 PM	16	mg/l
ZONA ALPROM	Cianuri	9/19/2016 8:24:30 PM	0	mg/l
ZONA ALPROM	Cianuri	9/19/2016 8:24:24 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 8:24:23 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 8:24:22 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 8:24:21 PM	24	gradCels
ZONA ALPROM	pH	9/19/2016 8:24:20 PM	8	unit pH
ZONA ALPROM	Clor	9/19/2016 8:24:00 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 8:23:40 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 8:23:30 PM	16	mg/l
ZONA ALPROM	Temp	9/19/2016 8:23:20 PM	24	gradCels
ZONA ALPROM	pH	9/19/2016 8:23:10 PM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 8:18:45 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 8:18:44 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 8:18:43 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 8:18:42 PM	16	mg/l
ZONA ALPROM	Temp	9/19/2016 8:18:41 PM	24	gradCels
ZONA ALPROM	pH	9/19/2016 8:18:40 PM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 8:13:40 PM	16	mg/l
ZONA ALPROM	Cianuri	9/19/2016 8:13:24 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 8:13:23 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 8:13:22 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 8:13:21 PM	24	gradCels
ZONA ALPROM	pH	9/19/2016 8:13:20 PM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 8:07:45 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 8:07:44 PM	16	mg/l
ZONA ALPROM	Clor	9/19/2016 8:07:43 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 8:07:42 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 8:07:41 PM	24	gradCels
ZONA ALPROM	pH	9/19/2016 8:07:40 PM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 8:04:40 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 8:04:30 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 8:04:10 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 8:03:00 PM	16	mg/l
ZONA ALPROM	Temp	9/19/2016 8:02:50 PM	24	gradCels
ZONA ALPROM	Substante organice	9/19/2016 8:02:41 PM	16	mg/l
ZONA ALPROM	Cianuri	9/19/2016 8:02:40 PM	0	mg/l
ZONA ALPROM	pH	9/19/2016 8:02:30 PM	8	unit pH
ZONA ALPROM	Clor	9/19/2016 8:02:23 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 8:02:22 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 8:02:21 PM	24	gradCels
ZONA ALPROM	pH	9/19/2016 8:02:20 PM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 7:56:45 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 7:56:44 PM	16	mg/l
ZONA ALPROM	Clor	9/19/2016 7:56:43 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 7:56:42 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 7:56:41 PM	24	gradCels
ZONA ALPROM	pH	9/19/2016 7:56:40 PM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 7:51:25 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 7:51:24 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 7:51:23 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 7:51:22 PM	16	mg/l
ZONA ALPROM	Temp	9/19/2016 7:51:21 PM	24	gradCels
ZONA ALPROM	pH	9/19/2016 7:51:20 PM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 7:45:45 PM	16	mg/l
ZONA ALPROM	Cianuri	9/19/2016 7:45:44 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 7:45:43 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 7:45:42 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/19/2016 7:45:41 PM	24	gradCels
ZONA ALPROM	pH	9/19/2016 7:45:40 PM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 7:45:00 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 7:44:50 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 7:44:30 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 7:44:20 PM	16	mg/l
ZONA ALPROM	Temp	9/19/2016 7:44:10 PM	24	gradCels
ZONA ALPROM	pH	9/19/2016 7:44:00 PM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 7:40:45 PM	16	mg/l
ZONA ALPROM	Cianuri	9/19/2016 7:40:24 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 7:40:23 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 7:40:22 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 7:40:21 PM	24	gradCels
ZONA ALPROM	pH	9/19/2016 7:40:20 PM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 7:34:45 PM	16	mg/l
ZONA ALPROM	Cianuri	9/19/2016 7:34:44 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 7:34:43 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 7:34:42 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 7:34:41 PM	24	gradCels
ZONA ALPROM	pH	9/19/2016 7:34:40 PM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 7:29:45 PM	16	mg/l
ZONA ALPROM	Cianuri	9/19/2016 7:29:24 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 7:29:23 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 7:29:22 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 7:29:21 PM	24	gradCels
ZONA ALPROM	pH	9/19/2016 7:29:20 PM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 7:27:00 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 7:26:00 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 7:25:30 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 7:24:00 PM	16	mg/l
ZONA ALPROM	Temp	9/19/2016 7:23:50 PM	24	gradCels
ZONA ALPROM	Substante organice	9/19/2016 7:23:45 PM	16	mg/l
ZONA ALPROM	Cianuri	9/19/2016 7:23:44 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 7:23:43 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 7:23:42 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 7:23:41 PM	24	gradCels
ZONA ALPROM	pH	9/19/2016 7:23:40 PM	8	unit pH
ZONA ALPROM	pH	9/19/2016 7:23:20 PM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 7:18:45 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 7:18:04 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 7:18:03 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 7:18:02 PM	16	mg/l
ZONA ALPROM	Temp	9/19/2016 7:18:01 PM	24	gradCels
ZONA ALPROM	pH	9/19/2016 7:18:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 7:12:45 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 7:12:44 PM	16	mg/l
ZONA ALPROM	Clor	9/19/2016 7:12:43 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 7:12:42 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 7:12:41 PM	24	gradCels
ZONA ALPROM	pH	9/19/2016 7:12:40 PM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 7:07:47 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 7:07:46 PM	16	mg/l
ZONA ALPROM	Clor	9/19/2016 7:07:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 7:07:02 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 7:07:01 PM	24	gradCels
ZONA ALPROM	pH	9/19/2016 7:07:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 7:06:10 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 7:06:00 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 7:05:40 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 7:05:30 PM	16	mg/l
ZONA ALPROM	Temp	9/19/2016 7:05:20 PM	24	gradCels
ZONA ALPROM	pH	9/19/2016 7:05:10 PM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 7:01:45 PM	16	mg/l
ZONA ALPROM	Cianuri	9/19/2016 7:01:44 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 7:01:43 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 7:01:42 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/19/2016 7:01:41 PM	24	gradCels
ZONA ALPROM	pH	9/19/2016 7:01:40 PM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 6:56:46 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 6:56:45 PM	16	mg/l
ZONA ALPROM	Clor	9/19/2016 6:56:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 6:56:02 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 6:56:01 PM	24	gradCels
ZONA ALPROM	pH	9/19/2016 6:56:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 6:50:45 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 6:50:44 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 6:50:43 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 6:50:42 PM	16	mg/l
ZONA ALPROM	Temp	9/19/2016 6:50:41 PM	24	gradCels
ZONA ALPROM	pH	9/19/2016 6:50:40 PM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 6:47:10 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 6:47:00 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 6:45:50 PM	0	mg/l
ZONA ALPROM	Cianuri	9/19/2016 6:45:46 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 6:45:45 PM	16	mg/l
ZONA ALPROM	Substante organice	9/19/2016 6:45:20 PM	16	mg/l
ZONA ALPROM	Temp	9/19/2016 6:45:10 PM	24	gradCels
ZONA ALPROM	Clor	9/19/2016 6:45:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 6:45:02 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 6:45:01 PM	24	gradCels
ZONA ALPROM	pH	9/19/2016 6:45:00 PM	8	unit pH
ZONA ALPROM	pH	9/19/2016 6:44:50 PM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 6:39:47 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 6:39:46 PM	16	mg/l
ZONA ALPROM	Clor	9/19/2016 6:39:45 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 6:39:44 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 6:39:41 PM	24	gradCels
ZONA ALPROM	pH	9/19/2016 6:39:40 PM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 6:34:46 PM	16	mg/l
ZONA ALPROM	Cianuri	9/19/2016 6:34:45 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 6:34:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 6:34:02 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 6:34:01 PM	24	gradCels
ZONA ALPROM	pH	9/19/2016 6:34:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 6:28:45 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 6:28:44 PM	16	mg/l
ZONA ALPROM	Clor	9/19/2016 6:28:43 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 6:28:42 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 6:28:41 PM	24	gradCels
ZONA ALPROM	pH	9/19/2016 6:28:40 PM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 6:28:10 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 6:28:00 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 6:27:40 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 6:27:30 PM	16	mg/l
ZONA ALPROM	Temp	9/19/2016 6:27:20 PM	24	gradCels
ZONA ALPROM	pH	9/19/2016 6:27:10 PM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 6:23:58 PM	16	mg/l
ZONA ALPROM	Cianuri	9/19/2016 6:23:57 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 6:23:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 6:23:02 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 6:23:01 PM	24	gradCels
ZONA ALPROM	pH	9/19/2016 6:23:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 6:17:45 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 6:17:44 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 6:17:43 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 6:17:42 PM	16	mg/l
ZONA ALPROM	Temp	9/19/2016 6:17:41 PM	24	gradCels
ZONA ALPROM	pH	9/19/2016 6:17:40 PM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 6:12:41 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 6:12:40 PM	16	mg/l
ZONA ALPROM	Clor	9/19/2016 6:12:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 6:12:02 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/19/2016 6:12:01 PM	24	gradCels
ZONA ALPROM	pH	9/19/2016 6:12:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 6:09:50 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 6:08:40 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 6:08:20 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 6:08:10 PM	16	mg/l
ZONA ALPROM	Temp	9/19/2016 6:07:10 PM	24	gradCels
ZONA ALPROM	pH	9/19/2016 6:07:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 6:06:51 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 6:06:50 PM	16	mg/l
ZONA ALPROM	Clor	9/19/2016 6:06:43 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 6:06:42 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 6:06:41 PM	24	gradCels
ZONA ALPROM	pH	9/19/2016 6:06:40 PM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 6:01:40 PM	16	mg/l
ZONA ALPROM	Cianuri	9/19/2016 6:01:04 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 6:01:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 6:01:02 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 6:01:01 PM	24	gradCels
ZONA ALPROM	pH	9/19/2016 6:01:00 PM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 5:55:43 PM	16	mg/l
ZONA ALPROM	Cianuri	9/19/2016 5:55:36 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 5:55:35 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 5:55:34 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 5:55:33 PM	24	gradCels
ZONA ALPROM	pH	9/19/2016 5:55:32 PM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 5:50:40 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 5:50:04 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 5:50:03 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 5:50:02 PM	16	mg/l
ZONA ALPROM	Temp	9/19/2016 5:50:01 PM	24	gradCels
ZONA ALPROM	pH	9/19/2016 5:50:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 5:48:30 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 5:48:20 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 5:48:00 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 5:47:50 PM	16	mg/l
ZONA ALPROM	Temp	9/19/2016 5:47:00 PM	24	gradCels
ZONA ALPROM	pH	9/19/2016 5:46:50 PM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 5:44:41 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 5:44:40 PM	16	mg/l
ZONA ALPROM	Clor	9/19/2016 5:44:23 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 5:44:22 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 5:44:21 PM	24	gradCels
ZONA ALPROM	pH	9/19/2016 5:44:20 PM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 5:39:41 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 5:39:40 PM	16	mg/l
ZONA ALPROM	Clor	9/19/2016 5:39:05 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 5:39:03 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 5:39:02 PM	25	gradCels
ZONA ALPROM	pH	9/19/2016 5:39:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 5:33:41 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 5:33:40 PM	16	mg/l
ZONA ALPROM	Clor	9/19/2016 5:33:23 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 5:33:22 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 5:33:21 PM	25	gradCels
ZONA ALPROM	pH	9/19/2016 5:33:20 PM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 5:28:41 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 5:28:40 PM	16	mg/l
ZONA ALPROM	Clor	9/19/2016 5:28:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 5:28:02 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 5:28:01 PM	25	gradCels
ZONA ALPROM	pH	9/19/2016 5:28:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 5:26:50 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 5:26:40 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 5:26:20 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 5:26:10 PM	16	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/19/2016 5:26:00 PM	25	gradCels
ZONA ALPROM	pH	9/19/2016 5:25:50 PM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 5:22:41 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 5:22:40 PM	16	mg/l
ZONA ALPROM	Clor	9/19/2016 5:22:23 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 5:22:22 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 5:22:21 PM	25	gradCels
ZONA ALPROM	pH	9/19/2016 5:22:20 PM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 5:16:46 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 5:16:45 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 5:16:44 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 5:16:43 PM	16	mg/l
ZONA ALPROM	Temp	9/19/2016 5:16:42 PM	25	gradCels
ZONA ALPROM	pH	9/19/2016 5:16:41 PM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 5:11:40 PM	16	mg/l
ZONA ALPROM	Cianuri	9/19/2016 5:11:24 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 5:11:23 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 5:11:22 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 5:11:21 PM	25	gradCels
ZONA ALPROM	pH	9/19/2016 5:11:20 PM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 5:07:20 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 5:07:10 PM	0	mg/l
ZONA ALPROM	Cianuri	9/19/2016 5:06:45 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 5:06:44 PM	16	mg/l
ZONA ALPROM	Grasimi	9/19/2016 5:06:00 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 5:05:50 PM	16	mg/l
ZONA ALPROM	Clor	9/19/2016 5:05:43 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 5:05:42 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 5:05:41 PM	25	gradCels
ZONA ALPROM	pH	9/19/2016 5:05:40 PM	8	unit pH
ZONA ALPROM	Temp	9/19/2016 5:05:30 PM	25	gradCels
ZONA ALPROM	pH	9/19/2016 5:05:20 PM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 5:01:42 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 5:01:41 PM	16	mg/l
ZONA ALPROM	Clor	9/19/2016 5:00:49 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 5:00:48 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 5:00:47 PM	25	gradCels
ZONA ALPROM	pH	9/19/2016 5:00:46 PM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 4:55:45 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 4:55:44 PM	16	mg/l
ZONA ALPROM	Clor	9/19/2016 4:55:27 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 4:55:26 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 4:55:25 PM	25	gradCels
ZONA ALPROM	pH	9/19/2016 4:55:24 PM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 4:49:49 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 4:49:48 PM	16	mg/l
ZONA ALPROM	Clor	9/19/2016 4:49:43 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 4:49:42 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 4:49:41 PM	25	gradCels
ZONA ALPROM	pH	9/19/2016 4:49:40 PM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 4:46:30 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 4:46:10 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 4:45:40 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 4:45:30 PM	16	mg/l
ZONA ALPROM	Temp	9/19/2016 4:45:20 PM	25	gradCels
ZONA ALPROM	pH	9/19/2016 4:45:10 PM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 4:45:02 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 4:45:01 PM	16	mg/l
ZONA ALPROM	Clor	9/19/2016 4:44:28 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 4:44:27 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 4:44:26 PM	25	gradCels
ZONA ALPROM	pH	9/19/2016 4:44:25 PM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 4:38:50 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 4:38:49 PM	16	mg/l
ZONA ALPROM	Clor	9/19/2016 4:38:48 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 4:38:47 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/19/2016 4:38:46 PM	25	gradCels
ZONA ALPROM	pH	9/19/2016 4:38:45 PM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 4:34:02 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 4:34:01 PM	16	mg/l
ZONA ALPROM	Clor	9/19/2016 4:33:08 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 4:33:07 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 4:33:06 PM	25	gradCels
ZONA ALPROM	pH	9/19/2016 4:33:05 PM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 4:27:50 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 4:27:49 PM	16	mg/l
ZONA ALPROM	Clor	9/19/2016 4:27:48 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 4:27:47 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 4:27:46 PM	25	gradCels
ZONA ALPROM	pH	9/19/2016 4:27:45 PM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 4:26:20 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 4:26:10 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 4:25:30 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 4:25:20 PM	16	mg/l
ZONA ALPROM	Temp	9/19/2016 4:25:10 PM	25	gradCels
ZONA ALPROM	pH	9/19/2016 4:25:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 4:23:02 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 4:23:01 PM	16	mg/l
ZONA ALPROM	Clor	9/19/2016 4:22:08 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 4:22:07 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 4:22:06 PM	25	gradCels
ZONA ALPROM	pH	9/19/2016 4:22:05 PM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 4:16:50 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 4:16:49 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 4:16:48 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 4:16:47 PM	16	mg/l
ZONA ALPROM	pH	9/19/2016 4:16:46 PM	8	unit pH
ZONA ALPROM	Temp	9/19/2016 4:16:45 PM	25	gradCels
ZONA ALPROM	Substante organice	9/19/2016 4:12:01 PM	16	mg/l
ZONA ALPROM	Cianuri	9/19/2016 4:11:09 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 4:11:08 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 4:11:07 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 4:11:06 PM	25	gradCels
ZONA ALPROM	pH	9/19/2016 4:11:05 PM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 4:05:51 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 4:05:50 PM	16	mg/l
ZONA ALPROM	Clor	9/19/2016 4:05:49 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 4:05:48 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 4:05:47 PM	25	gradCels
ZONA ALPROM	pH	9/19/2016 4:05:46 PM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 4:05:20 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 4:05:10 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 4:04:50 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 4:04:30 PM	16	mg/l
ZONA ALPROM	Temp	9/19/2016 4:04:20 PM	25	gradCels
ZONA ALPROM	pH	9/19/2016 4:04:10 PM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 4:01:02 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 4:01:01 PM	16	mg/l
ZONA ALPROM	Clor	9/19/2016 4:00:08 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 4:00:07 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 4:00:06 PM	25	gradCels
ZONA ALPROM	pH	9/19/2016 4:00:05 PM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 3:54:50 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 3:54:49 PM	16	mg/l
ZONA ALPROM	Clor	9/19/2016 3:54:48 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 3:54:47 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 3:54:46 PM	25	gradCels
ZONA ALPROM	pH	9/19/2016 3:54:45 PM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 3:50:01 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 3:49:09 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 3:49:08 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 3:49:07 PM	16	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/19/2016 3:49:06 PM	25	gradCels
ZONA ALPROM	pH	9/19/2016 3:49:05 PM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 3:44:30 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 3:44:20 PM	0	mg/l
ZONA ALPROM	Cianuri	9/19/2016 3:43:50 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 3:43:49 PM	16	mg/l
ZONA ALPROM	Clor	9/19/2016 3:43:48 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 3:43:47 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 3:43:46 PM	25	gradCels
ZONA ALPROM	pH	9/19/2016 3:43:45 PM	8	unit pH
ZONA ALPROM	Grasimi	9/19/2016 3:43:20 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 3:43:10 PM	16	mg/l
ZONA ALPROM	Temp	9/19/2016 3:43:00 PM	25	gradCels
ZONA ALPROM	pH	9/19/2016 3:42:50 PM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 3:38:42 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 3:38:41 PM	16	mg/l
ZONA ALPROM	Clor	9/19/2016 3:38:09 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 3:38:08 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 3:38:07 PM	25	gradCels
ZONA ALPROM	pH	9/19/2016 3:38:06 PM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 3:32:45 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 3:32:44 PM	16	mg/l
ZONA ALPROM	Clor	9/19/2016 3:32:43 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 3:32:42 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 3:32:41 PM	25	gradCels
ZONA ALPROM	pH	9/19/2016 3:32:40 PM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 3:27:42 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 3:27:41 PM	16	mg/l
ZONA ALPROM	Clor	9/19/2016 3:27:08 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 3:27:07 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 3:27:06 PM	25	gradCels
ZONA ALPROM	pH	9/19/2016 3:27:05 PM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 3:24:10 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 3:24:00 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 3:23:30 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 3:23:20 PM	16	mg/l
ZONA ALPROM	Temp	9/19/2016 3:23:10 PM	25	gradCels
ZONA ALPROM	pH	9/19/2016 3:23:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 3:21:40 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 3:21:28 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 3:21:27 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 3:21:26 PM	16	mg/l
ZONA ALPROM	Temp	9/19/2016 3:21:25 PM	25	gradCels
ZONA ALPROM	pH	9/19/2016 3:21:24 PM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 3:16:42 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 3:16:41 PM	16	mg/l
ZONA ALPROM	Clor	9/19/2016 3:16:07 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 3:16:06 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 3:16:05 PM	25	gradCels
ZONA ALPROM	pH	9/19/2016 3:16:04 PM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 3:10:41 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 3:10:40 PM	16	mg/l
ZONA ALPROM	Clor	9/19/2016 3:10:28 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 3:10:27 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 3:10:26 PM	25	gradCels
ZONA ALPROM	pH	9/19/2016 3:10:25 PM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 3:06:10 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 3:06:00 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 3:05:40 PM	16	mg/l
ZONA ALPROM	Grasimi	9/19/2016 3:05:30 PM	0	mg/l
ZONA ALPROM	Cianuri	9/19/2016 3:05:10 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 3:05:09 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 3:05:08 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 3:05:07 PM	25	gradCels
ZONA ALPROM	pH	9/19/2016 3:05:06 PM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 3:04:40 PM	16	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/19/2016 3:04:30 PM	25	gradCels
ZONA ALPROM	pH	9/19/2016 3:04:20 PM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 2:59:40 PM	16	mg/l
ZONA ALPROM	Cianuri	9/19/2016 2:59:28 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 2:59:27 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 2:59:26 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 2:59:25 PM	25	gradCels
ZONA ALPROM	pH	9/19/2016 2:59:24 PM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 2:54:42 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 2:54:41 PM	16	mg/l
ZONA ALPROM	Clor	9/19/2016 2:54:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 2:54:02 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 2:54:01 PM	25	gradCels
ZONA ALPROM	pH	9/19/2016 2:54:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 2:48:45 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 2:48:44 PM	16	mg/l
ZONA ALPROM	Clor	9/19/2016 2:48:28 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 2:48:27 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 2:48:26 PM	25	gradCels
ZONA ALPROM	pH	9/19/2016 2:48:25 PM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 2:47:20 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 2:47:10 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 2:46:30 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 2:46:00 PM	16	mg/l
ZONA ALPROM	Temp	9/19/2016 2:45:20 PM	25	gradCels
ZONA ALPROM	pH	9/19/2016 2:45:10 PM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 2:43:43 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 2:43:42 PM	16	mg/l
ZONA ALPROM	Clor	9/19/2016 2:42:55 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 2:42:54 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 2:42:53 PM	25	gradCels
ZONA ALPROM	pH	9/19/2016 2:42:52 PM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 2:37:45 PM	16	mg/l
ZONA ALPROM	Cianuri	9/19/2016 2:37:44 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 2:37:28 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 2:37:27 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 2:37:26 PM	25	gradCels
ZONA ALPROM	pH	9/19/2016 2:37:25 PM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 2:32:41 PM	16	mg/l
ZONA ALPROM	Cianuri	9/19/2016 2:32:40 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 2:32:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 2:32:02 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 2:32:01 PM	25	gradCels
ZONA ALPROM	pH	9/19/2016 2:32:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 2:28:30 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 2:28:20 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 2:28:00 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 2:27:50 PM	16	mg/l
ZONA ALPROM	Temp	9/19/2016 2:27:30 PM	25	gradCels
ZONA ALPROM	pH	9/19/2016 2:27:20 PM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 2:27:02 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 2:27:01 PM	16	mg/l
ZONA ALPROM	Clor	9/19/2016 2:26:28 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 2:26:27 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 2:26:26 PM	25	gradCels
ZONA ALPROM	pH	9/19/2016 2:26:25 PM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 2:21:05 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 2:21:04 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 2:21:03 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 2:21:02 PM	16	mg/l
ZONA ALPROM	Temp	9/19/2016 2:21:01 PM	25	gradCels
ZONA ALPROM	pH	9/19/2016 2:21:00 PM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 2:15:41 PM	16	mg/l
ZONA ALPROM	Cianuri	9/19/2016 2:15:29 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 2:15:28 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 2:15:27 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/19/2016 2:15:26 PM	25	gradCels
ZONA ALPROM	pH	9/19/2016 2:15:25 PM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 2:10:47 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 2:10:44 PM	16	mg/l
ZONA ALPROM	Clor	9/19/2016 2:10:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 2:10:02 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 2:10:01 PM	25	gradCels
ZONA ALPROM	pH	9/19/2016 2:10:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 2:09:10 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 2:09:00 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 2:08:40 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 2:08:30 PM	16	mg/l
ZONA ALPROM	Temp	9/19/2016 2:08:10 PM	25	gradCels
ZONA ALPROM	pH	9/19/2016 2:08:00 PM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 2:05:01 PM	16	mg/l
ZONA ALPROM	Cianuri	9/19/2016 2:04:24 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 2:04:23 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 2:04:22 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 2:04:21 PM	25	gradCels
ZONA ALPROM	pH	9/19/2016 2:04:20 PM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 1:59:40 PM	16	mg/l
ZONA ALPROM	Cianuri	9/19/2016 1:59:04 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 1:59:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 1:59:02 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 1:59:01 PM	25	gradCels
ZONA ALPROM	pH	9/19/2016 1:59:00 PM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 1:54:01 PM	16	mg/l
ZONA ALPROM	Cianuri	9/19/2016 1:53:24 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 1:53:23 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 1:53:22 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 1:53:21 PM	25	gradCels
ZONA ALPROM	pH	9/19/2016 1:53:20 PM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 1:49:20 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 1:49:10 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 1:48:50 PM	0	mg/l
ZONA ALPROM	Cianuri	9/19/2016 1:48:40 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 1:48:30 PM	16	mg/l
ZONA ALPROM	Clor	9/19/2016 1:48:04 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 1:48:03 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 1:48:02 PM	16	mg/l
ZONA ALPROM	Temp	9/19/2016 1:48:01 PM	25	gradCels
ZONA ALPROM	pH	9/19/2016 1:48:00 PM	8	unit pH
ZONA ALPROM	Temp	9/19/2016 1:47:20 PM	25	gradCels
ZONA ALPROM	pH	9/19/2016 1:47:10 PM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 1:42:42 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 1:42:41 PM	16	mg/l
ZONA ALPROM	Clor	9/19/2016 1:42:23 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 1:42:22 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 1:42:21 PM	25	gradCels
ZONA ALPROM	pH	9/19/2016 1:42:20 PM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 1:37:40 PM	16	mg/l
ZONA ALPROM	Cianuri	9/19/2016 1:36:50 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 1:36:49 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 1:36:48 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 1:36:47 PM	25	gradCels
ZONA ALPROM	pH	9/19/2016 1:36:46 PM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 1:31:41 PM	16	mg/l
ZONA ALPROM	Cianuri	9/19/2016 1:31:24 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 1:31:23 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 1:31:22 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 1:31:21 PM	25	gradCels
ZONA ALPROM	pH	9/19/2016 1:31:20 PM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 1:29:20 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 1:29:10 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 1:27:50 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 1:27:40 PM	16	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/19/2016 1:27:30 PM	25	gradCels
ZONA ALPROM	pH	9/19/2016 1:27:20 PM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 1:26:40 PM	16	mg/l
ZONA ALPROM	Cianuri	9/19/2016 1:25:50 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 1:25:49 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 1:25:48 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 1:25:47 PM	25	gradCels
ZONA ALPROM	pH	9/19/2016 1:25:46 PM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 1:20:25 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 1:20:24 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 1:20:23 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 1:20:22 PM	16	mg/l
ZONA ALPROM	Temp	9/19/2016 1:20:21 PM	25	gradCels
ZONA ALPROM	pH	9/19/2016 1:20:20 PM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 1:15:41 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 1:15:40 PM	16	mg/l
ZONA ALPROM	Clor	9/19/2016 1:14:49 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 1:14:48 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 1:14:47 PM	25	gradCels
ZONA ALPROM	pH	9/19/2016 1:14:46 PM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 1:10:10 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 1:10:00 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 1:09:41 PM	16	mg/l
ZONA ALPROM	Cianuri	9/19/2016 1:09:24 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 1:09:23 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 1:09:22 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 1:09:21 PM	25	gradCels
ZONA ALPROM	pH	9/19/2016 1:09:20 PM	8	unit pH
ZONA ALPROM	Grasimi	9/19/2016 1:09:10 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 1:08:50 PM	16	mg/l
ZONA ALPROM	Temp	9/19/2016 1:08:40 PM	25	gradCels
ZONA ALPROM	pH	9/19/2016 1:08:30 PM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 1:04:40 PM	16	mg/l
ZONA ALPROM	Cianuri	9/19/2016 1:03:45 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 1:03:44 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 1:03:43 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 1:03:42 PM	25	gradCels
ZONA ALPROM	pH	9/19/2016 1:03:41 PM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 12:58:42 PM	16	mg/l
ZONA ALPROM	Cianuri	9/19/2016 12:58:41 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 12:58:23 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 12:58:22 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 12:58:21 PM	25	gradCels
ZONA ALPROM	pH	9/19/2016 12:58:20 PM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 12:53:40 PM	16	mg/l
ZONA ALPROM	Cianuri	9/19/2016 12:52:46 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 12:52:45 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 12:52:44 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 12:52:43 PM	25	gradCels
ZONA ALPROM	pH	9/19/2016 12:52:42 PM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 12:51:00 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 12:50:50 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 12:50:10 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 12:49:20 PM	16	mg/l
ZONA ALPROM	Temp	9/19/2016 12:49:10 PM	25	gradCels
ZONA ALPROM	pH	9/19/2016 12:49:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 12:47:25 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 12:47:24 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 12:47:23 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 12:47:22 PM	16	mg/l
ZONA ALPROM	pH	9/19/2016 12:47:21 PM	8	unit pH
ZONA ALPROM	Temp	9/19/2016 12:47:20 PM	25	gradCels
ZONA ALPROM	Substante organice	9/19/2016 12:42:40 PM	16	mg/l
ZONA ALPROM	Cianuri	9/19/2016 12:42:05 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 12:42:04 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 12:42:03 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/19/2016 12:42:02 PM	25	gradCels
ZONA ALPROM	pH	9/19/2016 12:42:01 PM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 12:36:45 PM	16	mg/l
ZONA ALPROM	Cianuri	9/19/2016 12:36:44 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 12:36:24 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 12:36:23 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 12:36:22 PM	25	gradCels
ZONA ALPROM	pH	9/19/2016 12:36:21 PM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 12:32:50 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 12:32:40 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 12:32:20 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 12:32:10 PM	16	mg/l
ZONA ALPROM	Temp	9/19/2016 12:32:00 PM	25	gradCels
ZONA ALPROM	pH	9/19/2016 12:31:50 PM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 12:31:06 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 12:31:05 PM	16	mg/l
ZONA ALPROM	Clor	9/19/2016 12:31:04 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 12:31:03 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 12:31:02 PM	25	gradCels
ZONA ALPROM	pH	9/19/2016 12:31:01 PM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 12:25:44 PM	16	mg/l
ZONA ALPROM	Cianuri	9/19/2016 12:25:25 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 12:25:24 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 12:25:23 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 12:25:22 PM	25	gradCels
ZONA ALPROM	pH	9/19/2016 12:25:21 PM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 12:20:06 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 12:20:05 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 12:20:04 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 12:20:03 PM	16	mg/l
ZONA ALPROM	Temp	9/19/2016 12:20:02 PM	25	gradCels
ZONA ALPROM	pH	9/19/2016 12:20:01 PM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 12:14:50 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 12:14:40 PM	15	mg/l
ZONA ALPROM	Cianuri	9/19/2016 12:14:26 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 12:14:25 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 12:14:24 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 12:14:23 PM	25	gradCels
ZONA ALPROM	pH	9/19/2016 12:14:22 PM	8	unit pH
ZONA ALPROM	Clor	9/19/2016 12:13:40 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 12:13:20 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 12:13:10 PM	15	mg/l
ZONA ALPROM	Temp	9/19/2016 12:13:00 PM	25	gradCels
ZONA ALPROM	pH	9/19/2016 12:12:50 PM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 12:09:06 PM	15	mg/l
ZONA ALPROM	Cianuri	9/19/2016 12:09:05 PM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 12:09:04 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 12:09:03 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 12:09:02 PM	25	gradCels
ZONA ALPROM	pH	9/19/2016 12:09:01 PM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 12:03:46 PM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 12:03:45 PM	15	mg/l
ZONA ALPROM	Clor	9/19/2016 12:03:24 PM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 12:03:23 PM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 12:03:22 PM	26	gradCels
ZONA ALPROM	pH	9/19/2016 12:03:21 PM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 11:57:46 AM	15	mg/l
ZONA ALPROM	Cianuri	9/19/2016 11:57:45 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 11:57:44 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 11:57:43 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 11:57:42 AM	26	gradCels
ZONA ALPROM	pH	9/19/2016 11:57:41 AM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 11:55:20 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 11:55:10 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 11:54:30 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 11:54:20 AM	15	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/19/2016 11:54:10 AM	26	gradCels
ZONA ALPROM	pH	9/19/2016 11:54:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 11:52:41 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 11:52:40 AM	15	mg/l
ZONA ALPROM	Clor	9/19/2016 11:52:24 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 11:52:23 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 11:52:22 AM	26	gradCels
ZONA ALPROM	pH	9/19/2016 11:52:21 AM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 11:46:46 AM	15	mg/l
ZONA ALPROM	Cianuri	9/19/2016 11:46:45 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 11:46:44 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 11:46:43 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 11:46:42 AM	26	gradCels
ZONA ALPROM	pH	9/19/2016 11:46:41 AM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 11:41:42 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 11:41:40 AM	15	mg/l
ZONA ALPROM	Clor	9/19/2016 11:41:24 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 11:41:23 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 11:41:22 AM	26	gradCels
ZONA ALPROM	pH	9/19/2016 11:41:21 AM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 11:37:40 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 11:37:30 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 11:37:10 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 11:37:00 AM	15	mg/l
ZONA ALPROM	Temp	9/19/2016 11:36:50 AM	26	gradCels
ZONA ALPROM	pH	9/19/2016 11:36:30 AM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 11:35:46 AM	15	mg/l
ZONA ALPROM	Cianuri	9/19/2016 11:35:45 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 11:35:44 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 11:35:43 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 11:35:42 AM	26	gradCels
ZONA ALPROM	pH	9/19/2016 11:35:41 AM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 11:30:40 AM	15	mg/l
ZONA ALPROM	Cianuri	9/19/2016 11:30:25 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 11:30:24 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 11:30:23 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 11:30:22 AM	26	gradCels
ZONA ALPROM	pH	9/19/2016 11:30:21 AM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 11:25:41 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 11:25:40 AM	15	mg/l
ZONA ALPROM	Clor	9/19/2016 11:25:09 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 11:25:08 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 11:25:07 AM	26	gradCels
ZONA ALPROM	pH	9/19/2016 11:25:06 AM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 11:20:10 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 11:20:00 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 11:19:35 AM	15	mg/l
ZONA ALPROM	Cianuri	9/19/2016 11:19:33 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 11:19:32 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 11:19:31 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 11:19:30 AM	26	gradCels
ZONA ALPROM	pH	9/19/2016 11:19:29 AM	8	unit pH
ZONA ALPROM	Grasimi	9/19/2016 11:18:30 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 11:18:20 AM	15	mg/l
ZONA ALPROM	Temp	9/19/2016 11:18:10 AM	26	gradCels
ZONA ALPROM	pH	9/19/2016 11:17:40 AM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 11:14:40 AM	15	mg/l
ZONA ALPROM	Cianuri	9/19/2016 11:14:04 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 11:14:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 11:14:02 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 11:14:01 AM	26	gradCels
ZONA ALPROM	pH	9/19/2016 11:14:00 AM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 11:08:36 AM	15	mg/l
ZONA ALPROM	Cianuri	9/19/2016 11:08:35 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 11:08:34 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 11:08:33 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/19/2016 11:08:32 AM	26	gradCels
ZONA ALPROM	pH	9/19/2016 11:08:31 AM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 11:03:40 AM	15	mg/l
ZONA ALPROM	Cianuri	9/19/2016 11:03:04 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 11:03:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 11:03:02 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 11:03:01 AM	26	gradCels
ZONA ALPROM	pH	9/19/2016 11:03:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 11:01:00 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 11:00:50 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 11:00:20 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 11:00:10 AM	15	mg/l
ZONA ALPROM	Temp	9/19/2016 11:00:00 AM	26	gradCels
ZONA ALPROM	pH	9/19/2016 10:59:20 AM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 10:57:37 AM	15	mg/l
ZONA ALPROM	Cianuri	9/19/2016 10:57:36 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 10:57:35 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 10:57:34 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 10:57:33 AM	26	gradCels
ZONA ALPROM	pH	9/19/2016 10:57:32 AM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 10:52:10 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 10:52:09 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 10:52:08 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 10:52:07 AM	15	mg/l
ZONA ALPROM	Temp	9/19/2016 10:52:06 AM	26	gradCels
ZONA ALPROM	pH	9/19/2016 10:52:05 AM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 10:46:40 AM	15	mg/l
ZONA ALPROM	Cianuri	9/19/2016 10:46:29 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 10:46:28 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 10:46:27 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 10:46:26 AM	26	gradCels
ZONA ALPROM	pH	9/19/2016 10:46:25 AM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 10:42:50 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 10:42:40 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 10:42:20 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 10:42:10 AM	15	mg/l
ZONA ALPROM	Temp	9/19/2016 10:42:00 AM	26	gradCels
ZONA ALPROM	pH	9/19/2016 10:41:50 AM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 10:41:41 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 10:41:40 AM	15	mg/l
ZONA ALPROM	Clor	9/19/2016 10:41:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 10:41:02 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 10:41:01 AM	26	gradCels
ZONA ALPROM	pH	9/19/2016 10:41:00 AM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 10:35:45 AM	15	mg/l
ZONA ALPROM	Cianuri	9/19/2016 10:35:44 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 10:35:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 10:35:42 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 10:35:41 AM	26	gradCels
ZONA ALPROM	pH	9/19/2016 10:35:40 AM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 10:30:40 AM	15	mg/l
ZONA ALPROM	Cianuri	9/19/2016 10:29:58 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 10:29:57 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 10:29:56 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 10:29:55 AM	26	gradCels
ZONA ALPROM	pH	9/19/2016 10:29:54 AM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 10:25:20 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 10:25:10 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 10:24:50 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 10:24:45 AM	15	mg/l
ZONA ALPROM	Cianuri	9/19/2016 10:24:44 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 10:24:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 10:24:42 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 10:24:41 AM	26	gradCels
ZONA ALPROM	pH	9/19/2016 10:24:40 AM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 10:24:20 AM	15	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/19/2016 10:23:30 AM	26	gradCels
ZONA ALPROM	pH	9/19/2016 10:23:20 AM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 10:18:59 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 10:18:58 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 10:18:57 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 10:18:56 AM	15	mg/l
ZONA ALPROM	Temp	9/19/2016 10:18:55 AM	26	gradCels
ZONA ALPROM	pH	9/19/2016 10:18:54 AM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 10:13:45 AM	15	mg/l
ZONA ALPROM	Cianuri	9/19/2016 10:13:44 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 10:13:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 10:13:42 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 10:13:41 AM	26	gradCels
ZONA ALPROM	pH	9/19/2016 10:13:40 AM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 10:08:40 AM	15	mg/l
ZONA ALPROM	Cianuri	9/19/2016 10:08:10 AM	0	mg/l
ZONA ALPROM	Cianuri	9/19/2016 10:08:04 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 10:08:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 10:08:02 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 10:08:01 AM	26	gradCels
ZONA ALPROM	pH	9/19/2016 10:08:00 AM	8	unit pH
ZONA ALPROM	Clor	9/19/2016 10:07:50 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 10:06:40 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 10:06:30 AM	15	mg/l
ZONA ALPROM	Temp	9/19/2016 10:06:20 AM	26	gradCels
ZONA ALPROM	pH	9/19/2016 10:06:10 AM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 10:02:45 AM	15	mg/l
ZONA ALPROM	Cianuri	9/19/2016 10:02:44 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 10:02:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 10:02:42 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 10:02:41 AM	26	gradCels
ZONA ALPROM	pH	9/19/2016 10:02:40 AM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 9:57:40 AM	15	mg/l
ZONA ALPROM	Cianuri	9/19/2016 9:57:04 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 9:57:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 9:57:02 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 9:57:01 AM	26	gradCels
ZONA ALPROM	pH	9/19/2016 9:57:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 9:51:27 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 9:51:26 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 9:51:25 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 9:51:24 AM	15	mg/l
ZONA ALPROM	Temp	9/19/2016 9:51:22 AM	26	gradCels
ZONA ALPROM	pH	9/19/2016 9:51:21 AM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 9:50:10 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 9:50:00 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 9:49:40 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 9:49:30 AM	15	mg/l
ZONA ALPROM	Temp	9/19/2016 9:49:20 AM	26	gradCels
ZONA ALPROM	pH	9/19/2016 9:49:10 AM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 9:46:40 AM	15	mg/l
ZONA ALPROM	Cianuri	9/19/2016 9:46:04 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 9:46:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 9:46:02 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 9:46:01 AM	26	gradCels
ZONA ALPROM	pH	9/19/2016 9:46:00 AM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 9:40:40 AM	15	mg/l
ZONA ALPROM	Cianuri	9/19/2016 9:40:29 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 9:40:28 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 9:40:27 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 9:40:26 AM	26	gradCels
ZONA ALPROM	pH	9/19/2016 9:40:25 AM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 9:35:40 AM	15	mg/l
ZONA ALPROM	Cianuri	9/19/2016 9:35:04 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 9:35:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 9:35:02 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/19/2016 9:35:01 AM	26	gradCels
ZONA ALPROM	pH	9/19/2016 9:35:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 9:33:50 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 9:33:40 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 9:33:20 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 9:33:10 AM	15	mg/l
ZONA ALPROM	Temp	9/19/2016 9:33:00 AM	26	gradCels
ZONA ALPROM	pH	9/19/2016 9:32:50 AM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 9:29:40 AM	15	mg/l
ZONA ALPROM	Cianuri	9/19/2016 9:29:29 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 9:29:28 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 9:29:27 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 9:29:26 AM	26	gradCels
ZONA ALPROM	pH	9/19/2016 9:29:25 AM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 9:24:40 AM	15	mg/l
ZONA ALPROM	Cianuri	9/19/2016 9:24:04 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 9:24:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 9:24:02 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 9:24:01 AM	26	gradCels
ZONA ALPROM	pH	9/19/2016 9:24:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 9:18:30 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 9:18:29 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 9:18:28 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 9:18:27 AM	15	mg/l
ZONA ALPROM	Temp	9/19/2016 9:18:26 AM	26	gradCels
ZONA ALPROM	pH	9/19/2016 9:18:25 AM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 9:16:00 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 9:15:50 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 9:15:00 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 9:14:50 AM	15	mg/l
ZONA ALPROM	Temp	9/19/2016 9:14:20 AM	26	gradCels
ZONA ALPROM	pH	9/19/2016 9:14:10 AM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 9:13:40 AM	15	mg/l
ZONA ALPROM	Cianuri	9/19/2016 9:12:54 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 9:12:53 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 9:12:52 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 9:12:51 AM	26	gradCels
ZONA ALPROM	pH	9/19/2016 9:12:50 AM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 9:07:40 AM	15	mg/l
ZONA ALPROM	Cianuri	9/19/2016 9:07:29 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 9:07:28 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 9:07:27 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 9:07:26 AM	26	gradCels
ZONA ALPROM	pH	9/19/2016 9:07:25 AM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 9:02:40 AM	15	mg/l
ZONA ALPROM	Cianuri	9/19/2016 9:01:53 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 9:01:52 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 9:01:51 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 9:01:50 AM	26	gradCels
ZONA ALPROM	pH	9/19/2016 9:01:49 AM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 8:58:20 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 8:58:10 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 8:57:40 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 8:57:30 AM	15	mg/l
ZONA ALPROM	Temp	9/19/2016 8:57:20 AM	26	gradCels
ZONA ALPROM	pH	9/19/2016 8:57:10 AM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 8:56:40 AM	15	mg/l
ZONA ALPROM	Cianuri	9/19/2016 8:56:29 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 8:56:27 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 8:56:26 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 8:56:25 AM	26	gradCels
ZONA ALPROM	pH	9/19/2016 8:56:24 AM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 8:51:40 AM	15	mg/l
ZONA ALPROM	Cianuri	9/19/2016 8:50:53 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 8:50:52 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 8:50:51 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/19/2016 8:50:50 AM	26	gradCels
ZONA ALPROM	pH	9/19/2016 8:50:49 AM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 8:45:40 AM	15	mg/l
ZONA ALPROM	Cianuri	9/19/2016 8:45:28 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 8:45:27 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 8:45:26 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 8:45:25 AM	26	gradCels
ZONA ALPROM	pH	9/19/2016 8:45:24 AM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 8:40:40 AM	15	mg/l
ZONA ALPROM	Cianuri	9/19/2016 8:40:20 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 8:40:10 AM	0	mg/l
ZONA ALPROM	Cianuri	9/19/2016 8:39:52 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 8:39:51 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 8:39:50 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 8:39:49 AM	26	gradCels
ZONA ALPROM	pH	9/19/2016 8:39:48 AM	8	unit pH
ZONA ALPROM	Grasimi	9/19/2016 8:39:00 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 8:38:50 AM	15	mg/l
ZONA ALPROM	Temp	9/19/2016 8:38:40 AM	26	gradCels
ZONA ALPROM	pH	9/19/2016 8:38:30 AM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 8:34:40 AM	15	mg/l
ZONA ALPROM	Cianuri	9/19/2016 8:34:28 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 8:34:27 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 8:34:26 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 8:34:25 AM	26	gradCels
ZONA ALPROM	pH	9/19/2016 8:34:24 AM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 8:29:40 AM	15	mg/l
ZONA ALPROM	Cianuri	9/19/2016 8:28:52 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 8:28:51 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 8:28:50 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 8:28:49 AM	26	gradCels
ZONA ALPROM	pH	9/19/2016 8:28:48 AM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 8:23:40 AM	15	mg/l
ZONA ALPROM	Cianuri	9/19/2016 8:23:29 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 8:23:28 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 8:23:27 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 8:23:26 AM	27	gradCels
ZONA ALPROM	pH	9/19/2016 8:23:25 AM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 8:21:20 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 8:21:10 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 8:20:50 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 8:20:30 AM	15	mg/l
ZONA ALPROM	Temp	9/19/2016 8:20:20 AM	27	gradCels
ZONA ALPROM	pH	9/19/2016 8:20:10 AM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 8:17:52 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 8:17:51 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 8:17:50 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 8:17:49 AM	15	mg/l
ZONA ALPROM	Temp	9/19/2016 8:17:48 AM	27	gradCels
ZONA ALPROM	pH	9/19/2016 8:17:47 AM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 8:12:41 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 8:12:40 AM	15	mg/l
ZONA ALPROM	Clor	9/19/2016 8:12:28 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 8:12:27 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 8:12:26 AM	27	gradCels
ZONA ALPROM	pH	9/19/2016 8:12:25 AM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 8:07:40 AM	15	mg/l
ZONA ALPROM	Cianuri	9/19/2016 8:06:49 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 8:06:48 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 8:06:47 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 8:06:46 AM	27	gradCels
ZONA ALPROM	pH	9/19/2016 8:06:45 AM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 8:02:50 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 8:02:20 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 8:02:00 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 8:01:50 AM	15	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Substante organice	9/19/2016 8:01:40 AM	15	mg/l
ZONA ALPROM	Temp	9/19/2016 8:01:30 AM	27	gradCels
ZONA ALPROM	Cianuri	9/19/2016 8:01:24 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 8:01:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 8:01:22 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 8:01:21 AM	27	gradCels
ZONA ALPROM	pH	9/19/2016 8:01:20 AM	8	unit pH
ZONA ALPROM	pH	9/19/2016 8:01:10 AM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 7:56:40 AM	15	mg/l
ZONA ALPROM	Cianuri	9/19/2016 7:56:04 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 7:56:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 7:56:02 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 7:56:01 AM	27	gradCels
ZONA ALPROM	pH	9/19/2016 7:56:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 7:50:25 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 7:50:24 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 7:50:23 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 7:50:22 AM	15	mg/l
ZONA ALPROM	Temp	9/19/2016 7:50:21 AM	27	gradCels
ZONA ALPROM	pH	9/19/2016 7:50:20 AM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 7:45:40 AM	15	mg/l
ZONA ALPROM	Cianuri	9/19/2016 7:44:46 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 7:44:45 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 7:44:44 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 7:44:43 AM	27	gradCels
ZONA ALPROM	pH	9/19/2016 7:44:42 AM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 7:43:30 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 7:43:20 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 7:43:00 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 7:42:50 AM	15	mg/l
ZONA ALPROM	Temp	9/19/2016 7:42:30 AM	27	gradCels
ZONA ALPROM	pH	9/19/2016 7:42:20 AM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 7:39:45 AM	15	mg/l
ZONA ALPROM	Cianuri	9/19/2016 7:39:24 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 7:39:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 7:39:22 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 7:39:21 AM	27	gradCels
ZONA ALPROM	pH	9/19/2016 7:39:20 AM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 7:34:40 AM	15	mg/l
ZONA ALPROM	Cianuri	9/19/2016 7:33:46 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 7:33:45 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 7:33:44 AM	0	mg/l
ZONA ALPROM	pH	9/19/2016 7:33:43 AM	8	unit pH
ZONA ALPROM	Temp	9/19/2016 7:33:42 AM	27	gradCels
ZONA ALPROM	Substante organice	9/19/2016 7:28:46 AM	15	mg/l
ZONA ALPROM	Cianuri	9/19/2016 7:28:45 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 7:28:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 7:28:22 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 7:28:21 AM	27	gradCels
ZONA ALPROM	pH	9/19/2016 7:28:20 AM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 7:26:00 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 7:25:50 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 7:25:10 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 7:24:40 AM	15	mg/l
ZONA ALPROM	Temp	9/19/2016 7:24:30 AM	27	gradCels
ZONA ALPROM	pH	9/19/2016 7:24:20 AM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 7:23:41 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 7:23:40 AM	15	mg/l
ZONA ALPROM	Clor	9/19/2016 7:22:45 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 7:22:44 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 7:22:43 AM	27	gradCels
ZONA ALPROM	pH	9/19/2016 7:22:42 AM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 7:17:40 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 7:17:24 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 7:17:23 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 7:17:22 AM	15	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/19/2016 7:17:21 AM	27	gradCels
ZONA ALPROM	pH	9/19/2016 7:17:20 AM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 7:12:41 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 7:12:40 AM	15	mg/l
ZONA ALPROM	Clor	9/19/2016 7:11:45 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 7:11:44 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 7:11:43 AM	27	gradCels
ZONA ALPROM	pH	9/19/2016 7:11:42 AM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 7:07:41 AM	15	mg/l
ZONA ALPROM	Cianuri	9/19/2016 7:07:40 AM	0	mg/l
ZONA ALPROM	Cianuri	9/19/2016 7:07:10 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 7:07:00 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 7:06:49 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 7:06:48 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 7:06:47 AM	27	gradCels
ZONA ALPROM	pH	9/19/2016 7:06:46 AM	8	unit pH
ZONA ALPROM	Grasimi	9/19/2016 7:06:20 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 7:06:10 AM	15	mg/l
ZONA ALPROM	Temp	9/19/2016 7:06:00 AM	27	gradCels
ZONA ALPROM	pH	9/19/2016 7:05:10 AM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 7:01:40 AM	15	mg/l
ZONA ALPROM	Cianuri	9/19/2016 7:01:08 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 7:01:07 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 7:01:06 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 7:01:05 AM	27	gradCels
ZONA ALPROM	pH	9/19/2016 7:01:04 AM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 6:55:45 AM	15	mg/l
ZONA ALPROM	Cianuri	9/19/2016 6:55:44 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 6:55:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 6:55:42 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 6:55:41 AM	27	gradCels
ZONA ALPROM	pH	9/19/2016 6:55:40 AM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 6:50:10 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 6:50:09 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 6:50:08 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 6:50:07 AM	15	mg/l
ZONA ALPROM	Temp	9/19/2016 6:50:06 AM	27	gradCels
ZONA ALPROM	pH	9/19/2016 6:50:05 AM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 6:47:10 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 6:47:00 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 6:46:10 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 6:46:00 AM	15	mg/l
ZONA ALPROM	Temp	9/19/2016 6:45:50 AM	27	gradCels
ZONA ALPROM	pH	9/19/2016 6:45:40 AM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 6:44:45 AM	15	mg/l
ZONA ALPROM	Cianuri	9/19/2016 6:44:44 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 6:44:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 6:44:42 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 6:44:41 AM	27	gradCels
ZONA ALPROM	pH	9/19/2016 6:44:40 AM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 6:39:40 AM	15	mg/l
ZONA ALPROM	Cianuri	9/19/2016 6:39:04 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 6:39:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 6:39:02 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 6:39:01 AM	27	gradCels
ZONA ALPROM	pH	9/19/2016 6:39:00 AM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 6:33:34 AM	15	mg/l
ZONA ALPROM	Cianuri	9/19/2016 6:33:33 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 6:33:32 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 6:33:31 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 6:33:30 AM	27	gradCels
ZONA ALPROM	pH	9/19/2016 6:33:29 AM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 6:28:50 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 6:28:40 AM	15	mg/l
ZONA ALPROM	Clor	9/19/2016 6:28:30 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 6:28:10 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Cianuri	9/19/2016 6:28:04 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 6:28:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 6:28:02 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 6:28:01 AM	27	gradCels
ZONA ALPROM	pH	9/19/2016 6:28:00 AM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 6:27:30 AM	15	mg/l
ZONA ALPROM	Temp	9/19/2016 6:27:20 AM	27	gradCels
ZONA ALPROM	pH	9/19/2016 6:27:10 AM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 6:23:40 AM	15	mg/l
ZONA ALPROM	Cianuri	9/19/2016 6:23:04 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 6:23:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 6:23:02 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 6:23:01 AM	27	gradCels
ZONA ALPROM	pH	9/19/2016 6:23:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 6:17:45 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 6:17:44 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 6:17:43 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 6:17:42 AM	15	mg/l
ZONA ALPROM	Temp	9/19/2016 6:17:41 AM	27	gradCels
ZONA ALPROM	pH	9/19/2016 6:17:40 AM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 6:12:41 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 6:12:40 AM	15	mg/l
ZONA ALPROM	Clor	9/19/2016 6:12:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 6:12:02 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 6:12:01 AM	27	gradCels
ZONA ALPROM	pH	9/19/2016 6:12:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 6:08:50 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 6:08:30 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 6:08:10 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 6:07:50 AM	15	mg/l
ZONA ALPROM	Temp	9/19/2016 6:07:30 AM	27	gradCels
ZONA ALPROM	pH	9/19/2016 6:07:20 AM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 6:06:45 AM	15	mg/l
ZONA ALPROM	Cianuri	9/19/2016 6:06:44 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 6:06:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 6:06:42 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 6:06:41 AM	27	gradCels
ZONA ALPROM	pH	9/19/2016 6:06:40 AM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 6:01:41 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 6:01:40 AM	15	mg/l
ZONA ALPROM	Clor	9/19/2016 6:01:05 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 6:01:03 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 6:01:02 AM	27	gradCels
ZONA ALPROM	pH	9/19/2016 6:01:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 5:55:45 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 5:55:44 AM	15	mg/l
ZONA ALPROM	Clor	9/19/2016 5:55:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 5:55:42 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 5:55:41 AM	27	gradCels
ZONA ALPROM	pH	9/19/2016 5:55:40 AM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 5:50:40 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 5:50:04 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 5:50:03 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 5:50:02 AM	15	mg/l
ZONA ALPROM	Temp	9/19/2016 5:50:01 AM	27	gradCels
ZONA ALPROM	pH	9/19/2016 5:50:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 5:47:30 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 5:47:20 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 5:47:00 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 5:46:50 AM	15	mg/l
ZONA ALPROM	Temp	9/19/2016 5:46:30 AM	27	gradCels
ZONA ALPROM	pH	9/19/2016 5:46:20 AM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 5:44:45 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 5:44:44 AM	15	mg/l
ZONA ALPROM	Clor	9/19/2016 5:44:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 5:44:42 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/19/2016 5:44:41 AM	27	gradCels
ZONA ALPROM	pH	9/19/2016 5:44:40 AM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 5:39:40 AM	15	mg/l
ZONA ALPROM	Cianuri	9/19/2016 5:39:04 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 5:39:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 5:39:02 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 5:39:01 AM	27	gradCels
ZONA ALPROM	pH	9/19/2016 5:39:00 AM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 5:33:45 AM	15	mg/l
ZONA ALPROM	Cianuri	9/19/2016 5:33:44 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 5:33:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 5:33:42 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 5:33:41 AM	27	gradCels
ZONA ALPROM	pH	9/19/2016 5:33:40 AM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 5:28:41 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 5:28:40 AM	15	mg/l
ZONA ALPROM	Cianuri	9/19/2016 5:28:30 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 5:28:20 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 5:28:00 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 5:27:54 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 5:27:53 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 5:27:52 AM	27	gradCels
ZONA ALPROM	pH	9/19/2016 5:27:51 AM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 5:27:20 AM	15	mg/l
ZONA ALPROM	Temp	9/19/2016 5:27:10 AM	27	gradCels
ZONA ALPROM	pH	9/19/2016 5:27:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 5:22:41 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 5:22:40 AM	15	mg/l
ZONA ALPROM	Clor	9/19/2016 5:22:29 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 5:22:28 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 5:22:27 AM	27	gradCels
ZONA ALPROM	pH	9/19/2016 5:22:26 AM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 5:17:40 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 5:16:55 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 5:16:54 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 5:16:53 AM	15	mg/l
ZONA ALPROM	Temp	9/19/2016 5:16:52 AM	27	gradCels
ZONA ALPROM	pH	9/19/2016 5:16:51 AM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 5:11:45 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 5:11:44 AM	15	mg/l
ZONA ALPROM	Clor	9/19/2016 5:11:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 5:11:42 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 5:11:41 AM	27	gradCels
ZONA ALPROM	pH	9/19/2016 5:11:40 AM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 5:08:50 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 5:08:30 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 5:08:10 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 5:07:50 AM	15	mg/l
ZONA ALPROM	Temp	9/19/2016 5:07:30 AM	27	gradCels
ZONA ALPROM	pH	9/19/2016 5:07:10 AM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 5:06:41 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 5:06:40 AM	15	mg/l
ZONA ALPROM	Clor	9/19/2016 5:05:54 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 5:05:53 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 5:05:52 AM	27	gradCels
ZONA ALPROM	pH	9/19/2016 5:05:51 AM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 5:00:41 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 5:00:40 AM	15	mg/l
ZONA ALPROM	Clor	9/19/2016 5:00:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 5:00:22 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 5:00:21 AM	27	gradCels
ZONA ALPROM	pH	9/19/2016 5:00:20 AM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 4:55:41 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 4:55:40 AM	15	mg/l
ZONA ALPROM	Clor	9/19/2016 4:55:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 4:55:02 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/19/2016 4:55:01 AM	27	gradCels
ZONA ALPROM	pH	9/19/2016 4:55:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 4:49:41 AM	0	mg/l
ZONA ALPROM	Cianuri	9/19/2016 4:49:30 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 4:49:24 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 4:49:23 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 4:49:22 AM	15	mg/l
ZONA ALPROM	Temp	9/19/2016 4:49:21 AM	27	gradCels
ZONA ALPROM	pH	9/19/2016 4:49:20 AM	8	unit pH
ZONA ALPROM	Clor	9/19/2016 4:49:10 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 4:47:40 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 4:47:30 AM	15	mg/l
ZONA ALPROM	Temp	9/19/2016 4:47:20 AM	27	gradCels
ZONA ALPROM	pH	9/19/2016 4:47:10 AM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 4:44:41 AM	15	mg/l
ZONA ALPROM	Cianuri	9/19/2016 4:44:40 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 4:44:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 4:44:02 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 4:44:01 AM	27	gradCels
ZONA ALPROM	pH	9/19/2016 4:44:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 4:38:41 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 4:38:40 AM	15	mg/l
ZONA ALPROM	Clor	9/19/2016 4:38:26 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 4:38:24 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 4:38:22 AM	27	gradCels
ZONA ALPROM	pH	9/19/2016 4:38:20 AM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 4:33:41 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 4:33:40 AM	15	mg/l
ZONA ALPROM	Clor	9/19/2016 4:33:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 4:33:02 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 4:33:01 AM	27	gradCels
ZONA ALPROM	pH	9/19/2016 4:33:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 4:29:30 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 4:29:10 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 4:28:50 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 4:28:30 AM	15	mg/l
ZONA ALPROM	Temp	9/19/2016 4:28:20 AM	27	gradCels
ZONA ALPROM	pH	9/19/2016 4:28:10 AM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 4:27:41 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 4:27:40 AM	15	mg/l
ZONA ALPROM	Clor	9/19/2016 4:27:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 4:27:22 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 4:27:21 AM	27	gradCels
ZONA ALPROM	pH	9/19/2016 4:27:20 AM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 4:22:40 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 4:22:04 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 4:22:03 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 4:22:02 AM	15	mg/l
ZONA ALPROM	Temp	9/19/2016 4:22:01 AM	27	gradCels
ZONA ALPROM	pH	9/19/2016 4:22:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 4:16:41 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 4:16:40 AM	15	mg/l
ZONA ALPROM	Clor	9/19/2016 4:16:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 4:16:22 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 4:16:21 AM	27	gradCels
ZONA ALPROM	pH	9/19/2016 4:16:20 AM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 4:11:41 AM	15	mg/l
ZONA ALPROM	Cianuri	9/19/2016 4:11:40 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 4:10:48 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 4:10:47 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 4:10:46 AM	27	gradCels
ZONA ALPROM	pH	9/19/2016 4:10:45 AM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 4:10:10 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 4:09:30 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 4:09:00 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 4:08:50 AM	15	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/19/2016 4:08:30 AM	27	gradCels
ZONA ALPROM	pH	9/19/2016 4:08:20 AM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 4:05:41 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 4:05:40 AM	15	mg/l
ZONA ALPROM	Clor	9/19/2016 4:05:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 4:05:22 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 4:05:21 AM	27	gradCels
ZONA ALPROM	pH	9/19/2016 4:05:20 AM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 4:00:41 AM	15	mg/l
ZONA ALPROM	Cianuri	9/19/2016 4:00:40 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 4:00:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 4:00:02 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 4:00:01 AM	27	gradCels
ZONA ALPROM	pH	9/19/2016 4:00:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 3:54:41 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 3:54:40 AM	15	mg/l
ZONA ALPROM	Clor	9/19/2016 3:54:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 3:54:22 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 3:54:21 AM	28	gradCels
ZONA ALPROM	pH	9/19/2016 3:54:20 AM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 3:49:40 AM	0	mg/l
ZONA ALPROM	Cianuri	9/19/2016 3:49:30 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 3:49:20 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 3:49:00 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 3:48:50 AM	15	mg/l
ZONA ALPROM	Clor	9/19/2016 3:48:47 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 3:48:46 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 3:48:45 AM	15	mg/l
ZONA ALPROM	Temp	9/19/2016 3:48:44 AM	28	gradCels
ZONA ALPROM	pH	9/19/2016 3:48:43 AM	8	unit pH
ZONA ALPROM	Temp	9/19/2016 3:48:30 AM	28	gradCels
ZONA ALPROM	pH	9/19/2016 3:48:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 3:43:41 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 3:43:40 AM	15	mg/l
ZONA ALPROM	Clor	9/19/2016 3:43:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 3:43:22 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 3:43:21 AM	28	gradCels
ZONA ALPROM	pH	9/19/2016 3:43:20 AM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 3:38:41 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 3:38:40 AM	15	mg/l
ZONA ALPROM	Clor	9/19/2016 3:38:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 3:38:02 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 3:38:01 AM	28	gradCels
ZONA ALPROM	pH	9/19/2016 3:38:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 3:32:41 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 3:32:40 AM	15	mg/l
ZONA ALPROM	Clor	9/19/2016 3:32:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 3:32:22 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 3:32:21 AM	28	gradCels
ZONA ALPROM	pH	9/19/2016 3:32:20 AM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 3:30:00 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 3:29:50 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 3:29:00 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 3:28:50 AM	15	mg/l
ZONA ALPROM	Temp	9/19/2016 3:28:30 AM	28	gradCels
ZONA ALPROM	pH	9/19/2016 3:28:10 AM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 3:27:41 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 3:27:40 AM	15	mg/l
ZONA ALPROM	Clor	9/19/2016 3:26:45 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 3:26:44 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 3:26:43 AM	28	gradCels
ZONA ALPROM	pH	9/19/2016 3:26:42 AM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 3:21:40 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 3:21:24 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 3:21:23 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 3:21:22 AM	15	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/19/2016 3:21:21 AM	28	gradCels
ZONA ALPROM	pH	9/19/2016 3:21:20 AM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 3:16:41 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 3:16:40 AM	14	mg/l
ZONA ALPROM	Clor	9/19/2016 3:15:45 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 3:15:44 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 3:15:43 AM	28	gradCels
ZONA ALPROM	pH	9/19/2016 3:15:42 AM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 3:10:41 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 3:10:40 AM	14	mg/l
ZONA ALPROM	Clor	9/19/2016 3:10:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 3:10:22 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 3:10:21 AM	28	gradCels
ZONA ALPROM	pH	9/19/2016 3:10:20 AM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 3:10:00 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 3:09:30 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 3:09:10 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 3:08:30 AM	14	mg/l
ZONA ALPROM	Temp	9/19/2016 3:08:20 AM	28	gradCels
ZONA ALPROM	pH	9/19/2016 3:08:10 AM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 3:05:41 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 3:05:40 AM	14	mg/l
ZONA ALPROM	Clor	9/19/2016 3:04:50 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 3:04:49 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 3:04:48 AM	28	gradCels
ZONA ALPROM	pH	9/19/2016 3:04:47 AM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 2:59:41 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 2:59:40 AM	14	mg/l
ZONA ALPROM	Clor	9/19/2016 2:59:28 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 2:59:27 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 2:59:26 AM	28	gradCels
ZONA ALPROM	pH	9/19/2016 2:59:25 AM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 2:54:41 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 2:54:40 AM	14	mg/l
ZONA ALPROM	Clor	9/19/2016 2:53:49 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 2:53:48 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 2:53:47 AM	28	gradCels
ZONA ALPROM	pH	9/19/2016 2:53:46 AM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 2:51:00 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 2:50:50 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 2:50:10 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 2:50:00 AM	14	mg/l
ZONA ALPROM	Temp	9/19/2016 2:49:50 AM	28	gradCels
ZONA ALPROM	pH	9/19/2016 2:49:30 AM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 2:48:40 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 2:48:08 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 2:48:07 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 2:48:06 AM	14	mg/l
ZONA ALPROM	Temp	9/19/2016 2:48:05 AM	28	gradCels
ZONA ALPROM	pH	9/19/2016 2:48:04 AM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 2:43:41 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 2:43:40 AM	14	mg/l
ZONA ALPROM	Clor	9/19/2016 2:42:50 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 2:42:49 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 2:42:48 AM	28	gradCels
ZONA ALPROM	pH	9/19/2016 2:42:47 AM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 2:37:41 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 2:37:40 AM	14	mg/l
ZONA ALPROM	Clor	9/19/2016 2:37:09 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 2:37:08 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 2:37:07 AM	28	gradCels
ZONA ALPROM	pH	9/19/2016 2:37:06 AM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 2:31:49 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 2:31:48 AM	14	mg/l
ZONA ALPROM	Clor	9/19/2016 2:31:47 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 2:31:46 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/19/2016 2:31:45 AM	28	gradCels
ZONA ALPROM	pH	9/19/2016 2:31:44 AM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 2:30:30 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 2:29:50 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 2:29:30 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 2:29:20 AM	14	mg/l
ZONA ALPROM	Temp	9/19/2016 2:29:10 AM	28	gradCels
ZONA ALPROM	pH	9/19/2016 2:29:00 AM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 2:26:41 AM	14	mg/l
ZONA ALPROM	Cianuri	9/19/2016 2:26:40 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 2:26:07 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 2:26:06 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 2:26:05 AM	28	gradCels
ZONA ALPROM	pH	9/19/2016 2:26:04 AM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 2:20:45 AM	14	mg/l
ZONA ALPROM	Cianuri	9/19/2016 2:20:44 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 2:20:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 2:20:42 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 2:20:41 AM	28	gradCels
ZONA ALPROM	pH	9/19/2016 2:20:40 AM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 2:15:46 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 2:15:45 AM	14	mg/l
ZONA ALPROM	Clor	9/19/2016 2:15:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 2:15:02 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 2:15:01 AM	28	gradCels
ZONA ALPROM	pH	9/19/2016 2:15:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 2:10:10 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 2:09:50 AM	0	mg/l
ZONA ALPROM	Cianuri	9/19/2016 2:09:45 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 2:09:44 AM	14	mg/l
ZONA ALPROM	Clor	9/19/2016 2:09:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 2:09:42 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 2:09:41 AM	28	gradCels
ZONA ALPROM	pH	9/19/2016 2:09:40 AM	8	unit pH
ZONA ALPROM	Grasimi	9/19/2016 2:09:10 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 2:08:30 AM	14	mg/l
ZONA ALPROM	Temp	9/19/2016 2:07:50 AM	28	gradCels
ZONA ALPROM	pH	9/19/2016 2:07:40 AM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 2:04:47 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 2:04:46 AM	14	mg/l
ZONA ALPROM	Clor	9/19/2016 2:04:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 2:04:02 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 2:04:01 AM	28	gradCels
ZONA ALPROM	pH	9/19/2016 2:04:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 1:58:45 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 1:58:44 AM	14	mg/l
ZONA ALPROM	Clor	9/19/2016 1:58:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 1:58:42 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 1:58:41 AM	28	gradCels
ZONA ALPROM	pH	9/19/2016 1:58:40 AM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 1:53:41 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 1:53:40 AM	14	mg/l
ZONA ALPROM	Clor	9/19/2016 1:53:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 1:53:02 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 1:53:01 AM	28	gradCels
ZONA ALPROM	pH	9/19/2016 1:53:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 1:48:20 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 1:48:10 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 1:47:45 AM	14	mg/l
ZONA ALPROM	Cianuri	9/19/2016 1:47:44 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 1:47:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 1:47:42 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 1:47:41 AM	28	gradCels
ZONA ALPROM	pH	9/19/2016 1:47:40 AM	8	unit pH
ZONA ALPROM	Grasimi	9/19/2016 1:47:10 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 1:47:00 AM	14	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/19/2016 1:46:50 AM	28	gradCels
ZONA ALPROM	pH	9/19/2016 1:46:30 AM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 1:42:41 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 1:42:40 AM	14	mg/l
ZONA ALPROM	Clor	9/19/2016 1:42:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 1:42:02 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 1:42:01 AM	28	gradCels
ZONA ALPROM	pH	9/19/2016 1:42:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 1:36:45 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 1:36:44 AM	14	mg/l
ZONA ALPROM	Clor	9/19/2016 1:36:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 1:36:42 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 1:36:41 AM	28	gradCels
ZONA ALPROM	pH	9/19/2016 1:36:40 AM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 1:31:41 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 1:31:40 AM	14	mg/l
ZONA ALPROM	Clor	9/19/2016 1:31:07 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 1:31:04 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 1:31:02 AM	28	gradCels
ZONA ALPROM	pH	9/19/2016 1:31:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 1:26:45 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 1:26:44 AM	14	mg/l
ZONA ALPROM	Cianuri	9/19/2016 1:26:20 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 1:26:10 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 1:26:08 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 1:26:07 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 1:26:06 AM	28	gradCels
ZONA ALPROM	pH	9/19/2016 1:26:05 AM	8	unit pH
ZONA ALPROM	Grasimi	9/19/2016 1:25:30 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 1:25:20 AM	14	mg/l
ZONA ALPROM	Temp	9/19/2016 1:25:10 AM	28	gradCels
ZONA ALPROM	pH	9/19/2016 1:25:00 AM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 1:21:42 AM	14	mg/l
ZONA ALPROM	Cianuri	9/19/2016 1:21:41 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 1:21:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 1:21:02 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 1:21:01 AM	28	gradCels
ZONA ALPROM	pH	9/19/2016 1:21:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 1:16:47 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 1:16:46 AM	14	mg/l
ZONA ALPROM	Clor	9/19/2016 1:15:56 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 1:15:55 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 1:15:54 AM	28	gradCels
ZONA ALPROM	pH	9/19/2016 1:15:53 AM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 1:11:40 AM	14	mg/l
ZONA ALPROM	Cianuri	9/19/2016 1:11:04 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 1:11:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 1:11:02 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 1:11:01 AM	28	gradCels
ZONA ALPROM	pH	9/19/2016 1:11:00 AM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 1:05:50 AM	14	mg/l
ZONA ALPROM	Cianuri	9/19/2016 1:05:44 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 1:05:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 1:05:42 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 1:05:41 AM	28	gradCels
ZONA ALPROM	pH	9/19/2016 1:05:40 AM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 1:04:10 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 1:04:00 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 1:03:20 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 1:03:10 AM	14	mg/l
ZONA ALPROM	Temp	9/19/2016 1:03:00 AM	28	gradCels
ZONA ALPROM	pH	9/19/2016 1:02:50 AM	8	unit pH
ZONA ALPROM	Substante organice	9/19/2016 1:00:41 AM	14	mg/l
ZONA ALPROM	Cianuri	9/19/2016 1:00:40 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 1:00:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 1:00:02 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/19/2016 1:00:01 AM	28	gradCels
ZONA ALPROM	pH	9/19/2016 1:00:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 12:54:35 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 12:54:33 AM	14	mg/l
ZONA ALPROM	Clor	9/19/2016 12:54:28 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 12:54:27 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 12:54:26 AM	28	gradCels
ZONA ALPROM	pH	9/19/2016 12:54:25 AM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 12:49:42 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 12:49:41 AM	14	mg/l
ZONA ALPROM	Clor	9/19/2016 12:49:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 12:49:02 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 12:49:01 AM	28	gradCels
ZONA ALPROM	pH	9/19/2016 12:49:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 12:44:20 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 12:44:10 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 12:43:42 AM	14	mg/l
ZONA ALPROM	Cianuri	9/19/2016 12:43:41 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 12:43:28 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 12:43:27 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 12:43:26 AM	28	gradCels
ZONA ALPROM	pH	9/19/2016 12:43:25 AM	8	unit pH
ZONA ALPROM	Grasimi	9/19/2016 12:43:10 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 12:43:00 AM	14	mg/l
ZONA ALPROM	Temp	9/19/2016 12:42:50 AM	28	gradCels
ZONA ALPROM	pH	9/19/2016 12:42:10 AM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 12:38:46 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 12:38:45 AM	14	mg/l
ZONA ALPROM	Clor	9/19/2016 12:38:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 12:38:02 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 12:38:01 AM	28	gradCels
ZONA ALPROM	pH	9/19/2016 12:38:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 12:32:31 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 12:32:30 AM	14	mg/l
ZONA ALPROM	Clor	9/19/2016 12:32:29 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 12:32:28 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 12:32:27 AM	28	gradCels
ZONA ALPROM	pH	9/19/2016 12:32:26 AM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 12:27:41 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 12:27:40 AM	14	mg/l
ZONA ALPROM	Clor	9/19/2016 12:27:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 12:27:02 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 12:27:01 AM	28	gradCels
ZONA ALPROM	pH	9/19/2016 12:27:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 12:23:00 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 12:22:50 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 12:22:21 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 12:22:10 AM	14	mg/l
ZONA ALPROM	Temp	9/19/2016 12:21:40 AM	28	gradCels
ZONA ALPROM	Cianuri	9/19/2016 12:21:31 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 12:21:29 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 12:21:28 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 12:21:27 AM	14	mg/l
ZONA ALPROM	Temp	9/19/2016 12:21:26 AM	28	gradCels
ZONA ALPROM	pH	9/19/2016 12:21:25 AM	8	unit pH
ZONA ALPROM	pH	9/19/2016 12:21:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 12:16:43 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 12:16:41 AM	15	mg/l
ZONA ALPROM	Clor	9/19/2016 12:16:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 12:16:02 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 12:16:01 AM	28	gradCels
ZONA ALPROM	pH	9/19/2016 12:16:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 12:10:42 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 12:10:40 AM	15	mg/l
ZONA ALPROM	Clor	9/19/2016 12:10:28 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 12:10:27 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/19/2016 12:10:26 AM	28	gradCels
ZONA ALPROM	pH	9/19/2016 12:10:25 AM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 12:05:41 AM	0	mg/l
ZONA ALPROM	Substante organice	9/19/2016 12:05:40 AM	15	mg/l
ZONA ALPROM	Clor	9/19/2016 12:05:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/19/2016 12:05:02 AM	0	mg/l
ZONA ALPROM	Temp	9/19/2016 12:05:01 AM	28	gradCels
ZONA ALPROM	pH	9/19/2016 12:05:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/19/2016 12:00:10 AM	0	mg/l
ZONA ALPROM	Clor	9/19/2016 12:00:00 AM	0	mg/l
ZONA ALPROM	Cianuri	9/18/2016 11:59:41 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 11:59:40 PM	15	mg/l
ZONA ALPROM	Clor	9/18/2016 11:59:23 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 11:59:22 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 11:59:21 PM	28	gradCels
ZONA ALPROM	pH	9/18/2016 11:59:20 PM	8	unit pH
ZONA ALPROM	Grasimi	9/18/2016 11:58:00 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 11:57:50 PM	15	mg/l
ZONA ALPROM	Temp	9/18/2016 11:57:40 PM	28	gradCels
ZONA ALPROM	pH	9/18/2016 11:57:30 PM	8	unit pH
ZONA ALPROM	Substante organice	9/18/2016 11:54:42 PM	15	mg/l
ZONA ALPROM	Cianuri	9/18/2016 11:54:41 PM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 11:54:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 11:54:02 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 11:54:01 PM	28	gradCels
ZONA ALPROM	pH	9/18/2016 11:54:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 11:48:40 PM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 11:48:24 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 11:48:23 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 11:48:22 PM	15	mg/l
ZONA ALPROM	Temp	9/18/2016 11:48:21 PM	28	gradCels
ZONA ALPROM	pH	9/18/2016 11:48:20 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 11:43:42 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 11:43:41 PM	15	mg/l
ZONA ALPROM	Clor	9/18/2016 11:43:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 11:43:02 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 11:43:01 PM	28	gradCels
ZONA ALPROM	pH	9/18/2016 11:43:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 11:37:47 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 11:37:46 PM	15	mg/l
ZONA ALPROM	Clor	9/18/2016 11:37:23 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 11:37:22 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 11:37:21 PM	28	gradCels
ZONA ALPROM	pH	9/18/2016 11:37:20 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 11:35:10 PM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 11:35:00 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 11:34:10 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 11:33:20 PM	15	mg/l
ZONA ALPROM	Temp	9/18/2016 11:33:10 PM	28	gradCels
ZONA ALPROM	pH	9/18/2016 11:33:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 11:32:41 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 11:32:40 PM	15	mg/l
ZONA ALPROM	Clor	9/18/2016 11:32:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 11:32:02 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 11:32:01 PM	28	gradCels
ZONA ALPROM	pH	9/18/2016 11:32:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 11:26:47 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 11:26:46 PM	15	mg/l
ZONA ALPROM	Clor	9/18/2016 11:26:23 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 11:26:22 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 11:26:21 PM	28	gradCels
ZONA ALPROM	pH	9/18/2016 11:26:20 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 11:21:41 PM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 11:21:04 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 11:21:03 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 11:21:02 PM	15	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/18/2016 11:21:01 PM	28	gradCels
ZONA ALPROM	pH	9/18/2016 11:21:00 PM	8	unit pH
ZONA ALPROM	Substante organice	9/18/2016 11:15:42 PM	15	mg/l
ZONA ALPROM	Cianuri	9/18/2016 11:15:41 PM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 11:15:23 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 11:15:22 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 11:15:21 PM	28	gradCels
ZONA ALPROM	pH	9/18/2016 11:15:20 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 11:11:50 PM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 11:11:10 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 11:10:50 PM	0	mg/l
ZONA ALPROM	Cianuri	9/18/2016 11:10:43 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 11:10:41 PM	15	mg/l
ZONA ALPROM	Substante organice	9/18/2016 11:10:20 PM	15	mg/l
ZONA ALPROM	Clor	9/18/2016 11:10:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 11:10:02 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 11:10:01 PM	28	gradCels
ZONA ALPROM	pH	9/18/2016 11:10:00 PM	8	unit pH
ZONA ALPROM	Temp	9/18/2016 11:09:00 PM	28	gradCels
ZONA ALPROM	pH	9/18/2016 11:08:50 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 11:04:31 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 11:04:30 PM	15	mg/l
ZONA ALPROM	Clor	9/18/2016 11:04:23 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 11:04:22 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 11:04:21 PM	28	gradCels
ZONA ALPROM	pH	9/18/2016 11:04:20 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 10:59:41 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 10:59:40 PM	15	mg/l
ZONA ALPROM	Clor	9/18/2016 10:59:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 10:59:02 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 10:59:01 PM	28	gradCels
ZONA ALPROM	pH	9/18/2016 10:59:00 PM	8	unit pH
ZONA ALPROM	Substante organice	9/18/2016 10:53:31 PM	15	mg/l
ZONA ALPROM	Cianuri	9/18/2016 10:53:30 PM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 10:53:23 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 10:53:22 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 10:53:21 PM	28	gradCels
ZONA ALPROM	pH	9/18/2016 10:53:20 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 10:48:41 PM	0	mg/l
ZONA ALPROM	Cianuri	9/18/2016 10:48:10 PM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 10:48:00 PM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 10:47:46 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 10:47:45 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 10:47:44 PM	15	mg/l
ZONA ALPROM	Temp	9/18/2016 10:47:43 PM	28	gradCels
ZONA ALPROM	pH	9/18/2016 10:47:42 PM	8	unit pH
ZONA ALPROM	Grasimi	9/18/2016 10:47:10 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 10:46:50 PM	14	mg/l
ZONA ALPROM	Temp	9/18/2016 10:46:20 PM	28	gradCels
ZONA ALPROM	pH	9/18/2016 10:46:10 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 10:42:31 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 10:42:30 PM	14	mg/l
ZONA ALPROM	Clor	9/18/2016 10:42:23 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 10:42:22 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 10:42:21 PM	28	gradCels
ZONA ALPROM	pH	9/18/2016 10:42:20 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 10:37:45 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 10:37:44 PM	14	mg/l
ZONA ALPROM	Clor	9/18/2016 10:36:44 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 10:36:43 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 10:36:42 PM	28	gradCels
ZONA ALPROM	pH	9/18/2016 10:36:41 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 10:31:31 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 10:31:30 PM	14	mg/l
ZONA ALPROM	Clor	9/18/2016 10:31:23 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 10:31:22 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/18/2016 10:31:21 PM	28	gradCels
ZONA ALPROM	pH	9/18/2016 10:31:20 PM	8	unit pH
ZONA ALPROM	Substante organice	9/18/2016 10:26:47 PM	14	mg/l
ZONA ALPROM	Cianuri	9/18/2016 10:26:44 PM	0	mg/l
ZONA ALPROM	Cianuri	9/18/2016 10:26:10 PM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 10:26:00 PM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 10:25:44 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 10:25:43 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 10:25:42 PM	28	gradCels
ZONA ALPROM	pH	9/18/2016 10:25:41 PM	8	unit pH
ZONA ALPROM	Grasimi	9/18/2016 10:25:20 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 10:25:10 PM	14	mg/l
ZONA ALPROM	Temp	9/18/2016 10:24:20 PM	28	gradCels
ZONA ALPROM	pH	9/18/2016 10:24:10 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 10:20:31 PM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 10:20:24 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 10:20:23 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 10:20:22 PM	14	mg/l
ZONA ALPROM	Temp	9/18/2016 10:20:21 PM	28	gradCels
ZONA ALPROM	pH	9/18/2016 10:20:20 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 10:15:46 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 10:15:44 PM	14	mg/l
ZONA ALPROM	Clor	9/18/2016 10:14:44 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 10:14:43 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 10:14:42 PM	28	gradCels
ZONA ALPROM	pH	9/18/2016 10:14:41 PM	8	unit pH
ZONA ALPROM	Substante organice	9/18/2016 10:09:31 PM	14	mg/l
ZONA ALPROM	Cianuri	9/18/2016 10:09:30 PM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 10:09:23 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 10:09:22 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 10:09:21 PM	28	gradCels
ZONA ALPROM	pH	9/18/2016 10:09:20 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 10:05:50 PM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 10:05:00 PM	0	mg/l
ZONA ALPROM	Cianuri	9/18/2016 10:04:41 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 10:04:40 PM	14	mg/l
ZONA ALPROM	Grasimi	9/18/2016 10:04:10 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 10:04:00 PM	14	mg/l
ZONA ALPROM	Clor	9/18/2016 10:03:44 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 10:03:43 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 10:03:42 PM	28	gradCels
ZONA ALPROM	pH	9/18/2016 10:03:41 PM	8	unit pH
ZONA ALPROM	Temp	9/18/2016 10:03:20 PM	28	gradCels
ZONA ALPROM	pH	9/18/2016 10:03:10 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 9:58:42 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 9:58:41 PM	14	mg/l
ZONA ALPROM	Clor	9/18/2016 9:58:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 9:58:02 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 9:58:01 PM	28	gradCels
ZONA ALPROM	pH	9/18/2016 9:58:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 9:52:45 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 9:52:44 PM	14	mg/l
ZONA ALPROM	Clor	9/18/2016 9:52:43 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 9:52:42 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 9:52:41 PM	28	gradCels
ZONA ALPROM	pH	9/18/2016 9:52:40 PM	8	unit pH
ZONA ALPROM	Substante organice	9/18/2016 9:47:42 PM	14	mg/l
ZONA ALPROM	Cianuri	9/18/2016 9:47:41 PM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 9:47:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 9:47:02 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 9:47:01 PM	28	gradCels
ZONA ALPROM	pH	9/18/2016 9:47:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 9:41:45 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 9:41:44 PM	14	mg/l
ZONA ALPROM	Clor	9/18/2016 9:41:43 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 9:41:42 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/18/2016 9:41:41 PM	28	gradCels
ZONA ALPROM	pH	9/18/2016 9:41:40 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 9:40:50 PM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 9:40:10 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 9:39:50 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 9:39:40 PM	14	mg/l
ZONA ALPROM	Temp	9/18/2016 9:39:30 PM	28	gradCels
ZONA ALPROM	pH	9/18/2016 9:39:20 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 9:36:42 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 9:36:41 PM	14	mg/l
ZONA ALPROM	Clor	9/18/2016 9:36:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 9:36:02 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 9:36:01 PM	28	gradCels
ZONA ALPROM	pH	9/18/2016 9:36:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 9:30:51 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 9:30:50 PM	14	mg/l
ZONA ALPROM	Clor	9/18/2016 9:30:43 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 9:30:42 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 9:30:41 PM	28	gradCels
ZONA ALPROM	pH	9/18/2016 9:30:40 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 9:25:41 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 9:25:40 PM	14	mg/l
ZONA ALPROM	Clor	9/18/2016 9:25:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 9:25:02 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 9:25:01 PM	28	gradCels
ZONA ALPROM	pH	9/18/2016 9:25:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 9:19:35 PM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 9:19:33 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 9:19:32 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 9:19:31 PM	14	mg/l
ZONA ALPROM	Temp	9/18/2016 9:19:30 PM	28	gradCels
ZONA ALPROM	pH	9/18/2016 9:19:29 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 9:17:30 PM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 9:17:20 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 9:17:00 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 9:16:50 PM	14	mg/l
ZONA ALPROM	Temp	9/18/2016 9:16:10 PM	28	gradCels
ZONA ALPROM	pH	9/18/2016 9:16:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 9:14:42 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 9:14:41 PM	14	mg/l
ZONA ALPROM	Clor	9/18/2016 9:14:08 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 9:14:07 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 9:14:06 PM	28	gradCels
ZONA ALPROM	pH	9/18/2016 9:14:05 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 9:08:35 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 9:08:34 PM	14	mg/l
ZONA ALPROM	Clor	9/18/2016 9:08:33 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 9:08:32 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 9:08:31 PM	28	gradCels
ZONA ALPROM	pH	9/18/2016 9:08:30 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 9:03:41 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 9:03:40 PM	14	mg/l
ZONA ALPROM	Clor	9/18/2016 9:03:09 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 9:03:08 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 9:03:07 PM	28	gradCels
ZONA ALPROM	pH	9/18/2016 9:03:06 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 8:57:34 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 8:57:33 PM	14	mg/l
ZONA ALPROM	Clor	9/18/2016 8:57:31 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 8:57:30 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 8:57:29 PM	28	gradCels
ZONA ALPROM	pH	9/18/2016 8:57:28 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 8:55:50 PM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 8:55:40 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 8:55:20 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 8:55:10 PM	14	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/18/2016 8:55:00 PM	28	gradCels
ZONA ALPROM	pH	9/18/2016 8:54:10 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 8:52:43 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 8:52:42 PM	14	mg/l
ZONA ALPROM	Clor	9/18/2016 8:52:07 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 8:52:06 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 8:52:05 PM	28	gradCels
ZONA ALPROM	pH	9/18/2016 8:52:04 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 8:46:30 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 8:46:29 PM	14	mg/l
ZONA ALPROM	Clor	9/18/2016 8:46:28 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 8:46:27 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 8:46:26 PM	28	gradCels
ZONA ALPROM	pH	9/18/2016 8:46:25 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 8:41:41 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 8:41:40 PM	14	mg/l
ZONA ALPROM	Clor	9/18/2016 8:41:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 8:41:02 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 8:41:01 PM	28	gradCels
ZONA ALPROM	pH	9/18/2016 8:41:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 8:35:31 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 8:35:30 PM	14	mg/l
ZONA ALPROM	Clor	9/18/2016 8:35:28 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 8:35:27 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 8:35:26 PM	28	gradCels
ZONA ALPROM	pH	9/18/2016 8:35:25 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 8:34:40 PM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 8:34:30 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 8:34:10 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 8:34:00 PM	14	mg/l
ZONA ALPROM	Temp	9/18/2016 8:33:50 PM	28	gradCels
ZONA ALPROM	pH	9/18/2016 8:33:40 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 8:30:41 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 8:30:40 PM	14	mg/l
ZONA ALPROM	Clor	9/18/2016 8:30:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 8:30:02 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 8:30:01 PM	28	gradCels
ZONA ALPROM	pH	9/18/2016 8:30:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 8:24:45 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 8:24:44 PM	14	mg/l
ZONA ALPROM	Clor	9/18/2016 8:24:43 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 8:24:42 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 8:24:41 PM	28	gradCels
ZONA ALPROM	pH	9/18/2016 8:24:40 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 8:19:41 PM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 8:19:04 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 8:19:03 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 8:19:02 PM	14	mg/l
ZONA ALPROM	Temp	9/18/2016 8:19:01 PM	28	gradCels
ZONA ALPROM	pH	9/18/2016 8:19:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 8:13:41 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 8:13:40 PM	15	mg/l
ZONA ALPROM	Clor	9/18/2016 8:13:23 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 8:13:22 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 8:13:21 PM	28	gradCels
ZONA ALPROM	pH	9/18/2016 8:13:20 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 8:12:30 PM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 8:12:20 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 8:12:00 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 8:11:50 PM	15	mg/l
ZONA ALPROM	Temp	9/18/2016 8:11:40 PM	28	gradCels
ZONA ALPROM	pH	9/18/2016 8:11:30 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 8:08:42 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 8:08:41 PM	15	mg/l
ZONA ALPROM	Clor	9/18/2016 8:08:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 8:08:02 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/18/2016 8:08:01 PM	28	gradCels
ZONA ALPROM	pH	9/18/2016 8:08:00 PM	8	unit pH
ZONA ALPROM	Substante organice	9/18/2016 8:02:41 PM	15	mg/l
ZONA ALPROM	Cianuri	9/18/2016 8:02:40 PM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 8:02:23 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 8:02:22 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 8:02:21 PM	28	gradCels
ZONA ALPROM	pH	9/18/2016 8:02:20 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 7:57:46 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 7:57:45 PM	15	mg/l
ZONA ALPROM	Clor	9/18/2016 7:57:04 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 7:57:02 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 7:57:01 PM	28	gradCels
ZONA ALPROM	pH	9/18/2016 7:57:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 7:51:40 PM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 7:51:24 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 7:51:23 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 7:51:22 PM	15	mg/l
ZONA ALPROM	Temp	9/18/2016 7:51:21 PM	28	gradCels
ZONA ALPROM	pH	9/18/2016 7:51:20 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 7:49:10 PM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 7:48:00 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 7:47:10 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 7:47:00 PM	15	mg/l
ZONA ALPROM	Temp	9/18/2016 7:46:50 PM	28	gradCels
ZONA ALPROM	Cianuri	9/18/2016 7:46:35 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 7:46:33 PM	15	mg/l
ZONA ALPROM	pH	9/18/2016 7:46:00 PM	8	unit pH
ZONA ALPROM	Clor	9/18/2016 7:45:50 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 7:45:49 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 7:45:48 PM	28	gradCels
ZONA ALPROM	pH	9/18/2016 7:45:47 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 7:40:41 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 7:40:40 PM	15	mg/l
ZONA ALPROM	Clor	9/18/2016 7:40:23 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 7:40:22 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 7:40:21 PM	28	gradCels
ZONA ALPROM	pH	9/18/2016 7:40:20 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 7:35:30 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 7:35:29 PM	15	mg/l
ZONA ALPROM	Clor	9/18/2016 7:35:23 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 7:35:22 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 7:35:21 PM	28	gradCels
ZONA ALPROM	pH	9/18/2016 7:35:20 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 7:30:41 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 7:30:40 PM	15	mg/l
ZONA ALPROM	Clor	9/18/2016 7:29:52 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 7:29:51 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 7:29:50 PM	28	gradCels
ZONA ALPROM	pH	9/18/2016 7:29:49 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 7:27:10 PM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 7:26:20 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 7:25:50 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 7:25:10 PM	15	mg/l
ZONA ALPROM	Temp	9/18/2016 7:25:00 PM	28	gradCels
ZONA ALPROM	pH	9/18/2016 7:24:50 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 7:24:30 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 7:24:29 PM	15	mg/l
ZONA ALPROM	Clor	9/18/2016 7:24:23 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 7:24:22 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 7:24:21 PM	28	gradCels
ZONA ALPROM	pH	9/18/2016 7:24:20 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 7:19:40 PM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 7:18:53 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 7:18:52 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 7:18:51 PM	15	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/18/2016 7:18:50 PM	28	gradCels
ZONA ALPROM	pH	9/18/2016 7:18:49 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 7:13:33 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 7:13:32 PM	15	mg/l
ZONA ALPROM	Clor	9/18/2016 7:13:23 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 7:13:22 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 7:13:21 PM	28	gradCels
ZONA ALPROM	pH	9/18/2016 7:13:20 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 7:08:41 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 7:08:40 PM	15	mg/l
ZONA ALPROM	Clor	9/18/2016 7:07:52 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 7:07:51 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 7:07:50 PM	28	gradCels
ZONA ALPROM	pH	9/18/2016 7:07:49 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 7:05:10 PM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 7:04:20 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 7:03:00 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 7:02:50 PM	15	mg/l
ZONA ALPROM	Temp	9/18/2016 7:02:40 PM	28	gradCels
ZONA ALPROM	Cianuri	9/18/2016 7:02:29 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 7:02:28 PM	15	mg/l
ZONA ALPROM	Clor	9/18/2016 7:02:23 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 7:02:22 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 7:02:21 PM	28	gradCels
ZONA ALPROM	pH	9/18/2016 7:02:20 PM	8	unit pH
ZONA ALPROM	pH	9/18/2016 7:01:50 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 6:57:41 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 6:57:40 PM	15	mg/l
ZONA ALPROM	Clor	9/18/2016 6:56:47 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 6:56:46 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 6:56:45 PM	28	gradCels
ZONA ALPROM	pH	9/18/2016 6:56:44 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 6:51:41 PM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 6:51:24 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 6:51:23 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 6:51:22 PM	15	mg/l
ZONA ALPROM	Temp	9/18/2016 6:51:21 PM	28	gradCels
ZONA ALPROM	pH	9/18/2016 6:51:20 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 6:46:41 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 6:46:40 PM	15	mg/l
ZONA ALPROM	Clor	9/18/2016 6:45:47 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 6:45:46 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 6:45:45 PM	28	gradCels
ZONA ALPROM	pH	9/18/2016 6:45:44 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 6:40:50 PM	0	mg/l
ZONA ALPROM	Cianuri	9/18/2016 6:40:42 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 6:40:41 PM	15	mg/l
ZONA ALPROM	Clor	9/18/2016 6:40:23 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 6:40:22 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 6:40:21 PM	28	gradCels
ZONA ALPROM	pH	9/18/2016 6:40:20 PM	8	unit pH
ZONA ALPROM	Clor	9/18/2016 6:40:00 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 6:39:00 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 6:38:50 PM	15	mg/l
ZONA ALPROM	Temp	9/18/2016 6:38:40 PM	28	gradCels
ZONA ALPROM	pH	9/18/2016 6:38:30 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 6:35:41 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 6:35:40 PM	15	mg/l
ZONA ALPROM	Clor	9/18/2016 6:34:44 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 6:34:43 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 6:34:42 PM	28	gradCels
ZONA ALPROM	pH	9/18/2016 6:34:41 PM	8	unit pH
ZONA ALPROM	Substante organice	9/18/2016 6:29:31 PM	15	mg/l
ZONA ALPROM	Cianuri	9/18/2016 6:29:30 PM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 6:29:23 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 6:29:22 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/18/2016 6:29:21 PM	28	gradCels
ZONA ALPROM	pH	9/18/2016 6:29:20 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 6:24:42 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 6:24:41 PM	15	mg/l
ZONA ALPROM	Clor	9/18/2016 6:23:47 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 6:23:46 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 6:23:45 PM	28	gradCels
ZONA ALPROM	pH	9/18/2016 6:23:44 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 6:18:31 PM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 6:18:24 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 6:18:23 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 6:18:22 PM	15	mg/l
ZONA ALPROM	Temp	9/18/2016 6:18:21 PM	28	gradCels
ZONA ALPROM	pH	9/18/2016 6:18:20 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 6:17:40 PM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 6:17:10 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 6:16:50 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 6:16:40 PM	15	mg/l
ZONA ALPROM	Temp	9/18/2016 6:16:30 PM	28	gradCels
ZONA ALPROM	pH	9/18/2016 6:16:20 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 6:13:46 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 6:13:45 PM	15	mg/l
ZONA ALPROM	Clor	9/18/2016 6:12:47 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 6:12:46 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 6:12:45 PM	28	gradCels
ZONA ALPROM	pH	9/18/2016 6:12:44 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 6:07:31 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 6:07:30 PM	15	mg/l
ZONA ALPROM	Clor	9/18/2016 6:07:23 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 6:07:22 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 6:07:21 PM	28	gradCels
ZONA ALPROM	pH	9/18/2016 6:07:20 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 6:02:31 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 6:02:30 PM	15	mg/l
ZONA ALPROM	Clor	9/18/2016 6:01:45 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 6:01:44 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 6:01:43 PM	28	gradCels
ZONA ALPROM	pH	9/18/2016 6:01:42 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 5:56:31 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 5:56:30 PM	15	mg/l
ZONA ALPROM	Clor	9/18/2016 5:56:23 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 5:56:22 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 5:56:21 PM	28	gradCels
ZONA ALPROM	pH	9/18/2016 5:56:20 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 5:55:50 PM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 5:55:40 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 5:54:50 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 5:54:40 PM	15	mg/l
ZONA ALPROM	Temp	9/18/2016 5:54:30 PM	28	gradCels
ZONA ALPROM	pH	9/18/2016 5:54:20 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 5:51:31 PM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 5:50:47 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 5:50:46 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 5:50:45 PM	15	mg/l
ZONA ALPROM	Temp	9/18/2016 5:50:44 PM	28	gradCels
ZONA ALPROM	pH	9/18/2016 5:50:43 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 5:45:31 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 5:45:30 PM	15	mg/l
ZONA ALPROM	Clor	9/18/2016 5:45:23 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 5:45:22 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 5:45:21 PM	28	gradCels
ZONA ALPROM	pH	9/18/2016 5:45:20 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 5:40:42 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 5:40:41 PM	15	mg/l
ZONA ALPROM	Clor	9/18/2016 5:39:46 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 5:39:45 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/18/2016 5:39:44 PM	28	gradCels
ZONA ALPROM	pH	9/18/2016 5:39:43 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 5:34:37 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 5:34:35 PM	15	mg/l
ZONA ALPROM	Clor	9/18/2016 5:34:23 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 5:34:22 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 5:34:21 PM	28	gradCels
ZONA ALPROM	pH	9/18/2016 5:34:20 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 5:34:00 PM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 5:33:50 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 5:33:00 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 5:32:50 PM	15	mg/l
ZONA ALPROM	Temp	9/18/2016 5:32:40 PM	28	gradCels
ZONA ALPROM	pH	9/18/2016 5:32:30 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 5:29:42 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 5:29:41 PM	15	mg/l
ZONA ALPROM	Clor	9/18/2016 5:28:45 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 5:28:44 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 5:28:43 PM	28	gradCels
ZONA ALPROM	pH	9/18/2016 5:28:42 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 5:23:37 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 5:23:34 PM	15	mg/l
ZONA ALPROM	Clor	9/18/2016 5:23:23 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 5:23:22 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 5:23:21 PM	28	gradCels
ZONA ALPROM	pH	9/18/2016 5:23:20 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 5:18:41 PM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 5:17:47 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 5:17:46 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 5:17:45 PM	15	mg/l
ZONA ALPROM	Temp	9/18/2016 5:17:44 PM	28	gradCels
ZONA ALPROM	pH	9/18/2016 5:17:43 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 5:13:00 PM	0	mg/l
ZONA ALPROM	Cianuri	9/18/2016 5:12:46 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 5:12:45 PM	15	mg/l
ZONA ALPROM	Clor	9/18/2016 5:12:20 PM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 5:12:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 5:12:02 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 5:12:01 PM	28	gradCels
ZONA ALPROM	pH	9/18/2016 5:12:00 PM	8	unit pH
ZONA ALPROM	Grasimi	9/18/2016 5:11:50 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 5:11:40 PM	15	mg/l
ZONA ALPROM	Temp	9/18/2016 5:11:00 PM	28	gradCels
ZONA ALPROM	pH	9/18/2016 5:10:50 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 5:07:41 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 5:07:40 PM	15	mg/l
ZONA ALPROM	Clor	9/18/2016 5:06:44 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 5:06:43 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 5:06:42 PM	28	gradCels
ZONA ALPROM	pH	9/18/2016 5:06:41 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 5:01:46 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 5:01:45 PM	15	mg/l
ZONA ALPROM	Clor	9/18/2016 5:01:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 5:01:02 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 5:01:01 PM	28	gradCels
ZONA ALPROM	pH	9/18/2016 5:01:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 4:55:51 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 4:55:50 PM	15	mg/l
ZONA ALPROM	Clor	9/18/2016 4:55:43 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 4:55:42 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 4:55:41 PM	28	gradCels
ZONA ALPROM	pH	9/18/2016 4:55:40 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 4:53:20 PM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 4:53:10 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 4:52:50 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 4:51:50 PM	15	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/18/2016 4:51:00 PM	27	gradCels
ZONA ALPROM	pH	9/18/2016 4:50:50 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 4:50:40 PM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 4:50:04 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 4:50:03 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 4:50:02 PM	15	mg/l
ZONA ALPROM	Temp	9/18/2016 4:50:01 PM	27	gradCels
ZONA ALPROM	pH	9/18/2016 4:50:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 4:44:51 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 4:44:50 PM	15	mg/l
ZONA ALPROM	Clor	9/18/2016 4:44:43 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 4:44:42 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 4:44:41 PM	27	gradCels
ZONA ALPROM	pH	9/18/2016 4:44:40 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 4:39:41 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 4:39:40 PM	15	mg/l
ZONA ALPROM	Clor	9/18/2016 4:39:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 4:39:02 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 4:39:01 PM	27	gradCels
ZONA ALPROM	pH	9/18/2016 4:39:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 4:33:51 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 4:33:50 PM	15	mg/l
ZONA ALPROM	Clor	9/18/2016 4:33:43 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 4:33:42 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 4:33:41 PM	27	gradCels
ZONA ALPROM	pH	9/18/2016 4:33:40 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 4:31:30 PM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 4:31:20 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 4:31:00 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 4:30:50 PM	15	mg/l
ZONA ALPROM	Temp	9/18/2016 4:29:00 PM	27	gradCels
ZONA ALPROM	pH	9/18/2016 4:28:50 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 4:28:42 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 4:28:41 PM	15	mg/l
ZONA ALPROM	Clor	9/18/2016 4:28:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 4:28:02 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 4:28:01 PM	27	gradCels
ZONA ALPROM	pH	9/18/2016 4:28:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 4:22:30 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 4:22:29 PM	15	mg/l
ZONA ALPROM	Clor	9/18/2016 4:22:23 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 4:22:22 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 4:22:21 PM	27	gradCels
ZONA ALPROM	pH	9/18/2016 4:22:20 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 4:17:41 PM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 4:17:04 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 4:17:03 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 4:17:02 PM	15	mg/l
ZONA ALPROM	Temp	9/18/2016 4:17:01 PM	27	gradCels
ZONA ALPROM	pH	9/18/2016 4:17:00 PM	8	unit pH
ZONA ALPROM	Substante organice	9/18/2016 4:11:31 PM	15	mg/l
ZONA ALPROM	Cianuri	9/18/2016 4:11:30 PM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 4:11:23 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 4:11:22 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 4:11:21 PM	27	gradCels
ZONA ALPROM	pH	9/18/2016 4:11:20 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 4:08:50 PM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 4:08:40 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 4:07:00 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 4:06:50 PM	15	mg/l
ZONA ALPROM	Cianuri	9/18/2016 4:06:42 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 4:06:41 PM	15	mg/l
ZONA ALPROM	Temp	9/18/2016 4:06:20 PM	27	gradCels
ZONA ALPROM	Clor	9/18/2016 4:06:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 4:06:02 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 4:06:01 PM	27	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	pH	9/18/2016 4:06:00 PM	8	unit pH
ZONA ALPROM	pH	9/18/2016 4:05:20 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 4:00:31 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 4:00:30 PM	15	mg/l
ZONA ALPROM	Clor	9/18/2016 4:00:23 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 4:00:22 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 4:00:21 PM	27	gradCels
ZONA ALPROM	pH	9/18/2016 4:00:20 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 3:55:41 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 3:55:40 PM	15	mg/l
ZONA ALPROM	Clor	9/18/2016 3:54:47 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 3:54:46 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 3:54:45 PM	27	gradCels
ZONA ALPROM	pH	9/18/2016 3:54:44 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 3:49:30 PM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 3:49:24 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 3:49:23 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 3:49:22 PM	15	mg/l
ZONA ALPROM	Temp	9/18/2016 3:49:21 PM	27	gradCels
ZONA ALPROM	pH	9/18/2016 3:49:20 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 3:47:00 PM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 3:46:50 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 3:44:50 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 3:44:42 PM	15	mg/l
ZONA ALPROM	Cianuri	9/18/2016 3:44:41 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 3:44:00 PM	15	mg/l
ZONA ALPROM	Clor	9/18/2016 3:43:46 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 3:43:45 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 3:43:44 PM	27	gradCels
ZONA ALPROM	pH	9/18/2016 3:43:43 PM	8	unit pH
ZONA ALPROM	Temp	9/18/2016 3:43:20 PM	27	gradCels
ZONA ALPROM	pH	9/18/2016 3:43:10 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 3:38:29 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 3:38:28 PM	15	mg/l
ZONA ALPROM	Clor	9/18/2016 3:38:23 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 3:38:22 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 3:38:21 PM	27	gradCels
ZONA ALPROM	pH	9/18/2016 3:38:20 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 3:33:41 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 3:33:40 PM	15	mg/l
ZONA ALPROM	Clor	9/18/2016 3:32:45 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 3:32:44 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 3:32:43 PM	27	gradCels
ZONA ALPROM	pH	9/18/2016 3:32:42 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 3:27:31 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 3:27:30 PM	15	mg/l
ZONA ALPROM	Clor	9/18/2016 3:27:23 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 3:27:22 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 3:27:21 PM	27	gradCels
ZONA ALPROM	pH	9/18/2016 3:27:20 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 3:24:50 PM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 3:23:20 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 3:22:50 PM	0	mg/l
ZONA ALPROM	Cianuri	9/18/2016 3:22:40 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 3:22:20 PM	15	mg/l
ZONA ALPROM	Temp	9/18/2016 3:22:10 PM	27	gradCels
ZONA ALPROM	Clor	9/18/2016 3:21:47 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 3:21:46 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 3:21:45 PM	15	mg/l
ZONA ALPROM	Temp	9/18/2016 3:21:44 PM	27	gradCels
ZONA ALPROM	pH	9/18/2016 3:21:43 PM	8	unit pH
ZONA ALPROM	pH	9/18/2016 3:21:20 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 3:16:30 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 3:16:29 PM	15	mg/l
ZONA ALPROM	Clor	9/18/2016 3:16:23 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 3:16:22 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/18/2016 3:16:21 PM	27	gradCels
ZONA ALPROM	pH	9/18/2016 3:16:20 PM	8	unit pH
ZONA ALPROM	Substante organice	9/18/2016 3:11:42 PM	15	mg/l
ZONA ALPROM	Cianuri	9/18/2016 3:11:41 PM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 3:10:51 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 3:10:50 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 3:10:49 PM	27	gradCels
ZONA ALPROM	pH	9/18/2016 3:10:48 PM	8	unit pH
ZONA ALPROM	Substante organice	9/18/2016 3:05:36 PM	15	mg/l
ZONA ALPROM	Cianuri	9/18/2016 3:05:35 PM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 3:05:28 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 3:05:27 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 3:05:26 PM	27	gradCels
ZONA ALPROM	pH	9/18/2016 3:05:25 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 3:03:10 PM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 3:03:00 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 3:02:20 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 3:02:10 PM	15	mg/l
ZONA ALPROM	Temp	9/18/2016 3:01:20 PM	27	gradCels
ZONA ALPROM	pH	9/18/2016 3:01:10 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 3:00:41 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 3:00:40 PM	15	mg/l
ZONA ALPROM	Clor	9/18/2016 2:59:52 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 2:59:51 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 2:59:50 PM	27	gradCels
ZONA ALPROM	pH	9/18/2016 2:59:49 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 2:54:41 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 2:54:40 PM	15	mg/l
ZONA ALPROM	Clor	9/18/2016 2:54:23 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 2:54:22 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 2:54:21 PM	27	gradCels
ZONA ALPROM	pH	9/18/2016 2:54:20 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 2:49:30 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 2:49:29 PM	15	mg/l
ZONA ALPROM	Clor	9/18/2016 2:48:46 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 2:48:45 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 2:48:44 PM	27	gradCels
ZONA ALPROM	pH	9/18/2016 2:48:43 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 2:43:41 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 2:43:40 PM	15	mg/l
ZONA ALPROM	Clor	9/18/2016 2:43:23 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 2:43:22 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 2:43:21 PM	26	gradCels
ZONA ALPROM	pH	9/18/2016 2:43:20 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 2:41:40 PM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 2:41:30 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 2:41:10 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 2:41:00 PM	15	mg/l
ZONA ALPROM	Temp	9/18/2016 2:40:50 PM	26	gradCels
ZONA ALPROM	pH	9/18/2016 2:40:20 PM	8	unit pH
ZONA ALPROM	Substante organice	9/18/2016 2:38:42 PM	15	mg/l
ZONA ALPROM	Cianuri	9/18/2016 2:38:41 PM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 2:37:46 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 2:37:45 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 2:37:44 PM	26	gradCels
ZONA ALPROM	pH	9/18/2016 2:37:43 PM	8	unit pH
ZONA ALPROM	Substante organice	9/18/2016 2:32:41 PM	15	mg/l
ZONA ALPROM	Cianuri	9/18/2016 2:32:40 PM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 2:32:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 2:32:02 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 2:32:01 PM	26	gradCels
ZONA ALPROM	pH	9/18/2016 2:32:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 2:27:43 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 2:27:41 PM	15	mg/l
ZONA ALPROM	Clor	9/18/2016 2:26:45 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 2:26:44 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/18/2016 2:26:43 PM	26	gradCels
ZONA ALPROM	pH	9/18/2016 2:26:42 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 2:21:46 PM	0	mg/l
ZONA ALPROM	Cianuri	9/18/2016 2:21:10 PM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 2:21:04 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 2:21:03 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 2:21:02 PM	15	mg/l
ZONA ALPROM	Temp	9/18/2016 2:21:01 PM	26	gradCels
ZONA ALPROM	pH	9/18/2016 2:21:00 PM	8	unit pH
ZONA ALPROM	Clor	9/18/2016 2:20:50 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 2:20:10 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 2:19:50 PM	15	mg/l
ZONA ALPROM	Temp	9/18/2016 2:19:40 PM	26	gradCels
ZONA ALPROM	pH	9/18/2016 2:19:30 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 2:15:45 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 2:15:44 PM	15	mg/l
ZONA ALPROM	Clor	9/18/2016 2:15:43 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 2:15:42 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 2:15:41 PM	26	gradCels
ZONA ALPROM	pH	9/18/2016 2:15:40 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 2:10:41 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 2:10:40 PM	15	mg/l
ZONA ALPROM	Clor	9/18/2016 2:10:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 2:10:02 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 2:10:01 PM	26	gradCels
ZONA ALPROM	pH	9/18/2016 2:10:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 2:04:45 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 2:04:44 PM	15	mg/l
ZONA ALPROM	Clor	9/18/2016 2:04:43 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 2:04:42 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 2:04:41 PM	26	gradCels
ZONA ALPROM	pH	9/18/2016 2:04:40 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 2:01:40 PM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 2:00:20 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 1:59:41 PM	15	mg/l
ZONA ALPROM	Cianuri	9/18/2016 1:59:40 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 1:59:20 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 1:59:10 PM	15	mg/l
ZONA ALPROM	Clor	9/18/2016 1:59:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 1:59:02 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 1:59:01 PM	26	gradCels
ZONA ALPROM	pH	9/18/2016 1:59:00 PM	8	unit pH
ZONA ALPROM	Temp	9/18/2016 1:58:50 PM	26	gradCels
ZONA ALPROM	pH	9/18/2016 1:58:20 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 1:53:47 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 1:53:46 PM	15	mg/l
ZONA ALPROM	Clor	9/18/2016 1:53:45 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 1:53:44 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 1:53:43 PM	26	gradCels
ZONA ALPROM	pH	9/18/2016 1:53:41 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 1:48:40 PM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 1:48:04 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 1:48:03 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 1:48:02 PM	15	mg/l
ZONA ALPROM	Temp	9/18/2016 1:48:01 PM	26	gradCels
ZONA ALPROM	pH	9/18/2016 1:48:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 1:42:30 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 1:42:29 PM	15	mg/l
ZONA ALPROM	Clor	9/18/2016 1:42:28 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 1:42:27 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 1:42:26 PM	26	gradCels
ZONA ALPROM	pH	9/18/2016 1:42:25 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 1:38:10 PM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 1:38:00 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 1:37:41 PM	15	mg/l
ZONA ALPROM	Cianuri	9/18/2016 1:37:40 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Grasimi	9/18/2016 1:37:10 PM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 1:37:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 1:37:02 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 1:37:01 PM	26	gradCels
ZONA ALPROM	pH	9/18/2016 1:37:00 PM	8	unit pH
ZONA ALPROM	Substante organice	9/18/2016 1:36:50 PM	15	mg/l
ZONA ALPROM	Temp	9/18/2016 1:36:20 PM	26	gradCels
ZONA ALPROM	pH	9/18/2016 1:36:10 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 1:31:45 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 1:31:44 PM	15	mg/l
ZONA ALPROM	Clor	9/18/2016 1:31:43 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 1:31:42 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 1:31:41 PM	26	gradCels
ZONA ALPROM	pH	9/18/2016 1:31:40 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 1:26:41 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 1:26:40 PM	15	mg/l
ZONA ALPROM	Clor	9/18/2016 1:26:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 1:26:02 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 1:26:01 PM	26	gradCels
ZONA ALPROM	pH	9/18/2016 1:26:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 1:20:45 PM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 1:20:44 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 1:20:43 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 1:20:42 PM	15	mg/l
ZONA ALPROM	Temp	9/18/2016 1:20:41 PM	26	gradCels
ZONA ALPROM	pH	9/18/2016 1:20:40 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 1:15:41 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 1:15:40 PM	16	mg/l
ZONA ALPROM	Clor	9/18/2016 1:15:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 1:15:02 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 1:15:01 PM	26	gradCels
ZONA ALPROM	pH	9/18/2016 1:15:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 1:14:10 PM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 1:13:40 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 1:13:20 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 1:13:10 PM	16	mg/l
ZONA ALPROM	Temp	9/18/2016 1:13:00 PM	26	gradCels
ZONA ALPROM	pH	9/18/2016 1:12:50 PM	8	unit pH
ZONA ALPROM	Substante organice	9/18/2016 1:09:41 PM	16	mg/l
ZONA ALPROM	Cianuri	9/18/2016 1:09:40 PM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 1:09:23 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 1:09:22 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 1:09:21 PM	26	gradCels
ZONA ALPROM	pH	9/18/2016 1:09:20 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 1:04:41 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 1:04:40 PM	16	mg/l
ZONA ALPROM	Clor	9/18/2016 1:04:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 1:04:02 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 1:04:01 PM	26	gradCels
ZONA ALPROM	pH	9/18/2016 1:04:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 12:58:41 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 12:58:40 PM	16	mg/l
ZONA ALPROM	Clor	9/18/2016 12:58:23 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 12:58:22 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 12:58:21 PM	26	gradCels
ZONA ALPROM	pH	9/18/2016 12:58:20 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 12:53:41 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 12:53:40 PM	16	mg/l
ZONA ALPROM	Clor	9/18/2016 12:53:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 12:53:02 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 12:53:01 PM	26	gradCels
ZONA ALPROM	pH	9/18/2016 12:53:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 12:51:00 PM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 12:50:50 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 12:50:10 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 12:49:20 PM	16	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/18/2016 12:49:10 PM	26	gradCels
ZONA ALPROM	pH	9/18/2016 12:49:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 12:47:30 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 12:47:29 PM	16	mg/l
ZONA ALPROM	Clor	9/18/2016 12:47:23 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 12:47:22 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 12:47:21 PM	26	gradCels
ZONA ALPROM	pH	9/18/2016 12:47:20 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 12:42:41 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 12:42:40 PM	16	mg/l
ZONA ALPROM	Clor	9/18/2016 12:42:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 12:42:02 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 12:42:01 PM	26	gradCels
ZONA ALPROM	pH	9/18/2016 12:42:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 12:36:30 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 12:36:29 PM	16	mg/l
ZONA ALPROM	Clor	9/18/2016 12:36:23 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 12:36:22 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 12:36:21 PM	26	gradCels
ZONA ALPROM	pH	9/18/2016 12:36:20 PM	8	unit pH
ZONA ALPROM	Substante organice	9/18/2016 12:31:41 PM	16	mg/l
ZONA ALPROM	Cianuri	9/18/2016 12:31:40 PM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 12:31:23 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 12:31:22 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 12:31:21 PM	26	gradCels
ZONA ALPROM	pH	9/18/2016 12:31:20 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 12:28:50 PM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 12:28:40 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 12:27:20 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 12:27:10 PM	16	mg/l
ZONA ALPROM	Temp	9/18/2016 12:26:50 PM	26	gradCels
ZONA ALPROM	Cianuri	9/18/2016 12:26:45 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 12:26:44 PM	16	mg/l
ZONA ALPROM	pH	9/18/2016 12:26:20 PM	8	unit pH
ZONA ALPROM	Clor	9/18/2016 12:25:44 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 12:25:43 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 12:25:42 PM	26	gradCels
ZONA ALPROM	pH	9/18/2016 12:25:41 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 12:20:40 PM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 12:20:24 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 12:20:23 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 12:20:22 PM	16	mg/l
ZONA ALPROM	Temp	9/18/2016 12:20:21 PM	26	gradCels
ZONA ALPROM	pH	9/18/2016 12:20:20 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 12:15:41 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 12:15:40 PM	16	mg/l
ZONA ALPROM	Clor	9/18/2016 12:14:43 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 12:14:42 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 12:14:41 PM	26	gradCels
ZONA ALPROM	pH	9/18/2016 12:14:40 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 12:09:41 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 12:09:40 PM	16	mg/l
ZONA ALPROM	Clor	9/18/2016 12:09:23 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 12:09:22 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 12:09:21 PM	26	gradCels
ZONA ALPROM	pH	9/18/2016 12:09:20 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 12:04:41 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 12:04:40 PM	16	mg/l
ZONA ALPROM	Clor	9/18/2016 12:03:43 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 12:03:42 PM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 12:03:41 PM	26	gradCels
ZONA ALPROM	pH	9/18/2016 12:03:40 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 12:03:10 PM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 12:03:00 PM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 12:02:20 PM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 12:02:10 PM	16	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/18/2016 12:01:50 PM	26	gradCels
ZONA ALPROM	pH	9/18/2016 12:01:40 PM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 11:58:41 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 11:58:40 AM	16	mg/l
ZONA ALPROM	Clor	9/18/2016 11:58:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 11:58:22 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 11:58:21 AM	26	gradCels
ZONA ALPROM	pH	9/18/2016 11:58:20 AM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 11:53:41 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 11:53:40 AM	16	mg/l
ZONA ALPROM	Clor	9/18/2016 11:52:44 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 11:52:43 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 11:52:42 AM	26	gradCels
ZONA ALPROM	pH	9/18/2016 11:52:41 AM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 11:47:25 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 11:47:24 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 11:47:23 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 11:47:22 AM	16	mg/l
ZONA ALPROM	Temp	9/18/2016 11:47:21 AM	26	gradCels
ZONA ALPROM	pH	9/18/2016 11:47:20 AM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 11:42:41 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 11:42:40 AM	16	mg/l
ZONA ALPROM	Clor	9/18/2016 11:41:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 11:41:42 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 11:41:41 AM	26	gradCels
ZONA ALPROM	pH	9/18/2016 11:41:40 AM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 11:39:00 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 11:38:50 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 11:38:00 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 11:37:50 AM	16	mg/l
ZONA ALPROM	Temp	9/18/2016 11:37:10 AM	26	gradCels
ZONA ALPROM	pH	9/18/2016 11:37:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 11:36:41 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 11:36:40 AM	16	mg/l
ZONA ALPROM	Clor	9/18/2016 11:36:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 11:36:22 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 11:36:21 AM	26	gradCels
ZONA ALPROM	pH	9/18/2016 11:36:20 AM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 11:31:26 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 11:31:25 AM	16	mg/l
ZONA ALPROM	Clor	9/18/2016 11:30:45 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 11:30:44 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 11:30:43 AM	26	gradCels
ZONA ALPROM	pH	9/18/2016 11:30:42 AM	8	unit pH
ZONA ALPROM	Substante organice	9/18/2016 11:25:41 AM	16	mg/l
ZONA ALPROM	Cianuri	9/18/2016 11:25:40 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 11:25:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 11:25:22 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 11:25:21 AM	26	gradCels
ZONA ALPROM	pH	9/18/2016 11:25:20 AM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 11:20:40 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 11:19:44 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 11:19:43 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 11:19:42 AM	16	mg/l
ZONA ALPROM	Temp	9/18/2016 11:19:41 AM	26	gradCels
ZONA ALPROM	pH	9/18/2016 11:19:40 AM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 11:16:10 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 11:16:00 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 11:15:30 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 11:15:00 AM	16	mg/l
ZONA ALPROM	Temp	9/18/2016 11:14:50 AM	26	gradCels
ZONA ALPROM	Cianuri	9/18/2016 11:14:41 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 11:14:40 AM	16	mg/l
ZONA ALPROM	Clor	9/18/2016 11:14:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 11:14:22 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 11:14:21 AM	26	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	pH	9/18/2016 11:14:20 AM	8	unit pH
ZONA ALPROM	pH	9/18/2016 11:14:00 AM	8	unit pH
ZONA ALPROM	Substante organice	9/18/2016 11:09:41 AM	16	mg/l
ZONA ALPROM	Cianuri	9/18/2016 11:09:40 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 11:08:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 11:08:42 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 11:08:41 AM	26	gradCels
ZONA ALPROM	pH	9/18/2016 11:08:40 AM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 11:03:41 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 11:03:40 AM	16	mg/l
ZONA ALPROM	Clor	9/18/2016 11:03:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 11:03:22 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 11:03:21 AM	26	gradCels
ZONA ALPROM	pH	9/18/2016 11:03:20 AM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 10:58:41 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 10:58:40 AM	16	mg/l
ZONA ALPROM	Clor	9/18/2016 10:57:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 10:57:42 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 10:57:41 AM	26	gradCels
ZONA ALPROM	pH	9/18/2016 10:57:40 AM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 10:53:00 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 10:52:50 AM	0	mg/l
ZONA ALPROM	Cianuri	9/18/2016 10:52:41 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 10:52:40 AM	16	mg/l
ZONA ALPROM	Clor	9/18/2016 10:52:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 10:52:22 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 10:52:21 AM	26	gradCels
ZONA ALPROM	pH	9/18/2016 10:52:20 AM	8	unit pH
ZONA ALPROM	Grasimi	9/18/2016 10:51:50 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 10:51:20 AM	16	mg/l
ZONA ALPROM	Temp	9/18/2016 10:51:10 AM	26	gradCels
ZONA ALPROM	pH	9/18/2016 10:51:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 10:47:40 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 10:46:44 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 10:46:43 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 10:46:42 AM	16	mg/l
ZONA ALPROM	Temp	9/18/2016 10:46:41 AM	26	gradCels
ZONA ALPROM	pH	9/18/2016 10:46:40 AM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 10:41:29 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 10:41:28 AM	16	mg/l
ZONA ALPROM	Clor	9/18/2016 10:41:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 10:41:22 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 10:41:21 AM	26	gradCels
ZONA ALPROM	pH	9/18/2016 10:41:20 AM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 10:36:41 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 10:36:40 AM	16	mg/l
ZONA ALPROM	Clor	9/18/2016 10:35:49 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 10:35:48 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 10:35:47 AM	26	gradCels
ZONA ALPROM	pH	9/18/2016 10:35:46 AM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 10:30:34 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 10:30:33 AM	16	mg/l
ZONA ALPROM	Clor	9/18/2016 10:30:27 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 10:30:26 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 10:30:25 AM	26	gradCels
ZONA ALPROM	pH	9/18/2016 10:30:24 AM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 10:30:00 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 10:29:50 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 10:29:10 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 10:29:00 AM	16	mg/l
ZONA ALPROM	Temp	9/18/2016 10:28:50 AM	26	gradCels
ZONA ALPROM	pH	9/18/2016 10:28:30 AM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 10:25:41 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 10:25:40 AM	16	mg/l
ZONA ALPROM	Clor	9/18/2016 10:24:47 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 10:24:46 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/18/2016 10:24:45 AM	26	gradCels
ZONA ALPROM	pH	9/18/2016 10:24:44 AM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 10:19:40 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 10:19:08 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 10:19:07 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 10:19:06 AM	16	mg/l
ZONA ALPROM	Temp	9/18/2016 10:19:05 AM	26	gradCels
ZONA ALPROM	pH	9/18/2016 10:19:04 AM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 10:14:41 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 10:14:40 AM	16	mg/l
ZONA ALPROM	Clor	9/18/2016 10:13:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 10:13:42 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 10:13:41 AM	26	gradCels
ZONA ALPROM	pH	9/18/2016 10:13:40 AM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 10:08:25 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 10:08:24 AM	16	mg/l
ZONA ALPROM	Clor	9/18/2016 10:08:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 10:08:02 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 10:08:01 AM	26	gradCels
ZONA ALPROM	pH	9/18/2016 10:08:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 10:07:00 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 10:06:50 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 10:06:10 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 10:05:20 AM	16	mg/l
ZONA ALPROM	Temp	9/18/2016 10:05:10 AM	26	gradCels
ZONA ALPROM	pH	9/18/2016 10:04:50 AM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 10:03:41 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 10:03:40 AM	16	mg/l
ZONA ALPROM	Clor	9/18/2016 10:02:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 10:02:42 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 10:02:41 AM	26	gradCels
ZONA ALPROM	pH	9/18/2016 10:02:40 AM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 9:57:41 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 9:57:40 AM	16	mg/l
ZONA ALPROM	Clor	9/18/2016 9:57:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 9:57:02 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 9:57:01 AM	26	gradCels
ZONA ALPROM	pH	9/18/2016 9:57:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 9:51:51 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 9:51:50 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 9:51:49 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 9:51:48 AM	16	mg/l
ZONA ALPROM	Temp	9/18/2016 9:51:47 AM	26	gradCels
ZONA ALPROM	pH	9/18/2016 9:51:46 AM	8	unit pH
ZONA ALPROM	Temp	9/18/2016 9:51:45 AM	26	gradCels
ZONA ALPROM	pH	9/18/2016 9:51:44 AM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 9:51:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 9:51:42 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 9:51:41 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 9:51:40 AM	16	mg/l
ZONA ALPROM	Cianuri	9/18/2016 9:46:41 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 9:46:40 AM	15	mg/l
ZONA ALPROM	Clor	9/18/2016 9:46:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 9:46:02 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 9:46:01 AM	26	gradCels
ZONA ALPROM	pH	9/18/2016 9:46:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 9:42:40 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 9:42:30 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 9:42:00 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 9:41:50 AM	15	mg/l
ZONA ALPROM	Temp	9/18/2016 9:41:20 AM	26	gradCels
ZONA ALPROM	pH	9/18/2016 9:41:10 AM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 9:40:45 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 9:40:44 AM	15	mg/l
ZONA ALPROM	Clor	9/18/2016 9:40:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 9:40:42 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/18/2016 9:40:41 AM	26	gradCels
ZONA ALPROM	pH	9/18/2016 9:40:40 AM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 9:35:41 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 9:35:40 AM	15	mg/l
ZONA ALPROM	Clor	9/18/2016 9:35:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 9:35:02 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 9:35:01 AM	26	gradCels
ZONA ALPROM	pH	9/18/2016 9:35:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 9:29:49 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 9:29:48 AM	15	mg/l
ZONA ALPROM	Clor	9/18/2016 9:29:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 9:29:42 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 9:29:41 AM	26	gradCels
ZONA ALPROM	pH	9/18/2016 9:29:40 AM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 9:24:41 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 9:24:40 AM	15	mg/l
ZONA ALPROM	Clor	9/18/2016 9:24:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 9:24:02 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 9:24:01 AM	26	gradCels
ZONA ALPROM	pH	9/18/2016 9:24:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 9:20:30 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 9:20:10 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 9:19:50 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 9:19:20 AM	15	mg/l
ZONA ALPROM	Temp	9/18/2016 9:19:10 AM	26	gradCels
ZONA ALPROM	pH	9/18/2016 9:19:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 9:18:45 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 9:18:44 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 9:18:43 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 9:18:42 AM	15	mg/l
ZONA ALPROM	Temp	9/18/2016 9:18:41 AM	26	gradCels
ZONA ALPROM	pH	9/18/2016 9:18:40 AM	8	unit pH
ZONA ALPROM	Substante organice	9/18/2016 9:13:40 AM	15	mg/l
ZONA ALPROM	Cianuri	9/18/2016 9:13:04 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 9:13:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 9:13:02 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 9:13:01 AM	26	gradCels
ZONA ALPROM	pH	9/18/2016 9:13:00 AM	8	unit pH
ZONA ALPROM	Substante organice	9/18/2016 9:07:30 AM	15	mg/l
ZONA ALPROM	Cianuri	9/18/2016 9:07:24 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 9:07:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 9:07:22 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 9:07:21 AM	26	gradCels
ZONA ALPROM	pH	9/18/2016 9:07:20 AM	8	unit pH
ZONA ALPROM	Substante organice	9/18/2016 9:02:40 AM	15	mg/l
ZONA ALPROM	Cianuri	9/18/2016 9:02:04 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 9:02:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 9:02:02 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 9:02:01 AM	26	gradCels
ZONA ALPROM	pH	9/18/2016 9:02:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 8:58:40 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 8:58:30 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 8:57:50 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 8:57:20 AM	15	mg/l
ZONA ALPROM	Temp	9/18/2016 8:57:10 AM	26	gradCels
ZONA ALPROM	pH	9/18/2016 8:57:00 AM	8	unit pH
ZONA ALPROM	Substante organice	9/18/2016 8:56:28 AM	15	mg/l
ZONA ALPROM	Cianuri	9/18/2016 8:56:24 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 8:56:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 8:56:22 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 8:56:21 AM	26	gradCels
ZONA ALPROM	pH	9/18/2016 8:56:20 AM	8	unit pH
ZONA ALPROM	Substante organice	9/18/2016 8:51:40 AM	15	mg/l
ZONA ALPROM	Cianuri	9/18/2016 8:51:08 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 8:51:07 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 8:51:06 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/18/2016 8:51:05 AM	26	gradCels
ZONA ALPROM	pH	9/18/2016 8:51:04 AM	8	unit pH
ZONA ALPROM	Substante organice	9/18/2016 8:45:29 AM	15	mg/l
ZONA ALPROM	Cianuri	9/18/2016 8:45:28 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 8:45:27 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 8:45:26 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 8:45:25 AM	26	gradCels
ZONA ALPROM	pH	9/18/2016 8:45:24 AM	8	unit pH
ZONA ALPROM	Substante organice	9/18/2016 8:40:40 AM	15	mg/l
ZONA ALPROM	Cianuri	9/18/2016 8:40:04 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 8:40:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 8:40:02 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 8:40:01 AM	26	gradCels
ZONA ALPROM	pH	9/18/2016 8:40:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 8:36:00 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 8:35:50 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 8:35:30 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 8:35:20 AM	15	mg/l
ZONA ALPROM	Temp	9/18/2016 8:35:10 AM	26	gradCels
ZONA ALPROM	pH	9/18/2016 8:35:00 AM	8	unit pH
ZONA ALPROM	Substante organice	9/18/2016 8:34:33 AM	15	mg/l
ZONA ALPROM	Cianuri	9/18/2016 8:34:24 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 8:34:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 8:34:22 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 8:34:21 AM	26	gradCels
ZONA ALPROM	pH	9/18/2016 8:34:20 AM	8	unit pH
ZONA ALPROM	Substante organice	9/18/2016 8:29:40 AM	15	mg/l
ZONA ALPROM	Cianuri	9/18/2016 8:29:08 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 8:29:07 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 8:29:06 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 8:29:05 AM	26	gradCels
ZONA ALPROM	pH	9/18/2016 8:29:04 AM	8	unit pH
ZONA ALPROM	Substante organice	9/18/2016 8:23:31 AM	15	mg/l
ZONA ALPROM	Cianuri	9/18/2016 8:23:24 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 8:23:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 8:23:22 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 8:23:21 AM	26	gradCels
ZONA ALPROM	pH	9/18/2016 8:23:20 AM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 8:17:48 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 8:17:47 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 8:17:46 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 8:17:45 AM	15	mg/l
ZONA ALPROM	Temp	9/18/2016 8:17:44 AM	26	gradCels
ZONA ALPROM	pH	9/18/2016 8:17:43 AM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 8:15:50 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 8:15:00 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 8:14:10 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 8:14:00 AM	15	mg/l
ZONA ALPROM	Temp	9/18/2016 8:13:50 AM	26	gradCels
ZONA ALPROM	pH	9/18/2016 8:13:20 AM	8	unit pH
ZONA ALPROM	Substante organice	9/18/2016 8:12:28 AM	15	mg/l
ZONA ALPROM	Cianuri	9/18/2016 8:12:24 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 8:12:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 8:12:22 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 8:12:21 AM	26	gradCels
ZONA ALPROM	pH	9/18/2016 8:12:20 AM	8	unit pH
ZONA ALPROM	Substante organice	9/18/2016 8:07:40 AM	15	mg/l
ZONA ALPROM	Cianuri	9/18/2016 8:06:47 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 8:06:46 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 8:06:45 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 8:06:44 AM	26	gradCels
ZONA ALPROM	pH	9/18/2016 8:06:43 AM	8	unit pH
ZONA ALPROM	Substante organice	9/18/2016 8:01:29 AM	15	mg/l
ZONA ALPROM	Cianuri	9/18/2016 8:01:24 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 8:01:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 8:01:22 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/18/2016 8:01:21 AM	26	gradCels
ZONA ALPROM	pH	9/18/2016 8:01:20 AM	8	unit pH
ZONA ALPROM	Substante organice	9/18/2016 7:56:24 AM	15	mg/l
ZONA ALPROM	Cianuri	9/18/2016 7:55:47 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 7:55:46 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 7:55:45 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 7:55:44 AM	26	gradCels
ZONA ALPROM	pH	9/18/2016 7:55:43 AM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 7:53:50 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 7:52:20 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 7:52:00 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 7:51:50 AM	15	mg/l
ZONA ALPROM	Temp	9/18/2016 7:51:20 AM	26	gradCels
ZONA ALPROM	pH	9/18/2016 7:51:10 AM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 7:50:28 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 7:50:24 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 7:50:23 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 7:50:22 AM	15	mg/l
ZONA ALPROM	Temp	9/18/2016 7:50:21 AM	26	gradCels
ZONA ALPROM	pH	9/18/2016 7:50:20 AM	8	unit pH
ZONA ALPROM	Substante organice	9/18/2016 7:45:24 AM	15	mg/l
ZONA ALPROM	Cianuri	9/18/2016 7:44:47 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 7:44:46 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 7:44:45 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 7:44:44 AM	26	gradCels
ZONA ALPROM	pH	9/18/2016 7:44:43 AM	8	unit pH
ZONA ALPROM	Substante organice	9/18/2016 7:39:28 AM	15	mg/l
ZONA ALPROM	Cianuri	9/18/2016 7:39:24 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 7:39:23 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 7:39:22 AM	26	gradCels
ZONA ALPROM	Grasimi	9/18/2016 7:39:21 AM	0	mg/l
ZONA ALPROM	pH	9/18/2016 7:39:20 AM	8	unit pH
ZONA ALPROM	Substante organice	9/18/2016 7:34:24 AM	15	mg/l
ZONA ALPROM	Cianuri	9/18/2016 7:33:47 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 7:33:46 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 7:33:45 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 7:33:44 AM	26	gradCels
ZONA ALPROM	pH	9/18/2016 7:33:43 AM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 7:32:30 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 7:32:20 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 7:32:00 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 7:31:50 AM	15	mg/l
ZONA ALPROM	Temp	9/18/2016 7:30:40 AM	26	gradCels
ZONA ALPROM	pH	9/18/2016 7:30:10 AM	8	unit pH
ZONA ALPROM	Substante organice	9/18/2016 7:28:24 AM	15	mg/l
ZONA ALPROM	Cianuri	9/18/2016 7:28:04 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 7:28:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 7:28:02 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 7:28:01 AM	26	gradCels
ZONA ALPROM	pH	9/18/2016 7:28:00 AM	8	unit pH
ZONA ALPROM	Substante organice	9/18/2016 7:23:24 AM	15	mg/l
ZONA ALPROM	Cianuri	9/18/2016 7:22:47 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 7:22:46 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 7:22:45 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 7:22:44 AM	26	gradCels
ZONA ALPROM	pH	9/18/2016 7:22:43 AM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 7:17:05 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 7:17:04 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 7:17:03 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 7:17:02 AM	15	mg/l
ZONA ALPROM	Temp	9/18/2016 7:17:01 AM	26	gradCels
ZONA ALPROM	pH	9/18/2016 7:17:00 AM	8	unit pH
ZONA ALPROM	Substante organice	9/18/2016 7:12:24 AM	15	mg/l
ZONA ALPROM	Cianuri	9/18/2016 7:11:47 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 7:11:46 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 7:11:45 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/18/2016 7:11:44 AM	26	gradCels
ZONA ALPROM	pH	9/18/2016 7:11:43 AM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 7:11:20 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 7:11:10 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 7:10:40 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 7:10:30 AM	15	mg/l
ZONA ALPROM	Temp	9/18/2016 7:10:20 AM	26	gradCels
ZONA ALPROM	pH	9/18/2016 7:10:10 AM	8	unit pH
ZONA ALPROM	Substante organice	9/18/2016 7:06:40 AM	15	mg/l
ZONA ALPROM	Cianuri	9/18/2016 7:06:04 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 7:06:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 7:06:02 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 7:06:01 AM	26	gradCels
ZONA ALPROM	pH	9/18/2016 7:06:00 AM	8	unit pH
ZONA ALPROM	Substante organice	9/18/2016 7:01:40 AM	15	mg/l
ZONA ALPROM	Cianuri	9/18/2016 7:00:48 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 7:00:47 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 7:00:46 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 7:00:45 AM	26	gradCels
ZONA ALPROM	pH	9/18/2016 7:00:44 AM	8	unit pH
ZONA ALPROM	Substante organice	9/18/2016 6:55:40 AM	15	mg/l
ZONA ALPROM	Cianuri	9/18/2016 6:55:04 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 6:55:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 6:55:02 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 6:55:01 AM	26	gradCels
ZONA ALPROM	pH	9/18/2016 6:55:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 6:51:30 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 6:51:20 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 6:51:00 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 6:50:50 AM	15	mg/l
ZONA ALPROM	Temp	9/18/2016 6:50:20 AM	26	gradCels
ZONA ALPROM	pH	9/18/2016 6:50:10 AM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 6:49:48 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 6:49:47 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 6:49:46 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 6:49:45 AM	15	mg/l
ZONA ALPROM	Temp	9/18/2016 6:49:44 AM	26	gradCels
ZONA ALPROM	pH	9/18/2016 6:49:43 AM	8	unit pH
ZONA ALPROM	Substante organice	9/18/2016 6:44:40 AM	15	mg/l
ZONA ALPROM	Cianuri	9/18/2016 6:44:04 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 6:44:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 6:44:02 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 6:44:01 AM	26	gradCels
ZONA ALPROM	pH	9/18/2016 6:44:00 AM	8	unit pH
ZONA ALPROM	Substante organice	9/18/2016 6:39:40 AM	15	mg/l
ZONA ALPROM	Cianuri	9/18/2016 6:38:46 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 6:38:45 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 6:38:44 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 6:38:43 AM	26	gradCels
ZONA ALPROM	pH	9/18/2016 6:38:42 AM	8	unit pH
ZONA ALPROM	Substante organice	9/18/2016 6:33:40 AM	15	mg/l
ZONA ALPROM	Cianuri	9/18/2016 6:33:04 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 6:33:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 6:33:02 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 6:33:01 AM	26	gradCels
ZONA ALPROM	pH	9/18/2016 6:33:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 6:31:00 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 6:30:50 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 6:29:50 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 6:29:30 AM	15	mg/l
ZONA ALPROM	Temp	9/18/2016 6:29:20 AM	26	gradCels
ZONA ALPROM	pH	9/18/2016 6:29:10 AM	8	unit pH
ZONA ALPROM	Substante organice	9/18/2016 6:28:40 AM	15	mg/l
ZONA ALPROM	Cianuri	9/18/2016 6:27:47 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 6:27:46 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 6:27:45 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/18/2016 6:27:44 AM	26	gradCels
ZONA ALPROM	pH	9/18/2016 6:27:43 AM	8	unit pH
ZONA ALPROM	Substante organice	9/18/2016 6:22:40 AM	15	mg/l
ZONA ALPROM	Cianuri	9/18/2016 6:22:07 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 6:22:06 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 6:22:05 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 6:22:04 AM	26	gradCels
ZONA ALPROM	pH	9/18/2016 6:22:03 AM	8	unit pH
ZONA ALPROM	Substante organice	9/18/2016 6:17:40 AM	15	mg/l
ZONA ALPROM	Cianuri	9/18/2016 6:16:52 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 6:16:51 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 6:16:50 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 6:16:49 AM	26	gradCels
ZONA ALPROM	pH	9/18/2016 6:16:48 AM	8	unit pH
ZONA ALPROM	Substante organice	9/18/2016 6:11:44 AM	15	mg/l
ZONA ALPROM	Cianuri	9/18/2016 6:11:07 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 6:11:06 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 6:11:05 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 6:11:04 AM	26	gradCels
ZONA ALPROM	pH	9/18/2016 6:11:03 AM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 6:09:50 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 6:09:40 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 6:09:00 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 6:08:50 AM	15	mg/l
ZONA ALPROM	Temp	9/18/2016 6:07:50 AM	26	gradCels
ZONA ALPROM	pH	9/18/2016 6:07:20 AM	8	unit pH
ZONA ALPROM	Substante organice	9/18/2016 6:05:49 AM	15	mg/l
ZONA ALPROM	Cianuri	9/18/2016 6:05:47 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 6:05:45 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 6:05:43 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 6:05:42 AM	26	gradCels
ZONA ALPROM	pH	9/18/2016 6:05:40 AM	8	unit pH
ZONA ALPROM	Substante organice	9/18/2016 6:00:28 AM	15	mg/l
ZONA ALPROM	Cianuri	9/18/2016 6:00:04 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 6:00:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 6:00:02 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 6:00:01 AM	26	gradCels
ZONA ALPROM	pH	9/18/2016 6:00:00 AM	8	unit pH
ZONA ALPROM	Substante organice	9/18/2016 5:54:45 AM	15	mg/l
ZONA ALPROM	Cianuri	9/18/2016 5:54:44 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 5:54:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 5:54:42 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 5:54:41 AM	27	gradCels
ZONA ALPROM	pH	9/18/2016 5:54:40 AM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 5:49:05 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 5:49:04 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 5:49:03 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 5:49:02 AM	15	mg/l
ZONA ALPROM	Temp	9/18/2016 5:49:01 AM	27	gradCels
ZONA ALPROM	pH	9/18/2016 5:49:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 5:48:00 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 5:47:50 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 5:47:10 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 5:46:50 AM	15	mg/l
ZONA ALPROM	Temp	9/18/2016 5:45:50 AM	27	gradCels
ZONA ALPROM	pH	9/18/2016 5:45:20 AM	8	unit pH
ZONA ALPROM	Substante organice	9/18/2016 5:44:40 AM	15	mg/l
ZONA ALPROM	Cianuri	9/18/2016 5:44:11 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 5:44:10 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 5:44:09 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 5:44:08 AM	27	gradCels
ZONA ALPROM	pH	9/18/2016 5:44:07 AM	8	unit pH
ZONA ALPROM	Substante organice	9/18/2016 5:39:40 AM	15	mg/l
ZONA ALPROM	Cianuri	9/18/2016 5:39:04 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 5:39:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 5:39:02 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/18/2016 5:39:01 AM	27	gradCels
ZONA ALPROM	pH	9/18/2016 5:39:00 AM	8	unit pH
ZONA ALPROM	Substante organice	9/18/2016 5:34:46 AM	15	mg/l
ZONA ALPROM	Cianuri	9/18/2016 5:34:07 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 5:34:05 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 5:34:03 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 5:34:01 AM	27	gradCels
ZONA ALPROM	pH	9/18/2016 5:34:00 AM	8	unit pH
ZONA ALPROM	Substante organice	9/18/2016 5:28:25 AM	15	mg/l
ZONA ALPROM	Cianuri	9/18/2016 5:28:24 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 5:28:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 5:28:22 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 5:28:21 AM	27	gradCels
ZONA ALPROM	pH	9/18/2016 5:28:20 AM	8	unit pH
ZONA ALPROM	Substante organice	9/18/2016 5:23:46 AM	15	mg/l
ZONA ALPROM	Cianuri	9/18/2016 5:23:10 AM	0	mg/l
ZONA ALPROM	Cianuri	9/18/2016 5:23:04 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 5:23:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 5:23:02 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 5:23:01 AM	27	gradCels
ZONA ALPROM	pH	9/18/2016 5:23:00 AM	8	unit pH
ZONA ALPROM	Clor	9/18/2016 5:22:20 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 5:22:00 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 5:21:20 AM	15	mg/l
ZONA ALPROM	Temp	9/18/2016 5:21:10 AM	27	gradCels
ZONA ALPROM	pH	9/18/2016 5:21:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 5:17:25 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 5:17:24 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 5:17:23 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 5:17:22 AM	15	mg/l
ZONA ALPROM	Temp	9/18/2016 5:17:21 AM	27	gradCels
ZONA ALPROM	pH	9/18/2016 5:17:20 AM	8	unit pH
ZONA ALPROM	Substante organice	9/18/2016 5:12:26 AM	15	mg/l
ZONA ALPROM	Cianuri	9/18/2016 5:11:49 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 5:11:48 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 5:11:47 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 5:11:46 AM	27	gradCels
ZONA ALPROM	pH	9/18/2016 5:11:45 AM	8	unit pH
ZONA ALPROM	Substante organice	9/18/2016 5:06:25 AM	15	mg/l
ZONA ALPROM	Cianuri	9/18/2016 5:06:24 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 5:06:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 5:06:22 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 5:06:21 AM	27	gradCels
ZONA ALPROM	pH	9/18/2016 5:06:20 AM	8	unit pH
ZONA ALPROM	Substante organice	9/18/2016 5:01:26 AM	15	mg/l
ZONA ALPROM	Cianuri	9/18/2016 5:00:49 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 5:00:48 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 5:00:47 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 5:00:46 AM	27	gradCels
ZONA ALPROM	pH	9/18/2016 5:00:45 AM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 5:00:00 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 4:59:50 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 4:59:10 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 4:59:00 AM	15	mg/l
ZONA ALPROM	Temp	9/18/2016 4:58:50 AM	27	gradCels
ZONA ALPROM	pH	9/18/2016 4:58:20 AM	8	unit pH
ZONA ALPROM	Substante organice	9/18/2016 4:55:25 AM	15	mg/l
ZONA ALPROM	Cianuri	9/18/2016 4:55:24 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 4:55:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 4:55:22 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 4:55:21 AM	27	gradCels
ZONA ALPROM	pH	9/18/2016 4:55:20 AM	8	unit pH
ZONA ALPROM	Substante organice	9/18/2016 4:50:26 AM	15	mg/l
ZONA ALPROM	Cianuri	9/18/2016 4:49:49 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 4:49:48 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 4:49:47 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/18/2016 4:49:46 AM	27	gradCels
ZONA ALPROM	pH	9/18/2016 4:49:45 AM	8	unit pH
ZONA ALPROM	Substante organice	9/18/2016 4:44:25 AM	15	mg/l
ZONA ALPROM	Cianuri	9/18/2016 4:44:24 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 4:44:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 4:44:22 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 4:44:21 AM	27	gradCels
ZONA ALPROM	pH	9/18/2016 4:44:20 AM	8	unit pH
ZONA ALPROM	Substante organice	9/18/2016 4:39:26 AM	15	mg/l
ZONA ALPROM	Cianuri	9/18/2016 4:38:47 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 4:38:46 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 4:38:45 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 4:38:44 AM	27	gradCels
ZONA ALPROM	pH	9/18/2016 4:38:43 AM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 4:38:20 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 4:38:10 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 4:37:50 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 4:37:30 AM	15	mg/l
ZONA ALPROM	Temp	9/18/2016 4:37:20 AM	27	gradCels
ZONA ALPROM	pH	9/18/2016 4:37:10 AM	8	unit pH
ZONA ALPROM	Substante organice	9/18/2016 4:33:25 AM	15	mg/l
ZONA ALPROM	Cianuri	9/18/2016 4:33:24 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 4:33:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 4:33:22 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 4:33:21 AM	27	gradCels
ZONA ALPROM	pH	9/18/2016 4:33:20 AM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 4:28:26 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 4:28:25 AM	15	mg/l
ZONA ALPROM	Clor	9/18/2016 4:27:48 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 4:27:47 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 4:27:46 AM	27	gradCels
ZONA ALPROM	pH	9/18/2016 4:27:45 AM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 4:22:25 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 4:22:24 AM	15	mg/l
ZONA ALPROM	Clor	9/18/2016 4:22:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 4:22:22 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 4:22:21 AM	27	gradCels
ZONA ALPROM	pH	9/18/2016 4:22:20 AM	8	unit pH
ZONA ALPROM	Substante organice	9/18/2016 4:17:26 AM	15	mg/l
ZONA ALPROM	Cianuri	9/18/2016 4:16:49 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 4:16:48 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 4:16:47 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 4:16:46 AM	27	gradCels
ZONA ALPROM	pH	9/18/2016 4:16:45 AM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 4:16:20 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 4:16:10 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 4:15:40 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 4:15:30 AM	15	mg/l
ZONA ALPROM	Temp	9/18/2016 4:15:20 AM	27	gradCels
ZONA ALPROM	pH	9/18/2016 4:15:10 AM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 4:11:25 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 4:11:24 AM	15	mg/l
ZONA ALPROM	Clor	9/18/2016 4:11:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 4:11:22 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 4:11:21 AM	27	gradCels
ZONA ALPROM	pH	9/18/2016 4:11:20 AM	8	unit pH
ZONA ALPROM	Substante organice	9/18/2016 4:06:41 AM	15	mg/l
ZONA ALPROM	Cianuri	9/18/2016 4:05:47 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 4:05:46 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 4:05:45 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 4:05:44 AM	27	gradCels
ZONA ALPROM	pH	9/18/2016 4:05:43 AM	8	unit pH
ZONA ALPROM	Substante organice	9/18/2016 4:00:25 AM	15	mg/l
ZONA ALPROM	Cianuri	9/18/2016 4:00:24 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 4:00:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 4:00:22 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/18/2016 4:00:21 AM	27	gradCels
ZONA ALPROM	pH	9/18/2016 4:00:20 AM	8	unit pH
ZONA ALPROM	Substante organice	9/18/2016 3:55:40 AM	15	mg/l
ZONA ALPROM	Cianuri	9/18/2016 3:55:20 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 3:55:10 AM	0	mg/l
ZONA ALPROM	Cianuri	9/18/2016 3:54:49 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 3:54:48 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 3:54:47 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 3:54:46 AM	27	gradCels
ZONA ALPROM	pH	9/18/2016 3:54:45 AM	8	unit pH
ZONA ALPROM	Grasimi	9/18/2016 3:54:20 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 3:54:10 AM	15	mg/l
ZONA ALPROM	Temp	9/18/2016 3:53:50 AM	27	gradCels
ZONA ALPROM	pH	9/18/2016 3:53:40 AM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 3:49:25 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 3:49:24 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 3:49:23 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 3:49:22 AM	15	mg/l
ZONA ALPROM	Temp	9/18/2016 3:49:21 AM	27	gradCels
ZONA ALPROM	pH	9/18/2016 3:49:20 AM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 3:44:42 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 3:44:41 AM	15	mg/l
ZONA ALPROM	Clor	9/18/2016 3:43:48 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 3:43:47 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 3:43:46 AM	27	gradCels
ZONA ALPROM	pH	9/18/2016 3:43:45 AM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 3:38:25 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 3:38:24 AM	15	mg/l
ZONA ALPROM	Clor	9/18/2016 3:38:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 3:38:22 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 3:38:21 AM	27	gradCels
ZONA ALPROM	pH	9/18/2016 3:38:20 AM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 3:36:30 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 3:36:20 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 3:36:00 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 3:35:50 AM	15	mg/l
ZONA ALPROM	Temp	9/18/2016 3:35:20 AM	27	gradCels
ZONA ALPROM	pH	9/18/2016 3:35:10 AM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 3:33:41 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 3:33:40 AM	15	mg/l
ZONA ALPROM	Clor	9/18/2016 3:32:47 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 3:32:46 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 3:32:45 AM	27	gradCels
ZONA ALPROM	pH	9/18/2016 3:32:44 AM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 3:27:41 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 3:27:40 AM	15	mg/l
ZONA ALPROM	Clor	9/18/2016 3:27:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 3:27:02 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 3:27:01 AM	27	gradCels
ZONA ALPROM	pH	9/18/2016 3:27:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 3:23:02 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 3:21:49 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 3:21:48 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 3:21:47 AM	15	mg/l
ZONA ALPROM	Temp	9/18/2016 3:21:46 AM	27	gradCels
ZONA ALPROM	pH	9/18/2016 3:21:45 AM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 3:16:27 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 3:16:26 AM	15	mg/l
ZONA ALPROM	Cianuri	9/18/2016 3:16:10 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 3:16:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 3:16:02 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 3:16:01 AM	27	gradCels
ZONA ALPROM	pH	9/18/2016 3:16:00 AM	8	unit pH
ZONA ALPROM	Clor	9/18/2016 3:15:50 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 3:15:10 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 3:15:00 AM	15	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/18/2016 3:14:50 AM	27	gradCels
ZONA ALPROM	pH	9/18/2016 3:14:20 AM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 3:11:43 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 3:11:42 AM	15	mg/l
ZONA ALPROM	Clor	9/18/2016 3:10:47 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 3:10:46 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 3:10:45 AM	27	gradCels
ZONA ALPROM	pH	9/18/2016 3:10:44 AM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 3:05:27 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 3:05:25 AM	15	mg/l
ZONA ALPROM	Clor	9/18/2016 3:05:04 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 3:05:02 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 3:05:01 AM	27	gradCels
ZONA ALPROM	pH	9/18/2016 3:05:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 3:00:42 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 3:00:41 AM	15	mg/l
ZONA ALPROM	Clor	9/18/2016 2:59:46 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 2:59:45 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 2:59:44 AM	27	gradCels
ZONA ALPROM	pH	9/18/2016 2:59:43 AM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 2:54:30 AM	0	mg/l
ZONA ALPROM	Cianuri	9/18/2016 2:54:26 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 2:54:25 AM	15	mg/l
ZONA ALPROM	Clor	9/18/2016 2:54:10 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 2:54:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 2:54:02 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 2:54:01 AM	27	gradCels
ZONA ALPROM	pH	9/18/2016 2:54:00 AM	8	unit pH
ZONA ALPROM	Grasimi	9/18/2016 2:53:40 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 2:53:00 AM	15	mg/l
ZONA ALPROM	Temp	9/18/2016 2:52:50 AM	27	gradCels
ZONA ALPROM	pH	9/18/2016 2:52:20 AM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 2:49:42 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 2:48:48 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 2:48:47 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 2:48:46 AM	15	mg/l
ZONA ALPROM	Temp	9/18/2016 2:48:45 AM	27	gradCels
ZONA ALPROM	pH	9/18/2016 2:48:44 AM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 2:43:27 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 2:43:26 AM	15	mg/l
ZONA ALPROM	Clor	9/18/2016 2:43:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 2:43:02 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 2:43:01 AM	27	gradCels
ZONA ALPROM	pH	9/18/2016 2:43:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 2:38:43 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 2:38:42 AM	15	mg/l
ZONA ALPROM	Clor	9/18/2016 2:37:47 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 2:37:46 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 2:37:45 AM	27	gradCels
ZONA ALPROM	pH	9/18/2016 2:37:44 AM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 2:32:30 AM	0	mg/l
ZONA ALPROM	Cianuri	9/18/2016 2:32:26 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 2:32:25 AM	15	mg/l
ZONA ALPROM	Clor	9/18/2016 2:32:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 2:32:02 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 2:32:01 AM	27	gradCels
ZONA ALPROM	pH	9/18/2016 2:32:00 AM	8	unit pH
ZONA ALPROM	Clor	9/18/2016 2:31:50 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 2:31:00 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 2:30:50 AM	15	mg/l
ZONA ALPROM	Temp	9/18/2016 2:30:40 AM	27	gradCels
ZONA ALPROM	pH	9/18/2016 2:30:30 AM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 2:27:43 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 2:27:42 AM	15	mg/l
ZONA ALPROM	Clor	9/18/2016 2:26:47 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 2:26:46 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/18/2016 2:26:45 AM	27	gradCels
ZONA ALPROM	pH	9/18/2016 2:26:44 AM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 2:21:41 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 2:21:04 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 2:21:03 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 2:21:02 AM	15	mg/l
ZONA ALPROM	Temp	9/18/2016 2:21:01 AM	27	gradCels
ZONA ALPROM	pH	9/18/2016 2:21:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 2:16:44 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 2:16:43 AM	15	mg/l
ZONA ALPROM	Clor	9/18/2016 2:15:47 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 2:15:46 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 2:15:45 AM	27	gradCels
ZONA ALPROM	pH	9/18/2016 2:15:44 AM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 2:10:45 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 2:10:44 AM	15	mg/l
ZONA ALPROM	Cianuri	9/18/2016 2:10:10 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 2:10:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 2:10:02 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 2:10:01 AM	27	gradCels
ZONA ALPROM	pH	9/18/2016 2:10:00 AM	8	unit pH
ZONA ALPROM	Clor	9/18/2016 2:09:50 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 2:08:50 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 2:08:20 AM	15	mg/l
ZONA ALPROM	Temp	9/18/2016 2:08:10 AM	27	gradCels
ZONA ALPROM	pH	9/18/2016 2:07:20 AM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 2:05:23 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 2:05:21 AM	15	mg/l
ZONA ALPROM	Clor	9/18/2016 2:04:46 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 2:04:45 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 2:04:44 AM	27	gradCels
ZONA ALPROM	pH	9/18/2016 2:04:43 AM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 1:59:42 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 1:59:41 AM	15	mg/l
ZONA ALPROM	Clor	9/18/2016 1:59:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 1:59:02 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 1:59:01 AM	27	gradCels
ZONA ALPROM	pH	9/18/2016 1:59:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 1:54:22 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 1:54:21 AM	15	mg/l
ZONA ALPROM	Clor	9/18/2016 1:53:47 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 1:53:46 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 1:53:45 AM	27	gradCels
ZONA ALPROM	pH	9/18/2016 1:53:44 AM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 1:49:10 AM	0	mg/l
ZONA ALPROM	Cianuri	9/18/2016 1:48:41 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 1:48:20 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 1:48:04 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 1:48:03 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 1:48:02 AM	15	mg/l
ZONA ALPROM	Temp	9/18/2016 1:48:01 AM	27	gradCels
ZONA ALPROM	pH	9/18/2016 1:48:00 AM	8	unit pH
ZONA ALPROM	Grasimi	9/18/2016 1:47:50 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 1:47:40 AM	15	mg/l
ZONA ALPROM	Temp	9/18/2016 1:47:30 AM	28	gradCels
ZONA ALPROM	pH	9/18/2016 1:47:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 1:43:42 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 1:43:41 AM	15	mg/l
ZONA ALPROM	Clor	9/18/2016 1:42:47 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 1:42:46 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 1:42:45 AM	28	gradCels
ZONA ALPROM	pH	9/18/2016 1:42:44 AM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 1:37:43 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 1:37:41 AM	15	mg/l
ZONA ALPROM	Clor	9/18/2016 1:37:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 1:37:02 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/18/2016 1:37:01 AM	28	gradCels
ZONA ALPROM	pH	9/18/2016 1:37:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 1:31:25 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 1:31:24 AM	15	mg/l
ZONA ALPROM	Clor	9/18/2016 1:31:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 1:31:22 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 1:31:21 AM	28	gradCels
ZONA ALPROM	pH	9/18/2016 1:31:20 AM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 1:27:30 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 1:27:20 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 1:27:00 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 1:26:50 AM	15	mg/l
ZONA ALPROM	Cianuri	9/18/2016 1:26:43 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 1:26:42 AM	15	mg/l
ZONA ALPROM	Temp	9/18/2016 1:26:10 AM	28	gradCels
ZONA ALPROM	Clor	9/18/2016 1:26:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 1:26:02 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 1:26:01 AM	28	gradCels
ZONA ALPROM	pH	9/18/2016 1:26:00 AM	8	unit pH
ZONA ALPROM	pH	9/18/2016 1:25:40 AM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 1:21:41 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 1:21:04 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 1:21:03 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 1:21:02 AM	15	mg/l
ZONA ALPROM	Temp	9/18/2016 1:21:01 AM	28	gradCels
ZONA ALPROM	pH	9/18/2016 1:21:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 1:15:47 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 1:15:46 AM	15	mg/l
ZONA ALPROM	Clor	9/18/2016 1:15:44 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 1:15:43 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 1:15:42 AM	28	gradCels
ZONA ALPROM	pH	9/18/2016 1:15:41 AM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 1:10:26 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 1:10:25 AM	15	mg/l
ZONA ALPROM	Clor	9/18/2016 1:10:24 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 1:10:23 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 1:10:22 AM	28	gradCels
ZONA ALPROM	pH	9/18/2016 1:10:21 AM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 1:07:50 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 1:07:40 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 1:07:00 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 1:06:50 AM	15	mg/l
ZONA ALPROM	Temp	9/18/2016 1:06:20 AM	28	gradCels
ZONA ALPROM	pH	9/18/2016 1:06:10 AM	8	unit pH
ZONA ALPROM	Substante organice	9/18/2016 1:04:47 AM	15	mg/l
ZONA ALPROM	Cianuri	9/18/2016 1:04:46 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 1:04:44 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 1:04:43 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 1:04:42 AM	28	gradCels
ZONA ALPROM	pH	9/18/2016 1:04:41 AM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 12:59:26 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 12:59:25 AM	15	mg/l
ZONA ALPROM	Clor	9/18/2016 12:59:24 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 12:59:23 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 12:59:22 AM	28	gradCels
ZONA ALPROM	pH	9/18/2016 12:59:21 AM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 12:53:47 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 12:53:46 AM	15	mg/l
ZONA ALPROM	Clor	9/18/2016 12:53:44 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 12:53:43 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 12:53:42 AM	28	gradCels
ZONA ALPROM	pH	9/18/2016 12:53:41 AM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 12:48:41 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 12:48:04 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 12:48:03 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 12:48:02 AM	15	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/18/2016 12:48:01 AM	28	gradCels
ZONA ALPROM	pH	9/18/2016 12:48:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 12:46:00 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 12:45:50 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 12:45:10 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 12:44:50 AM	15	mg/l
ZONA ALPROM	Temp	9/18/2016 12:44:40 AM	28	gradCels
ZONA ALPROM	pH	9/18/2016 12:44:30 AM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 12:42:25 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 12:42:24 AM	15	mg/l
ZONA ALPROM	Clor	9/18/2016 12:42:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 12:42:22 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 12:42:21 AM	28	gradCels
ZONA ALPROM	pH	9/18/2016 12:42:20 AM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 12:37:24 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 12:37:23 AM	15	mg/l
ZONA ALPROM	Clor	9/18/2016 12:37:04 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 12:37:02 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 12:37:01 AM	28	gradCels
ZONA ALPROM	pH	9/18/2016 12:37:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 12:31:25 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 12:31:24 AM	15	mg/l
ZONA ALPROM	Clor	9/18/2016 12:31:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 12:31:22 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 12:31:21 AM	28	gradCels
ZONA ALPROM	pH	9/18/2016 12:31:20 AM	8	unit pH
ZONA ALPROM	Substante organice	9/18/2016 12:26:42 AM	15	mg/l
ZONA ALPROM	Cianuri	9/18/2016 12:26:41 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 12:25:46 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 12:25:44 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 12:25:42 AM	28	gradCels
ZONA ALPROM	pH	9/18/2016 12:25:40 AM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 12:24:20 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 12:24:10 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 12:23:50 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 12:23:40 AM	15	mg/l
ZONA ALPROM	Temp	9/18/2016 12:23:30 AM	28	gradCels
ZONA ALPROM	pH	9/18/2016 12:23:10 AM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 12:20:27 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 12:20:26 AM	15	mg/l
ZONA ALPROM	Clor	9/18/2016 12:20:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 12:20:22 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 12:20:21 AM	28	gradCels
ZONA ALPROM	pH	9/18/2016 12:20:20 AM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 12:15:42 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 12:15:41 AM	15	mg/l
ZONA ALPROM	Clor	9/18/2016 12:14:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 12:14:42 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 12:14:41 AM	28	gradCels
ZONA ALPROM	pH	9/18/2016 12:14:40 AM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 12:09:26 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 12:09:25 AM	15	mg/l
ZONA ALPROM	Clor	9/18/2016 12:09:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 12:09:22 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 12:09:21 AM	28	gradCels
ZONA ALPROM	pH	9/18/2016 12:09:20 AM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 12:04:22 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 12:04:21 AM	15	mg/l
ZONA ALPROM	Clor	9/18/2016 12:03:46 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 12:03:45 AM	0	mg/l
ZONA ALPROM	Temp	9/18/2016 12:03:44 AM	28	gradCels
ZONA ALPROM	pH	9/18/2016 12:03:43 AM	8	unit pH
ZONA ALPROM	Cianuri	9/18/2016 12:02:30 AM	0	mg/l
ZONA ALPROM	Clor	9/18/2016 12:02:20 AM	0	mg/l
ZONA ALPROM	Grasimi	9/18/2016 12:02:00 AM	0	mg/l
ZONA ALPROM	Substante organice	9/18/2016 12:01:50 AM	15	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/18/2016 12:01:40 AM	28	gradCels
ZONA ALPROM	pH	9/18/2016 12:01:30 AM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 11:58:26 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 11:58:25 PM	15	mg/l
ZONA ALPROM	Clor	9/17/2016 11:58:23 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 11:58:22 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 11:58:21 PM	28	gradCels
ZONA ALPROM	pH	9/17/2016 11:58:20 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 11:53:22 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 11:53:21 PM	15	mg/l
ZONA ALPROM	Clor	9/17/2016 11:52:47 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 11:52:46 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 11:52:45 PM	28	gradCels
ZONA ALPROM	pH	9/17/2016 11:52:44 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 11:47:21 PM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 11:47:13 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 11:47:12 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 11:47:11 PM	15	mg/l
ZONA ALPROM	Temp	9/17/2016 11:47:10 PM	28	gradCels
ZONA ALPROM	pH	9/17/2016 11:47:09 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 11:42:50 PM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 11:42:40 PM	0	mg/l
ZONA ALPROM	Cianuri	9/17/2016 11:42:22 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 11:42:21 PM	15	mg/l
ZONA ALPROM	Grasimi	9/17/2016 11:41:50 PM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 11:41:47 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 11:41:46 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 11:41:45 PM	28	gradCels
ZONA ALPROM	pH	9/17/2016 11:41:44 PM	8	unit pH
ZONA ALPROM	Substante organice	9/17/2016 11:41:10 PM	15	mg/l
ZONA ALPROM	Temp	9/17/2016 11:40:50 PM	28	gradCels
ZONA ALPROM	pH	9/17/2016 11:40:40 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 11:37:02 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 11:37:01 PM	15	mg/l
ZONA ALPROM	Clor	9/17/2016 11:36:07 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 11:36:06 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 11:36:05 PM	28	gradCels
ZONA ALPROM	pH	9/17/2016 11:36:04 PM	8	unit pH
ZONA ALPROM	Substante organice	9/17/2016 11:31:21 PM	15	mg/l
ZONA ALPROM	Cianuri	9/17/2016 11:31:20 PM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 11:30:48 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 11:30:47 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 11:30:46 PM	28	gradCels
ZONA ALPROM	pH	9/17/2016 11:30:45 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 11:25:43 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 11:25:42 PM	15	mg/l
ZONA ALPROM	Clor	9/17/2016 11:25:07 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 11:25:06 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 11:25:05 PM	28	gradCels
ZONA ALPROM	pH	9/17/2016 11:25:04 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 11:23:50 PM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 11:23:40 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 11:23:10 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 11:23:00 PM	15	mg/l
ZONA ALPROM	Temp	9/17/2016 11:22:50 PM	28	gradCels
ZONA ALPROM	pH	9/17/2016 11:22:30 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 11:20:21 PM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 11:19:36 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 11:19:35 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 11:19:34 PM	15	mg/l
ZONA ALPROM	Temp	9/17/2016 11:19:33 PM	28	gradCels
ZONA ALPROM	pH	9/17/2016 11:19:32 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 11:14:43 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 11:14:42 PM	15	mg/l
ZONA ALPROM	Clor	9/17/2016 11:14:07 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 11:14:06 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/17/2016 11:14:05 PM	28	gradCels
ZONA ALPROM	pH	9/17/2016 11:14:04 PM	8	unit pH
ZONA ALPROM	Substante organice	9/17/2016 11:09:20 PM	15	mg/l
ZONA ALPROM	Cianuri	9/17/2016 11:08:48 PM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 11:08:47 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 11:08:46 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 11:08:45 PM	28	gradCels
ZONA ALPROM	pH	9/17/2016 11:08:44 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 11:04:30 PM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 11:04:20 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 11:04:00 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 11:03:50 PM	15	mg/l
ZONA ALPROM	Substante organice	9/17/2016 11:03:41 PM	15	mg/l
ZONA ALPROM	Temp	9/17/2016 11:03:10 PM	28	gradCels
ZONA ALPROM	Cianuri	9/17/2016 11:03:08 PM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 11:03:07 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 11:03:06 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 11:03:05 PM	28	gradCels
ZONA ALPROM	pH	9/17/2016 11:03:04 PM	8	unit pH
ZONA ALPROM	pH	9/17/2016 11:02:50 PM	8	unit pH
ZONA ALPROM	Substante organice	9/17/2016 10:58:21 PM	15	mg/l
ZONA ALPROM	Cianuri	9/17/2016 10:57:30 PM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 10:57:29 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 10:57:28 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 10:57:27 PM	28	gradCels
ZONA ALPROM	pH	9/17/2016 10:57:26 PM	8	unit pH
ZONA ALPROM	Substante organice	9/17/2016 10:52:42 PM	15	mg/l
ZONA ALPROM	Cianuri	9/17/2016 10:52:41 PM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 10:52:07 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 10:52:06 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 10:52:05 PM	28	gradCels
ZONA ALPROM	pH	9/17/2016 10:52:04 PM	8	unit pH
ZONA ALPROM	Substante organice	9/17/2016 10:47:20 PM	15	mg/l
ZONA ALPROM	Cianuri	9/17/2016 10:46:32 PM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 10:46:31 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 10:46:30 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 10:46:29 PM	28	gradCels
ZONA ALPROM	pH	9/17/2016 10:46:28 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 10:44:40 PM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 10:44:30 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 10:43:50 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 10:43:40 PM	15	mg/l
ZONA ALPROM	Temp	9/17/2016 10:43:30 PM	28	gradCels
ZONA ALPROM	pH	9/17/2016 10:43:10 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 10:41:23 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 10:41:21 PM	15	mg/l
ZONA ALPROM	Clor	9/17/2016 10:41:07 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 10:41:06 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 10:41:05 PM	28	gradCels
ZONA ALPROM	pH	9/17/2016 10:41:04 PM	8	unit pH
ZONA ALPROM	Substante organice	9/17/2016 10:36:20 PM	15	mg/l
ZONA ALPROM	Cianuri	9/17/2016 10:35:30 PM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 10:35:29 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 10:35:28 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 10:35:27 PM	28	gradCels
ZONA ALPROM	pH	9/17/2016 10:35:26 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 10:30:22 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 10:30:21 PM	15	mg/l
ZONA ALPROM	Clor	9/17/2016 10:30:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 10:30:02 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 10:30:01 PM	28	gradCels
ZONA ALPROM	pH	9/17/2016 10:30:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 10:26:10 PM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 10:26:00 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 10:25:40 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 10:25:30 PM	15	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Substante organice	9/17/2016 10:25:20 PM	15	mg/l
ZONA ALPROM	Temp	9/17/2016 10:25:10 PM	28	gradCels
ZONA ALPROM	pH	9/17/2016 10:25:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 10:24:32 PM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 10:24:31 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 10:24:30 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 10:24:29 PM	28	gradCels
ZONA ALPROM	pH	9/17/2016 10:24:28 PM	8	unit pH
ZONA ALPROM	Substante organice	9/17/2016 10:19:21 PM	15	mg/l
ZONA ALPROM	Cianuri	9/17/2016 10:19:04 PM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 10:19:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 10:19:02 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 10:19:01 PM	28	gradCels
ZONA ALPROM	pH	9/17/2016 10:19:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 10:14:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 10:14:20 PM	15	mg/l
ZONA ALPROM	Clor	9/17/2016 10:13:32 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 10:13:31 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 10:13:30 PM	28	gradCels
ZONA ALPROM	pH	9/17/2016 10:13:29 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 10:08:40 PM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 10:08:30 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 10:08:22 PM	15	mg/l
ZONA ALPROM	Cianuri	9/17/2016 10:08:21 PM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 10:08:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 10:08:02 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 10:08:01 PM	28	gradCels
ZONA ALPROM	pH	9/17/2016 10:08:00 PM	8	unit pH
ZONA ALPROM	Grasimi	9/17/2016 10:07:00 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 10:06:50 PM	15	mg/l
ZONA ALPROM	Temp	9/17/2016 10:06:40 PM	28	gradCels
ZONA ALPROM	pH	9/17/2016 10:06:30 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 10:03:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 10:03:20 PM	15	mg/l
ZONA ALPROM	Clor	9/17/2016 10:02:30 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 10:02:29 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 10:02:28 PM	28	gradCels
ZONA ALPROM	pH	9/17/2016 10:02:27 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 9:57:22 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 9:57:21 PM	15	mg/l
ZONA ALPROM	Clor	9/17/2016 9:57:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 9:57:02 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 9:57:01 PM	28	gradCels
ZONA ALPROM	pH	9/17/2016 9:57:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 9:52:20 PM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 9:51:28 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 9:51:27 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 9:51:26 PM	15	mg/l
ZONA ALPROM	Temp	9/17/2016 9:51:25 PM	28	gradCels
ZONA ALPROM	pH	9/17/2016 9:51:24 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 9:50:30 PM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 9:50:20 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 9:50:00 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 9:49:50 PM	15	mg/l
ZONA ALPROM	Temp	9/17/2016 9:49:40 PM	28	gradCels
ZONA ALPROM	pH	9/17/2016 9:49:30 PM	8	unit pH
ZONA ALPROM	Substante organice	9/17/2016 9:46:24 PM	15	mg/l
ZONA ALPROM	Cianuri	9/17/2016 9:46:22 PM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 9:46:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 9:46:02 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 9:46:01 PM	28	gradCels
ZONA ALPROM	pH	9/17/2016 9:46:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 9:41:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 9:41:20 PM	15	mg/l
ZONA ALPROM	Clor	9/17/2016 9:40:44 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 9:40:43 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/17/2016 9:40:42 PM	28	gradCels
ZONA ALPROM	pH	9/17/2016 9:40:41 PM	8	unit pH
ZONA ALPROM	Substante organice	9/17/2016 9:35:20 PM	15	mg/l
ZONA ALPROM	Cianuri	9/17/2016 9:35:05 PM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 9:35:04 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 9:35:03 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 9:35:02 PM	28	gradCels
ZONA ALPROM	pH	9/17/2016 9:35:01 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 9:32:50 PM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 9:32:40 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 9:32:00 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 9:31:50 PM	15	mg/l
ZONA ALPROM	Temp	9/17/2016 9:31:20 PM	28	gradCels
ZONA ALPROM	pH	9/17/2016 9:31:10 PM	8	unit pH
ZONA ALPROM	Substante organice	9/17/2016 9:30:20 PM	15	mg/l
ZONA ALPROM	Cianuri	9/17/2016 9:29:49 PM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 9:29:48 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 9:29:47 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 9:29:46 PM	28	gradCels
ZONA ALPROM	pH	9/17/2016 9:29:45 PM	8	unit pH
ZONA ALPROM	Substante organice	9/17/2016 9:24:22 PM	15	mg/l
ZONA ALPROM	Cianuri	9/17/2016 9:24:21 PM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 9:24:04 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 9:24:03 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 9:24:02 PM	28	gradCels
ZONA ALPROM	pH	9/17/2016 9:24:01 PM	8	unit pH
ZONA ALPROM	Substante organice	9/17/2016 9:18:47 PM	15	mg/l
ZONA ALPROM	Cianuri	9/17/2016 9:18:46 PM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 9:18:44 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 9:18:43 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 9:18:42 PM	28	gradCels
ZONA ALPROM	pH	9/17/2016 9:18:41 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 9:15:50 PM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 9:15:10 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 9:14:40 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 9:14:30 PM	15	mg/l
ZONA ALPROM	Temp	9/17/2016 9:14:20 PM	28	gradCels
ZONA ALPROM	pH	9/17/2016 9:14:10 PM	8	unit pH
ZONA ALPROM	Substante organice	9/17/2016 9:13:27 PM	15	mg/l
ZONA ALPROM	Cianuri	9/17/2016 9:13:25 PM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 9:13:24 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 9:13:23 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 9:13:22 PM	28	gradCels
ZONA ALPROM	pH	9/17/2016 9:13:21 PM	8	unit pH
ZONA ALPROM	Substante organice	9/17/2016 9:07:28 PM	15	mg/l
ZONA ALPROM	Cianuri	9/17/2016 9:07:25 PM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 9:07:24 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 9:07:23 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 9:07:22 PM	28	gradCels
ZONA ALPROM	pH	9/17/2016 9:07:21 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 9:02:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 9:02:20 PM	15	mg/l
ZONA ALPROM	Clor	9/17/2016 9:01:52 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 9:01:51 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 9:01:50 PM	28	gradCels
ZONA ALPROM	pH	9/17/2016 9:01:49 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 8:58:50 PM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 8:58:40 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 8:58:10 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 8:58:00 PM	15	mg/l
ZONA ALPROM	Temp	9/17/2016 8:57:50 PM	28	gradCels
ZONA ALPROM	pH	9/17/2016 8:57:40 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 8:57:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 8:57:20 PM	15	mg/l
ZONA ALPROM	Clor	9/17/2016 8:57:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 8:57:02 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/17/2016 8:57:01 PM	28	gradCels
ZONA ALPROM	pH	9/17/2016 8:57:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 8:51:27 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 8:51:26 PM	15	mg/l
ZONA ALPROM	Clor	9/17/2016 8:51:23 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 8:51:22 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 8:51:21 PM	28	gradCels
ZONA ALPROM	pH	9/17/2016 8:51:20 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 8:46:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 8:46:20 PM	15	mg/l
ZONA ALPROM	Clor	9/17/2016 8:46:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 8:46:02 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 8:46:01 PM	28	gradCels
ZONA ALPROM	pH	9/17/2016 8:46:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 8:41:10 PM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 8:41:00 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 8:40:40 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 8:40:30 PM	15	mg/l
ZONA ALPROM	Cianuri	9/17/2016 8:40:25 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 8:40:24 PM	15	mg/l
ZONA ALPROM	Clor	9/17/2016 8:40:23 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 8:40:22 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 8:40:21 PM	28	gradCels
ZONA ALPROM	pH	9/17/2016 8:40:20 PM	8	unit pH
ZONA ALPROM	Temp	9/17/2016 8:40:10 PM	28	gradCels
ZONA ALPROM	pH	9/17/2016 8:39:30 PM	8	unit pH
ZONA ALPROM	Substante organice	9/17/2016 8:35:21 PM	15	mg/l
ZONA ALPROM	Cianuri	9/17/2016 8:35:20 PM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 8:35:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 8:35:02 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 8:35:01 PM	28	gradCels
ZONA ALPROM	pH	9/17/2016 8:35:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 8:29:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 8:29:20 PM	15	mg/l
ZONA ALPROM	Clor	9/17/2016 8:29:14 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 8:29:13 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 8:29:12 PM	28	gradCels
ZONA ALPROM	pH	9/17/2016 8:29:11 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 8:24:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 8:24:20 PM	15	mg/l
ZONA ALPROM	Clor	9/17/2016 8:23:43 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 8:23:42 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 8:23:41 PM	28	gradCels
ZONA ALPROM	pH	9/17/2016 8:23:40 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 8:22:00 PM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 8:21:50 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 8:21:30 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 8:21:10 PM	15	mg/l
ZONA ALPROM	Temp	9/17/2016 8:20:50 PM	28	gradCels
ZONA ALPROM	pH	9/17/2016 8:20:40 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 8:18:20 PM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 8:18:14 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 8:18:13 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 8:18:12 PM	15	mg/l
ZONA ALPROM	Temp	9/17/2016 8:18:11 PM	28	gradCels
ZONA ALPROM	pH	9/17/2016 8:18:10 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 8:13:25 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 8:13:24 PM	15	mg/l
ZONA ALPROM	Clor	9/17/2016 8:13:23 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 8:13:22 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 8:13:21 PM	28	gradCels
ZONA ALPROM	pH	9/17/2016 8:13:20 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 8:08:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 8:08:20 PM	15	mg/l
ZONA ALPROM	Clor	9/17/2016 8:07:43 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 8:07:42 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/17/2016 8:07:41 PM	28	gradCels
ZONA ALPROM	pH	9/17/2016 8:07:40 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 8:02:50 PM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 8:02:40 PM	0	mg/l
ZONA ALPROM	Cianuri	9/17/2016 8:02:25 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 8:02:24 PM	15	mg/l
ZONA ALPROM	Clor	9/17/2016 8:02:23 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 8:02:22 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 8:02:21 PM	28	gradCels
ZONA ALPROM	pH	9/17/2016 8:02:20 PM	8	unit pH
ZONA ALPROM	Grasimi	9/17/2016 8:02:00 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 8:01:50 PM	15	mg/l
ZONA ALPROM	Temp	9/17/2016 8:01:40 PM	28	gradCels
ZONA ALPROM	pH	9/17/2016 8:00:50 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 7:57:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 7:57:20 PM	15	mg/l
ZONA ALPROM	Clor	9/17/2016 7:56:43 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 7:56:42 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 7:56:41 PM	28	gradCels
ZONA ALPROM	pH	9/17/2016 7:56:40 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 7:51:25 PM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 7:51:24 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 7:51:23 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 7:51:22 PM	15	mg/l
ZONA ALPROM	Temp	9/17/2016 7:51:21 PM	28	gradCels
ZONA ALPROM	pH	9/17/2016 7:51:20 PM	8	unit pH
ZONA ALPROM	Substante organice	9/17/2016 7:46:21 PM	15	mg/l
ZONA ALPROM	Cianuri	9/17/2016 7:46:20 PM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 7:45:33 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 7:45:32 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 7:45:31 PM	28	gradCels
ZONA ALPROM	pH	9/17/2016 7:45:30 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 7:43:40 PM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 7:43:30 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 7:43:10 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 7:43:00 PM	15	mg/l
ZONA ALPROM	Temp	9/17/2016 7:42:50 PM	28	gradCels
ZONA ALPROM	pH	9/17/2016 7:42:40 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 7:40:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 7:40:20 PM	15	mg/l
ZONA ALPROM	Clor	9/17/2016 7:40:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 7:40:02 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 7:40:01 PM	28	gradCels
ZONA ALPROM	pH	9/17/2016 7:40:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 7:35:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 7:35:20 PM	15	mg/l
ZONA ALPROM	Clor	9/17/2016 7:34:43 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 7:34:42 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 7:34:41 PM	28	gradCels
ZONA ALPROM	pH	9/17/2016 7:34:40 PM	8	unit pH
ZONA ALPROM	Substante organice	9/17/2016 7:29:21 PM	15	mg/l
ZONA ALPROM	Cianuri	9/17/2016 7:29:20 PM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 7:29:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 7:29:02 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 7:29:01 PM	28	gradCels
ZONA ALPROM	pH	9/17/2016 7:29:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 7:24:30 PM	0	mg/l
ZONA ALPROM	Cianuri	9/17/2016 7:24:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 7:24:20 PM	15	mg/l
ZONA ALPROM	Clor	9/17/2016 7:24:10 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 7:23:50 PM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 7:23:43 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 7:23:42 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 7:23:41 PM	28	gradCels
ZONA ALPROM	pH	9/17/2016 7:23:40 PM	8	unit pH
ZONA ALPROM	Substante organice	9/17/2016 7:23:00 PM	15	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/17/2016 7:22:50 PM	28	gradCels
ZONA ALPROM	pH	9/17/2016 7:22:10 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 7:18:20 PM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 7:18:04 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 7:18:03 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 7:18:02 PM	15	mg/l
ZONA ALPROM	Temp	9/17/2016 7:18:01 PM	28	gradCels
ZONA ALPROM	pH	9/17/2016 7:18:00 PM	8	unit pH
ZONA ALPROM	Substante organice	9/17/2016 7:13:21 PM	15	mg/l
ZONA ALPROM	Cianuri	9/17/2016 7:13:20 PM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 7:12:43 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 7:12:42 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 7:12:41 PM	28	gradCels
ZONA ALPROM	pH	9/17/2016 7:12:40 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 7:07:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 7:07:20 PM	15	mg/l
ZONA ALPROM	Clor	9/17/2016 7:07:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 7:07:02 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 7:07:01 PM	28	gradCels
ZONA ALPROM	pH	9/17/2016 7:07:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 7:03:30 PM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 7:03:10 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 7:02:21 PM	15	mg/l
ZONA ALPROM	Cianuri	9/17/2016 7:02:20 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 7:02:10 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 7:02:00 PM	15	mg/l
ZONA ALPROM	Temp	9/17/2016 7:01:50 PM	28	gradCels
ZONA ALPROM	Clor	9/17/2016 7:01:43 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 7:01:42 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 7:01:41 PM	28	gradCels
ZONA ALPROM	pH	9/17/2016 7:01:40 PM	8	unit pH
ZONA ALPROM	pH	9/17/2016 7:00:50 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 6:56:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 6:56:20 PM	15	mg/l
ZONA ALPROM	Clor	9/17/2016 6:56:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 6:56:02 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 6:56:01 PM	28	gradCels
ZONA ALPROM	pH	9/17/2016 6:56:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 6:51:20 PM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 6:50:44 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 6:50:43 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 6:50:42 PM	15	mg/l
ZONA ALPROM	Temp	9/17/2016 6:50:41 PM	28	gradCels
ZONA ALPROM	pH	9/17/2016 6:50:40 PM	8	unit pH
ZONA ALPROM	Substante organice	9/17/2016 6:45:21 PM	15	mg/l
ZONA ALPROM	Cianuri	9/17/2016 6:45:20 PM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 6:45:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 6:45:02 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 6:45:01 PM	28	gradCels
ZONA ALPROM	pH	9/17/2016 6:45:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 6:41:30 PM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 6:41:10 PM	0	mg/l
ZONA ALPROM	Cianuri	9/17/2016 6:40:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 6:40:20 PM	15	mg/l
ZONA ALPROM	Grasimi	9/17/2016 6:40:00 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 6:39:50 PM	15	mg/l
ZONA ALPROM	Clor	9/17/2016 6:39:43 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 6:39:42 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 6:39:41 PM	28	gradCels
ZONA ALPROM	pH	9/17/2016 6:39:40 PM	8	unit pH
ZONA ALPROM	Temp	9/17/2016 6:39:10 PM	28	gradCels
ZONA ALPROM	pH	9/17/2016 6:37:40 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 6:34:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 6:34:20 PM	15	mg/l
ZONA ALPROM	Clor	9/17/2016 6:34:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 6:34:02 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/17/2016 6:34:01 PM	28	gradCels
ZONA ALPROM	pH	9/17/2016 6:34:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 6:29:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 6:29:20 PM	15	mg/l
ZONA ALPROM	Clor	9/17/2016 6:28:27 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 6:28:26 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 6:28:25 PM	28	gradCels
ZONA ALPROM	pH	9/17/2016 6:28:24 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 6:23:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 6:23:20 PM	15	mg/l
ZONA ALPROM	Clor	9/17/2016 6:23:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 6:23:02 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 6:23:01 PM	28	gradCels
ZONA ALPROM	pH	9/17/2016 6:23:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 6:19:50 PM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 6:19:40 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 6:19:10 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 6:19:00 PM	15	mg/l
ZONA ALPROM	Temp	9/17/2016 6:18:50 PM	28	gradCels
ZONA ALPROM	Cianuri	9/17/2016 6:18:20 PM	0	mg/l
ZONA ALPROM	pH	9/17/2016 6:18:10 PM	8	unit pH
ZONA ALPROM	Clor	9/17/2016 6:17:28 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 6:17:27 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 6:17:26 PM	15	mg/l
ZONA ALPROM	Temp	9/17/2016 6:17:25 PM	28	gradCels
ZONA ALPROM	pH	9/17/2016 6:17:24 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 6:12:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 6:12:20 PM	15	mg/l
ZONA ALPROM	Clor	9/17/2016 6:12:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 6:12:02 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 6:12:01 PM	28	gradCels
ZONA ALPROM	pH	9/17/2016 6:12:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 6:07:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 6:07:20 PM	15	mg/l
ZONA ALPROM	Clor	9/17/2016 6:06:27 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 6:06:26 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 6:06:25 PM	28	gradCels
ZONA ALPROM	pH	9/17/2016 6:06:24 PM	8	unit pH
ZONA ALPROM	Substante organice	9/17/2016 6:01:21 PM	15	mg/l
ZONA ALPROM	Cianuri	9/17/2016 6:01:20 PM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 6:01:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 6:01:02 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 6:01:01 PM	28	gradCels
ZONA ALPROM	pH	9/17/2016 6:01:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 6:00:50 PM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 6:00:40 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 5:59:00 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 5:58:50 PM	15	mg/l
ZONA ALPROM	Temp	9/17/2016 5:58:40 PM	28	gradCels
ZONA ALPROM	pH	9/17/2016 5:58:30 PM	8	unit pH
ZONA ALPROM	Substante organice	9/17/2016 5:56:21 PM	15	mg/l
ZONA ALPROM	Cianuri	9/17/2016 5:56:20 PM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 5:55:27 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 5:55:26 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 5:55:25 PM	28	gradCels
ZONA ALPROM	pH	9/17/2016 5:55:24 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 5:50:20 PM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 5:50:04 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 5:50:03 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 5:50:02 PM	15	mg/l
ZONA ALPROM	Temp	9/17/2016 5:50:01 PM	28	gradCels
ZONA ALPROM	pH	9/17/2016 5:50:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 5:45:26 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 5:45:25 PM	15	mg/l
ZONA ALPROM	Clor	9/17/2016 5:44:30 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 5:44:29 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/17/2016 5:44:28 PM	28	gradCels
ZONA ALPROM	pH	9/17/2016 5:44:27 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 5:40:10 PM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 5:39:40 PM	0	mg/l
ZONA ALPROM	Cianuri	9/17/2016 5:39:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 5:39:20 PM	15	mg/l
ZONA ALPROM	Grasimi	9/17/2016 5:39:10 PM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 5:39:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 5:39:02 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 5:39:01 PM	28	gradCels
ZONA ALPROM	pH	9/17/2016 5:39:00 PM	8	unit pH
ZONA ALPROM	Substante organice	9/17/2016 5:38:50 PM	15	mg/l
ZONA ALPROM	Temp	9/17/2016 5:37:50 PM	28	gradCels
ZONA ALPROM	pH	9/17/2016 5:37:40 PM	8	unit pH
ZONA ALPROM	Substante organice	9/17/2016 5:34:27 PM	15	mg/l
ZONA ALPROM	Cianuri	9/17/2016 5:34:26 PM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 5:33:28 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 5:33:27 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 5:33:26 PM	28	gradCels
ZONA ALPROM	pH	9/17/2016 5:33:25 PM	8	unit pH
ZONA ALPROM	Substante organice	9/17/2016 5:28:22 PM	15	mg/l
ZONA ALPROM	Cianuri	9/17/2016 5:28:20 PM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 5:28:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 5:28:02 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 5:28:01 PM	28	gradCels
ZONA ALPROM	pH	9/17/2016 5:28:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 5:23:26 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 5:23:25 PM	15	mg/l
ZONA ALPROM	Clor	9/17/2016 5:22:27 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 5:22:26 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 5:22:25 PM	28	gradCels
ZONA ALPROM	pH	9/17/2016 5:22:24 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 5:19:50 PM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 5:19:40 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 5:19:10 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 5:19:00 PM	15	mg/l
ZONA ALPROM	Temp	9/17/2016 5:18:50 PM	28	gradCels
ZONA ALPROM	pH	9/17/2016 5:18:10 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 5:17:20 PM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 5:17:04 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 5:17:03 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 5:17:02 PM	15	mg/l
ZONA ALPROM	Temp	9/17/2016 5:17:01 PM	27	gradCels
ZONA ALPROM	pH	9/17/2016 5:17:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 5:12:25 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 5:12:24 PM	15	mg/l
ZONA ALPROM	Clor	9/17/2016 5:11:34 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 5:11:33 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 5:11:32 PM	27	gradCels
ZONA ALPROM	pH	9/17/2016 5:11:31 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 5:06:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 5:06:20 PM	15	mg/l
ZONA ALPROM	Clor	9/17/2016 5:06:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 5:06:02 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 5:06:01 PM	27	gradCels
ZONA ALPROM	pH	9/17/2016 5:06:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 5:00:25 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 5:00:24 PM	15	mg/l
ZONA ALPROM	Clor	9/17/2016 5:00:23 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 5:00:22 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 5:00:21 PM	27	gradCels
ZONA ALPROM	pH	9/17/2016 5:00:20 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 4:58:50 PM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 4:58:20 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 4:58:00 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 4:57:50 PM	15	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/17/2016 4:57:40 PM	27	gradCels
ZONA ALPROM	pH	9/17/2016 4:57:30 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 4:55:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 4:55:20 PM	15	mg/l
ZONA ALPROM	Clor	9/17/2016 4:54:51 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 4:54:50 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 4:54:49 PM	27	gradCels
ZONA ALPROM	pH	9/17/2016 4:54:48 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 4:49:25 PM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 4:49:24 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 4:49:23 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 4:49:22 PM	15	mg/l
ZONA ALPROM	Temp	9/17/2016 4:49:21 PM	27	gradCels
ZONA ALPROM	pH	9/17/2016 4:49:20 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 4:44:22 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 4:44:20 PM	15	mg/l
ZONA ALPROM	Clor	9/17/2016 4:43:50 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 4:43:49 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 4:43:48 PM	27	gradCels
ZONA ALPROM	pH	9/17/2016 4:43:47 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 4:39:00 PM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 4:38:50 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 4:38:30 PM	0	mg/l
ZONA ALPROM	Cianuri	9/17/2016 4:38:25 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 4:38:24 PM	15	mg/l
ZONA ALPROM	Clor	9/17/2016 4:38:23 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 4:38:22 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 4:38:21 PM	27	gradCels
ZONA ALPROM	pH	9/17/2016 4:38:20 PM	8	unit pH
ZONA ALPROM	Substante organice	9/17/2016 4:38:10 PM	15	mg/l
ZONA ALPROM	Temp	9/17/2016 4:37:30 PM	27	gradCels
ZONA ALPROM	pH	9/17/2016 4:37:20 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 4:33:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 4:33:20 PM	15	mg/l
ZONA ALPROM	Clor	9/17/2016 4:32:52 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 4:32:51 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 4:32:50 PM	27	gradCels
ZONA ALPROM	pH	9/17/2016 4:32:49 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 4:27:25 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 4:27:24 PM	15	mg/l
ZONA ALPROM	Clor	9/17/2016 4:27:23 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 4:27:22 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 4:27:21 PM	27	gradCels
ZONA ALPROM	pH	9/17/2016 4:27:20 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 4:22:20 PM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 4:21:44 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 4:21:43 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 4:21:42 PM	15	mg/l
ZONA ALPROM	Temp	9/17/2016 4:21:41 PM	27	gradCels
ZONA ALPROM	pH	9/17/2016 4:21:40 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 4:19:10 PM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 4:19:00 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 4:18:10 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 4:17:20 PM	15	mg/l
ZONA ALPROM	Temp	9/17/2016 4:17:10 PM	27	gradCels
ZONA ALPROM	pH	9/17/2016 4:17:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 4:16:25 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 4:16:24 PM	15	mg/l
ZONA ALPROM	Clor	9/17/2016 4:16:23 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 4:16:22 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 4:16:21 PM	27	gradCels
ZONA ALPROM	pH	9/17/2016 4:16:20 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 4:11:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 4:11:20 PM	15	mg/l
ZONA ALPROM	Clor	9/17/2016 4:10:43 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 4:10:42 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/17/2016 4:10:41 PM	27	gradCels
ZONA ALPROM	pH	9/17/2016 4:10:40 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 4:05:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 4:05:20 PM	15	mg/l
ZONA ALPROM	Clor	9/17/2016 4:05:08 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 4:05:07 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 4:05:06 PM	27	gradCels
ZONA ALPROM	pH	9/17/2016 4:05:05 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 4:00:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 4:00:20 PM	15	mg/l
ZONA ALPROM	Cianuri	9/17/2016 4:00:10 PM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 4:00:00 PM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 3:59:43 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 3:59:42 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 3:59:41 PM	27	gradCels
ZONA ALPROM	pH	9/17/2016 3:59:40 PM	8	unit pH
ZONA ALPROM	Grasimi	9/17/2016 3:58:50 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 3:58:40 PM	15	mg/l
ZONA ALPROM	Temp	9/17/2016 3:58:30 PM	27	gradCels
ZONA ALPROM	pH	9/17/2016 3:58:10 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 3:54:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 3:54:20 PM	15	mg/l
ZONA ALPROM	Clor	9/17/2016 3:54:08 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 3:54:07 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 3:54:06 PM	27	gradCels
ZONA ALPROM	pH	9/17/2016 3:54:05 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 3:49:20 PM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 3:48:34 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 3:48:33 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 3:48:32 PM	15	mg/l
ZONA ALPROM	Temp	9/17/2016 3:48:31 PM	27	gradCels
ZONA ALPROM	pH	9/17/2016 3:48:30 PM	8	unit pH
ZONA ALPROM	Substante organice	9/17/2016 3:43:21 PM	15	mg/l
ZONA ALPROM	Cianuri	9/17/2016 3:43:20 PM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 3:43:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 3:43:02 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 3:43:01 PM	27	gradCels
ZONA ALPROM	pH	9/17/2016 3:43:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 3:42:00 PM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 3:41:50 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 3:41:30 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 3:41:00 PM	15	mg/l
ZONA ALPROM	Temp	9/17/2016 3:40:50 PM	27	gradCels
ZONA ALPROM	pH	9/17/2016 3:40:40 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 3:38:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 3:38:20 PM	15	mg/l
ZONA ALPROM	Clor	9/17/2016 3:37:31 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 3:37:30 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 3:37:29 PM	27	gradCels
ZONA ALPROM	pH	9/17/2016 3:37:28 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 3:32:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 3:32:20 PM	15	mg/l
ZONA ALPROM	Clor	9/17/2016 3:32:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 3:32:02 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 3:32:01 PM	27	gradCels
ZONA ALPROM	pH	9/17/2016 3:32:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 3:27:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 3:27:20 PM	15	mg/l
ZONA ALPROM	Clor	9/17/2016 3:26:32 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 3:26:31 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 3:26:30 PM	27	gradCels
ZONA ALPROM	pH	9/17/2016 3:26:29 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 3:22:50 PM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 3:22:40 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 3:22:10 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 3:22:00 PM	15	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/17/2016 3:21:50 PM	27	gradCels
ZONA ALPROM	pH	9/17/2016 3:21:40 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 3:21:20 PM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 3:21:05 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 3:21:04 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 3:21:03 PM	15	mg/l
ZONA ALPROM	Temp	9/17/2016 3:21:02 PM	27	gradCels
ZONA ALPROM	pH	9/17/2016 3:21:01 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 3:16:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 3:16:20 PM	15	mg/l
ZONA ALPROM	Clor	9/17/2016 3:15:37 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 3:15:36 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 3:15:35 PM	27	gradCels
ZONA ALPROM	pH	9/17/2016 3:15:34 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 3:10:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 3:10:20 PM	15	mg/l
ZONA ALPROM	Clor	9/17/2016 3:10:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 3:10:02 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 3:10:01 PM	27	gradCels
ZONA ALPROM	pH	9/17/2016 3:10:00 PM	8	unit pH
ZONA ALPROM	Substante organice	9/17/2016 3:05:21 PM	15	mg/l
ZONA ALPROM	Cianuri	9/17/2016 3:05:20 PM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 3:04:37 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 3:04:36 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 3:04:35 PM	27	gradCels
ZONA ALPROM	pH	9/17/2016 3:04:34 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 3:03:10 PM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 3:03:00 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 3:02:10 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 3:02:00 PM	15	mg/l
ZONA ALPROM	Temp	9/17/2016 3:01:50 PM	27	gradCels
ZONA ALPROM	pH	9/17/2016 3:01:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 2:59:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 2:59:20 PM	15	mg/l
ZONA ALPROM	Clor	9/17/2016 2:59:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 2:59:02 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 2:59:01 PM	27	gradCels
ZONA ALPROM	pH	9/17/2016 2:59:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 2:54:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 2:54:20 PM	15	mg/l
ZONA ALPROM	Clor	9/17/2016 2:53:32 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 2:53:31 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 2:53:30 PM	27	gradCels
ZONA ALPROM	pH	9/17/2016 2:53:29 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 2:48:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 2:48:20 PM	15	mg/l
ZONA ALPROM	Clor	9/17/2016 2:47:56 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 2:47:55 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 2:47:54 PM	27	gradCels
ZONA ALPROM	pH	9/17/2016 2:47:53 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 2:43:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 2:43:20 PM	15	mg/l
ZONA ALPROM	Clor	9/17/2016 2:42:32 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 2:42:31 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 2:42:30 PM	27	gradCels
ZONA ALPROM	pH	9/17/2016 2:42:29 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 2:41:30 PM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 2:41:20 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 2:41:00 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 2:40:50 PM	15	mg/l
ZONA ALPROM	Temp	9/17/2016 2:40:40 PM	27	gradCels
ZONA ALPROM	pH	9/17/2016 2:40:30 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 2:37:27 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 2:37:26 PM	15	mg/l
ZONA ALPROM	Clor	9/17/2016 2:37:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 2:37:02 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/17/2016 2:37:01 PM	27	gradCels
ZONA ALPROM	pH	9/17/2016 2:37:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 2:32:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 2:32:20 PM	15	mg/l
ZONA ALPROM	Clor	9/17/2016 2:31:26 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 2:31:25 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 2:31:23 PM	26	gradCels
ZONA ALPROM	pH	9/17/2016 2:31:22 PM	8	unit pH
ZONA ALPROM	Substante organice	9/17/2016 2:26:21 PM	15	mg/l
ZONA ALPROM	Cianuri	9/17/2016 2:26:20 PM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 2:26:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 2:26:02 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 2:26:01 PM	26	gradCels
ZONA ALPROM	pH	9/17/2016 2:26:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 2:22:10 PM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 2:22:00 PM	0	mg/l
ZONA ALPROM	Cianuri	9/17/2016 2:21:20 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 2:21:10 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 2:21:00 PM	15	mg/l
ZONA ALPROM	Temp	9/17/2016 2:20:50 PM	26	gradCels
ZONA ALPROM	pH	9/17/2016 2:20:30 PM	8	unit pH
ZONA ALPROM	Clor	9/17/2016 2:20:27 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 2:20:26 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 2:20:25 PM	15	mg/l
ZONA ALPROM	pH	9/17/2016 2:20:24 PM	8	unit pH
ZONA ALPROM	Temp	9/17/2016 2:20:23 PM	26	gradCels
ZONA ALPROM	Cianuri	9/17/2016 2:15:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 2:15:20 PM	15	mg/l
ZONA ALPROM	Clor	9/17/2016 2:15:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 2:15:02 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 2:15:01 PM	26	gradCels
ZONA ALPROM	pH	9/17/2016 2:15:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 2:10:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 2:10:20 PM	15	mg/l
ZONA ALPROM	Clor	9/17/2016 2:09:26 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 2:09:25 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 2:09:24 PM	26	gradCels
ZONA ALPROM	pH	9/17/2016 2:09:23 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 2:04:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 2:04:20 PM	15	mg/l
ZONA ALPROM	Clor	9/17/2016 2:04:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 2:04:02 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 2:04:01 PM	26	gradCels
ZONA ALPROM	pH	9/17/2016 2:04:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 2:01:30 PM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 2:01:10 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 2:00:50 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 2:00:40 PM	15	mg/l
ZONA ALPROM	Temp	9/17/2016 2:00:30 PM	26	gradCels
ZONA ALPROM	pH	9/17/2016 2:00:10 PM	8	unit pH
ZONA ALPROM	Substante organice	9/17/2016 1:58:25 PM	15	mg/l
ZONA ALPROM	Cianuri	9/17/2016 1:58:24 PM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 1:58:23 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 1:58:22 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 1:58:21 PM	26	gradCels
ZONA ALPROM	pH	9/17/2016 1:58:20 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 1:53:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 1:53:20 PM	15	mg/l
ZONA ALPROM	Clor	9/17/2016 1:53:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 1:53:02 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 1:53:01 PM	26	gradCels
ZONA ALPROM	pH	9/17/2016 1:53:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 1:47:25 PM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 1:47:24 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 1:47:23 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 1:47:22 PM	15	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/17/2016 1:47:21 PM	26	gradCels
ZONA ALPROM	pH	9/17/2016 1:47:20 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 1:42:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 1:42:20 PM	15	mg/l
ZONA ALPROM	Clor	9/17/2016 1:42:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 1:42:02 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 1:42:01 PM	26	gradCels
ZONA ALPROM	pH	9/17/2016 1:42:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 1:40:40 PM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 1:40:30 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 1:40:00 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 1:39:50 PM	15	mg/l
ZONA ALPROM	Temp	9/17/2016 1:39:00 PM	26	gradCels
ZONA ALPROM	pH	9/17/2016 1:38:50 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 1:36:25 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 1:36:24 PM	15	mg/l
ZONA ALPROM	Clor	9/17/2016 1:36:23 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 1:36:22 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 1:36:21 PM	26	gradCels
ZONA ALPROM	pH	9/17/2016 1:36:20 PM	8	unit pH
ZONA ALPROM	Substante organice	9/17/2016 1:31:21 PM	15	mg/l
ZONA ALPROM	Cianuri	9/17/2016 1:31:20 PM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 1:30:43 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 1:30:42 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 1:30:41 PM	26	gradCels
ZONA ALPROM	pH	9/17/2016 1:30:40 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 1:25:25 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 1:25:24 PM	15	mg/l
ZONA ALPROM	Clor	9/17/2016 1:25:23 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 1:25:22 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 1:25:21 PM	26	gradCels
ZONA ALPROM	pH	9/17/2016 1:25:20 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 1:21:30 PM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 1:21:10 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 1:20:30 PM	0	mg/l
ZONA ALPROM	Cianuri	9/17/2016 1:20:20 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 1:20:10 PM	15	mg/l
ZONA ALPROM	Clor	9/17/2016 1:19:44 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 1:19:43 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 1:19:42 PM	15	mg/l
ZONA ALPROM	Temp	9/17/2016 1:19:41 PM	26	gradCels
ZONA ALPROM	pH	9/17/2016 1:19:40 PM	8	unit pH
ZONA ALPROM	Temp	9/17/2016 1:19:30 PM	26	gradCels
ZONA ALPROM	pH	9/17/2016 1:18:40 PM	8	unit pH
ZONA ALPROM	Substante organice	9/17/2016 1:14:25 PM	15	mg/l
ZONA ALPROM	Cianuri	9/17/2016 1:14:24 PM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 1:14:23 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 1:14:22 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 1:14:21 PM	26	gradCels
ZONA ALPROM	pH	9/17/2016 1:14:20 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 1:09:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 1:09:20 PM	15	mg/l
ZONA ALPROM	Clor	9/17/2016 1:08:43 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 1:08:42 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 1:08:41 PM	26	gradCels
ZONA ALPROM	pH	9/17/2016 1:08:40 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 1:03:25 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 1:03:24 PM	15	mg/l
ZONA ALPROM	Clor	9/17/2016 1:03:23 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 1:03:22 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 1:03:21 PM	26	gradCels
ZONA ALPROM	pH	9/17/2016 1:03:20 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 1:00:10 PM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 1:00:00 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 12:59:30 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 12:59:10 PM	15	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/17/2016 12:59:00 PM	26	gradCels
ZONA ALPROM	pH	9/17/2016 12:58:50 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 12:58:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 12:58:20 PM	15	mg/l
ZONA ALPROM	Clor	9/17/2016 12:57:43 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 12:57:42 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 12:57:41 PM	26	gradCels
ZONA ALPROM	pH	9/17/2016 12:57:40 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 12:52:26 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 12:52:25 PM	15	mg/l
ZONA ALPROM	Clor	9/17/2016 12:52:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 12:52:02 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 12:52:01 PM	26	gradCels
ZONA ALPROM	pH	9/17/2016 12:52:00 PM	8	unit pH
ZONA ALPROM	Substante organice	9/17/2016 12:47:21 PM	15	mg/l
ZONA ALPROM	Cianuri	9/17/2016 12:47:20 PM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 12:46:43 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 12:46:42 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 12:46:41 PM	26	gradCels
ZONA ALPROM	pH	9/17/2016 12:46:40 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 12:41:27 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 12:41:26 PM	15	mg/l
ZONA ALPROM	Clor	9/17/2016 12:41:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 12:41:02 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 12:41:01 PM	26	gradCels
ZONA ALPROM	pH	9/17/2016 12:41:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 12:40:00 PM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 12:39:50 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 12:39:30 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 12:39:10 PM	15	mg/l
ZONA ALPROM	Temp	9/17/2016 12:39:00 PM	26	gradCels
ZONA ALPROM	pH	9/17/2016 12:38:50 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 12:36:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 12:36:20 PM	15	mg/l
ZONA ALPROM	Clor	9/17/2016 12:35:43 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 12:35:42 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 12:35:41 PM	26	gradCels
ZONA ALPROM	pH	9/17/2016 12:35:40 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 12:30:26 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 12:30:25 PM	15	mg/l
ZONA ALPROM	Clor	9/17/2016 12:30:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 12:30:02 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 12:30:01 PM	26	gradCels
ZONA ALPROM	pH	9/17/2016 12:30:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 12:25:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 12:25:20 PM	15	mg/l
ZONA ALPROM	Clor	9/17/2016 12:24:43 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 12:24:42 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 12:24:41 PM	26	gradCels
ZONA ALPROM	pH	9/17/2016 12:24:40 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 12:20:30 PM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 12:20:10 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 12:19:40 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 12:19:30 PM	15	mg/l
ZONA ALPROM	Cianuri	9/17/2016 12:19:25 PM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 12:19:04 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 12:19:03 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 12:19:02 PM	15	mg/l
ZONA ALPROM	Temp	9/17/2016 12:19:01 PM	26	gradCels
ZONA ALPROM	pH	9/17/2016 12:19:00 PM	8	unit pH
ZONA ALPROM	Temp	9/17/2016 12:18:50 PM	26	gradCels
ZONA ALPROM	pH	9/17/2016 12:18:40 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 12:14:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 12:14:20 PM	15	mg/l
ZONA ALPROM	Clor	9/17/2016 12:13:28 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 12:13:27 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/17/2016 12:13:26 PM	26	gradCels
ZONA ALPROM	pH	9/17/2016 12:13:25 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 12:08:26 PM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 12:08:25 PM	15	mg/l
ZONA ALPROM	Clor	9/17/2016 12:08:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 12:08:02 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 12:08:01 PM	26	gradCels
ZONA ALPROM	pH	9/17/2016 12:08:00 PM	8	unit pH
ZONA ALPROM	Substante organice	9/17/2016 12:03:21 PM	15	mg/l
ZONA ALPROM	Cianuri	9/17/2016 12:03:20 PM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 12:02:43 PM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 12:02:42 PM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 12:02:41 PM	26	gradCels
ZONA ALPROM	pH	9/17/2016 12:02:40 PM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 11:59:10 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 11:58:50 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 11:58:30 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 11:58:10 AM	15	mg/l
ZONA ALPROM	Temp	9/17/2016 11:57:50 AM	26	gradCels
ZONA ALPROM	pH	9/17/2016 11:57:40 AM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 11:57:21 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 11:57:20 AM	15	mg/l
ZONA ALPROM	Clor	9/17/2016 11:57:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 11:57:02 AM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 11:57:01 AM	26	gradCels
ZONA ALPROM	pH	9/17/2016 11:57:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 11:52:20 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 11:51:27 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 11:51:26 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 11:51:25 AM	15	mg/l
ZONA ALPROM	Temp	9/17/2016 11:51:24 AM	26	gradCels
ZONA ALPROM	pH	9/17/2016 11:51:23 AM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 11:46:21 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 11:46:20 AM	16	mg/l
ZONA ALPROM	Clor	9/17/2016 11:46:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 11:46:02 AM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 11:46:01 AM	26	gradCels
ZONA ALPROM	pH	9/17/2016 11:46:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 11:41:21 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 11:41:20 AM	16	mg/l
ZONA ALPROM	Cianuri	9/17/2016 11:40:50 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 11:40:40 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 11:40:27 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 11:40:26 AM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 11:40:25 AM	26	gradCels
ZONA ALPROM	pH	9/17/2016 11:40:24 AM	8	unit pH
ZONA ALPROM	Grasimi	9/17/2016 11:40:00 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 11:39:50 AM	16	mg/l
ZONA ALPROM	Temp	9/17/2016 11:39:10 AM	26	gradCels
ZONA ALPROM	pH	9/17/2016 11:39:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 11:35:21 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 11:35:20 AM	16	mg/l
ZONA ALPROM	Clor	9/17/2016 11:35:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 11:35:02 AM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 11:35:01 AM	26	gradCels
ZONA ALPROM	pH	9/17/2016 11:35:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 11:30:21 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 11:30:20 AM	16	mg/l
ZONA ALPROM	Clor	9/17/2016 11:29:25 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 11:29:24 AM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 11:29:23 AM	26	gradCels
ZONA ALPROM	pH	9/17/2016 11:29:22 AM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 11:24:21 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 11:24:20 AM	16	mg/l
ZONA ALPROM	Clor	9/17/2016 11:24:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 11:24:02 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/17/2016 11:24:01 AM	26	gradCels
ZONA ALPROM	pH	9/17/2016 11:24:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 11:21:20 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 11:21:10 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 11:20:50 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 11:20:40 AM	16	mg/l
ZONA ALPROM	Temp	9/17/2016 11:20:30 AM	26	gradCels
ZONA ALPROM	pH	9/17/2016 11:20:10 AM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 11:19:21 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 11:19:20 AM	16	mg/l
ZONA ALPROM	Clor	9/17/2016 11:18:25 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 11:18:24 AM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 11:18:23 AM	26	gradCels
ZONA ALPROM	pH	9/17/2016 11:18:22 AM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 11:13:21 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 11:13:20 AM	16	mg/l
ZONA ALPROM	Clor	9/17/2016 11:13:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 11:13:02 AM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 11:13:01 AM	26	gradCels
ZONA ALPROM	pH	9/17/2016 11:13:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 11:08:27 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 11:08:26 AM	16	mg/l
ZONA ALPROM	Clor	9/17/2016 11:07:25 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 11:07:24 AM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 11:07:23 AM	26	gradCels
ZONA ALPROM	pH	9/17/2016 11:07:22 AM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 11:02:30 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 11:02:21 AM	16	mg/l
ZONA ALPROM	Cianuri	9/17/2016 11:02:20 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 11:02:10 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 11:02:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 11:02:02 AM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 11:02:01 AM	26	gradCels
ZONA ALPROM	pH	9/17/2016 11:02:00 AM	8	unit pH
ZONA ALPROM	Grasimi	9/17/2016 11:01:40 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 11:01:30 AM	16	mg/l
ZONA ALPROM	Temp	9/17/2016 11:01:10 AM	26	gradCels
ZONA ALPROM	pH	9/17/2016 11:00:30 AM	8	unit pH
ZONA ALPROM	Substante organice	9/17/2016 10:57:25 AM	16	mg/l
ZONA ALPROM	Cianuri	9/17/2016 10:57:24 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 10:56:29 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 10:56:28 AM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 10:56:27 AM	26	gradCels
ZONA ALPROM	pH	9/17/2016 10:56:26 AM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 10:51:20 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 10:51:04 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 10:51:03 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 10:51:02 AM	16	mg/l
ZONA ALPROM	Temp	9/17/2016 10:51:01 AM	26	gradCels
ZONA ALPROM	pH	9/17/2016 10:51:00 AM	8	unit pH
ZONA ALPROM	Substante organice	9/17/2016 10:46:26 AM	16	mg/l
ZONA ALPROM	Cianuri	9/17/2016 10:46:25 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 10:45:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 10:45:22 AM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 10:45:21 AM	26	gradCels
ZONA ALPROM	pH	9/17/2016 10:45:20 AM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 10:43:30 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 10:43:10 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 10:42:40 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 10:42:30 AM	16	mg/l
ZONA ALPROM	Temp	9/17/2016 10:42:10 AM	26	gradCels
ZONA ALPROM	pH	9/17/2016 10:42:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 10:40:21 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 10:40:20 AM	16	mg/l
ZONA ALPROM	Clor	9/17/2016 10:40:08 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 10:40:07 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/17/2016 10:40:06 AM	26	gradCels
ZONA ALPROM	pH	9/17/2016 10:40:05 AM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 10:35:27 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 10:35:26 AM	16	mg/l
ZONA ALPROM	Clor	9/17/2016 10:34:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 10:34:22 AM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 10:34:21 AM	26	gradCels
ZONA ALPROM	pH	9/17/2016 10:34:20 AM	8	unit pH
ZONA ALPROM	Substante organice	9/17/2016 10:29:21 AM	16	mg/l
ZONA ALPROM	Cianuri	9/17/2016 10:29:20 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 10:29:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 10:29:02 AM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 10:29:01 AM	26	gradCels
ZONA ALPROM	pH	9/17/2016 10:29:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 10:24:00 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 10:23:50 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 10:23:29 AM	16	mg/l
ZONA ALPROM	Cianuri	9/17/2016 10:23:28 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 10:23:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 10:23:22 AM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 10:23:21 AM	26	gradCels
ZONA ALPROM	pH	9/17/2016 10:23:20 AM	8	unit pH
ZONA ALPROM	Grasimi	9/17/2016 10:23:10 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 10:23:00 AM	16	mg/l
ZONA ALPROM	Temp	9/17/2016 10:22:50 AM	26	gradCels
ZONA ALPROM	pH	9/17/2016 10:22:40 AM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 10:18:20 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 10:18:08 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 10:18:07 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 10:18:06 AM	16	mg/l
ZONA ALPROM	Temp	9/17/2016 10:18:05 AM	26	gradCels
ZONA ALPROM	pH	9/17/2016 10:18:04 AM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 10:12:29 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 10:12:28 AM	15	mg/l
ZONA ALPROM	Clor	9/17/2016 10:12:27 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 10:12:26 AM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 10:12:25 AM	26	gradCels
ZONA ALPROM	pH	9/17/2016 10:12:24 AM	8	unit pH
ZONA ALPROM	Substante organice	9/17/2016 10:07:21 AM	15	mg/l
ZONA ALPROM	Cianuri	9/17/2016 10:07:20 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 10:07:08 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 10:07:07 AM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 10:07:06 AM	26	gradCels
ZONA ALPROM	pH	9/17/2016 10:07:05 AM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 10:03:10 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 10:02:50 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 10:02:30 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 10:02:10 AM	15	mg/l
ZONA ALPROM	Temp	9/17/2016 10:01:50 AM	26	gradCels
ZONA ALPROM	pH	9/17/2016 10:01:40 AM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 10:01:28 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 10:01:27 AM	15	mg/l
ZONA ALPROM	Clor	9/17/2016 10:01:26 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 10:01:25 AM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 10:01:24 AM	26	gradCels
ZONA ALPROM	pH	9/17/2016 10:01:23 AM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 9:56:21 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 9:56:20 AM	15	mg/l
ZONA ALPROM	Clor	9/17/2016 9:55:47 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 9:55:46 AM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 9:55:45 AM	26	gradCels
ZONA ALPROM	pH	9/17/2016 9:55:44 AM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 9:50:29 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 9:50:28 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 9:50:27 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 9:50:26 AM	15	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/17/2016 9:50:25 AM	26	gradCels
ZONA ALPROM	pH	9/17/2016 9:50:24 AM	8	unit pH
ZONA ALPROM	Substante organice	9/17/2016 9:45:21 AM	15	mg/l
ZONA ALPROM	Cianuri	9/17/2016 9:44:48 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 9:44:47 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 9:44:46 AM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 9:44:45 AM	26	gradCels
ZONA ALPROM	pH	9/17/2016 9:44:44 AM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 9:44:00 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 9:43:50 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 9:43:00 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 9:42:50 AM	15	mg/l
ZONA ALPROM	Temp	9/17/2016 9:42:20 AM	26	gradCels
ZONA ALPROM	pH	9/17/2016 9:42:10 AM	8	unit pH
ZONA ALPROM	Substante organice	9/17/2016 9:39:29 AM	15	mg/l
ZONA ALPROM	Cianuri	9/17/2016 9:39:28 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 9:39:27 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 9:39:26 AM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 9:39:25 AM	26	gradCels
ZONA ALPROM	pH	9/17/2016 9:39:24 AM	8	unit pH
ZONA ALPROM	Substante organice	9/17/2016 9:34:20 AM	15	mg/l
ZONA ALPROM	Cianuri	9/17/2016 9:33:49 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 9:33:48 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 9:33:47 AM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 9:33:46 AM	26	gradCels
ZONA ALPROM	pH	9/17/2016 9:33:45 AM	8	unit pH
ZONA ALPROM	Substante organice	9/17/2016 9:28:29 AM	15	mg/l
ZONA ALPROM	Cianuri	9/17/2016 9:28:28 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 9:28:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 9:28:22 AM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 9:28:21 AM	26	gradCels
ZONA ALPROM	pH	9/17/2016 9:28:20 AM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 9:24:10 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 9:24:00 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 9:23:40 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 9:23:30 AM	15	mg/l
ZONA ALPROM	Substante organice	9/17/2016 9:23:20 AM	15	mg/l
ZONA ALPROM	Temp	9/17/2016 9:23:10 AM	26	gradCels
ZONA ALPROM	pH	9/17/2016 9:23:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 9:22:44 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 9:22:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 9:22:42 AM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 9:22:41 AM	26	gradCels
ZONA ALPROM	pH	9/17/2016 9:22:40 AM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 9:17:29 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 9:17:24 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 9:17:23 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 9:17:22 AM	15	mg/l
ZONA ALPROM	Temp	9/17/2016 9:17:21 AM	26	gradCels
ZONA ALPROM	pH	9/17/2016 9:17:20 AM	8	unit pH
ZONA ALPROM	Substante organice	9/17/2016 9:12:20 AM	15	mg/l
ZONA ALPROM	Cianuri	9/17/2016 9:11:44 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 9:11:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 9:11:42 AM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 9:11:41 AM	26	gradCels
ZONA ALPROM	pH	9/17/2016 9:11:40 AM	8	unit pH
ZONA ALPROM	Substante organice	9/17/2016 9:06:31 AM	15	mg/l
ZONA ALPROM	Cianuri	9/17/2016 9:06:24 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 9:06:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 9:06:22 AM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 9:06:21 AM	26	gradCels
ZONA ALPROM	pH	9/17/2016 9:06:20 AM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 9:05:30 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 9:05:10 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 9:03:50 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 9:03:40 AM	15	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/17/2016 9:03:30 AM	26	gradCels
ZONA ALPROM	pH	9/17/2016 9:03:10 AM	8	unit pH
ZONA ALPROM	Substante organice	9/17/2016 9:01:25 AM	15	mg/l
ZONA ALPROM	Cianuri	9/17/2016 9:01:24 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 9:00:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 9:00:42 AM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 9:00:41 AM	26	gradCels
ZONA ALPROM	pH	9/17/2016 9:00:40 AM	8	unit pH
ZONA ALPROM	Substante organice	9/17/2016 8:55:20 AM	15	mg/l
ZONA ALPROM	Cianuri	9/17/2016 8:55:04 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 8:55:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 8:55:02 AM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 8:55:01 AM	26	gradCels
ZONA ALPROM	pH	9/17/2016 8:55:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 8:49:45 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 8:49:44 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 8:49:43 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 8:49:42 AM	15	mg/l
ZONA ALPROM	Temp	9/17/2016 8:49:41 AM	26	gradCels
ZONA ALPROM	pH	9/17/2016 8:49:40 AM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 8:44:50 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 8:44:30 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 8:44:20 AM	15	mg/l
ZONA ALPROM	Cianuri	9/17/2016 8:44:04 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 8:44:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 8:44:02 AM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 8:44:01 AM	26	gradCels
ZONA ALPROM	pH	9/17/2016 8:44:00 AM	8	unit pH
ZONA ALPROM	Grasimi	9/17/2016 8:43:50 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 8:43:40 AM	15	mg/l
ZONA ALPROM	Temp	9/17/2016 8:43:30 AM	26	gradCels
ZONA ALPROM	pH	9/17/2016 8:43:10 AM	8	unit pH
ZONA ALPROM	Substante organice	9/17/2016 8:39:20 AM	15	mg/l
ZONA ALPROM	Cianuri	9/17/2016 8:38:44 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 8:38:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 8:38:42 AM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 8:38:41 AM	26	gradCels
ZONA ALPROM	pH	9/17/2016 8:38:40 AM	8	unit pH
ZONA ALPROM	Substante organice	9/17/2016 8:33:20 AM	15	mg/l
ZONA ALPROM	Cianuri	9/17/2016 8:33:04 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 8:33:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 8:33:02 AM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 8:33:01 AM	26	gradCels
ZONA ALPROM	pH	9/17/2016 8:33:00 AM	8	unit pH
ZONA ALPROM	Substante organice	9/17/2016 8:28:20 AM	15	mg/l
ZONA ALPROM	Cianuri	9/17/2016 8:27:44 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 8:27:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 8:27:42 AM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 8:27:41 AM	26	gradCels
ZONA ALPROM	pH	9/17/2016 8:27:40 AM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 8:25:10 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 8:25:00 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 8:24:40 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 8:24:30 AM	15	mg/l
ZONA ALPROM	Temp	9/17/2016 8:24:10 AM	26	gradCels
ZONA ALPROM	pH	9/17/2016 8:23:50 AM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 8:22:05 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 8:22:04 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 8:22:03 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 8:22:02 AM	15	mg/l
ZONA ALPROM	Temp	9/17/2016 8:22:01 AM	26	gradCels
ZONA ALPROM	pH	9/17/2016 8:22:00 AM	8	unit pH
ZONA ALPROM	Substante organice	9/17/2016 8:17:20 AM	15	mg/l
ZONA ALPROM	Cianuri	9/17/2016 8:16:44 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 8:16:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 8:16:42 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/17/2016 8:16:41 AM	26	gradCels
ZONA ALPROM	pH	9/17/2016 8:16:40 AM	8	unit pH
ZONA ALPROM	Substante organice	9/17/2016 8:11:20 AM	15	mg/l
ZONA ALPROM	Cianuri	9/17/2016 8:11:04 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 8:11:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 8:11:02 AM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 8:11:01 AM	26	gradCels
ZONA ALPROM	pH	9/17/2016 8:11:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 8:06:30 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 8:06:20 AM	15	mg/l
ZONA ALPROM	Clor	9/17/2016 8:06:10 AM	0	mg/l
ZONA ALPROM	Cianuri	9/17/2016 8:05:44 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 8:05:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 8:05:42 AM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 8:05:41 AM	26	gradCels
ZONA ALPROM	pH	9/17/2016 8:05:40 AM	8	unit pH
ZONA ALPROM	Grasimi	9/17/2016 8:05:20 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 8:05:10 AM	15	mg/l
ZONA ALPROM	Temp	9/17/2016 8:05:00 AM	26	gradCels
ZONA ALPROM	pH	9/17/2016 8:04:50 AM	8	unit pH
ZONA ALPROM	Substante organice	9/17/2016 8:00:20 AM	15	mg/l
ZONA ALPROM	Cianuri	9/17/2016 8:00:04 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 8:00:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 8:00:02 AM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 8:00:01 AM	26	gradCels
ZONA ALPROM	pH	9/17/2016 8:00:00 AM	8	unit pH
ZONA ALPROM	Substante organice	9/17/2016 7:55:20 AM	15	mg/l
ZONA ALPROM	Cianuri	9/17/2016 7:54:44 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 7:54:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 7:54:42 AM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 7:54:41 AM	26	gradCels
ZONA ALPROM	pH	9/17/2016 7:54:40 AM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 7:49:20 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 7:49:04 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 7:49:03 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 7:49:02 AM	15	mg/l
ZONA ALPROM	Temp	9/17/2016 7:49:01 AM	26	gradCels
ZONA ALPROM	pH	9/17/2016 7:49:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 7:47:10 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 7:46:50 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 7:46:30 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 7:46:10 AM	15	mg/l
ZONA ALPROM	Temp	9/17/2016 7:46:00 AM	26	gradCels
ZONA ALPROM	pH	9/17/2016 7:45:50 AM	8	unit pH
ZONA ALPROM	Substante organice	9/17/2016 7:44:20 AM	15	mg/l
ZONA ALPROM	Cianuri	9/17/2016 7:43:44 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 7:43:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 7:43:42 AM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 7:43:41 AM	26	gradCels
ZONA ALPROM	pH	9/17/2016 7:43:40 AM	8	unit pH
ZONA ALPROM	Substante organice	9/17/2016 7:38:20 AM	15	mg/l
ZONA ALPROM	Cianuri	9/17/2016 7:38:04 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 7:38:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 7:38:02 AM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 7:38:01 AM	26	gradCels
ZONA ALPROM	pH	9/17/2016 7:38:00 AM	8	unit pH
ZONA ALPROM	Substante organice	9/17/2016 7:33:20 AM	15	mg/l
ZONA ALPROM	Cianuri	9/17/2016 7:32:44 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 7:32:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 7:32:42 AM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 7:32:41 AM	26	gradCels
ZONA ALPROM	pH	9/17/2016 7:32:40 AM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 7:27:30 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 7:27:20 AM	15	mg/l
ZONA ALPROM	Clor	9/17/2016 7:27:10 AM	0	mg/l
ZONA ALPROM	Cianuri	9/17/2016 7:27:04 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Clor	9/17/2016 7:27:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 7:27:02 AM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 7:27:01 AM	26	gradCels
ZONA ALPROM	pH	9/17/2016 7:27:00 AM	8	unit pH
ZONA ALPROM	Grasimi	9/17/2016 7:26:30 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 7:26:10 AM	15	mg/l
ZONA ALPROM	Temp	9/17/2016 7:26:00 AM	26	gradCels
ZONA ALPROM	pH	9/17/2016 7:25:50 AM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 7:21:25 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 7:21:24 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 7:21:23 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 7:21:22 AM	15	mg/l
ZONA ALPROM	Temp	9/17/2016 7:21:21 AM	26	gradCels
ZONA ALPROM	pH	9/17/2016 7:21:20 AM	8	unit pH
ZONA ALPROM	Substante organice	9/17/2016 7:16:20 AM	15	mg/l
ZONA ALPROM	Cianuri	9/17/2016 7:16:04 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 7:16:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 7:16:02 AM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 7:16:01 AM	26	gradCels
ZONA ALPROM	pH	9/17/2016 7:16:00 AM	8	unit pH
ZONA ALPROM	Substante organice	9/17/2016 7:11:20 AM	15	mg/l
ZONA ALPROM	Cianuri	9/17/2016 7:10:24 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 7:10:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 7:10:22 AM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 7:10:21 AM	26	gradCels
ZONA ALPROM	pH	9/17/2016 7:10:20 AM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 7:07:10 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 7:07:00 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 7:06:40 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 7:06:30 AM	15	mg/l
ZONA ALPROM	Temp	9/17/2016 7:06:20 AM	26	gradCels
ZONA ALPROM	pH	9/17/2016 7:06:10 AM	8	unit pH
ZONA ALPROM	Substante organice	9/17/2016 7:05:24 AM	15	mg/l
ZONA ALPROM	Cianuri	9/17/2016 7:05:04 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 7:05:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 7:05:02 AM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 7:05:01 AM	26	gradCels
ZONA ALPROM	pH	9/17/2016 7:05:00 AM	8	unit pH
ZONA ALPROM	Substante organice	9/17/2016 7:00:20 AM	15	mg/l
ZONA ALPROM	Cianuri	9/17/2016 6:59:24 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 6:59:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 6:59:22 AM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 6:59:21 AM	26	gradCels
ZONA ALPROM	pH	9/17/2016 6:59:20 AM	8	unit pH
ZONA ALPROM	Substante organice	9/17/2016 6:54:24 AM	15	mg/l
ZONA ALPROM	Cianuri	9/17/2016 6:54:04 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 6:54:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 6:54:02 AM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 6:54:01 AM	26	gradCels
ZONA ALPROM	pH	9/17/2016 6:54:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 6:48:25 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 6:48:24 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 6:48:23 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 6:48:22 AM	15	mg/l
ZONA ALPROM	Temp	9/17/2016 6:48:21 AM	26	gradCels
ZONA ALPROM	pH	9/17/2016 6:48:20 AM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 6:47:40 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 6:47:30 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 6:46:30 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 6:46:10 AM	15	mg/l
ZONA ALPROM	Temp	9/17/2016 6:46:00 AM	26	gradCels
ZONA ALPROM	pH	9/17/2016 6:45:50 AM	8	unit pH
ZONA ALPROM	Substante organice	9/17/2016 6:43:24 AM	15	mg/l
ZONA ALPROM	Cianuri	9/17/2016 6:43:04 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 6:43:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 6:43:02 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/17/2016 6:43:01 AM	26	gradCels
ZONA ALPROM	pH	9/17/2016 6:43:00 AM	8	unit pH
ZONA ALPROM	Substante organice	9/17/2016 6:38:20 AM	15	mg/l
ZONA ALPROM	Cianuri	9/17/2016 6:37:24 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 6:37:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 6:37:22 AM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 6:37:21 AM	26	gradCels
ZONA ALPROM	pH	9/17/2016 6:37:20 AM	8	unit pH
ZONA ALPROM	Substante organice	9/17/2016 6:32:25 AM	15	mg/l
ZONA ALPROM	Cianuri	9/17/2016 6:32:04 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 6:32:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 6:32:02 AM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 6:32:01 AM	26	gradCels
ZONA ALPROM	pH	9/17/2016 6:32:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 6:28:10 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 6:28:00 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 6:27:40 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 6:27:30 AM	15	mg/l
ZONA ALPROM	Temp	9/17/2016 6:27:10 AM	26	gradCels
ZONA ALPROM	pH	9/17/2016 6:27:00 AM	8	unit pH
ZONA ALPROM	Substante organice	9/17/2016 6:26:25 AM	15	mg/l
ZONA ALPROM	Cianuri	9/17/2016 6:26:24 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 6:26:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 6:26:22 AM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 6:26:21 AM	26	gradCels
ZONA ALPROM	pH	9/17/2016 6:26:20 AM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 6:21:05 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 6:21:04 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 6:21:03 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 6:21:02 AM	15	mg/l
ZONA ALPROM	Temp	9/17/2016 6:21:01 AM	26	gradCels
ZONA ALPROM	pH	9/17/2016 6:21:00 AM	8	unit pH
ZONA ALPROM	Substante organice	9/17/2016 6:15:25 AM	15	mg/l
ZONA ALPROM	Cianuri	9/17/2016 6:15:24 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 6:15:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 6:15:22 AM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 6:15:21 AM	27	gradCels
ZONA ALPROM	pH	9/17/2016 6:15:20 AM	8	unit pH
ZONA ALPROM	Substante organice	9/17/2016 6:10:24 AM	15	mg/l
ZONA ALPROM	Cianuri	9/17/2016 6:10:04 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 6:10:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 6:10:02 AM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 6:10:01 AM	27	gradCels
ZONA ALPROM	pH	9/17/2016 6:10:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 6:09:00 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 6:08:50 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 6:07:50 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 6:07:30 AM	15	mg/l
ZONA ALPROM	Temp	9/17/2016 6:07:10 AM	27	gradCels
ZONA ALPROM	pH	9/17/2016 6:07:00 AM	8	unit pH
ZONA ALPROM	Substante organice	9/17/2016 6:04:25 AM	15	mg/l
ZONA ALPROM	Cianuri	9/17/2016 6:04:24 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 6:04:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 6:04:22 AM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 6:04:21 AM	27	gradCels
ZONA ALPROM	pH	9/17/2016 6:04:20 AM	8	unit pH
ZONA ALPROM	Substante organice	9/17/2016 5:59:24 AM	15	mg/l
ZONA ALPROM	Cianuri	9/17/2016 5:58:44 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 5:58:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 5:58:42 AM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 5:58:41 AM	27	gradCels
ZONA ALPROM	pH	9/17/2016 5:58:40 AM	8	unit pH
ZONA ALPROM	Substante organice	9/17/2016 5:53:25 AM	15	mg/l
ZONA ALPROM	Cianuri	9/17/2016 5:53:24 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 5:53:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 5:53:22 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/17/2016 5:53:21 AM	27	gradCels
ZONA ALPROM	pH	9/17/2016 5:53:20 AM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 5:49:40 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 5:49:30 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 5:49:00 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 5:48:50 AM	15	mg/l
ZONA ALPROM	Temp	9/17/2016 5:48:30 AM	27	gradCels
ZONA ALPROM	pH	9/17/2016 5:48:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 5:47:45 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 5:47:44 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 5:47:43 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 5:47:42 AM	15	mg/l
ZONA ALPROM	pH	9/17/2016 5:47:41 AM	8	unit pH
ZONA ALPROM	Temp	9/17/2016 5:47:40 AM	27	gradCels
ZONA ALPROM	Substante organice	9/17/2016 5:42:25 AM	15	mg/l
ZONA ALPROM	Cianuri	9/17/2016 5:42:24 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 5:42:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 5:42:22 AM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 5:42:21 AM	27	gradCels
ZONA ALPROM	pH	9/17/2016 5:42:20 AM	8	unit pH
ZONA ALPROM	Substante organice	9/17/2016 5:37:20 AM	15	mg/l
ZONA ALPROM	Cianuri	9/17/2016 5:36:44 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 5:36:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 5:36:42 AM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 5:36:41 AM	27	gradCels
ZONA ALPROM	pH	9/17/2016 5:36:40 AM	8	unit pH
ZONA ALPROM	Substante organice	9/17/2016 5:31:25 AM	15	mg/l
ZONA ALPROM	Cianuri	9/17/2016 5:31:24 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 5:31:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 5:31:22 AM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 5:31:21 AM	27	gradCels
ZONA ALPROM	pH	9/17/2016 5:31:20 AM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 5:30:30 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 5:30:10 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 5:29:50 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 5:29:00 AM	15	mg/l
ZONA ALPROM	Temp	9/17/2016 5:28:50 AM	27	gradCels
ZONA ALPROM	pH	9/17/2016 5:28:40 AM	8	unit pH
ZONA ALPROM	Substante organice	9/17/2016 5:26:20 AM	15	mg/l
ZONA ALPROM	Cianuri	9/17/2016 5:25:44 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 5:25:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 5:25:42 AM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 5:25:41 AM	27	gradCels
ZONA ALPROM	pH	9/17/2016 5:25:40 AM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 5:20:25 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 5:20:24 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 5:20:23 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 5:20:22 AM	15	mg/l
ZONA ALPROM	Temp	9/17/2016 5:20:21 AM	27	gradCels
ZONA ALPROM	pH	9/17/2016 5:20:20 AM	8	unit pH
ZONA ALPROM	Substante organice	9/17/2016 5:15:20 AM	15	mg/l
ZONA ALPROM	Cianuri	9/17/2016 5:14:44 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 5:14:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 5:14:42 AM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 5:14:41 AM	27	gradCels
ZONA ALPROM	pH	9/17/2016 5:14:40 AM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 5:11:00 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 5:10:50 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 5:10:30 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 5:10:10 AM	15	mg/l
ZONA ALPROM	Temp	9/17/2016 5:09:50 AM	27	gradCels
ZONA ALPROM	pH	9/17/2016 5:09:40 AM	8	unit pH
ZONA ALPROM	Substante organice	9/17/2016 5:09:25 AM	15	mg/l
ZONA ALPROM	Cianuri	9/17/2016 5:09:24 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 5:09:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 5:09:22 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/17/2016 5:09:21 AM	27	gradCels
ZONA ALPROM	pH	9/17/2016 5:09:20 AM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 5:04:21 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 5:04:20 AM	15	mg/l
ZONA ALPROM	Clor	9/17/2016 5:03:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 5:03:42 AM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 5:03:41 AM	27	gradCels
ZONA ALPROM	pH	9/17/2016 5:03:40 AM	8	unit pH
ZONA ALPROM	Substante organice	9/17/2016 4:58:20 AM	15	mg/l
ZONA ALPROM	Cianuri	9/17/2016 4:58:04 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 4:58:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 4:58:02 AM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 4:58:01 AM	27	gradCels
ZONA ALPROM	pH	9/17/2016 4:58:00 AM	8	unit pH
ZONA ALPROM	Substante organice	9/17/2016 4:53:20 AM	15	mg/l
ZONA ALPROM	Cianuri	9/17/2016 4:52:44 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 4:52:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 4:52:42 AM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 4:52:41 AM	27	gradCels
ZONA ALPROM	pH	9/17/2016 4:52:40 AM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 4:51:10 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 4:50:30 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 4:49:40 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 4:49:30 AM	15	mg/l
ZONA ALPROM	Temp	9/17/2016 4:49:10 AM	27	gradCels
ZONA ALPROM	pH	9/17/2016 4:49:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 4:47:05 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 4:47:04 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 4:47:03 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 4:47:02 AM	15	mg/l
ZONA ALPROM	Temp	9/17/2016 4:47:01 AM	27	gradCels
ZONA ALPROM	pH	9/17/2016 4:47:00 AM	8	unit pH
ZONA ALPROM	Substante organice	9/17/2016 4:42:20 AM	15	mg/l
ZONA ALPROM	Cianuri	9/17/2016 4:41:44 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 4:41:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 4:41:42 AM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 4:41:41 AM	27	gradCels
ZONA ALPROM	pH	9/17/2016 4:41:40 AM	8	unit pH
ZONA ALPROM	Substante organice	9/17/2016 4:36:20 AM	15	mg/l
ZONA ALPROM	Cianuri	9/17/2016 4:36:04 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 4:36:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 4:36:02 AM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 4:36:01 AM	27	gradCels
ZONA ALPROM	pH	9/17/2016 4:36:00 AM	8	unit pH
ZONA ALPROM	Substante organice	9/17/2016 4:31:20 AM	15	mg/l
ZONA ALPROM	Cianuri	9/17/2016 4:30:44 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 4:30:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 4:30:42 AM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 4:30:41 AM	27	gradCels
ZONA ALPROM	pH	9/17/2016 4:30:40 AM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 4:30:10 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 4:30:00 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 4:29:40 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 4:29:10 AM	15	mg/l
ZONA ALPROM	Temp	9/17/2016 4:28:30 AM	27	gradCels
ZONA ALPROM	pH	9/17/2016 4:28:10 AM	8	unit pH
ZONA ALPROM	Substante organice	9/17/2016 4:25:20 AM	15	mg/l
ZONA ALPROM	Cianuri	9/17/2016 4:25:04 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 4:25:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 4:25:02 AM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 4:25:01 AM	27	gradCels
ZONA ALPROM	pH	9/17/2016 4:25:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 4:19:45 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 4:19:44 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 4:19:43 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 4:19:42 AM	15	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/17/2016 4:19:41 AM	27	gradCels
ZONA ALPROM	pH	9/17/2016 4:19:40 AM	8	unit pH
ZONA ALPROM	Substante organice	9/17/2016 4:15:20 AM	15	mg/l
ZONA ALPROM	Cianuri	9/17/2016 4:14:44 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 4:14:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 4:14:42 AM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 4:14:41 AM	27	gradCels
ZONA ALPROM	pH	9/17/2016 4:14:40 AM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 4:10:10 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 4:09:40 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 4:09:24 AM	15	mg/l
ZONA ALPROM	Grasimi	9/17/2016 4:09:10 AM	0	mg/l
ZONA ALPROM	Cianuri	9/17/2016 4:09:04 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 4:09:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 4:09:02 AM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 4:09:01 AM	27	gradCels
ZONA ALPROM	pH	9/17/2016 4:09:00 AM	8	unit pH
ZONA ALPROM	Substante organice	9/17/2016 4:08:50 AM	15	mg/l
ZONA ALPROM	Temp	9/17/2016 4:08:40 AM	27	gradCels
ZONA ALPROM	pH	9/17/2016 4:08:30 AM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 4:04:21 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 4:04:20 AM	15	mg/l
ZONA ALPROM	Clor	9/17/2016 4:03:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 4:03:42 AM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 4:03:41 AM	27	gradCels
ZONA ALPROM	pH	9/17/2016 4:03:40 AM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 3:58:27 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 3:58:26 AM	15	mg/l
ZONA ALPROM	Clor	9/17/2016 3:58:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 3:58:02 AM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 3:58:01 AM	27	gradCels
ZONA ALPROM	pH	9/17/2016 3:58:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 3:53:21 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 3:53:20 AM	15	mg/l
ZONA ALPROM	Clor	9/17/2016 3:52:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 3:52:42 AM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 3:52:41 AM	27	gradCels
ZONA ALPROM	pH	9/17/2016 3:52:40 AM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 3:51:00 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 3:50:50 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 3:49:50 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 3:49:30 AM	15	mg/l
ZONA ALPROM	Temp	9/17/2016 3:49:10 AM	27	gradCels
ZONA ALPROM	pH	9/17/2016 3:48:50 AM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 3:47:05 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 3:47:04 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 3:47:03 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 3:47:02 AM	15	mg/l
ZONA ALPROM	Temp	9/17/2016 3:47:01 AM	27	gradCels
ZONA ALPROM	pH	9/17/2016 3:47:00 AM	8	unit pH
ZONA ALPROM	Substante organice	9/17/2016 3:42:20 AM	15	mg/l
ZONA ALPROM	Cianuri	9/17/2016 3:41:44 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 3:41:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 3:41:42 AM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 3:41:41 AM	27	gradCels
ZONA ALPROM	pH	9/17/2016 3:41:40 AM	8	unit pH
ZONA ALPROM	Substante organice	9/17/2016 3:36:25 AM	15	mg/l
ZONA ALPROM	Cianuri	9/17/2016 3:36:04 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 3:36:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 3:36:02 AM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 3:36:01 AM	27	gradCels
ZONA ALPROM	pH	9/17/2016 3:36:00 AM	8	unit pH
ZONA ALPROM	Substante organice	9/17/2016 3:31:20 AM	15	mg/l
ZONA ALPROM	Cianuri	9/17/2016 3:30:50 AM	0	mg/l
ZONA ALPROM	Cianuri	9/17/2016 3:30:44 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 3:30:43 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Grasimi	9/17/2016 3:30:42 AM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 3:30:41 AM	27	gradCels
ZONA ALPROM	pH	9/17/2016 3:30:40 AM	8	unit pH
ZONA ALPROM	Clor	9/17/2016 3:30:20 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 3:30:00 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 3:29:50 AM	15	mg/l
ZONA ALPROM	Temp	9/17/2016 3:29:40 AM	27	gradCels
ZONA ALPROM	pH	9/17/2016 3:29:30 AM	8	unit pH
ZONA ALPROM	Substante organice	9/17/2016 3:25:24 AM	15	mg/l
ZONA ALPROM	Cianuri	9/17/2016 3:25:04 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 3:25:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 3:25:02 AM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 3:25:01 AM	27	gradCels
ZONA ALPROM	pH	9/17/2016 3:25:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 3:20:20 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 3:19:24 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 3:19:23 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 3:19:22 AM	15	mg/l
ZONA ALPROM	Temp	9/17/2016 3:19:21 AM	27	gradCels
ZONA ALPROM	pH	9/17/2016 3:19:20 AM	8	unit pH
ZONA ALPROM	Substante organice	9/17/2016 3:14:20 AM	15	mg/l
ZONA ALPROM	Cianuri	9/17/2016 3:14:04 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 3:14:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 3:14:02 AM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 3:14:01 AM	27	gradCels
ZONA ALPROM	pH	9/17/2016 3:14:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 3:10:50 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 3:10:40 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 3:10:10 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 3:10:00 AM	15	mg/l
ZONA ALPROM	Temp	9/17/2016 3:09:50 AM	27	gradCels
ZONA ALPROM	pH	9/17/2016 3:09:30 AM	8	unit pH
ZONA ALPROM	Substante organice	9/17/2016 3:09:20 AM	15	mg/l
ZONA ALPROM	Cianuri	9/17/2016 3:08:24 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 3:08:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 3:08:22 AM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 3:08:21 AM	27	gradCels
ZONA ALPROM	pH	9/17/2016 3:08:20 AM	8	unit pH
ZONA ALPROM	Substante organice	9/17/2016 3:03:20 AM	15	mg/l
ZONA ALPROM	Cianuri	9/17/2016 3:03:04 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 3:03:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 3:03:02 AM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 3:03:01 AM	27	gradCels
ZONA ALPROM	pH	9/17/2016 3:03:00 AM	8	unit pH
ZONA ALPROM	Substante organice	9/17/2016 2:58:20 AM	15	mg/l
ZONA ALPROM	Cianuri	9/17/2016 2:57:24 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 2:57:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 2:57:22 AM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 2:57:21 AM	27	gradCels
ZONA ALPROM	pH	9/17/2016 2:57:20 AM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 2:52:05 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 2:52:04 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 2:52:03 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 2:52:02 AM	15	mg/l
ZONA ALPROM	Temp	9/17/2016 2:52:01 AM	27	gradCels
ZONA ALPROM	pH	9/17/2016 2:52:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 2:51:40 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 2:51:30 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 2:51:10 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 2:51:00 AM	15	mg/l
ZONA ALPROM	Temp	9/17/2016 2:50:50 AM	27	gradCels
ZONA ALPROM	pH	9/17/2016 2:50:40 AM	8	unit pH
ZONA ALPROM	Substante organice	9/17/2016 2:47:20 AM	15	mg/l
ZONA ALPROM	Cianuri	9/17/2016 2:46:24 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 2:46:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 2:46:22 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/17/2016 2:46:21 AM	27	gradCels
ZONA ALPROM	pH	9/17/2016 2:46:20 AM	8	unit pH
ZONA ALPROM	Substante organice	9/17/2016 2:41:20 AM	15	mg/l
ZONA ALPROM	Cianuri	9/17/2016 2:41:04 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 2:41:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 2:41:02 AM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 2:41:01 AM	27	gradCels
ZONA ALPROM	pH	9/17/2016 2:41:00 AM	8	unit pH
ZONA ALPROM	Substante organice	9/17/2016 2:36:21 AM	15	mg/l
ZONA ALPROM	Cianuri	9/17/2016 2:36:20 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 2:35:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 2:35:22 AM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 2:35:21 AM	28	gradCels
ZONA ALPROM	pH	9/17/2016 2:35:20 AM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 2:31:50 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 2:31:20 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 2:31:00 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 2:30:50 AM	15	mg/l
ZONA ALPROM	Temp	9/17/2016 2:30:40 AM	28	gradCels
ZONA ALPROM	pH	9/17/2016 2:30:30 AM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 2:30:21 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 2:30:20 AM	15	mg/l
ZONA ALPROM	Clor	9/17/2016 2:30:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 2:30:02 AM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 2:30:01 AM	28	gradCels
ZONA ALPROM	pH	9/17/2016 2:30:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 2:24:25 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 2:24:24 AM	15	mg/l
ZONA ALPROM	Clor	9/17/2016 2:24:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 2:24:22 AM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 2:24:21 AM	28	gradCels
ZONA ALPROM	pH	9/17/2016 2:24:20 AM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 2:19:20 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 2:18:44 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 2:18:43 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 2:18:42 AM	15	mg/l
ZONA ALPROM	Temp	9/17/2016 2:18:41 AM	28	gradCels
ZONA ALPROM	pH	9/17/2016 2:18:40 AM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 2:13:40 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 2:13:30 AM	0	mg/l
ZONA ALPROM	Cianuri	9/17/2016 2:13:25 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 2:13:24 AM	15	mg/l
ZONA ALPROM	Clor	9/17/2016 2:13:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 2:13:22 AM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 2:13:21 AM	28	gradCels
ZONA ALPROM	pH	9/17/2016 2:13:20 AM	8	unit pH
ZONA ALPROM	Grasimi	9/17/2016 2:12:50 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 2:12:40 AM	15	mg/l
ZONA ALPROM	Temp	9/17/2016 2:12:30 AM	28	gradCels
ZONA ALPROM	pH	9/17/2016 2:12:10 AM	8	unit pH
ZONA ALPROM	Substante organice	9/17/2016 2:08:21 AM	15	mg/l
ZONA ALPROM	Cianuri	9/17/2016 2:08:20 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 2:07:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 2:07:42 AM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 2:07:41 AM	28	gradCels
ZONA ALPROM	pH	9/17/2016 2:07:40 AM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 2:02:25 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 2:02:24 AM	15	mg/l
ZONA ALPROM	Clor	9/17/2016 2:02:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 2:02:22 AM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 2:02:21 AM	28	gradCels
ZONA ALPROM	pH	9/17/2016 2:02:20 AM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 1:57:21 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 1:57:20 AM	15	mg/l
ZONA ALPROM	Clor	9/17/2016 1:56:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 1:56:42 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/17/2016 1:56:41 AM	28	gradCels
ZONA ALPROM	pH	9/17/2016 1:56:40 AM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 1:55:00 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 1:54:50 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 1:53:30 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 1:53:10 AM	15	mg/l
ZONA ALPROM	Temp	9/17/2016 1:52:40 AM	28	gradCels
ZONA ALPROM	pH	9/17/2016 1:52:30 AM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 1:51:25 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 1:51:24 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 1:51:23 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 1:51:22 AM	15	mg/l
ZONA ALPROM	Temp	9/17/2016 1:51:21 AM	28	gradCels
ZONA ALPROM	pH	9/17/2016 1:51:20 AM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 1:46:21 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 1:46:20 AM	15	mg/l
ZONA ALPROM	Clor	9/17/2016 1:45:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 1:45:42 AM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 1:45:41 AM	28	gradCels
ZONA ALPROM	pH	9/17/2016 1:45:40 AM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 1:40:25 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 1:40:24 AM	15	mg/l
ZONA ALPROM	Clor	9/17/2016 1:40:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 1:40:22 AM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 1:40:21 AM	28	gradCels
ZONA ALPROM	pH	9/17/2016 1:40:20 AM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 1:35:40 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 1:35:30 AM	0	mg/l
ZONA ALPROM	Cianuri	9/17/2016 1:35:25 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 1:35:24 AM	15	mg/l
ZONA ALPROM	Clor	9/17/2016 1:35:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 1:35:22 AM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 1:35:21 AM	28	gradCels
ZONA ALPROM	pH	9/17/2016 1:35:20 AM	8	unit pH
ZONA ALPROM	Grasimi	9/17/2016 1:34:50 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 1:34:40 AM	15	mg/l
ZONA ALPROM	Temp	9/17/2016 1:34:30 AM	28	gradCels
ZONA ALPROM	pH	9/17/2016 1:34:20 AM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 1:30:21 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 1:30:20 AM	15	mg/l
ZONA ALPROM	Clor	9/17/2016 1:29:44 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 1:29:43 AM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 1:29:41 AM	28	gradCels
ZONA ALPROM	pH	9/17/2016 1:29:40 AM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 1:24:25 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 1:24:24 AM	15	mg/l
ZONA ALPROM	Clor	9/17/2016 1:24:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 1:24:22 AM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 1:24:21 AM	28	gradCels
ZONA ALPROM	pH	9/17/2016 1:24:20 AM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 1:19:20 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 1:18:44 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 1:18:43 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 1:18:42 AM	15	mg/l
ZONA ALPROM	Temp	9/17/2016 1:18:41 AM	28	gradCels
ZONA ALPROM	pH	9/17/2016 1:18:40 AM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 1:17:50 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 1:17:40 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 1:17:20 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 1:17:10 AM	14	mg/l
ZONA ALPROM	Temp	9/17/2016 1:17:00 AM	28	gradCels
ZONA ALPROM	pH	9/17/2016 1:16:50 AM	8	unit pH
ZONA ALPROM	Substante organice	9/17/2016 1:13:21 AM	14	mg/l
ZONA ALPROM	Cianuri	9/17/2016 1:13:20 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 1:13:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 1:13:02 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/17/2016 1:13:01 AM	28	gradCels
ZONA ALPROM	pH	9/17/2016 1:13:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 1:08:21 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 1:08:20 AM	14	mg/l
ZONA ALPROM	Clor	9/17/2016 1:07:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 1:07:42 AM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 1:07:41 AM	28	gradCels
ZONA ALPROM	pH	9/17/2016 1:07:40 AM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 1:02:25 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 1:02:24 AM	14	mg/l
ZONA ALPROM	Clor	9/17/2016 1:02:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 1:02:02 AM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 1:02:01 AM	28	gradCels
ZONA ALPROM	pH	9/17/2016 1:02:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 1:00:10 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 1:00:00 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 12:58:30 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 12:58:10 AM	14	mg/l
ZONA ALPROM	Temp	9/17/2016 12:58:00 AM	28	gradCels
ZONA ALPROM	pH	9/17/2016 12:57:50 AM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 12:57:21 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 12:57:20 AM	14	mg/l
ZONA ALPROM	Clor	9/17/2016 12:56:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 12:56:42 AM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 12:56:41 AM	28	gradCels
ZONA ALPROM	pH	9/17/2016 12:56:40 AM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 12:51:24 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 12:51:04 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 12:51:03 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 12:51:02 AM	14	mg/l
ZONA ALPROM	Temp	9/17/2016 12:51:01 AM	28	gradCels
ZONA ALPROM	pH	9/17/2016 12:51:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 12:46:21 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 12:46:20 AM	14	mg/l
ZONA ALPROM	Clor	9/17/2016 12:45:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 12:45:42 AM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 12:45:41 AM	28	gradCels
ZONA ALPROM	pH	9/17/2016 12:45:40 AM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 12:41:00 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 12:40:50 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 12:40:30 AM	0	mg/l
ZONA ALPROM	Cianuri	9/17/2016 12:40:25 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 12:40:24 AM	14	mg/l
ZONA ALPROM	Clor	9/17/2016 12:40:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 12:40:02 AM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 12:40:01 AM	28	gradCels
ZONA ALPROM	pH	9/17/2016 12:40:00 AM	8	unit pH
ZONA ALPROM	Substante organice	9/17/2016 12:39:50 AM	14	mg/l
ZONA ALPROM	Temp	9/17/2016 12:39:40 AM	28	gradCels
ZONA ALPROM	pH	9/17/2016 12:39:30 AM	8	unit pH
ZONA ALPROM	Substante organice	9/17/2016 12:35:21 AM	14	mg/l
ZONA ALPROM	Cianuri	9/17/2016 12:35:20 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 12:34:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 12:34:42 AM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 12:34:41 AM	28	gradCels
ZONA ALPROM	pH	9/17/2016 12:34:40 AM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 12:29:25 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 12:29:24 AM	14	mg/l
ZONA ALPROM	Clor	9/17/2016 12:29:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 12:29:02 AM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 12:29:01 AM	28	gradCels
ZONA ALPROM	pH	9/17/2016 12:29:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 12:24:21 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 12:24:20 AM	14	mg/l
ZONA ALPROM	Clor	9/17/2016 12:23:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 12:23:42 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/17/2016 12:23:41 AM	28	gradCels
ZONA ALPROM	pH	9/17/2016 12:23:40 AM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 12:23:00 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 12:22:50 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 12:22:30 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 12:22:20 AM	14	mg/l
ZONA ALPROM	Temp	9/17/2016 12:22:10 AM	28	gradCels
ZONA ALPROM	pH	9/17/2016 12:22:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 12:19:24 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 12:18:30 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 12:18:29 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 12:18:28 AM	14	mg/l
ZONA ALPROM	Temp	9/17/2016 12:18:27 AM	28	gradCels
ZONA ALPROM	pH	9/17/2016 12:18:26 AM	8	unit pH
ZONA ALPROM	Substante organice	9/17/2016 12:13:21 AM	14	mg/l
ZONA ALPROM	Cianuri	9/17/2016 12:13:20 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 12:13:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 12:13:02 AM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 12:13:01 AM	28	gradCels
ZONA ALPROM	pH	9/17/2016 12:13:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 12:08:26 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 12:08:25 AM	14	mg/l
ZONA ALPROM	Clor	9/17/2016 12:07:29 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 12:07:28 AM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 12:07:27 AM	28	gradCels
ZONA ALPROM	pH	9/17/2016 12:07:26 AM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 12:05:00 AM	0	mg/l
ZONA ALPROM	Clor	9/17/2016 12:04:50 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 12:03:10 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 12:03:00 AM	14	mg/l
ZONA ALPROM	Temp	9/17/2016 12:02:50 AM	28	gradCels
ZONA ALPROM	pH	9/17/2016 12:02:30 AM	8	unit pH
ZONA ALPROM	Cianuri	9/17/2016 12:02:21 AM	0	mg/l
ZONA ALPROM	Substante organice	9/17/2016 12:02:20 AM	14	mg/l
ZONA ALPROM	Clor	9/17/2016 12:02:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/17/2016 12:02:02 AM	0	mg/l
ZONA ALPROM	Temp	9/17/2016 12:02:01 AM	28	gradCels
ZONA ALPROM	pH	9/17/2016 12:02:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 11:57:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 11:57:20 PM	14	mg/l
ZONA ALPROM	Clor	9/16/2016 11:56:29 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 11:56:28 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 11:56:27 PM	28	gradCels
ZONA ALPROM	pH	9/16/2016 11:56:26 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 11:51:20 PM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 11:51:04 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 11:51:03 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 11:51:02 PM	14	mg/l
ZONA ALPROM	Temp	9/16/2016 11:51:01 PM	28	gradCels
ZONA ALPROM	pH	9/16/2016 11:51:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 11:46:22 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 11:46:20 PM	14	mg/l
ZONA ALPROM	Clor	9/16/2016 11:45:24 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 11:45:23 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 11:45:22 PM	28	gradCels
ZONA ALPROM	pH	9/16/2016 11:45:21 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 11:44:10 PM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 11:44:00 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 11:43:40 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 11:43:30 PM	14	mg/l
ZONA ALPROM	Temp	9/16/2016 11:43:10 PM	28	gradCels
ZONA ALPROM	pH	9/16/2016 11:42:40 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 11:40:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 11:40:20 PM	14	mg/l
ZONA ALPROM	Clor	9/16/2016 11:40:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 11:40:02 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/16/2016 11:40:01 PM	28	gradCels
ZONA ALPROM	pH	9/16/2016 11:40:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 11:35:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 11:35:20 PM	14	mg/l
ZONA ALPROM	Clor	9/16/2016 11:34:24 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 11:34:23 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 11:34:22 PM	28	gradCels
ZONA ALPROM	pH	9/16/2016 11:34:21 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 11:29:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 11:29:20 PM	14	mg/l
ZONA ALPROM	Clor	9/16/2016 11:28:47 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 11:28:46 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 11:28:45 PM	28	gradCels
ZONA ALPROM	pH	9/16/2016 11:28:44 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 11:25:30 PM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 11:24:40 PM	0	mg/l
ZONA ALPROM	Cianuri	9/16/2016 11:24:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 11:24:20 PM	14	mg/l
ZONA ALPROM	Grasimi	9/16/2016 11:24:10 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 11:23:50 PM	14	mg/l
ZONA ALPROM	Temp	9/16/2016 11:23:40 PM	28	gradCels
ZONA ALPROM	pH	9/16/2016 11:23:30 PM	8	unit pH
ZONA ALPROM	Clor	9/16/2016 11:23:25 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 11:23:24 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 11:23:23 PM	28	gradCels
ZONA ALPROM	pH	9/16/2016 11:23:22 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 11:17:49 PM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 11:17:48 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 11:17:47 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 11:17:46 PM	14	mg/l
ZONA ALPROM	pH	9/16/2016 11:17:45 PM	8	unit pH
ZONA ALPROM	Temp	9/16/2016 11:17:44 PM	28	gradCels
ZONA ALPROM	Substante organice	9/16/2016 11:12:25 PM	14	mg/l
ZONA ALPROM	Cianuri	9/16/2016 11:12:24 PM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 11:12:23 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 11:12:22 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 11:12:21 PM	28	gradCels
ZONA ALPROM	pH	9/16/2016 11:12:20 PM	8	unit pH
ZONA ALPROM	Substante organice	9/16/2016 11:07:21 PM	14	mg/l
ZONA ALPROM	Cianuri	9/16/2016 11:07:20 PM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 11:06:48 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 11:06:47 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 11:06:46 PM	28	gradCels
ZONA ALPROM	pH	9/16/2016 11:06:45 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 11:05:50 PM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 11:05:40 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 11:05:00 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 11:04:50 PM	14	mg/l
ZONA ALPROM	Temp	9/16/2016 11:04:40 PM	28	gradCels
ZONA ALPROM	pH	9/16/2016 11:04:30 PM	8	unit pH
ZONA ALPROM	Substante organice	9/16/2016 11:01:25 PM	14	mg/l
ZONA ALPROM	Cianuri	9/16/2016 11:01:24 PM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 11:01:23 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 11:01:22 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 11:01:21 PM	28	gradCels
ZONA ALPROM	pH	9/16/2016 11:01:20 PM	8	unit pH
ZONA ALPROM	Substante organice	9/16/2016 10:56:20 PM	14	mg/l
ZONA ALPROM	Cianuri	9/16/2016 10:55:44 PM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 10:55:43 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 10:55:42 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 10:55:41 PM	28	gradCels
ZONA ALPROM	pH	9/16/2016 10:55:40 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 10:50:25 PM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 10:50:24 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 10:50:23 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 10:50:22 PM	14	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/16/2016 10:50:21 PM	28	gradCels
ZONA ALPROM	pH	9/16/2016 10:50:20 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 10:45:30 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 10:45:20 PM	14	mg/l
ZONA ALPROM	Clor	9/16/2016 10:45:00 PM	0	mg/l
ZONA ALPROM	Cianuri	9/16/2016 10:44:44 PM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 10:44:43 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 10:44:42 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 10:44:41 PM	28	gradCels
ZONA ALPROM	pH	9/16/2016 10:44:40 PM	8	unit pH
ZONA ALPROM	Grasimi	9/16/2016 10:44:30 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 10:44:10 PM	14	mg/l
ZONA ALPROM	Temp	9/16/2016 10:44:00 PM	28	gradCels
ZONA ALPROM	pH	9/16/2016 10:43:50 PM	8	unit pH
ZONA ALPROM	Substante organice	9/16/2016 10:39:25 PM	14	mg/l
ZONA ALPROM	Cianuri	9/16/2016 10:39:24 PM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 10:39:23 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 10:39:22 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 10:39:21 PM	28	gradCels
ZONA ALPROM	pH	9/16/2016 10:39:20 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 10:34:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 10:34:20 PM	14	mg/l
ZONA ALPROM	Clor	9/16/2016 10:33:43 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 10:33:42 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 10:33:41 PM	28	gradCels
ZONA ALPROM	pH	9/16/2016 10:33:40 PM	8	unit pH
ZONA ALPROM	Substante organice	9/16/2016 10:28:25 PM	14	mg/l
ZONA ALPROM	Cianuri	9/16/2016 10:28:24 PM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 10:28:23 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 10:28:22 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 10:28:21 PM	28	gradCels
ZONA ALPROM	pH	9/16/2016 10:28:20 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 10:25:30 PM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 10:24:00 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 10:23:40 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 10:23:30 PM	14	mg/l
ZONA ALPROM	Substante organice	9/16/2016 10:23:25 PM	14	mg/l
ZONA ALPROM	Temp	9/16/2016 10:23:00 PM	28	gradCels
ZONA ALPROM	pH	9/16/2016 10:22:50 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 10:22:44 PM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 10:22:43 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 10:22:42 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 10:22:41 PM	28	gradCels
ZONA ALPROM	pH	9/16/2016 10:22:40 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 10:17:25 PM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 10:17:24 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 10:17:23 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 10:17:22 PM	14	mg/l
ZONA ALPROM	Temp	9/16/2016 10:17:21 PM	29	gradCels
ZONA ALPROM	pH	9/16/2016 10:17:20 PM	8	unit pH
ZONA ALPROM	Substante organice	9/16/2016 10:12:25 PM	14	mg/l
ZONA ALPROM	Cianuri	9/16/2016 10:11:44 PM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 10:11:43 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 10:11:42 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 10:11:41 PM	29	gradCels
ZONA ALPROM	pH	9/16/2016 10:11:40 PM	8	unit pH
ZONA ALPROM	Substante organice	9/16/2016 10:06:21 PM	14	mg/l
ZONA ALPROM	Cianuri	9/16/2016 10:06:20 PM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 10:06:08 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 10:06:07 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 10:06:06 PM	29	gradCels
ZONA ALPROM	pH	9/16/2016 10:06:05 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 10:04:40 PM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 10:04:30 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 10:04:00 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 10:03:50 PM	14	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/16/2016 10:03:30 PM	29	gradCels
ZONA ALPROM	pH	9/16/2016 10:03:00 PM	8	unit pH
ZONA ALPROM	Substante organice	9/16/2016 10:01:25 PM	14	mg/l
ZONA ALPROM	Cianuri	9/16/2016 10:00:44 PM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 10:00:43 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 10:00:42 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 10:00:41 PM	29	gradCels
ZONA ALPROM	pH	9/16/2016 10:00:40 PM	8	unit pH
ZONA ALPROM	Substante organice	9/16/2016 9:55:25 PM	14	mg/l
ZONA ALPROM	Cianuri	9/16/2016 9:55:24 PM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 9:55:23 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 9:55:22 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 9:55:21 PM	29	gradCels
ZONA ALPROM	pH	9/16/2016 9:55:20 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 9:50:25 PM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 9:49:44 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 9:49:43 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 9:49:42 PM	14	mg/l
ZONA ALPROM	Temp	9/16/2016 9:49:41 PM	29	gradCels
ZONA ALPROM	pH	9/16/2016 9:49:40 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 9:44:25 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 9:44:24 PM	14	mg/l
ZONA ALPROM	Clor	9/16/2016 9:44:23 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 9:44:22 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 9:44:21 PM	29	gradCels
ZONA ALPROM	pH	9/16/2016 9:44:20 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 9:42:50 PM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 9:42:40 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 9:42:00 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 9:41:50 PM	14	mg/l
ZONA ALPROM	Temp	9/16/2016 9:41:00 PM	29	gradCels
ZONA ALPROM	pH	9/16/2016 9:40:50 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 9:39:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 9:39:20 PM	14	mg/l
ZONA ALPROM	Clor	9/16/2016 9:38:43 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 9:38:42 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 9:38:41 PM	29	gradCels
ZONA ALPROM	pH	9/16/2016 9:38:40 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 9:33:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 9:33:20 PM	14	mg/l
ZONA ALPROM	Clor	9/16/2016 9:33:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 9:33:02 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 9:33:01 PM	29	gradCels
ZONA ALPROM	pH	9/16/2016 9:33:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 9:28:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 9:28:20 PM	14	mg/l
ZONA ALPROM	Clor	9/16/2016 9:27:43 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 9:27:42 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 9:27:41 PM	29	gradCels
ZONA ALPROM	pH	9/16/2016 9:27:40 PM	8	unit pH
ZONA ALPROM	Substante organice	9/16/2016 9:22:21 PM	14	mg/l
ZONA ALPROM	Cianuri	9/16/2016 9:22:20 PM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 9:22:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 9:22:02 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 9:22:01 PM	29	gradCels
ZONA ALPROM	pH	9/16/2016 9:22:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 9:20:30 PM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 9:20:00 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 9:19:40 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 9:19:30 PM	14	mg/l
ZONA ALPROM	Temp	9/16/2016 9:19:00 PM	29	gradCels
ZONA ALPROM	pH	9/16/2016 9:18:50 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 9:17:22 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 9:17:20 PM	14	mg/l
ZONA ALPROM	Clor	9/16/2016 9:16:43 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 9:16:42 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/16/2016 9:16:41 PM	29	gradCels
ZONA ALPROM	pH	9/16/2016 9:16:40 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 9:11:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 9:11:20 PM	14	mg/l
ZONA ALPROM	Clor	9/16/2016 9:11:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 9:11:02 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 9:11:01 PM	29	gradCels
ZONA ALPROM	pH	9/16/2016 9:11:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 9:06:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 9:06:20 PM	14	mg/l
ZONA ALPROM	Clor	9/16/2016 9:05:43 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 9:05:42 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 9:05:41 PM	29	gradCels
ZONA ALPROM	pH	9/16/2016 9:05:40 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 9:00:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 9:00:20 PM	14	mg/l
ZONA ALPROM	Clor	9/16/2016 9:00:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 9:00:02 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 9:00:01 PM	29	gradCels
ZONA ALPROM	pH	9/16/2016 9:00:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 8:57:00 PM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 8:56:50 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 8:55:50 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 8:55:40 PM	14	mg/l
ZONA ALPROM	Temp	9/16/2016 8:55:30 PM	29	gradCels
ZONA ALPROM	Substante organice	9/16/2016 8:55:21 PM	14	mg/l
ZONA ALPROM	Cianuri	9/16/2016 8:55:20 PM	0	mg/l
ZONA ALPROM	pH	9/16/2016 8:55:00 PM	8	unit pH
ZONA ALPROM	Clor	9/16/2016 8:54:43 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 8:54:42 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 8:54:41 PM	29	gradCels
ZONA ALPROM	pH	9/16/2016 8:54:40 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 8:49:20 PM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 8:49:04 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 8:49:03 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 8:49:02 PM	14	mg/l
ZONA ALPROM	Temp	9/16/2016 8:49:01 PM	29	gradCels
ZONA ALPROM	pH	9/16/2016 8:49:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 8:44:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 8:44:20 PM	15	mg/l
ZONA ALPROM	Clor	9/16/2016 8:43:43 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 8:43:42 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 8:43:41 PM	29	gradCels
ZONA ALPROM	pH	9/16/2016 8:43:40 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 8:38:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 8:38:20 PM	15	mg/l
ZONA ALPROM	Clor	9/16/2016 8:38:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 8:38:02 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 8:38:01 PM	29	gradCels
ZONA ALPROM	pH	9/16/2016 8:38:00 PM	8	unit pH
ZONA ALPROM	Substante organice	9/16/2016 8:33:21 PM	15	mg/l
ZONA ALPROM	Cianuri	9/16/2016 8:33:20 PM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 8:32:43 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 8:32:42 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 8:32:41 PM	29	gradCels
ZONA ALPROM	pH	9/16/2016 8:32:40 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 8:31:40 PM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 8:31:30 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 8:31:10 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 8:31:00 PM	15	mg/l
ZONA ALPROM	Temp	9/16/2016 8:30:50 PM	29	gradCels
ZONA ALPROM	pH	9/16/2016 8:30:40 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 8:28:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 8:28:20 PM	15	mg/l
ZONA ALPROM	Clor	9/16/2016 8:27:43 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 8:27:42 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/16/2016 8:27:41 PM	29	gradCels
ZONA ALPROM	pH	9/16/2016 8:27:40 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 8:22:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 8:22:20 PM	15	mg/l
ZONA ALPROM	Clor	9/16/2016 8:22:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 8:22:02 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 8:22:01 PM	29	gradCels
ZONA ALPROM	pH	9/16/2016 8:22:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 8:17:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 8:17:20 PM	15	mg/l
ZONA ALPROM	Clor	9/16/2016 8:16:24 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 8:16:23 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 8:16:22 PM	29	gradCels
ZONA ALPROM	pH	9/16/2016 8:16:21 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 8:11:25 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 8:11:24 PM	15	mg/l
ZONA ALPROM	Clor	9/16/2016 8:11:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 8:11:02 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 8:11:01 PM	28	gradCels
ZONA ALPROM	pH	9/16/2016 8:11:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 8:09:00 PM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 8:08:50 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 8:08:00 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 8:07:00 PM	15	mg/l
ZONA ALPROM	Temp	9/16/2016 8:06:50 PM	28	gradCels
ZONA ALPROM	pH	9/16/2016 8:06:40 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 8:06:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 8:06:20 PM	15	mg/l
ZONA ALPROM	Clor	9/16/2016 8:05:24 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 8:05:23 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 8:05:22 PM	28	gradCels
ZONA ALPROM	pH	9/16/2016 8:05:21 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 8:00:25 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 8:00:24 PM	15	mg/l
ZONA ALPROM	Clor	9/16/2016 8:00:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 8:00:02 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 8:00:01 PM	28	gradCels
ZONA ALPROM	pH	9/16/2016 8:00:00 PM	8	unit pH
ZONA ALPROM	Substante organice	9/16/2016 7:55:21 PM	15	mg/l
ZONA ALPROM	Cianuri	9/16/2016 7:55:20 PM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 7:54:25 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 7:54:24 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 7:54:23 PM	28	gradCels
ZONA ALPROM	pH	9/16/2016 7:54:22 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 7:49:24 PM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 7:49:04 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 7:49:03 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 7:49:02 PM	15	mg/l
ZONA ALPROM	Temp	9/16/2016 7:49:01 PM	28	gradCels
ZONA ALPROM	pH	9/16/2016 7:49:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 7:47:30 PM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 7:47:20 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 7:47:00 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 7:46:50 PM	15	mg/l
ZONA ALPROM	Temp	9/16/2016 7:46:40 PM	28	gradCels
ZONA ALPROM	pH	9/16/2016 7:46:30 PM	8	unit pH
ZONA ALPROM	Substante organice	9/16/2016 7:44:21 PM	15	mg/l
ZONA ALPROM	Cianuri	9/16/2016 7:44:20 PM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 7:43:47 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 7:43:46 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 7:43:45 PM	28	gradCels
ZONA ALPROM	pH	9/16/2016 7:43:44 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 7:39:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 7:39:20 PM	15	mg/l
ZONA ALPROM	Clor	9/16/2016 7:38:35 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 7:38:34 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/16/2016 7:38:33 PM	28	gradCels
ZONA ALPROM	pH	9/16/2016 7:38:32 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 7:33:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 7:33:20 PM	15	mg/l
ZONA ALPROM	Clor	9/16/2016 7:32:47 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 7:32:46 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 7:32:45 PM	28	gradCels
ZONA ALPROM	pH	9/16/2016 7:32:44 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 7:28:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 7:28:20 PM	15	mg/l
ZONA ALPROM	Clor	9/16/2016 7:27:29 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 7:27:28 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 7:27:27 PM	28	gradCels
ZONA ALPROM	pH	9/16/2016 7:27:26 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 7:26:40 PM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 7:26:30 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 7:25:50 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 7:25:30 PM	15	mg/l
ZONA ALPROM	Temp	9/16/2016 7:25:00 PM	28	gradCels
ZONA ALPROM	pH	9/16/2016 7:24:50 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 7:22:20 PM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 7:21:48 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 7:21:47 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 7:21:46 PM	15	mg/l
ZONA ALPROM	Temp	9/16/2016 7:21:45 PM	28	gradCels
ZONA ALPROM	pH	9/16/2016 7:21:44 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 7:17:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 7:17:20 PM	15	mg/l
ZONA ALPROM	Clor	9/16/2016 7:16:29 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 7:16:28 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 7:16:27 PM	28	gradCels
ZONA ALPROM	pH	9/16/2016 7:16:26 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 7:11:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 7:11:20 PM	15	mg/l
ZONA ALPROM	Clor	9/16/2016 7:10:48 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 7:10:47 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 7:10:46 PM	28	gradCels
ZONA ALPROM	pH	9/16/2016 7:10:45 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 7:05:25 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 7:05:24 PM	15	mg/l
ZONA ALPROM	Clor	9/16/2016 7:05:23 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 7:05:22 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 7:05:21 PM	28	gradCels
ZONA ALPROM	pH	9/16/2016 7:05:20 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 7:04:30 PM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 7:04:00 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 7:03:30 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 7:03:00 PM	15	mg/l
ZONA ALPROM	Temp	9/16/2016 7:02:50 PM	28	gradCels
ZONA ALPROM	pH	9/16/2016 7:02:40 PM	8	unit pH
ZONA ALPROM	Substante organice	9/16/2016 7:00:21 PM	15	mg/l
ZONA ALPROM	Cianuri	9/16/2016 7:00:20 PM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 6:59:47 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 6:59:46 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 6:59:45 PM	28	gradCels
ZONA ALPROM	pH	9/16/2016 6:59:44 PM	8	unit pH
ZONA ALPROM	Substante organice	9/16/2016 6:54:25 PM	15	mg/l
ZONA ALPROM	Cianuri	9/16/2016 6:54:24 PM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 6:54:23 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 6:54:22 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 6:54:21 PM	28	gradCels
ZONA ALPROM	pH	9/16/2016 6:54:20 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 6:49:20 PM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 6:48:48 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 6:48:47 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 6:48:46 PM	15	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/16/2016 6:48:45 PM	28	gradCels
ZONA ALPROM	pH	9/16/2016 6:48:44 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 6:43:09 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 6:43:08 PM	15	mg/l
ZONA ALPROM	Clor	9/16/2016 6:43:07 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 6:43:06 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 6:43:05 PM	28	gradCels
ZONA ALPROM	pH	9/16/2016 6:43:04 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 6:42:00 PM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 6:41:50 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 6:41:00 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 6:40:50 PM	15	mg/l
ZONA ALPROM	Temp	9/16/2016 6:40:40 PM	28	gradCels
ZONA ALPROM	pH	9/16/2016 6:40:30 PM	8	unit pH
ZONA ALPROM	Substante organice	9/16/2016 6:38:21 PM	15	mg/l
ZONA ALPROM	Cianuri	9/16/2016 6:38:20 PM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 6:37:48 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 6:37:47 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 6:37:46 PM	28	gradCels
ZONA ALPROM	pH	9/16/2016 6:37:45 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 6:32:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 6:32:20 PM	15	mg/l
ZONA ALPROM	Clor	9/16/2016 6:32:07 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 6:32:06 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 6:32:05 PM	28	gradCels
ZONA ALPROM	pH	9/16/2016 6:32:04 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 6:27:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 6:27:20 PM	15	mg/l
ZONA ALPROM	Clor	9/16/2016 6:26:43 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 6:26:42 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 6:26:41 PM	28	gradCels
ZONA ALPROM	pH	9/16/2016 6:26:40 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 6:21:09 PM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 6:21:08 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 6:21:07 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 6:21:06 PM	15	mg/l
ZONA ALPROM	Temp	9/16/2016 6:21:05 PM	28	gradCels
ZONA ALPROM	pH	9/16/2016 6:21:04 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 6:20:30 PM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 6:20:00 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 6:19:30 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 6:19:00 PM	15	mg/l
ZONA ALPROM	Temp	9/16/2016 6:18:50 PM	28	gradCels
ZONA ALPROM	pH	9/16/2016 6:18:40 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 6:16:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 6:16:20 PM	15	mg/l
ZONA ALPROM	Clor	9/16/2016 6:15:43 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 6:15:42 PM	0	mg/l
ZONA ALPROM	pH	9/16/2016 6:15:41 PM	8	unit pH
ZONA ALPROM	Temp	9/16/2016 6:15:40 PM	28	gradCels
ZONA ALPROM	Cianuri	9/16/2016 6:10:10 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 6:10:09 PM	15	mg/l
ZONA ALPROM	Clor	9/16/2016 6:10:08 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 6:10:07 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 6:10:06 PM	28	gradCels
ZONA ALPROM	pH	9/16/2016 6:10:05 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 6:05:22 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 6:05:20 PM	15	mg/l
ZONA ALPROM	Clor	9/16/2016 6:04:43 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 6:04:42 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 6:04:41 PM	28	gradCels
ZONA ALPROM	pH	9/16/2016 6:04:40 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 5:59:09 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 5:59:08 PM	15	mg/l
ZONA ALPROM	Clor	9/16/2016 5:59:07 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 5:59:06 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/16/2016 5:59:05 PM	28	gradCels
ZONA ALPROM	pH	9/16/2016 5:59:04 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 5:56:50 PM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 5:56:40 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 5:56:00 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 5:55:50 PM	15	mg/l
ZONA ALPROM	Temp	9/16/2016 5:55:00 PM	28	gradCels
ZONA ALPROM	pH	9/16/2016 5:54:50 PM	8	unit pH
ZONA ALPROM	Substante organice	9/16/2016 5:54:21 PM	15	mg/l
ZONA ALPROM	Cianuri	9/16/2016 5:54:20 PM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 5:53:43 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 5:53:42 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 5:53:41 PM	28	gradCels
ZONA ALPROM	pH	9/16/2016 5:53:40 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 5:48:09 PM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 5:48:08 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 5:48:07 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 5:48:06 PM	15	mg/l
ZONA ALPROM	Temp	9/16/2016 5:48:05 PM	28	gradCels
ZONA ALPROM	pH	9/16/2016 5:48:04 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 5:43:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 5:43:20 PM	15	mg/l
ZONA ALPROM	Clor	9/16/2016 5:42:43 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 5:42:42 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 5:42:41 PM	28	gradCels
ZONA ALPROM	pH	9/16/2016 5:42:40 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 5:37:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 5:37:20 PM	15	mg/l
ZONA ALPROM	Clor	9/16/2016 5:37:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 5:37:02 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 5:37:01 PM	28	gradCels
ZONA ALPROM	pH	9/16/2016 5:37:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 5:33:40 PM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 5:32:50 PM	0	mg/l
ZONA ALPROM	Cianuri	9/16/2016 5:32:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 5:32:20 PM	15	mg/l
ZONA ALPROM	Grasimi	9/16/2016 5:32:00 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 5:31:50 PM	15	mg/l
ZONA ALPROM	Clor	9/16/2016 5:31:43 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 5:31:42 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 5:31:41 PM	28	gradCels
ZONA ALPROM	pH	9/16/2016 5:31:40 PM	8	unit pH
ZONA ALPROM	Temp	9/16/2016 5:31:00 PM	28	gradCels
ZONA ALPROM	pH	9/16/2016 5:30:50 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 5:26:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 5:26:20 PM	15	mg/l
ZONA ALPROM	Clor	9/16/2016 5:26:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 5:26:02 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 5:26:01 PM	28	gradCels
ZONA ALPROM	pH	9/16/2016 5:26:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 5:21:20 PM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 5:20:34 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 5:20:33 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 5:20:32 PM	15	mg/l
ZONA ALPROM	Temp	9/16/2016 5:20:31 PM	28	gradCels
ZONA ALPROM	pH	9/16/2016 5:20:30 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 5:15:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 5:15:20 PM	15	mg/l
ZONA ALPROM	Clor	9/16/2016 5:15:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 5:15:02 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 5:15:01 PM	28	gradCels
ZONA ALPROM	pH	9/16/2016 5:15:00 PM	8	unit pH
ZONA ALPROM	Substante organice	9/16/2016 5:10:21 PM	15	mg/l
ZONA ALPROM	Cianuri	9/16/2016 5:10:20 PM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 5:09:43 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 5:09:42 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/16/2016 5:09:41 PM	27	gradCels
ZONA ALPROM	pH	9/16/2016 5:09:40 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 5:07:00 PM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 5:06:50 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 5:06:30 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 5:05:20 PM	15	mg/l
ZONA ALPROM	Temp	9/16/2016 5:04:50 PM	27	gradCels
ZONA ALPROM	pH	9/16/2016 5:04:40 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 5:04:09 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 5:04:08 PM	15	mg/l
ZONA ALPROM	Clor	9/16/2016 5:04:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 5:04:02 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 5:04:01 PM	27	gradCels
ZONA ALPROM	pH	9/16/2016 5:04:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 4:59:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 4:59:20 PM	15	mg/l
ZONA ALPROM	Clor	9/16/2016 4:58:47 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 4:58:46 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 4:58:45 PM	27	gradCels
ZONA ALPROM	pH	9/16/2016 4:58:44 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 4:53:09 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 4:53:08 PM	15	mg/l
ZONA ALPROM	Clor	9/16/2016 4:53:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 4:53:02 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 4:53:01 PM	27	gradCels
ZONA ALPROM	pH	9/16/2016 4:53:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 4:48:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 4:48:20 PM	15	mg/l
ZONA ALPROM	Clor	9/16/2016 4:47:47 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 4:47:46 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 4:47:45 PM	27	gradCels
ZONA ALPROM	pH	9/16/2016 4:47:44 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 4:42:09 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 4:42:08 PM	15	mg/l
ZONA ALPROM	Clor	9/16/2016 4:42:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 4:42:02 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 4:42:01 PM	27	gradCels
ZONA ALPROM	pH	9/16/2016 4:42:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 4:41:50 PM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 4:41:00 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 4:40:40 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 4:40:30 PM	15	mg/l
ZONA ALPROM	Temp	9/16/2016 4:40:10 PM	27	gradCels
ZONA ALPROM	pH	9/16/2016 4:40:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 4:37:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 4:37:20 PM	15	mg/l
ZONA ALPROM	Clor	9/16/2016 4:36:48 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 4:36:47 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 4:36:46 PM	27	gradCels
ZONA ALPROM	pH	9/16/2016 4:36:45 PM	8	unit pH
ZONA ALPROM	Substante organice	9/16/2016 4:31:09 PM	15	mg/l
ZONA ALPROM	Cianuri	9/16/2016 4:31:08 PM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 4:31:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 4:31:02 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 4:31:01 PM	27	gradCels
ZONA ALPROM	pH	9/16/2016 4:31:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 4:26:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 4:26:20 PM	15	mg/l
ZONA ALPROM	Clor	9/16/2016 4:25:28 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 4:25:27 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 4:25:26 PM	27	gradCels
ZONA ALPROM	pH	9/16/2016 4:25:25 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 4:20:10 PM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 4:20:09 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 4:20:08 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 4:20:07 PM	15	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/16/2016 4:20:06 PM	27	gradCels
ZONA ALPROM	pH	9/16/2016 4:20:05 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 4:17:40 PM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 4:17:30 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 4:15:40 PM	0	mg/l
ZONA ALPROM	Cianuri	9/16/2016 4:15:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 4:15:20 PM	15	mg/l
ZONA ALPROM	Substante organice	9/16/2016 4:15:00 PM	15	mg/l
ZONA ALPROM	Temp	9/16/2016 4:14:50 PM	27	gradCels
ZONA ALPROM	pH	9/16/2016 4:14:40 PM	8	unit pH
ZONA ALPROM	Clor	9/16/2016 4:14:28 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 4:14:27 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 4:14:26 PM	27	gradCels
ZONA ALPROM	pH	9/16/2016 4:14:25 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 4:09:11 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 4:09:10 PM	15	mg/l
ZONA ALPROM	Clor	9/16/2016 4:09:03 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 4:09:02 PM	27	gradCels
ZONA ALPROM	Grasimi	9/16/2016 4:09:01 PM	0	mg/l
ZONA ALPROM	pH	9/16/2016 4:09:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 4:04:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 4:04:20 PM	15	mg/l
ZONA ALPROM	Clor	9/16/2016 4:03:29 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 4:03:28 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 4:03:27 PM	27	gradCels
ZONA ALPROM	pH	9/16/2016 4:03:26 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 3:58:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 3:58:20 PM	15	mg/l
ZONA ALPROM	Clor	9/16/2016 3:57:47 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 3:57:46 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 3:57:45 PM	27	gradCels
ZONA ALPROM	pH	9/16/2016 3:57:44 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 3:53:26 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 3:53:25 PM	15	mg/l
ZONA ALPROM	Cianuri	9/16/2016 3:52:40 PM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 3:52:30 PM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 3:52:29 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 3:52:28 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 3:52:27 PM	27	gradCels
ZONA ALPROM	pH	9/16/2016 3:52:26 PM	8	unit pH
ZONA ALPROM	Grasimi	9/16/2016 3:51:30 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 3:51:00 PM	15	mg/l
ZONA ALPROM	Temp	9/16/2016 3:50:50 PM	27	gradCels
ZONA ALPROM	pH	9/16/2016 3:50:30 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 3:47:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 3:47:20 PM	15	mg/l
ZONA ALPROM	Clor	9/16/2016 3:46:48 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 3:46:47 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 3:46:46 PM	27	gradCels
ZONA ALPROM	pH	9/16/2016 3:46:45 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 3:41:25 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 3:41:24 PM	15	mg/l
ZONA ALPROM	Clor	9/16/2016 3:41:23 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 3:41:22 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 3:41:21 PM	27	gradCels
ZONA ALPROM	pH	9/16/2016 3:41:20 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 3:36:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 3:36:20 PM	15	mg/l
ZONA ALPROM	Clor	9/16/2016 3:35:43 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 3:35:42 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 3:35:41 PM	27	gradCels
ZONA ALPROM	pH	9/16/2016 3:35:40 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 3:30:30 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 3:30:29 PM	15	mg/l
ZONA ALPROM	Clor	9/16/2016 3:30:23 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 3:30:22 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/16/2016 3:30:21 PM	27	gradCels
ZONA ALPROM	pH	9/16/2016 3:30:20 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 3:27:30 PM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 3:26:01 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 3:25:21 PM	15	mg/l
ZONA ALPROM	Cianuri	9/16/2016 3:25:20 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 3:25:00 PM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 3:24:43 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 3:24:42 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 3:24:41 PM	27	gradCels
ZONA ALPROM	pH	9/16/2016 3:24:40 PM	8	unit pH
ZONA ALPROM	Substante organice	9/16/2016 3:24:30 PM	15	mg/l
ZONA ALPROM	Temp	9/16/2016 3:24:20 PM	27	gradCels
ZONA ALPROM	pH	9/16/2016 3:24:10 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 3:19:35 PM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 3:19:29 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 3:19:28 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 3:19:27 PM	15	mg/l
ZONA ALPROM	Temp	9/16/2016 3:19:26 PM	27	gradCels
ZONA ALPROM	pH	9/16/2016 3:19:25 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 3:14:22 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 3:14:20 PM	15	mg/l
ZONA ALPROM	Clor	9/16/2016 3:13:48 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 3:13:47 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 3:13:46 PM	27	gradCels
ZONA ALPROM	pH	9/16/2016 3:13:45 PM	8	unit pH
ZONA ALPROM	Substante organice	9/16/2016 3:08:36 PM	15	mg/l
ZONA ALPROM	Cianuri	9/16/2016 3:08:35 PM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 3:08:29 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 3:08:28 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 3:08:27 PM	27	gradCels
ZONA ALPROM	pH	9/16/2016 3:08:26 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 3:03:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 3:03:20 PM	15	mg/l
ZONA ALPROM	Clor	9/16/2016 3:02:43 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 3:02:42 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 3:02:41 PM	27	gradCels
ZONA ALPROM	pH	9/16/2016 3:02:40 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 3:00:40 PM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 3:00:30 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 2:59:40 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 2:59:30 PM	15	mg/l
ZONA ALPROM	Temp	9/16/2016 2:58:50 PM	26	gradCels
ZONA ALPROM	pH	9/16/2016 2:57:50 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 2:57:34 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 2:57:33 PM	15	mg/l
ZONA ALPROM	Clor	9/16/2016 2:57:28 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 2:57:27 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 2:57:26 PM	26	gradCels
ZONA ALPROM	pH	9/16/2016 2:57:25 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 2:52:24 PM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 2:51:44 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 2:51:43 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 2:51:42 PM	15	mg/l
ZONA ALPROM	Temp	9/16/2016 2:51:41 PM	26	gradCels
ZONA ALPROM	pH	9/16/2016 2:51:40 PM	8	unit pH
ZONA ALPROM	Substante organice	9/16/2016 2:46:10 PM	15	mg/l
ZONA ALPROM	Cianuri	9/16/2016 2:46:09 PM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 2:46:08 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 2:46:07 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 2:46:06 PM	26	gradCels
ZONA ALPROM	pH	9/16/2016 2:46:05 PM	8	unit pH
ZONA ALPROM	Substante organice	9/16/2016 2:41:25 PM	15	mg/l
ZONA ALPROM	Cianuri	9/16/2016 2:41:24 PM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 2:40:48 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 2:40:47 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/16/2016 2:40:46 PM	26	gradCels
ZONA ALPROM	pH	9/16/2016 2:40:45 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 2:35:20 PM	0	mg/l
ZONA ALPROM	Cianuri	9/16/2016 2:35:10 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 2:35:09 PM	15	mg/l
ZONA ALPROM	Clor	9/16/2016 2:35:08 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 2:35:07 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 2:35:06 PM	26	gradCels
ZONA ALPROM	pH	9/16/2016 2:35:05 PM	8	unit pH
ZONA ALPROM	Clor	9/16/2016 2:34:50 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 2:34:30 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 2:34:20 PM	15	mg/l
ZONA ALPROM	Temp	9/16/2016 2:34:10 PM	26	gradCels
ZONA ALPROM	pH	9/16/2016 2:33:40 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 2:30:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 2:30:20 PM	15	mg/l
ZONA ALPROM	Clor	9/16/2016 2:29:48 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 2:29:47 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 2:29:46 PM	26	gradCels
ZONA ALPROM	pH	9/16/2016 2:29:45 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 2:24:10 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 2:24:09 PM	15	mg/l
ZONA ALPROM	Clor	9/16/2016 2:24:08 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 2:24:07 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 2:24:06 PM	26	gradCels
ZONA ALPROM	pH	9/16/2016 2:24:05 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 2:19:20 PM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 2:18:49 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 2:18:48 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 2:18:47 PM	15	mg/l
ZONA ALPROM	Temp	9/16/2016 2:18:46 PM	26	gradCels
ZONA ALPROM	pH	9/16/2016 2:18:45 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 2:13:09 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 2:13:08 PM	15	mg/l
ZONA ALPROM	Clor	9/16/2016 2:13:07 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 2:13:06 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 2:13:05 PM	26	gradCels
ZONA ALPROM	pH	9/16/2016 2:13:04 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 2:10:00 PM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 2:09:50 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 2:09:30 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 2:08:40 PM	15	mg/l
ZONA ALPROM	Temp	9/16/2016 2:08:30 PM	26	gradCels
ZONA ALPROM	Cianuri	9/16/2016 2:08:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 2:08:20 PM	15	mg/l
ZONA ALPROM	pH	9/16/2016 2:07:50 PM	8	unit pH
ZONA ALPROM	Clor	9/16/2016 2:07:49 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 2:07:48 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 2:07:47 PM	26	gradCels
ZONA ALPROM	pH	9/16/2016 2:07:46 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 2:02:09 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 2:02:08 PM	15	mg/l
ZONA ALPROM	Clor	9/16/2016 2:02:07 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 2:02:06 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 2:02:05 PM	26	gradCels
ZONA ALPROM	pH	9/16/2016 2:02:04 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 1:57:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 1:57:20 PM	15	mg/l
ZONA ALPROM	Clor	9/16/2016 1:56:48 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 1:56:47 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 1:56:46 PM	26	gradCels
ZONA ALPROM	pH	9/16/2016 1:56:45 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 1:51:10 PM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 1:51:09 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 1:51:08 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 1:51:07 PM	15	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/16/2016 1:51:06 PM	26	gradCels
ZONA ALPROM	pH	9/16/2016 1:51:05 PM	8	unit pH
ZONA ALPROM	Substante organice	9/16/2016 1:46:21 PM	15	mg/l
ZONA ALPROM	Cianuri	9/16/2016 1:46:20 PM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 1:45:48 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 1:45:47 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 1:45:46 PM	26	gradCels
ZONA ALPROM	pH	9/16/2016 1:45:45 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 1:44:00 PM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 1:43:50 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 1:43:30 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 1:43:00 PM	15	mg/l
ZONA ALPROM	Temp	9/16/2016 1:42:50 PM	26	gradCels
ZONA ALPROM	pH	9/16/2016 1:42:30 PM	8	unit pH
ZONA ALPROM	Substante organice	9/16/2016 1:40:11 PM	15	mg/l
ZONA ALPROM	Cianuri	9/16/2016 1:40:10 PM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 1:40:09 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 1:40:08 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 1:40:07 PM	26	gradCels
ZONA ALPROM	pH	9/16/2016 1:40:06 PM	8	unit pH
ZONA ALPROM	Substante organice	9/16/2016 1:35:21 PM	15	mg/l
ZONA ALPROM	Cianuri	9/16/2016 1:35:20 PM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 1:34:28 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 1:34:27 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 1:34:26 PM	26	gradCels
ZONA ALPROM	pH	9/16/2016 1:34:25 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 1:29:10 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 1:29:09 PM	15	mg/l
ZONA ALPROM	Clor	9/16/2016 1:29:08 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 1:29:07 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 1:29:06 PM	26	gradCels
ZONA ALPROM	pH	9/16/2016 1:29:05 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 1:24:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 1:24:20 PM	15	mg/l
ZONA ALPROM	Clor	9/16/2016 1:23:28 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 1:23:27 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 1:23:26 PM	26	gradCels
ZONA ALPROM	pH	9/16/2016 1:23:25 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 1:22:00 PM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 1:21:50 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 1:21:30 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 1:21:00 PM	15	mg/l
ZONA ALPROM	Temp	9/16/2016 1:20:50 PM	26	gradCels
ZONA ALPROM	pH	9/16/2016 1:20:30 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 1:18:10 PM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 1:18:09 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 1:18:08 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 1:18:07 PM	15	mg/l
ZONA ALPROM	Temp	9/16/2016 1:18:06 PM	26	gradCels
ZONA ALPROM	pH	9/16/2016 1:18:05 PM	8	unit pH
ZONA ALPROM	Substante organice	9/16/2016 1:13:21 PM	16	mg/l
ZONA ALPROM	Cianuri	9/16/2016 1:13:20 PM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 1:12:27 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 1:12:26 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 1:12:25 PM	26	gradCels
ZONA ALPROM	pH	9/16/2016 1:12:24 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 1:07:11 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 1:07:10 PM	16	mg/l
ZONA ALPROM	Clor	9/16/2016 1:07:09 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 1:07:08 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 1:07:07 PM	26	gradCels
ZONA ALPROM	pH	9/16/2016 1:07:06 PM	8	unit pH
ZONA ALPROM	Substante organice	9/16/2016 1:02:10 PM	16	mg/l
ZONA ALPROM	Cianuri	9/16/2016 1:02:09 PM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 1:01:24 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 1:01:23 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/16/2016 1:01:22 PM	26	gradCels
ZONA ALPROM	pH	9/16/2016 1:01:21 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 12:59:30 PM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 12:59:00 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 12:57:20 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 12:56:50 PM	16	mg/l
ZONA ALPROM	Temp	9/16/2016 12:56:40 PM	26	gradCels
ZONA ALPROM	pH	9/16/2016 12:56:30 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 12:56:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 12:56:20 PM	16	mg/l
ZONA ALPROM	Clor	9/16/2016 12:56:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 12:56:02 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 12:56:01 PM	26	gradCels
ZONA ALPROM	pH	9/16/2016 12:56:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 12:51:20 PM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 12:50:26 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 12:50:25 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 12:50:24 PM	16	mg/l
ZONA ALPROM	Temp	9/16/2016 12:50:23 PM	26	gradCels
ZONA ALPROM	pH	9/16/2016 12:50:22 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 12:45:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 12:45:20 PM	16	mg/l
ZONA ALPROM	Clor	9/16/2016 12:45:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 12:45:02 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 12:45:01 PM	26	gradCels
ZONA ALPROM	pH	9/16/2016 12:45:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 12:40:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 12:40:20 PM	16	mg/l
ZONA ALPROM	Clor	9/16/2016 12:39:24 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 12:39:23 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 12:39:22 PM	26	gradCels
ZONA ALPROM	pH	9/16/2016 12:39:21 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 12:36:10 PM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 12:35:20 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 12:34:40 PM	0	mg/l
ZONA ALPROM	Cianuri	9/16/2016 12:34:30 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 12:34:29 PM	16	mg/l
ZONA ALPROM	Clor	9/16/2016 12:34:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 12:34:02 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 12:34:01 PM	26	gradCels
ZONA ALPROM	pH	9/16/2016 12:34:00 PM	8	unit pH
ZONA ALPROM	Substante organice	9/16/2016 12:33:40 PM	16	mg/l
ZONA ALPROM	Temp	9/16/2016 12:33:30 PM	26	gradCels
ZONA ALPROM	pH	9/16/2016 12:33:20 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 12:29:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 12:29:20 PM	16	mg/l
ZONA ALPROM	Clor	9/16/2016 12:28:24 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 12:28:23 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 12:28:22 PM	26	gradCels
ZONA ALPROM	pH	9/16/2016 12:28:21 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 12:23:30 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 12:23:29 PM	16	mg/l
ZONA ALPROM	Clor	9/16/2016 12:22:43 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 12:22:42 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 12:22:41 PM	26	gradCels
ZONA ALPROM	pH	9/16/2016 12:22:40 PM	8	unit pH
ZONA ALPROM	Substante organice	9/16/2016 12:18:21 PM	16	mg/l
ZONA ALPROM	Cianuri	9/16/2016 12:18:20 PM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 12:17:25 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 12:17:24 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 12:17:23 PM	25	gradCels
ZONA ALPROM	pH	9/16/2016 12:17:22 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 12:12:40 PM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 12:12:30 PM	0	mg/l
ZONA ALPROM	Cianuri	9/16/2016 12:12:10 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 12:12:09 PM	16	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Grasimi	9/16/2016 12:11:50 PM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 12:11:43 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 12:11:42 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 12:11:41 PM	25	gradCels
ZONA ALPROM	pH	9/16/2016 12:11:40 PM	8	unit pH
ZONA ALPROM	Substante organice	9/16/2016 12:11:30 PM	16	mg/l
ZONA ALPROM	Temp	9/16/2016 12:10:50 PM	25	gradCels
ZONA ALPROM	pH	9/16/2016 12:10:40 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 12:06:25 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 12:06:24 PM	16	mg/l
ZONA ALPROM	Clor	9/16/2016 12:06:23 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 12:06:22 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 12:06:21 PM	25	gradCels
ZONA ALPROM	pH	9/16/2016 12:06:20 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 12:01:10 PM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 12:01:09 PM	16	mg/l
ZONA ALPROM	Clor	9/16/2016 12:00:43 PM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 12:00:42 PM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 12:00:41 PM	25	gradCels
ZONA ALPROM	pH	9/16/2016 12:00:40 PM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 11:55:25 AM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 11:55:24 AM	16	mg/l
ZONA ALPROM	Clor	9/16/2016 11:55:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 11:55:22 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 11:55:21 AM	25	gradCels
ZONA ALPROM	pH	9/16/2016 11:55:20 AM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 11:50:20 AM	0	mg/l
ZONA ALPROM	Cianuri	9/16/2016 11:50:09 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 11:49:50 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 11:49:44 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 11:49:43 AM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 11:49:42 AM	16	mg/l
ZONA ALPROM	Temp	9/16/2016 11:49:41 AM	25	gradCels
ZONA ALPROM	pH	9/16/2016 11:49:40 AM	8	unit pH
ZONA ALPROM	Grasimi	9/16/2016 11:48:40 AM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 11:48:30 AM	16	mg/l
ZONA ALPROM	Temp	9/16/2016 11:48:20 AM	25	gradCels
ZONA ALPROM	pH	9/16/2016 11:48:10 AM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 11:44:25 AM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 11:44:24 AM	16	mg/l
ZONA ALPROM	Clor	9/16/2016 11:44:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 11:44:22 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 11:44:21 AM	25	gradCels
ZONA ALPROM	pH	9/16/2016 11:44:20 AM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 11:39:12 AM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 11:39:11 AM	16	mg/l
ZONA ALPROM	Clor	9/16/2016 11:38:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 11:38:42 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 11:38:41 AM	25	gradCels
ZONA ALPROM	pH	9/16/2016 11:38:40 AM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 11:33:21 AM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 11:33:20 AM	16	mg/l
ZONA ALPROM	Clor	9/16/2016 11:33:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 11:33:02 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 11:33:01 AM	25	gradCels
ZONA ALPROM	pH	9/16/2016 11:33:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 11:28:10 AM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 11:28:09 AM	16	mg/l
ZONA ALPROM	Cianuri	9/16/2016 11:27:50 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 11:27:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 11:27:42 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 11:27:41 AM	25	gradCels
ZONA ALPROM	pH	9/16/2016 11:27:40 AM	8	unit pH
ZONA ALPROM	Clor	9/16/2016 11:27:00 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 11:26:30 AM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 11:26:20 AM	16	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/16/2016 11:26:10 AM	25	gradCels
ZONA ALPROM	pH	9/16/2016 11:26:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 11:22:21 AM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 11:22:20 AM	16	mg/l
ZONA ALPROM	Clor	9/16/2016 11:22:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 11:22:02 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 11:22:01 AM	25	gradCels
ZONA ALPROM	pH	9/16/2016 11:22:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 11:17:21 AM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 11:17:20 AM	16	mg/l
ZONA ALPROM	Clor	9/16/2016 11:16:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 11:16:42 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 11:16:41 AM	25	gradCels
ZONA ALPROM	pH	9/16/2016 11:16:40 AM	8	unit pH
ZONA ALPROM	Substante organice	9/16/2016 11:11:21 AM	16	mg/l
ZONA ALPROM	Cianuri	9/16/2016 11:11:20 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 11:11:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 11:11:02 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 11:11:01 AM	25	gradCels
ZONA ALPROM	pH	9/16/2016 11:11:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 11:06:07 AM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 11:06:06 AM	16	mg/l
ZONA ALPROM	Clor	9/16/2016 11:05:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 11:05:42 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 11:05:41 AM	25	gradCels
ZONA ALPROM	pH	9/16/2016 11:05:40 AM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 11:04:50 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 11:04:30 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 11:04:10 AM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 11:04:00 AM	16	mg/l
ZONA ALPROM	Temp	9/16/2016 11:03:50 AM	25	gradCels
ZONA ALPROM	pH	9/16/2016 11:03:40 AM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 11:00:21 AM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 11:00:20 AM	16	mg/l
ZONA ALPROM	Clor	9/16/2016 11:00:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 11:00:02 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 11:00:01 AM	25	gradCels
ZONA ALPROM	pH	9/16/2016 11:00:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 10:55:21 AM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 10:55:20 AM	16	mg/l
ZONA ALPROM	Clor	9/16/2016 10:54:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 10:54:42 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 10:54:41 AM	25	gradCels
ZONA ALPROM	pH	9/16/2016 10:54:40 AM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 10:49:20 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 10:49:04 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 10:49:03 AM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 10:49:02 AM	16	mg/l
ZONA ALPROM	Temp	9/16/2016 10:49:01 AM	25	gradCels
ZONA ALPROM	pH	9/16/2016 10:49:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 10:44:21 AM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 10:44:20 AM	15	mg/l
ZONA ALPROM	Cianuri	9/16/2016 10:43:50 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 10:43:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 10:43:42 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 10:43:41 AM	25	gradCels
ZONA ALPROM	pH	9/16/2016 10:43:40 AM	8	unit pH
ZONA ALPROM	Clor	9/16/2016 10:43:00 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 10:42:30 AM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 10:42:20 AM	15	mg/l
ZONA ALPROM	Temp	9/16/2016 10:42:10 AM	25	gradCels
ZONA ALPROM	pH	9/16/2016 10:42:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 10:38:21 AM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 10:38:20 AM	15	mg/l
ZONA ALPROM	Clor	9/16/2016 10:38:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 10:38:02 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/16/2016 10:38:01 AM	25	gradCels
ZONA ALPROM	pH	9/16/2016 10:38:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 10:33:21 AM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 10:33:20 AM	15	mg/l
ZONA ALPROM	Clor	9/16/2016 10:32:26 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 10:32:25 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 10:32:24 AM	25	gradCels
ZONA ALPROM	pH	9/16/2016 10:32:23 AM	8	unit pH
ZONA ALPROM	Substante organice	9/16/2016 10:27:05 AM	15	mg/l
ZONA ALPROM	Cianuri	9/16/2016 10:27:04 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 10:27:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 10:27:02 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 10:27:01 AM	25	gradCels
ZONA ALPROM	pH	9/16/2016 10:27:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 10:24:30 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 10:24:20 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 10:23:20 AM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 10:22:00 AM	15	mg/l
ZONA ALPROM	Temp	9/16/2016 10:21:50 AM	25	gradCels
ZONA ALPROM	Cianuri	9/16/2016 10:21:45 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 10:21:44 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 10:21:43 AM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 10:21:42 AM	15	mg/l
ZONA ALPROM	Temp	9/16/2016 10:21:41 AM	25	gradCels
ZONA ALPROM	pH	9/16/2016 10:21:40 AM	8	unit pH
ZONA ALPROM	pH	9/16/2016 10:21:00 AM	8	unit pH
ZONA ALPROM	Substante organice	9/16/2016 10:16:21 AM	16	mg/l
ZONA ALPROM	Cianuri	9/16/2016 10:16:20 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 10:16:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 10:16:02 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 10:16:01 AM	25	gradCels
ZONA ALPROM	pH	9/16/2016 10:16:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 10:11:26 AM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 10:11:25 AM	16	mg/l
ZONA ALPROM	Clor	9/16/2016 10:10:25 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 10:10:24 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 10:10:23 AM	25	gradCels
ZONA ALPROM	pH	9/16/2016 10:10:22 AM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 10:05:21 AM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 10:05:20 AM	16	mg/l
ZONA ALPROM	Clor	9/16/2016 10:05:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 10:05:02 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 10:05:01 AM	25	gradCels
ZONA ALPROM	pH	9/16/2016 10:05:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 10:00:37 AM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 10:00:36 AM	16	mg/l
ZONA ALPROM	Cianuri	9/16/2016 9:59:40 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 9:59:30 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 9:59:26 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 9:59:25 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 9:59:24 AM	25	gradCels
ZONA ALPROM	pH	9/16/2016 9:59:23 AM	8	unit pH
ZONA ALPROM	Grasimi	9/16/2016 9:58:50 AM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 9:58:20 AM	16	mg/l
ZONA ALPROM	Temp	9/16/2016 9:58:10 AM	25	gradCels
ZONA ALPROM	pH	9/16/2016 9:58:00 AM	8	unit pH
ZONA ALPROM	Substante organice	9/16/2016 9:54:21 AM	16	mg/l
ZONA ALPROM	Cianuri	9/16/2016 9:54:20 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 9:54:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 9:54:02 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 9:54:01 AM	25	gradCels
ZONA ALPROM	pH	9/16/2016 9:54:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 9:48:27 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 9:48:26 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 9:48:25 AM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 9:48:24 AM	16	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/16/2016 9:48:23 AM	25	gradCels
ZONA ALPROM	pH	9/16/2016 9:48:22 AM	8	unit pH
ZONA ALPROM	Substante organice	9/16/2016 9:43:05 AM	15	mg/l
ZONA ALPROM	Cianuri	9/16/2016 9:43:04 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 9:43:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 9:43:02 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 9:43:01 AM	25	gradCels
ZONA ALPROM	pH	9/16/2016 9:43:00 AM	8	unit pH
ZONA ALPROM	Substante organice	9/16/2016 9:38:11 AM	15	mg/l
ZONA ALPROM	Cianuri	9/16/2016 9:37:25 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 9:37:24 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 9:37:23 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 9:37:22 AM	25	gradCels
ZONA ALPROM	pH	9/16/2016 9:37:21 AM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 9:37:00 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 9:36:50 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 9:36:10 AM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 9:36:00 AM	15	mg/l
ZONA ALPROM	Temp	9/16/2016 9:35:50 AM	25	gradCels
ZONA ALPROM	pH	9/16/2016 9:35:40 AM	8	unit pH
ZONA ALPROM	Substante organice	9/16/2016 9:32:20 AM	15	mg/l
ZONA ALPROM	Cianuri	9/16/2016 9:32:04 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 9:32:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 9:32:02 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 9:32:01 AM	25	gradCels
ZONA ALPROM	pH	9/16/2016 9:32:00 AM	8	unit pH
ZONA ALPROM	Substante organice	9/16/2016 9:27:09 AM	15	mg/l
ZONA ALPROM	Cianuri	9/16/2016 9:26:25 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 9:26:24 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 9:26:23 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 9:26:22 AM	26	gradCels
ZONA ALPROM	pH	9/16/2016 9:26:21 AM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 9:21:05 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 9:21:04 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 9:21:03 AM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 9:21:02 AM	15	mg/l
ZONA ALPROM	pH	9/16/2016 9:21:01 AM	8	unit pH
ZONA ALPROM	Temp	9/16/2016 9:21:00 AM	26	gradCels
ZONA ALPROM	Cianuri	9/16/2016 9:16:20 AM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 9:16:10 AM	15	mg/l
ZONA ALPROM	Clor	9/16/2016 9:15:50 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 9:15:30 AM	0	mg/l
ZONA ALPROM	Cianuri	9/16/2016 9:15:25 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 9:15:24 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 9:15:23 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 9:15:22 AM	26	gradCels
ZONA ALPROM	pH	9/16/2016 9:15:21 AM	8	unit pH
ZONA ALPROM	Substante organice	9/16/2016 9:15:00 AM	15	mg/l
ZONA ALPROM	Temp	9/16/2016 9:14:50 AM	26	gradCels
ZONA ALPROM	pH	9/16/2016 9:14:40 AM	8	unit pH
ZONA ALPROM	Substante organice	9/16/2016 9:10:20 AM	15	mg/l
ZONA ALPROM	Cianuri	9/16/2016 9:09:44 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 9:09:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 9:09:42 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 9:09:41 AM	26	gradCels
ZONA ALPROM	pH	9/16/2016 9:09:40 AM	8	unit pH
ZONA ALPROM	Substante organice	9/16/2016 9:05:09 AM	15	mg/l
ZONA ALPROM	Cianuri	9/16/2016 9:04:26 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 9:04:25 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 9:04:24 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 9:04:23 AM	26	gradCels
ZONA ALPROM	pH	9/16/2016 9:04:22 AM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 8:59:21 AM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 8:59:20 AM	15	mg/l
ZONA ALPROM	Clor	9/16/2016 8:58:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 8:58:42 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/16/2016 8:58:41 AM	26	gradCels
ZONA ALPROM	pH	9/16/2016 8:58:40 AM	8	unit pH
ZONA ALPROM	Substante organice	9/16/2016 8:53:25 AM	15	mg/l
ZONA ALPROM	Cianuri	9/16/2016 8:53:24 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 8:53:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 8:53:22 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 8:53:21 AM	26	gradCels
ZONA ALPROM	pH	9/16/2016 8:53:20 AM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 8:52:40 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 8:52:30 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 8:52:00 AM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 8:51:50 AM	15	mg/l
ZONA ALPROM	Temp	9/16/2016 8:51:40 AM	26	gradCels
ZONA ALPROM	pH	9/16/2016 8:51:30 AM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 8:47:45 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 8:47:44 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 8:47:43 AM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 8:47:42 AM	15	mg/l
ZONA ALPROM	Temp	9/16/2016 8:47:41 AM	26	gradCels
ZONA ALPROM	pH	9/16/2016 8:47:40 AM	8	unit pH
ZONA ALPROM	Substante organice	9/16/2016 8:42:25 AM	15	mg/l
ZONA ALPROM	Cianuri	9/16/2016 8:42:24 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 8:42:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 8:42:22 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 8:42:21 AM	26	gradCels
ZONA ALPROM	pH	9/16/2016 8:42:20 AM	8	unit pH
ZONA ALPROM	Substante organice	9/16/2016 8:37:20 AM	15	mg/l
ZONA ALPROM	Cianuri	9/16/2016 8:36:44 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 8:36:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 8:36:42 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 8:36:41 AM	26	gradCels
ZONA ALPROM	pH	9/16/2016 8:36:40 AM	8	unit pH
ZONA ALPROM	Substante organice	9/16/2016 8:31:25 AM	15	mg/l
ZONA ALPROM	Cianuri	9/16/2016 8:31:24 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 8:31:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 8:31:22 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 8:31:21 AM	26	gradCels
ZONA ALPROM	pH	9/16/2016 8:31:20 AM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 8:29:50 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 8:29:40 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 8:29:00 AM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 8:28:50 AM	15	mg/l
ZONA ALPROM	Temp	9/16/2016 8:28:40 AM	26	gradCels
ZONA ALPROM	pH	9/16/2016 8:28:30 AM	8	unit pH
ZONA ALPROM	Substante organice	9/16/2016 8:26:25 AM	15	mg/l
ZONA ALPROM	Cianuri	9/16/2016 8:25:44 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 8:25:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 8:25:42 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 8:25:41 AM	26	gradCels
ZONA ALPROM	pH	9/16/2016 8:25:40 AM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 8:20:25 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 8:20:24 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 8:20:23 AM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 8:20:22 AM	15	mg/l
ZONA ALPROM	Temp	9/16/2016 8:20:21 AM	26	gradCels
ZONA ALPROM	pH	9/16/2016 8:20:20 AM	8	unit pH
ZONA ALPROM	Substante organice	9/16/2016 8:15:25 AM	15	mg/l
ZONA ALPROM	Cianuri	9/16/2016 8:14:44 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 8:14:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 8:14:42 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 8:14:41 AM	26	gradCels
ZONA ALPROM	pH	9/16/2016 8:14:40 AM	8	unit pH
ZONA ALPROM	Substante organice	9/16/2016 8:09:05 AM	15	mg/l
ZONA ALPROM	Cianuri	9/16/2016 8:09:04 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 8:09:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 8:09:02 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/16/2016 8:09:01 AM	26	gradCels
ZONA ALPROM	pH	9/16/2016 8:09:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 8:07:30 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 8:07:00 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 8:06:40 AM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 8:06:30 AM	15	mg/l
ZONA ALPROM	Temp	9/16/2016 8:05:40 AM	26	gradCels
ZONA ALPROM	pH	9/16/2016 8:05:30 AM	8	unit pH
ZONA ALPROM	Substante organice	9/16/2016 8:04:20 AM	15	mg/l
ZONA ALPROM	Cianuri	9/16/2016 8:03:44 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 8:03:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 8:03:42 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 8:03:41 AM	26	gradCels
ZONA ALPROM	pH	9/16/2016 8:03:40 AM	8	unit pH
ZONA ALPROM	Substante organice	9/16/2016 7:58:05 AM	15	mg/l
ZONA ALPROM	Cianuri	9/16/2016 7:58:04 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 7:58:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 7:58:02 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 7:58:01 AM	26	gradCels
ZONA ALPROM	pH	9/16/2016 7:58:00 AM	8	unit pH
ZONA ALPROM	Substante organice	9/16/2016 7:53:20 AM	15	mg/l
ZONA ALPROM	Cianuri	9/16/2016 7:52:44 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 7:52:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 7:52:42 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 7:52:41 AM	26	gradCels
ZONA ALPROM	pH	9/16/2016 7:52:40 AM	8	unit pH
ZONA ALPROM	Substante organice	9/16/2016 7:47:05 AM	15	mg/l
ZONA ALPROM	Cianuri	9/16/2016 7:47:04 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 7:47:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 7:47:02 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 7:47:01 AM	26	gradCels
ZONA ALPROM	pH	9/16/2016 7:47:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 7:44:30 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 7:43:30 AM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 7:42:20 AM	15	mg/l
ZONA ALPROM	Grasimi	9/16/2016 7:41:50 AM	0	mg/l
ZONA ALPROM	Cianuri	9/16/2016 7:41:44 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 7:41:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 7:41:42 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 7:41:41 AM	26	gradCels
ZONA ALPROM	pH	9/16/2016 7:41:40 AM	8	unit pH
ZONA ALPROM	Substante organice	9/16/2016 7:41:00 AM	15	mg/l
ZONA ALPROM	Temp	9/16/2016 7:40:50 AM	26	gradCels
ZONA ALPROM	pH	9/16/2016 7:40:40 AM	8	unit pH
ZONA ALPROM	Substante organice	9/16/2016 7:36:05 AM	15	mg/l
ZONA ALPROM	Cianuri	9/16/2016 7:36:04 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 7:36:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 7:36:02 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 7:36:01 AM	26	gradCels
ZONA ALPROM	pH	9/16/2016 7:36:00 AM	8	unit pH
ZONA ALPROM	Substante organice	9/16/2016 7:31:20 AM	15	mg/l
ZONA ALPROM	Cianuri	9/16/2016 7:30:44 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 7:30:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 7:30:42 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 7:30:41 AM	26	gradCels
ZONA ALPROM	pH	9/16/2016 7:30:40 AM	8	unit pH
ZONA ALPROM	Substante organice	9/16/2016 7:25:05 AM	15	mg/l
ZONA ALPROM	Cianuri	9/16/2016 7:25:04 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 7:25:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 7:25:02 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 7:25:01 AM	26	gradCels
ZONA ALPROM	pH	9/16/2016 7:25:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 7:23:10 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 7:23:00 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 7:22:40 AM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 7:22:30 AM	15	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/16/2016 7:22:20 AM	26	gradCels
ZONA ALPROM	pH	9/16/2016 7:22:10 AM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 7:19:46 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 7:19:44 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 7:19:43 AM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 7:19:42 AM	15	mg/l
ZONA ALPROM	pH	9/16/2016 7:19:41 AM	8	unit pH
ZONA ALPROM	Temp	9/16/2016 7:19:40 AM	26	gradCels
ZONA ALPROM	Cianuri	9/16/2016 7:14:05 AM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 7:14:04 AM	15	mg/l
ZONA ALPROM	Clor	9/16/2016 7:14:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 7:14:02 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 7:14:01 AM	26	gradCels
ZONA ALPROM	pH	9/16/2016 7:14:00 AM	8	unit pH
ZONA ALPROM	Substante organice	9/16/2016 7:09:20 AM	15	mg/l
ZONA ALPROM	Cianuri	9/16/2016 7:08:44 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 7:08:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 7:08:42 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 7:08:41 AM	26	gradCels
ZONA ALPROM	pH	9/16/2016 7:08:40 AM	8	unit pH
ZONA ALPROM	Substante organice	9/16/2016 7:03:05 AM	15	mg/l
ZONA ALPROM	Cianuri	9/16/2016 7:03:04 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 7:03:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 7:03:02 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 7:03:01 AM	26	gradCels
ZONA ALPROM	pH	9/16/2016 7:03:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 7:02:40 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 7:02:30 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 7:02:00 AM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 7:01:50 AM	15	mg/l
ZONA ALPROM	Temp	9/16/2016 7:01:40 AM	26	gradCels
ZONA ALPROM	pH	9/16/2016 7:01:30 AM	8	unit pH
ZONA ALPROM	Substante organice	9/16/2016 6:58:20 AM	15	mg/l
ZONA ALPROM	Cianuri	9/16/2016 6:57:44 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 6:57:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 6:57:42 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 6:57:41 AM	26	gradCels
ZONA ALPROM	pH	9/16/2016 6:57:40 AM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 6:52:05 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 6:52:04 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 6:52:03 AM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 6:52:02 AM	15	mg/l
ZONA ALPROM	Temp	9/16/2016 6:52:01 AM	26	gradCels
ZONA ALPROM	pH	9/16/2016 6:52:00 AM	8	unit pH
ZONA ALPROM	Substante organice	9/16/2016 6:47:20 AM	15	mg/l
ZONA ALPROM	Cianuri	9/16/2016 6:46:44 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 6:46:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 6:46:42 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 6:46:41 AM	26	gradCels
ZONA ALPROM	pH	9/16/2016 6:46:40 AM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 6:42:20 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 6:41:50 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 6:41:20 AM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 6:41:10 AM	15	mg/l
ZONA ALPROM	Substante organice	9/16/2016 6:41:05 AM	15	mg/l
ZONA ALPROM	Cianuri	9/16/2016 6:41:04 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 6:41:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 6:41:02 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 6:41:01 AM	26	gradCels
ZONA ALPROM	pH	9/16/2016 6:41:00 AM	8	unit pH
ZONA ALPROM	Temp	9/16/2016 6:40:50 AM	26	gradCels
ZONA ALPROM	pH	9/16/2016 6:40:40 AM	8	unit pH
ZONA ALPROM	Substante organice	9/16/2016 6:36:20 AM	15	mg/l
ZONA ALPROM	Cianuri	9/16/2016 6:35:44 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 6:35:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 6:35:42 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/16/2016 6:35:41 AM	26	gradCels
ZONA ALPROM	pH	9/16/2016 6:35:40 AM	8	unit pH
ZONA ALPROM	Substante organice	9/16/2016 6:30:05 AM	15	mg/l
ZONA ALPROM	Cianuri	9/16/2016 6:30:04 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 6:30:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 6:30:02 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 6:30:01 AM	26	gradCels
ZONA ALPROM	pH	9/16/2016 6:30:00 AM	8	unit pH
ZONA ALPROM	Substante organice	9/16/2016 6:25:20 AM	15	mg/l
ZONA ALPROM	Cianuri	9/16/2016 6:24:27 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 6:24:26 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 6:24:25 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 6:24:24 AM	26	gradCels
ZONA ALPROM	pH	9/16/2016 6:24:23 AM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 6:22:40 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 6:22:30 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 6:21:50 AM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 6:21:40 AM	15	mg/l
ZONA ALPROM	Temp	9/16/2016 6:21:30 AM	26	gradCels
ZONA ALPROM	pH	9/16/2016 6:20:40 AM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 6:19:05 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 6:19:04 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 6:19:03 AM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 6:19:02 AM	15	mg/l
ZONA ALPROM	pH	9/16/2016 6:19:01 AM	8	unit pH
ZONA ALPROM	Temp	9/16/2016 6:19:00 AM	26	gradCels
ZONA ALPROM	Substante organice	9/16/2016 6:14:28 AM	15	mg/l
ZONA ALPROM	Cianuri	9/16/2016 6:13:44 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 6:13:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 6:13:42 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 6:13:41 AM	26	gradCels
ZONA ALPROM	pH	9/16/2016 6:13:40 AM	8	unit pH
ZONA ALPROM	Substante organice	9/16/2016 6:08:05 AM	15	mg/l
ZONA ALPROM	Cianuri	9/16/2016 6:08:04 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 6:08:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 6:08:02 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 6:08:01 AM	26	gradCels
ZONA ALPROM	pH	9/16/2016 6:08:00 AM	8	unit pH
ZONA ALPROM	Substante organice	9/16/2016 6:03:29 AM	15	mg/l
ZONA ALPROM	Cianuri	9/16/2016 6:02:30 AM	0	mg/l
ZONA ALPROM	Cianuri	9/16/2016 6:02:26 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 6:02:25 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 6:02:24 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 6:02:23 AM	26	gradCels
ZONA ALPROM	pH	9/16/2016 6:02:22 AM	8	unit pH
ZONA ALPROM	Clor	9/16/2016 6:02:00 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 6:01:20 AM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 6:01:10 AM	15	mg/l
ZONA ALPROM	Temp	9/16/2016 6:01:00 AM	26	gradCels
ZONA ALPROM	pH	9/16/2016 6:00:50 AM	8	unit pH
ZONA ALPROM	Substante organice	9/16/2016 5:57:05 AM	15	mg/l
ZONA ALPROM	Cianuri	9/16/2016 5:57:04 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 5:57:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 5:57:02 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 5:57:01 AM	26	gradCels
ZONA ALPROM	pH	9/16/2016 5:57:00 AM	8	unit pH
ZONA ALPROM	Substante organice	9/16/2016 5:52:08 AM	15	mg/l
ZONA ALPROM	Cianuri	9/16/2016 5:51:26 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 5:51:25 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 5:51:24 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 5:51:23 AM	26	gradCels
ZONA ALPROM	pH	9/16/2016 5:51:22 AM	8	unit pH
ZONA ALPROM	Substante organice	9/16/2016 5:46:05 AM	15	mg/l
ZONA ALPROM	Cianuri	9/16/2016 5:46:04 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 5:46:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 5:46:02 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/16/2016 5:46:01 AM	27	gradCels
ZONA ALPROM	pH	9/16/2016 5:46:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 5:42:50 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 5:42:00 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 5:41:20 AM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 5:41:08 AM	15	mg/l
ZONA ALPROM	Substante organice	9/16/2016 5:40:50 AM	15	mg/l
ZONA ALPROM	Temp	9/16/2016 5:40:40 AM	27	gradCels
ZONA ALPROM	pH	9/16/2016 5:40:30 AM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 5:40:26 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 5:40:25 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 5:40:24 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 5:40:23 AM	27	gradCels
ZONA ALPROM	pH	9/16/2016 5:40:22 AM	8	unit pH
ZONA ALPROM	Substante organice	9/16/2016 5:36:06 AM	15	mg/l
ZONA ALPROM	Cianuri	9/16/2016 5:35:24 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 5:35:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 5:35:22 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 5:35:21 AM	27	gradCels
ZONA ALPROM	pH	9/16/2016 5:35:20 AM	8	unit pH
ZONA ALPROM	Substante organice	9/16/2016 5:30:12 AM	15	mg/l
ZONA ALPROM	Cianuri	9/16/2016 5:30:04 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 5:30:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 5:30:02 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 5:30:01 AM	27	gradCels
ZONA ALPROM	pH	9/16/2016 5:30:00 AM	8	unit pH
ZONA ALPROM	Substante organice	9/16/2016 5:25:04 AM	15	mg/l
ZONA ALPROM	Cianuri	9/16/2016 5:24:24 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 5:24:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 5:24:22 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 5:24:21 AM	27	gradCels
ZONA ALPROM	pH	9/16/2016 5:24:20 AM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 5:23:40 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 5:23:30 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 5:23:10 AM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 5:22:50 AM	15	mg/l
ZONA ALPROM	Temp	9/16/2016 5:22:40 AM	27	gradCels
ZONA ALPROM	pH	9/16/2016 5:22:30 AM	8	unit pH
ZONA ALPROM	Substante organice	9/16/2016 5:19:13 AM	15	mg/l
ZONA ALPROM	Cianuri	9/16/2016 5:19:04 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 5:19:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 5:19:02 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 5:19:01 AM	27	gradCels
ZONA ALPROM	pH	9/16/2016 5:19:00 AM	8	unit pH
ZONA ALPROM	Substante organice	9/16/2016 5:14:04 AM	15	mg/l
ZONA ALPROM	Cianuri	9/16/2016 5:13:24 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 5:13:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 5:13:22 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 5:13:21 AM	27	gradCels
ZONA ALPROM	pH	9/16/2016 5:13:20 AM	8	unit pH
ZONA ALPROM	Substante organice	9/16/2016 5:08:13 AM	15	mg/l
ZONA ALPROM	Cianuri	9/16/2016 5:08:04 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 5:08:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 5:08:02 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 5:08:01 AM	27	gradCels
ZONA ALPROM	pH	9/16/2016 5:08:00 AM	8	unit pH
ZONA ALPROM	Substante organice	9/16/2016 5:03:05 AM	15	mg/l
ZONA ALPROM	Cianuri	9/16/2016 5:03:04 AM	0	mg/l
ZONA ALPROM	Cianuri	9/16/2016 5:02:50 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 5:02:40 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 5:02:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 5:02:22 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 5:02:21 AM	27	gradCels
ZONA ALPROM	pH	9/16/2016 5:02:20 AM	8	unit pH
ZONA ALPROM	Grasimi	9/16/2016 5:02:00 AM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 5:01:50 AM	15	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/16/2016 5:01:40 AM	27	gradCels
ZONA ALPROM	pH	9/16/2016 5:01:30 AM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 4:57:08 AM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 4:57:07 AM	15	mg/l
ZONA ALPROM	Clor	9/16/2016 4:56:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 4:56:42 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 4:56:41 AM	27	gradCels
ZONA ALPROM	pH	9/16/2016 4:56:40 AM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 4:52:04 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 4:51:24 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 4:51:23 AM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 4:51:22 AM	15	mg/l
ZONA ALPROM	Temp	9/16/2016 4:51:21 AM	27	gradCels
ZONA ALPROM	pH	9/16/2016 4:51:20 AM	8	unit pH
ZONA ALPROM	Substante organice	9/16/2016 4:46:07 AM	15	mg/l
ZONA ALPROM	Cianuri	9/16/2016 4:45:44 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 4:45:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 4:45:42 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 4:45:41 AM	27	gradCels
ZONA ALPROM	pH	9/16/2016 4:45:40 AM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 4:43:00 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 4:42:50 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 4:41:20 AM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 4:41:10 AM	15	mg/l
ZONA ALPROM	Substante organice	9/16/2016 4:41:04 AM	15	mg/l
ZONA ALPROM	Temp	9/16/2016 4:40:40 AM	27	gradCels
ZONA ALPROM	Cianuri	9/16/2016 4:40:24 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 4:40:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 4:40:22 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 4:40:21 AM	27	gradCels
ZONA ALPROM	pH	9/16/2016 4:40:20 AM	8	unit pH
ZONA ALPROM	pH	9/16/2016 4:40:00 AM	8	unit pH
ZONA ALPROM	Substante organice	9/16/2016 4:35:20 AM	15	mg/l
ZONA ALPROM	Cianuri	9/16/2016 4:34:44 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 4:34:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 4:34:42 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 4:34:41 AM	27	gradCels
ZONA ALPROM	pH	9/16/2016 4:34:40 AM	8	unit pH
ZONA ALPROM	Substante organice	9/16/2016 4:29:25 AM	15	mg/l
ZONA ALPROM	Cianuri	9/16/2016 4:29:24 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 4:29:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 4:29:22 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 4:29:21 AM	27	gradCels
ZONA ALPROM	pH	9/16/2016 4:29:20 AM	8	unit pH
ZONA ALPROM	Substante organice	9/16/2016 4:24:20 AM	15	mg/l
ZONA ALPROM	Cianuri	9/16/2016 4:23:44 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 4:23:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 4:23:42 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 4:23:41 AM	27	gradCels
ZONA ALPROM	pH	9/16/2016 4:23:40 AM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 4:20:50 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 4:20:40 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 4:20:10 AM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 4:19:10 AM	15	mg/l
ZONA ALPROM	Temp	9/16/2016 4:18:40 AM	27	gradCels
ZONA ALPROM	pH	9/16/2016 4:18:30 AM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 4:18:05 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 4:18:04 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 4:18:03 AM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 4:18:02 AM	15	mg/l
ZONA ALPROM	Temp	9/16/2016 4:18:01 AM	27	gradCels
ZONA ALPROM	pH	9/16/2016 4:18:00 AM	8	unit pH
ZONA ALPROM	Substante organice	9/16/2016 4:13:20 AM	15	mg/l
ZONA ALPROM	Cianuri	9/16/2016 4:12:44 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 4:12:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 4:12:42 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/16/2016 4:12:41 AM	27	gradCels
ZONA ALPROM	pH	9/16/2016 4:12:40 AM	8	unit pH
ZONA ALPROM	Substante organice	9/16/2016 4:07:05 AM	15	mg/l
ZONA ALPROM	Cianuri	9/16/2016 4:07:04 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 4:07:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 4:07:02 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 4:07:01 AM	27	gradCels
ZONA ALPROM	pH	9/16/2016 4:07:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 4:02:21 AM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 4:02:20 AM	15	mg/l
ZONA ALPROM	Clor	9/16/2016 4:01:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 4:01:42 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 4:01:41 AM	27	gradCels
ZONA ALPROM	pH	9/16/2016 4:01:40 AM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 3:58:50 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 3:58:40 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 3:58:00 AM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 3:57:00 AM	15	mg/l
ZONA ALPROM	Temp	9/16/2016 3:56:50 AM	27	gradCels
ZONA ALPROM	pH	9/16/2016 3:56:30 AM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 3:56:05 AM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 3:56:04 AM	15	mg/l
ZONA ALPROM	Clor	9/16/2016 3:56:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 3:56:02 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 3:56:01 AM	27	gradCels
ZONA ALPROM	pH	9/16/2016 3:56:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 3:51:20 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 3:50:44 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 3:50:43 AM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 3:50:42 AM	15	mg/l
ZONA ALPROM	Temp	9/16/2016 3:50:41 AM	27	gradCels
ZONA ALPROM	pH	9/16/2016 3:50:40 AM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 3:45:09 AM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 3:45:08 AM	15	mg/l
ZONA ALPROM	Clor	9/16/2016 3:45:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 3:45:02 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 3:45:01 AM	27	gradCels
ZONA ALPROM	pH	9/16/2016 3:45:00 AM	8	unit pH
ZONA ALPROM	Substante organice	9/16/2016 3:40:25 AM	15	mg/l
ZONA ALPROM	Cianuri	9/16/2016 3:39:44 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 3:39:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 3:39:42 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 3:39:41 AM	27	gradCels
ZONA ALPROM	pH	9/16/2016 3:39:40 AM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 3:37:50 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 3:37:40 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 3:37:00 AM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 3:36:50 AM	15	mg/l
ZONA ALPROM	Temp	9/16/2016 3:36:40 AM	27	gradCels
ZONA ALPROM	pH	9/16/2016 3:36:30 AM	8	unit pH
ZONA ALPROM	Substante organice	9/16/2016 3:34:12 AM	15	mg/l
ZONA ALPROM	Cianuri	9/16/2016 3:34:04 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 3:34:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 3:34:02 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 3:34:01 AM	27	gradCels
ZONA ALPROM	pH	9/16/2016 3:34:00 AM	8	unit pH
ZONA ALPROM	Substante organice	9/16/2016 3:29:04 AM	15	mg/l
ZONA ALPROM	Cianuri	9/16/2016 3:28:44 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 3:28:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 3:28:42 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 3:28:41 AM	27	gradCels
ZONA ALPROM	pH	9/16/2016 3:28:40 AM	8	unit pH
ZONA ALPROM	Substante organice	9/16/2016 3:23:12 AM	15	mg/l
ZONA ALPROM	Cianuri	9/16/2016 3:23:04 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 3:23:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 3:23:02 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/16/2016 3:23:01 AM	27	gradCels
ZONA ALPROM	pH	9/16/2016 3:23:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 3:19:10 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 3:18:00 AM	0	mg/l
ZONA ALPROM	Cianuri	9/16/2016 3:17:45 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 3:17:44 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 3:17:43 AM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 3:17:42 AM	15	mg/l
ZONA ALPROM	pH	9/16/2016 3:17:41 AM	8	unit pH
ZONA ALPROM	Temp	9/16/2016 3:17:40 AM	27	gradCels
ZONA ALPROM	Grasimi	9/16/2016 3:16:50 AM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 3:16:20 AM	15	mg/l
ZONA ALPROM	Temp	9/16/2016 3:16:10 AM	27	gradCels
ZONA ALPROM	pH	9/16/2016 3:16:00 AM	8	unit pH
ZONA ALPROM	Substante organice	9/16/2016 3:12:14 AM	15	mg/l
ZONA ALPROM	Cianuri	9/16/2016 3:12:04 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 3:12:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 3:12:02 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 3:12:01 AM	27	gradCels
ZONA ALPROM	pH	9/16/2016 3:12:00 AM	8	unit pH
ZONA ALPROM	Substante organice	9/16/2016 3:07:20 AM	15	mg/l
ZONA ALPROM	Cianuri	9/16/2016 3:06:26 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 3:06:25 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 3:06:24 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 3:06:23 AM	27	gradCels
ZONA ALPROM	pH	9/16/2016 3:06:22 AM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 3:01:15 AM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 3:01:14 AM	15	mg/l
ZONA ALPROM	Clor	9/16/2016 3:01:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 3:01:02 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 3:01:01 AM	27	gradCels
ZONA ALPROM	pH	9/16/2016 3:01:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 2:59:40 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 2:59:30 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 2:59:10 AM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 2:59:00 AM	15	mg/l
ZONA ALPROM	Temp	9/16/2016 2:58:50 AM	27	gradCels
ZONA ALPROM	pH	9/16/2016 2:58:40 AM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 2:56:21 AM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 2:56:20 AM	15	mg/l
ZONA ALPROM	Clor	9/16/2016 2:55:26 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 2:55:25 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 2:55:24 AM	27	gradCels
ZONA ALPROM	pH	9/16/2016 2:55:23 AM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 2:50:14 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 2:50:04 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 2:50:03 AM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 2:50:02 AM	15	mg/l
ZONA ALPROM	Temp	9/16/2016 2:50:01 AM	27	gradCels
ZONA ALPROM	pH	9/16/2016 2:50:00 AM	8	unit pH
ZONA ALPROM	Substante organice	9/16/2016 2:45:20 AM	15	mg/l
ZONA ALPROM	Cianuri	9/16/2016 2:44:27 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 2:44:25 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 2:44:24 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 2:44:23 AM	27	gradCels
ZONA ALPROM	pH	9/16/2016 2:44:22 AM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 2:40:40 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 2:40:30 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 2:39:30 AM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 2:39:20 AM	15	mg/l
ZONA ALPROM	Substante organice	9/16/2016 2:39:15 AM	15	mg/l
ZONA ALPROM	Cianuri	9/16/2016 2:39:14 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 2:39:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 2:39:02 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 2:39:01 AM	27	gradCels
ZONA ALPROM	pH	9/16/2016 2:39:00 AM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/16/2016 2:38:50 AM	27	gradCels
ZONA ALPROM	pH	9/16/2016 2:38:40 AM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 2:34:21 AM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 2:34:20 AM	15	mg/l
ZONA ALPROM	Clor	9/16/2016 2:33:31 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 2:33:30 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 2:33:29 AM	27	gradCels
ZONA ALPROM	pH	9/16/2016 2:33:28 AM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 2:28:14 AM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 2:28:13 AM	15	mg/l
ZONA ALPROM	Clor	9/16/2016 2:28:08 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 2:28:07 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 2:28:06 AM	27	gradCels
ZONA ALPROM	pH	9/16/2016 2:28:05 AM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 2:23:21 AM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 2:23:20 AM	15	mg/l
ZONA ALPROM	Clor	9/16/2016 2:22:30 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 2:22:29 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 2:22:28 AM	27	gradCels
ZONA ALPROM	pH	9/16/2016 2:22:27 AM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 2:22:00 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 2:21:50 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 2:21:10 AM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 2:21:00 AM	15	mg/l
ZONA ALPROM	Temp	9/16/2016 2:20:50 AM	27	gradCels
ZONA ALPROM	pH	9/16/2016 2:20:40 AM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 2:17:13 AM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 2:17:12 AM	15	mg/l
ZONA ALPROM	Clor	9/16/2016 2:17:07 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 2:17:06 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 2:17:05 AM	27	gradCels
ZONA ALPROM	pH	9/16/2016 2:17:04 AM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 2:12:21 AM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 2:12:20 AM	15	mg/l
ZONA ALPROM	Clor	9/16/2016 2:11:29 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 2:11:28 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 2:11:27 AM	28	gradCels
ZONA ALPROM	pH	9/16/2016 2:11:26 AM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 2:06:16 AM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 2:06:15 AM	15	mg/l
ZONA ALPROM	Clor	9/16/2016 2:06:09 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 2:06:08 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 2:06:07 AM	28	gradCels
ZONA ALPROM	pH	9/16/2016 2:06:06 AM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 2:02:40 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 2:02:30 AM	0	mg/l
ZONA ALPROM	Cianuri	9/16/2016 2:01:21 AM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 2:01:20 AM	15	mg/l
ZONA ALPROM	Grasimi	9/16/2016 2:01:00 AM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 2:00:50 AM	15	mg/l
ZONA ALPROM	Temp	9/16/2016 2:00:40 AM	28	gradCels
ZONA ALPROM	Clor	9/16/2016 2:00:29 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 2:00:28 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 2:00:27 AM	28	gradCels
ZONA ALPROM	pH	9/16/2016 2:00:26 AM	8	unit pH
ZONA ALPROM	pH	9/16/2016 2:00:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 1:55:16 AM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 1:55:15 AM	15	mg/l
ZONA ALPROM	Clor	9/16/2016 1:55:08 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 1:55:07 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 1:55:06 AM	28	gradCels
ZONA ALPROM	pH	9/16/2016 1:55:05 AM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 1:50:20 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 1:49:33 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 1:49:32 AM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 1:49:31 AM	15	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/16/2016 1:49:30 AM	28	gradCels
ZONA ALPROM	pH	9/16/2016 1:49:29 AM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 1:44:09 AM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 1:44:08 AM	15	mg/l
ZONA ALPROM	Clor	9/16/2016 1:44:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 1:44:02 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 1:44:01 AM	28	gradCels
ZONA ALPROM	pH	9/16/2016 1:44:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 1:42:00 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 1:41:50 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 1:41:30 AM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 1:41:20 AM	15	mg/l
ZONA ALPROM	Temp	9/16/2016 1:41:10 AM	28	gradCels
ZONA ALPROM	pH	9/16/2016 1:40:40 AM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 1:39:21 AM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 1:39:20 AM	15	mg/l
ZONA ALPROM	Clor	9/16/2016 1:38:33 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 1:38:32 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 1:38:31 AM	28	gradCels
ZONA ALPROM	pH	9/16/2016 1:38:30 AM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 1:33:21 AM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 1:33:20 AM	15	mg/l
ZONA ALPROM	Clor	9/16/2016 1:32:49 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 1:32:48 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 1:32:47 AM	28	gradCels
ZONA ALPROM	pH	9/16/2016 1:32:46 AM	8	unit pH
ZONA ALPROM	Substante organice	9/16/2016 1:28:20 AM	15	mg/l
ZONA ALPROM	Cianuri	9/16/2016 1:27:28 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 1:27:27 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 1:27:26 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 1:27:25 AM	28	gradCels
ZONA ALPROM	pH	9/16/2016 1:27:24 AM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 1:21:52 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 1:21:50 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 1:21:49 AM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 1:21:48 AM	15	mg/l
ZONA ALPROM	Temp	9/16/2016 1:21:47 AM	28	gradCels
ZONA ALPROM	pH	9/16/2016 1:21:45 AM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 1:20:50 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 1:20:40 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 1:20:20 AM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 1:20:10 AM	15	mg/l
ZONA ALPROM	Temp	9/16/2016 1:20:00 AM	28	gradCels
ZONA ALPROM	pH	9/16/2016 1:19:50 AM	8	unit pH
ZONA ALPROM	Substante organice	9/16/2016 1:17:21 AM	15	mg/l
ZONA ALPROM	Cianuri	9/16/2016 1:17:20 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 1:16:34 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 1:16:33 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 1:16:32 AM	28	gradCels
ZONA ALPROM	pH	9/16/2016 1:16:31 AM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 1:11:22 AM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 1:11:20 AM	15	mg/l
ZONA ALPROM	Clor	9/16/2016 1:10:58 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 1:10:57 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 1:10:56 AM	28	gradCels
ZONA ALPROM	pH	9/16/2016 1:10:55 AM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 1:06:21 AM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 1:06:20 AM	15	mg/l
ZONA ALPROM	Clor	9/16/2016 1:05:28 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 1:05:27 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 1:05:26 AM	28	gradCels
ZONA ALPROM	pH	9/16/2016 1:05:25 AM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 1:01:50 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 1:01:00 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 1:00:40 AM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 1:00:30 AM	15	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Cianuri	9/16/2016 1:00:21 AM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 1:00:20 AM	15	mg/l
ZONA ALPROM	Temp	9/16/2016 1:00:00 AM	28	gradCels
ZONA ALPROM	Clor	9/16/2016 12:59:48 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 12:59:47 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 12:59:46 AM	28	gradCels
ZONA ALPROM	pH	9/16/2016 12:59:45 AM	8	unit pH
ZONA ALPROM	pH	9/16/2016 12:59:20 AM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 12:55:21 AM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 12:55:20 AM	15	mg/l
ZONA ALPROM	Clor	9/16/2016 12:54:09 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 12:54:08 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 12:54:07 AM	28	gradCels
ZONA ALPROM	pH	9/16/2016 12:54:06 AM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 12:49:20 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 12:48:54 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 12:48:53 AM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 12:48:52 AM	15	mg/l
ZONA ALPROM	Temp	9/16/2016 12:48:51 AM	28	gradCels
ZONA ALPROM	pH	9/16/2016 12:48:50 AM	8	unit pH
ZONA ALPROM	Substante organice	9/16/2016 12:44:21 AM	14	mg/l
ZONA ALPROM	Cianuri	9/16/2016 12:44:20 AM	0	mg/l
ZONA ALPROM	Cianuri	9/16/2016 12:43:40 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 12:43:30 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 12:43:09 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 12:43:08 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 12:43:07 AM	28	gradCels
ZONA ALPROM	pH	9/16/2016 12:43:06 AM	8	unit pH
ZONA ALPROM	Grasimi	9/16/2016 12:42:50 AM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 12:42:40 AM	14	mg/l
ZONA ALPROM	Temp	9/16/2016 12:42:30 AM	28	gradCels
ZONA ALPROM	pH	9/16/2016 12:42:20 AM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 12:38:21 AM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 12:38:20 AM	14	mg/l
ZONA ALPROM	Clor	9/16/2016 12:37:48 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 12:37:47 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 12:37:46 AM	28	gradCels
ZONA ALPROM	pH	9/16/2016 12:37:45 AM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 12:32:10 AM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 12:32:09 AM	14	mg/l
ZONA ALPROM	Clor	9/16/2016 12:32:08 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 12:32:07 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 12:32:06 AM	28	gradCels
ZONA ALPROM	pH	9/16/2016 12:32:05 AM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 12:27:21 AM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 12:27:20 AM	14	mg/l
ZONA ALPROM	Clor	9/16/2016 12:26:52 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 12:26:51 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 12:26:50 AM	28	gradCels
ZONA ALPROM	pH	9/16/2016 12:26:49 AM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 12:24:50 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 12:24:40 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 12:24:20 AM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 12:24:10 AM	14	mg/l
ZONA ALPROM	Temp	9/16/2016 12:23:50 AM	28	gradCels
ZONA ALPROM	pH	9/16/2016 12:22:50 AM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 12:21:14 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 12:21:13 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 12:21:12 AM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 12:21:11 AM	14	mg/l
ZONA ALPROM	Temp	9/16/2016 12:21:10 AM	28	gradCels
ZONA ALPROM	pH	9/16/2016 12:21:09 AM	8	unit pH
ZONA ALPROM	Substante organice	9/16/2016 12:16:21 AM	14	mg/l
ZONA ALPROM	Cianuri	9/16/2016 12:16:20 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 12:15:48 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 12:15:47 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/16/2016 12:15:46 AM	28	gradCels
ZONA ALPROM	pH	9/16/2016 12:15:45 AM	8	unit pH
ZONA ALPROM	Substante organice	9/16/2016 12:10:14 AM	14	mg/l
ZONA ALPROM	Cianuri	9/16/2016 12:10:13 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 12:10:12 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 12:10:11 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 12:10:10 AM	28	gradCels
ZONA ALPROM	pH	9/16/2016 12:10:09 AM	8	unit pH
ZONA ALPROM	Cianuri	9/16/2016 12:05:21 AM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 12:05:20 AM	14	mg/l
ZONA ALPROM	Cianuri	9/16/2016 12:05:00 AM	0	mg/l
ZONA ALPROM	Clor	9/16/2016 12:04:49 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 12:04:48 AM	0	mg/l
ZONA ALPROM	Temp	9/16/2016 12:04:47 AM	28	gradCels
ZONA ALPROM	pH	9/16/2016 12:04:46 AM	8	unit pH
ZONA ALPROM	Clor	9/16/2016 12:04:10 AM	0	mg/l
ZONA ALPROM	Grasimi	9/16/2016 12:03:50 AM	0	mg/l
ZONA ALPROM	Substante organice	9/16/2016 12:03:40 AM	14	mg/l
ZONA ALPROM	Temp	9/16/2016 12:03:30 AM	28	gradCels
ZONA ALPROM	pH	9/16/2016 12:03:20 AM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 11:59:20 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 11:59:19 PM	14	mg/l
ZONA ALPROM	Clor	9/15/2016 11:59:13 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 11:59:12 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 11:59:11 PM	28	gradCels
ZONA ALPROM	pH	9/15/2016 11:59:10 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 11:54:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 11:54:20 PM	14	mg/l
ZONA ALPROM	Clor	9/15/2016 11:53:48 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 11:53:47 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 11:53:46 PM	28	gradCels
ZONA ALPROM	pH	9/15/2016 11:53:45 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 11:48:19 PM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 11:48:14 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 11:48:13 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 11:48:12 PM	14	mg/l
ZONA ALPROM	Temp	9/15/2016 11:48:11 PM	28	gradCels
ZONA ALPROM	pH	9/15/2016 11:48:10 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 11:47:10 PM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 11:47:00 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 11:46:40 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 11:46:30 PM	14	mg/l
ZONA ALPROM	Temp	9/15/2016 11:46:00 PM	28	gradCels
ZONA ALPROM	pH	9/15/2016 11:45:50 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 11:43:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 11:43:20 PM	14	mg/l
ZONA ALPROM	Clor	9/15/2016 11:42:47 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 11:42:46 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 11:42:45 PM	28	gradCels
ZONA ALPROM	pH	9/15/2016 11:42:44 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 11:37:16 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 11:37:15 PM	14	mg/l
ZONA ALPROM	Clor	9/15/2016 11:37:08 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 11:37:07 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 11:37:06 PM	28	gradCels
ZONA ALPROM	pH	9/15/2016 11:37:05 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 11:32:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 11:32:20 PM	14	mg/l
ZONA ALPROM	Clor	9/15/2016 11:31:48 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 11:31:47 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 11:31:46 PM	28	gradCels
ZONA ALPROM	pH	9/15/2016 11:31:45 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 11:29:10 PM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 11:28:40 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 11:27:30 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 11:27:20 PM	14	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/15/2016 11:27:10 PM	28	gradCels
ZONA ALPROM	pH	9/15/2016 11:27:00 PM	8	unit pH
ZONA ALPROM	Substante organice	9/15/2016 11:26:14 PM	14	mg/l
ZONA ALPROM	Cianuri	9/15/2016 11:26:13 PM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 11:26:08 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 11:26:07 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 11:26:06 PM	28	gradCels
ZONA ALPROM	pH	9/15/2016 11:26:05 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 11:20:35 PM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 11:20:34 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 11:20:33 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 11:20:32 PM	14	mg/l
ZONA ALPROM	Temp	9/15/2016 11:20:31 PM	28	gradCels
ZONA ALPROM	pH	9/15/2016 11:20:30 PM	8	unit pH
ZONA ALPROM	Substante organice	9/15/2016 11:15:15 PM	14	mg/l
ZONA ALPROM	Cianuri	9/15/2016 11:15:09 PM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 11:15:08 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 11:15:07 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 11:15:06 PM	28	gradCels
ZONA ALPROM	pH	9/15/2016 11:15:05 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 11:10:30 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 11:10:20 PM	14	mg/l
ZONA ALPROM	Clor	9/15/2016 11:10:00 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 11:09:40 PM	0	mg/l
ZONA ALPROM	Cianuri	9/15/2016 11:09:39 PM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 11:09:38 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 11:09:37 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 11:09:36 PM	28	gradCels
ZONA ALPROM	pH	9/15/2016 11:09:35 PM	8	unit pH
ZONA ALPROM	Substante organice	9/15/2016 11:09:00 PM	14	mg/l
ZONA ALPROM	Temp	9/15/2016 11:08:50 PM	28	gradCels
ZONA ALPROM	pH	9/15/2016 11:08:40 PM	8	unit pH
ZONA ALPROM	Substante organice	9/15/2016 11:04:15 PM	14	mg/l
ZONA ALPROM	Cianuri	9/15/2016 11:04:14 PM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 11:04:13 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 11:04:12 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 11:04:11 PM	28	gradCels
ZONA ALPROM	pH	9/15/2016 11:04:10 PM	8	unit pH
ZONA ALPROM	Substante organice	9/15/2016 10:59:20 PM	14	mg/l
ZONA ALPROM	Cianuri	9/15/2016 10:58:39 PM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 10:58:38 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 10:58:37 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 10:58:36 PM	28	gradCels
ZONA ALPROM	pH	9/15/2016 10:58:35 PM	8	unit pH
ZONA ALPROM	Substante organice	9/15/2016 10:53:14 PM	14	mg/l
ZONA ALPROM	Cianuri	9/15/2016 10:53:13 PM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 10:53:12 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 10:53:11 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 10:53:10 PM	28	gradCels
ZONA ALPROM	pH	9/15/2016 10:53:09 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 10:52:00 PM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 10:51:50 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 10:51:30 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 10:51:00 PM	14	mg/l
ZONA ALPROM	Temp	9/15/2016 10:50:50 PM	28	gradCels
ZONA ALPROM	pH	9/15/2016 10:50:40 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 10:48:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 10:48:20 PM	14	mg/l
ZONA ALPROM	Clor	9/15/2016 10:47:32 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 10:47:31 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 10:47:30 PM	28	gradCels
ZONA ALPROM	pH	9/15/2016 10:47:29 PM	8	unit pH
ZONA ALPROM	Substante organice	9/15/2016 10:42:09 PM	14	mg/l
ZONA ALPROM	Cianuri	9/15/2016 10:42:08 PM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 10:42:07 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 10:42:06 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/15/2016 10:42:05 PM	28	gradCels
ZONA ALPROM	pH	9/15/2016 10:42:04 PM	8	unit pH
ZONA ALPROM	Substante organice	9/15/2016 10:37:06 PM	14	mg/l
ZONA ALPROM	Cianuri	9/15/2016 10:36:29 PM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 10:36:28 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 10:36:27 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 10:36:26 PM	28	gradCels
ZONA ALPROM	pH	9/15/2016 10:36:25 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 10:31:50 PM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 10:31:40 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 10:31:09 PM	14	mg/l
ZONA ALPROM	Cianuri	9/15/2016 10:31:08 PM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 10:31:07 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 10:31:06 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 10:31:05 PM	28	gradCels
ZONA ALPROM	pH	9/15/2016 10:31:04 PM	8	unit pH
ZONA ALPROM	Grasimi	9/15/2016 10:30:20 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 10:30:10 PM	14	mg/l
ZONA ALPROM	Temp	9/15/2016 10:30:00 PM	28	gradCels
ZONA ALPROM	pH	9/15/2016 10:29:50 PM	8	unit pH
ZONA ALPROM	Substante organice	9/15/2016 10:26:06 PM	14	mg/l
ZONA ALPROM	Cianuri	9/15/2016 10:26:05 PM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 10:25:27 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 10:25:26 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 10:25:25 PM	28	gradCels
ZONA ALPROM	pH	9/15/2016 10:25:24 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 10:20:09 PM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 10:20:08 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 10:20:07 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 10:20:06 PM	14	mg/l
ZONA ALPROM	Temp	9/15/2016 10:20:05 PM	28	gradCels
ZONA ALPROM	pH	9/15/2016 10:20:04 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 10:15:06 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 10:15:05 PM	14	mg/l
ZONA ALPROM	Clor	9/15/2016 10:14:27 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 10:14:26 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 10:14:25 PM	28	gradCels
ZONA ALPROM	pH	9/15/2016 10:14:24 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 10:12:50 PM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 10:12:40 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 10:12:00 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 10:11:50 PM	14	mg/l
ZONA ALPROM	Temp	9/15/2016 10:11:40 PM	28	gradCels
ZONA ALPROM	pH	9/15/2016 10:10:50 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 10:09:10 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 10:09:09 PM	14	mg/l
ZONA ALPROM	Clor	9/15/2016 10:09:08 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 10:09:07 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 10:09:06 PM	28	gradCels
ZONA ALPROM	pH	9/15/2016 10:09:05 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 10:04:07 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 10:04:06 PM	14	mg/l
ZONA ALPROM	Clor	9/15/2016 10:03:27 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 10:03:26 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 10:03:25 PM	28	gradCels
ZONA ALPROM	pH	9/15/2016 10:03:24 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 9:59:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 9:59:20 PM	14	mg/l
ZONA ALPROM	Clor	9/15/2016 9:58:28 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 9:58:27 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 9:58:26 PM	28	gradCels
ZONA ALPROM	pH	9/15/2016 9:58:25 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 9:54:10 PM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 9:54:00 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 9:53:40 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 9:53:30 PM	14	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/15/2016 9:53:20 PM	28	gradCels
ZONA ALPROM	Cianuri	9/15/2016 9:53:10 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 9:53:09 PM	14	mg/l
ZONA ALPROM	Clor	9/15/2016 9:53:08 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 9:53:07 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 9:53:06 PM	28	gradCels
ZONA ALPROM	pH	9/15/2016 9:53:05 PM	8	unit pH
ZONA ALPROM	pH	9/15/2016 9:52:40 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 9:48:20 PM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 9:47:34 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 9:47:33 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 9:47:32 PM	14	mg/l
ZONA ALPROM	Temp	9/15/2016 9:47:31 PM	28	gradCels
ZONA ALPROM	pH	9/15/2016 9:47:28 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 9:42:05 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 9:42:04 PM	14	mg/l
ZONA ALPROM	Clor	9/15/2016 9:42:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 9:42:02 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 9:42:01 PM	28	gradCels
ZONA ALPROM	pH	9/15/2016 9:42:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 9:37:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 9:37:20 PM	14	mg/l
ZONA ALPROM	Clor	9/15/2016 9:36:25 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 9:36:24 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 9:36:23 PM	28	gradCels
ZONA ALPROM	pH	9/15/2016 9:36:22 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 9:34:30 PM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 9:34:20 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 9:34:00 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 9:33:50 PM	14	mg/l
ZONA ALPROM	Temp	9/15/2016 9:33:40 PM	28	gradCels
ZONA ALPROM	pH	9/15/2016 9:33:30 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 9:31:05 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 9:31:04 PM	14	mg/l
ZONA ALPROM	Clor	9/15/2016 9:31:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 9:31:02 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 9:31:01 PM	28	gradCels
ZONA ALPROM	pH	9/15/2016 9:31:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 9:26:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 9:26:20 PM	14	mg/l
ZONA ALPROM	Clor	9/15/2016 9:25:29 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 9:25:28 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 9:25:27 PM	28	gradCels
ZONA ALPROM	pH	9/15/2016 9:25:26 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 9:20:05 PM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 9:20:04 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 9:20:03 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 9:20:02 PM	14	mg/l
ZONA ALPROM	Temp	9/15/2016 9:20:01 PM	28	gradCels
ZONA ALPROM	pH	9/15/2016 9:20:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 9:15:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 9:15:20 PM	14	mg/l
ZONA ALPROM	Clor	9/15/2016 9:14:30 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 9:14:29 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 9:14:28 PM	28	gradCels
ZONA ALPROM	pH	9/15/2016 9:14:27 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 9:14:00 PM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 9:13:50 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 9:13:30 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 9:13:00 PM	14	mg/l
ZONA ALPROM	Temp	9/15/2016 9:12:50 PM	28	gradCels
ZONA ALPROM	pH	9/15/2016 9:12:40 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 9:09:06 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 9:09:05 PM	14	mg/l
ZONA ALPROM	Clor	9/15/2016 9:08:47 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 9:08:46 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/15/2016 9:08:45 PM	28	gradCels
ZONA ALPROM	pH	9/15/2016 9:08:44 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 9:04:01 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 9:04:00 PM	14	mg/l
ZONA ALPROM	Clor	9/15/2016 9:03:23 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 9:03:22 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 9:03:21 PM	28	gradCels
ZONA ALPROM	pH	9/15/2016 9:03:20 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 8:58:06 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 8:58:05 PM	14	mg/l
ZONA ALPROM	Clor	9/15/2016 8:57:47 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 8:57:46 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 8:57:45 PM	28	gradCels
ZONA ALPROM	pH	9/15/2016 8:57:44 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 8:56:00 PM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 8:55:50 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 8:55:30 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 8:55:20 PM	14	mg/l
ZONA ALPROM	Temp	9/15/2016 8:55:10 PM	28	gradCels
ZONA ALPROM	pH	9/15/2016 8:55:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 8:53:01 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 8:53:00 PM	14	mg/l
ZONA ALPROM	Clor	9/15/2016 8:52:48 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 8:52:47 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 8:52:46 PM	28	gradCels
ZONA ALPROM	pH	9/15/2016 8:52:45 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 8:48:00 PM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 8:47:12 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 8:47:11 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 8:47:10 PM	14	mg/l
ZONA ALPROM	Temp	9/15/2016 8:47:09 PM	28	gradCels
ZONA ALPROM	pH	9/15/2016 8:47:08 PM	8	unit pH
ZONA ALPROM	Substante organice	9/15/2016 8:42:21 PM	14	mg/l
ZONA ALPROM	Cianuri	9/15/2016 8:42:20 PM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 8:41:48 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 8:41:47 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 8:41:46 PM	28	gradCels
ZONA ALPROM	pH	9/15/2016 8:41:45 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 8:37:01 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 8:37:00 PM	14	mg/l
ZONA ALPROM	Cianuri	9/15/2016 8:36:50 PM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 8:36:40 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 8:36:20 PM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 8:36:11 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 8:36:10 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 8:36:09 PM	28	gradCels
ZONA ALPROM	pH	9/15/2016 8:36:08 PM	8	unit pH
ZONA ALPROM	Substante organice	9/15/2016 8:35:50 PM	14	mg/l
ZONA ALPROM	Temp	9/15/2016 8:35:20 PM	28	gradCels
ZONA ALPROM	pH	9/15/2016 8:35:10 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 8:31:21 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 8:31:20 PM	14	mg/l
ZONA ALPROM	Clor	9/15/2016 8:30:48 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 8:30:47 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 8:30:46 PM	28	gradCels
ZONA ALPROM	pH	9/15/2016 8:30:45 PM	8	unit pH
ZONA ALPROM	Substante organice	9/15/2016 8:26:01 PM	14	mg/l
ZONA ALPROM	Cianuri	9/15/2016 8:26:00 PM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 8:25:10 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 8:25:09 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 8:25:08 PM	28	gradCels
ZONA ALPROM	pH	9/15/2016 8:25:07 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 8:20:00 PM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 8:19:49 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 8:19:48 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 8:19:47 PM	14	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/15/2016 8:19:46 PM	28	gradCels
ZONA ALPROM	pH	9/15/2016 8:19:45 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 8:18:30 PM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 8:18:20 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 8:17:50 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 8:17:40 PM	14	mg/l
ZONA ALPROM	Temp	9/15/2016 8:17:30 PM	28	gradCels
ZONA ALPROM	pH	9/15/2016 8:17:20 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 8:14:09 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 8:14:08 PM	14	mg/l
ZONA ALPROM	Clor	9/15/2016 8:14:07 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 8:14:06 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 8:14:05 PM	28	gradCels
ZONA ALPROM	pH	9/15/2016 8:14:04 PM	8	unit pH
ZONA ALPROM	Substante organice	9/15/2016 8:09:05 PM	14	mg/l
ZONA ALPROM	Cianuri	9/15/2016 8:09:04 PM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 8:09:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 8:09:02 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 8:09:01 PM	28	gradCels
ZONA ALPROM	pH	9/15/2016 8:09:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 8:04:11 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 8:04:10 PM	14	mg/l
ZONA ALPROM	Clor	9/15/2016 8:04:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 8:04:02 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 8:04:01 PM	28	gradCels
ZONA ALPROM	pH	9/15/2016 8:04:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 8:00:40 PM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 8:00:30 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 8:00:10 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 7:59:50 PM	14	mg/l
ZONA ALPROM	Temp	9/15/2016 7:59:40 PM	28	gradCels
ZONA ALPROM	pH	9/15/2016 7:59:30 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 7:59:22 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 7:59:21 PM	14	mg/l
ZONA ALPROM	Clor	9/15/2016 7:59:14 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 7:59:13 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 7:59:12 PM	28	gradCels
ZONA ALPROM	pH	9/15/2016 7:59:11 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 7:54:06 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 7:54:05 PM	14	mg/l
ZONA ALPROM	Clor	9/15/2016 7:53:38 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 7:53:37 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 7:53:36 PM	28	gradCels
ZONA ALPROM	pH	9/15/2016 7:53:35 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 7:48:22 PM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 7:48:13 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 7:48:12 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 7:48:11 PM	14	mg/l
ZONA ALPROM	Temp	9/15/2016 7:48:10 PM	28	gradCels
ZONA ALPROM	pH	9/15/2016 7:48:09 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 7:43:25 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 7:43:24 PM	15	mg/l
ZONA ALPROM	Cianuri	9/15/2016 7:42:40 PM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 7:42:35 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 7:42:34 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 7:42:33 PM	28	gradCels
ZONA ALPROM	pH	9/15/2016 7:42:32 PM	8	unit pH
ZONA ALPROM	Clor	9/15/2016 7:42:00 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 7:41:40 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 7:41:30 PM	15	mg/l
ZONA ALPROM	Temp	9/15/2016 7:41:20 PM	28	gradCels
ZONA ALPROM	pH	9/15/2016 7:41:10 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 7:37:15 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 7:37:14 PM	15	mg/l
ZONA ALPROM	Clor	9/15/2016 7:37:12 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 7:37:11 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/15/2016 7:37:10 PM	28	gradCels
ZONA ALPROM	pH	9/15/2016 7:37:09 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 7:32:23 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 7:32:22 PM	15	mg/l
ZONA ALPROM	Clor	9/15/2016 7:31:32 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 7:31:31 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 7:31:30 PM	28	gradCels
ZONA ALPROM	pH	9/15/2016 7:31:29 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 7:26:19 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 7:26:18 PM	15	mg/l
ZONA ALPROM	Clor	9/15/2016 7:26:11 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 7:26:10 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 7:26:09 PM	28	gradCels
ZONA ALPROM	pH	9/15/2016 7:26:08 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 7:22:40 PM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 7:22:30 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 7:22:10 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 7:22:00 PM	15	mg/l
ZONA ALPROM	Temp	9/15/2016 7:21:50 PM	28	gradCels
ZONA ALPROM	pH	9/15/2016 7:21:40 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 7:21:21 PM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 7:20:35 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 7:20:33 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 7:20:32 PM	15	mg/l
ZONA ALPROM	Temp	9/15/2016 7:20:31 PM	28	gradCels
ZONA ALPROM	pH	9/15/2016 7:20:30 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 7:15:19 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 7:15:17 PM	15	mg/l
ZONA ALPROM	Clor	9/15/2016 7:15:12 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 7:15:11 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 7:15:10 PM	28	gradCels
ZONA ALPROM	pH	9/15/2016 7:15:09 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 7:10:23 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 7:10:22 PM	15	mg/l
ZONA ALPROM	Clor	9/15/2016 7:09:32 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 7:09:31 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 7:09:30 PM	28	gradCels
ZONA ALPROM	pH	9/15/2016 7:09:29 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 7:04:40 PM	0	mg/l
ZONA ALPROM	Cianuri	9/15/2016 7:04:15 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 7:04:14 PM	15	mg/l
ZONA ALPROM	Clor	9/15/2016 7:04:09 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 7:04:08 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 7:04:07 PM	28	gradCels
ZONA ALPROM	pH	9/15/2016 7:04:06 PM	8	unit pH
ZONA ALPROM	Clor	9/15/2016 7:03:20 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 7:02:50 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 7:02:40 PM	15	mg/l
ZONA ALPROM	Temp	9/15/2016 7:02:30 PM	28	gradCels
ZONA ALPROM	pH	9/15/2016 7:02:10 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 6:59:26 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 6:59:25 PM	15	mg/l
ZONA ALPROM	Clor	9/15/2016 6:58:28 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 6:58:27 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 6:58:26 PM	28	gradCels
ZONA ALPROM	pH	9/15/2016 6:58:25 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 6:53:15 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 6:53:14 PM	15	mg/l
ZONA ALPROM	Clor	9/15/2016 6:53:08 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 6:53:07 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 6:53:06 PM	28	gradCels
ZONA ALPROM	pH	9/15/2016 6:53:05 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 6:48:27 PM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 6:47:33 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 6:47:32 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 6:47:31 PM	15	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/15/2016 6:47:30 PM	28	gradCels
ZONA ALPROM	pH	9/15/2016 6:47:29 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 6:44:10 PM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 6:44:00 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 6:43:40 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 6:43:30 PM	15	mg/l
ZONA ALPROM	Temp	9/15/2016 6:43:20 PM	28	gradCels
ZONA ALPROM	pH	9/15/2016 6:43:10 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 6:42:09 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 6:42:08 PM	15	mg/l
ZONA ALPROM	Clor	9/15/2016 6:42:07 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 6:42:06 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 6:42:05 PM	28	gradCels
ZONA ALPROM	pH	9/15/2016 6:42:04 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 6:37:23 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 6:37:22 PM	15	mg/l
ZONA ALPROM	Clor	9/15/2016 6:36:33 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 6:36:32 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 6:36:31 PM	28	gradCels
ZONA ALPROM	pH	9/15/2016 6:36:30 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 6:31:11 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 6:31:09 PM	15	mg/l
ZONA ALPROM	Clor	9/15/2016 6:31:07 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 6:31:06 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 6:31:05 PM	28	gradCels
ZONA ALPROM	pH	9/15/2016 6:31:04 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 6:26:40 PM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 6:26:30 PM	0	mg/l
ZONA ALPROM	Cianuri	9/15/2016 6:26:08 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 6:26:07 PM	15	mg/l
ZONA ALPROM	Grasimi	9/15/2016 6:25:30 PM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 6:25:27 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 6:25:26 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 6:25:25 PM	28	gradCels
ZONA ALPROM	pH	9/15/2016 6:25:24 PM	8	unit pH
ZONA ALPROM	Substante organice	9/15/2016 6:25:10 PM	15	mg/l
ZONA ALPROM	Temp	9/15/2016 6:24:40 PM	28	gradCels
ZONA ALPROM	pH	9/15/2016 6:24:30 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 6:20:10 PM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 6:20:08 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 6:20:07 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 6:20:06 PM	15	mg/l
ZONA ALPROM	Temp	9/15/2016 6:20:05 PM	28	gradCels
ZONA ALPROM	pH	9/15/2016 6:20:04 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 6:15:07 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 6:15:06 PM	15	mg/l
ZONA ALPROM	Clor	9/15/2016 6:14:32 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 6:14:31 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 6:14:30 PM	28	gradCels
ZONA ALPROM	pH	9/15/2016 6:14:29 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 6:09:05 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 6:09:04 PM	15	mg/l
ZONA ALPROM	Clor	9/15/2016 6:08:52 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 6:08:51 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 6:08:50 PM	28	gradCels
ZONA ALPROM	pH	9/15/2016 6:08:49 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 6:07:20 PM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 6:06:50 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 6:06:30 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 6:06:20 PM	15	mg/l
ZONA ALPROM	Temp	9/15/2016 6:06:10 PM	28	gradCels
ZONA ALPROM	pH	9/15/2016 6:05:50 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 6:04:06 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 6:04:04 PM	15	mg/l
ZONA ALPROM	Clor	9/15/2016 6:03:27 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 6:03:26 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/15/2016 6:03:25 PM	28	gradCels
ZONA ALPROM	pH	9/15/2016 6:03:24 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 5:58:01 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 5:58:00 PM	15	mg/l
ZONA ALPROM	Clor	9/15/2016 5:57:51 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 5:57:50 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 5:57:49 PM	28	gradCels
ZONA ALPROM	pH	9/15/2016 5:57:48 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 5:53:06 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 5:53:05 PM	15	mg/l
ZONA ALPROM	Clor	9/15/2016 5:52:27 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 5:52:26 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 5:52:25 PM	28	gradCels
ZONA ALPROM	pH	9/15/2016 5:52:24 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 5:48:50 PM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 5:48:40 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 5:48:20 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 5:48:10 PM	15	mg/l
ZONA ALPROM	Temp	9/15/2016 5:47:50 PM	28	gradCels
ZONA ALPROM	pH	9/15/2016 5:47:40 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 5:47:25 PM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 5:46:48 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 5:46:47 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 5:46:46 PM	15	mg/l
ZONA ALPROM	Temp	9/15/2016 5:46:45 PM	28	gradCels
ZONA ALPROM	pH	9/15/2016 5:46:44 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 5:42:03 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 5:42:02 PM	15	mg/l
ZONA ALPROM	Clor	9/15/2016 5:41:27 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 5:41:26 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 5:41:25 PM	28	gradCels
ZONA ALPROM	pH	9/15/2016 5:41:24 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 5:36:26 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 5:36:25 PM	15	mg/l
ZONA ALPROM	Clor	9/15/2016 5:35:48 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 5:35:47 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 5:35:46 PM	28	gradCels
ZONA ALPROM	pH	9/15/2016 5:35:45 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 5:31:06 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 5:31:05 PM	15	mg/l
ZONA ALPROM	Cianuri	9/15/2016 5:30:50 PM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 5:30:28 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 5:30:27 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 5:30:26 PM	28	gradCels
ZONA ALPROM	pH	9/15/2016 5:30:25 PM	8	unit pH
ZONA ALPROM	Clor	9/15/2016 5:29:50 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 5:29:10 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 5:28:50 PM	15	mg/l
ZONA ALPROM	Temp	9/15/2016 5:28:20 PM	27	gradCels
ZONA ALPROM	pH	9/15/2016 5:28:10 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 5:25:23 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 5:25:22 PM	15	mg/l
ZONA ALPROM	Clor	9/15/2016 5:24:48 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 5:24:47 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 5:24:46 PM	27	gradCels
ZONA ALPROM	pH	9/15/2016 5:24:45 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 5:20:04 PM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 5:19:24 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 5:19:23 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 5:19:22 PM	15	mg/l
ZONA ALPROM	Temp	9/15/2016 5:19:21 PM	27	gradCels
ZONA ALPROM	pH	9/15/2016 5:19:20 PM	8	unit pH
ZONA ALPROM	Substante organice	9/15/2016 5:14:23 PM	15	mg/l
ZONA ALPROM	Cianuri	9/15/2016 5:14:22 PM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 5:13:48 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 5:13:47 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/15/2016 5:13:46 PM	27	gradCels
ZONA ALPROM	pH	9/15/2016 5:13:45 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 5:11:30 PM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 5:11:20 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 5:10:30 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 5:10:20 PM	15	mg/l
ZONA ALPROM	Temp	9/15/2016 5:10:10 PM	27	gradCels
ZONA ALPROM	pH	9/15/2016 5:10:00 PM	8	unit pH
ZONA ALPROM	Substante organice	9/15/2016 5:09:05 PM	15	mg/l
ZONA ALPROM	Cianuri	9/15/2016 5:09:04 PM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 5:08:23 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 5:08:22 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 5:08:21 PM	27	gradCels
ZONA ALPROM	pH	9/15/2016 5:08:20 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 5:03:02 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 5:03:01 PM	15	mg/l
ZONA ALPROM	Clor	9/15/2016 5:02:48 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 5:02:47 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 5:02:46 PM	27	gradCels
ZONA ALPROM	pH	9/15/2016 5:02:45 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 4:58:05 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 4:58:04 PM	15	mg/l
ZONA ALPROM	Clor	9/15/2016 4:57:11 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 4:57:10 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 4:57:09 PM	27	gradCels
ZONA ALPROM	pH	9/15/2016 4:57:08 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 4:52:06 PM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 4:51:44 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 4:51:43 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 4:51:42 PM	15	mg/l
ZONA ALPROM	Temp	9/15/2016 4:51:41 PM	27	gradCels
ZONA ALPROM	pH	9/15/2016 4:51:40 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 4:50:50 PM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 4:50:20 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 4:49:40 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 4:49:30 PM	15	mg/l
ZONA ALPROM	Temp	9/15/2016 4:49:20 PM	27	gradCels
ZONA ALPROM	pH	9/15/2016 4:49:10 PM	8	unit pH
ZONA ALPROM	Substante organice	9/15/2016 4:47:26 PM	15	mg/l
ZONA ALPROM	Cianuri	9/15/2016 4:47:25 PM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 4:46:16 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 4:46:15 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 4:46:14 PM	27	gradCels
ZONA ALPROM	pH	9/15/2016 4:46:13 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 4:41:02 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 4:41:00 PM	15	mg/l
ZONA ALPROM	Clor	9/15/2016 4:40:43 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 4:40:42 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 4:40:41 PM	27	gradCels
ZONA ALPROM	pH	9/15/2016 4:40:40 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 4:36:29 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 4:36:26 PM	15	mg/l
ZONA ALPROM	Clor	9/15/2016 4:35:15 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 4:35:14 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 4:35:13 PM	27	gradCels
ZONA ALPROM	pH	9/15/2016 4:35:12 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 4:31:10 PM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 4:30:50 PM	0	mg/l
ZONA ALPROM	Cianuri	9/15/2016 4:30:08 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 4:30:07 PM	15	mg/l
ZONA ALPROM	Grasimi	9/15/2016 4:29:40 PM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 4:29:33 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 4:29:32 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 4:29:31 PM	27	gradCels
ZONA ALPROM	pH	9/15/2016 4:29:30 PM	8	unit pH
ZONA ALPROM	Substante organice	9/15/2016 4:29:10 PM	15	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/15/2016 4:28:50 PM	27	gradCels
ZONA ALPROM	pH	9/15/2016 4:28:40 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 4:24:14 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 4:24:13 PM	15	mg/l
ZONA ALPROM	Clor	9/15/2016 4:24:12 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 4:24:11 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 4:24:10 PM	27	gradCels
ZONA ALPROM	pH	9/15/2016 4:24:09 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 4:19:07 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 4:19:05 PM	15	mg/l
ZONA ALPROM	Clor	9/15/2016 4:18:32 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 4:18:31 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 4:18:30 PM	27	gradCels
ZONA ALPROM	pH	9/15/2016 4:18:29 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 4:13:05 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 4:13:04 PM	15	mg/l
ZONA ALPROM	Clor	9/15/2016 4:13:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 4:13:02 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 4:13:01 PM	27	gradCels
ZONA ALPROM	pH	9/15/2016 4:13:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 4:10:50 PM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 4:10:40 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 4:10:20 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 4:10:10 PM	15	mg/l
ZONA ALPROM	Temp	9/15/2016 4:09:50 PM	27	gradCels
ZONA ALPROM	pH	9/15/2016 4:09:40 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 4:08:05 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 4:08:02 PM	15	mg/l
ZONA ALPROM	Clor	9/15/2016 4:07:33 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 4:07:32 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 4:07:31 PM	27	gradCels
ZONA ALPROM	pH	9/15/2016 4:07:30 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 4:02:05 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 4:02:04 PM	15	mg/l
ZONA ALPROM	Clor	9/15/2016 4:02:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 4:02:02 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 4:02:01 PM	27	gradCels
ZONA ALPROM	pH	9/15/2016 4:02:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 3:57:01 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 3:57:00 PM	15	mg/l
ZONA ALPROM	Clor	9/15/2016 3:56:43 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 3:56:42 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 3:56:41 PM	27	gradCels
ZONA ALPROM	pH	9/15/2016 3:56:40 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 3:51:05 PM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 3:51:04 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 3:51:03 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 3:51:02 PM	15	mg/l
ZONA ALPROM	Temp	9/15/2016 3:51:01 PM	27	gradCels
ZONA ALPROM	pH	9/15/2016 3:51:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 3:49:30 PM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 3:49:20 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 3:48:40 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 3:48:30 PM	15	mg/l
ZONA ALPROM	Temp	9/15/2016 3:48:20 PM	27	gradCels
ZONA ALPROM	pH	9/15/2016 3:48:10 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 3:46:02 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 3:46:01 PM	15	mg/l
ZONA ALPROM	Clor	9/15/2016 3:45:43 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 3:45:42 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 3:45:41 PM	27	gradCels
ZONA ALPROM	pH	9/15/2016 3:45:40 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 3:40:05 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 3:40:04 PM	15	mg/l
ZONA ALPROM	Clor	9/15/2016 3:40:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 3:40:02 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/15/2016 3:40:01 PM	27	gradCels
ZONA ALPROM	pH	9/15/2016 3:40:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 3:35:06 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 3:35:04 PM	15	mg/l
ZONA ALPROM	Clor	9/15/2016 3:34:43 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 3:34:42 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 3:34:41 PM	27	gradCels
ZONA ALPROM	pH	9/15/2016 3:34:40 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 3:30:10 PM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 3:29:20 PM	0	mg/l
ZONA ALPROM	Cianuri	9/15/2016 3:29:11 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 3:29:10 PM	15	mg/l
ZONA ALPROM	Clor	9/15/2016 3:29:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 3:29:02 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 3:29:01 PM	27	gradCels
ZONA ALPROM	pH	9/15/2016 3:29:00 PM	8	unit pH
ZONA ALPROM	Grasimi	9/15/2016 3:28:40 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 3:28:30 PM	15	mg/l
ZONA ALPROM	Temp	9/15/2016 3:28:20 PM	27	gradCels
ZONA ALPROM	pH	9/15/2016 3:28:10 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 3:24:07 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 3:24:05 PM	15	mg/l
ZONA ALPROM	Clor	9/15/2016 3:23:43 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 3:23:42 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 3:23:41 PM	27	gradCels
ZONA ALPROM	pH	9/15/2016 3:23:40 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 3:18:12 PM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 3:18:05 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 3:18:04 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 3:18:03 PM	15	mg/l
ZONA ALPROM	Temp	9/15/2016 3:18:02 PM	26	gradCels
ZONA ALPROM	pH	9/15/2016 3:18:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 3:13:04 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 3:13:03 PM	15	mg/l
ZONA ALPROM	Clor	9/15/2016 3:12:43 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 3:12:42 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 3:12:41 PM	26	gradCels
ZONA ALPROM	pH	9/15/2016 3:12:40 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 3:10:10 PM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 3:09:50 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 3:09:30 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 3:09:00 PM	15	mg/l
ZONA ALPROM	Temp	9/15/2016 3:08:50 PM	26	gradCels
ZONA ALPROM	pH	9/15/2016 3:08:40 PM	8	unit pH
ZONA ALPROM	Substante organice	9/15/2016 3:07:15 PM	15	mg/l
ZONA ALPROM	Cianuri	9/15/2016 3:07:14 PM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 3:07:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 3:07:02 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 3:07:01 PM	26	gradCels
ZONA ALPROM	pH	9/15/2016 3:07:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 3:02:23 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 3:02:22 PM	15	mg/l
ZONA ALPROM	Clor	9/15/2016 3:01:23 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 3:01:22 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 3:01:21 PM	26	gradCels
ZONA ALPROM	pH	9/15/2016 3:01:20 PM	8	unit pH
ZONA ALPROM	Substante organice	9/15/2016 2:56:19 PM	15	mg/l
ZONA ALPROM	Cianuri	9/15/2016 2:56:18 PM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 2:56:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 2:56:02 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 2:56:01 PM	26	gradCels
ZONA ALPROM	pH	9/15/2016 2:56:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 2:52:20 PM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 2:52:10 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 2:51:50 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 2:51:40 PM	15	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Cianuri	9/15/2016 2:51:23 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 2:50:40 PM	26	gradCels
ZONA ALPROM	Clor	9/15/2016 2:50:24 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 2:50:23 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 2:50:22 PM	15	mg/l
ZONA ALPROM	Temp	9/15/2016 2:50:21 PM	26	gradCels
ZONA ALPROM	pH	9/15/2016 2:50:20 PM	8	unit pH
ZONA ALPROM	pH	9/15/2016 2:50:10 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 2:45:19 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 2:45:18 PM	15	mg/l
ZONA ALPROM	Clor	9/15/2016 2:45:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 2:45:02 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 2:45:01 PM	26	gradCels
ZONA ALPROM	pH	9/15/2016 2:45:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 2:40:24 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 2:40:22 PM	15	mg/l
ZONA ALPROM	Clor	9/15/2016 2:39:23 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 2:39:22 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 2:39:21 PM	26	gradCels
ZONA ALPROM	pH	9/15/2016 2:39:20 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 2:34:15 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 2:34:13 PM	15	mg/l
ZONA ALPROM	Clor	9/15/2016 2:34:04 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 2:34:03 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 2:34:01 PM	26	gradCels
ZONA ALPROM	pH	9/15/2016 2:34:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 2:33:30 PM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 2:33:20 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 2:32:50 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 2:32:40 PM	15	mg/l
ZONA ALPROM	Temp	9/15/2016 2:32:30 PM	26	gradCels
ZONA ALPROM	pH	9/15/2016 2:32:10 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 2:29:28 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 2:29:27 PM	15	mg/l
ZONA ALPROM	Clor	9/15/2016 2:28:23 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 2:28:22 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 2:28:21 PM	26	gradCels
ZONA ALPROM	pH	9/15/2016 2:28:20 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 2:23:05 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 2:23:04 PM	15	mg/l
ZONA ALPROM	Clor	9/15/2016 2:22:43 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 2:22:42 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 2:22:41 PM	26	gradCels
ZONA ALPROM	pH	9/15/2016 2:22:40 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 2:18:07 PM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 2:17:24 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 2:17:23 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 2:17:22 PM	15	mg/l
ZONA ALPROM	Temp	9/15/2016 2:17:21 PM	26	gradCels
ZONA ALPROM	pH	9/15/2016 2:17:20 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 2:14:10 PM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 2:13:50 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 2:13:30 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 2:13:20 PM	15	mg/l
ZONA ALPROM	Temp	9/15/2016 2:13:10 PM	26	gradCels
ZONA ALPROM	Cianuri	9/15/2016 2:12:01 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 2:12:00 PM	15	mg/l
ZONA ALPROM	Clor	9/15/2016 2:11:43 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 2:11:42 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 2:11:41 PM	26	gradCels
ZONA ALPROM	pH	9/15/2016 2:11:40 PM	8	unit pH
ZONA ALPROM	pH	9/15/2016 2:11:30 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 2:07:08 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 2:07:07 PM	15	mg/l
ZONA ALPROM	Clor	9/15/2016 2:06:43 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 2:06:42 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/15/2016 2:06:41 PM	26	gradCels
ZONA ALPROM	pH	9/15/2016 2:06:40 PM	8	unit pH
ZONA ALPROM	Substante organice	9/15/2016 2:02:02 PM	15	mg/l
ZONA ALPROM	Cianuri	9/15/2016 2:02:01 PM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 2:01:23 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 2:01:22 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 2:01:21 PM	26	gradCels
ZONA ALPROM	pH	9/15/2016 2:01:20 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 1:56:13 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 1:56:12 PM	15	mg/l
ZONA ALPROM	Clor	9/15/2016 1:55:43 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 1:55:42 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 1:55:41 PM	26	gradCels
ZONA ALPROM	pH	9/15/2016 1:55:40 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 1:53:40 PM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 1:53:30 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 1:52:50 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 1:52:40 PM	15	mg/l
ZONA ALPROM	Temp	9/15/2016 1:52:30 PM	26	gradCels
ZONA ALPROM	pH	9/15/2016 1:52:20 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 1:51:01 PM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 1:50:06 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 1:50:05 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 1:50:04 PM	15	mg/l
ZONA ALPROM	Temp	9/15/2016 1:50:03 PM	26	gradCels
ZONA ALPROM	pH	9/15/2016 1:50:02 PM	8	unit pH
ZONA ALPROM	Substante organice	9/15/2016 1:45:12 PM	15	mg/l
ZONA ALPROM	Cianuri	9/15/2016 1:45:11 PM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 1:44:43 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 1:44:42 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 1:44:41 PM	26	gradCels
ZONA ALPROM	pH	9/15/2016 1:44:40 PM	8	unit pH
ZONA ALPROM	Substante organice	9/15/2016 1:40:03 PM	15	mg/l
ZONA ALPROM	Cianuri	9/15/2016 1:40:02 PM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 1:39:24 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 1:39:23 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 1:39:22 PM	26	gradCels
ZONA ALPROM	pH	9/15/2016 1:39:21 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 1:34:30 PM	0	mg/l
ZONA ALPROM	Cianuri	9/15/2016 1:34:15 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 1:34:14 PM	15	mg/l
ZONA ALPROM	Clor	9/15/2016 1:34:04 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 1:34:03 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 1:34:02 PM	26	gradCels
ZONA ALPROM	pH	9/15/2016 1:34:01 PM	8	unit pH
ZONA ALPROM	Clor	9/15/2016 1:33:00 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 1:32:40 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 1:32:30 PM	15	mg/l
ZONA ALPROM	Temp	9/15/2016 1:32:20 PM	26	gradCels
ZONA ALPROM	pH	9/15/2016 1:32:10 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 1:29:01 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 1:29:00 PM	15	mg/l
ZONA ALPROM	Clor	9/15/2016 1:28:27 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 1:28:26 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 1:28:25 PM	26	gradCels
ZONA ALPROM	pH	9/15/2016 1:28:24 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 1:23:15 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 1:23:14 PM	15	mg/l
ZONA ALPROM	Clor	9/15/2016 1:23:04 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 1:23:03 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 1:23:02 PM	26	gradCels
ZONA ALPROM	pH	9/15/2016 1:23:01 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 1:17:26 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 1:17:25 PM	15	mg/l
ZONA ALPROM	Clor	9/15/2016 1:17:24 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 1:17:23 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/15/2016 1:17:22 PM	26	gradCels
ZONA ALPROM	pH	9/15/2016 1:17:21 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 1:13:40 PM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 1:13:30 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 1:12:50 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 1:12:40 PM	15	mg/l
ZONA ALPROM	Temp	9/15/2016 1:12:30 PM	26	gradCels
ZONA ALPROM	Cianuri	9/15/2016 1:12:11 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 1:12:10 PM	15	mg/l
ZONA ALPROM	Clor	9/15/2016 1:12:04 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 1:12:03 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 1:12:02 PM	26	gradCels
ZONA ALPROM	pH	9/15/2016 1:12:01 PM	8	unit pH
ZONA ALPROM	pH	9/15/2016 1:11:20 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 1:06:26 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 1:06:25 PM	15	mg/l
ZONA ALPROM	Clor	9/15/2016 1:06:24 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 1:06:23 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 1:06:22 PM	26	gradCels
ZONA ALPROM	pH	9/15/2016 1:06:21 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 1:01:02 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 1:01:01 PM	15	mg/l
ZONA ALPROM	Clor	9/15/2016 1:00:49 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 1:00:48 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 1:00:47 PM	26	gradCels
ZONA ALPROM	pH	9/15/2016 1:00:46 PM	8	unit pH
ZONA ALPROM	Substante organice	9/15/2016 12:55:32 PM	15	mg/l
ZONA ALPROM	Cianuri	9/15/2016 12:55:31 PM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 12:55:29 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 12:55:28 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 12:55:27 PM	26	gradCels
ZONA ALPROM	pH	9/15/2016 12:55:26 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 12:52:30 PM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 12:52:20 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 12:51:50 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 12:51:40 PM	15	mg/l
ZONA ALPROM	Temp	9/15/2016 12:51:30 PM	26	gradCels
ZONA ALPROM	pH	9/15/2016 12:50:50 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 12:50:12 PM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 12:50:10 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 12:50:09 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 12:50:08 PM	15	mg/l
ZONA ALPROM	pH	9/15/2016 12:50:07 PM	8	unit pH
ZONA ALPROM	Temp	9/15/2016 12:50:06 PM	26	gradCels
ZONA ALPROM	Cianuri	9/15/2016 12:45:05 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 12:45:04 PM	15	mg/l
ZONA ALPROM	Clor	9/15/2016 12:45:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 12:45:02 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 12:45:01 PM	26	gradCels
ZONA ALPROM	pH	9/15/2016 12:45:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 12:40:01 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 12:40:00 PM	15	mg/l
ZONA ALPROM	Clor	9/15/2016 12:39:44 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 12:39:43 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 12:39:41 PM	26	gradCels
ZONA ALPROM	pH	9/15/2016 12:39:40 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 12:34:05 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 12:34:04 PM	15	mg/l
ZONA ALPROM	Clor	9/15/2016 12:34:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 12:34:02 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 12:34:01 PM	26	gradCels
ZONA ALPROM	pH	9/15/2016 12:34:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 12:31:40 PM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 12:31:30 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 12:31:10 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 12:30:50 PM	15	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/15/2016 12:30:30 PM	26	gradCels
ZONA ALPROM	pH	9/15/2016 12:30:20 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 12:29:01 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 12:29:00 PM	15	mg/l
ZONA ALPROM	Clor	9/15/2016 12:28:43 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 12:28:42 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 12:28:41 PM	26	gradCels
ZONA ALPROM	pH	9/15/2016 12:28:40 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 12:23:05 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 12:23:04 PM	15	mg/l
ZONA ALPROM	Clor	9/15/2016 12:23:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 12:23:02 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 12:23:01 PM	26	gradCels
ZONA ALPROM	pH	9/15/2016 12:23:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 12:18:00 PM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 12:17:44 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 12:17:43 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 12:17:42 PM	15	mg/l
ZONA ALPROM	Temp	9/15/2016 12:17:41 PM	26	gradCels
ZONA ALPROM	pH	9/15/2016 12:17:40 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 12:12:09 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 12:12:07 PM	15	mg/l
ZONA ALPROM	Clor	9/15/2016 12:12:05 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 12:12:03 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 12:12:01 PM	26	gradCels
ZONA ALPROM	pH	9/15/2016 12:12:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 12:10:40 PM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 12:10:30 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 12:10:00 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 12:09:50 PM	15	mg/l
ZONA ALPROM	Temp	9/15/2016 12:09:40 PM	26	gradCels
ZONA ALPROM	pH	9/15/2016 12:09:30 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 12:07:05 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 12:07:04 PM	15	mg/l
ZONA ALPROM	Clor	9/15/2016 12:06:43 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 12:06:42 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 12:06:41 PM	26	gradCels
ZONA ALPROM	pH	9/15/2016 12:06:40 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 12:01:05 PM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 12:01:04 PM	15	mg/l
ZONA ALPROM	Clor	9/15/2016 12:01:03 PM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 12:01:02 PM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 12:01:01 PM	26	gradCels
ZONA ALPROM	pH	9/15/2016 12:01:00 PM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 11:56:05 AM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 11:56:04 AM	15	mg/l
ZONA ALPROM	Clor	9/15/2016 11:55:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 11:55:22 AM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 11:55:21 AM	26	gradCels
ZONA ALPROM	pH	9/15/2016 11:55:20 AM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 11:51:50 AM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 11:51:40 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 11:51:20 AM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 11:51:10 AM	15	mg/l
ZONA ALPROM	Temp	9/15/2016 11:50:50 AM	26	gradCels
ZONA ALPROM	pH	9/15/2016 11:50:20 AM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 11:50:05 AM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 11:50:04 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 11:50:03 AM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 11:50:02 AM	15	mg/l
ZONA ALPROM	Temp	9/15/2016 11:50:01 AM	26	gradCels
ZONA ALPROM	pH	9/15/2016 11:50:00 AM	8	unit pH
ZONA ALPROM	Substante organice	9/15/2016 11:45:05 AM	15	mg/l
ZONA ALPROM	Cianuri	9/15/2016 11:45:04 AM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 11:44:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 11:44:22 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/15/2016 11:44:21 AM	26	gradCels
ZONA ALPROM	pH	9/15/2016 11:44:20 AM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 11:39:05 AM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 11:39:04 AM	15	mg/l
ZONA ALPROM	Clor	9/15/2016 11:39:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 11:39:02 AM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 11:39:01 AM	26	gradCels
ZONA ALPROM	pH	9/15/2016 11:39:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 11:34:06 AM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 11:34:05 AM	15	mg/l
ZONA ALPROM	Clor	9/15/2016 11:33:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 11:33:22 AM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 11:33:21 AM	26	gradCels
ZONA ALPROM	pH	9/15/2016 11:33:20 AM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 11:30:50 AM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 11:30:40 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 11:30:10 AM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 11:29:40 AM	15	mg/l
ZONA ALPROM	Temp	9/15/2016 11:29:30 AM	26	gradCels
ZONA ALPROM	pH	9/15/2016 11:29:20 AM	8	unit pH
ZONA ALPROM	Substante organice	9/15/2016 11:29:01 AM	15	mg/l
ZONA ALPROM	Cianuri	9/15/2016 11:29:00 AM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 11:28:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 11:28:22 AM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 11:28:21 AM	26	gradCels
ZONA ALPROM	pH	9/15/2016 11:28:20 AM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 11:23:09 AM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 11:23:08 AM	15	mg/l
ZONA ALPROM	Clor	9/15/2016 11:23:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 11:23:02 AM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 11:23:01 AM	26	gradCels
ZONA ALPROM	pH	9/15/2016 11:23:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 11:18:00 AM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 11:17:24 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 11:17:23 AM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 11:17:22 AM	15	mg/l
ZONA ALPROM	Temp	9/15/2016 11:17:21 AM	26	gradCels
ZONA ALPROM	pH	9/15/2016 11:17:20 AM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 11:12:20 AM	0	mg/l
ZONA ALPROM	Cianuri	9/15/2016 11:12:09 AM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 11:12:08 AM	15	mg/l
ZONA ALPROM	Clor	9/15/2016 11:12:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 11:12:02 AM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 11:12:01 AM	26	gradCels
ZONA ALPROM	pH	9/15/2016 11:12:00 AM	8	unit pH
ZONA ALPROM	Clor	9/15/2016 11:11:40 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 11:11:20 AM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 11:11:10 AM	15	mg/l
ZONA ALPROM	Temp	9/15/2016 11:09:50 AM	26	gradCels
ZONA ALPROM	pH	9/15/2016 11:09:20 AM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 11:07:01 AM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 11:07:00 AM	15	mg/l
ZONA ALPROM	Clor	9/15/2016 11:06:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 11:06:22 AM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 11:06:21 AM	26	gradCels
ZONA ALPROM	pH	9/15/2016 11:06:20 AM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 11:05:27 AM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 11:05:26 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 11:05:25 AM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 11:05:24 AM	15	mg/l
ZONA ALPROM	Temp	9/15/2016 11:05:23 AM	26	gradCels
ZONA ALPROM	pH	9/15/2016 11:05:22 AM	8	unit pH
ZONA ALPROM	Substante organice	9/15/2016 11:01:01 AM	15	mg/l
ZONA ALPROM	Cianuri	9/15/2016 11:01:00 AM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 11:00:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 11:00:42 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/15/2016 11:00:41 AM	26	gradCels
ZONA ALPROM	pH	9/15/2016 11:00:40 AM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 10:56:01 AM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 10:56:00 AM	15	mg/l
ZONA ALPROM	Clor	9/15/2016 10:55:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 10:55:22 AM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 10:55:21 AM	26	gradCels
ZONA ALPROM	pH	9/15/2016 10:55:20 AM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 10:52:10 AM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 10:51:50 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 10:51:20 AM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 10:51:10 AM	15	mg/l
ZONA ALPROM	Temp	9/15/2016 10:51:00 AM	26	gradCels
ZONA ALPROM	pH	9/15/2016 10:50:50 AM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 10:50:02 AM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 10:50:00 AM	15	mg/l
ZONA ALPROM	Clor	9/15/2016 10:49:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 10:49:42 AM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 10:49:41 AM	26	gradCels
ZONA ALPROM	pH	9/15/2016 10:49:40 AM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 10:45:01 AM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 10:45:00 AM	15	mg/l
ZONA ALPROM	Clor	9/15/2016 10:44:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 10:44:22 AM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 10:44:21 AM	26	gradCels
ZONA ALPROM	pH	9/15/2016 10:44:20 AM	8	unit pH
ZONA ALPROM	Substante organice	9/15/2016 10:39:01 AM	15	mg/l
ZONA ALPROM	Cianuri	9/15/2016 10:39:00 AM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 10:38:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 10:38:42 AM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 10:38:41 AM	26	gradCels
ZONA ALPROM	pH	9/15/2016 10:38:40 AM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 10:34:30 AM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 10:34:20 AM	0	mg/l
ZONA ALPROM	Cianuri	9/15/2016 10:34:01 AM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 10:34:00 AM	15	mg/l
ZONA ALPROM	Grasimi	9/15/2016 10:33:50 AM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 10:33:40 AM	15	mg/l
ZONA ALPROM	Temp	9/15/2016 10:33:30 AM	26	gradCels
ZONA ALPROM	Clor	9/15/2016 10:33:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 10:33:22 AM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 10:33:21 AM	26	gradCels
ZONA ALPROM	pH	9/15/2016 10:33:20 AM	8	unit pH
ZONA ALPROM	pH	9/15/2016 10:32:50 AM	8	unit pH
ZONA ALPROM	Substante organice	9/15/2016 10:28:00 AM	15	mg/l
ZONA ALPROM	Cianuri	9/15/2016 10:27:44 AM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 10:27:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 10:27:42 AM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 10:27:41 AM	26	gradCels
ZONA ALPROM	pH	9/15/2016 10:27:40 AM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 10:22:08 AM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 10:22:07 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 10:22:06 AM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 10:22:05 AM	15	mg/l
ZONA ALPROM	Temp	9/15/2016 10:22:04 AM	26	gradCels
ZONA ALPROM	pH	9/15/2016 10:22:03 AM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 10:17:01 AM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 10:17:00 AM	15	mg/l
ZONA ALPROM	Clor	9/15/2016 10:16:44 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 10:16:43 AM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 10:16:42 AM	26	gradCels
ZONA ALPROM	pH	9/15/2016 10:16:40 AM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 10:15:50 AM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 10:14:40 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 10:14:20 AM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 10:14:10 AM	15	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/15/2016 10:13:50 AM	26	gradCels
ZONA ALPROM	pH	9/15/2016 10:13:40 AM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 10:12:01 AM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 10:12:00 AM	15	mg/l
ZONA ALPROM	Clor	9/15/2016 10:11:07 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 10:11:06 AM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 10:11:05 AM	26	gradCels
ZONA ALPROM	pH	9/15/2016 10:11:04 AM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 10:06:01 AM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 10:06:00 AM	15	mg/l
ZONA ALPROM	Clor	9/15/2016 10:05:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 10:05:42 AM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 10:05:41 AM	26	gradCels
ZONA ALPROM	pH	9/15/2016 10:05:40 AM	8	unit pH
ZONA ALPROM	Substante organice	9/15/2016 10:01:01 AM	15	mg/l
ZONA ALPROM	Cianuri	9/15/2016 10:01:00 AM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 10:00:04 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 10:00:03 AM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 10:00:02 AM	26	gradCels
ZONA ALPROM	pH	9/15/2016 10:00:01 AM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 9:57:20 AM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 9:57:10 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 9:56:20 AM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 9:56:10 AM	15	mg/l
ZONA ALPROM	Temp	9/15/2016 9:56:00 AM	26	gradCels
ZONA ALPROM	pH	9/15/2016 9:55:50 AM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 9:55:01 AM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 9:55:00 AM	15	mg/l
ZONA ALPROM	Clor	9/15/2016 9:54:46 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 9:54:45 AM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 9:54:44 AM	26	gradCels
ZONA ALPROM	pH	9/15/2016 9:54:43 AM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 9:50:01 AM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 9:50:00 AM	15	mg/l
ZONA ALPROM	Clor	9/15/2016 9:49:08 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 9:49:07 AM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 9:49:06 AM	26	gradCels
ZONA ALPROM	pH	9/15/2016 9:49:05 AM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 9:44:01 AM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 9:44:00 AM	15	mg/l
ZONA ALPROM	Clor	9/15/2016 9:43:46 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 9:43:45 AM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 9:43:44 AM	26	gradCels
ZONA ALPROM	pH	9/15/2016 9:43:43 AM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 9:39:01 AM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 9:39:00 AM	15	mg/l
ZONA ALPROM	Cianuri	9/15/2016 9:38:50 AM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 9:38:40 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 9:38:20 AM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 9:38:11 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 9:38:10 AM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 9:38:09 AM	26	gradCels
ZONA ALPROM	pH	9/15/2016 9:38:08 AM	8	unit pH
ZONA ALPROM	Substante organice	9/15/2016 9:37:50 AM	15	mg/l
ZONA ALPROM	Temp	9/15/2016 9:37:40 AM	26	gradCels
ZONA ALPROM	pH	9/15/2016 9:37:30 AM	8	unit pH
ZONA ALPROM	Substante organice	9/15/2016 9:33:00 AM	15	mg/l
ZONA ALPROM	Cianuri	9/15/2016 9:32:48 AM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 9:32:47 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 9:32:46 AM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 9:32:45 AM	26	gradCels
ZONA ALPROM	pH	9/15/2016 9:32:44 AM	8	unit pH
ZONA ALPROM	Substante organice	9/15/2016 9:28:00 AM	15	mg/l
ZONA ALPROM	Cianuri	9/15/2016 9:27:12 AM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 9:27:11 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 9:27:10 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/15/2016 9:27:09 AM	26	gradCels
ZONA ALPROM	pH	9/15/2016 9:27:08 AM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 9:21:49 AM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 9:21:48 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 9:21:46 AM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 9:21:45 AM	15	mg/l
ZONA ALPROM	Temp	9/15/2016 9:21:44 AM	26	gradCels
ZONA ALPROM	pH	9/15/2016 9:21:43 AM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 9:19:30 AM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 9:19:20 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 9:19:00 AM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 9:18:50 AM	15	mg/l
ZONA ALPROM	Temp	9/15/2016 9:18:40 AM	26	gradCels
ZONA ALPROM	pH	9/15/2016 9:18:30 AM	8	unit pH
ZONA ALPROM	Substante organice	9/15/2016 9:16:08 AM	15	mg/l
ZONA ALPROM	Cianuri	9/15/2016 9:16:07 AM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 9:16:06 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 9:16:05 AM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 9:16:04 AM	26	gradCels
ZONA ALPROM	pH	9/15/2016 9:16:03 AM	8	unit pH
ZONA ALPROM	Substante organice	9/15/2016 9:11:00 AM	15	mg/l
ZONA ALPROM	Cianuri	9/15/2016 9:10:44 AM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 9:10:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 9:10:42 AM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 9:10:41 AM	26	gradCels
ZONA ALPROM	pH	9/15/2016 9:10:40 AM	8	unit pH
ZONA ALPROM	Substante organice	9/15/2016 9:05:09 AM	15	mg/l
ZONA ALPROM	Cianuri	9/15/2016 9:05:08 AM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 9:05:07 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 9:05:06 AM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 9:05:05 AM	26	gradCels
ZONA ALPROM	pH	9/15/2016 9:05:04 AM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 9:00:40 AM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 9:00:30 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 9:00:10 AM	0	mg/l
ZONA ALPROM	Cianuri	9/15/2016 9:00:01 AM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 9:00:00 AM	15	mg/l
ZONA ALPROM	Substante organice	9/15/2016 8:59:50 AM	15	mg/l
ZONA ALPROM	Temp	9/15/2016 8:59:40 AM	26	gradCels
ZONA ALPROM	Clor	9/15/2016 8:59:31 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 8:59:30 AM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 8:59:28 AM	26	gradCels
ZONA ALPROM	pH	9/15/2016 8:59:27 AM	8	unit pH
ZONA ALPROM	pH	9/15/2016 8:59:10 AM	8	unit pH
ZONA ALPROM	Substante organice	9/15/2016 8:54:13 AM	15	mg/l
ZONA ALPROM	Cianuri	9/15/2016 8:54:12 AM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 8:54:11 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 8:54:10 AM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 8:54:09 AM	26	gradCels
ZONA ALPROM	pH	9/15/2016 8:54:08 AM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 8:48:33 AM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 8:48:32 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 8:48:31 AM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 8:48:30 AM	15	mg/l
ZONA ALPROM	Temp	9/15/2016 8:48:29 AM	26	gradCels
ZONA ALPROM	pH	9/15/2016 8:48:28 AM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 8:43:20 AM	0	mg/l
ZONA ALPROM	Cianuri	9/15/2016 8:43:08 AM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 8:43:07 AM	15	mg/l
ZONA ALPROM	Clor	9/15/2016 8:43:06 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 8:43:05 AM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 8:43:04 AM	26	gradCels
ZONA ALPROM	pH	9/15/2016 8:43:03 AM	8	unit pH
ZONA ALPROM	Clor	9/15/2016 8:42:40 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 8:42:20 AM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 8:42:10 AM	15	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/15/2016 8:41:20 AM	26	gradCels
ZONA ALPROM	pH	9/15/2016 8:41:10 AM	8	unit pH
ZONA ALPROM	Substante organice	9/15/2016 8:38:00 AM	15	mg/l
ZONA ALPROM	Cianuri	9/15/2016 8:37:27 AM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 8:37:26 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 8:37:25 AM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 8:37:24 AM	26	gradCels
ZONA ALPROM	pH	9/15/2016 8:37:23 AM	8	unit pH
ZONA ALPROM	Substante organice	9/15/2016 8:32:09 AM	15	mg/l
ZONA ALPROM	Cianuri	9/15/2016 8:32:08 AM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 8:32:07 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 8:32:06 AM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 8:32:05 AM	26	gradCels
ZONA ALPROM	pH	9/15/2016 8:32:04 AM	8	unit pH
ZONA ALPROM	Substante organice	9/15/2016 8:27:00 AM	15	mg/l
ZONA ALPROM	Cianuri	9/15/2016 8:26:50 AM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 8:26:40 AM	0	mg/l
ZONA ALPROM	Cianuri	9/15/2016 8:26:27 AM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 8:26:26 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 8:26:25 AM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 8:26:24 AM	26	gradCels
ZONA ALPROM	pH	9/15/2016 8:26:23 AM	8	unit pH
ZONA ALPROM	Grasimi	9/15/2016 8:26:10 AM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 8:25:50 AM	15	mg/l
ZONA ALPROM	Temp	9/15/2016 8:24:40 AM	26	gradCels
ZONA ALPROM	pH	9/15/2016 8:24:30 AM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 8:21:05 AM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 8:21:04 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 8:21:03 AM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 8:21:02 AM	15	mg/l
ZONA ALPROM	Temp	9/15/2016 8:21:01 AM	26	gradCels
ZONA ALPROM	pH	9/15/2016 8:21:00 AM	8	unit pH
ZONA ALPROM	Substante organice	9/15/2016 8:16:00 AM	15	mg/l
ZONA ALPROM	Cianuri	9/15/2016 8:15:24 AM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 8:15:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 8:15:22 AM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 8:15:21 AM	26	gradCels
ZONA ALPROM	pH	9/15/2016 8:15:20 AM	8	unit pH
ZONA ALPROM	Substante organice	9/15/2016 8:10:05 AM	15	mg/l
ZONA ALPROM	Cianuri	9/15/2016 8:10:04 AM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 8:10:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 8:10:02 AM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 8:10:01 AM	26	gradCels
ZONA ALPROM	pH	9/15/2016 8:10:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 8:08:50 AM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 8:08:40 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 8:08:00 AM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 8:07:50 AM	15	mg/l
ZONA ALPROM	Temp	9/15/2016 8:07:40 AM	26	gradCels
ZONA ALPROM	pH	9/15/2016 8:07:30 AM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 8:05:01 AM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 8:05:00 AM	15	mg/l
ZONA ALPROM	Clor	9/15/2016 8:04:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 8:04:22 AM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 8:04:21 AM	26	gradCels
ZONA ALPROM	pH	9/15/2016 8:04:20 AM	8	unit pH
ZONA ALPROM	Substante organice	9/15/2016 7:59:05 AM	15	mg/l
ZONA ALPROM	Cianuri	9/15/2016 7:59:04 AM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 7:59:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 7:59:02 AM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 7:59:01 AM	26	gradCels
ZONA ALPROM	pH	9/15/2016 7:59:00 AM	8	unit pH
ZONA ALPROM	Substante organice	9/15/2016 7:54:00 AM	15	mg/l
ZONA ALPROM	Cianuri	9/15/2016 7:53:24 AM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 7:53:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 7:53:22 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/15/2016 7:53:21 AM	26	gradCels
ZONA ALPROM	pH	9/15/2016 7:53:20 AM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 7:50:40 AM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 7:50:30 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 7:50:10 AM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 7:49:50 AM	15	mg/l
ZONA ALPROM	Temp	9/15/2016 7:49:30 AM	26	gradCels
ZONA ALPROM	pH	9/15/2016 7:49:20 AM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 7:48:05 AM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 7:48:04 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 7:48:03 AM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 7:48:02 AM	15	mg/l
ZONA ALPROM	Temp	9/15/2016 7:48:01 AM	26	gradCels
ZONA ALPROM	pH	9/15/2016 7:48:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 7:43:01 AM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 7:43:00 AM	15	mg/l
ZONA ALPROM	Clor	9/15/2016 7:42:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 7:42:22 AM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 7:42:21 AM	26	gradCels
ZONA ALPROM	pH	9/15/2016 7:42:20 AM	8	unit pH
ZONA ALPROM	Substante organice	9/15/2016 7:37:05 AM	15	mg/l
ZONA ALPROM	Cianuri	9/15/2016 7:37:04 AM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 7:37:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 7:37:02 AM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 7:37:01 AM	26	gradCels
ZONA ALPROM	pH	9/15/2016 7:37:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 7:32:20 AM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 7:32:10 AM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 7:32:00 AM	15	mg/l
ZONA ALPROM	Cianuri	9/15/2016 7:31:24 AM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 7:31:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 7:31:22 AM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 7:31:21 AM	26	gradCels
ZONA ALPROM	pH	9/15/2016 7:31:20 AM	8	unit pH
ZONA ALPROM	Grasimi	9/15/2016 7:31:10 AM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 7:29:40 AM	15	mg/l
ZONA ALPROM	Temp	9/15/2016 7:29:30 AM	26	gradCels
ZONA ALPROM	pH	9/15/2016 7:29:20 AM	8	unit pH
ZONA ALPROM	Substante organice	9/15/2016 7:26:09 AM	15	mg/l
ZONA ALPROM	Cianuri	9/15/2016 7:26:04 AM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 7:26:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 7:26:02 AM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 7:26:01 AM	26	gradCels
ZONA ALPROM	pH	9/15/2016 7:26:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 7:20:25 AM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 7:20:24 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 7:20:23 AM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 7:20:22 AM	15	mg/l
ZONA ALPROM	pH	9/15/2016 7:20:21 AM	8	unit pH
ZONA ALPROM	Temp	9/15/2016 7:20:20 AM	26	gradCels
ZONA ALPROM	Substante organice	9/15/2016 7:15:08 AM	15	mg/l
ZONA ALPROM	Cianuri	9/15/2016 7:15:04 AM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 7:15:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 7:15:02 AM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 7:15:01 AM	26	gradCels
ZONA ALPROM	pH	9/15/2016 7:15:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 7:12:50 AM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 7:12:40 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 7:12:20 AM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 7:12:10 AM	15	mg/l
ZONA ALPROM	Temp	9/15/2016 7:11:50 AM	26	gradCels
ZONA ALPROM	pH	9/15/2016 7:11:40 AM	8	unit pH
ZONA ALPROM	Substante organice	9/15/2016 7:10:00 AM	15	mg/l
ZONA ALPROM	Cianuri	9/15/2016 7:09:24 AM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 7:09:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 7:09:22 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/15/2016 7:09:21 AM	26	gradCels
ZONA ALPROM	pH	9/15/2016 7:09:20 AM	8	unit pH
ZONA ALPROM	Substante organice	9/15/2016 7:04:04 AM	15	mg/l
ZONA ALPROM	Cianuri	9/15/2016 7:03:44 AM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 7:03:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 7:03:42 AM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 7:03:41 AM	26	gradCels
ZONA ALPROM	pH	9/15/2016 7:03:40 AM	8	unit pH
ZONA ALPROM	Substante organice	9/15/2016 6:59:00 AM	15	mg/l
ZONA ALPROM	Cianuri	9/15/2016 6:58:24 AM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 6:58:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 6:58:22 AM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 6:58:21 AM	26	gradCels
ZONA ALPROM	pH	9/15/2016 6:58:20 AM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 6:54:10 AM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 6:54:00 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 6:53:40 AM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 6:53:30 AM	15	mg/l
ZONA ALPROM	Temp	9/15/2016 6:53:20 AM	26	gradCels
ZONA ALPROM	pH	9/15/2016 6:53:10 AM	8	unit pH
ZONA ALPROM	Substante organice	9/15/2016 6:53:00 AM	15	mg/l
ZONA ALPROM	Cianuri	9/15/2016 6:52:44 AM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 6:52:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 6:52:42 AM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 6:52:41 AM	26	gradCels
ZONA ALPROM	pH	9/15/2016 6:52:40 AM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 6:47:25 AM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 6:47:24 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 6:47:23 AM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 6:47:22 AM	15	mg/l
ZONA ALPROM	Temp	9/15/2016 6:47:21 AM	26	gradCels
ZONA ALPROM	pH	9/15/2016 6:47:20 AM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 6:42:01 AM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 6:42:00 AM	15	mg/l
ZONA ALPROM	Clor	9/15/2016 6:41:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 6:41:42 AM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 6:41:41 AM	26	gradCels
ZONA ALPROM	pH	9/15/2016 6:41:40 AM	8	unit pH
ZONA ALPROM	Substante organice	9/15/2016 6:37:00 AM	15	mg/l
ZONA ALPROM	Cianuri	9/15/2016 6:36:24 AM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 6:36:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 6:36:22 AM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 6:36:21 AM	26	gradCels
ZONA ALPROM	pH	9/15/2016 6:36:20 AM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 6:35:50 AM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 6:35:10 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 6:34:20 AM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 6:34:10 AM	15	mg/l
ZONA ALPROM	Temp	9/15/2016 6:34:00 AM	26	gradCels
ZONA ALPROM	pH	9/15/2016 6:33:50 AM	8	unit pH
ZONA ALPROM	Substante organice	9/15/2016 6:31:00 AM	15	mg/l
ZONA ALPROM	Cianuri	9/15/2016 6:30:44 AM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 6:30:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 6:30:42 AM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 6:30:41 AM	26	gradCels
ZONA ALPROM	pH	9/15/2016 6:30:40 AM	8	unit pH
ZONA ALPROM	Substante organice	9/15/2016 6:26:00 AM	15	mg/l
ZONA ALPROM	Cianuri	9/15/2016 6:25:24 AM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 6:25:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 6:25:22 AM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 6:25:21 AM	26	gradCels
ZONA ALPROM	pH	9/15/2016 6:25:20 AM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 6:20:00 AM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 6:19:45 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 6:19:44 AM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 6:19:43 AM	15	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/15/2016 6:19:42 AM	27	gradCels
ZONA ALPROM	pH	9/15/2016 6:19:41 AM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 6:17:00 AM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 6:16:50 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 6:16:30 AM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 6:16:20 AM	15	mg/l
ZONA ALPROM	Temp	9/15/2016 6:16:10 AM	27	gradCels
ZONA ALPROM	pH	9/15/2016 6:15:50 AM	8	unit pH
ZONA ALPROM	Substante organice	9/15/2016 6:15:00 AM	15	mg/l
ZONA ALPROM	Cianuri	9/15/2016 6:14:28 AM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 6:14:27 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 6:14:26 AM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 6:14:25 AM	27	gradCels
ZONA ALPROM	pH	9/15/2016 6:14:24 AM	8	unit pH
ZONA ALPROM	Substante organice	9/15/2016 6:09:00 AM	15	mg/l
ZONA ALPROM	Cianuri	9/15/2016 6:08:45 AM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 6:08:44 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 6:08:43 AM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 6:08:42 AM	27	gradCels
ZONA ALPROM	pH	9/15/2016 6:08:41 AM	8	unit pH
ZONA ALPROM	Substante organice	9/15/2016 6:04:00 AM	15	mg/l
ZONA ALPROM	Cianuri	9/15/2016 6:03:27 AM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 6:03:26 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 6:03:25 AM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 6:03:24 AM	27	gradCels
ZONA ALPROM	pH	9/15/2016 6:03:23 AM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 5:59:30 AM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 5:59:10 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 5:58:50 AM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 5:58:40 AM	15	mg/l
ZONA ALPROM	Temp	9/15/2016 5:58:30 AM	27	gradCels
ZONA ALPROM	pH	9/15/2016 5:58:20 AM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 5:58:01 AM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 5:58:00 AM	15	mg/l
ZONA ALPROM	Clor	9/15/2016 5:57:44 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 5:57:43 AM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 5:57:42 AM	27	gradCels
ZONA ALPROM	pH	9/15/2016 5:57:41 AM	8	unit pH
ZONA ALPROM	Substante organice	9/15/2016 5:53:00 AM	15	mg/l
ZONA ALPROM	Cianuri	9/15/2016 5:52:24 AM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 5:52:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 5:52:22 AM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 5:52:21 AM	27	gradCels
ZONA ALPROM	pH	9/15/2016 5:52:20 AM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 5:47:00 AM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 5:46:49 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 5:46:48 AM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 5:46:47 AM	15	mg/l
ZONA ALPROM	Temp	9/15/2016 5:46:46 AM	27	gradCels
ZONA ALPROM	pH	9/15/2016 5:46:45 AM	8	unit pH
ZONA ALPROM	Substante organice	9/15/2016 5:42:01 AM	15	mg/l
ZONA ALPROM	Cianuri	9/15/2016 5:42:00 AM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 5:41:28 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 5:41:27 AM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 5:41:26 AM	27	gradCels
ZONA ALPROM	pH	9/15/2016 5:41:25 AM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 5:40:20 AM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 5:40:10 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 5:39:10 AM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 5:39:00 AM	15	mg/l
ZONA ALPROM	Temp	9/15/2016 5:38:50 AM	27	gradCels
ZONA ALPROM	pH	9/15/2016 5:38:40 AM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 5:36:02 AM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 5:36:01 AM	15	mg/l
ZONA ALPROM	Clor	9/15/2016 5:35:49 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 5:35:48 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/15/2016 5:35:47 AM	27	gradCels
ZONA ALPROM	pH	9/15/2016 5:35:46 AM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 5:31:01 AM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 5:31:00 AM	15	mg/l
ZONA ALPROM	Clor	9/15/2016 5:30:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 5:30:22 AM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 5:30:21 AM	27	gradCels
ZONA ALPROM	pH	9/15/2016 5:30:20 AM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 5:25:02 AM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 5:25:01 AM	15	mg/l
ZONA ALPROM	Clor	9/15/2016 5:24:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 5:24:42 AM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 5:24:41 AM	27	gradCels
ZONA ALPROM	pH	9/15/2016 5:24:40 AM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 5:22:40 AM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 5:22:30 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 5:22:10 AM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 5:22:00 AM	15	mg/l
ZONA ALPROM	Temp	9/15/2016 5:21:50 AM	27	gradCels
ZONA ALPROM	pH	9/15/2016 5:21:40 AM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 5:20:00 AM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 5:19:11 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 5:19:10 AM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 5:19:09 AM	15	mg/l
ZONA ALPROM	Temp	9/15/2016 5:19:08 AM	27	gradCels
ZONA ALPROM	pH	9/15/2016 5:19:07 AM	8	unit pH
ZONA ALPROM	Substante organice	9/15/2016 5:14:10 AM	15	mg/l
ZONA ALPROM	Cianuri	9/15/2016 5:14:09 AM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 5:14:08 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 5:14:07 AM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 5:14:06 AM	27	gradCels
ZONA ALPROM	pH	9/15/2016 5:14:05 AM	8	unit pH
ZONA ALPROM	Substante organice	9/15/2016 5:09:01 AM	15	mg/l
ZONA ALPROM	Cianuri	9/15/2016 5:09:00 AM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 5:08:28 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 5:08:27 AM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 5:08:26 AM	27	gradCels
ZONA ALPROM	pH	9/15/2016 5:08:25 AM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 5:05:20 AM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 5:05:10 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 5:04:40 AM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 5:04:30 AM	15	mg/l
ZONA ALPROM	Temp	9/15/2016 5:04:00 AM	27	gradCels
ZONA ALPROM	pH	9/15/2016 5:03:50 AM	8	unit pH
ZONA ALPROM	Substante organice	9/15/2016 5:03:06 AM	15	mg/l
ZONA ALPROM	Cianuri	9/15/2016 5:03:05 AM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 5:03:04 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 5:03:03 AM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 5:03:02 AM	27	gradCels
ZONA ALPROM	pH	9/15/2016 5:03:01 AM	8	unit pH
ZONA ALPROM	Substante organice	9/15/2016 4:58:00 AM	15	mg/l
ZONA ALPROM	Cianuri	9/15/2016 4:57:25 AM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 4:57:24 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 4:57:23 AM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 4:57:22 AM	27	gradCels
ZONA ALPROM	pH	9/15/2016 4:57:21 AM	8	unit pH
ZONA ALPROM	Substante organice	9/15/2016 4:52:06 AM	15	mg/l
ZONA ALPROM	Cianuri	9/15/2016 4:52:05 AM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 4:52:04 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 4:52:03 AM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 4:52:02 AM	27	gradCels
ZONA ALPROM	pH	9/15/2016 4:52:01 AM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 4:47:50 AM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 4:47:30 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 4:47:10 AM	0	mg/l
ZONA ALPROM	Cianuri	9/15/2016 4:47:01 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Substante organice	9/15/2016 4:47:00 AM	15	mg/l
ZONA ALPROM	Substante organice	9/15/2016 4:46:50 AM	15	mg/l
ZONA ALPROM	Temp	9/15/2016 4:46:40 AM	27	gradCels
ZONA ALPROM	Clor	9/15/2016 4:46:33 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 4:46:32 AM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 4:46:31 AM	27	gradCels
ZONA ALPROM	pH	9/15/2016 4:46:30 AM	8	unit pH
ZONA ALPROM	pH	9/15/2016 4:45:50 AM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 4:41:10 AM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 4:41:09 AM	15	mg/l
ZONA ALPROM	Clor	9/15/2016 4:41:08 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 4:41:07 AM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 4:41:06 AM	27	gradCels
ZONA ALPROM	pH	9/15/2016 4:41:05 AM	8	unit pH
ZONA ALPROM	Substante organice	9/15/2016 4:36:01 AM	15	mg/l
ZONA ALPROM	Cianuri	9/15/2016 4:36:00 AM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 4:35:34 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 4:35:33 AM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 4:35:32 AM	27	gradCels
ZONA ALPROM	pH	9/15/2016 4:35:31 AM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 4:31:01 AM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 4:31:00 AM	15	mg/l
ZONA ALPROM	Clor	9/15/2016 4:30:06 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 4:30:05 AM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 4:30:04 AM	27	gradCels
ZONA ALPROM	pH	9/15/2016 4:30:03 AM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 4:27:20 AM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 4:27:10 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 4:26:50 AM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 4:26:40 AM	15	mg/l
ZONA ALPROM	Temp	9/15/2016 4:26:30 AM	27	gradCels
ZONA ALPROM	pH	9/15/2016 4:26:20 AM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 4:26:01 AM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 4:26:00 AM	15	mg/l
ZONA ALPROM	Clor	9/15/2016 4:25:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 4:25:02 AM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 4:25:01 AM	27	gradCels
ZONA ALPROM	pH	9/15/2016 4:25:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 4:21:00 AM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 4:20:04 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 4:20:03 AM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 4:20:02 AM	15	mg/l
ZONA ALPROM	Temp	9/15/2016 4:20:01 AM	27	gradCels
ZONA ALPROM	pH	9/15/2016 4:20:00 AM	8	unit pH
ZONA ALPROM	Substante organice	9/15/2016 4:15:01 AM	15	mg/l
ZONA ALPROM	Cianuri	9/15/2016 4:15:00 AM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 4:14:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 4:14:42 AM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 4:14:41 AM	27	gradCels
ZONA ALPROM	pH	9/15/2016 4:14:40 AM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 4:09:11 AM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 4:09:10 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 4:09:09 AM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 4:09:08 AM	15	mg/l
ZONA ALPROM	Temp	9/15/2016 4:09:07 AM	27	gradCels
ZONA ALPROM	pH	9/15/2016 4:09:06 AM	8	unit pH
ZONA ALPROM	Temp	9/15/2016 4:09:05 AM	27	gradCels
ZONA ALPROM	pH	9/15/2016 4:09:04 AM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 4:09:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 4:09:02 AM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 4:09:01 AM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 4:09:00 AM	15	mg/l
ZONA ALPROM	Cianuri	9/15/2016 4:08:50 AM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 4:08:40 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 4:08:20 AM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 4:08:10 AM	15	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/15/2016 4:07:50 AM	27	gradCels
ZONA ALPROM	pH	9/15/2016 4:07:10 AM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 4:04:01 AM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 4:04:00 AM	15	mg/l
ZONA ALPROM	Clor	9/15/2016 4:03:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 4:03:42 AM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 4:03:41 AM	27	gradCels
ZONA ALPROM	pH	9/15/2016 4:03:40 AM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 3:58:05 AM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 3:58:04 AM	15	mg/l
ZONA ALPROM	Clor	9/15/2016 3:58:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 3:58:02 AM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 3:58:01 AM	27	gradCels
ZONA ALPROM	pH	9/15/2016 3:58:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 3:53:01 AM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 3:53:00 AM	15	mg/l
ZONA ALPROM	Clor	9/15/2016 3:52:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 3:52:42 AM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 3:52:41 AM	27	gradCels
ZONA ALPROM	pH	9/15/2016 3:52:40 AM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 3:49:50 AM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 3:49:20 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 3:48:50 AM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 3:48:40 AM	15	mg/l
ZONA ALPROM	Temp	9/15/2016 3:48:30 AM	27	gradCels
ZONA ALPROM	pH	9/15/2016 3:48:20 AM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 3:47:05 AM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 3:47:04 AM	15	mg/l
ZONA ALPROM	Clor	9/15/2016 3:47:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 3:47:02 AM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 3:47:01 AM	27	gradCels
ZONA ALPROM	pH	9/15/2016 3:47:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 3:42:01 AM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 3:42:00 AM	15	mg/l
ZONA ALPROM	Clor	9/15/2016 3:41:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 3:41:22 AM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 3:41:21 AM	27	gradCels
ZONA ALPROM	pH	9/15/2016 3:41:20 AM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 3:36:10 AM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 3:36:09 AM	15	mg/l
ZONA ALPROM	Clor	9/15/2016 3:36:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 3:36:02 AM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 3:36:01 AM	27	gradCels
ZONA ALPROM	pH	9/15/2016 3:36:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 3:31:30 AM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 3:31:20 AM	0	mg/l
ZONA ALPROM	Cianuri	9/15/2016 3:31:01 AM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 3:31:00 AM	15	mg/l
ZONA ALPROM	Grasimi	9/15/2016 3:30:50 AM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 3:30:40 AM	15	mg/l
ZONA ALPROM	Clor	9/15/2016 3:30:25 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 3:30:23 AM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 3:30:21 AM	27	gradCels
ZONA ALPROM	pH	9/15/2016 3:30:20 AM	8	unit pH
ZONA ALPROM	Temp	9/15/2016 3:30:10 AM	27	gradCels
ZONA ALPROM	pH	9/15/2016 3:29:50 AM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 3:25:09 AM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 3:25:08 AM	15	mg/l
ZONA ALPROM	Clor	9/15/2016 3:25:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 3:25:02 AM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 3:25:01 AM	27	gradCels
ZONA ALPROM	pH	9/15/2016 3:25:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 3:20:00 AM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 3:19:24 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 3:19:23 AM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 3:19:22 AM	15	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA ALPROM	Temp	9/15/2016 3:19:21 AM	27	gradCels
ZONA ALPROM	pH	9/15/2016 3:19:20 AM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 3:14:09 AM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 3:14:08 AM	15	mg/l
ZONA ALPROM	Clor	9/15/2016 3:14:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 3:14:02 AM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 3:14:01 AM	27	gradCels
ZONA ALPROM	pH	9/15/2016 3:14:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 3:13:10 AM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 3:12:30 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 3:12:10 AM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 3:11:50 AM	15	mg/l
ZONA ALPROM	Temp	9/15/2016 3:11:40 AM	27	gradCels
ZONA ALPROM	pH	9/15/2016 3:11:30 AM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 3:09:01 AM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 3:09:00 AM	15	mg/l
ZONA ALPROM	Clor	9/15/2016 3:08:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 3:08:22 AM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 3:08:21 AM	27	gradCels
ZONA ALPROM	pH	9/15/2016 3:08:20 AM	8	unit pH
ZONA ALPROM	Substante organice	9/15/2016 3:03:09 AM	15	mg/l
ZONA ALPROM	Cianuri	9/15/2016 3:03:08 AM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 3:03:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 3:03:02 AM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 3:03:01 AM	27	gradCels
ZONA ALPROM	pH	9/15/2016 3:03:00 AM	8	unit pH
ZONA ALPROM	Substante organice	9/15/2016 2:58:01 AM	15	mg/l
ZONA ALPROM	Cianuri	9/15/2016 2:58:00 AM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 2:57:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 2:57:22 AM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 2:57:21 AM	27	gradCels
ZONA ALPROM	pH	9/15/2016 2:57:20 AM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 2:55:40 AM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 2:55:30 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 2:55:10 AM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 2:54:30 AM	15	mg/l
ZONA ALPROM	Temp	9/15/2016 2:54:10 AM	27	gradCels
ZONA ALPROM	pH	9/15/2016 2:54:00 AM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 2:52:09 AM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 2:52:08 AM	15	mg/l
ZONA ALPROM	Clor	9/15/2016 2:52:03 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 2:52:02 AM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 2:52:01 AM	27	gradCels
ZONA ALPROM	pH	9/15/2016 2:52:00 AM	8	unit pH
ZONA ALPROM	Substante organice	9/15/2016 2:47:01 AM	15	mg/l
ZONA ALPROM	Cianuri	9/15/2016 2:47:00 AM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 2:46:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 2:46:22 AM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 2:46:21 AM	27	gradCels
ZONA ALPROM	pH	9/15/2016 2:46:20 AM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 2:41:01 AM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 2:41:00 AM	15	mg/l
ZONA ALPROM	Clor	9/15/2016 2:40:43 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 2:40:42 AM	0	mg/l
ZONA ALPROM	Temp	9/15/2016 2:40:41 AM	27	gradCels
ZONA ALPROM	pH	9/15/2016 2:40:40 AM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 2:37:50 AM	0	mg/l
ZONA ALPROM	Clor	9/15/2016 2:37:30 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 2:37:10 AM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 2:37:00 AM	15	mg/l
ZONA ALPROM	Temp	9/15/2016 2:36:50 AM	27	gradCels
ZONA ALPROM	pH	9/15/2016 2:36:40 AM	8	unit pH
ZONA ALPROM	Cianuri	9/15/2016 2:36:01 AM	0	mg/l
ZONA ALPROM	Substante organice	9/15/2016 2:36:00 AM	15	mg/l
ZONA ALPROM	Clor	9/15/2016 2:35:23 AM	0	mg/l
ZONA ALPROM	Grasimi	9/15/2016 2:35:22 AM	0	mg/l