

## Analiza evolutie pe mai multi senzori

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/16/2017 3:21:40 PM	4	unit pH
SC ALRO SA	Substante organice	1/16/2017 3:19:05 PM	37	mg/l
SC ALRO SA	Cianuri	1/16/2017 3:19:03 PM	0	mg/l
SC ALRO SA	Clor	1/16/2017 3:18:07 PM	0	mg/l
SC ALRO SA	Grasimi	1/16/2017 3:18:06 PM	0	mg/l
SC ALRO SA	Temp	1/16/2017 3:18:05 PM	28	gradCels
SC ALRO SA	pH	1/16/2017 3:18:04 PM	4	unit pH
SC ALRO SA	Cianuri	1/16/2017 3:13:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/16/2017 3:13:00 PM	37	mg/l
SC ALRO SA	Clor	1/16/2017 3:12:27 PM	0	mg/l
SC ALRO SA	Grasimi	1/16/2017 3:12:26 PM	0	mg/l
SC ALRO SA	Temp	1/16/2017 3:12:25 PM	28	gradCels
SC ALRO SA	pH	1/16/2017 3:12:24 PM	4	unit pH
SC ALRO SA	Cianuri	1/16/2017 3:08:03 PM	0	mg/l
SC ALRO SA	Clor	1/16/2017 3:07:04 PM	0	mg/l
SC ALRO SA	Grasimi	1/16/2017 3:07:03 PM	0	mg/l
SC ALRO SA	Substante organice	1/16/2017 3:07:02 PM	37	mg/l
SC ALRO SA	Temp	1/16/2017 3:07:01 PM	28	gradCels
SC ALRO SA	pH	1/16/2017 3:07:00 PM	4	unit pH
SC ALRO SA	Cianuri	1/16/2017 3:03:20 PM	0	mg/l
SC ALRO SA	Clor	1/16/2017 3:03:10 PM	0	mg/l
SC ALRO SA	Grasimi	1/16/2017 3:02:10 PM	0	mg/l
SC ALRO SA	Substante organice	1/16/2017 3:02:00 PM	37	mg/l
SC ALRO SA	Temp	1/16/2017 3:01:50 PM	28	gradCels
SC ALRO SA	Cianuri	1/16/2017 3:01:45 PM	0	mg/l
SC ALRO SA	Substante organice	1/16/2017 3:01:44 PM	37	mg/l
SC ALRO SA	Clor	1/16/2017 3:01:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/16/2017 3:01:42 PM	0	mg/l
SC ALRO SA	Temp	1/16/2017 3:01:41 PM	28	gradCels
SC ALRO SA	pH	1/16/2017 3:01:40 PM	4	unit pH
SC ALRO SA	pH	1/16/2017 3:01:20 PM	4	unit pH
SC ALRO SA	Cianuri	1/16/2017 2:57:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/16/2017 2:57:00 PM	37	mg/l
SC ALRO SA	Clor	1/16/2017 2:56:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/16/2017 2:56:02 PM	0	mg/l
SC ALRO SA	Temp	1/16/2017 2:56:01 PM	28	gradCels
SC ALRO SA	pH	1/16/2017 2:56:00 PM	4	unit pH
SC ALRO SA	Substante organice	1/16/2017 2:50:47 PM	37	mg/l
SC ALRO SA	Cianuri	1/16/2017 2:50:46 PM	0	mg/l
SC ALRO SA	Clor	1/16/2017 2:50:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/16/2017 2:50:22 PM	0	mg/l
SC ALRO SA	Temp	1/16/2017 2:50:21 PM	28	gradCels
SC ALRO SA	pH	1/16/2017 2:50:20 PM	4	unit pH
SC ALRO SA	Substante organice	1/16/2017 2:46:12 PM	37	mg/l
SC ALRO SA	Cianuri	1/16/2017 2:46:09 PM	0	mg/l
SC ALRO SA	Clor	1/16/2017 2:45:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/16/2017 2:45:02 PM	0	mg/l
SC ALRO SA	Temp	1/16/2017 2:45:01 PM	28	gradCels
SC ALRO SA	pH	1/16/2017 2:45:00 PM	4	unit pH
SC ALRO SA	Cianuri	1/16/2017 2:42:00 PM	0	mg/l
SC ALRO SA	Clor	1/16/2017 2:41:50 PM	0	mg/l
SC ALRO SA	Grasimi	1/16/2017 2:41:30 PM	0	mg/l
SC ALRO SA	Substante organice	1/16/2017 2:41:20 PM	37	mg/l
SC ALRO SA	Temp	1/16/2017 2:41:10 PM	28	gradCels
SC ALRO SA	pH	1/16/2017 2:41:00 PM	4	unit pH
SC ALRO SA	Cianuri	1/16/2017 2:40:02 PM	0	mg/l
SC ALRO SA	Substante organice	1/16/2017 2:40:01 PM	37	mg/l
SC ALRO SA	Clor	1/16/2017 2:39:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/16/2017 2:39:22 PM	0	mg/l
SC ALRO SA	Temp	1/16/2017 2:39:21 PM	28	gradCels
SC ALRO SA	pH	1/16/2017 2:39:20 PM	4	unit pH
SC ALRO SA	Cianuri	1/16/2017 2:35:20 PM	0	mg/l
SC ALRO SA	Clor	1/16/2017 2:34:24 PM	0	mg/l
SC ALRO SA	Grasimi	1/16/2017 2:34:23 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	1/16/2017 2:34:22 PM	37	mg/l
SC ALRO SA	Temp	1/16/2017 2:34:21 PM	28	gradCels
SC ALRO SA	pH	1/16/2017 2:34:20 PM	4	unit pH
SC ALRO SA	Cianuri	1/16/2017 2:29:53 PM	0	mg/l
SC ALRO SA	Substante organice	1/16/2017 2:29:51 PM	37	mg/l
SC ALRO SA	Clor	1/16/2017 2:29:40 PM	0	mg/l
SC ALRO SA	Grasimi	1/16/2017 2:29:39 PM	0	mg/l
SC ALRO SA	Temp	1/16/2017 2:29:38 PM	28	gradCels
SC ALRO SA	pH	1/16/2017 2:29:37 PM	4	unit pH
SC ALRO SA	Cianuri	1/16/2017 2:25:03 PM	0	mg/l
SC ALRO SA	Substante organice	1/16/2017 2:25:02 PM	37	mg/l
SC ALRO SA	Clor	1/16/2017 2:24:12 PM	0	mg/l
SC ALRO SA	Grasimi	1/16/2017 2:24:11 PM	0	mg/l
SC ALRO SA	Temp	1/16/2017 2:24:10 PM	28	gradCels
SC ALRO SA	pH	1/16/2017 2:24:09 PM	4	unit pH
SC ALRO SA	Cianuri	1/16/2017 2:22:40 PM	0	mg/l
SC ALRO SA	Clor	1/16/2017 2:22:30 PM	0	mg/l
SC ALRO SA	Grasimi	1/16/2017 2:22:10 PM	0	mg/l
SC ALRO SA	Substante organice	1/16/2017 2:22:00 PM	37	mg/l
SC ALRO SA	Temp	1/16/2017 2:21:50 PM	28	gradCels
SC ALRO SA	pH	1/16/2017 2:21:40 PM	4	unit pH
SC ALRO SA	Cianuri	1/16/2017 2:18:54 PM	0	mg/l
SC ALRO SA	Substante organice	1/16/2017 2:18:53 PM	37	mg/l
SC ALRO SA	Clor	1/16/2017 2:18:44 PM	0	mg/l
SC ALRO SA	Grasimi	1/16/2017 2:18:43 PM	0	mg/l
SC ALRO SA	Temp	1/16/2017 2:18:42 PM	28	gradCels
SC ALRO SA	pH	1/16/2017 2:18:41 PM	4	unit pH
SC ALRO SA	Cianuri	1/16/2017 2:13:14 PM	0	mg/l
SC ALRO SA	Substante organice	1/16/2017 2:13:13 PM	37	mg/l
SC ALRO SA	Clor	1/16/2017 2:13:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/16/2017 2:13:02 PM	0	mg/l
SC ALRO SA	Temp	1/16/2017 2:13:01 PM	28	gradCels
SC ALRO SA	pH	1/16/2017 2:13:00 PM	4	unit pH
SC ALRO SA	Cianuri	1/16/2017 2:07:55 PM	0	mg/l
SC ALRO SA	Substante organice	1/16/2017 2:07:54 PM	37	mg/l
SC ALRO SA	Clor	1/16/2017 2:07:42 PM	0	mg/l
SC ALRO SA	Grasimi	1/16/2017 2:07:41 PM	0	mg/l
SC ALRO SA	Temp	1/16/2017 2:07:40 PM	28	gradCels
SC ALRO SA	pH	1/16/2017 2:07:39 PM	4	unit pH
SC ALRO SA	Cianuri	1/16/2017 2:06:20 PM	0	mg/l
SC ALRO SA	Clor	1/16/2017 2:06:10 PM	0	mg/l
SC ALRO SA	Grasimi	1/16/2017 2:05:10 PM	0	mg/l
SC ALRO SA	Substante organice	1/16/2017 2:05:00 PM	37	mg/l
SC ALRO SA	Temp	1/16/2017 2:04:50 PM	28	gradCels
SC ALRO SA	pH	1/16/2017 2:04:40 PM	4	unit pH
SC ALRO SA	Cianuri	1/16/2017 2:02:16 PM	0	mg/l
SC ALRO SA	Substante organice	1/16/2017 2:02:14 PM	37	mg/l
SC ALRO SA	Clor	1/16/2017 2:02:00 PM	0	mg/l
SC ALRO SA	Grasimi	1/16/2017 2:01:59 PM	0	mg/l
SC ALRO SA	Temp	1/16/2017 2:01:58 PM	28	gradCels
SC ALRO SA	pH	1/16/2017 2:01:57 PM	4	unit pH
SC ALRO SA	Cianuri	1/16/2017 1:56:54 PM	0	mg/l
SC ALRO SA	Substante organice	1/16/2017 1:56:53 PM	37	mg/l
SC ALRO SA	Clor	1/16/2017 1:56:44 PM	0	mg/l
SC ALRO SA	Grasimi	1/16/2017 1:56:43 PM	0	mg/l
SC ALRO SA	Temp	1/16/2017 1:56:42 PM	28	gradCels
SC ALRO SA	pH	1/16/2017 1:56:41 PM	4	unit pH
SC ALRO SA	Cianuri	1/16/2017 1:51:39 PM	0	mg/l
SC ALRO SA	Substante organice	1/16/2017 1:51:37 PM	37	mg/l
SC ALRO SA	Clor	1/16/2017 1:51:16 PM	0	mg/l
SC ALRO SA	Grasimi	1/16/2017 1:51:15 PM	0	mg/l
SC ALRO SA	Temp	1/16/2017 1:51:14 PM	28	gradCels
SC ALRO SA	pH	1/16/2017 1:51:13 PM	4	unit pH
SC ALRO SA	Cianuri	1/16/2017 1:50:00 PM	0	mg/l
SC ALRO SA	Clor	1/16/2017 1:49:50 PM	0	mg/l
SC ALRO SA	Grasimi	1/16/2017 1:49:30 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	1/16/2017 1:49:20 PM	37	mg/l
SC ALRO SA	Temp	1/16/2017 1:49:10 PM	28	gradCels
SC ALRO SA	pH	1/16/2017 1:49:00 PM	4	unit pH
SC ALRO SA	Cianuri	1/16/2017 1:46:34 PM	0	mg/l
SC ALRO SA	Substante organice	1/16/2017 1:46:33 PM	37	mg/l
SC ALRO SA	Clor	1/16/2017 1:46:08 PM	0	mg/l
SC ALRO SA	Grasimi	1/16/2017 1:46:07 PM	0	mg/l
SC ALRO SA	Temp	1/16/2017 1:46:06 PM	28	gradCels
SC ALRO SA	pH	1/16/2017 1:46:05 PM	4	unit pH
SC ALRO SA	Cianuri	1/16/2017 1:41:34 PM	0	mg/l
SC ALRO SA	Substante organice	1/16/2017 1:41:33 PM	37	mg/l
SC ALRO SA	Clor	1/16/2017 1:41:04 PM	0	mg/l
SC ALRO SA	Grasimi	1/16/2017 1:41:03 PM	0	mg/l
SC ALRO SA	Temp	1/16/2017 1:41:02 PM	28	gradCels
SC ALRO SA	pH	1/16/2017 1:41:01 PM	4	unit pH
SC ALRO SA	Cianuri	1/16/2017 1:36:38 PM	0	mg/l
SC ALRO SA	Clor	1/16/2017 1:36:13 PM	0	mg/l
SC ALRO SA	Grasimi	1/16/2017 1:36:12 PM	0	mg/l
SC ALRO SA	Substante organice	1/16/2017 1:36:11 PM	37	mg/l
SC ALRO SA	Temp	1/16/2017 1:36:10 PM	28	gradCels
SC ALRO SA	pH	1/16/2017 1:36:09 PM	4	unit pH
SC ALRO SA	Cianuri	1/16/2017 1:34:20 PM	0	mg/l
SC ALRO SA	Clor	1/16/2017 1:34:10 PM	0	mg/l
SC ALRO SA	Grasimi	1/16/2017 1:33:50 PM	0	mg/l
SC ALRO SA	Substante organice	1/16/2017 1:33:40 PM	37	mg/l
SC ALRO SA	Temp	1/16/2017 1:33:30 PM	28	gradCels
SC ALRO SA	pH	1/16/2017 1:33:20 PM	5	unit pH
SC ALRO SA	Cianuri	1/16/2017 1:31:43 PM	0	mg/l
SC ALRO SA	Substante organice	1/16/2017 1:31:42 PM	37	mg/l
SC ALRO SA	Clor	1/16/2017 1:31:12 PM	0	mg/l
SC ALRO SA	Grasimi	1/16/2017 1:31:11 PM	0	mg/l
SC ALRO SA	Temp	1/16/2017 1:31:10 PM	28	gradCels
SC ALRO SA	pH	1/16/2017 1:31:09 PM	5	unit pH
SC ALRO SA	Cianuri	1/16/2017 1:28:11 PM	0	mg/l
SC ALRO SA	Clor	1/16/2017 1:28:10 PM	0	mg/l
SC ALRO SA	Grasimi	1/16/2017 1:28:09 PM	0	mg/l
SC ALRO SA	Substante organice	1/16/2017 1:28:08 PM	37	mg/l
SC ALRO SA	Temp	1/16/2017 1:28:07 PM	28	gradCels
SC ALRO SA	pH	1/16/2017 1:28:06 PM	4	unit pH
SC ALRO SA	Cianuri	1/16/2017 1:26:37 PM	0	mg/l
SC ALRO SA	Substante organice	1/16/2017 1:26:36 PM	37	mg/l
SC ALRO SA	Clor	1/16/2017 1:26:08 PM	0	mg/l
SC ALRO SA	Grasimi	1/16/2017 1:26:07 PM	0	mg/l
SC ALRO SA	Temp	1/16/2017 1:26:06 PM	28	gradCels
SC ALRO SA	pH	1/16/2017 1:26:05 PM	4	unit pH
SC ALRO SA	Cianuri	1/16/2017 1:21:47 PM	0	mg/l
SC ALRO SA	Substante organice	1/16/2017 1:21:46 PM	37	mg/l
SC ALRO SA	Clor	1/16/2017 1:21:20 PM	0	mg/l
SC ALRO SA	Grasimi	1/16/2017 1:21:19 PM	0	mg/l
SC ALRO SA	Temp	1/16/2017 1:21:18 PM	28	gradCels
SC ALRO SA	pH	1/16/2017 1:21:17 PM	4	unit pH
SC ALRO SA	Cianuri	1/16/2017 1:18:00 PM	0	mg/l
SC ALRO SA	Clor	1/16/2017 1:17:50 PM	0	mg/l
SC ALRO SA	Grasimi	1/16/2017 1:17:30 PM	0	mg/l
SC ALRO SA	Substante organice	1/16/2017 1:17:20 PM	37	mg/l
SC ALRO SA	Temp	1/16/2017 1:17:10 PM	28	gradCels
SC ALRO SA	pH	1/16/2017 1:17:00 PM	4	unit pH
SC ALRO SA	Cianuri	1/16/2017 1:16:37 PM	0	mg/l
SC ALRO SA	Substante organice	1/16/2017 1:16:36 PM	37	mg/l
SC ALRO SA	Clor	1/16/2017 1:16:04 PM	0	mg/l
SC ALRO SA	Grasimi	1/16/2017 1:16:03 PM	0	mg/l
SC ALRO SA	Temp	1/16/2017 1:16:02 PM	28	gradCels
SC ALRO SA	pH	1/16/2017 1:16:01 PM	4	unit pH
SC ALRO SA	Cianuri	1/16/2017 1:13:10 PM	0	mg/l
SC ALRO SA	Clor	1/16/2017 1:13:09 PM	0	mg/l
SC ALRO SA	Grasimi	1/16/2017 1:13:08 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	1/16/2017 1:13:07 PM	37	mg/l
SC ALRO SA	Temp	1/16/2017 1:13:06 PM	28	gradCels
SC ALRO SA	pH	1/16/2017 1:13:05 PM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 10:34:37 AM	0	mg/l
SC ALRO SA	Clor	1/10/2017 10:34:24 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 10:34:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 10:34:22 AM	26	mg/l
SC ALRO SA	Temp	1/10/2017 10:34:21 AM	10	gradCels
SC ALRO SA	pH	1/10/2017 10:34:20 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 10:28:48 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 10:28:47 AM	26	mg/l
SC ALRO SA	Clor	1/10/2017 10:28:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 10:28:42 AM	0	mg/l
SC ALRO SA	Temp	1/10/2017 10:28:41 AM	10	gradCels
SC ALRO SA	pH	1/10/2017 10:28:40 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 10:25:30 AM	0	mg/l
SC ALRO SA	Clor	1/10/2017 10:25:20 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 10:25:00 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 10:24:50 AM	26	mg/l
SC ALRO SA	Temp	1/10/2017 10:24:30 AM	10	gradCels
SC ALRO SA	pH	1/10/2017 10:24:10 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 10:23:46 AM	0	mg/l
SC ALRO SA	Clor	1/10/2017 10:23:45 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 10:23:44 AM	26	mg/l
SC ALRO SA	Grasimi	1/10/2017 10:23:02 AM	0	mg/l
SC ALRO SA	Temp	1/10/2017 10:23:01 AM	10	gradCels
SC ALRO SA	pH	1/10/2017 10:23:00 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 10:17:47 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 10:17:46 AM	26	mg/l
SC ALRO SA	Clor	1/10/2017 10:17:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 10:17:42 AM	0	mg/l
SC ALRO SA	Temp	1/10/2017 10:17:41 AM	10	gradCels
SC ALRO SA	pH	1/10/2017 10:17:40 AM	4	unit pH
SC ALRO SA	Substante organice	1/10/2017 10:12:43 AM	26	mg/l
SC ALRO SA	Cianuri	1/10/2017 10:12:42 AM	0	mg/l
SC ALRO SA	Clor	1/10/2017 10:12:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 10:12:02 AM	0	mg/l
SC ALRO SA	Temp	1/10/2017 10:12:01 AM	10	gradCels
SC ALRO SA	pH	1/10/2017 10:12:00 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 10:06:47 AM	0	mg/l
SC ALRO SA	Clor	1/10/2017 10:06:44 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 10:06:43 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 10:06:42 AM	26	mg/l
SC ALRO SA	Temp	1/10/2017 10:06:41 AM	10	gradCels
SC ALRO SA	pH	1/10/2017 10:06:40 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 10:03:20 AM	0	mg/l
SC ALRO SA	Clor	1/10/2017 10:03:10 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 10:02:30 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 10:02:00 AM	27	mg/l
SC ALRO SA	Temp	1/10/2017 10:01:50 AM	10	gradCels
SC ALRO SA	Cianuri	1/10/2017 10:01:45 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 10:01:44 AM	27	mg/l
SC ALRO SA	pH	1/10/2017 10:01:30 AM	4	unit pH
SC ALRO SA	Clor	1/10/2017 10:01:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 10:01:02 AM	0	mg/l
SC ALRO SA	Temp	1/10/2017 10:01:01 AM	10	gradCels
SC ALRO SA	pH	1/10/2017 10:01:00 AM	4	unit pH
SC ALRO SA	Substante organice	1/10/2017 9:55:48 AM	27	mg/l
SC ALRO SA	Cianuri	1/10/2017 9:55:45 AM	0	mg/l
SC ALRO SA	Clor	1/10/2017 9:55:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 9:55:42 AM	0	mg/l
SC ALRO SA	Temp	1/10/2017 9:55:41 AM	10	gradCels
SC ALRO SA	pH	1/10/2017 9:55:40 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 9:50:43 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 9:50:42 AM	27	mg/l
SC ALRO SA	Clor	1/10/2017 9:50:03 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Grasimi	1/10/2017 9:50:02 AM	0	mg/l
SC ALRO SA	Temp	1/10/2017 9:50:01 AM	10	gradCels
SC ALRO SA	pH	1/10/2017 9:50:00 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 9:44:42 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 9:44:41 AM	27	mg/l
SC ALRO SA	Clor	1/10/2017 9:44:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 9:44:22 AM	0	mg/l
SC ALRO SA	Temp	1/10/2017 9:44:21 AM	10	gradCels
SC ALRO SA	pH	1/10/2017 9:44:20 AM	4	unit pH
SC ALRO SA	Substante organice	1/10/2017 9:39:41 AM	27	mg/l
SC ALRO SA	Cianuri	1/10/2017 9:39:40 AM	0	mg/l
SC ALRO SA	Clor	1/10/2017 9:39:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 9:39:02 AM	0	mg/l
SC ALRO SA	Temp	1/10/2017 9:39:01 AM	10	gradCels
SC ALRO SA	pH	1/10/2017 9:39:00 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 9:37:10 AM	0	mg/l
SC ALRO SA	Clor	1/10/2017 9:36:30 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 9:35:30 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 9:35:20 AM	27	mg/l
SC ALRO SA	Temp	1/10/2017 9:35:10 AM	10	gradCels
SC ALRO SA	pH	1/10/2017 9:34:50 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 9:34:44 AM	0	mg/l
SC ALRO SA	Clor	1/10/2017 9:34:04 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 9:34:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 9:34:02 AM	27	mg/l
SC ALRO SA	Temp	1/10/2017 9:34:01 AM	10	gradCels
SC ALRO SA	pH	1/10/2017 9:34:00 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 9:28:47 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 9:28:46 AM	27	mg/l
SC ALRO SA	Clor	1/10/2017 9:28:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 9:28:22 AM	0	mg/l
SC ALRO SA	Temp	1/10/2017 9:28:21 AM	10	gradCels
SC ALRO SA	pH	1/10/2017 9:28:20 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 9:23:48 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 9:23:47 AM	27	mg/l
SC ALRO SA	Clor	1/10/2017 9:22:46 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 9:22:45 AM	0	mg/l
SC ALRO SA	Temp	1/10/2017 9:22:44 AM	10	gradCels
SC ALRO SA	pH	1/10/2017 9:22:43 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 9:17:47 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 9:17:46 AM	27	mg/l
SC ALRO SA	Clor	1/10/2017 9:17:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 9:17:22 AM	0	mg/l
SC ALRO SA	Temp	1/10/2017 9:17:21 AM	10	gradCels
SC ALRO SA	pH	1/10/2017 9:17:20 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 9:12:50 AM	0	mg/l
SC ALRO SA	Cianuri	1/10/2017 9:12:37 AM	0	mg/l
SC ALRO SA	Clor	1/10/2017 9:12:36 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 9:12:35 AM	27	mg/l
SC ALRO SA	Clor	1/10/2017 9:12:00 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 9:11:45 AM	0	mg/l
SC ALRO SA	Temp	1/10/2017 9:11:44 AM	10	gradCels
SC ALRO SA	pH	1/10/2017 9:11:43 AM	4	unit pH
SC ALRO SA	Grasimi	1/10/2017 9:11:30 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 9:11:20 AM	27	mg/l
SC ALRO SA	Temp	1/10/2017 9:11:10 AM	10	gradCels
SC ALRO SA	pH	1/10/2017 9:11:00 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 9:06:46 AM	0	mg/l
SC ALRO SA	Clor	1/10/2017 9:06:24 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 9:06:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 9:06:22 AM	27	mg/l
SC ALRO SA	Temp	1/10/2017 9:06:21 AM	10	gradCels
SC ALRO SA	pH	1/10/2017 9:06:20 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 9:01:52 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 9:01:51 AM	28	mg/l
SC ALRO SA	Clor	1/10/2017 9:00:46 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Grasimi	1/10/2017 9:00:45 AM	0	mg/l
SC ALRO SA	Temp	1/10/2017 9:00:44 AM	10	gradCels
SC ALRO SA	pH	1/10/2017 9:00:43 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 8:55:47 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 8:55:46 AM	28	mg/l
SC ALRO SA	Clor	1/10/2017 8:55:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 8:55:22 AM	0	mg/l
SC ALRO SA	Temp	1/10/2017 8:55:21 AM	10	gradCels
SC ALRO SA	pH	1/10/2017 8:55:20 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 8:50:55 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 8:50:51 AM	28	mg/l
SC ALRO SA	Clor	1/10/2017 8:49:45 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 8:49:44 AM	0	mg/l
SC ALRO SA	Temp	1/10/2017 8:49:43 AM	10	gradCels
SC ALRO SA	pH	1/10/2017 8:49:42 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 8:49:20 AM	0	mg/l
SC ALRO SA	Clor	1/10/2017 8:49:10 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 8:48:50 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 8:48:20 AM	28	mg/l
SC ALRO SA	Temp	1/10/2017 8:48:10 AM	10	gradCels
SC ALRO SA	pH	1/10/2017 8:47:50 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 8:44:47 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 8:44:46 AM	28	mg/l
SC ALRO SA	Clor	1/10/2017 8:44:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 8:44:22 AM	0	mg/l
SC ALRO SA	Temp	1/10/2017 8:44:21 AM	10	gradCels
SC ALRO SA	pH	1/10/2017 8:44:20 AM	4	unit pH
SC ALRO SA	Substante organice	1/10/2017 8:39:43 AM	28	mg/l
SC ALRO SA	Cianuri	1/10/2017 8:39:42 AM	0	mg/l
SC ALRO SA	Clor	1/10/2017 8:38:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 8:38:42 AM	0	mg/l
SC ALRO SA	Temp	1/10/2017 8:38:41 AM	10	gradCels
SC ALRO SA	pH	1/10/2017 8:38:40 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 8:33:43 AM	0	mg/l
SC ALRO SA	Clor	1/10/2017 8:33:24 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 8:33:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 8:33:22 AM	28	mg/l
SC ALRO SA	Temp	1/10/2017 8:33:21 AM	10	gradCels
SC ALRO SA	pH	1/10/2017 8:33:20 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 8:28:45 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 8:28:44 AM	29	mg/l
SC ALRO SA	Clor	1/10/2017 8:27:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 8:27:42 AM	0	mg/l
SC ALRO SA	Temp	1/10/2017 8:27:41 AM	10	gradCels
SC ALRO SA	pH	1/10/2017 8:27:40 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 8:26:10 AM	0	mg/l
SC ALRO SA	Clor	1/10/2017 8:25:50 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 8:25:10 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 8:25:00 AM	29	mg/l
SC ALRO SA	Temp	1/10/2017 8:24:50 AM	10	gradCels
SC ALRO SA	pH	1/10/2017 8:24:20 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 8:22:47 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 8:22:46 AM	29	mg/l
SC ALRO SA	Clor	1/10/2017 8:22:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 8:22:02 AM	0	mg/l
SC ALRO SA	Temp	1/10/2017 8:22:01 AM	10	gradCels
SC ALRO SA	pH	1/10/2017 8:22:00 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 8:16:45 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 8:16:44 AM	29	mg/l
SC ALRO SA	Clor	1/10/2017 8:16:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 8:16:42 AM	0	mg/l
SC ALRO SA	Temp	1/10/2017 8:16:41 AM	10	gradCels
SC ALRO SA	pH	1/10/2017 8:16:40 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 8:11:42 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 8:11:41 AM	29	mg/l
SC ALRO SA	Clor	1/10/2017 8:11:03 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Grasimi	1/10/2017 8:11:02 AM	0	mg/l
SC ALRO SA	Temp	1/10/2017 8:11:01 AM	10	gradCels
SC ALRO SA	pH	1/10/2017 8:11:00 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 8:05:45 AM	0	mg/l
SC ALRO SA	Clor	1/10/2017 8:05:44 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 8:05:43 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 8:05:42 AM	29	mg/l
SC ALRO SA	Temp	1/10/2017 8:05:41 AM	10	gradCels
SC ALRO SA	pH	1/10/2017 8:05:40 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 8:02:20 AM	0	mg/l
SC ALRO SA	Clor	1/10/2017 8:02:10 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 8:01:10 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 8:01:00 AM	29	mg/l
SC ALRO SA	Cianuri	1/10/2017 8:00:43 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 8:00:42 AM	29	mg/l
SC ALRO SA	Temp	1/10/2017 8:00:30 AM	10	gradCels
SC ALRO SA	pH	1/10/2017 8:00:10 AM	4	unit pH
SC ALRO SA	Clor	1/10/2017 8:00:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 8:00:02 AM	0	mg/l
SC ALRO SA	Temp	1/10/2017 8:00:01 AM	10	gradCels
SC ALRO SA	pH	1/10/2017 8:00:00 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 7:54:45 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 7:54:44 AM	29	mg/l
SC ALRO SA	Clor	1/10/2017 7:54:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 7:54:42 AM	0	mg/l
SC ALRO SA	Temp	1/10/2017 7:54:41 AM	10	gradCels
SC ALRO SA	pH	1/10/2017 7:54:40 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 7:49:43 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 7:49:42 AM	29	mg/l
SC ALRO SA	Clor	1/10/2017 7:49:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 7:49:02 AM	0	mg/l
SC ALRO SA	Temp	1/10/2017 7:49:01 AM	10	gradCels
SC ALRO SA	pH	1/10/2017 7:49:00 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 7:43:41 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 7:43:40 AM	29	mg/l
SC ALRO SA	Clor	1/10/2017 7:43:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 7:43:22 AM	0	mg/l
SC ALRO SA	Temp	1/10/2017 7:43:21 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 7:43:20 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 7:38:43 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 7:38:42 AM	29	mg/l
SC ALRO SA	Clor	1/10/2017 7:38:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 7:38:02 AM	0	mg/l
SC ALRO SA	Temp	1/10/2017 7:38:01 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 7:38:00 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 7:35:10 AM	0	mg/l
SC ALRO SA	Clor	1/10/2017 7:34:30 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 7:34:10 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 7:34:00 AM	29	mg/l
SC ALRO SA	Temp	1/10/2017 7:33:30 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 7:33:00 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 7:32:40 AM	0	mg/l
SC ALRO SA	Clor	1/10/2017 7:32:24 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 7:32:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 7:32:22 AM	29	mg/l
SC ALRO SA	Temp	1/10/2017 7:32:21 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 7:32:20 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 7:27:43 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 7:27:42 AM	30	mg/l
SC ALRO SA	Clor	1/10/2017 7:27:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 7:27:02 AM	0	mg/l
SC ALRO SA	Temp	1/10/2017 7:27:01 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 7:27:00 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 7:21:41 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 7:21:40 AM	30	mg/l
SC ALRO SA	Clor	1/10/2017 7:21:23 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Grasimi	1/10/2017 7:21:22 AM	0	mg/l
SC ALRO SA	Temp	1/10/2017 7:21:21 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 7:21:20 AM	4	unit pH
SC ALRO SA	Substante organice	1/10/2017 7:16:43 AM	30	mg/l
SC ALRO SA	Cianuri	1/10/2017 7:16:42 AM	0	mg/l
SC ALRO SA	Clor	1/10/2017 7:16:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 7:16:02 AM	0	mg/l
SC ALRO SA	Temp	1/10/2017 7:16:01 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 7:16:00 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 7:10:41 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 7:10:40 AM	30	mg/l
SC ALRO SA	Clor	1/10/2017 7:10:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 7:10:22 AM	0	mg/l
SC ALRO SA	Temp	1/10/2017 7:10:21 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 7:10:20 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 7:05:42 AM	0	mg/l
SC ALRO SA	Clor	1/10/2017 7:04:47 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 7:04:46 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 7:04:45 AM	30	mg/l
SC ALRO SA	Temp	1/10/2017 7:04:44 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 7:04:43 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 7:04:10 AM	0	mg/l
SC ALRO SA	Clor	1/10/2017 7:03:00 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 7:02:20 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 7:02:10 AM	30	mg/l
SC ALRO SA	Temp	1/10/2017 7:02:00 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 7:01:50 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 6:59:42 AM	0	mg/l
SC ALRO SA	Clor	1/10/2017 6:59:41 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 6:59:40 AM	30	mg/l
SC ALRO SA	Grasimi	1/10/2017 6:59:22 AM	0	mg/l
SC ALRO SA	Temp	1/10/2017 6:59:21 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 6:59:20 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 6:54:47 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 6:54:45 AM	30	mg/l
SC ALRO SA	Clor	1/10/2017 6:53:46 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 6:53:45 AM	0	mg/l
SC ALRO SA	Temp	1/10/2017 6:53:44 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 6:53:43 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 6:48:47 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 6:48:46 AM	30	mg/l
SC ALRO SA	Clor	1/10/2017 6:48:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 6:48:22 AM	0	mg/l
SC ALRO SA	Temp	1/10/2017 6:48:21 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 6:48:20 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 6:43:48 AM	0	mg/l
SC ALRO SA	Clor	1/10/2017 6:43:45 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 6:43:44 AM	30	mg/l
SC ALRO SA	Grasimi	1/10/2017 6:42:45 AM	0	mg/l
SC ALRO SA	Temp	1/10/2017 6:42:44 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 6:42:43 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 6:37:50 AM	0	mg/l
SC ALRO SA	Clor	1/10/2017 6:37:46 AM	0	mg/l
SC ALRO SA	Cianuri	1/10/2017 6:37:45 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 6:37:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 6:37:22 AM	30	mg/l
SC ALRO SA	Temp	1/10/2017 6:37:21 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 6:37:20 AM	4	unit pH
SC ALRO SA	Clor	1/10/2017 6:37:00 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 6:36:00 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 6:35:50 AM	31	mg/l
SC ALRO SA	Temp	1/10/2017 6:35:20 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 6:35:10 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 6:32:49 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 6:32:45 AM	31	mg/l
SC ALRO SA	Clor	1/10/2017 6:31:46 AM	0	mg/l



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Grasimi	1/10/2017 6:31:45 AM	0	mg/l
SC ALRO SA	Temp	1/10/2017 6:31:44 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 6:31:43 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 6:26:43 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 6:26:42 AM	31	mg/l
SC ALRO SA	Clor	1/10/2017 6:26:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 6:26:22 AM	0	mg/l
SC ALRO SA	Temp	1/10/2017 6:26:21 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 6:26:20 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 6:21:49 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 6:21:45 AM	31	mg/l
SC ALRO SA	Clor	1/10/2017 6:20:46 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 6:20:45 AM	0	mg/l
SC ALRO SA	Temp	1/10/2017 6:20:44 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 6:20:43 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 6:15:47 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 6:15:46 AM	31	mg/l
SC ALRO SA	Clor	1/10/2017 6:15:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 6:15:02 AM	0	mg/l
SC ALRO SA	Temp	1/10/2017 6:15:01 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 6:15:00 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 6:10:20 AM	0	mg/l
SC ALRO SA	Clor	1/10/2017 6:10:10 AM	0	mg/l
SC ALRO SA	Cianuri	1/10/2017 6:09:45 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 6:09:44 AM	31	mg/l
SC ALRO SA	Clor	1/10/2017 6:09:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 6:09:42 AM	0	mg/l
SC ALRO SA	Temp	1/10/2017 6:09:41 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 6:09:40 AM	4	unit pH
SC ALRO SA	Grasimi	1/10/2017 6:09:20 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 6:09:10 AM	31	mg/l
SC ALRO SA	Temp	1/10/2017 6:09:00 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 6:08:50 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 6:04:42 AM	0	mg/l
SC ALRO SA	Clor	1/10/2017 6:04:04 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 6:04:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 6:04:02 AM	31	mg/l
SC ALRO SA	Temp	1/10/2017 6:04:01 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 6:04:00 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 5:58:45 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 5:58:44 AM	31	mg/l
SC ALRO SA	Clor	1/10/2017 5:58:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 5:58:42 AM	0	mg/l
SC ALRO SA	Temp	1/10/2017 5:58:41 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 5:58:40 AM	4	unit pH
SC ALRO SA	Clor	1/10/2017 5:53:44 AM	0	mg/l
SC ALRO SA	Cianuri	1/10/2017 5:53:43 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 5:53:42 AM	31	mg/l
SC ALRO SA	Grasimi	1/10/2017 5:53:02 AM	0	mg/l
SC ALRO SA	Temp	1/10/2017 5:53:01 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 5:53:00 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 5:47:45 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 5:47:44 AM	31	mg/l
SC ALRO SA	Clor	1/10/2017 5:47:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 5:47:42 AM	0	mg/l
SC ALRO SA	Temp	1/10/2017 5:47:41 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 5:47:40 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 5:43:50 AM	0	mg/l
SC ALRO SA	Clor	1/10/2017 5:43:10 AM	0	mg/l
SC ALRO SA	Cianuri	1/10/2017 5:42:42 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 5:42:41 AM	31	mg/l
SC ALRO SA	Clor	1/10/2017 5:42:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 5:42:02 AM	0	mg/l
SC ALRO SA	Temp	1/10/2017 5:42:01 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 5:42:00 AM	4	unit pH
SC ALRO SA	Grasimi	1/10/2017 5:41:50 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	1/10/2017 5:41:20 AM	31	mg/l
SC ALRO SA	Temp	1/10/2017 5:41:10 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 5:40:10 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 5:36:45 AM	0	mg/l
SC ALRO SA	Clor	1/10/2017 5:36:44 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 5:36:43 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 5:36:42 AM	31	mg/l
SC ALRO SA	Temp	1/10/2017 5:36:41 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 5:36:40 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 5:31:43 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 5:31:42 AM	31	mg/l
SC ALRO SA	Clor	1/10/2017 5:31:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 5:31:02 AM	0	mg/l
SC ALRO SA	Temp	1/10/2017 5:31:01 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 5:31:00 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 5:25:42 AM	0	mg/l
SC ALRO SA	Clor	1/10/2017 5:25:41 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 5:25:40 AM	31	mg/l
SC ALRO SA	Grasimi	1/10/2017 5:25:22 AM	0	mg/l
SC ALRO SA	Temp	1/10/2017 5:25:21 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 5:25:20 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 5:20:43 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 5:20:42 AM	31	mg/l
SC ALRO SA	Clor	1/10/2017 5:20:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 5:20:02 AM	0	mg/l
SC ALRO SA	Temp	1/10/2017 5:20:01 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 5:20:00 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 5:14:41 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 5:14:40 AM	31	mg/l
SC ALRO SA	Clor	1/10/2017 5:14:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 5:14:22 AM	0	mg/l
SC ALRO SA	Temp	1/10/2017 5:14:21 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 5:14:20 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 5:10:10 AM	0	mg/l
SC ALRO SA	Cianuri	1/10/2017 5:09:42 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 5:09:41 AM	31	mg/l
SC ALRO SA	Clor	1/10/2017 5:09:10 AM	0	mg/l
SC ALRO SA	Clor	1/10/2017 5:09:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 5:09:02 AM	0	mg/l
SC ALRO SA	Temp	1/10/2017 5:09:01 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 5:09:00 AM	4	unit pH
SC ALRO SA	Grasimi	1/10/2017 5:08:10 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 5:07:10 AM	31	mg/l
SC ALRO SA	Temp	1/10/2017 5:07:00 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 5:06:50 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 5:04:44 AM	0	mg/l
SC ALRO SA	Clor	1/10/2017 5:04:08 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 5:04:07 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 5:04:06 AM	31	mg/l
SC ALRO SA	Temp	1/10/2017 5:04:05 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 5:04:04 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 4:58:43 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 4:58:42 AM	31	mg/l
SC ALRO SA	Clor	1/10/2017 4:58:27 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 4:58:26 AM	0	mg/l
SC ALRO SA	Temp	1/10/2017 4:58:25 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 4:58:24 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 4:53:45 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 4:53:44 AM	31	mg/l
SC ALRO SA	Clor	1/10/2017 4:53:07 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 4:53:06 AM	0	mg/l
SC ALRO SA	Temp	1/10/2017 4:53:05 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 4:53:04 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 4:47:44 AM	0	mg/l
SC ALRO SA	Clor	1/10/2017 4:47:43 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 4:47:42 AM	31	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Grasimi	1/10/2017 4:47:26 AM	0	mg/l
SC ALRO SA	Temp	1/10/2017 4:47:25 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 4:47:24 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 4:44:20 AM	0	mg/l
SC ALRO SA	Clor	1/10/2017 4:43:20 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 4:43:00 AM	0	mg/l
SC ALRO SA	Cianuri	1/10/2017 4:42:44 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 4:42:43 AM	31	mg/l
SC ALRO SA	Substante organice	1/10/2017 4:42:00 AM	31	mg/l
SC ALRO SA	Temp	1/10/2017 4:41:50 AM	11	gradCels
SC ALRO SA	Clor	1/10/2017 4:41:47 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 4:41:46 AM	0	mg/l
SC ALRO SA	Temp	1/10/2017 4:41:45 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 4:41:44 AM	4	unit pH
SC ALRO SA	pH	1/10/2017 4:41:30 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 4:36:31 AM	0	mg/l
SC ALRO SA	Clor	1/10/2017 4:36:28 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 4:36:27 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 4:36:26 AM	31	mg/l
SC ALRO SA	Temp	1/10/2017 4:36:25 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 4:36:24 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 4:31:45 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 4:31:42 AM	31	mg/l
SC ALRO SA	Clor	1/10/2017 4:30:47 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 4:30:46 AM	0	mg/l
SC ALRO SA	Temp	1/10/2017 4:30:45 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 4:30:44 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 4:25:43 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 4:25:42 AM	31	mg/l
SC ALRO SA	Clor	1/10/2017 4:25:27 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 4:25:26 AM	0	mg/l
SC ALRO SA	Temp	1/10/2017 4:25:25 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 4:25:24 AM	4	unit pH
SC ALRO SA	Clor	1/10/2017 4:20:46 AM	0	mg/l
SC ALRO SA	Cianuri	1/10/2017 4:20:45 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 4:20:44 AM	31	mg/l
SC ALRO SA	Grasimi	1/10/2017 4:19:42 AM	0	mg/l
SC ALRO SA	Temp	1/10/2017 4:19:41 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 4:19:40 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 4:19:20 AM	0	mg/l
SC ALRO SA	Clor	1/10/2017 4:19:10 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 4:18:50 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 4:18:40 AM	31	mg/l
SC ALRO SA	Temp	1/10/2017 4:18:00 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 4:17:50 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 4:14:41 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 4:14:40 AM	31	mg/l
SC ALRO SA	Clor	1/10/2017 4:14:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 4:14:22 AM	0	mg/l
SC ALRO SA	Temp	1/10/2017 4:14:21 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 4:14:20 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 4:09:33 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 4:09:32 AM	31	mg/l
SC ALRO SA	Clor	1/10/2017 4:08:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 4:08:42 AM	0	mg/l
SC ALRO SA	Temp	1/10/2017 4:08:41 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 4:08:40 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 4:03:40 AM	0	mg/l
SC ALRO SA	Clor	1/10/2017 4:03:24 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 4:03:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 4:03:22 AM	31	mg/l
SC ALRO SA	Temp	1/10/2017 4:03:21 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 4:03:20 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 3:58:45 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 3:58:44 AM	30	mg/l
SC ALRO SA	Clor	1/10/2017 3:57:43 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Grasimi	1/10/2017 3:57:42 AM	0	mg/l
SC ALRO SA	Temp	1/10/2017 3:57:41 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 3:57:40 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 3:55:50 AM	0	mg/l
SC ALRO SA	Clor	1/10/2017 3:55:40 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 3:55:20 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 3:55:10 AM	30	mg/l
SC ALRO SA	Temp	1/10/2017 3:55:00 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 3:54:50 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 3:52:41 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 3:52:40 AM	30	mg/l
SC ALRO SA	Clor	1/10/2017 3:52:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 3:52:22 AM	0	mg/l
SC ALRO SA	Temp	1/10/2017 3:52:21 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 3:52:20 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 3:47:45 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 3:47:44 AM	30	mg/l
SC ALRO SA	Clor	1/10/2017 3:46:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 3:46:42 AM	0	mg/l
SC ALRO SA	Temp	1/10/2017 3:46:41 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 3:46:40 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 3:41:51 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 3:41:50 AM	30	mg/l
SC ALRO SA	Clor	1/10/2017 3:41:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 3:41:42 AM	0	mg/l
SC ALRO SA	Temp	1/10/2017 3:41:41 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 3:41:40 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 3:36:55 AM	0	mg/l
SC ALRO SA	Clor	1/10/2017 3:36:48 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 3:36:47 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 3:36:46 AM	30	mg/l
SC ALRO SA	Temp	1/10/2017 3:36:45 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 3:36:44 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 3:34:00 AM	0	mg/l
SC ALRO SA	Clor	1/10/2017 3:33:50 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 3:33:30 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 3:33:20 AM	30	mg/l
SC ALRO SA	Temp	1/10/2017 3:33:10 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 3:33:00 AM	4	unit pH
SC ALRO SA	Substante organice	1/10/2017 3:32:02 AM	30	mg/l
SC ALRO SA	Cianuri	1/10/2017 3:32:00 AM	0	mg/l
SC ALRO SA	Clor	1/10/2017 3:31:07 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 3:31:06 AM	0	mg/l
SC ALRO SA	Temp	1/10/2017 3:31:05 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 3:31:04 AM	4	unit pH
SC ALRO SA	Substante organice	1/10/2017 3:26:03 AM	30	mg/l
SC ALRO SA	Cianuri	1/10/2017 3:26:00 AM	0	mg/l
SC ALRO SA	Clor	1/10/2017 3:25:55 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 3:25:46 AM	0	mg/l
SC ALRO SA	Temp	1/10/2017 3:25:45 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 3:25:44 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 3:20:44 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 3:20:42 AM	30	mg/l
SC ALRO SA	Clor	1/10/2017 3:19:59 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 3:19:58 AM	0	mg/l
SC ALRO SA	Temp	1/10/2017 3:19:57 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 3:19:56 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 3:16:00 AM	0	mg/l
SC ALRO SA	Clor	1/10/2017 3:15:20 AM	0	mg/l
SC ALRO SA	Cianuri	1/10/2017 3:15:02 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 3:15:00 AM	30	mg/l
SC ALRO SA	Clor	1/10/2017 3:14:42 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 3:14:41 AM	0	mg/l
SC ALRO SA	Temp	1/10/2017 3:14:40 AM	11	gradCels
SC ALRO SA	Grasimi	1/10/2017 3:13:50 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 3:13:40 AM	30	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/10/2017 3:13:30 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 3:13:20 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 3:10:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 3:10:02 AM	30	mg/l
SC ALRO SA	Clor	1/10/2017 3:08:55 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 3:08:54 AM	0	mg/l
SC ALRO SA	Temp	1/10/2017 3:08:53 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 3:08:52 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 3:03:41 AM	0	mg/l
SC ALRO SA	Clor	1/10/2017 3:03:24 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 3:03:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 3:03:22 AM	30	mg/l
SC ALRO SA	Temp	1/10/2017 3:03:21 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 3:03:20 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 2:59:02 AM	0	mg/l
SC ALRO SA	Clor	1/10/2017 2:59:00 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 2:58:46 AM	30	mg/l
SC ALRO SA	Grasimi	1/10/2017 2:57:54 AM	0	mg/l
SC ALRO SA	Temp	1/10/2017 2:57:53 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 2:57:52 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 2:56:10 AM	0	mg/l
SC ALRO SA	Clor	1/10/2017 2:56:00 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 2:55:10 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 2:55:00 AM	30	mg/l
SC ALRO SA	Temp	1/10/2017 2:54:50 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 2:54:40 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 2:52:40 AM	0	mg/l
SC ALRO SA	Clor	1/10/2017 2:52:38 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 2:52:36 AM	30	mg/l
SC ALRO SA	Grasimi	1/10/2017 2:52:22 AM	0	mg/l
SC ALRO SA	Temp	1/10/2017 2:52:21 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 2:52:20 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 2:47:50 AM	0	mg/l
SC ALRO SA	Clor	1/10/2017 2:47:49 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 2:47:47 AM	30	mg/l
SC ALRO SA	Grasimi	1/10/2017 2:46:54 AM	0	mg/l
SC ALRO SA	Temp	1/10/2017 2:46:53 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 2:46:52 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 2:41:38 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 2:41:36 AM	30	mg/l
SC ALRO SA	Clor	1/10/2017 2:41:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 2:41:22 AM	0	mg/l
SC ALRO SA	Temp	1/10/2017 2:41:21 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 2:41:20 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 2:38:00 AM	0	mg/l
SC ALRO SA	Clor	1/10/2017 2:37:50 AM	0	mg/l
SC ALRO SA	Cianuri	1/10/2017 2:37:00 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 2:36:10 AM	0	mg/l
SC ALRO SA	Clor	1/10/2017 2:35:56 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 2:35:55 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 2:35:54 AM	30	mg/l
SC ALRO SA	Temp	1/10/2017 2:35:53 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 2:35:52 AM	4	unit pH
SC ALRO SA	Substante organice	1/10/2017 2:35:20 AM	30	mg/l
SC ALRO SA	Temp	1/10/2017 2:35:10 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 2:35:00 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 2:30:38 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 2:30:36 AM	30	mg/l
SC ALRO SA	Clor	1/10/2017 2:30:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 2:30:22 AM	0	mg/l
SC ALRO SA	Temp	1/10/2017 2:30:21 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 2:30:20 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 2:26:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 2:26:02 AM	30	mg/l
SC ALRO SA	Clor	1/10/2017 2:24:55 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 2:24:54 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/10/2017 2:24:53 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 2:24:52 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 2:20:00 AM	0	mg/l
SC ALRO SA	Clor	1/10/2017 2:19:46 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 2:19:44 AM	30	mg/l
SC ALRO SA	Grasimi	1/10/2017 2:19:11 AM	0	mg/l
SC ALRO SA	Temp	1/10/2017 2:19:10 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 2:19:09 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 2:16:20 AM	0	mg/l
SC ALRO SA	Clor	1/10/2017 2:16:10 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 2:15:50 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 2:15:20 AM	30	mg/l
SC ALRO SA	Cianuri	1/10/2017 2:15:04 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 2:15:01 AM	30	mg/l
SC ALRO SA	Temp	1/10/2017 2:14:10 AM	11	gradCels
SC ALRO SA	Clor	1/10/2017 2:13:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 2:13:42 AM	0	mg/l
SC ALRO SA	Temp	1/10/2017 2:13:41 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 2:13:40 AM	4	unit pH
SC ALRO SA	pH	1/10/2017 2:13:10 AM	4	unit pH
SC ALRO SA	Substante organice	1/10/2017 2:09:02 AM	30	mg/l
SC ALRO SA	Cianuri	1/10/2017 2:09:00 AM	0	mg/l
SC ALRO SA	Clor	1/10/2017 2:08:12 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 2:08:11 AM	0	mg/l
SC ALRO SA	Temp	1/10/2017 2:08:10 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 2:08:09 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 2:04:01 AM	0	mg/l
SC ALRO SA	Clor	1/10/2017 2:02:44 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 2:02:43 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 2:02:42 AM	30	mg/l
SC ALRO SA	Temp	1/10/2017 2:02:41 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 2:02:40 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 1:57:49 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 1:57:47 AM	30	mg/l
SC ALRO SA	Clor	1/10/2017 1:57:11 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 1:57:10 AM	0	mg/l
SC ALRO SA	Temp	1/10/2017 1:57:09 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 1:57:07 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 1:52:46 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 1:52:43 AM	30	mg/l
SC ALRO SA	Clor	1/10/2017 1:51:35 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 1:51:34 AM	0	mg/l
SC ALRO SA	Temp	1/10/2017 1:51:33 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 1:51:32 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 1:51:00 AM	0	mg/l
SC ALRO SA	Clor	1/10/2017 1:50:50 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 1:50:10 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 1:49:10 AM	30	mg/l
SC ALRO SA	Temp	1/10/2017 1:49:00 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 1:48:50 AM	4	unit pH
SC ALRO SA	Substante organice	1/10/2017 1:47:00 AM	30	mg/l
SC ALRO SA	Cianuri	1/10/2017 1:46:44 AM	0	mg/l
SC ALRO SA	Clor	1/10/2017 1:46:12 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 1:46:11 AM	0	mg/l
SC ALRO SA	Temp	1/10/2017 1:46:10 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 1:46:09 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 1:40:37 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 1:40:35 AM	30	mg/l
SC ALRO SA	Clor	1/10/2017 1:40:32 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 1:40:31 AM	0	mg/l
SC ALRO SA	Temp	1/10/2017 1:40:30 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 1:40:29 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 1:36:00 AM	0	mg/l
SC ALRO SA	Clor	1/10/2017 1:35:12 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 1:35:11 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 1:35:10 AM	30	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/10/2017 1:35:09 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 1:35:08 AM	4	unit pH
SC ALRO SA	Substante organice	1/10/2017 1:29:37 AM	30	mg/l
SC ALRO SA	Cianuri	1/10/2017 1:29:36 AM	0	mg/l
SC ALRO SA	Clor	1/10/2017 1:29:31 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 1:29:30 AM	0	mg/l
SC ALRO SA	Temp	1/10/2017 1:29:29 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 1:29:28 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 1:26:40 AM	0	mg/l
SC ALRO SA	Clor	1/10/2017 1:26:30 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 1:26:10 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 1:26:00 AM	30	mg/l
SC ALRO SA	Temp	1/10/2017 1:25:50 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 1:25:20 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 1:25:02 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 1:25:01 AM	30	mg/l
SC ALRO SA	Clor	1/10/2017 1:24:12 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 1:24:11 AM	0	mg/l
SC ALRO SA	Temp	1/10/2017 1:24:10 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 1:24:08 AM	4	unit pH
SC ALRO SA	Substante organice	1/10/2017 1:18:37 AM	30	mg/l
SC ALRO SA	Cianuri	1/10/2017 1:18:36 AM	0	mg/l
SC ALRO SA	Clor	1/10/2017 1:18:32 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 1:18:31 AM	0	mg/l
SC ALRO SA	Temp	1/10/2017 1:18:30 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 1:18:29 AM	4	unit pH
SC ALRO SA	Substante organice	1/10/2017 1:13:44 AM	30	mg/l
SC ALRO SA	Cianuri	1/10/2017 1:13:42 AM	0	mg/l
SC ALRO SA	Clor	1/10/2017 1:13:40 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 1:13:06 AM	0	mg/l
SC ALRO SA	Temp	1/10/2017 1:13:05 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 1:13:04 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 1:07:47 AM	0	mg/l
SC ALRO SA	Clor	1/10/2017 1:07:46 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 1:07:36 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 1:07:34 AM	30	mg/l
SC ALRO SA	Temp	1/10/2017 1:07:32 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 1:07:30 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 1:03:07 AM	0	mg/l
SC ALRO SA	Clor	1/10/2017 1:03:06 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 1:03:04 AM	29	mg/l
SC ALRO SA	Grasimi	1/10/2017 1:02:06 AM	0	mg/l
SC ALRO SA	Temp	1/10/2017 1:02:05 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 1:02:04 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 1:01:20 AM	0	mg/l
SC ALRO SA	Clor	1/10/2017 1:01:10 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 1:00:50 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 1:00:00 AM	29	mg/l
SC ALRO SA	Temp	1/10/2017 12:59:50 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 12:59:30 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 12:56:36 AM	0	mg/l
SC ALRO SA	Clor	1/10/2017 12:56:34 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 12:56:32 AM	29	mg/l
SC ALRO SA	Grasimi	1/10/2017 12:56:30 AM	0	mg/l
SC ALRO SA	Temp	1/10/2017 12:56:29 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 12:56:28 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 12:51:53 AM	0	mg/l
SC ALRO SA	Clor	1/10/2017 12:51:51 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 12:51:49 AM	29	mg/l
SC ALRO SA	Grasimi	1/10/2017 12:51:06 AM	0	mg/l
SC ALRO SA	Temp	1/10/2017 12:51:05 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 12:51:04 AM	4	unit pH
SC ALRO SA	Substante organice	1/10/2017 12:45:38 AM	29	mg/l
SC ALRO SA	Cianuri	1/10/2017 12:45:37 AM	0	mg/l
SC ALRO SA	Clor	1/10/2017 12:45:33 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 12:45:32 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/10/2017 12:45:31 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 12:45:30 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 12:41:05 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 12:41:03 AM	29	mg/l
SC ALRO SA	Clor	1/10/2017 12:40:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 12:40:02 AM	0	mg/l
SC ALRO SA	Temp	1/10/2017 12:40:01 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 12:40:00 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 12:38:00 AM	0	mg/l
SC ALRO SA	Clor	1/10/2017 12:37:50 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 12:37:10 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 12:37:00 AM	29	mg/l
SC ALRO SA	Temp	1/10/2017 12:36:50 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 12:36:40 AM	4	unit pH
SC ALRO SA	Clor	1/10/2017 12:34:33 AM	0	mg/l
SC ALRO SA	Cianuri	1/10/2017 12:34:32 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 12:34:27 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 12:34:26 AM	29	mg/l
SC ALRO SA	Temp	1/10/2017 12:34:25 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 12:34:24 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 12:30:02 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 12:30:00 AM	29	mg/l
SC ALRO SA	Clor	1/10/2017 12:28:56 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 12:28:55 AM	0	mg/l
SC ALRO SA	Temp	1/10/2017 12:28:54 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 12:28:53 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 12:23:33 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 12:23:32 AM	29	mg/l
SC ALRO SA	Clor	1/10/2017 12:23:29 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 12:23:28 AM	0	mg/l
SC ALRO SA	Temp	1/10/2017 12:23:27 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 12:23:26 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 12:18:46 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 12:18:44 AM	29	mg/l
SC ALRO SA	Clor	1/10/2017 12:17:56 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 12:17:55 AM	0	mg/l
SC ALRO SA	Temp	1/10/2017 12:17:54 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 12:17:53 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 12:15:10 AM	0	mg/l
SC ALRO SA	Clor	1/10/2017 12:15:00 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 12:14:40 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 12:14:30 AM	29	mg/l
SC ALRO SA	Temp	1/10/2017 12:14:20 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 12:14:10 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 12:12:37 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 12:12:36 AM	29	mg/l
SC ALRO SA	Clor	1/10/2017 12:12:27 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 12:12:26 AM	0	mg/l
SC ALRO SA	Temp	1/10/2017 12:12:25 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 12:12:24 AM	4	unit pH
SC ALRO SA	Cianuri	1/10/2017 12:08:05 AM	0	mg/l
SC ALRO SA	Clor	1/10/2017 12:08:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 12:06:56 AM	0	mg/l
SC ALRO SA	Substante organice	1/10/2017 12:06:55 AM	29	mg/l
SC ALRO SA	Temp	1/10/2017 12:06:54 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 12:06:53 AM	4	unit pH
SC ALRO SA	Substante organice	1/10/2017 12:01:39 AM	28	mg/l
SC ALRO SA	Cianuri	1/10/2017 12:01:36 AM	0	mg/l
SC ALRO SA	Clor	1/10/2017 12:01:27 AM	0	mg/l
SC ALRO SA	Grasimi	1/10/2017 12:01:26 AM	0	mg/l
SC ALRO SA	Temp	1/10/2017 12:01:25 AM	11	gradCels
SC ALRO SA	pH	1/10/2017 12:01:24 AM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 11:56:45 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 11:56:43 PM	28	mg/l
SC ALRO SA	Clor	1/9/2017 11:55:53 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 11:55:52 PM	0	mg/l



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/9/2017 11:55:51 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 11:55:50 PM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 11:53:10 PM	0	mg/l
SC ALRO SA	Clor	1/9/2017 11:53:00 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 11:52:20 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 11:52:10 PM	28	mg/l
SC ALRO SA	Temp	1/9/2017 11:51:40 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 11:51:10 PM	4	unit pH
SC ALRO SA	Substante organice	1/9/2017 11:50:51 PM	28	mg/l
SC ALRO SA	Cianuri	1/9/2017 11:50:48 PM	0	mg/l
SC ALRO SA	Clor	1/9/2017 11:50:11 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 11:50:10 PM	0	mg/l
SC ALRO SA	Temp	1/9/2017 11:50:09 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 11:50:08 PM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 11:45:45 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 11:45:44 PM	28	mg/l
SC ALRO SA	Clor	1/9/2017 11:44:50 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 11:44:49 PM	0	mg/l
SC ALRO SA	Temp	1/9/2017 11:44:48 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 11:44:47 PM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 11:39:45 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 11:39:44 PM	28	mg/l
SC ALRO SA	Clor	1/9/2017 11:39:12 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 11:39:11 PM	0	mg/l
SC ALRO SA	Temp	1/9/2017 11:39:10 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 11:39:09 PM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 11:35:04 PM	0	mg/l
SC ALRO SA	Clor	1/9/2017 11:33:50 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 11:33:49 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 11:33:48 PM	28	mg/l
SC ALRO SA	Temp	1/9/2017 11:33:47 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 11:33:46 PM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 11:29:06 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 11:29:04 PM	28	mg/l
SC ALRO SA	Clor	1/9/2017 11:28:11 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 11:28:10 PM	0	mg/l
SC ALRO SA	Temp	1/9/2017 11:28:09 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 11:28:08 PM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 11:25:10 PM	0	mg/l
SC ALRO SA	Clor	1/9/2017 11:25:00 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 11:24:20 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 11:24:04 PM	28	mg/l
SC ALRO SA	Cianuri	1/9/2017 11:24:02 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 11:23:20 PM	28	mg/l
SC ALRO SA	Temp	1/9/2017 11:23:10 PM	11	gradCels
SC ALRO SA	Clor	1/9/2017 11:22:49 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 11:22:48 PM	0	mg/l
SC ALRO SA	Temp	1/9/2017 11:22:47 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 11:22:46 PM	4	unit pH
SC ALRO SA	pH	1/9/2017 11:22:10 PM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 11:18:07 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 11:18:05 PM	28	mg/l
SC ALRO SA	Clor	1/9/2017 11:17:11 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 11:17:10 PM	0	mg/l
SC ALRO SA	Temp	1/9/2017 11:17:09 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 11:17:08 PM	4	unit pH
SC ALRO SA	Clor	1/9/2017 11:11:37 PM	0	mg/l
SC ALRO SA	Cianuri	1/9/2017 11:11:36 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 11:11:35 PM	28	mg/l
SC ALRO SA	Grasimi	1/9/2017 11:11:27 PM	0	mg/l
SC ALRO SA	Temp	1/9/2017 11:11:26 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 11:11:25 PM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 11:06:46 PM	0	mg/l
SC ALRO SA	Clor	1/9/2017 11:06:04 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 11:06:03 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 11:06:02 PM	28	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/9/2017 11:06:01 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 11:06:00 PM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 11:00:30 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 11:00:29 PM	28	mg/l
SC ALRO SA	Clor	1/9/2017 11:00:27 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 11:00:26 PM	0	mg/l
SC ALRO SA	Temp	1/9/2017 11:00:25 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 11:00:24 PM	5	unit pH
SC ALRO SA	Cianuri	1/9/2017 10:57:20 PM	0	mg/l
SC ALRO SA	Clor	1/9/2017 10:56:20 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 10:55:50 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 10:55:45 PM	28	mg/l
SC ALRO SA	Cianuri	1/9/2017 10:55:44 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 10:55:10 PM	28	mg/l
SC ALRO SA	Clor	1/9/2017 10:55:04 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 10:55:03 PM	0	mg/l
SC ALRO SA	Temp	1/9/2017 10:55:02 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 10:55:00 PM	5	unit pH
SC ALRO SA	Temp	1/9/2017 10:54:20 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 10:54:10 PM	5	unit pH
SC ALRO SA	Cianuri	1/9/2017 10:49:31 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 10:49:30 PM	28	mg/l
SC ALRO SA	Clor	1/9/2017 10:49:27 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 10:49:26 PM	0	mg/l
SC ALRO SA	Temp	1/9/2017 10:49:25 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 10:49:24 PM	5	unit pH
SC ALRO SA	Clor	1/9/2017 10:44:46 PM	0	mg/l
SC ALRO SA	Cianuri	1/9/2017 10:44:45 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 10:44:44 PM	28	mg/l
SC ALRO SA	Grasimi	1/9/2017 10:44:02 PM	0	mg/l
SC ALRO SA	Temp	1/9/2017 10:44:01 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 10:44:00 PM	5	unit pH
SC ALRO SA	Cianuri	1/9/2017 10:38:31 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 10:38:30 PM	28	mg/l
SC ALRO SA	Clor	1/9/2017 10:38:28 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 10:38:27 PM	0	mg/l
SC ALRO SA	Temp	1/9/2017 10:38:26 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 10:38:25 PM	5	unit pH
SC ALRO SA	Cianuri	1/9/2017 10:33:45 PM	0	mg/l
SC ALRO SA	Clor	1/9/2017 10:32:52 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 10:32:51 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 10:32:50 PM	28	mg/l
SC ALRO SA	Temp	1/9/2017 10:32:49 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 10:32:48 PM	5	unit pH
SC ALRO SA	Cianuri	1/9/2017 10:30:20 PM	0	mg/l
SC ALRO SA	Clor	1/9/2017 10:30:10 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 10:29:20 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 10:29:10 PM	28	mg/l
SC ALRO SA	Cianuri	1/9/2017 10:29:02 PM	0	mg/l
SC ALRO SA	Clor	1/9/2017 10:29:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 10:29:00 PM	28	mg/l
SC ALRO SA	Temp	1/9/2017 10:28:10 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 10:28:00 PM	5	unit pH
SC ALRO SA	Grasimi	1/9/2017 10:27:48 PM	0	mg/l
SC ALRO SA	Temp	1/9/2017 10:27:47 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 10:27:46 PM	5	unit pH
SC ALRO SA	Clor	1/9/2017 10:22:33 PM	0	mg/l
SC ALRO SA	Cianuri	1/9/2017 10:22:30 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 10:22:28 PM	28	mg/l
SC ALRO SA	Grasimi	1/9/2017 10:22:26 PM	0	mg/l
SC ALRO SA	Temp	1/9/2017 10:22:25 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 10:22:24 PM	5	unit pH
SC ALRO SA	Cianuri	1/9/2017 10:17:45 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 10:17:44 PM	28	mg/l
SC ALRO SA	Clor	1/9/2017 10:16:49 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 10:16:48 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/9/2017 10:16:47 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 10:16:46 PM	5	unit pH
SC ALRO SA	Cianuri	1/9/2017 10:11:32 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 10:11:31 PM	28	mg/l
SC ALRO SA	Clor	1/9/2017 10:11:28 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 10:11:27 PM	0	mg/l
SC ALRO SA	Temp	1/9/2017 10:11:26 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 10:11:25 PM	5	unit pH
SC ALRO SA	Cianuri	1/9/2017 10:07:00 PM	0	mg/l
SC ALRO SA	Clor	1/9/2017 10:05:53 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 10:05:52 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 10:05:51 PM	28	mg/l
SC ALRO SA	Temp	1/9/2017 10:05:50 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 10:05:49 PM	5	unit pH
SC ALRO SA	Cianuri	1/9/2017 10:03:20 PM	0	mg/l
SC ALRO SA	Clor	1/9/2017 10:03:10 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 10:02:50 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 10:02:20 PM	28	mg/l
SC ALRO SA	Temp	1/9/2017 10:01:10 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 10:01:00 PM	5	unit pH
SC ALRO SA	Substante organice	1/9/2017 10:00:43 PM	28	mg/l
SC ALRO SA	Cianuri	1/9/2017 10:00:42 PM	0	mg/l
SC ALRO SA	Clor	1/9/2017 10:00:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 10:00:22 PM	0	mg/l
SC ALRO SA	Temp	1/9/2017 10:00:21 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 10:00:20 PM	5	unit pH
SC ALRO SA	Substante organice	1/9/2017 9:56:02 PM	28	mg/l
SC ALRO SA	Cianuri	1/9/2017 9:56:01 PM	0	mg/l
SC ALRO SA	Clor	1/9/2017 9:54:58 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 9:54:57 PM	0	mg/l
SC ALRO SA	Temp	1/9/2017 9:54:56 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 9:54:55 PM	5	unit pH
SC ALRO SA	Cianuri	1/9/2017 9:49:45 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 9:49:44 PM	28	mg/l
SC ALRO SA	Clor	1/9/2017 9:49:11 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 9:49:10 PM	0	mg/l
SC ALRO SA	Temp	1/9/2017 9:49:09 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 9:49:08 PM	5	unit pH
SC ALRO SA	Cianuri	1/9/2017 9:45:02 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 9:45:01 PM	28	mg/l
SC ALRO SA	Clor	1/9/2017 9:43:58 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 9:43:57 PM	0	mg/l
SC ALRO SA	Temp	1/9/2017 9:43:56 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 9:43:55 PM	5	unit pH
SC ALRO SA	Cianuri	1/9/2017 9:38:44 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 9:38:43 PM	28	mg/l
SC ALRO SA	Clor	1/9/2017 9:38:12 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 9:38:11 PM	0	mg/l
SC ALRO SA	Temp	1/9/2017 9:38:10 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 9:38:09 PM	5	unit pH
SC ALRO SA	Cianuri	1/9/2017 9:36:30 PM	0	mg/l
SC ALRO SA	Clor	1/9/2017 9:36:10 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 9:35:50 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 9:35:20 PM	28	mg/l
SC ALRO SA	Temp	1/9/2017 9:35:10 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 9:34:50 PM	5	unit pH
SC ALRO SA	Cianuri	1/9/2017 9:34:01 PM	0	mg/l
SC ALRO SA	Clor	1/9/2017 9:32:59 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 9:32:58 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 9:32:57 PM	28	mg/l
SC ALRO SA	Temp	1/9/2017 9:32:56 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 9:32:55 PM	5	unit pH
SC ALRO SA	Cianuri	1/9/2017 9:27:46 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 9:27:45 PM	27	mg/l
SC ALRO SA	Clor	1/9/2017 9:27:44 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 9:27:10 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/9/2017 9:27:09 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 9:27:08 PM	5	unit pH
SC ALRO SA	Cianuri	1/9/2017 9:22:42 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 9:22:41 PM	27	mg/l
SC ALRO SA	Clor	1/9/2017 9:21:35 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 9:21:34 PM	0	mg/l
SC ALRO SA	Temp	1/9/2017 9:21:33 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 9:21:32 PM	5	unit pH
SC ALRO SA	Cianuri	1/9/2017 9:16:45 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 9:16:44 PM	27	mg/l
SC ALRO SA	Clor	1/9/2017 9:16:11 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 9:16:10 PM	0	mg/l
SC ALRO SA	Temp	1/9/2017 9:16:09 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 9:16:08 PM	5	unit pH
SC ALRO SA	Cianuri	1/9/2017 9:12:10 PM	0	mg/l
SC ALRO SA	Cianuri	1/9/2017 9:12:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 9:12:00 PM	27	mg/l
SC ALRO SA	Clor	1/9/2017 9:11:20 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 9:10:50 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 9:10:40 PM	27	mg/l
SC ALRO SA	Clor	1/9/2017 9:10:35 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 9:10:34 PM	0	mg/l
SC ALRO SA	Temp	1/9/2017 9:10:33 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 9:10:32 PM	5	unit pH
SC ALRO SA	Temp	1/9/2017 9:10:10 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 9:10:00 PM	5	unit pH
SC ALRO SA	Cianuri	1/9/2017 9:05:42 PM	0	mg/l
SC ALRO SA	Clor	1/9/2017 9:05:13 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 9:05:12 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 9:05:11 PM	27	mg/l
SC ALRO SA	Temp	1/9/2017 9:05:10 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 9:05:09 PM	5	unit pH
SC ALRO SA	Cianuri	1/9/2017 8:59:38 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 8:59:36 PM	26	mg/l
SC ALRO SA	Clor	1/9/2017 8:59:31 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 8:59:30 PM	0	mg/l
SC ALRO SA	Temp	1/9/2017 8:59:29 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 8:59:28 PM	4	unit pH
SC ALRO SA	Substante organice	1/9/2017 8:55:04 PM	26	mg/l
SC ALRO SA	Cianuri	1/9/2017 8:55:01 PM	0	mg/l
SC ALRO SA	Clor	1/9/2017 8:54:46 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 8:54:45 PM	0	mg/l
SC ALRO SA	Temp	1/9/2017 8:54:44 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 8:54:43 PM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 8:49:28 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 8:49:27 PM	26	mg/l
SC ALRO SA	Clor	1/9/2017 8:49:24 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 8:49:23 PM	0	mg/l
SC ALRO SA	Temp	1/9/2017 8:49:22 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 8:49:21 PM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 8:48:00 PM	0	mg/l
SC ALRO SA	Clor	1/9/2017 8:47:50 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 8:47:00 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 8:46:50 PM	26	mg/l
SC ALRO SA	Temp	1/9/2017 8:46:20 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 8:46:10 PM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 8:44:04 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 8:44:01 PM	26	mg/l
SC ALRO SA	Clor	1/9/2017 8:43:46 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 8:43:45 PM	0	mg/l
SC ALRO SA	Temp	1/9/2017 8:43:44 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 8:43:43 PM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 8:39:02 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 8:39:01 PM	26	mg/l
SC ALRO SA	Clor	1/9/2017 8:38:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 8:38:02 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/9/2017 8:38:01 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 8:38:00 PM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 8:32:43 PM	0	mg/l
SC ALRO SA	Clor	1/9/2017 8:32:24 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 8:32:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 8:32:22 PM	26	mg/l
SC ALRO SA	Temp	1/9/2017 8:32:21 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 8:32:20 PM	4	unit pH
SC ALRO SA	Substante organice	1/9/2017 8:28:02 PM	25	mg/l
SC ALRO SA	Cianuri	1/9/2017 8:28:01 PM	0	mg/l
SC ALRO SA	Clor	1/9/2017 8:27:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 8:27:02 PM	0	mg/l
SC ALRO SA	Temp	1/9/2017 8:27:01 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 8:27:00 PM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 8:22:50 PM	0	mg/l
SC ALRO SA	Clor	1/9/2017 8:22:20 PM	0	mg/l
SC ALRO SA	Cianuri	1/9/2017 8:21:48 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 8:21:46 PM	25	mg/l
SC ALRO SA	Clor	1/9/2017 8:21:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 8:21:22 PM	0	mg/l
SC ALRO SA	Temp	1/9/2017 8:21:21 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 8:21:20 PM	4	unit pH
SC ALRO SA	Grasimi	1/9/2017 8:21:10 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 8:21:00 PM	25	mg/l
SC ALRO SA	Temp	1/9/2017 8:20:20 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 8:20:10 PM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 8:17:04 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 8:17:01 PM	25	mg/l
SC ALRO SA	Clor	1/9/2017 8:16:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 8:16:02 PM	0	mg/l
SC ALRO SA	Temp	1/9/2017 8:16:01 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 8:16:00 PM	4	unit pH
SC ALRO SA	Substante organice	1/9/2017 8:10:44 PM	25	mg/l
SC ALRO SA	Cianuri	1/9/2017 8:10:43 PM	0	mg/l
SC ALRO SA	Clor	1/9/2017 8:10:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 8:10:22 PM	0	mg/l
SC ALRO SA	Temp	1/9/2017 8:10:21 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 8:10:20 PM	4	unit pH
SC ALRO SA	Clor	1/9/2017 8:06:01 PM	0	mg/l
SC ALRO SA	Cianuri	1/9/2017 8:06:00 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 8:05:03 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 8:05:02 PM	25	mg/l
SC ALRO SA	Temp	1/9/2017 8:05:01 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 8:05:00 PM	4	unit pH
SC ALRO SA	Substante organice	1/9/2017 7:59:46 PM	25	mg/l
SC ALRO SA	Cianuri	1/9/2017 7:59:45 PM	0	mg/l
SC ALRO SA	Clor	1/9/2017 7:59:44 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 7:59:22 PM	0	mg/l
SC ALRO SA	Temp	1/9/2017 7:59:21 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 7:59:20 PM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 7:57:20 PM	0	mg/l
SC ALRO SA	Clor	1/9/2017 7:57:10 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 7:56:50 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 7:56:40 PM	25	mg/l
SC ALRO SA	Temp	1/9/2017 7:56:00 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 7:55:50 PM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 7:54:45 PM	0	mg/l
SC ALRO SA	Clor	1/9/2017 7:54:42 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 7:54:40 PM	25	mg/l
SC ALRO SA	Grasimi	1/9/2017 7:54:02 PM	0	mg/l
SC ALRO SA	Temp	1/9/2017 7:54:01 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 7:54:00 PM	4	unit pH
SC ALRO SA	Clor	1/9/2017 7:48:47 PM	0	mg/l
SC ALRO SA	Cianuri	1/9/2017 7:48:46 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 7:48:45 PM	25	mg/l
SC ALRO SA	Grasimi	1/9/2017 7:48:22 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/9/2017 7:48:21 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 7:48:20 PM	4	unit pH
SC ALRO SA	Substante organice	1/9/2017 7:43:43 PM	25	mg/l
SC ALRO SA	Cianuri	1/9/2017 7:43:42 PM	0	mg/l
SC ALRO SA	Clor	1/9/2017 7:43:40 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 7:42:41 PM	0	mg/l
SC ALRO SA	Temp	1/9/2017 7:42:40 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 7:42:39 PM	4	unit pH
SC ALRO SA	Clor	1/9/2017 7:37:35 PM	0	mg/l
SC ALRO SA	Cianuri	1/9/2017 7:37:34 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 7:37:27 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 7:37:26 PM	25	mg/l
SC ALRO SA	Temp	1/9/2017 7:37:25 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 7:37:24 PM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 7:35:20 PM	0	mg/l
SC ALRO SA	Clor	1/9/2017 7:35:10 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 7:34:50 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 7:34:40 PM	24	mg/l
SC ALRO SA	Temp	1/9/2017 7:34:00 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 7:33:50 PM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 7:32:43 PM	0	mg/l
SC ALRO SA	Clor	1/9/2017 7:32:42 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 7:32:40 PM	24	mg/l
SC ALRO SA	Grasimi	1/9/2017 7:31:39 PM	0	mg/l
SC ALRO SA	Temp	1/9/2017 7:31:38 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 7:31:37 PM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 7:26:34 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 7:26:33 PM	24	mg/l
SC ALRO SA	Clor	1/9/2017 7:26:32 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 7:26:26 PM	0	mg/l
SC ALRO SA	Temp	1/9/2017 7:26:25 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 7:26:24 PM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 7:21:45 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 7:21:44 PM	24	mg/l
SC ALRO SA	Clor	1/9/2017 7:20:51 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 7:20:50 PM	0	mg/l
SC ALRO SA	Temp	1/9/2017 7:20:49 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 7:20:48 PM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 7:15:45 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 7:15:44 PM	24	mg/l
SC ALRO SA	Clor	1/9/2017 7:15:06 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 7:15:05 PM	0	mg/l
SC ALRO SA	Temp	1/9/2017 7:15:04 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 7:15:03 PM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 7:11:10 PM	0	mg/l
SC ALRO SA	Clor	1/9/2017 7:11:00 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 7:10:43 PM	24	mg/l
SC ALRO SA	Cianuri	1/9/2017 7:10:42 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 7:10:00 PM	0	mg/l
SC ALRO SA	Clor	1/9/2017 7:09:52 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 7:09:51 PM	0	mg/l
SC ALRO SA	Temp	1/9/2017 7:09:50 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 7:09:49 PM	4	unit pH
SC ALRO SA	Substante organice	1/9/2017 7:09:20 PM	24	mg/l
SC ALRO SA	Temp	1/9/2017 7:09:10 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 7:08:50 PM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 7:04:43 PM	0	mg/l
SC ALRO SA	Clor	1/9/2017 7:04:08 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 7:04:07 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 7:04:06 PM	24	mg/l
SC ALRO SA	Temp	1/9/2017 7:04:05 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 7:04:04 PM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 7:00:05 PM	0	mg/l
SC ALRO SA	Clor	1/9/2017 7:00:04 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 7:00:02 PM	24	mg/l
SC ALRO SA	Grasimi	1/9/2017 6:58:50 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/9/2017 6:58:49 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 6:58:48 PM	4	unit pH
SC ALRO SA	Substante organice	1/9/2017 6:53:43 PM	24	mg/l
SC ALRO SA	Cianuri	1/9/2017 6:53:41 PM	0	mg/l
SC ALRO SA	Clor	1/9/2017 6:53:04 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 6:53:03 PM	0	mg/l
SC ALRO SA	Temp	1/9/2017 6:53:02 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 6:53:01 PM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 6:48:42 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 6:48:41 PM	24	mg/l
SC ALRO SA	Clor	1/9/2017 6:47:53 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 6:47:52 PM	0	mg/l
SC ALRO SA	Temp	1/9/2017 6:47:51 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 6:47:50 PM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 6:44:20 PM	0	mg/l
SC ALRO SA	Clor	1/9/2017 6:44:10 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 6:42:50 PM	0	mg/l
SC ALRO SA	Cianuri	1/9/2017 6:42:43 PM	0	mg/l
SC ALRO SA	Clor	1/9/2017 6:42:42 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 6:42:41 PM	24	mg/l
SC ALRO SA	Substante organice	1/9/2017 6:42:20 PM	24	mg/l
SC ALRO SA	Temp	1/9/2017 6:42:10 PM	11	gradCels
SC ALRO SA	Grasimi	1/9/2017 6:42:00 PM	0	mg/l
SC ALRO SA	Temp	1/9/2017 6:41:59 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 6:41:58 PM	4	unit pH
SC ALRO SA	pH	1/9/2017 6:41:20 PM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 6:36:55 PM	0	mg/l
SC ALRO SA	Clor	1/9/2017 6:36:54 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 6:36:47 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 6:36:46 PM	24	mg/l
SC ALRO SA	Temp	1/9/2017 6:36:45 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 6:36:44 PM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 6:31:44 PM	0	mg/l
SC ALRO SA	Clor	1/9/2017 6:31:43 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 6:31:41 PM	24	mg/l
SC ALRO SA	Grasimi	1/9/2017 6:31:06 PM	0	mg/l
SC ALRO SA	Temp	1/9/2017 6:31:05 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 6:31:04 PM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 6:25:34 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 6:25:33 PM	24	mg/l
SC ALRO SA	Clor	1/9/2017 6:25:27 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 6:25:26 PM	0	mg/l
SC ALRO SA	Temp	1/9/2017 6:25:25 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 6:25:24 PM	4	unit pH
SC ALRO SA	Substante organice	1/9/2017 6:21:05 PM	24	mg/l
SC ALRO SA	Cianuri	1/9/2017 6:21:02 PM	0	mg/l
SC ALRO SA	Clor	1/9/2017 6:20:07 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 6:20:06 PM	0	mg/l
SC ALRO SA	Temp	1/9/2017 6:20:05 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 6:20:04 PM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 6:19:00 PM	0	mg/l
SC ALRO SA	Clor	1/9/2017 6:18:50 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 6:18:00 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 6:17:50 PM	24	mg/l
SC ALRO SA	Temp	1/9/2017 6:17:20 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 6:16:50 PM	4	unit pH
SC ALRO SA	Substante organice	1/9/2017 6:14:33 PM	24	mg/l
SC ALRO SA	Cianuri	1/9/2017 6:14:31 PM	0	mg/l
SC ALRO SA	Clor	1/9/2017 6:14:29 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 6:14:26 PM	0	mg/l
SC ALRO SA	Temp	1/9/2017 6:14:25 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 6:14:24 PM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 6:10:04 PM	0	mg/l
SC ALRO SA	Clor	1/9/2017 6:10:02 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 6:10:00 PM	24	mg/l
SC ALRO SA	Grasimi	1/9/2017 6:09:07 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/9/2017 6:09:06 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 6:09:05 PM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 6:03:34 PM	0	mg/l
SC ALRO SA	Clor	1/9/2017 6:03:33 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 6:03:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 6:03:22 PM	24	mg/l
SC ALRO SA	Temp	1/9/2017 6:03:21 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 6:03:20 PM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 5:59:04 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 5:59:02 PM	24	mg/l
SC ALRO SA	Clor	1/9/2017 5:58:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 5:58:02 PM	0	mg/l
SC ALRO SA	Temp	1/9/2017 5:58:01 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 5:58:00 PM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 5:54:30 PM	0	mg/l
SC ALRO SA	Clor	1/9/2017 5:54:20 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 5:53:20 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 5:53:10 PM	24	mg/l
SC ALRO SA	Temp	1/9/2017 5:52:40 PM	11	gradCels
SC ALRO SA	Cianuri	1/9/2017 5:52:35 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 5:52:34 PM	24	mg/l
SC ALRO SA	Clor	1/9/2017 5:52:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 5:52:22 PM	0	mg/l
SC ALRO SA	Temp	1/9/2017 5:52:21 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 5:52:20 PM	4	unit pH
SC ALRO SA	pH	1/9/2017 5:52:10 PM	4	unit pH
SC ALRO SA	Clor	1/9/2017 5:47:46 PM	0	mg/l
SC ALRO SA	Cianuri	1/9/2017 5:47:45 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 5:47:44 PM	24	mg/l
SC ALRO SA	Grasimi	1/9/2017 5:47:02 PM	0	mg/l
SC ALRO SA	Temp	1/9/2017 5:47:01 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 5:47:00 PM	4	unit pH
SC ALRO SA	Substante organice	1/9/2017 5:41:33 PM	24	mg/l
SC ALRO SA	Cianuri	1/9/2017 5:41:32 PM	0	mg/l
SC ALRO SA	Clor	1/9/2017 5:41:31 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 5:41:22 PM	0	mg/l
SC ALRO SA	Temp	1/9/2017 5:41:21 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 5:41:20 PM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 5:37:03 PM	0	mg/l
SC ALRO SA	Clor	1/9/2017 5:37:02 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 5:35:43 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 5:35:42 PM	24	mg/l
SC ALRO SA	Temp	1/9/2017 5:35:41 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 5:35:40 PM	4	unit pH
SC ALRO SA	Substante organice	1/9/2017 5:30:34 PM	24	mg/l
SC ALRO SA	Cianuri	1/9/2017 5:30:33 PM	0	mg/l
SC ALRO SA	Clor	1/9/2017 5:30:32 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 5:30:22 PM	0	mg/l
SC ALRO SA	Temp	1/9/2017 5:30:21 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 5:30:20 PM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 5:29:00 PM	0	mg/l
SC ALRO SA	Clor	1/9/2017 5:28:50 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 5:28:20 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 5:28:10 PM	24	mg/l
SC ALRO SA	Temp	1/9/2017 5:28:00 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 5:27:50 PM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 5:26:05 PM	0	mg/l
SC ALRO SA	Clor	1/9/2017 5:26:03 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 5:26:00 PM	24	mg/l
SC ALRO SA	Grasimi	1/9/2017 5:24:42 PM	0	mg/l
SC ALRO SA	Temp	1/9/2017 5:24:41 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 5:24:40 PM	4	unit pH
SC ALRO SA	Substante organice	1/9/2017 5:19:34 PM	24	mg/l
SC ALRO SA	Cianuri	1/9/2017 5:19:33 PM	0	mg/l
SC ALRO SA	Clor	1/9/2017 5:19:31 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 5:19:22 PM	0	mg/l



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/9/2017 5:19:21 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 5:19:20 PM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 5:15:04 PM	0	mg/l
SC ALRO SA	Clor	1/9/2017 5:15:03 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 5:15:01 PM	24	mg/l
SC ALRO SA	Grasimi	1/9/2017 5:13:42 PM	0	mg/l
SC ALRO SA	Temp	1/9/2017 5:13:41 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 5:13:40 PM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 5:08:34 PM	0	mg/l
SC ALRO SA	Clor	1/9/2017 5:08:33 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 5:08:32 PM	24	mg/l
SC ALRO SA	Grasimi	1/9/2017 5:08:22 PM	0	mg/l
SC ALRO SA	Temp	1/9/2017 5:08:21 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 5:08:20 PM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 5:05:50 PM	0	mg/l
SC ALRO SA	Clor	1/9/2017 5:05:40 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 5:04:50 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 5:04:20 PM	24	mg/l
SC ALRO SA	Cianuri	1/9/2017 5:04:04 PM	0	mg/l
SC ALRO SA	Clor	1/9/2017 5:04:03 PM	0	mg/l
SC ALRO SA	Temp	1/9/2017 5:03:00 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 5:02:50 PM	4	unit pH
SC ALRO SA	Grasimi	1/9/2017 5:02:36 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 5:02:35 PM	24	mg/l
SC ALRO SA	Temp	1/9/2017 5:02:34 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 5:02:33 PM	4	unit pH
SC ALRO SA	Substante organice	1/9/2017 4:57:47 PM	24	mg/l
SC ALRO SA	Cianuri	1/9/2017 4:57:45 PM	0	mg/l
SC ALRO SA	Clor	1/9/2017 4:57:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 4:57:02 PM	0	mg/l
SC ALRO SA	Temp	1/9/2017 4:57:01 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 4:57:00 PM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 4:52:46 PM	0	mg/l
SC ALRO SA	Clor	1/9/2017 4:52:45 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 4:52:44 PM	24	mg/l
SC ALRO SA	Grasimi	1/9/2017 4:51:35 PM	0	mg/l
SC ALRO SA	Temp	1/9/2017 4:51:34 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 4:51:33 PM	4	unit pH
SC ALRO SA	Substante organice	1/9/2017 4:46:31 PM	24	mg/l
SC ALRO SA	Cianuri	1/9/2017 4:46:29 PM	0	mg/l
SC ALRO SA	Clor	1/9/2017 4:46:27 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 4:46:02 PM	0	mg/l
SC ALRO SA	Temp	1/9/2017 4:46:01 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 4:46:00 PM	4	unit pH
SC ALRO SA	Clor	1/9/2017 4:40:38 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 4:40:36 PM	24	mg/l
SC ALRO SA	Cianuri	1/9/2017 4:40:35 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 4:40:32 PM	0	mg/l
SC ALRO SA	Temp	1/9/2017 4:40:31 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 4:40:30 PM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 4:39:20 PM	0	mg/l
SC ALRO SA	Clor	1/9/2017 4:39:10 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 4:38:20 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 4:38:10 PM	24	mg/l
SC ALRO SA	Temp	1/9/2017 4:38:00 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 4:37:30 PM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 4:35:43 PM	0	mg/l
SC ALRO SA	Clor	1/9/2017 4:34:57 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 4:34:56 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 4:34:55 PM	24	mg/l
SC ALRO SA	Temp	1/9/2017 4:34:54 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 4:34:53 PM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 4:29:48 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 4:29:47 PM	24	mg/l
SC ALRO SA	Clor	1/9/2017 4:29:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 4:29:42 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/9/2017 4:29:41 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 4:29:40 PM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 4:24:45 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 4:24:44 PM	24	mg/l
SC ALRO SA	Clor	1/9/2017 4:24:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 4:23:52 PM	0	mg/l
SC ALRO SA	Temp	1/9/2017 4:23:51 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 4:23:50 PM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 4:18:45 PM	0	mg/l
SC ALRO SA	Clor	1/9/2017 4:18:44 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 4:18:43 PM	24	mg/l
SC ALRO SA	Grasimi	1/9/2017 4:18:22 PM	0	mg/l
SC ALRO SA	Temp	1/9/2017 4:18:21 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 4:18:20 PM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 4:16:10 PM	0	mg/l
SC ALRO SA	Clor	1/9/2017 4:16:00 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 4:15:10 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 4:14:20 PM	24	mg/l
SC ALRO SA	Temp	1/9/2017 4:14:10 PM	11	gradCels
SC ALRO SA	Cianuri	1/9/2017 4:13:45 PM	0	mg/l
SC ALRO SA	Clor	1/9/2017 4:13:44 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 4:13:43 PM	24	mg/l
SC ALRO SA	pH	1/9/2017 4:13:20 PM	4	unit pH
SC ALRO SA	Grasimi	1/9/2017 4:12:52 PM	0	mg/l
SC ALRO SA	Temp	1/9/2017 4:12:51 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 4:12:50 PM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 4:07:28 PM	0	mg/l
SC ALRO SA	Clor	1/9/2017 4:07:24 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 4:07:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 4:07:22 PM	24	mg/l
SC ALRO SA	Temp	1/9/2017 4:07:21 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 4:07:20 PM	4	unit pH
SC ALRO SA	Substante organice	1/9/2017 4:02:44 PM	24	mg/l
SC ALRO SA	Cianuri	1/9/2017 4:02:43 PM	0	mg/l
SC ALRO SA	Clor	1/9/2017 4:01:53 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 4:01:52 PM	0	mg/l
SC ALRO SA	Temp	1/9/2017 4:01:51 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 4:01:50 PM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 3:58:04 PM	0	mg/l
SC ALRO SA	Clor	1/9/2017 3:58:02 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 3:58:00 PM	24	mg/l
SC ALRO SA	Grasimi	1/9/2017 3:56:51 PM	0	mg/l
SC ALRO SA	Temp	1/9/2017 3:56:50 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 3:56:49 PM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 3:51:26 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 3:51:25 PM	24	mg/l
SC ALRO SA	Clor	1/9/2017 3:51:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 3:51:22 PM	0	mg/l
SC ALRO SA	Temp	1/9/2017 3:51:21 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 3:51:20 PM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 3:50:50 PM	0	mg/l
SC ALRO SA	Clor	1/9/2017 3:50:20 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 3:50:00 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 3:49:50 PM	24	mg/l
SC ALRO SA	Temp	1/9/2017 3:49:40 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 3:49:30 PM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 3:47:03 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 3:47:01 PM	24	mg/l
SC ALRO SA	Clor	1/9/2017 3:45:52 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 3:45:51 PM	0	mg/l
SC ALRO SA	Temp	1/9/2017 3:45:50 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 3:45:49 PM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 3:40:26 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 3:40:25 PM	24	mg/l
SC ALRO SA	Clor	1/9/2017 3:40:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 3:40:22 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/9/2017 3:40:21 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 3:40:20 PM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 3:36:04 PM	0	mg/l
SC ALRO SA	Clor	1/9/2017 3:34:53 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 3:34:52 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 3:34:51 PM	24	mg/l
SC ALRO SA	Temp	1/9/2017 3:34:50 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 3:34:49 PM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 3:29:43 PM	0	mg/l
SC ALRO SA	Clor	1/9/2017 3:29:42 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 3:29:41 PM	24	mg/l
SC ALRO SA	Grasimi	1/9/2017 3:29:22 PM	0	mg/l
SC ALRO SA	Temp	1/9/2017 3:29:21 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 3:29:20 PM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 3:27:00 PM	0	mg/l
SC ALRO SA	Clor	1/9/2017 3:26:50 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 3:25:40 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 3:25:30 PM	24	mg/l
SC ALRO SA	Temp	1/9/2017 3:25:20 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 3:25:10 PM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 3:25:02 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 3:25:00 PM	24	mg/l
SC ALRO SA	Clor	1/9/2017 3:23:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 3:23:42 PM	0	mg/l
SC ALRO SA	Temp	1/9/2017 3:23:41 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 3:23:40 PM	4	unit pH
SC ALRO SA	Substante organice	1/9/2017 3:18:42 PM	24	mg/l
SC ALRO SA	Cianuri	1/9/2017 3:18:41 PM	0	mg/l
SC ALRO SA	Clor	1/9/2017 3:18:09 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 3:18:08 PM	0	mg/l
SC ALRO SA	Temp	1/9/2017 3:18:07 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 3:18:06 PM	5	unit pH
SC ALRO SA	Cianuri	1/9/2017 3:13:42 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 3:13:40 PM	24	mg/l
SC ALRO SA	Clor	1/9/2017 3:13:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 3:13:22 PM	0	mg/l
SC ALRO SA	Temp	1/9/2017 3:13:21 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 3:13:20 PM	5	unit pH
SC ALRO SA	Cianuri	1/9/2017 3:09:05 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 3:09:04 PM	24	mg/l
SC ALRO SA	Clor	1/9/2017 3:08:15 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 3:08:14 PM	0	mg/l
SC ALRO SA	Temp	1/9/2017 3:08:13 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 3:08:12 PM	5	unit pH
SC ALRO SA	Cianuri	1/9/2017 3:03:40 PM	0	mg/l
SC ALRO SA	Cianuri	1/9/2017 3:03:00 PM	0	mg/l
SC ALRO SA	Clor	1/9/2017 3:02:49 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 3:02:48 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 3:02:47 PM	24	mg/l
SC ALRO SA	Temp	1/9/2017 3:02:46 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 3:02:45 PM	4	unit pH
SC ALRO SA	Clor	1/9/2017 3:02:10 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 3:01:50 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 3:01:40 PM	24	mg/l
SC ALRO SA	Temp	1/9/2017 3:01:30 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 3:01:10 PM	4	unit pH
SC ALRO SA	Substante organice	1/9/2017 2:58:06 PM	24	mg/l
SC ALRO SA	Cianuri	1/9/2017 2:58:01 PM	0	mg/l
SC ALRO SA	Clor	1/9/2017 2:57:14 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 2:57:13 PM	0	mg/l
SC ALRO SA	Temp	1/9/2017 2:57:12 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 2:57:11 PM	4	unit pH
SC ALRO SA	Substante organice	1/9/2017 2:52:41 PM	24	mg/l
SC ALRO SA	Cianuri	1/9/2017 2:52:40 PM	0	mg/l
SC ALRO SA	Clor	1/9/2017 2:51:49 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 2:51:48 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/9/2017 2:51:47 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 2:51:46 PM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 2:47:05 PM	0	mg/l
SC ALRO SA	Clor	1/9/2017 2:47:04 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 2:47:03 PM	24	mg/l
SC ALRO SA	Grasimi	1/9/2017 2:46:13 PM	0	mg/l
SC ALRO SA	Temp	1/9/2017 2:46:12 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 2:46:11 PM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 2:41:41 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 2:41:40 PM	24	mg/l
SC ALRO SA	Clor	1/9/2017 2:40:46 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 2:40:45 PM	0	mg/l
SC ALRO SA	Temp	1/9/2017 2:40:44 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 2:40:43 PM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 2:39:00 PM	0	mg/l
SC ALRO SA	Clor	1/9/2017 2:38:50 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 2:38:10 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 2:38:00 PM	24	mg/l
SC ALRO SA	Temp	1/9/2017 2:37:50 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 2:37:20 PM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 2:36:04 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 2:36:03 PM	24	mg/l
SC ALRO SA	Clor	1/9/2017 2:35:14 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 2:35:13 PM	0	mg/l
SC ALRO SA	Temp	1/9/2017 2:35:12 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 2:35:11 PM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 2:30:42 PM	0	mg/l
SC ALRO SA	Clor	1/9/2017 2:30:41 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 2:30:40 PM	24	mg/l
SC ALRO SA	Grasimi	1/9/2017 2:29:47 PM	0	mg/l
SC ALRO SA	Temp	1/9/2017 2:29:46 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 2:29:45 PM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 2:25:07 PM	0	mg/l
SC ALRO SA	Clor	1/9/2017 2:25:06 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 2:25:05 PM	24	mg/l
SC ALRO SA	Grasimi	1/9/2017 2:24:13 PM	0	mg/l
SC ALRO SA	Temp	1/9/2017 2:24:12 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 2:24:11 PM	4	unit pH
SC ALRO SA	Clor	1/9/2017 2:18:44 PM	0	mg/l
SC ALRO SA	Cianuri	1/9/2017 2:18:42 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 2:18:40 PM	24	mg/l
SC ALRO SA	Grasimi	1/9/2017 2:18:29 PM	0	mg/l
SC ALRO SA	Temp	1/9/2017 2:18:28 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 2:18:27 PM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 2:16:20 PM	0	mg/l
SC ALRO SA	Clor	1/9/2017 2:16:10 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 2:15:20 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 2:15:10 PM	24	mg/l
SC ALRO SA	Temp	1/9/2017 2:14:50 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 2:14:40 PM	5	unit pH
SC ALRO SA	Substante organice	1/9/2017 2:13:44 PM	24	mg/l
SC ALRO SA	Cianuri	1/9/2017 2:13:41 PM	0	mg/l
SC ALRO SA	Clor	1/9/2017 2:13:10 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 2:13:09 PM	0	mg/l
SC ALRO SA	Temp	1/9/2017 2:13:08 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 2:13:07 PM	5	unit pH
SC ALRO SA	Cianuri	1/9/2017 2:07:42 PM	0	mg/l
SC ALRO SA	Clor	1/9/2017 2:07:32 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 2:07:31 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 2:07:30 PM	24	mg/l
SC ALRO SA	Temp	1/9/2017 2:07:29 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 2:07:28 PM	5	unit pH
SC ALRO SA	Cianuri	1/9/2017 2:02:46 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 2:02:44 PM	24	mg/l
SC ALRO SA	Clor	1/9/2017 2:01:52 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 2:01:51 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/9/2017 2:01:50 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 2:01:49 PM	5	unit pH
SC ALRO SA	Substante organice	1/9/2017 1:56:42 PM	24	mg/l
SC ALRO SA	Cianuri	1/9/2017 1:56:41 PM	0	mg/l
SC ALRO SA	Clor	1/9/2017 1:56:30 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 1:56:29 PM	0	mg/l
SC ALRO SA	Temp	1/9/2017 1:56:28 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 1:56:27 PM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 1:54:10 PM	0	mg/l
SC ALRO SA	Clor	1/9/2017 1:53:40 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 1:53:20 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 1:53:10 PM	24	mg/l
SC ALRO SA	Temp	1/9/2017 1:53:00 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 1:52:50 PM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 1:51:30 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 1:51:27 PM	24	mg/l
SC ALRO SA	Clor	1/9/2017 1:51:04 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 1:51:03 PM	0	mg/l
SC ALRO SA	Temp	1/9/2017 1:51:02 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 1:51:01 PM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 1:45:44 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 1:45:42 PM	24	mg/l
SC ALRO SA	Clor	1/9/2017 1:45:30 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 1:45:29 PM	0	mg/l
SC ALRO SA	Temp	1/9/2017 1:45:28 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 1:45:27 PM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 1:40:45 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 1:40:44 PM	24	mg/l
SC ALRO SA	Clor	1/9/2017 1:39:51 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 1:39:50 PM	0	mg/l
SC ALRO SA	Temp	1/9/2017 1:39:49 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 1:39:48 PM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 1:34:43 PM	0	mg/l
SC ALRO SA	Clor	1/9/2017 1:34:41 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 1:34:30 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 1:34:29 PM	24	mg/l
SC ALRO SA	Temp	1/9/2017 1:34:28 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 1:34:27 PM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 1:31:40 PM	0	mg/l
SC ALRO SA	Clor	1/9/2017 1:31:30 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 1:31:10 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 1:31:00 PM	24	mg/l
SC ALRO SA	Temp	1/9/2017 1:30:50 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 1:30:20 PM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 1:29:44 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 1:29:42 PM	24	mg/l
SC ALRO SA	Clor	1/9/2017 1:28:47 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 1:28:46 PM	0	mg/l
SC ALRO SA	Temp	1/9/2017 1:28:45 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 1:28:44 PM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 1:23:42 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 1:23:41 PM	24	mg/l
SC ALRO SA	Clor	1/9/2017 1:23:26 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 1:23:25 PM	0	mg/l
SC ALRO SA	Temp	1/9/2017 1:23:24 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 1:23:23 PM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 1:18:44 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 1:18:43 PM	24	mg/l
SC ALRO SA	Clor	1/9/2017 1:18:04 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 1:18:03 PM	0	mg/l
SC ALRO SA	Temp	1/9/2017 1:18:02 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 1:18:01 PM	4	unit pH
SC ALRO SA	Substante organice	1/9/2017 1:12:42 PM	24	mg/l
SC ALRO SA	Cianuri	1/9/2017 1:12:41 PM	0	mg/l
SC ALRO SA	Clor	1/9/2017 1:12:26 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 1:12:25 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/9/2017 1:12:24 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 1:12:23 PM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 1:09:20 PM	0	mg/l
SC ALRO SA	Clor	1/9/2017 1:09:10 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 1:08:50 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 1:08:20 PM	24	mg/l
SC ALRO SA	Temp	1/9/2017 1:08:10 PM	11	gradCels
SC ALRO SA	Cianuri	1/9/2017 1:08:04 PM	0	mg/l
SC ALRO SA	pH	1/9/2017 1:07:20 PM	4	unit pH
SC ALRO SA	Clor	1/9/2017 1:06:47 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 1:06:46 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 1:06:45 PM	24	mg/l
SC ALRO SA	Temp	1/9/2017 1:06:44 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 1:06:43 PM	4	unit pH
SC ALRO SA	Substante organice	1/9/2017 1:02:02 PM	24	mg/l
SC ALRO SA	Cianuri	1/9/2017 1:02:00 PM	0	mg/l
SC ALRO SA	Clor	1/9/2017 1:01:06 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 1:01:05 PM	0	mg/l
SC ALRO SA	Temp	1/9/2017 1:01:04 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 1:01:03 PM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 12:56:42 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 12:56:40 PM	24	mg/l
SC ALRO SA	Clor	1/9/2017 12:55:46 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 12:55:45 PM	0	mg/l
SC ALRO SA	Temp	1/9/2017 12:55:44 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 12:55:43 PM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 12:50:27 PM	0	mg/l
SC ALRO SA	Clor	1/9/2017 12:50:26 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 12:50:25 PM	24	mg/l
SC ALRO SA	Grasimi	1/9/2017 12:50:23 PM	0	mg/l
SC ALRO SA	Temp	1/9/2017 12:50:22 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 12:50:21 PM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 12:47:10 PM	0	mg/l
SC ALRO SA	Clor	1/9/2017 12:47:00 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 12:46:40 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 12:46:30 PM	24	mg/l
SC ALRO SA	Substante organice	1/9/2017 12:46:02 PM	24	mg/l
SC ALRO SA	Cianuri	1/9/2017 12:46:01 PM	0	mg/l
SC ALRO SA	Temp	1/9/2017 12:45:20 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 12:45:10 PM	4	unit pH
SC ALRO SA	Clor	1/9/2017 12:44:46 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 12:44:45 PM	0	mg/l
SC ALRO SA	Temp	1/9/2017 12:44:44 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 12:44:43 PM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 12:40:02 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 12:40:01 PM	24	mg/l
SC ALRO SA	Clor	1/9/2017 12:39:06 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 12:39:05 PM	0	mg/l
SC ALRO SA	Temp	1/9/2017 12:39:04 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 12:39:03 PM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 12:35:01 PM	0	mg/l
SC ALRO SA	Clor	1/9/2017 12:33:47 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 12:33:46 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 12:33:45 PM	24	mg/l
SC ALRO SA	Temp	1/9/2017 12:33:44 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 12:33:43 PM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 12:29:02 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 12:29:01 PM	24	mg/l
SC ALRO SA	Clor	1/9/2017 12:28:06 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 12:28:05 PM	0	mg/l
SC ALRO SA	Temp	1/9/2017 12:28:04 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 12:28:03 PM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 12:23:41 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 12:23:40 PM	24	mg/l
SC ALRO SA	Cianuri	1/9/2017 12:23:20 PM	0	mg/l
SC ALRO SA	Clor	1/9/2017 12:23:10 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Clor	1/9/2017 12:22:44 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 12:22:43 PM	0	mg/l
SC ALRO SA	Temp	1/9/2017 12:22:42 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 12:22:41 PM	4	unit pH
SC ALRO SA	Grasimi	1/9/2017 12:22:10 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 12:22:00 PM	24	mg/l
SC ALRO SA	Temp	1/9/2017 12:21:50 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 12:21:40 PM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 12:17:31 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 12:17:30 PM	24	mg/l
SC ALRO SA	Clor	1/9/2017 12:17:24 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 12:17:23 PM	0	mg/l
SC ALRO SA	Temp	1/9/2017 12:17:22 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 12:17:21 PM	4	unit pH
SC ALRO SA	Substante organice	1/9/2017 12:11:42 PM	24	mg/l
SC ALRO SA	Cianuri	1/9/2017 12:11:41 PM	0	mg/l
SC ALRO SA	Clor	1/9/2017 12:11:32 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 12:11:30 PM	0	mg/l
SC ALRO SA	Temp	1/9/2017 12:11:29 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 12:11:26 PM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 12:06:42 PM	0	mg/l
SC ALRO SA	Clor	1/9/2017 12:06:04 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 12:06:03 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 12:06:02 PM	24	mg/l
SC ALRO SA	Temp	1/9/2017 12:06:01 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 12:06:00 PM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 12:01:20 PM	0	mg/l
SC ALRO SA	Clor	1/9/2017 12:01:10 PM	0	mg/l
SC ALRO SA	Cianuri	1/9/2017 12:00:42 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 12:00:41 PM	23	mg/l
SC ALRO SA	Clor	1/9/2017 12:00:26 PM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 12:00:25 PM	0	mg/l
SC ALRO SA	Temp	1/9/2017 12:00:24 PM	11	gradCels
SC ALRO SA	pH	1/9/2017 12:00:23 PM	4	unit pH
SC ALRO SA	Grasimi	1/9/2017 12:00:00 PM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 11:59:50 AM	23	mg/l
SC ALRO SA	Temp	1/9/2017 11:59:40 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 11:59:10 AM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 11:55:43 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 11:55:41 AM	23	mg/l
SC ALRO SA	Clor	1/9/2017 11:54:51 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 11:54:50 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 11:54:49 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 11:54:48 AM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 11:49:47 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 11:49:46 AM	23	mg/l
SC ALRO SA	Clor	1/9/2017 11:49:44 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 11:49:43 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 11:49:42 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 11:49:41 AM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 11:44:43 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 11:44:41 AM	23	mg/l
SC ALRO SA	Clor	1/9/2017 11:43:51 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 11:43:50 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 11:43:49 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 11:43:48 AM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 11:39:10 AM	0	mg/l
SC ALRO SA	Cianuri	1/9/2017 11:38:42 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 11:38:40 AM	23	mg/l
SC ALRO SA	Clor	1/9/2017 11:38:26 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 11:38:25 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 11:38:24 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 11:38:23 AM	4	unit pH
SC ALRO SA	Clor	1/9/2017 11:38:00 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 11:37:40 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 11:37:10 AM	23	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/9/2017 11:37:00 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 11:36:50 AM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 11:33:42 AM	0	mg/l
SC ALRO SA	Clor	1/9/2017 11:32:52 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 11:32:51 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 11:32:50 AM	23	mg/l
SC ALRO SA	Temp	1/9/2017 11:32:49 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 11:32:48 AM	4	unit pH
SC ALRO SA	Substante organice	1/9/2017 11:27:42 AM	23	mg/l
SC ALRO SA	Cianuri	1/9/2017 11:27:41 AM	0	mg/l
SC ALRO SA	Clor	1/9/2017 11:27:26 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 11:27:25 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 11:27:24 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 11:27:23 AM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 11:22:25 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 11:22:24 AM	23	mg/l
SC ALRO SA	Clor	1/9/2017 11:22:04 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 11:22:03 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 11:22:02 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 11:22:01 AM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 11:17:50 AM	0	mg/l
SC ALRO SA	Clor	1/9/2017 11:17:20 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 11:17:00 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 11:16:50 AM	23	mg/l
SC ALRO SA	Cianuri	1/9/2017 11:16:42 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 11:16:41 AM	23	mg/l
SC ALRO SA	Clor	1/9/2017 11:16:26 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 11:16:25 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 11:16:24 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 11:16:23 AM	5	unit pH
SC ALRO SA	Temp	1/9/2017 11:16:00 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 11:15:50 AM	5	unit pH
SC ALRO SA	Cianuri	1/9/2017 11:11:44 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 11:11:41 AM	23	mg/l
SC ALRO SA	Clor	1/9/2017 11:10:56 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 11:10:54 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 11:10:52 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 11:10:50 AM	5	unit pH
SC ALRO SA	Cianuri	1/9/2017 11:05:41 AM	0	mg/l
SC ALRO SA	Clor	1/9/2017 11:05:24 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 11:05:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 11:05:22 AM	23	mg/l
SC ALRO SA	Temp	1/9/2017 11:05:21 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 11:05:20 AM	5	unit pH
SC ALRO SA	Cianuri	1/9/2017 11:00:41 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 11:00:40 AM	23	mg/l
SC ALRO SA	Clor	1/9/2017 10:59:51 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 10:59:50 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 10:59:49 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 10:59:48 AM	5	unit pH
SC ALRO SA	Cianuri	1/9/2017 10:56:10 AM	0	mg/l
SC ALRO SA	Clor	1/9/2017 10:56:00 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 10:55:20 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 10:55:10 AM	23	mg/l
SC ALRO SA	Temp	1/9/2017 10:55:00 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 10:54:50 AM	5	unit pH
SC ALRO SA	Cianuri	1/9/2017 10:54:43 AM	0	mg/l
SC ALRO SA	Clor	1/9/2017 10:54:42 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 10:54:41 AM	23	mg/l
SC ALRO SA	Grasimi	1/9/2017 10:54:22 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 10:54:21 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 10:54:20 AM	5	unit pH
SC ALRO SA	Cianuri	1/9/2017 10:49:42 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 10:49:41 AM	23	mg/l
SC ALRO SA	Clor	1/9/2017 10:49:04 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 10:49:03 AM	0	mg/l



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/9/2017 10:49:02 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 10:49:01 AM	5	unit pH
SC ALRO SA	Cianuri	1/9/2017 10:44:02 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 10:44:01 AM	23	mg/l
SC ALRO SA	Clor	1/9/2017 10:43:06 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 10:43:05 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 10:43:04 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 10:43:03 AM	5	unit pH
SC ALRO SA	Cianuri	1/9/2017 10:38:41 AM	0	mg/l
SC ALRO SA	Clor	1/9/2017 10:37:52 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 10:37:51 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 10:37:50 AM	23	mg/l
SC ALRO SA	Temp	1/9/2017 10:37:49 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 10:37:48 AM	5	unit pH
SC ALRO SA	Cianuri	1/9/2017 10:34:30 AM	0	mg/l
SC ALRO SA	Clor	1/9/2017 10:34:10 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 10:33:50 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 10:33:20 AM	23	mg/l
SC ALRO SA	Temp	1/9/2017 10:33:10 AM	11	gradCels
SC ALRO SA	Substante organice	1/9/2017 10:33:02 AM	23	mg/l
SC ALRO SA	Cianuri	1/9/2017 10:33:01 AM	0	mg/l
SC ALRO SA	pH	1/9/2017 10:32:20 AM	5	unit pH
SC ALRO SA	Clor	1/9/2017 10:32:06 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 10:32:05 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 10:32:04 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 10:32:03 AM	5	unit pH
SC ALRO SA	Substante organice	1/9/2017 10:28:02 AM	23	mg/l
SC ALRO SA	Cianuri	1/9/2017 10:28:01 AM	0	mg/l
SC ALRO SA	Clor	1/9/2017 10:26:51 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 10:26:50 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 10:26:49 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 10:26:48 AM	5	unit pH
SC ALRO SA	Cianuri	1/9/2017 10:21:27 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 10:21:26 AM	23	mg/l
SC ALRO SA	Clor	1/9/2017 10:21:24 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 10:21:23 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 10:21:22 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 10:21:21 AM	5	unit pH
SC ALRO SA	Cianuri	1/9/2017 10:16:41 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 10:16:40 AM	23	mg/l
SC ALRO SA	Clor	1/9/2017 10:15:47 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 10:15:46 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 10:15:45 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 10:15:44 AM	5	unit pH
SC ALRO SA	Cianuri	1/9/2017 10:12:00 AM	0	mg/l
SC ALRO SA	Clor	1/9/2017 10:11:20 AM	0	mg/l
SC ALRO SA	Clor	1/9/2017 10:11:03 AM	0	mg/l
SC ALRO SA	Cianuri	1/9/2017 10:11:02 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 10:11:00 AM	23	mg/l
SC ALRO SA	Grasimi	1/9/2017 10:10:20 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 10:10:10 AM	23	mg/l
SC ALRO SA	Grasimi	1/9/2017 10:10:05 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 10:10:04 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 10:10:03 AM	5	unit pH
SC ALRO SA	Temp	1/9/2017 10:09:50 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 10:09:20 AM	5	unit pH
SC ALRO SA	Cianuri	1/9/2017 10:05:41 AM	0	mg/l
SC ALRO SA	Clor	1/9/2017 10:04:49 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 10:04:48 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 10:04:47 AM	23	mg/l
SC ALRO SA	Temp	1/9/2017 10:04:46 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 10:04:45 AM	5	unit pH
SC ALRO SA	Cianuri	1/9/2017 9:59:44 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 9:59:42 AM	23	mg/l
SC ALRO SA	Clor	1/9/2017 9:59:06 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 9:59:05 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/9/2017 9:59:04 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 9:59:03 AM	5	unit pH
SC ALRO SA	Substante organice	1/9/2017 9:53:40 AM	23	mg/l
SC ALRO SA	Cianuri	1/9/2017 9:53:31 AM	0	mg/l
SC ALRO SA	Clor	1/9/2017 9:53:26 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 9:53:25 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 9:53:24 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 9:53:23 AM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 9:48:50 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 9:48:44 AM	23	mg/l
SC ALRO SA	Cianuri	1/9/2017 9:48:40 AM	0	mg/l
SC ALRO SA	Clor	1/9/2017 9:48:10 AM	0	mg/l
SC ALRO SA	Clor	1/9/2017 9:48:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 9:48:02 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 9:48:01 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 9:48:00 AM	4	unit pH
SC ALRO SA	Grasimi	1/9/2017 9:46:50 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 9:46:20 AM	23	mg/l
SC ALRO SA	Temp	1/9/2017 9:46:10 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 9:46:00 AM	4	unit pH
SC ALRO SA	Substante organice	1/9/2017 9:42:43 AM	23	mg/l
SC ALRO SA	Cianuri	1/9/2017 9:42:42 AM	0	mg/l
SC ALRO SA	Clor	1/9/2017 9:42:40 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 9:42:25 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 9:42:24 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 9:42:23 AM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 9:37:41 AM	0	mg/l
SC ALRO SA	Clor	1/9/2017 9:36:52 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 9:36:51 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 9:36:50 AM	23	mg/l
SC ALRO SA	Temp	1/9/2017 9:36:49 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 9:36:48 AM	4	unit pH
SC ALRO SA	Substante organice	1/9/2017 9:31:34 AM	23	mg/l
SC ALRO SA	Cianuri	1/9/2017 9:31:32 AM	0	mg/l
SC ALRO SA	Clor	1/9/2017 9:31:26 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 9:31:25 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 9:31:24 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 9:31:23 AM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 9:27:02 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 9:27:01 AM	23	mg/l
SC ALRO SA	Clor	1/9/2017 9:25:51 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 9:25:50 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 9:25:49 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 9:25:48 AM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 9:25:20 AM	0	mg/l
SC ALRO SA	Clor	1/9/2017 9:24:50 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 9:24:10 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 9:23:50 AM	23	mg/l
SC ALRO SA	Temp	1/9/2017 9:23:20 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 9:23:10 AM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 9:20:49 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 9:20:48 AM	23	mg/l
SC ALRO SA	Clor	1/9/2017 9:20:44 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 9:20:43 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 9:20:42 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 9:20:41 AM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 9:16:00 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 9:15:41 AM	23	mg/l
SC ALRO SA	Clor	1/9/2017 9:14:52 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 9:14:51 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 9:14:50 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 9:14:49 AM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 9:10:25 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 9:10:24 AM	23	mg/l
SC ALRO SA	Clor	1/9/2017 9:10:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 9:10:02 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/9/2017 9:10:01 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 9:10:00 AM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 9:04:27 AM	0	mg/l
SC ALRO SA	Clor	1/9/2017 9:04:24 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 9:04:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 9:04:22 AM	23	mg/l
SC ALRO SA	Temp	1/9/2017 9:04:21 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 9:04:20 AM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 9:01:20 AM	0	mg/l
SC ALRO SA	Clor	1/9/2017 9:01:10 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 9:00:50 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 9:00:20 AM	23	mg/l
SC ALRO SA	Temp	1/9/2017 9:00:10 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 9:00:00 AM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 8:59:42 AM	0	mg/l
SC ALRO SA	Clor	1/9/2017 8:59:41 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 8:59:40 AM	23	mg/l
SC ALRO SA	Grasimi	1/9/2017 8:59:05 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 8:59:04 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 8:59:03 AM	4	unit pH
SC ALRO SA	Substante organice	1/9/2017 8:53:41 AM	23	mg/l
SC ALRO SA	Cianuri	1/9/2017 8:53:40 AM	0	mg/l
SC ALRO SA	Clor	1/9/2017 8:53:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 8:53:22 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 8:53:21 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 8:53:20 AM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 8:48:41 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 8:48:40 AM	23	mg/l
SC ALRO SA	Clor	1/9/2017 8:48:04 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 8:48:03 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 8:48:02 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 8:48:01 AM	4	unit pH
SC ALRO SA	Clor	1/9/2017 8:42:41 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 8:42:40 AM	23	mg/l
SC ALRO SA	Cianuri	1/9/2017 8:42:26 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 8:42:22 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 8:42:21 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 8:42:20 AM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 8:39:00 AM	0	mg/l
SC ALRO SA	Clor	1/9/2017 8:38:50 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 8:38:10 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 8:38:00 AM	23	mg/l
SC ALRO SA	Cianuri	1/9/2017 8:37:40 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 8:37:20 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 8:37:10 AM	4	unit pH
SC ALRO SA	Clor	1/9/2017 8:37:05 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 8:37:04 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 8:37:03 AM	23	mg/l
SC ALRO SA	Temp	1/9/2017 8:37:02 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 8:37:01 AM	4	unit pH
SC ALRO SA	Substante organice	1/9/2017 8:31:42 AM	23	mg/l
SC ALRO SA	Cianuri	1/9/2017 8:31:40 AM	0	mg/l
SC ALRO SA	Clor	1/9/2017 8:31:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 8:31:22 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 8:31:21 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 8:31:20 AM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 8:26:24 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 8:26:23 AM	23	mg/l
SC ALRO SA	Clor	1/9/2017 8:26:22 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 8:26:21 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 8:26:20 AM	11	gradCels
SC ALRO SA	Substante organice	1/9/2017 8:21:43 AM	23	mg/l
SC ALRO SA	Cianuri	1/9/2017 8:21:42 AM	0	mg/l
SC ALRO SA	Clor	1/9/2017 8:20:44 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 8:20:43 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 8:20:42 AM	11	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/9/2017 8:20:41 AM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 8:16:50 AM	0	mg/l
SC ALRO SA	Clor	1/9/2017 8:16:40 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 8:16:00 AM	0	mg/l
SC ALRO SA	Cianuri	1/9/2017 8:15:42 AM	0	mg/l
SC ALRO SA	Clor	1/9/2017 8:15:41 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 8:15:40 AM	23	mg/l
SC ALRO SA	Substante organice	1/9/2017 8:15:20 AM	23	mg/l
SC ALRO SA	Temp	1/9/2017 8:15:10 AM	11	gradCels
SC ALRO SA	Grasimi	1/9/2017 8:15:04 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 8:15:03 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 8:15:02 AM	4	unit pH
SC ALRO SA	pH	1/9/2017 8:14:20 AM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 8:10:26 AM	0	mg/l
SC ALRO SA	Clor	1/9/2017 8:10:25 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 8:10:24 AM	23	mg/l
SC ALRO SA	Grasimi	1/9/2017 8:10:03 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 8:10:02 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 8:10:01 AM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 8:04:41 AM	0	mg/l
SC ALRO SA	Clor	1/9/2017 8:04:40 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 8:04:04 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 8:04:03 AM	23	mg/l
SC ALRO SA	Temp	1/9/2017 8:04:02 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 8:04:01 AM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 7:59:45 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 7:59:44 AM	23	mg/l
SC ALRO SA	Clor	1/9/2017 7:59:04 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 7:59:03 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 7:59:02 AM	10	gradCels
SC ALRO SA	pH	1/9/2017 7:59:01 AM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 7:55:10 AM	0	mg/l
SC ALRO SA	Clor	1/9/2017 7:55:00 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 7:54:40 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 7:54:10 AM	23	mg/l
SC ALRO SA	Temp	1/9/2017 7:54:00 AM	10	gradCels
SC ALRO SA	Cianuri	1/9/2017 7:53:21 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 7:53:20 AM	23	mg/l
SC ALRO SA	pH	1/9/2017 7:53:10 AM	4	unit pH
SC ALRO SA	Clor	1/9/2017 7:53:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 7:53:02 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 7:53:01 AM	10	gradCels
SC ALRO SA	pH	1/9/2017 7:53:00 AM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 7:48:47 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 7:48:46 AM	23	mg/l
SC ALRO SA	Clor	1/9/2017 7:48:04 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 7:48:03 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 7:48:02 AM	10	gradCels
SC ALRO SA	pH	1/9/2017 7:48:01 AM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 7:43:26 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 7:43:25 AM	23	mg/l
SC ALRO SA	Clor	1/9/2017 7:43:08 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 7:43:07 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 7:43:06 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 7:43:05 AM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 7:37:21 AM	0	mg/l
SC ALRO SA	Clor	1/9/2017 7:37:09 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 7:37:08 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 7:37:07 AM	23	mg/l
SC ALRO SA	Temp	1/9/2017 7:37:06 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 7:37:05 AM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 7:33:40 AM	0	mg/l
SC ALRO SA	Clor	1/9/2017 7:33:30 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 7:33:10 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 7:33:00 AM	23	mg/l
SC ALRO SA	Temp	1/9/2017 7:32:50 AM	11	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/9/2017 7:32:40 AM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 7:31:31 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 7:31:30 AM	23	mg/l
SC ALRO SA	Clor	1/9/2017 7:31:27 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 7:31:26 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 7:31:25 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 7:31:24 AM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 7:26:45 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 7:26:44 AM	23	mg/l
SC ALRO SA	Clor	1/9/2017 7:26:08 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 7:26:07 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 7:26:06 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 7:26:05 AM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 7:20:31 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 7:20:30 AM	23	mg/l
SC ALRO SA	Clor	1/9/2017 7:20:27 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 7:20:26 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 7:20:25 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 7:20:24 AM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 7:15:29 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 7:15:28 AM	23	mg/l
SC ALRO SA	Clor	1/9/2017 7:15:04 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 7:15:03 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 7:15:02 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 7:15:01 AM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 7:12:20 AM	0	mg/l
SC ALRO SA	Clor	1/9/2017 7:12:10 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 7:11:50 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 7:11:20 AM	23	mg/l
SC ALRO SA	Temp	1/9/2017 7:11:10 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 7:11:00 AM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 7:09:31 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 7:09:30 AM	23	mg/l
SC ALRO SA	Clor	1/9/2017 7:09:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 7:09:22 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 7:09:21 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 7:09:20 AM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 7:04:27 AM	0	mg/l
SC ALRO SA	Clor	1/9/2017 7:04:25 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 7:03:47 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 7:03:45 AM	23	mg/l
SC ALRO SA	Temp	1/9/2017 7:03:43 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 7:03:41 AM	4	unit pH
SC ALRO SA	Substante organice	1/9/2017 6:58:44 AM	23	mg/l
SC ALRO SA	Cianuri	1/9/2017 6:58:42 AM	0	mg/l
SC ALRO SA	Clor	1/9/2017 6:58:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 6:58:22 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 6:58:21 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 6:58:20 AM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 6:53:31 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 6:53:30 AM	23	mg/l
SC ALRO SA	Clor	1/9/2017 6:52:47 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 6:52:46 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 6:52:45 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 6:52:44 AM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 6:51:50 AM	0	mg/l
SC ALRO SA	Clor	1/9/2017 6:51:40 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 6:50:40 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 6:50:30 AM	23	mg/l
SC ALRO SA	Temp	1/9/2017 6:50:20 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 6:50:10 AM	4	unit pH
SC ALRO SA	Substante organice	1/9/2017 6:47:42 AM	23	mg/l
SC ALRO SA	Cianuri	1/9/2017 6:47:41 AM	0	mg/l
SC ALRO SA	Clor	1/9/2017 6:47:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 6:47:22 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 6:47:21 AM	11	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/9/2017 6:47:20 AM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 6:42:35 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 6:42:34 AM	23	mg/l
SC ALRO SA	Clor	1/9/2017 6:41:45 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 6:41:44 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 6:41:43 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 6:41:42 AM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 6:36:42 AM	0	mg/l
SC ALRO SA	Clor	1/9/2017 6:36:40 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 6:36:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 6:36:22 AM	23	mg/l
SC ALRO SA	Temp	1/9/2017 6:36:21 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 6:36:20 AM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 6:32:20 AM	0	mg/l
SC ALRO SA	Clor	1/9/2017 6:32:10 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 6:31:50 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 6:31:40 AM	23	mg/l
SC ALRO SA	Cianuri	1/9/2017 6:31:31 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 6:31:30 AM	23	mg/l
SC ALRO SA	Temp	1/9/2017 6:31:10 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 6:31:00 AM	4	unit pH
SC ALRO SA	Clor	1/9/2017 6:30:49 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 6:30:48 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 6:30:45 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 6:30:43 AM	4	unit pH
SC ALRO SA	Substante organice	1/9/2017 6:25:42 AM	23	mg/l
SC ALRO SA	Cianuri	1/9/2017 6:25:41 AM	0	mg/l
SC ALRO SA	Clor	1/9/2017 6:25:24 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 6:25:23 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 6:25:22 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 6:25:20 AM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 6:20:33 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 6:20:32 AM	23	mg/l
SC ALRO SA	Clor	1/9/2017 6:19:46 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 6:19:45 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 6:19:44 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 6:19:43 AM	4	unit pH
SC ALRO SA	Substante organice	1/9/2017 6:14:42 AM	23	mg/l
SC ALRO SA	Cianuri	1/9/2017 6:14:41 AM	0	mg/l
SC ALRO SA	Clor	1/9/2017 6:14:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 6:14:02 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 6:14:01 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 6:14:00 AM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 6:11:00 AM	0	mg/l
SC ALRO SA	Clor	1/9/2017 6:10:50 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 6:10:30 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 6:10:10 AM	23	mg/l
SC ALRO SA	Temp	1/9/2017 6:10:00 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 6:09:50 AM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 6:09:34 AM	0	mg/l
SC ALRO SA	Clor	1/9/2017 6:09:33 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 6:09:32 AM	23	mg/l
SC ALRO SA	Grasimi	1/9/2017 6:08:43 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 6:08:42 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 6:08:41 AM	4	unit pH
SC ALRO SA	Substante organice	1/9/2017 6:03:42 AM	23	mg/l
SC ALRO SA	Cianuri	1/9/2017 6:03:40 AM	0	mg/l
SC ALRO SA	Clor	1/9/2017 6:03:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 6:03:02 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 6:03:01 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 6:03:00 AM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 5:58:39 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 5:58:38 AM	23	mg/l
SC ALRO SA	Clor	1/9/2017 5:57:44 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 5:57:43 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 5:57:42 AM	11	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/9/2017 5:57:41 AM	4	unit pH
SC ALRO SA	Substante organice	1/9/2017 5:52:22 AM	23	mg/l
SC ALRO SA	Cianuri	1/9/2017 5:52:21 AM	0	mg/l
SC ALRO SA	Clor	1/9/2017 5:52:04 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 5:52:03 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 5:52:02 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 5:52:01 AM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 5:49:30 AM	0	mg/l
SC ALRO SA	Clor	1/9/2017 5:49:20 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 5:49:00 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 5:48:50 AM	23	mg/l
SC ALRO SA	Temp	1/9/2017 5:48:40 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 5:48:30 AM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 5:47:39 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 5:47:38 AM	23	mg/l
SC ALRO SA	Clor	1/9/2017 5:46:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 5:46:42 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 5:46:41 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 5:46:40 AM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 5:41:43 AM	0	mg/l
SC ALRO SA	Clor	1/9/2017 5:41:42 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 5:41:41 AM	23	mg/l
SC ALRO SA	Grasimi	1/9/2017 5:41:02 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 5:41:01 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 5:41:00 AM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 5:35:43 AM	0	mg/l
SC ALRO SA	Clor	1/9/2017 5:35:24 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 5:35:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 5:35:22 AM	23	mg/l
SC ALRO SA	Temp	1/9/2017 5:35:21 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 5:35:20 AM	4	unit pH
SC ALRO SA	Substante organice	1/9/2017 5:30:42 AM	23	mg/l
SC ALRO SA	Cianuri	1/9/2017 5:30:40 AM	0	mg/l
SC ALRO SA	Cianuri	1/9/2017 5:30:10 AM	0	mg/l
SC ALRO SA	Clor	1/9/2017 5:30:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 5:30:02 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 5:30:01 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 5:30:00 AM	4	unit pH
SC ALRO SA	Clor	1/9/2017 5:29:40 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 5:28:30 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 5:28:20 AM	23	mg/l
SC ALRO SA	Temp	1/9/2017 5:28:10 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 5:28:00 AM	4	unit pH
SC ALRO SA	Substante organice	1/9/2017 5:24:43 AM	23	mg/l
SC ALRO SA	Cianuri	1/9/2017 5:24:42 AM	0	mg/l
SC ALRO SA	Clor	1/9/2017 5:24:40 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 5:24:22 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 5:24:21 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 5:24:20 AM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 5:19:23 AM	0	mg/l
SC ALRO SA	Clor	1/9/2017 5:19:22 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 5:19:21 AM	23	mg/l
SC ALRO SA	Grasimi	1/9/2017 5:19:02 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 5:19:01 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 5:19:00 AM	4	unit pH
SC ALRO SA	Substante organice	1/9/2017 5:13:40 AM	23	mg/l
SC ALRO SA	Cianuri	1/9/2017 5:13:27 AM	0	mg/l
SC ALRO SA	Clor	1/9/2017 5:13:25 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 5:13:22 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 5:13:21 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 5:13:20 AM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 5:10:40 AM	0	mg/l
SC ALRO SA	Clor	1/9/2017 5:10:30 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 5:10:00 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 5:09:50 AM	23	mg/l
SC ALRO SA	Temp	1/9/2017 5:09:30 AM	11	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/9/2017 5:09:10 AM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 5:08:42 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 5:08:41 AM	23	mg/l
SC ALRO SA	Clor	1/9/2017 5:08:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 5:08:02 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 5:08:01 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 5:08:00 AM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 5:03:43 AM	0	mg/l
SC ALRO SA	Clor	1/9/2017 5:02:47 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 5:02:46 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 5:02:45 AM	23	mg/l
SC ALRO SA	Temp	1/9/2017 5:02:44 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 5:02:43 AM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 4:57:42 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 4:57:41 AM	23	mg/l
SC ALRO SA	Clor	1/9/2017 4:57:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 4:57:22 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 4:57:21 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 4:57:20 AM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 4:52:26 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 4:52:24 AM	23	mg/l
SC ALRO SA	Clor	1/9/2017 4:51:44 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 4:51:43 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 4:51:42 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 4:51:41 AM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 4:51:00 AM	0	mg/l
SC ALRO SA	Clor	1/9/2017 4:50:50 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 4:49:50 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 4:49:40 AM	23	mg/l
SC ALRO SA	Temp	1/9/2017 4:49:30 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 4:49:20 AM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 4:46:43 AM	0	mg/l
SC ALRO SA	Clor	1/9/2017 4:46:42 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 4:46:41 AM	23	mg/l
SC ALRO SA	Grasimi	1/9/2017 4:46:22 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 4:46:21 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 4:46:20 AM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 4:41:43 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 4:41:42 AM	23	mg/l
SC ALRO SA	Clor	1/9/2017 4:40:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 4:40:42 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 4:40:41 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 4:40:40 AM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 4:35:41 AM	0	mg/l
SC ALRO SA	Clor	1/9/2017 4:35:24 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 4:35:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 4:35:22 AM	23	mg/l
SC ALRO SA	Temp	1/9/2017 4:35:21 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 4:35:20 AM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 4:32:00 AM	0	mg/l
SC ALRO SA	Clor	1/9/2017 4:31:50 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 4:31:30 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 4:31:00 AM	23	mg/l
SC ALRO SA	Temp	1/9/2017 4:30:50 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 4:30:40 AM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 4:30:25 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 4:30:24 AM	23	mg/l
SC ALRO SA	Clor	1/9/2017 4:29:45 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 4:29:44 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 4:29:43 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 4:29:42 AM	4	unit pH
SC ALRO SA	Substante organice	1/9/2017 4:24:42 AM	23	mg/l
SC ALRO SA	Cianuri	1/9/2017 4:24:40 AM	0	mg/l
SC ALRO SA	Clor	1/9/2017 4:24:06 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 4:24:05 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 4:24:04 AM	11	gradCels



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/9/2017 4:24:03 AM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 4:19:26 AM	0	mg/l
SC ALRO SA	Clor	1/9/2017 4:19:25 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 4:19:23 AM	23	mg/l
SC ALRO SA	Grasimi	1/9/2017 4:18:47 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 4:18:46 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 4:18:45 AM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 4:13:46 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 4:13:45 AM	23	mg/l
SC ALRO SA	Clor	1/9/2017 4:13:06 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 4:13:05 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 4:13:04 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 4:13:03 AM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 4:12:30 AM	0	mg/l
SC ALRO SA	Clor	1/9/2017 4:12:10 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 4:11:30 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 4:11:20 AM	23	mg/l
SC ALRO SA	Temp	1/9/2017 4:11:10 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 4:11:00 AM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 4:08:23 AM	0	mg/l
SC ALRO SA	Clor	1/9/2017 4:07:44 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 4:07:43 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 4:07:42 AM	23	mg/l
SC ALRO SA	Temp	1/9/2017 4:07:41 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 4:07:40 AM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 4:02:43 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 4:02:41 AM	23	mg/l
SC ALRO SA	Clor	1/9/2017 4:02:06 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 4:02:05 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 4:02:04 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 4:02:03 AM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 3:57:25 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 3:57:24 AM	23	mg/l
SC ALRO SA	Clor	1/9/2017 3:56:44 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 3:56:43 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 3:56:42 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 3:56:41 AM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 3:54:10 AM	0	mg/l
SC ALRO SA	Clor	1/9/2017 3:54:00 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 3:53:40 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 3:53:30 AM	23	mg/l
SC ALRO SA	Temp	1/9/2017 3:53:10 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 3:53:00 AM	5	unit pH
SC ALRO SA	Cianuri	1/9/2017 3:51:39 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 3:51:37 AM	23	mg/l
SC ALRO SA	Clor	1/9/2017 3:51:24 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 3:51:23 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 3:51:22 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 3:51:21 AM	4	unit pH
SC ALRO SA	Cianuri	1/9/2017 3:46:29 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 3:46:28 AM	23	mg/l
SC ALRO SA	Clor	1/9/2017 3:45:45 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 3:45:44 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 3:45:43 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 3:45:42 AM	5	unit pH
SC ALRO SA	Cianuri	1/9/2017 3:40:45 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 3:40:44 AM	23	mg/l
SC ALRO SA	Clor	1/9/2017 3:40:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 3:40:02 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 3:40:01 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 3:40:00 AM	5	unit pH
SC ALRO SA	Cianuri	1/9/2017 3:35:30 AM	0	mg/l
SC ALRO SA		1/9/2017 3:35:28 AM	0	mg/l
SC ALRO SA	Clor	1/9/2017 3:35:10 AM	0	mg/l
SC ALRO SA	Clor	1/9/2017 3:34:45 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 3:34:44 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	1/9/2017 3:34:43 AM	23	mg/l
SC ALRO SA	Temp	1/9/2017 3:34:42 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 3:34:41 AM	5	unit pH
SC ALRO SA	Grasimi	1/9/2017 3:34:00 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 3:33:50 AM	23	mg/l
SC ALRO SA	Temp	1/9/2017 3:33:40 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 3:33:10 AM	5	unit pH
SC ALRO SA	Cianuri	1/9/2017 3:29:46 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 3:29:44 AM	23	mg/l
SC ALRO SA	Clor	1/9/2017 3:29:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 3:29:02 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 3:29:01 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 3:29:00 AM	5	unit pH
SC ALRO SA	Cianuri	1/9/2017 3:23:46 AM	0	mg/l
SC ALRO SA	Clor	1/9/2017 3:23:44 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 3:23:42 AM	23	mg/l
SC ALRO SA	Grasimi	1/9/2017 3:23:25 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 3:23:24 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 3:23:23 AM	5	unit pH
SC ALRO SA	Cianuri	1/9/2017 3:18:33 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 3:18:31 AM	23	mg/l
SC ALRO SA	Clor	1/9/2017 3:18:04 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 3:18:03 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 3:18:02 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 3:18:01 AM	5	unit pH
SC ALRO SA	Cianuri	1/9/2017 3:16:10 AM	0	mg/l
SC ALRO SA	Clor	1/9/2017 3:16:00 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 3:15:40 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 3:15:30 AM	23	mg/l
SC ALRO SA	Temp	1/9/2017 3:15:20 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 3:15:10 AM	5	unit pH
SC ALRO SA	Cianuri	1/9/2017 3:12:40 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 3:12:31 AM	23	mg/l
SC ALRO SA	Clor	1/9/2017 3:12:26 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 3:12:25 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 3:12:24 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 3:12:23 AM	5	unit pH
SC ALRO SA	Cianuri	1/9/2017 3:07:44 AM	0	mg/l
SC ALRO SA	Clor	1/9/2017 3:07:42 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 3:07:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 3:07:02 AM	23	mg/l
SC ALRO SA	Temp	1/9/2017 3:07:01 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 3:07:00 AM	5	unit pH
SC ALRO SA	Cianuri	1/9/2017 3:01:42 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 3:01:41 AM	23	mg/l
SC ALRO SA	Clor	1/9/2017 3:01:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 3:01:22 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 3:01:21 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 3:01:20 AM	5	unit pH
SC ALRO SA	Cianuri	1/9/2017 2:57:40 AM	0	mg/l
SC ALRO SA	Clor	1/9/2017 2:57:30 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 2:57:00 AM	0	mg/l
SC ALRO SA	Cianuri	1/9/2017 2:56:46 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 2:56:45 AM	23	mg/l
SC ALRO SA	Substante organice	1/9/2017 2:56:00 AM	23	mg/l
SC ALRO SA	Temp	1/9/2017 2:55:50 AM	11	gradCels
SC ALRO SA	Clor	1/9/2017 2:55:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 2:55:42 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 2:55:41 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 2:55:40 AM	5	unit pH
SC ALRO SA	pH	1/9/2017 2:55:10 AM	5	unit pH
SC ALRO SA	Cianuri	1/9/2017 2:50:28 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 2:50:26 AM	23	mg/l
SC ALRO SA	Clor	1/9/2017 2:50:24 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 2:50:23 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 2:50:22 AM	11	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/9/2017 2:50:21 AM	5	unit pH
SC ALRO SA	Cianuri	1/9/2017 2:45:46 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 2:45:45 AM	23	mg/l
SC ALRO SA	Clor	1/9/2017 2:44:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 2:44:42 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 2:44:41 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 2:44:40 AM	5	unit pH
SC ALRO SA	Cianuri	1/9/2017 2:39:45 AM	0	mg/l
SC ALRO SA	Clor	1/9/2017 2:39:44 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 2:39:43 AM	23	mg/l
SC ALRO SA	Grasimi	1/9/2017 2:39:22 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 2:39:21 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 2:39:20 AM	5	unit pH
SC ALRO SA	Cianuri	1/9/2017 2:37:10 AM	0	mg/l
SC ALRO SA	Clor	1/9/2017 2:37:00 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 2:36:40 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 2:36:30 AM	23	mg/l
SC ALRO SA	Temp	1/9/2017 2:36:20 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 2:36:11 AM	5	unit pH
SC ALRO SA	Cianuri	1/9/2017 2:34:41 AM	0	mg/l
SC ALRO SA	Clor	1/9/2017 2:33:44 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 2:33:43 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 2:33:42 AM	23	mg/l
SC ALRO SA	Temp	1/9/2017 2:33:41 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 2:33:40 AM	5	unit pH
SC ALRO SA	Substante organice	1/9/2017 2:28:42 AM	24	mg/l
SC ALRO SA	Cianuri	1/9/2017 2:28:41 AM	0	mg/l
SC ALRO SA	Clor	1/9/2017 2:28:06 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 2:28:05 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 2:28:04 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 2:28:03 AM	5	unit pH
SC ALRO SA	Cianuri	1/9/2017 2:23:22 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 2:23:21 AM	24	mg/l
SC ALRO SA	Clor	1/9/2017 2:22:44 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 2:22:43 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 2:22:42 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 2:22:41 AM	5	unit pH
SC ALRO SA	Cianuri	1/9/2017 2:18:50 AM	0	mg/l
SC ALRO SA	Clor	1/9/2017 2:18:30 AM	0	mg/l
SC ALRO SA	Cianuri	1/9/2017 2:17:42 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 2:17:40 AM	24	mg/l
SC ALRO SA	Grasimi	1/9/2017 2:17:10 AM	0	mg/l
SC ALRO SA	Clor	1/9/2017 2:17:06 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 2:17:05 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 2:17:04 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 2:17:03 AM	5	unit pH
SC ALRO SA	Substante organice	1/9/2017 2:16:40 AM	24	mg/l
SC ALRO SA	Temp	1/9/2017 2:16:10 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 2:15:40 AM	5	unit pH
SC ALRO SA	Cianuri	1/9/2017 2:12:22 AM	0	mg/l
SC ALRO SA	Clor	1/9/2017 2:12:21 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 2:12:20 AM	24	mg/l
SC ALRO SA	Grasimi	1/9/2017 2:11:44 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 2:11:43 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 2:11:42 AM	5	unit pH
SC ALRO SA	Cianuri	1/9/2017 2:06:41 AM	0	mg/l
SC ALRO SA	Clor	1/9/2017 2:06:07 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 2:06:06 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 2:06:05 AM	24	mg/l
SC ALRO SA	Temp	1/9/2017 2:06:04 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 2:06:03 AM	5	unit pH
SC ALRO SA	Cianuri	1/9/2017 2:01:21 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 2:01:20 AM	24	mg/l
SC ALRO SA	Clor	1/9/2017 2:00:48 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 2:00:47 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 2:00:46 AM	11	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/9/2017 2:00:45 AM	5	unit pH
SC ALRO SA	Cianuri	1/9/2017 1:58:00 AM	0	mg/l
SC ALRO SA	Clor	1/9/2017 1:57:50 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 1:57:30 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 1:57:00 AM	24	mg/l
SC ALRO SA	Temp	1/9/2017 1:56:50 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 1:56:40 AM	5	unit pH
SC ALRO SA	Cianuri	1/9/2017 1:56:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 1:56:22 AM	24	mg/l
SC ALRO SA	Clor	1/9/2017 1:55:44 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 1:55:43 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 1:55:42 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 1:55:41 AM	5	unit pH
SC ALRO SA	Cianuri	1/9/2017 1:50:21 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 1:50:20 AM	24	mg/l
SC ALRO SA	Clor	1/9/2017 1:50:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 1:50:02 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 1:50:01 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 1:50:00 AM	6	unit pH
SC ALRO SA	Cianuri	1/9/2017 1:45:26 AM	0	mg/l
SC ALRO SA	Clor	1/9/2017 1:45:25 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 1:45:24 AM	24	mg/l
SC ALRO SA	Grasimi	1/9/2017 1:44:43 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 1:44:42 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 1:44:41 AM	6	unit pH
SC ALRO SA	Cianuri	1/9/2017 1:39:21 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 1:39:20 AM	24	mg/l
SC ALRO SA	Clor	1/9/2017 1:39:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 1:39:02 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 1:39:01 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 1:39:00 AM	6	unit pH
SC ALRO SA	Cianuri	1/9/2017 1:36:30 AM	0	mg/l
SC ALRO SA	Clor	1/9/2017 1:36:20 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 1:36:00 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 1:35:50 AM	24	mg/l
SC ALRO SA	Temp	1/9/2017 1:35:40 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 1:35:30 AM	6	unit pH
SC ALRO SA	Cianuri	1/9/2017 1:33:40 AM	0	mg/l
SC ALRO SA	Clor	1/9/2017 1:33:24 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 1:33:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 1:33:22 AM	24	mg/l
SC ALRO SA	Temp	1/9/2017 1:33:21 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 1:33:20 AM	6	unit pH
SC ALRO SA	Cianuri	1/9/2017 1:28:21 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 1:28:20 AM	24	mg/l
SC ALRO SA	Clor	1/9/2017 1:27:47 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 1:27:46 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 1:27:45 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 1:27:44 AM	6	unit pH
SC ALRO SA	Cianuri	1/9/2017 1:22:28 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 1:22:27 AM	24	mg/l
SC ALRO SA	Clor	1/9/2017 1:22:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 1:22:22 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 1:22:21 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 1:22:20 AM	6	unit pH
SC ALRO SA	Cianuri	1/9/2017 1:18:10 AM	0	mg/l
SC ALRO SA	Clor	1/9/2017 1:17:50 AM	0	mg/l
SC ALRO SA	Cianuri	1/9/2017 1:17:22 AM	0	mg/l
SC ALRO SA	Clor	1/9/2017 1:17:21 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 1:17:20 AM	24	mg/l
SC ALRO SA	Grasimi	1/9/2017 1:17:10 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 1:17:00 AM	24	mg/l
SC ALRO SA	Temp	1/9/2017 1:16:50 AM	11	gradCels
SC ALRO SA	Grasimi	1/9/2017 1:16:47 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 1:16:46 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 1:16:45 AM	6	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/9/2017 1:16:00 AM	6	unit pH
SC ALRO SA	Substante organice	1/9/2017 1:11:44 AM	24	mg/l
SC ALRO SA	Cianuri	1/9/2017 1:11:43 AM	0	mg/l
SC ALRO SA	Clor	1/9/2017 1:11:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 1:11:22 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 1:11:21 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 1:11:20 AM	6	unit pH
SC ALRO SA	Cianuri	1/9/2017 1:06:30 AM	0	mg/l
SC ALRO SA	Clor	1/9/2017 1:05:51 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 1:05:50 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 1:05:49 AM	24	mg/l
SC ALRO SA	Temp	1/9/2017 1:05:48 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 1:05:47 AM	6	unit pH
SC ALRO SA	Clor	1/9/2017 1:00:43 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 1:00:41 AM	24	mg/l
SC ALRO SA	Cianuri	1/9/2017 1:00:40 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 1:00:22 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 1:00:21 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 1:00:20 AM	6	unit pH
SC ALRO SA	Cianuri	1/9/2017 12:57:10 AM	0	mg/l
SC ALRO SA	Clor	1/9/2017 12:56:40 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 12:56:10 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 12:55:40 AM	24	mg/l
SC ALRO SA	Cianuri	1/9/2017 12:55:34 AM	0	mg/l
SC ALRO SA	Clor	1/9/2017 12:55:33 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 12:55:32 AM	24	mg/l
SC ALRO SA	Temp	1/9/2017 12:55:10 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 12:55:00 AM	6	unit pH
SC ALRO SA	Grasimi	1/9/2017 12:54:43 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 12:54:42 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 12:54:41 AM	6	unit pH
SC ALRO SA	Substante organice	1/9/2017 12:49:27 AM	24	mg/l
SC ALRO SA	Clor	1/9/2017 12:49:26 AM	0	mg/l
SC ALRO SA	Cianuri	1/9/2017 12:49:25 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 12:49:22 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 12:49:21 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 12:49:20 AM	6	unit pH
SC ALRO SA	Cianuri	1/9/2017 12:44:32 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 12:44:30 AM	24	mg/l
SC ALRO SA	Clor	1/9/2017 12:43:47 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 12:43:46 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 12:43:45 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 12:43:44 AM	7	unit pH
SC ALRO SA	Cianuri	1/9/2017 12:38:41 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 12:38:40 AM	24	mg/l
SC ALRO SA	Clor	1/9/2017 12:38:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 12:38:22 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 12:38:21 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 12:38:20 AM	7	unit pH
SC ALRO SA	Cianuri	1/9/2017 12:35:40 AM	0	mg/l
SC ALRO SA	Clor	1/9/2017 12:35:30 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 12:34:40 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 12:34:30 AM	24	mg/l
SC ALRO SA	Temp	1/9/2017 12:34:10 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 12:33:40 AM	6	unit pH
SC ALRO SA	Cianuri	1/9/2017 12:33:32 AM	0	mg/l
SC ALRO SA	Clor	1/9/2017 12:33:31 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 12:32:49 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 12:32:48 AM	24	mg/l
SC ALRO SA	Temp	1/9/2017 12:32:47 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 12:32:46 AM	6	unit pH
SC ALRO SA	Cianuri	1/9/2017 12:27:40 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 12:27:28 AM	25	mg/l
SC ALRO SA	Clor	1/9/2017 12:27:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 12:27:22 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 12:27:21 AM	11	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/9/2017 12:27:20 AM	6	unit pH
SC ALRO SA	Cianuri	1/9/2017 12:22:27 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 12:22:26 AM	25	mg/l
SC ALRO SA	Clor	1/9/2017 12:21:41 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 12:21:40 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 12:21:39 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 12:21:38 AM	6	unit pH
SC ALRO SA	Substante organice	1/9/2017 12:16:43 AM	25	mg/l
SC ALRO SA	Cianuri	1/9/2017 12:16:40 AM	0	mg/l
SC ALRO SA	Clor	1/9/2017 12:16:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 12:16:02 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 12:16:01 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 12:16:00 AM	6	unit pH
SC ALRO SA	Cianuri	1/9/2017 12:13:50 AM	0	mg/l
SC ALRO SA	Clor	1/9/2017 12:13:40 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 12:13:10 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 12:13:00 AM	25	mg/l
SC ALRO SA	Temp	1/9/2017 12:12:50 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 12:12:30 AM	6	unit pH
SC ALRO SA	Cianuri	1/9/2017 12:11:27 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 12:11:25 AM	25	mg/l
SC ALRO SA	Clor	1/9/2017 12:10:44 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 12:10:43 AM	0	mg/l
SC ALRO SA	Temp	1/9/2017 12:10:42 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 12:10:41 AM	6	unit pH
SC ALRO SA	Cianuri	1/9/2017 12:05:42 AM	0	mg/l
SC ALRO SA	Clor	1/9/2017 12:05:22 AM	0	mg/l
SC ALRO SA	Grasimi	1/9/2017 12:05:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 12:05:02 AM	25	mg/l
SC ALRO SA	Temp	1/9/2017 12:05:01 AM	11	gradCels
SC ALRO SA	pH	1/9/2017 12:05:00 AM	6	unit pH
SC ALRO SA	Cianuri	1/9/2017 12:00:44 AM	0	mg/l
SC ALRO SA	Clor	1/9/2017 12:00:42 AM	0	mg/l
SC ALRO SA	Substante organice	1/9/2017 12:00:40 AM	25	mg/l
SC ALRO SA	Grasimi	1/8/2017 11:59:28 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 11:59:27 PM	11	gradCels
SC ALRO SA	pH	1/8/2017 11:59:26 PM	6	unit pH
SC ALRO SA	Cianuri	1/8/2017 11:54:40 PM	0	mg/l
SC ALRO SA	Clor	1/8/2017 11:54:24 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 11:54:22 PM	25	mg/l
SC ALRO SA	Grasimi	1/8/2017 11:54:05 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 11:54:04 PM	11	gradCels
SC ALRO SA	pH	1/8/2017 11:54:03 PM	6	unit pH
SC ALRO SA	Cianuri	1/8/2017 11:53:50 PM	0	mg/l
SC ALRO SA	Clor	1/8/2017 11:53:10 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 11:52:10 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 11:52:00 PM	25	mg/l
SC ALRO SA	Temp	1/8/2017 11:51:50 PM	11	gradCels
SC ALRO SA	pH	1/8/2017 11:51:40 PM	6	unit pH
SC ALRO SA	Cianuri	1/8/2017 11:49:24 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 11:49:23 PM	25	mg/l
SC ALRO SA	Clor	1/8/2017 11:48:44 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 11:48:43 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 11:48:42 PM	11	gradCels
SC ALRO SA	pH	1/8/2017 11:48:41 PM	6	unit pH
SC ALRO SA	Substante organice	1/8/2017 11:43:40 PM	25	mg/l
SC ALRO SA	Cianuri	1/8/2017 11:43:23 PM	0	mg/l
SC ALRO SA	Clor	1/8/2017 11:43:06 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 11:43:05 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 11:43:04 PM	11	gradCels
SC ALRO SA	pH	1/8/2017 11:43:03 PM	6	unit pH
SC ALRO SA	Cianuri	1/8/2017 11:38:21 PM	0	mg/l
SC ALRO SA	Clor	1/8/2017 11:37:45 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 11:37:44 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 11:37:43 PM	25	mg/l
SC ALRO SA	Temp	1/8/2017 11:37:42 PM	11	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/8/2017 11:37:41 PM	6	unit pH
SC ALRO SA	Cianuri	1/8/2017 11:32:50 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 11:32:42 PM	25	mg/l
SC ALRO SA	Cianuri	1/8/2017 11:32:40 PM	0	mg/l
SC ALRO SA	Clor	1/8/2017 11:32:10 PM	0	mg/l
SC ALRO SA	Clor	1/8/2017 11:31:54 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 11:31:53 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 11:31:52 PM	11	gradCels
SC ALRO SA	pH	1/8/2017 11:31:51 PM	6	unit pH
SC ALRO SA	Grasimi	1/8/2017 11:31:10 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 11:30:40 PM	25	mg/l
SC ALRO SA	Temp	1/8/2017 11:30:30 PM	11	gradCels
SC ALRO SA	pH	1/8/2017 11:30:10 PM	6	unit pH
SC ALRO SA	Cianuri	1/8/2017 11:26:44 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 11:26:42 PM	25	mg/l
SC ALRO SA	Clor	1/8/2017 11:26:26 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 11:26:25 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 11:26:24 PM	11	gradCels
SC ALRO SA	pH	1/8/2017 11:26:23 PM	6	unit pH
SC ALRO SA	Substante organice	1/8/2017 11:21:29 PM	25	mg/l
SC ALRO SA	Cianuri	1/8/2017 11:21:28 PM	0	mg/l
SC ALRO SA	Clor	1/8/2017 11:21:24 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 11:21:23 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 11:21:22 PM	11	gradCels
SC ALRO SA	pH	1/8/2017 11:21:21 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 11:15:47 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 11:15:45 PM	25	mg/l
SC ALRO SA	Clor	1/8/2017 11:15:26 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 11:15:25 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 11:15:24 PM	11	gradCels
SC ALRO SA	pH	1/8/2017 11:15:23 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 11:11:40 PM	0	mg/l
SC ALRO SA	Clor	1/8/2017 11:11:00 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 11:10:40 PM	25	mg/l
SC ALRO SA	Cianuri	1/8/2017 11:10:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 11:10:10 PM	0	mg/l
SC ALRO SA	Clor	1/8/2017 11:10:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 11:10:02 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 11:10:01 PM	11	gradCels
SC ALRO SA	pH	1/8/2017 11:10:00 PM	5	unit pH
SC ALRO SA	Substante organice	1/8/2017 11:09:40 PM	25	mg/l
SC ALRO SA	Temp	1/8/2017 11:09:00 PM	11	gradCels
SC ALRO SA	pH	1/8/2017 11:08:50 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 11:04:47 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 11:04:46 PM	25	mg/l
SC ALRO SA	Clor	1/8/2017 11:04:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 11:04:22 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 11:04:21 PM	11	gradCels
SC ALRO SA	pH	1/8/2017 11:04:20 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 10:59:40 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 10:59:28 PM	25	mg/l
SC ALRO SA	Clor	1/8/2017 10:59:06 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 10:59:05 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 10:59:04 PM	11	gradCels
SC ALRO SA	pH	1/8/2017 10:59:03 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 10:53:25 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 10:53:23 PM	25	mg/l
SC ALRO SA	Clor	1/8/2017 10:53:16 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 10:53:15 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 10:53:14 PM	11	gradCels
SC ALRO SA	pH	1/8/2017 10:53:13 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 10:50:50 PM	0	mg/l
SC ALRO SA	Clor	1/8/2017 10:50:40 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 10:50:10 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 10:49:50 PM	25	mg/l
SC ALRO SA	Temp	1/8/2017 10:49:40 PM	11	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/8/2017 10:49:30 PM	5	unit pH
SC ALRO SA	Substante organice	1/8/2017 10:48:29 PM	25	mg/l
SC ALRO SA	Cianuri	1/8/2017 10:48:26 PM	0	mg/l
SC ALRO SA	Clor	1/8/2017 10:48:04 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 10:48:03 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 10:48:02 PM	11	gradCels
SC ALRO SA	pH	1/8/2017 10:48:01 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 10:42:45 PM	0	mg/l
SC ALRO SA	Clor	1/8/2017 10:42:44 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 10:42:42 PM	25	mg/l
SC ALRO SA	Grasimi	1/8/2017 10:42:15 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 10:42:14 PM	11	gradCels
SC ALRO SA	pH	1/8/2017 10:42:13 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 10:37:45 PM	0	mg/l
SC ALRO SA	Clor	1/8/2017 10:36:47 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 10:36:46 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 10:36:45 PM	25	mg/l
SC ALRO SA	Temp	1/8/2017 10:36:44 PM	11	gradCels
SC ALRO SA	pH	1/8/2017 10:36:43 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 10:31:44 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 10:31:42 PM	25	mg/l
SC ALRO SA	Clor	1/8/2017 10:31:16 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 10:31:15 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 10:31:14 PM	11	gradCels
SC ALRO SA	pH	1/8/2017 10:31:13 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 10:29:20 PM	0	mg/l
SC ALRO SA	Clor	1/8/2017 10:29:10 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 10:28:50 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 10:28:40 PM	25	mg/l
SC ALRO SA	Temp	1/8/2017 10:28:30 PM	11	gradCels
SC ALRO SA	pH	1/8/2017 10:28:10 PM	5	unit pH
SC ALRO SA	Substante organice	1/8/2017 10:26:41 PM	25	mg/l
SC ALRO SA	Cianuri	1/8/2017 10:26:28 PM	0	mg/l
SC ALRO SA	Clor	1/8/2017 10:25:37 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 10:25:36 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 10:25:35 PM	11	gradCels
SC ALRO SA	pH	1/8/2017 10:25:34 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 10:20:51 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 10:20:49 PM	25	mg/l
SC ALRO SA	Clor	1/8/2017 10:20:44 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 10:20:43 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 10:20:42 PM	11	gradCels
SC ALRO SA	pH	1/8/2017 10:20:41 PM	5	unit pH
SC ALRO SA	Substante organice	1/8/2017 10:15:45 PM	25	mg/l
SC ALRO SA	Cianuri	1/8/2017 10:15:43 PM	0	mg/l
SC ALRO SA	Clor	1/8/2017 10:15:41 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 10:14:40 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 10:14:39 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 10:14:38 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 10:10:30 PM	0	mg/l
SC ALRO SA	Clor	1/8/2017 10:10:10 PM	0	mg/l
SC ALRO SA	Cianuri	1/8/2017 10:09:48 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 10:09:47 PM	25	mg/l
SC ALRO SA	Clor	1/8/2017 10:09:12 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 10:09:11 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 10:09:10 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 10:09:09 PM	5	unit pH
SC ALRO SA	Grasimi	1/8/2017 10:08:40 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 10:08:30 PM	25	mg/l
SC ALRO SA	Temp	1/8/2017 10:08:10 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 10:08:00 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 10:04:40 PM	0	mg/l
SC ALRO SA	Clor	1/8/2017 10:03:38 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 10:03:37 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 10:03:36 PM	25	mg/l
SC ALRO SA	Temp	1/8/2017 10:03:35 PM	12	gradCels



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/8/2017 10:03:34 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 9:58:42 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 9:58:40 PM	25	mg/l
SC ALRO SA	Clor	1/8/2017 9:58:07 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 9:58:06 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 9:58:05 PM	11	gradCels
SC ALRO SA	pH	1/8/2017 9:58:04 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 9:53:40 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 9:53:24 PM	25	mg/l
SC ALRO SA	Clor	1/8/2017 9:52:37 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 9:52:36 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 9:52:35 PM	11	gradCels
SC ALRO SA	pH	1/8/2017 9:52:34 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 9:49:30 PM	0	mg/l
SC ALRO SA	Clor	1/8/2017 9:49:00 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 9:48:40 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 9:48:30 PM	25	mg/l
SC ALRO SA	Temp	1/8/2017 9:48:10 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 9:48:00 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 9:47:44 PM	0	mg/l
SC ALRO SA	Clor	1/8/2017 9:47:42 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 9:47:41 PM	25	mg/l
SC ALRO SA	Grasimi	1/8/2017 9:47:06 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 9:47:05 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 9:47:04 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 9:42:42 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 9:42:40 PM	25	mg/l
SC ALRO SA	Clor	1/8/2017 9:41:37 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 9:41:36 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 9:41:35 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 9:41:34 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 9:36:22 PM	0	mg/l
SC ALRO SA	Clor	1/8/2017 9:36:08 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 9:36:07 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 9:36:06 PM	25	mg/l
SC ALRO SA	Temp	1/8/2017 9:36:05 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 9:36:04 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 9:31:42 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 9:31:40 PM	25	mg/l
SC ALRO SA	Clor	1/8/2017 9:30:33 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 9:30:32 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 9:30:31 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 9:30:30 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 9:28:00 PM	0	mg/l
SC ALRO SA	Clor	1/8/2017 9:27:50 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 9:27:30 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 9:27:00 PM	25	mg/l
SC ALRO SA	Temp	1/8/2017 9:26:50 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 9:26:40 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 9:25:41 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 9:25:40 PM	25	mg/l
SC ALRO SA	Clor	1/8/2017 9:25:07 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 9:25:06 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 9:25:05 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 9:25:04 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 9:20:25 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 9:20:23 PM	25	mg/l
SC ALRO SA	Clor	1/8/2017 9:19:31 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 9:19:30 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 9:19:29 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 9:19:28 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 9:14:25 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 9:14:24 PM	25	mg/l
SC ALRO SA	Clor	1/8/2017 9:14:07 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 9:14:06 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 9:14:05 PM	12	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/8/2017 9:14:04 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 9:08:34 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 9:08:32 PM	25	mg/l
SC ALRO SA	Clor	1/8/2017 9:08:27 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 9:08:26 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 9:08:25 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 9:08:24 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 9:08:00 PM	0	mg/l
SC ALRO SA	Clor	1/8/2017 9:07:50 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 9:07:10 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 9:07:00 PM	25	mg/l
SC ALRO SA	Temp	1/8/2017 9:06:50 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 9:06:30 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 9:03:27 PM	0	mg/l
SC ALRO SA	Clor	1/8/2017 9:03:08 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 9:03:07 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 9:03:06 PM	25	mg/l
SC ALRO SA	Temp	1/8/2017 9:03:05 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 9:03:04 PM	5	unit pH
SC ALRO SA	Substante organice	1/8/2017 8:57:34 PM	25	mg/l
SC ALRO SA	Cianuri	1/8/2017 8:57:31 PM	0	mg/l
SC ALRO SA	Clor	1/8/2017 8:57:27 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 8:57:26 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 8:57:25 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 8:57:24 PM	5	unit pH
SC ALRO SA	Substante organice	1/8/2017 8:52:38 PM	25	mg/l
SC ALRO SA	Cianuri	1/8/2017 8:52:35 PM	0	mg/l
SC ALRO SA	Clor	1/8/2017 8:51:47 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 8:51:46 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 8:51:45 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 8:51:44 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 8:48:30 PM	0	mg/l
SC ALRO SA	Clor	1/8/2017 8:48:10 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 8:47:10 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 8:47:00 PM	25	mg/l
SC ALRO SA	Temp	1/8/2017 8:46:50 PM	12	gradCels
SC ALRO SA	Substante organice	1/8/2017 8:46:34 PM	25	mg/l
SC ALRO SA	Cianuri	1/8/2017 8:46:31 PM	0	mg/l
SC ALRO SA	Clor	1/8/2017 8:46:27 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 8:46:26 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 8:46:25 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 8:46:24 PM	5	unit pH
SC ALRO SA	pH	1/8/2017 8:46:00 PM	5	unit pH
SC ALRO SA	Substante organice	1/8/2017 8:41:43 PM	25	mg/l
SC ALRO SA	Cianuri	1/8/2017 8:41:41 PM	0	mg/l
SC ALRO SA	Clor	1/8/2017 8:40:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 8:40:42 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 8:40:41 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 8:40:40 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 8:35:34 PM	0	mg/l
SC ALRO SA	Clor	1/8/2017 8:35:28 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 8:35:27 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 8:35:26 PM	25	mg/l
SC ALRO SA	Temp	1/8/2017 8:35:25 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 8:35:24 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 8:30:40 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 8:30:29 PM	25	mg/l
SC ALRO SA	Clor	1/8/2017 8:29:47 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 8:29:46 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 8:29:45 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 8:29:44 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 8:26:50 PM	0	mg/l
SC ALRO SA	Clor	1/8/2017 8:26:40 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 8:26:10 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 8:26:00 PM	25	mg/l
SC ALRO SA	Temp	1/8/2017 8:25:10 PM	12	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/8/2017 8:25:00 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 8:24:34 PM	0	mg/l
SC ALRO SA	Clor	1/8/2017 8:24:33 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 8:24:31 PM	25	mg/l
SC ALRO SA	Grasimi	1/8/2017 8:24:26 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 8:24:25 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 8:24:24 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 8:19:25 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 8:19:24 PM	25	mg/l
SC ALRO SA	Clor	1/8/2017 8:18:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 8:18:42 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 8:18:41 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 8:18:40 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 8:13:40 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 8:13:27 PM	25	mg/l
SC ALRO SA	Clor	1/8/2017 8:13:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 8:13:02 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 8:13:01 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 8:13:00 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 8:08:43 PM	0	mg/l
SC ALRO SA	Clor	1/8/2017 8:07:44 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 8:07:43 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 8:07:42 PM	25	mg/l
SC ALRO SA	Temp	1/8/2017 8:07:41 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 8:07:40 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 8:04:40 PM	0	mg/l
SC ALRO SA	Clor	1/8/2017 8:04:30 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 8:04:00 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 8:03:50 PM	27	mg/l
SC ALRO SA	Temp	1/8/2017 8:03:30 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 8:03:10 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 8:02:48 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 8:02:47 PM	27	mg/l
SC ALRO SA	Clor	1/8/2017 8:02:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 8:02:02 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 8:02:01 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 8:02:00 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 7:57:46 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 7:57:45 PM	27	mg/l
SC ALRO SA	Clor	1/8/2017 7:56:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 7:56:42 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 7:56:41 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 7:56:40 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 7:51:50 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 7:51:48 PM	27	mg/l
SC ALRO SA	Clor	1/8/2017 7:51:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 7:51:02 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 7:51:01 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 7:51:00 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 7:46:26 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 7:46:25 PM	27	mg/l
SC ALRO SA	Clor	1/8/2017 7:45:26 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 7:45:25 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 7:45:24 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 7:45:23 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 7:43:30 PM	0	mg/l
SC ALRO SA	Clor	1/8/2017 7:43:10 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 7:42:30 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 7:42:10 PM	27	mg/l
SC ALRO SA	Temp	1/8/2017 7:42:00 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 7:41:50 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 7:40:47 PM	0	mg/l
SC ALRO SA	Clor	1/8/2017 7:40:46 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 7:40:45 PM	27	mg/l
SC ALRO SA	Grasimi	1/8/2017 7:40:03 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 7:40:02 PM	12	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/8/2017 7:40:01 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 7:35:43 PM	0	mg/l
SC ALRO SA	Clor	1/8/2017 7:34:27 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 7:34:26 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 7:34:25 PM	27	mg/l
SC ALRO SA	Temp	1/8/2017 7:34:24 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 7:34:23 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 7:29:46 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 7:29:45 PM	29	mg/l
SC ALRO SA	Clor	1/8/2017 7:29:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 7:29:02 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 7:29:01 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 7:29:00 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 7:24:40 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 7:24:25 PM	29	mg/l
SC ALRO SA	Clor	1/8/2017 7:23:26 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 7:23:25 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 7:23:24 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 7:23:23 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 7:22:40 PM	0	mg/l
SC ALRO SA	Clor	1/8/2017 7:22:30 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 7:21:40 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 7:21:30 PM	29	mg/l
SC ALRO SA	Temp	1/8/2017 7:21:10 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 7:20:40 PM	5	unit pH
SC ALRO SA	Substante organice	1/8/2017 7:18:51 PM	29	mg/l
SC ALRO SA	Cianuri	1/8/2017 7:18:50 PM	0	mg/l
SC ALRO SA	Clor	1/8/2017 7:18:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 7:18:02 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 7:18:01 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 7:18:00 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 7:12:27 PM	0	mg/l
SC ALRO SA	Clor	1/8/2017 7:12:25 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 7:12:24 PM	29	mg/l
SC ALRO SA	Grasimi	1/8/2017 7:12:22 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 7:12:21 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 7:12:20 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 7:07:41 PM	0	mg/l
SC ALRO SA	Clor	1/8/2017 7:07:04 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 7:07:03 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 7:07:02 PM	29	mg/l
SC ALRO SA	Temp	1/8/2017 7:07:01 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 7:07:00 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 7:01:26 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 7:01:25 PM	30	mg/l
SC ALRO SA	Clor	1/8/2017 7:01:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 7:01:22 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 7:01:21 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 7:01:20 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 7:00:30 PM	0	mg/l
SC ALRO SA	Clor	1/8/2017 7:00:10 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 6:59:50 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 6:59:30 PM	30	mg/l
SC ALRO SA	Temp	1/8/2017 6:59:00 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 6:58:50 PM	5	unit pH
SC ALRO SA	Substante organice	1/8/2017 6:56:42 PM	30	mg/l
SC ALRO SA	Cianuri	1/8/2017 6:56:40 PM	0	mg/l
SC ALRO SA	Clor	1/8/2017 6:55:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 6:55:42 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 6:55:41 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 6:55:40 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 6:50:28 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 6:50:26 PM	30	mg/l
SC ALRO SA	Clor	1/8/2017 6:50:24 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 6:50:23 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 6:50:22 PM	12	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/8/2017 6:50:20 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 6:45:32 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 6:45:30 PM	30	mg/l
SC ALRO SA	Clor	1/8/2017 6:44:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 6:44:42 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 6:44:41 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 6:44:40 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 6:40:50 PM	0	mg/l
SC ALRO SA	Clor	1/8/2017 6:40:10 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 6:39:28 PM	30	mg/l
SC ALRO SA	Cianuri	1/8/2017 6:39:25 PM	0	mg/l
SC ALRO SA	Clor	1/8/2017 6:39:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 6:39:22 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 6:39:21 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 6:39:20 PM	5	unit pH
SC ALRO SA	Grasimi	1/8/2017 6:39:00 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 6:38:50 PM	30	mg/l
SC ALRO SA	Temp	1/8/2017 6:38:30 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 6:38:10 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 6:34:41 PM	0	mg/l
SC ALRO SA	Clor	1/8/2017 6:33:44 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 6:33:43 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 6:33:42 PM	30	mg/l
SC ALRO SA	Temp	1/8/2017 6:33:41 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 6:33:40 PM	5	unit pH
SC ALRO SA	Substante organice	1/8/2017 6:28:28 PM	31	mg/l
SC ALRO SA	Cianuri	1/8/2017 6:28:26 PM	0	mg/l
SC ALRO SA	Clor	1/8/2017 6:28:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 6:28:22 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 6:28:21 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 6:28:20 PM	5	unit pH
SC ALRO SA	Substante organice	1/8/2017 6:23:27 PM	31	mg/l
SC ALRO SA	Cianuri	1/8/2017 6:23:26 PM	0	mg/l
SC ALRO SA	Clor	1/8/2017 6:22:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 6:22:42 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 6:22:41 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 6:22:40 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 6:19:40 PM	0	mg/l
SC ALRO SA	Clor	1/8/2017 6:19:10 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 6:18:50 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 6:18:40 PM	31	mg/l
SC ALRO SA	Temp	1/8/2017 6:17:50 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 6:17:30 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 6:17:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 6:17:22 PM	31	mg/l
SC ALRO SA	Clor	1/8/2017 6:17:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 6:17:02 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 6:17:01 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 6:17:00 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 6:12:27 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 6:12:26 PM	31	mg/l
SC ALRO SA	Clor	1/8/2017 6:11:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 6:11:42 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 6:11:41 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 6:11:40 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 6:06:22 PM	0	mg/l
SC ALRO SA	Clor	1/8/2017 6:06:04 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 6:06:03 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 6:06:02 PM	31	mg/l
SC ALRO SA	Temp	1/8/2017 6:06:01 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 6:06:00 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 6:01:28 PM	0	mg/l
SC ALRO SA	Clor	1/8/2017 6:01:27 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 6:01:26 PM	31	mg/l
SC ALRO SA	Grasimi	1/8/2017 6:00:42 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 6:00:41 PM	12	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/8/2017 6:00:40 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 5:58:10 PM	0	mg/l
SC ALRO SA	Clor	1/8/2017 5:58:00 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 5:57:40 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 5:57:10 PM	31	mg/l
SC ALRO SA	Temp	1/8/2017 5:57:00 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 5:56:50 PM	5	unit pH
SC ALRO SA	Substante organice	1/8/2017 5:55:24 PM	31	mg/l
SC ALRO SA	Cianuri	1/8/2017 5:55:21 PM	0	mg/l
SC ALRO SA	Clor	1/8/2017 5:55:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 5:55:02 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 5:55:01 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 5:55:00 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 5:50:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 5:50:22 PM	31	mg/l
SC ALRO SA	Clor	1/8/2017 5:49:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 5:49:42 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 5:49:41 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 5:49:40 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 5:44:24 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 5:44:22 PM	31	mg/l
SC ALRO SA	Clor	1/8/2017 5:44:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 5:44:02 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 5:44:01 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 5:44:00 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 5:39:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 5:39:22 PM	31	mg/l
SC ALRO SA	Clor	1/8/2017 5:38:26 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 5:38:25 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 5:38:24 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 5:38:23 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 5:37:50 PM	0	mg/l
SC ALRO SA	Clor	1/8/2017 5:37:40 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 5:36:40 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 5:36:30 PM	31	mg/l
SC ALRO SA	Temp	1/8/2017 5:36:10 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 5:36:00 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 5:33:24 PM	0	mg/l
SC ALRO SA	Clor	1/8/2017 5:33:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 5:33:03 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 5:33:02 PM	31	mg/l
SC ALRO SA	Temp	1/8/2017 5:33:01 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 5:33:00 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 5:28:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 5:28:22 PM	32	mg/l
SC ALRO SA	Clor	1/8/2017 5:27:26 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 5:27:25 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 5:27:24 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 5:27:23 PM	5	unit pH
SC ALRO SA	Substante organice	1/8/2017 5:22:24 PM	32	mg/l
SC ALRO SA	Cianuri	1/8/2017 5:22:23 PM	0	mg/l
SC ALRO SA	Clor	1/8/2017 5:22:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 5:22:02 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 5:22:01 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 5:22:00 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 5:17:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 5:17:22 PM	32	mg/l
SC ALRO SA	Cianuri	1/8/2017 5:17:00 PM	0	mg/l
SC ALRO SA	Clor	1/8/2017 5:16:50 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 5:16:30 PM	0	mg/l
SC ALRO SA	Clor	1/8/2017 5:16:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 5:16:22 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 5:16:21 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 5:16:20 PM	5	unit pH
SC ALRO SA	Substante organice	1/8/2017 5:16:10 PM	32	mg/l
SC ALRO SA	Temp	1/8/2017 5:16:00 PM	12	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/8/2017 5:15:50 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 5:11:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 5:11:21 PM	32	mg/l
SC ALRO SA	Clor	1/8/2017 5:11:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 5:11:02 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 5:11:01 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 5:11:00 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 5:05:25 PM	0	mg/l
SC ALRO SA	Clor	1/8/2017 5:05:24 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 5:05:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 5:05:22 PM	32	mg/l
SC ALRO SA	Temp	1/8/2017 5:05:21 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 5:05:20 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 5:00:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 5:00:22 PM	32	mg/l
SC ALRO SA	Clor	1/8/2017 5:00:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 5:00:02 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 5:00:01 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 5:00:00 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 4:56:00 PM	0	mg/l
SC ALRO SA	Clor	1/8/2017 4:55:50 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 4:55:10 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 4:55:00 PM	32	mg/l
SC ALRO SA	Temp	1/8/2017 4:54:50 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 4:54:40 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 4:54:25 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 4:54:24 PM	32	mg/l
SC ALRO SA	Clor	1/8/2017 4:54:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 4:54:22 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 4:54:21 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 4:54:20 PM	5	unit pH
SC ALRO SA	Substante organice	1/8/2017 4:49:23 PM	32	mg/l
SC ALRO SA	Cianuri	1/8/2017 4:49:22 PM	0	mg/l
SC ALRO SA	Clor	1/8/2017 4:48:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 4:48:42 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 4:48:41 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 4:48:40 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 4:43:26 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 4:43:25 PM	32	mg/l
SC ALRO SA	Clor	1/8/2017 4:43:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 4:43:22 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 4:43:21 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 4:43:20 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 4:38:24 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 4:38:22 PM	32	mg/l
SC ALRO SA	Clor	1/8/2017 4:37:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 4:37:42 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 4:37:41 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 4:37:40 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 4:34:50 PM	0	mg/l
SC ALRO SA	Clor	1/8/2017 4:34:40 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 4:34:00 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 4:33:50 PM	32	mg/l
SC ALRO SA	Temp	1/8/2017 4:33:10 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 4:33:00 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 4:32:27 PM	0	mg/l
SC ALRO SA	Clor	1/8/2017 4:32:24 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 4:32:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 4:32:22 PM	32	mg/l
SC ALRO SA	Temp	1/8/2017 4:32:21 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 4:32:20 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 4:27:24 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 4:27:23 PM	33	mg/l
SC ALRO SA	Clor	1/8/2017 4:26:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 4:26:42 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 4:26:41 PM	12	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/8/2017 4:26:40 PM	5	unit pH
SC ALRO SA	Substante organice	1/8/2017 4:21:33 PM	33	mg/l
SC ALRO SA	Cianuri	1/8/2017 4:21:31 PM	0	mg/l
SC ALRO SA	Clor	1/8/2017 4:21:29 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 4:21:22 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 4:21:21 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 4:21:20 PM	5	unit pH
SC ALRO SA	Substante organice	1/8/2017 4:16:24 PM	33	mg/l
SC ALRO SA	Cianuri	1/8/2017 4:16:21 PM	0	mg/l
SC ALRO SA	Clor	1/8/2017 4:15:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 4:15:42 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 4:15:41 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 4:15:40 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 4:12:50 PM	0	mg/l
SC ALRO SA	Clor	1/8/2017 4:12:10 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 4:11:50 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 4:11:00 PM	33	mg/l
SC ALRO SA	Temp	1/8/2017 4:10:50 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 4:10:40 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 4:10:28 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 4:10:26 PM	33	mg/l
SC ALRO SA	Clor	1/8/2017 4:10:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 4:10:02 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 4:10:01 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 4:10:00 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 4:05:23 PM	0	mg/l
SC ALRO SA	Clor	1/8/2017 4:04:44 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 4:04:43 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 4:04:42 PM	33	mg/l
SC ALRO SA	Temp	1/8/2017 4:04:41 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 4:04:40 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 3:59:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 3:59:22 PM	33	mg/l
SC ALRO SA	Clor	1/8/2017 3:59:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 3:59:02 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 3:59:01 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 3:59:00 PM	5	unit pH
SC ALRO SA	Clor	1/8/2017 3:54:28 PM	0	mg/l
SC ALRO SA	Cianuri	1/8/2017 3:54:27 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 3:54:26 PM	33	mg/l
SC ALRO SA	Grasimi	1/8/2017 3:53:24 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 3:53:23 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 3:53:22 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 3:50:50 PM	0	mg/l
SC ALRO SA	Clor	1/8/2017 3:50:10 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 3:49:45 PM	33	mg/l
SC ALRO SA	Cianuri	1/8/2017 3:49:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 3:49:00 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 3:48:50 PM	33	mg/l
SC ALRO SA	Clor	1/8/2017 3:48:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 3:48:42 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 3:48:41 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 3:48:40 PM	5	unit pH
SC ALRO SA	Temp	1/8/2017 3:48:20 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 3:48:10 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 3:43:27 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 3:43:26 PM	33	mg/l
SC ALRO SA	Clor	1/8/2017 3:43:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 3:43:02 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 3:43:01 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 3:43:00 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 3:38:44 PM	0	mg/l
SC ALRO SA	Clor	1/8/2017 3:37:24 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 3:37:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 3:37:22 PM	33	mg/l
SC ALRO SA	Temp	1/8/2017 3:37:21 PM	12	gradCels



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/8/2017 3:37:20 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 3:32:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 3:32:22 PM	33	mg/l
SC ALRO SA	Clor	1/8/2017 3:32:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 3:32:02 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 3:32:01 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 3:32:00 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 3:27:43 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 3:27:41 PM	33	mg/l
SC ALRO SA	Cianuri	1/8/2017 3:27:10 PM	0	mg/l
SC ALRO SA	Clor	1/8/2017 3:26:50 PM	0	mg/l
SC ALRO SA	Clor	1/8/2017 3:26:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 3:26:22 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 3:26:21 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 3:26:20 PM	5	unit pH
SC ALRO SA	Grasimi	1/8/2017 3:26:10 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 3:26:00 PM	33	mg/l
SC ALRO SA	Temp	1/8/2017 3:25:50 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 3:25:40 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 3:21:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 3:21:22 PM	33	mg/l
SC ALRO SA	Clor	1/8/2017 3:21:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 3:21:02 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 3:21:01 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 3:21:00 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 3:15:31 PM	0	mg/l
SC ALRO SA	Clor	1/8/2017 3:15:30 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 3:15:29 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 3:15:28 PM	33	mg/l
SC ALRO SA	Temp	1/8/2017 3:15:27 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 3:15:26 PM	5	unit pH
SC ALRO SA	Temp	1/8/2017 3:15:25 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 3:15:24 PM	5	unit pH
SC ALRO SA	Grasimi	1/8/2017 3:15:23 PM	0	mg/l
SC ALRO SA	Clor	1/8/2017 3:15:22 PM	0	mg/l
SC ALRO SA	Cianuri	1/8/2017 3:15:21 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 3:15:20 PM	33	mg/l
SC ALRO SA	Cianuri	1/8/2017 3:10:24 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 3:10:22 PM	33	mg/l
SC ALRO SA	Clor	1/8/2017 3:10:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 3:10:02 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 3:10:01 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 3:10:00 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 3:04:25 PM	0	mg/l
SC ALRO SA	Clor	1/8/2017 3:04:24 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 3:04:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 3:04:22 PM	33	mg/l
SC ALRO SA	Temp	1/8/2017 3:04:21 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 3:04:20 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 3:03:50 PM	0	mg/l
SC ALRO SA	Clor	1/8/2017 3:03:40 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 3:02:50 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 3:02:10 PM	33	mg/l
SC ALRO SA	Temp	1/8/2017 3:01:40 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 3:01:30 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 2:59:27 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 2:59:25 PM	33	mg/l
SC ALRO SA	Clor	1/8/2017 2:59:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 2:59:02 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 2:59:01 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 2:59:00 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 2:53:25 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 2:53:24 PM	33	mg/l
SC ALRO SA	Clor	1/8/2017 2:53:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 2:53:22 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 2:53:21 PM	12	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/8/2017 2:53:20 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 2:48:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 2:48:22 PM	33	mg/l
SC ALRO SA	Clor	1/8/2017 2:47:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 2:47:42 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 2:47:41 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 2:47:40 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 2:42:25 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 2:42:24 PM	33	mg/l
SC ALRO SA	Clor	1/8/2017 2:42:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 2:42:22 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 2:42:21 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 2:42:20 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 2:40:30 PM	0	mg/l
SC ALRO SA	Clor	1/8/2017 2:40:10 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 2:39:50 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 2:39:30 PM	33	mg/l
SC ALRO SA	Temp	1/8/2017 2:39:00 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 2:38:50 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 2:37:22 PM	0	mg/l
SC ALRO SA	Clor	1/8/2017 2:36:44 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 2:36:43 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 2:36:42 PM	33	mg/l
SC ALRO SA	Temp	1/8/2017 2:36:41 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 2:36:40 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 2:31:25 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 2:31:24 PM	33	mg/l
SC ALRO SA	Clor	1/8/2017 2:31:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 2:31:22 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 2:31:21 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 2:31:20 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 2:26:24 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 2:26:23 PM	33	mg/l
SC ALRO SA	Clor	1/8/2017 2:25:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 2:25:42 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 2:25:41 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 2:25:40 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 2:20:25 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 2:20:24 PM	33	mg/l
SC ALRO SA	Clor	1/8/2017 2:20:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 2:20:22 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 2:20:21 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 2:20:20 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 2:17:30 PM	0	mg/l
SC ALRO SA	Clor	1/8/2017 2:17:10 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 2:16:30 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 2:16:10 PM	33	mg/l
SC ALRO SA	Temp	1/8/2017 2:16:00 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 2:15:50 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 2:15:45 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 2:15:44 PM	33	mg/l
SC ALRO SA	Clor	1/8/2017 2:14:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 2:14:42 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 2:14:41 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 2:14:40 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 2:09:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 2:09:22 PM	33	mg/l
SC ALRO SA	Clor	1/8/2017 2:09:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 2:09:02 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 2:09:01 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 2:09:00 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 2:04:42 PM	0	mg/l
SC ALRO SA	Clor	1/8/2017 2:03:44 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 2:03:43 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 2:03:42 PM	33	mg/l
SC ALRO SA	Temp	1/8/2017 2:03:41 PM	12	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/8/2017 2:03:40 PM	5	unit pH
SC ALRO SA	Substante organice	1/8/2017 1:58:29 PM	33	mg/l
SC ALRO SA	Cianuri	1/8/2017 1:58:27 PM	0	mg/l
SC ALRO SA	Clor	1/8/2017 1:58:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 1:58:02 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 1:58:01 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 1:58:00 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 1:54:40 PM	0	mg/l
SC ALRO SA	Clor	1/8/2017 1:54:30 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 1:54:00 PM	0	mg/l
SC ALRO SA	Cianuri	1/8/2017 1:53:44 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 1:53:42 PM	33	mg/l
SC ALRO SA	Substante organice	1/8/2017 1:53:00 PM	33	mg/l
SC ALRO SA	Temp	1/8/2017 1:52:50 PM	12	gradCels
SC ALRO SA	Clor	1/8/2017 1:52:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 1:52:42 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 1:52:41 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 1:52:40 PM	5	unit pH
SC ALRO SA	pH	1/8/2017 1:52:10 PM	5	unit pH
SC ALRO SA	Substante organice	1/8/2017 1:47:29 PM	33	mg/l
SC ALRO SA	Cianuri	1/8/2017 1:47:27 PM	0	mg/l
SC ALRO SA	Clor	1/8/2017 1:47:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 1:47:02 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 1:47:01 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 1:47:00 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 1:42:44 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 1:42:42 PM	33	mg/l
SC ALRO SA	Clor	1/8/2017 1:41:26 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 1:41:25 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 1:41:24 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 1:41:23 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 1:36:27 PM	0	mg/l
SC ALRO SA	Clor	1/8/2017 1:36:04 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 1:36:03 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 1:36:02 PM	33	mg/l
SC ALRO SA	Temp	1/8/2017 1:36:01 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 1:36:00 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 1:32:30 PM	0	mg/l
SC ALRO SA	Clor	1/8/2017 1:32:10 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 1:31:50 PM	0	mg/l
SC ALRO SA	Cianuri	1/8/2017 1:31:45 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 1:31:44 PM	33	mg/l
SC ALRO SA	Substante organice	1/8/2017 1:31:00 PM	33	mg/l
SC ALRO SA	Temp	1/8/2017 1:30:50 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 1:30:30 PM	5	unit pH
SC ALRO SA	Clor	1/8/2017 1:30:27 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 1:30:26 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 1:30:25 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 1:30:24 PM	5	unit pH
SC ALRO SA	Substante organice	1/8/2017 1:25:26 PM	33	mg/l
SC ALRO SA	Cianuri	1/8/2017 1:25:23 PM	0	mg/l
SC ALRO SA	Clor	1/8/2017 1:25:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 1:25:02 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 1:25:01 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 1:25:00 PM	5	unit pH
SC ALRO SA	Substante organice	1/8/2017 1:20:25 PM	33	mg/l
SC ALRO SA	Cianuri	1/8/2017 1:20:24 PM	0	mg/l
SC ALRO SA	Clor	1/8/2017 1:19:27 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 1:19:26 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 1:19:25 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 1:19:24 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 1:14:25 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 1:14:24 PM	33	mg/l
SC ALRO SA	Clor	1/8/2017 1:14:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 1:14:02 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 1:14:01 PM	12	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/8/2017 1:14:00 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 1:10:10 PM	0	mg/l
SC ALRO SA	Clor	1/8/2017 1:09:50 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 1:08:50 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 1:08:40 PM	33	mg/l
SC ALRO SA	Cianuri	1/8/2017 1:08:29 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 1:08:28 PM	33	mg/l
SC ALRO SA	Clor	1/8/2017 1:08:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 1:08:22 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 1:08:21 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 1:08:20 PM	5	unit pH
SC ALRO SA	Temp	1/8/2017 1:08:10 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 1:07:30 PM	5	unit pH
SC ALRO SA	Substante organice	1/8/2017 1:03:26 PM	33	mg/l
SC ALRO SA	Cianuri	1/8/2017 1:03:24 PM	0	mg/l
SC ALRO SA	Clor	1/8/2017 1:03:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 1:03:02 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 1:03:01 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 1:03:00 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 12:57:30 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 12:57:29 PM	33	mg/l
SC ALRO SA	Clor	1/8/2017 12:57:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 12:57:22 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 12:57:21 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 12:57:20 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 12:52:26 PM	0	mg/l
SC ALRO SA	Clor	1/8/2017 12:52:24 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 12:52:22 PM	33	mg/l
SC ALRO SA	Grasimi	1/8/2017 12:51:42 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 12:51:41 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 12:51:40 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 12:48:10 PM	0	mg/l
SC ALRO SA	Clor	1/8/2017 12:47:50 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 12:47:30 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 12:46:50 PM	33	mg/l
SC ALRO SA	Temp	1/8/2017 12:46:40 PM	12	gradCels
SC ALRO SA	Cianuri	1/8/2017 12:46:29 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 12:46:28 PM	33	mg/l
SC ALRO SA	Clor	1/8/2017 12:46:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 12:46:22 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 12:46:21 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 12:46:20 PM	5	unit pH
SC ALRO SA	pH	1/8/2017 12:45:30 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 12:41:26 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 12:41:25 PM	33	mg/l
SC ALRO SA	Clor	1/8/2017 12:40:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 12:40:42 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 12:40:41 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 12:40:40 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 12:35:29 PM	0	mg/l
SC ALRO SA	Clor	1/8/2017 12:35:24 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 12:35:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 12:35:22 PM	33	mg/l
SC ALRO SA	Temp	1/8/2017 12:35:21 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 12:35:20 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 12:30:24 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 12:30:22 PM	33	mg/l
SC ALRO SA	Clor	1/8/2017 12:29:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 12:29:42 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 12:29:41 PM	12	gradCels
SC ALRO SA	pH	1/8/2017 12:29:40 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 12:26:10 PM	0	mg/l
SC ALRO SA	Clor	1/8/2017 12:26:00 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 12:25:10 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 12:24:40 PM	33	mg/l
SC ALRO SA	Substante organice	1/8/2017 12:24:29 PM	33	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Cianuri	1/8/2017 12:24:28 PM	0	mg/l
SC ALRO SA	Clor	1/8/2017 12:24:27 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 12:24:22 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 12:24:21 PM	13	gradCels
SC ALRO SA	pH	1/8/2017 12:24:20 PM	5	unit pH
SC ALRO SA	Temp	1/8/2017 12:24:00 PM	13	gradCels
SC ALRO SA	pH	1/8/2017 12:23:50 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 12:19:24 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 12:19:22 PM	33	mg/l
SC ALRO SA	Clor	1/8/2017 12:18:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 12:18:42 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 12:18:41 PM	13	gradCels
SC ALRO SA	pH	1/8/2017 12:18:40 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 12:13:24 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 12:13:23 PM	33	mg/l
SC ALRO SA	Clor	1/8/2017 12:13:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 12:13:02 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 12:13:01 PM	13	gradCels
SC ALRO SA	pH	1/8/2017 12:13:00 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 12:08:23 PM	0	mg/l
SC ALRO SA	Clor	1/8/2017 12:07:33 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 12:07:32 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 12:07:31 PM	33	mg/l
SC ALRO SA	Temp	1/8/2017 12:07:30 PM	13	gradCels
SC ALRO SA	pH	1/8/2017 12:07:29 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 12:02:30 PM	0	mg/l
SC ALRO SA	Cianuri	1/8/2017 12:02:25 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 12:02:24 PM	33	mg/l
SC ALRO SA	Clor	1/8/2017 12:02:10 PM	0	mg/l
SC ALRO SA	Clor	1/8/2017 12:02:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 12:02:02 PM	0	mg/l
SC ALRO SA	Temp	1/8/2017 12:02:01 PM	13	gradCels
SC ALRO SA	pH	1/8/2017 12:02:00 PM	5	unit pH
SC ALRO SA	Grasimi	1/8/2017 12:01:30 PM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 12:01:10 PM	33	mg/l
SC ALRO SA	Temp	1/8/2017 12:00:40 PM	13	gradCels
SC ALRO SA	pH	1/8/2017 12:00:30 PM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 11:57:45 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 11:57:44 AM	33	mg/l
SC ALRO SA	Clor	1/8/2017 11:56:30 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 11:56:29 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 11:56:28 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 11:56:27 AM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 11:51:31 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 11:51:27 AM	33	mg/l
SC ALRO SA	Clor	1/8/2017 11:51:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 11:51:02 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 11:51:01 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 11:51:00 AM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 11:46:42 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 11:46:40 AM	33	mg/l
SC ALRO SA	Clor	1/8/2017 11:45:28 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 11:45:27 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 11:45:26 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 11:45:25 AM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 11:40:50 AM	0	mg/l
SC ALRO SA	Clor	1/8/2017 11:40:30 AM	0	mg/l
SC ALRO SA	Cianuri	1/8/2017 11:40:24 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 11:40:23 AM	33	mg/l
SC ALRO SA	Clor	1/8/2017 11:40:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 11:40:02 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 11:40:01 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 11:40:00 AM	5	unit pH
SC ALRO SA	Grasimi	1/8/2017 11:39:30 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 11:39:10 AM	33	mg/l
SC ALRO SA	Temp	1/8/2017 11:38:40 AM	13	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/8/2017 11:38:30 AM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 11:35:41 AM	0	mg/l
SC ALRO SA	Clor	1/8/2017 11:34:29 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 11:34:28 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 11:34:27 AM	33	mg/l
SC ALRO SA	Temp	1/8/2017 11:34:26 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 11:34:25 AM	5	unit pH
SC ALRO SA	Substante organice	1/8/2017 11:29:23 AM	33	mg/l
SC ALRO SA	Cianuri	1/8/2017 11:29:22 AM	0	mg/l
SC ALRO SA	Clor	1/8/2017 11:29:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 11:29:02 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 11:29:01 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 11:29:00 AM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 11:24:43 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 11:24:41 AM	33	mg/l
SC ALRO SA	Clor	1/8/2017 11:23:27 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 11:23:26 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 11:23:25 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 11:23:24 AM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 11:20:00 AM	0	mg/l
SC ALRO SA	Clor	1/8/2017 11:19:50 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 11:19:30 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 11:19:10 AM	33	mg/l
SC ALRO SA	Temp	1/8/2017 11:18:30 AM	13	gradCels
SC ALRO SA	Cianuri	1/8/2017 11:18:22 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 11:18:21 AM	33	mg/l
SC ALRO SA	pH	1/8/2017 11:18:10 AM	5	unit pH
SC ALRO SA	Clor	1/8/2017 11:18:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 11:18:02 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 11:18:01 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 11:18:00 AM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 11:13:45 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 11:13:43 AM	33	mg/l
SC ALRO SA	Clor	1/8/2017 11:12:27 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 11:12:26 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 11:12:25 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 11:12:24 AM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 11:07:22 AM	0	mg/l
SC ALRO SA	Clor	1/8/2017 11:07:04 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 11:07:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 11:07:02 AM	33	mg/l
SC ALRO SA	Temp	1/8/2017 11:07:01 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 11:07:00 AM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 11:02:45 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 11:02:44 AM	33	mg/l
SC ALRO SA	Clor	1/8/2017 11:01:27 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 11:01:26 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 11:01:25 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 11:01:24 AM	6	unit pH
SC ALRO SA	Cianuri	1/8/2017 10:59:10 AM	0	mg/l
SC ALRO SA	Clor	1/8/2017 10:59:00 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 10:58:20 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 10:58:10 AM	33	mg/l
SC ALRO SA	Temp	1/8/2017 10:58:00 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 10:57:50 AM	6	unit pH
SC ALRO SA	Cianuri	1/8/2017 10:56:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 10:56:22 AM	33	mg/l
SC ALRO SA	Clor	1/8/2017 10:56:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 10:56:02 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 10:56:01 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 10:56:00 AM	6	unit pH
SC ALRO SA	Cianuri	1/8/2017 10:50:29 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 10:50:28 AM	33	mg/l
SC ALRO SA	Clor	1/8/2017 10:50:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 10:50:22 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 10:50:21 AM	13	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/8/2017 10:50:20 AM	6	unit pH
SC ALRO SA	Cianuri	1/8/2017 10:45:22 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 10:45:21 AM	33	mg/l
SC ALRO SA	Clor	1/8/2017 10:45:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 10:45:02 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 10:45:01 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 10:45:00 AM	6	unit pH
SC ALRO SA	Substante organice	1/8/2017 10:39:30 AM	33	mg/l
SC ALRO SA	Cianuri	1/8/2017 10:39:28 AM	0	mg/l
SC ALRO SA	Clor	1/8/2017 10:39:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 10:39:22 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 10:39:21 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 10:39:20 AM	6	unit pH
SC ALRO SA	Cianuri	1/8/2017 10:37:40 AM	0	mg/l
SC ALRO SA	Clor	1/8/2017 10:37:10 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 10:36:50 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 10:36:20 AM	33	mg/l
SC ALRO SA	Temp	1/8/2017 10:36:10 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 10:36:00 AM	6	unit pH
SC ALRO SA	Cianuri	1/8/2017 10:34:21 AM	0	mg/l
SC ALRO SA	Clor	1/8/2017 10:33:44 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 10:33:43 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 10:33:42 AM	33	mg/l
SC ALRO SA	Temp	1/8/2017 10:33:41 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 10:33:40 AM	6	unit pH
SC ALRO SA	Cianuri	1/8/2017 10:28:27 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 10:28:26 AM	33	mg/l
SC ALRO SA	Clor	1/8/2017 10:28:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 10:28:22 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 10:28:21 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 10:28:20 AM	6	unit pH
SC ALRO SA	Cianuri	1/8/2017 10:23:21 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 10:23:20 AM	33	mg/l
SC ALRO SA	Clor	1/8/2017 10:22:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 10:22:42 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 10:22:41 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 10:22:40 AM	6	unit pH
SC ALRO SA	Clor	1/8/2017 10:17:27 AM	0	mg/l
SC ALRO SA	Cianuri	1/8/2017 10:17:26 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 10:17:25 AM	33	mg/l
SC ALRO SA	Grasimi	1/8/2017 10:17:22 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 10:17:21 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 10:17:20 AM	6	unit pH
SC ALRO SA	Cianuri	1/8/2017 10:14:40 AM	0	mg/l
SC ALRO SA	Clor	1/8/2017 10:14:30 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 10:14:10 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 10:14:00 AM	33	mg/l
SC ALRO SA	Temp	1/8/2017 10:13:50 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 10:13:10 AM	6	unit pH
SC ALRO SA	Cianuri	1/8/2017 10:12:21 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 10:12:20 AM	33	mg/l
SC ALRO SA	Clor	1/8/2017 10:11:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 10:11:42 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 10:11:41 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 10:11:40 AM	6	unit pH
SC ALRO SA	Cianuri	1/8/2017 10:06:27 AM	0	mg/l
SC ALRO SA	Clor	1/8/2017 10:06:24 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 10:06:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 10:06:22 AM	33	mg/l
SC ALRO SA	Temp	1/8/2017 10:06:21 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 10:06:20 AM	6	unit pH
SC ALRO SA	Cianuri	1/8/2017 10:01:21 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 10:01:20 AM	33	mg/l
SC ALRO SA	Clor	1/8/2017 10:01:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 10:01:02 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 10:01:01 AM	13	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/8/2017 10:01:00 AM	6	unit pH
SC ALRO SA	Substante organice	1/8/2017 9:56:23 AM	33	mg/l
SC ALRO SA	Cianuri	1/8/2017 9:56:22 AM	0	mg/l
SC ALRO SA	Clor	1/8/2017 9:55:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 9:55:42 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 9:55:41 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 9:55:40 AM	6	unit pH
SC ALRO SA	Cianuri	1/8/2017 9:54:50 AM	0	mg/l
SC ALRO SA	Clor	1/8/2017 9:54:10 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 9:53:40 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 9:52:40 AM	33	mg/l
SC ALRO SA	Temp	1/8/2017 9:52:30 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 9:52:20 AM	6	unit pH
SC ALRO SA	Cianuri	1/8/2017 9:50:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 9:50:22 AM	33	mg/l
SC ALRO SA	Clor	1/8/2017 9:50:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 9:50:02 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 9:50:01 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 9:50:00 AM	6	unit pH
SC ALRO SA	Cianuri	1/8/2017 9:45:22 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 9:45:21 AM	33	mg/l
SC ALRO SA	Clor	1/8/2017 9:44:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 9:44:42 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 9:44:41 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 9:44:40 AM	6	unit pH
SC ALRO SA	Cianuri	1/8/2017 9:39:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 9:39:22 AM	33	mg/l
SC ALRO SA	Clor	1/8/2017 9:39:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 9:39:02 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 9:39:01 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 9:39:00 AM	6	unit pH
SC ALRO SA	Cianuri	1/8/2017 9:34:22 AM	0	mg/l
SC ALRO SA	Clor	1/8/2017 9:33:44 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 9:33:43 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 9:33:42 AM	33	mg/l
SC ALRO SA	Temp	1/8/2017 9:33:41 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 9:33:40 AM	6	unit pH
SC ALRO SA	Cianuri	1/8/2017 9:33:10 AM	0	mg/l
SC ALRO SA	Clor	1/8/2017 9:32:10 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 9:31:00 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 9:30:50 AM	33	mg/l
SC ALRO SA	Temp	1/8/2017 9:30:40 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 9:30:30 AM	6	unit pH
SC ALRO SA	Cianuri	1/8/2017 9:28:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 9:28:22 AM	33	mg/l
SC ALRO SA	Clor	1/8/2017 9:28:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 9:28:02 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 9:28:01 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 9:28:00 AM	6	unit pH
SC ALRO SA	Substante organice	1/8/2017 9:23:23 AM	33	mg/l
SC ALRO SA	Cianuri	1/8/2017 9:23:22 AM	0	mg/l
SC ALRO SA	Clor	1/8/2017 9:22:28 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 9:22:27 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 9:22:26 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 9:22:25 AM	7	unit pH
SC ALRO SA	Cianuri	1/8/2017 9:17:29 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 9:17:28 AM	33	mg/l
SC ALRO SA	Clor	1/8/2017 9:17:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 9:17:02 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 9:17:01 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 9:17:00 AM	7	unit pH
SC ALRO SA	Substante organice	1/8/2017 9:12:23 AM	33	mg/l
SC ALRO SA	Cianuri	1/8/2017 9:12:22 AM	0	mg/l
SC ALRO SA	Cianuri	1/8/2017 9:11:50 AM	0	mg/l
SC ALRO SA	Clor	1/8/2017 9:11:30 AM	0	mg/l
SC ALRO SA	Clor	1/8/2017 9:11:27 AM	0	mg/l



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Grasimi	1/8/2017 9:11:26 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 9:11:25 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 9:11:24 AM	7	unit pH
SC ALRO SA	Grasimi	1/8/2017 9:10:10 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 9:09:40 AM	33	mg/l
SC ALRO SA	Temp	1/8/2017 9:09:30 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 9:09:20 AM	7	unit pH
SC ALRO SA	Cianuri	1/8/2017 9:06:28 AM	0	mg/l
SC ALRO SA	Clor	1/8/2017 9:06:04 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 9:06:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 9:06:02 AM	33	mg/l
SC ALRO SA	Temp	1/8/2017 9:06:01 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 9:06:00 AM	7	unit pH
SC ALRO SA	Cianuri	1/8/2017 9:01:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 9:01:22 AM	33	mg/l
SC ALRO SA	Clor	1/8/2017 9:00:28 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 9:00:27 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 9:00:26 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 9:00:25 AM	7	unit pH
SC ALRO SA	Cianuri	1/8/2017 8:55:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 8:55:22 AM	33	mg/l
SC ALRO SA	Clor	1/8/2017 8:55:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 8:55:02 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 8:55:01 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 8:55:00 AM	7	unit pH
SC ALRO SA	Cianuri	1/8/2017 8:50:28 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 8:50:26 AM	33	mg/l
SC ALRO SA	Cianuri	1/8/2017 8:50:10 AM	0	mg/l
SC ALRO SA	Clor	1/8/2017 8:50:00 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 8:49:30 AM	0	mg/l
SC ALRO SA	Clor	1/8/2017 8:49:28 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 8:49:27 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 8:49:26 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 8:49:25 AM	7	unit pH
SC ALRO SA	Substante organice	1/8/2017 8:49:10 AM	33	mg/l
SC ALRO SA	Temp	1/8/2017 8:49:00 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 8:48:50 AM	7	unit pH
SC ALRO SA	Cianuri	1/8/2017 8:44:23 AM	0	mg/l
SC ALRO SA	Clor	1/8/2017 8:44:22 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 8:44:21 AM	33	mg/l
SC ALRO SA	Grasimi	1/8/2017 8:44:02 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 8:44:01 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 8:44:00 AM	7	unit pH
SC ALRO SA	Cianuri	1/8/2017 8:39:47 AM	0	mg/l
SC ALRO SA	Clor	1/8/2017 8:39:46 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 8:39:45 AM	33	mg/l
SC ALRO SA	Grasimi	1/8/2017 8:38:26 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 8:38:25 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 8:38:24 AM	7	unit pH
SC ALRO SA	Cianuri	1/8/2017 8:33:22 AM	0	mg/l
SC ALRO SA	Clor	1/8/2017 8:33:04 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 8:33:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 8:33:02 AM	33	mg/l
SC ALRO SA	Temp	1/8/2017 8:33:01 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 8:33:00 AM	7	unit pH
SC ALRO SA	Cianuri	1/8/2017 8:29:20 AM	0	mg/l
SC ALRO SA	Clor	1/8/2017 8:29:10 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 8:28:50 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 8:28:00 AM	34	mg/l
SC ALRO SA	Temp	1/8/2017 8:27:50 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 8:27:40 AM	7	unit pH
SC ALRO SA	Cianuri	1/8/2017 8:27:27 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 8:27:26 AM	34	mg/l
SC ALRO SA	Clor	1/8/2017 8:27:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 8:27:22 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 8:27:21 AM	13	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/8/2017 8:27:20 AM	7	unit pH
SC ALRO SA	Cianuri	1/8/2017 8:22:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 8:22:22 AM	34	mg/l
SC ALRO SA	Clor	1/8/2017 8:21:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 8:21:42 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 8:21:41 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 8:21:40 AM	7	unit pH
SC ALRO SA	Cianuri	1/8/2017 8:16:27 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 8:16:26 AM	34	mg/l
SC ALRO SA	Clor	1/8/2017 8:16:25 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 8:16:22 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 8:16:21 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 8:16:20 AM	7	unit pH
SC ALRO SA	Substante organice	1/8/2017 8:11:23 AM	34	mg/l
SC ALRO SA	Cianuri	1/8/2017 8:11:22 AM	0	mg/l
SC ALRO SA	Clor	1/8/2017 8:10:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 8:10:42 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 8:10:41 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 8:10:40 AM	7	unit pH
SC ALRO SA	Cianuri	1/8/2017 8:08:40 AM	0	mg/l
SC ALRO SA	Clor	1/8/2017 8:08:10 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 8:07:50 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 8:07:40 AM	34	mg/l
SC ALRO SA	Temp	1/8/2017 8:07:30 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 8:07:20 AM	7	unit pH
SC ALRO SA	Cianuri	1/8/2017 8:05:27 AM	0	mg/l
SC ALRO SA	Clor	1/8/2017 8:05:24 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 8:05:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 8:05:22 AM	34	mg/l
SC ALRO SA	Temp	1/8/2017 8:05:21 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 8:05:20 AM	7	unit pH
SC ALRO SA	Substante organice	1/8/2017 8:00:23 AM	33	mg/l
SC ALRO SA	Cianuri	1/8/2017 8:00:22 AM	0	mg/l
SC ALRO SA	Clor	1/8/2017 7:59:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 7:59:42 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 7:59:41 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 7:59:40 AM	7	unit pH
SC ALRO SA	Cianuri	1/8/2017 7:54:27 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 7:54:26 AM	33	mg/l
SC ALRO SA	Clor	1/8/2017 7:54:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 7:54:22 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 7:54:21 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 7:54:20 AM	7	unit pH
SC ALRO SA	Cianuri	1/8/2017 7:49:22 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 7:49:21 AM	33	mg/l
SC ALRO SA	Clor	1/8/2017 7:48:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 7:48:42 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 7:48:41 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 7:48:40 AM	7	unit pH
SC ALRO SA	Cianuri	1/8/2017 7:47:50 AM	0	mg/l
SC ALRO SA	Clor	1/8/2017 7:47:30 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 7:46:50 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 7:46:40 AM	33	mg/l
SC ALRO SA	Temp	1/8/2017 7:46:00 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 7:45:50 AM	7	unit pH
SC ALRO SA	Cianuri	1/8/2017 7:43:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 7:43:22 AM	33	mg/l
SC ALRO SA	Clor	1/8/2017 7:43:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 7:43:02 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 7:43:01 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 7:43:00 AM	7	unit pH
SC ALRO SA	Cianuri	1/8/2017 7:38:22 AM	0	mg/l
SC ALRO SA	Clor	1/8/2017 7:37:44 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 7:37:43 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 7:37:42 AM	33	mg/l
SC ALRO SA	Temp	1/8/2017 7:37:41 AM	13	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/8/2017 7:37:40 AM	7	unit pH
SC ALRO SA	Cianuri	1/8/2017 7:32:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 7:32:22 AM	33	mg/l
SC ALRO SA	Clor	1/8/2017 7:32:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 7:32:02 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 7:32:01 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 7:32:00 AM	7	unit pH
SC ALRO SA	Cianuri	1/8/2017 7:27:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 7:27:22 AM	33	mg/l
SC ALRO SA	Cianuri	1/8/2017 7:26:50 AM	0	mg/l
SC ALRO SA	Clor	1/8/2017 7:26:40 AM	0	mg/l
SC ALRO SA	Clor	1/8/2017 7:26:28 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 7:26:27 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 7:26:26 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 7:26:25 AM	7	unit pH
SC ALRO SA	Grasimi	1/8/2017 7:26:10 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 7:25:50 AM	33	mg/l
SC ALRO SA	Temp	1/8/2017 7:25:10 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 7:24:40 AM	7	unit pH
SC ALRO SA	Clor	1/8/2017 7:21:24 AM	0	mg/l
SC ALRO SA	Cianuri	1/8/2017 7:21:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 7:21:22 AM	33	mg/l
SC ALRO SA	Grasimi	1/8/2017 7:21:02 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 7:21:01 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 7:21:00 AM	7	unit pH
SC ALRO SA	Cianuri	1/8/2017 7:16:23 AM	0	mg/l
SC ALRO SA	Clor	1/8/2017 7:16:22 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 7:16:21 AM	33	mg/l
SC ALRO SA	Grasimi	1/8/2017 7:15:27 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 7:15:26 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 7:15:25 AM	7	unit pH
SC ALRO SA	Cianuri	1/8/2017 7:10:22 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 7:10:21 AM	33	mg/l
SC ALRO SA	Clor	1/8/2017 7:10:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 7:10:02 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 7:10:01 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 7:10:00 AM	7	unit pH
SC ALRO SA	Cianuri	1/8/2017 7:05:21 AM	0	mg/l
SC ALRO SA	Cianuri	1/8/2017 7:04:40 AM	0	mg/l
SC ALRO SA	Clor	1/8/2017 7:04:30 AM	0	mg/l
SC ALRO SA	Clor	1/8/2017 7:04:28 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 7:04:27 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 7:04:26 AM	33	mg/l
SC ALRO SA	Temp	1/8/2017 7:04:25 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 7:04:24 AM	7	unit pH
SC ALRO SA	Grasimi	1/8/2017 7:03:40 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 7:03:30 AM	33	mg/l
SC ALRO SA	Temp	1/8/2017 7:03:10 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 7:02:40 AM	6	unit pH
SC ALRO SA	Cianuri	1/8/2017 6:59:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 6:59:22 AM	33	mg/l
SC ALRO SA	Clor	1/8/2017 6:59:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 6:59:02 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 6:59:01 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 6:59:00 AM	6	unit pH
SC ALRO SA	Clor	1/8/2017 6:54:24 AM	0	mg/l
SC ALRO SA	Cianuri	1/8/2017 6:54:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 6:54:22 AM	33	mg/l
SC ALRO SA	Grasimi	1/8/2017 6:53:27 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 6:53:26 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 6:53:25 AM	6	unit pH
SC ALRO SA	Cianuri	1/8/2017 6:48:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 6:48:22 AM	33	mg/l
SC ALRO SA	Clor	1/8/2017 6:48:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 6:48:02 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 6:48:01 AM	13	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/8/2017 6:48:00 AM	6	unit pH
SC ALRO SA	Cianuri	1/8/2017 6:44:00 AM	0	mg/l
SC ALRO SA	Clor	1/8/2017 6:43:50 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 6:43:30 AM	0	mg/l
SC ALRO SA	Cianuri	1/8/2017 6:43:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 6:43:22 AM	33	mg/l
SC ALRO SA	Substante organice	1/8/2017 6:43:10 AM	33	mg/l
SC ALRO SA	Temp	1/8/2017 6:42:40 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 6:42:30 AM	5	unit pH
SC ALRO SA	Clor	1/8/2017 6:42:27 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 6:42:26 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 6:42:25 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 6:42:24 AM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 6:37:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 6:37:22 AM	33	mg/l
SC ALRO SA	Clor	1/8/2017 6:37:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 6:37:02 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 6:37:01 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 6:37:00 AM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 6:32:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 6:32:22 AM	33	mg/l
SC ALRO SA	Clor	1/8/2017 6:31:28 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 6:31:27 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 6:31:26 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 6:31:25 AM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 6:26:21 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 6:26:20 AM	33	mg/l
SC ALRO SA	Clor	1/8/2017 6:25:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 6:25:42 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 6:25:41 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 6:25:40 AM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 6:22:10 AM	0	mg/l
SC ALRO SA	Clor	1/8/2017 6:22:00 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 6:21:10 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 6:20:40 AM	33	mg/l
SC ALRO SA	Cianuri	1/8/2017 6:20:27 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 6:20:26 AM	33	mg/l
SC ALRO SA	Clor	1/8/2017 6:20:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 6:20:22 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 6:20:21 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 6:20:20 AM	5	unit pH
SC ALRO SA	Temp	1/8/2017 6:20:00 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 6:19:50 AM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 6:15:21 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 6:15:20 AM	33	mg/l
SC ALRO SA	Clor	1/8/2017 6:14:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 6:14:42 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 6:14:41 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 6:14:40 AM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 6:09:28 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 6:09:26 AM	33	mg/l
SC ALRO SA	Clor	1/8/2017 6:09:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 6:09:22 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 6:09:21 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 6:09:20 AM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 6:04:20 AM	0	mg/l
SC ALRO SA	Clor	1/8/2017 6:03:44 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 6:03:43 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 6:03:42 AM	33	mg/l
SC ALRO SA	Temp	1/8/2017 6:03:41 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 6:03:40 AM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 5:59:40 AM	0	mg/l
SC ALRO SA	Clor	1/8/2017 5:59:30 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 5:58:40 AM	0	mg/l
SC ALRO SA	Cianuri	1/8/2017 5:58:27 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 5:58:26 AM	33	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Clor	1/8/2017 5:58:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 5:58:22 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 5:58:21 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 5:58:20 AM	5	unit pH
SC ALRO SA	Substante organice	1/8/2017 5:58:00 AM	33	mg/l
SC ALRO SA	Temp	1/8/2017 5:57:50 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 5:57:30 AM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 5:53:27 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 5:53:26 AM	33	mg/l
SC ALRO SA	Clor	1/8/2017 5:52:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 5:52:42 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 5:52:41 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 5:52:40 AM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 5:47:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 5:47:22 AM	33	mg/l
SC ALRO SA	Clor	1/8/2017 5:47:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 5:47:02 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 5:47:01 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 5:47:00 AM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 5:42:27 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 5:42:26 AM	33	mg/l
SC ALRO SA	Clor	1/8/2017 5:41:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 5:41:42 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 5:41:41 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 5:41:40 AM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 5:36:30 AM	0	mg/l
SC ALRO SA	Cianuri	1/8/2017 5:36:22 AM	0	mg/l
SC ALRO SA	Clor	1/8/2017 5:36:10 AM	0	mg/l
SC ALRO SA	Clor	1/8/2017 5:36:04 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 5:36:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 5:36:02 AM	33	mg/l
SC ALRO SA	Temp	1/8/2017 5:36:01 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 5:36:00 AM	5	unit pH
SC ALRO SA	Grasimi	1/8/2017 5:35:10 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 5:35:00 AM	34	mg/l
SC ALRO SA	Temp	1/8/2017 5:34:50 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 5:34:10 AM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 5:31:27 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 5:31:26 AM	34	mg/l
SC ALRO SA	Clor	1/8/2017 5:30:29 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 5:30:28 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 5:30:27 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 5:30:26 AM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 5:25:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 5:25:22 AM	34	mg/l
SC ALRO SA	Clor	1/8/2017 5:25:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 5:25:02 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 5:25:01 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 5:25:00 AM	5	unit pH
SC ALRO SA	Substante organice	1/8/2017 5:20:27 AM	34	mg/l
SC ALRO SA	Cianuri	1/8/2017 5:20:26 AM	0	mg/l
SC ALRO SA	Clor	1/8/2017 5:19:29 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 5:19:28 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 5:19:27 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 5:19:26 AM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 5:14:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 5:14:22 AM	34	mg/l
SC ALRO SA	Clor	1/8/2017 5:14:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 5:14:02 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 5:14:01 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 5:14:00 AM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 5:13:50 AM	0	mg/l
SC ALRO SA	Clor	1/8/2017 5:13:40 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 5:12:50 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 5:12:40 AM	34	mg/l
SC ALRO SA	Temp	1/8/2017 5:12:30 AM	13	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/8/2017 5:11:50 AM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 5:09:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 5:09:22 AM	34	mg/l
SC ALRO SA	Clor	1/8/2017 5:08:28 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 5:08:27 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 5:08:26 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 5:08:25 AM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 5:03:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 5:03:22 AM	34	mg/l
SC ALRO SA	Clor	1/8/2017 5:03:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 5:03:02 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 5:03:01 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 5:03:00 AM	5	unit pH
SC ALRO SA	Substante organice	1/8/2017 4:58:23 AM	34	mg/l
SC ALRO SA	Cianuri	1/8/2017 4:58:22 AM	0	mg/l
SC ALRO SA	Clor	1/8/2017 4:57:29 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 4:57:28 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 4:57:27 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 4:57:26 AM	5	unit pH
SC ALRO SA	Substante organice	1/8/2017 4:52:23 AM	34	mg/l
SC ALRO SA	Cianuri	1/8/2017 4:52:22 AM	0	mg/l
SC ALRO SA	Clor	1/8/2017 4:52:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 4:52:02 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 4:52:01 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 4:52:00 AM	5	unit pH
SC ALRO SA	Substante organice	1/8/2017 4:47:25 AM	34	mg/l
SC ALRO SA	Cianuri	1/8/2017 4:47:24 AM	0	mg/l
SC ALRO SA	Clor	1/8/2017 4:46:28 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 4:46:27 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 4:46:26 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 4:46:25 AM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 4:43:50 AM	0	mg/l
SC ALRO SA	Clor	1/8/2017 4:43:40 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 4:43:00 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 4:42:50 AM	34	mg/l
SC ALRO SA	Temp	1/8/2017 4:42:00 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 4:41:50 AM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 4:41:21 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 4:41:20 AM	34	mg/l
SC ALRO SA	Clor	1/8/2017 4:41:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 4:41:02 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 4:41:01 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 4:41:00 AM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 4:36:25 AM	0	mg/l
SC ALRO SA	Clor	1/8/2017 4:36:24 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 4:35:26 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 4:35:25 AM	34	mg/l
SC ALRO SA	Temp	1/8/2017 4:35:24 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 4:35:23 AM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 4:30:21 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 4:30:20 AM	33	mg/l
SC ALRO SA	Clor	1/8/2017 4:29:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 4:29:42 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 4:29:41 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 4:29:40 AM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 4:24:28 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 4:24:25 AM	33	mg/l
SC ALRO SA	Clor	1/8/2017 4:24:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 4:24:22 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 4:24:21 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 4:24:20 AM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 4:19:21 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 4:19:20 AM	33	mg/l
SC ALRO SA	Clor	1/8/2017 4:18:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 4:18:42 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 4:18:41 AM	13	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/8/2017 4:18:40 AM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 4:16:00 AM	0	mg/l
SC ALRO SA	Clor	1/8/2017 4:15:50 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 4:14:50 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 4:14:30 AM	33	mg/l
SC ALRO SA	Temp	1/8/2017 4:13:40 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 4:13:30 AM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 4:13:26 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 4:13:25 AM	33	mg/l
SC ALRO SA	Clor	1/8/2017 4:13:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 4:13:22 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 4:13:21 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 4:13:20 AM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 4:08:22 AM	0	mg/l
SC ALRO SA	Clor	1/8/2017 4:08:21 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 4:08:20 AM	33	mg/l
SC ALRO SA	Grasimi	1/8/2017 4:07:42 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 4:07:41 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 4:07:40 AM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 4:02:26 AM	0	mg/l
SC ALRO SA	Clor	1/8/2017 4:02:24 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 4:02:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 4:02:22 AM	33	mg/l
SC ALRO SA	Temp	1/8/2017 4:02:21 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 4:02:20 AM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 3:57:21 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 3:57:20 AM	33	mg/l
SC ALRO SA	Clor	1/8/2017 3:56:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 3:56:42 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 3:56:41 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 3:56:40 AM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 3:51:29 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 3:51:28 AM	33	mg/l
SC ALRO SA	Clor	1/8/2017 3:51:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 3:51:22 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 3:51:21 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 3:51:20 AM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 3:48:30 AM	0	mg/l
SC ALRO SA	Clor	1/8/2017 3:47:40 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 3:46:50 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 3:46:40 AM	33	mg/l
SC ALRO SA	Substante organice	1/8/2017 3:46:27 AM	33	mg/l
SC ALRO SA	Cianuri	1/8/2017 3:46:26 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 3:46:00 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 3:45:50 AM	5	unit pH
SC ALRO SA	Clor	1/8/2017 3:45:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 3:45:42 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 3:45:41 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 3:45:40 AM	5	unit pH
SC ALRO SA	Substante organice	1/8/2017 3:40:22 AM	33	mg/l
SC ALRO SA	Cianuri	1/8/2017 3:40:21 AM	0	mg/l
SC ALRO SA	Clor	1/8/2017 3:40:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 3:40:02 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 3:40:01 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 3:40:00 AM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 3:35:26 AM	0	mg/l
SC ALRO SA	Clor	1/8/2017 3:34:48 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 3:34:46 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 3:34:44 AM	33	mg/l
SC ALRO SA	Temp	1/8/2017 3:34:42 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 3:34:40 AM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 3:29:22 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 3:29:21 AM	34	mg/l
SC ALRO SA	Clor	1/8/2017 3:29:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 3:29:02 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 3:29:01 AM	13	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/8/2017 3:29:00 AM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 3:24:27 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 3:24:26 AM	34	mg/l
SC ALRO SA	Clor	1/8/2017 3:23:29 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 3:23:28 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 3:23:27 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 3:23:26 AM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 3:19:50 AM	0	mg/l
SC ALRO SA	Clor	1/8/2017 3:18:30 AM	0	mg/l
SC ALRO SA	Cianuri	1/8/2017 3:18:24 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 3:18:21 AM	34	mg/l
SC ALRO SA	Clor	1/8/2017 3:18:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 3:18:02 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 3:18:01 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 3:18:00 AM	5	unit pH
SC ALRO SA	Grasimi	1/8/2017 3:17:40 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 3:16:50 AM	34	mg/l
SC ALRO SA	Temp	1/8/2017 3:16:40 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 3:16:00 AM	5	unit pH
SC ALRO SA	Clor	1/8/2017 3:13:24 AM	0	mg/l
SC ALRO SA	Cianuri	1/8/2017 3:13:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 3:13:22 AM	34	mg/l
SC ALRO SA	Grasimi	1/8/2017 3:12:28 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 3:12:27 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 3:12:26 AM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 3:07:24 AM	0	mg/l
SC ALRO SA	Clor	1/8/2017 3:07:08 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 3:07:07 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 3:07:06 AM	34	mg/l
SC ALRO SA	Temp	1/8/2017 3:07:05 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 3:07:04 AM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 3:02:24 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 3:02:23 AM	34	mg/l
SC ALRO SA	Clor	1/8/2017 3:01:29 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 3:01:28 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 3:01:27 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 3:01:26 AM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 2:56:26 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 2:56:25 AM	34	mg/l
SC ALRO SA	Clor	1/8/2017 2:56:06 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 2:56:05 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 2:56:04 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 2:56:03 AM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 2:51:21 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 2:51:20 AM	34	mg/l
SC ALRO SA	Cianuri	1/8/2017 2:50:30 AM	0	mg/l
SC ALRO SA	Clor	1/8/2017 2:50:26 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 2:50:25 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 2:50:24 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 2:50:23 AM	5	unit pH
SC ALRO SA	Clor	1/8/2017 2:49:40 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 2:48:30 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 2:48:00 AM	34	mg/l
SC ALRO SA	Temp	1/8/2017 2:47:50 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 2:47:00 AM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 2:45:25 AM	0	mg/l
SC ALRO SA	Clor	1/8/2017 2:45:24 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 2:45:23 AM	34	mg/l
SC ALRO SA	Grasimi	1/8/2017 2:45:02 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 2:45:01 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 2:45:00 AM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 2:40:21 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 2:40:20 AM	34	mg/l
SC ALRO SA	Clor	1/8/2017 2:39:29 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 2:39:28 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 2:39:27 AM	13	gradCels



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/8/2017 2:39:26 AM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 2:34:22 AM	0	mg/l
SC ALRO SA	Clor	1/8/2017 2:33:50 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 2:33:49 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 2:33:48 AM	34	mg/l
SC ALRO SA	Temp	1/8/2017 2:33:47 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 2:33:46 AM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 2:29:21 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 2:29:20 AM	34	mg/l
SC ALRO SA	Clor	1/8/2017 2:28:36 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 2:28:35 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 2:28:34 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 2:28:33 AM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 2:24:30 AM	0	mg/l
SC ALRO SA	Clor	1/8/2017 2:24:10 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 2:23:50 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 2:23:40 AM	34	mg/l
SC ALRO SA	Temp	1/8/2017 2:23:30 AM	14	gradCels
SC ALRO SA	Cianuri	1/8/2017 2:23:22 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 2:23:21 AM	34	mg/l
SC ALRO SA	pH	1/8/2017 2:23:00 AM	5	unit pH
SC ALRO SA	Clor	1/8/2017 2:22:49 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 2:22:48 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 2:22:47 AM	13	gradCels
SC ALRO SA	pH	1/8/2017 2:22:46 AM	5	unit pH
SC ALRO SA	Substante organice	1/8/2017 2:17:37 AM	34	mg/l
SC ALRO SA	Cianuri	1/8/2017 2:17:36 AM	0	mg/l
SC ALRO SA	Clor	1/8/2017 2:17:29 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 2:17:28 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 2:17:27 AM	14	gradCels
SC ALRO SA	pH	1/8/2017 2:17:26 AM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 2:12:22 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 2:12:21 AM	34	mg/l
SC ALRO SA	Clor	1/8/2017 2:11:49 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 2:11:48 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 2:11:47 AM	14	gradCels
SC ALRO SA	pH	1/8/2017 2:11:46 AM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 2:06:37 AM	0	mg/l
SC ALRO SA	Clor	1/8/2017 2:06:29 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 2:06:28 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 2:06:27 AM	34	mg/l
SC ALRO SA	Temp	1/8/2017 2:06:26 AM	14	gradCels
SC ALRO SA	pH	1/8/2017 2:06:25 AM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 2:01:21 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 2:01:20 AM	33	mg/l
SC ALRO SA	Clor	1/8/2017 2:00:49 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 2:00:48 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 2:00:47 AM	14	gradCels
SC ALRO SA	pH	1/8/2017 2:00:46 AM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 1:58:30 AM	0	mg/l
SC ALRO SA	Clor	1/8/2017 1:57:50 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 1:56:30 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 1:56:00 AM	33	mg/l
SC ALRO SA	Temp	1/8/2017 1:55:50 AM	14	gradCels
SC ALRO SA	pH	1/8/2017 1:55:40 AM	5	unit pH
SC ALRO SA	Substante organice	1/8/2017 1:55:18 AM	33	mg/l
SC ALRO SA	Cianuri	1/8/2017 1:55:13 AM	0	mg/l
SC ALRO SA	Clor	1/8/2017 1:55:09 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 1:55:08 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 1:55:07 AM	14	gradCels
SC ALRO SA	pH	1/8/2017 1:55:06 AM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 1:50:22 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 1:50:21 AM	33	mg/l
SC ALRO SA	Clor	1/8/2017 1:49:49 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 1:49:48 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 1:49:47 AM	14	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/8/2017 1:49:46 AM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 1:44:15 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 1:44:13 AM	33	mg/l
SC ALRO SA	Clor	1/8/2017 1:44:09 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 1:44:08 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 1:44:07 AM	14	gradCels
SC ALRO SA	pH	1/8/2017 1:44:06 AM	5	unit pH
SC ALRO SA	Substante organice	1/8/2017 1:39:22 AM	33	mg/l
SC ALRO SA	Cianuri	1/8/2017 1:39:21 AM	0	mg/l
SC ALRO SA	Clor	1/8/2017 1:38:49 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 1:38:48 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 1:38:47 AM	14	gradCels
SC ALRO SA	pH	1/8/2017 1:38:46 AM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 1:33:19 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 1:33:18 AM	33	mg/l
SC ALRO SA	Clor	1/8/2017 1:33:08 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 1:33:07 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 1:33:06 AM	14	gradCels
SC ALRO SA	pH	1/8/2017 1:33:05 AM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 1:31:30 AM	0	mg/l
SC ALRO SA	Clor	1/8/2017 1:31:00 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 1:30:00 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 1:29:50 AM	33	mg/l
SC ALRO SA	Temp	1/8/2017 1:29:40 AM	14	gradCels
SC ALRO SA	pH	1/8/2017 1:29:30 AM	5	unit pH
SC ALRO SA	Substante organice	1/8/2017 1:28:23 AM	33	mg/l
SC ALRO SA	Cianuri	1/8/2017 1:28:22 AM	0	mg/l
SC ALRO SA	Clor	1/8/2017 1:27:48 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 1:27:47 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 1:27:46 AM	14	gradCels
SC ALRO SA	pH	1/8/2017 1:27:45 AM	5	unit pH
SC ALRO SA	Substante organice	1/8/2017 1:22:20 AM	33	mg/l
SC ALRO SA	Cianuri	1/8/2017 1:22:17 AM	0	mg/l
SC ALRO SA	Clor	1/8/2017 1:22:09 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 1:22:08 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 1:22:07 AM	14	gradCels
SC ALRO SA	pH	1/8/2017 1:22:06 AM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 1:17:24 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 1:17:23 AM	33	mg/l
SC ALRO SA	Clor	1/8/2017 1:16:33 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 1:16:32 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 1:16:31 AM	14	gradCels
SC ALRO SA	pH	1/8/2017 1:16:30 AM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 1:11:17 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 1:11:16 AM	33	mg/l
SC ALRO SA	Clor	1/8/2017 1:11:09 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 1:11:08 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 1:11:07 AM	14	gradCels
SC ALRO SA	pH	1/8/2017 1:11:06 AM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 1:06:40 AM	0	mg/l
SC ALRO SA	Clor	1/8/2017 1:06:30 AM	0	mg/l
SC ALRO SA	Cianuri	1/8/2017 1:06:21 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 1:05:50 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 1:05:40 AM	33	mg/l
SC ALRO SA	Clor	1/8/2017 1:05:35 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 1:05:34 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 1:05:33 AM	33	mg/l
SC ALRO SA	Temp	1/8/2017 1:05:32 AM	14	gradCels
SC ALRO SA	pH	1/8/2017 1:05:31 AM	5	unit pH
SC ALRO SA	Temp	1/8/2017 1:05:00 AM	14	gradCels
SC ALRO SA	pH	1/8/2017 1:04:30 AM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 1:00:17 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 1:00:16 AM	34	mg/l
SC ALRO SA	Clor	1/8/2017 1:00:09 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 1:00:08 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 1:00:07 AM	14	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/8/2017 1:00:06 AM	5	unit pH
SC ALRO SA	Substante organice	1/8/2017 12:55:22 AM	34	mg/l
SC ALRO SA	Cianuri	1/8/2017 12:55:21 AM	0	mg/l
SC ALRO SA	Clor	1/8/2017 12:54:35 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 12:54:34 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 12:54:33 AM	14	gradCels
SC ALRO SA	pH	1/8/2017 12:54:32 AM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 12:49:18 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 12:49:16 AM	34	mg/l
SC ALRO SA	Clor	1/8/2017 12:49:14 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 12:49:08 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 12:49:07 AM	14	gradCels
SC ALRO SA	pH	1/8/2017 12:49:06 AM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 12:44:23 AM	0	mg/l
SC ALRO SA	Clor	1/8/2017 12:44:22 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 12:44:21 AM	34	mg/l
SC ALRO SA	Grasimi	1/8/2017 12:43:34 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 12:43:33 AM	14	gradCels
SC ALRO SA	pH	1/8/2017 12:43:32 AM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 12:39:20 AM	0	mg/l
SC ALRO SA	Clor	1/8/2017 12:39:10 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 12:38:50 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 12:38:40 AM	34	mg/l
SC ALRO SA	Temp	1/8/2017 12:38:30 AM	14	gradCels
SC ALRO SA	pH	1/8/2017 12:38:20 AM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 12:38:16 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 12:38:15 AM	34	mg/l
SC ALRO SA	Clor	1/8/2017 12:38:09 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 12:38:08 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 12:38:07 AM	14	gradCels
SC ALRO SA	pH	1/8/2017 12:38:06 AM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 12:33:21 AM	0	mg/l
SC ALRO SA	Clor	1/8/2017 12:32:36 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 12:32:35 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 12:32:34 AM	34	mg/l
SC ALRO SA	Temp	1/8/2017 12:32:33 AM	14	gradCels
SC ALRO SA	pH	1/8/2017 12:32:32 AM	5	unit pH
SC ALRO SA	Substante organice	1/8/2017 12:27:15 AM	34	mg/l
SC ALRO SA	Cianuri	1/8/2017 12:27:14 AM	0	mg/l
SC ALRO SA	Clor	1/8/2017 12:27:09 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 12:27:08 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 12:27:07 AM	14	gradCels
SC ALRO SA	pH	1/8/2017 12:27:06 AM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 12:22:22 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 12:22:21 AM	34	mg/l
SC ALRO SA	Clor	1/8/2017 12:21:35 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 12:21:34 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 12:21:33 AM	14	gradCels
SC ALRO SA	pH	1/8/2017 12:21:32 AM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 12:16:22 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 12:16:21 AM	34	mg/l
SC ALRO SA	Cianuri	1/8/2017 12:15:50 AM	0	mg/l
SC ALRO SA	Clor	1/8/2017 12:15:49 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 12:15:48 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 12:15:47 AM	14	gradCels
SC ALRO SA	pH	1/8/2017 12:15:46 AM	5	unit pH
SC ALRO SA	Clor	1/8/2017 12:15:30 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 12:14:50 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 12:14:40 AM	34	mg/l
SC ALRO SA	Temp	1/8/2017 12:14:30 AM	14	gradCels
SC ALRO SA	pH	1/8/2017 12:14:00 AM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 12:11:21 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 12:11:20 AM	34	mg/l
SC ALRO SA	Clor	1/8/2017 12:10:45 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 12:10:44 AM	0	mg/l
SC ALRO SA	Temp	1/8/2017 12:10:43 AM	14	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/8/2017 12:10:42 AM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 12:05:21 AM	0	mg/l
SC ALRO SA	Clor	1/8/2017 12:04:50 AM	0	mg/l
SC ALRO SA	Grasimi	1/8/2017 12:04:49 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 12:04:48 AM	34	mg/l
SC ALRO SA	Temp	1/8/2017 12:04:47 AM	14	gradCels
SC ALRO SA	pH	1/8/2017 12:04:46 AM	5	unit pH
SC ALRO SA	Cianuri	1/8/2017 12:00:22 AM	0	mg/l
SC ALRO SA	Clor	1/8/2017 12:00:21 AM	0	mg/l
SC ALRO SA	Substante organice	1/8/2017 12:00:20 AM	34	mg/l
SC ALRO SA	Grasimi	1/7/2017 11:59:35 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 11:59:34 PM	14	gradCels
SC ALRO SA	pH	1/7/2017 11:59:33 PM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 11:54:21 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 11:54:20 PM	34	mg/l
SC ALRO SA	Clor	1/7/2017 11:53:49 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 11:53:48 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 11:53:47 PM	14	gradCels
SC ALRO SA	pH	1/7/2017 11:53:46 PM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 11:49:00 PM	0	mg/l
SC ALRO SA	Clor	1/7/2017 11:48:50 PM	0	mg/l
SC ALRO SA	Cianuri	1/7/2017 11:48:35 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 11:48:33 PM	34	mg/l
SC ALRO SA	Clor	1/7/2017 11:48:28 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 11:48:27 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 11:48:26 PM	14	gradCels
SC ALRO SA	pH	1/7/2017 11:48:25 PM	5	unit pH
SC ALRO SA	Grasimi	1/7/2017 11:47:00 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 11:46:50 PM	34	mg/l
SC ALRO SA	Temp	1/7/2017 11:46:00 PM	14	gradCels
SC ALRO SA	pH	1/7/2017 11:45:50 PM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 11:43:22 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 11:43:21 PM	34	mg/l
SC ALRO SA	Clor	1/7/2017 11:42:49 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 11:42:48 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 11:42:47 PM	14	gradCels
SC ALRO SA	pH	1/7/2017 11:42:46 PM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 11:37:16 PM	0	mg/l
SC ALRO SA	Clor	1/7/2017 11:37:10 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 11:37:09 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 11:37:08 PM	34	mg/l
SC ALRO SA	Temp	1/7/2017 11:37:07 PM	14	gradCels
SC ALRO SA	pH	1/7/2017 11:37:06 PM	5	unit pH
SC ALRO SA	Substante organice	1/7/2017 11:32:22 PM	34	mg/l
SC ALRO SA	Cianuri	1/7/2017 11:32:21 PM	0	mg/l
SC ALRO SA	Clor	1/7/2017 11:31:49 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 11:31:48 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 11:31:47 PM	14	gradCels
SC ALRO SA	pH	1/7/2017 11:31:46 PM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 11:26:15 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 11:26:13 PM	34	mg/l
SC ALRO SA	Clor	1/7/2017 11:26:09 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 11:26:08 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 11:26:07 PM	14	gradCels
SC ALRO SA	pH	1/7/2017 11:26:06 PM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 11:21:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 11:21:22 PM	34	mg/l
SC ALRO SA	Clor	1/7/2017 11:21:21 PM	0	mg/l
SC ALRO SA	Cianuri	1/7/2017 11:21:00 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 11:20:48 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 11:20:47 PM	14	gradCels
SC ALRO SA	pH	1/7/2017 11:20:46 PM	5	unit pH
SC ALRO SA	Clor	1/7/2017 11:20:20 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 11:19:40 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 11:19:30 PM	34	mg/l
SC ALRO SA	Temp	1/7/2017 11:18:40 PM	14	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/7/2017 11:18:30 PM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 11:15:16 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 11:15:15 PM	34	mg/l
SC ALRO SA	Clor	1/7/2017 11:15:08 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 11:15:07 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 11:15:06 PM	14	gradCels
SC ALRO SA	pH	1/7/2017 11:15:05 PM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 11:10:22 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 11:10:21 PM	34	mg/l
SC ALRO SA	Clor	1/7/2017 11:09:49 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 11:09:48 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 11:09:47 PM	14	gradCels
SC ALRO SA	pH	1/7/2017 11:09:46 PM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 11:04:18 PM	0	mg/l
SC ALRO SA	Clor	1/7/2017 11:04:10 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 11:04:09 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 11:04:08 PM	34	mg/l
SC ALRO SA	Temp	1/7/2017 11:04:07 PM	14	gradCels
SC ALRO SA	pH	1/7/2017 11:04:06 PM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 10:59:24 PM	0	mg/l
SC ALRO SA	Clor	1/7/2017 10:59:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 10:59:22 PM	34	mg/l
SC ALRO SA	Grasimi	1/7/2017 10:58:47 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 10:58:46 PM	14	gradCels
SC ALRO SA	pH	1/7/2017 10:58:45 PM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 10:53:40 PM	0	mg/l
SC ALRO SA	Clor	1/7/2017 10:53:30 PM	0	mg/l
SC ALRO SA	Cianuri	1/7/2017 10:53:19 PM	0	mg/l
SC ALRO SA	Clor	1/7/2017 10:53:18 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 10:53:17 PM	34	mg/l
SC ALRO SA	Grasimi	1/7/2017 10:53:07 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 10:53:06 PM	14	gradCels
SC ALRO SA	pH	1/7/2017 10:53:05 PM	5	unit pH
SC ALRO SA	Grasimi	1/7/2017 10:52:00 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 10:51:50 PM	34	mg/l
SC ALRO SA	Temp	1/7/2017 10:51:40 PM	14	gradCels
SC ALRO SA	pH	1/7/2017 10:51:30 PM	5	unit pH
SC ALRO SA	Substante organice	1/7/2017 10:48:22 PM	34	mg/l
SC ALRO SA	Cianuri	1/7/2017 10:48:21 PM	0	mg/l
SC ALRO SA	Clor	1/7/2017 10:47:29 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 10:47:28 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 10:47:27 PM	14	gradCels
SC ALRO SA	pH	1/7/2017 10:47:26 PM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 10:42:29 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 10:42:28 PM	34	mg/l
SC ALRO SA	Clor	1/7/2017 10:42:01 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 10:42:00 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 10:41:59 PM	14	gradCels
SC ALRO SA	pH	1/7/2017 10:41:58 PM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 10:37:23 PM	0	mg/l
SC ALRO SA	Clor	1/7/2017 10:36:28 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 10:36:27 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 10:36:26 PM	34	mg/l
SC ALRO SA	Temp	1/7/2017 10:36:25 PM	14	gradCels
SC ALRO SA	pH	1/7/2017 10:36:24 PM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 10:31:19 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 10:31:18 PM	34	mg/l
SC ALRO SA	Clor	1/7/2017 10:31:08 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 10:31:07 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 10:31:06 PM	14	gradCels
SC ALRO SA	pH	1/7/2017 10:31:05 PM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 10:28:50 PM	0	mg/l
SC ALRO SA	Clor	1/7/2017 10:27:40 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 10:26:50 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 10:26:40 PM	34	mg/l
SC ALRO SA	Temp	1/7/2017 10:26:30 PM	14	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Cianuri	1/7/2017 10:26:26 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 10:26:25 PM	34	mg/l
SC ALRO SA	pH	1/7/2017 10:26:00 PM	5	unit pH
SC ALRO SA	Clor	1/7/2017 10:25:26 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 10:25:25 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 10:25:24 PM	14	gradCels
SC ALRO SA	pH	1/7/2017 10:25:23 PM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 10:20:19 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 10:20:17 PM	34	mg/l
SC ALRO SA	Clor	1/7/2017 10:20:09 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 10:20:08 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 10:20:07 PM	14	gradCels
SC ALRO SA	pH	1/7/2017 10:20:06 PM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 10:15:22 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 10:15:21 PM	34	mg/l
SC ALRO SA	Clor	1/7/2017 10:14:27 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 10:14:26 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 10:14:25 PM	14	gradCels
SC ALRO SA	pH	1/7/2017 10:14:24 PM	5	unit pH
SC ALRO SA	Substante organice	1/7/2017 10:09:20 PM	34	mg/l
SC ALRO SA	Cianuri	1/7/2017 10:09:18 PM	0	mg/l
SC ALRO SA	Clor	1/7/2017 10:09:09 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 10:09:08 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 10:09:07 PM	14	gradCels
SC ALRO SA	pH	1/7/2017 10:09:06 PM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 10:04:23 PM	0	mg/l
SC ALRO SA	Clor	1/7/2017 10:03:22 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 10:03:21 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 10:03:20 PM	34	mg/l
SC ALRO SA	Temp	1/7/2017 10:03:19 PM	14	gradCels
SC ALRO SA	pH	1/7/2017 10:03:18 PM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 10:01:50 PM	0	mg/l
SC ALRO SA	Clor	1/7/2017 10:01:00 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 10:00:30 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 10:00:00 PM	34	mg/l
SC ALRO SA	Temp	1/7/2017 9:59:50 PM	14	gradCels
SC ALRO SA	pH	1/7/2017 9:59:20 PM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 9:58:19 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 9:58:18 PM	34	mg/l
SC ALRO SA	Clor	1/7/2017 9:58:09 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 9:58:08 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 9:58:07 PM	14	gradCels
SC ALRO SA	pH	1/7/2017 9:58:06 PM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 9:53:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 9:53:21 PM	34	mg/l
SC ALRO SA	Clor	1/7/2017 9:52:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 9:52:22 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 9:52:21 PM	14	gradCels
SC ALRO SA	pH	1/7/2017 9:52:20 PM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 9:47:26 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 9:47:25 PM	34	mg/l
SC ALRO SA	Clor	1/7/2017 9:46:49 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 9:46:48 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 9:46:47 PM	14	gradCels
SC ALRO SA	pH	1/7/2017 9:46:46 PM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 9:42:21 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 9:42:20 PM	34	mg/l
SC ALRO SA	Clor	1/7/2017 9:41:24 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 9:41:23 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 9:41:22 PM	14	gradCels
SC ALRO SA	pH	1/7/2017 9:41:21 PM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 9:37:00 PM	0	mg/l
SC ALRO SA	Clor	1/7/2017 9:36:50 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 9:36:30 PM	0	mg/l
SC ALRO SA	Cianuri	1/7/2017 9:36:26 PM	0	mg/l
SC ALRO SA	Clor	1/7/2017 9:35:47 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Grasimi	1/7/2017 9:35:46 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 9:35:45 PM	34	mg/l
SC ALRO SA	Temp	1/7/2017 9:35:44 PM	14	gradCels
SC ALRO SA	pH	1/7/2017 9:35:43 PM	5	unit pH
SC ALRO SA	Substante organice	1/7/2017 9:35:00 PM	34	mg/l
SC ALRO SA	Temp	1/7/2017 9:34:50 PM	14	gradCels
SC ALRO SA	pH	1/7/2017 9:34:20 PM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 9:30:18 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 9:30:16 PM	34	mg/l
SC ALRO SA	Clor	1/7/2017 9:30:13 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 9:30:12 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 9:30:11 PM	14	gradCels
SC ALRO SA	pH	1/7/2017 9:30:10 PM	5	unit pH
SC ALRO SA	Substante organice	1/7/2017 9:25:25 PM	34	mg/l
SC ALRO SA	Cianuri	1/7/2017 9:25:22 PM	0	mg/l
SC ALRO SA	Clor	1/7/2017 9:24:49 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 9:24:48 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 9:24:47 PM	14	gradCels
SC ALRO SA	pH	1/7/2017 9:24:46 PM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 9:19:34 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 9:19:32 PM	34	mg/l
SC ALRO SA	Clor	1/7/2017 9:19:28 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 9:19:27 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 9:19:26 PM	14	gradCels
SC ALRO SA	pH	1/7/2017 9:19:25 PM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 9:14:22 PM	0	mg/l
SC ALRO SA	Clor	1/7/2017 9:14:21 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 9:14:20 PM	34	mg/l
SC ALRO SA	Grasimi	1/7/2017 9:13:48 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 9:13:47 PM	14	gradCels
SC ALRO SA	pH	1/7/2017 9:13:46 PM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 9:10:30 PM	0	mg/l
SC ALRO SA	Clor	1/7/2017 9:10:00 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 9:09:30 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 9:08:40 PM	34	mg/l
SC ALRO SA	Temp	1/7/2017 9:08:30 PM	14	gradCels
SC ALRO SA	pH	1/7/2017 9:08:20 PM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 9:08:13 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 9:08:12 PM	34	mg/l
SC ALRO SA	Clor	1/7/2017 9:08:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 9:08:02 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 9:08:01 PM	14	gradCels
SC ALRO SA	pH	1/7/2017 9:08:00 PM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 9:03:21 PM	0	mg/l
SC ALRO SA	Clor	1/7/2017 9:02:51 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 9:02:50 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 9:02:49 PM	34	mg/l
SC ALRO SA	Temp	1/7/2017 9:02:48 PM	14	gradCels
SC ALRO SA	pH	1/7/2017 9:02:47 PM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 8:57:14 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 8:57:13 PM	34	mg/l
SC ALRO SA	Clor	1/7/2017 8:57:09 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 8:57:08 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 8:57:07 PM	14	gradCels
SC ALRO SA	pH	1/7/2017 8:57:06 PM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 8:52:09 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 8:52:08 PM	34	mg/l
SC ALRO SA	Clor	1/7/2017 8:51:34 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 8:51:33 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 8:51:32 PM	14	gradCels
SC ALRO SA	pH	1/7/2017 8:51:31 PM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 8:46:14 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 8:46:13 PM	34	mg/l
SC ALRO SA	Clor	1/7/2017 8:46:09 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 8:46:08 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 8:46:07 PM	14	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/7/2017 8:46:06 PM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 8:43:40 PM	0	mg/l
SC ALRO SA	Clor	1/7/2017 8:43:30 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 8:42:50 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 8:42:30 PM	34	mg/l
SC ALRO SA	Temp	1/7/2017 8:42:00 PM	14	gradCels
SC ALRO SA	pH	1/7/2017 8:41:50 PM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 8:41:09 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 8:41:08 PM	34	mg/l
SC ALRO SA	Clor	1/7/2017 8:40:33 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 8:40:32 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 8:40:31 PM	14	gradCels
SC ALRO SA	pH	1/7/2017 8:40:30 PM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 8:35:13 PM	0	mg/l
SC ALRO SA	Clor	1/7/2017 8:35:10 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 8:35:09 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 8:35:08 PM	34	mg/l
SC ALRO SA	Temp	1/7/2017 8:35:07 PM	14	gradCels
SC ALRO SA	pH	1/7/2017 8:35:06 PM	5	unit pH
SC ALRO SA	Substante organice	1/7/2017 8:30:22 PM	34	mg/l
SC ALRO SA	Cianuri	1/7/2017 8:30:21 PM	0	mg/l
SC ALRO SA	Clor	1/7/2017 8:29:34 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 8:29:33 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 8:29:32 PM	14	gradCels
SC ALRO SA	pH	1/7/2017 8:29:31 PM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 8:24:14 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 8:24:13 PM	34	mg/l
SC ALRO SA	Clor	1/7/2017 8:24:09 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 8:24:08 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 8:24:07 PM	14	gradCels
SC ALRO SA	pH	1/7/2017 8:24:06 PM	5	unit pH
SC ALRO SA	Substante organice	1/7/2017 8:19:28 PM	34	mg/l
SC ALRO SA	Cianuri	1/7/2017 8:19:25 PM	0	mg/l
SC ALRO SA	Clor	1/7/2017 8:18:33 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 8:18:32 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 8:18:31 PM	14	gradCels
SC ALRO SA	pH	1/7/2017 8:18:30 PM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 8:16:50 PM	0	mg/l
SC ALRO SA	Clor	1/7/2017 8:15:40 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 8:14:50 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 8:14:40 PM	34	mg/l
SC ALRO SA	Temp	1/7/2017 8:14:30 PM	14	gradCels
SC ALRO SA	pH	1/7/2017 8:14:00 PM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 8:13:21 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 8:13:20 PM	34	mg/l
SC ALRO SA	Clor	1/7/2017 8:13:08 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 8:13:07 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 8:13:06 PM	14	gradCels
SC ALRO SA	pH	1/7/2017 8:13:05 PM	5	unit pH
SC ALRO SA	Substante organice	1/7/2017 8:08:30 PM	34	mg/l
SC ALRO SA	Cianuri	1/7/2017 8:08:27 PM	0	mg/l
SC ALRO SA	Clor	1/7/2017 8:08:25 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 8:07:31 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 8:07:30 PM	14	gradCels
SC ALRO SA	pH	1/7/2017 8:07:29 PM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 8:03:22 PM	0	mg/l
SC ALRO SA	Clor	1/7/2017 8:02:25 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 8:02:24 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 8:02:23 PM	34	mg/l
SC ALRO SA	Temp	1/7/2017 8:02:22 PM	14	gradCels
SC ALRO SA	pH	1/7/2017 8:02:21 PM	5	unit pH
SC ALRO SA	Substante organice	1/7/2017 7:57:12 PM	35	mg/l
SC ALRO SA	Cianuri	1/7/2017 7:57:11 PM	0	mg/l
SC ALRO SA	Clor	1/7/2017 7:57:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 7:57:02 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 7:57:01 PM	14	gradCels



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/7/2017 7:57:00 PM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 7:52:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 7:52:22 PM	35	mg/l
SC ALRO SA	Clor	1/7/2017 7:51:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 7:51:22 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 7:51:21 PM	14	gradCels
SC ALRO SA	pH	1/7/2017 7:51:20 PM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 7:49:40 PM	0	mg/l
SC ALRO SA	Clor	1/7/2017 7:49:30 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 7:49:10 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 7:48:30 PM	35	mg/l
SC ALRO SA	Temp	1/7/2017 7:47:50 PM	14	gradCels
SC ALRO SA	pH	1/7/2017 7:47:40 PM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 7:46:12 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 7:46:10 PM	35	mg/l
SC ALRO SA	Clor	1/7/2017 7:46:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 7:46:02 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 7:46:01 PM	14	gradCels
SC ALRO SA	pH	1/7/2017 7:46:00 PM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 7:41:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 7:41:22 PM	35	mg/l
SC ALRO SA	Clor	1/7/2017 7:40:18 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 7:40:17 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 7:40:16 PM	14	gradCels
SC ALRO SA	pH	1/7/2017 7:40:15 PM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 7:35:14 PM	0	mg/l
SC ALRO SA	Clor	1/7/2017 7:35:04 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 7:35:03 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 7:35:02 PM	35	mg/l
SC ALRO SA	Temp	1/7/2017 7:35:01 PM	14	gradCels
SC ALRO SA	pH	1/7/2017 7:35:00 PM	5	unit pH
SC ALRO SA	Substante organice	1/7/2017 7:30:23 PM	35	mg/l
SC ALRO SA	Cianuri	1/7/2017 7:30:22 PM	0	mg/l
SC ALRO SA	Clor	1/7/2017 7:29:18 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 7:29:17 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 7:29:16 PM	14	gradCels
SC ALRO SA	pH	1/7/2017 7:29:15 PM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 7:26:50 PM	0	mg/l
SC ALRO SA	Clor	1/7/2017 7:26:30 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 7:25:30 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 7:25:20 PM	35	mg/l
SC ALRO SA	Temp	1/7/2017 7:25:10 PM	14	gradCels
SC ALRO SA	pH	1/7/2017 7:25:00 PM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 7:24:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 7:24:22 PM	35	mg/l
SC ALRO SA	Clor	1/7/2017 7:23:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 7:23:42 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 7:23:41 PM	14	gradCels
SC ALRO SA	pH	1/7/2017 7:23:40 PM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 7:19:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 7:19:22 PM	35	mg/l
SC ALRO SA	Clor	1/7/2017 7:18:16 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 7:18:15 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 7:18:14 PM	14	gradCels
SC ALRO SA	pH	1/7/2017 7:18:13 PM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 7:13:27 PM	0	mg/l
SC ALRO SA	Clor	1/7/2017 7:13:26 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 7:13:25 PM	35	mg/l
SC ALRO SA	Grasimi	1/7/2017 7:12:42 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 7:12:41 PM	14	gradCels
SC ALRO SA	pH	1/7/2017 7:12:40 PM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 7:07:14 PM	0	mg/l
SC ALRO SA	Clor	1/7/2017 7:07:12 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 7:07:11 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 7:07:10 PM	35	mg/l
SC ALRO SA	Temp	1/7/2017 7:07:09 PM	14	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/7/2017 7:07:08 PM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 7:03:20 PM	0	mg/l
SC ALRO SA	Clor	1/7/2017 7:03:10 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 7:02:50 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 7:02:40 PM	35	mg/l
SC ALRO SA	Temp	1/7/2017 7:02:30 PM	14	gradCels
SC ALRO SA	Cianuri	1/7/2017 7:02:24 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 7:02:22 PM	35	mg/l
SC ALRO SA	pH	1/7/2017 7:01:50 PM	5	unit pH
SC ALRO SA	Clor	1/7/2017 7:01:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 7:01:42 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 7:01:41 PM	14	gradCels
SC ALRO SA	pH	1/7/2017 7:01:40 PM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 6:56:18 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 6:56:17 PM	35	mg/l
SC ALRO SA	Clor	1/7/2017 6:56:10 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 6:56:09 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 6:56:08 PM	14	gradCels
SC ALRO SA	pH	1/7/2017 6:56:07 PM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 6:51:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 6:51:21 PM	35	mg/l
SC ALRO SA	Clor	1/7/2017 6:50:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 6:50:42 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 6:50:41 PM	14	gradCels
SC ALRO SA	pH	1/7/2017 6:50:40 PM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 6:45:22 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 6:45:21 PM	35	mg/l
SC ALRO SA	Clor	1/7/2017 6:45:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 6:45:02 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 6:45:01 PM	14	gradCels
SC ALRO SA	pH	1/7/2017 6:45:00 PM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 6:40:25 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 6:40:24 PM	35	mg/l
SC ALRO SA	Clor	1/7/2017 6:39:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 6:39:42 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 6:39:41 PM	14	gradCels
SC ALRO SA	pH	1/7/2017 6:39:40 PM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 6:38:30 PM	0	mg/l
SC ALRO SA	Clor	1/7/2017 6:38:00 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 6:36:50 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 6:36:40 PM	35	mg/l
SC ALRO SA	Temp	1/7/2017 6:36:30 PM	14	gradCels
SC ALRO SA	pH	1/7/2017 6:36:00 PM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 6:34:21 PM	0	mg/l
SC ALRO SA	Clor	1/7/2017 6:34:02 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 6:34:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 6:34:00 PM	35	mg/l
SC ALRO SA	Temp	1/7/2017 6:33:59 PM	14	gradCels
SC ALRO SA	pH	1/7/2017 6:33:58 PM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 6:29:24 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 6:29:23 PM	35	mg/l
SC ALRO SA	Clor	1/7/2017 6:29:22 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 6:28:29 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 6:28:28 PM	14	gradCels
SC ALRO SA	pH	1/7/2017 6:28:27 PM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 6:23:15 PM	0	mg/l
SC ALRO SA	Clor	1/7/2017 6:23:14 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 6:23:12 PM	35	mg/l
SC ALRO SA	Grasimi	1/7/2017 6:23:09 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 6:23:08 PM	14	gradCels
SC ALRO SA	pH	1/7/2017 6:23:07 PM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 6:18:24 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 6:18:23 PM	35	mg/l
SC ALRO SA	Clor	1/7/2017 6:18:22 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 6:17:31 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 6:17:30 PM	14	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/7/2017 6:17:28 PM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 6:14:30 PM	0	mg/l
SC ALRO SA	Clor	1/7/2017 6:13:50 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 6:13:30 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 6:13:00 PM	35	mg/l
SC ALRO SA	Temp	1/7/2017 6:12:50 PM	15	gradCels
SC ALRO SA	pH	1/7/2017 6:12:40 PM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 6:12:15 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 6:12:14 PM	35	mg/l
SC ALRO SA	Clor	1/7/2017 6:12:10 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 6:12:09 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 6:12:08 PM	15	gradCels
SC ALRO SA	pH	1/7/2017 6:12:07 PM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 6:07:22 PM	0	mg/l
SC ALRO SA	Clor	1/7/2017 6:06:33 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 6:06:32 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 6:06:31 PM	35	mg/l
SC ALRO SA	Temp	1/7/2017 6:06:30 PM	15	gradCels
SC ALRO SA	pH	1/7/2017 6:06:29 PM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 6:01:15 PM	0	mg/l
SC ALRO SA	Clor	1/7/2017 6:01:14 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 6:01:13 PM	35	mg/l
SC ALRO SA	Grasimi	1/7/2017 6:01:09 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 6:01:08 PM	15	gradCels
SC ALRO SA	pH	1/7/2017 6:01:07 PM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 5:56:24 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 5:56:22 PM	35	mg/l
SC ALRO SA	Clor	1/7/2017 5:55:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 5:55:42 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 5:55:41 PM	15	gradCels
SC ALRO SA	pH	1/7/2017 5:55:40 PM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 5:50:14 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 5:50:12 PM	35	mg/l
SC ALRO SA	Clor	1/7/2017 5:50:10 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 5:50:09 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 5:50:08 PM	15	gradCels
SC ALRO SA	pH	1/7/2017 5:50:07 PM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 5:48:50 PM	0	mg/l
SC ALRO SA	Clor	1/7/2017 5:48:00 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 5:47:00 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 5:46:50 PM	35	mg/l
SC ALRO SA	Temp	1/7/2017 5:46:20 PM	15	gradCels
SC ALRO SA	pH	1/7/2017 5:46:10 PM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 5:45:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 5:45:22 PM	35	mg/l
SC ALRO SA	Clor	1/7/2017 5:44:32 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 5:44:31 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 5:44:30 PM	15	gradCels
SC ALRO SA	pH	1/7/2017 5:44:29 PM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 5:39:24 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 5:39:23 PM	35	mg/l
SC ALRO SA	Clor	1/7/2017 5:39:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 5:39:02 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 5:39:01 PM	15	gradCels
SC ALRO SA	pH	1/7/2017 5:39:00 PM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 5:34:23 PM	0	mg/l
SC ALRO SA	Clor	1/7/2017 5:33:26 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 5:33:25 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 5:33:24 PM	35	mg/l
SC ALRO SA	Temp	1/7/2017 5:33:23 PM	15	gradCels
SC ALRO SA	pH	1/7/2017 5:33:22 PM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 5:28:29 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 5:28:28 PM	35	mg/l
SC ALRO SA	Clor	1/7/2017 5:27:50 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 5:27:49 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 5:27:48 PM	15	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/7/2017 5:27:47 PM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 5:23:40 PM	0	mg/l
SC ALRO SA	Clor	1/7/2017 5:23:30 PM	0	mg/l
SC ALRO SA	Cianuri	1/7/2017 5:23:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 5:23:22 PM	35	mg/l
SC ALRO SA	Clor	1/7/2017 5:22:32 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 5:22:31 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 5:22:30 PM	15	gradCels
SC ALRO SA	pH	1/7/2017 5:22:29 PM	4	unit pH
SC ALRO SA	Grasimi	1/7/2017 5:22:00 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 5:21:50 PM	35	mg/l
SC ALRO SA	Temp	1/7/2017 5:21:30 PM	15	gradCels
SC ALRO SA	pH	1/7/2017 5:19:40 PM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 5:17:24 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 5:17:23 PM	35	mg/l
SC ALRO SA	Clor	1/7/2017 5:16:54 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 5:16:53 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 5:16:52 PM	15	gradCels
SC ALRO SA	pH	1/7/2017 5:16:51 PM	4	unit pH
SC ALRO SA	Substante organice	1/7/2017 5:12:23 PM	35	mg/l
SC ALRO SA	Cianuri	1/7/2017 5:12:22 PM	0	mg/l
SC ALRO SA	Clor	1/7/2017 5:11:28 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 5:11:27 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 5:11:26 PM	15	gradCels
SC ALRO SA	pH	1/7/2017 5:11:25 PM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 5:06:22 PM	0	mg/l
SC ALRO SA	Clor	1/7/2017 5:05:58 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 5:05:57 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 5:05:56 PM	35	mg/l
SC ALRO SA	Temp	1/7/2017 5:05:55 PM	15	gradCels
SC ALRO SA	pH	1/7/2017 5:05:54 PM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 5:01:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 5:01:22 PM	35	mg/l
SC ALRO SA	Clor	1/7/2017 5:00:44 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 5:00:43 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 5:00:42 PM	15	gradCels
SC ALRO SA	pH	1/7/2017 5:00:41 PM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 4:56:00 PM	0	mg/l
SC ALRO SA	Clor	1/7/2017 4:55:50 PM	0	mg/l
SC ALRO SA	Cianuri	1/7/2017 4:55:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 4:55:21 PM	35	mg/l
SC ALRO SA	Grasimi	1/7/2017 4:55:00 PM	0	mg/l
SC ALRO SA	Clor	1/7/2017 4:54:54 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 4:54:53 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 4:54:52 PM	15	gradCels
SC ALRO SA	pH	1/7/2017 4:54:51 PM	4	unit pH
SC ALRO SA	Substante organice	1/7/2017 4:54:30 PM	35	mg/l
SC ALRO SA	Temp	1/7/2017 4:54:00 PM	15	gradCels
SC ALRO SA	pH	1/7/2017 4:53:50 PM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 4:50:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 4:50:22 PM	35	mg/l
SC ALRO SA	Clor	1/7/2017 4:49:45 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 4:49:44 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 4:49:43 PM	15	gradCels
SC ALRO SA	pH	1/7/2017 4:49:42 PM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 4:44:29 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 4:44:27 PM	35	mg/l
SC ALRO SA	Clor	1/7/2017 4:43:54 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 4:43:53 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 4:43:52 PM	15	gradCels
SC ALRO SA	pH	1/7/2017 4:43:51 PM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 4:39:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 4:39:22 PM	35	mg/l
SC ALRO SA	Clor	1/7/2017 4:38:24 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 4:38:23 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 4:38:22 PM	15	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/7/2017 4:38:21 PM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 4:33:30 PM	0	mg/l
SC ALRO SA	Cianuri	1/7/2017 4:33:24 PM	0	mg/l
SC ALRO SA	Clor	1/7/2017 4:32:50 PM	0	mg/l
SC ALRO SA	Clor	1/7/2017 4:32:46 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 4:32:45 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 4:32:44 PM	35	mg/l
SC ALRO SA	Temp	1/7/2017 4:32:43 PM	15	gradCels
SC ALRO SA	pH	1/7/2017 4:32:42 PM	4	unit pH
SC ALRO SA	Grasimi	1/7/2017 4:31:50 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 4:31:00 PM	35	mg/l
SC ALRO SA	Temp	1/7/2017 4:30:50 PM	15	gradCels
SC ALRO SA	pH	1/7/2017 4:30:30 PM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 4:27:21 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 4:27:20 PM	35	mg/l
SC ALRO SA	Clor	1/7/2017 4:27:14 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 4:27:13 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 4:27:12 PM	15	gradCels
SC ALRO SA	pH	1/7/2017 4:27:11 PM	4	unit pH
SC ALRO SA	Clor	1/7/2017 4:22:26 PM	0	mg/l
SC ALRO SA	Cianuri	1/7/2017 4:22:25 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 4:22:24 PM	35	mg/l
SC ALRO SA	Grasimi	1/7/2017 4:21:42 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 4:21:41 PM	15	gradCels
SC ALRO SA	pH	1/7/2017 4:21:40 PM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 4:16:21 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 4:16:20 PM	35	mg/l
SC ALRO SA	Clor	1/7/2017 4:16:16 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 4:16:15 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 4:16:14 PM	15	gradCels
SC ALRO SA	pH	1/7/2017 4:16:13 PM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 4:11:31 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 4:11:30 PM	35	mg/l
SC ALRO SA	Clor	1/7/2017 4:10:53 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 4:10:52 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 4:10:51 PM	15	gradCels
SC ALRO SA	pH	1/7/2017 4:10:50 PM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 4:10:10 PM	0	mg/l
SC ALRO SA	Clor	1/7/2017 4:09:50 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 4:08:50 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 4:08:20 PM	35	mg/l
SC ALRO SA	Temp	1/7/2017 4:08:10 PM	15	gradCels
SC ALRO SA	pH	1/7/2017 4:08:00 PM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 4:05:20 PM	0	mg/l
SC ALRO SA	Clor	1/7/2017 4:05:16 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 4:05:15 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 4:05:14 PM	35	mg/l
SC ALRO SA	Temp	1/7/2017 4:05:13 PM	15	gradCels
SC ALRO SA	pH	1/7/2017 4:05:12 PM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 4:00:24 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 4:00:23 PM	35	mg/l
SC ALRO SA	Clor	1/7/2017 3:59:54 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 3:59:53 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 3:59:52 PM	15	gradCels
SC ALRO SA	pH	1/7/2017 3:59:51 PM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 3:54:25 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 3:54:24 PM	35	mg/l
SC ALRO SA	Clor	1/7/2017 3:54:14 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 3:54:13 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 3:54:12 PM	15	gradCels
SC ALRO SA	pH	1/7/2017 3:54:11 PM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 3:49:25 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 3:49:24 PM	35	mg/l
SC ALRO SA	Clor	1/7/2017 3:48:54 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 3:48:53 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 3:48:52 PM	15	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/7/2017 3:48:51 PM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 3:47:00 PM	0	mg/l
SC ALRO SA	Clor	1/7/2017 3:46:50 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 3:46:11 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 3:46:00 PM	35	mg/l
SC ALRO SA	Temp	1/7/2017 3:45:50 PM	15	gradCels
SC ALRO SA	pH	1/7/2017 3:45:40 PM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 3:43:19 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 3:43:18 PM	35	mg/l
SC ALRO SA	Clor	1/7/2017 3:43:14 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 3:43:13 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 3:43:12 PM	15	gradCels
SC ALRO SA	pH	1/7/2017 3:43:11 PM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 3:38:22 PM	0	mg/l
SC ALRO SA	Clor	1/7/2017 3:37:58 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 3:37:57 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 3:37:56 PM	35	mg/l
SC ALRO SA	Temp	1/7/2017 3:37:55 PM	15	gradCels
SC ALRO SA	pH	1/7/2017 3:37:54 PM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 3:32:19 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 3:32:18 PM	35	mg/l
SC ALRO SA	Clor	1/7/2017 3:32:14 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 3:32:13 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 3:32:12 PM	15	gradCels
SC ALRO SA	pH	1/7/2017 3:32:11 PM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 3:27:27 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 3:27:26 PM	35	mg/l
SC ALRO SA	Clor	1/7/2017 3:26:34 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 3:26:33 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 3:26:32 PM	15	gradCels
SC ALRO SA	pH	1/7/2017 3:26:31 PM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 3:23:50 PM	0	mg/l
SC ALRO SA	Clor	1/7/2017 3:23:40 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 3:22:50 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 3:22:40 PM	35	mg/l
SC ALRO SA	Temp	1/7/2017 3:22:30 PM	15	gradCels
SC ALRO SA	pH	1/7/2017 3:22:00 PM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 3:21:19 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 3:21:18 PM	35	mg/l
SC ALRO SA	Clor	1/7/2017 3:21:14 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 3:21:13 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 3:21:12 PM	15	gradCels
SC ALRO SA	pH	1/7/2017 3:21:11 PM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 3:16:24 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 3:16:22 PM	35	mg/l
SC ALRO SA	Clor	1/7/2017 3:15:37 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 3:15:36 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 3:15:35 PM	15	gradCels
SC ALRO SA	pH	1/7/2017 3:15:34 PM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 3:10:24 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 3:10:23 PM	35	mg/l
SC ALRO SA	Clor	1/7/2017 3:10:11 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 3:10:10 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 3:10:09 PM	15	gradCels
SC ALRO SA	pH	1/7/2017 3:10:08 PM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 3:05:06 PM	0	mg/l
SC ALRO SA	Clor	1/7/2017 3:04:35 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 3:04:34 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 3:04:33 PM	35	mg/l
SC ALRO SA	Temp	1/7/2017 3:04:32 PM	15	gradCels
SC ALRO SA	pH	1/7/2017 3:04:31 PM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 3:00:30 PM	0	mg/l
SC ALRO SA	Clor	1/7/2017 3:00:00 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 2:59:40 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 2:59:30 PM	35	mg/l
SC ALRO SA	Cianuri	1/7/2017 2:59:25 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	1/7/2017 2:59:24 PM	35	mg/l
SC ALRO SA	Clor	1/7/2017 2:59:07 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 2:59:06 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 2:59:05 PM	15	gradCels
SC ALRO SA	pH	1/7/2017 2:59:04 PM	4	unit pH
SC ALRO SA	Temp	1/7/2017 2:58:40 PM	15	gradCels
SC ALRO SA	pH	1/7/2017 2:57:50 PM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 2:54:27 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 2:54:26 PM	35	mg/l
SC ALRO SA	Clor	1/7/2017 2:53:27 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 2:53:26 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 2:53:25 PM	15	gradCels
SC ALRO SA	pH	1/7/2017 2:53:24 PM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 2:48:20 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 2:48:19 PM	35	mg/l
SC ALRO SA	Clor	1/7/2017 2:48:11 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 2:48:10 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 2:48:09 PM	15	gradCels
SC ALRO SA	pH	1/7/2017 2:48:08 PM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 2:43:26 PM	0	mg/l
SC ALRO SA	Clor	1/7/2017 2:43:25 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 2:43:24 PM	35	mg/l
SC ALRO SA	Grasimi	1/7/2017 2:42:32 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 2:42:31 PM	15	gradCels
SC ALRO SA	pH	1/7/2017 2:42:30 PM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 2:37:20 PM	0	mg/l
SC ALRO SA	Clor	1/7/2017 2:37:04 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 2:37:03 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 2:37:02 PM	35	mg/l
SC ALRO SA	Temp	1/7/2017 2:37:01 PM	15	gradCels
SC ALRO SA	pH	1/7/2017 2:37:00 PM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 2:33:40 PM	0	mg/l
SC ALRO SA	Clor	1/7/2017 2:33:30 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 2:33:00 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 2:32:50 PM	35	mg/l
SC ALRO SA	Temp	1/7/2017 2:32:40 PM	15	gradCels
SC ALRO SA	pH	1/7/2017 2:32:30 PM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 2:32:14 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 2:32:13 PM	35	mg/l
SC ALRO SA	Clor	1/7/2017 2:31:26 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 2:31:25 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 2:31:24 PM	15	gradCels
SC ALRO SA	pH	1/7/2017 2:31:23 PM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 2:26:19 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 2:26:18 PM	35	mg/l
SC ALRO SA	Clor	1/7/2017 2:26:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 2:26:02 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 2:26:01 PM	15	gradCels
SC ALRO SA	pH	1/7/2017 2:26:00 PM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 2:21:27 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 2:21:26 PM	35	mg/l
SC ALRO SA	Clor	1/7/2017 2:20:26 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 2:20:25 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 2:20:24 PM	15	gradCels
SC ALRO SA	pH	1/7/2017 2:20:23 PM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 2:15:18 PM	0	mg/l
SC ALRO SA	Clor	1/7/2017 2:15:17 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 2:15:16 PM	35	mg/l
SC ALRO SA	Grasimi	1/7/2017 2:14:42 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 2:14:41 PM	15	gradCels
SC ALRO SA	pH	1/7/2017 2:14:40 PM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 2:10:09 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 2:10:08 PM	35	mg/l
SC ALRO SA	Clor	1/7/2017 2:09:25 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 2:09:24 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 2:09:23 PM	15	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/7/2017 2:09:22 PM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 2:06:40 PM	0	mg/l
SC ALRO SA	Clor	1/7/2017 2:06:30 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 2:05:50 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 2:05:30 PM	35	mg/l
SC ALRO SA	Temp	1/7/2017 2:05:00 PM	15	gradCels
SC ALRO SA	pH	1/7/2017 2:04:50 PM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 2:04:25 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 2:04:24 PM	35	mg/l
SC ALRO SA	Clor	1/7/2017 2:03:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 2:03:42 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 2:03:41 PM	15	gradCels
SC ALRO SA	pH	1/7/2017 2:03:40 PM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 1:59:30 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 1:59:29 PM	35	mg/l
SC ALRO SA	Clor	1/7/2017 1:58:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 1:58:42 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 1:58:41 PM	15	gradCels
SC ALRO SA	pH	1/7/2017 1:58:40 PM	4	unit pH
SC ALRO SA	Substante organice	1/7/2017 1:54:23 PM	35	mg/l
SC ALRO SA	Cianuri	1/7/2017 1:54:22 PM	0	mg/l
SC ALRO SA	Clor	1/7/2017 1:53:20 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 1:53:19 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 1:53:18 PM	15	gradCels
SC ALRO SA	pH	1/7/2017 1:53:17 PM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 1:48:30 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 1:48:29 PM	35	mg/l
SC ALRO SA	Clor	1/7/2017 1:47:37 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 1:47:36 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 1:47:35 PM	15	gradCels
SC ALRO SA	pH	1/7/2017 1:47:34 PM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 1:43:00 PM	0	mg/l
SC ALRO SA	Clor	1/7/2017 1:42:50 PM	0	mg/l
SC ALRO SA	Cianuri	1/7/2017 1:42:27 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 1:42:26 PM	35	mg/l
SC ALRO SA	Clor	1/7/2017 1:42:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 1:42:22 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 1:42:21 PM	15	gradCels
SC ALRO SA	pH	1/7/2017 1:42:20 PM	4	unit pH
SC ALRO SA	Grasimi	1/7/2017 1:42:00 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 1:41:30 PM	35	mg/l
SC ALRO SA	Temp	1/7/2017 1:41:20 PM	15	gradCels
SC ALRO SA	pH	1/7/2017 1:41:10 PM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 1:37:27 PM	0	mg/l
SC ALRO SA	Clor	1/7/2017 1:36:44 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 1:36:43 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 1:36:42 PM	35	mg/l
SC ALRO SA	Temp	1/7/2017 1:36:41 PM	15	gradCels
SC ALRO SA	pH	1/7/2017 1:36:40 PM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 1:31:21 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 1:31:20 PM	35	mg/l
SC ALRO SA	Clor	1/7/2017 1:31:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 1:31:02 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 1:31:01 PM	15	gradCels
SC ALRO SA	pH	1/7/2017 1:31:00 PM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 1:26:24 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 1:26:22 PM	35	mg/l
SC ALRO SA	Clor	1/7/2017 1:25:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 1:25:42 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 1:25:41 PM	15	gradCels
SC ALRO SA	pH	1/7/2017 1:25:40 PM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 1:21:50 PM	0	mg/l
SC ALRO SA	Clor	1/7/2017 1:21:00 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 1:20:40 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 1:20:30 PM	35	mg/l
SC ALRO SA	Temp	1/7/2017 1:20:20 PM	15	gradCels



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Cianuri	1/7/2017 1:20:05 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 1:20:04 PM	35	mg/l
SC ALRO SA	Clor	1/7/2017 1:20:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 1:20:02 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 1:20:01 PM	15	gradCels
SC ALRO SA	pH	1/7/2017 1:20:00 PM	5	unit pH
SC ALRO SA	pH	1/7/2017 1:19:50 PM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 1:15:25 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 1:15:24 PM	35	mg/l
SC ALRO SA	Clor	1/7/2017 1:15:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 1:15:02 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 1:15:01 PM	15	gradCels
SC ALRO SA	pH	1/7/2017 1:15:00 PM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 1:10:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 1:10:22 PM	35	mg/l
SC ALRO SA	Clor	1/7/2017 1:09:38 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 1:09:37 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 1:09:36 PM	15	gradCels
SC ALRO SA	pH	1/7/2017 1:09:35 PM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 1:04:08 PM	0	mg/l
SC ALRO SA	Clor	1/7/2017 1:04:07 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 1:04:03 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 1:04:02 PM	35	mg/l
SC ALRO SA	Temp	1/7/2017 1:04:01 PM	15	gradCels
SC ALRO SA	pH	1/7/2017 1:04:00 PM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 12:59:40 PM	0	mg/l
SC ALRO SA	Clor	1/7/2017 12:59:30 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 12:59:23 PM	35	mg/l
SC ALRO SA	Cianuri	1/7/2017 12:59:22 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 12:58:50 PM	0	mg/l
SC ALRO SA	Clor	1/7/2017 12:58:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 12:58:42 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 12:58:41 PM	15	gradCels
SC ALRO SA	pH	1/7/2017 12:58:40 PM	5	unit pH
SC ALRO SA	Substante organice	1/7/2017 12:58:20 PM	35	mg/l
SC ALRO SA	Temp	1/7/2017 12:57:00 PM	15	gradCels
SC ALRO SA	pH	1/7/2017 12:56:50 PM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 12:53:08 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 12:53:06 PM	35	mg/l
SC ALRO SA	Clor	1/7/2017 12:53:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 12:53:02 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 12:53:01 PM	15	gradCels
SC ALRO SA	pH	1/7/2017 12:53:00 PM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 12:48:24 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 12:48:22 PM	35	mg/l
SC ALRO SA	Clor	1/7/2017 12:47:36 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 12:47:35 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 12:47:34 PM	15	gradCels
SC ALRO SA	pH	1/7/2017 12:47:33 PM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 12:42:14 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 12:42:12 PM	35	mg/l
SC ALRO SA	Clor	1/7/2017 12:42:09 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 12:42:08 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 12:42:07 PM	15	gradCels
SC ALRO SA	pH	1/7/2017 12:42:06 PM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 12:37:24 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 12:37:23 PM	35	mg/l
SC ALRO SA	Clor	1/7/2017 12:36:29 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 12:36:28 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 12:36:27 PM	15	gradCels
SC ALRO SA	pH	1/7/2017 12:36:26 PM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 12:36:10 PM	0	mg/l
SC ALRO SA	Clor	1/7/2017 12:35:00 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 12:34:40 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 12:34:30 PM	35	mg/l
SC ALRO SA	Temp	1/7/2017 12:33:50 PM	15	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/7/2017 12:33:40 PM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 12:31:30 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 12:31:28 PM	35	mg/l
SC ALRO SA	Clor	1/7/2017 12:30:53 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 12:30:52 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 12:30:51 PM	15	gradCels
SC ALRO SA	pH	1/7/2017 12:30:50 PM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 12:26:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 12:26:22 PM	35	mg/l
SC ALRO SA	Clor	1/7/2017 12:25:20 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 12:25:19 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 12:25:18 PM	15	gradCels
SC ALRO SA	pH	1/7/2017 12:25:17 PM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 12:20:09 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 12:20:07 PM	35	mg/l
SC ALRO SA	Clor	1/7/2017 12:19:53 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 12:19:52 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 12:19:51 PM	15	gradCels
SC ALRO SA	pH	1/7/2017 12:19:50 PM	5	unit pH
SC ALRO SA	Substante organice	1/7/2017 12:15:24 PM	35	mg/l
SC ALRO SA	Cianuri	1/7/2017 12:15:23 PM	0	mg/l
SC ALRO SA	Clor	1/7/2017 12:14:20 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 12:14:19 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 12:14:18 PM	15	gradCels
SC ALRO SA	pH	1/7/2017 12:14:17 PM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 12:12:40 PM	0	mg/l
SC ALRO SA	Clor	1/7/2017 12:11:40 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 12:11:00 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 12:10:50 PM	35	mg/l
SC ALRO SA	Temp	1/7/2017 12:10:40 PM	15	gradCels
SC ALRO SA	pH	1/7/2017 12:10:30 PM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 12:09:11 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 12:09:08 PM	35	mg/l
SC ALRO SA	Clor	1/7/2017 12:08:48 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 12:08:47 PM	0	mg/l
SC ALRO SA	Temp	1/7/2017 12:08:46 PM	15	gradCels
SC ALRO SA	pH	1/7/2017 12:08:45 PM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 12:04:22 PM	0	mg/l
SC ALRO SA	Clor	1/7/2017 12:03:35 PM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 12:03:34 PM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 12:03:33 PM	35	mg/l
SC ALRO SA	Temp	1/7/2017 12:03:32 PM	15	gradCels
SC ALRO SA	pH	1/7/2017 12:03:31 PM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 11:58:09 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 11:58:07 AM	35	mg/l
SC ALRO SA	Clor	1/7/2017 11:57:49 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 11:57:48 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 11:57:47 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 11:57:46 AM	5	unit pH
SC ALRO SA	Clor	1/7/2017 11:53:24 AM	0	mg/l
SC ALRO SA	Cianuri	1/7/2017 11:53:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 11:53:22 AM	35	mg/l
SC ALRO SA	Grasimi	1/7/2017 11:52:21 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 11:52:20 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 11:52:19 AM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 11:48:40 AM	0	mg/l
SC ALRO SA	Clor	1/7/2017 11:48:30 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 11:47:50 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 11:47:40 AM	35	mg/l
SC ALRO SA	Temp	1/7/2017 11:47:30 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 11:47:20 AM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 11:47:07 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 11:47:06 AM	35	mg/l
SC ALRO SA	Clor	1/7/2017 11:46:49 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 11:46:48 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 11:46:47 AM	15	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/7/2017 11:46:46 AM	5	unit pH
SC ALRO SA	Substante organice	1/7/2017 11:42:23 AM	35	mg/l
SC ALRO SA	Cianuri	1/7/2017 11:42:22 AM	0	mg/l
SC ALRO SA	Clor	1/7/2017 11:41:17 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 11:41:16 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 11:41:15 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 11:41:14 AM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 11:36:08 AM	0	mg/l
SC ALRO SA	Clor	1/7/2017 11:35:50 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 11:35:49 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 11:35:48 AM	35	mg/l
SC ALRO SA	Temp	1/7/2017 11:35:47 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 11:35:46 AM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 11:31:22 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 11:31:21 AM	35	mg/l
SC ALRO SA	Clor	1/7/2017 11:30:21 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 11:30:20 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 11:30:19 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 11:30:18 AM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 11:25:50 AM	0	mg/l
SC ALRO SA	Clor	1/7/2017 11:25:40 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 11:25:20 AM	0	mg/l
SC ALRO SA	Cianuri	1/7/2017 11:25:10 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 11:25:08 AM	35	mg/l
SC ALRO SA	Substante organice	1/7/2017 11:24:50 AM	35	mg/l
SC ALRO SA	Temp	1/7/2017 11:24:40 AM	15	gradCels
SC ALRO SA	Clor	1/7/2017 11:24:39 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 11:24:38 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 11:24:37 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 11:24:36 AM	5	unit pH
SC ALRO SA	pH	1/7/2017 11:23:50 AM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 11:19:18 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 11:19:17 AM	35	mg/l
SC ALRO SA	Clor	1/7/2017 11:19:13 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 11:19:12 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 11:19:11 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 11:19:10 AM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 11:14:22 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 11:14:20 AM	35	mg/l
SC ALRO SA	Clor	1/7/2017 11:13:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 11:13:42 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 11:13:41 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 11:13:40 AM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 11:08:08 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 11:08:07 AM	35	mg/l
SC ALRO SA	Clor	1/7/2017 11:08:04 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 11:08:03 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 11:08:02 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 11:08:00 AM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 11:03:50 AM	0	mg/l
SC ALRO SA	Clor	1/7/2017 11:03:40 AM	0	mg/l
SC ALRO SA	Cianuri	1/7/2017 11:03:21 AM	0	mg/l
SC ALRO SA	Clor	1/7/2017 11:03:19 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 11:03:18 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 11:03:17 AM	35	mg/l
SC ALRO SA	Temp	1/7/2017 11:03:16 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 11:03:15 AM	5	unit pH
SC ALRO SA	Grasimi	1/7/2017 11:02:40 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 11:02:30 AM	35	mg/l
SC ALRO SA	Temp	1/7/2017 11:01:00 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 11:00:50 AM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 10:58:25 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 10:58:23 AM	35	mg/l
SC ALRO SA	Clor	1/7/2017 10:57:42 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 10:57:41 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 10:57:40 AM	15	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/7/2017 10:57:39 AM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 10:52:20 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 10:52:18 AM	35	mg/l
SC ALRO SA	Clor	1/7/2017 10:52:13 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 10:52:12 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 10:52:11 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 10:52:10 AM	5	unit pH
SC ALRO SA	Substante organice	1/7/2017 10:47:25 AM	35	mg/l
SC ALRO SA	Cianuri	1/7/2017 10:47:22 AM	0	mg/l
SC ALRO SA	Clor	1/7/2017 10:46:42 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 10:46:41 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 10:46:40 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 10:46:39 AM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 10:42:20 AM	0	mg/l
SC ALRO SA	Clor	1/7/2017 10:42:10 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 10:41:50 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 10:41:40 AM	35	mg/l
SC ALRO SA	Temp	1/7/2017 10:41:30 AM	15	gradCels
SC ALRO SA	Clor	1/7/2017 10:41:20 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 10:41:18 AM	35	mg/l
SC ALRO SA	Cianuri	1/7/2017 10:41:15 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 10:41:12 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 10:41:11 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 10:41:10 AM	4	unit pH
SC ALRO SA	pH	1/7/2017 10:40:30 AM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 10:36:24 AM	0	mg/l
SC ALRO SA	Clor	1/7/2017 10:35:42 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 10:35:41 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 10:35:40 AM	35	mg/l
SC ALRO SA	Temp	1/7/2017 10:35:39 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 10:35:38 AM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 10:30:20 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 10:30:18 AM	35	mg/l
SC ALRO SA	Clor	1/7/2017 10:30:13 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 10:30:12 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 10:30:11 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 10:30:10 AM	4	unit pH
SC ALRO SA	Substante organice	1/7/2017 10:25:24 AM	35	mg/l
SC ALRO SA	Cianuri	1/7/2017 10:25:22 AM	0	mg/l
SC ALRO SA	Clor	1/7/2017 10:24:44 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 10:24:43 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 10:24:42 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 10:24:41 AM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 10:20:10 AM	0	mg/l
SC ALRO SA	Clor	1/7/2017 10:20:00 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 10:19:40 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 10:19:30 AM	35	mg/l
SC ALRO SA	Substante organice	1/7/2017 10:19:20 AM	35	mg/l
SC ALRO SA	Cianuri	1/7/2017 10:19:17 AM	0	mg/l
SC ALRO SA	Clor	1/7/2017 10:19:09 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 10:19:08 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 10:19:07 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 10:19:06 AM	4	unit pH
SC ALRO SA	Temp	1/7/2017 10:18:20 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 10:18:10 AM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 10:14:24 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 10:14:23 AM	35	mg/l
SC ALRO SA	Clor	1/7/2017 10:13:29 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 10:13:28 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 10:13:27 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 10:13:26 AM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 10:08:22 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 10:08:21 AM	35	mg/l
SC ALRO SA	Clor	1/7/2017 10:07:52 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 10:07:51 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 10:07:50 AM	15	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/7/2017 10:07:49 AM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 10:03:22 AM	0	mg/l
SC ALRO SA	Clor	1/7/2017 10:02:21 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 10:02:20 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 10:02:19 AM	35	mg/l
SC ALRO SA	Temp	1/7/2017 10:02:18 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 10:02:17 AM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 9:57:50 AM	0	mg/l
SC ALRO SA	Clor	1/7/2017 9:57:40 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 9:57:25 AM	35	mg/l
SC ALRO SA	Cianuri	1/7/2017 9:57:24 AM	0	mg/l
SC ALRO SA	Clor	1/7/2017 9:57:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 9:57:00 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 9:56:53 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 9:56:52 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 9:56:51 AM	4	unit pH
SC ALRO SA	Substante organice	1/7/2017 9:56:20 AM	35	mg/l
SC ALRO SA	Temp	1/7/2017 9:56:10 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 9:55:50 AM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 9:52:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 9:52:22 AM	35	mg/l
SC ALRO SA	Clor	1/7/2017 9:51:31 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 9:51:30 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 9:51:29 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 9:51:28 AM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 9:46:24 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 9:46:23 AM	35	mg/l
SC ALRO SA	Clor	1/7/2017 9:45:49 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 9:45:48 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 9:45:47 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 9:45:46 AM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 9:41:24 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 9:41:23 AM	35	mg/l
SC ALRO SA	Clor	1/7/2017 9:40:33 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 9:40:32 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 9:40:31 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 9:40:30 AM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 9:35:50 AM	0	mg/l
SC ALRO SA	Clor	1/7/2017 9:35:40 AM	0	mg/l
SC ALRO SA	Cianuri	1/7/2017 9:35:24 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 9:35:00 AM	0	mg/l
SC ALRO SA	Clor	1/7/2017 9:34:49 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 9:34:48 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 9:34:47 AM	35	mg/l
SC ALRO SA	Temp	1/7/2017 9:34:46 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 9:34:45 AM	4	unit pH
SC ALRO SA	Substante organice	1/7/2017 9:34:30 AM	35	mg/l
SC ALRO SA	Temp	1/7/2017 9:34:00 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 9:33:00 AM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 9:30:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 9:30:22 AM	35	mg/l
SC ALRO SA	Clor	1/7/2017 9:29:41 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 9:29:40 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 9:29:39 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 9:29:38 AM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 9:24:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 9:24:22 AM	35	mg/l
SC ALRO SA	Clor	1/7/2017 9:23:50 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 9:23:49 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 9:23:48 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 9:23:47 AM	4	unit pH
SC ALRO SA	Substante organice	1/7/2017 9:19:22 AM	35	mg/l
SC ALRO SA	Cianuri	1/7/2017 9:19:21 AM	0	mg/l
SC ALRO SA	Clor	1/7/2017 9:18:34 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 9:18:33 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 9:18:32 AM	15	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/7/2017 9:18:31 AM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 9:14:40 AM	0	mg/l
SC ALRO SA	Clor	1/7/2017 9:14:30 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 9:14:10 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 9:13:50 AM	35	mg/l
SC ALRO SA	Temp	1/7/2017 9:13:40 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 9:13:30 AM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 9:13:24 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 9:13:23 AM	35	mg/l
SC ALRO SA	Clor	1/7/2017 9:12:49 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 9:12:48 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 9:12:47 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 9:12:46 AM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 9:08:22 AM	0	mg/l
SC ALRO SA	Clor	1/7/2017 9:07:14 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 9:07:13 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 9:07:12 AM	35	mg/l
SC ALRO SA	Temp	1/7/2017 9:07:11 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 9:07:10 AM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 9:02:23 AM	0	mg/l
SC ALRO SA	Clor	1/7/2017 9:02:22 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 9:02:21 AM	35	mg/l
SC ALRO SA	Grasimi	1/7/2017 9:01:35 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 9:01:34 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 9:01:33 AM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 8:56:14 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 8:56:13 AM	35	mg/l
SC ALRO SA	Clor	1/7/2017 8:56:08 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 8:56:07 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 8:56:06 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 8:56:05 AM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 8:53:10 AM	0	mg/l
SC ALRO SA	Clor	1/7/2017 8:53:00 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 8:52:40 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 8:52:30 AM	35	mg/l
SC ALRO SA	Temp	1/7/2017 8:52:20 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 8:52:10 AM	4	unit pH
SC ALRO SA	Substante organice	1/7/2017 8:51:22 AM	35	mg/l
SC ALRO SA	Cianuri	1/7/2017 8:51:21 AM	0	mg/l
SC ALRO SA	Clor	1/7/2017 8:50:49 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 8:50:48 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 8:50:47 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 8:50:46 AM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 8:45:16 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 8:45:15 AM	35	mg/l
SC ALRO SA	Clor	1/7/2017 8:45:09 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 8:45:08 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 8:45:07 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 8:45:06 AM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 8:40:22 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 8:40:20 AM	35	mg/l
SC ALRO SA	Clor	1/7/2017 8:39:49 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 8:39:48 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 8:39:47 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 8:39:46 AM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 8:34:12 AM	0	mg/l
SC ALRO SA	Clor	1/7/2017 8:34:10 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 8:34:09 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 8:34:08 AM	35	mg/l
SC ALRO SA	Temp	1/7/2017 8:34:07 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 8:34:06 AM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 8:31:20 AM	0	mg/l
SC ALRO SA	Clor	1/7/2017 8:31:10 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 8:30:50 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 8:30:40 AM	35	mg/l
SC ALRO SA	Temp	1/7/2017 8:30:30 AM	15	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/7/2017 8:30:20 AM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 8:29:22 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 8:29:21 AM	35	mg/l
SC ALRO SA	Clor	1/7/2017 8:28:36 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 8:28:35 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 8:28:34 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 8:28:33 AM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 8:23:14 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 8:23:13 AM	35	mg/l
SC ALRO SA	Clor	1/7/2017 8:23:08 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 8:23:07 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 8:23:06 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 8:23:05 AM	4	unit pH
SC ALRO SA	Clor	1/7/2017 8:18:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 8:18:22 AM	35	mg/l
SC ALRO SA	Cianuri	1/7/2017 8:18:21 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 8:17:35 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 8:17:34 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 8:17:33 AM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 8:12:14 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 8:12:13 AM	35	mg/l
SC ALRO SA	Clor	1/7/2017 8:12:09 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 8:12:08 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 8:12:07 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 8:12:06 AM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 8:09:10 AM	0	mg/l
SC ALRO SA	Clor	1/7/2017 8:09:00 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 8:08:40 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 8:08:30 AM	35	mg/l
SC ALRO SA	Temp	1/7/2017 8:08:20 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 8:08:10 AM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 8:07:27 AM	0	mg/l
SC ALRO SA	Clor	1/7/2017 8:06:37 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 8:06:36 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 8:06:35 AM	35	mg/l
SC ALRO SA	Temp	1/7/2017 8:06:34 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 8:06:33 AM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 8:01:14 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 8:01:13 AM	34	mg/l
SC ALRO SA	Clor	1/7/2017 8:01:09 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 8:01:08 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 8:01:07 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 8:01:06 AM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 7:56:08 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 7:56:06 AM	34	mg/l
SC ALRO SA	Clor	1/7/2017 7:55:39 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 7:55:38 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 7:55:37 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 7:55:36 AM	4	unit pH
SC ALRO SA	Clor	1/7/2017 7:51:24 AM	0	mg/l
SC ALRO SA	Cianuri	1/7/2017 7:51:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 7:51:22 AM	34	mg/l
SC ALRO SA	Grasimi	1/7/2017 7:50:22 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 7:50:21 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 7:50:20 AM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 7:48:20 AM	0	mg/l
SC ALRO SA	Clor	1/7/2017 7:48:10 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 7:47:10 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 7:47:00 AM	34	mg/l
SC ALRO SA	Temp	1/7/2017 7:46:50 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 7:46:40 AM	4	unit pH
SC ALRO SA	Substante organice	1/7/2017 7:45:12 AM	34	mg/l
SC ALRO SA	Cianuri	1/7/2017 7:45:11 AM	0	mg/l
SC ALRO SA	Clor	1/7/2017 7:45:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 7:45:02 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 7:45:01 AM	15	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/7/2017 7:45:00 AM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 7:40:22 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 7:40:21 AM	34	mg/l
SC ALRO SA	Clor	1/7/2017 7:39:29 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 7:39:28 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 7:39:27 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 7:39:26 AM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 7:34:11 AM	0	mg/l
SC ALRO SA	Clor	1/7/2017 7:34:04 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 7:34:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 7:34:02 AM	34	mg/l
SC ALRO SA	Temp	1/7/2017 7:34:01 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 7:34:00 AM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 7:29:07 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 7:29:06 AM	34	mg/l
SC ALRO SA	Clor	1/7/2017 7:28:24 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 7:28:23 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 7:28:22 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 7:28:21 AM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 7:26:00 AM	0	mg/l
SC ALRO SA	Clor	1/7/2017 7:25:50 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 7:25:10 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 7:25:00 AM	34	mg/l
SC ALRO SA	Temp	1/7/2017 7:24:50 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 7:24:40 AM	4	unit pH
SC ALRO SA	Clor	1/7/2017 7:23:23 AM	0	mg/l
SC ALRO SA	Cianuri	1/7/2017 7:23:22 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 7:23:21 AM	34	mg/l
SC ALRO SA	Grasimi	1/7/2017 7:22:42 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 7:22:41 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 7:22:40 AM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 7:18:07 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 7:18:06 AM	34	mg/l
SC ALRO SA	Clor	1/7/2017 7:17:24 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 7:17:23 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 7:17:22 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 7:17:21 AM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 7:12:22 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 7:12:21 AM	34	mg/l
SC ALRO SA	Clor	1/7/2017 7:11:49 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 7:11:48 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 7:11:47 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 7:11:46 AM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 7:07:13 AM	0	mg/l
SC ALRO SA	Clor	1/7/2017 7:06:44 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 7:06:43 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 7:06:42 AM	34	mg/l
SC ALRO SA	Temp	1/7/2017 7:06:41 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 7:06:40 AM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 7:05:30 AM	0	mg/l
SC ALRO SA	Clor	1/7/2017 7:05:20 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 7:04:40 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 7:04:30 AM	34	mg/l
SC ALRO SA	Temp	1/7/2017 7:03:50 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 7:03:40 AM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 7:02:24 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 7:02:23 AM	34	mg/l
SC ALRO SA	Clor	1/7/2017 7:01:24 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 7:01:23 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 7:01:22 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 7:01:21 AM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 6:56:14 AM	0	mg/l
SC ALRO SA	Clor	1/7/2017 6:56:13 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 6:56:12 AM	34	mg/l
SC ALRO SA	Grasimi	1/7/2017 6:55:42 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 6:55:41 AM	15	gradCels



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/7/2017 6:55:40 AM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 6:50:26 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 6:50:25 AM	34	mg/l
SC ALRO SA	Clor	1/7/2017 6:50:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 6:50:22 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 6:50:21 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 6:50:20 AM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 6:46:10 AM	0	mg/l
SC ALRO SA	Clor	1/7/2017 6:46:00 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 6:45:40 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 6:45:30 AM	34	mg/l
SC ALRO SA	Temp	1/7/2017 6:45:20 AM	15	gradCels
SC ALRO SA	Cianuri	1/7/2017 6:45:13 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 6:45:12 AM	34	mg/l
SC ALRO SA	pH	1/7/2017 6:44:50 AM	4	unit pH
SC ALRO SA	Clor	1/7/2017 6:44:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 6:44:42 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 6:44:41 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 6:44:40 AM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 6:39:06 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 6:39:05 AM	34	mg/l
SC ALRO SA	Clor	1/7/2017 6:39:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 6:39:02 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 6:39:01 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 6:39:00 AM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 6:34:12 AM	0	mg/l
SC ALRO SA	Clor	1/7/2017 6:33:44 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 6:33:43 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 6:33:42 AM	34	mg/l
SC ALRO SA	Temp	1/7/2017 6:33:41 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 6:33:40 AM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 6:28:06 AM	0	mg/l
SC ALRO SA	Clor	1/7/2017 6:28:05 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 6:28:04 AM	34	mg/l
SC ALRO SA	Grasimi	1/7/2017 6:28:02 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 6:28:01 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 6:28:00 AM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 6:26:30 AM	0	mg/l
SC ALRO SA	Clor	1/7/2017 6:25:40 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 6:25:10 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 6:25:00 AM	34	mg/l
SC ALRO SA	Temp	1/7/2017 6:24:50 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 6:24:40 AM	4	unit pH
SC ALRO SA	Substante organice	1/7/2017 6:23:13 AM	34	mg/l
SC ALRO SA	Cianuri	1/7/2017 6:23:12 AM	0	mg/l
SC ALRO SA	Clor	1/7/2017 6:22:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 6:22:42 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 6:22:41 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 6:22:40 AM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 6:17:06 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 6:17:05 AM	34	mg/l
SC ALRO SA	Clor	1/7/2017 6:17:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 6:17:02 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 6:17:01 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 6:17:00 AM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 6:12:13 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 6:12:12 AM	34	mg/l
SC ALRO SA	Clor	1/7/2017 6:11:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 6:11:42 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 6:11:41 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 6:11:40 AM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 6:06:10 AM	0	mg/l
SC ALRO SA	Cianuri	1/7/2017 6:06:06 AM	0	mg/l
SC ALRO SA	Clor	1/7/2017 6:06:04 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 6:06:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 6:06:02 AM	34	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/7/2017 6:06:01 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 6:06:00 AM	4	unit pH
SC ALRO SA	Clor	1/7/2017 6:05:50 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 6:04:40 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 6:04:30 AM	34	mg/l
SC ALRO SA	Temp	1/7/2017 6:03:40 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 6:03:30 AM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 6:01:13 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 6:01:12 AM	34	mg/l
SC ALRO SA	Clor	1/7/2017 6:00:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 6:00:22 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 6:00:21 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 6:00:20 AM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 5:55:06 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 5:55:05 AM	34	mg/l
SC ALRO SA	Clor	1/7/2017 5:55:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 5:55:02 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 5:55:01 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 5:55:00 AM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 5:50:13 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 5:50:12 AM	34	mg/l
SC ALRO SA	Clor	1/7/2017 5:49:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 5:49:22 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 5:49:21 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 5:49:20 AM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 5:45:30 AM	0	mg/l
SC ALRO SA	Clor	1/7/2017 5:45:00 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 5:44:40 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 5:44:30 AM	34	mg/l
SC ALRO SA	Temp	1/7/2017 5:44:10 AM	15	gradCels
SC ALRO SA	Cianuri	1/7/2017 5:44:06 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 5:44:05 AM	34	mg/l
SC ALRO SA	Clor	1/7/2017 5:44:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 5:44:02 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 5:44:01 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 5:44:00 AM	4	unit pH
SC ALRO SA	pH	1/7/2017 5:43:40 AM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 5:39:13 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 5:39:12 AM	34	mg/l
SC ALRO SA	Clor	1/7/2017 5:38:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 5:38:22 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 5:38:21 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 5:38:20 AM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 5:33:06 AM	0	mg/l
SC ALRO SA	Clor	1/7/2017 5:33:04 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 5:33:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 5:33:02 AM	34	mg/l
SC ALRO SA	Temp	1/7/2017 5:33:01 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 5:33:00 AM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 5:28:13 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 5:28:12 AM	33	mg/l
SC ALRO SA	Clor	1/7/2017 5:27:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 5:27:22 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 5:27:21 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 5:27:20 AM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 5:24:00 AM	0	mg/l
SC ALRO SA	Clor	1/7/2017 5:23:50 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 5:23:30 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 5:23:00 AM	33	mg/l
SC ALRO SA	Temp	1/7/2017 5:22:50 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 5:22:40 AM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 5:22:06 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 5:22:05 AM	33	mg/l
SC ALRO SA	Clor	1/7/2017 5:22:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 5:22:02 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 5:22:01 AM	15	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/7/2017 5:22:00 AM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 5:17:14 AM	0	mg/l
SC ALRO SA	Clor	1/7/2017 5:17:13 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 5:17:12 AM	33	mg/l
SC ALRO SA	Grasimi	1/7/2017 5:16:22 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 5:16:21 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 5:16:20 AM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 5:11:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 5:11:22 AM	33	mg/l
SC ALRO SA	Clor	1/7/2017 5:10:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 5:10:42 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 5:10:41 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 5:10:40 AM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 5:06:12 AM	0	mg/l
SC ALRO SA	Clor	1/7/2017 5:05:24 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 5:05:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 5:05:22 AM	33	mg/l
SC ALRO SA	Temp	1/7/2017 5:05:21 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 5:05:20 AM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 5:02:10 AM	0	mg/l
SC ALRO SA	Clor	1/7/2017 5:02:00 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 5:01:40 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 5:01:30 AM	33	mg/l
SC ALRO SA	Temp	1/7/2017 5:01:00 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 5:00:50 AM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 5:00:22 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 5:00:21 AM	33	mg/l
SC ALRO SA	Clor	1/7/2017 4:59:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 4:59:42 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 4:59:41 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 4:59:40 AM	4	unit pH
SC ALRO SA	Substante organice	1/7/2017 4:55:13 AM	33	mg/l
SC ALRO SA	Cianuri	1/7/2017 4:55:12 AM	0	mg/l
SC ALRO SA	Clor	1/7/2017 4:54:27 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 4:54:26 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 4:54:25 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 4:54:24 AM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 4:49:23 AM	0	mg/l
SC ALRO SA	Clor	1/7/2017 4:49:22 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 4:49:21 AM	33	mg/l
SC ALRO SA	Grasimi	1/7/2017 4:48:42 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 4:48:41 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 4:48:40 AM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 4:44:21 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 4:44:20 AM	33	mg/l
SC ALRO SA	Clor	1/7/2017 4:43:31 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 4:43:30 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 4:43:29 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 4:43:28 AM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 4:38:40 AM	0	mg/l
SC ALRO SA	Clor	1/7/2017 4:38:30 AM	0	mg/l
SC ALRO SA	Cianuri	1/7/2017 4:38:21 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 4:37:50 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 4:37:40 AM	33	mg/l
SC ALRO SA	Clor	1/7/2017 4:37:37 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 4:37:36 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 4:37:35 AM	33	mg/l
SC ALRO SA	Temp	1/7/2017 4:37:34 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 4:37:33 AM	4	unit pH
SC ALRO SA	Temp	1/7/2017 4:37:00 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 4:36:50 AM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 4:32:06 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 4:32:05 AM	33	mg/l
SC ALRO SA	Clor	1/7/2017 4:32:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 4:32:02 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 4:32:01 AM	15	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/7/2017 4:32:00 AM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 4:27:22 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 4:27:21 AM	33	mg/l
SC ALRO SA	Clor	1/7/2017 4:26:39 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 4:26:38 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 4:26:37 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 4:26:36 AM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 4:21:06 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 4:21:05 AM	33	mg/l
SC ALRO SA	Clor	1/7/2017 4:21:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 4:21:02 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 4:21:01 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 4:21:00 AM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 4:17:50 AM	0	mg/l
SC ALRO SA	Clor	1/7/2017 4:17:40 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 4:17:00 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 4:16:50 AM	33	mg/l
SC ALRO SA	Temp	1/7/2017 4:16:30 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 4:16:20 AM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 4:16:06 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 4:16:05 AM	33	mg/l
SC ALRO SA	Clor	1/7/2017 4:16:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 4:16:02 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 4:16:01 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 4:16:00 AM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 4:11:21 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 4:11:20 AM	33	mg/l
SC ALRO SA	Clor	1/7/2017 4:10:29 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 4:10:28 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 4:10:27 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 4:10:26 AM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 4:05:05 AM	0	mg/l
SC ALRO SA	Clor	1/7/2017 4:05:04 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 4:05:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 4:05:02 AM	33	mg/l
SC ALRO SA	Temp	1/7/2017 4:05:01 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 4:05:00 AM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 4:00:21 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 4:00:20 AM	33	mg/l
SC ALRO SA	Clor	1/7/2017 3:59:29 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 3:59:28 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 3:59:27 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 3:59:26 AM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 3:56:50 AM	0	mg/l
SC ALRO SA	Clor	1/7/2017 3:56:40 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 3:56:10 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 3:56:00 AM	33	mg/l
SC ALRO SA	Temp	1/7/2017 3:55:50 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 3:55:40 AM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 3:54:05 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 3:54:04 AM	33	mg/l
SC ALRO SA	Clor	1/7/2017 3:54:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 3:54:02 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 3:54:01 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 3:54:00 AM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 3:49:21 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 3:49:20 AM	33	mg/l
SC ALRO SA	Clor	1/7/2017 3:48:29 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 3:48:28 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 3:48:27 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 3:48:26 AM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 3:43:05 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 3:43:04 AM	33	mg/l
SC ALRO SA	Clor	1/7/2017 3:43:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 3:43:02 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 3:43:01 AM	15	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/7/2017 3:43:00 AM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 3:38:01 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 3:38:00 AM	33	mg/l
SC ALRO SA	Clor	1/7/2017 3:37:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 3:37:22 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 3:37:21 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 3:37:20 AM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 3:36:30 AM	0	mg/l
SC ALRO SA	Clor	1/7/2017 3:35:40 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 3:35:00 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 3:34:50 AM	33	mg/l
SC ALRO SA	Temp	1/7/2017 3:34:40 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 3:34:30 AM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 3:32:07 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 3:32:04 AM	33	mg/l
SC ALRO SA	Clor	1/7/2017 3:32:02 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 3:32:01 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 3:32:00 AM	15	gradCels
SC ALRO SA	Cianuri	1/7/2017 3:27:07 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 3:27:06 AM	33	mg/l
SC ALRO SA	Clor	1/7/2017 3:26:24 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 3:26:23 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 3:26:22 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 3:26:21 AM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 3:21:11 AM	0	mg/l
SC ALRO SA	Clor	1/7/2017 3:21:10 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 3:21:09 AM	33	mg/l
SC ALRO SA	Grasimi	1/7/2017 3:21:02 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 3:21:01 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 3:21:00 AM	4	unit pH
SC ALRO SA	Substante organice	1/7/2017 3:16:07 AM	33	mg/l
SC ALRO SA	Cianuri	1/7/2017 3:16:06 AM	0	mg/l
SC ALRO SA	Clor	1/7/2017 3:15:24 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 3:15:23 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 3:15:22 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 3:15:21 AM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 3:14:30 AM	0	mg/l
SC ALRO SA	Clor	1/7/2017 3:13:40 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 3:13:00 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 3:12:50 AM	33	mg/l
SC ALRO SA	Temp	1/7/2017 3:12:40 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 3:12:30 AM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 3:10:09 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 3:10:08 AM	33	mg/l
SC ALRO SA	Clor	1/7/2017 3:10:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 3:10:02 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 3:10:01 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 3:10:00 AM	4	unit pH
SC ALRO SA	Cianuri	1/7/2017 3:05:08 AM	0	mg/l
SC ALRO SA	Clor	1/7/2017 3:04:25 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 3:04:24 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 3:04:23 AM	33	mg/l
SC ALRO SA	Temp	1/7/2017 3:04:22 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 3:04:21 AM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 2:59:26 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 2:59:25 AM	33	mg/l
SC ALRO SA	Clor	1/7/2017 2:58:42 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 2:58:41 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 2:58:40 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 2:58:39 AM	5	unit pH
SC ALRO SA	Clor	1/7/2017 2:54:08 AM	0	mg/l
SC ALRO SA	Cianuri	1/7/2017 2:54:07 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 2:54:06 AM	33	mg/l
SC ALRO SA	Grasimi	1/7/2017 2:53:24 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 2:53:23 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 2:53:22 AM	5	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Cianuri	1/7/2017 2:50:00 AM	0	mg/l
SC ALRO SA	Clor	1/7/2017 2:49:50 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 2:49:30 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 2:49:20 AM	33	mg/l
SC ALRO SA	Temp	1/7/2017 2:49:10 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 2:48:50 AM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 2:48:05 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 2:48:04 AM	33	mg/l
SC ALRO SA	Clor	1/7/2017 2:47:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 2:47:42 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 2:47:41 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 2:47:40 AM	5	unit pH
SC ALRO SA	Substante organice	1/7/2017 2:43:07 AM	33	mg/l
SC ALRO SA	Cianuri	1/7/2017 2:43:06 AM	0	mg/l
SC ALRO SA	Clor	1/7/2017 2:42:25 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 2:42:24 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 2:42:23 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 2:42:22 AM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 2:37:03 AM	0	mg/l
SC ALRO SA	Clor	1/7/2017 2:37:01 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 2:36:38 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 2:36:37 AM	33	mg/l
SC ALRO SA	Temp	1/7/2017 2:36:36 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 2:36:35 AM	5	unit pH
SC ALRO SA	Substante organice	1/7/2017 2:32:07 AM	33	mg/l
SC ALRO SA	Cianuri	1/7/2017 2:32:06 AM	0	mg/l
SC ALRO SA	Clor	1/7/2017 2:31:24 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 2:31:23 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 2:31:22 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 2:31:21 AM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 2:28:10 AM	0	mg/l
SC ALRO SA	Clor	1/7/2017 2:27:50 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 2:27:30 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 2:27:20 AM	33	mg/l
SC ALRO SA	Temp	1/7/2017 2:27:10 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 2:26:50 AM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 2:26:04 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 2:26:02 AM	33	mg/l
SC ALRO SA	Clor	1/7/2017 2:25:36 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 2:25:35 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 2:25:34 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 2:25:33 AM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 2:20:20 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 2:20:19 AM	33	mg/l
SC ALRO SA	Clor	1/7/2017 2:20:16 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 2:20:15 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 2:20:14 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 2:20:13 AM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 2:15:04 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 2:15:02 AM	33	mg/l
SC ALRO SA	Clor	1/7/2017 2:14:35 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 2:14:34 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 2:14:33 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 2:14:32 AM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 2:09:21 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 2:09:19 AM	33	mg/l
SC ALRO SA	Clor	1/7/2017 2:09:16 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 2:09:15 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 2:09:14 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 2:09:13 AM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 2:06:20 AM	0	mg/l
SC ALRO SA	Clor	1/7/2017 2:06:10 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 2:05:50 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 2:05:40 AM	33	mg/l
SC ALRO SA	Temp	1/7/2017 2:05:30 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 2:05:20 AM	5	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Cianuri	1/7/2017 2:04:02 AM	0	mg/l
SC ALRO SA	Clor	1/7/2017 2:03:39 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 2:03:38 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 2:03:37 AM	33	mg/l
SC ALRO SA	Temp	1/7/2017 2:03:36 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 2:03:35 AM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 1:58:21 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 1:58:20 AM	33	mg/l
SC ALRO SA	Clor	1/7/2017 1:58:15 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 1:58:14 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 1:58:13 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 1:58:12 AM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 1:53:04 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 1:53:03 AM	33	mg/l
SC ALRO SA	Clor	1/7/2017 1:52:36 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 1:52:35 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 1:52:34 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 1:52:33 AM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 1:47:30 AM	0	mg/l
SC ALRO SA	Cianuri	1/7/2017 1:47:26 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 1:47:25 AM	33	mg/l
SC ALRO SA	Clor	1/7/2017 1:47:16 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 1:47:15 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 1:47:14 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 1:47:13 AM	5	unit pH
SC ALRO SA	Clor	1/7/2017 1:46:40 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 1:46:10 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 1:45:50 AM	33	mg/l
SC ALRO SA	Temp	1/7/2017 1:45:40 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 1:45:30 AM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 1:42:04 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 1:42:03 AM	33	mg/l
SC ALRO SA	Clor	1/7/2017 1:41:36 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 1:41:35 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 1:41:34 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 1:41:33 AM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 1:36:06 AM	0	mg/l
SC ALRO SA	Clor	1/7/2017 1:35:59 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 1:35:58 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 1:35:57 AM	33	mg/l
SC ALRO SA	Temp	1/7/2017 1:35:56 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 1:35:55 AM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 1:31:04 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 1:31:03 AM	33	mg/l
SC ALRO SA	Clor	1/7/2017 1:30:36 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 1:30:35 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 1:30:34 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 1:30:33 AM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 1:26:50 AM	0	mg/l
SC ALRO SA	Clor	1/7/2017 1:26:40 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 1:26:20 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 1:25:40 AM	33	mg/l
SC ALRO SA	Temp	1/7/2017 1:25:30 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 1:25:21 AM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 1:25:05 AM	0	mg/l
SC ALRO SA	Clor	1/7/2017 1:25:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 1:25:01 AM	33	mg/l
SC ALRO SA	Grasimi	1/7/2017 1:24:54 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 1:24:53 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 1:24:52 AM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 1:20:04 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 1:20:03 AM	33	mg/l
SC ALRO SA	Clor	1/7/2017 1:19:36 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 1:19:35 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 1:19:34 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 1:19:33 AM	5	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Cianuri	1/7/2017 1:14:06 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 1:14:05 AM	33	mg/l
SC ALRO SA	Clor	1/7/2017 1:13:56 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 1:13:55 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 1:13:54 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 1:13:53 AM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 1:09:05 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 1:09:04 AM	33	mg/l
SC ALRO SA	Clor	1/7/2017 1:08:35 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 1:08:34 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 1:08:33 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 1:08:32 AM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 1:06:40 AM	0	mg/l
SC ALRO SA	Clor	1/7/2017 1:06:30 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 1:06:10 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 1:05:40 AM	33	mg/l
SC ALRO SA	Temp	1/7/2017 1:05:30 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 1:05:20 AM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 1:03:07 AM	0	mg/l
SC ALRO SA	Clor	1/7/2017 1:02:58 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 1:02:57 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 1:02:56 AM	33	mg/l
SC ALRO SA	Temp	1/7/2017 1:02:55 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 1:02:54 AM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 12:58:05 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 12:58:04 AM	33	mg/l
SC ALRO SA	Clor	1/7/2017 12:57:17 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 12:57:16 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 12:57:15 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 12:57:14 AM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 12:52:08 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 12:52:07 AM	33	mg/l
SC ALRO SA	Clor	1/7/2017 12:51:56 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 12:51:55 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 12:51:54 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 12:51:53 AM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 12:47:30 AM	0	mg/l
SC ALRO SA	Clor	1/7/2017 12:47:10 AM	0	mg/l
SC ALRO SA	Cianuri	1/7/2017 12:47:04 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 12:47:03 AM	33	mg/l
SC ALRO SA	Grasimi	1/7/2017 12:46:40 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 12:46:30 AM	33	mg/l
SC ALRO SA	Temp	1/7/2017 12:46:20 AM	15	gradCels
SC ALRO SA	Clor	1/7/2017 12:46:18 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 12:46:17 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 12:46:16 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 12:46:15 AM	5	unit pH
SC ALRO SA	pH	1/7/2017 12:45:50 AM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 12:41:05 AM	0	mg/l
SC ALRO SA	Clor	1/7/2017 12:41:04 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 12:41:03 AM	33	mg/l
SC ALRO SA	Grasimi	1/7/2017 12:40:45 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 12:40:44 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 12:40:42 AM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 12:36:04 AM	0	mg/l
SC ALRO SA	Clor	1/7/2017 12:35:21 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 12:35:20 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 12:35:19 AM	33	mg/l
SC ALRO SA	Temp	1/7/2017 12:35:18 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 12:35:17 AM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 12:30:04 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 12:30:02 AM	33	mg/l
SC ALRO SA	Clor	1/7/2017 12:29:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 12:29:42 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 12:29:41 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 12:29:40 AM	5	unit pH



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Cianuri	1/7/2017 12:27:00 AM	0	mg/l
SC ALRO SA	Clor	1/7/2017 12:26:50 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 12:26:30 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 12:26:20 AM	33	mg/l
SC ALRO SA	Temp	1/7/2017 12:26:10 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 12:25:50 AM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 12:25:01 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 12:25:00 AM	33	mg/l
SC ALRO SA	Clor	1/7/2017 12:24:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 12:24:22 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 12:24:21 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 12:24:20 AM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 12:19:04 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 12:19:03 AM	33	mg/l
SC ALRO SA	Clor	1/7/2017 12:18:56 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 12:18:55 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 12:18:54 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 12:18:53 AM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 12:14:01 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 12:14:00 AM	33	mg/l
SC ALRO SA	Clor	1/7/2017 12:13:28 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 12:13:27 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 12:13:26 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 12:13:25 AM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 12:08:06 AM	0	mg/l
SC ALRO SA	Clor	1/7/2017 12:07:53 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 12:07:52 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 12:07:51 AM	33	mg/l
SC ALRO SA	Temp	1/7/2017 12:07:50 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 12:07:49 AM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 12:05:50 AM	0	mg/l
SC ALRO SA	Clor	1/7/2017 12:05:40 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 12:05:20 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 12:05:10 AM	33	mg/l
SC ALRO SA	Temp	1/7/2017 12:04:50 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 12:04:40 AM	5	unit pH
SC ALRO SA	Cianuri	1/7/2017 12:02:17 AM	0	mg/l
SC ALRO SA	Substante organice	1/7/2017 12:02:16 AM	33	mg/l
SC ALRO SA	Clor	1/7/2017 12:02:10 AM	0	mg/l
SC ALRO SA	Grasimi	1/7/2017 12:02:09 AM	0	mg/l
SC ALRO SA	Temp	1/7/2017 12:02:08 AM	15	gradCels
SC ALRO SA	pH	1/7/2017 12:02:07 AM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 11:57:15 PM	0	mg/l
SC ALRO SA	Clor	1/6/2017 11:57:13 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 11:57:12 PM	33	mg/l
SC ALRO SA	Grasimi	1/6/2017 11:56:45 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 11:56:44 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 11:56:43 PM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 11:51:17 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 11:51:15 PM	33	mg/l
SC ALRO SA	Clor	1/6/2017 11:51:06 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 11:51:05 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 11:51:04 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 11:51:03 PM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 11:46:18 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 11:46:17 PM	33	mg/l
SC ALRO SA	Clor	1/6/2017 11:46:13 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 11:46:12 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 11:46:11 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 11:46:10 PM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 11:42:30 PM	0	mg/l
SC ALRO SA	Clor	1/6/2017 11:42:20 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 11:41:50 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 11:41:30 PM	33	mg/l
SC ALRO SA	Temp	1/6/2017 11:41:20 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 11:41:10 PM	5	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Cianuri	1/6/2017 11:41:02 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 11:41:01 PM	33	mg/l
SC ALRO SA	Clor	1/6/2017 11:40:53 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 11:40:52 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 11:40:51 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 11:40:50 PM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 11:35:17 PM	0	mg/l
SC ALRO SA	Clor	1/6/2017 11:35:14 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 11:35:13 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 11:35:12 PM	33	mg/l
SC ALRO SA	Temp	1/6/2017 11:35:11 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 11:35:10 PM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 11:30:12 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 11:30:07 PM	32	mg/l
SC ALRO SA	Clor	1/6/2017 11:29:27 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 11:29:26 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 11:29:25 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 11:29:24 PM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 11:24:27 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 11:24:26 PM	32	mg/l
SC ALRO SA	Clor	1/6/2017 11:24:07 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 11:24:06 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 11:24:05 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 11:24:04 PM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 11:20:40 PM	0	mg/l
SC ALRO SA	Clor	1/6/2017 11:20:30 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 11:20:10 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 11:19:50 PM	32	mg/l
SC ALRO SA	Temp	1/6/2017 11:19:20 PM	15	gradCels
SC ALRO SA	Cianuri	1/6/2017 11:19:10 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 11:19:08 PM	32	mg/l
SC ALRO SA	pH	1/6/2017 11:18:50 PM	5	unit pH
SC ALRO SA	Clor	1/6/2017 11:18:33 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 11:18:32 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 11:18:31 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 11:18:30 PM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 11:13:37 PM	0	mg/l
SC ALRO SA	Clor	1/6/2017 11:13:35 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 11:13:32 PM	32	mg/l
SC ALRO SA	Grasimi	1/6/2017 11:13:11 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 11:13:10 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 11:13:09 PM	5	unit pH
SC ALRO SA	Substante organice	1/6/2017 11:08:10 PM	32	mg/l
SC ALRO SA	Cianuri	1/6/2017 11:08:09 PM	0	mg/l
SC ALRO SA	Clor	1/6/2017 11:07:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 11:07:22 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 11:07:21 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 11:07:20 PM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 11:02:20 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 11:02:19 PM	32	mg/l
SC ALRO SA	Clor	1/6/2017 11:02:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 11:02:02 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 11:02:01 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 11:02:00 PM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 11:00:40 PM	0	mg/l
SC ALRO SA	Clor	1/6/2017 11:00:30 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 10:59:30 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 10:59:10 PM	32	mg/l
SC ALRO SA	Temp	1/6/2017 10:59:00 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 10:58:50 PM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 10:57:04 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 10:57:03 PM	32	mg/l
SC ALRO SA	Clor	1/6/2017 10:56:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 10:56:22 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 10:56:21 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 10:56:20 PM	5	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Cianuri	1/6/2017 10:51:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 10:51:22 PM	32	mg/l
SC ALRO SA	Clor	1/6/2017 10:51:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 10:51:02 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 10:51:01 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 10:51:00 PM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 10:46:04 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 10:46:03 PM	32	mg/l
SC ALRO SA	Clor	1/6/2017 10:45:27 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 10:45:26 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 10:45:25 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 10:45:24 PM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 10:40:30 PM	0	mg/l
SC ALRO SA	Cianuri	1/6/2017 10:40:22 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 10:40:21 PM	32	mg/l
SC ALRO SA	Clor	1/6/2017 10:40:13 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 10:40:12 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 10:40:11 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 10:40:10 PM	5	unit pH
SC ALRO SA	Clor	1/6/2017 10:39:40 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 10:39:10 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 10:38:50 PM	32	mg/l
SC ALRO SA	Temp	1/6/2017 10:38:40 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 10:38:30 PM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 10:35:04 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 10:35:03 PM	32	mg/l
SC ALRO SA	Clor	1/6/2017 10:34:27 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 10:34:26 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 10:34:25 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 10:34:24 PM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 10:29:14 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 10:29:13 PM	32	mg/l
SC ALRO SA	Clor	1/6/2017 10:29:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 10:29:02 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 10:29:01 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 10:29:00 PM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 10:24:14 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 10:24:13 PM	32	mg/l
SC ALRO SA	Clor	1/6/2017 10:23:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 10:23:22 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 10:23:21 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 10:23:20 PM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 10:19:10 PM	0	mg/l
SC ALRO SA	Clor	1/6/2017 10:18:40 PM	0	mg/l
SC ALRO SA	Cianuri	1/6/2017 10:18:11 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 10:18:10 PM	32	mg/l
SC ALRO SA	Clor	1/6/2017 10:18:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 10:18:02 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 10:18:01 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 10:18:00 PM	5	unit pH
SC ALRO SA	Grasimi	1/6/2017 10:17:40 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 10:17:30 PM	32	mg/l
SC ALRO SA	Temp	1/6/2017 10:16:50 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 10:16:40 PM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 10:13:14 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 10:13:13 PM	32	mg/l
SC ALRO SA	Clor	1/6/2017 10:12:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 10:12:22 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 10:12:21 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 10:12:20 PM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 10:07:13 PM	0	mg/l
SC ALRO SA	Clor	1/6/2017 10:07:04 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 10:07:03 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 10:07:02 PM	32	mg/l
SC ALRO SA	Temp	1/6/2017 10:07:01 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 10:07:00 PM	5	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Cianuri	1/6/2017 10:02:05 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 10:02:04 PM	32	mg/l
SC ALRO SA	Clor	1/6/2017 10:01:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 10:01:22 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 10:01:21 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 10:01:20 PM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 9:56:40 PM	0	mg/l
SC ALRO SA	Clor	1/6/2017 9:56:30 PM	0	mg/l
SC ALRO SA	Cianuri	1/6/2017 9:56:05 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 9:56:04 PM	32	mg/l
SC ALRO SA	Clor	1/6/2017 9:55:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 9:55:42 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 9:55:41 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 9:55:40 PM	5	unit pH
SC ALRO SA	Grasimi	1/6/2017 9:55:30 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 9:55:20 PM	32	mg/l
SC ALRO SA	Temp	1/6/2017 9:55:10 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 9:54:50 PM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 9:51:05 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 9:51:03 PM	32	mg/l
SC ALRO SA	Clor	1/6/2017 9:50:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 9:50:22 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 9:50:21 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 9:50:20 PM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 9:45:07 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 9:45:06 PM	32	mg/l
SC ALRO SA	Clor	1/6/2017 9:44:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 9:44:42 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 9:44:41 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 9:44:40 PM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 9:40:03 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 9:40:01 PM	32	mg/l
SC ALRO SA	Clor	1/6/2017 9:39:48 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 9:39:47 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 9:39:46 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 9:39:45 PM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 9:35:01 PM	0	mg/l
SC ALRO SA	Cianuri	1/6/2017 9:34:40 PM	0	mg/l
SC ALRO SA	Clor	1/6/2017 9:34:30 PM	0	mg/l
SC ALRO SA	Clor	1/6/2017 9:34:10 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 9:34:09 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 9:34:08 PM	32	mg/l
SC ALRO SA	Temp	1/6/2017 9:34:07 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 9:34:06 PM	5	unit pH
SC ALRO SA	Grasimi	1/6/2017 9:33:40 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 9:33:30 PM	32	mg/l
SC ALRO SA	Temp	1/6/2017 9:33:20 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 9:33:10 PM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 9:29:05 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 9:29:04 PM	32	mg/l
SC ALRO SA	Clor	1/6/2017 9:28:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 9:28:42 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 9:28:41 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 9:28:40 PM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 9:24:03 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 9:24:02 PM	32	mg/l
SC ALRO SA	Clor	1/6/2017 9:23:14 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 9:23:13 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 9:23:12 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 9:23:11 PM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 9:18:07 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 9:18:06 PM	32	mg/l
SC ALRO SA	Clor	1/6/2017 9:17:52 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 9:17:51 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 9:17:50 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 9:17:49 PM	5	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Cianuri	1/6/2017 9:13:03 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 9:13:01 PM	32	mg/l
SC ALRO SA	Cianuri	1/6/2017 9:12:40 PM	0	mg/l
SC ALRO SA	Clor	1/6/2017 9:12:30 PM	0	mg/l
SC ALRO SA	Clor	1/6/2017 9:12:18 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 9:12:17 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 9:12:16 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 9:12:15 PM	5	unit pH
SC ALRO SA	Grasimi	1/6/2017 9:11:40 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 9:11:30 PM	32	mg/l
SC ALRO SA	Temp	1/6/2017 9:11:20 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 9:11:10 PM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 9:07:03 PM	0	mg/l
SC ALRO SA	Clor	1/6/2017 9:06:53 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 9:06:52 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 9:06:51 PM	32	mg/l
SC ALRO SA	Temp	1/6/2017 9:06:50 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 9:06:49 PM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 9:02:04 PM	0	mg/l
SC ALRO SA	Clor	1/6/2017 9:02:03 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 9:02:02 PM	32	mg/l
SC ALRO SA	Grasimi	1/6/2017 9:01:10 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 9:01:09 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 9:01:08 PM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 8:56:05 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 8:56:04 PM	32	mg/l
SC ALRO SA	Clor	1/6/2017 8:55:47 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 8:55:46 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 8:55:45 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 8:55:44 PM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 8:50:30 PM	0	mg/l
SC ALRO SA	Cianuri	1/6/2017 8:50:20 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 8:50:19 PM	32	mg/l
SC ALRO SA	Clor	1/6/2017 8:50:08 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 8:50:07 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 8:50:06 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 8:50:05 PM	5	unit pH
SC ALRO SA	Clor	1/6/2017 8:49:50 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 8:49:20 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 8:49:10 PM	32	mg/l
SC ALRO SA	Temp	1/6/2017 8:48:50 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 8:48:40 PM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 8:45:05 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 8:45:04 PM	32	mg/l
SC ALRO SA	Clor	1/6/2017 8:44:47 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 8:44:46 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 8:44:45 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 8:44:44 PM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 8:39:20 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 8:39:19 PM	32	mg/l
SC ALRO SA	Clor	1/6/2017 8:39:07 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 8:39:06 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 8:39:05 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 8:39:04 PM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 8:34:03 PM	0	mg/l
SC ALRO SA	Clor	1/6/2017 8:33:48 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 8:33:47 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 8:33:46 PM	32	mg/l
SC ALRO SA	Temp	1/6/2017 8:33:45 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 8:33:44 PM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 8:28:20 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 8:28:19 PM	32	mg/l
SC ALRO SA	Clor	1/6/2017 8:28:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 8:28:02 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 8:28:01 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 8:28:00 PM	6	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Cianuri	1/6/2017 8:27:10 PM	0	mg/l
SC ALRO SA	Clor	1/6/2017 8:26:40 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 8:25:40 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 8:25:30 PM	32	mg/l
SC ALRO SA	Temp	1/6/2017 8:24:50 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 8:24:30 PM	6	unit pH
SC ALRO SA	Cianuri	1/6/2017 8:23:03 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 8:23:02 PM	32	mg/l
SC ALRO SA	Clor	1/6/2017 8:22:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 8:22:42 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 8:22:41 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 8:22:40 PM	6	unit pH
SC ALRO SA	Cianuri	1/6/2017 8:17:20 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 8:17:19 PM	32	mg/l
SC ALRO SA	Clor	1/6/2017 8:17:07 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 8:17:06 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 8:17:05 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 8:17:04 PM	6	unit pH
SC ALRO SA	Cianuri	1/6/2017 8:12:03 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 8:12:01 PM	32	mg/l
SC ALRO SA	Clor	1/6/2017 8:11:27 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 8:11:26 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 8:11:25 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 8:11:24 PM	6	unit pH
SC ALRO SA	Cianuri	1/6/2017 8:06:17 PM	0	mg/l
SC ALRO SA	Clor	1/6/2017 8:06:04 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 8:06:03 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 8:06:02 PM	32	mg/l
SC ALRO SA	Temp	1/6/2017 8:06:01 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 8:06:00 PM	6	unit pH
SC ALRO SA	Cianuri	1/6/2017 8:02:50 PM	0	mg/l
SC ALRO SA	Clor	1/6/2017 8:02:40 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 8:02:20 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 8:02:10 PM	31	mg/l
SC ALRO SA	Temp	1/6/2017 8:01:40 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 8:01:30 PM	6	unit pH
SC ALRO SA	Cianuri	1/6/2017 8:01:03 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 8:01:02 PM	31	mg/l
SC ALRO SA	Clor	1/6/2017 8:00:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 8:00:22 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 8:00:21 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 8:00:20 PM	6	unit pH
SC ALRO SA	Cianuri	1/6/2017 7:55:16 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 7:55:15 PM	31	mg/l
SC ALRO SA	Clor	1/6/2017 7:55:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 7:55:02 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 7:55:01 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 7:55:00 PM	6	unit pH
SC ALRO SA	Cianuri	1/6/2017 7:50:04 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 7:50:02 PM	31	mg/l
SC ALRO SA	Clor	1/6/2017 7:49:27 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 7:49:24 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 7:49:23 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 7:49:21 PM	6	unit pH
SC ALRO SA	Cianuri	1/6/2017 7:44:06 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 7:44:05 PM	31	mg/l
SC ALRO SA	Clor	1/6/2017 7:43:47 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 7:43:46 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 7:43:45 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 7:43:44 PM	6	unit pH
SC ALRO SA	Cianuri	1/6/2017 7:41:20 PM	0	mg/l
SC ALRO SA	Clor	1/6/2017 7:41:10 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 7:40:40 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 7:40:30 PM	31	mg/l
SC ALRO SA	Temp	1/6/2017 7:40:20 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 7:39:40 PM	7	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Cianuri	1/6/2017 7:39:03 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 7:39:01 PM	31	mg/l
SC ALRO SA	Clor	1/6/2017 7:38:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 7:38:22 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 7:38:21 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 7:38:20 PM	7	unit pH
SC ALRO SA	Cianuri	1/6/2017 7:33:02 PM	0	mg/l
SC ALRO SA	Clor	1/6/2017 7:32:49 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 7:32:48 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 7:32:47 PM	31	mg/l
SC ALRO SA	Temp	1/6/2017 7:32:46 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 7:32:45 PM	7	unit pH
SC ALRO SA	Substante organice	1/6/2017 7:28:03 PM	32	mg/l
SC ALRO SA	Cianuri	1/6/2017 7:28:02 PM	0	mg/l
SC ALRO SA	Clor	1/6/2017 7:27:12 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 7:27:11 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 7:27:10 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 7:27:09 PM	6	unit pH
SC ALRO SA	Cianuri	1/6/2017 7:22:30 PM	0	mg/l
SC ALRO SA	Clor	1/6/2017 7:22:20 PM	0	mg/l
SC ALRO SA	Cianuri	1/6/2017 7:22:04 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 7:22:03 PM	32	mg/l
SC ALRO SA	Clor	1/6/2017 7:21:47 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 7:21:46 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 7:21:45 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 7:21:44 PM	6	unit pH
SC ALRO SA	Grasimi	1/6/2017 7:21:20 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 7:21:10 PM	32	mg/l
SC ALRO SA	Temp	1/6/2017 7:20:50 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 7:20:20 PM	6	unit pH
SC ALRO SA	Cianuri	1/6/2017 7:17:05 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 7:17:04 PM	32	mg/l
SC ALRO SA	Clor	1/6/2017 7:16:09 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 7:16:08 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 7:16:07 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 7:16:06 PM	6	unit pH
SC ALRO SA	Cianuri	1/6/2017 7:11:05 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 7:11:04 PM	32	mg/l
SC ALRO SA	Clor	1/6/2017 7:10:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 7:10:42 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 7:10:41 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 7:10:40 PM	7	unit pH
SC ALRO SA	Cianuri	1/6/2017 7:06:02 PM	0	mg/l
SC ALRO SA	Clor	1/6/2017 7:05:10 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 7:05:09 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 7:05:08 PM	32	mg/l
SC ALRO SA	Temp	1/6/2017 7:05:07 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 7:05:06 PM	6	unit pH
SC ALRO SA	Cianuri	1/6/2017 7:01:50 PM	0	mg/l
SC ALRO SA	Clor	1/6/2017 7:01:40 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 7:01:00 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 7:00:50 PM	32	mg/l
SC ALRO SA	Temp	1/6/2017 7:00:40 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 7:00:30 PM	7	unit pH
SC ALRO SA	Cianuri	1/6/2017 7:00:04 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 7:00:02 PM	32	mg/l
SC ALRO SA	Clor	1/6/2017 6:59:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 6:59:42 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 6:59:41 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 6:59:40 PM	7	unit pH
SC ALRO SA	Cianuri	1/6/2017 6:55:03 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 6:55:01 PM	32	mg/l
SC ALRO SA	Clor	1/6/2017 6:54:09 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 6:54:08 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 6:54:07 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 6:54:06 PM	6	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Cianuri	1/6/2017 6:49:08 PM	0	mg/l
SC ALRO SA	Clor	1/6/2017 6:49:07 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 6:49:06 PM	32	mg/l
SC ALRO SA	Grasimi	1/6/2017 6:48:42 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 6:48:41 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 6:48:40 PM	6	unit pH
SC ALRO SA	Cianuri	1/6/2017 6:43:07 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 6:43:06 PM	32	mg/l
SC ALRO SA	Clor	1/6/2017 6:43:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 6:43:02 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 6:43:01 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 6:43:00 PM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 6:41:50 PM	0	mg/l
SC ALRO SA	Clor	1/6/2017 6:41:40 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 6:40:50 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 6:40:40 PM	32	mg/l
SC ALRO SA	Temp	1/6/2017 6:40:30 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 6:40:10 PM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 6:38:03 PM	0	mg/l
SC ALRO SA	Clor	1/6/2017 6:37:29 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 6:37:28 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 6:37:27 PM	32	mg/l
SC ALRO SA	Temp	1/6/2017 6:37:26 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 6:37:25 PM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 6:32:07 PM	0	mg/l
SC ALRO SA	Clor	1/6/2017 6:32:06 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 6:32:05 PM	32	mg/l
SC ALRO SA	Grasimi	1/6/2017 6:32:02 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 6:32:01 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 6:32:00 PM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 6:27:05 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 6:27:04 PM	32	mg/l
SC ALRO SA	Clor	1/6/2017 6:26:27 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 6:26:26 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 6:26:25 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 6:26:24 PM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 6:22:50 PM	0	mg/l
SC ALRO SA	Clor	1/6/2017 6:22:20 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 6:21:50 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 6:21:40 PM	32	mg/l
SC ALRO SA	Temp	1/6/2017 6:21:30 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 6:21:20 PM	5	unit pH
SC ALRO SA	Substante organice	1/6/2017 6:21:07 PM	32	mg/l
SC ALRO SA	Cianuri	1/6/2017 6:21:06 PM	0	mg/l
SC ALRO SA	Clor	1/6/2017 6:21:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 6:21:02 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 6:21:01 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 6:21:00 PM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 6:16:05 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 6:16:04 PM	32	mg/l
SC ALRO SA	Clor	1/6/2017 6:15:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 6:15:22 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 6:15:21 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 6:15:20 PM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 6:10:05 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 6:10:04 PM	32	mg/l
SC ALRO SA	Clor	1/6/2017 6:10:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 6:10:02 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 6:10:01 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 6:10:00 PM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 6:05:04 PM	0	mg/l
SC ALRO SA	Clor	1/6/2017 6:05:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 6:04:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 6:04:22 PM	32	mg/l
SC ALRO SA	Temp	1/6/2017 6:04:21 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 6:04:20 PM	5	unit pH



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Cianuri	1/6/2017 6:02:10 PM	0	mg/l
SC ALRO SA	Clor	1/6/2017 6:01:50 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 6:01:20 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 6:01:10 PM	32	mg/l
SC ALRO SA	Temp	1/6/2017 6:00:50 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 6:00:20 PM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 5:59:05 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 5:59:04 PM	32	mg/l
SC ALRO SA	Clor	1/6/2017 5:59:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 5:59:02 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 5:59:01 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 5:59:00 PM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 5:54:05 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 5:54:04 PM	32	mg/l
SC ALRO SA	Clor	1/6/2017 5:53:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 5:53:22 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 5:53:21 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 5:53:20 PM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 5:48:05 PM	0	mg/l
SC ALRO SA	Clor	1/6/2017 5:48:04 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 5:48:03 PM	32	mg/l
SC ALRO SA	Grasimi	1/6/2017 5:48:02 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 5:48:01 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 5:48:00 PM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 5:43:06 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 5:43:05 PM	32	mg/l
SC ALRO SA	Clor	1/6/2017 5:42:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 5:42:22 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 5:42:21 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 5:42:20 PM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 5:39:30 PM	0	mg/l
SC ALRO SA	Clor	1/6/2017 5:39:20 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 5:38:50 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 5:38:20 PM	32	mg/l
SC ALRO SA	Temp	1/6/2017 5:38:10 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 5:37:50 PM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 5:37:07 PM	0	mg/l
SC ALRO SA	Clor	1/6/2017 5:36:44 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 5:36:43 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 5:36:42 PM	32	mg/l
SC ALRO SA	Temp	1/6/2017 5:36:41 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 5:36:40 PM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 5:32:07 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 5:32:06 PM	32	mg/l
SC ALRO SA	Clor	1/6/2017 5:31:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 5:31:22 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 5:31:21 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 5:31:20 PM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 5:26:08 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 5:26:07 PM	32	mg/l
SC ALRO SA	Clor	1/6/2017 5:25:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 5:25:42 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 5:25:41 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 5:25:40 PM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 5:21:06 PM	0	mg/l
SC ALRO SA	Clor	1/6/2017 5:21:05 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 5:21:04 PM	32	mg/l
SC ALRO SA	Grasimi	1/6/2017 5:20:22 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 5:20:21 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 5:20:20 PM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 5:17:50 PM	0	mg/l
SC ALRO SA	Clor	1/6/2017 5:17:20 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 5:16:50 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 5:16:20 PM	32	mg/l
SC ALRO SA	Temp	1/6/2017 5:16:10 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 5:15:50 PM	5	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	1/6/2017 5:15:12 PM	32	mg/l
SC ALRO SA	Cianuri	1/6/2017 5:15:11 PM	0	mg/l
SC ALRO SA	Clor	1/6/2017 5:14:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 5:14:42 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 5:14:41 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 5:14:40 PM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 5:10:08 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 5:10:07 PM	32	mg/l
SC ALRO SA	Clor	1/6/2017 5:09:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 5:09:22 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 5:09:21 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 5:09:20 PM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 5:04:21 PM	0	mg/l
SC ALRO SA	Clor	1/6/2017 5:03:44 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 5:03:43 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 5:03:42 PM	32	mg/l
SC ALRO SA	Temp	1/6/2017 5:03:41 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 5:03:40 PM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 5:01:53 PM	0	mg/l
SC ALRO SA	Clor	1/6/2017 5:01:52 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 5:01:51 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 5:01:50 PM	31	mg/l
SC ALRO SA	Temp	1/6/2017 5:01:49 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 5:01:48 PM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 4:59:07 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 4:59:05 PM	31	mg/l
SC ALRO SA	Clor	1/6/2017 4:58:06 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 4:58:05 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 4:58:04 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 4:58:03 PM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 4:55:20 PM	0	mg/l
SC ALRO SA	Clor	1/6/2017 4:55:10 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 4:54:40 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 4:54:30 PM	31	mg/l
SC ALRO SA	Temp	1/6/2017 4:54:10 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 4:54:00 PM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 4:53:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 4:53:21 PM	31	mg/l
SC ALRO SA	Clor	1/6/2017 4:52:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 4:52:42 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 4:52:41 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 4:52:40 PM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 4:48:09 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 4:48:07 PM	31	mg/l
SC ALRO SA	Clor	1/6/2017 4:47:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 4:47:02 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 4:47:01 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 4:47:00 PM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 4:42:24 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 4:42:23 PM	31	mg/l
SC ALRO SA	Clor	1/6/2017 4:41:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 4:41:42 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 4:41:41 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 4:41:40 PM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 4:36:05 PM	0	mg/l
SC ALRO SA	Clor	1/6/2017 4:36:04 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 4:36:03 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 4:36:02 PM	31	mg/l
SC ALRO SA	Temp	1/6/2017 4:36:01 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 4:36:00 PM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 4:35:10 PM	0	mg/l
SC ALRO SA	Clor	1/6/2017 4:34:50 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 4:33:40 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 4:33:30 PM	31	mg/l
SC ALRO SA	Temp	1/6/2017 4:33:10 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 4:32:50 PM	5	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Cianuri	1/6/2017 4:31:08 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 4:31:06 PM	31	mg/l
SC ALRO SA	Clor	1/6/2017 4:30:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 4:30:42 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 4:30:41 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 4:30:40 PM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 4:25:05 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 4:25:04 PM	31	mg/l
SC ALRO SA	Clor	1/6/2017 4:25:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 4:25:02 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 4:25:01 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 4:25:00 PM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 4:20:25 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 4:20:24 PM	31	mg/l
SC ALRO SA	Clor	1/6/2017 4:19:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 4:19:22 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 4:19:21 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 4:19:20 PM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 4:14:50 PM	0	mg/l
SC ALRO SA	Clor	1/6/2017 4:14:40 PM	0	mg/l
SC ALRO SA	Cianuri	1/6/2017 4:14:05 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 4:14:04 PM	31	mg/l
SC ALRO SA	Clor	1/6/2017 4:14:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 4:14:02 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 4:14:01 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 4:14:00 PM	5	unit pH
SC ALRO SA	Grasimi	1/6/2017 4:13:30 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 4:13:20 PM	31	mg/l
SC ALRO SA	Temp	1/6/2017 4:13:10 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 4:12:40 PM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 4:09:06 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 4:09:05 PM	31	mg/l
SC ALRO SA	Clor	1/6/2017 4:08:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 4:08:22 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 4:08:21 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 4:08:20 PM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 4:03:05 PM	0	mg/l
SC ALRO SA	Clor	1/6/2017 4:03:04 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 4:03:03 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 4:03:02 PM	31	mg/l
SC ALRO SA	Temp	1/6/2017 4:03:01 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 4:03:00 PM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 3:58:14 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 3:58:13 PM	31	mg/l
SC ALRO SA	Clor	1/6/2017 3:57:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 3:57:22 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 3:57:21 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 3:57:20 PM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 3:53:50 PM	0	mg/l
SC ALRO SA	Clor	1/6/2017 3:53:30 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 3:53:10 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 3:52:40 PM	31	mg/l
SC ALRO SA	Temp	1/6/2017 3:52:30 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 3:52:10 PM	4	unit pH
SC ALRO SA	Grasimi	1/6/2017 3:52:05 PM	0	mg/l
SC ALRO SA	Cianuri	1/6/2017 3:52:04 PM	0	mg/l
SC ALRO SA	Clor	1/6/2017 3:52:03 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 3:52:02 PM	31	mg/l
SC ALRO SA	Temp	1/6/2017 3:52:01 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 3:52:00 PM	4	unit pH
SC ALRO SA	Cianuri	1/6/2017 3:47:14 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 3:47:13 PM	31	mg/l
SC ALRO SA	Clor	1/6/2017 3:46:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 3:46:22 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 3:46:21 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 3:46:20 PM	4	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Cianuri	1/6/2017 3:42:09 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 3:42:08 PM	31	mg/l
SC ALRO SA	Clor	1/6/2017 3:41:28 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 3:41:27 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 3:41:26 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 3:41:25 PM	4	unit pH
SC ALRO SA	Cianuri	1/6/2017 3:36:02 PM	0	mg/l
SC ALRO SA	Clor	1/6/2017 3:36:01 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 3:35:48 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 3:35:47 PM	31	mg/l
SC ALRO SA	Temp	1/6/2017 3:35:46 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 3:35:45 PM	4	unit pH
SC ALRO SA	Cianuri	1/6/2017 3:32:40 PM	0	mg/l
SC ALRO SA	Clor	1/6/2017 3:32:30 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 3:32:10 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 3:31:50 PM	32	mg/l
SC ALRO SA	Temp	1/6/2017 3:31:20 PM	15	gradCels
SC ALRO SA	Cianuri	1/6/2017 3:31:09 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 3:31:08 PM	32	mg/l
SC ALRO SA	pH	1/6/2017 3:30:40 PM	4	unit pH
SC ALRO SA	Clor	1/6/2017 3:30:28 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 3:30:27 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 3:30:26 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 3:30:25 PM	4	unit pH
SC ALRO SA	Cianuri	1/6/2017 3:25:06 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 3:25:05 PM	32	mg/l
SC ALRO SA	Clor	1/6/2017 3:24:47 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 3:24:46 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 3:24:45 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 3:24:44 PM	4	unit pH
SC ALRO SA	Cianuri	1/6/2017 3:20:05 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 3:20:04 PM	32	mg/l
SC ALRO SA	Clor	1/6/2017 3:19:28 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 3:19:27 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 3:19:26 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 3:19:25 PM	4	unit pH
SC ALRO SA	Cianuri	1/6/2017 3:14:05 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 3:14:04 PM	32	mg/l
SC ALRO SA	Clor	1/6/2017 3:13:48 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 3:13:47 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 3:13:46 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 3:13:45 PM	4	unit pH
SC ALRO SA	Cianuri	1/6/2017 3:10:30 PM	0	mg/l
SC ALRO SA	Clor	1/6/2017 3:10:20 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 3:09:50 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 3:09:20 PM	32	mg/l
SC ALRO SA	Temp	1/6/2017 3:09:10 PM	15	gradCels
SC ALRO SA	Cianuri	1/6/2017 3:09:05 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 3:09:04 PM	32	mg/l
SC ALRO SA	pH	1/6/2017 3:08:50 PM	4	unit pH
SC ALRO SA	Clor	1/6/2017 3:08:28 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 3:08:27 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 3:08:26 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 3:08:25 PM	4	unit pH
SC ALRO SA	Cianuri	1/6/2017 3:02:58 PM	0	mg/l
SC ALRO SA	Clor	1/6/2017 3:02:49 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 3:02:48 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 3:02:47 PM	32	mg/l
SC ALRO SA	Temp	1/6/2017 3:02:46 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 3:02:45 PM	4	unit pH
SC ALRO SA	Cianuri	1/6/2017 2:58:05 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 2:58:04 PM	32	mg/l
SC ALRO SA	Clor	1/6/2017 2:57:08 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 2:57:07 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 2:57:06 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 2:57:05 PM	4	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Cianuri	1/6/2017 2:52:05 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 2:52:04 PM	32	mg/l
SC ALRO SA	Clor	1/6/2017 2:51:48 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 2:51:47 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 2:51:46 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 2:51:45 PM	4	unit pH
SC ALRO SA	Cianuri	1/6/2017 2:48:50 PM	0	mg/l
SC ALRO SA	Clor	1/6/2017 2:48:30 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 2:48:10 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 2:47:50 PM	32	mg/l
SC ALRO SA	Temp	1/6/2017 2:47:20 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 2:47:10 PM	4	unit pH
SC ALRO SA	Cianuri	1/6/2017 2:47:05 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 2:47:04 PM	32	mg/l
SC ALRO SA	Clor	1/6/2017 2:46:08 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 2:46:07 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 2:46:06 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 2:46:05 PM	4	unit pH
SC ALRO SA	Cianuri	1/6/2017 2:41:05 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 2:41:04 PM	32	mg/l
SC ALRO SA	Clor	1/6/2017 2:40:48 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 2:40:47 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 2:40:46 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 2:40:45 PM	4	unit pH
SC ALRO SA	Cianuri	1/6/2017 2:36:04 PM	0	mg/l
SC ALRO SA	Clor	1/6/2017 2:36:03 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 2:36:02 PM	32	mg/l
SC ALRO SA	Grasimi	1/6/2017 2:35:09 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 2:35:08 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 2:35:07 PM	4	unit pH
SC ALRO SA	Cianuri	1/6/2017 2:30:05 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 2:30:03 PM	32	mg/l
SC ALRO SA	Clor	1/6/2017 2:29:47 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 2:29:46 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 2:29:45 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 2:29:44 PM	4	unit pH
SC ALRO SA	Cianuri	1/6/2017 2:27:50 PM	0	mg/l
SC ALRO SA	Clor	1/6/2017 2:27:30 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 2:26:20 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 2:26:10 PM	32	mg/l
SC ALRO SA	Temp	1/6/2017 2:25:50 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 2:25:20 PM	4	unit pH
SC ALRO SA	Cianuri	1/6/2017 2:25:03 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 2:25:01 PM	32	mg/l
SC ALRO SA	Clor	1/6/2017 2:24:13 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 2:24:12 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 2:24:11 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 2:24:10 PM	4	unit pH
SC ALRO SA	Cianuri	1/6/2017 2:19:04 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 2:19:02 PM	32	mg/l
SC ALRO SA	Clor	1/6/2017 2:18:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 2:18:42 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 2:18:41 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 2:18:40 PM	4	unit pH
SC ALRO SA	Cianuri	1/6/2017 2:13:12 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 2:13:11 PM	32	mg/l
SC ALRO SA	Clor	1/6/2017 2:13:08 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 2:13:07 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 2:13:06 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 2:13:05 PM	4	unit pH
SC ALRO SA	Cianuri	1/6/2017 2:08:13 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 2:08:12 PM	32	mg/l
SC ALRO SA	Clor	1/6/2017 2:08:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 2:08:02 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 2:08:01 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 2:08:00 PM	4	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Cianuri	1/6/2017 2:03:50 PM	0	mg/l
SC ALRO SA	Clor	1/6/2017 2:03:40 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 2:03:20 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 2:03:10 PM	32	mg/l
SC ALRO SA	Cianuri	1/6/2017 2:03:01 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 2:02:50 PM	15	gradCels
SC ALRO SA	Clor	1/6/2017 2:02:44 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 2:02:43 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 2:02:42 PM	32	mg/l
SC ALRO SA	Temp	1/6/2017 2:02:41 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 2:02:40 PM	4	unit pH
SC ALRO SA	pH	1/6/2017 2:02:20 PM	4	unit pH
SC ALRO SA	Cianuri	1/6/2017 1:57:13 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 1:57:11 PM	32	mg/l
SC ALRO SA	Clor	1/6/2017 1:57:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 1:57:02 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 1:57:01 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 1:57:00 PM	4	unit pH
SC ALRO SA	Cianuri	1/6/2017 1:52:03 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 1:52:02 PM	32	mg/l
SC ALRO SA	Clor	1/6/2017 1:51:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 1:51:22 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 1:51:21 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 1:51:20 PM	4	unit pH
SC ALRO SA	Cianuri	1/6/2017 1:46:13 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 1:46:12 PM	32	mg/l
SC ALRO SA	Clor	1/6/2017 1:46:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 1:46:02 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 1:46:01 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 1:46:00 PM	4	unit pH
SC ALRO SA	Cianuri	1/6/2017 1:41:20 PM	0	mg/l
SC ALRO SA	Cianuri	1/6/2017 1:41:09 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 1:41:08 PM	32	mg/l
SC ALRO SA	Clor	1/6/2017 1:40:40 PM	0	mg/l
SC ALRO SA	Clor	1/6/2017 1:40:27 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 1:40:26 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 1:40:25 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 1:40:24 PM	4	unit pH
SC ALRO SA	Grasimi	1/6/2017 1:39:30 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 1:39:20 PM	32	mg/l
SC ALRO SA	Temp	1/6/2017 1:39:10 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 1:38:50 PM	4	unit pH
SC ALRO SA	Cianuri	1/6/2017 1:35:05 PM	0	mg/l
SC ALRO SA	Clor	1/6/2017 1:34:49 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 1:34:48 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 1:34:47 PM	32	mg/l
SC ALRO SA	Temp	1/6/2017 1:34:46 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 1:34:45 PM	4	unit pH
SC ALRO SA	Substante organice	1/6/2017 1:30:09 PM	32	mg/l
SC ALRO SA	Cianuri	1/6/2017 1:30:08 PM	0	mg/l
SC ALRO SA	Clor	1/6/2017 1:29:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 1:29:22 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 1:29:21 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 1:29:20 PM	4	unit pH
SC ALRO SA	Cianuri	1/6/2017 1:24:09 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 1:24:08 PM	32	mg/l
SC ALRO SA	Clor	1/6/2017 1:23:47 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 1:23:46 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 1:23:45 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 1:23:44 PM	4	unit pH
SC ALRO SA	Cianuri	1/6/2017 1:19:09 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 1:19:07 PM	32	mg/l
SC ALRO SA	Clor	1/6/2017 1:18:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 1:18:22 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 1:18:21 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 1:18:20 PM	4	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Cianuri	1/6/2017 1:16:30 PM	0	mg/l
SC ALRO SA	Clor	1/6/2017 1:15:50 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 1:15:30 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 1:15:10 PM	32	mg/l
SC ALRO SA	Temp	1/6/2017 1:14:40 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 1:14:30 PM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 1:13:04 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 1:13:03 PM	32	mg/l
SC ALRO SA	Clor	1/6/2017 1:12:52 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 1:12:51 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 1:12:50 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 1:12:49 PM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 1:08:09 PM	0	mg/l
SC ALRO SA	Clor	1/6/2017 1:07:13 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 1:07:12 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 1:07:11 PM	32	mg/l
SC ALRO SA	Temp	1/6/2017 1:07:10 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 1:07:09 PM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 1:02:05 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 1:02:04 PM	32	mg/l
SC ALRO SA	Clor	1/6/2017 1:01:52 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 1:01:51 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 1:01:50 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 1:01:49 PM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 12:57:05 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 12:57:03 PM	32	mg/l
SC ALRO SA	Clor	1/6/2017 12:56:14 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 12:56:13 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 12:56:12 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 12:56:11 PM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 12:53:40 PM	0	mg/l
SC ALRO SA	Clor	1/6/2017 12:53:30 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 12:52:50 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 12:52:40 PM	32	mg/l
SC ALRO SA	Temp	1/6/2017 12:52:30 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 12:52:10 PM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 12:51:06 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 12:51:05 PM	32	mg/l
SC ALRO SA	Clor	1/6/2017 12:50:51 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 12:50:50 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 12:50:49 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 12:50:48 PM	5	unit pH
SC ALRO SA	Substante organice	1/6/2017 12:46:05 PM	32	mg/l
SC ALRO SA	Cianuri	1/6/2017 12:46:04 PM	0	mg/l
SC ALRO SA	Clor	1/6/2017 12:45:14 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 12:45:13 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 12:45:12 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 12:45:11 PM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 12:40:05 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 12:40:04 PM	32	mg/l
SC ALRO SA	Clor	1/6/2017 12:39:52 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 12:39:51 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 12:39:50 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 12:39:49 PM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 12:35:04 PM	0	mg/l
SC ALRO SA	Clor	1/6/2017 12:34:15 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 12:34:14 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 12:34:13 PM	32	mg/l
SC ALRO SA	Temp	1/6/2017 12:34:12 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 12:34:11 PM	4	unit pH
SC ALRO SA	Cianuri	1/6/2017 12:33:10 PM	0	mg/l
SC ALRO SA	Clor	1/6/2017 12:32:40 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 12:31:30 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 12:30:50 PM	32	mg/l
SC ALRO SA	Temp	1/6/2017 12:30:40 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 12:30:30 PM	4	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	1/6/2017 12:29:04 PM	32	mg/l
SC ALRO SA	Cianuri	1/6/2017 12:29:02 PM	0	mg/l
SC ALRO SA	Clor	1/6/2017 12:28:47 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 12:28:46 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 12:28:45 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 12:28:44 PM	4	unit pH
SC ALRO SA	Substante organice	1/6/2017 12:24:05 PM	32	mg/l
SC ALRO SA	Cianuri	1/6/2017 12:24:04 PM	0	mg/l
SC ALRO SA	Clor	1/6/2017 12:23:14 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 12:23:13 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 12:23:12 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 12:23:11 PM	4	unit pH
SC ALRO SA	Cianuri	1/6/2017 12:18:05 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 12:18:04 PM	32	mg/l
SC ALRO SA	Clor	1/6/2017 12:17:48 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 12:17:47 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 12:17:46 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 12:17:45 PM	4	unit pH
SC ALRO SA	Substante organice	1/6/2017 12:13:05 PM	32	mg/l
SC ALRO SA	Cianuri	1/6/2017 12:13:04 PM	0	mg/l
SC ALRO SA	Clor	1/6/2017 12:12:14 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 12:12:13 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 12:12:12 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 12:12:11 PM	4	unit pH
SC ALRO SA	Cianuri	1/6/2017 12:08:50 PM	0	mg/l
SC ALRO SA	Clor	1/6/2017 12:08:40 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 12:07:50 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 12:07:40 PM	32	mg/l
SC ALRO SA	Temp	1/6/2017 12:07:30 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 12:07:20 PM	4	unit pH
SC ALRO SA	Cianuri	1/6/2017 12:07:01 PM	0	mg/l
SC ALRO SA	Clor	1/6/2017 12:06:49 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 12:06:48 PM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 12:06:47 PM	32	mg/l
SC ALRO SA	Temp	1/6/2017 12:06:46 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 12:06:45 PM	4	unit pH
SC ALRO SA	Substante organice	1/6/2017 12:02:05 PM	31	mg/l
SC ALRO SA	Cianuri	1/6/2017 12:02:04 PM	0	mg/l
SC ALRO SA	Clor	1/6/2017 12:01:14 PM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 12:01:13 PM	0	mg/l
SC ALRO SA	Temp	1/6/2017 12:01:12 PM	15	gradCels
SC ALRO SA	pH	1/6/2017 12:01:11 PM	4	unit pH
SC ALRO SA	Cianuri	1/6/2017 11:56:06 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 11:56:05 AM	31	mg/l
SC ALRO SA	Clor	1/6/2017 11:55:31 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 11:55:30 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 11:55:29 AM	15	gradCels
SC ALRO SA	pH	1/6/2017 11:55:28 AM	4	unit pH
SC ALRO SA	Cianuri	1/6/2017 11:51:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 11:51:02 AM	31	mg/l
SC ALRO SA	Clor	1/6/2017 11:50:19 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 11:50:18 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 11:50:17 AM	15	gradCels
SC ALRO SA	pH	1/6/2017 11:50:16 AM	4	unit pH
SC ALRO SA	Cianuri	1/6/2017 11:46:40 AM	0	mg/l
SC ALRO SA	Clor	1/6/2017 11:46:30 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 11:45:50 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 11:45:40 AM	31	mg/l
SC ALRO SA	Temp	1/6/2017 11:45:30 AM	15	gradCels
SC ALRO SA	pH	1/6/2017 11:45:20 AM	4	unit pH
SC ALRO SA	Cianuri	1/6/2017 11:45:08 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 11:45:06 AM	31	mg/l
SC ALRO SA	Clor	1/6/2017 11:44:32 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 11:44:31 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 11:44:30 AM	15	gradCels
SC ALRO SA	pH	1/6/2017 11:44:29 AM	4	unit pH



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Cianuri	1/6/2017 11:39:14 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 11:39:13 AM	31	mg/l
SC ALRO SA	Clor	1/6/2017 11:39:08 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 11:39:07 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 11:39:06 AM	15	gradCels
SC ALRO SA	pH	1/6/2017 11:39:05 AM	4	unit pH
SC ALRO SA	Cianuri	1/6/2017 11:34:10 AM	0	mg/l
SC ALRO SA	Clor	1/6/2017 11:33:33 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 11:33:32 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 11:33:31 AM	31	mg/l
SC ALRO SA	Temp	1/6/2017 11:33:30 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 11:33:29 AM	4	unit pH
SC ALRO SA	Cianuri	1/6/2017 11:28:14 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 11:28:13 AM	31	mg/l
SC ALRO SA	Clor	1/6/2017 11:28:08 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 11:28:07 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 11:28:06 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 11:28:05 AM	4	unit pH
SC ALRO SA	Cianuri	1/6/2017 11:23:40 AM	0	mg/l
SC ALRO SA	Clor	1/6/2017 11:23:30 AM	0	mg/l
SC ALRO SA	Cianuri	1/6/2017 11:23:11 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 11:23:10 AM	31	mg/l
SC ALRO SA	Grasimi	1/6/2017 11:22:40 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 11:22:30 AM	31	mg/l
SC ALRO SA	Clor	1/6/2017 11:22:28 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 11:22:27 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 11:22:26 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 11:22:25 AM	4	unit pH
SC ALRO SA	Temp	1/6/2017 11:22:10 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 11:21:50 AM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 11:17:14 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 11:17:12 AM	31	mg/l
SC ALRO SA	Clor	1/6/2017 11:17:08 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 11:17:07 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 11:17:06 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 11:17:05 AM	5	unit pH
SC ALRO SA	Substante organice	1/6/2017 11:12:11 AM	31	mg/l
SC ALRO SA	Cianuri	1/6/2017 11:12:08 AM	0	mg/l
SC ALRO SA	Clor	1/6/2017 11:11:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 11:11:22 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 11:11:21 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 11:11:20 AM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 11:06:13 AM	0	mg/l
SC ALRO SA	Clor	1/6/2017 11:06:04 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 11:06:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 11:06:02 AM	31	mg/l
SC ALRO SA	Temp	1/6/2017 11:06:01 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 11:06:00 AM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 11:01:11 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 11:01:09 AM	31	mg/l
SC ALRO SA	Cianuri	1/6/2017 11:00:40 AM	0	mg/l
SC ALRO SA	Clor	1/6/2017 11:00:30 AM	0	mg/l
SC ALRO SA	Clor	1/6/2017 11:00:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 11:00:22 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 11:00:21 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 11:00:20 AM	5	unit pH
SC ALRO SA	Grasimi	1/6/2017 10:59:50 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 10:59:20 AM	31	mg/l
SC ALRO SA	Temp	1/6/2017 10:59:10 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 10:58:50 AM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 10:55:07 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 10:55:05 AM	31	mg/l
SC ALRO SA	Clor	1/6/2017 10:54:47 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 10:54:46 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 10:54:45 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 10:54:44 AM	5	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Cianuri	1/6/2017 10:50:10 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 10:50:08 AM	31	mg/l
SC ALRO SA	Clor	1/6/2017 10:49:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 10:49:22 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 10:49:21 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 10:49:20 AM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 10:44:01 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 10:44:00 AM	31	mg/l
SC ALRO SA	Clor	1/6/2017 10:43:50 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 10:43:49 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 10:43:48 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 10:43:47 AM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 10:39:30 AM	0	mg/l
SC ALRO SA	Clor	1/6/2017 10:39:20 AM	0	mg/l
SC ALRO SA	Cianuri	1/6/2017 10:39:06 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 10:39:04 AM	31	mg/l
SC ALRO SA	Grasimi	1/6/2017 10:38:50 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 10:38:30 AM	31	mg/l
SC ALRO SA	Clor	1/6/2017 10:38:13 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 10:38:12 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 10:38:11 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 10:38:10 AM	5	unit pH
SC ALRO SA	Temp	1/6/2017 10:37:50 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 10:37:40 AM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 10:32:57 AM	0	mg/l
SC ALRO SA	Clor	1/6/2017 10:32:49 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 10:32:48 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 10:32:47 AM	31	mg/l
SC ALRO SA	Temp	1/6/2017 10:32:46 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 10:32:45 AM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 10:28:07 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 10:28:06 AM	30	mg/l
SC ALRO SA	Clor	1/6/2017 10:27:13 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 10:27:12 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 10:27:11 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 10:27:10 AM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 10:22:05 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 10:22:04 AM	30	mg/l
SC ALRO SA	Clor	1/6/2017 10:21:47 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 10:21:46 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 10:21:45 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 10:21:44 AM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 10:18:20 AM	0	mg/l
SC ALRO SA	Clor	1/6/2017 10:18:10 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 10:17:50 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 10:17:40 AM	30	mg/l
SC ALRO SA	Temp	1/6/2017 10:17:30 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 10:17:20 AM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 10:17:05 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 10:17:03 AM	30	mg/l
SC ALRO SA	Grasimi	1/6/2017 10:16:13 AM	0	mg/l
SC ALRO SA	Clor	1/6/2017 10:16:12 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 10:16:11 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 10:16:10 AM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 10:11:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 10:11:02 AM	30	mg/l
SC ALRO SA	Clor	1/6/2017 10:10:47 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 10:10:46 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 10:10:45 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 10:10:44 AM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 10:06:05 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 10:06:03 AM	30	mg/l
SC ALRO SA	Clor	1/6/2017 10:05:15 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 10:05:14 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 10:05:13 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 10:05:12 AM	5	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Cianuri	1/6/2017 10:00:08 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 10:00:07 AM	30	mg/l
SC ALRO SA	Clor	1/6/2017 9:59:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 9:59:42 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 9:59:41 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 9:59:40 AM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 9:58:40 AM	0	mg/l
SC ALRO SA	Clor	1/6/2017 9:58:30 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 9:57:30 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 9:56:40 AM	30	mg/l
SC ALRO SA	Temp	1/6/2017 9:56:30 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 9:56:20 AM	5	unit pH
SC ALRO SA	Substante organice	1/6/2017 9:55:04 AM	30	mg/l
SC ALRO SA	Cianuri	1/6/2017 9:55:02 AM	0	mg/l
SC ALRO SA	Clor	1/6/2017 9:54:09 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 9:54:08 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 9:54:07 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 9:54:06 AM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 9:49:10 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 9:49:09 AM	30	mg/l
SC ALRO SA	Clor	1/6/2017 9:48:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 9:48:42 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 9:48:41 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 9:48:40 AM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 9:44:05 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 9:44:04 AM	30	mg/l
SC ALRO SA	Clor	1/6/2017 9:43:09 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 9:43:08 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 9:43:07 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 9:43:06 AM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 9:38:06 AM	0	mg/l
SC ALRO SA	Cianuri	1/6/2017 9:37:50 AM	0	mg/l
SC ALRO SA	Clor	1/6/2017 9:37:44 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 9:37:43 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 9:37:42 AM	30	mg/l
SC ALRO SA	Temp	1/6/2017 9:37:41 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 9:37:40 AM	5	unit pH
SC ALRO SA	Clor	1/6/2017 9:36:50 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 9:36:30 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 9:35:50 AM	30	mg/l
SC ALRO SA	Temp	1/6/2017 9:35:40 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 9:35:30 AM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 9:33:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 9:33:01 AM	30	mg/l
SC ALRO SA	Clor	1/6/2017 9:32:06 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 9:32:05 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 9:32:04 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 9:32:03 AM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 9:27:11 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 9:27:10 AM	30	mg/l
SC ALRO SA	Clor	1/6/2017 9:27:07 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 9:27:06 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 9:27:05 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 9:27:04 AM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 9:22:05 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 9:22:04 AM	30	mg/l
SC ALRO SA	Clor	1/6/2017 9:21:27 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 9:21:26 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 9:21:25 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 9:21:24 AM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 9:16:20 AM	0	mg/l
SC ALRO SA	Cianuri	1/6/2017 9:16:11 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 9:16:10 AM	30	mg/l
SC ALRO SA	Clor	1/6/2017 9:16:07 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 9:16:06 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 9:16:05 AM	14	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/6/2017 9:16:04 AM	5	unit pH
SC ALRO SA	Clor	1/6/2017 9:15:40 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 9:15:00 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 9:14:50 AM	30	mg/l
SC ALRO SA	Temp	1/6/2017 9:14:40 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 9:13:50 AM	4	unit pH
SC ALRO SA	Cianuri	1/6/2017 9:11:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 9:11:01 AM	30	mg/l
SC ALRO SA	Clor	1/6/2017 9:10:27 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 9:10:26 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 9:10:25 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 9:10:24 AM	4	unit pH
SC ALRO SA	Cianuri	1/6/2017 9:05:14 AM	0	mg/l
SC ALRO SA	Clor	1/6/2017 9:05:05 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 9:05:04 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 9:05:03 AM	30	mg/l
SC ALRO SA	Temp	1/6/2017 9:05:02 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 9:05:00 AM	4	unit pH
SC ALRO SA	Cianuri	1/6/2017 9:00:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 9:00:01 AM	31	mg/l
SC ALRO SA	Clor	1/6/2017 8:59:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 8:59:22 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 8:59:21 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 8:59:20 AM	4	unit pH
SC ALRO SA	Cianuri	1/6/2017 8:55:50 AM	0	mg/l
SC ALRO SA	Clor	1/6/2017 8:55:40 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 8:55:20 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 8:55:10 AM	31	mg/l
SC ALRO SA	Temp	1/6/2017 8:54:50 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 8:54:20 AM	4	unit pH
SC ALRO SA	Cianuri	1/6/2017 8:54:11 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 8:54:09 AM	31	mg/l
SC ALRO SA	Clor	1/6/2017 8:54:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 8:54:02 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 8:54:01 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 8:54:00 AM	4	unit pH
SC ALRO SA	Cianuri	1/6/2017 8:49:05 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 8:49:04 AM	31	mg/l
SC ALRO SA	Clor	1/6/2017 8:48:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 8:48:22 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 8:48:21 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 8:48:20 AM	4	unit pH
SC ALRO SA	Cianuri	1/6/2017 8:44:09 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 8:44:07 AM	31	mg/l
SC ALRO SA	Clor	1/6/2017 8:43:17 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 8:43:16 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 8:43:15 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 8:43:14 AM	4	unit pH
SC ALRO SA	Cianuri	1/6/2017 8:38:08 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 8:38:06 AM	31	mg/l
SC ALRO SA	Clor	1/6/2017 8:38:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 8:38:02 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 8:38:01 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 8:38:00 AM	4	unit pH
SC ALRO SA	Cianuri	1/6/2017 8:35:30 AM	0	mg/l
SC ALRO SA	Clor	1/6/2017 8:34:50 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 8:34:10 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 8:34:00 AM	31	mg/l
SC ALRO SA	Temp	1/6/2017 8:33:50 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 8:33:40 AM	4	unit pH
SC ALRO SA	Cianuri	1/6/2017 8:33:07 AM	0	mg/l
SC ALRO SA	Clor	1/6/2017 8:32:17 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 8:32:16 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 8:32:15 AM	31	mg/l
SC ALRO SA	Temp	1/6/2017 8:32:14 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 8:32:13 AM	4	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Cianuri	1/6/2017 8:27:06 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 8:27:05 AM	32	mg/l
SC ALRO SA	Clor	1/6/2017 8:26:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 8:26:42 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 8:26:41 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 8:26:40 AM	4	unit pH
SC ALRO SA	Cianuri	1/6/2017 8:22:09 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 8:22:08 AM	32	mg/l
SC ALRO SA	Clor	1/6/2017 8:21:17 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 8:21:16 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 8:21:15 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 8:21:14 AM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 8:16:06 AM	0	mg/l
SC ALRO SA	Clor	1/6/2017 8:16:05 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 8:16:04 AM	32	mg/l
SC ALRO SA	Grasimi	1/6/2017 8:15:42 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 8:15:41 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 8:15:40 AM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 8:15:30 AM	0	mg/l
SC ALRO SA	Clor	1/6/2017 8:15:10 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 8:14:20 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 8:14:10 AM	32	mg/l
SC ALRO SA	Temp	1/6/2017 8:13:40 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 8:13:30 AM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 8:11:07 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 8:11:06 AM	32	mg/l
SC ALRO SA	Clor	1/6/2017 8:10:19 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 8:10:18 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 8:10:17 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 8:10:16 AM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 8:05:03 AM	0	mg/l
SC ALRO SA	Clor	1/6/2017 8:04:44 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 8:04:43 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 8:04:42 AM	32	mg/l
SC ALRO SA	Temp	1/6/2017 8:04:41 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 8:04:40 AM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 8:00:07 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 8:00:06 AM	32	mg/l
SC ALRO SA	Clor	1/6/2017 7:59:19 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 7:59:18 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 7:59:17 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 7:59:16 AM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 7:55:20 AM	0	mg/l
SC ALRO SA	Clor	1/6/2017 7:55:10 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 7:54:40 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 7:54:30 AM	32	mg/l
SC ALRO SA	Temp	1/6/2017 7:54:10 AM	14	gradCels
SC ALRO SA	Cianuri	1/6/2017 7:54:05 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 7:54:04 AM	32	mg/l
SC ALRO SA	pH	1/6/2017 7:53:50 AM	5	unit pH
SC ALRO SA	Clor	1/6/2017 7:53:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 7:53:42 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 7:53:41 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 7:53:40 AM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 7:49:07 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 7:49:06 AM	32	mg/l
SC ALRO SA	Clor	1/6/2017 7:48:19 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 7:48:18 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 7:48:17 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 7:48:16 AM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 7:43:05 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 7:43:04 AM	32	mg/l
SC ALRO SA	Clor	1/6/2017 7:42:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 7:42:42 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 7:42:41 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 7:42:40 AM	5	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Cianuri	1/6/2017 7:38:06 AM	0	mg/l
SC ALRO SA	Clor	1/6/2017 7:37:19 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 7:37:18 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 7:37:17 AM	32	mg/l
SC ALRO SA	Temp	1/6/2017 7:37:16 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 7:37:15 AM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 7:36:10 AM	0	mg/l
SC ALRO SA	Clor	1/6/2017 7:35:50 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 7:35:30 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 7:34:50 AM	33	mg/l
SC ALRO SA	Temp	1/6/2017 7:34:20 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 7:34:10 AM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 7:32:06 AM	0	mg/l
SC ALRO SA	Clor	1/6/2017 7:32:05 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 7:32:04 AM	33	mg/l
SC ALRO SA	Grasimi	1/6/2017 7:31:31 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 7:31:30 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 7:31:29 AM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 7:27:07 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 7:27:06 AM	33	mg/l
SC ALRO SA	Clor	1/6/2017 7:26:16 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 7:26:15 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 7:26:14 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 7:26:13 AM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 7:21:05 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 7:21:03 AM	33	mg/l
SC ALRO SA	Clor	1/6/2017 7:20:32 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 7:20:31 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 7:20:30 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 7:20:29 AM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 7:16:30 AM	0	mg/l
SC ALRO SA	Clor	1/6/2017 7:16:20 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 7:16:07 AM	33	mg/l
SC ALRO SA	Cianuri	1/6/2017 7:16:06 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 7:15:40 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 7:15:30 AM	33	mg/l
SC ALRO SA	Temp	1/6/2017 7:15:20 AM	14	gradCels
SC ALRO SA	Clor	1/6/2017 7:15:12 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 7:15:11 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 7:15:10 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 7:15:09 AM	5	unit pH
SC ALRO SA	pH	1/6/2017 7:14:30 AM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 7:10:05 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 7:10:04 AM	33	mg/l
SC ALRO SA	Clor	1/6/2017 7:09:32 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 7:09:31 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 7:09:30 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 7:09:29 AM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 7:04:13 AM	0	mg/l
SC ALRO SA	Clor	1/6/2017 7:04:08 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 7:04:07 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 7:04:06 AM	33	mg/l
SC ALRO SA	Temp	1/6/2017 7:04:05 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 7:04:04 AM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 6:59:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 6:59:01 AM	33	mg/l
SC ALRO SA	Clor	1/6/2017 6:58:32 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 6:58:31 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 6:58:30 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 6:58:29 AM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 6:55:50 AM	0	mg/l
SC ALRO SA	Clor	1/6/2017 6:55:40 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 6:55:10 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 6:54:50 AM	33	mg/l
SC ALRO SA	Temp	1/6/2017 6:54:40 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 6:54:30 AM	5	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Cianuri	1/6/2017 6:53:14 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 6:53:13 AM	33	mg/l
SC ALRO SA	Clor	1/6/2017 6:53:08 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 6:53:07 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 6:53:06 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 6:53:05 AM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 6:48:05 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 6:48:04 AM	33	mg/l
SC ALRO SA	Clor	1/6/2017 6:47:32 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 6:47:31 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 6:47:30 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 6:47:29 AM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 6:42:09 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 6:42:08 AM	33	mg/l
SC ALRO SA	Clor	1/6/2017 6:42:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 6:42:02 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 6:42:01 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 6:42:00 AM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 6:37:03 AM	0	mg/l
SC ALRO SA	Clor	1/6/2017 6:36:34 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 6:36:33 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 6:36:32 AM	33	mg/l
SC ALRO SA	Temp	1/6/2017 6:36:31 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 6:36:30 AM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 6:35:30 AM	0	mg/l
SC ALRO SA	Clor	1/6/2017 6:35:10 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 6:34:30 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 6:33:40 AM	33	mg/l
SC ALRO SA	Temp	1/6/2017 6:33:30 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 6:32:50 AM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 6:30:56 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 6:30:54 AM	33	mg/l
SC ALRO SA	Clor	1/6/2017 6:30:52 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 6:30:51 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 6:30:50 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 6:30:49 AM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 6:26:06 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 6:26:05 AM	33	mg/l
SC ALRO SA	Clor	1/6/2017 6:25:31 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 6:25:30 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 6:25:29 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 6:25:28 AM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 6:19:58 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 6:19:57 AM	33	mg/l
SC ALRO SA	Clor	1/6/2017 6:19:52 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 6:19:51 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 6:19:50 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 6:19:49 AM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 6:15:04 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 6:15:02 AM	33	mg/l
SC ALRO SA	Clor	1/6/2017 6:14:32 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 6:14:31 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 6:14:30 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 6:14:29 AM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 6:13:50 AM	0	mg/l
SC ALRO SA	Clor	1/6/2017 6:13:40 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 6:13:10 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 6:12:50 AM	33	mg/l
SC ALRO SA	Temp	1/6/2017 6:12:30 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 6:11:40 AM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 6:08:58 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 6:08:57 AM	33	mg/l
SC ALRO SA	Clor	1/6/2017 6:08:52 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 6:08:51 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 6:08:50 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 6:08:49 AM	5	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Cianuri	1/6/2017 6:04:01 AM	0	mg/l
SC ALRO SA	Clor	1/6/2017 6:03:33 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 6:03:32 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 6:03:31 AM	33	mg/l
SC ALRO SA	Temp	1/6/2017 6:03:30 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 6:03:29 AM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 5:57:58 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 5:57:57 AM	33	mg/l
SC ALRO SA	Clor	1/6/2017 5:57:51 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 5:57:50 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 5:57:49 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 5:57:48 AM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 5:53:10 AM	0	mg/l
SC ALRO SA	Cianuri	1/6/2017 5:53:05 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 5:53:04 AM	33	mg/l
SC ALRO SA	Clor	1/6/2017 5:52:50 AM	0	mg/l
SC ALRO SA	Clor	1/6/2017 5:52:32 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 5:52:31 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 5:52:30 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 5:52:29 AM	5	unit pH
SC ALRO SA	Grasimi	1/6/2017 5:51:50 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 5:51:40 AM	33	mg/l
SC ALRO SA	Temp	1/6/2017 5:51:30 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 5:50:50 AM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 5:46:58 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 5:46:57 AM	33	mg/l
SC ALRO SA	Clor	1/6/2017 5:46:52 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 5:46:51 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 5:46:50 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 5:46:49 AM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 5:42:06 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 5:42:05 AM	33	mg/l
SC ALRO SA	Clor	1/6/2017 5:41:27 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 5:41:26 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 5:41:25 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 5:41:24 AM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 5:36:02 AM	0	mg/l
SC ALRO SA	Clor	1/6/2017 5:35:49 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 5:35:48 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 5:35:47 AM	33	mg/l
SC ALRO SA	Temp	1/6/2017 5:35:46 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 5:35:45 AM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 5:31:50 AM	0	mg/l
SC ALRO SA	Clor	1/6/2017 5:31:20 AM	0	mg/l
SC ALRO SA	Cianuri	1/6/2017 5:31:06 AM	0	mg/l
SC ALRO SA	Clor	1/6/2017 5:31:05 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 5:31:04 AM	34	mg/l
SC ALRO SA	Grasimi	1/6/2017 5:30:50 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 5:30:27 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 5:30:26 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 5:30:25 AM	5	unit pH
SC ALRO SA	Substante organice	1/6/2017 5:29:50 AM	34	mg/l
SC ALRO SA	Temp	1/6/2017 5:29:40 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 5:29:30 AM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 5:25:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 5:25:02 AM	34	mg/l
SC ALRO SA	Clor	1/6/2017 5:24:47 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 5:24:46 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 5:24:45 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 5:24:44 AM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 5:20:06 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 5:20:05 AM	34	mg/l
SC ALRO SA	Clor	1/6/2017 5:19:27 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 5:19:26 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 5:19:25 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 5:19:24 AM	5	unit pH



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Cianuri	1/6/2017 5:14:04 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 5:14:03 AM	34	mg/l
SC ALRO SA	Clor	1/6/2017 5:13:47 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 5:13:46 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 5:13:45 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 5:13:44 AM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 5:10:20 AM	0	mg/l
SC ALRO SA	Clor	1/6/2017 5:10:10 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 5:09:50 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 5:09:40 AM	34	mg/l
SC ALRO SA	Cianuri	1/6/2017 5:09:05 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 5:09:04 AM	34	mg/l
SC ALRO SA	Temp	1/6/2017 5:08:50 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 5:08:40 AM	5	unit pH
SC ALRO SA	Clor	1/6/2017 5:08:28 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 5:08:27 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 5:08:26 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 5:08:25 AM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 5:03:02 AM	0	mg/l
SC ALRO SA	Clor	1/6/2017 5:02:49 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 5:02:48 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 5:02:47 AM	34	mg/l
SC ALRO SA	Temp	1/6/2017 5:02:46 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 5:02:45 AM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 4:58:06 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 4:58:05 AM	33	mg/l
SC ALRO SA	Clor	1/6/2017 4:57:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 4:57:22 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 4:57:21 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 4:57:20 AM	6	unit pH
SC ALRO SA	Substante organice	1/6/2017 4:52:03 AM	33	mg/l
SC ALRO SA	Cianuri	1/6/2017 4:52:02 AM	0	mg/l
SC ALRO SA	Clor	1/6/2017 4:51:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 4:51:42 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 4:51:41 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 4:51:40 AM	6	unit pH
SC ALRO SA	Cianuri	1/6/2017 4:51:10 AM	0	mg/l
SC ALRO SA	Clor	1/6/2017 4:50:50 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 4:50:10 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 4:49:50 AM	33	mg/l
SC ALRO SA	Temp	1/6/2017 4:48:50 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 4:48:20 AM	6	unit pH
SC ALRO SA	Cianuri	1/6/2017 4:47:04 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 4:47:03 AM	33	mg/l
SC ALRO SA	Clor	1/6/2017 4:46:06 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 4:46:05 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 4:46:04 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 4:46:03 AM	6	unit pH
SC ALRO SA	Substante organice	1/6/2017 4:41:05 AM	33	mg/l
SC ALRO SA	Cianuri	1/6/2017 4:41:03 AM	0	mg/l
SC ALRO SA	Clor	1/6/2017 4:40:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 4:40:42 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 4:40:41 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 4:40:40 AM	6	unit pH
SC ALRO SA	Cianuri	1/6/2017 4:36:03 AM	0	mg/l
SC ALRO SA	Clor	1/6/2017 4:35:06 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 4:35:05 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 4:35:04 AM	33	mg/l
SC ALRO SA	Temp	1/6/2017 4:35:03 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 4:35:02 AM	6	unit pH
SC ALRO SA	Cianuri	1/6/2017 4:30:10 AM	0	mg/l
SC ALRO SA	Cianuri	1/6/2017 4:30:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 4:30:01 AM	33	mg/l
SC ALRO SA	Clor	1/6/2017 4:29:50 AM	0	mg/l
SC ALRO SA	Clor	1/6/2017 4:29:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 4:29:42 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/6/2017 4:29:41 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 4:29:40 AM	6	unit pH
SC ALRO SA	Grasimi	1/6/2017 4:29:10 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 4:28:50 AM	33	mg/l
SC ALRO SA	Temp	1/6/2017 4:28:40 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 4:28:30 AM	6	unit pH
SC ALRO SA	Cianuri	1/6/2017 4:25:06 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 4:25:05 AM	33	mg/l
SC ALRO SA	Clor	1/6/2017 4:24:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 4:24:02 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 4:24:01 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 4:24:00 AM	6	unit pH
SC ALRO SA	Cianuri	1/6/2017 4:19:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 4:19:02 AM	33	mg/l
SC ALRO SA	Clor	1/6/2017 4:18:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 4:18:42 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 4:18:41 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 4:18:40 AM	6	unit pH
SC ALRO SA	Cianuri	1/6/2017 4:14:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 4:14:01 AM	33	mg/l
SC ALRO SA	Clor	1/6/2017 4:13:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 4:13:02 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 4:13:01 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 4:13:00 AM	6	unit pH
SC ALRO SA	Cianuri	1/6/2017 4:09:30 AM	0	mg/l
SC ALRO SA	Clor	1/6/2017 4:09:20 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 4:08:40 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 4:08:30 AM	33	mg/l
SC ALRO SA	Temp	1/6/2017 4:08:20 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 4:08:10 AM	6	unit pH
SC ALRO SA	Cianuri	1/6/2017 4:07:58 AM	0	mg/l
SC ALRO SA	Clor	1/6/2017 4:07:44 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 4:07:43 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 4:07:42 AM	33	mg/l
SC ALRO SA	Temp	1/6/2017 4:07:41 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 4:07:40 AM	6	unit pH
SC ALRO SA	Cianuri	1/6/2017 4:03:05 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 4:03:04 AM	33	mg/l
SC ALRO SA	Clor	1/6/2017 4:02:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 4:02:02 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 4:02:01 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 4:02:00 AM	6	unit pH
SC ALRO SA	Cianuri	1/6/2017 3:57:09 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 3:57:08 AM	33	mg/l
SC ALRO SA	Clor	1/6/2017 3:56:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 3:56:22 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 3:56:21 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 3:56:20 AM	6	unit pH
SC ALRO SA	Cianuri	1/6/2017 3:51:05 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 3:51:04 AM	33	mg/l
SC ALRO SA	Clor	1/6/2017 3:51:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 3:51:02 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 3:51:01 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 3:51:00 AM	6	unit pH
SC ALRO SA	Cianuri	1/6/2017 3:47:40 AM	0	mg/l
SC ALRO SA	Clor	1/6/2017 3:47:30 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 3:47:10 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 3:46:40 AM	33	mg/l
SC ALRO SA	Temp	1/6/2017 3:46:30 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 3:46:20 AM	6	unit pH
SC ALRO SA	Cianuri	1/6/2017 3:46:09 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 3:46:08 AM	33	mg/l
SC ALRO SA	Clor	1/6/2017 3:45:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 3:45:22 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 3:45:21 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 3:45:20 AM	6	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Cianuri	1/6/2017 3:40:07 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 3:40:05 AM	33	mg/l
SC ALRO SA	Clor	1/6/2017 3:40:04 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 3:40:02 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 3:40:01 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 3:40:00 AM	7	unit pH
SC ALRO SA	Cianuri	1/6/2017 3:35:08 AM	0	mg/l
SC ALRO SA	Clor	1/6/2017 3:34:24 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 3:34:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 3:34:22 AM	33	mg/l
SC ALRO SA	Temp	1/6/2017 3:34:21 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 3:34:20 AM	7	unit pH
SC ALRO SA	Cianuri	1/6/2017 3:29:05 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 3:29:04 AM	34	mg/l
SC ALRO SA	Clor	1/6/2017 3:29:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 3:29:02 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 3:29:01 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 3:29:00 AM	7	unit pH
SC ALRO SA	Cianuri	1/6/2017 3:26:50 AM	0	mg/l
SC ALRO SA	Clor	1/6/2017 3:26:20 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 3:25:50 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 3:25:40 AM	34	mg/l
SC ALRO SA	Temp	1/6/2017 3:25:30 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 3:25:20 AM	6	unit pH
SC ALRO SA	Cianuri	1/6/2017 3:24:09 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 3:24:08 AM	34	mg/l
SC ALRO SA	Clor	1/6/2017 3:23:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 3:23:22 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 3:23:21 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 3:23:20 AM	6	unit pH
SC ALRO SA	Cianuri	1/6/2017 3:18:05 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 3:18:04 AM	34	mg/l
SC ALRO SA	Clor	1/6/2017 3:18:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 3:18:02 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 3:18:01 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 3:18:00 AM	6	unit pH
SC ALRO SA	Cianuri	1/6/2017 3:13:07 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 3:13:05 AM	34	mg/l
SC ALRO SA	Clor	1/6/2017 3:12:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 3:12:22 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 3:12:21 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 3:12:20 AM	6	unit pH
SC ALRO SA	Cianuri	1/6/2017 3:07:30 AM	0	mg/l
SC ALRO SA	Cianuri	1/6/2017 3:07:05 AM	0	mg/l
SC ALRO SA	Clor	1/6/2017 3:07:04 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 3:07:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 3:07:02 AM	34	mg/l
SC ALRO SA	Temp	1/6/2017 3:07:01 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 3:07:00 AM	7	unit pH
SC ALRO SA	Clor	1/6/2017 3:06:40 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 3:06:20 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 3:06:10 AM	34	mg/l
SC ALRO SA	Temp	1/6/2017 3:05:40 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 3:05:30 AM	7	unit pH
SC ALRO SA	Cianuri	1/6/2017 3:02:09 AM	0	mg/l
SC ALRO SA	Clor	1/6/2017 3:02:07 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 3:02:05 AM	34	mg/l
SC ALRO SA	Grasimi	1/6/2017 3:01:22 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 3:01:21 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 3:01:20 AM	7	unit pH
SC ALRO SA	Cianuri	1/6/2017 2:56:01 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 2:56:00 AM	34	mg/l
SC ALRO SA	Clor	1/6/2017 2:55:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 2:55:42 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 2:55:41 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 2:55:40 AM	7	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Cianuri	1/6/2017 2:51:07 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 2:51:06 AM	34	mg/l
SC ALRO SA	Clor	1/6/2017 2:50:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 2:50:22 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 2:50:21 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 2:50:20 AM	7	unit pH
SC ALRO SA	Cianuri	1/6/2017 2:46:30 AM	0	mg/l
SC ALRO SA	Clor	1/6/2017 2:46:20 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 2:45:50 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 2:45:40 AM	34	mg/l
SC ALRO SA	Temp	1/6/2017 2:45:30 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 2:45:10 AM	6	unit pH
SC ALRO SA	Cianuri	1/6/2017 2:45:01 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 2:45:00 AM	34	mg/l
SC ALRO SA	Clor	1/6/2017 2:44:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 2:44:42 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 2:44:41 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 2:44:40 AM	6	unit pH
SC ALRO SA	Cianuri	1/6/2017 2:40:07 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 2:40:06 AM	34	mg/l
SC ALRO SA	Clor	1/6/2017 2:39:08 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 2:39:07 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 2:39:06 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 2:39:05 AM	6	unit pH
SC ALRO SA	Cianuri	1/6/2017 2:34:00 AM	0	mg/l
SC ALRO SA	Clor	1/6/2017 2:33:44 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 2:33:43 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 2:33:42 AM	34	mg/l
SC ALRO SA	Temp	1/6/2017 2:33:41 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 2:33:40 AM	6	unit pH
SC ALRO SA	Cianuri	1/6/2017 2:29:14 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 2:29:13 AM	35	mg/l
SC ALRO SA	Clor	1/6/2017 2:28:08 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 2:28:07 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 2:28:06 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 2:28:05 AM	6	unit pH
SC ALRO SA	Cianuri	1/6/2017 2:27:40 AM	0	mg/l
SC ALRO SA	Clor	1/6/2017 2:27:30 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 2:26:30 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 2:25:40 AM	35	mg/l
SC ALRO SA	Temp	1/6/2017 2:25:30 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 2:25:20 AM	6	unit pH
SC ALRO SA	Cianuri	1/6/2017 2:23:01 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 2:23:00 AM	35	mg/l
SC ALRO SA	Clor	1/6/2017 2:22:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 2:22:42 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 2:22:41 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 2:22:40 AM	6	unit pH
SC ALRO SA	Cianuri	1/6/2017 2:18:10 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 2:18:08 AM	35	mg/l
SC ALRO SA	Clor	1/6/2017 2:17:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 2:17:42 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 2:17:41 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 2:17:40 AM	6	unit pH
SC ALRO SA	Cianuri	1/6/2017 2:13:05 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 2:13:04 AM	35	mg/l
SC ALRO SA	Clor	1/6/2017 2:12:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 2:12:22 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 2:12:21 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 2:12:20 AM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 2:07:10 AM	0	mg/l
SC ALRO SA	Clor	1/6/2017 2:07:00 AM	0	mg/l
SC ALRO SA	Cianuri	1/6/2017 2:06:58 AM	0	mg/l
SC ALRO SA	Clor	1/6/2017 2:06:44 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 2:06:43 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 2:06:42 AM	35	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/6/2017 2:06:41 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 2:06:40 AM	5	unit pH
SC ALRO SA	Grasimi	1/6/2017 2:06:20 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 2:06:10 AM	34	mg/l
SC ALRO SA	Temp	1/6/2017 2:05:40 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 2:05:30 AM	4	unit pH
SC ALRO SA	Cianuri	1/6/2017 2:02:06 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 2:02:05 AM	34	mg/l
SC ALRO SA	Clor	1/6/2017 2:01:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 2:01:02 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 2:01:01 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 2:01:00 AM	4	unit pH
SC ALRO SA	Cianuri	1/6/2017 1:55:57 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 1:55:55 AM	34	mg/l
SC ALRO SA	Clor	1/6/2017 1:55:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 1:55:42 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 1:55:41 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 1:55:40 AM	4	unit pH
SC ALRO SA	Cianuri	1/6/2017 1:51:05 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 1:51:04 AM	34	mg/l
SC ALRO SA	Clor	1/6/2017 1:50:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 1:50:02 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 1:50:01 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 1:50:00 AM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 1:45:10 AM	0	mg/l
SC ALRO SA	Clor	1/6/2017 1:45:00 AM	0	mg/l
SC ALRO SA	Cianuri	1/6/2017 1:44:58 AM	0	mg/l
SC ALRO SA	Clor	1/6/2017 1:44:57 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 1:44:56 AM	34	mg/l
SC ALRO SA	Grasimi	1/6/2017 1:44:42 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 1:44:41 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 1:44:40 AM	5	unit pH
SC ALRO SA	Grasimi	1/6/2017 1:44:10 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 1:43:40 AM	34	mg/l
SC ALRO SA	Temp	1/6/2017 1:43:30 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 1:41:40 AM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 1:40:06 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 1:40:04 AM	34	mg/l
SC ALRO SA	Clor	1/6/2017 1:39:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 1:39:02 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 1:39:01 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 1:39:00 AM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 1:35:00 AM	0	mg/l
SC ALRO SA	Clor	1/6/2017 1:34:12 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 1:34:11 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 1:34:10 AM	34	mg/l
SC ALRO SA	Temp	1/6/2017 1:34:09 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 1:34:08 AM	5	unit pH
SC ALRO SA	Cianuri	1/6/2017 1:29:05 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 1:29:04 AM	35	mg/l
SC ALRO SA	Clor	1/6/2017 1:28:32 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 1:28:31 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 1:28:30 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 1:28:29 AM	4	unit pH
SC ALRO SA	Cianuri	1/6/2017 1:23:12 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 1:23:10 AM	35	mg/l
SC ALRO SA	Clor	1/6/2017 1:23:08 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 1:23:07 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 1:23:06 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 1:23:05 AM	4	unit pH
SC ALRO SA	Cianuri	1/6/2017 1:22:20 AM	0	mg/l
SC ALRO SA	Clor	1/6/2017 1:22:10 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 1:21:40 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 1:21:30 AM	35	mg/l
SC ALRO SA	Temp	1/6/2017 1:20:10 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 1:19:40 AM	4	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Cianuri	1/6/2017 1:18:05 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 1:18:04 AM	35	mg/l
SC ALRO SA	Clor	1/6/2017 1:17:32 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 1:17:31 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 1:17:30 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 1:17:29 AM	4	unit pH
SC ALRO SA	Cianuri	1/6/2017 1:12:14 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 1:12:13 AM	35	mg/l
SC ALRO SA	Clor	1/6/2017 1:12:08 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 1:12:07 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 1:12:06 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 1:12:05 AM	4	unit pH
SC ALRO SA	Cianuri	1/6/2017 1:07:02 AM	0	mg/l
SC ALRO SA	Clor	1/6/2017 1:06:28 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 1:06:27 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 1:06:26 AM	35	mg/l
SC ALRO SA	Temp	1/6/2017 1:06:25 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 1:06:24 AM	4	unit pH
SC ALRO SA	Cianuri	1/6/2017 1:00:58 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 1:00:57 AM	35	mg/l
SC ALRO SA	Clor	1/6/2017 1:00:47 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 1:00:46 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 1:00:45 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 1:00:44 AM	4	unit pH
SC ALRO SA	Cianuri	1/6/2017 1:00:10 AM	0	mg/l
SC ALRO SA	Clor	1/6/2017 12:59:30 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 12:58:30 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 12:57:40 AM	35	mg/l
SC ALRO SA	Temp	1/6/2017 12:57:30 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 12:57:20 AM	4	unit pH
SC ALRO SA	Cianuri	1/6/2017 12:56:05 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 12:56:04 AM	35	mg/l
SC ALRO SA	Clor	1/6/2017 12:55:27 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 12:55:26 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 12:55:25 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 12:55:24 AM	4	unit pH
SC ALRO SA	Cianuri	1/6/2017 12:49:58 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 12:49:57 AM	35	mg/l
SC ALRO SA	Clor	1/6/2017 12:49:47 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 12:49:46 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 12:49:45 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 12:49:44 AM	4	unit pH
SC ALRO SA	Cianuri	1/6/2017 12:45:06 AM	0	mg/l
SC ALRO SA	Clor	1/6/2017 12:45:05 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 12:45:03 AM	35	mg/l
SC ALRO SA	Grasimi	1/6/2017 12:44:26 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 12:44:25 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 12:44:24 AM	4	unit pH
SC ALRO SA	Cianuri	1/6/2017 12:38:58 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 12:38:57 AM	35	mg/l
SC ALRO SA	Clor	1/6/2017 12:38:47 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 12:38:46 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 12:38:45 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 12:38:44 AM	4	unit pH
SC ALRO SA	Cianuri	1/6/2017 12:34:01 AM	0	mg/l
SC ALRO SA	Clor	1/6/2017 12:33:24 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 12:33:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 12:33:22 AM	35	mg/l
SC ALRO SA	Temp	1/6/2017 12:33:21 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 12:33:20 AM	4	unit pH
SC ALRO SA	Cianuri	1/6/2017 12:32:40 AM	0	mg/l
SC ALRO SA	Clor	1/6/2017 12:32:30 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 12:32:10 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 12:30:30 AM	36	mg/l
SC ALRO SA	Temp	1/6/2017 12:29:40 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 12:29:30 AM	4	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Cianuri	1/6/2017 12:28:05 AM	0	mg/l
SC ALRO SA	Clor	1/6/2017 12:28:04 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 12:28:02 AM	36	mg/l
SC ALRO SA	Grasimi	1/6/2017 12:27:46 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 12:27:45 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 12:27:44 AM	4	unit pH
SC ALRO SA	Cianuri	1/6/2017 12:23:06 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 12:23:05 AM	36	mg/l
SC ALRO SA	Clor	1/6/2017 12:22:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 12:22:22 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 12:22:21 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 12:22:20 AM	4	unit pH
SC ALRO SA	Cianuri	1/6/2017 12:17:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 12:17:02 AM	36	mg/l
SC ALRO SA	Clor	1/6/2017 12:16:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 12:16:42 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 12:16:41 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 12:16:40 AM	4	unit pH
SC ALRO SA	Cianuri	1/6/2017 12:12:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 12:12:02 AM	36	mg/l
SC ALRO SA	Clor	1/6/2017 12:11:24 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 12:11:23 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 12:11:21 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 12:11:20 AM	4	unit pH
SC ALRO SA	Cianuri	1/6/2017 12:06:00 AM	0	mg/l
SC ALRO SA	Clor	1/6/2017 12:05:44 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 12:05:43 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 12:05:42 AM	36	mg/l
SC ALRO SA	Temp	1/6/2017 12:05:41 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 12:05:40 AM	4	unit pH
SC ALRO SA	Cianuri	1/6/2017 12:05:20 AM	0	mg/l
SC ALRO SA	Clor	1/6/2017 12:05:10 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 12:03:30 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 12:03:10 AM	35	mg/l
SC ALRO SA	Temp	1/6/2017 12:02:30 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 12:02:20 AM	4	unit pH
SC ALRO SA	Cianuri	1/6/2017 12:01:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/6/2017 12:01:01 AM	35	mg/l
SC ALRO SA	Clor	1/6/2017 12:00:47 AM	0	mg/l
SC ALRO SA	Grasimi	1/6/2017 12:00:46 AM	0	mg/l
SC ALRO SA	Temp	1/6/2017 12:00:45 AM	14	gradCels
SC ALRO SA	pH	1/6/2017 12:00:44 AM	4	unit pH
SC ALRO SA	Cianuri	1/5/2017 11:56:09 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 11:56:08 PM	35	mg/l
SC ALRO SA	Clor	1/5/2017 11:55:07 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 11:55:06 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 11:55:05 PM	14	gradCels
SC ALRO SA	pH	1/5/2017 11:55:04 PM	4	unit pH
SC ALRO SA	Cianuri	1/5/2017 11:50:03 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 11:50:02 PM	35	mg/l
SC ALRO SA	Clor	1/5/2017 11:49:47 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 11:49:46 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 11:49:45 PM	14	gradCels
SC ALRO SA	pH	1/5/2017 11:49:44 PM	4	unit pH
SC ALRO SA	Cianuri	1/5/2017 11:45:09 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 11:45:07 PM	35	mg/l
SC ALRO SA	Clor	1/5/2017 11:44:07 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 11:44:06 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 11:44:05 PM	14	gradCels
SC ALRO SA	pH	1/5/2017 11:44:04 PM	4	unit pH
SC ALRO SA	Cianuri	1/5/2017 11:40:10 PM	0	mg/l
SC ALRO SA	Clor	1/5/2017 11:39:30 PM	0	mg/l
SC ALRO SA	Cianuri	1/5/2017 11:39:03 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 11:39:01 PM	35	mg/l
SC ALRO SA	Clor	1/5/2017 11:38:47 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 11:38:46 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/5/2017 11:38:45 PM	14	gradCels
SC ALRO SA	pH	1/5/2017 11:38:44 PM	4	unit pH
SC ALRO SA	Grasimi	1/5/2017 11:38:20 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 11:38:10 PM	35	mg/l
SC ALRO SA	Temp	1/5/2017 11:38:00 PM	14	gradCels
SC ALRO SA	pH	1/5/2017 11:37:50 PM	4	unit pH
SC ALRO SA	Cianuri	1/5/2017 11:34:01 PM	0	mg/l
SC ALRO SA	Clor	1/5/2017 11:33:09 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 11:33:08 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 11:33:07 PM	35	mg/l
SC ALRO SA	Temp	1/5/2017 11:33:06 PM	14	gradCels
SC ALRO SA	pH	1/5/2017 11:33:05 PM	4	unit pH
SC ALRO SA	Cianuri	1/5/2017 11:28:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 11:28:00 PM	34	mg/l
SC ALRO SA	Clor	1/5/2017 11:27:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 11:27:42 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 11:27:41 PM	14	gradCels
SC ALRO SA	pH	1/5/2017 11:27:40 PM	4	unit pH
SC ALRO SA	Cianuri	1/5/2017 11:23:03 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 11:23:02 PM	34	mg/l
SC ALRO SA	Clor	1/5/2017 11:22:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 11:22:02 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 11:22:01 PM	14	gradCels
SC ALRO SA	pH	1/5/2017 11:22:00 PM	4	unit pH
SC ALRO SA	Cianuri	1/5/2017 11:17:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 11:17:00 PM	34	mg/l
SC ALRO SA	Clor	1/5/2017 11:16:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 11:16:42 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 11:16:41 PM	14	gradCels
SC ALRO SA	pH	1/5/2017 11:16:40 PM	4	unit pH
SC ALRO SA	Cianuri	1/5/2017 11:15:30 PM	0	mg/l
SC ALRO SA	Clor	1/5/2017 11:14:30 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 11:13:10 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 11:12:20 PM	34	mg/l
SC ALRO SA	Temp	1/5/2017 11:12:10 PM	14	gradCels
SC ALRO SA	Cianuri	1/5/2017 11:12:03 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 11:12:01 PM	34	mg/l
SC ALRO SA	pH	1/5/2017 11:11:40 PM	4	unit pH
SC ALRO SA	Clor	1/5/2017 11:11:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 11:11:02 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 11:11:01 PM	14	gradCels
SC ALRO SA	pH	1/5/2017 11:11:00 PM	4	unit pH
SC ALRO SA	Cianuri	1/5/2017 11:06:06 PM	0	mg/l
SC ALRO SA	Clor	1/5/2017 11:05:24 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 11:05:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 11:05:22 PM	34	mg/l
SC ALRO SA	Temp	1/5/2017 11:05:21 PM	14	gradCels
SC ALRO SA	pH	1/5/2017 11:05:20 PM	4	unit pH
SC ALRO SA	Cianuri	1/5/2017 11:00:05 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 11:00:04 PM	32	mg/l
SC ALRO SA	Clor	1/5/2017 11:00:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 11:00:02 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 11:00:01 PM	14	gradCels
SC ALRO SA	pH	1/5/2017 11:00:00 PM	4	unit pH
SC ALRO SA	Cianuri	1/5/2017 10:55:07 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 10:55:06 PM	32	mg/l
SC ALRO SA	Clor	1/5/2017 10:54:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 10:54:22 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 10:54:21 PM	14	gradCels
SC ALRO SA	pH	1/5/2017 10:54:20 PM	4	unit pH
SC ALRO SA	Cianuri	1/5/2017 10:49:30 PM	0	mg/l
SC ALRO SA	Clor	1/5/2017 10:49:10 PM	0	mg/l
SC ALRO SA	Cianuri	1/5/2017 10:49:05 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 10:49:04 PM	32	mg/l
SC ALRO SA	Clor	1/5/2017 10:49:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 10:49:02 PM	0	mg/l



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/5/2017 10:49:01 PM	14	gradCels
SC ALRO SA	pH	1/5/2017 10:49:00 PM	4	unit pH
SC ALRO SA	Grasimi	1/5/2017 10:48:30 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 10:48:20 PM	32	mg/l
SC ALRO SA	Temp	1/5/2017 10:48:10 PM	14	gradCels
SC ALRO SA	pH	1/5/2017 10:47:40 PM	4	unit pH
SC ALRO SA	Substante organice	1/5/2017 10:44:07 PM	32	mg/l
SC ALRO SA	Cianuri	1/5/2017 10:44:04 PM	0	mg/l
SC ALRO SA	Clor	1/5/2017 10:43:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 10:43:22 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 10:43:21 PM	14	gradCels
SC ALRO SA	pH	1/5/2017 10:43:20 PM	4	unit pH
SC ALRO SA	Cianuri	1/5/2017 10:38:05 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 10:38:04 PM	32	mg/l
SC ALRO SA	Clor	1/5/2017 10:38:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 10:38:02 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 10:38:01 PM	14	gradCels
SC ALRO SA	pH	1/5/2017 10:38:00 PM	4	unit pH
SC ALRO SA	Cianuri	1/5/2017 10:33:06 PM	0	mg/l
SC ALRO SA	Clor	1/5/2017 10:32:24 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 10:32:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 10:32:22 PM	32	mg/l
SC ALRO SA	Temp	1/5/2017 10:32:21 PM	14	gradCels
SC ALRO SA	pH	1/5/2017 10:32:20 PM	5	unit pH
SC ALRO SA	Cianuri	1/5/2017 10:27:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 10:27:00 PM	31	mg/l
SC ALRO SA	Clor	1/5/2017 10:26:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 10:26:42 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 10:26:41 PM	14	gradCels
SC ALRO SA	pH	1/5/2017 10:26:40 PM	5	unit pH
SC ALRO SA	Cianuri	1/5/2017 10:25:40 PM	0	mg/l
SC ALRO SA	Clor	1/5/2017 10:24:40 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 10:24:10 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 10:23:30 PM	31	mg/l
SC ALRO SA	Temp	1/5/2017 10:23:20 PM	14	gradCels
SC ALRO SA	pH	1/5/2017 10:23:10 PM	5	unit pH
SC ALRO SA	Substante organice	1/5/2017 10:22:08 PM	31	mg/l
SC ALRO SA	Cianuri	1/5/2017 10:22:07 PM	0	mg/l
SC ALRO SA	Clor	1/5/2017 10:22:06 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 10:21:22 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 10:21:21 PM	14	gradCels
SC ALRO SA	pH	1/5/2017 10:21:20 PM	5	unit pH
SC ALRO SA	Cianuri	1/5/2017 10:16:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 10:16:00 PM	31	mg/l
SC ALRO SA	Clor	1/5/2017 10:15:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 10:15:42 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 10:15:41 PM	14	gradCels
SC ALRO SA	pH	1/5/2017 10:15:40 PM	5	unit pH
SC ALRO SA	Substante organice	1/5/2017 10:11:06 PM	31	mg/l
SC ALRO SA	Cianuri	1/5/2017 10:11:05 PM	0	mg/l
SC ALRO SA	Clor	1/5/2017 10:10:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 10:10:22 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 10:10:21 PM	14	gradCels
SC ALRO SA	pH	1/5/2017 10:10:20 PM	5	unit pH
SC ALRO SA	Cianuri	1/5/2017 10:05:00 PM	0	mg/l
SC ALRO SA	Clor	1/5/2017 10:04:44 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 10:04:43 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 10:04:42 PM	31	mg/l
SC ALRO SA	Temp	1/5/2017 10:04:41 PM	14	gradCels
SC ALRO SA	pH	1/5/2017 10:04:40 PM	5	unit pH
SC ALRO SA	Cianuri	1/5/2017 10:00:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 10:00:00 PM	29	mg/l
SC ALRO SA	Cianuri	1/5/2017 9:59:40 PM	0	mg/l
SC ALRO SA	Clor	1/5/2017 9:59:30 PM	0	mg/l
SC ALRO SA	Clor	1/5/2017 9:59:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 9:59:22 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/5/2017 9:59:21 PM	14	gradCels
SC ALRO SA	pH	1/5/2017 9:59:20 PM	5	unit pH
SC ALRO SA	Grasimi	1/5/2017 9:58:50 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 9:58:40 PM	29	mg/l
SC ALRO SA	Temp	1/5/2017 9:58:30 PM	14	gradCels
SC ALRO SA	pH	1/5/2017 9:58:20 PM	5	unit pH
SC ALRO SA	Cianuri	1/5/2017 9:54:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 9:54:00 PM	29	mg/l
SC ALRO SA	Clor	1/5/2017 9:53:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 9:53:42 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 9:53:41 PM	14	gradCels
SC ALRO SA	pH	1/5/2017 9:53:40 PM	5	unit pH
SC ALRO SA	Cianuri	1/5/2017 9:49:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 9:49:00 PM	29	mg/l
SC ALRO SA	Clor	1/5/2017 9:48:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 9:48:02 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 9:48:01 PM	14	gradCels
SC ALRO SA	pH	1/5/2017 9:48:00 PM	5	unit pH
SC ALRO SA	Cianuri	1/5/2017 9:43:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 9:43:00 PM	29	mg/l
SC ALRO SA	Clor	1/5/2017 9:42:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 9:42:42 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 9:42:41 PM	14	gradCels
SC ALRO SA	pH	1/5/2017 9:42:40 PM	5	unit pH
SC ALRO SA	Cianuri	1/5/2017 9:38:00 PM	0	mg/l
SC ALRO SA	Clor	1/5/2017 9:37:04 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 9:37:03 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 9:37:02 PM	29	mg/l
SC ALRO SA	Temp	1/5/2017 9:37:01 PM	14	gradCels
SC ALRO SA	pH	1/5/2017 9:37:00 PM	5	unit pH
SC ALRO SA	Cianuri	1/5/2017 9:34:10 PM	0	mg/l
SC ALRO SA	Clor	1/5/2017 9:33:40 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 9:33:10 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 9:32:30 PM	30	mg/l
SC ALRO SA	Temp	1/5/2017 9:32:20 PM	14	gradCels
SC ALRO SA	pH	1/5/2017 9:32:10 PM	5	unit pH
SC ALRO SA	Cianuri	1/5/2017 9:32:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 9:32:00 PM	30	mg/l
SC ALRO SA	Clor	1/5/2017 9:31:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 9:31:42 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 9:31:41 PM	14	gradCels
SC ALRO SA	pH	1/5/2017 9:31:40 PM	5	unit pH
SC ALRO SA	Cianuri	1/5/2017 9:27:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 9:27:00 PM	30	mg/l
SC ALRO SA	Clor	1/5/2017 9:26:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 9:26:02 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 9:26:01 PM	14	gradCels
SC ALRO SA	pH	1/5/2017 9:26:00 PM	5	unit pH
SC ALRO SA	Cianuri	1/5/2017 9:21:02 PM	0	mg/l
SC ALRO SA	Clor	1/5/2017 9:21:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 9:21:00 PM	30	mg/l
SC ALRO SA	Grasimi	1/5/2017 9:20:42 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 9:20:41 PM	14	gradCels
SC ALRO SA	pH	1/5/2017 9:20:40 PM	5	unit pH
SC ALRO SA	Cianuri	1/5/2017 9:16:02 PM	0	mg/l
SC ALRO SA	Clor	1/5/2017 9:16:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 9:16:00 PM	30	mg/l
SC ALRO SA	Grasimi	1/5/2017 9:15:02 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 9:15:01 PM	14	gradCels
SC ALRO SA	pH	1/5/2017 9:15:00 PM	5	unit pH
SC ALRO SA	Cianuri	1/5/2017 9:10:02 PM	0	mg/l
SC ALRO SA	Clor	1/5/2017 9:10:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 9:10:00 PM	30	mg/l
SC ALRO SA	Grasimi	1/5/2017 9:09:22 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 9:09:21 PM	14	gradCels
SC ALRO SA	pH	1/5/2017 9:09:20 PM	5	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Cianuri	1/5/2017 9:08:30 PM	0	mg/l
SC ALRO SA	Clor	1/5/2017 9:06:50 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 9:06:30 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 9:06:20 PM	30	mg/l
SC ALRO SA	Temp	1/5/2017 9:06:10 PM	14	gradCels
SC ALRO SA	pH	1/5/2017 9:05:40 PM	4	unit pH
SC ALRO SA	Clor	1/5/2017 9:04:05 PM	0	mg/l
SC ALRO SA	Cianuri	1/5/2017 9:04:04 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 9:04:03 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 9:04:02 PM	30	mg/l
SC ALRO SA	Temp	1/5/2017 9:04:01 PM	14	gradCels
SC ALRO SA	pH	1/5/2017 9:04:00 PM	4	unit pH
SC ALRO SA	Cianuri	1/5/2017 8:59:02 PM	0	mg/l
SC ALRO SA	Clor	1/5/2017 8:59:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 8:59:00 PM	29	mg/l
SC ALRO SA	Grasimi	1/5/2017 8:58:22 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 8:58:21 PM	14	gradCels
SC ALRO SA	pH	1/5/2017 8:58:20 PM	4	unit pH
SC ALRO SA	Cianuri	1/5/2017 8:53:05 PM	0	mg/l
SC ALRO SA	Clor	1/5/2017 8:53:04 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 8:53:03 PM	29	mg/l
SC ALRO SA	Grasimi	1/5/2017 8:53:02 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 8:53:01 PM	14	gradCels
SC ALRO SA	pH	1/5/2017 8:53:00 PM	4	unit pH
SC ALRO SA	Clor	1/5/2017 8:48:02 PM	0	mg/l
SC ALRO SA	Cianuri	1/5/2017 8:48:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 8:48:00 PM	29	mg/l
SC ALRO SA	Grasimi	1/5/2017 8:47:22 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 8:47:21 PM	14	gradCels
SC ALRO SA	pH	1/5/2017 8:47:20 PM	4	unit pH
SC ALRO SA	Cianuri	1/5/2017 8:43:40 PM	0	mg/l
SC ALRO SA	Clor	1/5/2017 8:43:30 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 8:43:10 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 8:42:50 PM	30	mg/l
SC ALRO SA	Temp	1/5/2017 8:42:40 PM	14	gradCels
SC ALRO SA	pH	1/5/2017 8:42:30 PM	4	unit pH
SC ALRO SA	Cianuri	1/5/2017 8:42:05 PM	0	mg/l
SC ALRO SA	Clor	1/5/2017 8:42:04 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 8:42:03 PM	29	mg/l
SC ALRO SA	Grasimi	1/5/2017 8:42:02 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 8:42:01 PM	14	gradCels
SC ALRO SA	pH	1/5/2017 8:42:00 PM	4	unit pH
SC ALRO SA	Cianuri	1/5/2017 8:37:01 PM	0	mg/l
SC ALRO SA	Clor	1/5/2017 8:37:00 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 8:36:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 8:36:22 PM	29	mg/l
SC ALRO SA	Temp	1/5/2017 8:36:21 PM	14	gradCels
SC ALRO SA	pH	1/5/2017 8:36:20 PM	4	unit pH
SC ALRO SA	Cianuri	1/5/2017 8:31:05 PM	0	mg/l
SC ALRO SA	Clor	1/5/2017 8:31:04 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 8:31:03 PM	28	mg/l
SC ALRO SA	Grasimi	1/5/2017 8:31:02 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 8:31:01 PM	14	gradCels
SC ALRO SA	pH	1/5/2017 8:31:00 PM	4	unit pH
SC ALRO SA	Cianuri	1/5/2017 8:26:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 8:26:00 PM	28	mg/l
SC ALRO SA	Clor	1/5/2017 8:25:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 8:25:22 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 8:25:21 PM	13	gradCels
SC ALRO SA	pH	1/5/2017 8:25:20 PM	4	unit pH
SC ALRO SA	Cianuri	1/5/2017 8:20:20 PM	0	mg/l
SC ALRO SA	Clor	1/5/2017 8:20:10 PM	0	mg/l
SC ALRO SA	Cianuri	1/5/2017 8:20:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 8:20:00 PM	28	mg/l
SC ALRO SA	Clor	1/5/2017 8:19:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 8:19:42 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/5/2017 8:19:41 PM	13	gradCels
SC ALRO SA	pH	1/5/2017 8:19:40 PM	4	unit pH
SC ALRO SA	Grasimi	1/5/2017 8:19:20 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 8:18:20 PM	28	mg/l
SC ALRO SA	Temp	1/5/2017 8:17:30 PM	13	gradCels
SC ALRO SA	pH	1/5/2017 8:17:20 PM	4	unit pH
SC ALRO SA	Clor	1/5/2017 8:15:02 PM	0	mg/l
SC ALRO SA	Cianuri	1/5/2017 8:15:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 8:15:00 PM	28	mg/l
SC ALRO SA	Grasimi	1/5/2017 8:14:22 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 8:14:21 PM	13	gradCels
SC ALRO SA	pH	1/5/2017 8:14:20 PM	4	unit pH
SC ALRO SA	Cianuri	1/5/2017 8:09:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 8:09:00 PM	28	mg/l
SC ALRO SA	Clor	1/5/2017 8:08:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 8:08:42 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 8:08:41 PM	13	gradCels
SC ALRO SA	pH	1/5/2017 8:08:40 PM	4	unit pH
SC ALRO SA	Cianuri	1/5/2017 8:04:00 PM	0	mg/l
SC ALRO SA	Clor	1/5/2017 8:03:09 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 8:03:08 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 8:03:07 PM	28	mg/l
SC ALRO SA	Temp	1/5/2017 8:03:06 PM	13	gradCels
SC ALRO SA	pH	1/5/2017 8:03:05 PM	4	unit pH
SC ALRO SA	Cianuri	1/5/2017 7:58:02 PM	0	mg/l
SC ALRO SA	Clor	1/5/2017 7:58:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 7:58:00 PM	26	mg/l
SC ALRO SA	Grasimi	1/5/2017 7:57:42 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 7:57:41 PM	13	gradCels
SC ALRO SA	pH	1/5/2017 7:57:40 PM	4	unit pH
SC ALRO SA	Cianuri	1/5/2017 7:53:10 PM	0	mg/l
SC ALRO SA	Cianuri	1/5/2017 7:53:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 7:53:00 PM	26	mg/l
SC ALRO SA	Clor	1/5/2017 7:52:40 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 7:52:20 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 7:52:10 PM	26	mg/l
SC ALRO SA	Clor	1/5/2017 7:52:08 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 7:52:07 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 7:52:06 PM	13	gradCels
SC ALRO SA	pH	1/5/2017 7:52:05 PM	4	unit pH
SC ALRO SA	Temp	1/5/2017 7:51:40 PM	13	gradCels
SC ALRO SA	pH	1/5/2017 7:51:30 PM	4	unit pH
SC ALRO SA	Cianuri	1/5/2017 7:47:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 7:47:00 PM	26	mg/l
SC ALRO SA	Clor	1/5/2017 7:46:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 7:46:42 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 7:46:41 PM	13	gradCels
SC ALRO SA	pH	1/5/2017 7:46:40 PM	4	unit pH
SC ALRO SA	Cianuri	1/5/2017 7:42:02 PM	0	mg/l
SC ALRO SA	Clor	1/5/2017 7:42:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 7:42:00 PM	26	mg/l
SC ALRO SA	Grasimi	1/5/2017 7:41:07 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 7:41:06 PM	13	gradCels
SC ALRO SA	pH	1/5/2017 7:41:05 PM	4	unit pH
SC ALRO SA	Cianuri	1/5/2017 7:36:00 PM	0	mg/l
SC ALRO SA	Clor	1/5/2017 7:35:44 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 7:35:43 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 7:35:42 PM	26	mg/l
SC ALRO SA	Temp	1/5/2017 7:35:41 PM	13	gradCels
SC ALRO SA	pH	1/5/2017 7:35:40 PM	4	unit pH
SC ALRO SA	Cianuri	1/5/2017 7:31:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 7:31:00 PM	25	mg/l
SC ALRO SA	Clor	1/5/2017 7:30:08 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 7:30:07 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 7:30:06 PM	13	gradCels
SC ALRO SA	pH	1/5/2017 7:30:05 PM	4	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Cianuri	1/5/2017 7:29:40 PM	0	mg/l
SC ALRO SA	Clor	1/5/2017 7:29:30 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 7:27:50 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 7:27:40 PM	25	mg/l
SC ALRO SA	Temp	1/5/2017 7:27:30 PM	13	gradCels
SC ALRO SA	pH	1/5/2017 7:27:20 PM	4	unit pH
SC ALRO SA	Cianuri	1/5/2017 7:25:02 PM	0	mg/l
SC ALRO SA	Clor	1/5/2017 7:25:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 7:25:00 PM	25	mg/l
SC ALRO SA	Grasimi	1/5/2017 7:24:30 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 7:24:29 PM	13	gradCels
SC ALRO SA	pH	1/5/2017 7:24:28 PM	4	unit pH
SC ALRO SA	Cianuri	1/5/2017 7:20:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 7:20:00 PM	25	mg/l
SC ALRO SA	Clor	1/5/2017 7:19:09 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 7:19:08 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 7:19:07 PM	13	gradCels
SC ALRO SA	pH	1/5/2017 7:19:06 PM	4	unit pH
SC ALRO SA	Cianuri	1/5/2017 7:14:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 7:14:00 PM	25	mg/l
SC ALRO SA	Clor	1/5/2017 7:13:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 7:13:22 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 7:13:21 PM	13	gradCels
SC ALRO SA	pH	1/5/2017 7:13:20 PM	4	unit pH
SC ALRO SA	Cianuri	1/5/2017 7:09:02 PM	0	mg/l
SC ALRO SA	Clor	1/5/2017 7:09:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 7:09:00 PM	25	mg/l
SC ALRO SA	Grasimi	1/5/2017 7:08:06 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 7:08:05 PM	13	gradCels
SC ALRO SA	pH	1/5/2017 7:08:04 PM	4	unit pH
SC ALRO SA	Cianuri	1/5/2017 7:06:40 PM	0	mg/l
SC ALRO SA	Clor	1/5/2017 7:06:00 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 7:05:40 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 7:05:30 PM	25	mg/l
SC ALRO SA	Temp	1/5/2017 7:05:20 PM	13	gradCels
SC ALRO SA	pH	1/5/2017 7:05:10 PM	4	unit pH
SC ALRO SA	Cianuri	1/5/2017 7:03:00 PM	0	mg/l
SC ALRO SA	Clor	1/5/2017 7:02:24 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 7:02:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 7:02:22 PM	25	mg/l
SC ALRO SA	Temp	1/5/2017 7:02:21 PM	13	gradCels
SC ALRO SA	pH	1/5/2017 7:02:20 PM	4	unit pH
SC ALRO SA	Cianuri	1/5/2017 6:57:07 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 6:57:06 PM	25	mg/l
SC ALRO SA	Clor	1/5/2017 6:57:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 6:57:02 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 6:57:01 PM	13	gradCels
SC ALRO SA	pH	1/5/2017 6:57:00 PM	4	unit pH
SC ALRO SA	Cianuri	1/5/2017 6:52:02 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 6:52:01 PM	25	mg/l
SC ALRO SA	Clor	1/5/2017 6:52:00 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 6:51:18 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 6:51:17 PM	13	gradCels
SC ALRO SA	pH	1/5/2017 6:51:16 PM	5	unit pH
SC ALRO SA	Cianuri	1/5/2017 6:46:05 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 6:46:04 PM	25	mg/l
SC ALRO SA	Clor	1/5/2017 6:46:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 6:46:02 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 6:46:01 PM	13	gradCels
SC ALRO SA	pH	1/5/2017 6:46:00 PM	5	unit pH
SC ALRO SA	Cianuri	1/5/2017 6:43:40 PM	0	mg/l
SC ALRO SA	Clor	1/5/2017 6:43:30 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 6:43:10 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 6:42:40 PM	25	mg/l
SC ALRO SA	Temp	1/5/2017 6:42:30 PM	13	gradCels
SC ALRO SA	pH	1/5/2017 6:42:00 PM	5	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Cianuri	1/5/2017 6:41:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 6:41:00 PM	25	mg/l
SC ALRO SA	Clor	1/5/2017 6:40:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 6:40:22 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 6:40:21 PM	13	gradCels
SC ALRO SA	pH	1/5/2017 6:40:20 PM	5	unit pH
SC ALRO SA	Cianuri	1/5/2017 6:35:05 PM	0	mg/l
SC ALRO SA	Clor	1/5/2017 6:35:04 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 6:35:03 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 6:35:02 PM	25	mg/l
SC ALRO SA	Temp	1/5/2017 6:35:01 PM	13	gradCels
SC ALRO SA	pH	1/5/2017 6:35:00 PM	5	unit pH
SC ALRO SA	Cianuri	1/5/2017 6:30:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 6:30:00 PM	26	mg/l
SC ALRO SA	Clor	1/5/2017 6:29:13 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 6:29:12 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 6:29:11 PM	13	gradCels
SC ALRO SA	pH	1/5/2017 6:29:10 PM	5	unit pH
SC ALRO SA	Cianuri	1/5/2017 6:24:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 6:24:00 PM	26	mg/l
SC ALRO SA	Clor	1/5/2017 6:23:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 6:23:42 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 6:23:41 PM	13	gradCels
SC ALRO SA	pH	1/5/2017 6:23:40 PM	5	unit pH
SC ALRO SA	Cianuri	1/5/2017 6:21:40 PM	0	mg/l
SC ALRO SA	Clor	1/5/2017 6:21:30 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 6:21:10 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 6:20:40 PM	26	mg/l
SC ALRO SA	Temp	1/5/2017 6:20:30 PM	13	gradCels
SC ALRO SA	pH	1/5/2017 6:20:00 PM	5	unit pH
SC ALRO SA	Cianuri	1/5/2017 6:19:02 PM	0	mg/l
SC ALRO SA	Clor	1/5/2017 6:19:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 6:19:00 PM	26	mg/l
SC ALRO SA	Grasimi	1/5/2017 6:18:11 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 6:18:10 PM	13	gradCels
SC ALRO SA	pH	1/5/2017 6:18:09 PM	5	unit pH
SC ALRO SA	Cianuri	1/5/2017 6:13:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 6:13:00 PM	26	mg/l
SC ALRO SA	Clor	1/5/2017 6:12:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 6:12:42 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 6:12:41 PM	13	gradCels
SC ALRO SA	pH	1/5/2017 6:12:40 PM	5	unit pH
SC ALRO SA	Cianuri	1/5/2017 6:08:00 PM	0	mg/l
SC ALRO SA	Clor	1/5/2017 6:07:24 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 6:07:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 6:07:22 PM	26	mg/l
SC ALRO SA	Temp	1/5/2017 6:07:21 PM	13	gradCels
SC ALRO SA	pH	1/5/2017 6:07:20 PM	5	unit pH
SC ALRO SA	Cianuri	1/5/2017 6:02:02 PM	0	mg/l
SC ALRO SA	Clor	1/5/2017 6:02:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 6:02:00 PM	25	mg/l
SC ALRO SA	Grasimi	1/5/2017 6:01:42 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 6:01:41 PM	13	gradCels
SC ALRO SA	pH	1/5/2017 6:01:40 PM	5	unit pH
SC ALRO SA	Cianuri	1/5/2017 6:00:00 PM	0	mg/l
SC ALRO SA	Clor	1/5/2017 5:59:50 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 5:59:30 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 5:59:20 PM	25	mg/l
SC ALRO SA	Temp	1/5/2017 5:59:10 PM	13	gradCels
SC ALRO SA	pH	1/5/2017 5:58:40 PM	5	unit pH
SC ALRO SA	Cianuri	1/5/2017 5:57:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 5:57:00 PM	25	mg/l
SC ALRO SA	Clor	1/5/2017 5:56:12 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 5:56:11 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 5:56:10 PM	13	gradCels
SC ALRO SA	pH	1/5/2017 5:56:09 PM	5	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Cianuri	1/5/2017 5:51:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 5:51:00 PM	25	mg/l
SC ALRO SA	Clor	1/5/2017 5:50:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 5:50:42 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 5:50:41 PM	13	gradCels
SC ALRO SA	pH	1/5/2017 5:50:40 PM	5	unit pH
SC ALRO SA	Clor	1/5/2017 5:46:02 PM	0	mg/l
SC ALRO SA	Cianuri	1/5/2017 5:46:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 5:46:00 PM	25	mg/l
SC ALRO SA	Grasimi	1/5/2017 5:45:12 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 5:45:11 PM	13	gradCels
SC ALRO SA	pH	1/5/2017 5:45:10 PM	5	unit pH
SC ALRO SA	Cianuri	1/5/2017 5:40:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 5:40:00 PM	25	mg/l
SC ALRO SA	Clor	1/5/2017 5:39:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 5:39:42 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 5:39:41 PM	13	gradCels
SC ALRO SA	pH	1/5/2017 5:39:40 PM	4	unit pH
SC ALRO SA	Cianuri	1/5/2017 5:37:30 PM	0	mg/l
SC ALRO SA	Clor	1/5/2017 5:37:20 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 5:36:40 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 5:36:30 PM	25	mg/l
SC ALRO SA	Temp	1/5/2017 5:36:00 PM	13	gradCels
SC ALRO SA	pH	1/5/2017 5:35:50 PM	4	unit pH
SC ALRO SA	Cianuri	1/5/2017 5:35:00 PM	0	mg/l
SC ALRO SA	Clor	1/5/2017 5:34:14 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 5:34:13 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 5:34:12 PM	25	mg/l
SC ALRO SA	Temp	1/5/2017 5:34:11 PM	13	gradCels
SC ALRO SA	pH	1/5/2017 5:34:10 PM	4	unit pH
SC ALRO SA	Clor	1/5/2017 5:29:02 PM	0	mg/l
SC ALRO SA	Cianuri	1/5/2017 5:29:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 5:29:00 PM	25	mg/l
SC ALRO SA	Grasimi	1/5/2017 5:28:42 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 5:28:41 PM	13	gradCels
SC ALRO SA	pH	1/5/2017 5:28:40 PM	4	unit pH
SC ALRO SA	Cianuri	1/5/2017 5:24:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 5:24:00 PM	25	mg/l
SC ALRO SA	Clor	1/5/2017 5:23:01 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 5:23:00 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 5:22:59 PM	13	gradCels
SC ALRO SA	pH	1/5/2017 5:22:58 PM	4	unit pH
SC ALRO SA	Cianuri	1/5/2017 5:18:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 5:18:00 PM	25	mg/l
SC ALRO SA	Clor	1/5/2017 5:17:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 5:17:42 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 5:17:41 PM	13	gradCels
SC ALRO SA	pH	1/5/2017 5:17:40 PM	4	unit pH
SC ALRO SA	Cianuri	1/5/2017 5:14:30 PM	0	mg/l
SC ALRO SA	Clor	1/5/2017 5:14:00 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 5:13:40 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 5:13:30 PM	25	mg/l
SC ALRO SA	Temp	1/5/2017 5:13:20 PM	13	gradCels
SC ALRO SA	pH	1/5/2017 5:13:10 PM	4	unit pH
SC ALRO SA	Cianuri	1/5/2017 5:13:02 PM	0	mg/l
SC ALRO SA	Clor	1/5/2017 5:13:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 5:13:00 PM	25	mg/l
SC ALRO SA	Grasimi	1/5/2017 5:12:11 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 5:12:10 PM	13	gradCels
SC ALRO SA	pH	1/5/2017 5:12:09 PM	4	unit pH
SC ALRO SA	Cianuri	1/5/2017 5:07:00 PM	0	mg/l
SC ALRO SA	Clor	1/5/2017 5:06:44 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 5:06:43 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 5:06:42 PM	25	mg/l
SC ALRO SA	Temp	1/5/2017 5:06:41 PM	13	gradCels
SC ALRO SA	pH	1/5/2017 5:06:40 PM	4	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Cianuri	1/5/2017 5:02:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 5:02:00 PM	25	mg/l
SC ALRO SA	Clor	1/5/2017 5:01:14 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 5:01:13 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 5:01:12 PM	13	gradCels
SC ALRO SA	pH	1/5/2017 5:01:11 PM	4	unit pH
SC ALRO SA	Cianuri	1/5/2017 4:56:02 PM	0	mg/l
SC ALRO SA	Clor	1/5/2017 4:56:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 4:56:00 PM	25	mg/l
SC ALRO SA	Grasimi	1/5/2017 4:55:22 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 4:55:21 PM	13	gradCels
SC ALRO SA	pH	1/5/2017 4:55:20 PM	4	unit pH
SC ALRO SA	Cianuri	1/5/2017 4:51:10 PM	0	mg/l
SC ALRO SA	Cianuri	1/5/2017 4:51:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 4:51:00 PM	25	mg/l
SC ALRO SA	Clor	1/5/2017 4:50:40 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 4:50:20 PM	0	mg/l
SC ALRO SA	Clor	1/5/2017 4:50:14 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 4:50:13 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 4:50:12 PM	13	gradCels
SC ALRO SA	pH	1/5/2017 4:50:11 PM	4	unit pH
SC ALRO SA	Substante organice	1/5/2017 4:49:20 PM	25	mg/l
SC ALRO SA	Temp	1/5/2017 4:48:30 PM	13	gradCels
SC ALRO SA	pH	1/5/2017 4:48:20 PM	4	unit pH
SC ALRO SA	Cianuri	1/5/2017 4:45:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 4:45:00 PM	25	mg/l
SC ALRO SA	Clor	1/5/2017 4:44:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 4:44:22 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 4:44:21 PM	13	gradCels
SC ALRO SA	pH	1/5/2017 4:44:20 PM	4	unit pH
SC ALRO SA	Cianuri	1/5/2017 4:39:10 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 4:39:09 PM	25	mg/l
SC ALRO SA	Clor	1/5/2017 4:39:08 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 4:39:02 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 4:39:01 PM	13	gradCels
SC ALRO SA	pH	1/5/2017 4:39:00 PM	4	unit pH
SC ALRO SA	Cianuri	1/5/2017 4:34:00 PM	0	mg/l
SC ALRO SA	Clor	1/5/2017 4:33:24 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 4:33:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 4:33:22 PM	25	mg/l
SC ALRO SA	Temp	1/5/2017 4:33:21 PM	13	gradCels
SC ALRO SA	pH	1/5/2017 4:33:20 PM	4	unit pH
SC ALRO SA	Cianuri	1/5/2017 4:29:00 PM	0	mg/l
SC ALRO SA	Clor	1/5/2017 4:28:50 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 4:28:30 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 4:28:20 PM	25	mg/l
SC ALRO SA	Cianuri	1/5/2017 4:28:09 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 4:28:07 PM	25	mg/l
SC ALRO SA	Clor	1/5/2017 4:28:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 4:28:02 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 4:28:01 PM	13	gradCels
SC ALRO SA	pH	1/5/2017 4:28:00 PM	4	unit pH
SC ALRO SA	Temp	1/5/2017 4:26:30 PM	13	gradCels
SC ALRO SA	pH	1/5/2017 4:26:20 PM	4	unit pH
SC ALRO SA	Cianuri	1/5/2017 4:23:02 PM	0	mg/l
SC ALRO SA	Clor	1/5/2017 4:23:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 4:23:00 PM	25	mg/l
SC ALRO SA	Grasimi	1/5/2017 4:22:15 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 4:22:14 PM	13	gradCels
SC ALRO SA	pH	1/5/2017 4:22:13 PM	4	unit pH
SC ALRO SA	Substante organice	1/5/2017 4:17:09 PM	25	mg/l
SC ALRO SA	Cianuri	1/5/2017 4:17:05 PM	0	mg/l
SC ALRO SA	Clor	1/5/2017 4:16:44 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 4:16:43 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 4:16:42 PM	13	gradCels
SC ALRO SA	pH	1/5/2017 4:16:41 PM	4	unit pH



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Cianuri	1/5/2017 4:12:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 4:12:00 PM	25	mg/l
SC ALRO SA	Clor	1/5/2017 4:11:12 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 4:11:11 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 4:11:10 PM	13	gradCels
SC ALRO SA	pH	1/5/2017 4:11:09 PM	4	unit pH
SC ALRO SA	Cianuri	1/5/2017 4:07:10 PM	0	mg/l
SC ALRO SA	Clor	1/5/2017 4:07:00 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 4:06:40 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 4:06:30 PM	25	mg/l
SC ALRO SA	Temp	1/5/2017 4:06:20 PM	13	gradCels
SC ALRO SA	pH	1/5/2017 4:06:10 PM	4	unit pH
SC ALRO SA	Cianuri	1/5/2017 4:05:50 PM	0	mg/l
SC ALRO SA	Clor	1/5/2017 4:05:45 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 4:05:44 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 4:05:43 PM	25	mg/l
SC ALRO SA	Temp	1/5/2017 4:05:42 PM	13	gradCels
SC ALRO SA	pH	1/5/2017 4:05:41 PM	4	unit pH
SC ALRO SA	Cianuri	1/5/2017 4:01:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 4:01:00 PM	24	mg/l
SC ALRO SA	Clor	1/5/2017 4:00:33 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 4:00:32 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 4:00:31 PM	13	gradCels
SC ALRO SA	pH	1/5/2017 4:00:30 PM	4	unit pH
SC ALRO SA	Cianuri	1/5/2017 3:55:06 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 3:55:04 PM	24	mg/l
SC ALRO SA	Clor	1/5/2017 3:54:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 3:54:42 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 3:54:41 PM	13	gradCels
SC ALRO SA	pH	1/5/2017 3:54:40 PM	4	unit pH
SC ALRO SA	Cianuri	1/5/2017 3:50:02 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 3:50:00 PM	24	mg/l
SC ALRO SA	Clor	1/5/2017 3:49:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 3:49:22 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 3:49:21 PM	13	gradCels
SC ALRO SA	pH	1/5/2017 3:49:20 PM	4	unit pH
SC ALRO SA	Cianuri	1/5/2017 3:45:00 PM	0	mg/l
SC ALRO SA	Clor	1/5/2017 3:44:50 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 3:44:30 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 3:44:20 PM	24	mg/l
SC ALRO SA	Temp	1/5/2017 3:44:10 PM	13	gradCels
SC ALRO SA	Substante organice	1/5/2017 3:44:05 PM	24	mg/l
SC ALRO SA	Cianuri	1/5/2017 3:44:03 PM	0	mg/l
SC ALRO SA	Clor	1/5/2017 3:43:40 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 3:43:39 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 3:43:38 PM	13	gradCels
SC ALRO SA	pH	1/5/2017 3:43:37 PM	4	unit pH
SC ALRO SA	pH	1/5/2017 3:42:20 PM	5	unit pH
SC ALRO SA	Cianuri	1/5/2017 3:39:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 3:39:00 PM	24	mg/l
SC ALRO SA	Clor	1/5/2017 3:38:11 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 3:38:10 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 3:38:09 PM	13	gradCels
SC ALRO SA	pH	1/5/2017 3:38:08 PM	5	unit pH
SC ALRO SA	Cianuri	1/5/2017 3:33:01 PM	0	mg/l
SC ALRO SA	Clor	1/5/2017 3:32:44 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 3:32:43 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 3:32:42 PM	24	mg/l
SC ALRO SA	Temp	1/5/2017 3:32:41 PM	13	gradCels
SC ALRO SA	pH	1/5/2017 3:32:40 PM	5	unit pH
SC ALRO SA	Cianuri	1/5/2017 3:28:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 3:28:00 PM	24	mg/l
SC ALRO SA	Clor	1/5/2017 3:27:08 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 3:27:07 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 3:27:06 PM	12	gradCels
SC ALRO SA	pH	1/5/2017 3:27:05 PM	5	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Cianuri	1/5/2017 3:24:10 PM	0	mg/l
SC ALRO SA	Clor	1/5/2017 3:23:40 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 3:23:20 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 3:23:10 PM	24	mg/l
SC ALRO SA	Temp	1/5/2017 3:23:00 PM	12	gradCels
SC ALRO SA	pH	1/5/2017 3:22:50 PM	5	unit pH
SC ALRO SA	Cianuri	1/5/2017 3:22:03 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 3:22:02 PM	24	mg/l
SC ALRO SA	Clor	1/5/2017 3:21:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 3:21:42 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 3:21:41 PM	12	gradCels
SC ALRO SA	pH	1/5/2017 3:21:40 PM	5	unit pH
SC ALRO SA	Cianuri	1/5/2017 3:17:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 3:17:00 PM	24	mg/l
SC ALRO SA	Clor	1/5/2017 3:16:12 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 3:16:11 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 3:16:10 PM	12	gradCels
SC ALRO SA	pH	1/5/2017 3:16:09 PM	5	unit pH
SC ALRO SA	Cianuri	1/5/2017 3:11:03 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 3:11:02 PM	24	mg/l
SC ALRO SA	Clor	1/5/2017 3:10:35 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 3:10:34 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 3:10:33 PM	12	gradCels
SC ALRO SA	pH	1/5/2017 3:10:32 PM	5	unit pH
SC ALRO SA	Cianuri	1/5/2017 3:06:00 PM	0	mg/l
SC ALRO SA	Cianuri	1/5/2017 3:05:20 PM	0	mg/l
SC ALRO SA	Clor	1/5/2017 3:05:11 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 3:05:10 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 3:05:09 PM	24	mg/l
SC ALRO SA	Temp	1/5/2017 3:05:08 PM	12	gradCels
SC ALRO SA	pH	1/5/2017 3:05:07 PM	5	unit pH
SC ALRO SA	Clor	1/5/2017 3:04:10 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 3:03:30 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 3:03:20 PM	23	mg/l
SC ALRO SA	Temp	1/5/2017 3:03:10 PM	12	gradCels
SC ALRO SA	pH	1/5/2017 3:02:40 PM	5	unit pH
SC ALRO SA	Substante organice	1/5/2017 3:00:03 PM	23	mg/l
SC ALRO SA	Cianuri	1/5/2017 3:00:02 PM	0	mg/l
SC ALRO SA	Clor	1/5/2017 2:59:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 2:59:42 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 2:59:41 PM	12	gradCels
SC ALRO SA	pH	1/5/2017 2:59:40 PM	5	unit pH
SC ALRO SA	Cianuri	1/5/2017 2:55:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 2:55:00 PM	23	mg/l
SC ALRO SA	Clor	1/5/2017 2:54:32 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 2:54:31 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 2:54:30 PM	12	gradCels
SC ALRO SA	pH	1/5/2017 2:54:29 PM	5	unit pH
SC ALRO SA	Cianuri	1/5/2017 2:49:03 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 2:49:02 PM	23	mg/l
SC ALRO SA	Clor	1/5/2017 2:48:30 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 2:48:29 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 2:48:28 PM	12	gradCels
SC ALRO SA	pH	1/5/2017 2:48:27 PM	5	unit pH
SC ALRO SA	Cianuri	1/5/2017 2:44:03 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 2:44:02 PM	23	mg/l
SC ALRO SA	Cianuri	1/5/2017 2:43:40 PM	0	mg/l
SC ALRO SA	Clor	1/5/2017 2:43:30 PM	0	mg/l
SC ALRO SA	Clor	1/5/2017 2:43:13 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 2:43:12 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 2:43:11 PM	12	gradCels
SC ALRO SA	pH	1/5/2017 2:43:10 PM	5	unit pH
SC ALRO SA	Grasimi	1/5/2017 2:42:30 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 2:41:40 PM	23	mg/l
SC ALRO SA	Temp	1/5/2017 2:41:30 PM	12	gradCels
SC ALRO SA	pH	1/5/2017 2:41:20 PM	5	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Cianuri	1/5/2017 2:39:03 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 2:39:02 PM	23	mg/l
SC ALRO SA	Clor	1/5/2017 2:38:11 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 2:38:10 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 2:38:09 PM	12	gradCels
SC ALRO SA	pH	1/5/2017 2:38:08 PM	5	unit pH
SC ALRO SA	Cianuri	1/5/2017 2:34:02 PM	0	mg/l
SC ALRO SA	Clor	1/5/2017 2:33:08 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 2:33:07 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 2:33:06 PM	23	mg/l
SC ALRO SA	Temp	1/5/2017 2:33:05 PM	12	gradCels
SC ALRO SA	pH	1/5/2017 2:33:04 PM	5	unit pH
SC ALRO SA	Cianuri	1/5/2017 2:28:03 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 2:28:02 PM	23	mg/l
SC ALRO SA	Clor	1/5/2017 2:27:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 2:27:22 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 2:27:21 PM	12	gradCels
SC ALRO SA	pH	1/5/2017 2:27:20 PM	5	unit pH
SC ALRO SA	Substante organice	1/5/2017 2:23:02 PM	23	mg/l
SC ALRO SA	Cianuri	1/5/2017 2:23:01 PM	0	mg/l
SC ALRO SA	Clor	1/5/2017 2:22:05 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 2:22:04 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 2:22:03 PM	12	gradCels
SC ALRO SA	pH	1/5/2017 2:22:02 PM	5	unit pH
SC ALRO SA	Cianuri	1/5/2017 2:19:30 PM	0	mg/l
SC ALRO SA	Clor	1/5/2017 2:19:20 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 2:18:40 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 2:18:30 PM	23	mg/l
SC ALRO SA	Temp	1/5/2017 2:17:30 PM	12	gradCels
SC ALRO SA	pH	1/5/2017 2:17:20 PM	5	unit pH
SC ALRO SA	Cianuri	1/5/2017 2:17:02 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 2:17:01 PM	23	mg/l
SC ALRO SA	Clor	1/5/2017 2:16:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 2:16:22 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 2:16:21 PM	12	gradCels
SC ALRO SA	pH	1/5/2017 2:16:20 PM	5	unit pH
SC ALRO SA	Cianuri	1/5/2017 2:11:05 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 2:11:04 PM	23	mg/l
SC ALRO SA	Clor	1/5/2017 2:11:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 2:11:02 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 2:11:01 PM	12	gradCels
SC ALRO SA	pH	1/5/2017 2:11:00 PM	5	unit pH
SC ALRO SA	Cianuri	1/5/2017 2:06:02 PM	0	mg/l
SC ALRO SA	Clor	1/5/2017 2:05:24 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 2:05:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 2:05:22 PM	23	mg/l
SC ALRO SA	Temp	1/5/2017 2:05:21 PM	12	gradCels
SC ALRO SA	pH	1/5/2017 2:05:20 PM	5	unit pH
SC ALRO SA	Cianuri	1/5/2017 2:00:05 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 2:00:04 PM	24	mg/l
SC ALRO SA	Clor	1/5/2017 2:00:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 2:00:02 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 2:00:01 PM	12	gradCels
SC ALRO SA	pH	1/5/2017 2:00:00 PM	5	unit pH
SC ALRO SA	Cianuri	1/5/2017 1:56:20 PM	0	mg/l
SC ALRO SA	Clor	1/5/2017 1:56:10 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 1:55:20 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 1:55:10 PM	24	mg/l
SC ALRO SA	Cianuri	1/5/2017 1:55:03 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 1:55:02 PM	24	mg/l
SC ALRO SA	Temp	1/5/2017 1:54:40 PM	12	gradCels
SC ALRO SA	pH	1/5/2017 1:54:30 PM	5	unit pH
SC ALRO SA	Clor	1/5/2017 1:54:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 1:54:22 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 1:54:21 PM	12	gradCels
SC ALRO SA	pH	1/5/2017 1:54:20 PM	5	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	1/5/2017 1:50:03 PM	24	mg/l
SC ALRO SA	Cianuri	1/5/2017 1:50:02 PM	0	mg/l
SC ALRO SA	Clor	1/5/2017 1:49:13 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 1:49:12 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 1:49:11 PM	12	gradCels
SC ALRO SA	pH	1/5/2017 1:49:10 PM	5	unit pH
SC ALRO SA	Cianuri	1/5/2017 1:44:03 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 1:44:02 PM	24	mg/l
SC ALRO SA	Clor	1/5/2017 1:43:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 1:43:42 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 1:43:41 PM	12	gradCels
SC ALRO SA	pH	1/5/2017 1:43:40 PM	5	unit pH
SC ALRO SA	Cianuri	1/5/2017 1:39:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 1:39:00 PM	24	mg/l
SC ALRO SA	Clor	1/5/2017 1:38:13 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 1:38:12 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 1:38:11 PM	12	gradCels
SC ALRO SA	pH	1/5/2017 1:38:10 PM	5	unit pH
SC ALRO SA	Cianuri	1/5/2017 1:33:50 PM	0	mg/l
SC ALRO SA	Clor	1/5/2017 1:33:40 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 1:33:20 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 1:33:10 PM	24	mg/l
SC ALRO SA	Temp	1/5/2017 1:33:00 PM	12	gradCels
SC ALRO SA	Cianuri	1/5/2017 1:32:47 PM	0	mg/l
SC ALRO SA	Clor	1/5/2017 1:32:44 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 1:32:43 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 1:32:42 PM	24	mg/l
SC ALRO SA	Temp	1/5/2017 1:32:41 PM	12	gradCels
SC ALRO SA	pH	1/5/2017 1:32:40 PM	5	unit pH
SC ALRO SA	pH	1/5/2017 1:32:30 PM	5	unit pH
SC ALRO SA	Cianuri	1/5/2017 1:28:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 1:28:00 PM	24	mg/l
SC ALRO SA	Clor	1/5/2017 1:27:14 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 1:27:13 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 1:27:12 PM	12	gradCels
SC ALRO SA	pH	1/5/2017 1:27:11 PM	5	unit pH
SC ALRO SA	Cianuri	1/5/2017 1:22:02 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 1:22:01 PM	24	mg/l
SC ALRO SA	Clor	1/5/2017 1:21:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 1:21:42 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 1:21:41 PM	12	gradCels
SC ALRO SA	pH	1/5/2017 1:21:40 PM	5	unit pH
SC ALRO SA	Cianuri	1/5/2017 1:17:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 1:17:00 PM	24	mg/l
SC ALRO SA	Clor	1/5/2017 1:16:13 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 1:16:12 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 1:16:11 PM	12	gradCels
SC ALRO SA	pH	1/5/2017 1:16:10 PM	6	unit pH
SC ALRO SA	Cianuri	1/5/2017 1:11:50 PM	0	mg/l
SC ALRO SA	Clor	1/5/2017 1:11:40 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 1:11:20 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 1:11:10 PM	24	mg/l
SC ALRO SA	Cianuri	1/5/2017 1:11:03 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 1:11:02 PM	24	mg/l
SC ALRO SA	Clor	1/5/2017 1:10:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 1:10:42 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 1:10:41 PM	13	gradCels
SC ALRO SA	pH	1/5/2017 1:10:40 PM	5	unit pH
SC ALRO SA	Temp	1/5/2017 1:10:10 PM	13	gradCels
SC ALRO SA	pH	1/5/2017 1:09:40 PM	5	unit pH
SC ALRO SA	Cianuri	1/5/2017 1:06:00 PM	0	mg/l
SC ALRO SA	Clor	1/5/2017 1:05:44 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 1:05:43 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 1:05:42 PM	24	mg/l
SC ALRO SA	Temp	1/5/2017 1:05:41 PM	13	gradCels
SC ALRO SA	pH	1/5/2017 1:05:40 PM	5	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	1/5/2017 1:01:01 PM	24	mg/l
SC ALRO SA	Cianuri	1/5/2017 1:01:00 PM	0	mg/l
SC ALRO SA	Clor	1/5/2017 1:00:05 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 1:00:04 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 1:00:03 PM	13	gradCels
SC ALRO SA	pH	1/5/2017 1:00:02 PM	5	unit pH
SC ALRO SA	Cianuri	1/5/2017 12:55:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 12:55:00 PM	24	mg/l
SC ALRO SA	Clor	1/5/2017 12:54:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 12:54:42 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 12:54:41 PM	13	gradCels
SC ALRO SA	pH	1/5/2017 12:54:40 PM	5	unit pH
SC ALRO SA	Cianuri	1/5/2017 12:50:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 12:50:00 PM	24	mg/l
SC ALRO SA	Clor	1/5/2017 12:49:05 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 12:49:04 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 12:49:03 PM	13	gradCels
SC ALRO SA	pH	1/5/2017 12:49:02 PM	6	unit pH
SC ALRO SA	Cianuri	1/5/2017 12:48:20 PM	0	mg/l
SC ALRO SA	Clor	1/5/2017 12:47:40 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 12:47:20 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 12:47:10 PM	24	mg/l
SC ALRO SA	Temp	1/5/2017 12:46:20 PM	13	gradCels
SC ALRO SA	pH	1/5/2017 12:46:10 PM	5	unit pH
SC ALRO SA	Cianuri	1/5/2017 12:44:02 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 12:44:01 PM	24	mg/l
SC ALRO SA	Clor	1/5/2017 12:43:46 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 12:43:44 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 12:43:42 PM	13	gradCels
SC ALRO SA	pH	1/5/2017 12:43:40 PM	5	unit pH
SC ALRO SA	Cianuri	1/5/2017 12:39:04 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 12:39:03 PM	24	mg/l
SC ALRO SA	Clor	1/5/2017 12:38:05 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 12:38:04 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 12:38:03 PM	13	gradCels
SC ALRO SA	pH	1/5/2017 12:38:02 PM	5	unit pH
SC ALRO SA	Cianuri	1/5/2017 12:32:51 PM	0	mg/l
SC ALRO SA	Clor	1/5/2017 12:32:44 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 12:32:43 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 12:32:42 PM	24	mg/l
SC ALRO SA	Temp	1/5/2017 12:32:41 PM	13	gradCels
SC ALRO SA	pH	1/5/2017 12:32:40 PM	5	unit pH
SC ALRO SA	Cianuri	1/5/2017 12:28:17 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 12:28:16 PM	24	mg/l
SC ALRO SA	Clor	1/5/2017 12:27:04 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 12:27:03 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 12:27:02 PM	13	gradCels
SC ALRO SA	pH	1/5/2017 12:27:01 PM	5	unit pH
SC ALRO SA	Cianuri	1/5/2017 12:23:30 PM	0	mg/l
SC ALRO SA	Clor	1/5/2017 12:23:20 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 12:22:40 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 12:22:30 PM	24	mg/l
SC ALRO SA	Temp	1/5/2017 12:22:10 PM	13	gradCels
SC ALRO SA	Clor	1/5/2017 12:22:04 PM	0	mg/l
SC ALRO SA	Cianuri	1/5/2017 12:22:03 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 12:22:02 PM	24	mg/l
SC ALRO SA	pH	1/5/2017 12:21:40 PM	5	unit pH
SC ALRO SA	Grasimi	1/5/2017 12:21:26 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 12:21:25 PM	13	gradCels
SC ALRO SA	pH	1/5/2017 12:21:24 PM	5	unit pH
SC ALRO SA	Cianuri	1/5/2017 12:17:18 PM	0	mg/l
SC ALRO SA	Clor	1/5/2017 12:17:17 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 12:17:16 PM	24	mg/l
SC ALRO SA	Grasimi	1/5/2017 12:16:07 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 12:16:06 PM	13	gradCels
SC ALRO SA	pH	1/5/2017 12:16:05 PM	5	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Cianuri	1/5/2017 12:11:05 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 12:11:04 PM	24	mg/l
SC ALRO SA	Clor	1/5/2017 12:11:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 12:10:22 PM	0	mg/l
SC ALRO SA	Temp	1/5/2017 12:10:21 PM	13	gradCels
SC ALRO SA	pH	1/5/2017 12:10:20 PM	5	unit pH
SC ALRO SA	Cianuri	1/5/2017 12:06:17 PM	0	mg/l
SC ALRO SA	Clor	1/5/2017 12:06:15 PM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 12:05:05 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 12:05:04 PM	24	mg/l
SC ALRO SA	Temp	1/5/2017 12:05:03 PM	13	gradCels
SC ALRO SA	pH	1/5/2017 12:05:02 PM	5	unit pH
SC ALRO SA	Clor	1/5/2017 12:00:05 PM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 12:00:03 PM	23	mg/l
SC ALRO SA	Cianuri	1/5/2017 12:00:02 PM	0	mg/l
SC ALRO SA	Cianuri	1/5/2017 11:59:40 AM	0	mg/l
SC ALRO SA	Clor	1/5/2017 11:59:30 AM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 11:59:25 AM	0	mg/l
SC ALRO SA	Temp	1/5/2017 11:59:24 AM	13	gradCels
SC ALRO SA	pH	1/5/2017 11:59:23 AM	5	unit pH
SC ALRO SA	Grasimi	1/5/2017 11:58:20 AM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 11:57:40 AM	23	mg/l
SC ALRO SA	Temp	1/5/2017 11:57:30 AM	13	gradCels
SC ALRO SA	pH	1/5/2017 11:56:20 AM	5	unit pH
SC ALRO SA	Cianuri	1/5/2017 11:54:58 AM	0	mg/l
SC ALRO SA	Clor	1/5/2017 11:54:57 AM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 11:54:56 AM	23	mg/l
SC ALRO SA	Grasimi	1/5/2017 11:54:03 AM	0	mg/l
SC ALRO SA	Temp	1/5/2017 11:54:02 AM	13	gradCels
SC ALRO SA	pH	1/5/2017 11:54:01 AM	5	unit pH
SC ALRO SA	Cianuri	1/5/2017 11:49:02 AM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 11:49:01 AM	23	mg/l
SC ALRO SA	Clor	1/5/2017 11:48:27 AM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 11:48:26 AM	0	mg/l
SC ALRO SA	Temp	1/5/2017 11:48:25 AM	13	gradCels
SC ALRO SA	pH	1/5/2017 11:48:24 AM	5	unit pH
SC ALRO SA	Cianuri	1/5/2017 11:43:12 AM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 11:43:11 AM	23	mg/l
SC ALRO SA	Clor	1/5/2017 11:43:06 AM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 11:43:05 AM	0	mg/l
SC ALRO SA	Temp	1/5/2017 11:43:04 AM	13	gradCels
SC ALRO SA	pH	1/5/2017 11:43:03 AM	5	unit pH
SC ALRO SA	Cianuri	1/5/2017 11:38:03 AM	0	mg/l
SC ALRO SA	Clor	1/5/2017 11:37:27 AM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 11:37:26 AM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 11:37:25 AM	23	mg/l
SC ALRO SA	Temp	1/5/2017 11:37:24 AM	13	gradCels
SC ALRO SA	pH	1/5/2017 11:37:23 AM	5	unit pH
SC ALRO SA	Cianuri	1/5/2017 11:35:30 AM	0	mg/l
SC ALRO SA	Clor	1/5/2017 11:34:40 AM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 11:34:10 AM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 11:34:00 AM	22	mg/l
SC ALRO SA	Temp	1/5/2017 11:33:50 AM	13	gradCels
SC ALRO SA	pH	1/5/2017 11:33:40 AM	5	unit pH
SC ALRO SA	Cianuri	1/5/2017 11:32:13 AM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 11:32:12 AM	22	mg/l
SC ALRO SA	Clor	1/5/2017 11:32:06 AM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 11:32:05 AM	0	mg/l
SC ALRO SA	Temp	1/5/2017 11:32:04 AM	13	gradCels
SC ALRO SA	pH	1/5/2017 11:32:03 AM	5	unit pH
SC ALRO SA	Substante organice	1/5/2017 11:27:04 AM	22	mg/l
SC ALRO SA	Cianuri	1/5/2017 11:27:03 AM	0	mg/l
SC ALRO SA	Clor	1/5/2017 11:26:26 AM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 11:26:25 AM	0	mg/l
SC ALRO SA	Temp	1/5/2017 11:26:24 AM	13	gradCels
SC ALRO SA	pH	1/5/2017 11:26:23 AM	5	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Cianuri	1/5/2017 11:20:52 AM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 11:20:51 AM	22	mg/l
SC ALRO SA	Clor	1/5/2017 11:20:46 AM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 11:20:45 AM	0	mg/l
SC ALRO SA	Temp	1/5/2017 11:20:44 AM	13	gradCels
SC ALRO SA	pH	1/5/2017 11:20:43 AM	5	unit pH
SC ALRO SA	Cianuri	1/5/2017 11:16:04 AM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 11:16:03 AM	22	mg/l
SC ALRO SA	Clor	1/5/2017 11:15:26 AM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 11:15:25 AM	0	mg/l
SC ALRO SA	Temp	1/5/2017 11:15:24 AM	13	gradCels
SC ALRO SA	pH	1/5/2017 11:15:23 AM	5	unit pH
SC ALRO SA	Cianuri	1/5/2017 11:12:30 AM	0	mg/l
SC ALRO SA	Clor	1/5/2017 11:12:00 AM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 11:11:40 AM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 11:11:30 AM	22	mg/l
SC ALRO SA	Temp	1/5/2017 11:11:20 AM	13	gradCels
SC ALRO SA	pH	1/5/2017 11:11:10 AM	5	unit pH
SC ALRO SA	Substante organice	1/5/2017 11:09:52 AM	22	mg/l
SC ALRO SA	Cianuri	1/5/2017 11:09:51 AM	0	mg/l
SC ALRO SA	Clor	1/5/2017 11:09:46 AM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 11:09:45 AM	0	mg/l
SC ALRO SA	Temp	1/5/2017 11:09:44 AM	13	gradCels
SC ALRO SA	pH	1/5/2017 11:09:43 AM	5	unit pH
SC ALRO SA	Cianuri	1/5/2017 11:05:01 AM	0	mg/l
SC ALRO SA	Clor	1/5/2017 11:04:24 AM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 11:04:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 11:04:22 AM	22	mg/l
SC ALRO SA	Temp	1/5/2017 11:04:21 AM	13	gradCels
SC ALRO SA	pH	1/5/2017 11:04:20 AM	5	unit pH
SC ALRO SA	Cianuri	1/5/2017 10:58:55 AM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 10:58:48 AM	22	mg/l
SC ALRO SA	Clor	1/5/2017 10:58:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 10:58:42 AM	0	mg/l
SC ALRO SA	Temp	1/5/2017 10:58:41 AM	13	gradCels
SC ALRO SA	pH	1/5/2017 10:58:40 AM	5	unit pH
SC ALRO SA	Cianuri	1/5/2017 10:54:04 AM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 10:54:03 AM	22	mg/l
SC ALRO SA	Clor	1/5/2017 10:53:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 10:53:22 AM	0	mg/l
SC ALRO SA	Temp	1/5/2017 10:53:21 AM	13	gradCels
SC ALRO SA	pH	1/5/2017 10:53:20 AM	5	unit pH
SC ALRO SA	Cianuri	1/5/2017 10:49:50 AM	0	mg/l
SC ALRO SA	Clor	1/5/2017 10:49:40 AM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 10:49:20 AM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 10:49:10 AM	22	mg/l
SC ALRO SA	Temp	1/5/2017 10:49:00 AM	13	gradCels
SC ALRO SA	pH	1/5/2017 10:48:20 AM	5	unit pH
SC ALRO SA	Cianuri	1/5/2017 10:47:54 AM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 10:47:51 AM	22	mg/l
SC ALRO SA	Clor	1/5/2017 10:47:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 10:47:42 AM	0	mg/l
SC ALRO SA	Temp	1/5/2017 10:47:41 AM	13	gradCels
SC ALRO SA	pH	1/5/2017 10:47:40 AM	5	unit pH
SC ALRO SA	Cianuri	1/5/2017 10:43:04 AM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 10:43:03 AM	22	mg/l
SC ALRO SA	Clor	1/5/2017 10:42:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 10:42:22 AM	0	mg/l
SC ALRO SA	Temp	1/5/2017 10:42:21 AM	12	gradCels
SC ALRO SA	pH	1/5/2017 10:42:20 AM	5	unit pH
SC ALRO SA	Cianuri	1/5/2017 10:36:49 AM	0	mg/l
SC ALRO SA	Clor	1/5/2017 10:36:44 AM	0	mg/l
SC ALRO SA	Grasimi	1/5/2017 10:36:43 AM	0	mg/l
SC ALRO SA	Substante organice	1/5/2017 10:36:42 AM	22	mg/l
SC ALRO SA	Temp	1/5/2017 10:36:41 AM	12	gradCels
SC ALRO SA	pH	1/5/2017 10:36:40 AM	5	unit pH