

## Analiza evolutie pe mai multi senzori

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	1/31/2017 9:26:42 AM	32	mg/l
SC ALRO SA	Cianuri	1/31/2017 9:26:41 AM	0	mg/l
SC ALRO SA	Clor	1/31/2017 9:26:26 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 9:26:25 AM	0	mg/l
SC ALRO SA	Temp	1/31/2017 9:26:24 AM	32	gradCels
SC ALRO SA	pH	1/31/2017 9:26:23 AM	7	unit pH
SC ALRO SA	Cianuri	1/31/2017 9:23:50 AM	0	mg/l
SC ALRO SA	Clor	1/31/2017 9:23:40 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 9:23:20 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 9:23:10 AM	32	mg/l
SC ALRO SA	Temp	1/31/2017 9:23:00 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 9:22:50 AM	7	unit pH
SC ALRO SA	Cianuri	1/31/2017 9:21:21 AM	0	mg/l
SC ALRO SA	Clor	1/31/2017 9:21:05 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 9:21:04 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 9:21:03 AM	32	mg/l
SC ALRO SA	Temp	1/31/2017 9:21:02 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 9:21:01 AM	7	unit pH
SC ALRO SA	Cianuri	1/31/2017 9:15:42 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 9:15:41 AM	32	mg/l
SC ALRO SA	Clor	1/31/2017 9:15:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 9:15:22 AM	0	mg/l
SC ALRO SA	Temp	1/31/2017 9:15:21 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 9:15:20 AM	7	unit pH
SC ALRO SA	Cianuri	1/31/2017 9:10:42 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 9:10:41 AM	32	mg/l
SC ALRO SA	Clor	1/31/2017 9:09:46 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 9:09:45 AM	0	mg/l
SC ALRO SA	Temp	1/31/2017 9:09:44 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 9:09:43 AM	6	unit pH
SC ALRO SA	Cianuri	1/31/2017 9:04:42 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 9:04:41 AM	32	mg/l
SC ALRO SA	Clor	1/31/2017 9:04:06 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 9:04:05 AM	0	mg/l
SC ALRO SA	Temp	1/31/2017 9:04:04 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 9:04:03 AM	7	unit pH
SC ALRO SA	Cianuri	1/31/2017 9:02:10 AM	0	mg/l
SC ALRO SA	Clor	1/31/2017 9:02:00 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 9:01:40 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 9:01:30 AM	32	mg/l
SC ALRO SA	Temp	1/31/2017 9:01:20 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 9:01:10 AM	7	unit pH
SC ALRO SA	Cianuri	1/31/2017 8:59:42 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 8:59:41 AM	32	mg/l
SC ALRO SA	Clor	1/31/2017 8:58:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 8:58:42 AM	0	mg/l
SC ALRO SA	Temp	1/31/2017 8:58:41 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 8:58:40 AM	7	unit pH
SC ALRO SA	Cianuri	1/31/2017 8:53:40 AM	0	mg/l
SC ALRO SA	Clor	1/31/2017 8:53:04 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 8:53:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 8:53:02 AM	32	mg/l
SC ALRO SA	Temp	1/31/2017 8:53:01 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 8:53:00 AM	7	unit pH
SC ALRO SA	Substante organice	1/31/2017 8:48:22 AM	32	mg/l
SC ALRO SA	Cianuri	1/31/2017 8:48:21 AM	0	mg/l
SC ALRO SA	Clor	1/31/2017 8:47:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 8:47:42 AM	0	mg/l
SC ALRO SA	Temp	1/31/2017 8:47:41 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 8:47:40 AM	7	unit pH
SC ALRO SA	Substante organice	1/31/2017 8:42:44 AM	32	mg/l
SC ALRO SA	Cianuri	1/31/2017 8:42:41 AM	0	mg/l
SC ALRO SA	Cianuri	1/31/2017 8:42:10 AM	0	mg/l
SC ALRO SA	Clor	1/31/2017 8:42:03 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Grasimi	1/31/2017 8:42:02 AM	0	mg/l
SC ALRO SA	Temp	1/31/2017 8:42:01 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 8:42:00 AM	7	unit pH
SC ALRO SA	Clor	1/31/2017 8:41:50 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 8:41:10 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 8:41:01 AM	32	mg/l
SC ALRO SA	Temp	1/31/2017 8:40:50 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 8:40:20 AM	7	unit pH
SC ALRO SA	Cianuri	1/31/2017 8:37:42 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 8:37:41 AM	32	mg/l
SC ALRO SA	Clor	1/31/2017 8:36:29 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 8:36:28 AM	0	mg/l
SC ALRO SA	Temp	1/31/2017 8:36:27 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 8:36:26 AM	7	unit pH
SC ALRO SA	Cianuri	1/31/2017 8:31:42 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 8:31:41 AM	32	mg/l
SC ALRO SA	Clor	1/31/2017 8:31:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 8:31:02 AM	0	mg/l
SC ALRO SA	Temp	1/31/2017 8:31:01 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 8:31:00 AM	7	unit pH
SC ALRO SA	Cianuri	1/31/2017 8:26:41 AM	0	mg/l
SC ALRO SA	Clor	1/31/2017 8:25:32 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 8:25:31 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 8:25:30 AM	32	mg/l
SC ALRO SA	Temp	1/31/2017 8:25:29 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 8:25:28 AM	7	unit pH
SC ALRO SA	Cianuri	1/31/2017 8:22:50 AM	0	mg/l
SC ALRO SA	Clor	1/31/2017 8:22:40 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 8:22:10 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 8:22:00 AM	32	mg/l
SC ALRO SA	Temp	1/31/2017 8:21:50 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 8:21:10 AM	7	unit pH
SC ALRO SA	Cianuri	1/31/2017 8:20:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 8:20:22 AM	32	mg/l
SC ALRO SA	Clor	1/31/2017 8:20:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 8:20:02 AM	0	mg/l
SC ALRO SA	Temp	1/31/2017 8:20:01 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 8:20:00 AM	7	unit pH
SC ALRO SA	Cianuri	1/31/2017 8:14:29 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 8:14:27 AM	32	mg/l
SC ALRO SA	Clor	1/31/2017 8:14:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 8:14:22 AM	0	mg/l
SC ALRO SA	Temp	1/31/2017 8:14:21 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 8:14:20 AM	6	unit pH
SC ALRO SA	Substante organice	1/31/2017 8:09:42 AM	32	mg/l
SC ALRO SA	Cianuri	1/31/2017 8:09:41 AM	0	mg/l
SC ALRO SA	Clor	1/31/2017 8:09:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 8:09:02 AM	0	mg/l
SC ALRO SA	Temp	1/31/2017 8:09:01 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 8:09:00 AM	6	unit pH
SC ALRO SA	Cianuri	1/31/2017 8:03:31 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 8:03:30 AM	32	mg/l
SC ALRO SA	Clor	1/31/2017 8:03:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 8:03:22 AM	0	mg/l
SC ALRO SA	Temp	1/31/2017 8:03:21 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 8:03:20 AM	7	unit pH
SC ALRO SA	Cianuri	1/31/2017 8:02:30 AM	0	mg/l
SC ALRO SA	Clor	1/31/2017 8:02:10 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 8:01:50 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 8:01:40 AM	32	mg/l
SC ALRO SA	Temp	1/31/2017 8:01:30 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 8:01:20 AM	7	unit pH
SC ALRO SA	Substante organice	1/31/2017 7:58:42 AM	32	mg/l
SC ALRO SA	Cianuri	1/31/2017 7:58:40 AM	0	mg/l
SC ALRO SA	Clor	1/31/2017 7:58:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 7:58:22 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/31/2017 7:58:21 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 7:58:20 AM	7	unit pH
SC ALRO SA	Cianuri	1/31/2017 7:53:27 AM	0	mg/l
SC ALRO SA	Clor	1/31/2017 7:53:04 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 7:53:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 7:53:02 AM	32	mg/l
SC ALRO SA	Temp	1/31/2017 7:53:01 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 7:53:00 AM	7	unit pH
SC ALRO SA	Substante organice	1/31/2017 7:47:42 AM	32	mg/l
SC ALRO SA	Cianuri	1/31/2017 7:47:41 AM	0	mg/l
SC ALRO SA	Clor	1/31/2017 7:47:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 7:47:22 AM	0	mg/l
SC ALRO SA	Temp	1/31/2017 7:47:21 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 7:47:20 AM	7	unit pH
SC ALRO SA	Cianuri	1/31/2017 7:43:30 AM	0	mg/l
SC ALRO SA	Clor	1/31/2017 7:42:40 AM	0	mg/l
SC ALRO SA	Cianuri	1/31/2017 7:42:21 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 7:42:20 AM	32	mg/l
SC ALRO SA	Grasimi	1/31/2017 7:42:10 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 7:42:00 AM	32	mg/l
SC ALRO SA	Temp	1/31/2017 7:41:50 AM	31	gradCels
SC ALRO SA	Clor	1/31/2017 7:41:48 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 7:41:47 AM	0	mg/l
SC ALRO SA	Temp	1/31/2017 7:41:46 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 7:41:45 AM	7	unit pH
SC ALRO SA	pH	1/31/2017 7:41:10 AM	7	unit pH
SC ALRO SA	Substante organice	1/31/2017 7:36:42 AM	32	mg/l
SC ALRO SA	Cianuri	1/31/2017 7:36:41 AM	0	mg/l
SC ALRO SA	Clor	1/31/2017 7:36:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 7:36:22 AM	0	mg/l
SC ALRO SA	Temp	1/31/2017 7:36:21 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 7:36:20 AM	7	unit pH
SC ALRO SA	Cianuri	1/31/2017 7:31:21 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 7:31:20 AM	32	mg/l
SC ALRO SA	Clor	1/31/2017 7:30:49 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 7:30:48 AM	0	mg/l
SC ALRO SA	Temp	1/31/2017 7:30:47 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 7:30:46 AM	7	unit pH
SC ALRO SA	Cianuri	1/31/2017 7:25:41 AM	0	mg/l
SC ALRO SA	Clor	1/31/2017 7:25:24 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 7:25:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 7:25:22 AM	32	mg/l
SC ALRO SA	Temp	1/31/2017 7:25:21 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 7:25:20 AM	7	unit pH
SC ALRO SA	Cianuri	1/31/2017 7:22:30 AM	0	mg/l
SC ALRO SA	Clor	1/31/2017 7:22:10 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 7:21:50 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 7:21:40 AM	31	mg/l
SC ALRO SA	Temp	1/31/2017 7:21:30 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 7:21:10 AM	7	unit pH
SC ALRO SA	Cianuri	1/31/2017 7:20:21 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 7:20:20 AM	31	mg/l
SC ALRO SA	Clor	1/31/2017 7:19:53 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 7:19:52 AM	0	mg/l
SC ALRO SA	Temp	1/31/2017 7:19:51 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 7:19:50 AM	7	unit pH
SC ALRO SA	Cianuri	1/31/2017 7:15:37 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 7:15:35 AM	31	mg/l
SC ALRO SA	Clor	1/31/2017 7:14:44 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 7:14:43 AM	0	mg/l
SC ALRO SA	Temp	1/31/2017 7:14:42 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 7:14:41 AM	7	unit pH
SC ALRO SA	Cianuri	1/31/2017 7:09:25 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 7:09:24 AM	31	mg/l
SC ALRO SA	Clor	1/31/2017 7:09:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 7:09:22 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/31/2017 7:09:21 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 7:09:20 AM	7	unit pH
SC ALRO SA	Cianuri	1/31/2017 7:04:38 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 7:04:37 AM	31	mg/l
SC ALRO SA	Clor	1/31/2017 7:03:44 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 7:03:43 AM	0	mg/l
SC ALRO SA	Temp	1/31/2017 7:03:42 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 7:03:41 AM	7	unit pH
SC ALRO SA	Cianuri	1/31/2017 7:02:40 AM	0	mg/l
SC ALRO SA	Clor	1/31/2017 7:02:30 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 7:01:40 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 7:01:30 AM	31	mg/l
SC ALRO SA	Temp	1/31/2017 7:01:20 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 7:01:10 AM	7	unit pH
SC ALRO SA	Cianuri	1/31/2017 6:58:21 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 6:58:20 AM	31	mg/l
SC ALRO SA	Clor	1/31/2017 6:58:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 6:58:02 AM	0	mg/l
SC ALRO SA	Temp	1/31/2017 6:58:01 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 6:58:00 AM	7	unit pH
SC ALRO SA	Cianuri	1/31/2017 6:53:30 AM	0	mg/l
SC ALRO SA	Clor	1/31/2017 6:52:44 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 6:52:43 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 6:52:42 AM	31	mg/l
SC ALRO SA	Temp	1/31/2017 6:52:41 AM	32	gradCels
SC ALRO SA	pH	1/31/2017 6:52:40 AM	7	unit pH
SC ALRO SA	Cianuri	1/31/2017 6:47:21 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 6:47:20 AM	31	mg/l
SC ALRO SA	Clor	1/31/2017 6:47:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 6:47:02 AM	0	mg/l
SC ALRO SA	Temp	1/31/2017 6:47:01 AM	32	gradCels
SC ALRO SA	pH	1/31/2017 6:47:00 AM	7	unit pH
SC ALRO SA	Cianuri	1/31/2017 6:43:40 AM	0	mg/l
SC ALRO SA	Clor	1/31/2017 6:43:30 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 6:43:00 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 6:42:50 AM	31	mg/l
SC ALRO SA	Temp	1/31/2017 6:42:30 AM	32	gradCels
SC ALRO SA	Substante organice	1/31/2017 6:42:23 AM	31	mg/l
SC ALRO SA	Cianuri	1/31/2017 6:42:21 AM	0	mg/l
SC ALRO SA	pH	1/31/2017 6:42:10 AM	7	unit pH
SC ALRO SA	Clor	1/31/2017 6:41:47 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 6:41:46 AM	0	mg/l
SC ALRO SA	Temp	1/31/2017 6:41:45 AM	32	gradCels
SC ALRO SA	pH	1/31/2017 6:41:44 AM	7	unit pH
SC ALRO SA	Cianuri	1/31/2017 6:36:21 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 6:36:20 AM	31	mg/l
SC ALRO SA	Clor	1/31/2017 6:36:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 6:36:02 AM	0	mg/l
SC ALRO SA	Temp	1/31/2017 6:36:01 AM	32	gradCels
SC ALRO SA	pH	1/31/2017 6:36:00 AM	7	unit pH
SC ALRO SA	Cianuri	1/31/2017 6:31:24 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 6:31:22 AM	31	mg/l
SC ALRO SA	Clor	1/31/2017 6:31:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 6:31:02 AM	0	mg/l
SC ALRO SA	Temp	1/31/2017 6:31:01 AM	32	gradCels
SC ALRO SA	pH	1/31/2017 6:31:00 AM	7	unit pH
SC ALRO SA	Cianuri	1/31/2017 6:26:28 AM	0	mg/l
SC ALRO SA	Clor	1/31/2017 6:25:53 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 6:25:52 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 6:25:51 AM	31	mg/l
SC ALRO SA	Temp	1/31/2017 6:25:50 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 6:25:49 AM	7	unit pH
SC ALRO SA	Cianuri	1/31/2017 6:23:00 AM	0	mg/l
SC ALRO SA	Clor	1/31/2017 6:22:50 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 6:22:30 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 6:22:20 AM	31	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/31/2017 6:22:10 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 6:22:00 AM	7	unit pH
SC ALRO SA	Substante organice	1/31/2017 6:20:25 AM	31	mg/l
SC ALRO SA	Cianuri	1/31/2017 6:20:23 AM	0	mg/l
SC ALRO SA	Clor	1/31/2017 6:20:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 6:20:02 AM	0	mg/l
SC ALRO SA	Temp	1/31/2017 6:20:01 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 6:20:00 AM	7	unit pH
SC ALRO SA	Cianuri	1/31/2017 6:15:29 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 6:15:26 AM	31	mg/l
SC ALRO SA	Clor	1/31/2017 6:14:44 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 6:14:43 AM	0	mg/l
SC ALRO SA	Temp	1/31/2017 6:14:42 AM	32	gradCels
SC ALRO SA	pH	1/31/2017 6:14:41 AM	7	unit pH
SC ALRO SA	Cianuri	1/31/2017 6:09:24 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 6:09:22 AM	31	mg/l
SC ALRO SA	Clor	1/31/2017 6:09:11 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 6:09:10 AM	0	mg/l
SC ALRO SA	Temp	1/31/2017 6:09:09 AM	32	gradCels
SC ALRO SA	pH	1/31/2017 6:09:08 AM	7	unit pH
SC ALRO SA	Cianuri	1/31/2017 6:04:26 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 6:04:21 AM	31	mg/l
SC ALRO SA	Clor	1/31/2017 6:03:48 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 6:03:47 AM	0	mg/l
SC ALRO SA	Temp	1/31/2017 6:03:46 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 6:03:45 AM	7	unit pH
SC ALRO SA	Cianuri	1/31/2017 6:01:50 AM	0	mg/l
SC ALRO SA	Clor	1/31/2017 6:01:40 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 6:01:10 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 6:01:00 AM	31	mg/l
SC ALRO SA	Temp	1/31/2017 6:00:50 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 6:00:40 AM	7	unit pH
SC ALRO SA	Cianuri	1/31/2017 5:58:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 5:58:22 AM	31	mg/l
SC ALRO SA	Clor	1/31/2017 5:58:07 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 5:58:06 AM	0	mg/l
SC ALRO SA	Temp	1/31/2017 5:58:05 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 5:58:04 AM	7	unit pH
SC ALRO SA	Cianuri	1/31/2017 5:53:25 AM	0	mg/l
SC ALRO SA	Clor	1/31/2017 5:52:33 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 5:52:32 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 5:52:31 AM	31	mg/l
SC ALRO SA	Temp	1/31/2017 5:52:30 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 5:52:29 AM	7	unit pH
SC ALRO SA	Cianuri	1/31/2017 5:47:25 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 5:47:24 AM	32	mg/l
SC ALRO SA	Clor	1/31/2017 5:47:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 5:47:02 AM	0	mg/l
SC ALRO SA	Temp	1/31/2017 5:47:01 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 5:47:00 AM	7	unit pH
SC ALRO SA	Cianuri	1/31/2017 5:42:50 AM	0	mg/l
SC ALRO SA	Clor	1/31/2017 5:42:30 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 5:41:50 AM	0	mg/l
SC ALRO SA	Cianuri	1/31/2017 5:41:42 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 5:41:41 AM	32	mg/l
SC ALRO SA	Clor	1/31/2017 5:41:32 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 5:41:31 AM	0	mg/l
SC ALRO SA	Temp	1/31/2017 5:41:30 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 5:41:29 AM	7	unit pH
SC ALRO SA	Substante organice	1/31/2017 5:41:10 AM	32	mg/l
SC ALRO SA	Temp	1/31/2017 5:41:00 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 5:40:50 AM	7	unit pH
SC ALRO SA	Cianuri	1/31/2017 5:36:24 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 5:36:22 AM	32	mg/l
SC ALRO SA	Clor	1/31/2017 5:36:07 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 5:36:06 AM	0	mg/l



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/31/2017 5:36:05 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 5:36:04 AM	7	unit pH
SC ALRO SA	Cianuri	1/31/2017 5:30:40 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 5:30:35 AM	32	mg/l
SC ALRO SA	Clor	1/31/2017 5:30:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 5:30:22 AM	0	mg/l
SC ALRO SA	Temp	1/31/2017 5:30:21 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 5:30:20 AM	7	unit pH
SC ALRO SA	Cianuri	1/31/2017 5:25:24 AM	0	mg/l
SC ALRO SA	Clor	1/31/2017 5:24:49 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 5:24:48 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 5:24:47 AM	32	mg/l
SC ALRO SA	Temp	1/31/2017 5:24:46 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 5:24:45 AM	7	unit pH
SC ALRO SA	Cianuri	1/31/2017 5:23:00 AM	0	mg/l
SC ALRO SA	Clor	1/31/2017 5:22:50 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 5:22:20 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 5:22:10 AM	32	mg/l
SC ALRO SA	Temp	1/31/2017 5:22:00 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 5:21:50 AM	7	unit pH
SC ALRO SA	Cianuri	1/31/2017 5:19:37 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 5:19:34 AM	32	mg/l
SC ALRO SA	Clor	1/31/2017 5:19:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 5:19:22 AM	0	mg/l
SC ALRO SA	Temp	1/31/2017 5:19:21 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 5:19:20 AM	7	unit pH
SC ALRO SA	Cianuri	1/31/2017 5:14:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 5:14:21 AM	32	mg/l
SC ALRO SA	Clor	1/31/2017 5:13:47 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 5:13:46 AM	0	mg/l
SC ALRO SA	Temp	1/31/2017 5:13:45 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 5:13:44 AM	7	unit pH
SC ALRO SA	Cianuri	1/31/2017 5:08:36 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 5:08:34 AM	32	mg/l
SC ALRO SA	Clor	1/31/2017 5:08:31 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 5:08:30 AM	0	mg/l
SC ALRO SA	Temp	1/31/2017 5:08:29 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 5:08:28 AM	7	unit pH
SC ALRO SA	Cianuri	1/31/2017 5:04:10 AM	0	mg/l
SC ALRO SA	Clor	1/31/2017 5:03:50 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 5:03:30 AM	0	mg/l
SC ALRO SA	Cianuri	1/31/2017 5:03:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 5:03:22 AM	32	mg/l
SC ALRO SA	Substante organice	1/31/2017 5:03:10 AM	32	mg/l
SC ALRO SA	Temp	1/31/2017 5:03:00 AM	31	gradCels
SC ALRO SA	Clor	1/31/2017 5:02:55 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 5:02:54 AM	0	mg/l
SC ALRO SA	Temp	1/31/2017 5:02:53 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 5:02:52 AM	7	unit pH
SC ALRO SA	pH	1/31/2017 5:02:10 AM	7	unit pH
SC ALRO SA	Cianuri	1/31/2017 4:57:35 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 4:57:34 AM	32	mg/l
SC ALRO SA	Clor	1/31/2017 4:57:31 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 4:57:30 AM	0	mg/l
SC ALRO SA	Temp	1/31/2017 4:57:29 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 4:57:28 AM	7	unit pH
SC ALRO SA	Cianuri	1/31/2017 4:52:26 AM	0	mg/l
SC ALRO SA	Clor	1/31/2017 4:51:52 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 4:51:51 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 4:51:50 AM	32	mg/l
SC ALRO SA	Temp	1/31/2017 4:51:49 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 4:51:48 AM	7	unit pH
SC ALRO SA	Substante organice	1/31/2017 4:46:37 AM	32	mg/l
SC ALRO SA	Cianuri	1/31/2017 4:46:35 AM	0	mg/l
SC ALRO SA	Clor	1/31/2017 4:46:31 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 4:46:30 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/31/2017 4:46:29 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 4:46:28 AM	7	unit pH
SC ALRO SA	Cianuri	1/31/2017 4:42:40 AM	0	mg/l
SC ALRO SA	Clor	1/31/2017 4:42:30 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 4:41:50 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 4:41:40 AM	32	mg/l
SC ALRO SA	Cianuri	1/31/2017 4:41:31 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 4:41:25 AM	32	mg/l
SC ALRO SA	Temp	1/31/2017 4:41:10 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 4:41:00 AM	7	unit pH
SC ALRO SA	Clor	1/31/2017 4:40:51 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 4:40:50 AM	0	mg/l
SC ALRO SA	Temp	1/31/2017 4:40:49 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 4:40:48 AM	7	unit pH
SC ALRO SA	Cianuri	1/31/2017 4:35:35 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 4:35:34 AM	32	mg/l
SC ALRO SA	Clor	1/31/2017 4:35:31 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 4:35:30 AM	0	mg/l
SC ALRO SA	Temp	1/31/2017 4:35:29 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 4:35:28 AM	7	unit pH
SC ALRO SA	Cianuri	1/31/2017 4:30:31 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 4:30:27 AM	32	mg/l
SC ALRO SA	Clor	1/31/2017 4:29:52 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 4:29:51 AM	0	mg/l
SC ALRO SA	Temp	1/31/2017 4:29:50 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 4:29:49 AM	7	unit pH
SC ALRO SA	Cianuri	1/31/2017 4:24:35 AM	0	mg/l
SC ALRO SA	Clor	1/31/2017 4:24:32 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 4:24:31 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 4:24:30 AM	32	mg/l
SC ALRO SA	Temp	1/31/2017 4:24:29 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 4:24:28 AM	7	unit pH
SC ALRO SA	Cianuri	1/31/2017 4:21:10 AM	0	mg/l
SC ALRO SA	Clor	1/31/2017 4:21:00 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 4:20:40 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 4:20:30 AM	32	mg/l
SC ALRO SA	Temp	1/31/2017 4:20:10 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 4:19:50 AM	7	unit pH
SC ALRO SA	Cianuri	1/31/2017 4:19:30 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 4:19:29 AM	32	mg/l
SC ALRO SA	Clor	1/31/2017 4:18:50 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 4:18:49 AM	0	mg/l
SC ALRO SA	Temp	1/31/2017 4:18:47 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 4:18:45 AM	7	unit pH
SC ALRO SA	Cianuri	1/31/2017 4:13:36 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 4:13:34 AM	32	mg/l
SC ALRO SA	Clor	1/31/2017 4:13:28 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 4:13:27 AM	0	mg/l
SC ALRO SA	Temp	1/31/2017 4:13:26 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 4:13:25 AM	7	unit pH
SC ALRO SA	Cianuri	1/31/2017 4:08:30 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 4:08:28 AM	32	mg/l
SC ALRO SA	Clor	1/31/2017 4:07:48 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 4:07:47 AM	0	mg/l
SC ALRO SA	Temp	1/31/2017 4:07:46 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 4:07:45 AM	7	unit pH
SC ALRO SA	Cianuri	1/31/2017 4:02:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 4:02:22 AM	32	mg/l
SC ALRO SA	Clor	1/31/2017 4:02:07 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 4:02:06 AM	0	mg/l
SC ALRO SA	Temp	1/31/2017 4:02:05 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 4:02:04 AM	7	unit pH
SC ALRO SA	Cianuri	1/31/2017 3:59:50 AM	0	mg/l
SC ALRO SA	Clor	1/31/2017 3:59:40 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 3:59:20 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 3:59:10 AM	32	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/31/2017 3:59:00 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 3:58:50 AM	7	unit pH
SC ALRO SA	Cianuri	1/31/2017 3:57:29 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 3:57:27 AM	32	mg/l
SC ALRO SA	Clor	1/31/2017 3:56:44 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 3:56:43 AM	0	mg/l
SC ALRO SA	Temp	1/31/2017 3:56:42 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 3:56:41 AM	7	unit pH
SC ALRO SA	Cianuri	1/31/2017 3:51:22 AM	0	mg/l
SC ALRO SA	Clor	1/31/2017 3:51:08 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 3:51:07 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 3:51:06 AM	32	mg/l
SC ALRO SA	Temp	1/31/2017 3:51:05 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 3:51:04 AM	7	unit pH
SC ALRO SA	Cianuri	1/31/2017 3:46:29 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 3:46:28 AM	32	mg/l
SC ALRO SA	Clor	1/31/2017 3:45:44 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 3:45:43 AM	0	mg/l
SC ALRO SA	Temp	1/31/2017 3:45:42 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 3:45:41 AM	7	unit pH
SC ALRO SA	Cianuri	1/31/2017 3:40:22 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 3:40:21 AM	32	mg/l
SC ALRO SA	Clor	1/31/2017 3:40:08 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 3:40:07 AM	0	mg/l
SC ALRO SA	Temp	1/31/2017 3:40:06 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 3:40:05 AM	7	unit pH
SC ALRO SA	Cianuri	1/31/2017 3:38:10 AM	0	mg/l
SC ALRO SA	Clor	1/31/2017 3:37:40 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 3:37:20 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 3:37:10 AM	32	mg/l
SC ALRO SA	Temp	1/31/2017 3:37:00 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 3:36:50 AM	7	unit pH
SC ALRO SA	Cianuri	1/31/2017 3:35:24 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 3:35:22 AM	32	mg/l
SC ALRO SA	Clor	1/31/2017 3:34:48 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 3:34:47 AM	0	mg/l
SC ALRO SA	Temp	1/31/2017 3:34:46 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 3:34:45 AM	7	unit pH
SC ALRO SA	Cianuri	1/31/2017 3:29:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 3:29:22 AM	32	mg/l
SC ALRO SA	Clor	1/31/2017 3:29:07 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 3:29:06 AM	0	mg/l
SC ALRO SA	Temp	1/31/2017 3:29:05 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 3:29:04 AM	7	unit pH
SC ALRO SA	Cianuri	1/31/2017 3:24:24 AM	0	mg/l
SC ALRO SA	Clor	1/31/2017 3:23:49 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 3:23:48 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 3:23:47 AM	32	mg/l
SC ALRO SA	Temp	1/31/2017 3:23:46 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 3:23:45 AM	7	unit pH
SC ALRO SA	Cianuri	1/31/2017 3:18:30 AM	0	mg/l
SC ALRO SA	Cianuri	1/31/2017 3:18:25 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 3:18:22 AM	32	mg/l
SC ALRO SA	Clor	1/31/2017 3:18:07 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 3:18:06 AM	0	mg/l
SC ALRO SA	Temp	1/31/2017 3:18:05 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 3:18:04 AM	7	unit pH
SC ALRO SA	Clor	1/31/2017 3:17:50 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 3:17:30 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 3:16:50 AM	32	mg/l
SC ALRO SA	Temp	1/31/2017 3:16:11 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 3:16:00 AM	7	unit pH
SC ALRO SA	Cianuri	1/31/2017 3:13:26 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 3:13:23 AM	32	mg/l
SC ALRO SA	Clor	1/31/2017 3:12:48 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 3:12:47 AM	0	mg/l



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/31/2017 3:12:46 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 3:12:45 AM	7	unit pH
SC ALRO SA	Cianuri	1/31/2017 3:07:44 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 3:07:43 AM	32	mg/l
SC ALRO SA	Clor	1/31/2017 3:07:07 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 3:07:06 AM	0	mg/l
SC ALRO SA	Temp	1/31/2017 3:07:05 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 3:07:04 AM	5	unit pH
SC ALRO SA	Cianuri	1/31/2017 3:02:24 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 3:02:23 AM	32	mg/l
SC ALRO SA	Clor	1/31/2017 3:01:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 3:01:42 AM	0	mg/l
SC ALRO SA	Temp	1/31/2017 3:01:41 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 3:01:40 AM	5	unit pH
SC ALRO SA	Cianuri	1/31/2017 2:59:00 AM	0	mg/l
SC ALRO SA	Clor	1/31/2017 2:58:50 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 2:58:30 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 2:58:20 AM	32	mg/l
SC ALRO SA	Temp	1/31/2017 2:58:10 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 2:58:00 AM	5	unit pH
SC ALRO SA	Cianuri	1/31/2017 2:56:43 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 2:56:40 AM	32	mg/l
SC ALRO SA	Clor	1/31/2017 2:56:07 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 2:56:06 AM	0	mg/l
SC ALRO SA	Temp	1/31/2017 2:56:05 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 2:56:04 AM	5	unit pH
SC ALRO SA	Cianuri	1/31/2017 2:51:24 AM	0	mg/l
SC ALRO SA	Clor	1/31/2017 2:50:32 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 2:50:31 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 2:50:30 AM	32	mg/l
SC ALRO SA	Temp	1/31/2017 2:50:29 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 2:50:28 AM	5	unit pH
SC ALRO SA	Cianuri	1/31/2017 2:45:43 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 2:45:42 AM	32	mg/l
SC ALRO SA	Clor	1/31/2017 2:45:08 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 2:45:07 AM	0	mg/l
SC ALRO SA	Temp	1/31/2017 2:45:06 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 2:45:05 AM	5	unit pH
SC ALRO SA	Cianuri	1/31/2017 2:41:00 AM	0	mg/l
SC ALRO SA	Clor	1/31/2017 2:40:50 AM	0	mg/l
SC ALRO SA	Cianuri	1/31/2017 2:40:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 2:40:22 AM	32	mg/l
SC ALRO SA	Grasimi	1/31/2017 2:39:50 AM	0	mg/l
SC ALRO SA	Clor	1/31/2017 2:39:47 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 2:39:46 AM	0	mg/l
SC ALRO SA	Temp	1/31/2017 2:39:45 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 2:39:44 AM	5	unit pH
SC ALRO SA	Substante organice	1/31/2017 2:39:10 AM	32	mg/l
SC ALRO SA	Temp	1/31/2017 2:38:30 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 2:38:10 AM	5	unit pH
SC ALRO SA	Cianuri	1/31/2017 2:34:41 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 2:34:40 AM	32	mg/l
SC ALRO SA	Clor	1/31/2017 2:34:07 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 2:34:06 AM	0	mg/l
SC ALRO SA	Temp	1/31/2017 2:34:05 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 2:34:04 AM	5	unit pH
SC ALRO SA	Substante organice	1/31/2017 2:29:23 AM	32	mg/l
SC ALRO SA	Cianuri	1/31/2017 2:29:22 AM	0	mg/l
SC ALRO SA	Clor	1/31/2017 2:28:47 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 2:28:46 AM	0	mg/l
SC ALRO SA	Temp	1/31/2017 2:28:45 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 2:28:44 AM	5	unit pH
SC ALRO SA	Cianuri	1/31/2017 2:23:23 AM	0	mg/l
SC ALRO SA	Clor	1/31/2017 2:23:04 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 2:23:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 2:23:02 AM	32	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/31/2017 2:23:01 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 2:23:00 AM	5	unit pH
SC ALRO SA	Cianuri	1/31/2017 2:20:00 AM	0	mg/l
SC ALRO SA	Clor	1/31/2017 2:19:50 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 2:19:30 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 2:19:10 AM	32	mg/l
SC ALRO SA	Temp	1/31/2017 2:19:00 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 2:18:50 AM	5	unit pH
SC ALRO SA	Cianuri	1/31/2017 2:17:46 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 2:17:44 AM	32	mg/l
SC ALRO SA	Clor	1/31/2017 2:17:27 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 2:17:26 AM	0	mg/l
SC ALRO SA	Temp	1/31/2017 2:17:25 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 2:17:24 AM	5	unit pH
SC ALRO SA	Cianuri	1/31/2017 2:12:28 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 2:12:26 AM	32	mg/l
SC ALRO SA	Clor	1/31/2017 2:11:52 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 2:11:51 AM	0	mg/l
SC ALRO SA	Temp	1/31/2017 2:11:50 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 2:11:49 AM	6	unit pH
SC ALRO SA	Substante organice	1/31/2017 2:06:32 AM	32	mg/l
SC ALRO SA	Cianuri	1/31/2017 2:06:27 AM	0	mg/l
SC ALRO SA	Clor	1/31/2017 2:06:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 2:06:22 AM	0	mg/l
SC ALRO SA	Temp	1/31/2017 2:06:21 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 2:06:20 AM	6	unit pH
SC ALRO SA	Cianuri	1/31/2017 2:01:45 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 2:01:41 AM	32	mg/l
SC ALRO SA	Clor	1/31/2017 2:00:51 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 2:00:50 AM	0	mg/l
SC ALRO SA	Temp	1/31/2017 2:00:49 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 2:00:48 AM	6	unit pH
SC ALRO SA	Cianuri	1/31/2017 2:00:10 AM	0	mg/l
SC ALRO SA	Clor	1/31/2017 1:59:50 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 1:59:30 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 1:59:10 AM	32	mg/l
SC ALRO SA	Temp	1/31/2017 1:58:50 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 1:58:40 AM	6	unit pH
SC ALRO SA	Cianuri	1/31/2017 1:55:41 AM	0	mg/l
SC ALRO SA	Clor	1/31/2017 1:55:24 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 1:55:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 1:55:22 AM	32	mg/l
SC ALRO SA	Temp	1/31/2017 1:55:21 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 1:55:20 AM	6	unit pH
SC ALRO SA	Cianuri	1/31/2017 1:50:36 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 1:50:34 AM	32	mg/l
SC ALRO SA	Clor	1/31/2017 1:49:47 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 1:49:46 AM	0	mg/l
SC ALRO SA	Temp	1/31/2017 1:49:45 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 1:49:44 AM	6	unit pH
SC ALRO SA	Cianuri	1/31/2017 1:44:43 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 1:44:41 AM	32	mg/l
SC ALRO SA	Clor	1/31/2017 1:44:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 1:44:22 AM	0	mg/l
SC ALRO SA	Temp	1/31/2017 1:44:21 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 1:44:20 AM	6	unit pH
SC ALRO SA	Cianuri	1/31/2017 1:41:50 AM	0	mg/l
SC ALRO SA	Clor	1/31/2017 1:41:40 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 1:41:20 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 1:41:10 AM	32	mg/l
SC ALRO SA	Temp	1/31/2017 1:41:00 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 1:40:51 AM	7	unit pH
SC ALRO SA	Substante organice	1/31/2017 1:39:45 AM	32	mg/l
SC ALRO SA	Cianuri	1/31/2017 1:39:42 AM	0	mg/l
SC ALRO SA	Clor	1/31/2017 1:38:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 1:38:42 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/31/2017 1:38:41 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 1:38:40 AM	7	unit pH
SC ALRO SA	Substante organice	1/31/2017 1:33:45 AM	32	mg/l
SC ALRO SA	Cianuri	1/31/2017 1:33:40 AM	0	mg/l
SC ALRO SA	Clor	1/31/2017 1:33:11 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 1:33:10 AM	0	mg/l
SC ALRO SA	Temp	1/31/2017 1:33:09 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 1:33:08 AM	7	unit pH
SC ALRO SA	Cianuri	1/31/2017 1:28:44 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 1:28:43 AM	32	mg/l
SC ALRO SA	Clor	1/31/2017 1:27:46 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 1:27:45 AM	0	mg/l
SC ALRO SA	Temp	1/31/2017 1:27:44 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 1:27:43 AM	6	unit pH
SC ALRO SA	Cianuri	1/31/2017 1:23:50 AM	0	mg/l
SC ALRO SA	Clor	1/31/2017 1:23:40 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 1:23:10 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 1:23:00 AM	32	mg/l
SC ALRO SA	Temp	1/31/2017 1:22:50 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 1:22:30 AM	6	unit pH
SC ALRO SA	Cianuri	1/31/2017 1:22:24 AM	0	mg/l
SC ALRO SA	Clor	1/31/2017 1:22:11 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 1:22:10 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 1:22:09 AM	32	mg/l
SC ALRO SA	Temp	1/31/2017 1:22:08 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 1:22:07 AM	6	unit pH
SC ALRO SA	Cianuri	1/31/2017 1:17:40 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 1:17:32 AM	32	mg/l
SC ALRO SA	Clor	1/31/2017 1:16:46 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 1:16:45 AM	0	mg/l
SC ALRO SA	Temp	1/31/2017 1:16:44 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 1:16:43 AM	6	unit pH
SC ALRO SA	Cianuri	1/31/2017 1:11:42 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 1:11:41 AM	32	mg/l
SC ALRO SA	Clor	1/31/2017 1:11:10 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 1:11:09 AM	0	mg/l
SC ALRO SA	Temp	1/31/2017 1:11:08 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 1:11:07 AM	6	unit pH
SC ALRO SA	Cianuri	1/31/2017 1:06:44 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 1:06:43 AM	32	mg/l
SC ALRO SA	Clor	1/31/2017 1:05:46 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 1:05:45 AM	0	mg/l
SC ALRO SA	Temp	1/31/2017 1:05:44 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 1:05:43 AM	6	unit pH
SC ALRO SA	Cianuri	1/31/2017 1:05:30 AM	0	mg/l
SC ALRO SA	Clor	1/31/2017 1:05:10 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 1:04:30 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 1:04:10 AM	32	mg/l
SC ALRO SA	Temp	1/31/2017 1:03:50 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 1:03:40 AM	6	unit pH
SC ALRO SA	Cianuri	1/31/2017 1:00:42 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 1:00:41 AM	32	mg/l
SC ALRO SA	Clor	1/31/2017 1:00:14 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 1:00:13 AM	0	mg/l
SC ALRO SA	Temp	1/31/2017 1:00:12 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 1:00:11 AM	6	unit pH
SC ALRO SA	Cianuri	1/31/2017 12:55:42 AM	0	mg/l
SC ALRO SA	Clor	1/31/2017 12:54:40 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 12:54:39 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 12:54:38 AM	32	mg/l
SC ALRO SA	Temp	1/31/2017 12:54:37 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 12:54:36 AM	6	unit pH
SC ALRO SA	Substante organice	1/31/2017 12:49:37 AM	32	mg/l
SC ALRO SA	Cianuri	1/31/2017 12:49:31 AM	0	mg/l
SC ALRO SA	Clor	1/31/2017 12:49:07 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 12:49:06 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/31/2017 12:49:05 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 12:49:04 AM	6	unit pH
SC ALRO SA	Cianuri	1/31/2017 12:47:20 AM	0	mg/l
SC ALRO SA	Clor	1/31/2017 12:47:10 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 12:46:50 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 12:46:40 AM	32	mg/l
SC ALRO SA	Temp	1/31/2017 12:46:30 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 12:46:20 AM	6	unit pH
SC ALRO SA	Cianuri	1/31/2017 12:44:49 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 12:44:48 AM	32	mg/l
SC ALRO SA	Clor	1/31/2017 12:43:46 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 12:43:45 AM	0	mg/l
SC ALRO SA	Temp	1/31/2017 12:43:44 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 12:43:43 AM	6	unit pH
SC ALRO SA	Substante organice	1/31/2017 12:38:46 AM	32	mg/l
SC ALRO SA	Cianuri	1/31/2017 12:38:42 AM	0	mg/l
SC ALRO SA	Clor	1/31/2017 12:38:06 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 12:38:05 AM	0	mg/l
SC ALRO SA	Temp	1/31/2017 12:38:04 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 12:38:03 AM	6	unit pH
SC ALRO SA	Cianuri	1/31/2017 12:33:47 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 12:33:45 AM	32	mg/l
SC ALRO SA	Clor	1/31/2017 12:32:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 12:32:42 AM	0	mg/l
SC ALRO SA	Temp	1/31/2017 12:32:41 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 12:32:40 AM	6	unit pH
SC ALRO SA	Cianuri	1/31/2017 12:29:30 AM	0	mg/l
SC ALRO SA	Clor	1/31/2017 12:29:10 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 12:28:50 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 12:28:10 AM	32	mg/l
SC ALRO SA	Temp	1/31/2017 12:28:00 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 12:27:50 AM	6	unit pH
SC ALRO SA	Substante organice	1/31/2017 12:27:39 AM	32	mg/l
SC ALRO SA	Cianuri	1/31/2017 12:27:35 AM	0	mg/l
SC ALRO SA	Clor	1/31/2017 12:27:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 12:27:02 AM	0	mg/l
SC ALRO SA	Temp	1/31/2017 12:27:01 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 12:27:00 AM	6	unit pH
SC ALRO SA	Cianuri	1/31/2017 12:22:26 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 12:22:24 AM	32	mg/l
SC ALRO SA	Clor	1/31/2017 12:21:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 12:21:42 AM	0	mg/l
SC ALRO SA	Temp	1/31/2017 12:21:41 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 12:21:40 AM	6	unit pH
SC ALRO SA	Substante organice	1/31/2017 12:16:36 AM	32	mg/l
SC ALRO SA	Cianuri	1/31/2017 12:16:35 AM	0	mg/l
SC ALRO SA	Clor	1/31/2017 12:16:06 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 12:16:05 AM	0	mg/l
SC ALRO SA	Temp	1/31/2017 12:16:04 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 12:16:03 AM	6	unit pH
SC ALRO SA	Cianuri	1/31/2017 12:11:26 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 12:11:24 AM	32	mg/l
SC ALRO SA	Clor	1/31/2017 12:10:28 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 12:10:27 AM	0	mg/l
SC ALRO SA	Temp	1/31/2017 12:10:26 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 12:10:25 AM	6	unit pH
SC ALRO SA	Cianuri	1/31/2017 12:10:00 AM	0	mg/l
SC ALRO SA	Clor	1/31/2017 12:09:50 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 12:08:40 AM	0	mg/l
SC ALRO SA	Substante organice	1/31/2017 12:08:30 AM	32	mg/l
SC ALRO SA	Temp	1/31/2017 12:08:20 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 12:08:10 AM	6	unit pH
SC ALRO SA	Substante organice	1/31/2017 12:05:26 AM	32	mg/l
SC ALRO SA	Cianuri	1/31/2017 12:05:23 AM	0	mg/l
SC ALRO SA	Clor	1/31/2017 12:05:06 AM	0	mg/l
SC ALRO SA	Grasimi	1/31/2017 12:05:05 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/31/2017 12:05:04 AM	31	gradCels
SC ALRO SA	pH	1/31/2017 12:05:03 AM	6	unit pH
SC ALRO SA	Substante organice	1/31/2017 12:00:45 AM	32	mg/l
SC ALRO SA	Cianuri	1/31/2017 12:00:42 AM	0	mg/l
SC ALRO SA	Clor	1/30/2017 11:59:31 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 11:59:29 PM	0	mg/l
SC ALRO SA	Temp	1/30/2017 11:59:27 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 11:59:26 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 11:54:28 PM	0	mg/l
SC ALRO SA	Clor	1/30/2017 11:54:07 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 11:54:06 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 11:54:05 PM	32	mg/l
SC ALRO SA	Temp	1/30/2017 11:54:04 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 11:54:03 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 11:51:40 PM	0	mg/l
SC ALRO SA	Clor	1/30/2017 11:51:30 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 11:51:10 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 11:51:00 PM	32	mg/l
SC ALRO SA	Temp	1/30/2017 11:50:51 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 11:50:40 PM	6	unit pH
SC ALRO SA	Substante organice	1/30/2017 11:49:30 PM	32	mg/l
SC ALRO SA	Cianuri	1/30/2017 11:49:25 PM	0	mg/l
SC ALRO SA	Clor	1/30/2017 11:48:44 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 11:48:43 PM	0	mg/l
SC ALRO SA	Temp	1/30/2017 11:48:42 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 11:48:41 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 11:43:26 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 11:43:21 PM	32	mg/l
SC ALRO SA	Clor	1/30/2017 11:43:06 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 11:43:05 PM	0	mg/l
SC ALRO SA	Temp	1/30/2017 11:43:04 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 11:43:03 PM	6	unit pH
SC ALRO SA	Substante organice	1/30/2017 11:38:27 PM	32	mg/l
SC ALRO SA	Cianuri	1/30/2017 11:38:25 PM	0	mg/l
SC ALRO SA	Clor	1/30/2017 11:37:46 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 11:37:45 PM	0	mg/l
SC ALRO SA	Temp	1/30/2017 11:37:44 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 11:37:43 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 11:33:50 PM	0	mg/l
SC ALRO SA	Clor	1/30/2017 11:33:40 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 11:33:10 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 11:33:00 PM	32	mg/l
SC ALRO SA	Temp	1/30/2017 11:32:50 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 11:32:40 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 11:32:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 11:32:22 PM	32	mg/l
SC ALRO SA	Clor	1/30/2017 11:32:06 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 11:32:05 PM	0	mg/l
SC ALRO SA	Temp	1/30/2017 11:32:04 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 11:32:03 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 11:26:45 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 11:26:44 PM	32	mg/l
SC ALRO SA	Clor	1/30/2017 11:26:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 11:26:22 PM	0	mg/l
SC ALRO SA	Temp	1/30/2017 11:26:21 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 11:26:20 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 11:21:39 PM	0	mg/l
SC ALRO SA	Clor	1/30/2017 11:21:04 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 11:21:03 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 11:21:02 PM	32	mg/l
SC ALRO SA	Temp	1/30/2017 11:21:01 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 11:21:00 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 11:15:42 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 11:15:41 PM	32	mg/l
SC ALRO SA	Clor	1/30/2017 11:15:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 11:15:22 PM	0	mg/l



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/30/2017 11:15:21 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 11:15:20 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 11:14:30 PM	0	mg/l
SC ALRO SA	Clor	1/30/2017 11:14:10 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 11:13:50 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 11:13:30 PM	32	mg/l
SC ALRO SA	Temp	1/30/2017 11:13:20 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 11:13:10 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 11:10:34 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 11:10:33 PM	32	mg/l
SC ALRO SA	Clor	1/30/2017 11:09:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 11:09:42 PM	0	mg/l
SC ALRO SA	Temp	1/30/2017 11:09:41 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 11:09:40 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 11:04:42 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 11:04:41 PM	32	mg/l
SC ALRO SA	Clor	1/30/2017 11:04:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 11:04:22 PM	0	mg/l
SC ALRO SA	Temp	1/30/2017 11:04:21 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 11:04:20 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 10:59:48 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 10:59:47 PM	32	mg/l
SC ALRO SA	Clor	1/30/2017 10:58:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 10:58:42 PM	0	mg/l
SC ALRO SA	Temp	1/30/2017 10:58:41 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 10:58:40 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 10:56:30 PM	0	mg/l
SC ALRO SA	Clor	1/30/2017 10:56:20 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 10:56:00 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 10:55:50 PM	32	mg/l
SC ALRO SA	Temp	1/30/2017 10:55:40 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 10:55:30 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 10:53:41 PM	0	mg/l
SC ALRO SA	Clor	1/30/2017 10:53:24 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 10:53:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 10:53:22 PM	32	mg/l
SC ALRO SA	Temp	1/30/2017 10:53:21 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 10:53:20 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 10:48:30 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 10:48:28 PM	32	mg/l
SC ALRO SA	Clor	1/30/2017 10:48:04 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 10:48:03 PM	0	mg/l
SC ALRO SA	Temp	1/30/2017 10:48:02 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 10:48:01 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 10:42:42 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 10:42:41 PM	32	mg/l
SC ALRO SA	Clor	1/30/2017 10:42:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 10:42:22 PM	0	mg/l
SC ALRO SA	Temp	1/30/2017 10:42:21 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 10:42:20 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 10:37:50 PM	0	mg/l
SC ALRO SA	Clor	1/30/2017 10:37:40 PM	0	mg/l
SC ALRO SA	Cianuri	1/30/2017 10:37:29 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 10:37:27 PM	32	mg/l
SC ALRO SA	Clor	1/30/2017 10:36:46 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 10:36:45 PM	0	mg/l
SC ALRO SA	Temp	1/30/2017 10:36:44 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 10:36:43 PM	6	unit pH
SC ALRO SA	Grasimi	1/30/2017 10:36:10 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 10:36:00 PM	32	mg/l
SC ALRO SA	Temp	1/30/2017 10:35:50 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 10:35:30 PM	6	unit pH
SC ALRO SA	Substante organice	1/30/2017 10:31:41 PM	32	mg/l
SC ALRO SA	Cianuri	1/30/2017 10:31:40 PM	0	mg/l
SC ALRO SA	Clor	1/30/2017 10:31:26 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 10:31:25 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/30/2017 10:31:24 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 10:31:23 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 10:26:42 PM	0	mg/l
SC ALRO SA	Clor	1/30/2017 10:25:47 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 10:25:46 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 10:25:45 PM	32	mg/l
SC ALRO SA	Temp	1/30/2017 10:25:44 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 10:25:43 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 10:20:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 10:20:22 PM	32	mg/l
SC ALRO SA	Clor	1/30/2017 10:20:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 10:20:02 PM	0	mg/l
SC ALRO SA	Temp	1/30/2017 10:20:01 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 10:20:00 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 10:17:50 PM	0	mg/l
SC ALRO SA	Clor	1/30/2017 10:17:40 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 10:17:20 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 10:17:10 PM	32	mg/l
SC ALRO SA	Temp	1/30/2017 10:17:00 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 10:16:50 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 10:15:42 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 10:15:40 PM	32	mg/l
SC ALRO SA	Clor	1/30/2017 10:14:44 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 10:14:43 PM	0	mg/l
SC ALRO SA	Temp	1/30/2017 10:14:42 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 10:14:41 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 10:09:42 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 10:09:41 PM	32	mg/l
SC ALRO SA	Clor	1/30/2017 10:09:06 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 10:09:05 PM	0	mg/l
SC ALRO SA	Temp	1/30/2017 10:09:04 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 10:09:03 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 10:04:46 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 10:04:44 PM	32	mg/l
SC ALRO SA	Clor	1/30/2017 10:03:46 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 10:03:45 PM	0	mg/l
SC ALRO SA	Temp	1/30/2017 10:03:44 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 10:03:43 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 9:58:42 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 9:58:41 PM	32	mg/l
SC ALRO SA	Clor	1/30/2017 9:58:06 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 9:58:05 PM	0	mg/l
SC ALRO SA	Temp	1/30/2017 9:58:04 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 9:58:03 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 9:57:10 PM	0	mg/l
SC ALRO SA	Clor	1/30/2017 9:56:50 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 9:56:30 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 9:56:10 PM	32	mg/l
SC ALRO SA	Temp	1/30/2017 9:56:00 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 9:55:50 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 9:53:25 PM	0	mg/l
SC ALRO SA	Clor	1/30/2017 9:52:29 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 9:52:28 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 9:52:27 PM	32	mg/l
SC ALRO SA	Temp	1/30/2017 9:52:26 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 9:52:25 PM	6	unit pH
SC ALRO SA	Temp	1/30/2017 9:47:35 PM	31	gradCels
SC ALRO SA	Cianuri	1/30/2017 9:47:34 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 9:47:33 PM	32	mg/l
SC ALRO SA	Clor	1/30/2017 9:47:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 9:47:22 PM	0	mg/l
SC ALRO SA	pH	1/30/2017 9:47:21 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 9:42:25 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 9:42:24 PM	32	mg/l
SC ALRO SA	Clor	1/30/2017 9:41:27 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 9:41:26 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/30/2017 9:41:25 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 9:41:24 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 9:39:00 PM	0	mg/l
SC ALRO SA	Clor	1/30/2017 9:38:50 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 9:38:30 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 9:38:10 PM	32	mg/l
SC ALRO SA	Temp	1/30/2017 9:38:00 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 9:37:50 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 9:36:40 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 9:36:32 PM	32	mg/l
SC ALRO SA	Clor	1/30/2017 9:36:06 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 9:36:05 PM	0	mg/l
SC ALRO SA	Temp	1/30/2017 9:36:04 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 9:36:03 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 9:31:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 9:31:21 PM	32	mg/l
SC ALRO SA	Clor	1/30/2017 9:30:28 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 9:30:27 PM	0	mg/l
SC ALRO SA	Temp	1/30/2017 9:30:26 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 9:30:25 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 9:25:45 PM	0	mg/l
SC ALRO SA	Clor	1/30/2017 9:25:07 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 9:25:06 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 9:25:05 PM	32	mg/l
SC ALRO SA	Temp	1/30/2017 9:25:04 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 9:25:03 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 9:20:40 PM	0	mg/l
SC ALRO SA	Cianuri	1/30/2017 9:20:31 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 9:20:24 PM	32	mg/l
SC ALRO SA	Clor	1/30/2017 9:20:10 PM	0	mg/l
SC ALRO SA	Clor	1/30/2017 9:19:44 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 9:19:43 PM	0	mg/l
SC ALRO SA	Temp	1/30/2017 9:19:42 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 9:19:41 PM	6	unit pH
SC ALRO SA	Grasimi	1/30/2017 9:18:40 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 9:18:30 PM	32	mg/l
SC ALRO SA	Temp	1/30/2017 9:18:10 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 9:18:00 PM	6	unit pH
SC ALRO SA	Substante organice	1/30/2017 9:14:42 PM	32	mg/l
SC ALRO SA	Cianuri	1/30/2017 9:14:41 PM	0	mg/l
SC ALRO SA	Clor	1/30/2017 9:14:06 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 9:14:05 PM	0	mg/l
SC ALRO SA	Temp	1/30/2017 9:14:04 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 9:14:03 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 9:09:26 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 9:09:23 PM	32	mg/l
SC ALRO SA	Clor	1/30/2017 9:08:45 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 9:08:44 PM	0	mg/l
SC ALRO SA	Temp	1/30/2017 9:08:43 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 9:08:42 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 9:03:28 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 9:03:26 PM	32	mg/l
SC ALRO SA	Clor	1/30/2017 9:03:10 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 9:03:09 PM	0	mg/l
SC ALRO SA	Temp	1/30/2017 9:03:08 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 9:03:07 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 9:01:40 PM	0	mg/l
SC ALRO SA	Clor	1/30/2017 9:01:30 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 9:00:50 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 9:00:40 PM	32	mg/l
SC ALRO SA	Temp	1/30/2017 9:00:30 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 9:00:20 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 8:58:30 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 8:58:26 PM	32	mg/l
SC ALRO SA	Clor	1/30/2017 8:57:45 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 8:57:44 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/30/2017 8:57:43 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 8:57:42 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 8:52:22 PM	0	mg/l
SC ALRO SA	Clor	1/30/2017 8:52:05 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 8:52:04 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 8:52:03 PM	32	mg/l
SC ALRO SA	Temp	1/30/2017 8:52:02 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 8:52:01 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 8:46:42 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 8:46:40 PM	32	mg/l
SC ALRO SA	Clor	1/30/2017 8:46:30 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 8:46:29 PM	0	mg/l
SC ALRO SA	Temp	1/30/2017 8:46:28 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 8:46:27 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 8:43:20 PM	0	mg/l
SC ALRO SA	Clor	1/30/2017 8:43:10 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 8:42:50 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 8:42:40 PM	32	mg/l
SC ALRO SA	Temp	1/30/2017 8:42:00 PM	31	gradCels
SC ALRO SA	Substante organice	1/30/2017 8:41:43 PM	32	mg/l
SC ALRO SA	Cianuri	1/30/2017 8:41:22 PM	0	mg/l
SC ALRO SA	pH	1/30/2017 8:41:10 PM	6	unit pH
SC ALRO SA	Clor	1/30/2017 8:40:51 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 8:40:50 PM	0	mg/l
SC ALRO SA	Temp	1/30/2017 8:40:49 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 8:40:48 PM	5	unit pH
SC ALRO SA	Cianuri	1/30/2017 8:35:44 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 8:35:43 PM	32	mg/l
SC ALRO SA	Clor	1/30/2017 8:35:30 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 8:35:29 PM	0	mg/l
SC ALRO SA	Temp	1/30/2017 8:35:28 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 8:35:27 PM	5	unit pH
SC ALRO SA	Cianuri	1/30/2017 8:30:42 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 8:30:40 PM	32	mg/l
SC ALRO SA	Clor	1/30/2017 8:29:50 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 8:29:49 PM	0	mg/l
SC ALRO SA	Temp	1/30/2017 8:29:48 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 8:29:47 PM	5	unit pH
SC ALRO SA	Cianuri	1/30/2017 8:24:40 PM	0	mg/l
SC ALRO SA	Clor	1/30/2017 8:24:31 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 8:24:30 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 8:24:29 PM	32	mg/l
SC ALRO SA	Temp	1/30/2017 8:24:28 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 8:24:27 PM	5	unit pH
SC ALRO SA	Cianuri	1/30/2017 8:23:50 PM	0	mg/l
SC ALRO SA	Clor	1/30/2017 8:23:40 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 8:23:10 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 8:23:00 PM	32	mg/l
SC ALRO SA	Temp	1/30/2017 8:22:50 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 8:22:20 PM	5	unit pH
SC ALRO SA	Substante organice	1/30/2017 8:19:24 PM	32	mg/l
SC ALRO SA	Cianuri	1/30/2017 8:19:22 PM	0	mg/l
SC ALRO SA	Clor	1/30/2017 8:19:08 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 8:19:07 PM	0	mg/l
SC ALRO SA	Temp	1/30/2017 8:19:06 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 8:19:05 PM	5	unit pH
SC ALRO SA	Cianuri	1/30/2017 8:13:43 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 8:13:41 PM	32	mg/l
SC ALRO SA	Clor	1/30/2017 8:13:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 8:13:22 PM	0	mg/l
SC ALRO SA	Temp	1/30/2017 8:13:21 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 8:13:20 PM	5	unit pH
SC ALRO SA	Cianuri	1/30/2017 8:08:42 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 8:08:41 PM	32	mg/l
SC ALRO SA	Clor	1/30/2017 8:07:50 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 8:07:49 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/30/2017 8:07:48 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 8:07:47 PM	5	unit pH
SC ALRO SA	Cianuri	1/30/2017 8:05:20 PM	0	mg/l
SC ALRO SA	Clor	1/30/2017 8:05:10 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 8:04:50 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 8:04:40 PM	32	mg/l
SC ALRO SA	Temp	1/30/2017 8:04:30 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 8:04:10 PM	5	unit pH
SC ALRO SA	Cianuri	1/30/2017 8:02:42 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 8:02:40 PM	32	mg/l
SC ALRO SA	Clor	1/30/2017 8:02:10 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 8:02:09 PM	0	mg/l
SC ALRO SA	Temp	1/30/2017 8:02:08 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 8:02:07 PM	5	unit pH
SC ALRO SA	Cianuri	1/30/2017 7:57:45 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 7:57:44 PM	32	mg/l
SC ALRO SA	Clor	1/30/2017 7:56:50 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 7:56:49 PM	0	mg/l
SC ALRO SA	Temp	1/30/2017 7:56:48 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 7:56:47 PM	5	unit pH
SC ALRO SA	Cianuri	1/30/2017 7:51:33 PM	0	mg/l
SC ALRO SA	Clor	1/30/2017 7:51:29 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 7:51:28 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 7:51:27 PM	32	mg/l
SC ALRO SA	Temp	1/30/2017 7:51:26 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 7:51:25 PM	5	unit pH
SC ALRO SA	Cianuri	1/30/2017 7:47:50 PM	0	mg/l
SC ALRO SA	Clor	1/30/2017 7:47:40 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 7:47:10 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 7:47:00 PM	32	mg/l
SC ALRO SA	Cianuri	1/30/2017 7:46:43 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 7:46:42 PM	32	mg/l
SC ALRO SA	Temp	1/30/2017 7:45:50 PM	31	gradCels
SC ALRO SA	Clor	1/30/2017 7:45:47 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 7:45:46 PM	0	mg/l
SC ALRO SA	Temp	1/30/2017 7:45:45 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 7:45:44 PM	5	unit pH
SC ALRO SA	pH	1/30/2017 7:45:20 PM	5	unit pH
SC ALRO SA	Substante organice	1/30/2017 7:40:22 PM	32	mg/l
SC ALRO SA	Cianuri	1/30/2017 7:40:21 PM	0	mg/l
SC ALRO SA	Clor	1/30/2017 7:40:08 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 7:40:07 PM	0	mg/l
SC ALRO SA	Temp	1/30/2017 7:40:06 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 7:40:05 PM	5	unit pH
SC ALRO SA	Cianuri	1/30/2017 7:35:29 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 7:35:28 PM	32	mg/l
SC ALRO SA	Clor	1/30/2017 7:34:47 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 7:34:46 PM	0	mg/l
SC ALRO SA	Temp	1/30/2017 7:34:45 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 7:34:44 PM	5	unit pH
SC ALRO SA	Cianuri	1/30/2017 7:30:00 PM	0	mg/l
SC ALRO SA	Clor	1/30/2017 7:29:30 PM	0	mg/l
SC ALRO SA	Cianuri	1/30/2017 7:29:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 7:29:22 PM	32	mg/l
SC ALRO SA	Clor	1/30/2017 7:29:07 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 7:29:06 PM	0	mg/l
SC ALRO SA	Temp	1/30/2017 7:29:05 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 7:29:04 PM	5	unit pH
SC ALRO SA	Grasimi	1/30/2017 7:28:50 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 7:28:40 PM	32	mg/l
SC ALRO SA	Temp	1/30/2017 7:28:30 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 7:28:20 PM	5	unit pH
SC ALRO SA	Cianuri	1/30/2017 7:24:40 PM	0	mg/l
SC ALRO SA	Clor	1/30/2017 7:23:48 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 7:23:47 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 7:23:46 PM	32	mg/l



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/30/2017 7:23:45 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 7:23:44 PM	5	unit pH
SC ALRO SA	Cianuri	1/30/2017 7:18:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 7:18:22 PM	32	mg/l
SC ALRO SA	Clor	1/30/2017 7:18:07 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 7:18:06 PM	0	mg/l
SC ALRO SA	Temp	1/30/2017 7:18:05 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 7:18:04 PM	5	unit pH
SC ALRO SA	Cianuri	1/30/2017 7:13:31 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 7:13:29 PM	32	mg/l
SC ALRO SA	Clor	1/30/2017 7:12:48 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 7:12:47 PM	0	mg/l
SC ALRO SA	Temp	1/30/2017 7:12:46 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 7:12:45 PM	5	unit pH
SC ALRO SA	Cianuri	1/30/2017 7:12:00 PM	0	mg/l
SC ALRO SA	Clor	1/30/2017 7:11:50 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 7:11:30 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 7:11:10 PM	32	mg/l
SC ALRO SA	Temp	1/30/2017 7:11:00 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 7:10:50 PM	5	unit pH
SC ALRO SA	Cianuri	1/30/2017 7:07:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 7:07:21 PM	32	mg/l
SC ALRO SA	Clor	1/30/2017 7:07:07 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 7:07:06 PM	0	mg/l
SC ALRO SA	Temp	1/30/2017 7:07:05 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 7:07:04 PM	5	unit pH
SC ALRO SA	Cianuri	1/30/2017 7:02:32 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 7:02:31 PM	32	mg/l
SC ALRO SA	Clor	1/30/2017 7:01:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 7:01:42 PM	0	mg/l
SC ALRO SA	Temp	1/30/2017 7:01:41 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 7:01:40 PM	5	unit pH
SC ALRO SA	Cianuri	1/30/2017 6:56:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 6:56:21 PM	32	mg/l
SC ALRO SA	Clor	1/30/2017 6:56:07 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 6:56:06 PM	0	mg/l
SC ALRO SA	Temp	1/30/2017 6:56:05 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 6:56:04 PM	5	unit pH
SC ALRO SA	Cianuri	1/30/2017 6:54:20 PM	0	mg/l
SC ALRO SA	Clor	1/30/2017 6:54:10 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 6:53:50 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 6:53:40 PM	32	mg/l
SC ALRO SA	Temp	1/30/2017 6:53:30 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 6:53:20 PM	5	unit pH
SC ALRO SA	Cianuri	1/30/2017 6:51:42 PM	0	mg/l
SC ALRO SA	Clor	1/30/2017 6:51:25 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 6:51:24 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 6:51:23 PM	32	mg/l
SC ALRO SA	Temp	1/30/2017 6:51:22 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 6:51:21 PM	5	unit pH
SC ALRO SA	Cianuri	1/30/2017 6:46:44 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 6:46:43 PM	32	mg/l
SC ALRO SA	Clor	1/30/2017 6:45:31 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 6:45:30 PM	0	mg/l
SC ALRO SA	Temp	1/30/2017 6:45:29 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 6:45:28 PM	5	unit pH
SC ALRO SA	Cianuri	1/30/2017 6:40:27 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 6:40:20 PM	32	mg/l
SC ALRO SA	Clor	1/30/2017 6:40:09 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 6:40:08 PM	0	mg/l
SC ALRO SA	Temp	1/30/2017 6:40:07 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 6:40:06 PM	5	unit pH
SC ALRO SA	Cianuri	1/30/2017 6:37:10 PM	0	mg/l
SC ALRO SA	Clor	1/30/2017 6:37:00 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 6:36:40 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 6:36:30 PM	32	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/30/2017 6:36:20 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 6:36:10 PM	5	unit pH
SC ALRO SA	Cianuri	1/30/2017 6:35:37 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 6:35:35 PM	32	mg/l
SC ALRO SA	Clor	1/30/2017 6:34:48 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 6:34:47 PM	0	mg/l
SC ALRO SA	Temp	1/30/2017 6:34:46 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 6:34:45 PM	5	unit pH
SC ALRO SA	Cianuri	1/30/2017 6:29:24 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 6:29:22 PM	32	mg/l
SC ALRO SA	Clor	1/30/2017 6:29:09 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 6:29:08 PM	0	mg/l
SC ALRO SA	Temp	1/30/2017 6:29:07 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 6:29:06 PM	5	unit pH
SC ALRO SA	Cianuri	1/30/2017 6:24:33 PM	0	mg/l
SC ALRO SA	Clor	1/30/2017 6:23:50 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 6:23:49 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 6:23:48 PM	32	mg/l
SC ALRO SA	Temp	1/30/2017 6:23:47 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 6:23:46 PM	5	unit pH
SC ALRO SA	Cianuri	1/30/2017 6:19:30 PM	0	mg/l
SC ALRO SA	Clor	1/30/2017 6:19:10 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 6:18:50 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 6:18:25 PM	32	mg/l
SC ALRO SA	Cianuri	1/30/2017 6:18:21 PM	0	mg/l
SC ALRO SA	Clor	1/30/2017 6:18:04 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 6:18:03 PM	0	mg/l
SC ALRO SA	Temp	1/30/2017 6:18:02 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 6:18:01 PM	5	unit pH
SC ALRO SA	Substante organice	1/30/2017 6:17:30 PM	32	mg/l
SC ALRO SA	Temp	1/30/2017 6:17:10 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 6:17:00 PM	5	unit pH
SC ALRO SA	Cianuri	1/30/2017 6:13:28 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 6:13:26 PM	32	mg/l
SC ALRO SA	Clor	1/30/2017 6:12:49 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 6:12:48 PM	0	mg/l
SC ALRO SA	Temp	1/30/2017 6:12:47 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 6:12:46 PM	5	unit pH
SC ALRO SA	Cianuri	1/30/2017 6:07:43 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 6:07:41 PM	32	mg/l
SC ALRO SA	Clor	1/30/2017 6:06:50 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 6:06:49 PM	0	mg/l
SC ALRO SA	Temp	1/30/2017 6:06:48 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 6:06:47 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 6:01:42 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 6:01:40 PM	32	mg/l
SC ALRO SA	Clor	1/30/2017 6:01:29 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 6:01:28 PM	0	mg/l
SC ALRO SA	Temp	1/30/2017 6:01:27 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 6:01:26 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 6:00:00 PM	0	mg/l
SC ALRO SA	Clor	1/30/2017 5:59:50 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 5:59:30 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 5:59:10 PM	32	mg/l
SC ALRO SA	Temp	1/30/2017 5:59:00 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 5:58:50 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 5:56:43 PM	0	mg/l
SC ALRO SA	Clor	1/30/2017 5:55:50 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 5:55:49 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 5:55:48 PM	32	mg/l
SC ALRO SA	Temp	1/30/2017 5:55:47 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 5:55:46 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 5:50:49 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 5:50:47 PM	32	mg/l
SC ALRO SA	Clor	1/30/2017 5:50:44 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 5:50:43 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/30/2017 5:50:42 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 5:50:41 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 5:45:43 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 5:45:41 PM	32	mg/l
SC ALRO SA	Clor	1/30/2017 5:44:49 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 5:44:48 PM	0	mg/l
SC ALRO SA	Temp	1/30/2017 5:44:47 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 5:44:46 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 5:42:00 PM	0	mg/l
SC ALRO SA	Clor	1/30/2017 5:41:50 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 5:41:30 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 5:41:20 PM	32	mg/l
SC ALRO SA	Temp	1/30/2017 5:41:10 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 5:41:00 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 5:39:43 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 5:39:42 PM	32	mg/l
SC ALRO SA	Clor	1/30/2017 5:39:29 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 5:39:28 PM	0	mg/l
SC ALRO SA	Temp	1/30/2017 5:39:27 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 5:39:26 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 5:34:43 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 5:34:41 PM	32	mg/l
SC ALRO SA	Clor	1/30/2017 5:33:54 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 5:33:53 PM	0	mg/l
SC ALRO SA	Temp	1/30/2017 5:33:52 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 5:33:51 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 5:28:44 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 5:28:43 PM	32	mg/l
SC ALRO SA	Clor	1/30/2017 5:28:33 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 5:28:32 PM	0	mg/l
SC ALRO SA	Temp	1/30/2017 5:28:31 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 5:28:30 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 5:25:10 PM	0	mg/l
SC ALRO SA	Clor	1/30/2017 5:25:00 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 5:24:40 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 5:24:30 PM	32	mg/l
SC ALRO SA	Temp	1/30/2017 5:24:10 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 5:24:00 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 5:23:45 PM	0	mg/l
SC ALRO SA	Clor	1/30/2017 5:22:54 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 5:22:53 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 5:22:52 PM	32	mg/l
SC ALRO SA	Temp	1/30/2017 5:22:51 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 5:22:50 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 5:17:32 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 5:17:31 PM	32	mg/l
SC ALRO SA	Clor	1/30/2017 5:17:27 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 5:17:26 PM	0	mg/l
SC ALRO SA	Temp	1/30/2017 5:17:25 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 5:17:24 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 5:12:43 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 5:12:41 PM	32	mg/l
SC ALRO SA	Clor	1/30/2017 5:11:54 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 5:11:53 PM	0	mg/l
SC ALRO SA	Temp	1/30/2017 5:11:52 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 5:11:51 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 5:07:10 PM	0	mg/l
SC ALRO SA	Clor	1/30/2017 5:07:00 PM	0	mg/l
SC ALRO SA	Cianuri	1/30/2017 5:06:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 5:06:21 PM	32	mg/l
SC ALRO SA	Clor	1/30/2017 5:06:14 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 5:06:13 PM	0	mg/l
SC ALRO SA	Temp	1/30/2017 5:06:12 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 5:06:11 PM	6	unit pH
SC ALRO SA	Grasimi	1/30/2017 5:05:50 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 5:05:40 PM	32	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/30/2017 5:05:30 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 5:05:21 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 5:01:46 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 5:01:44 PM	32	mg/l
SC ALRO SA	Clor	1/30/2017 5:00:53 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 5:00:52 PM	0	mg/l
SC ALRO SA	Temp	1/30/2017 5:00:51 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 5:00:50 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 4:55:23 PM	0	mg/l
SC ALRO SA	Clor	1/30/2017 4:55:14 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 4:55:13 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 4:55:12 PM	32	mg/l
SC ALRO SA	Temp	1/30/2017 4:55:11 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 4:55:10 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 4:50:20 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 4:50:18 PM	32	mg/l
SC ALRO SA	Clor	1/30/2017 4:50:07 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 4:50:06 PM	0	mg/l
SC ALRO SA	Temp	1/30/2017 4:50:05 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 4:50:04 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 4:49:10 PM	0	mg/l
SC ALRO SA	Clor	1/30/2017 4:49:00 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 4:48:40 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 4:48:30 PM	32	mg/l
SC ALRO SA	Temp	1/30/2017 4:48:00 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 4:47:50 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 4:44:22 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 4:44:20 PM	32	mg/l
SC ALRO SA	Clor	1/30/2017 4:44:13 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 4:44:12 PM	0	mg/l
SC ALRO SA	Temp	1/30/2017 4:44:11 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 4:44:10 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 4:39:43 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 4:39:41 PM	32	mg/l
SC ALRO SA	Clor	1/30/2017 4:38:54 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 4:38:53 PM	0	mg/l
SC ALRO SA	Temp	1/30/2017 4:38:52 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 4:38:51 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 4:33:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 4:33:21 PM	32	mg/l
SC ALRO SA	Clor	1/30/2017 4:33:14 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 4:33:13 PM	0	mg/l
SC ALRO SA	Temp	1/30/2017 4:33:12 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 4:33:11 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 4:31:50 PM	0	mg/l
SC ALRO SA	Clor	1/30/2017 4:31:20 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 4:31:00 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 4:30:50 PM	32	mg/l
SC ALRO SA	Temp	1/30/2017 4:30:40 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 4:30:30 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 4:28:46 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 4:28:45 PM	32	mg/l
SC ALRO SA	Clor	1/30/2017 4:27:53 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 4:27:52 PM	0	mg/l
SC ALRO SA	Temp	1/30/2017 4:27:51 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 4:27:50 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 4:22:38 PM	0	mg/l
SC ALRO SA	Clor	1/30/2017 4:22:32 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 4:22:31 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 4:22:30 PM	32	mg/l
SC ALRO SA	Temp	1/30/2017 4:22:29 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 4:22:28 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 4:17:44 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 4:17:42 PM	31	mg/l
SC ALRO SA	Clor	1/30/2017 4:16:46 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 4:16:45 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/30/2017 4:16:44 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 4:16:43 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 4:14:00 PM	0	mg/l
SC ALRO SA	Clor	1/30/2017 4:13:50 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 4:13:30 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 4:13:10 PM	31	mg/l
SC ALRO SA	Temp	1/30/2017 4:13:00 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 4:12:50 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 4:11:24 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 4:11:20 PM	31	mg/l
SC ALRO SA	Clor	1/30/2017 4:11:06 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 4:11:05 PM	0	mg/l
SC ALRO SA	Temp	1/30/2017 4:11:04 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 4:11:03 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 4:06:46 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 4:06:44 PM	31	mg/l
SC ALRO SA	Clor	1/30/2017 4:05:26 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 4:05:25 PM	0	mg/l
SC ALRO SA	Temp	1/30/2017 4:05:24 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 4:05:23 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 4:00:22 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 4:00:21 PM	31	mg/l
SC ALRO SA	Clor	1/30/2017 4:00:06 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 4:00:05 PM	0	mg/l
SC ALRO SA	Temp	1/30/2017 4:00:04 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 4:00:03 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 3:56:10 PM	0	mg/l
SC ALRO SA	Cianuri	1/30/2017 3:55:45 PM	0	mg/l
SC ALRO SA	Clor	1/30/2017 3:55:10 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 3:54:40 PM	0	mg/l
SC ALRO SA	Clor	1/30/2017 3:54:27 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 3:54:26 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 3:54:25 PM	31	mg/l
SC ALRO SA	Temp	1/30/2017 3:54:24 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 3:54:23 PM	6	unit pH
SC ALRO SA	Substante organice	1/30/2017 3:54:10 PM	31	mg/l
SC ALRO SA	Temp	1/30/2017 3:54:00 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 3:53:50 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 3:49:36 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 3:49:35 PM	31	mg/l
SC ALRO SA	Clor	1/30/2017 3:49:24 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 3:49:23 PM	0	mg/l
SC ALRO SA	Temp	1/30/2017 3:49:22 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 3:49:21 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 3:44:27 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 3:44:26 PM	31	mg/l
SC ALRO SA	Clor	1/30/2017 3:43:26 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 3:43:25 PM	0	mg/l
SC ALRO SA	Temp	1/30/2017 3:43:24 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 3:43:23 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 3:38:41 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 3:38:40 PM	31	mg/l
SC ALRO SA	Clor	1/30/2017 3:38:06 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 3:38:05 PM	0	mg/l
SC ALRO SA	Temp	1/30/2017 3:38:04 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 3:38:03 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 3:36:50 PM	0	mg/l
SC ALRO SA	Clor	1/30/2017 3:36:40 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 3:36:10 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 3:36:00 PM	31	mg/l
SC ALRO SA	Temp	1/30/2017 3:35:50 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 3:35:40 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 3:33:29 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 3:33:27 PM	31	mg/l
SC ALRO SA	Clor	1/30/2017 3:32:44 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 3:32:43 PM	0	mg/l



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/30/2017 3:32:42 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 3:32:41 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 3:27:42 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 3:27:40 PM	31	mg/l
SC ALRO SA	Clor	1/30/2017 3:27:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 3:27:02 PM	0	mg/l
SC ALRO SA	Temp	1/30/2017 3:27:01 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 3:27:00 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 3:22:33 PM	0	mg/l
SC ALRO SA	Clor	1/30/2017 3:21:46 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 3:21:45 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 3:21:44 PM	31	mg/l
SC ALRO SA	Temp	1/30/2017 3:21:43 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 3:21:42 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 3:18:20 PM	0	mg/l
SC ALRO SA	Clor	1/30/2017 3:18:10 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 3:17:50 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 3:17:40 PM	32	mg/l
SC ALRO SA	Cianuri	1/30/2017 3:16:42 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 3:16:41 PM	32	mg/l
SC ALRO SA	Temp	1/30/2017 3:16:10 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 3:16:00 PM	6	unit pH
SC ALRO SA	Clor	1/30/2017 3:15:46 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 3:15:45 PM	0	mg/l
SC ALRO SA	Temp	1/30/2017 3:15:44 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 3:15:43 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 3:10:42 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 3:10:41 PM	32	mg/l
SC ALRO SA	Clor	1/30/2017 3:10:26 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 3:10:25 PM	0	mg/l
SC ALRO SA	Temp	1/30/2017 3:10:24 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 3:10:23 PM	6	unit pH
SC ALRO SA	Substante organice	1/30/2017 3:05:42 PM	32	mg/l
SC ALRO SA	Cianuri	1/30/2017 3:05:41 PM	0	mg/l
SC ALRO SA	Clor	1/30/2017 3:04:46 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 3:04:45 PM	0	mg/l
SC ALRO SA	Temp	1/30/2017 3:04:44 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 3:04:43 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 3:01:00 PM	0	mg/l
SC ALRO SA	Clor	1/30/2017 3:00:50 PM	0	mg/l
SC ALRO SA	Cianuri	1/30/2017 2:59:42 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 2:59:41 PM	32	mg/l
SC ALRO SA	Clor	1/30/2017 2:59:26 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 2:59:25 PM	0	mg/l
SC ALRO SA	Temp	1/30/2017 2:59:24 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 2:59:23 PM	6	unit pH
SC ALRO SA	Grasimi	1/30/2017 2:59:00 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 2:58:50 PM	32	mg/l
SC ALRO SA	Temp	1/30/2017 2:58:40 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 2:58:30 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 2:54:46 PM	0	mg/l
SC ALRO SA	Clor	1/30/2017 2:53:47 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 2:53:46 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 2:53:45 PM	32	mg/l
SC ALRO SA	Temp	1/30/2017 2:53:44 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 2:53:43 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 2:48:27 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 2:48:26 PM	32	mg/l
SC ALRO SA	Clor	1/30/2017 2:48:24 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 2:48:23 PM	0	mg/l
SC ALRO SA	Temp	1/30/2017 2:48:22 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 2:48:21 PM	6	unit pH
SC ALRO SA	Substante organice	1/30/2017 2:43:42 PM	32	mg/l
SC ALRO SA	Cianuri	1/30/2017 2:43:41 PM	0	mg/l
SC ALRO SA	Clor	1/30/2017 2:42:46 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 2:42:45 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/30/2017 2:42:44 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 2:42:43 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 2:41:50 PM	0	mg/l
SC ALRO SA	Clor	1/30/2017 2:41:40 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 2:41:10 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 2:40:50 PM	32	mg/l
SC ALRO SA	Temp	1/30/2017 2:40:40 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 2:40:30 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 2:37:43 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 2:37:42 PM	32	mg/l
SC ALRO SA	Clor	1/30/2017 2:37:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 2:37:22 PM	0	mg/l
SC ALRO SA	Temp	1/30/2017 2:37:21 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 2:37:20 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 2:32:43 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 2:32:42 PM	32	mg/l
SC ALRO SA	Clor	1/30/2017 2:31:46 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 2:31:45 PM	0	mg/l
SC ALRO SA	Temp	1/30/2017 2:31:44 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 2:31:43 PM	6	unit pH
SC ALRO SA	Substante organice	1/30/2017 2:26:42 PM	32	mg/l
SC ALRO SA	Cianuri	1/30/2017 2:26:41 PM	0	mg/l
SC ALRO SA	Clor	1/30/2017 2:26:06 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 2:26:05 PM	0	mg/l
SC ALRO SA	Temp	1/30/2017 2:26:04 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 2:26:03 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 2:23:30 PM	0	mg/l
SC ALRO SA	Clor	1/30/2017 2:23:20 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 2:23:00 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 2:22:50 PM	32	mg/l
SC ALRO SA	Temp	1/30/2017 2:22:40 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 2:21:30 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 2:21:21 PM	0	mg/l
SC ALRO SA	Clor	1/30/2017 2:21:05 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 2:21:04 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 2:21:03 PM	32	mg/l
SC ALRO SA	Temp	1/30/2017 2:21:02 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 2:21:01 PM	6	unit pH
SC ALRO SA	Substante organice	1/30/2017 2:16:36 PM	32	mg/l
SC ALRO SA	Cianuri	1/30/2017 2:16:33 PM	0	mg/l
SC ALRO SA	Clor	1/30/2017 2:15:44 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 2:15:43 PM	0	mg/l
SC ALRO SA	Temp	1/30/2017 2:15:42 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 2:15:41 PM	6	unit pH
SC ALRO SA	Substante organice	1/30/2017 2:10:42 PM	32	mg/l
SC ALRO SA	Cianuri	1/30/2017 2:10:41 PM	0	mg/l
SC ALRO SA	Clor	1/30/2017 2:10:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 2:10:02 PM	0	mg/l
SC ALRO SA	Temp	1/30/2017 2:10:01 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 2:10:00 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 2:05:29 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 2:05:27 PM	32	mg/l
SC ALRO SA	Clor	1/30/2017 2:04:44 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 2:04:43 PM	0	mg/l
SC ALRO SA	Temp	1/30/2017 2:04:42 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 2:04:41 PM	5	unit pH
SC ALRO SA	Cianuri	1/30/2017 2:03:40 PM	0	mg/l
SC ALRO SA	Clor	1/30/2017 2:03:30 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 2:03:00 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 2:02:50 PM	32	mg/l
SC ALRO SA	Temp	1/30/2017 2:02:20 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 2:02:10 PM	5	unit pH
SC ALRO SA	Cianuri	1/30/2017 1:59:42 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 1:59:41 PM	32	mg/l
SC ALRO SA	Clor	1/30/2017 1:59:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 1:59:02 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/30/2017 1:59:01 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 1:59:00 PM	5	unit pH
SC ALRO SA	Cianuri	1/30/2017 1:54:26 PM	0	mg/l
SC ALRO SA	Clor	1/30/2017 1:53:45 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 1:53:44 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 1:53:43 PM	32	mg/l
SC ALRO SA	Temp	1/30/2017 1:53:42 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 1:53:41 PM	5	unit pH
SC ALRO SA	Cianuri	1/30/2017 1:48:22 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 1:48:21 PM	32	mg/l
SC ALRO SA	Clor	1/30/2017 1:48:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 1:48:02 PM	0	mg/l
SC ALRO SA	Temp	1/30/2017 1:48:01 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 1:48:00 PM	5	unit pH
SC ALRO SA	Cianuri	1/30/2017 1:44:40 PM	0	mg/l
SC ALRO SA	Clor	1/30/2017 1:44:10 PM	0	mg/l
SC ALRO SA	Cianuri	1/30/2017 1:43:25 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 1:43:24 PM	32	mg/l
SC ALRO SA	Grasimi	1/30/2017 1:43:10 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 1:42:50 PM	32	mg/l
SC ALRO SA	Clor	1/30/2017 1:42:44 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 1:42:43 PM	0	mg/l
SC ALRO SA	Temp	1/30/2017 1:42:42 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 1:42:41 PM	5	unit pH
SC ALRO SA	Temp	1/30/2017 1:42:10 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 1:41:40 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 1:37:42 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 1:37:41 PM	32	mg/l
SC ALRO SA	Clor	1/30/2017 1:37:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 1:37:02 PM	0	mg/l
SC ALRO SA	Temp	1/30/2017 1:37:01 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 1:37:00 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 1:32:17 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 1:32:16 PM	32	mg/l
SC ALRO SA	Clor	1/30/2017 1:32:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 1:32:02 PM	0	mg/l
SC ALRO SA	Temp	1/30/2017 1:32:01 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 1:32:00 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 1:27:29 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 1:27:28 PM	32	mg/l
SC ALRO SA	Clor	1/30/2017 1:26:44 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 1:26:43 PM	0	mg/l
SC ALRO SA	Temp	1/30/2017 1:26:42 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 1:26:41 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 1:24:30 PM	0	mg/l
SC ALRO SA	Clor	1/30/2017 1:24:10 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 1:23:30 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 1:23:20 PM	32	mg/l
SC ALRO SA	Temp	1/30/2017 1:23:10 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 1:23:00 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 1:21:22 PM	0	mg/l
SC ALRO SA	Clor	1/30/2017 1:21:04 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 1:21:03 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 1:21:02 PM	32	mg/l
SC ALRO SA	Temp	1/30/2017 1:21:01 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 1:21:00 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 1:16:24 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 1:16:22 PM	32	mg/l
SC ALRO SA	Clor	1/30/2017 1:15:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 1:15:22 PM	0	mg/l
SC ALRO SA	Temp	1/30/2017 1:15:21 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 1:15:20 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 1:10:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 1:10:22 PM	32	mg/l
SC ALRO SA	Clor	1/30/2017 1:10:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 1:10:02 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/30/2017 1:10:01 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 1:10:00 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 1:06:00 PM	0	mg/l
SC ALRO SA	Clor	1/30/2017 1:05:50 PM	0	mg/l
SC ALRO SA	Cianuri	1/30/2017 1:05:25 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 1:05:23 PM	32	mg/l
SC ALRO SA	Grasimi	1/30/2017 1:04:40 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 1:04:30 PM	32	mg/l
SC ALRO SA	Clor	1/30/2017 1:04:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 1:04:22 PM	0	mg/l
SC ALRO SA	Temp	1/30/2017 1:04:21 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 1:04:20 PM	6	unit pH
SC ALRO SA	Temp	1/30/2017 1:04:10 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 1:04:00 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 12:59:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 12:59:22 PM	32	mg/l
SC ALRO SA	Clor	1/30/2017 12:59:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 12:59:02 PM	0	mg/l
SC ALRO SA	Temp	1/30/2017 12:59:01 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 12:59:00 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 12:54:20 PM	0	mg/l
SC ALRO SA	Clor	1/30/2017 12:53:24 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 12:53:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 12:53:22 PM	32	mg/l
SC ALRO SA	Temp	1/30/2017 12:53:21 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 12:53:20 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 12:48:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 12:48:22 PM	32	mg/l
SC ALRO SA	Clor	1/30/2017 12:47:45 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 12:47:44 PM	0	mg/l
SC ALRO SA	Temp	1/30/2017 12:47:43 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 12:47:42 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 12:46:30 PM	0	mg/l
SC ALRO SA	Clor	1/30/2017 12:46:00 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 12:45:40 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 12:45:30 PM	32	mg/l
SC ALRO SA	Temp	1/30/2017 12:45:20 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 12:45:10 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 12:42:25 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 12:42:24 PM	32	mg/l
SC ALRO SA	Clor	1/30/2017 12:42:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 12:42:22 PM	0	mg/l
SC ALRO SA	Temp	1/30/2017 12:42:21 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 12:42:20 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 12:37:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 12:37:22 PM	32	mg/l
SC ALRO SA	Clor	1/30/2017 12:36:44 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 12:36:43 PM	0	mg/l
SC ALRO SA	Temp	1/30/2017 12:36:42 PM	31	gradCels
SC ALRO SA	pH	1/30/2017 12:36:41 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 12:31:31 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 12:31:30 PM	32	mg/l
SC ALRO SA	Grasimi	1/30/2017 12:31:27 PM	0	mg/l
SC ALRO SA	Clor	1/30/2017 12:31:26 PM	0	mg/l
SC ALRO SA	Temp	1/30/2017 12:31:25 PM	32	gradCels
SC ALRO SA	pH	1/30/2017 12:31:24 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 12:28:00 PM	0	mg/l
SC ALRO SA	Clor	1/30/2017 12:27:50 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 12:27:10 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 12:26:40 PM	32	mg/l
SC ALRO SA	Cianuri	1/30/2017 12:26:22 PM	0	mg/l
SC ALRO SA	Temp	1/30/2017 12:26:10 PM	32	gradCels
SC ALRO SA	pH	1/30/2017 12:26:00 PM	6	unit pH
SC ALRO SA	Clor	1/30/2017 12:25:45 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 12:25:44 PM	32	mg/l
SC ALRO SA	Grasimi	1/30/2017 12:25:43 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/30/2017 12:25:42 PM	32	gradCels
SC ALRO SA	pH	1/30/2017 12:25:41 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 12:20:31 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 12:20:30 PM	32	mg/l
SC ALRO SA	Clor	1/30/2017 12:20:27 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 12:20:26 PM	0	mg/l
SC ALRO SA	Temp	1/30/2017 12:20:25 PM	32	gradCels
SC ALRO SA	pH	1/30/2017 12:20:24 PM	6	unit pH
SC ALRO SA	Substante organice	1/30/2017 12:15:23 PM	32	mg/l
SC ALRO SA	Cianuri	1/30/2017 12:15:21 PM	0	mg/l
SC ALRO SA	Clor	1/30/2017 12:14:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 12:14:42 PM	0	mg/l
SC ALRO SA	Temp	1/30/2017 12:14:41 PM	32	gradCels
SC ALRO SA	pH	1/30/2017 12:14:40 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 12:09:31 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 12:09:30 PM	32	mg/l
SC ALRO SA	Clor	1/30/2017 12:09:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 12:09:22 PM	0	mg/l
SC ALRO SA	Temp	1/30/2017 12:09:21 PM	32	gradCels
SC ALRO SA	pH	1/30/2017 12:09:20 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 12:07:20 PM	0	mg/l
SC ALRO SA	Clor	1/30/2017 12:07:10 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 12:06:50 PM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 12:06:40 PM	32	mg/l
SC ALRO SA	Temp	1/30/2017 12:06:30 PM	32	gradCels
SC ALRO SA	pH	1/30/2017 12:06:20 PM	6	unit pH
SC ALRO SA	Substante organice	1/30/2017 12:04:23 PM	32	mg/l
SC ALRO SA	Cianuri	1/30/2017 12:04:22 PM	0	mg/l
SC ALRO SA	Clor	1/30/2017 12:03:44 PM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 12:03:43 PM	0	mg/l
SC ALRO SA	Temp	1/30/2017 12:03:42 PM	32	gradCels
SC ALRO SA	pH	1/30/2017 12:03:41 PM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 11:58:31 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 11:58:30 AM	32	mg/l
SC ALRO SA	Clor	1/30/2017 11:58:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 11:58:22 AM	0	mg/l
SC ALRO SA	Temp	1/30/2017 11:58:21 AM	32	gradCels
SC ALRO SA	pH	1/30/2017 11:58:20 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 11:53:33 AM	0	mg/l
SC ALRO SA	Clor	1/30/2017 11:52:48 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 11:52:47 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 11:52:46 AM	32	mg/l
SC ALRO SA	Temp	1/30/2017 11:52:45 AM	32	gradCels
SC ALRO SA	pH	1/30/2017 11:52:44 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 11:49:20 AM	0	mg/l
SC ALRO SA	Clor	1/30/2017 11:49:10 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 11:48:50 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 11:48:00 AM	32	mg/l
SC ALRO SA	Temp	1/30/2017 11:47:50 AM	32	gradCels
SC ALRO SA	pH	1/30/2017 11:47:30 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 11:47:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 11:47:22 AM	32	mg/l
SC ALRO SA	Clor	1/30/2017 11:47:07 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 11:47:06 AM	0	mg/l
SC ALRO SA	Temp	1/30/2017 11:47:05 AM	32	gradCels
SC ALRO SA	pH	1/30/2017 11:47:04 AM	6	unit pH
SC ALRO SA	Substante organice	1/30/2017 11:42:40 AM	32	mg/l
SC ALRO SA	Cianuri	1/30/2017 11:42:35 AM	0	mg/l
SC ALRO SA	Clor	1/30/2017 11:41:48 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 11:41:47 AM	0	mg/l
SC ALRO SA	Temp	1/30/2017 11:41:46 AM	32	gradCels
SC ALRO SA	pH	1/30/2017 11:41:45 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 11:36:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 11:36:22 AM	32	mg/l
SC ALRO SA	Clor	1/30/2017 11:36:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 11:36:02 AM	0	mg/l



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/30/2017 11:36:01 AM	32	gradCels
SC ALRO SA	pH	1/30/2017 11:36:00 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 11:31:36 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 11:31:34 AM	32	mg/l
SC ALRO SA	Clor	1/30/2017 11:30:44 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 11:30:43 AM	0	mg/l
SC ALRO SA	Temp	1/30/2017 11:30:42 AM	32	gradCels
SC ALRO SA	pH	1/30/2017 11:30:41 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 11:29:50 AM	0	mg/l
SC ALRO SA	Clor	1/30/2017 11:29:40 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 11:29:10 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 11:28:40 AM	32	mg/l
SC ALRO SA	Temp	1/30/2017 11:28:30 AM	32	gradCels
SC ALRO SA	pH	1/30/2017 11:28:20 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 11:25:22 AM	0	mg/l
SC ALRO SA	Clor	1/30/2017 11:25:04 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 11:25:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 11:25:02 AM	32	mg/l
SC ALRO SA	Temp	1/30/2017 11:25:01 AM	32	gradCels
SC ALRO SA	pH	1/30/2017 11:25:00 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 11:20:37 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 11:20:35 AM	32	mg/l
SC ALRO SA	Clor	1/30/2017 11:19:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 11:19:42 AM	0	mg/l
SC ALRO SA	Temp	1/30/2017 11:19:41 AM	32	gradCels
SC ALRO SA	pH	1/30/2017 11:19:40 AM	6	unit pH
SC ALRO SA	Substante organice	1/30/2017 11:14:23 AM	32	mg/l
SC ALRO SA	Cianuri	1/30/2017 11:14:21 AM	0	mg/l
SC ALRO SA	Clor	1/30/2017 11:14:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 11:14:02 AM	0	mg/l
SC ALRO SA	Temp	1/30/2017 11:14:01 AM	32	gradCels
SC ALRO SA	pH	1/30/2017 11:14:00 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 11:11:20 AM	0	mg/l
SC ALRO SA	Clor	1/30/2017 11:11:10 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 11:10:50 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 11:10:40 AM	32	mg/l
SC ALRO SA	Temp	1/30/2017 11:10:30 AM	32	gradCels
SC ALRO SA	pH	1/30/2017 11:10:10 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 11:09:31 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 11:09:30 AM	32	mg/l
SC ALRO SA	Clor	1/30/2017 11:08:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 11:08:22 AM	0	mg/l
SC ALRO SA	Temp	1/30/2017 11:08:21 AM	32	gradCels
SC ALRO SA	pH	1/30/2017 11:08:20 AM	6	unit pH
SC ALRO SA	Substante organice	1/30/2017 11:03:23 AM	32	mg/l
SC ALRO SA	Cianuri	1/30/2017 11:03:22 AM	0	mg/l
SC ALRO SA	Clor	1/30/2017 11:03:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 11:03:02 AM	0	mg/l
SC ALRO SA	Temp	1/30/2017 11:03:01 AM	32	gradCels
SC ALRO SA	pH	1/30/2017 11:03:00 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 10:58:26 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 10:58:24 AM	32	mg/l
SC ALRO SA	Clor	1/30/2017 10:57:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 10:57:22 AM	0	mg/l
SC ALRO SA	Temp	1/30/2017 10:57:21 AM	32	gradCels
SC ALRO SA	pH	1/30/2017 10:57:20 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 10:54:40 AM	0	mg/l
SC ALRO SA	Clor	1/30/2017 10:54:30 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 10:54:10 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 10:54:00 AM	32	mg/l
SC ALRO SA	Temp	1/30/2017 10:53:50 AM	32	gradCels
SC ALRO SA	pH	1/30/2017 10:53:40 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 10:52:22 AM	0	mg/l
SC ALRO SA	Clor	1/30/2017 10:52:04 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 10:52:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 10:52:02 AM	32	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/30/2017 10:52:01 AM	32	gradCels
SC ALRO SA	pH	1/30/2017 10:52:00 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 10:47:15 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 10:47:13 AM	32	mg/l
SC ALRO SA	Clor	1/30/2017 10:46:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 10:46:22 AM	0	mg/l
SC ALRO SA	Temp	1/30/2017 10:46:21 AM	32	gradCels
SC ALRO SA	pH	1/30/2017 10:46:20 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 10:41:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 10:41:22 AM	32	mg/l
SC ALRO SA	Clor	1/30/2017 10:40:45 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 10:40:44 AM	0	mg/l
SC ALRO SA	Temp	1/30/2017 10:40:43 AM	32	gradCels
SC ALRO SA	pH	1/30/2017 10:40:42 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 10:37:40 AM	0	mg/l
SC ALRO SA	Clor	1/30/2017 10:37:30 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 10:37:00 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 10:36:50 AM	32	mg/l
SC ALRO SA	Temp	1/30/2017 10:36:40 AM	32	gradCels
SC ALRO SA	pH	1/30/2017 10:35:50 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 10:35:25 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 10:35:24 AM	32	mg/l
SC ALRO SA	Clor	1/30/2017 10:35:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 10:35:22 AM	0	mg/l
SC ALRO SA	Temp	1/30/2017 10:35:21 AM	32	gradCels
SC ALRO SA	pH	1/30/2017 10:35:20 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 10:30:22 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 10:30:20 AM	32	mg/l
SC ALRO SA	Clor	1/30/2017 10:29:45 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 10:29:44 AM	0	mg/l
SC ALRO SA	Temp	1/30/2017 10:29:43 AM	32	gradCels
SC ALRO SA	pH	1/30/2017 10:29:42 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 10:24:31 AM	0	mg/l
SC ALRO SA	Clor	1/30/2017 10:24:24 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 10:24:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 10:24:22 AM	32	mg/l
SC ALRO SA	Temp	1/30/2017 10:24:21 AM	32	gradCels
SC ALRO SA	pH	1/30/2017 10:24:20 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 10:20:40 AM	0	mg/l
SC ALRO SA	Clor	1/30/2017 10:20:10 AM	0	mg/l
SC ALRO SA	Cianuri	1/30/2017 10:19:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 10:19:22 AM	31	mg/l
SC ALRO SA	Grasimi	1/30/2017 10:19:10 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 10:19:00 AM	31	mg/l
SC ALRO SA	Temp	1/30/2017 10:18:50 AM	32	gradCels
SC ALRO SA	Clor	1/30/2017 10:18:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 10:18:42 AM	0	mg/l
SC ALRO SA	Temp	1/30/2017 10:18:41 AM	32	gradCels
SC ALRO SA	pH	1/30/2017 10:18:40 AM	6	unit pH
SC ALRO SA	pH	1/30/2017 10:18:30 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 10:13:31 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 10:13:29 AM	31	mg/l
SC ALRO SA	Clor	1/30/2017 10:13:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 10:13:22 AM	0	mg/l
SC ALRO SA	Temp	1/30/2017 10:13:21 AM	32	gradCels
SC ALRO SA	pH	1/30/2017 10:13:20 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 10:08:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 10:08:22 AM	31	mg/l
SC ALRO SA	Clor	1/30/2017 10:07:45 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 10:07:44 AM	0	mg/l
SC ALRO SA	Temp	1/30/2017 10:07:43 AM	32	gradCels
SC ALRO SA	pH	1/30/2017 10:07:42 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 10:02:31 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 10:02:30 AM	31	mg/l
SC ALRO SA	Clor	1/30/2017 10:02:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 10:02:22 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/30/2017 10:02:21 AM	32	gradCels
SC ALRO SA	pH	1/30/2017 10:02:20 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 10:01:50 AM	0	mg/l
SC ALRO SA	Clor	1/30/2017 10:01:10 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 10:00:40 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 10:00:30 AM	31	mg/l
SC ALRO SA	Temp	1/30/2017 10:00:20 AM	32	gradCels
SC ALRO SA	pH	1/30/2017 10:00:10 AM	6	unit pH
SC ALRO SA	Substante organice	1/30/2017 9:57:22 AM	31	mg/l
SC ALRO SA	Cianuri	1/30/2017 9:57:21 AM	0	mg/l
SC ALRO SA	Clor	1/30/2017 9:56:45 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 9:56:44 AM	0	mg/l
SC ALRO SA	Temp	1/30/2017 9:56:43 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 9:56:42 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 9:51:22 AM	0	mg/l
SC ALRO SA	Clor	1/30/2017 9:51:05 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 9:51:04 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 9:51:03 AM	31	mg/l
SC ALRO SA	Temp	1/30/2017 9:51:02 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 9:51:00 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 9:46:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 9:46:22 AM	31	mg/l
SC ALRO SA	Clor	1/30/2017 9:45:45 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 9:45:44 AM	0	mg/l
SC ALRO SA	Temp	1/30/2017 9:45:43 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 9:45:42 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 9:42:40 AM	0	mg/l
SC ALRO SA	Clor	1/30/2017 9:42:30 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 9:42:00 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 9:41:50 AM	31	mg/l
SC ALRO SA	Temp	1/30/2017 9:41:40 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 9:41:30 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 9:40:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 9:40:22 AM	31	mg/l
SC ALRO SA	Clor	1/30/2017 9:40:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 9:40:02 AM	0	mg/l
SC ALRO SA	Temp	1/30/2017 9:40:01 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 9:40:00 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 9:35:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 9:35:22 AM	31	mg/l
SC ALRO SA	Clor	1/30/2017 9:34:45 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 9:34:44 AM	0	mg/l
SC ALRO SA	Temp	1/30/2017 9:34:43 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 9:34:42 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 9:29:24 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 9:29:23 AM	31	mg/l
SC ALRO SA	Clor	1/30/2017 9:29:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 9:29:02 AM	0	mg/l
SC ALRO SA	Temp	1/30/2017 9:29:01 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 9:29:00 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 9:24:21 AM	0	mg/l
SC ALRO SA	Clor	1/30/2017 9:23:44 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 9:23:43 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 9:23:42 AM	31	mg/l
SC ALRO SA	Temp	1/30/2017 9:23:41 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 9:23:40 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 9:21:50 AM	0	mg/l
SC ALRO SA	Clor	1/30/2017 9:21:40 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 9:21:20 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 9:21:10 AM	32	mg/l
SC ALRO SA	Temp	1/30/2017 9:21:00 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 9:20:50 AM	6	unit pH
SC ALRO SA	Substante organice	1/30/2017 9:18:24 AM	32	mg/l
SC ALRO SA	Cianuri	1/30/2017 9:18:23 AM	0	mg/l
SC ALRO SA	Clor	1/30/2017 9:18:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 9:18:02 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/30/2017 9:18:01 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 9:18:00 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 9:13:24 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 9:13:22 AM	32	mg/l
SC ALRO SA	Clor	1/30/2017 9:12:45 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 9:12:44 AM	0	mg/l
SC ALRO SA	Temp	1/30/2017 9:12:43 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 9:12:42 AM	5	unit pH
SC ALRO SA	Cianuri	1/30/2017 9:07:24 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 9:07:22 AM	32	mg/l
SC ALRO SA	Clor	1/30/2017 9:07:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 9:07:02 AM	0	mg/l
SC ALRO SA	Temp	1/30/2017 9:07:01 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 9:07:00 AM	5	unit pH
SC ALRO SA	Cianuri	1/30/2017 9:03:00 AM	0	mg/l
SC ALRO SA	Clor	1/30/2017 9:02:50 AM	0	mg/l
SC ALRO SA	Cianuri	1/30/2017 9:02:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 9:02:22 AM	32	mg/l
SC ALRO SA	Grasimi	1/30/2017 9:02:00 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 9:01:50 AM	32	mg/l
SC ALRO SA	Clor	1/30/2017 9:01:47 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 9:01:46 AM	0	mg/l
SC ALRO SA	Temp	1/30/2017 9:01:45 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 9:01:44 AM	5	unit pH
SC ALRO SA	Temp	1/30/2017 9:01:10 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 9:00:00 AM	5	unit pH
SC ALRO SA	Cianuri	1/30/2017 8:56:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 8:56:21 AM	32	mg/l
SC ALRO SA	Clor	1/30/2017 8:56:07 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 8:56:06 AM	0	mg/l
SC ALRO SA	Temp	1/30/2017 8:56:05 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 8:56:04 AM	5	unit pH
SC ALRO SA	Cianuri	1/30/2017 8:51:22 AM	0	mg/l
SC ALRO SA	Clor	1/30/2017 8:50:25 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 8:50:24 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 8:50:23 AM	32	mg/l
SC ALRO SA	Temp	1/30/2017 8:50:22 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 8:50:21 AM	5	unit pH
SC ALRO SA	Cianuri	1/30/2017 8:45:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 8:45:22 AM	32	mg/l
SC ALRO SA	Clor	1/30/2017 8:45:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 8:45:02 AM	0	mg/l
SC ALRO SA	Temp	1/30/2017 8:45:01 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 8:45:00 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 8:42:10 AM	0	mg/l
SC ALRO SA	Clor	1/30/2017 8:42:00 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 8:41:40 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 8:41:00 AM	32	mg/l
SC ALRO SA	Temp	1/30/2017 8:40:30 AM	31	gradCels
SC ALRO SA	Cianuri	1/30/2017 8:40:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 8:40:22 AM	32	mg/l
SC ALRO SA	pH	1/30/2017 8:40:00 AM	6	unit pH
SC ALRO SA	Clor	1/30/2017 8:39:24 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 8:39:23 AM	0	mg/l
SC ALRO SA	Temp	1/30/2017 8:39:22 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 8:39:21 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 8:34:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 8:34:22 AM	32	mg/l
SC ALRO SA	Clor	1/30/2017 8:34:07 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 8:34:06 AM	0	mg/l
SC ALRO SA	Temp	1/30/2017 8:34:05 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 8:34:04 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 8:29:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 8:29:22 AM	32	mg/l
SC ALRO SA	Clor	1/30/2017 8:28:25 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 8:28:24 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/30/2017 8:28:23 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 8:28:22 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 8:23:21 AM	0	mg/l
SC ALRO SA	Clor	1/30/2017 8:23:08 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 8:23:07 AM	32	mg/l
SC ALRO SA	Grasimi	1/30/2017 8:23:06 AM	0	mg/l
SC ALRO SA	Temp	1/30/2017 8:23:05 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 8:23:04 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 8:20:40 AM	0	mg/l
SC ALRO SA	Clor	1/30/2017 8:20:30 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 8:19:50 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 8:19:40 AM	32	mg/l
SC ALRO SA	Temp	1/30/2017 8:19:00 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 8:18:30 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 8:18:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 8:18:22 AM	32	mg/l
SC ALRO SA	Clor	1/30/2017 8:17:28 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 8:17:27 AM	0	mg/l
SC ALRO SA	Temp	1/30/2017 8:17:26 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 8:17:25 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 8:12:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 8:12:22 AM	32	mg/l
SC ALRO SA	Clor	1/30/2017 8:12:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 8:12:02 AM	0	mg/l
SC ALRO SA	Temp	1/30/2017 8:12:01 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 8:12:00 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 8:07:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 8:07:22 AM	32	mg/l
SC ALRO SA	Clor	1/30/2017 8:06:28 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 8:06:27 AM	0	mg/l
SC ALRO SA	Temp	1/30/2017 8:06:26 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 8:06:25 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 8:01:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 8:01:21 AM	32	mg/l
SC ALRO SA	Clor	1/30/2017 8:01:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 8:01:02 AM	0	mg/l
SC ALRO SA	Temp	1/30/2017 8:01:01 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 8:01:00 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 7:56:30 AM	0	mg/l
SC ALRO SA	Cianuri	1/30/2017 7:56:21 AM	0	mg/l
SC ALRO SA	Clor	1/30/2017 7:56:00 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 7:55:40 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 7:55:30 AM	32	mg/l
SC ALRO SA	Clor	1/30/2017 7:55:25 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 7:55:24 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 7:55:23 AM	32	mg/l
SC ALRO SA	Temp	1/30/2017 7:55:22 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 7:55:21 AM	6	unit pH
SC ALRO SA	Temp	1/30/2017 7:55:00 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 7:54:50 AM	6	unit pH
SC ALRO SA	Substante organice	1/30/2017 7:50:23 AM	32	mg/l
SC ALRO SA	Cianuri	1/30/2017 7:50:22 AM	0	mg/l
SC ALRO SA	Clor	1/30/2017 7:50:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 7:50:02 AM	0	mg/l
SC ALRO SA	Temp	1/30/2017 7:50:01 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 7:50:00 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 7:45:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 7:45:22 AM	32	mg/l
SC ALRO SA	Clor	1/30/2017 7:44:24 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 7:44:23 AM	0	mg/l
SC ALRO SA	Temp	1/30/2017 7:44:22 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 7:44:21 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 7:39:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 7:39:22 AM	32	mg/l
SC ALRO SA	Clor	1/30/2017 7:38:49 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 7:38:48 AM	0	mg/l



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/30/2017 7:38:47 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 7:38:46 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 7:33:50 AM	0	mg/l
SC ALRO SA	Clor	1/30/2017 7:33:40 AM	0	mg/l
SC ALRO SA	Cianuri	1/30/2017 7:33:32 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 7:33:30 AM	32	mg/l
SC ALRO SA	Clor	1/30/2017 7:33:27 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 7:33:26 AM	0	mg/l
SC ALRO SA	Temp	1/30/2017 7:33:25 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 7:33:24 AM	6	unit pH
SC ALRO SA	Grasimi	1/30/2017 7:32:50 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 7:31:50 AM	32	mg/l
SC ALRO SA	Temp	1/30/2017 7:31:40 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 7:31:30 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 7:28:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 7:28:22 AM	32	mg/l
SC ALRO SA	Clor	1/30/2017 7:27:45 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 7:27:44 AM	0	mg/l
SC ALRO SA	Temp	1/30/2017 7:27:43 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 7:27:42 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 7:22:33 AM	0	mg/l
SC ALRO SA	Clor	1/30/2017 7:22:28 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 7:22:27 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 7:22:26 AM	32	mg/l
SC ALRO SA	Temp	1/30/2017 7:22:25 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 7:22:24 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 7:17:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 7:17:22 AM	32	mg/l
SC ALRO SA	Clor	1/30/2017 7:16:46 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 7:16:45 AM	0	mg/l
SC ALRO SA	Temp	1/30/2017 7:16:44 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 7:16:43 AM	7	unit pH
SC ALRO SA	Cianuri	1/30/2017 7:11:50 AM	0	mg/l
SC ALRO SA	Cianuri	1/30/2017 7:11:44 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 7:11:42 AM	32	mg/l
SC ALRO SA	Clor	1/30/2017 7:11:27 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 7:11:26 AM	0	mg/l
SC ALRO SA	Temp	1/30/2017 7:11:25 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 7:11:24 AM	7	unit pH
SC ALRO SA	Clor	1/30/2017 7:11:00 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 7:10:40 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 7:10:30 AM	32	mg/l
SC ALRO SA	Temp	1/30/2017 7:10:10 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 7:10:00 AM	7	unit pH
SC ALRO SA	Cianuri	1/30/2017 7:06:24 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 7:06:22 AM	32	mg/l
SC ALRO SA	Clor	1/30/2017 7:05:46 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 7:05:45 AM	0	mg/l
SC ALRO SA	Temp	1/30/2017 7:05:44 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 7:05:43 AM	7	unit pH
SC ALRO SA	Cianuri	1/30/2017 7:00:44 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 7:00:42 AM	32	mg/l
SC ALRO SA	Clor	1/30/2017 7:00:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 7:00:22 AM	0	mg/l
SC ALRO SA	Temp	1/30/2017 7:00:21 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 7:00:20 AM	7	unit pH
SC ALRO SA	Cianuri	1/30/2017 6:55:22 AM	0	mg/l
SC ALRO SA	Clor	1/30/2017 6:54:46 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 6:54:45 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 6:54:44 AM	32	mg/l
SC ALRO SA	Temp	1/30/2017 6:54:43 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 6:54:42 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 6:51:00 AM	0	mg/l
SC ALRO SA	Clor	1/30/2017 6:50:20 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 6:50:00 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 6:49:50 AM	31	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/30/2017 6:49:40 AM	31	gradCels
SC ALRO SA	Cianuri	1/30/2017 6:49:32 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 6:49:30 AM	31	mg/l
SC ALRO SA	Clor	1/30/2017 6:49:27 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 6:49:26 AM	0	mg/l
SC ALRO SA	Temp	1/30/2017 6:49:25 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 6:49:24 AM	6	unit pH
SC ALRO SA	pH	1/30/2017 6:49:00 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 6:44:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 6:44:21 AM	31	mg/l
SC ALRO SA	Clor	1/30/2017 6:43:45 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 6:43:44 AM	0	mg/l
SC ALRO SA	Temp	1/30/2017 6:43:43 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 6:43:42 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 6:38:45 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 6:38:44 AM	31	mg/l
SC ALRO SA	Clor	1/30/2017 6:38:07 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 6:38:06 AM	0	mg/l
SC ALRO SA	Temp	1/30/2017 6:38:05 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 6:38:04 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 6:33:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 6:33:22 AM	31	mg/l
SC ALRO SA	Clor	1/30/2017 6:32:46 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 6:32:45 AM	0	mg/l
SC ALRO SA	Temp	1/30/2017 6:32:44 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 6:32:43 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 6:30:20 AM	0	mg/l
SC ALRO SA	Clor	1/30/2017 6:30:10 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 6:29:50 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 6:29:00 AM	31	mg/l
SC ALRO SA	Temp	1/30/2017 6:28:20 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 6:28:10 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 6:27:43 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 6:27:41 AM	31	mg/l
SC ALRO SA	Clor	1/30/2017 6:27:07 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 6:27:06 AM	0	mg/l
SC ALRO SA	Temp	1/30/2017 6:27:05 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 6:27:04 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 6:22:23 AM	0	mg/l
SC ALRO SA	Clor	1/30/2017 6:21:35 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 6:21:34 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 6:21:33 AM	31	mg/l
SC ALRO SA	Temp	1/30/2017 6:21:32 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 6:21:31 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 6:16:24 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 6:16:23 AM	31	mg/l
SC ALRO SA	Clor	1/30/2017 6:16:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 6:16:02 AM	0	mg/l
SC ALRO SA	Temp	1/30/2017 6:16:01 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 6:16:00 AM	6	unit pH
SC ALRO SA	Substante organice	1/30/2017 6:11:24 AM	31	mg/l
SC ALRO SA	Cianuri	1/30/2017 6:11:21 AM	0	mg/l
SC ALRO SA	Clor	1/30/2017 6:10:45 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 6:10:44 AM	0	mg/l
SC ALRO SA	Temp	1/30/2017 6:10:43 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 6:10:42 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 6:10:00 AM	0	mg/l
SC ALRO SA	Clor	1/30/2017 6:09:50 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 6:09:20 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 6:09:10 AM	31	mg/l
SC ALRO SA	Temp	1/30/2017 6:09:00 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 6:08:50 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 6:05:24 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 6:05:23 AM	31	mg/l
SC ALRO SA	Clor	1/30/2017 6:05:07 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 6:05:06 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/30/2017 6:05:05 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 6:05:04 AM	6	unit pH
SC ALRO SA	Substante organice	1/30/2017 6:00:23 AM	31	mg/l
SC ALRO SA	Cianuri	1/30/2017 6:00:22 AM	0	mg/l
SC ALRO SA	Clor	1/30/2017 5:59:49 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 5:59:48 AM	0	mg/l
SC ALRO SA	Temp	1/30/2017 5:59:47 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 5:59:46 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 5:54:12 AM	0	mg/l
SC ALRO SA	Clor	1/30/2017 5:54:08 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 5:54:07 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 5:54:06 AM	31	mg/l
SC ALRO SA	Temp	1/30/2017 5:54:05 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 5:54:04 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 5:51:00 AM	0	mg/l
SC ALRO SA	Clor	1/30/2017 5:50:50 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 5:49:50 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 5:49:40 AM	31	mg/l
SC ALRO SA	Temp	1/30/2017 5:49:30 AM	31	gradCels
SC ALRO SA	Substante organice	1/30/2017 5:49:23 AM	31	mg/l
SC ALRO SA	Cianuri	1/30/2017 5:49:22 AM	0	mg/l
SC ALRO SA	pH	1/30/2017 5:49:00 AM	6	unit pH
SC ALRO SA	Clor	1/30/2017 5:48:35 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 5:48:34 AM	0	mg/l
SC ALRO SA	Temp	1/30/2017 5:48:33 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 5:48:32 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 5:43:24 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 5:43:23 AM	31	mg/l
SC ALRO SA	Clor	1/30/2017 5:43:07 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 5:43:06 AM	0	mg/l
SC ALRO SA	Temp	1/30/2017 5:43:05 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 5:43:04 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 5:38:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 5:38:22 AM	31	mg/l
SC ALRO SA	Clor	1/30/2017 5:37:44 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 5:37:43 AM	0	mg/l
SC ALRO SA	Temp	1/30/2017 5:37:42 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 5:37:41 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 5:32:24 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 5:32:23 AM	31	mg/l
SC ALRO SA	Clor	1/30/2017 5:31:50 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 5:31:49 AM	0	mg/l
SC ALRO SA	Temp	1/30/2017 5:31:48 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 5:31:47 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 5:29:40 AM	0	mg/l
SC ALRO SA	Clor	1/30/2017 5:29:30 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 5:28:50 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 5:28:40 AM	31	mg/l
SC ALRO SA	Temp	1/30/2017 5:27:40 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 5:27:30 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 5:27:22 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 5:27:21 AM	31	mg/l
SC ALRO SA	Clor	1/30/2017 5:26:45 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 5:26:44 AM	0	mg/l
SC ALRO SA	Temp	1/30/2017 5:26:43 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 5:26:42 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 5:21:22 AM	0	mg/l
SC ALRO SA	Clor	1/30/2017 5:20:50 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 5:20:49 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 5:20:48 AM	31	mg/l
SC ALRO SA	Temp	1/30/2017 5:20:47 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 5:20:46 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 5:16:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 5:16:22 AM	31	mg/l
SC ALRO SA	Clor	1/30/2017 5:15:49 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 5:15:48 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/30/2017 5:15:47 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 5:15:46 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 5:10:24 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 5:10:23 AM	31	mg/l
SC ALRO SA	Clor	1/30/2017 5:10:05 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 5:10:04 AM	0	mg/l
SC ALRO SA	Temp	1/30/2017 5:10:02 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 5:10:00 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 5:07:30 AM	0	mg/l
SC ALRO SA	Clor	1/30/2017 5:07:00 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 5:06:40 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 5:05:40 AM	31	mg/l
SC ALRO SA	Temp	1/30/2017 5:05:30 AM	31	gradCels
SC ALRO SA	Cianuri	1/30/2017 5:05:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 5:05:22 AM	31	mg/l
SC ALRO SA	pH	1/30/2017 5:05:00 AM	6	unit pH
SC ALRO SA	Clor	1/30/2017 5:04:49 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 5:04:48 AM	0	mg/l
SC ALRO SA	Temp	1/30/2017 5:04:47 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 5:04:46 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 4:59:24 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 4:59:23 AM	31	mg/l
SC ALRO SA	Clor	1/30/2017 4:58:54 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 4:58:53 AM	0	mg/l
SC ALRO SA	Temp	1/30/2017 4:58:52 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 4:58:51 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 4:54:21 AM	0	mg/l
SC ALRO SA	Clor	1/30/2017 4:53:26 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 4:53:25 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 4:53:24 AM	31	mg/l
SC ALRO SA	Temp	1/30/2017 4:53:23 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 4:53:22 AM	6	unit pH
SC ALRO SA	Substante organice	1/30/2017 4:48:25 AM	31	mg/l
SC ALRO SA	Cianuri	1/30/2017 4:48:24 AM	0	mg/l
SC ALRO SA	Clor	1/30/2017 4:47:45 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 4:47:44 AM	0	mg/l
SC ALRO SA	Temp	1/30/2017 4:47:43 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 4:47:42 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 4:45:30 AM	0	mg/l
SC ALRO SA	Clor	1/30/2017 4:44:40 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 4:43:40 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 4:43:30 AM	31	mg/l
SC ALRO SA	Cianuri	1/30/2017 4:43:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 4:43:21 AM	31	mg/l
SC ALRO SA	Temp	1/30/2017 4:43:00 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 4:42:50 AM	6	unit pH
SC ALRO SA	Clor	1/30/2017 4:42:25 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 4:42:24 AM	0	mg/l
SC ALRO SA	Temp	1/30/2017 4:42:23 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 4:42:22 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 4:38:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 4:38:22 AM	31	mg/l
SC ALRO SA	Clor	1/30/2017 4:37:45 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 4:37:44 AM	0	mg/l
SC ALRO SA	Temp	1/30/2017 4:37:43 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 4:37:42 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 4:32:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 4:32:22 AM	31	mg/l
SC ALRO SA	Clor	1/30/2017 4:31:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 4:31:42 AM	0	mg/l
SC ALRO SA	Temp	1/30/2017 4:31:41 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 4:31:40 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 4:26:46 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 4:26:44 AM	31	mg/l
SC ALRO SA	Clor	1/30/2017 4:26:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 4:26:22 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/30/2017 4:26:21 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 4:26:20 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 4:23:50 AM	0	mg/l
SC ALRO SA	Clor	1/30/2017 4:23:40 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 4:22:40 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 4:22:30 AM	31	mg/l
SC ALRO SA	Temp	1/30/2017 4:21:40 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 4:21:30 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 4:21:22 AM	0	mg/l
SC ALRO SA	Clor	1/30/2017 4:20:48 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 4:20:47 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 4:20:46 AM	31	mg/l
SC ALRO SA	Temp	1/30/2017 4:20:45 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 4:20:44 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 4:15:45 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 4:15:43 AM	31	mg/l
SC ALRO SA	Clor	1/30/2017 4:15:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 4:15:22 AM	0	mg/l
SC ALRO SA	Temp	1/30/2017 4:15:21 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 4:15:20 AM	6	unit pH
SC ALRO SA	Substante organice	1/30/2017 4:10:23 AM	31	mg/l
SC ALRO SA	Cianuri	1/30/2017 4:10:22 AM	0	mg/l
SC ALRO SA	Clor	1/30/2017 4:09:47 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 4:09:46 AM	0	mg/l
SC ALRO SA	Temp	1/30/2017 4:09:45 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 4:09:44 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 4:04:44 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 4:04:42 AM	31	mg/l
SC ALRO SA	Clor	1/30/2017 4:04:27 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 4:04:26 AM	0	mg/l
SC ALRO SA	Temp	1/30/2017 4:04:25 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 4:04:24 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 4:02:30 AM	0	mg/l
SC ALRO SA	Clor	1/30/2017 4:02:20 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 4:02:00 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 4:01:50 AM	31	mg/l
SC ALRO SA	Temp	1/30/2017 4:01:40 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 4:01:30 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 3:59:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 3:59:22 AM	31	mg/l
SC ALRO SA	Clor	1/30/2017 3:58:47 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 3:58:46 AM	0	mg/l
SC ALRO SA	Temp	1/30/2017 3:58:45 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 3:58:44 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 3:53:31 AM	0	mg/l
SC ALRO SA	Clor	1/30/2017 3:53:28 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 3:53:27 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 3:53:26 AM	31	mg/l
SC ALRO SA	Temp	1/30/2017 3:53:25 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 3:53:24 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 3:48:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 3:48:22 AM	31	mg/l
SC ALRO SA	Clor	1/30/2017 3:47:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 3:47:42 AM	0	mg/l
SC ALRO SA	Temp	1/30/2017 3:47:41 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 3:47:40 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 3:42:24 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 3:42:23 AM	31	mg/l
SC ALRO SA	Clor	1/30/2017 3:42:07 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 3:42:06 AM	0	mg/l
SC ALRO SA	Temp	1/30/2017 3:42:05 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 3:42:04 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 3:40:50 AM	0	mg/l
SC ALRO SA	Clor	1/30/2017 3:40:40 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 3:40:20 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 3:40:10 AM	31	mg/l



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/30/2017 3:40:00 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 3:39:50 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 3:37:42 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 3:37:40 AM	31	mg/l
SC ALRO SA	Clor	1/30/2017 3:36:47 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 3:36:46 AM	0	mg/l
SC ALRO SA	Temp	1/30/2017 3:36:45 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 3:36:44 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 3:31:25 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 3:31:24 AM	31	mg/l
SC ALRO SA	Clor	1/30/2017 3:31:07 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 3:31:06 AM	0	mg/l
SC ALRO SA	Temp	1/30/2017 3:31:05 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 3:31:04 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 3:26:22 AM	0	mg/l
SC ALRO SA	Clor	1/30/2017 3:25:46 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 3:25:45 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 3:25:44 AM	31	mg/l
SC ALRO SA	Temp	1/30/2017 3:25:43 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 3:25:42 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 3:20:13 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 3:20:11 AM	31	mg/l
SC ALRO SA	Clor	1/30/2017 3:20:08 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 3:20:07 AM	0	mg/l
SC ALRO SA	Temp	1/30/2017 3:20:06 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 3:20:05 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 3:18:50 AM	0	mg/l
SC ALRO SA	Clor	1/30/2017 3:18:40 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 3:18:20 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 3:18:10 AM	31	mg/l
SC ALRO SA	Temp	1/30/2017 3:18:00 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 3:17:50 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 3:15:24 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 3:15:22 AM	31	mg/l
SC ALRO SA	Clor	1/30/2017 3:14:48 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 3:14:47 AM	0	mg/l
SC ALRO SA	Temp	1/30/2017 3:14:46 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 3:14:45 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 3:09:22 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 3:09:20 AM	31	mg/l
SC ALRO SA	Clor	1/30/2017 3:09:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 3:09:02 AM	0	mg/l
SC ALRO SA	Temp	1/30/2017 3:09:01 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 3:09:00 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 3:04:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 3:04:22 AM	31	mg/l
SC ALRO SA	Clor	1/30/2017 3:03:49 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 3:03:48 AM	0	mg/l
SC ALRO SA	Temp	1/30/2017 3:03:47 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 3:03:46 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 2:58:24 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 2:58:22 AM	31	mg/l
SC ALRO SA	Clor	1/30/2017 2:58:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 2:58:02 AM	0	mg/l
SC ALRO SA	Temp	1/30/2017 2:58:01 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 2:58:00 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 2:56:00 AM	0	mg/l
SC ALRO SA	Clor	1/30/2017 2:55:50 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 2:55:30 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 2:54:50 AM	31	mg/l
SC ALRO SA	Temp	1/30/2017 2:54:40 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 2:54:00 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 2:53:22 AM	0	mg/l
SC ALRO SA	Clor	1/30/2017 2:52:27 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 2:52:26 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 2:52:25 AM	31	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/30/2017 2:52:24 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 2:52:23 AM	6	unit pH
SC ALRO SA	Substante organice	1/30/2017 2:47:23 AM	31	mg/l
SC ALRO SA	Cianuri	1/30/2017 2:47:21 AM	0	mg/l
SC ALRO SA	Clor	1/30/2017 2:47:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 2:47:02 AM	0	mg/l
SC ALRO SA	Temp	1/30/2017 2:47:01 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 2:47:00 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 2:42:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 2:42:21 AM	31	mg/l
SC ALRO SA	Clor	1/30/2017 2:41:50 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 2:41:49 AM	0	mg/l
SC ALRO SA	Temp	1/30/2017 2:41:48 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 2:41:47 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 2:36:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 2:36:22 AM	31	mg/l
SC ALRO SA	Clor	1/30/2017 2:36:07 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 2:36:06 AM	0	mg/l
SC ALRO SA	Temp	1/30/2017 2:36:05 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 2:36:04 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 2:32:50 AM	0	mg/l
SC ALRO SA	Clor	1/30/2017 2:32:40 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 2:31:23 AM	31	mg/l
SC ALRO SA	Cianuri	1/30/2017 2:31:22 AM	0	mg/l
SC ALRO SA	Clor	1/30/2017 2:30:45 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 2:30:44 AM	0	mg/l
SC ALRO SA	Temp	1/30/2017 2:30:43 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 2:30:42 AM	6	unit pH
SC ALRO SA	Grasimi	1/30/2017 2:29:50 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 2:29:20 AM	31	mg/l
SC ALRO SA	Temp	1/30/2017 2:29:10 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 2:29:00 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 2:25:41 AM	0	mg/l
SC ALRO SA	Clor	1/30/2017 2:25:04 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 2:25:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 2:25:02 AM	31	mg/l
SC ALRO SA	Temp	1/30/2017 2:25:01 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 2:25:00 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 2:20:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 2:20:22 AM	31	mg/l
SC ALRO SA	Clor	1/30/2017 2:19:26 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 2:19:25 AM	0	mg/l
SC ALRO SA	Temp	1/30/2017 2:19:24 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 2:19:23 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 2:14:42 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 2:14:41 AM	31	mg/l
SC ALRO SA	Clor	1/30/2017 2:14:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 2:14:02 AM	0	mg/l
SC ALRO SA	Temp	1/30/2017 2:14:01 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 2:14:00 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 2:09:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 2:09:22 AM	31	mg/l
SC ALRO SA	Clor	1/30/2017 2:08:45 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 2:08:44 AM	0	mg/l
SC ALRO SA	Temp	1/30/2017 2:08:43 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 2:08:42 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 2:07:30 AM	0	mg/l
SC ALRO SA	Clor	1/30/2017 2:07:10 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 2:06:50 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 2:06:40 AM	31	mg/l
SC ALRO SA	Temp	1/30/2017 2:06:30 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 2:06:00 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 2:03:42 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 2:03:41 AM	31	mg/l
SC ALRO SA	Clor	1/30/2017 2:03:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 2:03:02 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/30/2017 2:03:01 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 2:03:00 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 1:58:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 1:58:22 AM	31	mg/l
SC ALRO SA	Clor	1/30/2017 1:57:46 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 1:57:45 AM	0	mg/l
SC ALRO SA	Temp	1/30/2017 1:57:44 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 1:57:43 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 1:52:21 AM	0	mg/l
SC ALRO SA	Clor	1/30/2017 1:51:46 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 1:51:45 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 1:51:44 AM	31	mg/l
SC ALRO SA	Temp	1/30/2017 1:51:43 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 1:51:42 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 1:47:26 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 1:47:25 AM	31	mg/l
SC ALRO SA	Clor	1/30/2017 1:46:45 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 1:46:44 AM	0	mg/l
SC ALRO SA	Temp	1/30/2017 1:46:43 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 1:46:42 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 1:44:40 AM	0	mg/l
SC ALRO SA	Clor	1/30/2017 1:44:30 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 1:43:50 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 1:43:40 AM	31	mg/l
SC ALRO SA	Temp	1/30/2017 1:43:30 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 1:43:10 AM	6	unit pH
SC ALRO SA	Substante organice	1/30/2017 1:41:41 AM	31	mg/l
SC ALRO SA	Cianuri	1/30/2017 1:41:40 AM	0	mg/l
SC ALRO SA	Clor	1/30/2017 1:40:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 1:40:42 AM	0	mg/l
SC ALRO SA	Temp	1/30/2017 1:40:41 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 1:40:40 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 1:36:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 1:36:22 AM	31	mg/l
SC ALRO SA	Clor	1/30/2017 1:35:45 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 1:35:44 AM	0	mg/l
SC ALRO SA	Temp	1/30/2017 1:35:43 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 1:35:42 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 1:30:42 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 1:30:41 AM	31	mg/l
SC ALRO SA	Clor	1/30/2017 1:29:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 1:29:42 AM	0	mg/l
SC ALRO SA	Temp	1/30/2017 1:29:41 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 1:29:40 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 1:24:42 AM	0	mg/l
SC ALRO SA	Clor	1/30/2017 1:24:24 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 1:24:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 1:24:22 AM	31	mg/l
SC ALRO SA	Temp	1/30/2017 1:24:21 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 1:24:20 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 1:21:50 AM	0	mg/l
SC ALRO SA	Clor	1/30/2017 1:21:40 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 1:21:10 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 1:21:00 AM	31	mg/l
SC ALRO SA	Temp	1/30/2017 1:20:50 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 1:20:40 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 1:19:22 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 1:19:21 AM	31	mg/l
SC ALRO SA	Clor	1/30/2017 1:18:44 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 1:18:43 AM	0	mg/l
SC ALRO SA	Temp	1/30/2017 1:18:42 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 1:18:41 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 1:13:43 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 1:13:41 AM	31	mg/l
SC ALRO SA	Clor	1/30/2017 1:13:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 1:13:22 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/30/2017 1:13:21 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 1:13:20 AM	6	unit pH
SC ALRO SA	Substante organice	1/30/2017 1:08:43 AM	31	mg/l
SC ALRO SA	Cianuri	1/30/2017 1:08:41 AM	0	mg/l
SC ALRO SA	Clor	1/30/2017 1:07:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 1:07:42 AM	0	mg/l
SC ALRO SA	Temp	1/30/2017 1:07:41 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 1:07:40 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 1:02:42 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 1:02:41 AM	31	mg/l
SC ALRO SA	Clor	1/30/2017 1:02:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 1:02:02 AM	0	mg/l
SC ALRO SA	Temp	1/30/2017 1:02:01 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 1:02:00 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 12:59:50 AM	0	mg/l
SC ALRO SA	Clor	1/30/2017 12:59:40 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 12:59:10 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 12:59:00 AM	31	mg/l
SC ALRO SA	Temp	1/30/2017 12:58:50 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 12:58:40 AM	6	unit pH
SC ALRO SA	Substante organice	1/30/2017 12:57:26 AM	31	mg/l
SC ALRO SA	Cianuri	1/30/2017 12:57:25 AM	0	mg/l
SC ALRO SA	Clor	1/30/2017 12:56:45 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 12:56:44 AM	0	mg/l
SC ALRO SA	Temp	1/30/2017 12:56:43 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 12:56:42 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 12:51:08 AM	0	mg/l
SC ALRO SA	Clor	1/30/2017 12:51:05 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 12:51:04 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 12:51:03 AM	31	mg/l
SC ALRO SA	Temp	1/30/2017 12:51:02 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 12:51:01 AM	6	unit pH
SC ALRO SA	Substante organice	1/30/2017 12:46:23 AM	31	mg/l
SC ALRO SA	Cianuri	1/30/2017 12:46:22 AM	0	mg/l
SC ALRO SA	Clor	1/30/2017 12:45:45 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 12:45:44 AM	0	mg/l
SC ALRO SA	Temp	1/30/2017 12:45:43 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 12:45:42 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 12:40:42 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 12:40:41 AM	31	mg/l
SC ALRO SA	Clor	1/30/2017 12:40:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 12:40:02 AM	0	mg/l
SC ALRO SA	Temp	1/30/2017 12:40:01 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 12:40:00 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 12:37:40 AM	0	mg/l
SC ALRO SA	Clor	1/30/2017 12:37:00 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 12:36:40 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 12:36:30 AM	31	mg/l
SC ALRO SA	Temp	1/30/2017 12:35:40 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 12:35:30 AM	6	unit pH
SC ALRO SA	Substante organice	1/30/2017 12:35:23 AM	31	mg/l
SC ALRO SA	Cianuri	1/30/2017 12:35:22 AM	0	mg/l
SC ALRO SA	Clor	1/30/2017 12:34:45 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 12:34:44 AM	0	mg/l
SC ALRO SA	Temp	1/30/2017 12:34:43 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 12:34:42 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 12:29:42 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 12:29:40 AM	31	mg/l
SC ALRO SA	Clor	1/30/2017 12:29:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 12:29:02 AM	0	mg/l
SC ALRO SA	Temp	1/30/2017 12:29:01 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 12:29:00 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 12:24:22 AM	0	mg/l
SC ALRO SA	Clor	1/30/2017 12:23:46 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 12:23:45 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 12:23:44 AM	31	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/30/2017 12:23:43 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 12:23:42 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 12:18:22 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 12:18:21 AM	31	mg/l
SC ALRO SA	Clor	1/30/2017 12:18:04 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 12:18:03 AM	0	mg/l
SC ALRO SA	Temp	1/30/2017 12:18:02 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 12:18:01 AM	6	unit pH
SC ALRO SA	Substante organice	1/30/2017 12:13:23 AM	31	mg/l
SC ALRO SA	Cianuri	1/30/2017 12:13:22 AM	0	mg/l
SC ALRO SA	Clor	1/30/2017 12:12:45 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 12:12:44 AM	0	mg/l
SC ALRO SA	Temp	1/30/2017 12:12:43 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 12:12:42 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 12:11:20 AM	0	mg/l
SC ALRO SA	Clor	1/30/2017 12:11:10 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 12:10:50 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 12:10:40 AM	31	mg/l
SC ALRO SA	Temp	1/30/2017 12:10:30 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 12:10:00 AM	6	unit pH
SC ALRO SA	Cianuri	1/30/2017 12:07:41 AM	0	mg/l
SC ALRO SA	Substante organice	1/30/2017 12:07:40 AM	31	mg/l
SC ALRO SA	Clor	1/30/2017 12:07:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 12:07:02 AM	0	mg/l
SC ALRO SA	Temp	1/30/2017 12:07:01 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 12:07:00 AM	6	unit pH
SC ALRO SA	Substante organice	1/30/2017 12:02:23 AM	31	mg/l
SC ALRO SA	Cianuri	1/30/2017 12:02:22 AM	0	mg/l
SC ALRO SA	Clor	1/30/2017 12:01:46 AM	0	mg/l
SC ALRO SA	Grasimi	1/30/2017 12:01:45 AM	0	mg/l
SC ALRO SA	Temp	1/30/2017 12:01:44 AM	31	gradCels
SC ALRO SA	pH	1/30/2017 12:01:43 AM	6	unit pH
SC ALRO SA	Cianuri	1/29/2017 11:56:42 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 11:56:41 PM	31	mg/l
SC ALRO SA	Clor	1/29/2017 11:56:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 11:56:02 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 11:56:01 PM	31	gradCels
SC ALRO SA	pH	1/29/2017 11:56:00 PM	6	unit pH
SC ALRO SA	Cianuri	1/29/2017 11:51:22 PM	0	mg/l
SC ALRO SA	Clor	1/29/2017 11:50:27 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 11:50:26 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 11:50:25 PM	31	mg/l
SC ALRO SA	Temp	1/29/2017 11:50:24 PM	31	gradCels
SC ALRO SA	pH	1/29/2017 11:50:23 PM	6	unit pH
SC ALRO SA	Cianuri	1/29/2017 11:49:10 PM	0	mg/l
SC ALRO SA	Clor	1/29/2017 11:49:00 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 11:48:40 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 11:48:30 PM	30	mg/l
SC ALRO SA	Temp	1/29/2017 11:48:00 PM	31	gradCels
SC ALRO SA	pH	1/29/2017 11:47:50 PM	6	unit pH
SC ALRO SA	Substante organice	1/29/2017 11:45:22 PM	30	mg/l
SC ALRO SA	Cianuri	1/29/2017 11:45:20 PM	0	mg/l
SC ALRO SA	Clor	1/29/2017 11:45:06 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 11:45:05 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 11:45:04 PM	31	gradCels
SC ALRO SA	pH	1/29/2017 11:45:03 PM	6	unit pH
SC ALRO SA	Cianuri	1/29/2017 11:40:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 11:40:22 PM	30	mg/l
SC ALRO SA	Clor	1/29/2017 11:40:07 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 11:40:06 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 11:40:05 PM	31	gradCels
SC ALRO SA	pH	1/29/2017 11:40:04 PM	6	unit pH
SC ALRO SA	Substante organice	1/29/2017 11:35:23 PM	30	mg/l
SC ALRO SA	Cianuri	1/29/2017 11:35:22 PM	0	mg/l
SC ALRO SA	Clor	1/29/2017 11:34:48 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 11:34:47 PM	0	mg/l



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/29/2017 11:34:46 PM	30	gradCels
SC ALRO SA	pH	1/29/2017 11:34:45 PM	6	unit pH
SC ALRO SA	Cianuri	1/29/2017 11:29:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 11:29:21 PM	30	mg/l
SC ALRO SA	Clor	1/29/2017 11:29:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 11:29:02 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 11:29:01 PM	30	gradCels
SC ALRO SA	pH	1/29/2017 11:29:00 PM	6	unit pH
SC ALRO SA	Cianuri	1/29/2017 11:27:30 PM	0	mg/l
SC ALRO SA	Clor	1/29/2017 11:27:10 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 11:26:50 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 11:26:40 PM	30	mg/l
SC ALRO SA	Temp	1/29/2017 11:26:30 PM	30	gradCels
SC ALRO SA	pH	1/29/2017 11:26:00 PM	6	unit pH
SC ALRO SA	Cianuri	1/29/2017 11:24:22 PM	0	mg/l
SC ALRO SA	Clor	1/29/2017 11:23:49 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 11:23:48 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 11:23:47 PM	30	mg/l
SC ALRO SA	Temp	1/29/2017 11:23:46 PM	30	gradCels
SC ALRO SA	pH	1/29/2017 11:23:45 PM	6	unit pH
SC ALRO SA	Cianuri	1/29/2017 11:18:13 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 11:18:12 PM	30	mg/l
SC ALRO SA	Clor	1/29/2017 11:18:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 11:18:02 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 11:18:01 PM	30	gradCels
SC ALRO SA	pH	1/29/2017 11:18:00 PM	6	unit pH
SC ALRO SA	Cianuri	1/29/2017 11:13:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 11:13:22 PM	30	mg/l
SC ALRO SA	Clor	1/29/2017 11:12:44 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 11:12:43 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 11:12:42 PM	30	gradCels
SC ALRO SA	pH	1/29/2017 11:12:41 PM	6	unit pH
SC ALRO SA	Cianuri	1/29/2017 11:07:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 11:07:21 PM	30	mg/l
SC ALRO SA	Clor	1/29/2017 11:07:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 11:07:02 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 11:07:01 PM	30	gradCels
SC ALRO SA	pH	1/29/2017 11:07:00 PM	6	unit pH
SC ALRO SA	Cianuri	1/29/2017 11:05:40 PM	0	mg/l
SC ALRO SA	Clor	1/29/2017 11:05:30 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 11:05:00 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 11:04:50 PM	30	mg/l
SC ALRO SA	Temp	1/29/2017 11:04:40 PM	30	gradCels
SC ALRO SA	pH	1/29/2017 11:04:30 PM	6	unit pH
SC ALRO SA	Cianuri	1/29/2017 11:02:44 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 11:02:42 PM	30	mg/l
SC ALRO SA	Clor	1/29/2017 11:01:26 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 11:01:25 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 11:01:24 PM	30	gradCels
SC ALRO SA	pH	1/29/2017 11:01:23 PM	6	unit pH
SC ALRO SA	Cianuri	1/29/2017 10:56:42 PM	0	mg/l
SC ALRO SA	Clor	1/29/2017 10:55:51 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 10:55:50 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 10:55:49 PM	30	mg/l
SC ALRO SA	Temp	1/29/2017 10:55:48 PM	30	gradCels
SC ALRO SA	pH	1/29/2017 10:55:47 PM	6	unit pH
SC ALRO SA	Substante organice	1/29/2017 10:51:24 PM	30	mg/l
SC ALRO SA	Cianuri	1/29/2017 10:51:21 PM	0	mg/l
SC ALRO SA	Clor	1/29/2017 10:50:44 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 10:50:43 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 10:50:42 PM	30	gradCels
SC ALRO SA	pH	1/29/2017 10:50:41 PM	6	unit pH
SC ALRO SA	Cianuri	1/29/2017 10:45:43 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 10:45:41 PM	30	mg/l
SC ALRO SA	Clor	1/29/2017 10:44:46 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 10:44:45 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/29/2017 10:44:44 PM	30	gradCels
SC ALRO SA	pH	1/29/2017 10:44:43 PM	6	unit pH
SC ALRO SA	Cianuri	1/29/2017 10:43:30 PM	0	mg/l
SC ALRO SA	Clor	1/29/2017 10:43:00 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 10:42:40 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 10:42:30 PM	30	mg/l
SC ALRO SA	Temp	1/29/2017 10:42:20 PM	30	gradCels
SC ALRO SA	pH	1/29/2017 10:41:40 PM	6	unit pH
SC ALRO SA	Substante organice	1/29/2017 10:39:31 PM	30	mg/l
SC ALRO SA	Cianuri	1/29/2017 10:39:30 PM	0	mg/l
SC ALRO SA	Clor	1/29/2017 10:39:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 10:39:22 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 10:39:21 PM	30	gradCels
SC ALRO SA	pH	1/29/2017 10:39:20 PM	6	unit pH
SC ALRO SA	Substante organice	1/29/2017 10:34:44 PM	30	mg/l
SC ALRO SA	Cianuri	1/29/2017 10:34:43 PM	0	mg/l
SC ALRO SA	Clor	1/29/2017 10:33:47 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 10:33:46 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 10:33:45 PM	30	gradCels
SC ALRO SA	pH	1/29/2017 10:33:44 PM	6	unit pH
SC ALRO SA	Cianuri	1/29/2017 10:28:47 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 10:28:46 PM	30	mg/l
SC ALRO SA	Clor	1/29/2017 10:28:27 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 10:28:26 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 10:28:25 PM	30	gradCels
SC ALRO SA	pH	1/29/2017 10:28:24 PM	6	unit pH
SC ALRO SA	Cianuri	1/29/2017 10:23:40 PM	0	mg/l
SC ALRO SA	Clor	1/29/2017 10:22:48 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 10:22:47 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 10:22:46 PM	30	mg/l
SC ALRO SA	Temp	1/29/2017 10:22:45 PM	30	gradCels
SC ALRO SA	pH	1/29/2017 10:22:44 PM	6	unit pH
SC ALRO SA	Cianuri	1/29/2017 10:20:30 PM	0	mg/l
SC ALRO SA	Clor	1/29/2017 10:20:20 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 10:19:30 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 10:19:00 PM	30	mg/l
SC ALRO SA	Temp	1/29/2017 10:18:50 PM	30	gradCels
SC ALRO SA	pH	1/29/2017 10:18:40 PM	6	unit pH
SC ALRO SA	Cianuri	1/29/2017 10:17:25 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 10:17:24 PM	30	mg/l
SC ALRO SA	Clor	1/29/2017 10:17:07 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 10:17:06 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 10:17:05 PM	30	gradCels
SC ALRO SA	pH	1/29/2017 10:17:04 PM	6	unit pH
SC ALRO SA	Substante organice	1/29/2017 10:12:44 PM	30	mg/l
SC ALRO SA	Cianuri	1/29/2017 10:12:43 PM	0	mg/l
SC ALRO SA	Clor	1/29/2017 10:11:47 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 10:11:46 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 10:11:45 PM	30	gradCels
SC ALRO SA	pH	1/29/2017 10:11:44 PM	6	unit pH
SC ALRO SA	Cianuri	1/29/2017 10:06:24 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 10:06:22 PM	30	mg/l
SC ALRO SA	Clor	1/29/2017 10:06:07 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 10:06:06 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 10:06:05 PM	30	gradCels
SC ALRO SA	pH	1/29/2017 10:06:04 PM	6	unit pH
SC ALRO SA	Substante organice	1/29/2017 10:01:44 PM	30	mg/l
SC ALRO SA	Cianuri	1/29/2017 10:01:43 PM	0	mg/l
SC ALRO SA	Clor	1/29/2017 10:00:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 10:00:42 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 10:00:41 PM	30	gradCels
SC ALRO SA	pH	1/29/2017 10:00:40 PM	6	unit pH
SC ALRO SA	Cianuri	1/29/2017 9:58:50 PM	0	mg/l
SC ALRO SA	Clor	1/29/2017 9:58:40 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 9:58:00 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 9:57:50 PM	30	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/29/2017 9:57:30 PM	30	gradCels
SC ALRO SA	pH	1/29/2017 9:57:20 PM	6	unit pH
SC ALRO SA	Cianuri	1/29/2017 9:55:23 PM	0	mg/l
SC ALRO SA	Clor	1/29/2017 9:55:08 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 9:55:07 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 9:55:06 PM	30	mg/l
SC ALRO SA	Temp	1/29/2017 9:55:05 PM	30	gradCels
SC ALRO SA	pH	1/29/2017 9:55:04 PM	6	unit pH
SC ALRO SA	Substante organice	1/29/2017 9:50:24 PM	30	mg/l
SC ALRO SA	Cianuri	1/29/2017 9:50:23 PM	0	mg/l
SC ALRO SA	Clor	1/29/2017 9:49:47 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 9:49:46 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 9:49:45 PM	30	gradCels
SC ALRO SA	pH	1/29/2017 9:49:44 PM	6	unit pH
SC ALRO SA	Cianuri	1/29/2017 9:44:17 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 9:44:15 PM	30	mg/l
SC ALRO SA	Clor	1/29/2017 9:44:13 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 9:44:11 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 9:44:09 PM	30	gradCels
SC ALRO SA	pH	1/29/2017 9:44:07 PM	6	unit pH
SC ALRO SA	Cianuri	1/29/2017 9:39:44 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 9:39:42 PM	30	mg/l
SC ALRO SA	Clor	1/29/2017 9:38:47 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 9:38:46 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 9:38:45 PM	30	gradCels
SC ALRO SA	pH	1/29/2017 9:38:44 PM	6	unit pH
SC ALRO SA	Cianuri	1/29/2017 9:36:40 PM	0	mg/l
SC ALRO SA	Clor	1/29/2017 9:36:30 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 9:35:50 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 9:35:30 PM	30	mg/l
SC ALRO SA	Temp	1/29/2017 9:35:20 PM	30	gradCels
SC ALRO SA	pH	1/29/2017 9:35:10 PM	6	unit pH
SC ALRO SA	Cianuri	1/29/2017 9:33:11 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 9:33:10 PM	30	mg/l
SC ALRO SA	Clor	1/29/2017 9:33:07 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 9:33:06 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 9:33:05 PM	30	gradCels
SC ALRO SA	pH	1/29/2017 9:33:04 PM	6	unit pH
SC ALRO SA	Cianuri	1/29/2017 9:28:43 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 9:28:42 PM	30	mg/l
SC ALRO SA	Clor	1/29/2017 9:27:27 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 9:27:26 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 9:27:25 PM	30	gradCels
SC ALRO SA	pH	1/29/2017 9:27:24 PM	6	unit pH
SC ALRO SA	Cianuri	1/29/2017 9:22:10 PM	0	mg/l
SC ALRO SA	Clor	1/29/2017 9:22:08 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 9:22:07 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 9:22:06 PM	30	mg/l
SC ALRO SA	Temp	1/29/2017 9:22:05 PM	30	gradCels
SC ALRO SA	pH	1/29/2017 9:22:04 PM	6	unit pH
SC ALRO SA	Substante organice	1/29/2017 9:17:25 PM	30	mg/l
SC ALRO SA	Cianuri	1/29/2017 9:17:24 PM	0	mg/l
SC ALRO SA	Clor	1/29/2017 9:16:27 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 9:16:26 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 9:16:25 PM	30	gradCels
SC ALRO SA	pH	1/29/2017 9:16:24 PM	6	unit pH
SC ALRO SA	Cianuri	1/29/2017 9:16:10 PM	0	mg/l
SC ALRO SA	Clor	1/29/2017 9:16:00 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 9:15:40 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 9:15:30 PM	30	mg/l
SC ALRO SA	Temp	1/29/2017 9:15:20 PM	30	gradCels
SC ALRO SA	pH	1/29/2017 9:15:10 PM	6	unit pH
SC ALRO SA	Cianuri	1/29/2017 9:11:11 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 9:11:10 PM	30	mg/l
SC ALRO SA	Clor	1/29/2017 9:11:07 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 9:11:06 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/29/2017 9:11:05 PM	30	gradCels
SC ALRO SA	pH	1/29/2017 9:11:04 PM	6	unit pH
SC ALRO SA	Substante organice	1/29/2017 9:06:44 PM	30	mg/l
SC ALRO SA	Cianuri	1/29/2017 9:06:43 PM	0	mg/l
SC ALRO SA	Clor	1/29/2017 9:05:27 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 9:05:26 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 9:05:25 PM	30	gradCels
SC ALRO SA	pH	1/29/2017 9:05:24 PM	6	unit pH
SC ALRO SA	Cianuri	1/29/2017 9:00:11 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 9:00:09 PM	30	mg/l
SC ALRO SA	Clor	1/29/2017 9:00:07 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 9:00:06 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 9:00:05 PM	30	gradCels
SC ALRO SA	pH	1/29/2017 9:00:04 PM	6	unit pH
SC ALRO SA	Cianuri	1/29/2017 8:55:40 PM	0	mg/l
SC ALRO SA	Cianuri	1/29/2017 8:54:30 PM	0	mg/l
SC ALRO SA	Clor	1/29/2017 8:54:28 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 8:54:27 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 8:54:26 PM	30	mg/l
SC ALRO SA	Temp	1/29/2017 8:54:25 PM	30	gradCels
SC ALRO SA	pH	1/29/2017 8:54:24 PM	6	unit pH
SC ALRO SA	Clor	1/29/2017 8:54:10 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 8:53:50 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 8:53:40 PM	29	mg/l
SC ALRO SA	Temp	1/29/2017 8:53:30 PM	30	gradCels
SC ALRO SA	pH	1/29/2017 8:53:20 PM	6	unit pH
SC ALRO SA	Cianuri	1/29/2017 8:49:11 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 8:49:09 PM	29	mg/l
SC ALRO SA	Clor	1/29/2017 8:49:07 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 8:49:06 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 8:49:05 PM	30	gradCels
SC ALRO SA	pH	1/29/2017 8:49:04 PM	6	unit pH
SC ALRO SA	Cianuri	1/29/2017 8:44:44 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 8:44:43 PM	29	mg/l
SC ALRO SA	Clor	1/29/2017 8:43:28 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 8:43:27 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 8:43:26 PM	30	gradCels
SC ALRO SA	pH	1/29/2017 8:43:25 PM	6	unit pH
SC ALRO SA	Cianuri	1/29/2017 8:38:11 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 8:38:09 PM	29	mg/l
SC ALRO SA	Clor	1/29/2017 8:38:06 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 8:38:05 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 8:38:04 PM	30	gradCels
SC ALRO SA	pH	1/29/2017 8:38:03 PM	6	unit pH
SC ALRO SA	Substante organice	1/29/2017 8:33:23 PM	29	mg/l
SC ALRO SA	Cianuri	1/29/2017 8:33:22 PM	0	mg/l
SC ALRO SA	Clor	1/29/2017 8:32:27 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 8:32:26 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 8:32:25 PM	30	gradCels
SC ALRO SA	pH	1/29/2017 8:32:24 PM	6	unit pH
SC ALRO SA	Cianuri	1/29/2017 8:31:00 PM	0	mg/l
SC ALRO SA	Clor	1/29/2017 8:30:50 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 8:29:50 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 8:29:00 PM	29	mg/l
SC ALRO SA	Temp	1/29/2017 8:28:50 PM	30	gradCels
SC ALRO SA	pH	1/29/2017 8:28:40 PM	6	unit pH
SC ALRO SA	Substante organice	1/29/2017 8:27:11 PM	29	mg/l
SC ALRO SA	Cianuri	1/29/2017 8:27:10 PM	0	mg/l
SC ALRO SA	Clor	1/29/2017 8:27:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 8:27:02 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 8:27:01 PM	30	gradCels
SC ALRO SA	pH	1/29/2017 8:27:00 PM	6	unit pH
SC ALRO SA	Cianuri	1/29/2017 8:22:22 PM	0	mg/l
SC ALRO SA	Clor	1/29/2017 8:21:28 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 8:21:27 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 8:21:26 PM	29	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/29/2017 8:21:25 PM	30	gradCels
SC ALRO SA	pH	1/29/2017 8:21:24 PM	6	unit pH
SC ALRO SA	Cianuri	1/29/2017 8:16:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 8:16:21 PM	29	mg/l
SC ALRO SA	Clor	1/29/2017 8:15:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 8:15:42 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 8:15:41 PM	30	gradCels
SC ALRO SA	pH	1/29/2017 8:15:40 PM	6	unit pH
SC ALRO SA	Cianuri	1/29/2017 8:11:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 8:11:21 PM	29	mg/l
SC ALRO SA	Clor	1/29/2017 8:10:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 8:10:22 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 8:10:21 PM	30	gradCels
SC ALRO SA	pH	1/29/2017 8:10:20 PM	6	unit pH
SC ALRO SA	Cianuri	1/29/2017 8:08:20 PM	0	mg/l
SC ALRO SA	Clor	1/29/2017 8:07:40 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 8:07:00 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 8:06:50 PM	29	mg/l
SC ALRO SA	Temp	1/29/2017 8:06:40 PM	30	gradCels
SC ALRO SA	pH	1/29/2017 8:06:30 PM	6	unit pH
SC ALRO SA	Cianuri	1/29/2017 8:05:25 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 8:05:23 PM	29	mg/l
SC ALRO SA	Clor	1/29/2017 8:04:46 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 8:04:45 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 8:04:44 PM	30	gradCels
SC ALRO SA	pH	1/29/2017 8:04:43 PM	6	unit pH
SC ALRO SA	Substante organice	1/29/2017 7:59:31 PM	29	mg/l
SC ALRO SA	Cianuri	1/29/2017 7:59:30 PM	0	mg/l
SC ALRO SA	Clor	1/29/2017 7:59:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 7:59:22 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 7:59:21 PM	30	gradCels
SC ALRO SA	pH	1/29/2017 7:59:20 PM	6	unit pH
SC ALRO SA	Cianuri	1/29/2017 7:54:22 PM	0	mg/l
SC ALRO SA	Clor	1/29/2017 7:53:48 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 7:53:47 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 7:53:46 PM	29	mg/l
SC ALRO SA	Temp	1/29/2017 7:53:45 PM	30	gradCels
SC ALRO SA	pH	1/29/2017 7:53:44 PM	6	unit pH
SC ALRO SA	Cianuri	1/29/2017 7:48:31 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 7:48:30 PM	29	mg/l
SC ALRO SA	Clor	1/29/2017 7:48:27 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 7:48:26 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 7:48:25 PM	30	gradCels
SC ALRO SA	pH	1/29/2017 7:48:24 PM	6	unit pH
SC ALRO SA	Cianuri	1/29/2017 7:47:00 PM	0	mg/l
SC ALRO SA	Clor	1/29/2017 7:46:50 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 7:45:40 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 7:45:30 PM	29	mg/l
SC ALRO SA	Temp	1/29/2017 7:45:00 PM	30	gradCels
SC ALRO SA	pH	1/29/2017 7:44:50 PM	6	unit pH
SC ALRO SA	Cianuri	1/29/2017 7:43:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 7:43:21 PM	29	mg/l
SC ALRO SA	Clor	1/29/2017 7:42:47 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 7:42:46 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 7:42:45 PM	30	gradCels
SC ALRO SA	pH	1/29/2017 7:42:44 PM	6	unit pH
SC ALRO SA	Substante organice	1/29/2017 7:37:11 PM	29	mg/l
SC ALRO SA	Cianuri	1/29/2017 7:37:10 PM	0	mg/l
SC ALRO SA	Clor	1/29/2017 7:37:07 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 7:37:06 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 7:37:05 PM	30	gradCels
SC ALRO SA	pH	1/29/2017 7:37:04 PM	6	unit pH
SC ALRO SA	Substante organice	1/29/2017 7:32:23 PM	29	mg/l
SC ALRO SA	Cianuri	1/29/2017 7:32:22 PM	0	mg/l
SC ALRO SA	Clor	1/29/2017 7:31:47 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 7:31:46 PM	0	mg/l



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/29/2017 7:31:45 PM	30	gradCels
SC ALRO SA	pH	1/29/2017 7:31:44 PM	6	unit pH
SC ALRO SA	Substante organice	1/29/2017 7:26:11 PM	29	mg/l
SC ALRO SA	Cianuri	1/29/2017 7:26:09 PM	0	mg/l
SC ALRO SA	Clor	1/29/2017 7:26:07 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 7:26:06 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 7:26:05 PM	30	gradCels
SC ALRO SA	pH	1/29/2017 7:26:04 PM	6	unit pH
SC ALRO SA	Cianuri	1/29/2017 7:24:20 PM	0	mg/l
SC ALRO SA	Clor	1/29/2017 7:23:40 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 7:21:40 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 7:21:30 PM	29	mg/l
SC ALRO SA	Cianuri	1/29/2017 7:21:23 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 7:21:00 PM	30	gradCels
SC ALRO SA	pH	1/29/2017 7:20:50 PM	6	unit pH
SC ALRO SA	Clor	1/29/2017 7:20:47 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 7:20:46 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 7:20:45 PM	29	mg/l
SC ALRO SA	Temp	1/29/2017 7:20:44 PM	30	gradCels
SC ALRO SA	pH	1/29/2017 7:20:43 PM	6	unit pH
SC ALRO SA	Cianuri	1/29/2017 7:15:11 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 7:15:10 PM	28	mg/l
SC ALRO SA	Clor	1/29/2017 7:15:07 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 7:15:06 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 7:15:05 PM	30	gradCels
SC ALRO SA	pH	1/29/2017 7:15:04 PM	6	unit pH
SC ALRO SA	Cianuri	1/29/2017 7:10:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 7:10:21 PM	28	mg/l
SC ALRO SA	Clor	1/29/2017 7:09:47 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 7:09:46 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 7:09:45 PM	30	gradCels
SC ALRO SA	pH	1/29/2017 7:09:44 PM	6	unit pH
SC ALRO SA	Substante organice	1/29/2017 7:04:11 PM	28	mg/l
SC ALRO SA	Cianuri	1/29/2017 7:04:10 PM	0	mg/l
SC ALRO SA	Clor	1/29/2017 7:04:07 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 7:04:06 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 7:04:05 PM	30	gradCels
SC ALRO SA	pH	1/29/2017 7:04:04 PM	6	unit pH
SC ALRO SA	Cianuri	1/29/2017 7:00:40 PM	0	mg/l
SC ALRO SA	Clor	1/29/2017 7:00:30 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 6:59:50 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 6:59:40 PM	28	mg/l
SC ALRO SA	Temp	1/29/2017 6:59:30 PM	30	gradCels
SC ALRO SA	Substante organice	1/29/2017 6:59:23 PM	28	mg/l
SC ALRO SA	Cianuri	1/29/2017 6:59:22 PM	0	mg/l
SC ALRO SA	pH	1/29/2017 6:59:00 PM	6	unit pH
SC ALRO SA	Clor	1/29/2017 6:58:47 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 6:58:46 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 6:58:45 PM	30	gradCels
SC ALRO SA	pH	1/29/2017 6:58:44 PM	6	unit pH
SC ALRO SA	Cianuri	1/29/2017 6:53:11 PM	0	mg/l
SC ALRO SA	Clor	1/29/2017 6:53:08 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 6:53:07 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 6:53:06 PM	28	mg/l
SC ALRO SA	Temp	1/29/2017 6:53:05 PM	30	gradCels
SC ALRO SA	pH	1/29/2017 6:53:04 PM	6	unit pH
SC ALRO SA	Cianuri	1/29/2017 6:48:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 6:48:22 PM	28	mg/l
SC ALRO SA	Clor	1/29/2017 6:47:46 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 6:47:45 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 6:47:44 PM	30	gradCels
SC ALRO SA	pH	1/29/2017 6:47:43 PM	6	unit pH
SC ALRO SA	Cianuri	1/29/2017 6:42:11 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 6:42:10 PM	28	mg/l
SC ALRO SA	Clor	1/29/2017 6:42:07 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 6:42:06 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/29/2017 6:42:05 PM	30	gradCels
SC ALRO SA	pH	1/29/2017 6:42:04 PM	6	unit pH
SC ALRO SA	Cianuri	1/29/2017 6:39:30 PM	0	mg/l
SC ALRO SA	Clor	1/29/2017 6:38:00 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 6:37:40 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 6:37:30 PM	28	mg/l
SC ALRO SA	Substante organice	1/29/2017 6:37:23 PM	28	mg/l
SC ALRO SA	Cianuri	1/29/2017 6:37:22 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 6:37:00 PM	30	gradCels
SC ALRO SA	pH	1/29/2017 6:36:50 PM	6	unit pH
SC ALRO SA	Clor	1/29/2017 6:36:47 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 6:36:46 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 6:36:45 PM	30	gradCels
SC ALRO SA	pH	1/29/2017 6:36:44 PM	6	unit pH
SC ALRO SA	Cianuri	1/29/2017 6:31:11 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 6:31:10 PM	28	mg/l
SC ALRO SA	Clor	1/29/2017 6:31:07 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 6:31:06 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 6:31:05 PM	30	gradCels
SC ALRO SA	pH	1/29/2017 6:31:04 PM	6	unit pH
SC ALRO SA	Cianuri	1/29/2017 6:26:22 PM	0	mg/l
SC ALRO SA	Clor	1/29/2017 6:25:28 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 6:25:27 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 6:25:26 PM	28	mg/l
SC ALRO SA	Temp	1/29/2017 6:25:25 PM	30	gradCels
SC ALRO SA	pH	1/29/2017 6:25:24 PM	6	unit pH
SC ALRO SA	Cianuri	1/29/2017 6:20:11 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 6:20:10 PM	27	mg/l
SC ALRO SA	Clor	1/29/2017 6:20:07 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 6:20:06 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 6:20:05 PM	30	gradCels
SC ALRO SA	pH	1/29/2017 6:20:04 PM	6	unit pH
SC ALRO SA	Cianuri	1/29/2017 6:15:50 PM	0	mg/l
SC ALRO SA	Clor	1/29/2017 6:15:40 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 6:15:23 PM	27	mg/l
SC ALRO SA	Cianuri	1/29/2017 6:15:22 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 6:15:00 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 6:14:50 PM	27	mg/l
SC ALRO SA	Temp	1/29/2017 6:14:40 PM	30	gradCels
SC ALRO SA	pH	1/29/2017 6:14:30 PM	6	unit pH
SC ALRO SA	Clor	1/29/2017 6:14:27 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 6:14:26 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 6:14:25 PM	30	gradCels
SC ALRO SA	pH	1/29/2017 6:14:24 PM	6	unit pH
SC ALRO SA	Cianuri	1/29/2017 6:09:11 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 6:09:10 PM	27	mg/l
SC ALRO SA	Clor	1/29/2017 6:09:07 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 6:09:06 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 6:09:05 PM	30	gradCels
SC ALRO SA	pH	1/29/2017 6:09:04 PM	6	unit pH
SC ALRO SA	Cianuri	1/29/2017 6:04:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 6:04:21 PM	27	mg/l
SC ALRO SA	Clor	1/29/2017 6:03:27 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 6:03:26 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 6:03:25 PM	30	gradCels
SC ALRO SA	pH	1/29/2017 6:03:24 PM	6	unit pH
SC ALRO SA	Cianuri	1/29/2017 5:58:10 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 5:58:09 PM	27	mg/l
SC ALRO SA	Clor	1/29/2017 5:58:06 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 5:58:05 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 5:58:04 PM	30	gradCels
SC ALRO SA	pH	1/29/2017 5:58:03 PM	6	unit pH
SC ALRO SA	Cianuri	1/29/2017 5:54:50 PM	0	mg/l
SC ALRO SA	Clor	1/29/2017 5:53:50 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 5:53:30 PM	0	mg/l
SC ALRO SA	Cianuri	1/29/2017 5:53:22 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	1/29/2017 5:53:00 PM	27	mg/l
SC ALRO SA	Temp	1/29/2017 5:52:50 PM	29	gradCels
SC ALRO SA	pH	1/29/2017 5:52:40 PM	5	unit pH
SC ALRO SA	Clor	1/29/2017 5:52:24 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 5:52:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 5:52:22 PM	27	mg/l
SC ALRO SA	Temp	1/29/2017 5:52:21 PM	29	gradCels
SC ALRO SA	pH	1/29/2017 5:52:20 PM	5	unit pH
SC ALRO SA	Cianuri	1/29/2017 5:47:11 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 5:47:09 PM	27	mg/l
SC ALRO SA	Clor	1/29/2017 5:47:07 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 5:47:06 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 5:47:05 PM	29	gradCels
SC ALRO SA	pH	1/29/2017 5:47:04 PM	5	unit pH
SC ALRO SA	Substante organice	1/29/2017 5:42:23 PM	27	mg/l
SC ALRO SA	Cianuri	1/29/2017 5:42:21 PM	0	mg/l
SC ALRO SA	Clor	1/29/2017 5:41:27 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 5:41:26 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 5:41:25 PM	29	gradCels
SC ALRO SA	pH	1/29/2017 5:41:24 PM	5	unit pH
SC ALRO SA	Cianuri	1/29/2017 5:36:11 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 5:36:10 PM	27	mg/l
SC ALRO SA	Clor	1/29/2017 5:36:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 5:36:02 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 5:36:01 PM	29	gradCels
SC ALRO SA	pH	1/29/2017 5:36:00 PM	5	unit pH
SC ALRO SA	Cianuri	1/29/2017 5:34:50 PM	0	mg/l
SC ALRO SA	Clor	1/29/2017 5:34:40 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 5:34:20 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 5:33:50 PM	27	mg/l
SC ALRO SA	Temp	1/29/2017 5:33:01 PM	29	gradCels
SC ALRO SA	pH	1/29/2017 5:32:50 PM	5	unit pH
SC ALRO SA	Cianuri	1/29/2017 5:31:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 5:31:22 PM	27	mg/l
SC ALRO SA	Clor	1/29/2017 5:30:27 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 5:30:26 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 5:30:25 PM	29	gradCels
SC ALRO SA	pH	1/29/2017 5:30:24 PM	5	unit pH
SC ALRO SA	Cianuri	1/29/2017 5:25:11 PM	0	mg/l
SC ALRO SA	Clor	1/29/2017 5:25:04 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 5:25:03 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 5:25:02 PM	27	mg/l
SC ALRO SA	Temp	1/29/2017 5:25:01 PM	29	gradCels
SC ALRO SA	pH	1/29/2017 5:25:00 PM	5	unit pH
SC ALRO SA	Substante organice	1/29/2017 5:20:23 PM	27	mg/l
SC ALRO SA	Cianuri	1/29/2017 5:20:22 PM	0	mg/l
SC ALRO SA	Clor	1/29/2017 5:19:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 5:19:22 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 5:19:21 PM	29	gradCels
SC ALRO SA	pH	1/29/2017 5:19:20 PM	5	unit pH
SC ALRO SA	Substante organice	1/29/2017 5:14:23 PM	27	mg/l
SC ALRO SA	Cianuri	1/29/2017 5:14:22 PM	0	mg/l
SC ALRO SA	Cianuri	1/29/2017 5:13:50 PM	0	mg/l
SC ALRO SA	Clor	1/29/2017 5:13:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 5:13:42 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 5:13:41 PM	29	gradCels
SC ALRO SA	pH	1/29/2017 5:13:40 PM	5	unit pH
SC ALRO SA	Clor	1/29/2017 5:13:30 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 5:13:10 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 5:13:00 PM	27	mg/l
SC ALRO SA	Temp	1/29/2017 5:12:50 PM	29	gradCels
SC ALRO SA	pH	1/29/2017 5:12:40 PM	5	unit pH
SC ALRO SA	Substante organice	1/29/2017 5:09:23 PM	27	mg/l
SC ALRO SA	Cianuri	1/29/2017 5:09:22 PM	0	mg/l
SC ALRO SA	Clor	1/29/2017 5:08:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 5:08:22 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/29/2017 5:08:21 PM	29	gradCels
SC ALRO SA	pH	1/29/2017 5:08:20 PM	5	unit pH
SC ALRO SA	Cianuri	1/29/2017 5:03:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 5:03:22 PM	27	mg/l
SC ALRO SA	Clor	1/29/2017 5:02:47 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 5:02:46 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 5:02:45 PM	29	gradCels
SC ALRO SA	pH	1/29/2017 5:02:44 PM	5	unit pH
SC ALRO SA	Cianuri	1/29/2017 4:58:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 4:58:22 PM	27	mg/l
SC ALRO SA	Clor	1/29/2017 4:57:27 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 4:57:26 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 4:57:25 PM	29	gradCels
SC ALRO SA	pH	1/29/2017 4:57:24 PM	5	unit pH
SC ALRO SA	Cianuri	1/29/2017 4:54:40 PM	0	mg/l
SC ALRO SA	Clor	1/29/2017 4:54:30 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 4:53:40 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 4:53:30 PM	27	mg/l
SC ALRO SA	Temp	1/29/2017 4:53:10 PM	29	gradCels
SC ALRO SA	pH	1/29/2017 4:53:00 PM	5	unit pH
SC ALRO SA	Cianuri	1/29/2017 4:52:21 PM	0	mg/l
SC ALRO SA	Clor	1/29/2017 4:51:44 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 4:51:43 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 4:51:42 PM	27	mg/l
SC ALRO SA	Temp	1/29/2017 4:51:41 PM	29	gradCels
SC ALRO SA	pH	1/29/2017 4:51:40 PM	5	unit pH
SC ALRO SA	Cianuri	1/29/2017 4:46:31 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 4:46:30 PM	28	mg/l
SC ALRO SA	Clor	1/29/2017 4:46:27 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 4:46:26 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 4:46:25 PM	29	gradCels
SC ALRO SA	pH	1/29/2017 4:46:24 PM	5	unit pH
SC ALRO SA	Substante organice	1/29/2017 4:41:22 PM	28	mg/l
SC ALRO SA	Cianuri	1/29/2017 4:41:21 PM	0	mg/l
SC ALRO SA	Clor	1/29/2017 4:40:47 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 4:40:46 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 4:40:45 PM	29	gradCels
SC ALRO SA	pH	1/29/2017 4:40:44 PM	5	unit pH
SC ALRO SA	Cianuri	1/29/2017 4:35:20 PM	0	mg/l
SC ALRO SA	Cianuri	1/29/2017 4:35:11 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 4:35:10 PM	28	mg/l
SC ALRO SA	Clor	1/29/2017 4:35:07 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 4:35:06 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 4:35:05 PM	29	gradCels
SC ALRO SA	pH	1/29/2017 4:35:04 PM	5	unit pH
SC ALRO SA	Clor	1/29/2017 4:34:50 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 4:34:30 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 4:34:20 PM	28	mg/l
SC ALRO SA	Temp	1/29/2017 4:34:10 PM	29	gradCels
SC ALRO SA	pH	1/29/2017 4:33:40 PM	5	unit pH
SC ALRO SA	Cianuri	1/29/2017 4:30:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 4:30:22 PM	28	mg/l
SC ALRO SA	Clor	1/29/2017 4:29:47 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 4:29:46 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 4:29:45 PM	29	gradCels
SC ALRO SA	pH	1/29/2017 4:29:44 PM	5	unit pH
SC ALRO SA	Cianuri	1/29/2017 4:24:11 PM	0	mg/l
SC ALRO SA	Clor	1/29/2017 4:24:08 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 4:24:07 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 4:24:06 PM	28	mg/l
SC ALRO SA	Temp	1/29/2017 4:24:05 PM	29	gradCels
SC ALRO SA	pH	1/29/2017 4:24:04 PM	5	unit pH
SC ALRO SA	Substante organice	1/29/2017 4:19:23 PM	28	mg/l
SC ALRO SA	Cianuri	1/29/2017 4:19:22 PM	0	mg/l
SC ALRO SA	Clor	1/29/2017 4:18:47 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 4:18:46 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/29/2017 4:18:45 PM	29	gradCels
SC ALRO SA	pH	1/29/2017 4:18:44 PM	5	unit pH
SC ALRO SA	Cianuri	1/29/2017 4:13:40 PM	0	mg/l
SC ALRO SA	Clor	1/29/2017 4:13:30 PM	0	mg/l
SC ALRO SA	Cianuri	1/29/2017 4:13:11 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 4:13:09 PM	28	mg/l
SC ALRO SA	Clor	1/29/2017 4:13:07 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 4:13:06 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 4:13:05 PM	29	gradCels
SC ALRO SA	pH	1/29/2017 4:13:04 PM	5	unit pH
SC ALRO SA	Grasimi	1/29/2017 4:12:50 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 4:12:40 PM	28	mg/l
SC ALRO SA	Temp	1/29/2017 4:12:30 PM	29	gradCels
SC ALRO SA	pH	1/29/2017 4:12:20 PM	5	unit pH
SC ALRO SA	Substante organice	1/29/2017 4:08:23 PM	28	mg/l
SC ALRO SA	Cianuri	1/29/2017 4:08:22 PM	0	mg/l
SC ALRO SA	Clor	1/29/2017 4:07:47 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 4:07:46 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 4:07:45 PM	29	gradCels
SC ALRO SA	pH	1/29/2017 4:07:44 PM	5	unit pH
SC ALRO SA	Cianuri	1/29/2017 4:02:11 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 4:02:10 PM	28	mg/l
SC ALRO SA	Clor	1/29/2017 4:02:07 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 4:02:06 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 4:02:05 PM	29	gradCels
SC ALRO SA	pH	1/29/2017 4:02:04 PM	5	unit pH
SC ALRO SA	Substante organice	1/29/2017 3:57:24 PM	28	mg/l
SC ALRO SA	Cianuri	1/29/2017 3:57:22 PM	0	mg/l
SC ALRO SA	Clor	1/29/2017 3:56:27 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 3:56:26 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 3:56:25 PM	29	gradCels
SC ALRO SA	pH	1/29/2017 3:56:24 PM	5	unit pH
SC ALRO SA	Cianuri	1/29/2017 3:52:00 PM	0	mg/l
SC ALRO SA	Clor	1/29/2017 3:51:50 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 3:51:30 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 3:51:20 PM	28	mg/l
SC ALRO SA	Cianuri	1/29/2017 3:51:11 PM	0	mg/l
SC ALRO SA	Clor	1/29/2017 3:51:08 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 3:51:07 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 3:51:06 PM	28	mg/l
SC ALRO SA	Temp	1/29/2017 3:51:05 PM	29	gradCels
SC ALRO SA	pH	1/29/2017 3:51:04 PM	5	unit pH
SC ALRO SA	Temp	1/29/2017 3:50:40 PM	29	gradCels
SC ALRO SA	pH	1/29/2017 3:50:30 PM	5	unit pH
SC ALRO SA	Substante organice	1/29/2017 3:46:23 PM	28	mg/l
SC ALRO SA	Cianuri	1/29/2017 3:46:22 PM	0	mg/l
SC ALRO SA	Clor	1/29/2017 3:45:28 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 3:45:27 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 3:45:26 PM	29	gradCels
SC ALRO SA	pH	1/29/2017 3:45:25 PM	5	unit pH
SC ALRO SA	Cianuri	1/29/2017 3:40:11 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 3:40:10 PM	28	mg/l
SC ALRO SA	Clor	1/29/2017 3:40:07 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 3:40:06 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 3:40:05 PM	29	gradCels
SC ALRO SA	pH	1/29/2017 3:40:04 PM	5	unit pH
SC ALRO SA	Substante organice	1/29/2017 3:35:23 PM	28	mg/l
SC ALRO SA	Cianuri	1/29/2017 3:35:22 PM	0	mg/l
SC ALRO SA	Clor	1/29/2017 3:34:29 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 3:34:28 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 3:34:27 PM	29	gradCels
SC ALRO SA	pH	1/29/2017 3:34:26 PM	5	unit pH
SC ALRO SA	Cianuri	1/29/2017 3:30:10 PM	0	mg/l
SC ALRO SA	Clor	1/29/2017 3:30:00 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 3:29:40 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 3:29:30 PM	28	mg/l



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/29/2017 3:29:20 PM	29	gradCels
SC ALRO SA	Cianuri	1/29/2017 3:29:11 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 3:29:10 PM	28	mg/l
SC ALRO SA	Clor	1/29/2017 3:29:07 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 3:29:06 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 3:29:05 PM	29	gradCels
SC ALRO SA	pH	1/29/2017 3:29:04 PM	5	unit pH
SC ALRO SA	pH	1/29/2017 3:28:40 PM	5	unit pH
SC ALRO SA	Cianuri	1/29/2017 3:24:22 PM	0	mg/l
SC ALRO SA	Clor	1/29/2017 3:23:28 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 3:23:27 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 3:23:26 PM	28	mg/l
SC ALRO SA	Temp	1/29/2017 3:23:25 PM	29	gradCels
SC ALRO SA	pH	1/29/2017 3:23:24 PM	5	unit pH
SC ALRO SA	Cianuri	1/29/2017 3:18:11 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 3:18:09 PM	28	mg/l
SC ALRO SA	Clor	1/29/2017 3:18:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 3:18:02 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 3:18:01 PM	29	gradCels
SC ALRO SA	pH	1/29/2017 3:18:00 PM	5	unit pH
SC ALRO SA	Substante organice	1/29/2017 3:13:23 PM	28	mg/l
SC ALRO SA	Cianuri	1/29/2017 3:13:21 PM	0	mg/l
SC ALRO SA	Clor	1/29/2017 3:12:27 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 3:12:26 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 3:12:25 PM	29	gradCels
SC ALRO SA	pH	1/29/2017 3:12:24 PM	5	unit pH
SC ALRO SA	Cianuri	1/29/2017 3:08:00 PM	0	mg/l
SC ALRO SA	Clor	1/29/2017 3:07:50 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 3:07:30 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 3:07:20 PM	28	mg/l
SC ALRO SA	Cianuri	1/29/2017 3:07:11 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 3:07:10 PM	28	mg/l
SC ALRO SA	Clor	1/29/2017 3:07:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 3:07:02 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 3:07:01 PM	29	gradCels
SC ALRO SA	pH	1/29/2017 3:07:00 PM	5	unit pH
SC ALRO SA	Temp	1/29/2017 3:06:40 PM	29	gradCels
SC ALRO SA	pH	1/29/2017 3:06:30 PM	5	unit pH
SC ALRO SA	Cianuri	1/29/2017 3:02:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 3:02:22 PM	28	mg/l
SC ALRO SA	Clor	1/29/2017 3:01:26 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 3:01:25 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 3:01:24 PM	29	gradCels
SC ALRO SA	pH	1/29/2017 3:01:23 PM	5	unit pH
SC ALRO SA	Cianuri	1/29/2017 2:56:23 PM	0	mg/l
SC ALRO SA	Clor	1/29/2017 2:55:48 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 2:55:47 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 2:55:46 PM	28	mg/l
SC ALRO SA	Temp	1/29/2017 2:55:45 PM	29	gradCels
SC ALRO SA	pH	1/29/2017 2:55:44 PM	5	unit pH
SC ALRO SA	Cianuri	1/29/2017 2:51:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 2:51:22 PM	28	mg/l
SC ALRO SA	Grasimi	1/29/2017 2:50:26 PM	0	mg/l
SC ALRO SA	Clor	1/29/2017 2:50:25 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 2:50:24 PM	29	gradCels
SC ALRO SA	pH	1/29/2017 2:50:23 PM	5	unit pH
SC ALRO SA	Cianuri	1/29/2017 2:45:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 2:45:22 PM	28	mg/l
SC ALRO SA	Clor	1/29/2017 2:44:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 2:44:42 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 2:44:41 PM	29	gradCels
SC ALRO SA	pH	1/29/2017 2:44:40 PM	5	unit pH
SC ALRO SA	Cianuri	1/29/2017 2:43:00 PM	0	mg/l
SC ALRO SA	Clor	1/29/2017 2:42:00 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 2:41:20 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 2:41:10 PM	28	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/29/2017 2:40:40 PM	29	gradCels
SC ALRO SA	pH	1/29/2017 2:40:30 PM	5	unit pH
SC ALRO SA	Cianuri	1/29/2017 2:40:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 2:40:22 PM	28	mg/l
SC ALRO SA	Clor	1/29/2017 2:39:30 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 2:39:29 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 2:39:28 PM	29	gradCels
SC ALRO SA	pH	1/29/2017 2:39:27 PM	5	unit pH
SC ALRO SA	Cianuri	1/29/2017 2:34:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 2:34:22 PM	28	mg/l
SC ALRO SA	Clor	1/29/2017 2:33:47 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 2:33:46 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 2:33:45 PM	29	gradCels
SC ALRO SA	pH	1/29/2017 2:33:44 PM	5	unit pH
SC ALRO SA	Cianuri	1/29/2017 2:29:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 2:29:22 PM	28	mg/l
SC ALRO SA	Clor	1/29/2017 2:28:30 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 2:28:29 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 2:28:28 PM	29	gradCels
SC ALRO SA	pH	1/29/2017 2:28:27 PM	5	unit pH
SC ALRO SA	Cianuri	1/29/2017 2:23:22 PM	0	mg/l
SC ALRO SA	Clor	1/29/2017 2:22:48 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 2:22:47 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 2:22:46 PM	28	mg/l
SC ALRO SA	Temp	1/29/2017 2:22:45 PM	29	gradCels
SC ALRO SA	pH	1/29/2017 2:22:44 PM	5	unit pH
SC ALRO SA	Cianuri	1/29/2017 2:20:40 PM	0	mg/l
SC ALRO SA	Clor	1/29/2017 2:20:30 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 2:19:00 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 2:18:50 PM	28	mg/l
SC ALRO SA	Temp	1/29/2017 2:18:30 PM	29	gradCels
SC ALRO SA	Cianuri	1/29/2017 2:18:21 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 2:18:20 PM	28	mg/l
SC ALRO SA	pH	1/29/2017 2:18:00 PM	5	unit pH
SC ALRO SA	Clor	1/29/2017 2:17:29 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 2:17:28 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 2:17:27 PM	29	gradCels
SC ALRO SA	pH	1/29/2017 2:17:26 PM	5	unit pH
SC ALRO SA	Substante organice	1/29/2017 2:12:23 PM	28	mg/l
SC ALRO SA	Cianuri	1/29/2017 2:12:22 PM	0	mg/l
SC ALRO SA	Clor	1/29/2017 2:11:47 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 2:11:46 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 2:11:45 PM	29	gradCels
SC ALRO SA	pH	1/29/2017 2:11:44 PM	5	unit pH
SC ALRO SA	Cianuri	1/29/2017 2:07:21 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 2:07:20 PM	28	mg/l
SC ALRO SA	Clor	1/29/2017 2:06:09 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 2:06:08 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 2:06:07 PM	29	gradCels
SC ALRO SA	pH	1/29/2017 2:06:06 PM	5	unit pH
SC ALRO SA	Cianuri	1/29/2017 2:01:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 2:01:22 PM	28	mg/l
SC ALRO SA	Clor	1/29/2017 2:00:47 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 2:00:46 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 2:00:45 PM	29	gradCels
SC ALRO SA	pH	1/29/2017 2:00:44 PM	5	unit pH
SC ALRO SA	Cianuri	1/29/2017 1:59:30 PM	0	mg/l
SC ALRO SA	Clor	1/29/2017 1:59:10 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 1:58:50 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 1:58:40 PM	28	mg/l
SC ALRO SA	Temp	1/29/2017 1:57:50 PM	29	gradCels
SC ALRO SA	pH	1/29/2017 1:57:40 PM	5	unit pH
SC ALRO SA	Cianuri	1/29/2017 1:56:20 PM	0	mg/l
SC ALRO SA	Clor	1/29/2017 1:55:10 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 1:55:09 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 1:55:08 PM	28	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/29/2017 1:55:07 PM	29	gradCels
SC ALRO SA	pH	1/29/2017 1:55:06 PM	5	unit pH
SC ALRO SA	Cianuri	1/29/2017 1:50:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 1:50:22 PM	28	mg/l
SC ALRO SA	Clor	1/29/2017 1:49:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 1:49:42 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 1:49:41 PM	29	gradCels
SC ALRO SA	pH	1/29/2017 1:49:40 PM	5	unit pH
SC ALRO SA	Cianuri	1/29/2017 1:44:11 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 1:44:09 PM	28	mg/l
SC ALRO SA	Clor	1/29/2017 1:44:07 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 1:44:06 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 1:44:05 PM	29	gradCels
SC ALRO SA	pH	1/29/2017 1:44:04 PM	5	unit pH
SC ALRO SA	Cianuri	1/29/2017 1:39:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 1:39:22 PM	28	mg/l
SC ALRO SA	Cianuri	1/29/2017 1:39:00 PM	0	mg/l
SC ALRO SA	Clor	1/29/2017 1:38:50 PM	0	mg/l
SC ALRO SA	Clor	1/29/2017 1:38:32 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 1:38:31 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 1:38:30 PM	29	gradCels
SC ALRO SA	pH	1/29/2017 1:38:29 PM	5	unit pH
SC ALRO SA	Grasimi	1/29/2017 1:38:00 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 1:37:00 PM	28	mg/l
SC ALRO SA	Temp	1/29/2017 1:36:50 PM	29	gradCels
SC ALRO SA	pH	1/29/2017 1:36:40 PM	5	unit pH
SC ALRO SA	Cianuri	1/29/2017 1:33:10 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 1:33:09 PM	28	mg/l
SC ALRO SA	Clor	1/29/2017 1:33:06 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 1:33:05 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 1:33:04 PM	29	gradCels
SC ALRO SA	pH	1/29/2017 1:33:03 PM	5	unit pH
SC ALRO SA	Cianuri	1/29/2017 1:28:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 1:28:22 PM	28	mg/l
SC ALRO SA	Clor	1/29/2017 1:27:34 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 1:27:33 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 1:27:32 PM	29	gradCels
SC ALRO SA	pH	1/29/2017 1:27:31 PM	5	unit pH
SC ALRO SA	Cianuri	1/29/2017 1:22:14 PM	0	mg/l
SC ALRO SA	Clor	1/29/2017 1:22:12 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 1:22:11 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 1:22:10 PM	28	mg/l
SC ALRO SA	Temp	1/29/2017 1:22:09 PM	29	gradCels
SC ALRO SA	pH	1/29/2017 1:22:08 PM	5	unit pH
SC ALRO SA	Cianuri	1/29/2017 1:17:50 PM	0	mg/l
SC ALRO SA	Clor	1/29/2017 1:17:40 PM	0	mg/l
SC ALRO SA	Cianuri	1/29/2017 1:17:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 1:17:21 PM	28	mg/l
SC ALRO SA	Grasimi	1/29/2017 1:17:00 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 1:16:50 PM	28	mg/l
SC ALRO SA	Temp	1/29/2017 1:16:40 PM	29	gradCels
SC ALRO SA	Clor	1/29/2017 1:16:35 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 1:16:34 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 1:16:33 PM	29	gradCels
SC ALRO SA	pH	1/29/2017 1:16:32 PM	5	unit pH
SC ALRO SA	pH	1/29/2017 1:16:00 PM	5	unit pH
SC ALRO SA	Cianuri	1/29/2017 1:11:16 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 1:11:15 PM	28	mg/l
SC ALRO SA	Clor	1/29/2017 1:11:12 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 1:11:11 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 1:11:10 PM	29	gradCels
SC ALRO SA	pH	1/29/2017 1:11:08 PM	5	unit pH
SC ALRO SA	Cianuri	1/29/2017 1:06:24 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 1:06:23 PM	28	mg/l
SC ALRO SA	Clor	1/29/2017 1:05:34 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 1:05:33 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/29/2017 1:05:32 PM	29	gradCels
SC ALRO SA	pH	1/29/2017 1:05:31 PM	5	unit pH
SC ALRO SA	Cianuri	1/29/2017 1:00:17 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 1:00:13 PM	28	mg/l
SC ALRO SA	Clor	1/29/2017 1:00:11 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 1:00:10 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 1:00:09 PM	29	gradCels
SC ALRO SA	pH	1/29/2017 1:00:08 PM	5	unit pH
SC ALRO SA	Cianuri	1/29/2017 12:59:10 PM	0	mg/l
SC ALRO SA	Clor	1/29/2017 12:58:50 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 12:57:50 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 12:57:00 PM	28	mg/l
SC ALRO SA	Temp	1/29/2017 12:56:50 PM	29	gradCels
SC ALRO SA	pH	1/29/2017 12:56:20 PM	5	unit pH
SC ALRO SA	Cianuri	1/29/2017 12:55:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 12:55:22 PM	28	mg/l
SC ALRO SA	Clor	1/29/2017 12:54:33 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 12:54:32 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 12:54:31 PM	29	gradCels
SC ALRO SA	pH	1/29/2017 12:54:30 PM	5	unit pH
SC ALRO SA	Cianuri	1/29/2017 12:49:15 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 12:49:13 PM	28	mg/l
SC ALRO SA	Clor	1/29/2017 12:49:11 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 12:49:10 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 12:49:09 PM	29	gradCels
SC ALRO SA	pH	1/29/2017 12:49:08 PM	5	unit pH
SC ALRO SA	Cianuri	1/29/2017 12:44:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 12:44:22 PM	28	mg/l
SC ALRO SA	Clor	1/29/2017 12:43:34 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 12:43:33 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 12:43:32 PM	29	gradCels
SC ALRO SA	pH	1/29/2017 12:43:31 PM	5	unit pH
SC ALRO SA	Cianuri	1/29/2017 12:39:10 PM	0	mg/l
SC ALRO SA	Clor	1/29/2017 12:39:00 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 12:38:40 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 12:38:30 PM	28	mg/l
SC ALRO SA	Cianuri	1/29/2017 12:38:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 12:38:22 PM	28	mg/l
SC ALRO SA	Temp	1/29/2017 12:38:00 PM	29	gradCels
SC ALRO SA	Clor	1/29/2017 12:37:51 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 12:37:50 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 12:37:49 PM	29	gradCels
SC ALRO SA	pH	1/29/2017 12:37:48 PM	5	unit pH
SC ALRO SA	pH	1/29/2017 12:37:30 PM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 12:33:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 12:33:22 PM	28	mg/l
SC ALRO SA	Clor	1/29/2017 12:32:35 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 12:32:34 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 12:32:33 PM	29	gradCels
SC ALRO SA	pH	1/29/2017 12:32:32 PM	4	unit pH
SC ALRO SA	Substante organice	1/29/2017 12:27:23 PM	28	mg/l
SC ALRO SA	Cianuri	1/29/2017 12:27:22 PM	0	mg/l
SC ALRO SA	Clor	1/29/2017 12:26:51 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 12:26:50 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 12:26:49 PM	29	gradCels
SC ALRO SA	pH	1/29/2017 12:26:48 PM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 12:22:22 PM	0	mg/l
SC ALRO SA	Clor	1/29/2017 12:21:35 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 12:21:34 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 12:21:33 PM	28	mg/l
SC ALRO SA	Temp	1/29/2017 12:21:32 PM	29	gradCels
SC ALRO SA	pH	1/29/2017 12:21:31 PM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 12:18:30 PM	0	mg/l
SC ALRO SA	Clor	1/29/2017 12:18:20 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 12:17:40 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 12:17:30 PM	28	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/29/2017 12:17:20 PM	29	gradCels
SC ALRO SA	pH	1/29/2017 12:17:10 PM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 12:16:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 12:16:22 PM	28	mg/l
SC ALRO SA	Clor	1/29/2017 12:15:51 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 12:15:50 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 12:15:49 PM	29	gradCels
SC ALRO SA	pH	1/29/2017 12:15:48 PM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 12:11:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 12:11:21 PM	28	mg/l
SC ALRO SA	Clor	1/29/2017 12:10:34 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 12:10:33 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 12:10:32 PM	29	gradCels
SC ALRO SA	pH	1/29/2017 12:10:31 PM	4	unit pH
SC ALRO SA	Substante organice	1/29/2017 12:05:23 PM	28	mg/l
SC ALRO SA	Cianuri	1/29/2017 12:05:22 PM	0	mg/l
SC ALRO SA	Clor	1/29/2017 12:04:57 PM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 12:04:56 PM	0	mg/l
SC ALRO SA	Temp	1/29/2017 12:04:55 PM	28	gradCels
SC ALRO SA	pH	1/29/2017 12:04:54 PM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 12:00:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 12:00:22 PM	28	mg/l
SC ALRO SA	Clor	1/29/2017 11:59:34 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 11:59:33 AM	0	mg/l
SC ALRO SA	Temp	1/29/2017 11:59:32 AM	28	gradCels
SC ALRO SA	pH	1/29/2017 11:59:31 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 11:58:10 AM	0	mg/l
SC ALRO SA	Clor	1/29/2017 11:57:40 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 11:56:40 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 11:56:30 AM	28	mg/l
SC ALRO SA	Temp	1/29/2017 11:56:00 AM	28	gradCels
SC ALRO SA	pH	1/29/2017 11:55:50 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 11:54:24 AM	0	mg/l
SC ALRO SA	Clor	1/29/2017 11:53:52 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 11:53:51 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 11:53:50 AM	28	mg/l
SC ALRO SA	Temp	1/29/2017 11:53:49 AM	28	gradCels
SC ALRO SA	pH	1/29/2017 11:53:48 AM	4	unit pH
SC ALRO SA	Substante organice	1/29/2017 11:49:23 AM	27	mg/l
SC ALRO SA	Cianuri	1/29/2017 11:49:22 AM	0	mg/l
SC ALRO SA	Clor	1/29/2017 11:48:16 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 11:48:15 AM	0	mg/l
SC ALRO SA	Temp	1/29/2017 11:48:14 AM	28	gradCels
SC ALRO SA	pH	1/29/2017 11:48:13 AM	4	unit pH
SC ALRO SA	Substante organice	1/29/2017 11:43:24 AM	27	mg/l
SC ALRO SA	Cianuri	1/29/2017 11:43:22 AM	0	mg/l
SC ALRO SA	Clor	1/29/2017 11:42:51 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 11:42:50 AM	0	mg/l
SC ALRO SA	Temp	1/29/2017 11:42:49 AM	28	gradCels
SC ALRO SA	pH	1/29/2017 11:42:48 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 11:38:21 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 11:38:20 AM	27	mg/l
SC ALRO SA	Clor	1/29/2017 11:37:17 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 11:37:16 AM	0	mg/l
SC ALRO SA	Temp	1/29/2017 11:37:15 AM	28	gradCels
SC ALRO SA	pH	1/29/2017 11:37:14 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 11:36:20 AM	0	mg/l
SC ALRO SA	Clor	1/29/2017 11:35:40 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 11:34:40 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 11:34:30 AM	27	mg/l
SC ALRO SA	Temp	1/29/2017 11:34:00 AM	28	gradCels
SC ALRO SA	pH	1/29/2017 11:33:50 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 11:32:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 11:32:21 AM	27	mg/l
SC ALRO SA	Clor	1/29/2017 11:31:51 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 11:31:50 AM	0	mg/l



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/29/2017 11:31:49 AM	28	gradCels
SC ALRO SA	pH	1/29/2017 11:31:48 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 11:27:21 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 11:27:20 AM	27	mg/l
SC ALRO SA	Clor	1/29/2017 11:26:18 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 11:26:17 AM	0	mg/l
SC ALRO SA	Temp	1/29/2017 11:26:16 AM	28	gradCels
SC ALRO SA	pH	1/29/2017 11:26:15 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 11:21:21 AM	0	mg/l
SC ALRO SA	Clor	1/29/2017 11:20:48 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 11:20:47 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 11:20:46 AM	27	mg/l
SC ALRO SA	Temp	1/29/2017 11:20:45 AM	28	gradCels
SC ALRO SA	pH	1/29/2017 11:20:44 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 11:16:21 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 11:16:20 AM	27	mg/l
SC ALRO SA	Clor	1/29/2017 11:15:15 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 11:15:14 AM	0	mg/l
SC ALRO SA	Temp	1/29/2017 11:15:13 AM	28	gradCels
SC ALRO SA	pH	1/29/2017 11:15:12 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 11:14:40 AM	0	mg/l
SC ALRO SA	Clor	1/29/2017 11:14:30 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 11:13:50 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 11:13:30 AM	27	mg/l
SC ALRO SA	Temp	1/29/2017 11:12:40 AM	28	gradCels
SC ALRO SA	pH	1/29/2017 11:12:30 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 11:10:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 11:10:22 AM	27	mg/l
SC ALRO SA	Clor	1/29/2017 11:09:35 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 11:09:34 AM	0	mg/l
SC ALRO SA	Temp	1/29/2017 11:09:33 AM	28	gradCels
SC ALRO SA	pH	1/29/2017 11:09:32 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 11:04:17 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 11:04:15 AM	27	mg/l
SC ALRO SA	Clor	1/29/2017 11:04:12 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 11:04:11 AM	0	mg/l
SC ALRO SA	Temp	1/29/2017 11:04:10 AM	28	gradCels
SC ALRO SA	pH	1/29/2017 11:04:09 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 10:59:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 10:59:21 AM	27	mg/l
SC ALRO SA	Clor	1/29/2017 10:58:34 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 10:58:33 AM	0	mg/l
SC ALRO SA	Temp	1/29/2017 10:58:32 AM	28	gradCels
SC ALRO SA	pH	1/29/2017 10:58:31 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 10:54:30 AM	0	mg/l
SC ALRO SA	Clor	1/29/2017 10:54:20 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 10:54:00 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 10:53:50 AM	27	mg/l
SC ALRO SA	Temp	1/29/2017 10:53:40 AM	28	gradCels
SC ALRO SA	pH	1/29/2017 10:53:30 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 10:53:15 AM	0	mg/l
SC ALRO SA	Clor	1/29/2017 10:53:08 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 10:53:07 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 10:53:06 AM	27	mg/l
SC ALRO SA	Temp	1/29/2017 10:53:05 AM	28	gradCels
SC ALRO SA	pH	1/29/2017 10:53:04 AM	4	unit pH
SC ALRO SA	Substante organice	1/29/2017 10:48:23 AM	27	mg/l
SC ALRO SA	Cianuri	1/29/2017 10:48:22 AM	0	mg/l
SC ALRO SA	Clor	1/29/2017 10:47:30 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 10:47:29 AM	0	mg/l
SC ALRO SA	Temp	1/29/2017 10:47:28 AM	28	gradCels
SC ALRO SA	pH	1/29/2017 10:47:27 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 10:42:15 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 10:42:13 AM	27	mg/l
SC ALRO SA	Clor	1/29/2017 10:42:07 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 10:42:06 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/29/2017 10:42:05 AM	28	gradCels
SC ALRO SA	pH	1/29/2017 10:42:04 AM	4	unit pH
SC ALRO SA	Substante organice	1/29/2017 10:37:26 AM	27	mg/l
SC ALRO SA	Cianuri	1/29/2017 10:37:21 AM	0	mg/l
SC ALRO SA	Clor	1/29/2017 10:36:29 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 10:36:28 AM	0	mg/l
SC ALRO SA	Temp	1/29/2017 10:36:27 AM	28	gradCels
SC ALRO SA	pH	1/29/2017 10:36:26 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 10:34:00 AM	0	mg/l
SC ALRO SA	Clor	1/29/2017 10:33:50 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 10:33:30 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 10:33:20 AM	27	mg/l
SC ALRO SA	Temp	1/29/2017 10:33:10 AM	28	gradCels
SC ALRO SA	pH	1/29/2017 10:32:50 AM	4	unit pH
SC ALRO SA	Substante organice	1/29/2017 10:31:15 AM	27	mg/l
SC ALRO SA	Cianuri	1/29/2017 10:31:14 AM	0	mg/l
SC ALRO SA	Clor	1/29/2017 10:31:07 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 10:31:06 AM	0	mg/l
SC ALRO SA	Temp	1/29/2017 10:31:05 AM	28	gradCels
SC ALRO SA	pH	1/29/2017 10:31:04 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 10:26:23 AM	0	mg/l
SC ALRO SA	Clor	1/29/2017 10:25:31 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 10:25:30 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 10:25:29 AM	27	mg/l
SC ALRO SA	Temp	1/29/2017 10:25:28 AM	28	gradCels
SC ALRO SA	pH	1/29/2017 10:25:27 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 10:20:11 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 10:20:10 AM	28	mg/l
SC ALRO SA	Clor	1/29/2017 10:20:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 10:20:02 AM	0	mg/l
SC ALRO SA	Temp	1/29/2017 10:20:01 AM	28	gradCels
SC ALRO SA	pH	1/29/2017 10:20:00 AM	4	unit pH
SC ALRO SA	Substante organice	1/29/2017 10:15:24 AM	28	mg/l
SC ALRO SA	Cianuri	1/29/2017 10:15:21 AM	0	mg/l
SC ALRO SA	Cianuri	1/29/2017 10:15:00 AM	0	mg/l
SC ALRO SA	Clor	1/29/2017 10:14:50 AM	0	mg/l
SC ALRO SA	Clor	1/29/2017 10:14:29 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 10:14:28 AM	0	mg/l
SC ALRO SA	Temp	1/29/2017 10:14:27 AM	28	gradCels
SC ALRO SA	pH	1/29/2017 10:14:26 AM	4	unit pH
SC ALRO SA	Grasimi	1/29/2017 10:14:00 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 10:13:50 AM	28	mg/l
SC ALRO SA	Temp	1/29/2017 10:13:40 AM	28	gradCels
SC ALRO SA	pH	1/29/2017 10:13:30 AM	4	unit pH
SC ALRO SA	Substante organice	1/29/2017 10:09:11 AM	28	mg/l
SC ALRO SA	Cianuri	1/29/2017 10:09:10 AM	0	mg/l
SC ALRO SA	Clor	1/29/2017 10:09:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 10:09:02 AM	0	mg/l
SC ALRO SA	Temp	1/29/2017 10:09:01 AM	28	gradCels
SC ALRO SA	pH	1/29/2017 10:09:00 AM	4	unit pH
SC ALRO SA	Substante organice	1/29/2017 10:04:23 AM	28	mg/l
SC ALRO SA	Cianuri	1/29/2017 10:04:22 AM	0	mg/l
SC ALRO SA	Clor	1/29/2017 10:03:30 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 10:03:29 AM	0	mg/l
SC ALRO SA	Temp	1/29/2017 10:03:28 AM	28	gradCels
SC ALRO SA	pH	1/29/2017 10:03:27 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 9:58:12 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 9:58:10 AM	28	mg/l
SC ALRO SA	Clor	1/29/2017 9:58:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 9:58:02 AM	0	mg/l
SC ALRO SA	Temp	1/29/2017 9:58:01 AM	28	gradCels
SC ALRO SA	pH	1/29/2017 9:58:00 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 9:54:00 AM	0	mg/l
SC ALRO SA	Clor	1/29/2017 9:53:50 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 9:53:30 AM	0	mg/l
SC ALRO SA	Cianuri	1/29/2017 9:53:22 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	1/29/2017 9:53:00 AM	28	mg/l
SC ALRO SA	Temp	1/29/2017 9:52:50 AM	28	gradCels
SC ALRO SA	Clor	1/29/2017 9:52:39 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 9:52:38 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 9:52:37 AM	28	mg/l
SC ALRO SA	Temp	1/29/2017 9:52:36 AM	28	gradCels
SC ALRO SA	pH	1/29/2017 9:52:35 AM	4	unit pH
SC ALRO SA	pH	1/29/2017 9:52:00 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 9:47:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 9:47:02 AM	27	mg/l
SC ALRO SA	Clor	1/29/2017 9:46:50 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 9:46:49 AM	0	mg/l
SC ALRO SA	Temp	1/29/2017 9:46:48 AM	28	gradCels
SC ALRO SA	pH	1/29/2017 9:46:47 AM	4	unit pH
SC ALRO SA	Substante organice	1/29/2017 9:42:07 AM	27	mg/l
SC ALRO SA	Cianuri	1/29/2017 9:42:06 AM	0	mg/l
SC ALRO SA	Clor	1/29/2017 9:41:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 9:41:22 AM	0	mg/l
SC ALRO SA	Temp	1/29/2017 9:41:21 AM	28	gradCels
SC ALRO SA	pH	1/29/2017 9:41:20 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 9:36:21 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 9:36:20 AM	27	mg/l
SC ALRO SA	Clor	1/29/2017 9:35:49 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 9:35:48 AM	0	mg/l
SC ALRO SA	Temp	1/29/2017 9:35:47 AM	28	gradCels
SC ALRO SA	pH	1/29/2017 9:35:46 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 9:32:40 AM	0	mg/l
SC ALRO SA	Clor	1/29/2017 9:32:30 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 9:31:50 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 9:31:40 AM	27	mg/l
SC ALRO SA	Temp	1/29/2017 9:31:30 AM	28	gradCels
SC ALRO SA	pH	1/29/2017 9:31:20 AM	4	unit pH
SC ALRO SA	Substante organice	1/29/2017 9:31:07 AM	27	mg/l
SC ALRO SA	Cianuri	1/29/2017 9:31:05 AM	0	mg/l
SC ALRO SA	Clor	1/29/2017 9:30:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 9:30:22 AM	0	mg/l
SC ALRO SA	Temp	1/29/2017 9:30:21 AM	28	gradCels
SC ALRO SA	pH	1/29/2017 9:30:20 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 9:25:20 AM	0	mg/l
SC ALRO SA	Clor	1/29/2017 9:24:52 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 9:24:51 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 9:24:50 AM	27	mg/l
SC ALRO SA	Temp	1/29/2017 9:24:49 AM	28	gradCels
SC ALRO SA	pH	1/29/2017 9:24:48 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 9:20:07 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 9:20:06 AM	27	mg/l
SC ALRO SA	Clor	1/29/2017 9:19:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 9:19:22 AM	0	mg/l
SC ALRO SA	Temp	1/29/2017 9:19:21 AM	28	gradCels
SC ALRO SA	pH	1/29/2017 9:19:20 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 9:14:21 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 9:14:20 AM	27	mg/l
SC ALRO SA	Clor	1/29/2017 9:13:55 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 9:13:54 AM	0	mg/l
SC ALRO SA	Temp	1/29/2017 9:13:53 AM	28	gradCels
SC ALRO SA	pH	1/29/2017 9:13:52 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 9:10:40 AM	0	mg/l
SC ALRO SA	Clor	1/29/2017 9:10:30 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 9:09:50 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 9:09:40 AM	27	mg/l
SC ALRO SA	Temp	1/29/2017 9:09:30 AM	28	gradCels
SC ALRO SA	pH	1/29/2017 9:09:20 AM	4	unit pH
SC ALRO SA	Substante organice	1/29/2017 9:09:03 AM	27	mg/l
SC ALRO SA	Cianuri	1/29/2017 9:09:02 AM	0	mg/l
SC ALRO SA	Clor	1/29/2017 9:08:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 9:08:22 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/29/2017 9:08:21 AM	28	gradCels
SC ALRO SA	pH	1/29/2017 9:08:20 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 9:03:21 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 9:03:20 AM	27	mg/l
SC ALRO SA	Clor	1/29/2017 9:02:53 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 9:02:52 AM	0	mg/l
SC ALRO SA	Temp	1/29/2017 9:02:51 AM	28	gradCels
SC ALRO SA	pH	1/29/2017 9:02:50 AM	4	unit pH
SC ALRO SA	Substante organice	1/29/2017 8:58:01 AM	27	mg/l
SC ALRO SA	Cianuri	1/29/2017 8:58:00 AM	0	mg/l
SC ALRO SA	Clor	1/29/2017 8:57:13 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 8:57:12 AM	0	mg/l
SC ALRO SA	Temp	1/29/2017 8:57:11 AM	28	gradCels
SC ALRO SA	pH	1/29/2017 8:57:10 AM	4	unit pH
SC ALRO SA	Substante organice	1/29/2017 8:53:23 AM	27	mg/l
SC ALRO SA	Cianuri	1/29/2017 8:53:22 AM	0	mg/l
SC ALRO SA	Clor	1/29/2017 8:52:25 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 8:52:24 AM	0	mg/l
SC ALRO SA	Temp	1/29/2017 8:52:23 AM	28	gradCels
SC ALRO SA	pH	1/29/2017 8:52:22 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 8:47:21 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 8:47:20 AM	27	mg/l
SC ALRO SA	Cianuri	1/29/2017 8:46:50 AM	0	mg/l
SC ALRO SA	Clor	1/29/2017 8:46:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 8:46:42 AM	0	mg/l
SC ALRO SA	Temp	1/29/2017 8:46:41 AM	28	gradCels
SC ALRO SA	pH	1/29/2017 8:46:40 AM	4	unit pH
SC ALRO SA	Clor	1/29/2017 8:46:30 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 8:46:10 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 8:45:40 AM	27	mg/l
SC ALRO SA	Temp	1/29/2017 8:44:50 AM	28	gradCels
SC ALRO SA	pH	1/29/2017 8:44:30 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 8:42:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 8:42:01 AM	27	mg/l
SC ALRO SA	Clor	1/29/2017 8:41:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 8:41:22 AM	0	mg/l
SC ALRO SA	Temp	1/29/2017 8:41:21 AM	28	gradCels
SC ALRO SA	pH	1/29/2017 8:41:20 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 8:36:21 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 8:36:20 AM	27	mg/l
SC ALRO SA	Clor	1/29/2017 8:35:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 8:35:42 AM	0	mg/l
SC ALRO SA	Temp	1/29/2017 8:35:41 AM	28	gradCels
SC ALRO SA	pH	1/29/2017 8:35:40 AM	5	unit pH
SC ALRO SA	Cianuri	1/29/2017 8:31:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 8:31:01 AM	27	mg/l
SC ALRO SA	Clor	1/29/2017 8:30:05 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 8:30:04 AM	0	mg/l
SC ALRO SA	Temp	1/29/2017 8:30:03 AM	28	gradCels
SC ALRO SA	pH	1/29/2017 8:30:02 AM	5	unit pH
SC ALRO SA	Cianuri	1/29/2017 8:25:40 AM	0	mg/l
SC ALRO SA	Clor	1/29/2017 8:25:30 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 8:25:10 AM	0	mg/l
SC ALRO SA	Cianuri	1/29/2017 8:25:06 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 8:24:50 AM	27	mg/l
SC ALRO SA	Clor	1/29/2017 8:24:44 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 8:24:43 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 8:24:42 AM	27	mg/l
SC ALRO SA	Temp	1/29/2017 8:24:41 AM	28	gradCels
SC ALRO SA	pH	1/29/2017 8:24:40 AM	5	unit pH
SC ALRO SA	Temp	1/29/2017 8:24:20 AM	28	gradCels
SC ALRO SA	pH	1/29/2017 8:24:10 AM	5	unit pH
SC ALRO SA	Cianuri	1/29/2017 8:19:05 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 8:19:04 AM	27	mg/l
SC ALRO SA	Clor	1/29/2017 8:19:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 8:19:02 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/29/2017 8:19:01 AM	28	gradCels
SC ALRO SA	pH	1/29/2017 8:19:00 AM	5	unit pH
SC ALRO SA	Cianuri	1/29/2017 8:14:07 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 8:14:06 AM	27	mg/l
SC ALRO SA	Clor	1/29/2017 8:13:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 8:13:42 AM	0	mg/l
SC ALRO SA	Temp	1/29/2017 8:13:41 AM	28	gradCels
SC ALRO SA	pH	1/29/2017 8:13:40 AM	5	unit pH
SC ALRO SA	Cianuri	1/29/2017 8:08:05 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 8:08:04 AM	27	mg/l
SC ALRO SA	Clor	1/29/2017 8:08:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 8:08:02 AM	0	mg/l
SC ALRO SA	Temp	1/29/2017 8:08:01 AM	28	gradCels
SC ALRO SA	pH	1/29/2017 8:08:00 AM	5	unit pH
SC ALRO SA	Cianuri	1/29/2017 8:05:10 AM	0	mg/l
SC ALRO SA	Clor	1/29/2017 8:04:50 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 8:04:30 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 8:04:10 AM	27	mg/l
SC ALRO SA	Temp	1/29/2017 8:04:00 AM	28	gradCels
SC ALRO SA	pH	1/29/2017 8:03:50 AM	5	unit pH
SC ALRO SA	Cianuri	1/29/2017 8:03:08 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 8:03:06 AM	27	mg/l
SC ALRO SA	Clor	1/29/2017 8:02:28 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 8:02:27 AM	0	mg/l
SC ALRO SA	Temp	1/29/2017 8:02:26 AM	28	gradCels
SC ALRO SA	pH	1/29/2017 8:02:25 AM	5	unit pH
SC ALRO SA	Cianuri	1/29/2017 7:57:05 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 7:57:04 AM	27	mg/l
SC ALRO SA	Clor	1/29/2017 7:57:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 7:57:02 AM	0	mg/l
SC ALRO SA	Temp	1/29/2017 7:57:01 AM	28	gradCels
SC ALRO SA	pH	1/29/2017 7:57:00 AM	5	unit pH
SC ALRO SA	Cianuri	1/29/2017 7:52:07 AM	0	mg/l
SC ALRO SA	Clor	1/29/2017 7:51:44 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 7:51:43 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 7:51:42 AM	27	mg/l
SC ALRO SA	Temp	1/29/2017 7:51:41 AM	28	gradCels
SC ALRO SA	pH	1/29/2017 7:51:40 AM	5	unit pH
SC ALRO SA	Cianuri	1/29/2017 7:46:40 AM	0	mg/l
SC ALRO SA	Clor	1/29/2017 7:46:30 AM	0	mg/l
SC ALRO SA	Cianuri	1/29/2017 7:46:05 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 7:46:04 AM	27	mg/l
SC ALRO SA	Clor	1/29/2017 7:46:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 7:46:02 AM	0	mg/l
SC ALRO SA	Temp	1/29/2017 7:46:01 AM	28	gradCels
SC ALRO SA	pH	1/29/2017 7:46:00 AM	5	unit pH
SC ALRO SA	Grasimi	1/29/2017 7:45:50 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 7:45:30 AM	27	mg/l
SC ALRO SA	Temp	1/29/2017 7:44:50 AM	28	gradCels
SC ALRO SA	pH	1/29/2017 7:44:40 AM	5	unit pH
SC ALRO SA	Cianuri	1/29/2017 7:41:07 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 7:41:06 AM	27	mg/l
SC ALRO SA	Clor	1/29/2017 7:40:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 7:40:22 AM	0	mg/l
SC ALRO SA	Temp	1/29/2017 7:40:21 AM	28	gradCels
SC ALRO SA	pH	1/29/2017 7:40:20 AM	5	unit pH
SC ALRO SA	Cianuri	1/29/2017 7:35:05 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 7:35:04 AM	27	mg/l
SC ALRO SA	Clor	1/29/2017 7:35:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 7:35:02 AM	0	mg/l
SC ALRO SA	Temp	1/29/2017 7:35:01 AM	28	gradCels
SC ALRO SA	pH	1/29/2017 7:35:00 AM	5	unit pH
SC ALRO SA	Cianuri	1/29/2017 7:30:07 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 7:30:06 AM	27	mg/l
SC ALRO SA	Clor	1/29/2017 7:29:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 7:29:22 AM	0	mg/l



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/29/2017 7:29:21 AM	28	gradCels
SC ALRO SA	pH	1/29/2017 7:29:20 AM	5	unit pH
SC ALRO SA	Cianuri	1/29/2017 7:27:20 AM	0	mg/l
SC ALRO SA	Clor	1/29/2017 7:27:10 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 7:26:40 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 7:26:30 AM	27	mg/l
SC ALRO SA	Temp	1/29/2017 7:26:20 AM	28	gradCels
SC ALRO SA	pH	1/29/2017 7:26:10 AM	6	unit pH
SC ALRO SA	Cianuri	1/29/2017 7:24:05 AM	0	mg/l
SC ALRO SA	Clor	1/29/2017 7:24:04 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 7:24:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 7:24:02 AM	27	mg/l
SC ALRO SA	Temp	1/29/2017 7:24:01 AM	28	gradCels
SC ALRO SA	pH	1/29/2017 7:24:00 AM	6	unit pH
SC ALRO SA	Cianuri	1/29/2017 7:19:11 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 7:19:10 AM	27	mg/l
SC ALRO SA	Clor	1/29/2017 7:19:07 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 7:19:06 AM	0	mg/l
SC ALRO SA	Temp	1/29/2017 7:19:05 AM	28	gradCels
SC ALRO SA	pH	1/29/2017 7:19:04 AM	6	unit pH
SC ALRO SA	Substante organice	1/29/2017 7:14:03 AM	27	mg/l
SC ALRO SA	Cianuri	1/29/2017 7:14:02 AM	0	mg/l
SC ALRO SA	Clor	1/29/2017 7:13:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 7:13:22 AM	0	mg/l
SC ALRO SA	Temp	1/29/2017 7:13:21 AM	28	gradCels
SC ALRO SA	pH	1/29/2017 7:13:20 AM	6	unit pH
SC ALRO SA	Cianuri	1/29/2017 7:08:40 AM	0	mg/l
SC ALRO SA	Clor	1/29/2017 7:08:30 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 7:08:11 AM	27	mg/l
SC ALRO SA	Cianuri	1/29/2017 7:08:10 AM	0	mg/l
SC ALRO SA	Clor	1/29/2017 7:08:08 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 7:08:06 AM	0	mg/l
SC ALRO SA	Temp	1/29/2017 7:08:05 AM	28	gradCels
SC ALRO SA	pH	1/29/2017 7:08:04 AM	6	unit pH
SC ALRO SA	Grasimi	1/29/2017 7:07:40 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 7:07:30 AM	27	mg/l
SC ALRO SA	Temp	1/29/2017 7:07:20 AM	28	gradCels
SC ALRO SA	pH	1/29/2017 7:07:10 AM	6	unit pH
SC ALRO SA	Cianuri	1/29/2017 7:03:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 7:03:02 AM	27	mg/l
SC ALRO SA	Clor	1/29/2017 7:02:27 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 7:02:26 AM	0	mg/l
SC ALRO SA	Temp	1/29/2017 7:02:25 AM	28	gradCels
SC ALRO SA	pH	1/29/2017 7:02:24 AM	6	unit pH
SC ALRO SA	Substante organice	1/29/2017 6:57:11 AM	27	mg/l
SC ALRO SA	Cianuri	1/29/2017 6:57:09 AM	0	mg/l
SC ALRO SA	Clor	1/29/2017 6:57:07 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 6:57:06 AM	0	mg/l
SC ALRO SA	Temp	1/29/2017 6:57:05 AM	27	gradCels
SC ALRO SA	pH	1/29/2017 6:57:04 AM	6	unit pH
SC ALRO SA	Cianuri	1/29/2017 6:52:03 AM	0	mg/l
SC ALRO SA	Clor	1/29/2017 6:52:01 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 6:51:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 6:51:22 AM	27	mg/l
SC ALRO SA	Temp	1/29/2017 6:51:21 AM	27	gradCels
SC ALRO SA	pH	1/29/2017 6:51:20 AM	6	unit pH
SC ALRO SA	Cianuri	1/29/2017 6:49:10 AM	0	mg/l
SC ALRO SA	Clor	1/29/2017 6:48:50 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 6:48:30 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 6:48:00 AM	27	mg/l
SC ALRO SA	Temp	1/29/2017 6:47:50 AM	27	gradCels
SC ALRO SA	pH	1/29/2017 6:47:40 AM	6	unit pH
SC ALRO SA	Cianuri	1/29/2017 6:46:12 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 6:46:11 AM	27	mg/l
SC ALRO SA	Clor	1/29/2017 6:46:04 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 6:46:03 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/29/2017 6:46:02 AM	27	gradCels
SC ALRO SA	pH	1/29/2017 6:46:00 AM	6	unit pH
SC ALRO SA	Cianuri	1/29/2017 6:41:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 6:41:02 AM	27	mg/l
SC ALRO SA	Clor	1/29/2017 6:40:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 6:40:22 AM	0	mg/l
SC ALRO SA	Temp	1/29/2017 6:40:21 AM	27	gradCels
SC ALRO SA	pH	1/29/2017 6:40:20 AM	6	unit pH
SC ALRO SA	Cianuri	1/29/2017 6:35:04 AM	0	mg/l
SC ALRO SA	Clor	1/29/2017 6:35:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 6:35:02 AM	27	mg/l
SC ALRO SA	Grasimi	1/29/2017 6:34:42 AM	0	mg/l
SC ALRO SA	Temp	1/29/2017 6:34:41 AM	27	gradCels
SC ALRO SA	pH	1/29/2017 6:34:40 AM	6	unit pH
SC ALRO SA	Cianuri	1/29/2017 6:31:20 AM	0	mg/l
SC ALRO SA	Clor	1/29/2017 6:31:10 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 6:30:50 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 6:30:40 AM	27	mg/l
SC ALRO SA	Temp	1/29/2017 6:30:30 AM	27	gradCels
SC ALRO SA	pH	1/29/2017 6:30:20 AM	6	unit pH
SC ALRO SA	Cianuri	1/29/2017 6:30:04 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 6:30:03 AM	27	mg/l
SC ALRO SA	Clor	1/29/2017 6:29:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 6:29:22 AM	0	mg/l
SC ALRO SA	Temp	1/29/2017 6:29:21 AM	27	gradCels
SC ALRO SA	pH	1/29/2017 6:29:20 AM	6	unit pH
SC ALRO SA	Cianuri	1/29/2017 6:25:00 AM	0	mg/l
SC ALRO SA	Clor	1/29/2017 6:24:10 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 6:24:09 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 6:24:08 AM	27	mg/l
SC ALRO SA	Temp	1/29/2017 6:24:07 AM	27	gradCels
SC ALRO SA	pH	1/29/2017 6:24:06 AM	6	unit pH
SC ALRO SA	Cianuri	1/29/2017 6:19:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 6:19:02 AM	27	mg/l
SC ALRO SA	Clor	1/29/2017 6:18:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 6:18:42 AM	0	mg/l
SC ALRO SA	Temp	1/29/2017 6:18:41 AM	27	gradCels
SC ALRO SA	pH	1/29/2017 6:18:40 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 6:14:01 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 6:14:00 AM	27	mg/l
SC ALRO SA	Cianuri	1/29/2017 6:13:30 AM	0	mg/l
SC ALRO SA	Clor	1/29/2017 6:13:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 6:13:22 AM	0	mg/l
SC ALRO SA	Temp	1/29/2017 6:13:21 AM	27	gradCels
SC ALRO SA	pH	1/29/2017 6:13:20 AM	4	unit pH
SC ALRO SA	Clor	1/29/2017 6:12:50 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 6:11:40 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 6:11:00 AM	27	mg/l
SC ALRO SA	Temp	1/29/2017 6:10:50 AM	27	gradCels
SC ALRO SA	pH	1/29/2017 6:10:40 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 6:08:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 6:08:01 AM	27	mg/l
SC ALRO SA	Clor	1/29/2017 6:07:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 6:07:42 AM	0	mg/l
SC ALRO SA	Temp	1/29/2017 6:07:41 AM	27	gradCels
SC ALRO SA	pH	1/29/2017 6:07:40 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 6:03:01 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 6:03:00 AM	27	mg/l
SC ALRO SA	Clor	1/29/2017 6:02:05 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 6:02:04 AM	0	mg/l
SC ALRO SA	Temp	1/29/2017 6:02:03 AM	27	gradCels
SC ALRO SA	pH	1/29/2017 6:02:02 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 5:57:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 5:57:02 AM	27	mg/l
SC ALRO SA	Clor	1/29/2017 5:56:44 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 5:56:43 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/29/2017 5:56:42 AM	27	gradCels
SC ALRO SA	pH	1/29/2017 5:56:41 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 5:53:30 AM	0	mg/l
SC ALRO SA	Clor	1/29/2017 5:53:20 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 5:52:50 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 5:52:40 AM	27	mg/l
SC ALRO SA	Temp	1/29/2017 5:52:30 AM	27	gradCels
SC ALRO SA	pH	1/29/2017 5:52:20 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 5:51:06 AM	0	mg/l
SC ALRO SA	Clor	1/29/2017 5:51:04 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 5:51:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 5:51:02 AM	27	mg/l
SC ALRO SA	Temp	1/29/2017 5:51:01 AM	27	gradCels
SC ALRO SA	pH	1/29/2017 5:51:00 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 5:46:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 5:46:02 AM	27	mg/l
SC ALRO SA	Clor	1/29/2017 5:45:44 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 5:45:43 AM	0	mg/l
SC ALRO SA	Temp	1/29/2017 5:45:42 AM	27	gradCels
SC ALRO SA	pH	1/29/2017 5:45:40 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 5:41:01 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 5:41:00 AM	27	mg/l
SC ALRO SA	Clor	1/29/2017 5:40:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 5:40:42 AM	0	mg/l
SC ALRO SA	Temp	1/29/2017 5:40:41 AM	27	gradCels
SC ALRO SA	pH	1/29/2017 5:40:40 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 5:35:40 AM	0	mg/l
SC ALRO SA	Clor	1/29/2017 5:35:30 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 5:35:10 AM	0	mg/l
SC ALRO SA	Cianuri	1/29/2017 5:35:05 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 5:35:04 AM	27	mg/l
SC ALRO SA	Clor	1/29/2017 5:35:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 5:35:02 AM	0	mg/l
SC ALRO SA	Temp	1/29/2017 5:35:01 AM	27	gradCels
SC ALRO SA	pH	1/29/2017 5:35:00 AM	4	unit pH
SC ALRO SA	Substante organice	1/29/2017 5:34:50 AM	27	mg/l
SC ALRO SA	Temp	1/29/2017 5:34:40 AM	27	gradCels
SC ALRO SA	pH	1/29/2017 5:34:30 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 5:30:01 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 5:30:00 AM	27	mg/l
SC ALRO SA	Clor	1/29/2017 5:29:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 5:29:42 AM	0	mg/l
SC ALRO SA	Temp	1/29/2017 5:29:41 AM	27	gradCels
SC ALRO SA	pH	1/29/2017 5:29:40 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 5:24:05 AM	0	mg/l
SC ALRO SA	Clor	1/29/2017 5:24:04 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 5:24:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 5:24:02 AM	27	mg/l
SC ALRO SA	Temp	1/29/2017 5:24:01 AM	27	gradCels
SC ALRO SA	pH	1/29/2017 5:24:00 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 5:19:01 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 5:19:00 AM	27	mg/l
SC ALRO SA	Clor	1/29/2017 5:18:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 5:18:22 AM	0	mg/l
SC ALRO SA	Temp	1/29/2017 5:18:21 AM	27	gradCels
SC ALRO SA	pH	1/29/2017 5:18:20 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 5:17:10 AM	0	mg/l
SC ALRO SA	Clor	1/29/2017 5:16:50 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 5:15:40 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 5:15:30 AM	27	mg/l
SC ALRO SA	Temp	1/29/2017 5:15:20 AM	27	gradCels
SC ALRO SA	pH	1/29/2017 5:15:10 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 5:13:05 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 5:13:04 AM	27	mg/l
SC ALRO SA	Clor	1/29/2017 5:13:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 5:13:02 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/29/2017 5:13:01 AM	27	gradCels
SC ALRO SA	pH	1/29/2017 5:13:00 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 5:08:01 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 5:08:00 AM	27	mg/l
SC ALRO SA	Clor	1/29/2017 5:07:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 5:07:22 AM	0	mg/l
SC ALRO SA	Temp	1/29/2017 5:07:21 AM	27	gradCels
SC ALRO SA	pH	1/29/2017 5:07:20 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 5:02:05 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 5:02:04 AM	27	mg/l
SC ALRO SA	Clor	1/29/2017 5:02:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 5:02:02 AM	0	mg/l
SC ALRO SA	Temp	1/29/2017 5:02:01 AM	27	gradCels
SC ALRO SA	pH	1/29/2017 5:02:00 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 4:57:20 AM	0	mg/l
SC ALRO SA	Clor	1/29/2017 4:57:10 AM	0	mg/l
SC ALRO SA	Cianuri	1/29/2017 4:57:01 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 4:57:00 AM	27	mg/l
SC ALRO SA	Grasimi	1/29/2017 4:56:40 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 4:56:30 AM	27	mg/l
SC ALRO SA	Clor	1/29/2017 4:56:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 4:56:22 AM	0	mg/l
SC ALRO SA	Temp	1/29/2017 4:56:21 AM	27	gradCels
SC ALRO SA	pH	1/29/2017 4:56:20 AM	4	unit pH
SC ALRO SA	Temp	1/29/2017 4:56:10 AM	27	gradCels
SC ALRO SA	pH	1/29/2017 4:55:50 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 4:51:05 AM	0	mg/l
SC ALRO SA	Clor	1/29/2017 4:51:04 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 4:51:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 4:51:02 AM	27	mg/l
SC ALRO SA	Temp	1/29/2017 4:51:01 AM	27	gradCels
SC ALRO SA	pH	1/29/2017 4:51:00 AM	4	unit pH
SC ALRO SA	Substante organice	1/29/2017 4:46:01 AM	27	mg/l
SC ALRO SA	Cianuri	1/29/2017 4:46:00 AM	0	mg/l
SC ALRO SA	Clor	1/29/2017 4:45:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 4:45:22 AM	0	mg/l
SC ALRO SA	Temp	1/29/2017 4:45:21 AM	27	gradCels
SC ALRO SA	pH	1/29/2017 4:45:20 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 4:40:05 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 4:40:04 AM	27	mg/l
SC ALRO SA	Clor	1/29/2017 4:40:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 4:40:02 AM	0	mg/l
SC ALRO SA	Temp	1/29/2017 4:40:01 AM	27	gradCels
SC ALRO SA	pH	1/29/2017 4:40:00 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 4:37:10 AM	0	mg/l
SC ALRO SA	Clor	1/29/2017 4:36:50 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 4:36:30 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 4:36:20 AM	27	mg/l
SC ALRO SA	Temp	1/29/2017 4:36:10 AM	27	gradCels
SC ALRO SA	pH	1/29/2017 4:35:50 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 4:35:01 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 4:35:00 AM	27	mg/l
SC ALRO SA	Clor	1/29/2017 4:34:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 4:34:22 AM	0	mg/l
SC ALRO SA	Temp	1/29/2017 4:34:21 AM	27	gradCels
SC ALRO SA	pH	1/29/2017 4:34:20 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 4:29:05 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 4:29:04 AM	27	mg/l
SC ALRO SA	Clor	1/29/2017 4:29:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 4:29:02 AM	0	mg/l
SC ALRO SA	Temp	1/29/2017 4:29:01 AM	27	gradCels
SC ALRO SA	pH	1/29/2017 4:29:00 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 4:24:00 AM	0	mg/l
SC ALRO SA	Clor	1/29/2017 4:23:24 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 4:23:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 4:23:22 AM	27	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/29/2017 4:23:21 AM	27	gradCels
SC ALRO SA	pH	1/29/2017 4:23:20 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 4:18:02 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 4:18:00 AM	26	mg/l
SC ALRO SA	Clor	1/29/2017 4:17:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 4:17:42 AM	0	mg/l
SC ALRO SA	Temp	1/29/2017 4:17:41 AM	27	gradCels
SC ALRO SA	pH	1/29/2017 4:17:40 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 4:17:20 AM	0	mg/l
SC ALRO SA	Clor	1/29/2017 4:17:10 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 4:16:30 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 4:15:50 AM	26	mg/l
SC ALRO SA	Temp	1/29/2017 4:15:30 AM	27	gradCels
SC ALRO SA	pH	1/29/2017 4:15:10 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 4:13:01 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 4:13:00 AM	26	mg/l
SC ALRO SA	Clor	1/29/2017 4:12:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 4:12:22 AM	0	mg/l
SC ALRO SA	Temp	1/29/2017 4:12:21 AM	27	gradCels
SC ALRO SA	pH	1/29/2017 4:12:20 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 4:08:07 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 4:08:06 AM	26	mg/l
SC ALRO SA	Clor	1/29/2017 4:07:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 4:07:22 AM	0	mg/l
SC ALRO SA	Temp	1/29/2017 4:07:21 AM	27	gradCels
SC ALRO SA	pH	1/29/2017 4:07:20 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 4:02:01 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 4:02:00 AM	26	mg/l
SC ALRO SA	Clor	1/29/2017 4:01:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 4:01:42 AM	0	mg/l
SC ALRO SA	Temp	1/29/2017 4:01:41 AM	27	gradCels
SC ALRO SA	pH	1/29/2017 4:01:40 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 3:57:30 AM	0	mg/l
SC ALRO SA	Clor	1/29/2017 3:57:20 AM	0	mg/l
SC ALRO SA	Cianuri	1/29/2017 3:57:07 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 3:57:06 AM	26	mg/l
SC ALRO SA	Grasimi	1/29/2017 3:56:50 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 3:56:40 AM	26	mg/l
SC ALRO SA	Temp	1/29/2017 3:56:30 AM	27	gradCels
SC ALRO SA	Clor	1/29/2017 3:56:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 3:56:22 AM	0	mg/l
SC ALRO SA	Temp	1/29/2017 3:56:21 AM	27	gradCels
SC ALRO SA	pH	1/29/2017 3:56:20 AM	4	unit pH
SC ALRO SA	pH	1/29/2017 3:56:00 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 3:51:00 AM	0	mg/l
SC ALRO SA	Clor	1/29/2017 3:50:44 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 3:50:43 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 3:50:42 AM	26	mg/l
SC ALRO SA	Temp	1/29/2017 3:50:41 AM	27	gradCels
SC ALRO SA	pH	1/29/2017 3:50:40 AM	4	unit pH
SC ALRO SA	Substante organice	1/29/2017 3:46:07 AM	26	mg/l
SC ALRO SA	Cianuri	1/29/2017 3:46:06 AM	0	mg/l
SC ALRO SA	Clor	1/29/2017 3:45:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 3:45:22 AM	0	mg/l
SC ALRO SA	Temp	1/29/2017 3:45:21 AM	27	gradCels
SC ALRO SA	pH	1/29/2017 3:45:20 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 3:40:01 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 3:40:00 AM	26	mg/l
SC ALRO SA	Clor	1/29/2017 3:39:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 3:39:42 AM	0	mg/l
SC ALRO SA	Temp	1/29/2017 3:39:41 AM	27	gradCels
SC ALRO SA	pH	1/29/2017 3:39:40 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 3:36:50 AM	0	mg/l
SC ALRO SA	Clor	1/29/2017 3:36:30 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 3:36:10 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 3:35:50 AM	26	mg/l



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/29/2017 3:35:40 AM	27	gradCels
SC ALRO SA	pH	1/29/2017 3:35:30 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 3:34:05 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 3:34:04 AM	26	mg/l
SC ALRO SA	Clor	1/29/2017 3:34:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 3:34:02 AM	0	mg/l
SC ALRO SA	Temp	1/29/2017 3:34:01 AM	27	gradCels
SC ALRO SA	pH	1/29/2017 3:34:00 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 3:29:02 AM	0	mg/l
SC ALRO SA	Clor	1/29/2017 3:29:01 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 3:29:00 AM	26	mg/l
SC ALRO SA	Grasimi	1/29/2017 3:28:42 AM	0	mg/l
SC ALRO SA	Temp	1/29/2017 3:28:41 AM	27	gradCels
SC ALRO SA	pH	1/29/2017 3:28:40 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 3:24:06 AM	0	mg/l
SC ALRO SA	Clor	1/29/2017 3:23:44 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 3:23:43 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 3:23:42 AM	26	mg/l
SC ALRO SA	Temp	1/29/2017 3:23:41 AM	27	gradCels
SC ALRO SA	pH	1/29/2017 3:23:40 AM	5	unit pH
SC ALRO SA	Cianuri	1/29/2017 3:18:05 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 3:18:04 AM	26	mg/l
SC ALRO SA	Clor	1/29/2017 3:18:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 3:18:02 AM	0	mg/l
SC ALRO SA	Temp	1/29/2017 3:18:01 AM	27	gradCels
SC ALRO SA	pH	1/29/2017 3:18:00 AM	5	unit pH
SC ALRO SA	Cianuri	1/29/2017 3:17:30 AM	0	mg/l
SC ALRO SA	Clor	1/29/2017 3:17:20 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 3:16:50 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 3:16:40 AM	26	mg/l
SC ALRO SA	Temp	1/29/2017 3:16:30 AM	27	gradCels
SC ALRO SA	pH	1/29/2017 3:16:20 AM	5	unit pH
SC ALRO SA	Substante organice	1/29/2017 3:13:07 AM	26	mg/l
SC ALRO SA	Cianuri	1/29/2017 3:13:06 AM	0	mg/l
SC ALRO SA	Clor	1/29/2017 3:12:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 3:12:42 AM	0	mg/l
SC ALRO SA	Temp	1/29/2017 3:12:41 AM	27	gradCels
SC ALRO SA	pH	1/29/2017 3:12:40 AM	5	unit pH
SC ALRO SA	Cianuri	1/29/2017 3:07:05 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 3:07:04 AM	26	mg/l
SC ALRO SA	Clor	1/29/2017 3:07:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 3:07:02 AM	0	mg/l
SC ALRO SA	Temp	1/29/2017 3:07:01 AM	27	gradCels
SC ALRO SA	pH	1/29/2017 3:07:00 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 3:02:07 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 3:02:06 AM	26	mg/l
SC ALRO SA	Clor	1/29/2017 3:01:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 3:01:42 AM	0	mg/l
SC ALRO SA	Temp	1/29/2017 3:01:41 AM	27	gradCels
SC ALRO SA	pH	1/29/2017 3:01:40 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 2:57:20 AM	0	mg/l
SC ALRO SA	Clor	1/29/2017 2:57:10 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 2:56:40 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 2:56:30 AM	26	mg/l
SC ALRO SA	Temp	1/29/2017 2:56:10 AM	27	gradCels
SC ALRO SA	Cianuri	1/29/2017 2:56:05 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 2:56:04 AM	26	mg/l
SC ALRO SA	Clor	1/29/2017 2:56:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 2:56:02 AM	0	mg/l
SC ALRO SA	Temp	1/29/2017 2:56:01 AM	27	gradCels
SC ALRO SA	pH	1/29/2017 2:56:00 AM	4	unit pH
SC ALRO SA	pH	1/29/2017 2:55:40 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 2:51:06 AM	0	mg/l
SC ALRO SA	Clor	1/29/2017 2:50:24 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 2:50:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 2:50:22 AM	26	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/29/2017 2:50:21 AM	27	gradCels
SC ALRO SA	pH	1/29/2017 2:50:20 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 2:45:05 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 2:45:04 AM	25	mg/l
SC ALRO SA	Clor	1/29/2017 2:45:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 2:45:02 AM	0	mg/l
SC ALRO SA	Temp	1/29/2017 2:45:01 AM	27	gradCels
SC ALRO SA	pH	1/29/2017 2:45:00 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 2:40:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 2:40:02 AM	25	mg/l
SC ALRO SA	Clor	1/29/2017 2:39:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 2:39:22 AM	0	mg/l
SC ALRO SA	Temp	1/29/2017 2:39:21 AM	27	gradCels
SC ALRO SA	pH	1/29/2017 2:39:20 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 2:38:20 AM	0	mg/l
SC ALRO SA	Clor	1/29/2017 2:38:10 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 2:37:20 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 2:36:40 AM	25	mg/l
SC ALRO SA	Temp	1/29/2017 2:36:30 AM	27	gradCels
SC ALRO SA	pH	1/29/2017 2:35:50 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 2:34:05 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 2:34:04 AM	25	mg/l
SC ALRO SA	Clor	1/29/2017 2:34:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 2:34:02 AM	0	mg/l
SC ALRO SA	Temp	1/29/2017 2:34:01 AM	27	gradCels
SC ALRO SA	pH	1/29/2017 2:34:00 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 2:29:01 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 2:29:00 AM	25	mg/l
SC ALRO SA	Clor	1/29/2017 2:28:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 2:28:22 AM	0	mg/l
SC ALRO SA	Temp	1/29/2017 2:28:21 AM	26	gradCels
SC ALRO SA	pH	1/29/2017 2:28:20 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 2:23:05 AM	0	mg/l
SC ALRO SA	Clor	1/29/2017 2:23:04 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 2:23:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 2:23:02 AM	25	mg/l
SC ALRO SA	Temp	1/29/2017 2:23:01 AM	26	gradCels
SC ALRO SA	pH	1/29/2017 2:23:00 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 2:18:01 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 2:18:00 AM	25	mg/l
SC ALRO SA	Clor	1/29/2017 2:17:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 2:17:22 AM	0	mg/l
SC ALRO SA	Temp	1/29/2017 2:17:21 AM	26	gradCels
SC ALRO SA	pH	1/29/2017 2:17:20 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 2:17:00 AM	0	mg/l
SC ALRO SA	Clor	1/29/2017 2:16:50 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 2:16:30 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 2:16:20 AM	25	mg/l
SC ALRO SA	Temp	1/29/2017 2:16:10 AM	26	gradCels
SC ALRO SA	pH	1/29/2017 2:15:50 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 2:12:01 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 2:12:00 AM	25	mg/l
SC ALRO SA	Clor	1/29/2017 2:11:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 2:11:42 AM	0	mg/l
SC ALRO SA	Temp	1/29/2017 2:11:41 AM	26	gradCels
SC ALRO SA	pH	1/29/2017 2:11:40 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 2:07:01 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 2:07:00 AM	25	mg/l
SC ALRO SA	Clor	1/29/2017 2:06:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 2:06:22 AM	0	mg/l
SC ALRO SA	Temp	1/29/2017 2:06:21 AM	26	gradCels
SC ALRO SA	pH	1/29/2017 2:06:20 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 2:01:01 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 2:01:00 AM	25	mg/l
SC ALRO SA	Clor	1/29/2017 2:00:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 2:00:42 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/29/2017 2:00:41 AM	26	gradCels
SC ALRO SA	pH	1/29/2017 2:00:40 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 1:56:30 AM	0	mg/l
SC ALRO SA	Clor	1/29/2017 1:56:20 AM	0	mg/l
SC ALRO SA	Cianuri	1/29/2017 1:56:06 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 1:55:50 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 1:55:40 AM	25	mg/l
SC ALRO SA	Temp	1/29/2017 1:55:30 AM	26	gradCels
SC ALRO SA	Clor	1/29/2017 1:55:24 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 1:55:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 1:55:22 AM	25	mg/l
SC ALRO SA	Temp	1/29/2017 1:55:21 AM	26	gradCels
SC ALRO SA	pH	1/29/2017 1:55:20 AM	4	unit pH
SC ALRO SA	pH	1/29/2017 1:55:00 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 1:50:01 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 1:50:00 AM	25	mg/l
SC ALRO SA	Clor	1/29/2017 1:49:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 1:49:42 AM	0	mg/l
SC ALRO SA	Temp	1/29/2017 1:49:41 AM	26	gradCels
SC ALRO SA	pH	1/29/2017 1:49:40 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 1:45:07 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 1:45:06 AM	25	mg/l
SC ALRO SA	Clor	1/29/2017 1:44:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 1:44:22 AM	0	mg/l
SC ALRO SA	Temp	1/29/2017 1:44:21 AM	26	gradCels
SC ALRO SA	pH	1/29/2017 1:44:20 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 1:39:01 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 1:39:00 AM	25	mg/l
SC ALRO SA	Clor	1/29/2017 1:38:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 1:38:42 AM	0	mg/l
SC ALRO SA	Temp	1/29/2017 1:38:41 AM	26	gradCels
SC ALRO SA	pH	1/29/2017 1:38:40 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 1:37:20 AM	0	mg/l
SC ALRO SA	Clor	1/29/2017 1:36:30 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 1:35:30 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 1:35:10 AM	25	mg/l
SC ALRO SA	Temp	1/29/2017 1:34:50 AM	26	gradCels
SC ALRO SA	pH	1/29/2017 1:34:40 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 1:34:07 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 1:34:06 AM	25	mg/l
SC ALRO SA	Clor	1/29/2017 1:33:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 1:33:22 AM	0	mg/l
SC ALRO SA	Temp	1/29/2017 1:33:21 AM	26	gradCels
SC ALRO SA	pH	1/29/2017 1:33:20 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 1:28:01 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 1:28:00 AM	25	mg/l
SC ALRO SA	Clor	1/29/2017 1:27:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 1:27:42 AM	0	mg/l
SC ALRO SA	Temp	1/29/2017 1:27:41 AM	26	gradCels
SC ALRO SA	pH	1/29/2017 1:27:40 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 1:23:06 AM	0	mg/l
SC ALRO SA	Clor	1/29/2017 1:22:04 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 1:22:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 1:22:02 AM	25	mg/l
SC ALRO SA	Temp	1/29/2017 1:22:01 AM	26	gradCels
SC ALRO SA	pH	1/29/2017 1:22:00 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 1:17:10 AM	0	mg/l
SC ALRO SA	Cianuri	1/29/2017 1:17:01 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 1:17:00 AM	25	mg/l
SC ALRO SA	Clor	1/29/2017 1:16:50 AM	0	mg/l
SC ALRO SA	Clor	1/29/2017 1:16:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 1:16:42 AM	0	mg/l
SC ALRO SA	Temp	1/29/2017 1:16:41 AM	26	gradCels
SC ALRO SA	pH	1/29/2017 1:16:40 AM	4	unit pH
SC ALRO SA	Grasimi	1/29/2017 1:16:10 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 1:16:00 AM	25	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/29/2017 1:15:50 AM	26	gradCels
SC ALRO SA	pH	1/29/2017 1:15:40 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 1:11:05 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 1:11:04 AM	25	mg/l
SC ALRO SA	Clor	1/29/2017 1:11:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 1:11:02 AM	0	mg/l
SC ALRO SA	Temp	1/29/2017 1:11:01 AM	26	gradCels
SC ALRO SA	pH	1/29/2017 1:11:00 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 1:06:01 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 1:06:00 AM	25	mg/l
SC ALRO SA	Clor	1/29/2017 1:05:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 1:05:42 AM	0	mg/l
SC ALRO SA	Temp	1/29/2017 1:05:41 AM	26	gradCels
SC ALRO SA	pH	1/29/2017 1:05:40 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 1:00:05 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 1:00:04 AM	25	mg/l
SC ALRO SA	Clor	1/29/2017 1:00:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 1:00:02 AM	0	mg/l
SC ALRO SA	Temp	1/29/2017 1:00:01 AM	26	gradCels
SC ALRO SA	pH	1/29/2017 1:00:00 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 12:56:10 AM	0	mg/l
SC ALRO SA	Clor	1/29/2017 12:55:50 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 12:55:30 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 12:55:10 AM	25	mg/l
SC ALRO SA	Cianuri	1/29/2017 12:55:00 AM	0	mg/l
SC ALRO SA	Temp	1/29/2017 12:54:50 AM	26	gradCels
SC ALRO SA	Clor	1/29/2017 12:54:44 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 12:54:43 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 12:54:42 AM	25	mg/l
SC ALRO SA	Temp	1/29/2017 12:54:41 AM	26	gradCels
SC ALRO SA	pH	1/29/2017 12:54:40 AM	4	unit pH
SC ALRO SA	pH	1/29/2017 12:54:20 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 12:49:05 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 12:49:04 AM	25	mg/l
SC ALRO SA	Clor	1/29/2017 12:49:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 12:49:02 AM	0	mg/l
SC ALRO SA	Temp	1/29/2017 12:49:01 AM	26	gradCels
SC ALRO SA	pH	1/29/2017 12:49:00 AM	4	unit pH
SC ALRO SA	Substante organice	1/29/2017 12:44:01 AM	25	mg/l
SC ALRO SA	Cianuri	1/29/2017 12:44:00 AM	0	mg/l
SC ALRO SA	Clor	1/29/2017 12:43:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 12:43:22 AM	0	mg/l
SC ALRO SA	Temp	1/29/2017 12:43:21 AM	26	gradCels
SC ALRO SA	pH	1/29/2017 12:43:20 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 12:38:05 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 12:38:04 AM	25	mg/l
SC ALRO SA	Clor	1/29/2017 12:38:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 12:38:02 AM	0	mg/l
SC ALRO SA	Temp	1/29/2017 12:38:01 AM	26	gradCels
SC ALRO SA	pH	1/29/2017 12:38:00 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 12:35:50 AM	0	mg/l
SC ALRO SA	Clor	1/29/2017 12:35:20 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 12:34:50 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 12:34:40 AM	25	mg/l
SC ALRO SA	Temp	1/29/2017 12:34:30 AM	26	gradCels
SC ALRO SA	pH	1/29/2017 12:34:20 AM	4	unit pH
SC ALRO SA	Substante organice	1/29/2017 12:33:01 AM	25	mg/l
SC ALRO SA	Cianuri	1/29/2017 12:33:00 AM	0	mg/l
SC ALRO SA	Clor	1/29/2017 12:32:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 12:32:22 AM	0	mg/l
SC ALRO SA	Temp	1/29/2017 12:32:21 AM	26	gradCels
SC ALRO SA	pH	1/29/2017 12:32:20 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 12:27:05 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 12:27:04 AM	25	mg/l
SC ALRO SA	Clor	1/29/2017 12:27:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 12:27:02 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/29/2017 12:27:01 AM	26	gradCels
SC ALRO SA	pH	1/29/2017 12:27:00 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 12:22:05 AM	0	mg/l
SC ALRO SA	Clor	1/29/2017 12:22:04 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 12:22:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 12:22:02 AM	25	mg/l
SC ALRO SA	Temp	1/29/2017 12:22:01 AM	26	gradCels
SC ALRO SA	pH	1/29/2017 12:22:00 AM	4	unit pH
SC ALRO SA	Substante organice	1/29/2017 12:17:01 AM	25	mg/l
SC ALRO SA	Cianuri	1/29/2017 12:17:00 AM	0	mg/l
SC ALRO SA	Clor	1/29/2017 12:16:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 12:16:22 AM	0	mg/l
SC ALRO SA	Temp	1/29/2017 12:16:21 AM	26	gradCels
SC ALRO SA	pH	1/29/2017 12:16:20 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 12:15:50 AM	0	mg/l
SC ALRO SA	Clor	1/29/2017 12:15:40 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 12:15:20 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 12:15:10 AM	25	mg/l
SC ALRO SA	Temp	1/29/2017 12:14:50 AM	26	gradCels
SC ALRO SA	pH	1/29/2017 12:14:40 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 12:11:05 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 12:11:04 AM	25	mg/l
SC ALRO SA	Clor	1/29/2017 12:11:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 12:11:02 AM	0	mg/l
SC ALRO SA	Temp	1/29/2017 12:11:01 AM	26	gradCels
SC ALRO SA	pH	1/29/2017 12:11:00 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 12:06:01 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 12:06:00 AM	25	mg/l
SC ALRO SA	Clor	1/29/2017 12:05:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/29/2017 12:05:22 AM	0	mg/l
SC ALRO SA	Temp	1/29/2017 12:05:21 AM	26	gradCels
SC ALRO SA	pH	1/29/2017 12:05:20 AM	4	unit pH
SC ALRO SA	Cianuri	1/29/2017 12:00:01 AM	0	mg/l
SC ALRO SA	Substante organice	1/29/2017 12:00:00 AM	25	mg/l
SC ALRO SA	Clor	1/28/2017 11:59:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 11:59:42 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 11:59:41 PM	26	gradCels
SC ALRO SA	pH	1/28/2017 11:59:40 PM	4	unit pH
SC ALRO SA	Cianuri	1/28/2017 11:56:10 PM	0	mg/l
SC ALRO SA	Clor	1/28/2017 11:55:50 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 11:55:20 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 11:55:10 PM	25	mg/l
SC ALRO SA	Cianuri	1/28/2017 11:55:00 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 11:54:50 PM	26	gradCels
SC ALRO SA	pH	1/28/2017 11:54:40 PM	4	unit pH
SC ALRO SA	Clor	1/28/2017 11:54:24 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 11:54:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 11:54:22 PM	25	mg/l
SC ALRO SA	Temp	1/28/2017 11:54:21 PM	26	gradCels
SC ALRO SA	pH	1/28/2017 11:54:20 PM	4	unit pH
SC ALRO SA	Cianuri	1/28/2017 11:49:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 11:49:00 PM	26	mg/l
SC ALRO SA	Clor	1/28/2017 11:48:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 11:48:42 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 11:48:41 PM	26	gradCels
SC ALRO SA	pH	1/28/2017 11:48:40 PM	4	unit pH
SC ALRO SA	Cianuri	1/28/2017 11:44:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 11:44:00 PM	26	mg/l
SC ALRO SA	Clor	1/28/2017 11:43:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 11:43:22 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 11:43:21 PM	26	gradCels
SC ALRO SA	pH	1/28/2017 11:43:20 PM	4	unit pH
SC ALRO SA	Cianuri	1/28/2017 11:38:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 11:38:00 PM	26	mg/l
SC ALRO SA	Clor	1/28/2017 11:37:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 11:37:42 PM	0	mg/l



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/28/2017 11:37:41 PM	26	gradCels
SC ALRO SA	pH	1/28/2017 11:37:40 PM	4	unit pH
SC ALRO SA	Cianuri	1/28/2017 11:36:20 PM	0	mg/l
SC ALRO SA	Clor	1/28/2017 11:35:50 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 11:34:30 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 11:34:10 PM	26	mg/l
SC ALRO SA	Temp	1/28/2017 11:33:50 PM	26	gradCels
SC ALRO SA	pH	1/28/2017 11:33:20 PM	4	unit pH
SC ALRO SA	Cianuri	1/28/2017 11:33:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 11:33:00 PM	26	mg/l
SC ALRO SA	Clor	1/28/2017 11:32:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 11:32:22 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 11:32:21 PM	26	gradCels
SC ALRO SA	pH	1/28/2017 11:32:20 PM	4	unit pH
SC ALRO SA	Cianuri	1/28/2017 11:27:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 11:27:00 PM	26	mg/l
SC ALRO SA	Clor	1/28/2017 11:26:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 11:26:42 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 11:26:41 PM	26	gradCels
SC ALRO SA	pH	1/28/2017 11:26:40 PM	4	unit pH
SC ALRO SA	Cianuri	1/28/2017 11:22:00 PM	0	mg/l
SC ALRO SA	Clor	1/28/2017 11:21:04 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 11:21:03 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 11:21:02 PM	26	mg/l
SC ALRO SA	Temp	1/28/2017 11:21:01 PM	26	gradCels
SC ALRO SA	pH	1/28/2017 11:21:00 PM	4	unit pH
SC ALRO SA	Cianuri	1/28/2017 11:16:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 11:16:00 PM	26	mg/l
SC ALRO SA	Clor	1/28/2017 11:15:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 11:15:42 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 11:15:41 PM	26	gradCels
SC ALRO SA	pH	1/28/2017 11:15:40 PM	4	unit pH
SC ALRO SA	Cianuri	1/28/2017 11:15:20 PM	0	mg/l
SC ALRO SA	Clor	1/28/2017 11:15:10 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 11:14:40 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 11:14:30 PM	26	mg/l
SC ALRO SA	Temp	1/28/2017 11:14:20 PM	26	gradCels
SC ALRO SA	pH	1/28/2017 11:13:50 PM	4	unit pH
SC ALRO SA	Cianuri	1/28/2017 11:10:05 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 11:10:04 PM	26	mg/l
SC ALRO SA	Clor	1/28/2017 11:10:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 11:10:02 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 11:10:01 PM	26	gradCels
SC ALRO SA	pH	1/28/2017 11:10:00 PM	4	unit pH
SC ALRO SA	Cianuri	1/28/2017 11:05:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 11:05:00 PM	26	mg/l
SC ALRO SA	Clor	1/28/2017 11:04:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 11:04:42 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 11:04:41 PM	26	gradCels
SC ALRO SA	pH	1/28/2017 11:04:40 PM	4	unit pH
SC ALRO SA	Cianuri	1/28/2017 10:59:05 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 10:59:04 PM	26	mg/l
SC ALRO SA	Clor	1/28/2017 10:59:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 10:59:02 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 10:59:01 PM	26	gradCels
SC ALRO SA	pH	1/28/2017 10:59:00 PM	4	unit pH
SC ALRO SA	Cianuri	1/28/2017 10:55:20 PM	0	mg/l
SC ALRO SA	Clor	1/28/2017 10:55:10 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 10:54:30 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 10:54:20 PM	26	mg/l
SC ALRO SA	Temp	1/28/2017 10:54:10 PM	26	gradCels
SC ALRO SA	Cianuri	1/28/2017 10:54:00 PM	0	mg/l
SC ALRO SA	pH	1/28/2017 10:53:50 PM	4	unit pH
SC ALRO SA	Clor	1/28/2017 10:53:44 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 10:53:43 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 10:53:42 PM	26	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/28/2017 10:53:41 PM	26	gradCels
SC ALRO SA	pH	1/28/2017 10:53:40 PM	4	unit pH
SC ALRO SA	Cianuri	1/28/2017 10:48:05 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 10:48:04 PM	26	mg/l
SC ALRO SA	Clor	1/28/2017 10:48:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 10:48:02 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 10:48:01 PM	26	gradCels
SC ALRO SA	pH	1/28/2017 10:48:00 PM	4	unit pH
SC ALRO SA	Cianuri	1/28/2017 10:43:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 10:43:00 PM	26	mg/l
SC ALRO SA	Clor	1/28/2017 10:42:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 10:42:42 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 10:42:41 PM	26	gradCels
SC ALRO SA	pH	1/28/2017 10:42:40 PM	4	unit pH
SC ALRO SA	Cianuri	1/28/2017 10:37:05 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 10:37:04 PM	26	mg/l
SC ALRO SA	Clor	1/28/2017 10:37:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 10:37:02 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 10:37:01 PM	26	gradCels
SC ALRO SA	pH	1/28/2017 10:37:00 PM	4	unit pH
SC ALRO SA	Cianuri	1/28/2017 10:36:10 PM	0	mg/l
SC ALRO SA	Clor	1/28/2017 10:35:50 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 10:35:10 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 10:34:30 PM	26	mg/l
SC ALRO SA	Temp	1/28/2017 10:33:50 PM	26	gradCels
SC ALRO SA	pH	1/28/2017 10:33:30 PM	4	unit pH
SC ALRO SA	Cianuri	1/28/2017 10:32:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 10:32:00 PM	26	mg/l
SC ALRO SA	Clor	1/28/2017 10:31:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 10:31:22 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 10:31:21 PM	26	gradCels
SC ALRO SA	pH	1/28/2017 10:31:20 PM	4	unit pH
SC ALRO SA	Cianuri	1/28/2017 10:26:05 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 10:26:04 PM	26	mg/l
SC ALRO SA	Clor	1/28/2017 10:26:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 10:26:02 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 10:26:01 PM	25	gradCels
SC ALRO SA	pH	1/28/2017 10:26:00 PM	4	unit pH
SC ALRO SA	Cianuri	1/28/2017 10:21:00 PM	0	mg/l
SC ALRO SA	Clor	1/28/2017 10:20:24 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 10:20:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 10:20:22 PM	26	mg/l
SC ALRO SA	Temp	1/28/2017 10:20:21 PM	25	gradCels
SC ALRO SA	pH	1/28/2017 10:20:20 PM	4	unit pH
SC ALRO SA	Cianuri	1/28/2017 10:16:00 PM	0	mg/l
SC ALRO SA	Clor	1/28/2017 10:15:50 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 10:15:30 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 10:15:20 PM	26	mg/l
SC ALRO SA	Temp	1/28/2017 10:15:10 PM	25	gradCels
SC ALRO SA	Cianuri	1/28/2017 10:15:05 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 10:15:04 PM	26	mg/l
SC ALRO SA	Clor	1/28/2017 10:15:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 10:15:02 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 10:15:01 PM	25	gradCels
SC ALRO SA	pH	1/28/2017 10:15:00 PM	4	unit pH
SC ALRO SA	pH	1/28/2017 10:14:40 PM	4	unit pH
SC ALRO SA	Substante organice	1/28/2017 10:10:01 PM	26	mg/l
SC ALRO SA	Cianuri	1/28/2017 10:10:00 PM	0	mg/l
SC ALRO SA	Clor	1/28/2017 10:09:24 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 10:09:22 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 10:09:21 PM	25	gradCels
SC ALRO SA	pH	1/28/2017 10:09:20 PM	4	unit pH
SC ALRO SA	Cianuri	1/28/2017 10:04:05 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 10:04:04 PM	26	mg/l
SC ALRO SA	Clor	1/28/2017 10:04:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 10:04:02 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/28/2017 10:04:01 PM	25	gradCels
SC ALRO SA	pH	1/28/2017 10:04:00 PM	4	unit pH
SC ALRO SA	Cianuri	1/28/2017 9:59:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 9:59:00 PM	26	mg/l
SC ALRO SA	Clor	1/28/2017 9:58:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 9:58:22 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 9:58:21 PM	25	gradCels
SC ALRO SA	pH	1/28/2017 9:58:20 PM	4	unit pH
SC ALRO SA	Cianuri	1/28/2017 9:55:50 PM	0	mg/l
SC ALRO SA	Clor	1/28/2017 9:55:40 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 9:55:20 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 9:54:50 PM	26	mg/l
SC ALRO SA	Temp	1/28/2017 9:54:40 PM	25	gradCels
SC ALRO SA	pH	1/28/2017 9:54:30 PM	4	unit pH
SC ALRO SA	Cianuri	1/28/2017 9:53:05 PM	0	mg/l
SC ALRO SA	Clor	1/28/2017 9:53:04 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 9:53:03 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 9:53:02 PM	26	mg/l
SC ALRO SA	Temp	1/28/2017 9:53:01 PM	25	gradCels
SC ALRO SA	pH	1/28/2017 9:53:00 PM	4	unit pH
SC ALRO SA	Cianuri	1/28/2017 9:48:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 9:48:00 PM	27	mg/l
SC ALRO SA	Clor	1/28/2017 9:47:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 9:47:22 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 9:47:21 PM	25	gradCels
SC ALRO SA	pH	1/28/2017 9:47:20 PM	4	unit pH
SC ALRO SA	Cianuri	1/28/2017 9:42:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 9:42:00 PM	27	mg/l
SC ALRO SA	Clor	1/28/2017 9:41:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 9:41:42 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 9:41:41 PM	25	gradCels
SC ALRO SA	pH	1/28/2017 9:41:40 PM	4	unit pH
SC ALRO SA	Cianuri	1/28/2017 9:37:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 9:37:00 PM	27	mg/l
SC ALRO SA	Clor	1/28/2017 9:36:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 9:36:22 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 9:36:21 PM	25	gradCels
SC ALRO SA	pH	1/28/2017 9:36:20 PM	4	unit pH
SC ALRO SA	Cianuri	1/28/2017 9:36:00 PM	0	mg/l
SC ALRO SA	Clor	1/28/2017 9:35:50 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 9:35:30 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 9:35:20 PM	27	mg/l
SC ALRO SA	Temp	1/28/2017 9:34:40 PM	25	gradCels
SC ALRO SA	pH	1/28/2017 9:34:30 PM	4	unit pH
SC ALRO SA	Cianuri	1/28/2017 9:31:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 9:31:00 PM	27	mg/l
SC ALRO SA	Clor	1/28/2017 9:30:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 9:30:42 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 9:30:41 PM	25	gradCels
SC ALRO SA	pH	1/28/2017 9:30:40 PM	4	unit pH
SC ALRO SA	Cianuri	1/28/2017 9:26:00 PM	0	mg/l
SC ALRO SA	Clor	1/28/2017 9:25:24 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 9:25:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 9:25:22 PM	27	mg/l
SC ALRO SA	Temp	1/28/2017 9:25:21 PM	25	gradCels
SC ALRO SA	pH	1/28/2017 9:25:20 PM	5	unit pH
SC ALRO SA	Substante organice	1/28/2017 9:21:01 PM	26	mg/l
SC ALRO SA	Cianuri	1/28/2017 9:21:00 PM	0	mg/l
SC ALRO SA	Clor	1/28/2017 9:20:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 9:20:22 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 9:20:21 PM	25	gradCels
SC ALRO SA	pH	1/28/2017 9:20:20 PM	5	unit pH
SC ALRO SA	Cianuri	1/28/2017 9:15:10 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 9:15:01 PM	26	mg/l
SC ALRO SA	Cianuri	1/28/2017 9:15:00 PM	0	mg/l
SC ALRO SA	Clor	1/28/2017 9:14:50 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Clor	1/28/2017 9:14:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 9:14:42 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 9:14:41 PM	25	gradCels
SC ALRO SA	pH	1/28/2017 9:14:40 PM	5	unit pH
SC ALRO SA	Grasimi	1/28/2017 9:14:20 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 9:14:10 PM	26	mg/l
SC ALRO SA	Temp	1/28/2017 9:14:00 PM	25	gradCels
SC ALRO SA	pH	1/28/2017 9:13:50 PM	5	unit pH
SC ALRO SA	Cianuri	1/28/2017 9:10:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 9:10:00 PM	26	mg/l
SC ALRO SA	Clor	1/28/2017 9:09:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 9:09:22 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 9:09:21 PM	25	gradCels
SC ALRO SA	pH	1/28/2017 9:09:20 PM	5	unit pH
SC ALRO SA	Cianuri	1/28/2017 9:04:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 9:04:00 PM	26	mg/l
SC ALRO SA	Clor	1/28/2017 9:03:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 9:03:42 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 9:03:41 PM	25	gradCels
SC ALRO SA	pH	1/28/2017 9:03:40 PM	5	unit pH
SC ALRO SA	Substante organice	1/28/2017 8:59:07 PM	26	mg/l
SC ALRO SA	Cianuri	1/28/2017 8:59:06 PM	0	mg/l
SC ALRO SA	Clor	1/28/2017 8:58:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 8:58:02 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 8:58:01 PM	25	gradCels
SC ALRO SA	pH	1/28/2017 8:58:00 PM	5	unit pH
SC ALRO SA	Cianuri	1/28/2017 8:55:50 PM	0	mg/l
SC ALRO SA	Clor	1/28/2017 8:54:40 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 8:54:20 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 8:54:10 PM	26	mg/l
SC ALRO SA	Temp	1/28/2017 8:53:50 PM	25	gradCels
SC ALRO SA	pH	1/28/2017 8:53:20 PM	5	unit pH
SC ALRO SA	Cianuri	1/28/2017 8:53:00 PM	0	mg/l
SC ALRO SA	Clor	1/28/2017 8:52:44 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 8:52:43 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 8:52:42 PM	26	mg/l
SC ALRO SA	Temp	1/28/2017 8:52:41 PM	25	gradCels
SC ALRO SA	pH	1/28/2017 8:52:40 PM	5	unit pH
SC ALRO SA	Cianuri	1/28/2017 8:48:07 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 8:48:06 PM	25	mg/l
SC ALRO SA	Clor	1/28/2017 8:47:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 8:47:02 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 8:47:01 PM	25	gradCels
SC ALRO SA	pH	1/28/2017 8:47:00 PM	5	unit pH
SC ALRO SA	Cianuri	1/28/2017 8:42:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 8:42:00 PM	25	mg/l
SC ALRO SA	Clor	1/28/2017 8:41:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 8:41:42 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 8:41:41 PM	25	gradCels
SC ALRO SA	pH	1/28/2017 8:41:40 PM	5	unit pH
SC ALRO SA	Cianuri	1/28/2017 8:37:07 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 8:37:06 PM	25	mg/l
SC ALRO SA	Clor	1/28/2017 8:36:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 8:36:42 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 8:36:41 PM	25	gradCels
SC ALRO SA	pH	1/28/2017 8:36:40 PM	5	unit pH
SC ALRO SA	Cianuri	1/28/2017 8:34:30 PM	0	mg/l
SC ALRO SA	Clor	1/28/2017 8:33:50 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 8:32:30 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 8:32:20 PM	25	mg/l
SC ALRO SA	Temp	1/28/2017 8:32:10 PM	25	gradCels
SC ALRO SA	pH	1/28/2017 8:31:50 PM	5	unit pH
SC ALRO SA	Cianuri	1/28/2017 8:31:05 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 8:31:04 PM	25	mg/l
SC ALRO SA	Clor	1/28/2017 8:31:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 8:31:02 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/28/2017 8:31:01 PM	25	gradCels
SC ALRO SA	pH	1/28/2017 8:31:00 PM	5	unit pH
SC ALRO SA	Cianuri	1/28/2017 8:26:06 PM	0	mg/l
SC ALRO SA	Clor	1/28/2017 8:25:44 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 8:25:43 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 8:25:42 PM	25	mg/l
SC ALRO SA	Temp	1/28/2017 8:25:41 PM	25	gradCels
SC ALRO SA	pH	1/28/2017 8:25:40 PM	4	unit pH
SC ALRO SA	Cianuri	1/28/2017 8:20:05 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 8:20:04 PM	24	mg/l
SC ALRO SA	Clor	1/28/2017 8:20:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 8:20:02 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 8:20:01 PM	25	gradCels
SC ALRO SA	pH	1/28/2017 8:20:00 PM	4	unit pH
SC ALRO SA	Cianuri	1/28/2017 8:15:02 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 8:15:01 PM	24	mg/l
SC ALRO SA	Cianuri	1/28/2017 8:14:50 PM	0	mg/l
SC ALRO SA	Clor	1/28/2017 8:14:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 8:14:42 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 8:14:41 PM	25	gradCels
SC ALRO SA	pH	1/28/2017 8:14:40 PM	4	unit pH
SC ALRO SA	Clor	1/28/2017 8:14:20 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 8:14:00 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 8:13:50 PM	24	mg/l
SC ALRO SA	Temp	1/28/2017 8:13:40 PM	25	gradCels
SC ALRO SA	pH	1/28/2017 8:13:30 PM	4	unit pH
SC ALRO SA	Cianuri	1/28/2017 8:09:05 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 8:09:04 PM	24	mg/l
SC ALRO SA	Clor	1/28/2017 8:09:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 8:09:02 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 8:09:01 PM	25	gradCels
SC ALRO SA	pH	1/28/2017 8:09:00 PM	4	unit pH
SC ALRO SA	Cianuri	1/28/2017 8:04:07 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 8:04:05 PM	24	mg/l
SC ALRO SA	Clor	1/28/2017 8:03:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 8:03:22 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 8:03:21 PM	25	gradCels
SC ALRO SA	pH	1/28/2017 8:03:20 PM	4	unit pH
SC ALRO SA	Substante organice	1/28/2017 7:58:05 PM	24	mg/l
SC ALRO SA	Cianuri	1/28/2017 7:58:04 PM	0	mg/l
SC ALRO SA	Clor	1/28/2017 7:58:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 7:58:02 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 7:58:01 PM	24	gradCels
SC ALRO SA	pH	1/28/2017 7:58:00 PM	4	unit pH
SC ALRO SA	Cianuri	1/28/2017 7:56:10 PM	0	mg/l
SC ALRO SA	Clor	1/28/2017 7:55:40 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 7:54:30 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 7:54:20 PM	24	mg/l
SC ALRO SA	Temp	1/28/2017 7:54:10 PM	24	gradCels
SC ALRO SA	pH	1/28/2017 7:53:50 PM	4	unit pH
SC ALRO SA	Cianuri	1/28/2017 7:53:04 PM	0	mg/l
SC ALRO SA	Clor	1/28/2017 7:52:24 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 7:52:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 7:52:22 PM	24	mg/l
SC ALRO SA	Temp	1/28/2017 7:52:21 PM	24	gradCels
SC ALRO SA	pH	1/28/2017 7:52:20 PM	4	unit pH
SC ALRO SA	Cianuri	1/28/2017 7:47:05 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 7:47:04 PM	23	mg/l
SC ALRO SA	Clor	1/28/2017 7:47:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 7:47:02 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 7:47:01 PM	24	gradCels
SC ALRO SA	pH	1/28/2017 7:47:00 PM	4	unit pH
SC ALRO SA	Cianuri	1/28/2017 7:42:02 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 7:42:01 PM	23	mg/l
SC ALRO SA	Clor	1/28/2017 7:41:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 7:41:22 PM	0	mg/l



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/28/2017 7:41:21 PM	24	gradCels
SC ALRO SA	pH	1/28/2017 7:41:20 PM	4	unit pH
SC ALRO SA	Cianuri	1/28/2017 7:36:10 PM	0	mg/l
SC ALRO SA	Cianuri	1/28/2017 7:36:05 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 7:36:04 PM	23	mg/l
SC ALRO SA	Clor	1/28/2017 7:36:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 7:36:02 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 7:36:01 PM	25	gradCels
SC ALRO SA	pH	1/28/2017 7:36:00 PM	4	unit pH
SC ALRO SA	Clor	1/28/2017 7:35:40 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 7:35:20 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 7:35:10 PM	23	mg/l
SC ALRO SA	Temp	1/28/2017 7:35:00 PM	25	gradCels
SC ALRO SA	pH	1/28/2017 7:34:50 PM	4	unit pH
SC ALRO SA	Cianuri	1/28/2017 7:31:03 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 7:31:02 PM	23	mg/l
SC ALRO SA	Clor	1/28/2017 7:30:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 7:30:22 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 7:30:21 PM	25	gradCels
SC ALRO SA	pH	1/28/2017 7:30:20 PM	4	unit pH
SC ALRO SA	Cianuri	1/28/2017 7:25:05 PM	0	mg/l
SC ALRO SA	Clor	1/28/2017 7:25:04 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 7:25:03 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 7:25:02 PM	23	mg/l
SC ALRO SA	Temp	1/28/2017 7:25:01 PM	25	gradCels
SC ALRO SA	pH	1/28/2017 7:25:00 PM	4	unit pH
SC ALRO SA	Cianuri	1/28/2017 7:20:03 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 7:20:02 PM	23	mg/l
SC ALRO SA	Clor	1/28/2017 7:19:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 7:19:22 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 7:19:21 PM	25	gradCels
SC ALRO SA	pH	1/28/2017 7:19:20 PM	4	unit pH
SC ALRO SA	Cianuri	1/28/2017 7:17:30 PM	0	mg/l
SC ALRO SA	Clor	1/28/2017 7:17:10 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 7:15:50 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 7:15:20 PM	23	mg/l
SC ALRO SA	Temp	1/28/2017 7:15:10 PM	25	gradCels
SC ALRO SA	pH	1/28/2017 7:14:50 PM	4	unit pH
SC ALRO SA	Cianuri	1/28/2017 7:14:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 7:14:00 PM	23	mg/l
SC ALRO SA	Clor	1/28/2017 7:13:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 7:13:42 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 7:13:41 PM	25	gradCels
SC ALRO SA	pH	1/28/2017 7:13:40 PM	4	unit pH
SC ALRO SA	Cianuri	1/28/2017 7:09:03 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 7:09:02 PM	23	mg/l
SC ALRO SA	Clor	1/28/2017 7:08:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 7:08:22 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 7:08:21 PM	25	gradCels
SC ALRO SA	pH	1/28/2017 7:08:20 PM	4	unit pH
SC ALRO SA	Cianuri	1/28/2017 7:03:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 7:03:00 PM	23	mg/l
SC ALRO SA	Clor	1/28/2017 7:02:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 7:02:42 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 7:02:41 PM	25	gradCels
SC ALRO SA	pH	1/28/2017 7:02:40 PM	4	unit pH
SC ALRO SA	Cianuri	1/28/2017 6:58:03 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 6:58:02 PM	23	mg/l
SC ALRO SA	Clor	1/28/2017 6:57:24 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 6:57:23 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 6:57:22 PM	25	gradCels
SC ALRO SA	pH	1/28/2017 6:57:21 PM	4	unit pH
SC ALRO SA	Cianuri	1/28/2017 6:56:20 PM	0	mg/l
SC ALRO SA	Clor	1/28/2017 6:56:10 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 6:55:40 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 6:55:30 PM	23	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/28/2017 6:54:50 PM	24	gradCels
SC ALRO SA	pH	1/28/2017 6:53:50 PM	4	unit pH
SC ALRO SA	Cianuri	1/28/2017 6:52:06 PM	0	mg/l
SC ALRO SA	Clor	1/28/2017 6:51:44 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 6:51:43 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 6:51:42 PM	23	mg/l
SC ALRO SA	Temp	1/28/2017 6:51:41 PM	24	gradCels
SC ALRO SA	pH	1/28/2017 6:51:40 PM	4	unit pH
SC ALRO SA	Cianuri	1/28/2017 6:47:03 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 6:47:02 PM	24	mg/l
SC ALRO SA	Clor	1/28/2017 6:46:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 6:46:22 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 6:46:21 PM	24	gradCels
SC ALRO SA	pH	1/28/2017 6:46:20 PM	4	unit pH
SC ALRO SA	Cianuri	1/28/2017 6:41:07 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 6:41:06 PM	24	mg/l
SC ALRO SA	Clor	1/28/2017 6:40:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 6:40:42 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 6:40:41 PM	24	gradCels
SC ALRO SA	pH	1/28/2017 6:40:40 PM	4	unit pH
SC ALRO SA	Cianuri	1/28/2017 6:36:03 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 6:36:02 PM	24	mg/l
SC ALRO SA	Cianuri	1/28/2017 6:35:20 PM	0	mg/l
SC ALRO SA	Clor	1/28/2017 6:35:10 PM	0	mg/l
SC ALRO SA	Clor	1/28/2017 6:35:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 6:35:02 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 6:35:01 PM	24	gradCels
SC ALRO SA	pH	1/28/2017 6:35:00 PM	4	unit pH
SC ALRO SA	Grasimi	1/28/2017 6:34:40 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 6:34:30 PM	24	mg/l
SC ALRO SA	Temp	1/28/2017 6:34:20 PM	25	gradCels
SC ALRO SA	pH	1/28/2017 6:34:10 PM	4	unit pH
SC ALRO SA	Substante organice	1/28/2017 6:30:07 PM	24	mg/l
SC ALRO SA	Cianuri	1/28/2017 6:30:06 PM	0	mg/l
SC ALRO SA	Clor	1/28/2017 6:29:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 6:29:42 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 6:29:41 PM	24	gradCels
SC ALRO SA	pH	1/28/2017 6:29:40 PM	4	unit pH
SC ALRO SA	Cianuri	1/28/2017 6:24:05 PM	0	mg/l
SC ALRO SA	Clor	1/28/2017 6:24:04 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 6:24:03 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 6:24:02 PM	24	mg/l
SC ALRO SA	Temp	1/28/2017 6:24:01 PM	24	gradCels
SC ALRO SA	pH	1/28/2017 6:24:00 PM	4	unit pH
SC ALRO SA	Cianuri	1/28/2017 6:19:07 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 6:19:06 PM	24	mg/l
SC ALRO SA	Clor	1/28/2017 6:18:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 6:18:42 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 6:18:41 PM	24	gradCels
SC ALRO SA	pH	1/28/2017 6:18:40 PM	4	unit pH
SC ALRO SA	Cianuri	1/28/2017 6:14:40 PM	0	mg/l
SC ALRO SA	Clor	1/28/2017 6:14:30 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 6:14:10 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 6:13:50 PM	24	mg/l
SC ALRO SA	Temp	1/28/2017 6:13:40 PM	24	gradCels
SC ALRO SA	pH	1/28/2017 6:13:30 PM	4	unit pH
SC ALRO SA	Cianuri	1/28/2017 6:13:05 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 6:13:04 PM	24	mg/l
SC ALRO SA	Clor	1/28/2017 6:13:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 6:13:02 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 6:13:01 PM	24	gradCels
SC ALRO SA	pH	1/28/2017 6:13:00 PM	4	unit pH
SC ALRO SA	Substante organice	1/28/2017 6:08:03 PM	24	mg/l
SC ALRO SA	Cianuri	1/28/2017 6:08:02 PM	0	mg/l
SC ALRO SA	Clor	1/28/2017 6:07:42 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 6:07:41 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	1/28/2017 6:07:40 PM	24	gradCels
SC ALRO SA	Cianuri	1/28/2017 6:02:05 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 6:02:04 PM	24	mg/l
SC ALRO SA	Clor	1/28/2017 6:02:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 6:02:02 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 6:02:01 PM	24	gradCels
SC ALRO SA	pH	1/28/2017 6:02:00 PM	5	unit pH
SC ALRO SA	Cianuri	1/28/2017 5:57:03 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 5:57:02 PM	24	mg/l
SC ALRO SA	Clor	1/28/2017 5:56:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 5:56:22 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 5:56:21 PM	24	gradCels
SC ALRO SA	pH	1/28/2017 5:56:20 PM	5	unit pH
SC ALRO SA	Cianuri	1/28/2017 5:55:30 PM	0	mg/l
SC ALRO SA	Clor	1/28/2017 5:55:20 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 5:54:50 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 5:53:50 PM	24	mg/l
SC ALRO SA	Temp	1/28/2017 5:53:40 PM	24	gradCels
SC ALRO SA	pH	1/28/2017 5:53:30 PM	5	unit pH
SC ALRO SA	Cianuri	1/28/2017 5:51:05 PM	0	mg/l
SC ALRO SA	Clor	1/28/2017 5:51:04 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 5:51:03 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 5:51:02 PM	24	mg/l
SC ALRO SA	Temp	1/28/2017 5:51:01 PM	24	gradCels
SC ALRO SA	pH	1/28/2017 5:51:00 PM	5	unit pH
SC ALRO SA	Cianuri	1/28/2017 5:46:03 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 5:46:02 PM	24	mg/l
SC ALRO SA	Clor	1/28/2017 5:45:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 5:45:22 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 5:45:21 PM	24	gradCels
SC ALRO SA	pH	1/28/2017 5:45:20 PM	5	unit pH
SC ALRO SA	Cianuri	1/28/2017 5:40:05 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 5:40:04 PM	24	mg/l
SC ALRO SA	Clor	1/28/2017 5:40:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 5:40:02 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 5:40:01 PM	24	gradCels
SC ALRO SA	pH	1/28/2017 5:40:00 PM	5	unit pH
SC ALRO SA	Cianuri	1/28/2017 5:35:50 PM	0	mg/l
SC ALRO SA	Clor	1/28/2017 5:35:40 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 5:35:20 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 5:35:10 PM	24	mg/l
SC ALRO SA	Cianuri	1/28/2017 5:35:07 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 5:35:06 PM	24	mg/l
SC ALRO SA	Clor	1/28/2017 5:35:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 5:35:02 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 5:35:01 PM	24	gradCels
SC ALRO SA	pH	1/28/2017 5:35:00 PM	5	unit pH
SC ALRO SA	Temp	1/28/2017 5:34:30 PM	24	gradCels
SC ALRO SA	pH	1/28/2017 5:34:20 PM	5	unit pH
SC ALRO SA	Cianuri	1/28/2017 5:30:03 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 5:30:02 PM	24	mg/l
SC ALRO SA	Clor	1/28/2017 5:29:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 5:29:22 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 5:29:21 PM	24	gradCels
SC ALRO SA	pH	1/28/2017 5:29:20 PM	5	unit pH
SC ALRO SA	Cianuri	1/28/2017 5:24:04 PM	0	mg/l
SC ALRO SA	Clor	1/28/2017 5:23:52 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 5:23:51 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 5:23:50 PM	24	mg/l
SC ALRO SA	Temp	1/28/2017 5:23:49 PM	24	gradCels
SC ALRO SA	pH	1/28/2017 5:23:48 PM	4	unit pH
SC ALRO SA	Cianuri	1/28/2017 5:19:03 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 5:19:02 PM	24	mg/l
SC ALRO SA	Clor	1/28/2017 5:18:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 5:18:22 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 5:18:21 PM	24	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/28/2017 5:18:20 PM	4	unit pH
SC ALRO SA	Cianuri	1/28/2017 5:16:10 PM	0	mg/l
SC ALRO SA	Clor	1/28/2017 5:15:50 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 5:14:40 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 5:14:30 PM	24	mg/l
SC ALRO SA	Temp	1/28/2017 5:14:20 PM	24	gradCels
SC ALRO SA	pH	1/28/2017 5:14:10 PM	4	unit pH
SC ALRO SA	Cianuri	1/28/2017 5:13:04 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 5:13:03 PM	24	mg/l
SC ALRO SA	Clor	1/28/2017 5:12:52 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 5:12:51 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 5:12:50 PM	24	gradCels
SC ALRO SA	pH	1/28/2017 5:12:49 PM	4	unit pH
SC ALRO SA	Cianuri	1/28/2017 5:08:03 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 5:08:02 PM	24	mg/l
SC ALRO SA	Clor	1/28/2017 5:07:13 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 5:07:12 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 5:07:11 PM	24	gradCels
SC ALRO SA	pH	1/28/2017 5:07:10 PM	4	unit pH
SC ALRO SA	Substante organice	1/28/2017 5:02:05 PM	24	mg/l
SC ALRO SA	Cianuri	1/28/2017 5:02:03 PM	0	mg/l
SC ALRO SA	Clor	1/28/2017 5:01:51 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 5:01:50 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 5:01:49 PM	24	gradCels
SC ALRO SA	pH	1/28/2017 5:01:48 PM	4	unit pH
SC ALRO SA	Cianuri	1/28/2017 4:57:20 PM	0	mg/l
SC ALRO SA	Clor	1/28/2017 4:57:10 PM	0	mg/l
SC ALRO SA	Cianuri	1/28/2017 4:57:03 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 4:57:02 PM	24	mg/l
SC ALRO SA	Grasimi	1/28/2017 4:56:40 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 4:56:30 PM	24	mg/l
SC ALRO SA	Temp	1/28/2017 4:56:20 PM	23	gradCels
SC ALRO SA	Clor	1/28/2017 4:56:13 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 4:56:12 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 4:56:11 PM	23	gradCels
SC ALRO SA	pH	1/28/2017 4:56:10 PM	4	unit pH
SC ALRO SA	pH	1/28/2017 4:55:50 PM	4	unit pH
SC ALRO SA	Cianuri	1/28/2017 4:51:04 PM	0	mg/l
SC ALRO SA	Clor	1/28/2017 4:50:52 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 4:50:51 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 4:50:50 PM	24	mg/l
SC ALRO SA	Temp	1/28/2017 4:50:49 PM	23	gradCels
SC ALRO SA	pH	1/28/2017 4:50:48 PM	4	unit pH
SC ALRO SA	Cianuri	1/28/2017 4:46:02 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 4:46:01 PM	24	mg/l
SC ALRO SA	Clor	1/28/2017 4:45:14 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 4:45:13 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 4:45:12 PM	23	gradCels
SC ALRO SA	pH	1/28/2017 4:45:11 PM	4	unit pH
SC ALRO SA	Substante organice	1/28/2017 4:40:05 PM	24	mg/l
SC ALRO SA	Cianuri	1/28/2017 4:40:03 PM	0	mg/l
SC ALRO SA	Clor	1/28/2017 4:39:51 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 4:39:50 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 4:39:49 PM	23	gradCels
SC ALRO SA	pH	1/28/2017 4:39:48 PM	4	unit pH
SC ALRO SA	Cianuri	1/28/2017 4:38:20 PM	0	mg/l
SC ALRO SA	Clor	1/28/2017 4:38:10 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 4:37:40 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 4:36:40 PM	24	mg/l
SC ALRO SA	Temp	1/28/2017 4:36:30 PM	23	gradCels
SC ALRO SA	pH	1/28/2017 4:36:10 PM	4	unit pH
SC ALRO SA	Cianuri	1/28/2017 4:35:03 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 4:35:02 PM	24	mg/l
SC ALRO SA	Clor	1/28/2017 4:34:13 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 4:34:12 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 4:34:11 PM	23	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/28/2017 4:34:10 PM	4	unit pH
SC ALRO SA	Cianuri	1/28/2017 4:29:05 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 4:29:04 PM	24	mg/l
SC ALRO SA	Clor	1/28/2017 4:28:50 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 4:28:49 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 4:28:48 PM	23	gradCels
SC ALRO SA	pH	1/28/2017 4:28:47 PM	4	unit pH
SC ALRO SA	Cianuri	1/28/2017 4:24:02 PM	0	mg/l
SC ALRO SA	Clor	1/28/2017 4:23:14 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 4:23:13 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 4:23:12 PM	24	mg/l
SC ALRO SA	Temp	1/28/2017 4:23:11 PM	23	gradCels
SC ALRO SA	pH	1/28/2017 4:23:10 PM	4	unit pH
SC ALRO SA	Cianuri	1/28/2017 4:19:20 PM	0	mg/l
SC ALRO SA	Clor	1/28/2017 4:19:10 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 4:18:50 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 4:18:40 PM	24	mg/l
SC ALRO SA	Temp	1/28/2017 4:18:30 PM	23	gradCels
SC ALRO SA	pH	1/28/2017 4:18:20 PM	4	unit pH
SC ALRO SA	Substante organice	1/28/2017 4:18:05 PM	24	mg/l
SC ALRO SA	Cianuri	1/28/2017 4:18:04 PM	0	mg/l
SC ALRO SA	Clor	1/28/2017 4:17:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 4:17:42 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 4:17:41 PM	23	gradCels
SC ALRO SA	pH	1/28/2017 4:17:40 PM	4	unit pH
SC ALRO SA	Cianuri	1/28/2017 4:13:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 4:13:00 PM	24	mg/l
SC ALRO SA	Clor	1/28/2017 4:12:15 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 4:12:14 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 4:12:13 PM	23	gradCels
SC ALRO SA	pH	1/28/2017 4:12:12 PM	4	unit pH
SC ALRO SA	Cianuri	1/28/2017 4:07:05 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 4:07:04 PM	24	mg/l
SC ALRO SA	Clor	1/28/2017 4:06:31 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 4:06:30 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 4:06:29 PM	23	gradCels
SC ALRO SA	pH	1/28/2017 4:06:28 PM	4	unit pH
SC ALRO SA	Substante organice	1/28/2017 4:02:01 PM	24	mg/l
SC ALRO SA	Cianuri	1/28/2017 4:02:00 PM	0	mg/l
SC ALRO SA	Clor	1/28/2017 4:01:15 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 4:01:14 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 4:01:13 PM	23	gradCels
SC ALRO SA	pH	1/28/2017 4:01:12 PM	4	unit pH
SC ALRO SA	Cianuri	1/28/2017 4:00:40 PM	0	mg/l
SC ALRO SA	Clor	1/28/2017 4:00:30 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 4:00:10 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 3:59:50 PM	24	mg/l
SC ALRO SA	Temp	1/28/2017 3:59:40 PM	23	gradCels
SC ALRO SA	pH	1/28/2017 3:59:30 PM	4	unit pH
SC ALRO SA	Cianuri	1/28/2017 3:56:04 PM	0	mg/l
SC ALRO SA	Clor	1/28/2017 3:55:32 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 3:55:31 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 3:55:30 PM	24	mg/l
SC ALRO SA	Temp	1/28/2017 3:55:29 PM	23	gradCels
SC ALRO SA	pH	1/28/2017 3:55:28 PM	4	unit pH
SC ALRO SA	Cianuri	1/28/2017 3:51:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 3:51:00 PM	24	mg/l
SC ALRO SA	Clor	1/28/2017 3:50:15 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 3:50:14 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 3:50:13 PM	22	gradCels
SC ALRO SA	pH	1/28/2017 3:50:12 PM	4	unit pH
SC ALRO SA	Cianuri	1/28/2017 3:45:04 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 3:45:03 PM	24	mg/l
SC ALRO SA	Clor	1/28/2017 3:44:32 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 3:44:31 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 3:44:30 PM	22	gradCels



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/28/2017 3:44:29 PM	4	unit pH
SC ALRO SA	Cianuri	1/28/2017 3:42:20 PM	0	mg/l
SC ALRO SA	Clor	1/28/2017 3:41:30 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 3:41:10 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 3:40:50 PM	24	mg/l
SC ALRO SA	Temp	1/28/2017 3:40:40 PM	22	gradCels
SC ALRO SA	pH	1/28/2017 3:40:30 PM	4	unit pH
SC ALRO SA	Cianuri	1/28/2017 3:39:17 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 3:39:16 PM	24	mg/l
SC ALRO SA	Clor	1/28/2017 3:39:11 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 3:39:10 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 3:39:09 PM	22	gradCels
SC ALRO SA	pH	1/28/2017 3:39:08 PM	4	unit pH
SC ALRO SA	Cianuri	1/28/2017 3:34:05 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 3:34:04 PM	24	mg/l
SC ALRO SA	Clor	1/28/2017 3:33:31 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 3:33:30 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 3:33:29 PM	22	gradCels
SC ALRO SA	pH	1/28/2017 3:33:28 PM	4	unit pH
SC ALRO SA	Cianuri	1/28/2017 3:28:17 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 3:28:16 PM	24	mg/l
SC ALRO SA	Clor	1/28/2017 3:28:07 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 3:28:06 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 3:28:05 PM	22	gradCels
SC ALRO SA	pH	1/28/2017 3:28:04 PM	4	unit pH
SC ALRO SA	Cianuri	1/28/2017 3:24:00 PM	0	mg/l
SC ALRO SA	Clor	1/28/2017 3:23:50 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 3:23:30 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 3:23:20 PM	24	mg/l
SC ALRO SA	Temp	1/28/2017 3:23:10 PM	22	gradCels
SC ALRO SA	Cianuri	1/28/2017 3:23:03 PM	0	mg/l
SC ALRO SA	pH	1/28/2017 3:22:50 PM	4	unit pH
SC ALRO SA	Clor	1/28/2017 3:22:28 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 3:22:27 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 3:22:26 PM	24	mg/l
SC ALRO SA	Temp	1/28/2017 3:22:25 PM	22	gradCels
SC ALRO SA	pH	1/28/2017 3:22:24 PM	4	unit pH
SC ALRO SA	Cianuri	1/28/2017 3:17:27 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 3:17:26 PM	24	mg/l
SC ALRO SA	Clor	1/28/2017 3:17:18 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 3:17:16 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 3:17:14 PM	22	gradCels
SC ALRO SA	pH	1/28/2017 3:17:11 PM	4	unit pH
SC ALRO SA	Cianuri	1/28/2017 3:12:04 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 3:12:03 PM	24	mg/l
SC ALRO SA	Clor	1/28/2017 3:11:32 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 3:11:31 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 3:11:30 PM	22	gradCels
SC ALRO SA	pH	1/28/2017 3:11:29 PM	5	unit pH
SC ALRO SA	Substante organice	1/28/2017 3:06:17 PM	24	mg/l
SC ALRO SA	Cianuri	1/28/2017 3:06:16 PM	0	mg/l
SC ALRO SA	Clor	1/28/2017 3:06:11 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 3:06:10 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 3:06:09 PM	22	gradCels
SC ALRO SA	pH	1/28/2017 3:06:08 PM	5	unit pH
SC ALRO SA	Cianuri	1/28/2017 3:05:40 PM	0	mg/l
SC ALRO SA	Clor	1/28/2017 3:05:30 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 3:05:10 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 3:04:50 PM	24	mg/l
SC ALRO SA	Temp	1/28/2017 3:04:40 PM	22	gradCels
SC ALRO SA	pH	1/28/2017 3:04:30 PM	4	unit pH
SC ALRO SA	Substante organice	1/28/2017 3:01:17 PM	24	mg/l
SC ALRO SA	Cianuri	1/28/2017 3:01:16 PM	0	mg/l
SC ALRO SA	Clor	1/28/2017 3:01:11 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 3:01:10 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 3:01:09 PM	22	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/28/2017 3:01:08 PM	4	unit pH
SC ALRO SA	Cianuri	1/28/2017 2:56:04 PM	0	mg/l
SC ALRO SA	Clor	1/28/2017 2:55:32 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 2:55:31 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 2:55:30 PM	24	mg/l
SC ALRO SA	Temp	1/28/2017 2:55:29 PM	22	gradCels
SC ALRO SA	pH	1/28/2017 2:55:28 PM	4	unit pH
SC ALRO SA	Cianuri	1/28/2017 2:50:17 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 2:50:16 PM	24	mg/l
SC ALRO SA	Clor	1/28/2017 2:50:11 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 2:50:10 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 2:50:09 PM	22	gradCels
SC ALRO SA	pH	1/28/2017 2:50:08 PM	5	unit pH
SC ALRO SA	Cianuri	1/28/2017 2:47:20 PM	0	mg/l
SC ALRO SA	Clor	1/28/2017 2:47:10 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 2:46:10 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 2:45:50 PM	24	mg/l
SC ALRO SA	Temp	1/28/2017 2:45:40 PM	22	gradCels
SC ALRO SA	pH	1/28/2017 2:45:30 PM	5	unit pH
SC ALRO SA	Cianuri	1/28/2017 2:45:04 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 2:45:03 PM	24	mg/l
SC ALRO SA	Clor	1/28/2017 2:44:32 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 2:44:31 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 2:44:30 PM	22	gradCels
SC ALRO SA	pH	1/28/2017 2:44:29 PM	5	unit pH
SC ALRO SA	Substante organice	1/28/2017 2:39:05 PM	24	mg/l
SC ALRO SA	Cianuri	1/28/2017 2:39:04 PM	0	mg/l
SC ALRO SA	Clor	1/28/2017 2:38:51 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 2:38:50 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 2:38:49 PM	22	gradCels
SC ALRO SA	pH	1/28/2017 2:38:48 PM	5	unit pH
SC ALRO SA	Cianuri	1/28/2017 2:34:05 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 2:34:04 PM	24	mg/l
SC ALRO SA	Clor	1/28/2017 2:33:31 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 2:33:30 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 2:33:29 PM	21	gradCels
SC ALRO SA	pH	1/28/2017 2:33:28 PM	5	unit pH
SC ALRO SA	Cianuri	1/28/2017 2:28:40 PM	0	mg/l
SC ALRO SA	Clor	1/28/2017 2:28:30 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 2:28:10 PM	0	mg/l
SC ALRO SA	Cianuri	1/28/2017 2:28:05 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 2:28:04 PM	24	mg/l
SC ALRO SA	Clor	1/28/2017 2:27:47 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 2:27:46 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 2:27:45 PM	21	gradCels
SC ALRO SA	pH	1/28/2017 2:27:44 PM	5	unit pH
SC ALRO SA	Substante organice	1/28/2017 2:27:30 PM	24	mg/l
SC ALRO SA	Temp	1/28/2017 2:27:20 PM	21	gradCels
SC ALRO SA	pH	1/28/2017 2:27:10 PM	5	unit pH
SC ALRO SA	Cianuri	1/28/2017 2:23:04 PM	0	mg/l
SC ALRO SA	Clor	1/28/2017 2:22:28 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 2:22:27 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 2:22:26 PM	24	mg/l
SC ALRO SA	Temp	1/28/2017 2:22:25 PM	21	gradCels
SC ALRO SA	pH	1/28/2017 2:22:24 PM	5	unit pH
SC ALRO SA	Substante organice	1/28/2017 2:18:05 PM	24	mg/l
SC ALRO SA	Cianuri	1/28/2017 2:18:03 PM	0	mg/l
SC ALRO SA	Clor	1/28/2017 2:17:31 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 2:17:30 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 2:17:29 PM	21	gradCels
SC ALRO SA	pH	1/28/2017 2:17:28 PM	5	unit pH
SC ALRO SA	Cianuri	1/28/2017 2:12:02 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 2:12:00 PM	24	mg/l
SC ALRO SA	Clor	1/28/2017 2:11:53 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 2:11:52 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 2:11:51 PM	21	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/28/2017 2:11:50 PM	5	unit pH
SC ALRO SA	Cianuri	1/28/2017 2:10:40 PM	0	mg/l
SC ALRO SA	Clor	1/28/2017 2:10:30 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 2:10:10 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 2:10:00 PM	24	mg/l
SC ALRO SA	Temp	1/28/2017 2:09:50 PM	21	gradCels
SC ALRO SA	pH	1/28/2017 2:09:40 PM	5	unit pH
SC ALRO SA	Cianuri	1/28/2017 2:07:11 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 2:07:10 PM	24	mg/l
SC ALRO SA	Clor	1/28/2017 2:06:31 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 2:06:30 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 2:06:29 PM	21	gradCels
SC ALRO SA	pH	1/28/2017 2:06:28 PM	5	unit pH
SC ALRO SA	Cianuri	1/28/2017 2:01:05 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 2:01:04 PM	24	mg/l
SC ALRO SA	Clor	1/28/2017 2:00:51 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 2:00:50 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 2:00:49 PM	21	gradCels
SC ALRO SA	pH	1/28/2017 2:00:48 PM	4	unit pH
SC ALRO SA	Cianuri	1/28/2017 1:56:08 PM	0	mg/l
SC ALRO SA	Clor	1/28/2017 1:55:12 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 1:55:11 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 1:55:10 PM	24	mg/l
SC ALRO SA	Temp	1/28/2017 1:55:09 PM	21	gradCels
SC ALRO SA	pH	1/28/2017 1:55:08 PM	4	unit pH
SC ALRO SA	Cianuri	1/28/2017 1:52:30 PM	0	mg/l
SC ALRO SA	Clor	1/28/2017 1:52:20 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 1:51:10 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 1:50:50 PM	23	mg/l
SC ALRO SA	Temp	1/28/2017 1:50:40 PM	21	gradCels
SC ALRO SA	pH	1/28/2017 1:50:30 PM	4	unit pH
SC ALRO SA	Substante organice	1/28/2017 1:50:05 PM	23	mg/l
SC ALRO SA	Cianuri	1/28/2017 1:50:04 PM	0	mg/l
SC ALRO SA	Clor	1/28/2017 1:49:51 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 1:49:50 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 1:49:49 PM	21	gradCels
SC ALRO SA	pH	1/28/2017 1:49:48 PM	4	unit pH
SC ALRO SA	Cianuri	1/28/2017 1:45:11 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 1:45:10 PM	23	mg/l
SC ALRO SA	Clor	1/28/2017 1:44:11 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 1:44:10 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 1:44:09 PM	21	gradCels
SC ALRO SA	pH	1/28/2017 1:44:08 PM	5	unit pH
SC ALRO SA	Cianuri	1/28/2017 1:39:05 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 1:39:04 PM	23	mg/l
SC ALRO SA	Clor	1/28/2017 1:38:51 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 1:38:50 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 1:38:49 PM	21	gradCels
SC ALRO SA	pH	1/28/2017 1:38:48 PM	5	unit pH
SC ALRO SA	Cianuri	1/28/2017 1:34:09 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 1:34:08 PM	23	mg/l
SC ALRO SA	Clor	1/28/2017 1:33:15 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 1:33:14 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 1:33:13 PM	21	gradCels
SC ALRO SA	pH	1/28/2017 1:33:12 PM	5	unit pH
SC ALRO SA	Cianuri	1/28/2017 1:32:50 PM	0	mg/l
SC ALRO SA	Clor	1/28/2017 1:32:40 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 1:32:20 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 1:32:10 PM	23	mg/l
SC ALRO SA	Temp	1/28/2017 1:32:00 PM	21	gradCels
SC ALRO SA	pH	1/28/2017 1:31:50 PM	5	unit pH
SC ALRO SA	Substante organice	1/28/2017 1:28:05 PM	23	mg/l
SC ALRO SA	Cianuri	1/28/2017 1:28:04 PM	0	mg/l
SC ALRO SA	Clor	1/28/2017 1:27:47 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 1:27:46 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 1:27:45 PM	21	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/28/2017 1:27:44 PM	5	unit pH
SC ALRO SA	Cianuri	1/28/2017 1:23:08 PM	0	mg/l
SC ALRO SA	Clor	1/28/2017 1:22:10 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 1:22:09 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 1:22:08 PM	23	mg/l
SC ALRO SA	Temp	1/28/2017 1:22:07 PM	21	gradCels
SC ALRO SA	pH	1/28/2017 1:22:06 PM	5	unit pH
SC ALRO SA	Substante organice	1/28/2017 1:17:05 PM	23	mg/l
SC ALRO SA	Cianuri	1/28/2017 1:17:04 PM	0	mg/l
SC ALRO SA	Clor	1/28/2017 1:16:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 1:16:42 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 1:16:41 PM	21	gradCels
SC ALRO SA	pH	1/28/2017 1:16:40 PM	5	unit pH
SC ALRO SA	Cianuri	1/28/2017 1:15:20 PM	0	mg/l
SC ALRO SA	Clor	1/28/2017 1:15:10 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 1:14:40 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 1:14:30 PM	23	mg/l
SC ALRO SA	Temp	1/28/2017 1:14:20 PM	21	gradCels
SC ALRO SA	pH	1/28/2017 1:14:10 PM	5	unit pH
SC ALRO SA	Cianuri	1/28/2017 1:12:10 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 1:12:09 PM	23	mg/l
SC ALRO SA	Clor	1/28/2017 1:11:09 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 1:11:08 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 1:11:07 PM	21	gradCels
SC ALRO SA	pH	1/28/2017 1:11:06 PM	5	unit pH
SC ALRO SA	Substante organice	1/28/2017 1:06:05 PM	23	mg/l
SC ALRO SA	Cianuri	1/28/2017 1:06:04 PM	0	mg/l
SC ALRO SA	Clor	1/28/2017 1:05:27 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 1:05:26 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 1:05:25 PM	21	gradCels
SC ALRO SA	pH	1/28/2017 1:05:24 PM	4	unit pH
SC ALRO SA	Cianuri	1/28/2017 1:01:09 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 1:01:08 PM	23	mg/l
SC ALRO SA	Clor	1/28/2017 1:00:09 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 1:00:08 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 1:00:07 PM	21	gradCels
SC ALRO SA	pH	1/28/2017 1:00:06 PM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 12:57:40 PM	0	mg/l
SC ALRO SA	Clor	1/28/2017 12:56:40 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 12:55:50 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 12:55:40 PM	23	mg/l
SC ALRO SA	Temp	1/28/2017 12:55:30 PM	20	gradCels
SC ALRO SA	pH	1/28/2017 12:55:20 PM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 12:55:04 PM	0	mg/l
SC ALRO SA	Clor	1/28/2017 12:54:28 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 12:54:27 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 12:54:26 PM	23	mg/l
SC ALRO SA	Temp	1/28/2017 12:54:25 PM	20	gradCels
SC ALRO SA	pH	1/28/2017 12:54:24 PM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 12:49:11 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 12:49:10 PM	23	mg/l
SC ALRO SA	Clor	1/28/2017 12:49:07 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 12:49:06 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 12:49:05 PM	20	gradCels
SC ALRO SA	pH	1/28/2017 12:49:04 PM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 12:44:09 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 12:44:08 PM	23	mg/l
SC ALRO SA	Clor	1/28/2017 12:43:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 12:43:22 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 12:43:21 PM	20	gradCels
SC ALRO SA	pH	1/28/2017 12:43:20 PM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 12:38:40 PM	0	mg/l
SC ALRO SA	Clor	1/28/2017 12:38:30 PM	0	mg/l
SC ALRO SA	Cianuri	1/28/2017 12:38:05 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 12:38:04 PM	23	mg/l
SC ALRO SA	Clor	1/28/2017 12:38:03 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Grasimi	1/28/2017 12:38:02 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 12:38:01 PM	20	gradCels
SC ALRO SA	pH	1/28/2017 12:38:00 PM	3	unit pH
SC ALRO SA	Grasimi	1/28/2017 12:37:40 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 12:37:30 PM	23	mg/l
SC ALRO SA	Temp	1/28/2017 12:37:20 PM	20	gradCels
SC ALRO SA	pH	1/28/2017 12:37:10 PM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 12:33:08 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 12:33:07 PM	23	mg/l
SC ALRO SA	Clor	1/28/2017 12:32:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 12:32:22 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 12:32:21 PM	20	gradCels
SC ALRO SA	pH	1/28/2017 12:32:20 PM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 12:27:05 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 12:27:04 PM	23	mg/l
SC ALRO SA	Clor	1/28/2017 12:27:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 12:27:02 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 12:27:01 PM	20	gradCels
SC ALRO SA	pH	1/28/2017 12:27:00 PM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 12:22:02 PM	0	mg/l
SC ALRO SA	Clor	1/28/2017 12:21:24 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 12:21:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 12:21:22 PM	23	mg/l
SC ALRO SA	Temp	1/28/2017 12:21:21 PM	20	gradCels
SC ALRO SA	pH	1/28/2017 12:21:20 PM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 12:20:10 PM	0	mg/l
SC ALRO SA	Clor	1/28/2017 12:19:50 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 12:19:30 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 12:19:20 PM	23	mg/l
SC ALRO SA	Temp	1/28/2017 12:19:10 PM	20	gradCels
SC ALRO SA	pH	1/28/2017 12:18:50 PM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 12:16:05 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 12:16:04 PM	23	mg/l
SC ALRO SA	Clor	1/28/2017 12:16:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 12:16:02 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 12:16:01 PM	20	gradCels
SC ALRO SA	pH	1/28/2017 12:16:00 PM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 12:11:02 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 12:11:01 PM	23	mg/l
SC ALRO SA	Clor	1/28/2017 12:10:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 12:10:22 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 12:10:21 PM	20	gradCels
SC ALRO SA	pH	1/28/2017 12:10:20 PM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 12:05:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 12:05:00 PM	23	mg/l
SC ALRO SA	Clor	1/28/2017 12:04:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 12:04:42 PM	0	mg/l
SC ALRO SA	Temp	1/28/2017 12:04:41 PM	20	gradCels
SC ALRO SA	pH	1/28/2017 12:04:40 PM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 12:00:50 PM	0	mg/l
SC ALRO SA	Clor	1/28/2017 12:00:20 PM	0	mg/l
SC ALRO SA	Cianuri	1/28/2017 12:00:03 PM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 12:00:02 PM	23	mg/l
SC ALRO SA	Grasimi	1/28/2017 11:59:50 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 11:59:30 AM	23	mg/l
SC ALRO SA	Clor	1/28/2017 11:59:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 11:59:22 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 11:59:21 AM	20	gradCels
SC ALRO SA	pH	1/28/2017 11:59:20 AM	3	unit pH
SC ALRO SA	Temp	1/28/2017 11:59:00 AM	20	gradCels
SC ALRO SA	pH	1/28/2017 11:58:50 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 11:54:00 AM	0	mg/l
SC ALRO SA	Clor	1/28/2017 11:53:44 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 11:53:43 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 11:53:42 AM	23	mg/l
SC ALRO SA	Temp	1/28/2017 11:53:41 AM	20	gradCels



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/28/2017 11:53:40 AM	3	unit pH
SC ALRO SA	Substante organice	1/28/2017 11:49:03 AM	22	mg/l
SC ALRO SA	Cianuri	1/28/2017 11:49:02 AM	0	mg/l
SC ALRO SA	Clor	1/28/2017 11:48:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 11:48:22 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 11:48:21 AM	20	gradCels
SC ALRO SA	pH	1/28/2017 11:48:20 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 11:44:08 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 11:44:07 AM	22	mg/l
SC ALRO SA	Clor	1/28/2017 11:43:28 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 11:43:27 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 11:43:26 AM	20	gradCels
SC ALRO SA	pH	1/28/2017 11:43:25 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 11:42:00 AM	0	mg/l
SC ALRO SA	Clor	1/28/2017 11:41:50 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 11:41:30 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 11:41:20 AM	22	mg/l
SC ALRO SA	Temp	1/28/2017 11:41:10 AM	20	gradCels
SC ALRO SA	pH	1/28/2017 11:40:50 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 11:38:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 11:38:02 AM	22	mg/l
SC ALRO SA	Clor	1/28/2017 11:37:47 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 11:37:46 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 11:37:45 AM	20	gradCels
SC ALRO SA	pH	1/28/2017 11:37:44 AM	3	unit pH
SC ALRO SA	Substante organice	1/28/2017 11:33:09 AM	22	mg/l
SC ALRO SA	Cianuri	1/28/2017 11:33:08 AM	0	mg/l
SC ALRO SA	Clor	1/28/2017 11:32:07 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 11:32:06 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 11:32:05 AM	20	gradCels
SC ALRO SA	pH	1/28/2017 11:32:04 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 11:27:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 11:27:02 AM	22	mg/l
SC ALRO SA	Clor	1/28/2017 11:26:47 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 11:26:46 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 11:26:45 AM	20	gradCels
SC ALRO SA	pH	1/28/2017 11:26:44 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 11:23:50 AM	0	mg/l
SC ALRO SA	Clor	1/28/2017 11:23:30 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 11:22:50 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 11:22:20 AM	22	mg/l
SC ALRO SA	Temp	1/28/2017 11:22:10 AM	20	gradCels
SC ALRO SA	Cianuri	1/28/2017 11:22:08 AM	0	mg/l
SC ALRO SA	pH	1/28/2017 11:21:50 AM	3	unit pH
SC ALRO SA	Clor	1/28/2017 11:21:17 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 11:21:14 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 11:21:12 AM	22	mg/l
SC ALRO SA	Temp	1/28/2017 11:21:10 AM	20	gradCels
SC ALRO SA	pH	1/28/2017 11:21:08 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 11:16:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 11:16:02 AM	21	mg/l
SC ALRO SA	Clor	1/28/2017 11:15:47 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 11:15:46 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 11:15:45 AM	20	gradCels
SC ALRO SA	pH	1/28/2017 11:15:44 AM	3	unit pH
SC ALRO SA	Substante organice	1/28/2017 11:11:08 AM	21	mg/l
SC ALRO SA	Cianuri	1/28/2017 11:11:07 AM	0	mg/l
SC ALRO SA	Clor	1/28/2017 11:10:08 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 11:10:07 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 11:10:06 AM	20	gradCels
SC ALRO SA	pH	1/28/2017 11:10:05 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 11:05:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 11:05:02 AM	21	mg/l
SC ALRO SA	Clor	1/28/2017 11:04:47 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 11:04:46 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 11:04:45 AM	20	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/28/2017 11:04:44 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 11:04:20 AM	0	mg/l
SC ALRO SA	Clor	1/28/2017 11:04:10 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 11:03:50 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 11:03:40 AM	21	mg/l
SC ALRO SA	Temp	1/28/2017 11:03:30 AM	20	gradCels
SC ALRO SA	pH	1/28/2017 11:03:20 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 11:00:13 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 11:00:12 AM	21	mg/l
SC ALRO SA	Clor	1/28/2017 10:59:09 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 10:59:08 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 10:59:07 AM	20	gradCels
SC ALRO SA	pH	1/28/2017 10:59:06 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 10:54:02 AM	0	mg/l
SC ALRO SA	Clor	1/28/2017 10:53:48 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 10:53:47 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 10:53:46 AM	21	mg/l
SC ALRO SA	Temp	1/28/2017 10:53:45 AM	20	gradCels
SC ALRO SA	pH	1/28/2017 10:53:44 AM	3	unit pH
SC ALRO SA	Substante organice	1/28/2017 10:48:11 AM	20	mg/l
SC ALRO SA	Cianuri	1/28/2017 10:48:10 AM	0	mg/l
SC ALRO SA	Clor	1/28/2017 10:48:07 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 10:48:06 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 10:48:05 AM	20	gradCels
SC ALRO SA	pH	1/28/2017 10:48:04 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 10:45:50 AM	0	mg/l
SC ALRO SA	Clor	1/28/2017 10:45:40 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 10:45:20 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 10:44:20 AM	20	mg/l
SC ALRO SA	Temp	1/28/2017 10:43:40 AM	20	gradCels
SC ALRO SA	pH	1/28/2017 10:43:30 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 10:43:02 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 10:43:01 AM	20	mg/l
SC ALRO SA	Clor	1/28/2017 10:42:28 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 10:42:27 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 10:42:26 AM	20	gradCels
SC ALRO SA	pH	1/28/2017 10:42:25 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 10:37:11 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 10:37:10 AM	20	mg/l
SC ALRO SA	Clor	1/28/2017 10:37:07 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 10:37:06 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 10:37:05 AM	20	gradCels
SC ALRO SA	pH	1/28/2017 10:37:04 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 10:32:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 10:32:02 AM	20	mg/l
SC ALRO SA	Clor	1/28/2017 10:31:27 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 10:31:26 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 10:31:25 AM	19	gradCels
SC ALRO SA	pH	1/28/2017 10:31:24 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 10:26:11 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 10:26:10 AM	20	mg/l
SC ALRO SA	Clor	1/28/2017 10:26:07 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 10:26:06 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 10:26:05 AM	19	gradCels
SC ALRO SA	pH	1/28/2017 10:26:04 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 10:25:40 AM	0	mg/l
SC ALRO SA	Clor	1/28/2017 10:25:30 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 10:25:10 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 10:25:00 AM	20	mg/l
SC ALRO SA	Temp	1/28/2017 10:24:50 AM	19	gradCels
SC ALRO SA	pH	1/28/2017 10:24:40 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 10:21:11 AM	0	mg/l
SC ALRO SA	Clor	1/28/2017 10:21:08 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 10:21:07 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 10:21:06 AM	20	mg/l
SC ALRO SA	Temp	1/28/2017 10:21:05 AM	19	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/28/2017 10:21:04 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 10:16:15 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 10:16:14 AM	20	mg/l
SC ALRO SA	Clor	1/28/2017 10:15:27 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 10:15:26 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 10:15:25 AM	19	gradCels
SC ALRO SA	pH	1/28/2017 10:15:24 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 10:10:10 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 10:10:09 AM	20	mg/l
SC ALRO SA	Clor	1/28/2017 10:10:07 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 10:10:06 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 10:10:05 AM	19	gradCels
SC ALRO SA	pH	1/28/2017 10:10:04 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 10:07:30 AM	0	mg/l
SC ALRO SA	Clor	1/28/2017 10:07:20 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 10:06:50 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 10:06:40 AM	20	mg/l
SC ALRO SA	Temp	1/28/2017 10:06:30 AM	19	gradCels
SC ALRO SA	pH	1/28/2017 10:05:40 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 10:05:09 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 10:05:08 AM	20	mg/l
SC ALRO SA	Clor	1/28/2017 10:04:27 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 10:04:26 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 10:04:25 AM	19	gradCels
SC ALRO SA	pH	1/28/2017 10:04:24 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 9:59:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 9:59:02 AM	20	mg/l
SC ALRO SA	Clor	1/28/2017 9:58:47 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 9:58:46 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 9:58:45 AM	19	gradCels
SC ALRO SA	pH	1/28/2017 9:58:44 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 9:54:03 AM	0	mg/l
SC ALRO SA	Clor	1/28/2017 9:53:27 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 9:53:26 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 9:53:25 AM	20	mg/l
SC ALRO SA	Temp	1/28/2017 9:53:24 AM	19	gradCels
SC ALRO SA	pH	1/28/2017 9:53:23 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 9:49:40 AM	0	mg/l
SC ALRO SA	Clor	1/28/2017 9:48:50 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 9:48:20 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 9:48:10 AM	20	mg/l
SC ALRO SA	Cianuri	1/28/2017 9:48:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 9:48:02 AM	20	mg/l
SC ALRO SA	Temp	1/28/2017 9:47:50 AM	19	gradCels
SC ALRO SA	Clor	1/28/2017 9:47:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 9:47:42 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 9:47:41 AM	19	gradCels
SC ALRO SA	pH	1/28/2017 9:47:40 AM	3	unit pH
SC ALRO SA	pH	1/28/2017 9:47:30 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 9:43:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 9:43:02 AM	20	mg/l
SC ALRO SA	pH	1/28/2017 9:42:23 AM	3	unit pH
SC ALRO SA	Clor	1/28/2017 9:42:22 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 9:42:21 AM	19	gradCels
SC ALRO SA	Grasimi	1/28/2017 9:42:20 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 9:37:03 AM	20	mg/l
SC ALRO SA	Cianuri	1/28/2017 9:37:02 AM	0	mg/l
SC ALRO SA	Clor	1/28/2017 9:36:47 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 9:36:46 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 9:36:45 AM	19	gradCels
SC ALRO SA	pH	1/28/2017 9:36:44 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 9:32:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 9:32:02 AM	20	mg/l
SC ALRO SA	Clor	1/28/2017 9:31:27 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 9:31:26 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 9:31:25 AM	19	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/28/2017 9:31:24 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 9:31:00 AM	0	mg/l
SC ALRO SA	Clor	1/28/2017 9:30:50 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 9:30:30 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 9:30:20 AM	20	mg/l
SC ALRO SA	Temp	1/28/2017 9:30:10 AM	19	gradCels
SC ALRO SA	pH	1/28/2017 9:30:00 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 9:26:03 AM	0	mg/l
SC ALRO SA	Clor	1/28/2017 9:25:47 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 9:25:46 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 9:25:45 AM	20	mg/l
SC ALRO SA	Temp	1/28/2017 9:25:44 AM	19	gradCels
SC ALRO SA	pH	1/28/2017 9:25:43 AM	3	unit pH
SC ALRO SA	Substante organice	1/28/2017 9:21:03 AM	20	mg/l
SC ALRO SA	Cianuri	1/28/2017 9:21:02 AM	0	mg/l
SC ALRO SA	Clor	1/28/2017 9:20:07 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 9:20:06 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 9:20:05 AM	20	gradCels
SC ALRO SA	pH	1/28/2017 9:20:04 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 9:15:02 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 9:15:01 AM	20	mg/l
SC ALRO SA	Clor	1/28/2017 9:14:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 9:14:42 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 9:14:41 AM	21	gradCels
SC ALRO SA	pH	1/28/2017 9:14:40 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 9:13:40 AM	0	mg/l
SC ALRO SA	Clor	1/28/2017 9:13:30 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 9:13:10 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 9:13:00 AM	20	mg/l
SC ALRO SA	Temp	1/28/2017 9:12:50 AM	22	gradCels
SC ALRO SA	pH	1/28/2017 9:12:40 AM	3	unit pH
SC ALRO SA	Substante organice	1/28/2017 9:10:03 AM	20	mg/l
SC ALRO SA	Cianuri	1/28/2017 9:10:02 AM	0	mg/l
SC ALRO SA	Clor	1/28/2017 9:09:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 9:09:02 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 9:09:01 AM	22	gradCels
SC ALRO SA	pH	1/28/2017 9:09:00 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 9:04:06 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 9:04:04 AM	20	mg/l
SC ALRO SA	Clor	1/28/2017 9:03:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 9:03:42 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 9:03:41 AM	22	gradCels
SC ALRO SA	pH	1/28/2017 9:03:40 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 8:59:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 8:59:02 AM	20	mg/l
SC ALRO SA	Clor	1/28/2017 8:58:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 8:58:02 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 8:58:01 AM	22	gradCels
SC ALRO SA	pH	1/28/2017 8:58:00 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 8:56:50 AM	0	mg/l
SC ALRO SA	Clor	1/28/2017 8:56:40 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 8:56:20 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 8:56:10 AM	20	mg/l
SC ALRO SA	Temp	1/28/2017 8:55:50 AM	22	gradCels
SC ALRO SA	pH	1/28/2017 8:55:40 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 8:53:02 AM	0	mg/l
SC ALRO SA	Clor	1/28/2017 8:52:44 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 8:52:43 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 8:52:42 AM	20	mg/l
SC ALRO SA	Temp	1/28/2017 8:52:41 AM	22	gradCels
SC ALRO SA	pH	1/28/2017 8:52:40 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 8:48:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 8:48:02 AM	22	mg/l
SC ALRO SA	Clor	1/28/2017 8:47:07 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 8:47:06 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 8:47:05 AM	23	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/28/2017 8:47:04 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 8:42:02 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 8:42:01 AM	22	mg/l
SC ALRO SA	Clor	1/28/2017 8:41:28 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 8:41:27 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 8:41:26 AM	23	gradCels
SC ALRO SA	pH	1/28/2017 8:41:25 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 8:39:20 AM	0	mg/l
SC ALRO SA	Clor	1/28/2017 8:39:10 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 8:38:20 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 8:36:50 AM	22	mg/l
SC ALRO SA	Temp	1/28/2017 8:36:40 AM	23	gradCels
SC ALRO SA	pH	1/28/2017 8:36:30 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 8:36:11 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 8:36:10 AM	22	mg/l
SC ALRO SA	Clor	1/28/2017 8:36:07 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 8:36:06 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 8:36:05 AM	23	gradCels
SC ALRO SA	pH	1/28/2017 8:36:04 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 8:31:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 8:31:02 AM	22	mg/l
SC ALRO SA	Clor	1/28/2017 8:30:27 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 8:30:26 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 8:30:25 AM	23	gradCels
SC ALRO SA	pH	1/28/2017 8:30:24 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 8:25:11 AM	0	mg/l
SC ALRO SA	Clor	1/28/2017 8:25:08 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 8:25:07 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 8:25:06 AM	22	mg/l
SC ALRO SA	Temp	1/28/2017 8:25:05 AM	23	gradCels
SC ALRO SA	pH	1/28/2017 8:25:04 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 8:20:10 AM	0	mg/l
SC ALRO SA	Cianuri	1/28/2017 8:20:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 8:20:02 AM	24	mg/l
SC ALRO SA	Clor	1/28/2017 8:19:50 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 8:19:30 AM	0	mg/l
SC ALRO SA	Clor	1/28/2017 8:19:27 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 8:19:26 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 8:19:25 AM	23	gradCels
SC ALRO SA	pH	1/28/2017 8:19:24 AM	3	unit pH
SC ALRO SA	Substante organice	1/28/2017 8:19:10 AM	24	mg/l
SC ALRO SA	Temp	1/28/2017 8:19:00 AM	24	gradCels
SC ALRO SA	pH	1/28/2017 8:18:50 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 8:14:11 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 8:14:10 AM	24	mg/l
SC ALRO SA	Clor	1/28/2017 8:14:08 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 8:14:07 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 8:14:06 AM	24	gradCels
SC ALRO SA	pH	1/28/2017 8:14:05 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 8:09:04 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 8:09:02 AM	24	mg/l
SC ALRO SA	Clor	1/28/2017 8:08:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 8:08:22 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 8:08:21 AM	24	gradCels
SC ALRO SA	pH	1/28/2017 8:08:20 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 8:03:11 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 8:03:10 AM	24	mg/l
SC ALRO SA	Clor	1/28/2017 8:03:07 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 8:03:06 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 8:03:05 AM	24	gradCels
SC ALRO SA	pH	1/28/2017 8:03:04 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 8:02:10 AM	0	mg/l
SC ALRO SA	Clor	1/28/2017 8:02:00 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 8:01:40 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 8:01:30 AM	24	mg/l
SC ALRO SA	Temp	1/28/2017 8:01:20 AM	24	gradCels



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/28/2017 8:01:10 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 7:58:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 7:58:02 AM	24	mg/l
SC ALRO SA	Clor	1/28/2017 7:57:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 7:57:22 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 7:57:21 AM	24	gradCels
SC ALRO SA	pH	1/28/2017 7:57:20 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 7:52:11 AM	0	mg/l
SC ALRO SA	Clor	1/28/2017 7:52:04 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 7:52:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 7:52:02 AM	24	mg/l
SC ALRO SA	Temp	1/28/2017 7:52:01 AM	24	gradCels
SC ALRO SA	pH	1/28/2017 7:52:00 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 7:47:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 7:47:02 AM	26	mg/l
SC ALRO SA	Clor	1/28/2017 7:46:27 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 7:46:26 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 7:46:25 AM	24	gradCels
SC ALRO SA	pH	1/28/2017 7:46:24 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 7:44:40 AM	0	mg/l
SC ALRO SA	Clor	1/28/2017 7:44:30 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 7:44:10 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 7:43:40 AM	26	mg/l
SC ALRO SA	Temp	1/28/2017 7:43:30 AM	24	gradCels
SC ALRO SA	pH	1/28/2017 7:42:30 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 7:41:02 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 7:41:01 AM	26	mg/l
SC ALRO SA	Clor	1/28/2017 7:40:48 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 7:40:47 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 7:40:46 AM	24	gradCels
SC ALRO SA	pH	1/28/2017 7:40:45 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 7:36:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 7:36:02 AM	26	mg/l
SC ALRO SA	Clor	1/28/2017 7:35:27 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 7:35:26 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 7:35:25 AM	24	gradCels
SC ALRO SA	pH	1/28/2017 7:35:24 AM	3	unit pH
SC ALRO SA	Substante organice	1/28/2017 7:30:03 AM	26	mg/l
SC ALRO SA	Cianuri	1/28/2017 7:30:02 AM	0	mg/l
SC ALRO SA	Clor	1/28/2017 7:29:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 7:29:42 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 7:29:41 AM	24	gradCels
SC ALRO SA	pH	1/28/2017 7:29:40 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 7:25:10 AM	0	mg/l
SC ALRO SA	Cianuri	1/28/2017 7:25:02 AM	0	mg/l
SC ALRO SA	Clor	1/28/2017 7:24:50 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 7:24:30 AM	0	mg/l
SC ALRO SA	Clor	1/28/2017 7:24:28 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 7:24:27 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 7:24:26 AM	26	mg/l
SC ALRO SA	Temp	1/28/2017 7:24:25 AM	25	gradCels
SC ALRO SA	pH	1/28/2017 7:24:24 AM	3	unit pH
SC ALRO SA	Substante organice	1/28/2017 7:24:00 AM	27	mg/l
SC ALRO SA	Temp	1/28/2017 7:23:50 AM	25	gradCels
SC ALRO SA	pH	1/28/2017 7:23:40 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 7:19:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 7:19:02 AM	27	mg/l
SC ALRO SA	Clor	1/28/2017 7:18:47 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 7:18:46 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 7:18:45 AM	25	gradCels
SC ALRO SA	pH	1/28/2017 7:18:44 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 7:14:02 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 7:14:01 AM	27	mg/l
SC ALRO SA	Clor	1/28/2017 7:13:28 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 7:13:27 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 7:13:26 AM	25	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/28/2017 7:13:25 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 7:08:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 7:08:02 AM	27	mg/l
SC ALRO SA	Clor	1/28/2017 7:07:47 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 7:07:46 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 7:07:45 AM	25	gradCels
SC ALRO SA	pH	1/28/2017 7:07:44 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 7:06:30 AM	0	mg/l
SC ALRO SA	Clor	1/28/2017 7:06:20 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 7:06:00 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 7:05:50 AM	27	mg/l
SC ALRO SA	Temp	1/28/2017 7:05:40 AM	25	gradCels
SC ALRO SA	pH	1/28/2017 7:05:30 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 7:03:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 7:03:02 AM	27	mg/l
SC ALRO SA	Clor	1/28/2017 7:02:27 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 7:02:26 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 7:02:25 AM	25	gradCels
SC ALRO SA	pH	1/28/2017 7:02:24 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 6:57:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 6:57:02 AM	27	mg/l
SC ALRO SA	Clor	1/28/2017 6:56:47 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 6:56:46 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 6:56:45 AM	25	gradCels
SC ALRO SA	pH	1/28/2017 6:56:44 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 6:52:02 AM	0	mg/l
SC ALRO SA	Clor	1/28/2017 6:51:08 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 6:51:07 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 6:51:06 AM	27	mg/l
SC ALRO SA	Temp	1/28/2017 6:51:05 AM	25	gradCels
SC ALRO SA	pH	1/28/2017 6:51:04 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 6:46:30 AM	0	mg/l
SC ALRO SA	Clor	1/28/2017 6:46:20 AM	0	mg/l
SC ALRO SA	Cianuri	1/28/2017 6:46:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 6:46:02 AM	27	mg/l
SC ALRO SA	Grasimi	1/28/2017 6:45:50 AM	0	mg/l
SC ALRO SA	Clor	1/28/2017 6:45:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 6:45:42 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 6:45:41 AM	25	gradCels
SC ALRO SA	pH	1/28/2017 6:45:40 AM	3	unit pH
SC ALRO SA	Substante organice	1/28/2017 6:45:20 AM	27	mg/l
SC ALRO SA	Temp	1/28/2017 6:45:10 AM	25	gradCels
SC ALRO SA	pH	1/28/2017 6:45:00 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 6:41:02 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 6:41:01 AM	27	mg/l
SC ALRO SA	Clor	1/28/2017 6:40:08 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 6:40:07 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 6:40:06 AM	25	gradCels
SC ALRO SA	pH	1/28/2017 6:40:05 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 6:35:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 6:35:02 AM	27	mg/l
SC ALRO SA	Clor	1/28/2017 6:34:47 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 6:34:46 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 6:34:45 AM	25	gradCels
SC ALRO SA	pH	1/28/2017 6:34:44 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 6:30:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 6:30:02 AM	27	mg/l
SC ALRO SA	Clor	1/28/2017 6:29:07 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 6:29:06 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 6:29:05 AM	25	gradCels
SC ALRO SA	pH	1/28/2017 6:29:04 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 6:27:30 AM	0	mg/l
SC ALRO SA	Clor	1/28/2017 6:27:20 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 6:26:40 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 6:26:30 AM	27	mg/l
SC ALRO SA	Temp	1/28/2017 6:26:20 AM	25	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/28/2017 6:25:20 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 6:24:02 AM	0	mg/l
SC ALRO SA	Clor	1/28/2017 6:23:48 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 6:23:47 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 6:23:46 AM	27	mg/l
SC ALRO SA	Temp	1/28/2017 6:23:45 AM	25	gradCels
SC ALRO SA	pH	1/28/2017 6:23:44 AM	3	unit pH
SC ALRO SA	Substante organice	1/28/2017 6:19:03 AM	26	mg/l
SC ALRO SA	Cianuri	1/28/2017 6:19:02 AM	0	mg/l
SC ALRO SA	Clor	1/28/2017 6:18:07 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 6:18:06 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 6:18:05 AM	25	gradCels
SC ALRO SA	pH	1/28/2017 6:18:04 AM	3	unit pH
SC ALRO SA	Substante organice	1/28/2017 6:13:02 AM	26	mg/l
SC ALRO SA	Cianuri	1/28/2017 6:13:01 AM	0	mg/l
SC ALRO SA	Clor	1/28/2017 6:12:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 6:12:42 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 6:12:41 AM	25	gradCels
SC ALRO SA	pH	1/28/2017 6:12:40 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 6:08:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 6:08:02 AM	26	mg/l
SC ALRO SA	Clor	1/28/2017 6:07:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 6:07:02 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 6:07:01 AM	25	gradCels
SC ALRO SA	pH	1/28/2017 6:07:00 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 6:06:20 AM	0	mg/l
SC ALRO SA	Clor	1/28/2017 6:06:10 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 6:05:50 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 6:05:40 AM	26	mg/l
SC ALRO SA	Temp	1/28/2017 6:05:30 AM	25	gradCels
SC ALRO SA	pH	1/28/2017 6:05:20 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 6:02:01 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 6:02:00 AM	26	mg/l
SC ALRO SA	Clor	1/28/2017 6:01:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 6:01:42 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 6:01:41 AM	25	gradCels
SC ALRO SA	pH	1/28/2017 6:01:40 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 5:57:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 5:57:02 AM	26	mg/l
SC ALRO SA	Clor	1/28/2017 5:56:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 5:56:02 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 5:56:01 AM	25	gradCels
SC ALRO SA	pH	1/28/2017 5:56:00 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 5:51:06 AM	0	mg/l
SC ALRO SA	Clor	1/28/2017 5:50:24 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 5:50:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 5:50:22 AM	26	mg/l
SC ALRO SA	Temp	1/28/2017 5:50:21 AM	25	gradCels
SC ALRO SA	pH	1/28/2017 5:50:20 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 5:45:10 AM	0	mg/l
SC ALRO SA	Cianuri	1/28/2017 5:45:05 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 5:45:04 AM	26	mg/l
SC ALRO SA	Clor	1/28/2017 5:45:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 5:45:02 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 5:45:01 AM	25	gradCels
SC ALRO SA	pH	1/28/2017 5:45:00 AM	3	unit pH
SC ALRO SA	Clor	1/28/2017 5:44:40 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 5:44:20 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 5:44:10 AM	26	mg/l
SC ALRO SA	Temp	1/28/2017 5:44:00 AM	25	gradCels
SC ALRO SA	pH	1/28/2017 5:43:50 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 5:40:07 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 5:40:06 AM	26	mg/l
SC ALRO SA	Clor	1/28/2017 5:39:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 5:39:22 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 5:39:21 AM	25	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/28/2017 5:39:20 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 5:34:05 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 5:34:04 AM	26	mg/l
SC ALRO SA	Clor	1/28/2017 5:34:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 5:34:02 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 5:34:01 AM	25	gradCels
SC ALRO SA	pH	1/28/2017 5:34:00 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 5:29:07 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 5:29:06 AM	26	mg/l
SC ALRO SA	Clor	1/28/2017 5:28:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 5:28:22 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 5:28:21 AM	25	gradCels
SC ALRO SA	pH	1/28/2017 5:28:20 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 5:24:20 AM	0	mg/l
SC ALRO SA	Clor	1/28/2017 5:24:10 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 5:23:30 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 5:23:10 AM	26	mg/l
SC ALRO SA	Cianuri	1/28/2017 5:23:05 AM	0	mg/l
SC ALRO SA	Clor	1/28/2017 5:23:04 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 5:23:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 5:23:02 AM	26	mg/l
SC ALRO SA	Temp	1/28/2017 5:23:01 AM	25	gradCels
SC ALRO SA	pH	1/28/2017 5:23:00 AM	3	unit pH
SC ALRO SA	Temp	1/28/2017 5:22:40 AM	25	gradCels
SC ALRO SA	pH	1/28/2017 5:22:30 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 5:18:07 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 5:18:06 AM	26	mg/l
SC ALRO SA	Clor	1/28/2017 5:17:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 5:17:22 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 5:17:21 AM	25	gradCels
SC ALRO SA	pH	1/28/2017 5:17:20 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 5:12:01 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 5:12:00 AM	26	mg/l
SC ALRO SA	Clor	1/28/2017 5:11:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 5:11:42 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 5:11:41 AM	25	gradCels
SC ALRO SA	pH	1/28/2017 5:11:40 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 5:07:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 5:07:02 AM	26	mg/l
SC ALRO SA	Clor	1/28/2017 5:06:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 5:06:22 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 5:06:21 AM	25	gradCels
SC ALRO SA	pH	1/28/2017 5:06:20 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 5:04:30 AM	0	mg/l
SC ALRO SA	Clor	1/28/2017 5:03:40 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 5:02:20 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 5:02:10 AM	26	mg/l
SC ALRO SA	Temp	1/28/2017 5:01:40 AM	25	gradCels
SC ALRO SA	pH	1/28/2017 5:01:30 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 5:01:01 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 5:01:00 AM	26	mg/l
SC ALRO SA	Clor	1/28/2017 5:00:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 5:00:42 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 5:00:41 AM	25	gradCels
SC ALRO SA	pH	1/28/2017 5:00:40 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 4:56:02 AM	0	mg/l
SC ALRO SA	Clor	1/28/2017 4:55:24 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 4:55:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 4:55:22 AM	26	mg/l
SC ALRO SA	Temp	1/28/2017 4:55:21 AM	25	gradCels
SC ALRO SA	pH	1/28/2017 4:55:20 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 4:50:01 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 4:50:00 AM	26	mg/l
SC ALRO SA	Clor	1/28/2017 4:49:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 4:49:42 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 4:49:41 AM	25	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/28/2017 4:49:40 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 4:45:01 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 4:45:00 AM	26	mg/l
SC ALRO SA	Clor	1/28/2017 4:44:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 4:44:22 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 4:44:21 AM	25	gradCels
SC ALRO SA	pH	1/28/2017 4:44:20 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 4:39:40 AM	0	mg/l
SC ALRO SA	Clor	1/28/2017 4:39:30 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 4:39:10 AM	0	mg/l
SC ALRO SA	Cianuri	1/28/2017 4:39:01 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 4:39:00 AM	26	mg/l
SC ALRO SA	Clor	1/28/2017 4:38:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 4:38:42 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 4:38:41 AM	25	gradCels
SC ALRO SA	pH	1/28/2017 4:38:40 AM	3	unit pH
SC ALRO SA	Substante organice	1/28/2017 4:38:20 AM	26	mg/l
SC ALRO SA	Temp	1/28/2017 4:38:10 AM	25	gradCels
SC ALRO SA	pH	1/28/2017 4:38:00 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 4:34:01 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 4:34:00 AM	26	mg/l
SC ALRO SA	Clor	1/28/2017 4:33:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 4:33:02 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 4:33:01 AM	25	gradCels
SC ALRO SA	pH	1/28/2017 4:33:00 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 4:28:01 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 4:28:00 AM	26	mg/l
SC ALRO SA	Clor	1/28/2017 4:27:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 4:27:42 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 4:27:41 AM	24	gradCels
SC ALRO SA	pH	1/28/2017 4:27:40 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 4:23:00 AM	0	mg/l
SC ALRO SA	Clor	1/28/2017 4:22:04 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 4:22:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 4:22:02 AM	26	mg/l
SC ALRO SA	Temp	1/28/2017 4:22:01 AM	24	gradCels
SC ALRO SA	pH	1/28/2017 4:22:00 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 4:18:20 AM	0	mg/l
SC ALRO SA	Clor	1/28/2017 4:17:50 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 4:17:30 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 4:17:20 AM	26	mg/l
SC ALRO SA	Temp	1/28/2017 4:17:10 AM	24	gradCels
SC ALRO SA	Cianuri	1/28/2017 4:17:01 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 4:17:00 AM	26	mg/l
SC ALRO SA	Clor	1/28/2017 4:16:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 4:16:42 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 4:16:41 AM	24	gradCels
SC ALRO SA	pH	1/28/2017 4:16:40 AM	3	unit pH
SC ALRO SA	pH	1/28/2017 4:16:20 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 4:12:01 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 4:12:00 AM	26	mg/l
SC ALRO SA	Clor	1/28/2017 4:11:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 4:11:02 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 4:11:01 AM	24	gradCels
SC ALRO SA	pH	1/28/2017 4:11:00 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 4:06:01 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 4:06:00 AM	26	mg/l
SC ALRO SA	Clor	1/28/2017 4:05:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 4:05:42 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 4:05:41 AM	24	gradCels
SC ALRO SA	pH	1/28/2017 4:05:40 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 4:01:01 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 4:01:00 AM	26	mg/l
SC ALRO SA	Clor	1/28/2017 4:00:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 4:00:02 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 4:00:01 AM	24	gradCels



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/28/2017 4:00:00 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 3:56:10 AM	0	mg/l
SC ALRO SA	Clor	1/28/2017 3:55:50 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 3:55:30 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 3:55:20 AM	26	mg/l
SC ALRO SA	Temp	1/28/2017 3:55:10 AM	24	gradCels
SC ALRO SA	Cianuri	1/28/2017 3:55:00 AM	0	mg/l
SC ALRO SA	pH	1/28/2017 3:54:40 AM	3	unit pH
SC ALRO SA	Clor	1/28/2017 3:54:24 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 3:54:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 3:54:22 AM	26	mg/l
SC ALRO SA	Temp	1/28/2017 3:54:21 AM	24	gradCels
SC ALRO SA	pH	1/28/2017 3:54:20 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 3:49:05 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 3:49:04 AM	26	mg/l
SC ALRO SA	Clor	1/28/2017 3:49:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 3:49:02 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 3:49:01 AM	24	gradCels
SC ALRO SA	pH	1/28/2017 3:49:00 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 3:44:01 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 3:44:00 AM	26	mg/l
SC ALRO SA	Clor	1/28/2017 3:43:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 3:43:22 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 3:43:21 AM	24	gradCels
SC ALRO SA	pH	1/28/2017 3:43:20 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 3:38:05 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 3:38:04 AM	26	mg/l
SC ALRO SA	Clor	1/28/2017 3:38:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 3:38:02 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 3:38:01 AM	24	gradCels
SC ALRO SA	pH	1/28/2017 3:38:00 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 3:37:00 AM	0	mg/l
SC ALRO SA	Clor	1/28/2017 3:36:50 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 3:36:30 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 3:36:20 AM	26	mg/l
SC ALRO SA	Temp	1/28/2017 3:36:10 AM	24	gradCels
SC ALRO SA	pH	1/28/2017 3:35:40 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 3:33:01 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 3:33:00 AM	26	mg/l
SC ALRO SA	Clor	1/28/2017 3:32:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 3:32:22 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 3:32:21 AM	24	gradCels
SC ALRO SA	pH	1/28/2017 3:32:20 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 3:27:05 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 3:27:04 AM	26	mg/l
SC ALRO SA	Clor	1/28/2017 3:27:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 3:27:02 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 3:27:01 AM	24	gradCels
SC ALRO SA	pH	1/28/2017 3:27:00 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 3:22:00 AM	0	mg/l
SC ALRO SA	Clor	1/28/2017 3:21:24 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 3:21:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 3:21:22 AM	26	mg/l
SC ALRO SA	Temp	1/28/2017 3:21:21 AM	24	gradCels
SC ALRO SA	pH	1/28/2017 3:21:20 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 3:17:20 AM	0	mg/l
SC ALRO SA	Clor	1/28/2017 3:17:10 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 3:16:50 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 3:16:40 AM	26	mg/l
SC ALRO SA	Temp	1/28/2017 3:16:30 AM	24	gradCels
SC ALRO SA	pH	1/28/2017 3:16:20 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 3:16:05 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 3:16:04 AM	26	mg/l
SC ALRO SA	Clor	1/28/2017 3:16:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 3:16:02 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 3:16:01 AM	24	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/28/2017 3:16:00 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 3:11:01 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 3:11:00 AM	26	mg/l
SC ALRO SA	Clor	1/28/2017 3:10:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 3:10:22 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 3:10:21 AM	24	gradCels
SC ALRO SA	pH	1/28/2017 3:10:20 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 3:05:01 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 3:05:00 AM	26	mg/l
SC ALRO SA	Clor	1/28/2017 3:04:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 3:04:42 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 3:04:41 AM	24	gradCels
SC ALRO SA	pH	1/28/2017 3:04:40 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 3:00:01 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 3:00:00 AM	26	mg/l
SC ALRO SA	Clor	1/28/2017 2:59:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 2:59:22 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 2:59:21 AM	24	gradCels
SC ALRO SA	pH	1/28/2017 2:59:20 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 2:58:20 AM	0	mg/l
SC ALRO SA	Clor	1/28/2017 2:58:10 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 2:57:50 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 2:57:40 AM	26	mg/l
SC ALRO SA	Temp	1/28/2017 2:56:40 AM	24	gradCels
SC ALRO SA	pH	1/28/2017 2:56:30 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 2:54:00 AM	0	mg/l
SC ALRO SA	Clor	1/28/2017 2:53:44 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 2:53:43 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 2:53:42 AM	26	mg/l
SC ALRO SA	Temp	1/28/2017 2:53:41 AM	24	gradCels
SC ALRO SA	pH	1/28/2017 2:53:40 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 2:49:01 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 2:49:00 AM	26	mg/l
SC ALRO SA	Clor	1/28/2017 2:48:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 2:48:22 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 2:48:21 AM	24	gradCels
SC ALRO SA	pH	1/28/2017 2:48:20 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 2:43:01 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 2:43:00 AM	26	mg/l
SC ALRO SA	Clor	1/28/2017 2:42:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 2:42:42 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 2:42:41 AM	24	gradCels
SC ALRO SA	pH	1/28/2017 2:42:40 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 2:38:20 AM	0	mg/l
SC ALRO SA	Clor	1/28/2017 2:38:10 AM	0	mg/l
SC ALRO SA	Cianuri	1/28/2017 2:38:01 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 2:38:00 AM	26	mg/l
SC ALRO SA	Grasimi	1/28/2017 2:37:30 AM	0	mg/l
SC ALRO SA	Clor	1/28/2017 2:37:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 2:37:22 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 2:37:21 AM	24	gradCels
SC ALRO SA	pH	1/28/2017 2:37:20 AM	3	unit pH
SC ALRO SA	Substante organice	1/28/2017 2:37:00 AM	26	mg/l
SC ALRO SA	Temp	1/28/2017 2:36:50 AM	24	gradCels
SC ALRO SA	pH	1/28/2017 2:36:40 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 2:32:01 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 2:32:00 AM	26	mg/l
SC ALRO SA	Clor	1/28/2017 2:31:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 2:31:42 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 2:31:41 AM	24	gradCels
SC ALRO SA	pH	1/28/2017 2:31:40 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 2:27:01 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 2:27:00 AM	26	mg/l
SC ALRO SA	Clor	1/28/2017 2:26:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 2:26:02 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 2:26:01 AM	24	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/28/2017 2:26:00 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 2:21:00 AM	0	mg/l
SC ALRO SA	Clor	1/28/2017 2:20:44 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 2:20:43 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 2:20:42 AM	26	mg/l
SC ALRO SA	Temp	1/28/2017 2:20:41 AM	24	gradCels
SC ALRO SA	pH	1/28/2017 2:20:40 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 2:19:20 AM	0	mg/l
SC ALRO SA	Clor	1/28/2017 2:19:10 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 2:18:30 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 2:17:00 AM	26	mg/l
SC ALRO SA	Temp	1/28/2017 2:16:50 AM	24	gradCels
SC ALRO SA	pH	1/28/2017 2:16:40 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 2:16:01 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 2:16:00 AM	26	mg/l
SC ALRO SA	Clor	1/28/2017 2:15:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 2:15:02 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 2:15:01 AM	24	gradCels
SC ALRO SA	pH	1/28/2017 2:15:00 AM	3	unit pH
SC ALRO SA	Substante organice	1/28/2017 2:10:01 AM	26	mg/l
SC ALRO SA	Cianuri	1/28/2017 2:10:00 AM	0	mg/l
SC ALRO SA	Clor	1/28/2017 2:09:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 2:09:42 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 2:09:41 AM	23	gradCels
SC ALRO SA	pH	1/28/2017 2:09:40 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 2:05:01 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 2:05:00 AM	26	mg/l
SC ALRO SA	Clor	1/28/2017 2:04:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 2:04:02 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 2:04:01 AM	23	gradCels
SC ALRO SA	pH	1/28/2017 2:04:00 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 1:59:01 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 1:59:00 AM	26	mg/l
SC ALRO SA	Clor	1/28/2017 1:58:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 1:58:42 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 1:58:41 AM	23	gradCels
SC ALRO SA	pH	1/28/2017 1:58:40 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 1:57:40 AM	0	mg/l
SC ALRO SA	Clor	1/28/2017 1:57:30 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 1:57:10 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 1:55:00 AM	26	mg/l
SC ALRO SA	Temp	1/28/2017 1:54:50 AM	23	gradCels
SC ALRO SA	pH	1/28/2017 1:54:40 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 1:54:00 AM	0	mg/l
SC ALRO SA	Clor	1/28/2017 1:53:04 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 1:53:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 1:53:02 AM	26	mg/l
SC ALRO SA	Temp	1/28/2017 1:53:01 AM	23	gradCels
SC ALRO SA	pH	1/28/2017 1:53:00 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 1:48:01 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 1:48:00 AM	26	mg/l
SC ALRO SA	Clor	1/28/2017 1:47:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 1:47:42 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 1:47:41 AM	23	gradCels
SC ALRO SA	pH	1/28/2017 1:47:40 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 1:43:01 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 1:43:00 AM	26	mg/l
SC ALRO SA	Clor	1/28/2017 1:42:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 1:42:02 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 1:42:01 AM	23	gradCels
SC ALRO SA	pH	1/28/2017 1:42:00 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 1:37:30 AM	0	mg/l
SC ALRO SA	Clor	1/28/2017 1:37:20 AM	0	mg/l
SC ALRO SA	Cianuri	1/28/2017 1:37:01 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 1:37:00 AM	26	mg/l
SC ALRO SA	Grasimi	1/28/2017 1:36:40 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	1/28/2017 1:36:30 AM	26	mg/l
SC ALRO SA	Clor	1/28/2017 1:36:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 1:36:22 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 1:36:21 AM	23	gradCels
SC ALRO SA	pH	1/28/2017 1:36:20 AM	3	unit pH
SC ALRO SA	Temp	1/28/2017 1:36:10 AM	23	gradCels
SC ALRO SA	pH	1/28/2017 1:36:00 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 1:32:01 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 1:32:00 AM	26	mg/l
SC ALRO SA	Clor	1/28/2017 1:31:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 1:31:02 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 1:31:01 AM	23	gradCels
SC ALRO SA	pH	1/28/2017 1:31:00 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 1:26:00 AM	0	mg/l
SC ALRO SA	Clor	1/28/2017 1:25:24 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 1:25:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 1:25:22 AM	26	mg/l
SC ALRO SA	Temp	1/28/2017 1:25:21 AM	23	gradCels
SC ALRO SA	pH	1/28/2017 1:25:20 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 1:21:01 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 1:21:00 AM	26	mg/l
SC ALRO SA	Clor	1/28/2017 1:20:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 1:20:02 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 1:20:01 AM	23	gradCels
SC ALRO SA	pH	1/28/2017 1:20:00 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 1:18:20 AM	0	mg/l
SC ALRO SA	Clor	1/28/2017 1:17:40 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 1:16:20 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 1:16:10 AM	26	mg/l
SC ALRO SA	Temp	1/28/2017 1:16:00 AM	23	gradCels
SC ALRO SA	pH	1/28/2017 1:15:50 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 1:15:01 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 1:15:00 AM	26	mg/l
SC ALRO SA	Clor	1/28/2017 1:14:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 1:14:22 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 1:14:21 AM	23	gradCels
SC ALRO SA	pH	1/28/2017 1:14:20 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 1:09:05 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 1:09:04 AM	26	mg/l
SC ALRO SA	Clor	1/28/2017 1:09:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 1:09:02 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 1:09:01 AM	23	gradCels
SC ALRO SA	pH	1/28/2017 1:09:00 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 1:04:01 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 1:04:00 AM	26	mg/l
SC ALRO SA	Clor	1/28/2017 1:03:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 1:03:22 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 1:03:21 AM	23	gradCels
SC ALRO SA	pH	1/28/2017 1:03:20 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 12:58:40 AM	0	mg/l
SC ALRO SA	Clor	1/28/2017 12:58:30 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 12:58:10 AM	0	mg/l
SC ALRO SA	Cianuri	1/28/2017 12:58:05 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 12:58:04 AM	26	mg/l
SC ALRO SA	Clor	1/28/2017 12:58:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 12:58:02 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 12:58:01 AM	23	gradCels
SC ALRO SA	pH	1/28/2017 12:58:00 AM	3	unit pH
SC ALRO SA	Substante organice	1/28/2017 12:57:40 AM	26	mg/l
SC ALRO SA	Temp	1/28/2017 12:57:30 AM	23	gradCels
SC ALRO SA	pH	1/28/2017 12:57:20 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 12:53:00 AM	0	mg/l
SC ALRO SA	Clor	1/28/2017 12:52:24 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 12:52:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 12:52:22 AM	26	mg/l
SC ALRO SA	Temp	1/28/2017 12:52:21 AM	23	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/28/2017 12:52:20 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 12:47:05 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 12:47:04 AM	26	mg/l
SC ALRO SA	Clor	1/28/2017 12:47:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 12:47:02 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 12:47:01 AM	23	gradCels
SC ALRO SA	pH	1/28/2017 12:47:00 AM	4	unit pH
SC ALRO SA	Cianuri	1/28/2017 12:42:01 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 12:42:00 AM	26	mg/l
SC ALRO SA	Clor	1/28/2017 12:41:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 12:41:22 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 12:41:21 AM	23	gradCels
SC ALRO SA	pH	1/28/2017 12:41:20 AM	4	unit pH
SC ALRO SA	Cianuri	1/28/2017 12:38:00 AM	0	mg/l
SC ALRO SA	Clor	1/28/2017 12:37:50 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 12:37:30 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 12:37:20 AM	26	mg/l
SC ALRO SA	Temp	1/28/2017 12:37:10 AM	23	gradCels
SC ALRO SA	pH	1/28/2017 12:37:00 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 12:36:01 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 12:36:00 AM	26	mg/l
SC ALRO SA	Clor	1/28/2017 12:35:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 12:35:42 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 12:35:41 AM	23	gradCels
SC ALRO SA	pH	1/28/2017 12:35:40 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 12:31:01 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 12:31:00 AM	26	mg/l
SC ALRO SA	Clor	1/28/2017 12:30:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 12:30:22 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 12:30:21 AM	23	gradCels
SC ALRO SA	pH	1/28/2017 12:30:20 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 12:25:00 AM	0	mg/l
SC ALRO SA	Clor	1/28/2017 12:24:44 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 12:24:43 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 12:24:42 AM	26	mg/l
SC ALRO SA	Temp	1/28/2017 12:24:41 AM	23	gradCels
SC ALRO SA	pH	1/28/2017 12:24:40 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 12:20:01 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 12:20:00 AM	27	mg/l
SC ALRO SA	Cianuri	1/28/2017 12:19:30 AM	0	mg/l
SC ALRO SA	Clor	1/28/2017 12:19:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 12:19:22 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 12:19:21 AM	23	gradCels
SC ALRO SA	pH	1/28/2017 12:19:20 AM	3	unit pH
SC ALRO SA	Clor	1/28/2017 12:19:00 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 12:18:40 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 12:18:30 AM	27	mg/l
SC ALRO SA	Temp	1/28/2017 12:18:20 AM	23	gradCels
SC ALRO SA	pH	1/28/2017 12:18:10 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 12:14:01 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 12:14:00 AM	27	mg/l
SC ALRO SA	Clor	1/28/2017 12:13:44 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 12:13:42 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 12:13:41 AM	23	gradCels
SC ALRO SA	pH	1/28/2017 12:13:40 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 12:09:01 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 12:09:00 AM	27	mg/l
SC ALRO SA	Clor	1/28/2017 12:08:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 12:08:22 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 12:08:21 AM	23	gradCels
SC ALRO SA	pH	1/28/2017 12:08:20 AM	3	unit pH
SC ALRO SA	Cianuri	1/28/2017 12:03:01 AM	0	mg/l
SC ALRO SA	Substante organice	1/28/2017 12:03:00 AM	27	mg/l
SC ALRO SA	Clor	1/28/2017 12:02:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/28/2017 12:02:42 AM	0	mg/l
SC ALRO SA	Temp	1/28/2017 12:02:41 AM	22	gradCels



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/28/2017 12:02:40 AM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 11:59:10 PM	0	mg/l
SC ALRO SA	Clor	1/27/2017 11:59:00 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 11:58:40 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 11:58:30 PM	27	mg/l
SC ALRO SA	Temp	1/27/2017 11:58:20 PM	22	gradCels
SC ALRO SA	pH	1/27/2017 11:58:10 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 11:58:02 PM	0	mg/l
SC ALRO SA	Clor	1/27/2017 11:58:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 11:58:00 PM	27	mg/l
SC ALRO SA	Grasimi	1/27/2017 11:57:02 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 11:57:01 PM	22	gradCels
SC ALRO SA	pH	1/27/2017 11:57:00 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 11:52:00 PM	0	mg/l
SC ALRO SA	Clor	1/27/2017 11:51:44 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 11:51:43 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 11:51:42 PM	27	mg/l
SC ALRO SA	Temp	1/27/2017 11:51:41 PM	22	gradCels
SC ALRO SA	pH	1/27/2017 11:51:40 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 11:47:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 11:47:00 PM	27	mg/l
SC ALRO SA	Clor	1/27/2017 11:46:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 11:46:02 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 11:46:01 PM	22	gradCels
SC ALRO SA	pH	1/27/2017 11:46:00 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 11:41:40 PM	0	mg/l
SC ALRO SA	Clor	1/27/2017 11:41:30 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 11:41:10 PM	0	mg/l
SC ALRO SA	Cianuri	1/27/2017 11:41:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 11:41:00 PM	27	mg/l
SC ALRO SA	Clor	1/27/2017 11:40:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 11:40:42 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 11:40:41 PM	22	gradCels
SC ALRO SA	pH	1/27/2017 11:40:40 PM	3	unit pH
SC ALRO SA	Substante organice	1/27/2017 11:40:20 PM	27	mg/l
SC ALRO SA	Temp	1/27/2017 11:40:10 PM	22	gradCels
SC ALRO SA	pH	1/27/2017 11:40:00 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 11:36:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 11:36:00 PM	27	mg/l
SC ALRO SA	Clor	1/27/2017 11:35:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 11:35:02 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 11:35:01 PM	22	gradCels
SC ALRO SA	pH	1/27/2017 11:35:00 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 11:30:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 11:30:00 PM	27	mg/l
SC ALRO SA	Clor	1/27/2017 11:29:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 11:29:42 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 11:29:41 PM	22	gradCels
SC ALRO SA	pH	1/27/2017 11:29:40 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 11:25:00 PM	0	mg/l
SC ALRO SA	Clor	1/27/2017 11:24:04 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 11:24:03 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 11:24:02 PM	27	mg/l
SC ALRO SA	Temp	1/27/2017 11:24:01 PM	22	gradCels
SC ALRO SA	pH	1/27/2017 11:24:00 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 11:23:20 PM	0	mg/l
SC ALRO SA	Clor	1/27/2017 11:23:10 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 11:22:50 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 11:22:40 PM	26	mg/l
SC ALRO SA	Temp	1/27/2017 11:22:30 PM	22	gradCels
SC ALRO SA	pH	1/27/2017 11:21:10 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 11:19:02 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 11:19:01 PM	26	mg/l
SC ALRO SA	Clor	1/27/2017 11:18:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 11:18:22 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 11:18:21 PM	22	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/27/2017 11:18:20 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 11:14:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 11:14:00 PM	26	mg/l
SC ALRO SA	Clor	1/27/2017 11:13:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 11:13:02 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 11:13:01 PM	22	gradCels
SC ALRO SA	pH	1/27/2017 11:13:00 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 11:08:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 11:08:00 PM	26	mg/l
SC ALRO SA	Clor	1/27/2017 11:07:24 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 11:07:22 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 11:07:21 PM	22	gradCels
SC ALRO SA	pH	1/27/2017 11:07:20 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 11:04:00 PM	0	mg/l
SC ALRO SA	Clor	1/27/2017 11:03:50 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 11:03:30 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 11:03:20 PM	26	mg/l
SC ALRO SA	Temp	1/27/2017 11:03:10 PM	22	gradCels
SC ALRO SA	Cianuri	1/27/2017 11:03:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 11:03:00 PM	26	mg/l
SC ALRO SA	pH	1/27/2017 11:02:40 PM	3	unit pH
SC ALRO SA	Clor	1/27/2017 11:02:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 11:02:02 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 11:02:01 PM	22	gradCels
SC ALRO SA	pH	1/27/2017 11:02:00 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 10:57:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 10:57:00 PM	26	mg/l
SC ALRO SA	Clor	1/27/2017 10:56:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 10:56:22 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 10:56:21 PM	22	gradCels
SC ALRO SA	pH	1/27/2017 10:56:20 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 10:51:05 PM	0	mg/l
SC ALRO SA	Clor	1/27/2017 10:51:04 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 10:51:03 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 10:51:02 PM	26	mg/l
SC ALRO SA	Temp	1/27/2017 10:51:01 PM	22	gradCels
SC ALRO SA	pH	1/27/2017 10:51:00 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 10:46:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 10:46:00 PM	25	mg/l
SC ALRO SA	Cianuri	1/27/2017 10:45:30 PM	0	mg/l
SC ALRO SA	Clor	1/27/2017 10:45:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 10:45:22 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 10:45:21 PM	22	gradCels
SC ALRO SA	pH	1/27/2017 10:45:20 PM	3	unit pH
SC ALRO SA	Clor	1/27/2017 10:45:10 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 10:44:50 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 10:44:40 PM	25	mg/l
SC ALRO SA	Temp	1/27/2017 10:44:30 PM	22	gradCels
SC ALRO SA	pH	1/27/2017 10:44:20 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 10:40:05 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 10:40:04 PM	25	mg/l
SC ALRO SA	Clor	1/27/2017 10:40:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 10:40:02 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 10:40:01 PM	22	gradCels
SC ALRO SA	pH	1/27/2017 10:40:00 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 10:35:05 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 10:35:04 PM	25	mg/l
SC ALRO SA	Clor	1/27/2017 10:35:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 10:35:02 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 10:35:01 PM	22	gradCels
SC ALRO SA	pH	1/27/2017 10:35:00 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 10:30:05 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 10:30:04 PM	25	mg/l
SC ALRO SA	Clor	1/27/2017 10:30:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 10:30:02 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 10:30:01 PM	22	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/27/2017 10:30:00 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 10:27:40 PM	0	mg/l
SC ALRO SA	Clor	1/27/2017 10:27:30 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 10:26:10 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 10:25:30 PM	25	mg/l
SC ALRO SA	Temp	1/27/2017 10:25:20 PM	22	gradCels
SC ALRO SA	pH	1/27/2017 10:25:10 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 10:25:00 PM	0	mg/l
SC ALRO SA	Clor	1/27/2017 10:24:24 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 10:24:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 10:24:22 PM	25	mg/l
SC ALRO SA	Temp	1/27/2017 10:24:21 PM	22	gradCels
SC ALRO SA	pH	1/27/2017 10:24:20 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 10:19:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 10:19:00 PM	26	mg/l
SC ALRO SA	Clor	1/27/2017 10:18:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 10:18:42 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 10:18:41 PM	22	gradCels
SC ALRO SA	pH	1/27/2017 10:18:40 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 10:14:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 10:14:00 PM	26	mg/l
SC ALRO SA	Clor	1/27/2017 10:13:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 10:13:22 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 10:13:21 PM	22	gradCels
SC ALRO SA	pH	1/27/2017 10:13:20 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 10:08:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 10:08:00 PM	26	mg/l
SC ALRO SA	Clor	1/27/2017 10:07:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 10:07:42 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 10:07:41 PM	22	gradCels
SC ALRO SA	pH	1/27/2017 10:07:40 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 10:06:30 PM	0	mg/l
SC ALRO SA	Clor	1/27/2017 10:06:20 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 10:05:40 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 10:05:30 PM	26	mg/l
SC ALRO SA	Temp	1/27/2017 10:05:20 PM	21	gradCels
SC ALRO SA	pH	1/27/2017 10:04:10 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 10:03:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 10:03:00 PM	26	mg/l
SC ALRO SA	Clor	1/27/2017 10:02:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 10:02:22 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 10:02:21 PM	21	gradCels
SC ALRO SA	pH	1/27/2017 10:02:20 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 9:57:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 9:57:00 PM	26	mg/l
SC ALRO SA	Clor	1/27/2017 9:56:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 9:56:42 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 9:56:41 PM	21	gradCels
SC ALRO SA	pH	1/27/2017 9:56:40 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 9:52:00 PM	0	mg/l
SC ALRO SA	Clor	1/27/2017 9:51:24 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 9:51:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 9:51:22 PM	26	mg/l
SC ALRO SA	Temp	1/27/2017 9:51:21 PM	21	gradCels
SC ALRO SA	pH	1/27/2017 9:51:20 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 9:46:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 9:46:00 PM	27	mg/l
SC ALRO SA	Clor	1/27/2017 9:45:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 9:45:42 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 9:45:41 PM	21	gradCels
SC ALRO SA	pH	1/27/2017 9:45:40 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 9:44:50 PM	0	mg/l
SC ALRO SA	Clor	1/27/2017 9:44:40 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 9:44:20 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 9:44:10 PM	27	mg/l
SC ALRO SA	Temp	1/27/2017 9:43:40 PM	21	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/27/2017 9:43:30 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 9:41:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 9:41:00 PM	27	mg/l
SC ALRO SA	Clor	1/27/2017 9:40:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 9:40:02 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 9:40:01 PM	21	gradCels
SC ALRO SA	pH	1/27/2017 9:40:00 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 9:35:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 9:35:00 PM	27	mg/l
SC ALRO SA	Clor	1/27/2017 9:34:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 9:34:42 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 9:34:41 PM	21	gradCels
SC ALRO SA	pH	1/27/2017 9:34:40 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 9:30:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 9:30:00 PM	27	mg/l
SC ALRO SA	Clor	1/27/2017 9:29:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 9:29:02 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 9:29:01 PM	22	gradCels
SC ALRO SA	pH	1/27/2017 9:29:00 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 9:24:00 PM	0	mg/l
SC ALRO SA	Clor	1/27/2017 9:23:44 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 9:23:43 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 9:23:42 PM	27	mg/l
SC ALRO SA	Temp	1/27/2017 9:23:41 PM	22	gradCels
SC ALRO SA	pH	1/27/2017 9:23:40 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 9:21:20 PM	0	mg/l
SC ALRO SA	Clor	1/27/2017 9:21:10 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 9:19:20 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 9:19:10 PM	28	mg/l
SC ALRO SA	Cianuri	1/27/2017 9:19:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 9:19:00 PM	28	mg/l
SC ALRO SA	Temp	1/27/2017 9:18:40 PM	22	gradCels
SC ALRO SA	pH	1/27/2017 9:18:30 PM	3	unit pH
SC ALRO SA	Clor	1/27/2017 9:18:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 9:18:02 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 9:18:01 PM	22	gradCels
SC ALRO SA	pH	1/27/2017 9:18:00 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 9:13:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 9:13:00 PM	28	mg/l
SC ALRO SA	Clor	1/27/2017 9:12:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 9:12:42 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 9:12:41 PM	23	gradCels
SC ALRO SA	pH	1/27/2017 9:12:40 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 9:08:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 9:08:00 PM	28	mg/l
SC ALRO SA	Clor	1/27/2017 9:07:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 9:07:02 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 9:07:01 PM	24	gradCels
SC ALRO SA	pH	1/27/2017 9:07:00 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 9:02:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 9:02:00 PM	28	mg/l
SC ALRO SA	Clor	1/27/2017 9:01:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 9:01:42 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 9:01:41 PM	24	gradCels
SC ALRO SA	pH	1/27/2017 9:01:40 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 8:56:48 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 8:56:47 PM	28	mg/l
SC ALRO SA	Clor	1/27/2017 8:56:46 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 8:56:45 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 8:56:42 PM	24	gradCels
SC ALRO SA	pH	1/27/2017 8:56:40 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 8:56:20 PM	0	mg/l
SC ALRO SA	Clor	1/27/2017 8:56:10 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 8:55:50 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 8:55:40 PM	28	mg/l
SC ALRO SA	Temp	1/27/2017 8:55:30 PM	24	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/27/2017 8:55:20 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 8:52:00 PM	0	mg/l
SC ALRO SA	Clor	1/27/2017 8:51:04 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 8:51:03 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 8:51:02 PM	28	mg/l
SC ALRO SA	Temp	1/27/2017 8:51:01 PM	24	gradCels
SC ALRO SA	pH	1/27/2017 8:51:00 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 8:46:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 8:46:00 PM	28	mg/l
SC ALRO SA	Clor	1/27/2017 8:45:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 8:45:22 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 8:45:21 PM	24	gradCels
SC ALRO SA	pH	1/27/2017 8:45:20 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 8:41:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 8:41:00 PM	28	mg/l
SC ALRO SA	Clor	1/27/2017 8:40:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 8:40:02 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 8:40:01 PM	24	gradCels
SC ALRO SA	pH	1/27/2017 8:40:00 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 8:36:10 PM	0	mg/l
SC ALRO SA	Clor	1/27/2017 8:35:40 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 8:35:10 PM	0	mg/l
SC ALRO SA	Cianuri	1/27/2017 8:35:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 8:35:00 PM	28	mg/l
SC ALRO SA	Substante organice	1/27/2017 8:34:40 PM	28	mg/l
SC ALRO SA	Temp	1/27/2017 8:34:30 PM	24	gradCels
SC ALRO SA	Clor	1/27/2017 8:34:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 8:34:22 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 8:34:21 PM	24	gradCels
SC ALRO SA	pH	1/27/2017 8:34:20 PM	3	unit pH
SC ALRO SA	pH	1/27/2017 8:34:10 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 8:29:05 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 8:29:04 PM	28	mg/l
SC ALRO SA	Clor	1/27/2017 8:29:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 8:29:02 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 8:29:01 PM	24	gradCels
SC ALRO SA	pH	1/27/2017 8:29:00 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 8:24:00 PM	0	mg/l
SC ALRO SA	Clor	1/27/2017 8:23:24 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 8:23:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 8:23:22 PM	28	mg/l
SC ALRO SA	Temp	1/27/2017 8:23:21 PM	24	gradCels
SC ALRO SA	pH	1/27/2017 8:23:20 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 8:18:05 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 8:18:04 PM	27	mg/l
SC ALRO SA	Clor	1/27/2017 8:18:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 8:18:02 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 8:18:01 PM	24	gradCels
SC ALRO SA	pH	1/27/2017 8:18:00 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 8:13:40 PM	0	mg/l
SC ALRO SA	Clor	1/27/2017 8:13:30 PM	0	mg/l
SC ALRO SA	Cianuri	1/27/2017 8:13:05 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 8:13:04 PM	27	mg/l
SC ALRO SA	Clor	1/27/2017 8:13:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 8:13:02 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 8:13:01 PM	24	gradCels
SC ALRO SA	pH	1/27/2017 8:13:00 PM	3	unit pH
SC ALRO SA	Grasimi	1/27/2017 8:12:40 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 8:12:30 PM	27	mg/l
SC ALRO SA	Temp	1/27/2017 8:12:20 PM	24	gradCels
SC ALRO SA	pH	1/27/2017 8:12:10 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 8:08:05 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 8:08:04 PM	27	mg/l
SC ALRO SA	Clor	1/27/2017 8:07:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 8:07:22 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 8:07:21 PM	24	gradCels



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/27/2017 8:07:20 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 8:02:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 8:02:00 PM	27	mg/l
SC ALRO SA	Clor	1/27/2017 8:01:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 8:01:42 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 8:01:41 PM	24	gradCels
SC ALRO SA	pH	1/27/2017 8:01:40 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 7:57:04 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 7:57:03 PM	27	mg/l
SC ALRO SA	Clor	1/27/2017 7:56:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 7:56:22 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 7:56:21 PM	24	gradCels
SC ALRO SA	pH	1/27/2017 7:56:20 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 7:54:20 PM	0	mg/l
SC ALRO SA	Clor	1/27/2017 7:54:10 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 7:53:30 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 7:53:10 PM	27	mg/l
SC ALRO SA	Temp	1/27/2017 7:52:30 PM	24	gradCels
SC ALRO SA	pH	1/27/2017 7:51:40 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 7:51:00 PM	0	mg/l
SC ALRO SA	Clor	1/27/2017 7:50:44 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 7:50:43 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 7:50:42 PM	27	mg/l
SC ALRO SA	Temp	1/27/2017 7:50:41 PM	24	gradCels
SC ALRO SA	pH	1/27/2017 7:50:40 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 7:46:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 7:46:00 PM	27	mg/l
SC ALRO SA	Clor	1/27/2017 7:45:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 7:45:22 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 7:45:21 PM	24	gradCels
SC ALRO SA	pH	1/27/2017 7:45:20 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 7:40:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 7:40:00 PM	27	mg/l
SC ALRO SA	Clor	1/27/2017 7:39:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 7:39:42 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 7:39:41 PM	24	gradCels
SC ALRO SA	pH	1/27/2017 7:39:40 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 7:35:03 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 7:35:02 PM	27	mg/l
SC ALRO SA	Clor	1/27/2017 7:34:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 7:34:22 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 7:34:21 PM	24	gradCels
SC ALRO SA	pH	1/27/2017 7:34:20 PM	4	unit pH
SC ALRO SA	Cianuri	1/27/2017 7:29:40 PM	0	mg/l
SC ALRO SA	Clor	1/27/2017 7:29:30 PM	0	mg/l
SC ALRO SA	Cianuri	1/27/2017 7:29:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 7:29:00 PM	27	mg/l
SC ALRO SA	Clor	1/27/2017 7:28:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 7:28:42 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 7:28:41 PM	24	gradCels
SC ALRO SA	pH	1/27/2017 7:28:40 PM	4	unit pH
SC ALRO SA	Grasimi	1/27/2017 7:28:10 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 7:28:00 PM	27	mg/l
SC ALRO SA	Temp	1/27/2017 7:27:50 PM	24	gradCels
SC ALRO SA	pH	1/27/2017 7:27:40 PM	4	unit pH
SC ALRO SA	Cianuri	1/27/2017 7:24:00 PM	0	mg/l
SC ALRO SA	Clor	1/27/2017 7:23:04 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 7:23:03 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 7:23:02 PM	27	mg/l
SC ALRO SA	Temp	1/27/2017 7:23:01 PM	24	gradCels
SC ALRO SA	pH	1/27/2017 7:23:00 PM	4	unit pH
SC ALRO SA	Cianuri	1/27/2017 7:18:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 7:18:00 PM	27	mg/l
SC ALRO SA	Clor	1/27/2017 7:17:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 7:17:42 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 7:17:41 PM	24	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/27/2017 7:17:40 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 7:13:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 7:13:00 PM	27	mg/l
SC ALRO SA	Clor	1/27/2017 7:12:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 7:12:02 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 7:12:01 PM	24	gradCels
SC ALRO SA	pH	1/27/2017 7:12:00 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 7:07:20 PM	0	mg/l
SC ALRO SA	Clor	1/27/2017 7:07:10 PM	0	mg/l
SC ALRO SA	Cianuri	1/27/2017 7:07:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 7:07:00 PM	27	mg/l
SC ALRO SA	Clor	1/27/2017 7:06:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 7:06:42 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 7:06:41 PM	24	gradCels
SC ALRO SA	pH	1/27/2017 7:06:40 PM	3	unit pH
SC ALRO SA	Grasimi	1/27/2017 7:06:10 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 7:06:00 PM	27	mg/l
SC ALRO SA	Temp	1/27/2017 7:05:50 PM	24	gradCels
SC ALRO SA	pH	1/27/2017 7:05:40 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 7:02:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 7:02:00 PM	27	mg/l
SC ALRO SA	Clor	1/27/2017 7:01:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 7:01:02 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 7:01:01 PM	24	gradCels
SC ALRO SA	pH	1/27/2017 7:01:00 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 6:55:45 PM	0	mg/l
SC ALRO SA	Clor	1/27/2017 6:55:44 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 6:55:43 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 6:55:42 PM	27	mg/l
SC ALRO SA	Temp	1/27/2017 6:55:41 PM	24	gradCels
SC ALRO SA	pH	1/27/2017 6:55:40 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 6:51:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 6:51:00 PM	26	mg/l
SC ALRO SA	Clor	1/27/2017 6:50:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 6:50:02 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 6:50:01 PM	24	gradCels
SC ALRO SA	pH	1/27/2017 6:50:00 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 6:45:20 PM	0	mg/l
SC ALRO SA	Clor	1/27/2017 6:45:10 PM	0	mg/l
SC ALRO SA	Cianuri	1/27/2017 6:45:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 6:45:00 PM	26	mg/l
SC ALRO SA	Grasimi	1/27/2017 6:44:30 PM	0	mg/l
SC ALRO SA	Clor	1/27/2017 6:44:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 6:44:22 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 6:44:21 PM	24	gradCels
SC ALRO SA	pH	1/27/2017 6:44:20 PM	3	unit pH
SC ALRO SA	Substante organice	1/27/2017 6:44:10 PM	26	mg/l
SC ALRO SA	Temp	1/27/2017 6:44:00 PM	24	gradCels
SC ALRO SA	pH	1/27/2017 6:43:50 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 6:40:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 6:40:00 PM	26	mg/l
SC ALRO SA	Clor	1/27/2017 6:39:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 6:39:02 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 6:39:01 PM	24	gradCels
SC ALRO SA	pH	1/27/2017 6:39:00 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 6:34:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 6:34:00 PM	26	mg/l
SC ALRO SA	Clor	1/27/2017 6:33:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 6:33:22 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 6:33:21 PM	25	gradCels
SC ALRO SA	pH	1/27/2017 6:33:20 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 6:29:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 6:29:00 PM	26	mg/l
SC ALRO SA	Clor	1/27/2017 6:28:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 6:28:02 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 6:28:01 PM	25	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/27/2017 6:28:00 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 6:26:00 PM	0	mg/l
SC ALRO SA	Clor	1/27/2017 6:24:10 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 6:23:30 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 6:23:20 PM	26	mg/l
SC ALRO SA	Temp	1/27/2017 6:23:10 PM	25	gradCels
SC ALRO SA	Cianuri	1/27/2017 6:23:00 PM	0	mg/l
SC ALRO SA	pH	1/27/2017 6:22:40 PM	3	unit pH
SC ALRO SA	Clor	1/27/2017 6:22:24 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 6:22:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 6:22:22 PM	26	mg/l
SC ALRO SA	Temp	1/27/2017 6:22:21 PM	25	gradCels
SC ALRO SA	pH	1/27/2017 6:22:20 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 6:17:05 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 6:17:04 PM	25	mg/l
SC ALRO SA	Clor	1/27/2017 6:17:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 6:17:02 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 6:17:01 PM	25	gradCels
SC ALRO SA	pH	1/27/2017 6:17:00 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 6:12:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 6:12:00 PM	25	mg/l
SC ALRO SA	Clor	1/27/2017 6:11:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 6:11:22 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 6:11:21 PM	25	gradCels
SC ALRO SA	pH	1/27/2017 6:11:20 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 6:06:05 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 6:06:04 PM	25	mg/l
SC ALRO SA	Clor	1/27/2017 6:06:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 6:06:02 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 6:06:01 PM	25	gradCels
SC ALRO SA	pH	1/27/2017 6:06:00 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 6:04:50 PM	0	mg/l
SC ALRO SA	Clor	1/27/2017 6:04:40 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 6:04:20 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 6:03:40 PM	25	mg/l
SC ALRO SA	Temp	1/27/2017 6:03:30 PM	25	gradCels
SC ALRO SA	pH	1/27/2017 6:03:20 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 6:01:05 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 6:01:03 PM	25	mg/l
SC ALRO SA	Clor	1/27/2017 6:00:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 6:00:22 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 6:00:21 PM	25	gradCels
SC ALRO SA	pH	1/27/2017 6:00:20 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 5:54:45 PM	0	mg/l
SC ALRO SA	Clor	1/27/2017 5:54:44 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 5:54:43 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 5:54:42 PM	25	mg/l
SC ALRO SA	Temp	1/27/2017 5:54:41 PM	25	gradCels
SC ALRO SA	pH	1/27/2017 5:54:40 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 5:50:04 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 5:50:03 PM	23	mg/l
SC ALRO SA	Clor	1/27/2017 5:49:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 5:49:22 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 5:49:21 PM	25	gradCels
SC ALRO SA	pH	1/27/2017 5:49:20 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 5:44:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 5:44:00 PM	23	mg/l
SC ALRO SA	Clor	1/27/2017 5:43:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 5:43:42 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 5:43:41 PM	25	gradCels
SC ALRO SA	pH	1/27/2017 5:43:40 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 5:43:00 PM	0	mg/l
SC ALRO SA	Clor	1/27/2017 5:42:50 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 5:42:30 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 5:42:20 PM	23	mg/l
SC ALRO SA	Temp	1/27/2017 5:41:40 PM	25	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/27/2017 5:41:30 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 5:39:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 5:39:00 PM	23	mg/l
SC ALRO SA	Clor	1/27/2017 5:38:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 5:38:22 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 5:38:21 PM	25	gradCels
SC ALRO SA	pH	1/27/2017 5:38:20 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 5:33:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 5:33:00 PM	23	mg/l
SC ALRO SA	Clor	1/27/2017 5:32:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 5:32:42 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 5:32:41 PM	25	gradCels
SC ALRO SA	pH	1/27/2017 5:32:40 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 5:28:02 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 5:28:00 PM	23	mg/l
SC ALRO SA	Clor	1/27/2017 5:27:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 5:27:22 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 5:27:21 PM	25	gradCels
SC ALRO SA	pH	1/27/2017 5:27:20 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 5:21:45 PM	0	mg/l
SC ALRO SA	Clor	1/27/2017 5:21:44 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 5:21:43 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 5:21:42 PM	23	mg/l
SC ALRO SA	Temp	1/27/2017 5:21:41 PM	25	gradCels
SC ALRO SA	pH	1/27/2017 5:21:40 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 5:21:20 PM	0	mg/l
SC ALRO SA	Clor	1/27/2017 5:21:10 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 5:20:50 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 5:20:40 PM	23	mg/l
SC ALRO SA	Temp	1/27/2017 5:20:30 PM	25	gradCels
SC ALRO SA	pH	1/27/2017 5:20:20 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 5:17:04 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 5:17:03 PM	23	mg/l
SC ALRO SA	Clor	1/27/2017 5:16:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 5:16:22 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 5:16:21 PM	25	gradCels
SC ALRO SA	pH	1/27/2017 5:16:20 PM	3	unit pH
SC ALRO SA	Substante organice	1/27/2017 5:10:45 PM	23	mg/l
SC ALRO SA	Cianuri	1/27/2017 5:10:44 PM	0	mg/l
SC ALRO SA	Clor	1/27/2017 5:10:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 5:10:42 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 5:10:41 PM	25	gradCels
SC ALRO SA	pH	1/27/2017 5:10:40 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 5:06:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 5:06:00 PM	23	mg/l
SC ALRO SA	Clor	1/27/2017 5:05:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 5:05:22 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 5:05:21 PM	25	gradCels
SC ALRO SA	pH	1/27/2017 5:05:20 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 5:00:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 5:00:00 PM	23	mg/l
SC ALRO SA	Clor	1/27/2017 4:59:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 4:59:42 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 4:59:41 PM	25	gradCels
SC ALRO SA	pH	1/27/2017 4:59:40 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 4:59:30 PM	0	mg/l
SC ALRO SA	Clor	1/27/2017 4:59:20 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 4:59:00 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 4:58:50 PM	23	mg/l
SC ALRO SA	Temp	1/27/2017 4:58:40 PM	25	gradCels
SC ALRO SA	pH	1/27/2017 4:58:30 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 4:55:00 PM	0	mg/l
SC ALRO SA	Clor	1/27/2017 4:54:04 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 4:54:03 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 4:54:02 PM	23	mg/l
SC ALRO SA	Temp	1/27/2017 4:54:01 PM	25	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/27/2017 4:54:00 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 4:49:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 4:49:00 PM	23	mg/l
SC ALRO SA	Clor	1/27/2017 4:48:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 4:48:42 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 4:48:41 PM	25	gradCels
SC ALRO SA	pH	1/27/2017 4:48:40 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 4:44:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 4:44:00 PM	23	mg/l
SC ALRO SA	Clor	1/27/2017 4:43:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 4:43:02 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 4:43:01 PM	26	gradCels
SC ALRO SA	pH	1/27/2017 4:43:00 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 4:38:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 4:38:00 PM	23	mg/l
SC ALRO SA	Clor	1/27/2017 4:37:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 4:37:42 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 4:37:41 PM	26	gradCels
SC ALRO SA	pH	1/27/2017 4:37:40 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 4:34:10 PM	0	mg/l
SC ALRO SA	Clor	1/27/2017 4:33:30 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 4:33:10 PM	0	mg/l
SC ALRO SA	Cianuri	1/27/2017 4:33:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 4:33:00 PM	23	mg/l
SC ALRO SA	Substante organice	1/27/2017 4:32:20 PM	23	mg/l
SC ALRO SA	Temp	1/27/2017 4:32:10 PM	26	gradCels
SC ALRO SA	Clor	1/27/2017 4:32:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 4:32:02 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 4:32:01 PM	26	gradCels
SC ALRO SA	pH	1/27/2017 4:32:00 PM	3	unit pH
SC ALRO SA	pH	1/27/2017 4:31:50 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 4:26:50 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 4:26:48 PM	23	mg/l
SC ALRO SA	Clor	1/27/2017 4:26:46 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 4:26:44 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 4:26:42 PM	26	gradCels
SC ALRO SA	pH	1/27/2017 4:26:40 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 4:22:00 PM	0	mg/l
SC ALRO SA	Clor	1/27/2017 4:21:04 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 4:21:03 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 4:21:02 PM	23	mg/l
SC ALRO SA	Temp	1/27/2017 4:21:01 PM	26	gradCels
SC ALRO SA	pH	1/27/2017 4:21:00 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 4:15:45 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 4:15:44 PM	24	mg/l
SC ALRO SA	Clor	1/27/2017 4:15:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 4:15:42 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 4:15:41 PM	26	gradCels
SC ALRO SA	pH	1/27/2017 4:15:40 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 4:11:10 PM	0	mg/l
SC ALRO SA	Cianuri	1/27/2017 4:11:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 4:11:00 PM	24	mg/l
SC ALRO SA	Clor	1/27/2017 4:10:40 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 4:10:10 PM	0	mg/l
SC ALRO SA	Clor	1/27/2017 4:10:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 4:10:02 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 4:10:01 PM	26	gradCels
SC ALRO SA	pH	1/27/2017 4:10:00 PM	3	unit pH
SC ALRO SA	Substante organice	1/27/2017 4:09:50 PM	24	mg/l
SC ALRO SA	Temp	1/27/2017 4:09:40 PM	26	gradCels
SC ALRO SA	pH	1/27/2017 4:09:30 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 4:05:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 4:05:00 PM	24	mg/l
SC ALRO SA	Clor	1/27/2017 4:04:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 4:04:22 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 4:04:21 PM	26	gradCels



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/27/2017 4:04:20 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 4:00:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 4:00:00 PM	24	mg/l
SC ALRO SA	Clor	1/27/2017 3:59:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 3:59:02 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 3:59:01 PM	26	gradCels
SC ALRO SA	pH	1/27/2017 3:59:00 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 3:54:04 PM	0	mg/l
SC ALRO SA	Clor	1/27/2017 3:53:24 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 3:53:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 3:53:22 PM	24	mg/l
SC ALRO SA	Temp	1/27/2017 3:53:21 PM	26	gradCels
SC ALRO SA	pH	1/27/2017 3:53:20 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 3:49:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 3:49:00 PM	23	mg/l
SC ALRO SA	Clor	1/27/2017 3:48:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 3:48:02 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 3:48:01 PM	26	gradCels
SC ALRO SA	pH	1/27/2017 3:48:00 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 3:47:40 PM	0	mg/l
SC ALRO SA	Clor	1/27/2017 3:47:30 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 3:47:10 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 3:46:40 PM	23	mg/l
SC ALRO SA	Temp	1/27/2017 3:46:30 PM	26	gradCels
SC ALRO SA	pH	1/27/2017 3:46:20 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 3:43:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 3:43:00 PM	23	mg/l
SC ALRO SA	Clor	1/27/2017 3:42:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 3:42:22 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 3:42:21 PM	26	gradCels
SC ALRO SA	pH	1/27/2017 3:42:20 PM	3	unit pH
SC ALRO SA	Substante organice	1/27/2017 3:38:01 PM	23	mg/l
SC ALRO SA	Cianuri	1/27/2017 3:38:00 PM	0	mg/l
SC ALRO SA	Clor	1/27/2017 3:37:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 3:37:02 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 3:37:01 PM	26	gradCels
SC ALRO SA	pH	1/27/2017 3:37:00 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 3:32:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 3:32:00 PM	23	mg/l
SC ALRO SA	Clor	1/27/2017 3:31:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 3:31:22 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 3:31:21 PM	26	gradCels
SC ALRO SA	pH	1/27/2017 3:31:20 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 3:26:05 PM	0	mg/l
SC ALRO SA	Clor	1/27/2017 3:26:04 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 3:26:03 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 3:26:02 PM	23	mg/l
SC ALRO SA	Temp	1/27/2017 3:26:01 PM	26	gradCels
SC ALRO SA	pH	1/27/2017 3:26:00 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 3:25:00 PM	0	mg/l
SC ALRO SA	Clor	1/27/2017 3:24:50 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 3:24:30 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 3:23:40 PM	23	mg/l
SC ALRO SA	Temp	1/27/2017 3:23:10 PM	26	gradCels
SC ALRO SA	pH	1/27/2017 3:22:10 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 3:21:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 3:21:00 PM	23	mg/l
SC ALRO SA	Clor	1/27/2017 3:20:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 3:20:22 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 3:20:21 PM	26	gradCels
SC ALRO SA	pH	1/27/2017 3:20:20 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 3:14:45 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 3:14:44 PM	23	mg/l
SC ALRO SA	Clor	1/27/2017 3:14:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 3:14:42 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 3:14:41 PM	26	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/27/2017 3:14:40 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 3:10:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 3:10:00 PM	23	mg/l
SC ALRO SA	Clor	1/27/2017 3:09:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 3:09:22 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 3:09:21 PM	26	gradCels
SC ALRO SA	pH	1/27/2017 3:09:20 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 3:03:45 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 3:03:44 PM	23	mg/l
SC ALRO SA	Clor	1/27/2017 3:03:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 3:03:42 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 3:03:41 PM	26	gradCels
SC ALRO SA	pH	1/27/2017 3:03:40 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 3:02:30 PM	0	mg/l
SC ALRO SA	Clor	1/27/2017 3:02:20 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 3:00:40 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 3:00:30 PM	23	mg/l
SC ALRO SA	Temp	1/27/2017 3:00:10 PM	26	gradCels
SC ALRO SA	pH	1/27/2017 2:59:40 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 2:59:02 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 2:59:00 PM	23	mg/l
SC ALRO SA	Clor	1/27/2017 2:58:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 2:58:22 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 2:58:21 PM	26	gradCels
SC ALRO SA	pH	1/27/2017 2:58:20 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 2:52:45 PM	0	mg/l
SC ALRO SA	Clor	1/27/2017 2:52:44 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 2:52:43 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 2:52:42 PM	23	mg/l
SC ALRO SA	Temp	1/27/2017 2:52:41 PM	26	gradCels
SC ALRO SA	pH	1/27/2017 2:52:40 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 2:48:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 2:48:00 PM	23	mg/l
SC ALRO SA	Clor	1/27/2017 2:47:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 2:47:22 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 2:47:21 PM	26	gradCels
SC ALRO SA	pH	1/27/2017 2:47:20 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 2:41:45 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 2:41:44 PM	23	mg/l
SC ALRO SA	Clor	1/27/2017 2:41:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 2:41:42 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 2:41:41 PM	26	gradCels
SC ALRO SA	pH	1/27/2017 2:41:40 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 2:40:50 PM	0	mg/l
SC ALRO SA	Clor	1/27/2017 2:40:40 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 2:40:20 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 2:39:30 PM	23	mg/l
SC ALRO SA	Temp	1/27/2017 2:38:40 PM	26	gradCels
SC ALRO SA	pH	1/27/2017 2:38:30 PM	4	unit pH
SC ALRO SA	Cianuri	1/27/2017 2:36:45 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 2:36:44 PM	23	mg/l
SC ALRO SA	Clor	1/27/2017 2:36:04 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 2:36:03 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 2:36:02 PM	26	gradCels
SC ALRO SA	pH	1/27/2017 2:36:00 PM	4	unit pH
SC ALRO SA	Cianuri	1/27/2017 2:30:45 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 2:30:44 PM	23	mg/l
SC ALRO SA	Clor	1/27/2017 2:30:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 2:30:42 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 2:30:41 PM	26	gradCels
SC ALRO SA	pH	1/27/2017 2:30:40 PM	4	unit pH
SC ALRO SA	Cianuri	1/27/2017 2:26:00 PM	0	mg/l
SC ALRO SA	Clor	1/27/2017 2:25:04 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 2:25:03 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 2:25:02 PM	23	mg/l
SC ALRO SA	Temp	1/27/2017 2:25:01 PM	26	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/27/2017 2:25:00 PM	4	unit pH
SC ALRO SA	Cianuri	1/27/2017 2:19:50 PM	0	mg/l
SC ALRO SA	Cianuri	1/27/2017 2:19:45 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 2:19:44 PM	23	mg/l
SC ALRO SA	Clor	1/27/2017 2:19:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 2:19:42 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 2:19:41 PM	26	gradCels
SC ALRO SA	pH	1/27/2017 2:19:40 PM	4	unit pH
SC ALRO SA	Clor	1/27/2017 2:19:20 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 2:18:40 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 2:18:30 PM	23	mg/l
SC ALRO SA	Temp	1/27/2017 2:16:40 PM	26	gradCels
SC ALRO SA	pH	1/27/2017 2:16:30 PM	4	unit pH
SC ALRO SA	Cianuri	1/27/2017 2:15:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 2:15:00 PM	23	mg/l
SC ALRO SA	Clor	1/27/2017 2:14:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 2:14:02 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 2:14:01 PM	26	gradCels
SC ALRO SA	pH	1/27/2017 2:14:00 PM	4	unit pH
SC ALRO SA	Substante organice	1/27/2017 2:08:45 PM	23	mg/l
SC ALRO SA	Cianuri	1/27/2017 2:08:44 PM	0	mg/l
SC ALRO SA	Clor	1/27/2017 2:08:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 2:08:42 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 2:08:41 PM	26	gradCels
SC ALRO SA	pH	1/27/2017 2:08:40 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 2:04:02 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 2:04:00 PM	23	mg/l
SC ALRO SA	Clor	1/27/2017 2:03:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 2:03:02 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 2:03:01 PM	26	gradCels
SC ALRO SA	pH	1/27/2017 2:03:00 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 1:57:45 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 1:57:44 PM	23	mg/l
SC ALRO SA	Clor	1/27/2017 1:57:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 1:57:42 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 1:57:41 PM	26	gradCels
SC ALRO SA	pH	1/27/2017 1:57:40 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 1:56:40 PM	0	mg/l
SC ALRO SA	Clor	1/27/2017 1:56:30 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 1:55:30 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 1:54:40 PM	23	mg/l
SC ALRO SA	Temp	1/27/2017 1:54:30 PM	26	gradCels
SC ALRO SA	pH	1/27/2017 1:54:20 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 1:53:00 PM	0	mg/l
SC ALRO SA	Clor	1/27/2017 1:52:06 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 1:52:05 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 1:52:04 PM	23	mg/l
SC ALRO SA	Temp	1/27/2017 1:52:03 PM	26	gradCels
SC ALRO SA	pH	1/27/2017 1:52:02 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 1:47:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 1:47:00 PM	23	mg/l
SC ALRO SA	Clor	1/27/2017 1:46:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 1:46:22 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 1:46:21 PM	26	gradCels
SC ALRO SA	pH	1/27/2017 1:46:20 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 1:42:04 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 1:42:03 PM	23	mg/l
SC ALRO SA	Clor	1/27/2017 1:41:06 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 1:41:05 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 1:41:04 PM	26	gradCels
SC ALRO SA	pH	1/27/2017 1:41:03 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 1:36:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 1:36:00 PM	23	mg/l
SC ALRO SA	Clor	1/27/2017 1:35:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 1:35:22 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 1:35:21 PM	26	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/27/2017 1:35:20 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 1:33:50 PM	0	mg/l
SC ALRO SA	Clor	1/27/2017 1:32:20 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 1:31:50 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 1:31:40 PM	23	mg/l
SC ALRO SA	Temp	1/27/2017 1:31:30 PM	26	gradCels
SC ALRO SA	pH	1/27/2017 1:31:20 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 1:30:44 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 1:30:43 PM	23	mg/l
SC ALRO SA	Clor	1/27/2017 1:30:05 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 1:30:04 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 1:30:03 PM	26	gradCels
SC ALRO SA	pH	1/27/2017 1:30:02 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 1:25:00 PM	0	mg/l
SC ALRO SA	Clor	1/27/2017 1:24:24 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 1:24:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 1:24:22 PM	23	mg/l
SC ALRO SA	Temp	1/27/2017 1:24:21 PM	26	gradCels
SC ALRO SA	pH	1/27/2017 1:24:20 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 1:19:07 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 1:19:06 PM	23	mg/l
SC ALRO SA	Clor	1/27/2017 1:19:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 1:19:02 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 1:19:01 PM	26	gradCels
SC ALRO SA	pH	1/27/2017 1:19:00 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 1:14:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 1:14:00 PM	23	mg/l
SC ALRO SA	Clor	1/27/2017 1:13:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 1:13:22 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 1:13:21 PM	26	gradCels
SC ALRO SA	pH	1/27/2017 1:13:20 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 1:09:00 PM	0	mg/l
SC ALRO SA	Clor	1/27/2017 1:08:50 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 1:08:20 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 1:08:10 PM	23	mg/l
SC ALRO SA	Temp	1/27/2017 1:08:00 PM	26	gradCels
SC ALRO SA	pH	1/27/2017 1:07:50 PM	3	unit pH
SC ALRO SA	Substante organice	1/27/2017 1:07:49 PM	23	mg/l
SC ALRO SA	Cianuri	1/27/2017 1:07:48 PM	0	mg/l
SC ALRO SA	Clor	1/27/2017 1:07:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 1:07:42 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 1:07:41 PM	26	gradCels
SC ALRO SA	pH	1/27/2017 1:07:40 PM	3	unit pH
SC ALRO SA	Cianuri	1/27/2017 1:03:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 1:03:00 PM	23	mg/l
SC ALRO SA	Clor	1/27/2017 1:02:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 1:02:22 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 1:02:21 PM	26	gradCels
SC ALRO SA	pH	1/27/2017 1:02:20 PM	4	unit pH
SC ALRO SA	Cianuri	1/27/2017 12:56:49 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 12:56:48 PM	23	mg/l
SC ALRO SA	Clor	1/27/2017 12:56:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 12:56:42 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 12:56:41 PM	26	gradCels
SC ALRO SA	pH	1/27/2017 12:56:40 PM	4	unit pH
SC ALRO SA	Cianuri	1/27/2017 12:52:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 12:52:00 PM	23	mg/l
SC ALRO SA	Clor	1/27/2017 12:51:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 12:51:22 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 12:51:21 PM	26	gradCels
SC ALRO SA	pH	1/27/2017 12:51:20 PM	4	unit pH
SC ALRO SA	Cianuri	1/27/2017 12:46:20 PM	0	mg/l
SC ALRO SA	Clor	1/27/2017 12:46:10 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 12:45:50 PM	0	mg/l
SC ALRO SA	Cianuri	1/27/2017 12:45:49 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 12:45:48 PM	23	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Clor	1/27/2017 12:45:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 12:45:42 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 12:45:41 PM	26	gradCels
SC ALRO SA	pH	1/27/2017 12:45:40 PM	4	unit pH
SC ALRO SA	Substante organice	1/27/2017 12:45:30 PM	23	mg/l
SC ALRO SA	Temp	1/27/2017 12:45:20 PM	26	gradCels
SC ALRO SA	pH	1/27/2017 12:44:40 PM	4	unit pH
SC ALRO SA	Cianuri	1/27/2017 12:41:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 12:41:00 PM	23	mg/l
SC ALRO SA	Clor	1/27/2017 12:40:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 12:40:22 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 12:40:21 PM	26	gradCels
SC ALRO SA	pH	1/27/2017 12:40:20 PM	4	unit pH
SC ALRO SA	Cianuri	1/27/2017 12:34:50 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 12:34:49 PM	23	mg/l
SC ALRO SA	Clor	1/27/2017 12:34:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 12:34:42 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 12:34:41 PM	26	gradCels
SC ALRO SA	pH	1/27/2017 12:34:40 PM	4	unit pH
SC ALRO SA	Cianuri	1/27/2017 12:30:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 12:30:00 PM	23	mg/l
SC ALRO SA	Clor	1/27/2017 12:29:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 12:29:02 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 12:29:01 PM	26	gradCels
SC ALRO SA	pH	1/27/2017 12:29:00 PM	4	unit pH
SC ALRO SA	Cianuri	1/27/2017 12:24:00 PM	0	mg/l
SC ALRO SA	Clor	1/27/2017 12:23:50 PM	0	mg/l
SC ALRO SA	Cianuri	1/27/2017 12:23:49 PM	0	mg/l
SC ALRO SA	Clor	1/27/2017 12:23:44 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 12:23:43 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 12:23:42 PM	23	mg/l
SC ALRO SA	Temp	1/27/2017 12:23:41 PM	26	gradCels
SC ALRO SA	pH	1/27/2017 12:23:40 PM	4	unit pH
SC ALRO SA	Grasimi	1/27/2017 12:22:40 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 12:22:30 PM	23	mg/l
SC ALRO SA	Temp	1/27/2017 12:22:20 PM	26	gradCels
SC ALRO SA	pH	1/27/2017 12:22:10 PM	4	unit pH
SC ALRO SA	Cianuri	1/27/2017 12:19:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 12:19:00 PM	23	mg/l
SC ALRO SA	Clor	1/27/2017 12:18:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 12:18:02 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 12:18:01 PM	26	gradCels
SC ALRO SA	pH	1/27/2017 12:18:00 PM	4	unit pH
SC ALRO SA	Cianuri	1/27/2017 12:12:46 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 12:12:45 PM	23	mg/l
SC ALRO SA	Clor	1/27/2017 12:12:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 12:12:42 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 12:12:41 PM	26	gradCels
SC ALRO SA	pH	1/27/2017 12:12:40 PM	5	unit pH
SC ALRO SA	Cianuri	1/27/2017 12:08:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 12:08:00 PM	23	mg/l
SC ALRO SA	Clor	1/27/2017 12:07:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 12:07:02 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 12:07:01 PM	26	gradCels
SC ALRO SA	pH	1/27/2017 12:07:00 PM	5	unit pH
SC ALRO SA	Cianuri	1/27/2017 12:01:51 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 12:01:49 PM	23	mg/l
SC ALRO SA	Clor	1/27/2017 12:01:44 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 12:01:42 PM	0	mg/l
SC ALRO SA	Temp	1/27/2017 12:01:41 PM	26	gradCels
SC ALRO SA	pH	1/27/2017 12:01:40 PM	5	unit pH
SC ALRO SA	Cianuri	1/27/2017 12:01:20 PM	0	mg/l
SC ALRO SA	Clor	1/27/2017 12:01:10 PM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 12:00:30 PM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 12:00:20 PM	23	mg/l
SC ALRO SA	Temp	1/27/2017 12:00:10 PM	26	gradCels



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/27/2017 11:59:30 AM	5	unit pH
SC ALRO SA	Cianuri	1/27/2017 11:57:01 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 11:57:00 AM	23	mg/l
SC ALRO SA	Clor	1/27/2017 11:56:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 11:56:02 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 11:56:01 AM	26	gradCels
SC ALRO SA	pH	1/27/2017 11:56:00 AM	5	unit pH
SC ALRO SA	Cianuri	1/27/2017 11:51:02 AM	0	mg/l
SC ALRO SA	Clor	1/27/2017 11:50:24 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 11:50:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 11:50:22 AM	23	mg/l
SC ALRO SA	Temp	1/27/2017 11:50:21 AM	26	gradCels
SC ALRO SA	pH	1/27/2017 11:50:20 AM	6	unit pH
SC ALRO SA	Cianuri	1/27/2017 11:46:01 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 11:46:00 AM	23	mg/l
SC ALRO SA	Clor	1/27/2017 11:45:06 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 11:45:05 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 11:45:04 AM	26	gradCels
SC ALRO SA	pH	1/27/2017 11:45:03 AM	6	unit pH
SC ALRO SA	Cianuri	1/27/2017 11:40:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 11:40:02 AM	23	mg/l
SC ALRO SA	Clor	1/27/2017 11:39:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 11:39:22 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 11:39:21 AM	26	gradCels
SC ALRO SA	pH	1/27/2017 11:39:20 AM	6	unit pH
SC ALRO SA	Cianuri	1/27/2017 11:38:30 AM	0	mg/l
SC ALRO SA	Clor	1/27/2017 11:38:20 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 11:36:40 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 11:36:30 AM	23	mg/l
SC ALRO SA	Temp	1/27/2017 11:36:20 AM	26	gradCels
SC ALRO SA	pH	1/27/2017 11:36:10 AM	6	unit pH
SC ALRO SA	Cianuri	1/27/2017 11:35:01 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 11:35:00 AM	23	mg/l
SC ALRO SA	Clor	1/27/2017 11:34:07 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 11:34:06 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 11:34:05 AM	26	gradCels
SC ALRO SA	pH	1/27/2017 11:34:04 AM	6	unit pH
SC ALRO SA	Cianuri	1/27/2017 11:29:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 11:29:02 AM	23	mg/l
SC ALRO SA	Clor	1/27/2017 11:28:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 11:28:22 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 11:28:21 AM	26	gradCels
SC ALRO SA	pH	1/27/2017 11:28:20 AM	6	unit pH
SC ALRO SA	Cianuri	1/27/2017 11:24:00 AM	0	mg/l
SC ALRO SA	Clor	1/27/2017 11:23:08 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 11:23:07 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 11:23:06 AM	23	mg/l
SC ALRO SA	Temp	1/27/2017 11:23:05 AM	26	gradCels
SC ALRO SA	pH	1/27/2017 11:23:04 AM	5	unit pH
SC ALRO SA	Cianuri	1/27/2017 11:18:01 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 11:18:00 AM	23	mg/l
SC ALRO SA	Clor	1/27/2017 11:17:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 11:17:22 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 11:17:21 AM	26	gradCels
SC ALRO SA	pH	1/27/2017 11:17:20 AM	4	unit pH
SC ALRO SA	Cianuri	1/27/2017 11:13:50 AM	0	mg/l
SC ALRO SA	Clor	1/27/2017 11:13:40 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 11:13:20 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 11:13:10 AM	23	mg/l
SC ALRO SA	Temp	1/27/2017 11:13:00 AM	26	gradCels
SC ALRO SA	pH	1/27/2017 11:12:50 AM	4	unit pH
SC ALRO SA	Cianuri	1/27/2017 11:12:44 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 11:12:43 AM	23	mg/l
SC ALRO SA	Clor	1/27/2017 11:12:06 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 11:12:05 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 11:12:04 AM	26	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/27/2017 11:12:03 AM	4	unit pH
SC ALRO SA	Cianuri	1/27/2017 11:07:01 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 11:07:00 AM	23	mg/l
SC ALRO SA	Clor	1/27/2017 11:06:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 11:06:22 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 11:06:21 AM	26	gradCels
SC ALRO SA	pH	1/27/2017 11:06:20 AM	4	unit pH
SC ALRO SA	Cianuri	1/27/2017 11:00:49 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 11:00:48 AM	23	mg/l
SC ALRO SA	Clor	1/27/2017 11:00:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 11:00:42 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 11:00:41 AM	25	gradCels
SC ALRO SA	pH	1/27/2017 11:00:40 AM	4	unit pH
SC ALRO SA	Cianuri	1/27/2017 10:56:00 AM	0	mg/l
SC ALRO SA	Clor	1/27/2017 10:55:24 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 10:55:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 10:55:22 AM	23	mg/l
SC ALRO SA	Temp	1/27/2017 10:55:21 AM	25	gradCels
SC ALRO SA	pH	1/27/2017 10:55:20 AM	4	unit pH
SC ALRO SA	Cianuri	1/27/2017 10:50:50 AM	0	mg/l
SC ALRO SA	Clor	1/27/2017 10:50:30 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 10:50:10 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 10:50:00 AM	23	mg/l
SC ALRO SA	Temp	1/27/2017 10:49:50 AM	25	gradCels
SC ALRO SA	Cianuri	1/27/2017 10:49:49 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 10:49:48 AM	23	mg/l
SC ALRO SA	Clor	1/27/2017 10:49:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 10:49:42 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 10:49:41 AM	25	gradCels
SC ALRO SA	pH	1/27/2017 10:49:40 AM	4	unit pH
SC ALRO SA	pH	1/27/2017 10:49:30 AM	4	unit pH
SC ALRO SA	Substante organice	1/27/2017 10:45:01 AM	23	mg/l
SC ALRO SA	Cianuri	1/27/2017 10:45:00 AM	0	mg/l
SC ALRO SA	Clor	1/27/2017 10:44:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 10:44:22 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 10:44:21 AM	25	gradCels
SC ALRO SA	pH	1/27/2017 10:44:20 AM	4	unit pH
SC ALRO SA	Cianuri	1/27/2017 10:38:47 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 10:38:46 AM	23	mg/l
SC ALRO SA	Clor	1/27/2017 10:38:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 10:38:42 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 10:38:41 AM	25	gradCels
SC ALRO SA	pH	1/27/2017 10:38:40 AM	5	unit pH
SC ALRO SA	Cianuri	1/27/2017 10:34:01 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 10:34:00 AM	23	mg/l
SC ALRO SA	Clor	1/27/2017 10:33:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 10:33:22 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 10:33:21 AM	25	gradCels
SC ALRO SA	pH	1/27/2017 10:33:20 AM	5	unit pH
SC ALRO SA	Cianuri	1/27/2017 10:28:10 AM	0	mg/l
SC ALRO SA	Clor	1/27/2017 10:28:00 AM	0	mg/l
SC ALRO SA	Cianuri	1/27/2017 10:27:47 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 10:27:46 AM	23	mg/l
SC ALRO SA	Clor	1/27/2017 10:27:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 10:27:42 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 10:27:41 AM	25	gradCels
SC ALRO SA	pH	1/27/2017 10:27:40 AM	5	unit pH
SC ALRO SA	Grasimi	1/27/2017 10:27:30 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 10:27:20 AM	23	mg/l
SC ALRO SA	Temp	1/27/2017 10:26:40 AM	25	gradCels
SC ALRO SA	pH	1/27/2017 10:26:30 AM	5	unit pH
SC ALRO SA	Cianuri	1/27/2017 10:23:00 AM	0	mg/l
SC ALRO SA	Clor	1/27/2017 10:22:04 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 10:22:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 10:22:02 AM	23	mg/l
SC ALRO SA	Temp	1/27/2017 10:22:01 AM	25	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/27/2017 10:22:00 AM	5	unit pH
SC ALRO SA	Cianuri	1/27/2017 10:16:49 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 10:16:48 AM	22	mg/l
SC ALRO SA	Clor	1/27/2017 10:16:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 10:16:42 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 10:16:41 AM	25	gradCels
SC ALRO SA	pH	1/27/2017 10:16:40 AM	6	unit pH
SC ALRO SA	Cianuri	1/27/2017 10:12:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 10:12:02 AM	22	mg/l
SC ALRO SA	Clor	1/27/2017 10:11:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 10:11:02 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 10:11:01 AM	25	gradCels
SC ALRO SA	pH	1/27/2017 10:11:00 AM	6	unit pH
SC ALRO SA	Cianuri	1/27/2017 10:05:47 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 10:05:46 AM	22	mg/l
SC ALRO SA	Clor	1/27/2017 10:05:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 10:05:42 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 10:05:41 AM	25	gradCels
SC ALRO SA	pH	1/27/2017 10:05:40 AM	5	unit pH
SC ALRO SA	Cianuri	1/27/2017 10:04:30 AM	0	mg/l
SC ALRO SA	Clor	1/27/2017 10:04:00 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 10:03:30 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 10:02:40 AM	22	mg/l
SC ALRO SA	Temp	1/27/2017 10:02:30 AM	25	gradCels
SC ALRO SA	pH	1/27/2017 10:02:10 AM	4	unit pH
SC ALRO SA	Cianuri	1/27/2017 10:01:01 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 10:01:00 AM	22	mg/l
SC ALRO SA	Clor	1/27/2017 10:00:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 10:00:02 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 10:00:01 AM	25	gradCels
SC ALRO SA	pH	1/27/2017 10:00:00 AM	4	unit pH
SC ALRO SA	Cianuri	1/27/2017 9:54:47 AM	0	mg/l
SC ALRO SA	Clor	1/27/2017 9:54:44 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 9:54:43 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 9:54:42 AM	22	mg/l
SC ALRO SA	Temp	1/27/2017 9:54:41 AM	25	gradCels
SC ALRO SA	pH	1/27/2017 9:54:40 AM	4	unit pH
SC ALRO SA	Cianuri	1/27/2017 9:50:01 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 9:50:00 AM	22	mg/l
SC ALRO SA	Clor	1/27/2017 9:49:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 9:49:02 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 9:49:01 AM	25	gradCels
SC ALRO SA	pH	1/27/2017 9:49:00 AM	4	unit pH
SC ALRO SA	Cianuri	1/27/2017 9:44:02 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 9:44:01 AM	22	mg/l
SC ALRO SA	Clor	1/27/2017 9:43:28 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 9:43:27 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 9:43:26 AM	25	gradCels
SC ALRO SA	pH	1/27/2017 9:43:25 AM	4	unit pH
SC ALRO SA	Cianuri	1/27/2017 9:40:40 AM	0	mg/l
SC ALRO SA	Clor	1/27/2017 9:40:30 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 9:39:30 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 9:39:20 AM	22	mg/l
SC ALRO SA	Cianuri	1/27/2017 9:39:04 AM	0	mg/l
SC ALRO SA	Clor	1/27/2017 9:39:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 9:39:02 AM	22	mg/l
SC ALRO SA	Temp	1/27/2017 9:38:40 AM	25	gradCels
SC ALRO SA	pH	1/27/2017 9:38:30 AM	4	unit pH
SC ALRO SA	Grasimi	1/27/2017 9:38:22 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 9:38:21 AM	25	gradCels
SC ALRO SA	pH	1/27/2017 9:38:20 AM	4	unit pH
SC ALRO SA	Substante organice	1/27/2017 9:34:03 AM	22	mg/l
SC ALRO SA	Cianuri	1/27/2017 9:34:02 AM	0	mg/l
SC ALRO SA	Clor	1/27/2017 9:33:27 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 9:33:26 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 9:33:25 AM	25	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/27/2017 9:33:24 AM	4	unit pH
SC ALRO SA	Substante organice	1/27/2017 9:29:04 AM	22	mg/l
SC ALRO SA	Cianuri	1/27/2017 9:29:01 AM	0	mg/l
SC ALRO SA	Clor	1/27/2017 9:28:09 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 9:28:08 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 9:28:07 AM	25	gradCels
SC ALRO SA	pH	1/27/2017 9:28:06 AM	4	unit pH
SC ALRO SA	Cianuri	1/27/2017 9:23:02 AM	0	mg/l
SC ALRO SA	Clor	1/27/2017 9:22:28 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 9:22:27 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 9:22:26 AM	22	mg/l
SC ALRO SA	Temp	1/27/2017 9:22:25 AM	25	gradCels
SC ALRO SA	pH	1/27/2017 9:22:24 AM	4	unit pH
SC ALRO SA	Cianuri	1/27/2017 9:18:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 9:18:02 AM	23	mg/l
SC ALRO SA	Clor	1/27/2017 9:17:13 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 9:17:12 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 9:17:11 AM	25	gradCels
SC ALRO SA	pH	1/27/2017 9:17:10 AM	5	unit pH
SC ALRO SA	Cianuri	1/27/2017 9:16:40 AM	0	mg/l
SC ALRO SA	Clor	1/27/2017 9:16:30 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 9:15:40 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 9:15:30 AM	23	mg/l
SC ALRO SA	Temp	1/27/2017 9:15:20 AM	25	gradCels
SC ALRO SA	pH	1/27/2017 9:14:40 AM	5	unit pH
SC ALRO SA	Substante organice	1/27/2017 9:12:03 AM	23	mg/l
SC ALRO SA	Cianuri	1/27/2017 9:12:02 AM	0	mg/l
SC ALRO SA	Clor	1/27/2017 9:11:30 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 9:11:29 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 9:11:28 AM	25	gradCels
SC ALRO SA	pH	1/27/2017 9:11:27 AM	5	unit pH
SC ALRO SA	Cianuri	1/27/2017 9:07:04 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 9:07:02 AM	23	mg/l
SC ALRO SA	Clor	1/27/2017 9:06:11 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 9:06:10 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 9:06:09 AM	25	gradCels
SC ALRO SA	pH	1/27/2017 9:06:08 AM	5	unit pH
SC ALRO SA	Cianuri	1/27/2017 9:01:04 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 9:01:02 AM	23	mg/l
SC ALRO SA	Clor	1/27/2017 9:00:30 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 9:00:29 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 9:00:28 AM	25	gradCels
SC ALRO SA	pH	1/27/2017 9:00:27 AM	5	unit pH
SC ALRO SA	Cianuri	1/27/2017 8:56:02 AM	0	mg/l
SC ALRO SA	Clor	1/27/2017 8:55:11 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 8:55:10 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 8:55:09 AM	23	mg/l
SC ALRO SA	Temp	1/27/2017 8:55:08 AM	25	gradCels
SC ALRO SA	pH	1/27/2017 8:55:07 AM	4	unit pH
SC ALRO SA	Cianuri	1/27/2017 8:54:30 AM	0	mg/l
SC ALRO SA	Clor	1/27/2017 8:54:20 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 8:54:00 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 8:53:30 AM	24	mg/l
SC ALRO SA	Temp	1/27/2017 8:53:20 AM	25	gradCels
SC ALRO SA	pH	1/27/2017 8:52:40 AM	4	unit pH
SC ALRO SA	Cianuri	1/27/2017 8:50:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 8:50:02 AM	24	mg/l
SC ALRO SA	Clor	1/27/2017 8:49:30 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 8:49:29 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 8:49:28 AM	25	gradCels
SC ALRO SA	pH	1/27/2017 8:49:27 AM	4	unit pH
SC ALRO SA	Cianuri	1/27/2017 8:45:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 8:45:02 AM	24	mg/l
SC ALRO SA	Clor	1/27/2017 8:44:10 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 8:44:09 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 8:44:08 AM	25	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/27/2017 8:44:07 AM	4	unit pH
SC ALRO SA	Cianuri	1/27/2017 8:39:06 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 8:39:02 AM	24	mg/l
SC ALRO SA	Clor	1/27/2017 8:38:30 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 8:38:29 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 8:38:28 AM	25	gradCels
SC ALRO SA	pH	1/27/2017 8:38:27 AM	4	unit pH
SC ALRO SA	Cianuri	1/27/2017 8:34:04 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 8:34:02 AM	24	mg/l
SC ALRO SA	Clor	1/27/2017 8:33:11 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 8:33:10 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 8:33:09 AM	25	gradCels
SC ALRO SA	pH	1/27/2017 8:33:08 AM	4	unit pH
SC ALRO SA	Cianuri	1/27/2017 8:32:10 AM	0	mg/l
SC ALRO SA	Clor	1/27/2017 8:32:00 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 8:31:20 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 8:30:40 AM	24	mg/l
SC ALRO SA	Temp	1/27/2017 8:30:30 AM	25	gradCels
SC ALRO SA	pH	1/27/2017 8:30:10 AM	4	unit pH
SC ALRO SA	Substante organice	1/27/2017 8:28:03 AM	24	mg/l
SC ALRO SA	Cianuri	1/27/2017 8:28:02 AM	0	mg/l
SC ALRO SA	Clor	1/27/2017 8:27:30 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 8:27:29 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 8:27:28 AM	25	gradCels
SC ALRO SA	pH	1/27/2017 8:27:27 AM	4	unit pH
SC ALRO SA	Cianuri	1/27/2017 8:23:03 AM	0	mg/l
SC ALRO SA	Clor	1/27/2017 8:23:02 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 8:22:10 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 8:22:09 AM	24	mg/l
SC ALRO SA	Temp	1/27/2017 8:22:08 AM	25	gradCels
SC ALRO SA	pH	1/27/2017 8:22:07 AM	4	unit pH
SC ALRO SA	Substante organice	1/27/2017 8:17:03 AM	24	mg/l
SC ALRO SA	Cianuri	1/27/2017 8:17:02 AM	0	mg/l
SC ALRO SA	Clor	1/27/2017 8:16:30 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 8:16:29 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 8:16:28 AM	25	gradCels
SC ALRO SA	pH	1/27/2017 8:16:27 AM	4	unit pH
SC ALRO SA	Cianuri	1/27/2017 8:11:05 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 8:11:04 AM	24	mg/l
SC ALRO SA	Clor	1/27/2017 8:11:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 8:11:02 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 8:11:01 AM	25	gradCels
SC ALRO SA	pH	1/27/2017 8:11:00 AM	4	unit pH
SC ALRO SA	Cianuri	1/27/2017 8:08:40 AM	0	mg/l
SC ALRO SA	Clor	1/27/2017 8:08:30 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 8:07:50 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 8:07:40 AM	24	mg/l
SC ALRO SA	Temp	1/27/2017 8:07:30 AM	25	gradCels
SC ALRO SA	pH	1/27/2017 8:07:20 AM	4	unit pH
SC ALRO SA	Cianuri	1/27/2017 8:06:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 8:06:02 AM	24	mg/l
SC ALRO SA	Clor	1/27/2017 8:05:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 8:05:22 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 8:05:21 AM	25	gradCels
SC ALRO SA	pH	1/27/2017 8:05:20 AM	4	unit pH
SC ALRO SA	Substante organice	1/27/2017 7:59:51 AM	24	mg/l
SC ALRO SA	Cianuri	1/27/2017 7:59:50 AM	0	mg/l
SC ALRO SA	Clor	1/27/2017 7:59:47 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 7:59:46 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 7:59:45 AM	25	gradCels
SC ALRO SA	pH	1/27/2017 7:59:44 AM	4	unit pH
SC ALRO SA	Cianuri	1/27/2017 7:55:03 AM	0	mg/l
SC ALRO SA	Clor	1/27/2017 7:54:24 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 7:54:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 7:54:22 AM	24	mg/l
SC ALRO SA	Temp	1/27/2017 7:54:21 AM	25	gradCels



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/27/2017 7:54:20 AM	4	unit pH
SC ALRO SA	Cianuri	1/27/2017 7:48:55 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 7:48:53 AM	24	mg/l
SC ALRO SA	Clor	1/27/2017 7:48:47 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 7:48:46 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 7:48:45 AM	25	gradCels
SC ALRO SA	pH	1/27/2017 7:48:44 AM	5	unit pH
SC ALRO SA	Cianuri	1/27/2017 7:45:40 AM	0	mg/l
SC ALRO SA	Clor	1/27/2017 7:45:30 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 7:45:10 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 7:44:40 AM	24	mg/l
SC ALRO SA	Temp	1/27/2017 7:44:30 AM	25	gradCels
SC ALRO SA	pH	1/27/2017 7:44:20 AM	5	unit pH
SC ALRO SA	Substante organice	1/27/2017 7:44:03 AM	24	mg/l
SC ALRO SA	Cianuri	1/27/2017 7:44:02 AM	0	mg/l
SC ALRO SA	Clor	1/27/2017 7:43:30 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 7:43:29 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 7:43:28 AM	25	gradCels
SC ALRO SA	pH	1/27/2017 7:43:27 AM	5	unit pH
SC ALRO SA	Cianuri	1/27/2017 7:37:56 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 7:37:54 AM	24	mg/l
SC ALRO SA	Clor	1/27/2017 7:37:51 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 7:37:50 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 7:37:49 AM	25	gradCels
SC ALRO SA	pH	1/27/2017 7:37:48 AM	5	unit pH
SC ALRO SA	Cianuri	1/27/2017 7:33:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 7:33:02 AM	24	mg/l
SC ALRO SA	Clor	1/27/2017 7:32:27 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 7:32:26 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 7:32:25 AM	25	gradCels
SC ALRO SA	pH	1/27/2017 7:32:24 AM	5	unit pH
SC ALRO SA	Cianuri	1/27/2017 7:26:54 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 7:26:53 AM	24	mg/l
SC ALRO SA	Clor	1/27/2017 7:26:47 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 7:26:46 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 7:26:45 AM	25	gradCels
SC ALRO SA	pH	1/27/2017 7:26:44 AM	5	unit pH
SC ALRO SA	Cianuri	1/27/2017 7:24:30 AM	0	mg/l
SC ALRO SA	Clor	1/27/2017 7:23:40 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 7:23:20 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 7:23:10 AM	24	mg/l
SC ALRO SA	Temp	1/27/2017 7:22:40 AM	25	gradCels
SC ALRO SA	pH	1/27/2017 7:22:30 AM	6	unit pH
SC ALRO SA	Cianuri	1/27/2017 7:22:03 AM	0	mg/l
SC ALRO SA	Clor	1/27/2017 7:21:28 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 7:21:27 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 7:21:26 AM	24	mg/l
SC ALRO SA	Temp	1/27/2017 7:21:25 AM	25	gradCels
SC ALRO SA	pH	1/27/2017 7:21:24 AM	6	unit pH
SC ALRO SA	Cianuri	1/27/2017 7:15:55 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 7:15:53 AM	24	mg/l
SC ALRO SA	Clor	1/27/2017 7:15:47 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 7:15:46 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 7:15:45 AM	25	gradCels
SC ALRO SA	pH	1/27/2017 7:15:44 AM	6	unit pH
SC ALRO SA	Cianuri	1/27/2017 7:11:04 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 7:11:02 AM	24	mg/l
SC ALRO SA	Clor	1/27/2017 7:10:09 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 7:10:08 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 7:10:07 AM	25	gradCels
SC ALRO SA	pH	1/27/2017 7:10:06 AM	6	unit pH
SC ALRO SA	Cianuri	1/27/2017 7:04:55 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 7:04:54 AM	24	mg/l
SC ALRO SA	Clor	1/27/2017 7:04:47 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 7:04:46 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 7:04:45 AM	25	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/27/2017 7:04:44 AM	6	unit pH
SC ALRO SA	Cianuri	1/27/2017 7:03:10 AM	0	mg/l
SC ALRO SA	Clor	1/27/2017 7:02:50 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 7:02:20 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 7:02:10 AM	24	mg/l
SC ALRO SA	Temp	1/27/2017 7:01:50 AM	25	gradCels
SC ALRO SA	pH	1/27/2017 7:01:30 AM	6	unit pH
SC ALRO SA	Cianuri	1/27/2017 7:00:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 7:00:02 AM	24	mg/l
SC ALRO SA	Clor	1/27/2017 6:59:09 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 6:59:08 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 6:59:07 AM	25	gradCels
SC ALRO SA	pH	1/27/2017 6:59:06 AM	6	unit pH
SC ALRO SA	Cianuri	1/27/2017 6:53:54 AM	0	mg/l
SC ALRO SA	Clor	1/27/2017 6:53:48 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 6:53:47 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 6:53:46 AM	24	mg/l
SC ALRO SA	Temp	1/27/2017 6:53:45 AM	25	gradCels
SC ALRO SA	pH	1/27/2017 6:53:44 AM	5	unit pH
SC ALRO SA	Cianuri	1/27/2017 6:49:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 6:49:02 AM	23	mg/l
SC ALRO SA	Clor	1/27/2017 6:48:07 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 6:48:06 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 6:48:05 AM	25	gradCels
SC ALRO SA	pH	1/27/2017 6:48:04 AM	6	unit pH
SC ALRO SA	Cianuri	1/27/2017 6:42:55 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 6:42:53 AM	23	mg/l
SC ALRO SA	Clor	1/27/2017 6:42:47 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 6:42:46 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 6:42:45 AM	25	gradCels
SC ALRO SA	pH	1/27/2017 6:42:44 AM	6	unit pH
SC ALRO SA	Cianuri	1/27/2017 6:41:30 AM	0	mg/l
SC ALRO SA	Clor	1/27/2017 6:41:20 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 6:40:30 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 6:40:20 AM	23	mg/l
SC ALRO SA	Temp	1/27/2017 6:40:10 AM	25	gradCels
SC ALRO SA	pH	1/27/2017 6:39:50 AM	6	unit pH
SC ALRO SA	Cianuri	1/27/2017 6:38:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 6:38:02 AM	23	mg/l
SC ALRO SA	Clor	1/27/2017 6:37:13 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 6:37:12 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 6:37:11 AM	25	gradCels
SC ALRO SA	pH	1/27/2017 6:37:10 AM	6	unit pH
SC ALRO SA	Cianuri	1/27/2017 6:33:01 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 6:33:00 AM	23	mg/l
SC ALRO SA	Clor	1/27/2017 6:32:06 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 6:32:05 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 6:32:04 AM	25	gradCels
SC ALRO SA	pH	1/27/2017 6:32:03 AM	5	unit pH
SC ALRO SA	Cianuri	1/27/2017 6:26:51 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 6:26:49 AM	23	mg/l
SC ALRO SA	Clor	1/27/2017 6:26:46 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 6:26:45 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 6:26:44 AM	25	gradCels
SC ALRO SA	pH	1/27/2017 6:26:43 AM	4	unit pH
SC ALRO SA	Cianuri	1/27/2017 6:22:00 AM	0	mg/l
SC ALRO SA	Clor	1/27/2017 6:21:04 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 6:21:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 6:21:02 AM	23	mg/l
SC ALRO SA	Temp	1/27/2017 6:21:01 AM	25	gradCels
SC ALRO SA	pH	1/27/2017 6:21:00 AM	4	unit pH
SC ALRO SA	Cianuri	1/27/2017 6:19:10 AM	0	mg/l
SC ALRO SA	Clor	1/27/2017 6:18:50 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 6:18:10 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 6:17:40 AM	24	mg/l
SC ALRO SA	Temp	1/27/2017 6:17:30 AM	25	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/27/2017 6:17:20 AM	4	unit pH
SC ALRO SA	Cianuri	1/27/2017 6:15:51 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 6:15:49 AM	24	mg/l
SC ALRO SA	Clor	1/27/2017 6:15:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 6:15:42 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 6:15:41 AM	25	gradCels
SC ALRO SA	pH	1/27/2017 6:15:40 AM	4	unit pH
SC ALRO SA	Substante organice	1/27/2017 6:11:01 AM	24	mg/l
SC ALRO SA	Cianuri	1/27/2017 6:11:00 AM	0	mg/l
SC ALRO SA	Clor	1/27/2017 6:10:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 6:10:02 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 6:10:01 AM	25	gradCels
SC ALRO SA	pH	1/27/2017 6:10:00 AM	5	unit pH
SC ALRO SA	Cianuri	1/27/2017 6:04:53 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 6:04:50 AM	24	mg/l
SC ALRO SA	Clor	1/27/2017 6:04:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 6:04:42 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 6:04:41 AM	25	gradCels
SC ALRO SA	pH	1/27/2017 6:04:40 AM	5	unit pH
SC ALRO SA	Cianuri	1/27/2017 6:00:01 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 6:00:00 AM	24	mg/l
SC ALRO SA	Clor	1/27/2017 5:59:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 5:59:02 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 5:59:01 AM	24	gradCels
SC ALRO SA	pH	1/27/2017 5:59:00 AM	5	unit pH
SC ALRO SA	Cianuri	1/27/2017 5:55:30 AM	0	mg/l
SC ALRO SA	Clor	1/27/2017 5:55:20 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 5:54:20 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 5:54:10 AM	24	mg/l
SC ALRO SA	Temp	1/27/2017 5:54:00 AM	24	gradCels
SC ALRO SA	Cianuri	1/27/2017 5:53:50 AM	0	mg/l
SC ALRO SA	Clor	1/27/2017 5:53:47 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 5:53:46 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 5:53:45 AM	24	mg/l
SC ALRO SA	Temp	1/27/2017 5:53:44 AM	24	gradCels
SC ALRO SA	pH	1/27/2017 5:53:43 AM	5	unit pH
SC ALRO SA	pH	1/27/2017 5:53:20 AM	4	unit pH
SC ALRO SA	Cianuri	1/27/2017 5:48:41 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 5:48:40 AM	25	mg/l
SC ALRO SA	Clor	1/27/2017 5:48:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 5:48:02 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 5:48:01 AM	24	gradCels
SC ALRO SA	pH	1/27/2017 5:48:00 AM	4	unit pH
SC ALRO SA	Cianuri	1/27/2017 5:43:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 5:43:02 AM	25	mg/l
SC ALRO SA	Clor	1/27/2017 5:42:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 5:42:22 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 5:42:21 AM	24	gradCels
SC ALRO SA	pH	1/27/2017 5:42:20 AM	4	unit pH
SC ALRO SA	Cianuri	1/27/2017 5:38:01 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 5:38:00 AM	25	mg/l
SC ALRO SA	Clor	1/27/2017 5:37:07 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 5:37:06 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 5:37:05 AM	24	gradCels
SC ALRO SA	pH	1/27/2017 5:37:04 AM	4	unit pH
SC ALRO SA	Cianuri	1/27/2017 5:32:30 AM	0	mg/l
SC ALRO SA	Clor	1/27/2017 5:32:10 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 5:31:50 AM	0	mg/l
SC ALRO SA	Cianuri	1/27/2017 5:31:44 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 5:31:42 AM	25	mg/l
SC ALRO SA	Substante organice	1/27/2017 5:31:30 AM	25	mg/l
SC ALRO SA	Clor	1/27/2017 5:31:26 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 5:31:25 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 5:31:24 AM	24	gradCels
SC ALRO SA	pH	1/27/2017 5:31:23 AM	4	unit pH
SC ALRO SA	Temp	1/27/2017 5:31:10 AM	25	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/27/2017 5:30:50 AM	4	unit pH
SC ALRO SA	Cianuri	1/27/2017 5:26:41 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 5:26:40 AM	25	mg/l
SC ALRO SA	Clor	1/27/2017 5:26:06 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 5:26:05 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 5:26:04 AM	24	gradCels
SC ALRO SA	pH	1/27/2017 5:26:03 AM	4	unit pH
SC ALRO SA	Cianuri	1/27/2017 5:21:02 AM	0	mg/l
SC ALRO SA	Clor	1/27/2017 5:20:24 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 5:20:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 5:20:22 AM	25	mg/l
SC ALRO SA	Temp	1/27/2017 5:20:21 AM	25	gradCels
SC ALRO SA	pH	1/27/2017 5:20:20 AM	4	unit pH
SC ALRO SA	Cianuri	1/27/2017 5:15:41 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 5:15:40 AM	25	mg/l
SC ALRO SA	Clor	1/27/2017 5:15:06 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 5:15:05 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 5:15:04 AM	25	gradCels
SC ALRO SA	pH	1/27/2017 5:15:03 AM	4	unit pH
SC ALRO SA	Cianuri	1/27/2017 5:10:10 AM	0	mg/l
SC ALRO SA	Cianuri	1/27/2017 5:10:04 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 5:10:02 AM	25	mg/l
SC ALRO SA	Clor	1/27/2017 5:09:40 AM	0	mg/l
SC ALRO SA	Clor	1/27/2017 5:09:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 5:09:22 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 5:09:21 AM	25	gradCels
SC ALRO SA	pH	1/27/2017 5:09:20 AM	4	unit pH
SC ALRO SA	Grasimi	1/27/2017 5:09:10 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 5:08:40 AM	25	mg/l
SC ALRO SA	Temp	1/27/2017 5:08:30 AM	25	gradCels
SC ALRO SA	pH	1/27/2017 5:08:20 AM	4	unit pH
SC ALRO SA	Cianuri	1/27/2017 5:04:41 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 5:04:40 AM	25	mg/l
SC ALRO SA	Clor	1/27/2017 5:04:07 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 5:04:06 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 5:04:05 AM	25	gradCels
SC ALRO SA	pH	1/27/2017 5:04:04 AM	4	unit pH
SC ALRO SA	Substante organice	1/27/2017 4:58:44 AM	25	mg/l
SC ALRO SA	Cianuri	1/27/2017 4:58:41 AM	0	mg/l
SC ALRO SA	Clor	1/27/2017 4:58:26 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 4:58:25 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 4:58:24 AM	25	gradCels
SC ALRO SA	pH	1/27/2017 4:58:23 AM	5	unit pH
SC ALRO SA	Cianuri	1/27/2017 4:54:00 AM	0	mg/l
SC ALRO SA	Clor	1/27/2017 4:53:06 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 4:53:05 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 4:53:04 AM	25	mg/l
SC ALRO SA	Temp	1/27/2017 4:53:03 AM	25	gradCels
SC ALRO SA	pH	1/27/2017 4:53:02 AM	5	unit pH
SC ALRO SA	Cianuri	1/27/2017 4:49:10 AM	0	mg/l
SC ALRO SA	Clor	1/27/2017 4:49:00 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 4:48:00 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 4:47:50 AM	25	mg/l
SC ALRO SA	Cianuri	1/27/2017 4:47:43 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 4:47:42 AM	25	mg/l
SC ALRO SA	Temp	1/27/2017 4:47:30 AM	25	gradCels
SC ALRO SA	Clor	1/27/2017 4:47:26 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 4:47:25 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 4:47:24 AM	25	gradCels
SC ALRO SA	pH	1/27/2017 4:47:23 AM	5	unit pH
SC ALRO SA	pH	1/27/2017 4:47:10 AM	5	unit pH
SC ALRO SA	Substante organice	1/27/2017 4:43:02 AM	25	mg/l
SC ALRO SA	Cianuri	1/27/2017 4:43:00 AM	0	mg/l
SC ALRO SA	Clor	1/27/2017 4:41:45 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 4:41:44 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 4:41:43 AM	25	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/27/2017 4:41:42 AM	5	unit pH
SC ALRO SA	Cianuri	1/27/2017 4:36:44 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 4:36:42 AM	25	mg/l
SC ALRO SA	Clor	1/27/2017 4:36:27 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 4:36:26 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 4:36:25 AM	25	gradCels
SC ALRO SA	pH	1/27/2017 4:36:24 AM	4	unit pH
SC ALRO SA	Cianuri	1/27/2017 4:30:47 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 4:30:46 AM	25	mg/l
SC ALRO SA	Clor	1/27/2017 4:30:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 4:30:42 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 4:30:41 AM	25	gradCels
SC ALRO SA	pH	1/27/2017 4:30:40 AM	5	unit pH
SC ALRO SA	Cianuri	1/27/2017 4:28:00 AM	0	mg/l
SC ALRO SA	Clor	1/27/2017 4:27:20 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 4:26:30 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 4:26:00 AM	25	mg/l
SC ALRO SA	Temp	1/27/2017 4:25:50 AM	24	gradCels
SC ALRO SA	Cianuri	1/27/2017 4:25:45 AM	0	mg/l
SC ALRO SA	pH	1/27/2017 4:25:30 AM	5	unit pH
SC ALRO SA	Clor	1/27/2017 4:25:24 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 4:25:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 4:25:22 AM	25	mg/l
SC ALRO SA	Temp	1/27/2017 4:25:21 AM	24	gradCels
SC ALRO SA	pH	1/27/2017 4:25:20 AM	5	unit pH
SC ALRO SA	Clor	1/27/2017 4:19:50 AM	0	mg/l
SC ALRO SA	Cianuri	1/27/2017 4:19:49 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 4:19:48 AM	25	mg/l
SC ALRO SA	Grasimi	1/27/2017 4:19:45 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 4:19:44 AM	24	gradCels
SC ALRO SA	pH	1/27/2017 4:19:43 AM	5	unit pH
SC ALRO SA	Cianuri	1/27/2017 4:14:43 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 4:14:42 AM	25	mg/l
SC ALRO SA	Clor	1/27/2017 4:14:26 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 4:14:25 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 4:14:24 AM	24	gradCels
SC ALRO SA	pH	1/27/2017 4:14:23 AM	5	unit pH
SC ALRO SA	Cianuri	1/27/2017 4:08:51 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 4:08:49 AM	25	mg/l
SC ALRO SA	Clor	1/27/2017 4:08:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 4:08:42 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 4:08:41 AM	24	gradCels
SC ALRO SA	pH	1/27/2017 4:08:40 AM	5	unit pH
SC ALRO SA	Cianuri	1/27/2017 4:05:10 AM	0	mg/l
SC ALRO SA	Clor	1/27/2017 4:04:30 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 4:04:10 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 4:03:50 AM	25	mg/l
SC ALRO SA	Substante organice	1/27/2017 4:03:44 AM	25	mg/l
SC ALRO SA	Cianuri	1/27/2017 4:03:43 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 4:03:30 AM	24	gradCels
SC ALRO SA	pH	1/27/2017 4:03:20 AM	5	unit pH
SC ALRO SA	Clor	1/27/2017 4:03:11 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 4:03:10 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 4:03:09 AM	24	gradCels
SC ALRO SA	pH	1/27/2017 4:03:08 AM	5	unit pH
SC ALRO SA	Substante organice	1/27/2017 3:57:50 AM	25	mg/l
SC ALRO SA	Cianuri	1/27/2017 3:57:49 AM	0	mg/l
SC ALRO SA	Clor	1/27/2017 3:57:46 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 3:57:45 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 3:57:44 AM	24	gradCels
SC ALRO SA	pH	1/27/2017 3:57:43 AM	5	unit pH
SC ALRO SA	Cianuri	1/27/2017 3:52:42 AM	0	mg/l
SC ALRO SA	Clor	1/27/2017 3:52:08 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 3:52:07 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 3:52:06 AM	25	mg/l
SC ALRO SA	Temp	1/27/2017 3:52:05 AM	24	gradCels



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/27/2017 3:52:04 AM	5	unit pH
SC ALRO SA	Cianuri	1/27/2017 3:46:51 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 3:46:48 AM	26	mg/l
SC ALRO SA	Clor	1/27/2017 3:46:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 3:46:42 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 3:46:41 AM	24	gradCels
SC ALRO SA	pH	1/27/2017 3:46:40 AM	6	unit pH
SC ALRO SA	Cianuri	1/27/2017 3:43:10 AM	0	mg/l
SC ALRO SA	Clor	1/27/2017 3:42:30 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 3:42:10 AM	0	mg/l
SC ALRO SA	Cianuri	1/27/2017 3:41:44 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 3:41:42 AM	26	mg/l
SC ALRO SA	Substante organice	1/27/2017 3:41:30 AM	26	mg/l
SC ALRO SA	Temp	1/27/2017 3:41:20 AM	24	gradCels
SC ALRO SA	Clor	1/27/2017 3:41:10 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 3:41:09 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 3:41:08 AM	24	gradCels
SC ALRO SA	pH	1/27/2017 3:41:07 AM	6	unit pH
SC ALRO SA	pH	1/27/2017 3:40:40 AM	5	unit pH
SC ALRO SA	Cianuri	1/27/2017 3:35:52 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 3:35:50 AM	26	mg/l
SC ALRO SA	Clor	1/27/2017 3:35:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 3:35:42 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 3:35:41 AM	24	gradCels
SC ALRO SA	pH	1/27/2017 3:35:40 AM	5	unit pH
SC ALRO SA	Cianuri	1/27/2017 3:30:43 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 3:30:42 AM	26	mg/l
SC ALRO SA	Clor	1/27/2017 3:30:07 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 3:30:06 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 3:30:05 AM	24	gradCels
SC ALRO SA	pH	1/27/2017 3:30:04 AM	5	unit pH
SC ALRO SA	Cianuri	1/27/2017 3:24:51 AM	0	mg/l
SC ALRO SA	Clor	1/27/2017 3:24:44 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 3:24:43 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 3:24:42 AM	26	mg/l
SC ALRO SA	Temp	1/27/2017 3:24:41 AM	24	gradCels
SC ALRO SA	pH	1/27/2017 3:24:40 AM	5	unit pH
SC ALRO SA	Cianuri	1/27/2017 3:19:41 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 3:19:40 AM	26	mg/l
SC ALRO SA	Cianuri	1/27/2017 3:19:10 AM	0	mg/l
SC ALRO SA	Clor	1/27/2017 3:19:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 3:19:02 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 3:19:01 AM	24	gradCels
SC ALRO SA	pH	1/27/2017 3:19:00 AM	5	unit pH
SC ALRO SA	Clor	1/27/2017 3:18:50 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 3:18:20 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 3:18:10 AM	26	mg/l
SC ALRO SA	Temp	1/27/2017 3:17:20 AM	24	gradCels
SC ALRO SA	pH	1/27/2017 3:17:10 AM	5	unit pH
SC ALRO SA	Cianuri	1/27/2017 3:13:50 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 3:13:49 AM	26	mg/l
SC ALRO SA	Clor	1/27/2017 3:13:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 3:13:42 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 3:13:41 AM	24	gradCels
SC ALRO SA	pH	1/27/2017 3:13:40 AM	5	unit pH
SC ALRO SA	Cianuri	1/27/2017 3:08:41 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 3:08:40 AM	26	mg/l
SC ALRO SA	Clor	1/27/2017 3:08:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 3:08:02 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 3:08:01 AM	24	gradCels
SC ALRO SA	pH	1/27/2017 3:08:00 AM	5	unit pH
SC ALRO SA	Substante organice	1/27/2017 3:02:45 AM	26	mg/l
SC ALRO SA	Cianuri	1/27/2017 3:02:43 AM	0	mg/l
SC ALRO SA	Clor	1/27/2017 3:02:27 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 3:02:26 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 3:02:25 AM	24	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/27/2017 3:02:24 AM	5	unit pH
SC ALRO SA	Cianuri	1/27/2017 2:57:41 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 2:57:40 AM	26	mg/l
SC ALRO SA	Clor	1/27/2017 2:57:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 2:57:02 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 2:57:01 AM	24	gradCels
SC ALRO SA	pH	1/27/2017 2:57:00 AM	5	unit pH
SC ALRO SA	Cianuri	1/27/2017 2:56:50 AM	0	mg/l
SC ALRO SA	Clor	1/27/2017 2:56:30 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 2:56:10 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 2:55:20 AM	26	mg/l
SC ALRO SA	Temp	1/27/2017 2:55:10 AM	24	gradCels
SC ALRO SA	pH	1/27/2017 2:54:50 AM	5	unit pH
SC ALRO SA	Cianuri	1/27/2017 2:51:42 AM	0	mg/l
SC ALRO SA	Clor	1/27/2017 2:51:28 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 2:51:27 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 2:51:26 AM	26	mg/l
SC ALRO SA	Temp	1/27/2017 2:51:25 AM	24	gradCels
SC ALRO SA	pH	1/27/2017 2:51:24 AM	5	unit pH
SC ALRO SA	Cianuri	1/27/2017 2:47:05 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 2:47:01 AM	26	mg/l
SC ALRO SA	Clor	1/27/2017 2:46:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 2:46:02 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 2:46:01 AM	24	gradCels
SC ALRO SA	pH	1/27/2017 2:46:00 AM	5	unit pH
SC ALRO SA	Cianuri	1/27/2017 2:40:44 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 2:40:42 AM	26	mg/l
SC ALRO SA	Clor	1/27/2017 2:40:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 2:40:22 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 2:40:21 AM	24	gradCels
SC ALRO SA	pH	1/27/2017 2:40:20 AM	5	unit pH
SC ALRO SA	Cianuri	1/27/2017 2:36:30 AM	0	mg/l
SC ALRO SA	Clor	1/27/2017 2:36:20 AM	0	mg/l
SC ALRO SA	Cianuri	1/27/2017 2:36:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 2:36:00 AM	26	mg/l
SC ALRO SA	Grasimi	1/27/2017 2:35:30 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 2:35:20 AM	26	mg/l
SC ALRO SA	Clor	1/27/2017 2:35:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 2:35:02 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 2:35:01 AM	24	gradCels
SC ALRO SA	pH	1/27/2017 2:35:00 AM	5	unit pH
SC ALRO SA	Temp	1/27/2017 2:34:30 AM	24	gradCels
SC ALRO SA	pH	1/27/2017 2:34:20 AM	5	unit pH
SC ALRO SA	Cianuri	1/27/2017 2:29:47 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 2:29:46 AM	26	mg/l
SC ALRO SA	Clor	1/27/2017 2:29:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 2:29:22 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 2:29:21 AM	24	gradCels
SC ALRO SA	pH	1/27/2017 2:29:20 AM	5	unit pH
SC ALRO SA	Cianuri	1/27/2017 2:24:44 AM	0	mg/l
SC ALRO SA	Clor	1/27/2017 2:24:04 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 2:24:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 2:24:02 AM	26	mg/l
SC ALRO SA	Temp	1/27/2017 2:24:01 AM	24	gradCels
SC ALRO SA	pH	1/27/2017 2:24:00 AM	5	unit pH
SC ALRO SA	Cianuri	1/27/2017 2:18:43 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 2:18:42 AM	26	mg/l
SC ALRO SA	Clor	1/27/2017 2:18:27 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 2:18:24 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 2:18:22 AM	24	gradCels
SC ALRO SA	pH	1/27/2017 2:18:20 AM	5	unit pH
SC ALRO SA	Cianuri	1/27/2017 2:15:50 AM	0	mg/l
SC ALRO SA	Clor	1/27/2017 2:15:30 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 2:15:10 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 2:14:50 AM	26	mg/l
SC ALRO SA	Temp	1/27/2017 2:14:40 AM	24	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/27/2017 2:14:30 AM	5	unit pH
SC ALRO SA	Cianuri	1/27/2017 2:14:05 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 2:14:04 AM	26	mg/l
SC ALRO SA	Clor	1/27/2017 2:13:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 2:13:02 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 2:13:01 AM	24	gradCels
SC ALRO SA	pH	1/27/2017 2:13:00 AM	5	unit pH
SC ALRO SA	Substante organice	1/27/2017 2:07:43 AM	26	mg/l
SC ALRO SA	Cianuri	1/27/2017 2:07:42 AM	0	mg/l
SC ALRO SA	Clor	1/27/2017 2:07:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 2:07:22 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 2:07:21 AM	24	gradCels
SC ALRO SA	pH	1/27/2017 2:07:20 AM	6	unit pH
SC ALRO SA	Cianuri	1/27/2017 2:03:01 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 2:03:00 AM	26	mg/l
SC ALRO SA	Clor	1/27/2017 2:02:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 2:02:02 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 2:02:01 AM	24	gradCels
SC ALRO SA	pH	1/27/2017 2:02:00 AM	6	unit pH
SC ALRO SA	Cianuri	1/27/2017 1:56:47 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 1:56:46 AM	26	mg/l
SC ALRO SA	Clor	1/27/2017 1:56:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 1:56:22 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 1:56:21 AM	24	gradCels
SC ALRO SA	pH	1/27/2017 1:56:20 AM	6	unit pH
SC ALRO SA	Cianuri	1/27/2017 1:54:00 AM	0	mg/l
SC ALRO SA	Clor	1/27/2017 1:53:50 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 1:53:20 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 1:53:10 AM	26	mg/l
SC ALRO SA	Temp	1/27/2017 1:52:50 AM	24	gradCels
SC ALRO SA	pH	1/27/2017 1:52:40 AM	6	unit pH
SC ALRO SA	Cianuri	1/27/2017 1:52:06 AM	0	mg/l
SC ALRO SA	Clor	1/27/2017 1:51:04 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 1:51:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 1:51:02 AM	26	mg/l
SC ALRO SA	Temp	1/27/2017 1:51:01 AM	24	gradCels
SC ALRO SA	pH	1/27/2017 1:51:00 AM	6	unit pH
SC ALRO SA	Cianuri	1/27/2017 1:45:47 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 1:45:46 AM	26	mg/l
SC ALRO SA	Clor	1/27/2017 1:45:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 1:45:22 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 1:45:21 AM	24	gradCels
SC ALRO SA	pH	1/27/2017 1:45:20 AM	6	unit pH
SC ALRO SA	Cianuri	1/27/2017 1:41:01 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 1:41:00 AM	26	mg/l
SC ALRO SA	Clor	1/27/2017 1:39:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 1:39:42 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 1:39:41 AM	24	gradCels
SC ALRO SA	pH	1/27/2017 1:39:40 AM	6	unit pH
SC ALRO SA	Substante organice	1/27/2017 1:34:47 AM	26	mg/l
SC ALRO SA	Cianuri	1/27/2017 1:34:46 AM	0	mg/l
SC ALRO SA	Clor	1/27/2017 1:34:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 1:34:22 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 1:34:21 AM	24	gradCels
SC ALRO SA	pH	1/27/2017 1:34:20 AM	5	unit pH
SC ALRO SA	Cianuri	1/27/2017 1:32:00 AM	0	mg/l
SC ALRO SA	Clor	1/27/2017 1:31:50 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 1:31:20 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 1:31:10 AM	26	mg/l
SC ALRO SA	Temp	1/27/2017 1:30:50 AM	24	gradCels
SC ALRO SA	pH	1/27/2017 1:30:40 AM	6	unit pH
SC ALRO SA	Cianuri	1/27/2017 1:28:45 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 1:28:44 AM	26	mg/l
SC ALRO SA	Clor	1/27/2017 1:28:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 1:28:42 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 1:28:41 AM	23	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/27/2017 1:28:40 AM	6	unit pH
SC ALRO SA	Cianuri	1/27/2017 1:23:42 AM	0	mg/l
SC ALRO SA	Clor	1/27/2017 1:23:27 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 1:23:26 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 1:23:23 AM	26	mg/l
SC ALRO SA	Temp	1/27/2017 1:23:21 AM	23	gradCels
SC ALRO SA	pH	1/27/2017 1:23:20 AM	6	unit pH
SC ALRO SA	Cianuri	1/27/2017 1:17:55 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 1:17:54 AM	24	mg/l
SC ALRO SA	Clor	1/27/2017 1:17:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 1:17:42 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 1:17:41 AM	23	gradCels
SC ALRO SA	pH	1/27/2017 1:17:40 AM	6	unit pH
SC ALRO SA	Substante organice	1/27/2017 1:12:49 AM	24	mg/l
SC ALRO SA	Cianuri	1/27/2017 1:12:48 AM	0	mg/l
SC ALRO SA	Clor	1/27/2017 1:12:08 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 1:12:07 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 1:12:06 AM	23	gradCels
SC ALRO SA	pH	1/27/2017 1:12:05 AM	6	unit pH
SC ALRO SA	Cianuri	1/27/2017 1:11:30 AM	0	mg/l
SC ALRO SA	Clor	1/27/2017 1:11:10 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 1:10:50 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 1:10:30 AM	24	mg/l
SC ALRO SA	Temp	1/27/2017 1:10:00 AM	23	gradCels
SC ALRO SA	pH	1/27/2017 1:09:50 AM	6	unit pH
SC ALRO SA	Cianuri	1/27/2017 1:06:57 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 1:06:56 AM	24	mg/l
SC ALRO SA	Clor	1/27/2017 1:06:47 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 1:06:46 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 1:06:45 AM	23	gradCels
SC ALRO SA	pH	1/27/2017 1:06:44 AM	6	unit pH
SC ALRO SA	Substante organice	1/27/2017 1:01:50 AM	24	mg/l
SC ALRO SA	Cianuri	1/27/2017 1:01:48 AM	0	mg/l
SC ALRO SA	Clor	1/27/2017 1:01:06 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 1:01:05 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 1:01:04 AM	23	gradCels
SC ALRO SA	pH	1/27/2017 1:01:03 AM	6	unit pH
SC ALRO SA	Cianuri	1/27/2017 12:55:57 AM	0	mg/l
SC ALRO SA	Clor	1/27/2017 12:55:48 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 12:55:47 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 12:55:46 AM	24	mg/l
SC ALRO SA	Temp	1/27/2017 12:55:45 AM	23	gradCels
SC ALRO SA	pH	1/27/2017 12:55:44 AM	6	unit pH
SC ALRO SA	Cianuri	1/27/2017 12:50:48 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 12:50:47 AM	23	mg/l
SC ALRO SA	Cianuri	1/27/2017 12:50:10 AM	0	mg/l
SC ALRO SA	Clor	1/27/2017 12:50:07 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 12:50:06 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 12:50:05 AM	23	gradCels
SC ALRO SA	pH	1/27/2017 12:50:04 AM	6	unit pH
SC ALRO SA	Clor	1/27/2017 12:49:50 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 12:49:10 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 12:49:00 AM	23	mg/l
SC ALRO SA	Temp	1/27/2017 12:48:50 AM	23	gradCels
SC ALRO SA	pH	1/27/2017 12:48:30 AM	6	unit pH
SC ALRO SA	Cianuri	1/27/2017 12:44:59 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 12:44:58 AM	23	mg/l
SC ALRO SA	Clor	1/27/2017 12:44:48 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 12:44:47 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 12:44:46 AM	23	gradCels
SC ALRO SA	pH	1/27/2017 12:44:45 AM	6	unit pH
SC ALRO SA	Cianuri	1/27/2017 12:39:49 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 12:39:48 AM	23	mg/l
SC ALRO SA	Clor	1/27/2017 12:39:07 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 12:39:06 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 12:39:05 AM	23	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/27/2017 12:39:04 AM	6	unit pH
SC ALRO SA	Cianuri	1/27/2017 12:33:51 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 12:33:50 AM	23	mg/l
SC ALRO SA	Clor	1/27/2017 12:33:47 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 12:33:46 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 12:33:45 AM	23	gradCels
SC ALRO SA	pH	1/27/2017 12:33:44 AM	6	unit pH
SC ALRO SA	Substante organice	1/27/2017 12:28:45 AM	23	mg/l
SC ALRO SA	Cianuri	1/27/2017 12:28:44 AM	0	mg/l
SC ALRO SA	Cianuri	1/27/2017 12:28:10 AM	0	mg/l
SC ALRO SA	Clor	1/27/2017 12:28:07 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 12:28:06 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 12:28:05 AM	23	gradCels
SC ALRO SA	pH	1/27/2017 12:28:04 AM	6	unit pH
SC ALRO SA	Clor	1/27/2017 12:27:50 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 12:27:00 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 12:26:50 AM	23	mg/l
SC ALRO SA	Temp	1/27/2017 12:26:30 AM	23	gradCels
SC ALRO SA	pH	1/27/2017 12:26:20 AM	6	unit pH
SC ALRO SA	Cianuri	1/27/2017 12:22:47 AM	0	mg/l
SC ALRO SA	Clor	1/27/2017 12:22:44 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 12:22:43 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 12:22:42 AM	23	mg/l
SC ALRO SA	Temp	1/27/2017 12:22:41 AM	23	gradCels
SC ALRO SA	pH	1/27/2017 12:22:40 AM	6	unit pH
SC ALRO SA	Cianuri	1/27/2017 12:17:45 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 12:17:44 AM	21	mg/l
SC ALRO SA	Clor	1/27/2017 12:17:07 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 12:17:06 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 12:17:05 AM	23	gradCels
SC ALRO SA	pH	1/27/2017 12:17:04 AM	6	unit pH
SC ALRO SA	Cianuri	1/27/2017 12:11:44 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 12:11:43 AM	21	mg/l
SC ALRO SA	Clor	1/27/2017 12:11:28 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 12:11:27 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 12:11:26 AM	23	gradCels
SC ALRO SA	pH	1/27/2017 12:11:25 AM	6	unit pH
SC ALRO SA	Substante organice	1/27/2017 12:06:45 AM	21	mg/l
SC ALRO SA	Cianuri	1/27/2017 12:06:44 AM	0	mg/l
SC ALRO SA	Cianuri	1/27/2017 12:06:10 AM	0	mg/l
SC ALRO SA	Clor	1/27/2017 12:06:07 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 12:06:06 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 12:06:05 AM	23	gradCels
SC ALRO SA	pH	1/27/2017 12:06:04 AM	6	unit pH
SC ALRO SA	Clor	1/27/2017 12:05:30 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 12:04:50 AM	0	mg/l
SC ALRO SA	Substante organice	1/27/2017 12:04:30 AM	21	mg/l
SC ALRO SA	Temp	1/27/2017 12:04:20 AM	23	gradCels
SC ALRO SA	pH	1/27/2017 12:04:10 AM	6	unit pH
SC ALRO SA	Substante organice	1/27/2017 12:00:43 AM	21	mg/l
SC ALRO SA	Cianuri	1/27/2017 12:00:42 AM	0	mg/l
SC ALRO SA	Clor	1/27/2017 12:00:27 AM	0	mg/l
SC ALRO SA	Grasimi	1/27/2017 12:00:26 AM	0	mg/l
SC ALRO SA	Temp	1/27/2017 12:00:25 AM	23	gradCels
SC ALRO SA	pH	1/27/2017 12:00:24 AM	6	unit pH
SC ALRO SA	Cianuri	1/26/2017 11:55:44 PM	0	mg/l
SC ALRO SA	Clor	1/26/2017 11:54:56 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 11:54:55 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 11:54:54 PM	21	mg/l
SC ALRO SA	Temp	1/26/2017 11:54:53 PM	23	gradCels
SC ALRO SA	pH	1/26/2017 11:54:52 PM	6	unit pH
SC ALRO SA	Cianuri	1/26/2017 11:49:43 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 11:49:42 PM	21	mg/l
SC ALRO SA	Clor	1/26/2017 11:49:27 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 11:49:26 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 11:49:25 PM	23	gradCels



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/26/2017 11:49:24 PM	6	unit pH
SC ALRO SA	Cianuri	1/26/2017 11:44:44 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 11:44:43 PM	21	mg/l
SC ALRO SA	Cianuri	1/26/2017 11:44:30 PM	0	mg/l
SC ALRO SA	Clor	1/26/2017 11:44:10 PM	0	mg/l
SC ALRO SA	Clor	1/26/2017 11:43:56 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 11:43:55 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 11:43:54 PM	23	gradCels
SC ALRO SA	pH	1/26/2017 11:43:53 PM	6	unit pH
SC ALRO SA	Grasimi	1/26/2017 11:43:30 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 11:43:00 PM	21	mg/l
SC ALRO SA	Temp	1/26/2017 11:42:50 PM	23	gradCels
SC ALRO SA	pH	1/26/2017 11:42:30 PM	6	unit pH
SC ALRO SA	Cianuri	1/26/2017 11:38:43 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 11:38:42 PM	21	mg/l
SC ALRO SA	Clor	1/26/2017 11:38:27 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 11:38:26 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 11:38:25 PM	23	gradCels
SC ALRO SA	pH	1/26/2017 11:38:24 PM	6	unit pH
SC ALRO SA	Substante organice	1/26/2017 11:33:45 PM	21	mg/l
SC ALRO SA	Cianuri	1/26/2017 11:33:44 PM	0	mg/l
SC ALRO SA	Clor	1/26/2017 11:32:54 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 11:32:53 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 11:32:52 PM	23	gradCels
SC ALRO SA	pH	1/26/2017 11:32:51 PM	6	unit pH
SC ALRO SA	Cianuri	1/26/2017 11:27:43 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 11:27:42 PM	21	mg/l
SC ALRO SA	Clor	1/26/2017 11:27:27 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 11:27:26 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 11:27:25 PM	23	gradCels
SC ALRO SA	pH	1/26/2017 11:27:24 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 11:23:10 PM	0	mg/l
SC ALRO SA	Cianuri	1/26/2017 11:22:41 PM	0	mg/l
SC ALRO SA	Clor	1/26/2017 11:22:30 PM	0	mg/l
SC ALRO SA	Clor	1/26/2017 11:21:59 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 11:21:58 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 11:21:57 PM	21	mg/l
SC ALRO SA	Temp	1/26/2017 11:21:56 PM	23	gradCels
SC ALRO SA	pH	1/26/2017 11:21:55 PM	7	unit pH
SC ALRO SA	Grasimi	1/26/2017 11:21:30 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 11:20:50 PM	21	mg/l
SC ALRO SA	Temp	1/26/2017 11:20:30 PM	23	gradCels
SC ALRO SA	pH	1/26/2017 11:20:20 PM	7	unit pH
SC ALRO SA	Substante organice	1/26/2017 11:16:43 PM	21	mg/l
SC ALRO SA	Cianuri	1/26/2017 11:16:42 PM	0	mg/l
SC ALRO SA	Clor	1/26/2017 11:16:17 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 11:16:16 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 11:16:15 PM	23	gradCels
SC ALRO SA	pH	1/26/2017 11:16:14 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 11:11:43 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 11:11:42 PM	21	mg/l
SC ALRO SA	Clor	1/26/2017 11:11:11 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 11:11:10 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 11:11:09 PM	23	gradCels
SC ALRO SA	pH	1/26/2017 11:11:08 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 11:05:55 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 11:05:53 PM	21	mg/l
SC ALRO SA	Clor	1/26/2017 11:05:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 11:05:22 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 11:05:21 PM	23	gradCels
SC ALRO SA	pH	1/26/2017 11:05:20 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 11:02:00 PM	0	mg/l
SC ALRO SA	Clor	1/26/2017 11:01:50 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 11:01:30 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 11:01:20 PM	21	mg/l
SC ALRO SA	Temp	1/26/2017 11:01:10 PM	23	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/26/2017 11:01:00 PM	6	unit pH
SC ALRO SA	Cianuri	1/26/2017 11:00:47 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 11:00:45 PM	21	mg/l
SC ALRO SA	Clor	1/26/2017 11:00:08 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 11:00:07 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 11:00:06 PM	23	gradCels
SC ALRO SA	pH	1/26/2017 11:00:05 PM	6	unit pH
SC ALRO SA	Cianuri	1/26/2017 10:54:54 PM	0	mg/l
SC ALRO SA	Clor	1/26/2017 10:54:24 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 10:54:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 10:54:22 PM	21	mg/l
SC ALRO SA	Temp	1/26/2017 10:54:21 PM	22	gradCels
SC ALRO SA	pH	1/26/2017 10:54:20 PM	6	unit pH
SC ALRO SA	Cianuri	1/26/2017 10:49:47 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 10:49:45 PM	22	mg/l
SC ALRO SA	Clor	1/26/2017 10:49:02 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 10:49:01 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 10:49:00 PM	22	gradCels
SC ALRO SA	pH	1/26/2017 10:48:59 PM	6	unit pH
SC ALRO SA	Cianuri	1/26/2017 10:43:53 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 10:43:52 PM	22	mg/l
SC ALRO SA	Cianuri	1/26/2017 10:43:20 PM	0	mg/l
SC ALRO SA	Clor	1/26/2017 10:43:13 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 10:43:12 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 10:43:11 PM	22	gradCels
SC ALRO SA	pH	1/26/2017 10:43:10 PM	7	unit pH
SC ALRO SA	Clor	1/26/2017 10:42:30 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 10:42:00 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 10:41:50 PM	22	mg/l
SC ALRO SA	Temp	1/26/2017 10:41:30 PM	22	gradCels
SC ALRO SA	pH	1/26/2017 10:41:00 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 10:38:47 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 10:38:45 PM	22	mg/l
SC ALRO SA	Clor	1/26/2017 10:38:13 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 10:38:12 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 10:38:11 PM	22	gradCels
SC ALRO SA	pH	1/26/2017 10:38:10 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 10:33:41 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 10:33:40 PM	22	mg/l
SC ALRO SA	Clor	1/26/2017 10:33:01 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 10:33:00 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 10:32:59 PM	22	gradCels
SC ALRO SA	pH	1/26/2017 10:32:58 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 10:27:47 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 10:27:45 PM	22	mg/l
SC ALRO SA	Clor	1/26/2017 10:27:12 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 10:27:11 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 10:27:10 PM	22	gradCels
SC ALRO SA	pH	1/26/2017 10:27:09 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 10:23:20 PM	0	mg/l
SC ALRO SA	Clor	1/26/2017 10:23:10 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 10:22:50 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 10:22:30 PM	22	mg/l
SC ALRO SA	Temp	1/26/2017 10:22:20 PM	22	gradCels
SC ALRO SA	pH	1/26/2017 10:22:10 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 10:21:59 PM	0	mg/l
SC ALRO SA	Clor	1/26/2017 10:21:48 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 10:21:47 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 10:21:46 PM	22	mg/l
SC ALRO SA	Temp	1/26/2017 10:21:45 PM	22	gradCels
SC ALRO SA	pH	1/26/2017 10:21:44 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 10:16:47 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 10:16:45 PM	22	mg/l
SC ALRO SA	Clor	1/26/2017 10:16:15 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 10:16:14 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 10:16:13 PM	22	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/26/2017 10:16:12 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 10:10:55 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 10:10:54 PM	22	mg/l
SC ALRO SA	Clor	1/26/2017 10:10:47 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 10:10:46 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 10:10:45 PM	22	gradCels
SC ALRO SA	pH	1/26/2017 10:10:44 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 10:05:49 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 10:05:48 PM	22	mg/l
SC ALRO SA	Clor	1/26/2017 10:05:16 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 10:05:15 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 10:05:14 PM	22	gradCels
SC ALRO SA	pH	1/26/2017 10:05:13 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 10:03:10 PM	0	mg/l
SC ALRO SA	Clor	1/26/2017 10:03:00 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 10:02:20 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 10:02:10 PM	22	mg/l
SC ALRO SA	Temp	1/26/2017 10:02:00 PM	22	gradCels
SC ALRO SA	pH	1/26/2017 10:01:50 PM	7	unit pH
SC ALRO SA	Substante organice	1/26/2017 9:59:55 PM	22	mg/l
SC ALRO SA	Cianuri	1/26/2017 9:59:52 PM	0	mg/l
SC ALRO SA	Clor	1/26/2017 9:59:47 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 9:59:46 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 9:59:45 PM	22	gradCels
SC ALRO SA	pH	1/26/2017 9:59:44 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 9:54:44 PM	0	mg/l
SC ALRO SA	Clor	1/26/2017 9:54:16 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 9:54:15 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 9:54:14 PM	22	mg/l
SC ALRO SA	Temp	1/26/2017 9:54:13 PM	22	gradCels
SC ALRO SA	pH	1/26/2017 9:54:12 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 9:48:53 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 9:48:52 PM	21	mg/l
SC ALRO SA	Clor	1/26/2017 9:48:47 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 9:48:46 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 9:48:45 PM	22	gradCels
SC ALRO SA	pH	1/26/2017 9:48:44 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 9:44:00 PM	0	mg/l
SC ALRO SA	Clor	1/26/2017 9:43:50 PM	0	mg/l
SC ALRO SA	Cianuri	1/26/2017 9:43:46 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 9:43:45 PM	21	mg/l
SC ALRO SA	Clor	1/26/2017 9:43:15 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 9:43:14 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 9:43:13 PM	22	gradCels
SC ALRO SA	pH	1/26/2017 9:43:12 PM	7	unit pH
SC ALRO SA	Grasimi	1/26/2017 9:42:30 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 9:42:10 PM	21	mg/l
SC ALRO SA	Temp	1/26/2017 9:42:00 PM	22	gradCels
SC ALRO SA	pH	1/26/2017 9:41:50 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 9:37:54 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 9:37:53 PM	21	mg/l
SC ALRO SA	Clor	1/26/2017 9:37:47 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 9:37:46 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 9:37:45 PM	22	gradCels
SC ALRO SA	pH	1/26/2017 9:37:44 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 9:32:44 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 9:32:42 PM	21	mg/l
SC ALRO SA	Clor	1/26/2017 9:32:07 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 9:32:06 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 9:32:05 PM	22	gradCels
SC ALRO SA	pH	1/26/2017 9:32:04 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 9:26:56 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 9:26:55 PM	21	mg/l
SC ALRO SA	Clor	1/26/2017 9:26:48 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 9:26:46 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 9:26:45 PM	22	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/26/2017 9:26:44 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 9:23:20 PM	0	mg/l
SC ALRO SA	Clor	1/26/2017 9:23:10 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 9:22:30 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 9:22:20 PM	21	mg/l
SC ALRO SA	Temp	1/26/2017 9:22:10 PM	22	gradCels
SC ALRO SA	pH	1/26/2017 9:22:00 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 9:21:42 PM	0	mg/l
SC ALRO SA	Clor	1/26/2017 9:21:08 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 9:21:07 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 9:21:06 PM	21	mg/l
SC ALRO SA	Temp	1/26/2017 9:21:05 PM	22	gradCels
SC ALRO SA	pH	1/26/2017 9:21:04 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 9:15:45 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 9:15:43 PM	21	mg/l
SC ALRO SA	Clor	1/26/2017 9:15:27 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 9:15:26 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 9:15:25 PM	22	gradCels
SC ALRO SA	pH	1/26/2017 9:15:24 PM	7	unit pH
SC ALRO SA	Substante organice	1/26/2017 9:10:43 PM	21	mg/l
SC ALRO SA	Cianuri	1/26/2017 9:10:42 PM	0	mg/l
SC ALRO SA	Clor	1/26/2017 9:09:58 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 9:09:57 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 9:09:56 PM	21	gradCels
SC ALRO SA	pH	1/26/2017 9:09:55 PM	7	unit pH
SC ALRO SA	Substante organice	1/26/2017 9:04:46 PM	21	mg/l
SC ALRO SA	Cianuri	1/26/2017 9:04:44 PM	0	mg/l
SC ALRO SA	Clor	1/26/2017 9:04:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 9:04:22 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 9:04:21 PM	21	gradCels
SC ALRO SA	pH	1/26/2017 9:04:20 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 9:02:10 PM	0	mg/l
SC ALRO SA	Clor	1/26/2017 9:01:30 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 9:01:10 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 9:01:00 PM	21	mg/l
SC ALRO SA	Temp	1/26/2017 9:00:50 PM	21	gradCels
SC ALRO SA	pH	1/26/2017 9:00:30 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 8:59:52 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 8:59:50 PM	21	mg/l
SC ALRO SA	Clor	1/26/2017 8:58:53 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 8:58:52 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 8:58:51 PM	21	gradCels
SC ALRO SA	pH	1/26/2017 8:58:50 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 8:53:44 PM	0	mg/l
SC ALRO SA	Clor	1/26/2017 8:53:24 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 8:53:23 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 8:53:22 PM	21	mg/l
SC ALRO SA	Temp	1/26/2017 8:53:21 PM	21	gradCels
SC ALRO SA	pH	1/26/2017 8:53:20 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 8:48:43 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 8:48:42 PM	22	mg/l
SC ALRO SA	Clor	1/26/2017 8:47:54 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 8:47:53 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 8:47:52 PM	21	gradCels
SC ALRO SA	pH	1/26/2017 8:47:51 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 8:42:45 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 8:42:43 PM	22	mg/l
SC ALRO SA	Cianuri	1/26/2017 8:42:30 PM	0	mg/l
SC ALRO SA	Clor	1/26/2017 8:42:19 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 8:42:18 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 8:42:17 PM	21	gradCels
SC ALRO SA	pH	1/26/2017 8:42:16 PM	7	unit pH
SC ALRO SA	Clor	1/26/2017 8:41:30 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 8:41:10 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 8:40:50 PM	22	mg/l
SC ALRO SA	Temp	1/26/2017 8:40:30 PM	21	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/26/2017 8:40:20 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 8:37:44 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 8:37:42 PM	22	mg/l
SC ALRO SA	Clor	1/26/2017 8:36:56 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 8:36:55 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 8:36:54 PM	21	gradCels
SC ALRO SA	pH	1/26/2017 8:36:53 PM	7	unit pH
SC ALRO SA	Substante organice	1/26/2017 8:31:43 PM	22	mg/l
SC ALRO SA	Cianuri	1/26/2017 8:31:42 PM	0	mg/l
SC ALRO SA	Clor	1/26/2017 8:31:27 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 8:31:26 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 8:31:25 PM	21	gradCels
SC ALRO SA	pH	1/26/2017 8:31:24 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 8:26:42 PM	0	mg/l
SC ALRO SA	Clor	1/26/2017 8:25:59 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 8:25:58 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 8:25:57 PM	22	mg/l
SC ALRO SA	Temp	1/26/2017 8:25:56 PM	21	gradCels
SC ALRO SA	pH	1/26/2017 8:25:55 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 8:22:10 PM	0	mg/l
SC ALRO SA	Clor	1/26/2017 8:21:50 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 8:21:00 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 8:20:50 PM	22	mg/l
SC ALRO SA	Cianuri	1/26/2017 8:20:43 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 8:20:42 PM	22	mg/l
SC ALRO SA	Temp	1/26/2017 8:20:30 PM	21	gradCels
SC ALRO SA	Clor	1/26/2017 8:20:27 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 8:20:26 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 8:20:25 PM	21	gradCels
SC ALRO SA	pH	1/26/2017 8:20:24 PM	7	unit pH
SC ALRO SA	pH	1/26/2017 8:20:00 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 8:15:49 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 8:15:48 PM	22	mg/l
SC ALRO SA	Clor	1/26/2017 8:14:57 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 8:14:56 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 8:14:55 PM	21	gradCels
SC ALRO SA	pH	1/26/2017 8:14:54 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 8:09:43 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 8:09:42 PM	22	mg/l
SC ALRO SA	Clor	1/26/2017 8:09:12 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 8:09:11 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 8:09:10 PM	21	gradCels
SC ALRO SA	pH	1/26/2017 8:09:09 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 8:04:47 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 8:04:46 PM	22	mg/l
SC ALRO SA	Clor	1/26/2017 8:03:56 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 8:03:55 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 8:03:54 PM	21	gradCels
SC ALRO SA	pH	1/26/2017 8:03:53 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 8:00:10 PM	0	mg/l
SC ALRO SA	Clor	1/26/2017 7:59:50 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 7:59:20 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 7:59:10 PM	22	mg/l
SC ALRO SA	Temp	1/26/2017 7:58:50 PM	21	gradCels
SC ALRO SA	Substante organice	1/26/2017 7:58:43 PM	22	mg/l
SC ALRO SA	Cianuri	1/26/2017 7:58:42 PM	0	mg/l
SC ALRO SA	pH	1/26/2017 7:58:30 PM	7	unit pH
SC ALRO SA	Clor	1/26/2017 7:58:17 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 7:58:16 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 7:58:15 PM	21	gradCels
SC ALRO SA	pH	1/26/2017 7:58:14 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 7:52:58 PM	0	mg/l
SC ALRO SA	Clor	1/26/2017 7:52:48 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 7:52:47 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 7:52:46 PM	22	mg/l
SC ALRO SA	Temp	1/26/2017 7:52:45 PM	21	gradCels



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/26/2017 7:52:44 PM	7	unit pH
SC ALRO SA	Substante organice	1/26/2017 7:47:43 PM	22	mg/l
SC ALRO SA	Cianuri	1/26/2017 7:47:42 PM	0	mg/l
SC ALRO SA	Clor	1/26/2017 7:47:13 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 7:47:12 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 7:47:11 PM	21	gradCels
SC ALRO SA	pH	1/26/2017 7:47:10 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 7:41:52 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 7:41:51 PM	22	mg/l
SC ALRO SA	Clor	1/26/2017 7:41:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 7:41:42 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 7:41:41 PM	20	gradCels
SC ALRO SA	pH	1/26/2017 7:41:40 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 7:38:20 PM	0	mg/l
SC ALRO SA	Clor	1/26/2017 7:38:10 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 7:37:30 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 7:37:20 PM	22	mg/l
SC ALRO SA	Temp	1/26/2017 7:37:10 PM	20	gradCels
SC ALRO SA	pH	1/26/2017 7:36:50 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 7:36:43 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 7:36:42 PM	22	mg/l
SC ALRO SA	Clor	1/26/2017 7:36:11 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 7:36:10 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 7:36:09 PM	20	gradCels
SC ALRO SA	pH	1/26/2017 7:36:08 PM	7	unit pH
SC ALRO SA	Substante organice	1/26/2017 7:30:55 PM	22	mg/l
SC ALRO SA	Cianuri	1/26/2017 7:30:51 PM	0	mg/l
SC ALRO SA	Clor	1/26/2017 7:30:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 7:30:42 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 7:30:41 PM	20	gradCels
SC ALRO SA	pH	1/26/2017 7:30:40 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 7:25:42 PM	0	mg/l
SC ALRO SA	Clor	1/26/2017 7:25:13 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 7:25:12 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 7:25:11 PM	22	mg/l
SC ALRO SA	Temp	1/26/2017 7:25:10 PM	20	gradCels
SC ALRO SA	pH	1/26/2017 7:25:09 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 7:19:53 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 7:19:52 PM	23	mg/l
SC ALRO SA	Clor	1/26/2017 7:19:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 7:19:42 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 7:19:41 PM	20	gradCels
SC ALRO SA	pH	1/26/2017 7:19:40 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 7:16:30 PM	0	mg/l
SC ALRO SA	Clor	1/26/2017 7:16:20 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 7:15:30 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 7:15:20 PM	23	mg/l
SC ALRO SA	Temp	1/26/2017 7:15:10 PM	20	gradCels
SC ALRO SA	pH	1/26/2017 7:14:50 PM	7	unit pH
SC ALRO SA	Substante organice	1/26/2017 7:14:43 PM	23	mg/l
SC ALRO SA	Cianuri	1/26/2017 7:14:42 PM	0	mg/l
SC ALRO SA	Clor	1/26/2017 7:14:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 7:14:02 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 7:14:01 PM	20	gradCels
SC ALRO SA	pH	1/26/2017 7:14:00 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 7:08:50 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 7:08:49 PM	23	mg/l
SC ALRO SA	Clor	1/26/2017 7:08:44 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 7:08:43 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 7:08:42 PM	20	gradCels
SC ALRO SA	pH	1/26/2017 7:08:41 PM	7	unit pH
SC ALRO SA	Substante organice	1/26/2017 7:03:47 PM	23	mg/l
SC ALRO SA	Cianuri	1/26/2017 7:03:46 PM	0	mg/l
SC ALRO SA	Clor	1/26/2017 7:03:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 7:03:02 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 7:03:01 PM	20	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/26/2017 7:03:00 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 6:57:45 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 6:57:44 PM	23	mg/l
SC ALRO SA	Clor	1/26/2017 6:57:31 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 6:57:30 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 6:57:29 PM	20	gradCels
SC ALRO SA	pH	1/26/2017 6:57:28 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 6:53:30 PM	0	mg/l
SC ALRO SA	Clor	1/26/2017 6:53:20 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 6:53:00 PM	0	mg/l
SC ALRO SA	Cianuri	1/26/2017 6:52:49 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 6:52:20 PM	23	mg/l
SC ALRO SA	Temp	1/26/2017 6:52:10 PM	20	gradCels
SC ALRO SA	pH	1/26/2017 6:52:00 PM	7	unit pH
SC ALRO SA	Clor	1/26/2017 6:51:57 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 6:51:56 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 6:51:55 PM	23	mg/l
SC ALRO SA	Temp	1/26/2017 6:51:54 PM	20	gradCels
SC ALRO SA	pH	1/26/2017 6:51:53 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 6:46:43 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 6:46:42 PM	23	mg/l
SC ALRO SA	Clor	1/26/2017 6:46:31 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 6:46:30 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 6:46:29 PM	20	gradCels
SC ALRO SA	pH	1/26/2017 6:46:28 PM	7	unit pH
SC ALRO SA	Substante organice	1/26/2017 6:41:49 PM	23	mg/l
SC ALRO SA	Cianuri	1/26/2017 6:41:47 PM	0	mg/l
SC ALRO SA	Clor	1/26/2017 6:40:58 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 6:40:57 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 6:40:56 PM	20	gradCels
SC ALRO SA	pH	1/26/2017 6:40:55 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 6:35:45 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 6:35:44 PM	23	mg/l
SC ALRO SA	Clor	1/26/2017 6:35:31 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 6:35:30 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 6:35:29 PM	20	gradCels
SC ALRO SA	pH	1/26/2017 6:35:28 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 6:32:00 PM	0	mg/l
SC ALRO SA	Clor	1/26/2017 6:31:50 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 6:31:20 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 6:31:10 PM	23	mg/l
SC ALRO SA	Temp	1/26/2017 6:31:00 PM	20	gradCels
SC ALRO SA	Cianuri	1/26/2017 6:30:51 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 6:30:49 PM	23	mg/l
SC ALRO SA	pH	1/26/2017 6:30:20 PM	7	unit pH
SC ALRO SA	Clor	1/26/2017 6:29:57 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 6:29:56 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 6:29:55 PM	20	gradCels
SC ALRO SA	pH	1/26/2017 6:29:54 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 6:24:44 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 6:24:42 PM	23	mg/l
SC ALRO SA	Clor	1/26/2017 6:24:31 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 6:24:30 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 6:24:29 PM	20	gradCels
SC ALRO SA	pH	1/26/2017 6:24:28 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 6:19:50 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 6:19:48 PM	23	mg/l
SC ALRO SA	Clor	1/26/2017 6:18:57 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 6:18:56 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 6:18:55 PM	20	gradCels
SC ALRO SA	pH	1/26/2017 6:18:54 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 6:13:43 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 6:13:42 PM	23	mg/l
SC ALRO SA	Clor	1/26/2017 6:13:31 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 6:13:30 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 6:13:29 PM	20	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/26/2017 6:13:28 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 6:09:50 PM	0	mg/l
SC ALRO SA	Clor	1/26/2017 6:09:30 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 6:09:10 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 6:09:00 PM	23	mg/l
SC ALRO SA	Cianuri	1/26/2017 6:08:52 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 6:08:51 PM	23	mg/l
SC ALRO SA	Temp	1/26/2017 6:08:20 PM	19	gradCels
SC ALRO SA	pH	1/26/2017 6:08:10 PM	7	unit pH
SC ALRO SA	Clor	1/26/2017 6:07:57 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 6:07:56 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 6:07:55 PM	19	gradCels
SC ALRO SA	pH	1/26/2017 6:07:54 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 6:02:44 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 6:02:42 PM	23	mg/l
SC ALRO SA	Clor	1/26/2017 6:02:31 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 6:02:30 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 6:02:29 PM	19	gradCels
SC ALRO SA	pH	1/26/2017 6:02:28 PM	7	unit pH
SC ALRO SA	Substante organice	1/26/2017 5:57:54 PM	23	mg/l
SC ALRO SA	Cianuri	1/26/2017 5:57:50 PM	0	mg/l
SC ALRO SA	Clor	1/26/2017 5:56:56 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 5:56:55 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 5:56:54 PM	19	gradCels
SC ALRO SA	pH	1/26/2017 5:56:53 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 5:51:41 PM	0	mg/l
SC ALRO SA	Clor	1/26/2017 5:51:32 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 5:51:31 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 5:51:30 PM	23	mg/l
SC ALRO SA	Temp	1/26/2017 5:51:29 PM	19	gradCels
SC ALRO SA	pH	1/26/2017 5:51:28 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 5:48:30 PM	0	mg/l
SC ALRO SA	Clor	1/26/2017 5:48:20 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 5:48:00 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 5:47:50 PM	23	mg/l
SC ALRO SA	Temp	1/26/2017 5:47:20 PM	19	gradCels
SC ALRO SA	pH	1/26/2017 5:47:10 PM	7	unit pH
SC ALRO SA	Substante organice	1/26/2017 5:46:50 PM	23	mg/l
SC ALRO SA	Cianuri	1/26/2017 5:46:49 PM	0	mg/l
SC ALRO SA	Clor	1/26/2017 5:45:59 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 5:45:58 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 5:45:57 PM	19	gradCels
SC ALRO SA	pH	1/26/2017 5:45:56 PM	7	unit pH
SC ALRO SA	Substante organice	1/26/2017 5:41:43 PM	23	mg/l
SC ALRO SA	Cianuri	1/26/2017 5:41:42 PM	0	mg/l
SC ALRO SA	Clor	1/26/2017 5:40:47 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 5:40:46 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 5:40:45 PM	19	gradCels
SC ALRO SA	pH	1/26/2017 5:40:44 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 5:35:41 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 5:35:39 PM	23	mg/l
SC ALRO SA	Clor	1/26/2017 5:35:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 5:35:22 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 5:35:21 PM	19	gradCels
SC ALRO SA	pH	1/26/2017 5:35:20 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 5:29:47 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 5:29:46 PM	23	mg/l
SC ALRO SA	Clor	1/26/2017 5:29:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 5:29:42 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 5:29:41 PM	19	gradCels
SC ALRO SA	pH	1/26/2017 5:29:40 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 5:28:20 PM	0	mg/l
SC ALRO SA	Clor	1/26/2017 5:28:10 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 5:27:30 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 5:27:20 PM	23	mg/l
SC ALRO SA	Temp	1/26/2017 5:27:10 PM	19	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/26/2017 5:27:00 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 5:24:51 PM	0	mg/l
SC ALRO SA	Clor	1/26/2017 5:24:08 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 5:24:07 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 5:24:06 PM	23	mg/l
SC ALRO SA	Temp	1/26/2017 5:24:05 PM	19	gradCels
SC ALRO SA	pH	1/26/2017 5:24:04 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 5:19:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 5:19:00 PM	23	mg/l
SC ALRO SA	Clor	1/26/2017 5:18:47 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 5:18:46 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 5:18:45 PM	19	gradCels
SC ALRO SA	pH	1/26/2017 5:18:44 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 5:13:51 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 5:13:50 PM	23	mg/l
SC ALRO SA	Clor	1/26/2017 5:13:08 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 5:13:07 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 5:13:06 PM	19	gradCels
SC ALRO SA	pH	1/26/2017 5:13:05 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 5:08:50 PM	0	mg/l
SC ALRO SA	Clor	1/26/2017 5:08:30 PM	0	mg/l
SC ALRO SA	Cianuri	1/26/2017 5:08:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 5:08:00 PM	23	mg/l
SC ALRO SA	Clor	1/26/2017 5:07:47 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 5:07:46 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 5:07:45 PM	19	gradCels
SC ALRO SA	pH	1/26/2017 5:07:44 PM	7	unit pH
SC ALRO SA	Grasimi	1/26/2017 5:07:20 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 5:07:10 PM	23	mg/l
SC ALRO SA	Temp	1/26/2017 5:06:30 PM	19	gradCels
SC ALRO SA	pH	1/26/2017 5:06:20 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 5:02:56 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 5:02:53 PM	23	mg/l
SC ALRO SA	Clor	1/26/2017 5:02:07 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 5:02:06 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 5:02:05 PM	18	gradCels
SC ALRO SA	pH	1/26/2017 5:02:04 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 4:57:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 4:57:00 PM	23	mg/l
SC ALRO SA	Clor	1/26/2017 4:56:47 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 4:56:46 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 4:56:45 PM	18	gradCels
SC ALRO SA	pH	1/26/2017 4:56:44 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 4:51:52 PM	0	mg/l
SC ALRO SA	Clor	1/26/2017 4:51:08 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 4:51:07 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 4:51:06 PM	23	mg/l
SC ALRO SA	Temp	1/26/2017 4:51:05 PM	18	gradCels
SC ALRO SA	pH	1/26/2017 4:51:04 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 4:48:10 PM	0	mg/l
SC ALRO SA	Clor	1/26/2017 4:47:30 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 4:47:00 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 4:46:50 PM	23	mg/l
SC ALRO SA	Temp	1/26/2017 4:46:30 PM	18	gradCels
SC ALRO SA	pH	1/26/2017 4:46:20 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 4:46:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 4:46:00 PM	23	mg/l
SC ALRO SA	Clor	1/26/2017 4:45:47 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 4:45:46 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 4:45:45 PM	18	gradCels
SC ALRO SA	pH	1/26/2017 4:45:44 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 4:40:44 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 4:40:43 PM	23	mg/l
SC ALRO SA	Clor	1/26/2017 4:40:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 4:40:02 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 4:40:01 PM	18	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/26/2017 4:40:00 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 4:34:57 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 4:34:55 PM	23	mg/l
SC ALRO SA	Clor	1/26/2017 4:34:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 4:34:42 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 4:34:41 PM	18	gradCels
SC ALRO SA	pH	1/26/2017 4:34:40 PM	7	unit pH
SC ALRO SA	Substante organice	1/26/2017 4:29:46 PM	23	mg/l
SC ALRO SA	Cianuri	1/26/2017 4:29:44 PM	0	mg/l
SC ALRO SA	Clor	1/26/2017 4:29:07 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 4:29:06 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 4:29:05 PM	18	gradCels
SC ALRO SA	pH	1/26/2017 4:29:04 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 4:26:30 PM	0	mg/l
SC ALRO SA	Clor	1/26/2017 4:26:20 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 4:25:40 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 4:25:30 PM	23	mg/l
SC ALRO SA	Temp	1/26/2017 4:25:20 PM	18	gradCels
SC ALRO SA	pH	1/26/2017 4:25:10 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 4:23:42 PM	0	mg/l
SC ALRO SA	Clor	1/26/2017 4:23:28 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 4:23:27 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 4:23:26 PM	23	mg/l
SC ALRO SA	Temp	1/26/2017 4:23:25 PM	18	gradCels
SC ALRO SA	pH	1/26/2017 4:23:24 PM	7	unit pH
SC ALRO SA	Substante organice	1/26/2017 4:18:45 PM	22	mg/l
SC ALRO SA	Cianuri	1/26/2017 4:18:44 PM	0	mg/l
SC ALRO SA	Clor	1/26/2017 4:18:07 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 4:18:06 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 4:18:05 PM	18	gradCels
SC ALRO SA	pH	1/26/2017 4:18:04 PM	7	unit pH
SC ALRO SA	Substante organice	1/26/2017 4:12:42 PM	22	mg/l
SC ALRO SA	Cianuri	1/26/2017 4:12:41 PM	0	mg/l
SC ALRO SA	Clor	1/26/2017 4:12:28 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 4:12:27 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 4:12:26 PM	18	gradCels
SC ALRO SA	pH	1/26/2017 4:12:25 PM	8	unit pH
SC ALRO SA	Cianuri	1/26/2017 4:07:50 PM	0	mg/l
SC ALRO SA	Cianuri	1/26/2017 4:07:48 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 4:07:47 PM	22	mg/l
SC ALRO SA	Clor	1/26/2017 4:07:30 PM	0	mg/l
SC ALRO SA	Clor	1/26/2017 4:06:56 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 4:06:55 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 4:06:54 PM	18	gradCels
SC ALRO SA	pH	1/26/2017 4:06:53 PM	7	unit pH
SC ALRO SA	Grasimi	1/26/2017 4:06:30 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 4:06:20 PM	22	mg/l
SC ALRO SA	Temp	1/26/2017 4:06:10 PM	18	gradCels
SC ALRO SA	pH	1/26/2017 4:05:20 PM	7	unit pH
SC ALRO SA	Substante organice	1/26/2017 4:01:43 PM	22	mg/l
SC ALRO SA	Cianuri	1/26/2017 4:01:42 PM	0	mg/l
SC ALRO SA	Clor	1/26/2017 4:01:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 4:01:22 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 4:01:21 PM	18	gradCels
SC ALRO SA	pH	1/26/2017 4:01:20 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 3:56:46 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 3:56:44 PM	22	mg/l
SC ALRO SA	Clor	1/26/2017 3:55:56 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 3:55:55 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 3:55:54 PM	18	gradCels
SC ALRO SA	pH	1/26/2017 3:55:53 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 3:50:42 PM	0	mg/l
SC ALRO SA	Clor	1/26/2017 3:50:28 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 3:50:27 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 3:50:26 PM	22	mg/l
SC ALRO SA	Temp	1/26/2017 3:50:25 PM	17	gradCels



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/26/2017 3:50:24 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 3:47:50 PM	0	mg/l
SC ALRO SA	Clor	1/26/2017 3:47:30 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 3:46:50 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 3:46:40 PM	22	mg/l
SC ALRO SA	Temp	1/26/2017 3:46:30 PM	17	gradCels
SC ALRO SA	pH	1/26/2017 3:46:20 PM	7	unit pH
SC ALRO SA	Substante organice	1/26/2017 3:45:44 PM	22	mg/l
SC ALRO SA	Cianuri	1/26/2017 3:45:43 PM	0	mg/l
SC ALRO SA	Clor	1/26/2017 3:44:57 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 3:44:56 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 3:44:55 PM	17	gradCels
SC ALRO SA	pH	1/26/2017 3:44:54 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 3:39:44 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 3:39:42 PM	22	mg/l
SC ALRO SA	Clor	1/26/2017 3:39:27 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 3:39:26 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 3:39:25 PM	17	gradCels
SC ALRO SA	pH	1/26/2017 3:39:24 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 3:34:48 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 3:34:47 PM	22	mg/l
SC ALRO SA	Clor	1/26/2017 3:33:52 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 3:33:51 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 3:33:50 PM	17	gradCels
SC ALRO SA	pH	1/26/2017 3:33:49 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 3:29:20 PM	0	mg/l
SC ALRO SA	Clor	1/26/2017 3:29:10 PM	0	mg/l
SC ALRO SA	Cianuri	1/26/2017 3:28:43 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 3:28:42 PM	22	mg/l
SC ALRO SA	Clor	1/26/2017 3:28:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 3:28:22 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 3:28:21 PM	17	gradCels
SC ALRO SA	pH	1/26/2017 3:28:20 PM	7	unit pH
SC ALRO SA	Grasimi	1/26/2017 3:27:20 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 3:27:10 PM	22	mg/l
SC ALRO SA	Temp	1/26/2017 3:26:50 PM	17	gradCels
SC ALRO SA	pH	1/26/2017 3:26:40 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 3:23:45 PM	0	mg/l
SC ALRO SA	Clor	1/26/2017 3:22:57 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 3:22:56 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 3:22:55 PM	22	mg/l
SC ALRO SA	Temp	1/26/2017 3:22:54 PM	17	gradCels
SC ALRO SA	pH	1/26/2017 3:22:53 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 3:17:43 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 3:17:42 PM	21	mg/l
SC ALRO SA	Clor	1/26/2017 3:17:12 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 3:17:11 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 3:17:10 PM	17	gradCels
SC ALRO SA	pH	1/26/2017 3:17:09 PM	7	unit pH
SC ALRO SA	Substante organice	1/26/2017 3:12:44 PM	21	mg/l
SC ALRO SA	Cianuri	1/26/2017 3:12:43 PM	0	mg/l
SC ALRO SA	Clor	1/26/2017 3:11:52 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 3:11:51 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 3:11:50 PM	17	gradCels
SC ALRO SA	pH	1/26/2017 3:11:49 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 3:09:20 PM	0	mg/l
SC ALRO SA	Clor	1/26/2017 3:09:10 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 3:08:20 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 3:08:10 PM	21	mg/l
SC ALRO SA	Temp	1/26/2017 3:08:00 PM	17	gradCels
SC ALRO SA	pH	1/26/2017 3:07:50 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 3:06:50 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 3:06:48 PM	21	mg/l
SC ALRO SA	Clor	1/26/2017 3:06:13 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 3:06:12 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 3:06:11 PM	17	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/26/2017 3:06:10 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 3:01:46 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 3:01:44 PM	21	mg/l
SC ALRO SA	Clor	1/26/2017 3:00:56 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 3:00:55 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 3:00:54 PM	17	gradCels
SC ALRO SA	pH	1/26/2017 3:00:53 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 2:55:49 PM	0	mg/l
SC ALRO SA	Clor	1/26/2017 2:55:18 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 2:55:17 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 2:55:16 PM	21	mg/l
SC ALRO SA	Temp	1/26/2017 2:55:15 PM	17	gradCels
SC ALRO SA	pH	1/26/2017 2:55:14 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 2:50:20 PM	0	mg/l
SC ALRO SA	Cianuri	1/26/2017 2:49:59 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 2:49:58 PM	21	mg/l
SC ALRO SA	Clor	1/26/2017 2:49:47 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 2:49:46 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 2:49:45 PM	17	gradCels
SC ALRO SA	pH	1/26/2017 2:49:44 PM	7	unit pH
SC ALRO SA	Clor	1/26/2017 2:49:30 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 2:49:10 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 2:48:10 PM	21	mg/l
SC ALRO SA	Temp	1/26/2017 2:48:00 PM	17	gradCels
SC ALRO SA	pH	1/26/2017 2:47:50 PM	7	unit pH
SC ALRO SA	Substante organice	1/26/2017 2:44:48 PM	21	mg/l
SC ALRO SA	Cianuri	1/26/2017 2:44:47 PM	0	mg/l
SC ALRO SA	Clor	1/26/2017 2:44:13 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 2:44:12 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 2:44:11 PM	17	gradCels
SC ALRO SA	pH	1/26/2017 2:44:10 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 2:39:00 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 2:38:59 PM	21	mg/l
SC ALRO SA	Clor	1/26/2017 2:38:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 2:38:42 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 2:38:41 PM	17	gradCels
SC ALRO SA	pH	1/26/2017 2:38:40 PM	7	unit pH
SC ALRO SA	Substante organice	1/26/2017 2:33:54 PM	21	mg/l
SC ALRO SA	Cianuri	1/26/2017 2:33:51 PM	0	mg/l
SC ALRO SA	Clor	1/26/2017 2:33:13 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 2:33:12 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 2:33:11 PM	17	gradCels
SC ALRO SA	pH	1/26/2017 2:33:10 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 2:29:50 PM	0	mg/l
SC ALRO SA	Clor	1/26/2017 2:29:40 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 2:29:20 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 2:29:10 PM	21	mg/l
SC ALRO SA	Temp	1/26/2017 2:29:00 PM	17	gradCels
SC ALRO SA	pH	1/26/2017 2:28:50 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 2:28:00 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 2:27:58 PM	21	mg/l
SC ALRO SA	Clor	1/26/2017 2:27:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 2:27:42 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 2:27:41 PM	17	gradCels
SC ALRO SA	pH	1/26/2017 2:27:40 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 2:22:51 PM	0	mg/l
SC ALRO SA	Clor	1/26/2017 2:22:04 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 2:22:03 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 2:22:02 PM	21	mg/l
SC ALRO SA	Temp	1/26/2017 2:22:01 PM	17	gradCels
SC ALRO SA	pH	1/26/2017 2:22:00 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 2:16:59 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 2:16:57 PM	20	mg/l
SC ALRO SA	Clor	1/26/2017 2:16:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 2:16:42 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 2:16:41 PM	17	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/26/2017 2:16:40 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 2:11:58 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 2:11:57 PM	20	mg/l
SC ALRO SA	Clor	1/26/2017 2:11:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 2:11:02 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 2:11:01 PM	17	gradCels
SC ALRO SA	pH	1/26/2017 2:11:00 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 2:10:10 PM	0	mg/l
SC ALRO SA	Clor	1/26/2017 2:09:30 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 2:09:10 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 2:09:00 PM	20	mg/l
SC ALRO SA	Temp	1/26/2017 2:08:50 PM	17	gradCels
SC ALRO SA	pH	1/26/2017 2:08:30 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 2:05:56 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 2:05:55 PM	20	mg/l
SC ALRO SA	Clor	1/26/2017 2:05:26 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 2:05:25 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 2:05:24 PM	17	gradCels
SC ALRO SA	pH	1/26/2017 2:05:23 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 2:00:56 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 2:00:53 PM	20	mg/l
SC ALRO SA	Clor	1/26/2017 1:59:55 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 1:59:54 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 1:59:53 PM	17	gradCels
SC ALRO SA	pH	1/26/2017 1:59:52 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 1:54:51 PM	0	mg/l
SC ALRO SA	Clor	1/26/2017 1:54:27 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 1:54:26 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 1:54:25 PM	20	mg/l
SC ALRO SA	Temp	1/26/2017 1:54:24 PM	16	gradCels
SC ALRO SA	pH	1/26/2017 1:54:23 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 1:50:40 PM	0	mg/l
SC ALRO SA	Clor	1/26/2017 1:50:30 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 1:50:10 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 1:50:00 PM	21	mg/l
SC ALRO SA	Cianuri	1/26/2017 1:49:54 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 1:49:52 PM	21	mg/l
SC ALRO SA	Temp	1/26/2017 1:49:20 PM	16	gradCels
SC ALRO SA	pH	1/26/2017 1:49:10 PM	7	unit pH
SC ALRO SA	Clor	1/26/2017 1:48:55 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 1:48:54 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 1:48:53 PM	16	gradCels
SC ALRO SA	pH	1/26/2017 1:48:52 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 1:44:00 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 1:43:59 PM	21	mg/l
SC ALRO SA	Clor	1/26/2017 1:43:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 1:43:22 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 1:43:21 PM	17	gradCels
SC ALRO SA	pH	1/26/2017 1:43:20 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 1:38:51 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 1:38:49 PM	21	mg/l
SC ALRO SA	Clor	1/26/2017 1:37:55 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 1:37:54 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 1:37:53 PM	17	gradCels
SC ALRO SA	pH	1/26/2017 1:37:52 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 1:33:01 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 1:33:00 PM	21	mg/l
SC ALRO SA	Clor	1/26/2017 1:32:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 1:32:22 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 1:32:21 PM	16	gradCels
SC ALRO SA	pH	1/26/2017 1:32:20 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 1:30:40 PM	0	mg/l
SC ALRO SA	Clor	1/26/2017 1:30:30 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 1:30:10 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 1:30:00 PM	21	mg/l
SC ALRO SA	Temp	1/26/2017 1:29:50 PM	16	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/26/2017 1:29:30 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 1:27:59 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 1:27:51 PM	21	mg/l
SC ALRO SA	Clor	1/26/2017 1:26:49 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 1:26:48 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 1:26:47 PM	16	gradCels
SC ALRO SA	pH	1/26/2017 1:26:46 PM	7	unit pH
SC ALRO SA	Substante organice	1/26/2017 1:21:42 PM	21	mg/l
SC ALRO SA	Cianuri	1/26/2017 1:21:38 PM	0	mg/l
SC ALRO SA	Clor	1/26/2017 1:21:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 1:21:22 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 1:21:21 PM	17	gradCels
SC ALRO SA	pH	1/26/2017 1:21:20 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 1:16:52 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 1:16:50 PM	21	mg/l
SC ALRO SA	Clor	1/26/2017 1:15:49 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 1:15:48 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 1:15:47 PM	17	gradCels
SC ALRO SA	pH	1/26/2017 1:15:46 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 1:11:50 PM	0	mg/l
SC ALRO SA	Clor	1/26/2017 1:11:30 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 1:10:50 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 1:10:45 PM	21	mg/l
SC ALRO SA	Cianuri	1/26/2017 1:10:42 PM	0	mg/l
SC ALRO SA	Clor	1/26/2017 1:10:23 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 1:10:22 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 1:10:21 PM	17	gradCels
SC ALRO SA	pH	1/26/2017 1:10:20 PM	7	unit pH
SC ALRO SA	Substante organice	1/26/2017 1:09:30 PM	21	mg/l
SC ALRO SA	Temp	1/26/2017 1:09:20 PM	17	gradCels
SC ALRO SA	pH	1/26/2017 1:09:10 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 1:05:59 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 1:05:57 PM	21	mg/l
SC ALRO SA	Clor	1/26/2017 1:04:49 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 1:04:48 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 1:04:47 PM	17	gradCels
SC ALRO SA	pH	1/26/2017 1:04:46 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 12:59:46 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 12:59:44 PM	21	mg/l
SC ALRO SA	Clor	1/26/2017 12:59:14 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 12:59:13 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 12:59:12 PM	17	gradCels
SC ALRO SA	pH	1/26/2017 12:59:11 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 12:54:56 PM	0	mg/l
SC ALRO SA	Clor	1/26/2017 12:53:50 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 12:53:49 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 12:53:48 PM	21	mg/l
SC ALRO SA	Temp	1/26/2017 12:53:47 PM	17	gradCels
SC ALRO SA	pH	1/26/2017 12:53:46 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 12:51:10 PM	0	mg/l
SC ALRO SA	Clor	1/26/2017 12:51:00 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 12:50:30 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 12:50:20 PM	21	mg/l
SC ALRO SA	Temp	1/26/2017 12:50:10 PM	17	gradCels
SC ALRO SA	pH	1/26/2017 12:50:00 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 12:48:45 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 12:48:44 PM	21	mg/l
SC ALRO SA	Clor	1/26/2017 12:48:10 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 12:48:09 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 12:48:08 PM	17	gradCels
SC ALRO SA	pH	1/26/2017 12:48:07 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 12:42:51 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 12:42:50 PM	21	mg/l
SC ALRO SA	Clor	1/26/2017 12:42:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 12:42:42 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 12:42:41 PM	17	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/26/2017 12:42:40 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 12:37:41 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 12:37:40 PM	21	mg/l
SC ALRO SA	Clor	1/26/2017 12:37:10 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 12:37:09 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 12:37:08 PM	18	gradCels
SC ALRO SA	pH	1/26/2017 12:37:07 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 12:31:51 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 12:31:50 PM	21	mg/l
SC ALRO SA	Clor	1/26/2017 12:31:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 12:31:42 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 12:31:41 PM	17	gradCels
SC ALRO SA	pH	1/26/2017 12:31:40 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 12:30:30 PM	0	mg/l
SC ALRO SA	Clor	1/26/2017 12:30:00 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 12:29:30 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 12:29:10 PM	21	mg/l
SC ALRO SA	Temp	1/26/2017 12:29:00 PM	17	gradCels
SC ALRO SA	pH	1/26/2017 12:28:50 PM	7	unit pH
SC ALRO SA	Substante organice	1/26/2017 12:26:41 PM	21	mg/l
SC ALRO SA	Cianuri	1/26/2017 12:26:40 PM	0	mg/l
SC ALRO SA	Clor	1/26/2017 12:26:10 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 12:26:09 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 12:26:08 PM	17	gradCels
SC ALRO SA	pH	1/26/2017 12:26:07 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 12:20:50 PM	0	mg/l
SC ALRO SA	Clor	1/26/2017 12:20:44 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 12:20:43 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 12:20:42 PM	21	mg/l
SC ALRO SA	Temp	1/26/2017 12:20:41 PM	17	gradCels
SC ALRO SA	pH	1/26/2017 12:20:40 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 12:15:41 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 12:15:40 PM	20	mg/l
SC ALRO SA	Clor	1/26/2017 12:15:10 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 12:15:09 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 12:15:08 PM	17	gradCels
SC ALRO SA	pH	1/26/2017 12:15:07 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 12:11:10 PM	0	mg/l
SC ALRO SA	Clor	1/26/2017 12:11:00 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 12:10:10 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 12:10:00 PM	20	mg/l
SC ALRO SA	Cianuri	1/26/2017 12:09:51 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 12:09:50 PM	20	mg/l
SC ALRO SA	Clor	1/26/2017 12:09:43 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 12:09:42 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 12:09:41 PM	17	gradCels
SC ALRO SA	pH	1/26/2017 12:09:40 PM	7	unit pH
SC ALRO SA	Temp	1/26/2017 12:09:20 PM	17	gradCels
SC ALRO SA	pH	1/26/2017 12:09:10 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 12:04:41 PM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 12:04:40 PM	20	mg/l
SC ALRO SA	Clor	1/26/2017 12:04:03 PM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 12:04:02 PM	0	mg/l
SC ALRO SA	Temp	1/26/2017 12:04:01 PM	17	gradCels
SC ALRO SA	pH	1/26/2017 12:04:00 PM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 11:58:51 AM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 11:58:50 AM	20	mg/l
SC ALRO SA	Clor	1/26/2017 11:58:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 11:58:42 AM	0	mg/l
SC ALRO SA	Temp	1/26/2017 11:58:41 AM	17	gradCels
SC ALRO SA	pH	1/26/2017 11:58:40 AM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 11:53:40 AM	0	mg/l
SC ALRO SA	Clor	1/26/2017 11:53:04 AM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 11:53:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 11:53:02 AM	20	mg/l
SC ALRO SA	Temp	1/26/2017 11:53:01 AM	17	gradCels



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/26/2017 11:53:00 AM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 11:50:10 AM	0	mg/l
SC ALRO SA	Clor	1/26/2017 11:49:40 AM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 11:49:20 AM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 11:49:10 AM	20	mg/l
SC ALRO SA	Temp	1/26/2017 11:49:00 AM	17	gradCels
SC ALRO SA	pH	1/26/2017 11:48:50 AM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 11:47:47 AM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 11:47:46 AM	20	mg/l
SC ALRO SA	Clor	1/26/2017 11:47:25 AM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 11:47:23 AM	0	mg/l
SC ALRO SA	Temp	1/26/2017 11:47:22 AM	17	gradCels
SC ALRO SA	pH	1/26/2017 11:47:20 AM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 11:42:41 AM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 11:42:40 AM	20	mg/l
SC ALRO SA	Clor	1/26/2017 11:42:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 11:42:02 AM	0	mg/l
SC ALRO SA	Temp	1/26/2017 11:42:01 AM	17	gradCels
SC ALRO SA	pH	1/26/2017 11:42:00 AM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 11:36:47 AM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 11:36:46 AM	20	mg/l
SC ALRO SA	Clor	1/26/2017 11:36:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 11:36:22 AM	0	mg/l
SC ALRO SA	Temp	1/26/2017 11:36:21 AM	17	gradCels
SC ALRO SA	pH	1/26/2017 11:36:20 AM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 11:31:41 AM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 11:31:40 AM	20	mg/l
SC ALRO SA	Clor	1/26/2017 11:30:50 AM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 11:30:49 AM	0	mg/l
SC ALRO SA	Temp	1/26/2017 11:30:48 AM	17	gradCels
SC ALRO SA	pH	1/26/2017 11:30:47 AM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 11:28:50 AM	0	mg/l
SC ALRO SA	Clor	1/26/2017 11:28:20 AM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 11:28:00 AM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 11:27:30 AM	20	mg/l
SC ALRO SA	Temp	1/26/2017 11:27:20 AM	17	gradCels
SC ALRO SA	pH	1/26/2017 11:27:10 AM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 11:25:25 AM	0	mg/l
SC ALRO SA	Clor	1/26/2017 11:25:24 AM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 11:25:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 11:25:22 AM	20	mg/l
SC ALRO SA	Temp	1/26/2017 11:25:21 AM	17	gradCels
SC ALRO SA	pH	1/26/2017 11:25:20 AM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 11:09:53 AM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 11:09:52 AM	19	mg/l
SC ALRO SA	Clor	1/26/2017 11:08:49 AM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 11:08:48 AM	0	mg/l
SC ALRO SA	Temp	1/26/2017 11:08:47 AM	17	gradCels
SC ALRO SA	pH	1/26/2017 11:08:46 AM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 11:07:00 AM	0	mg/l
SC ALRO SA	Clor	1/26/2017 11:06:50 AM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 11:06:10 AM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 11:06:00 AM	19	mg/l
SC ALRO SA	Temp	1/26/2017 11:05:30 AM	17	gradCels
SC ALRO SA	pH	1/26/2017 11:05:20 AM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 11:03:26 AM	0	mg/l
SC ALRO SA	Clor	1/26/2017 11:03:25 AM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 11:03:24 AM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 11:03:23 AM	19	mg/l
SC ALRO SA	Temp	1/26/2017 11:03:22 AM	17	gradCels
SC ALRO SA	pH	1/26/2017 11:03:20 AM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 10:52:40 AM	0	mg/l
SC ALRO SA	Clor	1/26/2017 10:52:24 AM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 10:52:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 10:52:22 AM	19	mg/l
SC ALRO SA	Temp	1/26/2017 10:52:21 AM	17	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/26/2017 10:52:20 AM	7	unit pH
SC ALRO SA	Substante organice	1/26/2017 10:47:53 AM	19	mg/l
SC ALRO SA	Cianuri	1/26/2017 10:47:51 AM	0	mg/l
SC ALRO SA	Clor	1/26/2017 10:47:10 AM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 10:47:09 AM	0	mg/l
SC ALRO SA	Temp	1/26/2017 10:47:08 AM	17	gradCels
SC ALRO SA	pH	1/26/2017 10:47:07 AM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 10:45:00 AM	0	mg/l
SC ALRO SA	Clor	1/26/2017 10:44:50 AM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 10:44:00 AM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 10:43:50 AM	19	mg/l
SC ALRO SA	Temp	1/26/2017 10:43:30 AM	17	gradCels
SC ALRO SA	pH	1/26/2017 10:43:20 AM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 10:41:24 AM	0	mg/l
SC ALRO SA	Clor	1/26/2017 10:41:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 10:41:22 AM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 10:41:21 AM	19	mg/l
SC ALRO SA	Temp	1/26/2017 10:41:20 AM	17	gradCels
SC ALRO SA	pH	1/26/2017 10:41:19 AM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 10:41:18 AM	0	mg/l
SC ALRO SA	Clor	1/26/2017 10:41:17 AM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 10:41:16 AM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 10:41:15 AM	19	mg/l
SC ALRO SA	Temp	1/26/2017 10:41:14 AM	17	gradCels
SC ALRO SA	Clor	1/26/2017 10:41:13 AM	0	mg/l
SC ALRO SA	pH	1/26/2017 10:41:12 AM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 10:41:11 AM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 10:41:10 AM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 10:41:09 AM	19	mg/l
SC ALRO SA	Temp	1/26/2017 10:41:08 AM	17	gradCels
SC ALRO SA	pH	1/26/2017 10:41:07 AM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 10:36:08 AM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 10:36:07 AM	19	mg/l
SC ALRO SA	Clor	1/26/2017 10:35:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 10:35:02 AM	0	mg/l
SC ALRO SA	Temp	1/26/2017 10:35:01 AM	17	gradCels
SC ALRO SA	pH	1/26/2017 10:35:00 AM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 10:30:08 AM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 10:30:07 AM	19	mg/l
SC ALRO SA	Clor	1/26/2017 10:29:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 10:29:42 AM	0	mg/l
SC ALRO SA	Temp	1/26/2017 10:29:41 AM	18	gradCels
SC ALRO SA	pH	1/26/2017 10:29:40 AM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 10:25:07 AM	0	mg/l
SC ALRO SA	Cianuri	1/26/2017 10:24:20 AM	0	mg/l
SC ALRO SA	Clor	1/26/2017 10:24:10 AM	0	mg/l
SC ALRO SA	Clor	1/26/2017 10:24:04 AM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 10:24:03 AM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 10:24:02 AM	19	mg/l
SC ALRO SA	Temp	1/26/2017 10:24:01 AM	18	gradCels
SC ALRO SA	pH	1/26/2017 10:24:00 AM	7	unit pH
SC ALRO SA	Grasimi	1/26/2017 10:23:30 AM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 10:23:20 AM	19	mg/l
SC ALRO SA	Temp	1/26/2017 10:23:10 AM	18	gradCels
SC ALRO SA	pH	1/26/2017 10:23:00 AM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 10:18:45 AM	0	mg/l
SC ALRO SA	Clor	1/26/2017 10:18:44 AM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 10:18:43 AM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 10:18:42 AM	19	mg/l
SC ALRO SA	Temp	1/26/2017 10:18:41 AM	18	gradCels
SC ALRO SA	pH	1/26/2017 10:18:40 AM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 10:12:45 AM	0	mg/l
SC ALRO SA	Clor	1/26/2017 10:12:44 AM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 10:12:43 AM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 10:12:42 AM	19	mg/l
SC ALRO SA	Temp	1/26/2017 10:12:41 AM	19	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	1/26/2017 10:12:40 AM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 10:04:50 AM	0	mg/l
SC ALRO SA	Clor	1/26/2017 10:04:30 AM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 10:03:20 AM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 10:03:10 AM	19	mg/l
SC ALRO SA	Temp	1/26/2017 10:02:30 AM	19	gradCels
SC ALRO SA	pH	1/26/2017 10:02:20 AM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 10:01:47 AM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 10:01:45 AM	19	mg/l
SC ALRO SA	Clor	1/26/2017 10:01:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 10:01:42 AM	0	mg/l
SC ALRO SA	Temp	1/26/2017 10:01:41 AM	19	gradCels
SC ALRO SA	pH	1/26/2017 10:01:40 AM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 9:57:08 AM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 9:57:07 AM	19	mg/l
SC ALRO SA	Clor	1/26/2017 9:56:03 AM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 9:56:02 AM	0	mg/l
SC ALRO SA	Temp	1/26/2017 9:56:01 AM	19	gradCels
SC ALRO SA	pH	1/26/2017 9:56:00 AM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 9:50:25 AM	0	mg/l
SC ALRO SA	Clor	1/26/2017 9:50:24 AM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 9:50:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 9:50:22 AM	19	mg/l
SC ALRO SA	Temp	1/26/2017 9:50:21 AM	20	gradCels
SC ALRO SA	pH	1/26/2017 9:50:20 AM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 9:44:30 AM	0	mg/l
SC ALRO SA	Clor	1/26/2017 9:44:00 AM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 9:43:10 AM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 9:43:00 AM	19	mg/l
SC ALRO SA	Temp	1/26/2017 9:42:50 AM	21	gradCels
SC ALRO SA	pH	1/26/2017 9:42:30 AM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 9:39:25 AM	0	mg/l
SC ALRO SA	Clor	1/26/2017 9:39:24 AM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 9:39:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 9:39:22 AM	19	mg/l
SC ALRO SA	Temp	1/26/2017 9:39:21 AM	21	gradCels
SC ALRO SA	pH	1/26/2017 9:39:20 AM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 9:28:25 AM	0	mg/l
SC ALRO SA	Clor	1/26/2017 9:28:24 AM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 9:28:23 AM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 9:28:22 AM	19	mg/l
SC ALRO SA	Temp	1/26/2017 9:28:21 AM	21	gradCels
SC ALRO SA	pH	1/26/2017 9:28:20 AM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 9:22:30 AM	0	mg/l
SC ALRO SA	Clor	1/26/2017 9:22:20 AM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 9:21:50 AM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 9:21:30 AM	20	mg/l
SC ALRO SA	Temp	1/26/2017 9:21:10 AM	21	gradCels
SC ALRO SA	pH	1/26/2017 9:21:00 AM	7	unit pH
SC ALRO SA	Substante organice	1/26/2017 9:18:05 AM	20	mg/l
SC ALRO SA	Cianuri	1/26/2017 9:18:03 AM	0	mg/l
SC ALRO SA	Clor	1/26/2017 9:17:23 AM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 9:17:22 AM	0	mg/l
SC ALRO SA	Temp	1/26/2017 9:17:21 AM	21	gradCels
SC ALRO SA	pH	1/26/2017 9:17:20 AM	7	unit pH
SC ALRO SA	Cianuri	1/26/2017 9:13:11 AM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 9:13:10 AM	20	mg/l
SC ALRO SA	Clor	1/26/2017 9:11:43 AM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 9:11:42 AM	0	mg/l
SC ALRO SA	Temp	1/26/2017 9:11:41 AM	21	gradCels
SC ALRO SA	pH	1/26/2017 9:11:40 AM	7	unit pH
SC ALRO SA	Clor	1/26/2017 9:06:25 AM	0	mg/l
SC ALRO SA	Grasimi	1/26/2017 9:06:24 AM	0	mg/l
SC ALRO SA	Substante organice	1/26/2017 9:06:23 AM	20	mg/l
SC ALRO SA	Temp	1/26/2017 9:06:21 AM	21	gradCels
SC ALRO SA	pH	1/26/2017 9:06:20 AM	7	unit pH