

## Analiza evolutie pe mai multi senzori

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Clor	7/19/2016 11:33:32 PM	0	mg/l
SC ALRO SA	Substante organice	7/19/2016 11:33:30 PM	9	mg/l
SC ALRO SA	Grasimi	7/19/2016 11:33:25 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 11:33:24 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 11:33:23 PM	5	unit pH
SC ALRO SA	Clor	7/19/2016 11:32:30 PM	0	mg/l
SC ALRO SA	Substante organice	7/19/2016 11:32:28 PM	9	mg/l
SC ALRO SA	Grasimi	7/19/2016 11:32:23 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 11:32:22 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 11:32:21 PM	5	unit pH
SC ALRO SA	Clor	7/19/2016 11:31:31 PM	0	mg/l
SC ALRO SA	Substante organice	7/19/2016 11:31:30 PM	9	mg/l
SC ALRO SA	Grasimi	7/19/2016 11:31:26 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 11:31:25 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 11:31:24 PM	5	unit pH
SC ALRO SA	Clor	7/19/2016 11:30:31 PM	0	mg/l
SC ALRO SA	Substante organice	7/19/2016 11:30:29 PM	9	mg/l
SC ALRO SA	Grasimi	7/19/2016 11:30:22 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 11:30:21 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 11:30:20 PM	5	unit pH
SC ALRO SA	Substante organice	7/19/2016 11:29:33 PM	9	mg/l
SC ALRO SA	Clor	7/19/2016 11:29:29 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 11:29:25 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 11:29:24 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 11:29:23 PM	5	unit pH
SC ALRO SA	Clor	7/19/2016 11:28:29 PM	0	mg/l
SC ALRO SA	Substante organice	7/19/2016 11:28:27 PM	9	mg/l
SC ALRO SA	Grasimi	7/19/2016 11:28:22 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 11:28:21 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 11:28:20 PM	5	unit pH
SC ALRO SA	Clor	7/19/2016 11:27:33 PM	0	mg/l
SC ALRO SA	Substante organice	7/19/2016 11:27:32 PM	9	mg/l
SC ALRO SA	Grasimi	7/19/2016 11:27:25 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 11:27:24 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 11:27:23 PM	5	unit pH
SC ALRO SA	Clor	7/19/2016 11:26:28 PM	0	mg/l
SC ALRO SA	Substante organice	7/19/2016 11:26:26 PM	9	mg/l
SC ALRO SA	Grasimi	7/19/2016 11:26:22 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 11:26:21 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 11:26:20 PM	5	unit pH
SC ALRO SA	Clor	7/19/2016 11:25:30 PM	0	mg/l
SC ALRO SA	Substante organice	7/19/2016 11:25:28 PM	9	mg/l
SC ALRO SA	Grasimi	7/19/2016 11:25:25 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 11:25:24 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 11:25:23 PM	5	unit pH
SC ALRO SA	Clor	7/19/2016 11:24:31 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 11:24:23 PM	0	mg/l
SC ALRO SA	Substante organice	7/19/2016 11:24:22 PM	9	mg/l
SC ALRO SA	Temp	7/19/2016 11:24:21 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 11:24:20 PM	5	unit pH
SC ALRO SA	Clor	7/19/2016 11:23:31 PM	0	mg/l
SC ALRO SA	Substante organice	7/19/2016 11:23:30 PM	9	mg/l
SC ALRO SA	Grasimi	7/19/2016 11:23:22 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 11:23:21 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 11:23:20 PM	5	unit pH
SC ALRO SA	Clor	7/19/2016 11:22:29 PM	0	mg/l
SC ALRO SA	Substante organice	7/19/2016 11:22:27 PM	9	mg/l
SC ALRO SA	Grasimi	7/19/2016 11:22:23 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 11:22:22 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 11:22:21 PM	5	unit pH
SC ALRO SA	Substante organice	7/19/2016 11:21:26 PM	9	mg/l
SC ALRO SA	Clor	7/19/2016 11:21:23 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 11:21:19 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 11:21:18 PM	26	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	7/19/2016 11:21:17 PM	5	unit pH
SC ALRO SA	Clor	7/19/2016 11:20:24 PM	0	mg/l
SC ALRO SA	Substante organice	7/19/2016 11:20:22 PM	9	mg/l
SC ALRO SA	Grasimi	7/19/2016 11:20:13 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 11:20:12 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 11:20:11 PM	5	unit pH
SC ALRO SA	Clor	7/19/2016 11:19:26 PM	0	mg/l
SC ALRO SA	Substante organice	7/19/2016 11:19:25 PM	9	mg/l
SC ALRO SA	Grasimi	7/19/2016 11:19:15 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 11:19:14 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 11:19:13 PM	5	unit pH
SC ALRO SA	Clor	7/19/2016 11:18:21 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 11:18:17 PM	0	mg/l
SC ALRO SA	Substante organice	7/19/2016 11:18:16 PM	9	mg/l
SC ALRO SA	Temp	7/19/2016 11:18:15 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 11:18:14 PM	5	unit pH
SC ALRO SA	Substante organice	7/19/2016 11:17:25 PM	9	mg/l
SC ALRO SA	Clor	7/19/2016 11:17:22 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 11:17:21 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 11:17:20 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 11:17:19 PM	5	unit pH
SC ALRO SA	Substante organice	7/19/2016 11:16:21 PM	9	mg/l
SC ALRO SA	Clor	7/19/2016 11:16:13 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 11:16:12 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 11:16:11 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 11:16:10 PM	5	unit pH
SC ALRO SA	Substante organice	7/19/2016 11:15:26 PM	9	mg/l
SC ALRO SA	Clor	7/19/2016 11:15:19 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 11:15:18 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 11:15:17 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 11:15:16 PM	5	unit pH
SC ALRO SA	Substante organice	7/19/2016 11:14:23 PM	9	mg/l
SC ALRO SA	Clor	7/19/2016 11:14:13 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 11:14:12 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 11:14:11 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 11:14:10 PM	5	unit pH
SC ALRO SA	Clor	7/19/2016 11:13:20 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 11:13:19 PM	0	mg/l
SC ALRO SA	Substante organice	7/19/2016 11:13:18 PM	9	mg/l
SC ALRO SA	Temp	7/19/2016 11:13:17 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 11:13:16 PM	5	unit pH
SC ALRO SA	Substante organice	7/19/2016 11:12:22 PM	9	mg/l
SC ALRO SA	Clor	7/19/2016 11:12:14 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 11:12:13 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 11:12:12 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 11:12:11 PM	5	unit pH
SC ALRO SA	Substante organice	7/19/2016 11:11:24 PM	9	mg/l
SC ALRO SA	Clor	7/19/2016 11:11:19 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 11:11:18 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 11:11:17 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 11:11:16 PM	5	unit pH
SC ALRO SA	Substante organice	7/19/2016 11:10:26 PM	9	mg/l
SC ALRO SA	Clor	7/19/2016 11:10:17 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 11:10:16 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 11:10:15 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 11:10:14 PM	5	unit pH
SC ALRO SA	Substante organice	7/19/2016 11:09:09 PM	9	mg/l
SC ALRO SA	Clor	7/19/2016 11:09:02 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 11:09:01 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 11:09:00 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 11:08:59 PM	5	unit pH
SC ALRO SA	Clor	7/19/2016 11:08:00 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 11:07:59 PM	0	mg/l
SC ALRO SA	Substante organice	7/19/2016 11:07:58 PM	9	mg/l
SC ALRO SA	pH	7/19/2016 11:07:57 PM	5	unit pH
SC ALRO SA	Temp	7/19/2016 11:07:56 PM	26	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Clor	7/19/2016 11:07:14 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 11:07:13 PM	0	mg/l
SC ALRO SA	Substante organice	7/19/2016 11:07:12 PM	9	mg/l
SC ALRO SA	Temp	7/19/2016 11:07:11 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 11:07:10 PM	5	unit pH
SC ALRO SA	Substante organice	7/19/2016 11:06:08 PM	9	mg/l
SC ALRO SA	Clor	7/19/2016 11:05:59 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 11:05:58 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 11:05:57 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 11:05:56 PM	5	unit pH
SC ALRO SA	Substante organice	7/19/2016 11:05:12 PM	9	mg/l
SC ALRO SA	Clor	7/19/2016 11:05:02 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 11:05:01 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 11:05:00 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 11:04:59 PM	5	unit pH
SC ALRO SA	Substante organice	7/19/2016 11:04:08 PM	9	mg/l
SC ALRO SA	Clor	7/19/2016 11:03:55 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 11:03:54 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 11:03:53 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 11:03:52 PM	5	unit pH
SC ALRO SA	Substante organice	7/19/2016 11:03:08 PM	9	mg/l
SC ALRO SA	Clor	7/19/2016 11:03:02 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 11:03:01 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 11:03:00 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 11:02:59 PM	5	unit pH
SC ALRO SA	Substante organice	7/19/2016 11:02:07 PM	9	mg/l
SC ALRO SA	Clor	7/19/2016 11:01:55 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 11:01:54 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 11:01:53 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 11:01:52 PM	5	unit pH
SC ALRO SA	Clor	7/19/2016 11:01:01 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 11:01:00 PM	0	mg/l
SC ALRO SA	Substante organice	7/19/2016 11:00:59 PM	9	mg/l
SC ALRO SA	Temp	7/19/2016 11:00:58 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 11:00:57 PM	5	unit pH
SC ALRO SA	Substante organice	7/19/2016 11:00:01 PM	9	mg/l
SC ALRO SA	Clor	7/19/2016 10:59:49 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 10:59:48 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 10:59:47 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 10:59:46 PM	5	unit pH
SC ALRO SA	Substante organice	7/19/2016 10:59:09 PM	9	mg/l
SC ALRO SA	Clor	7/19/2016 10:58:53 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 10:58:52 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 10:58:51 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 10:58:50 PM	5	unit pH
SC ALRO SA	Cianuri	7/19/2016 10:58:04 PM	0	mg/l
SC ALRO SA	Substante organice	7/19/2016 10:58:02 PM	9	mg/l
SC ALRO SA	Clor	7/19/2016 10:57:58 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 10:57:57 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 10:57:56 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 10:57:55 PM	5	unit pH
SC ALRO SA	Substante organice	7/19/2016 10:56:59 PM	9	mg/l
SC ALRO SA	Cianuri	7/19/2016 10:56:53 PM	0	mg/l
SC ALRO SA	Clor	7/19/2016 10:56:52 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 10:56:51 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 10:56:50 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 10:56:49 PM	5	unit pH
SC ALRO SA	Cianuri	7/19/2016 10:55:57 PM	0	mg/l
SC ALRO SA	Clor	7/19/2016 10:55:56 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 10:55:55 PM	0	mg/l
SC ALRO SA	Substante organice	7/19/2016 10:55:54 PM	9	mg/l
SC ALRO SA	Temp	7/19/2016 10:55:53 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 10:55:52 PM	5	unit pH
SC ALRO SA	Cianuri	7/19/2016 10:55:00 PM	0	mg/l
SC ALRO SA	Substante organice	7/19/2016 10:54:59 PM	9	mg/l
SC ALRO SA	Clor	7/19/2016 10:54:45 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Grasimi	7/19/2016 10:54:44 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 10:54:43 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 10:54:42 PM	5	unit pH
SC ALRO SA	Substante organice	7/19/2016 10:53:56 PM	9	mg/l
SC ALRO SA	Cianuri	7/19/2016 10:53:49 PM	0	mg/l
SC ALRO SA	Clor	7/19/2016 10:53:48 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 10:53:47 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 10:53:46 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 10:53:45 PM	5	unit pH
SC ALRO SA	Substante organice	7/19/2016 10:52:52 PM	9	mg/l
SC ALRO SA	Cianuri	7/19/2016 10:52:43 PM	0	mg/l
SC ALRO SA	Clor	7/19/2016 10:52:42 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 10:52:41 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 10:52:40 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 10:52:39 PM	5	unit pH
SC ALRO SA	Substante organice	7/19/2016 10:51:56 PM	9	mg/l
SC ALRO SA	Cianuri	7/19/2016 10:51:55 PM	0	mg/l
SC ALRO SA	Clor	7/19/2016 10:51:51 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 10:51:50 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 10:51:49 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 10:51:48 PM	5	unit pH
SC ALRO SA	Cianuri	7/19/2016 10:50:56 PM	0	mg/l
SC ALRO SA	Substante organice	7/19/2016 10:50:53 PM	9	mg/l
SC ALRO SA	Clor	7/19/2016 10:50:43 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 10:50:42 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 10:50:41 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 10:50:40 PM	5	unit pH
SC ALRO SA	Cianuri	7/19/2016 10:49:56 PM	0	mg/l
SC ALRO SA	Clor	7/19/2016 10:49:53 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 10:49:52 PM	0	mg/l
SC ALRO SA	Substante organice	7/19/2016 10:49:51 PM	9	mg/l
SC ALRO SA	Temp	7/19/2016 10:49:50 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 10:49:49 PM	5	unit pH
SC ALRO SA	Substante organice	7/19/2016 10:48:55 PM	9	mg/l
SC ALRO SA	Cianuri	7/19/2016 10:48:39 PM	0	mg/l
SC ALRO SA	Clor	7/19/2016 10:48:38 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 10:48:37 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 10:48:36 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 10:48:35 PM	5	unit pH
SC ALRO SA	Substante organice	7/19/2016 10:47:56 PM	9	mg/l
SC ALRO SA	Cianuri	7/19/2016 10:47:48 PM	0	mg/l
SC ALRO SA	Clor	7/19/2016 10:47:47 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 10:47:46 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 10:47:45 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 10:47:44 PM	5	unit pH
SC ALRO SA	Substante organice	7/19/2016 10:46:55 PM	9	mg/l
SC ALRO SA	Cianuri	7/19/2016 10:46:40 PM	0	mg/l
SC ALRO SA	Clor	7/19/2016 10:46:39 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 10:46:38 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 10:46:37 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 10:46:36 PM	5	unit pH
SC ALRO SA	Substante organice	7/19/2016 10:45:56 PM	9	mg/l
SC ALRO SA	Cianuri	7/19/2016 10:45:49 PM	0	mg/l
SC ALRO SA	Clor	7/19/2016 10:45:48 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 10:45:47 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 10:45:46 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 10:45:45 PM	5	unit pH
SC ALRO SA	Cianuri	7/19/2016 10:44:49 PM	0	mg/l
SC ALRO SA	Clor	7/19/2016 10:44:43 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 10:44:42 PM	0	mg/l
SC ALRO SA	Substante organice	7/19/2016 10:44:41 PM	9	mg/l
SC ALRO SA	Temp	7/19/2016 10:44:40 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 10:44:39 PM	5	unit pH
SC ALRO SA	Substante organice	7/19/2016 10:43:51 PM	9	mg/l
SC ALRO SA	Cianuri	7/19/2016 10:43:40 PM	0	mg/l
SC ALRO SA	Clor	7/19/2016 10:43:39 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Grasimi	7/19/2016 10:43:38 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 10:43:37 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 10:43:36 PM	5	unit pH
SC ALRO SA	Substante organice	7/19/2016 10:42:47 PM	9	mg/l
SC ALRO SA	Cianuri	7/19/2016 10:42:39 PM	0	mg/l
SC ALRO SA	Clor	7/19/2016 10:42:38 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 10:42:37 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 10:42:36 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 10:42:35 PM	5	unit pH
SC ALRO SA	Substante organice	7/19/2016 10:41:51 PM	9	mg/l
SC ALRO SA	Clor	7/19/2016 10:41:49 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 10:41:48 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 10:41:47 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 10:41:46 PM	5	unit pH
SC ALRO SA	Substante organice	7/19/2016 10:40:52 PM	9	mg/l
SC ALRO SA	Clor	7/19/2016 10:40:42 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 10:40:41 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 10:40:40 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 10:40:39 PM	5	unit pH
SC ALRO SA	Substante organice	7/19/2016 10:39:47 PM	9	mg/l
SC ALRO SA	Clor	7/19/2016 10:39:37 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 10:39:36 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 10:39:35 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 10:39:34 PM	5	unit pH
SC ALRO SA	Clor	7/19/2016 10:38:44 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 10:38:43 PM	0	mg/l
SC ALRO SA	Substante organice	7/19/2016 10:38:42 PM	9	mg/l
SC ALRO SA	Temp	7/19/2016 10:38:41 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 10:38:40 PM	5	unit pH
SC ALRO SA	Substante organice	7/19/2016 10:37:46 PM	9	mg/l
SC ALRO SA	Clor	7/19/2016 10:37:28 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 10:37:27 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 10:37:26 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 10:37:25 PM	5	unit pH
SC ALRO SA	Substante organice	7/19/2016 10:36:52 PM	9	mg/l
SC ALRO SA	Clor	7/19/2016 10:36:44 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 10:36:43 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 10:36:42 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 10:36:41 PM	5	unit pH
SC ALRO SA	Substante organice	7/19/2016 10:35:46 PM	9	mg/l
SC ALRO SA	Clor	7/19/2016 10:35:29 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 10:35:28 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 10:35:27 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 10:35:26 PM	5	unit pH
SC ALRO SA	Substante organice	7/19/2016 10:34:51 PM	9	mg/l
SC ALRO SA	Clor	7/19/2016 10:34:44 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 10:34:43 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 10:34:42 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 10:34:41 PM	5	unit pH
SC ALRO SA	Clor	7/19/2016 10:33:36 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 10:33:35 PM	0	mg/l
SC ALRO SA	Substante organice	7/19/2016 10:33:34 PM	9	mg/l
SC ALRO SA	Temp	7/19/2016 10:33:33 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 10:33:32 PM	5	unit pH
SC ALRO SA	Substante organice	7/19/2016 10:32:52 PM	9	mg/l
SC ALRO SA	Clor	7/19/2016 10:32:48 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 10:32:47 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 10:32:46 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 10:32:45 PM	5	unit pH
SC ALRO SA	Substante organice	7/19/2016 10:31:47 PM	9	mg/l
SC ALRO SA	Clor	7/19/2016 10:31:26 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 10:31:25 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 10:31:24 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 10:31:23 PM	5	unit pH
SC ALRO SA	Substante organice	7/19/2016 10:30:47 PM	9	mg/l
SC ALRO SA	Clor	7/19/2016 10:30:40 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Grasimi	7/19/2016 10:30:39 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 10:30:38 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 10:30:37 PM	5	unit pH
SC ALRO SA	Substante organice	7/19/2016 10:29:43 PM	9	mg/l
SC ALRO SA	Clor	7/19/2016 10:29:34 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 10:29:33 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 10:29:32 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 10:29:31 PM	5	unit pH
SC ALRO SA	Substante organice	7/19/2016 10:28:48 PM	9	mg/l
SC ALRO SA	Clor	7/19/2016 10:28:44 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 10:28:43 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 10:28:42 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 10:28:41 PM	5	unit pH
SC ALRO SA	Clor	7/19/2016 10:27:33 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 10:27:32 PM	0	mg/l
SC ALRO SA	Substante organice	7/19/2016 10:27:31 PM	9	mg/l
SC ALRO SA	Temp	7/19/2016 10:27:30 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 10:27:29 PM	5	unit pH
SC ALRO SA	Substante organice	7/19/2016 10:26:48 PM	9	mg/l
SC ALRO SA	Clor	7/19/2016 10:26:43 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 10:26:42 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 10:26:41 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 10:26:40 PM	5	unit pH
SC ALRO SA	Substante organice	7/19/2016 10:25:43 PM	9	mg/l
SC ALRO SA	Clor	7/19/2016 10:25:35 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 10:25:34 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 10:25:33 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 10:25:32 PM	5	unit pH
SC ALRO SA	Cianuri	7/19/2016 10:24:48 PM	0	mg/l
SC ALRO SA	Substante organice	7/19/2016 10:24:47 PM	9	mg/l
SC ALRO SA	Clor	7/19/2016 10:24:43 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 10:24:42 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 10:24:41 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 10:24:40 PM	5	unit pH
SC ALRO SA	Cianuri	7/19/2016 10:23:46 PM	0	mg/l
SC ALRO SA	Substante organice	7/19/2016 10:23:45 PM	9	mg/l
SC ALRO SA	Clor	7/19/2016 10:23:35 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 10:23:34 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 10:23:33 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 10:23:32 PM	5	unit pH
SC ALRO SA	Cianuri	7/19/2016 10:22:45 PM	0	mg/l
SC ALRO SA	Clor	7/19/2016 10:22:44 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 10:22:43 PM	0	mg/l
SC ALRO SA	Substante organice	7/19/2016 10:22:42 PM	9	mg/l
SC ALRO SA	Temp	7/19/2016 10:22:41 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 10:22:40 PM	5	unit pH
SC ALRO SA	Substante organice	7/19/2016 10:21:44 PM	9	mg/l
SC ALRO SA	Cianuri	7/19/2016 10:21:38 PM	0	mg/l
SC ALRO SA	Clor	7/19/2016 10:21:37 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 10:21:36 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 10:21:35 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 10:21:34 PM	5	unit pH
SC ALRO SA	Cianuri	7/19/2016 10:20:47 PM	0	mg/l
SC ALRO SA	Substante organice	7/19/2016 10:20:46 PM	9	mg/l
SC ALRO SA	Clor	7/19/2016 10:20:42 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 10:20:41 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 10:20:40 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 10:20:39 PM	5	unit pH
SC ALRO SA	Substante organice	7/19/2016 10:19:33 PM	9	mg/l
SC ALRO SA	Clor	7/19/2016 10:19:30 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 10:19:29 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 10:19:28 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 10:19:27 PM	5	unit pH
SC ALRO SA	Substante organice	7/19/2016 10:18:37 PM	9	mg/l
SC ALRO SA	Clor	7/19/2016 10:18:33 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 10:18:32 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	7/19/2016 10:18:31 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 10:18:30 PM	5	unit pH
SC ALRO SA	Substante organice	7/19/2016 10:17:35 PM	9	mg/l
SC ALRO SA	Clor	7/19/2016 10:17:26 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 10:17:25 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 10:17:24 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 10:17:23 PM	5	unit pH
SC ALRO SA	Clor	7/19/2016 10:16:33 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 10:16:32 PM	0	mg/l
SC ALRO SA	Substante organice	7/19/2016 10:16:31 PM	9	mg/l
SC ALRO SA	Temp	7/19/2016 10:16:30 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 10:16:29 PM	5	unit pH
SC ALRO SA	Substante organice	7/19/2016 10:15:36 PM	9	mg/l
SC ALRO SA	Clor	7/19/2016 10:15:24 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 10:15:23 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 10:15:22 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 10:15:21 PM	5	unit pH
SC ALRO SA	Substante organice	7/19/2016 10:14:36 PM	9	mg/l
SC ALRO SA	Clor	7/19/2016 10:14:33 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 10:14:32 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 10:14:31 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 10:14:30 PM	5	unit pH
SC ALRO SA	Cianuri	7/19/2016 10:13:35 PM	0	mg/l
SC ALRO SA	Substante organice	7/19/2016 10:13:33 PM	9	mg/l
SC ALRO SA	Clor	7/19/2016 10:13:26 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 10:13:25 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 10:13:24 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 10:13:23 PM	5	unit pH
SC ALRO SA	Cianuri	7/19/2016 10:12:37 PM	0	mg/l
SC ALRO SA	Substante organice	7/19/2016 10:12:36 PM	9	mg/l
SC ALRO SA	Clor	7/19/2016 10:12:30 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 10:12:29 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 10:12:28 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 10:12:27 PM	5	unit pH
SC ALRO SA	Cianuri	7/19/2016 10:11:27 PM	0	mg/l
SC ALRO SA	Clor	7/19/2016 10:11:18 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 10:11:17 PM	0	mg/l
SC ALRO SA	Substante organice	7/19/2016 10:11:16 PM	9	mg/l
SC ALRO SA	Temp	7/19/2016 10:11:15 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 10:11:14 PM	5	unit pH
SC ALRO SA	Substante organice	7/19/2016 10:10:29 PM	9	mg/l
SC ALRO SA	Cianuri	7/19/2016 10:10:27 PM	0	mg/l
SC ALRO SA	Clor	7/19/2016 10:10:26 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 10:10:25 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 10:10:24 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 10:10:23 PM	5	unit pH
SC ALRO SA	Substante organice	7/19/2016 10:09:24 PM	9	mg/l
SC ALRO SA	Cianuri	7/19/2016 10:09:19 PM	0	mg/l
SC ALRO SA	Clor	7/19/2016 10:09:18 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 10:09:17 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 10:09:16 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 10:09:15 PM	5	unit pH
SC ALRO SA	Substante organice	7/19/2016 10:08:26 PM	9	mg/l
SC ALRO SA	Cianuri	7/19/2016 10:08:24 PM	0	mg/l
SC ALRO SA	Clor	7/19/2016 10:08:23 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 10:08:22 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 10:08:21 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 10:08:20 PM	5	unit pH
SC ALRO SA	Substante organice	7/19/2016 10:07:26 PM	9	mg/l
SC ALRO SA	Cianuri	7/19/2016 10:07:20 PM	0	mg/l
SC ALRO SA	Clor	7/19/2016 10:07:19 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 10:07:18 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 10:07:17 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 10:07:16 PM	5	unit pH
SC ALRO SA	Cianuri	7/19/2016 10:06:25 PM	0	mg/l
SC ALRO SA	Clor	7/19/2016 10:06:24 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Grasimi	7/19/2016 10:06:23 PM	0	mg/l
SC ALRO SA	Substante organice	7/19/2016 10:06:22 PM	9	mg/l
SC ALRO SA	Temp	7/19/2016 10:06:21 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 10:06:20 PM	5	unit pH
SC ALRO SA	Substante organice	7/19/2016 10:05:25 PM	9	mg/l
SC ALRO SA	Cianuri	7/19/2016 10:05:19 PM	0	mg/l
SC ALRO SA	Clor	7/19/2016 10:05:18 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 10:05:17 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 10:05:16 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 10:05:15 PM	5	unit pH
SC ALRO SA	Cianuri	7/19/2016 10:04:26 PM	0	mg/l
SC ALRO SA	Substante organice	7/19/2016 10:04:25 PM	9	mg/l
SC ALRO SA	Clor	7/19/2016 10:04:23 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 10:04:22 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 10:04:21 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 10:04:20 PM	5	unit pH
SC ALRO SA	Cianuri	7/19/2016 10:03:26 PM	0	mg/l
SC ALRO SA	Substante organice	7/19/2016 10:03:25 PM	9	mg/l
SC ALRO SA	Clor	7/19/2016 10:03:19 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 10:03:18 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 10:03:17 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 10:03:16 PM	5	unit pH
SC ALRO SA	Substante organice	7/19/2016 10:02:27 PM	9	mg/l
SC ALRO SA	Cianuri	7/19/2016 10:02:25 PM	0	mg/l
SC ALRO SA	Clor	7/19/2016 10:02:24 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 10:02:23 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 10:02:22 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 10:02:21 PM	5	unit pH
SC ALRO SA	Substante organice	7/19/2016 10:01:25 PM	9	mg/l
SC ALRO SA	Cianuri	7/19/2016 10:01:20 PM	0	mg/l
SC ALRO SA	Clor	7/19/2016 10:01:19 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 10:01:18 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 10:01:17 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 10:01:16 PM	5	unit pH
SC ALRO SA	Cianuri	7/19/2016 10:00:26 PM	0	mg/l
SC ALRO SA	Clor	7/19/2016 10:00:24 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 10:00:23 PM	0	mg/l
SC ALRO SA	Substante organice	7/19/2016 10:00:22 PM	9	mg/l
SC ALRO SA	Temp	7/19/2016 10:00:21 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 10:00:20 PM	5	unit pH
SC ALRO SA	Cianuri	7/19/2016 9:59:24 PM	0	mg/l
SC ALRO SA	Substante organice	7/19/2016 9:59:22 PM	9	mg/l
SC ALRO SA	Clor	7/19/2016 9:59:17 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 9:59:16 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 9:59:15 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 9:59:14 PM	5	unit pH
SC ALRO SA	Substante organice	7/19/2016 9:58:25 PM	9	mg/l
SC ALRO SA	Cianuri	7/19/2016 9:58:24 PM	0	mg/l
SC ALRO SA	Clor	7/19/2016 9:58:23 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 9:58:22 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 9:58:21 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 9:58:20 PM	5	unit pH
SC ALRO SA	Substante organice	7/19/2016 9:57:24 PM	9	mg/l
SC ALRO SA	Clor	7/19/2016 9:57:20 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 9:57:19 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 9:57:18 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 9:57:17 PM	5	unit pH
SC ALRO SA	Substante organice	7/19/2016 9:56:32 PM	9	mg/l
SC ALRO SA	Clor	7/19/2016 9:56:19 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 9:56:18 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 9:56:17 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 9:56:16 PM	5	unit pH
SC ALRO SA	Clor	7/19/2016 9:55:15 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 9:55:14 PM	0	mg/l
SC ALRO SA	Substante organice	7/19/2016 9:55:13 PM	9	mg/l
SC ALRO SA	Temp	7/19/2016 9:55:12 PM	26	gradCels



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	7/19/2016 9:55:11 PM	5	unit pH
SC ALRO SA	Substante organice	7/19/2016 9:54:32 PM	9	mg/l
SC ALRO SA	Clor	7/19/2016 9:54:13 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 9:54:12 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 9:54:11 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 9:54:10 PM	5	unit pH
SC ALRO SA	Substante organice	7/19/2016 9:53:23 PM	9	mg/l
SC ALRO SA	Clor	7/19/2016 9:53:14 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 9:53:13 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 9:53:12 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 9:53:11 PM	5	unit pH
SC ALRO SA	Substante organice	7/19/2016 9:52:31 PM	9	mg/l
SC ALRO SA	Clor	7/19/2016 9:52:22 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 9:52:21 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 9:52:20 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 9:52:19 PM	5	unit pH
SC ALRO SA	Substante organice	7/19/2016 9:51:23 PM	9	mg/l
SC ALRO SA	Clor	7/19/2016 9:51:04 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 9:51:03 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 9:51:02 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 9:51:01 PM	5	unit pH
SC ALRO SA	Substante organice	7/19/2016 9:50:22 PM	9	mg/l
SC ALRO SA	Clor	7/19/2016 9:50:08 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 9:50:07 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 9:50:06 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 9:50:05 PM	5	unit pH
SC ALRO SA	Clor	7/19/2016 9:49:12 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 9:49:11 PM	0	mg/l
SC ALRO SA	Substante organice	7/19/2016 9:49:10 PM	9	mg/l
SC ALRO SA	Temp	7/19/2016 9:49:09 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 9:49:08 PM	5	unit pH
SC ALRO SA	Substante organice	7/19/2016 9:48:23 PM	9	mg/l
SC ALRO SA	Clor	7/19/2016 9:48:02 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 9:48:01 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 9:48:00 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 9:47:59 PM	5	unit pH
SC ALRO SA	Substante organice	7/19/2016 9:47:24 PM	9	mg/l
SC ALRO SA	Clor	7/19/2016 9:47:16 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 9:47:15 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 9:47:14 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 9:47:13 PM	5	unit pH
SC ALRO SA	Substante organice	7/19/2016 9:46:25 PM	9	mg/l
SC ALRO SA	Clor	7/19/2016 9:46:08 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 9:46:07 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 9:46:06 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 9:46:05 PM	5	unit pH
SC ALRO SA	Substante organice	7/19/2016 9:45:22 PM	9	mg/l
SC ALRO SA	Clor	7/19/2016 9:45:18 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 9:45:17 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 9:45:16 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 9:45:15 PM	5	unit pH
SC ALRO SA	Clor	7/19/2016 9:44:04 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 9:44:03 PM	0	mg/l
SC ALRO SA	Substante organice	7/19/2016 9:44:02 PM	9	mg/l
SC ALRO SA	Temp	7/19/2016 9:44:01 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 9:44:00 PM	5	unit pH
SC ALRO SA	Substante organice	7/19/2016 9:43:22 PM	9	mg/l
SC ALRO SA	Clor	7/19/2016 9:43:14 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 9:43:13 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 9:43:12 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 9:43:11 PM	5	unit pH
SC ALRO SA	Substante organice	7/19/2016 9:42:22 PM	9	mg/l
SC ALRO SA	Clor	7/19/2016 9:42:11 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 9:42:10 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 9:42:09 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 9:42:08 PM	5	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	7/19/2016 9:41:23 PM	9	mg/l
SC ALRO SA	Clor	7/19/2016 9:41:09 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 9:41:08 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 9:41:07 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 9:41:06 PM	5	unit pH
SC ALRO SA	Substante organice	7/19/2016 9:40:24 PM	9	mg/l
SC ALRO SA	Clor	7/19/2016 9:40:06 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 9:40:05 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 9:40:04 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 9:40:03 PM	5	unit pH
SC ALRO SA	Substante organice	7/19/2016 9:39:23 PM	9	mg/l
SC ALRO SA	Clor	7/19/2016 9:39:02 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 9:39:01 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 9:39:00 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 9:38:59 PM	5	unit pH
SC ALRO SA	Clor	7/19/2016 9:37:47 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 9:37:46 PM	0	mg/l
SC ALRO SA	Substante organice	7/19/2016 9:37:45 PM	9	mg/l
SC ALRO SA	Temp	7/19/2016 9:37:44 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 9:37:43 PM	5	unit pH
SC ALRO SA	Substante organice	7/19/2016 9:37:21 PM	9	mg/l
SC ALRO SA	Clor	7/19/2016 9:36:45 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 9:36:44 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 9:36:43 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 9:36:42 PM	5	unit pH
SC ALRO SA	Substante organice	7/19/2016 9:36:16 PM	9	mg/l
SC ALRO SA	Clor	7/19/2016 9:35:52 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 9:35:51 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 9:35:50 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 9:35:49 PM	5	unit pH
SC ALRO SA	Substante organice	7/19/2016 9:35:15 PM	9	mg/l
SC ALRO SA	Clor	7/19/2016 9:34:40 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 9:34:39 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 9:34:38 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 9:34:37 PM	5	unit pH
SC ALRO SA	Substante organice	7/19/2016 9:34:15 PM	9	mg/l
SC ALRO SA	Clor	7/19/2016 9:33:45 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 9:33:44 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 9:33:43 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 9:33:42 PM	5	unit pH
SC ALRO SA	Substante organice	7/19/2016 9:33:22 PM	9	mg/l
SC ALRO SA	Clor	7/19/2016 9:32:48 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 9:32:47 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 9:32:46 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 9:32:45 PM	5	unit pH
SC ALRO SA	Substante organice	7/19/2016 9:32:16 PM	9	mg/l
SC ALRO SA	Clor	7/19/2016 9:31:55 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 9:31:54 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 9:31:53 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 9:31:52 PM	5	unit pH
SC ALRO SA	Substante organice	7/19/2016 9:31:20 PM	9	mg/l
SC ALRO SA	Clor	7/19/2016 9:30:56 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 9:30:55 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 9:30:54 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 9:30:53 PM	5	unit pH
SC ALRO SA	Substante organice	7/19/2016 9:30:09 PM	9	mg/l
SC ALRO SA	Clor	7/19/2016 9:29:40 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 9:29:39 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 9:29:38 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 9:29:37 PM	5	unit pH
SC ALRO SA	Substante organice	7/19/2016 9:29:16 PM	9	mg/l
SC ALRO SA	Clor	7/19/2016 9:28:45 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 9:28:44 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 9:28:43 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 9:28:42 PM	5	unit pH
SC ALRO SA	Substante organice	7/19/2016 9:28:13 PM	9	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Clor	7/19/2016 9:27:48 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 9:27:47 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 9:27:46 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 9:27:45 PM	5	unit pH
SC ALRO SA	Clor	7/19/2016 9:26:56 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 9:26:55 PM	0	mg/l
SC ALRO SA	Substante organice	7/19/2016 9:26:54 PM	9	mg/l
SC ALRO SA	Temp	7/19/2016 9:26:53 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 9:26:52 PM	5	unit pH
SC ALRO SA	Substante organice	7/19/2016 9:26:12 PM	9	mg/l
SC ALRO SA	Clor	7/19/2016 9:25:59 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 9:25:58 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 9:25:57 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 9:25:56 PM	5	unit pH
SC ALRO SA	Substante organice	7/19/2016 9:25:16 PM	9	mg/l
SC ALRO SA	Clor	7/19/2016 9:24:35 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 9:24:34 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 9:24:33 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 9:24:32 PM	5	unit pH
SC ALRO SA	Substante organice	7/19/2016 9:24:11 PM	9	mg/l
SC ALRO SA	Clor	7/19/2016 9:23:35 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 9:23:34 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 9:23:33 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 9:23:32 PM	5	unit pH
SC ALRO SA	Substante organice	7/19/2016 9:23:14 PM	9	mg/l
SC ALRO SA	Clor	7/19/2016 9:22:46 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 9:22:45 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 9:22:44 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 9:22:43 PM	5	unit pH
SC ALRO SA	Substante organice	7/19/2016 9:22:14 PM	9	mg/l
SC ALRO SA	Clor	7/19/2016 9:21:36 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 9:21:35 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 9:21:34 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 9:21:33 PM	5	unit pH
SC ALRO SA	Substante organice	7/19/2016 9:21:13 PM	9	mg/l
SC ALRO SA	Clor	7/19/2016 9:20:49 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 9:20:48 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 9:20:47 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 9:20:46 PM	5	unit pH
SC ALRO SA	Substante organice	7/19/2016 9:20:12 PM	9	mg/l
SC ALRO SA	Clor	7/19/2016 9:19:46 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 9:19:45 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 9:19:44 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 9:19:43 PM	5	unit pH
SC ALRO SA	Substante organice	7/19/2016 9:19:14 PM	9	mg/l
SC ALRO SA	Clor	7/19/2016 9:18:48 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 9:18:47 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 9:18:46 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 9:18:45 PM	5	unit pH
SC ALRO SA	Substante organice	7/19/2016 9:18:14 PM	9	mg/l
SC ALRO SA	Clor	7/19/2016 9:17:52 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 9:17:51 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 9:17:50 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 9:17:49 PM	5	unit pH
SC ALRO SA	Substante organice	7/19/2016 9:17:16 PM	9	mg/l
SC ALRO SA	Clor	7/19/2016 9:16:50 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 9:16:49 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 9:16:48 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 9:16:47 PM	5	unit pH
SC ALRO SA	Clor	7/19/2016 9:15:47 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 9:15:46 PM	0	mg/l
SC ALRO SA	Substante organice	7/19/2016 9:15:45 PM	9	mg/l
SC ALRO SA	Temp	7/19/2016 9:15:44 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 9:15:42 PM	5	unit pH
SC ALRO SA	Substante organice	7/19/2016 9:15:10 PM	9	mg/l
SC ALRO SA	Clor	7/19/2016 9:14:38 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Grasimi	7/19/2016 9:14:37 PM	0	mg/l
SC ALRO SA	Temp	7/19/2016 9:14:36 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 9:14:35 PM	5	unit pH
SC ALRO SA	Clor	7/19/2016 9:13:05 PM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 9:13:04 PM	0	mg/l
SC ALRO SA	Substante organice	7/19/2016 9:13:03 PM	9	mg/l
SC ALRO SA	Temp	7/19/2016 9:13:02 PM	26	gradCels
SC ALRO SA	pH	7/19/2016 9:13:01 PM	5	unit pH
SC ALRO SA	Clor	7/19/2016 10:45:43 AM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 10:45:42 AM	0	mg/l
SC ALRO SA	Temp	7/19/2016 10:45:41 AM	24	gradCels
SC ALRO SA	pH	7/19/2016 10:45:40 AM	6	unit pH
SC ALRO SA	Clor	7/19/2016 10:44:50 AM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 10:44:30 AM	0	mg/l
SC ALRO SA	Substante organice	7/19/2016 10:44:20 AM	9	mg/l
SC ALRO SA	Temp	7/19/2016 10:44:10 AM	24	gradCels
SC ALRO SA	pH	7/19/2016 10:44:00 AM	6	unit pH
SC ALRO SA	Clor	7/19/2016 10:41:04 AM	0	mg/l
SC ALRO SA	Grasimi	7/19/2016 10:41:03 AM	0	mg/l
SC ALRO SA	Substante organice	7/19/2016 10:41:02 AM	9	mg/l
SC ALRO SA	Temp	7/19/2016 10:41:01 AM	24	gradCels
SC ALRO SA	pH	7/19/2016 10:41:00 AM	6	unit pH
SC ALRO SA	Clor	7/18/2016 10:45:33 AM	0	mg/l
SC ALRO SA	Grasimi	7/18/2016 10:45:32 AM	0	mg/l
SC ALRO SA	Temp	7/18/2016 10:45:31 AM	23	gradCels
SC ALRO SA	pH	7/18/2016 10:45:30 AM	6	unit pH
SC ALRO SA	Substante organice	7/18/2016 10:45:08 AM	10	mg/l
SC ALRO SA	Clor	7/18/2016 10:44:26 AM	0	mg/l
SC ALRO SA	Grasimi	7/18/2016 10:44:25 AM	0	mg/l
SC ALRO SA	Temp	7/18/2016 10:44:24 AM	23	gradCels
SC ALRO SA	pH	7/18/2016 10:44:23 AM	6	unit pH
SC ALRO SA	Substante organice	7/18/2016 10:44:07 AM	10	mg/l
SC ALRO SA	Clor	7/18/2016 10:43:20 AM	0	mg/l
SC ALRO SA	Grasimi	7/18/2016 10:43:19 AM	0	mg/l
SC ALRO SA	Temp	7/18/2016 10:43:18 AM	23	gradCels
SC ALRO SA	pH	7/18/2016 10:43:17 AM	6	unit pH
SC ALRO SA	Substante organice	7/18/2016 10:43:08 AM	10	mg/l
SC ALRO SA	Clor	7/18/2016 10:42:20 AM	0	mg/l
SC ALRO SA	Grasimi	7/18/2016 10:42:19 AM	0	mg/l
SC ALRO SA	Temp	7/18/2016 10:42:18 AM	23	gradCels
SC ALRO SA	pH	7/18/2016 10:42:17 AM	6	unit pH
SC ALRO SA	Substante organice	7/18/2016 10:42:08 AM	10	mg/l
SC ALRO SA	Clor	7/18/2016 10:41:20 AM	0	mg/l
SC ALRO SA	Grasimi	7/18/2016 10:41:19 AM	0	mg/l
SC ALRO SA	Temp	7/18/2016 10:41:18 AM	23	gradCels
SC ALRO SA	pH	7/18/2016 10:41:17 AM	6	unit pH
SC ALRO SA	Substante organice	7/18/2016 10:41:09 AM	10	mg/l
SC ALRO SA	Clor	7/18/2016 10:40:43 AM	0	mg/l
SC ALRO SA	Grasimi	7/18/2016 10:40:42 AM	0	mg/l
SC ALRO SA	Temp	7/18/2016 10:40:41 AM	23	gradCels
SC ALRO SA	pH	7/18/2016 10:40:40 AM	6	unit pH
SC ALRO SA	Temp	7/18/2016 10:39:58 AM	23	gradCels
SC ALRO SA	pH	7/18/2016 10:39:57 AM	6	unit pH
SC ALRO SA	Grasimi	7/18/2016 10:39:56 AM	0	mg/l
SC ALRO SA	Clor	7/18/2016 10:39:54 AM	0	mg/l
SC ALRO SA	Substante organice	7/18/2016 10:39:53 AM	10	mg/l
SC ALRO SA	Clor	7/18/2016 10:39:03 AM	0	mg/l
SC ALRO SA	Grasimi	7/18/2016 10:39:02 AM	0	mg/l
SC ALRO SA	Substante organice	7/18/2016 10:39:01 AM	10	mg/l
SC ALRO SA	Temp	7/18/2016 10:39:00 AM	23	gradCels
SC ALRO SA	pH	7/18/2016 10:38:59 AM	6	unit pH
SC ALRO SA	Clor	7/18/2016 10:38:14 AM	0	mg/l
SC ALRO SA	Grasimi	7/18/2016 10:38:13 AM	0	mg/l
SC ALRO SA	Substante organice	7/18/2016 10:38:12 AM	10	mg/l
SC ALRO SA	Temp	7/18/2016 10:38:11 AM	23	gradCels
SC ALRO SA	pH	7/18/2016 10:38:09 AM	6	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	7/16/2016 1:01:37 PM	8	mg/l
SC ALRO SA	Clor	7/16/2016 1:01:05 PM	0	mg/l
SC ALRO SA	Grasimi	7/16/2016 1:01:04 PM	0	mg/l
SC ALRO SA	Temp	7/16/2016 1:01:03 PM	27	gradCels
SC ALRO SA	pH	7/16/2016 1:01:02 PM	5	unit pH
SC ALRO SA	Cianuri	7/16/2016 12:56:38 PM	0	mg/l
SC ALRO SA	Substante organice	7/16/2016 12:56:36 PM	8	mg/l
SC ALRO SA	Clor	7/16/2016 12:56:11 PM	0	mg/l
SC ALRO SA	Grasimi	7/16/2016 12:56:10 PM	0	mg/l
SC ALRO SA	Temp	7/16/2016 12:56:09 PM	27	gradCels
SC ALRO SA	pH	7/16/2016 12:56:08 PM	5	unit pH
SC ALRO SA	Cianuri	7/16/2016 12:51:43 PM	0	mg/l
SC ALRO SA	Substante organice	7/16/2016 12:51:42 PM	8	mg/l
SC ALRO SA	Clor	7/16/2016 12:51:31 PM	0	mg/l
SC ALRO SA	Grasimi	7/16/2016 12:51:30 PM	0	mg/l
SC ALRO SA	Temp	7/16/2016 12:51:29 PM	27	gradCels
SC ALRO SA	pH	7/16/2016 12:51:28 PM	5	unit pH
SC ALRO SA	Cianuri	7/16/2016 12:49:40 PM	0	mg/l
SC ALRO SA	Clor	7/16/2016 12:49:30 PM	0	mg/l
SC ALRO SA	Grasimi	7/16/2016 12:49:10 PM	0	mg/l
SC ALRO SA	Substante organice	7/16/2016 12:49:00 PM	8	mg/l
SC ALRO SA	Temp	7/16/2016 12:48:50 PM	27	gradCels
SC ALRO SA	pH	7/16/2016 12:48:40 PM	5	unit pH
SC ALRO SA	Cianuri	7/16/2016 12:46:39 PM	0	mg/l
SC ALRO SA	Substante organice	7/16/2016 12:46:38 PM	8	mg/l
SC ALRO SA	Clor	7/16/2016 12:46:31 PM	0	mg/l
SC ALRO SA	Grasimi	7/16/2016 12:46:30 PM	0	mg/l
SC ALRO SA	Temp	7/16/2016 12:46:29 PM	27	gradCels
SC ALRO SA	pH	7/16/2016 12:46:28 PM	5	unit pH
SC ALRO SA	Cianuri	7/16/2016 12:41:42 PM	0	mg/l
SC ALRO SA	Substante organice	7/16/2016 12:41:40 PM	8	mg/l
SC ALRO SA	Clor	7/16/2016 12:41:31 PM	0	mg/l
SC ALRO SA	Grasimi	7/16/2016 12:41:30 PM	0	mg/l
SC ALRO SA	Temp	7/16/2016 12:41:29 PM	27	gradCels
SC ALRO SA	pH	7/16/2016 12:41:28 PM	5	unit pH
SC ALRO SA	Cianuri	7/16/2016 12:36:44 PM	0	mg/l
SC ALRO SA	Substante organice	7/16/2016 12:36:43 PM	8	mg/l
SC ALRO SA	Clor	7/16/2016 12:36:32 PM	0	mg/l
SC ALRO SA	Grasimi	7/16/2016 12:36:31 PM	0	mg/l
SC ALRO SA	Temp	7/16/2016 12:36:30 PM	27	gradCels
SC ALRO SA	pH	7/16/2016 12:36:29 PM	5	unit pH
SC ALRO SA	Cianuri	7/16/2016 12:34:00 PM	0	mg/l
SC ALRO SA	Clor	7/16/2016 12:33:50 PM	0	mg/l
SC ALRO SA	Grasimi	7/16/2016 12:33:30 PM	0	mg/l
SC ALRO SA	Substante organice	7/16/2016 12:33:20 PM	8	mg/l
SC ALRO SA	Temp	7/16/2016 12:33:10 PM	27	gradCels
SC ALRO SA	pH	7/16/2016 12:33:00 PM	5	unit pH
SC ALRO SA	Substante organice	7/16/2016 12:31:41 PM	8	mg/l
SC ALRO SA	Cianuri	7/16/2016 12:31:34 PM	0	mg/l
SC ALRO SA	Clor	7/16/2016 12:31:33 PM	0	mg/l
SC ALRO SA	Grasimi	7/16/2016 12:31:32 PM	0	mg/l
SC ALRO SA	Temp	7/16/2016 12:31:31 PM	27	gradCels
SC ALRO SA	pH	7/16/2016 12:31:30 PM	5	unit pH
SC ALRO SA	Substante organice	7/16/2016 12:26:43 PM	8	mg/l
SC ALRO SA	Clor	7/16/2016 12:26:32 PM	0	mg/l
SC ALRO SA	Grasimi	7/16/2016 12:26:31 PM	0	mg/l
SC ALRO SA	Temp	7/16/2016 12:26:30 PM	27	gradCels
SC ALRO SA	pH	7/16/2016 12:26:29 PM	5	unit pH
SC ALRO SA	Substante organice	7/16/2016 12:21:42 PM	8	mg/l
SC ALRO SA	Cianuri	7/16/2016 12:21:30 PM	0	mg/l
SC ALRO SA	Clor	7/16/2016 12:21:29 PM	0	mg/l
SC ALRO SA	Grasimi	7/16/2016 12:21:28 PM	0	mg/l
SC ALRO SA	Temp	7/16/2016 12:21:27 PM	27	gradCels
SC ALRO SA	pH	7/16/2016 12:21:26 PM	5	unit pH
SC ALRO SA	Clor	7/16/2016 12:18:10 PM	0	mg/l
SC ALRO SA	Grasimi	7/16/2016 12:17:50 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	7/16/2016 12:17:40 PM	8	mg/l
SC ALRO SA	Temp	7/16/2016 12:17:30 PM	27	gradCels
SC ALRO SA	pH	7/16/2016 12:17:20 PM	5	unit pH
SC ALRO SA	Clor	7/16/2016 12:16:44 PM	0	mg/l
SC ALRO SA	Grasimi	7/16/2016 12:16:43 PM	0	mg/l
SC ALRO SA	Substante organice	7/16/2016 12:16:42 PM	8	mg/l
SC ALRO SA	Temp	7/16/2016 12:16:41 PM	27	gradCels
SC ALRO SA	pH	7/16/2016 12:16:40 PM	5	unit pH
SC ALRO SA	Clor	7/14/2016 12:43:13 PM	0	mg/l
SC ALRO SA	Grasimi	7/14/2016 12:43:12 PM	0	mg/l
SC ALRO SA	pH	7/14/2016 12:43:11 PM	6	unit pH
SC ALRO SA	Temp	7/14/2016 12:43:10 PM	22	gradCels
SC ALRO SA	Cianuri	7/14/2016 12:43:01 PM	0	mg/l
SC ALRO SA	Substante organice	7/14/2016 12:43:00 PM	10	mg/l
SC ALRO SA	Clor	7/14/2016 12:42:05 PM	0	mg/l
SC ALRO SA	Grasimi	7/14/2016 12:42:04 PM	0	mg/l
SC ALRO SA	Temp	7/14/2016 12:42:03 PM	22	gradCels
SC ALRO SA	pH	7/14/2016 12:42:02 PM	6	unit pH
SC ALRO SA	Cianuri	7/14/2016 12:40:44 PM	0	mg/l
SC ALRO SA	Clor	7/14/2016 12:40:43 PM	0	mg/l
SC ALRO SA	Grasimi	7/14/2016 12:40:42 PM	0	mg/l
SC ALRO SA	Substante organice	7/14/2016 12:40:41 PM	10	mg/l
SC ALRO SA	Temp	7/14/2016 12:40:40 PM	22	gradCels
SC ALRO SA	pH	7/14/2016 12:40:39 PM	6	unit pH
SC ALRO SA	Cianuri	7/14/2016 12:40:00 PM	0	mg/l
SC ALRO SA	Clor	7/14/2016 12:39:59 PM	0	mg/l
SC ALRO SA	Grasimi	7/14/2016 12:39:58 PM	0	mg/l
SC ALRO SA	Substante organice	7/14/2016 12:39:57 PM	10	mg/l
SC ALRO SA	Temp	7/14/2016 12:39:56 PM	22	gradCels
SC ALRO SA	pH	7/14/2016 12:39:55 PM	6	unit pH
SC ALRO SA	Cianuri	7/13/2016 2:33:05 PM	0	mg/l
SC ALRO SA	Clor	7/13/2016 2:33:04 PM	0	mg/l
SC ALRO SA	Grasimi	7/13/2016 2:33:03 PM	0	mg/l
SC ALRO SA	Substante organice	7/13/2016 2:33:02 PM	22	mg/l
SC ALRO SA	Temp	7/13/2016 2:33:01 PM	26	gradCels
SC ALRO SA	pH	7/13/2016 2:33:00 PM	7	unit pH
SC ALRO SA	Cianuri	7/13/2016 2:31:30 PM	0	mg/l
SC ALRO SA	Clor	7/13/2016 2:31:20 PM	0	mg/l
SC ALRO SA	Grasimi	7/13/2016 2:31:00 PM	0	mg/l
SC ALRO SA	Substante organice	7/13/2016 2:30:50 PM	22	mg/l
SC ALRO SA	Temp	7/13/2016 2:30:40 PM	26	gradCels
SC ALRO SA	pH	7/13/2016 2:30:30 PM	7	unit pH
SC ALRO SA	Substante organice	7/13/2016 2:27:38 PM	22	mg/l
SC ALRO SA	Cianuri	7/13/2016 2:27:25 PM	0	mg/l
SC ALRO SA	Clor	7/13/2016 2:27:24 PM	0	mg/l
SC ALRO SA	Grasimi	7/13/2016 2:27:23 PM	0	mg/l
SC ALRO SA	Temp	7/13/2016 2:27:22 PM	26	gradCels
SC ALRO SA	pH	7/13/2016 2:27:20 PM	7	unit pH
SC ALRO SA	Substante organice	7/13/2016 2:22:24 PM	22	mg/l
SC ALRO SA	Cianuri	7/13/2016 2:22:04 PM	0	mg/l
SC ALRO SA	Clor	7/13/2016 2:22:03 PM	0	mg/l
SC ALRO SA	Grasimi	7/13/2016 2:22:02 PM	0	mg/l
SC ALRO SA	Temp	7/13/2016 2:22:01 PM	26	gradCels
SC ALRO SA	pH	7/13/2016 2:22:00 PM	7	unit pH
SC ALRO SA	Cianuri	7/13/2016 2:16:25 PM	0	mg/l
SC ALRO SA	Clor	7/13/2016 2:16:24 PM	0	mg/l
SC ALRO SA	Grasimi	7/13/2016 2:16:23 PM	0	mg/l
SC ALRO SA	Substante organice	7/13/2016 2:16:22 PM	22	mg/l
SC ALRO SA	Temp	7/13/2016 2:16:21 PM	26	gradCels
SC ALRO SA	pH	7/13/2016 2:16:20 PM	7	unit pH
SC ALRO SA	Cianuri	7/13/2016 2:00:06 PM	0	mg/l
SC ALRO SA	Clor	7/13/2016 2:00:05 PM	0	mg/l
SC ALRO SA	Grasimi	7/13/2016 2:00:04 PM	0	mg/l
SC ALRO SA	Substante organice	7/13/2016 2:00:03 PM	22	mg/l
SC ALRO SA	Temp	7/13/2016 2:00:02 PM	25	gradCels
SC ALRO SA	pH	7/13/2016 2:00:01 PM	7	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Cianuri	7/13/2016 1:58:50 PM	0	mg/l
SC ALRO SA	Clor	7/13/2016 1:58:40 PM	0	mg/l
SC ALRO SA	Grasimi	7/13/2016 1:58:20 PM	0	mg/l
SC ALRO SA	Substante organice	7/13/2016 1:58:10 PM	21	mg/l
SC ALRO SA	Temp	7/13/2016 1:58:00 PM	26	gradCels
SC ALRO SA	pH	7/13/2016 1:57:50 PM	7	unit pH
SC ALRO SA	Cianuri	7/13/2016 1:54:39 PM	0	mg/l
SC ALRO SA	Clor	7/13/2016 1:54:38 PM	0	mg/l
SC ALRO SA	Grasimi	7/13/2016 1:54:33 PM	0	mg/l
SC ALRO SA	Substante organice	7/13/2016 1:54:32 PM	21	mg/l
SC ALRO SA	Temp	7/13/2016 1:54:31 PM	26	gradCels
SC ALRO SA	pH	7/13/2016 1:54:30 PM	7	unit pH
SC ALRO SA	Cianuri	7/13/2016 1:49:31 PM	0	mg/l
SC ALRO SA	Clor	7/13/2016 1:49:30 PM	0	mg/l
SC ALRO SA	Substante organice	7/13/2016 1:49:28 PM	21	mg/l
SC ALRO SA	Grasimi	7/13/2016 1:49:02 PM	0	mg/l
SC ALRO SA	Temp	7/13/2016 1:49:01 PM	26	gradCels
SC ALRO SA	pH	7/13/2016 1:49:00 PM	7	unit pH
SC ALRO SA	Cianuri	7/13/2016 1:43:50 PM	0	mg/l
SC ALRO SA	Cianuri	7/13/2016 1:43:41 PM	0	mg/l
SC ALRO SA	Clor	7/13/2016 1:43:39 PM	0	mg/l
SC ALRO SA	Substante organice	7/13/2016 1:43:37 PM	21	mg/l
SC ALRO SA	Grasimi	7/13/2016 1:43:31 PM	0	mg/l
SC ALRO SA	Temp	7/13/2016 1:43:30 PM	26	gradCels
SC ALRO SA	pH	7/13/2016 1:43:29 PM	7	unit pH
SC ALRO SA	Clor	7/13/2016 1:42:30 PM	0	mg/l
SC ALRO SA	Grasimi	7/13/2016 1:42:10 PM	0	mg/l
SC ALRO SA	Substante organice	7/13/2016 1:42:00 PM	21	mg/l
SC ALRO SA	Temp	7/13/2016 1:41:50 PM	26	gradCels
SC ALRO SA	pH	7/13/2016 1:41:40 PM	7	unit pH
SC ALRO SA	Cianuri	7/13/2016 1:38:31 PM	0	mg/l
SC ALRO SA	Clor	7/13/2016 1:38:29 PM	0	mg/l
SC ALRO SA	Substante organice	7/13/2016 1:38:27 PM	21	mg/l
SC ALRO SA	Grasimi	7/13/2016 1:38:02 PM	0	mg/l
SC ALRO SA	Temp	7/13/2016 1:38:01 PM	26	gradCels
SC ALRO SA	pH	7/13/2016 1:38:00 PM	7	unit pH
SC ALRO SA	Cianuri	7/13/2016 1:32:50 PM	0	mg/l
SC ALRO SA	Substante organice	7/13/2016 1:32:49 PM	21	mg/l
SC ALRO SA	Clor	7/13/2016 1:32:48 PM	0	mg/l
SC ALRO SA	Grasimi	7/13/2016 1:32:13 PM	0	mg/l
SC ALRO SA	Temp	7/13/2016 1:32:12 PM	26	gradCels
SC ALRO SA	pH	7/13/2016 1:32:11 PM	7	unit pH
SC ALRO SA	Cianuri	7/13/2016 1:28:00 PM	0	mg/l
SC ALRO SA	Clor	7/13/2016 1:27:50 PM	0	mg/l
SC ALRO SA	Clor	7/13/2016 1:27:46 PM	0	mg/l
SC ALRO SA	Cianuri	7/13/2016 1:27:43 PM	0	mg/l
SC ALRO SA	Grasimi	7/13/2016 1:27:10 PM	0	mg/l
SC ALRO SA	Grasimi	7/13/2016 1:27:03 PM	0	mg/l
SC ALRO SA	Substante organice	7/13/2016 1:27:02 PM	21	mg/l
SC ALRO SA	Temp	7/13/2016 1:27:01 PM	26	gradCels
SC ALRO SA	pH	7/13/2016 1:27:00 PM	7	unit pH
SC ALRO SA	Substante organice	7/13/2016 1:26:00 PM	21	mg/l
SC ALRO SA	Temp	7/13/2016 1:25:50 PM	26	gradCels
SC ALRO SA	pH	7/13/2016 1:25:40 PM	7	unit pH
SC ALRO SA	Cianuri	7/13/2016 1:21:48 PM	0	mg/l
SC ALRO SA	Substante organice	7/13/2016 1:21:46 PM	21	mg/l
SC ALRO SA	Clor	7/13/2016 1:21:44 PM	0	mg/l
SC ALRO SA	Grasimi	7/13/2016 1:21:12 PM	0	mg/l
SC ALRO SA	Temp	7/13/2016 1:21:11 PM	26	gradCels
SC ALRO SA	pH	7/13/2016 1:21:10 PM	7	unit pH
SC ALRO SA	Clor	7/13/2016 1:16:29 PM	0	mg/l
SC ALRO SA	Substante organice	7/13/2016 1:16:27 PM	21	mg/l
SC ALRO SA	Cianuri	7/13/2016 1:16:11 PM	0	mg/l
SC ALRO SA	Grasimi	7/13/2016 1:16:10 PM	0	mg/l
SC ALRO SA	Temp	7/13/2016 1:16:09 PM	26	gradCels
SC ALRO SA	pH	7/13/2016 1:16:08 PM	7	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Cianuri	7/13/2016 1:12:30 PM	0	mg/l
SC ALRO SA	Clor	7/13/2016 1:12:20 PM	0	mg/l
SC ALRO SA	Grasimi	7/13/2016 1:12:00 PM	0	mg/l
SC ALRO SA	Substante organice	7/13/2016 1:11:50 PM	21	mg/l
SC ALRO SA	Temp	7/13/2016 1:11:40 PM	26	gradCels
SC ALRO SA	Clor	7/13/2016 1:11:31 PM	0	mg/l
SC ALRO SA	Substante organice	7/13/2016 1:11:30 PM	21	mg/l
SC ALRO SA	Cianuri	7/13/2016 1:11:10 PM	0	mg/l
SC ALRO SA	Grasimi	7/13/2016 1:11:09 PM	0	mg/l
SC ALRO SA	Temp	7/13/2016 1:11:08 PM	26	gradCels
SC ALRO SA	pH	7/13/2016 1:11:07 PM	7	unit pH
SC ALRO SA	pH	7/13/2016 1:10:20 PM	7	unit pH
SC ALRO SA	Cianuri	7/13/2016 1:06:37 PM	0	mg/l
SC ALRO SA	Clor	7/13/2016 1:06:36 PM	0	mg/l
SC ALRO SA	Substante organice	7/13/2016 1:06:35 PM	21	mg/l
SC ALRO SA	Grasimi	7/13/2016 1:06:08 PM	0	mg/l
SC ALRO SA	Temp	7/13/2016 1:06:07 PM	26	gradCels
SC ALRO SA	pH	7/13/2016 1:06:06 PM	7	unit pH
SC ALRO SA	Cianuri	7/13/2016 1:01:35 PM	0	mg/l
SC ALRO SA	Clor	7/13/2016 1:01:34 PM	0	mg/l
SC ALRO SA	Substante organice	7/13/2016 1:01:33 PM	21	mg/l
SC ALRO SA	Grasimi	7/13/2016 1:01:13 PM	0	mg/l
SC ALRO SA	Temp	7/13/2016 1:01:12 PM	26	gradCels
SC ALRO SA	pH	7/13/2016 1:01:11 PM	7	unit pH
SC ALRO SA	Cianuri	7/13/2016 12:57:21 PM	0	mg/l
SC ALRO SA	Clor	7/13/2016 12:57:10 PM	0	mg/l
SC ALRO SA	Cianuri	7/13/2016 12:56:53 PM	0	mg/l
SC ALRO SA	Clor	7/13/2016 12:56:51 PM	0	mg/l
SC ALRO SA	Grasimi	7/13/2016 12:56:20 PM	0	mg/l
SC ALRO SA	Grasimi	7/13/2016 12:56:13 PM	0	mg/l
SC ALRO SA	Substante organice	7/13/2016 12:56:12 PM	21	mg/l
SC ALRO SA	Temp	7/13/2016 12:56:11 PM	26	gradCels
SC ALRO SA	pH	7/13/2016 12:56:10 PM	7	unit pH
SC ALRO SA	Substante organice	7/13/2016 12:55:20 PM	21	mg/l
SC ALRO SA	Temp	7/13/2016 12:55:10 PM	26	gradCels
SC ALRO SA	pH	7/13/2016 12:55:00 PM	7	unit pH
SC ALRO SA	Cianuri	7/13/2016 12:51:33 PM	0	mg/l
SC ALRO SA	Clor	7/13/2016 12:51:31 PM	0	mg/l
SC ALRO SA	Substante organice	7/13/2016 12:51:30 PM	21	mg/l
SC ALRO SA	Grasimi	7/13/2016 12:51:11 PM	0	mg/l
SC ALRO SA	Temp	7/13/2016 12:51:10 PM	26	gradCels
SC ALRO SA	pH	7/13/2016 12:51:09 PM	7	unit pH
SC ALRO SA	Cianuri	7/13/2016 12:46:34 PM	0	mg/l
SC ALRO SA	Clor	7/13/2016 12:46:33 PM	0	mg/l
SC ALRO SA	Substante organice	7/13/2016 12:46:31 PM	21	mg/l
SC ALRO SA	Grasimi	7/13/2016 12:46:10 PM	0	mg/l
SC ALRO SA	Temp	7/13/2016 12:46:09 PM	26	gradCels
SC ALRO SA	pH	7/13/2016 12:46:08 PM	7	unit pH
SC ALRO SA	Cianuri	7/13/2016 12:42:10 PM	0	mg/l
SC ALRO SA	Clor	7/13/2016 12:42:00 PM	0	mg/l
SC ALRO SA	Cianuri	7/13/2016 12:41:54 PM	0	mg/l
SC ALRO SA	Clor	7/13/2016 12:41:53 PM	0	mg/l
SC ALRO SA	Substante organice	7/13/2016 12:41:52 PM	21	mg/l
SC ALRO SA	Grasimi	7/13/2016 12:41:16 PM	0	mg/l
SC ALRO SA	Temp	7/13/2016 12:41:13 PM	26	gradCels
SC ALRO SA	pH	7/13/2016 12:41:11 PM	7	unit pH
SC ALRO SA	Grasimi	7/13/2016 12:40:20 PM	0	mg/l
SC ALRO SA	Substante organice	7/13/2016 12:40:10 PM	21	mg/l
SC ALRO SA	Temp	7/13/2016 12:40:00 PM	26	gradCels
SC ALRO SA	pH	7/13/2016 12:39:50 PM	7	unit pH
SC ALRO SA	Cianuri	7/13/2016 12:36:54 PM	0	mg/l
SC ALRO SA	Clor	7/13/2016 12:36:53 PM	0	mg/l
SC ALRO SA	Substante organice	7/13/2016 12:36:52 PM	21	mg/l
SC ALRO SA	pH	7/13/2016 12:36:14 PM	7	unit pH
SC ALRO SA	Grasimi	7/13/2016 12:36:13 PM	0	mg/l
SC ALRO SA	Temp	7/13/2016 12:36:12 PM	26	gradCels



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Cianuri	7/13/2016 12:31:33 PM	0	mg/l
SC ALRO SA	Substante organice	7/13/2016 12:31:31 PM	21	mg/l
SC ALRO SA	Clor	7/13/2016 12:31:16 PM	0	mg/l
SC ALRO SA	Grasimi	7/13/2016 12:31:15 PM	0	mg/l
SC ALRO SA	Temp	7/13/2016 12:31:14 PM	26	gradCels
SC ALRO SA	pH	7/13/2016 12:31:13 PM	7	unit pH
SC ALRO SA	Cianuri	7/13/2016 12:26:50 PM	0	mg/l
SC ALRO SA	Clor	7/13/2016 12:26:40 PM	0	mg/l
SC ALRO SA	Cianuri	7/13/2016 12:26:22 PM	0	mg/l
SC ALRO SA	Clor	7/13/2016 12:26:21 PM	0	mg/l
SC ALRO SA	Grasimi	7/13/2016 12:26:20 PM	0	mg/l
SC ALRO SA	Substante organice	7/13/2016 12:26:19 PM	21	mg/l
SC ALRO SA	pH	7/13/2016 12:26:18 PM	7	unit pH
SC ALRO SA	Temp	7/13/2016 12:26:17 PM	26	gradCels
SC ALRO SA	Cianuri	7/13/2016 8:42:46 AM	0	mg/l
SC ALRO SA	Clor	7/13/2016 8:42:45 AM	0	mg/l
SC ALRO SA	Grasimi	7/13/2016 8:42:44 AM	0	mg/l
SC ALRO SA	Substante organice	7/13/2016 8:42:43 AM	21	mg/l
SC ALRO SA	Temp	7/13/2016 8:42:42 AM	26	gradCels
SC ALRO SA	pH	7/13/2016 8:42:41 AM	7	unit pH
SC ALRO SA	Substante organice	7/11/2016 1:30:40 PM	24	mg/l
SC ALRO SA	Cianuri	7/11/2016 1:29:44 PM	0	mg/l
SC ALRO SA	Clor	7/11/2016 1:29:43 PM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 1:29:42 PM	0	mg/l
SC ALRO SA	Temp	7/11/2016 1:29:41 PM	27	gradCels
SC ALRO SA	pH	7/11/2016 1:29:40 PM	7	unit pH
SC ALRO SA	Cianuri	7/11/2016 1:24:25 PM	0	mg/l
SC ALRO SA	Clor	7/11/2016 1:24:24 PM	1	mg/l
SC ALRO SA	Grasimi	7/11/2016 1:24:23 PM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 1:24:22 PM	24	mg/l
SC ALRO SA	Temp	7/11/2016 1:24:21 PM	18	gradCels
SC ALRO SA	pH	7/11/2016 1:24:20 PM	7	unit pH
SC ALRO SA	Cianuri	7/11/2016 1:21:20 PM	0	mg/l
SC ALRO SA	Clor	7/11/2016 1:21:10 PM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 1:20:50 PM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 1:20:20 PM	23	mg/l
SC ALRO SA	Temp	7/11/2016 1:20:10 PM	27	gradCels
SC ALRO SA	pH	7/11/2016 1:20:00 PM	7	unit pH
SC ALRO SA	Clor	7/11/2016 1:18:41 PM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 1:18:40 PM	23	mg/l
SC ALRO SA	Cianuri	7/11/2016 1:17:49 PM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 1:17:48 PM	0	mg/l
SC ALRO SA	Temp	7/11/2016 1:17:47 PM	27	gradCels
SC ALRO SA	pH	7/11/2016 1:17:46 PM	7	unit pH
SC ALRO SA	Clor	7/11/2016 1:12:40 PM	0	mg/l
SC ALRO SA	Cianuri	7/11/2016 1:12:07 PM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 1:12:06 PM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 1:12:05 PM	23	mg/l
SC ALRO SA	Temp	7/11/2016 1:12:04 PM	27	gradCels
SC ALRO SA	pH	7/11/2016 1:12:03 PM	7	unit pH
SC ALRO SA	Clor	7/11/2016 1:07:41 PM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 1:07:40 PM	23	mg/l
SC ALRO SA	Cianuri	7/11/2016 1:06:49 PM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 1:06:48 PM	0	mg/l
SC ALRO SA	Temp	7/11/2016 1:06:47 PM	27	gradCels
SC ALRO SA	pH	7/11/2016 1:06:46 PM	7	unit pH
SC ALRO SA	Clor	7/11/2016 1:01:41 PM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 1:01:40 PM	23	mg/l
SC ALRO SA	Cianuri	7/11/2016 1:01:05 PM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 1:01:04 PM	0	mg/l
SC ALRO SA	Temp	7/11/2016 1:01:03 PM	27	gradCels
SC ALRO SA	pH	7/11/2016 1:01:02 PM	7	unit pH
SC ALRO SA	Cianuri	7/11/2016 12:58:00 PM	0	mg/l
SC ALRO SA	Clor	7/11/2016 12:57:50 PM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 12:57:20 PM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 12:57:10 PM	23	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	7/11/2016 12:57:00 PM	27	gradCels
SC ALRO SA	pH	7/11/2016 12:56:50 PM	7	unit pH
SC ALRO SA	Clor	7/11/2016 12:56:41 PM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 12:56:40 PM	23	mg/l
SC ALRO SA	Cianuri	7/11/2016 12:55:50 PM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 12:55:49 PM	0	mg/l
SC ALRO SA	Temp	7/11/2016 12:55:48 PM	27	gradCels
SC ALRO SA	pH	7/11/2016 12:55:47 PM	7	unit pH
SC ALRO SA	Cianuri	7/11/2016 12:50:42 PM	0	mg/l
SC ALRO SA	Clor	7/11/2016 12:50:41 PM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 12:50:40 PM	23	mg/l
SC ALRO SA	Grasimi	7/11/2016 12:50:05 PM	0	mg/l
SC ALRO SA	Temp	7/11/2016 12:50:04 PM	27	gradCels
SC ALRO SA	pH	7/11/2016 12:50:03 PM	7	unit pH
SC ALRO SA	Cianuri	7/11/2016 12:45:41 PM	0	mg/l
SC ALRO SA	Clor	7/11/2016 12:45:40 PM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 12:44:49 PM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 12:44:48 PM	23	mg/l
SC ALRO SA	Temp	7/11/2016 12:44:47 PM	27	gradCels
SC ALRO SA	pH	7/11/2016 12:44:46 PM	7	unit pH
SC ALRO SA	Cianuri	7/11/2016 12:39:42 PM	0	mg/l
SC ALRO SA	Clor	7/11/2016 12:39:41 PM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 12:39:40 PM	23	mg/l
SC ALRO SA	Grasimi	7/11/2016 12:39:04 PM	0	mg/l
SC ALRO SA	Temp	7/11/2016 12:39:03 PM	27	gradCels
SC ALRO SA	pH	7/11/2016 12:39:02 PM	7	unit pH
SC ALRO SA	Cianuri	7/11/2016 12:35:10 PM	0	mg/l
SC ALRO SA	Clor	7/11/2016 12:35:00 PM	0	mg/l
SC ALRO SA	Cianuri	7/11/2016 12:34:42 PM	0	mg/l
SC ALRO SA	Clor	7/11/2016 12:34:41 PM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 12:34:40 PM	23	mg/l
SC ALRO SA	Grasimi	7/11/2016 12:34:20 PM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 12:34:10 PM	23	mg/l
SC ALRO SA	Temp	7/11/2016 12:34:00 PM	27	gradCels
SC ALRO SA	Grasimi	7/11/2016 12:33:49 PM	0	mg/l
SC ALRO SA	Temp	7/11/2016 12:33:48 PM	27	gradCels
SC ALRO SA	pH	7/11/2016 12:33:47 PM	7	unit pH
SC ALRO SA	pH	7/11/2016 12:33:20 PM	7	unit pH
SC ALRO SA	Clor	7/11/2016 12:28:41 PM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 12:28:40 PM	23	mg/l
SC ALRO SA	Cianuri	7/11/2016 12:28:03 PM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 12:28:02 PM	0	mg/l
SC ALRO SA	Temp	7/11/2016 12:28:01 PM	27	gradCels
SC ALRO SA	pH	7/11/2016 12:28:00 PM	7	unit pH
SC ALRO SA	Clor	7/11/2016 12:23:41 PM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 12:23:40 PM	23	mg/l
SC ALRO SA	Cianuri	7/11/2016 12:22:51 PM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 12:22:50 PM	0	mg/l
SC ALRO SA	Temp	7/11/2016 12:22:49 PM	27	gradCels
SC ALRO SA	pH	7/11/2016 12:22:48 PM	7	unit pH
SC ALRO SA	Clor	7/11/2016 12:17:45 PM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 12:17:44 PM	23	mg/l
SC ALRO SA	Cianuri	7/11/2016 12:17:43 PM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 12:17:42 PM	0	mg/l
SC ALRO SA	Temp	7/11/2016 12:17:41 PM	27	gradCels
SC ALRO SA	pH	7/11/2016 12:17:40 PM	7	unit pH
SC ALRO SA	Clor	7/11/2016 12:12:41 PM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 12:12:40 PM	23	mg/l
SC ALRO SA	Cianuri	7/11/2016 12:12:03 PM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 12:12:02 PM	0	mg/l
SC ALRO SA	Temp	7/11/2016 12:12:01 PM	27	gradCels
SC ALRO SA	pH	7/11/2016 12:12:00 PM	7	unit pH
SC ALRO SA	Cianuri	7/11/2016 12:11:20 PM	0	mg/l
SC ALRO SA	Clor	7/11/2016 12:09:40 PM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 12:09:20 PM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 12:09:10 PM	23	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	7/11/2016 12:09:00 PM	27	gradCels
SC ALRO SA	pH	7/11/2016 12:08:50 PM	7	unit pH
SC ALRO SA	Clor	7/11/2016 12:06:46 PM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 12:06:44 PM	23	mg/l
SC ALRO SA	Cianuri	7/11/2016 12:06:43 PM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 12:06:42 PM	0	mg/l
SC ALRO SA	Temp	7/11/2016 12:06:41 PM	27	gradCels
SC ALRO SA	pH	7/11/2016 12:06:40 PM	7	unit pH
SC ALRO SA	Clor	7/11/2016 12:01:41 PM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 12:01:40 PM	23	mg/l
SC ALRO SA	Cianuri	7/11/2016 12:01:03 PM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 12:01:02 PM	0	mg/l
SC ALRO SA	Temp	7/11/2016 12:01:01 PM	27	gradCels
SC ALRO SA	pH	7/11/2016 12:01:00 PM	7	unit pH
SC ALRO SA	Clor	7/11/2016 11:55:46 AM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 11:55:44 AM	23	mg/l
SC ALRO SA	Cianuri	7/11/2016 11:55:43 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 11:55:42 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 11:55:41 AM	27	gradCels
SC ALRO SA	pH	7/11/2016 11:55:40 AM	7	unit pH
SC ALRO SA	Clor	7/11/2016 11:50:41 AM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 11:50:40 AM	23	mg/l
SC ALRO SA	Cianuri	7/11/2016 11:50:03 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 11:50:02 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 11:50:01 AM	27	gradCels
SC ALRO SA	pH	7/11/2016 11:50:00 AM	7	unit pH
SC ALRO SA	Cianuri	7/11/2016 11:47:00 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 11:46:50 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 11:46:10 AM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 11:46:00 AM	23	mg/l
SC ALRO SA	Temp	7/11/2016 11:45:50 AM	27	gradCels
SC ALRO SA	pH	7/11/2016 11:45:40 AM	7	unit pH
SC ALRO SA	Clor	7/11/2016 11:44:45 AM	0	mg/l
SC ALRO SA	Cianuri	7/11/2016 11:44:44 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 11:44:43 AM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 11:44:42 AM	23	mg/l
SC ALRO SA	Temp	7/11/2016 11:44:41 AM	27	gradCels
SC ALRO SA	pH	7/11/2016 11:44:40 AM	7	unit pH
SC ALRO SA	Cianuri	7/11/2016 11:39:42 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 11:39:41 AM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 11:39:40 AM	23	mg/l
SC ALRO SA	Grasimi	7/11/2016 11:39:02 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 11:39:01 AM	27	gradCels
SC ALRO SA	pH	7/11/2016 11:39:00 AM	7	unit pH
SC ALRO SA	Clor	7/11/2016 11:33:45 AM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 11:33:44 AM	23	mg/l
SC ALRO SA	Cianuri	7/11/2016 11:33:43 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 11:33:42 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 11:33:41 AM	27	gradCels
SC ALRO SA	pH	7/11/2016 11:33:40 AM	7	unit pH
SC ALRO SA	Clor	7/11/2016 11:28:41 AM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 11:28:40 AM	23	mg/l
SC ALRO SA	Cianuri	7/11/2016 11:27:59 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 11:27:58 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 11:27:57 AM	27	gradCels
SC ALRO SA	pH	7/11/2016 11:27:56 AM	7	unit pH
SC ALRO SA	Cianuri	7/11/2016 11:24:10 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 11:24:00 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 11:23:40 AM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 11:23:30 AM	23	mg/l
SC ALRO SA	Temp	7/11/2016 11:23:20 AM	27	gradCels
SC ALRO SA	pH	7/11/2016 11:23:10 AM	7	unit pH
SC ALRO SA	Cianuri	7/11/2016 11:22:42 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 11:22:41 AM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 11:22:40 AM	23	mg/l
SC ALRO SA	Grasimi	7/11/2016 11:22:22 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	7/11/2016 11:22:21 AM	27	gradCels
SC ALRO SA	pH	7/11/2016 11:22:20 AM	7	unit pH
SC ALRO SA	Clor	7/11/2016 11:17:41 AM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 11:17:40 AM	23	mg/l
SC ALRO SA	Cianuri	7/11/2016 11:16:51 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 11:16:50 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 11:16:49 AM	27	gradCels
SC ALRO SA	pH	7/11/2016 11:16:48 AM	7	unit pH
SC ALRO SA	Clor	7/11/2016 11:12:40 AM	0	mg/l
SC ALRO SA	Cianuri	7/11/2016 11:12:04 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 11:12:03 AM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 11:12:02 AM	23	mg/l
SC ALRO SA	Temp	7/11/2016 11:12:01 AM	27	gradCels
SC ALRO SA	pH	7/11/2016 11:12:00 AM	7	unit pH
SC ALRO SA	Clor	7/11/2016 11:06:42 AM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 11:06:40 AM	23	mg/l
SC ALRO SA	Cianuri	7/11/2016 11:06:23 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 11:06:22 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 11:06:21 AM	27	gradCels
SC ALRO SA	pH	7/11/2016 11:06:20 AM	7	unit pH
SC ALRO SA	Clor	7/11/2016 11:01:41 AM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 11:01:40 AM	23	mg/l
SC ALRO SA	Cianuri	7/11/2016 11:00:58 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 11:00:57 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 11:00:56 AM	27	gradCels
SC ALRO SA	pH	7/11/2016 11:00:55 AM	7	unit pH
SC ALRO SA	Cianuri	7/11/2016 11:00:20 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 11:00:10 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 10:57:50 AM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 10:57:20 AM	23	mg/l
SC ALRO SA	Temp	7/11/2016 10:57:10 AM	27	gradCels
SC ALRO SA	pH	7/11/2016 10:56:40 AM	7	unit pH
SC ALRO SA	Clor	7/11/2016 10:55:41 AM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 10:55:40 AM	23	mg/l
SC ALRO SA	Cianuri	7/11/2016 10:55:23 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 10:55:22 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 10:55:21 AM	27	gradCels
SC ALRO SA	pH	7/11/2016 10:55:20 AM	7	unit pH
SC ALRO SA	Clor	7/11/2016 10:50:41 AM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 10:50:40 AM	23	mg/l
SC ALRO SA	Cianuri	7/11/2016 10:49:50 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 10:49:49 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 10:49:48 AM	27	gradCels
SC ALRO SA	pH	7/11/2016 10:49:47 AM	7	unit pH
SC ALRO SA	Clor	7/11/2016 10:44:40 AM	0	mg/l
SC ALRO SA	Cianuri	7/11/2016 10:44:24 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 10:44:23 AM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 10:44:22 AM	23	mg/l
SC ALRO SA	Temp	7/11/2016 10:44:21 AM	27	gradCels
SC ALRO SA	pH	7/11/2016 10:44:20 AM	7	unit pH
SC ALRO SA	Clor	7/11/2016 10:39:41 AM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 10:39:40 AM	23	mg/l
SC ALRO SA	Cianuri	7/11/2016 10:38:53 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 10:38:52 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 10:38:51 AM	27	gradCels
SC ALRO SA	pH	7/11/2016 10:38:50 AM	7	unit pH
SC ALRO SA	Cianuri	7/11/2016 10:34:00 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 10:33:50 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 10:33:42 AM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 10:33:40 AM	23	mg/l
SC ALRO SA	Cianuri	7/11/2016 10:33:23 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 10:33:22 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 10:33:21 AM	27	gradCels
SC ALRO SA	pH	7/11/2016 10:33:20 AM	7	unit pH
SC ALRO SA	Grasimi	7/11/2016 10:31:00 AM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 10:30:50 AM	23	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	7/11/2016 10:30:10 AM	27	gradCels
SC ALRO SA	pH	7/11/2016 10:30:00 AM	7	unit pH
SC ALRO SA	Clor	7/11/2016 10:28:41 AM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 10:28:40 AM	23	mg/l
SC ALRO SA	Cianuri	7/11/2016 10:27:47 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 10:27:46 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 10:27:45 AM	27	gradCels
SC ALRO SA	pH	7/11/2016 10:27:44 AM	7	unit pH
SC ALRO SA	Clor	7/11/2016 10:22:41 AM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 10:22:40 AM	23	mg/l
SC ALRO SA	Cianuri	7/11/2016 10:22:22 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 10:22:21 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 10:22:20 AM	27	gradCels
SC ALRO SA	Substante organice	7/11/2016 10:17:40 AM	23	mg/l
SC ALRO SA	Cianuri	7/11/2016 10:16:47 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 10:16:46 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 10:16:45 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 10:16:44 AM	27	gradCels
SC ALRO SA	pH	7/11/2016 10:16:43 AM	7	unit pH
SC ALRO SA	Cianuri	7/11/2016 10:11:25 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 10:11:24 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 10:11:23 AM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 10:11:22 AM	23	mg/l
SC ALRO SA	Temp	7/11/2016 10:11:21 AM	27	gradCels
SC ALRO SA	pH	7/11/2016 10:11:20 AM	7	unit pH
SC ALRO SA	Cianuri	7/11/2016 10:08:00 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 10:07:50 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 10:07:30 AM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 10:07:20 AM	23	mg/l
SC ALRO SA	Temp	7/11/2016 10:07:10 AM	27	gradCels
SC ALRO SA	pH	7/11/2016 10:07:00 AM	7	unit pH
SC ALRO SA	Clor	7/11/2016 10:06:41 AM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 10:06:40 AM	23	mg/l
SC ALRO SA	Cianuri	7/11/2016 10:05:48 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 10:05:47 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 10:05:46 AM	27	gradCels
SC ALRO SA	pH	7/11/2016 10:05:45 AM	7	unit pH
SC ALRO SA	Clor	7/11/2016 10:00:41 AM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 10:00:40 AM	23	mg/l
SC ALRO SA	Cianuri	7/11/2016 10:00:23 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 10:00:22 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 10:00:21 AM	27	gradCels
SC ALRO SA	pH	7/11/2016 10:00:20 AM	7	unit pH
SC ALRO SA	Clor	7/11/2016 9:55:41 AM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 9:55:40 AM	23	mg/l
SC ALRO SA	Cianuri	7/11/2016 9:54:48 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 9:54:47 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 9:54:46 AM	27	gradCels
SC ALRO SA	pH	7/11/2016 9:54:45 AM	7	unit pH
SC ALRO SA	Clor	7/11/2016 9:49:41 AM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 9:49:40 AM	23	mg/l
SC ALRO SA	Cianuri	7/11/2016 9:49:23 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 9:49:22 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 9:49:21 AM	27	gradCels
SC ALRO SA	pH	7/11/2016 9:49:20 AM	7	unit pH
SC ALRO SA	Cianuri	7/11/2016 9:45:30 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 9:45:20 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 9:45:00 AM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 9:44:50 AM	23	mg/l
SC ALRO SA	Clor	7/11/2016 9:44:40 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 9:44:20 AM	27	gradCels
SC ALRO SA	pH	7/11/2016 9:44:10 AM	7	unit pH
SC ALRO SA	Cianuri	7/11/2016 9:43:36 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 9:43:35 AM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 9:43:34 AM	23	mg/l
SC ALRO SA	Temp	7/11/2016 9:43:33 AM	27	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	7/11/2016 9:43:32 AM	7	unit pH
SC ALRO SA	Cianuri	7/11/2016 9:38:42 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 9:38:41 AM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 9:38:40 AM	23	mg/l
SC ALRO SA	Grasimi	7/11/2016 9:38:22 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 9:38:21 AM	27	gradCels
SC ALRO SA	pH	7/11/2016 9:38:20 AM	7	unit pH
SC ALRO SA	Clor	7/11/2016 9:33:41 AM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 9:33:40 AM	23	mg/l
SC ALRO SA	Cianuri	7/11/2016 9:32:35 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 9:32:34 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 9:32:33 AM	27	gradCels
SC ALRO SA	pH	7/11/2016 9:32:32 AM	7	unit pH
SC ALRO SA	Substante organice	7/11/2016 9:27:40 AM	23	mg/l
SC ALRO SA	Cianuri	7/11/2016 9:27:04 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 9:27:03 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 9:27:02 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 9:27:01 AM	27	gradCels
SC ALRO SA	pH	7/11/2016 9:27:00 AM	7	unit pH
SC ALRO SA	Cianuri	7/11/2016 9:23:10 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 9:23:00 AM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 9:22:40 AM	23	mg/l
SC ALRO SA	Grasimi	7/11/2016 9:22:20 AM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 9:22:10 AM	23	mg/l
SC ALRO SA	Temp	7/11/2016 9:22:00 AM	27	gradCels
SC ALRO SA	pH	7/11/2016 9:21:50 AM	7	unit pH
SC ALRO SA	Cianuri	7/11/2016 9:21:36 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 9:21:35 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 9:21:34 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 9:21:33 AM	27	gradCels
SC ALRO SA	pH	7/11/2016 9:21:32 AM	7	unit pH
SC ALRO SA	Clor	7/11/2016 9:16:40 AM	0	mg/l
SC ALRO SA	Cianuri	7/11/2016 9:16:04 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 9:16:03 AM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 9:16:02 AM	23	mg/l
SC ALRO SA	Temp	7/11/2016 9:16:01 AM	27	gradCels
SC ALRO SA	pH	7/11/2016 9:16:00 AM	7	unit pH
SC ALRO SA	Substante organice	7/11/2016 9:11:40 AM	23	mg/l
SC ALRO SA	Cianuri	7/11/2016 9:10:36 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 9:10:35 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 9:10:34 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 9:10:33 AM	27	gradCels
SC ALRO SA	pH	7/11/2016 9:10:32 AM	7	unit pH
SC ALRO SA	Substante organice	7/11/2016 9:06:40 AM	23	mg/l
SC ALRO SA	Cianuri	7/11/2016 9:05:49 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 9:05:48 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 9:05:47 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 9:05:46 AM	27	gradCels
SC ALRO SA	pH	7/11/2016 9:05:45 AM	7	unit pH
SC ALRO SA	Cianuri	7/11/2016 9:01:00 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 9:00:50 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 9:00:41 AM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 9:00:40 AM	23	mg/l
SC ALRO SA	Grasimi	7/11/2016 9:00:10 AM	0	mg/l
SC ALRO SA	Cianuri	7/11/2016 9:00:03 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 9:00:02 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 9:00:01 AM	27	gradCels
SC ALRO SA	pH	7/11/2016 9:00:00 AM	7	unit pH
SC ALRO SA	Substante organice	7/11/2016 8:59:50 AM	23	mg/l
SC ALRO SA	Temp	7/11/2016 8:59:20 AM	27	gradCels
SC ALRO SA	pH	7/11/2016 8:57:20 AM	7	unit pH
SC ALRO SA	Clor	7/11/2016 8:54:46 AM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 8:54:44 AM	23	mg/l
SC ALRO SA	Cianuri	7/11/2016 8:54:43 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 8:54:42 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 8:54:41 AM	27	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	7/11/2016 8:54:40 AM	7	unit pH
SC ALRO SA	Cianuri	7/11/2016 8:49:42 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 8:49:41 AM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 8:49:40 AM	23	mg/l
SC ALRO SA	Grasimi	7/11/2016 8:49:02 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 8:49:01 AM	27	gradCels
SC ALRO SA	pH	7/11/2016 8:49:00 AM	7	unit pH
SC ALRO SA	Clor	7/11/2016 8:43:46 AM	0	mg/l
SC ALRO SA	Cianuri	7/11/2016 8:43:44 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 8:43:43 AM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 8:43:42 AM	23	mg/l
SC ALRO SA	Temp	7/11/2016 8:43:41 AM	27	gradCels
SC ALRO SA	pH	7/11/2016 8:43:40 AM	7	unit pH
SC ALRO SA	Substante organice	7/11/2016 8:38:41 AM	23	mg/l
SC ALRO SA	Clor	7/11/2016 8:38:40 AM	0	mg/l
SC ALRO SA	Cianuri	7/11/2016 8:38:03 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 8:38:02 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 8:38:01 AM	27	gradCels
SC ALRO SA	pH	7/11/2016 8:38:00 AM	7	unit pH
SC ALRO SA	Cianuri	7/11/2016 8:37:50 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 8:37:40 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 8:35:20 AM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 8:35:10 AM	23	mg/l
SC ALRO SA	Temp	7/11/2016 8:35:00 AM	27	gradCels
SC ALRO SA	pH	7/11/2016 8:34:50 AM	7	unit pH
SC ALRO SA	Clor	7/11/2016 8:32:49 AM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 8:32:48 AM	23	mg/l
SC ALRO SA	Cianuri	7/11/2016 8:32:43 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 8:32:42 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 8:32:41 AM	27	gradCels
SC ALRO SA	pH	7/11/2016 8:32:40 AM	7	unit pH
SC ALRO SA	Substante organice	7/11/2016 8:27:40 AM	23	mg/l
SC ALRO SA	Cianuri	7/11/2016 8:27:04 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 8:27:03 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 8:27:02 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 8:27:01 AM	27	gradCels
SC ALRO SA	pH	7/11/2016 8:27:00 AM	7	unit pH
SC ALRO SA	Substante organice	7/11/2016 8:21:40 AM	23	mg/l
SC ALRO SA	Cianuri	7/11/2016 8:21:24 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 8:21:23 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 8:21:22 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 8:21:21 AM	27	gradCels
SC ALRO SA	pH	7/11/2016 8:21:20 AM	7	unit pH
SC ALRO SA	Cianuri	7/11/2016 8:16:05 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 8:16:04 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 8:16:03 AM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 8:16:02 AM	23	mg/l
SC ALRO SA	Temp	7/11/2016 8:16:01 AM	27	gradCels
SC ALRO SA	pH	7/11/2016 8:16:00 AM	7	unit pH
SC ALRO SA	Cianuri	7/11/2016 8:13:50 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 8:13:20 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 8:13:00 AM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 8:12:50 AM	23	mg/l
SC ALRO SA	Temp	7/11/2016 8:12:20 AM	28	gradCels
SC ALRO SA	pH	7/11/2016 8:12:10 AM	7	unit pH
SC ALRO SA	Clor	7/11/2016 8:10:41 AM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 8:10:40 AM	23	mg/l
SC ALRO SA	Cianuri	7/11/2016 8:10:23 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 8:10:22 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 8:10:21 AM	28	gradCels
SC ALRO SA	pH	7/11/2016 8:10:20 AM	7	unit pH
SC ALRO SA	Clor	7/11/2016 8:05:41 AM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 8:05:40 AM	23	mg/l
SC ALRO SA	Cianuri	7/11/2016 8:04:48 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 8:04:47 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 8:04:46 AM	28	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	7/11/2016 8:04:45 AM	7	unit pH
SC ALRO SA	Cianuri	7/11/2016 7:59:41 AM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 7:59:40 AM	23	mg/l
SC ALRO SA	Clor	7/11/2016 7:59:17 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 7:59:16 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 7:59:15 AM	28	gradCels
SC ALRO SA	pH	7/11/2016 7:59:14 AM	7	unit pH
SC ALRO SA	Substante organice	7/11/2016 7:54:40 AM	23	mg/l
SC ALRO SA	Cianuri	7/11/2016 7:53:48 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 7:53:47 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 7:53:46 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 7:53:45 AM	28	gradCels
SC ALRO SA	pH	7/11/2016 7:53:44 AM	7	unit pH
SC ALRO SA	Cianuri	7/11/2016 7:51:50 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 7:51:40 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 7:51:20 AM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 7:51:10 AM	23	mg/l
SC ALRO SA	Temp	7/11/2016 7:51:00 AM	28	gradCels
SC ALRO SA	pH	7/11/2016 7:50:50 AM	7	unit pH
SC ALRO SA	Clor	7/11/2016 7:48:41 AM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 7:48:40 AM	23	mg/l
SC ALRO SA	Cianuri	7/11/2016 7:48:23 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 7:48:22 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 7:48:21 AM	28	gradCels
SC ALRO SA	pH	7/11/2016 7:48:20 AM	7	unit pH
SC ALRO SA	Clor	7/11/2016 7:43:41 AM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 7:43:40 AM	23	mg/l
SC ALRO SA	Cianuri	7/11/2016 7:42:47 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 7:42:46 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 7:42:45 AM	28	gradCels
SC ALRO SA	pH	7/11/2016 7:42:44 AM	7	unit pH
SC ALRO SA	Cianuri	7/11/2016 7:37:44 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 7:37:43 AM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 7:37:41 AM	23	mg/l
SC ALRO SA	Grasimi	7/11/2016 7:37:22 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 7:37:21 AM	28	gradCels
SC ALRO SA	pH	7/11/2016 7:37:20 AM	7	unit pH
SC ALRO SA	Substante organice	7/11/2016 7:32:41 AM	23	mg/l
SC ALRO SA	Clor	7/11/2016 7:32:40 AM	0	mg/l
SC ALRO SA	Cianuri	7/11/2016 7:31:48 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 7:31:47 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 7:31:46 AM	28	gradCels
SC ALRO SA	pH	7/11/2016 7:31:45 AM	7	unit pH
SC ALRO SA	Cianuri	7/11/2016 7:29:50 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 7:29:40 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 7:29:20 AM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 7:29:10 AM	23	mg/l
SC ALRO SA	Temp	7/11/2016 7:29:00 AM	28	gradCels
SC ALRO SA	pH	7/11/2016 7:28:50 AM	7	unit pH
SC ALRO SA	Substante organice	7/11/2016 7:26:40 AM	23	mg/l
SC ALRO SA	Cianuri	7/11/2016 7:26:24 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 7:26:23 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 7:26:22 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 7:26:21 AM	28	gradCels
SC ALRO SA	pH	7/11/2016 7:26:20 AM	7	unit pH
SC ALRO SA	Substante organice	7/11/2016 7:21:40 AM	23	mg/l
SC ALRO SA	Cianuri	7/11/2016 7:20:48 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 7:20:47 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 7:20:46 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 7:20:45 AM	28	gradCels
SC ALRO SA	pH	7/11/2016 7:20:44 AM	7	unit pH
SC ALRO SA	Cianuri	7/11/2016 7:15:25 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 7:15:24 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 7:15:23 AM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 7:15:22 AM	23	mg/l
SC ALRO SA	Temp	7/11/2016 7:15:21 AM	28	gradCels



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	7/11/2016 7:15:20 AM	7	unit pH
SC ALRO SA	Substante organice	7/11/2016 7:10:40 AM	23	mg/l
SC ALRO SA	Cianuri	7/11/2016 7:09:49 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 7:09:48 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 7:09:47 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 7:09:46 AM	28	gradCels
SC ALRO SA	pH	7/11/2016 7:09:45 AM	7	unit pH
SC ALRO SA	Cianuri	7/11/2016 7:07:40 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 7:07:30 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 7:07:10 AM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 7:07:00 AM	23	mg/l
SC ALRO SA	Temp	7/11/2016 7:06:50 AM	28	gradCels
SC ALRO SA	pH	7/11/2016 7:06:10 AM	7	unit pH
SC ALRO SA	Substante organice	7/11/2016 7:04:40 AM	23	mg/l
SC ALRO SA	Cianuri	7/11/2016 7:04:24 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 7:04:23 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 7:04:22 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 7:04:21 AM	28	gradCels
SC ALRO SA	pH	7/11/2016 7:04:20 AM	7	unit pH
SC ALRO SA	Substante organice	7/11/2016 6:59:40 AM	23	mg/l
SC ALRO SA	Cianuri	7/11/2016 6:58:43 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 6:58:42 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 6:58:41 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 6:58:40 AM	28	gradCels
SC ALRO SA	pH	7/11/2016 6:58:39 AM	7	unit pH
SC ALRO SA	Substante organice	7/11/2016 6:53:40 AM	23	mg/l
SC ALRO SA	Cianuri	7/11/2016 6:53:24 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 6:53:23 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 6:53:22 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 6:53:21 AM	28	gradCels
SC ALRO SA	pH	7/11/2016 6:53:20 AM	7	unit pH
SC ALRO SA	Substante organice	7/11/2016 6:48:40 AM	23	mg/l
SC ALRO SA	Cianuri	7/11/2016 6:47:49 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 6:47:48 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 6:47:47 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 6:47:46 AM	28	gradCels
SC ALRO SA	pH	7/11/2016 6:47:45 AM	7	unit pH
SC ALRO SA	Cianuri	7/11/2016 6:44:50 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 6:44:10 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 6:43:50 AM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 6:43:40 AM	23	mg/l
SC ALRO SA	Temp	7/11/2016 6:43:30 AM	28	gradCels
SC ALRO SA	pH	7/11/2016 6:43:20 AM	7	unit pH
SC ALRO SA	Cianuri	7/11/2016 6:42:05 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 6:42:04 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 6:42:03 AM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 6:42:02 AM	23	mg/l
SC ALRO SA	Temp	7/11/2016 6:42:01 AM	28	gradCels
SC ALRO SA	pH	7/11/2016 6:42:00 AM	7	unit pH
SC ALRO SA	Substante organice	7/11/2016 6:37:40 AM	23	mg/l
SC ALRO SA	Cianuri	7/11/2016 6:36:48 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 6:36:47 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 6:36:46 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 6:36:45 AM	28	gradCels
SC ALRO SA	pH	7/11/2016 6:36:44 AM	7	unit pH
SC ALRO SA	Cianuri	7/11/2016 6:31:41 AM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 6:31:40 AM	23	mg/l
SC ALRO SA	Clor	7/11/2016 6:31:03 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 6:31:02 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 6:31:01 AM	28	gradCels
SC ALRO SA	pH	7/11/2016 6:31:00 AM	7	unit pH
SC ALRO SA	Cianuri	7/11/2016 6:26:41 AM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 6:26:40 AM	23	mg/l
SC ALRO SA	Clor	7/11/2016 6:25:48 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 6:25:47 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 6:25:46 AM	28	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	7/11/2016 6:25:45 AM	7	unit pH
SC ALRO SA	Cianuri	7/11/2016 6:22:00 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 6:21:50 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 6:21:30 AM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 6:21:20 AM	23	mg/l
SC ALRO SA	Temp	7/11/2016 6:21:10 AM	28	gradCels
SC ALRO SA	pH	7/11/2016 6:21:00 AM	7	unit pH
SC ALRO SA	Clor	7/11/2016 6:20:42 AM	0	mg/l
SC ALRO SA	Cianuri	7/11/2016 6:20:41 AM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 6:20:40 AM	23	mg/l
SC ALRO SA	Grasimi	7/11/2016 6:20:02 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 6:20:01 AM	28	gradCels
SC ALRO SA	pH	7/11/2016 6:20:00 AM	7	unit pH
SC ALRO SA	Cianuri	7/11/2016 6:14:49 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 6:14:48 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 6:14:47 AM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 6:14:46 AM	23	mg/l
SC ALRO SA	Temp	7/11/2016 6:14:45 AM	28	gradCels
SC ALRO SA	pH	7/11/2016 6:14:44 AM	7	unit pH
SC ALRO SA	Substante organice	7/11/2016 6:09:40 AM	23	mg/l
SC ALRO SA	Cianuri	7/11/2016 6:09:04 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 6:09:03 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 6:09:02 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 6:09:01 AM	28	gradCels
SC ALRO SA	pH	7/11/2016 6:09:00 AM	7	unit pH
SC ALRO SA	Cianuri	7/11/2016 6:04:41 AM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 6:04:40 AM	23	mg/l
SC ALRO SA	Clor	7/11/2016 6:03:47 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 6:03:46 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 6:03:45 AM	28	gradCels
SC ALRO SA	pH	7/11/2016 6:03:44 AM	7	unit pH
SC ALRO SA	Cianuri	7/11/2016 6:00:00 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 5:59:50 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 5:59:30 AM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 5:59:20 AM	23	mg/l
SC ALRO SA	Temp	7/11/2016 5:59:10 AM	28	gradCels
SC ALRO SA	pH	7/11/2016 5:59:00 AM	7	unit pH
SC ALRO SA	Substante organice	7/11/2016 5:58:40 AM	23	mg/l
SC ALRO SA	Cianuri	7/11/2016 5:57:59 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 5:57:58 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 5:57:57 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 5:57:56 AM	28	gradCels
SC ALRO SA	pH	7/11/2016 5:57:55 AM	7	unit pH
SC ALRO SA	Substante organice	7/11/2016 5:52:45 AM	23	mg/l
SC ALRO SA	Cianuri	7/11/2016 5:52:44 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 5:52:43 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 5:52:42 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 5:52:41 AM	28	gradCels
SC ALRO SA	pH	7/11/2016 5:52:40 AM	7	unit pH
SC ALRO SA	Substante organice	7/11/2016 5:47:40 AM	23	mg/l
SC ALRO SA	Cianuri	7/11/2016 5:47:04 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 5:47:03 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 5:47:02 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 5:47:01 AM	28	gradCels
SC ALRO SA	pH	7/11/2016 5:47:00 AM	7	unit pH
SC ALRO SA	Cianuri	7/11/2016 5:41:45 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 5:41:44 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 5:41:43 AM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 5:41:42 AM	23	mg/l
SC ALRO SA	Temp	7/11/2016 5:41:41 AM	28	gradCels
SC ALRO SA	pH	7/11/2016 5:41:40 AM	7	unit pH
SC ALRO SA	Cianuri	7/11/2016 5:39:20 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 5:39:10 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 5:38:50 AM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 5:38:00 AM	23	mg/l
SC ALRO SA	Temp	7/11/2016 5:37:50 AM	28	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	7/11/2016 5:37:40 AM	7	unit pH
SC ALRO SA	Substante organice	7/11/2016 5:36:40 AM	23	mg/l
SC ALRO SA	Cianuri	7/11/2016 5:36:04 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 5:36:03 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 5:36:02 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 5:36:01 AM	28	gradCels
SC ALRO SA	pH	7/11/2016 5:36:00 AM	7	unit pH
SC ALRO SA	Substante organice	7/11/2016 5:30:45 AM	23	mg/l
SC ALRO SA	Cianuri	7/11/2016 5:30:44 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 5:30:43 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 5:30:42 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 5:30:41 AM	28	gradCels
SC ALRO SA	pH	7/11/2016 5:30:40 AM	7	unit pH
SC ALRO SA	Substante organice	7/11/2016 5:25:40 AM	23	mg/l
SC ALRO SA	Cianuri	7/11/2016 5:24:55 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 5:24:54 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 5:24:53 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 5:24:52 AM	28	gradCels
SC ALRO SA	pH	7/11/2016 5:24:51 AM	7	unit pH
SC ALRO SA	Substante organice	7/11/2016 5:19:40 AM	23	mg/l
SC ALRO SA	Cianuri	7/11/2016 5:19:24 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 5:19:23 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 5:19:22 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 5:19:21 AM	28	gradCels
SC ALRO SA	pH	7/11/2016 5:19:20 AM	7	unit pH
SC ALRO SA	Cianuri	7/11/2016 5:17:20 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 5:17:10 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 5:16:50 AM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 5:16:00 AM	23	mg/l
SC ALRO SA	Temp	7/11/2016 5:15:50 AM	28	gradCels
SC ALRO SA	pH	7/11/2016 5:15:40 AM	7	unit pH
SC ALRO SA	Cianuri	7/11/2016 5:14:03 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 5:14:02 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 5:14:01 AM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 5:14:00 AM	23	mg/l
SC ALRO SA	Substante organice	7/11/2016 5:08:40 AM	22	mg/l
SC ALRO SA	Cianuri	7/11/2016 5:08:24 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 5:08:23 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 5:08:22 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 5:08:21 AM	28	gradCels
SC ALRO SA	pH	7/11/2016 5:08:20 AM	7	unit pH
SC ALRO SA	Substante organice	7/11/2016 5:03:40 AM	22	mg/l
SC ALRO SA	Cianuri	7/11/2016 5:02:57 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 5:02:56 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 5:02:55 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 5:02:54 AM	28	gradCels
SC ALRO SA	pH	7/11/2016 5:02:53 AM	7	unit pH
SC ALRO SA	Substante organice	7/11/2016 4:57:26 AM	22	mg/l
SC ALRO SA	Cianuri	7/11/2016 4:57:24 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 4:57:23 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 4:57:22 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 4:57:21 AM	28	gradCels
SC ALRO SA	pH	7/11/2016 4:57:20 AM	7	unit pH
SC ALRO SA	Cianuri	7/11/2016 4:57:10 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 4:57:00 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 4:55:20 AM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 4:55:10 AM	22	mg/l
SC ALRO SA	Temp	7/11/2016 4:55:00 AM	28	gradCels
SC ALRO SA	pH	7/11/2016 4:54:50 AM	7	unit pH
SC ALRO SA	Cianuri	7/11/2016 4:52:41 AM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 4:52:40 AM	22	mg/l
SC ALRO SA	Clor	7/11/2016 4:51:56 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 4:51:55 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 4:51:54 AM	28	gradCels
SC ALRO SA	pH	7/11/2016 4:51:53 AM	7	unit pH
SC ALRO SA	Substante organice	7/11/2016 4:46:25 AM	22	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Cianuri	7/11/2016 4:46:24 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 4:46:23 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 4:46:22 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 4:46:21 AM	28	gradCels
SC ALRO SA	pH	7/11/2016 4:46:20 AM	7	unit pH
SC ALRO SA	Cianuri	7/11/2016 4:40:58 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 4:40:57 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 4:40:56 AM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 4:40:55 AM	22	mg/l
SC ALRO SA	Temp	7/11/2016 4:40:54 AM	28	gradCels
SC ALRO SA	pH	7/11/2016 4:40:53 AM	7	unit pH
SC ALRO SA	Cianuri	7/11/2016 4:36:20 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 4:36:10 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 4:35:50 AM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 4:35:40 AM	22	mg/l
SC ALRO SA	Temp	7/11/2016 4:35:30 AM	28	gradCels
SC ALRO SA	Substante organice	7/11/2016 4:35:25 AM	22	mg/l
SC ALRO SA	Cianuri	7/11/2016 4:35:24 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 4:35:23 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 4:35:22 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 4:35:21 AM	28	gradCels
SC ALRO SA	pH	7/11/2016 4:35:20 AM	7	unit pH
SC ALRO SA	pH	7/11/2016 4:35:00 AM	7	unit pH
SC ALRO SA	Substante organice	7/11/2016 4:30:40 AM	22	mg/l
SC ALRO SA	Cianuri	7/11/2016 4:30:03 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 4:30:02 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 4:30:01 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 4:30:00 AM	28	gradCels
SC ALRO SA	pH	7/11/2016 4:29:59 AM	7	unit pH
SC ALRO SA	Substante organice	7/11/2016 4:24:25 AM	22	mg/l
SC ALRO SA	Cianuri	7/11/2016 4:24:24 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 4:24:23 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 4:24:22 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 4:24:21 AM	28	gradCels
SC ALRO SA	pH	7/11/2016 4:24:20 AM	7	unit pH
SC ALRO SA	Substante organice	7/11/2016 4:19:40 AM	22	mg/l
SC ALRO SA	Cianuri	7/11/2016 4:18:57 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 4:18:56 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 4:18:55 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 4:18:54 AM	28	gradCels
SC ALRO SA	pH	7/11/2016 4:18:53 AM	7	unit pH
SC ALRO SA	Cianuri	7/11/2016 4:15:10 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 4:15:00 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 4:14:40 AM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 4:14:30 AM	22	mg/l
SC ALRO SA	Temp	7/11/2016 4:14:20 AM	29	gradCels
SC ALRO SA	pH	7/11/2016 4:14:10 AM	7	unit pH
SC ALRO SA	Cianuri	7/11/2016 4:13:25 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 4:13:24 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 4:13:23 AM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 4:13:22 AM	22	mg/l
SC ALRO SA	Temp	7/11/2016 4:13:21 AM	29	gradCels
SC ALRO SA	pH	7/11/2016 4:13:20 AM	7	unit pH
SC ALRO SA	Substante organice	7/11/2016 4:08:40 AM	22	mg/l
SC ALRO SA	Cianuri	7/11/2016 4:07:57 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 4:07:56 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 4:07:55 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 4:07:54 AM	29	gradCels
SC ALRO SA	pH	7/11/2016 4:07:53 AM	7	unit pH
SC ALRO SA	Substante organice	7/11/2016 4:02:25 AM	22	mg/l
SC ALRO SA	Cianuri	7/11/2016 4:02:24 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 4:02:23 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 4:02:22 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 4:02:21 AM	29	gradCels
SC ALRO SA	pH	7/11/2016 4:02:20 AM	7	unit pH
SC ALRO SA	Substante organice	7/11/2016 3:57:40 AM	22	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Cianuri	7/11/2016 3:56:40 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 3:56:39 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 3:56:38 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 3:56:37 AM	29	gradCels
SC ALRO SA	pH	7/11/2016 3:56:36 AM	7	unit pH
SC ALRO SA	Cianuri	7/11/2016 3:54:20 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 3:54:10 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 3:53:50 AM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 3:53:10 AM	22	mg/l
SC ALRO SA	Temp	7/11/2016 3:53:00 AM	29	gradCels
SC ALRO SA	pH	7/11/2016 3:52:50 AM	7	unit pH
SC ALRO SA	Substante organice	7/11/2016 3:51:26 AM	22	mg/l
SC ALRO SA	Cianuri	7/11/2016 3:51:24 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 3:51:23 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 3:51:22 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 3:51:21 AM	29	gradCels
SC ALRO SA	pH	7/11/2016 3:51:20 AM	7	unit pH
SC ALRO SA	Cianuri	7/11/2016 3:45:39 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 3:45:38 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 3:45:37 AM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 3:45:36 AM	22	mg/l
SC ALRO SA	Temp	7/11/2016 3:45:35 AM	29	gradCels
SC ALRO SA	pH	7/11/2016 3:45:34 AM	7	unit pH
SC ALRO SA	Substante organice	7/11/2016 3:40:25 AM	22	mg/l
SC ALRO SA	Cianuri	7/11/2016 3:40:24 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 3:40:23 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 3:40:22 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 3:40:21 AM	29	gradCels
SC ALRO SA	pH	7/11/2016 3:40:20 AM	7	unit pH
SC ALRO SA	Substante organice	7/11/2016 3:35:40 AM	22	mg/l
SC ALRO SA	Cianuri	7/11/2016 3:35:10 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 3:35:00 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 3:34:40 AM	0	mg/l
SC ALRO SA	Cianuri	7/11/2016 3:34:39 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 3:34:38 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 3:34:37 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 3:34:36 AM	29	gradCels
SC ALRO SA	pH	7/11/2016 3:34:35 AM	7	unit pH
SC ALRO SA	Substante organice	7/11/2016 3:32:50 AM	22	mg/l
SC ALRO SA	Temp	7/11/2016 3:32:40 AM	29	gradCels
SC ALRO SA	pH	7/11/2016 3:32:30 AM	7	unit pH
SC ALRO SA	Substante organice	7/11/2016 3:29:40 AM	22	mg/l
SC ALRO SA	Cianuri	7/11/2016 3:29:19 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 3:29:18 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 3:29:17 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 3:29:16 AM	29	gradCels
SC ALRO SA	pH	7/11/2016 3:29:15 AM	7	unit pH
SC ALRO SA	Substante organice	7/11/2016 3:24:40 AM	22	mg/l
SC ALRO SA	Cianuri	7/11/2016 3:23:39 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 3:23:38 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 3:23:37 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 3:23:36 AM	29	gradCels
SC ALRO SA	pH	7/11/2016 3:23:35 AM	7	unit pH
SC ALRO SA	Substante organice	7/11/2016 3:18:27 AM	22	mg/l
SC ALRO SA	Cianuri	7/11/2016 3:18:24 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 3:18:23 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 3:18:22 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 3:18:21 AM	29	gradCels
SC ALRO SA	pH	7/11/2016 3:18:20 AM	7	unit pH
SC ALRO SA	Cianuri	7/11/2016 3:14:00 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 3:13:50 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 3:13:30 AM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 3:13:20 AM	22	mg/l
SC ALRO SA	Temp	7/11/2016 3:13:10 AM	29	gradCels
SC ALRO SA	pH	7/11/2016 3:13:00 AM	7	unit pH
SC ALRO SA	Cianuri	7/11/2016 3:12:39 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Clor	7/11/2016 3:12:38 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 3:12:37 AM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 3:12:36 AM	22	mg/l
SC ALRO SA	Temp	7/11/2016 3:12:35 AM	29	gradCels
SC ALRO SA	pH	7/11/2016 3:12:34 AM	7	unit pH
SC ALRO SA	Cianuri	7/11/2016 3:07:41 AM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 3:07:40 AM	22	mg/l
SC ALRO SA	Clor	7/11/2016 3:07:04 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 3:07:03 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 3:07:02 AM	29	gradCels
SC ALRO SA	pH	7/11/2016 3:07:01 AM	7	unit pH
SC ALRO SA	Cianuri	7/11/2016 3:02:41 AM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 3:02:40 AM	22	mg/l
SC ALRO SA	Clor	7/11/2016 3:01:37 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 3:01:36 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 3:01:35 AM	29	gradCels
SC ALRO SA	pH	7/11/2016 3:01:34 AM	7	unit pH
SC ALRO SA	Substante organice	7/11/2016 2:56:44 AM	22	mg/l
SC ALRO SA	Cianuri	7/11/2016 2:56:04 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 2:56:03 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 2:56:02 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 2:56:01 AM	29	gradCels
SC ALRO SA	pH	7/11/2016 2:56:00 AM	7	unit pH
SC ALRO SA	Cianuri	7/11/2016 2:53:10 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 2:53:00 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 2:52:30 AM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 2:52:20 AM	22	mg/l
SC ALRO SA	Temp	7/11/2016 2:52:10 AM	29	gradCels
SC ALRO SA	pH	7/11/2016 2:52:00 AM	7	unit pH
SC ALRO SA	Substante organice	7/11/2016 2:51:40 AM	22	mg/l
SC ALRO SA	Cianuri	7/11/2016 2:50:37 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 2:50:36 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 2:50:35 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 2:50:34 AM	29	gradCels
SC ALRO SA	pH	7/11/2016 2:50:33 AM	7	unit pH
SC ALRO SA	Cianuri	7/11/2016 2:45:05 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 2:45:04 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 2:45:03 AM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 2:45:02 AM	22	mg/l
SC ALRO SA	Temp	7/11/2016 2:45:01 AM	29	gradCels
SC ALRO SA	pH	7/11/2016 2:45:00 AM	7	unit pH
SC ALRO SA	Substante organice	7/11/2016 2:40:40 AM	22	mg/l
SC ALRO SA	Cianuri	7/11/2016 2:39:49 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 2:39:48 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 2:39:47 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 2:39:46 AM	29	gradCels
SC ALRO SA	pH	7/11/2016 2:39:45 AM	7	unit pH
SC ALRO SA	Substante organice	7/11/2016 2:34:43 AM	22	mg/l
SC ALRO SA	Cianuri	7/11/2016 2:34:01 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 2:34:00 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 2:33:59 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 2:33:58 AM	29	gradCels
SC ALRO SA	pH	7/11/2016 2:33:57 AM	7	unit pH
SC ALRO SA	Cianuri	7/11/2016 2:32:10 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 2:32:00 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 2:31:20 AM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 2:31:10 AM	22	mg/l
SC ALRO SA	Temp	7/11/2016 2:31:00 AM	29	gradCels
SC ALRO SA	pH	7/11/2016 2:30:50 AM	7	unit pH
SC ALRO SA	Substante organice	7/11/2016 2:29:40 AM	22	mg/l
SC ALRO SA	Cianuri	7/11/2016 2:28:32 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 2:28:31 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 2:28:30 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 2:28:29 AM	29	gradCels
SC ALRO SA	pH	7/11/2016 2:28:28 AM	7	unit pH
SC ALRO SA	Substante organice	7/11/2016 2:23:40 AM	22	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Cianuri	7/11/2016 2:23:01 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 2:23:00 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 2:22:59 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 2:22:58 AM	29	gradCels
SC ALRO SA	pH	7/11/2016 2:22:57 AM	7	unit pH
SC ALRO SA	Substante organice	7/11/2016 2:18:40 AM	22	mg/l
SC ALRO SA	Cianuri	7/11/2016 2:17:46 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 2:17:45 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 2:17:44 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 2:17:43 AM	29	gradCels
SC ALRO SA	pH	7/11/2016 2:17:42 AM	7	unit pH
SC ALRO SA	Cianuri	7/11/2016 2:12:15 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 2:12:14 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 2:12:13 AM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 2:12:12 AM	22	mg/l
SC ALRO SA	Temp	7/11/2016 2:12:11 AM	29	gradCels
SC ALRO SA	pH	7/11/2016 2:12:10 AM	7	unit pH
SC ALRO SA	Cianuri	7/11/2016 2:10:20 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 2:10:10 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 2:09:50 AM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 2:09:20 AM	22	mg/l
SC ALRO SA	Temp	7/11/2016 2:09:10 AM	29	gradCels
SC ALRO SA	pH	7/11/2016 2:09:00 AM	7	unit pH
SC ALRO SA	Substante organice	7/11/2016 2:07:40 AM	22	mg/l
SC ALRO SA	Cianuri	7/11/2016 2:06:48 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 2:06:47 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 2:06:46 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 2:06:45 AM	29	gradCels
SC ALRO SA	pH	7/11/2016 2:06:44 AM	7	unit pH
SC ALRO SA	Cianuri	7/11/2016 2:01:41 AM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 2:01:40 AM	22	mg/l
SC ALRO SA	Clor	7/11/2016 2:01:12 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 2:01:11 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 2:01:10 AM	29	gradCels
SC ALRO SA	pH	7/11/2016 2:01:09 AM	7	unit pH
SC ALRO SA	Substante organice	7/11/2016 1:56:40 AM	22	mg/l
SC ALRO SA	Cianuri	7/11/2016 1:55:49 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 1:55:48 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 1:55:47 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 1:55:46 AM	29	gradCels
SC ALRO SA	pH	7/11/2016 1:55:45 AM	7	unit pH
SC ALRO SA	Substante organice	7/11/2016 1:50:40 AM	22	mg/l
SC ALRO SA	Cianuri	7/11/2016 1:50:08 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 1:50:07 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 1:50:06 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 1:50:05 AM	29	gradCels
SC ALRO SA	pH	7/11/2016 1:50:04 AM	7	unit pH
SC ALRO SA	Cianuri	7/11/2016 1:48:10 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 1:48:00 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 1:47:20 AM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 1:47:10 AM	22	mg/l
SC ALRO SA	Temp	7/11/2016 1:47:00 AM	29	gradCels
SC ALRO SA	pH	7/11/2016 1:46:50 AM	7	unit pH
SC ALRO SA	Cianuri	7/11/2016 1:44:49 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 1:44:48 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 1:44:47 AM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 1:44:46 AM	22	mg/l
SC ALRO SA	Temp	7/11/2016 1:44:45 AM	29	gradCels
SC ALRO SA	pH	7/11/2016 1:44:44 AM	7	unit pH
SC ALRO SA	Substante organice	7/11/2016 1:39:40 AM	22	mg/l
SC ALRO SA	Cianuri	7/11/2016 1:39:07 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 1:39:06 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 1:39:05 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 1:39:04 AM	29	gradCels
SC ALRO SA	pH	7/11/2016 1:39:03 AM	7	unit pH
SC ALRO SA	Cianuri	7/11/2016 1:34:42 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	7/11/2016 1:34:40 AM	22	mg/l
SC ALRO SA	Clor	7/11/2016 1:33:55 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 1:33:53 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 1:33:51 AM	29	gradCels
SC ALRO SA	pH	7/11/2016 1:33:49 AM	7	unit pH
SC ALRO SA	Substante organice	7/11/2016 1:28:40 AM	22	mg/l
SC ALRO SA	Cianuri	7/11/2016 1:28:00 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 1:27:59 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 1:27:58 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 1:27:57 AM	29	gradCels
SC ALRO SA	pH	7/11/2016 1:27:56 AM	7	unit pH
SC ALRO SA	Cianuri	7/11/2016 1:25:30 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 1:25:20 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 1:25:00 AM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 1:24:50 AM	22	mg/l
SC ALRO SA	Temp	7/11/2016 1:24:20 AM	29	gradCels
SC ALRO SA	pH	7/11/2016 1:24:10 AM	7	unit pH
SC ALRO SA	Substante organice	7/11/2016 1:22:49 AM	22	mg/l
SC ALRO SA	Cianuri	7/11/2016 1:22:44 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 1:22:43 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 1:22:42 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 1:22:41 AM	29	gradCels
SC ALRO SA	pH	7/11/2016 1:22:40 AM	7	unit pH
SC ALRO SA	Substante organice	7/11/2016 1:17:40 AM	22	mg/l
SC ALRO SA	Cianuri	7/11/2016 1:17:07 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 1:17:06 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 1:17:05 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 1:17:04 AM	29	gradCels
SC ALRO SA	pH	7/11/2016 1:17:03 AM	7	unit pH
SC ALRO SA	Substante organice	7/11/2016 1:11:48 AM	22	mg/l
SC ALRO SA	Cianuri	7/11/2016 1:11:44 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 1:11:43 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 1:11:42 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 1:11:41 AM	29	gradCels
SC ALRO SA	pH	7/11/2016 1:11:40 AM	7	unit pH
SC ALRO SA	Substante organice	7/11/2016 1:06:40 AM	22	mg/l
SC ALRO SA	Cianuri	7/11/2016 1:05:57 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 1:05:56 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 1:05:55 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 1:05:54 AM	29	gradCels
SC ALRO SA	pH	7/11/2016 1:05:53 AM	7	unit pH
SC ALRO SA	Cianuri	7/11/2016 1:04:10 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 1:04:00 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 1:03:40 AM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 1:03:30 AM	22	mg/l
SC ALRO SA	Temp	7/11/2016 1:03:20 AM	29	gradCels
SC ALRO SA	pH	7/11/2016 1:03:10 AM	7	unit pH
SC ALRO SA	Substante organice	7/11/2016 1:00:40 AM	22	mg/l
SC ALRO SA	Cianuri	7/11/2016 1:00:36 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 1:00:35 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 1:00:34 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 1:00:33 AM	29	gradCels
SC ALRO SA	pH	7/11/2016 1:00:32 AM	7	unit pH
SC ALRO SA	Substante organice	7/11/2016 12:55:40 AM	22	mg/l
SC ALRO SA	Cianuri	7/11/2016 12:54:55 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 12:54:54 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 12:54:53 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 12:54:52 AM	29	gradCels
SC ALRO SA	pH	7/11/2016 12:54:51 AM	7	unit pH
SC ALRO SA	Substante organice	7/11/2016 12:49:29 AM	22	mg/l
SC ALRO SA	Cianuri	7/11/2016 12:49:28 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 12:49:27 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 12:49:26 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 12:49:25 AM	29	gradCels
SC ALRO SA	pH	7/11/2016 12:49:24 AM	7	unit pH
SC ALRO SA	Cianuri	7/11/2016 12:45:00 AM	0	mg/l



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Clor	7/11/2016 12:44:50 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 12:44:10 AM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 12:44:00 AM	22	mg/l
SC ALRO SA	Cianuri	7/11/2016 12:43:56 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 12:43:55 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 12:43:54 AM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 12:43:53 AM	22	mg/l
SC ALRO SA	Temp	7/11/2016 12:43:52 AM	29	gradCels
SC ALRO SA	pH	7/11/2016 12:43:51 AM	7	unit pH
SC ALRO SA	Temp	7/11/2016 12:42:00 AM	29	gradCels
SC ALRO SA	pH	7/11/2016 12:41:50 AM	7	unit pH
SC ALRO SA	Substante organice	7/11/2016 12:38:28 AM	22	mg/l
SC ALRO SA	Cianuri	7/11/2016 12:38:24 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 12:38:23 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 12:38:22 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 12:38:21 AM	29	gradCels
SC ALRO SA	pH	7/11/2016 12:38:20 AM	7	unit pH
SC ALRO SA	Substante organice	7/11/2016 12:33:40 AM	22	mg/l
SC ALRO SA	Cianuri	7/11/2016 12:32:51 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 12:32:50 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 12:32:49 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 12:32:48 AM	29	gradCels
SC ALRO SA	pH	7/11/2016 12:32:47 AM	7	unit pH
SC ALRO SA	Cianuri	7/11/2016 12:27:29 AM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 12:27:27 AM	22	mg/l
SC ALRO SA	Clor	7/11/2016 12:27:23 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 12:27:22 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 12:27:21 AM	29	gradCels
SC ALRO SA	pH	7/11/2016 12:27:20 AM	7	unit pH
SC ALRO SA	Cianuri	7/11/2016 12:22:30 AM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 12:22:24 AM	22	mg/l
SC ALRO SA	Clor	7/11/2016 12:22:10 AM	0	mg/l
SC ALRO SA	Cianuri	7/11/2016 12:21:51 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 12:21:50 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 12:21:49 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 12:21:48 AM	29	gradCels
SC ALRO SA	pH	7/11/2016 12:21:47 AM	7	unit pH
SC ALRO SA	Grasimi	7/11/2016 12:20:00 AM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 12:19:50 AM	22	mg/l
SC ALRO SA	Temp	7/11/2016 12:19:40 AM	29	gradCels
SC ALRO SA	pH	7/11/2016 12:19:30 AM	7	unit pH
SC ALRO SA	Substante organice	7/11/2016 12:16:48 AM	22	mg/l
SC ALRO SA	Cianuri	7/11/2016 12:16:43 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 12:16:42 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 12:16:41 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 12:16:40 AM	29	gradCels
SC ALRO SA	pH	7/11/2016 12:16:39 AM	7	unit pH
SC ALRO SA	Cianuri	7/11/2016 12:10:49 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 12:10:48 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 12:10:47 AM	0	mg/l
SC ALRO SA	Substante organice	7/11/2016 12:10:46 AM	22	mg/l
SC ALRO SA	Temp	7/11/2016 12:10:45 AM	29	gradCels
SC ALRO SA	pH	7/11/2016 12:10:44 AM	7	unit pH
SC ALRO SA	Substante organice	7/11/2016 12:05:48 AM	22	mg/l
SC ALRO SA	Cianuri	7/11/2016 12:05:43 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 12:05:42 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 12:05:41 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 12:05:40 AM	29	gradCels
SC ALRO SA	pH	7/11/2016 12:05:39 AM	7	unit pH
SC ALRO SA	Substante organice	7/11/2016 12:00:40 AM	22	mg/l
SC ALRO SA	Cianuri	7/11/2016 12:00:14 AM	0	mg/l
SC ALRO SA	Clor	7/11/2016 12:00:13 AM	0	mg/l
SC ALRO SA	Grasimi	7/11/2016 12:00:12 AM	0	mg/l
SC ALRO SA	Temp	7/11/2016 12:00:11 AM	30	gradCels
SC ALRO SA	pH	7/11/2016 12:00:10 AM	7	unit pH
SC ALRO SA	Cianuri	7/10/2016 11:58:30 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Clor	7/10/2016 11:58:20 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 11:58:00 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 11:57:50 PM	22	mg/l
SC ALRO SA	Temp	7/10/2016 11:57:40 PM	30	gradCels
SC ALRO SA	pH	7/10/2016 11:57:30 PM	7	unit pH
SC ALRO SA	Substante organice	7/10/2016 11:54:46 PM	22	mg/l
SC ALRO SA	Cianuri	7/10/2016 11:54:41 PM	0	mg/l
SC ALRO SA	Clor	7/10/2016 11:54:40 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 11:54:39 PM	0	mg/l
SC ALRO SA	Temp	7/10/2016 11:54:38 PM	30	gradCels
SC ALRO SA	pH	7/10/2016 11:54:37 PM	7	unit pH
SC ALRO SA	Substante organice	7/10/2016 11:49:26 PM	22	mg/l
SC ALRO SA	Cianuri	7/10/2016 11:48:53 PM	0	mg/l
SC ALRO SA	Clor	7/10/2016 11:48:52 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 11:48:51 PM	0	mg/l
SC ALRO SA	Temp	7/10/2016 11:48:50 PM	30	gradCels
SC ALRO SA	pH	7/10/2016 11:48:49 PM	7	unit pH
SC ALRO SA	Cianuri	7/10/2016 11:43:48 PM	0	mg/l
SC ALRO SA	Clor	7/10/2016 11:43:43 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 11:43:42 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 11:43:41 PM	22	mg/l
SC ALRO SA	Temp	7/10/2016 11:43:40 PM	30	gradCels
SC ALRO SA	pH	7/10/2016 11:43:39 PM	7	unit pH
SC ALRO SA	Cianuri	7/10/2016 11:39:00 PM	0	mg/l
SC ALRO SA	Clor	7/10/2016 11:38:50 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 11:38:30 PM	0	mg/l
SC ALRO SA	Cianuri	7/10/2016 11:38:25 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 11:38:24 PM	22	mg/l
SC ALRO SA	Substante organice	7/10/2016 11:38:00 PM	22	mg/l
SC ALRO SA	Clor	7/10/2016 11:37:53 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 11:37:52 PM	0	mg/l
SC ALRO SA	Temp	7/10/2016 11:37:51 PM	30	gradCels
SC ALRO SA	pH	7/10/2016 11:37:50 PM	7	unit pH
SC ALRO SA	Temp	7/10/2016 11:36:30 PM	30	gradCels
SC ALRO SA	pH	7/10/2016 11:36:20 PM	7	unit pH
SC ALRO SA	Cianuri	7/10/2016 11:32:49 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 11:32:47 PM	22	mg/l
SC ALRO SA	Clor	7/10/2016 11:32:42 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 11:32:41 PM	0	mg/l
SC ALRO SA	Temp	7/10/2016 11:32:40 PM	30	gradCels
SC ALRO SA	pH	7/10/2016 11:32:39 PM	7	unit pH
SC ALRO SA	Substante organice	7/10/2016 11:27:40 PM	22	mg/l
SC ALRO SA	Cianuri	7/10/2016 11:27:14 PM	0	mg/l
SC ALRO SA	Clor	7/10/2016 11:27:13 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 11:27:12 PM	0	mg/l
SC ALRO SA	Temp	7/10/2016 11:27:11 PM	30	gradCels
SC ALRO SA	pH	7/10/2016 11:27:10 PM	7	unit pH
SC ALRO SA	Substante organice	7/10/2016 11:21:46 PM	22	mg/l
SC ALRO SA	Cianuri	7/10/2016 11:21:42 PM	0	mg/l
SC ALRO SA	Clor	7/10/2016 11:21:41 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 11:21:40 PM	0	mg/l
SC ALRO SA	Temp	7/10/2016 11:21:39 PM	30	gradCels
SC ALRO SA	pH	7/10/2016 11:21:38 PM	7	unit pH
SC ALRO SA	Cianuri	7/10/2016 11:17:50 PM	0	mg/l
SC ALRO SA	Clor	7/10/2016 11:17:40 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 11:17:20 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 11:17:10 PM	22	mg/l
SC ALRO SA	Temp	7/10/2016 11:17:00 PM	30	gradCels
SC ALRO SA	pH	7/10/2016 11:16:50 PM	7	unit pH
SC ALRO SA	Cianuri	7/10/2016 11:16:24 PM	0	mg/l
SC ALRO SA	Clor	7/10/2016 11:15:54 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 11:15:53 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 11:15:52 PM	22	mg/l
SC ALRO SA	Temp	7/10/2016 11:15:51 PM	30	gradCels
SC ALRO SA	pH	7/10/2016 11:15:50 PM	7	unit pH
SC ALRO SA	Cianuri	7/10/2016 11:10:47 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	7/10/2016 11:10:45 PM	22	mg/l
SC ALRO SA	Clor	7/10/2016 11:10:41 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 11:10:40 PM	0	mg/l
SC ALRO SA	Temp	7/10/2016 11:10:39 PM	30	gradCels
SC ALRO SA	pH	7/10/2016 11:10:38 PM	7	unit pH
SC ALRO SA	Cianuri	7/10/2016 11:05:44 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 11:05:43 PM	22	mg/l
SC ALRO SA	Clor	7/10/2016 11:04:57 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 11:04:56 PM	0	mg/l
SC ALRO SA	Temp	7/10/2016 11:04:55 PM	30	gradCels
SC ALRO SA	pH	7/10/2016 11:04:54 PM	7	unit pH
SC ALRO SA	Cianuri	7/10/2016 10:59:29 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 10:59:27 PM	22	mg/l
SC ALRO SA	Clor	7/10/2016 10:59:21 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 10:59:20 PM	0	mg/l
SC ALRO SA	Temp	7/10/2016 10:59:19 PM	30	gradCels
SC ALRO SA	pH	7/10/2016 10:59:18 PM	7	unit pH
SC ALRO SA	Cianuri	7/10/2016 10:57:10 PM	0	mg/l
SC ALRO SA	Clor	7/10/2016 10:57:00 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 10:56:40 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 10:56:30 PM	22	mg/l
SC ALRO SA	Temp	7/10/2016 10:56:00 PM	30	gradCels
SC ALRO SA	pH	7/10/2016 10:55:50 PM	7	unit pH
SC ALRO SA	Cianuri	7/10/2016 10:54:41 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 10:54:40 PM	22	mg/l
SC ALRO SA	Clor	7/10/2016 10:53:56 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 10:53:55 PM	0	mg/l
SC ALRO SA	Temp	7/10/2016 10:53:54 PM	30	gradCels
SC ALRO SA	pH	7/10/2016 10:53:53 PM	7	unit pH
SC ALRO SA	Cianuri	7/10/2016 10:48:27 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 10:48:26 PM	22	mg/l
SC ALRO SA	Clor	7/10/2016 10:48:24 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 10:48:23 PM	0	mg/l
SC ALRO SA	Temp	7/10/2016 10:48:22 PM	30	gradCels
SC ALRO SA	pH	7/10/2016 10:48:21 PM	7	unit pH
SC ALRO SA	Cianuri	7/10/2016 10:43:40 PM	0	mg/l
SC ALRO SA	Clor	7/10/2016 10:42:57 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 10:42:56 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 10:42:55 PM	22	mg/l
SC ALRO SA	Temp	7/10/2016 10:42:54 PM	30	gradCels
SC ALRO SA	pH	7/10/2016 10:42:53 PM	7	unit pH
SC ALRO SA	Cianuri	7/10/2016 10:37:28 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 10:37:26 PM	22	mg/l
SC ALRO SA	Clor	7/10/2016 10:37:22 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 10:37:21 PM	0	mg/l
SC ALRO SA	Temp	7/10/2016 10:37:20 PM	30	gradCels
SC ALRO SA	pH	7/10/2016 10:37:19 PM	7	unit pH
SC ALRO SA	Cianuri	7/10/2016 10:35:50 PM	0	mg/l
SC ALRO SA	Clor	7/10/2016 10:35:40 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 10:35:20 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 10:35:10 PM	22	mg/l
SC ALRO SA	Temp	7/10/2016 10:35:00 PM	30	gradCels
SC ALRO SA	pH	7/10/2016 10:34:50 PM	7	unit pH
SC ALRO SA	Substante organice	7/10/2016 10:32:43 PM	22	mg/l
SC ALRO SA	Cianuri	7/10/2016 10:32:42 PM	0	mg/l
SC ALRO SA	Clor	7/10/2016 10:31:55 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 10:31:54 PM	0	mg/l
SC ALRO SA	Temp	7/10/2016 10:31:53 PM	30	gradCels
SC ALRO SA	pH	7/10/2016 10:31:52 PM	7	unit pH
SC ALRO SA	Cianuri	7/10/2016 10:26:34 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 10:26:32 PM	22	mg/l
SC ALRO SA	Clor	7/10/2016 10:26:20 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 10:26:19 PM	0	mg/l
SC ALRO SA	Temp	7/10/2016 10:26:18 PM	30	gradCels
SC ALRO SA	pH	7/10/2016 10:26:17 PM	7	unit pH
SC ALRO SA	Cianuri	7/10/2016 10:21:44 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	7/10/2016 10:21:42 PM	22	mg/l
SC ALRO SA	Clor	7/10/2016 10:20:46 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 10:20:45 PM	0	mg/l
SC ALRO SA	Temp	7/10/2016 10:20:44 PM	30	gradCels
SC ALRO SA	pH	7/10/2016 10:20:43 PM	7	unit pH
SC ALRO SA	Cianuri	7/10/2016 10:15:50 PM	0	mg/l
SC ALRO SA	Clor	7/10/2016 10:15:40 PM	0	mg/l
SC ALRO SA	Cianuri	7/10/2016 10:15:29 PM	0	mg/l
SC ALRO SA	Clor	7/10/2016 10:15:14 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 10:15:13 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 10:15:12 PM	22	mg/l
SC ALRO SA	Temp	7/10/2016 10:15:11 PM	30	gradCels
SC ALRO SA	pH	7/10/2016 10:15:10 PM	7	unit pH
SC ALRO SA	Grasimi	7/10/2016 10:13:40 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 10:13:30 PM	22	mg/l
SC ALRO SA	Temp	7/10/2016 10:13:20 PM	30	gradCels
SC ALRO SA	pH	7/10/2016 10:13:10 PM	7	unit pH
SC ALRO SA	Cianuri	7/10/2016 10:10:43 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 10:10:42 PM	22	mg/l
SC ALRO SA	Clor	7/10/2016 10:09:46 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 10:09:45 PM	0	mg/l
SC ALRO SA	Temp	7/10/2016 10:09:44 PM	30	gradCels
SC ALRO SA	pH	7/10/2016 10:09:43 PM	7	unit pH
SC ALRO SA	Substante organice	7/10/2016 10:05:05 PM	22	mg/l
SC ALRO SA	Cianuri	7/10/2016 10:04:49 PM	0	mg/l
SC ALRO SA	Clor	7/10/2016 10:04:13 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 10:04:12 PM	0	mg/l
SC ALRO SA	Temp	7/10/2016 10:04:11 PM	30	gradCels
SC ALRO SA	pH	7/10/2016 10:04:10 PM	7	unit pH
SC ALRO SA	Cianuri	7/10/2016 9:59:26 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 9:59:24 PM	22	mg/l
SC ALRO SA	Clor	7/10/2016 9:59:09 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 9:59:08 PM	0	mg/l
SC ALRO SA	Temp	7/10/2016 9:59:07 PM	30	gradCels
SC ALRO SA	pH	7/10/2016 9:59:06 PM	7	unit pH
SC ALRO SA	Cianuri	7/10/2016 9:53:45 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 9:53:43 PM	22	mg/l
SC ALRO SA	Clor	7/10/2016 9:53:29 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 9:53:28 PM	0	mg/l
SC ALRO SA	Temp	7/10/2016 9:53:27 PM	30	gradCels
SC ALRO SA	pH	7/10/2016 9:53:26 PM	7	unit pH
SC ALRO SA	Cianuri	7/10/2016 9:52:10 PM	0	mg/l
SC ALRO SA	Clor	7/10/2016 9:51:50 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 9:51:30 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 9:51:20 PM	22	mg/l
SC ALRO SA	Temp	7/10/2016 9:51:10 PM	29	gradCels
SC ALRO SA	pH	7/10/2016 9:51:00 PM	7	unit pH
SC ALRO SA	Substante organice	7/10/2016 9:48:26 PM	22	mg/l
SC ALRO SA	Cianuri	7/10/2016 9:48:25 PM	0	mg/l
SC ALRO SA	Clor	7/10/2016 9:48:09 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 9:48:08 PM	0	mg/l
SC ALRO SA	Temp	7/10/2016 9:48:07 PM	29	gradCels
SC ALRO SA	pH	7/10/2016 9:48:06 PM	7	unit pH
SC ALRO SA	Cianuri	7/10/2016 9:42:45 PM	0	mg/l
SC ALRO SA	Clor	7/10/2016 9:42:30 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 9:42:29 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 9:42:28 PM	22	mg/l
SC ALRO SA	Temp	7/10/2016 9:42:27 PM	29	gradCels
SC ALRO SA	pH	7/10/2016 9:42:26 PM	7	unit pH
SC ALRO SA	Substante organice	7/10/2016 9:37:30 PM	23	mg/l
SC ALRO SA	Cianuri	7/10/2016 9:37:29 PM	0	mg/l
SC ALRO SA	Clor	7/10/2016 9:37:22 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 9:37:21 PM	0	mg/l
SC ALRO SA	Temp	7/10/2016 9:37:20 PM	29	gradCels
SC ALRO SA	pH	7/10/2016 9:37:19 PM	7	unit pH
SC ALRO SA	Cianuri	7/10/2016 9:32:00 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Cianuri	7/10/2016 9:31:43 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 9:31:42 PM	23	mg/l
SC ALRO SA	Clor	7/10/2016 9:31:37 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 9:31:36 PM	0	mg/l
SC ALRO SA	Temp	7/10/2016 9:31:35 PM	29	gradCels
SC ALRO SA	pH	7/10/2016 9:31:34 PM	7	unit pH
SC ALRO SA	Clor	7/10/2016 9:30:20 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 9:29:50 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 9:29:40 PM	23	mg/l
SC ALRO SA	Temp	7/10/2016 9:29:30 PM	29	gradCels
SC ALRO SA	pH	7/10/2016 9:29:20 PM	7	unit pH
SC ALRO SA	Cianuri	7/10/2016 9:26:30 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 9:26:29 PM	23	mg/l
SC ALRO SA	Clor	7/10/2016 9:26:25 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 9:26:24 PM	0	mg/l
SC ALRO SA	Temp	7/10/2016 9:26:23 PM	29	gradCels
SC ALRO SA	pH	7/10/2016 9:26:22 PM	7	unit pH
SC ALRO SA	Cianuri	7/10/2016 9:20:46 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 9:20:44 PM	23	mg/l
SC ALRO SA	Clor	7/10/2016 9:20:38 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 9:20:37 PM	0	mg/l
SC ALRO SA	Temp	7/10/2016 9:20:36 PM	29	gradCels
SC ALRO SA	pH	7/10/2016 9:20:35 PM	7	unit pH
SC ALRO SA	Cianuri	7/10/2016 9:15:40 PM	0	mg/l
SC ALRO SA	Clor	7/10/2016 9:15:12 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 9:15:11 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 9:15:10 PM	23	mg/l
SC ALRO SA	Temp	7/10/2016 9:15:09 PM	29	gradCels
SC ALRO SA	pH	7/10/2016 9:15:08 PM	7	unit pH
SC ALRO SA	Cianuri	7/10/2016 9:11:00 PM	0	mg/l
SC ALRO SA	Clor	7/10/2016 9:10:50 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 9:10:10 PM	23	mg/l
SC ALRO SA	Cianuri	7/10/2016 9:10:09 PM	0	mg/l
SC ALRO SA	Clor	7/10/2016 9:10:04 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 9:10:03 PM	0	mg/l
SC ALRO SA	Temp	7/10/2016 9:10:02 PM	29	gradCels
SC ALRO SA	pH	7/10/2016 9:10:01 PM	7	unit pH
SC ALRO SA	Grasimi	7/10/2016 9:08:20 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 9:08:10 PM	23	mg/l
SC ALRO SA	Temp	7/10/2016 9:07:50 PM	29	gradCels
SC ALRO SA	pH	7/10/2016 9:07:40 PM	7	unit pH
SC ALRO SA	Substante organice	7/10/2016 9:04:12 PM	23	mg/l
SC ALRO SA	Cianuri	7/10/2016 9:04:10 PM	0	mg/l
SC ALRO SA	Clor	7/10/2016 9:04:08 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 9:04:02 PM	0	mg/l
SC ALRO SA	Temp	7/10/2016 9:04:01 PM	29	gradCels
SC ALRO SA	pH	7/10/2016 9:04:00 PM	7	unit pH
SC ALRO SA	Clor	7/10/2016 8:59:10 PM	0	mg/l
SC ALRO SA	Cianuri	7/10/2016 8:59:09 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 8:59:08 PM	23	mg/l
SC ALRO SA	Grasimi	7/10/2016 8:59:01 PM	0	mg/l
SC ALRO SA	Temp	7/10/2016 8:59:00 PM	29	gradCels
SC ALRO SA	pH	7/10/2016 8:58:59 PM	7	unit pH
SC ALRO SA	Substante organice	7/10/2016 8:53:04 PM	23	mg/l
SC ALRO SA	Cianuri	7/10/2016 8:53:02 PM	0	mg/l
SC ALRO SA	Clor	7/10/2016 8:53:00 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 8:52:48 PM	0	mg/l
SC ALRO SA	Temp	7/10/2016 8:52:47 PM	29	gradCels
SC ALRO SA	pH	7/10/2016 8:52:46 PM	7	unit pH
SC ALRO SA	Cianuri	7/10/2016 8:49:00 PM	0	mg/l
SC ALRO SA	Clor	7/10/2016 8:48:50 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 8:48:30 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 8:48:20 PM	23	mg/l
SC ALRO SA	Temp	7/10/2016 8:48:10 PM	29	gradCels
SC ALRO SA	pH	7/10/2016 8:48:00 PM	7	unit pH
SC ALRO SA	Cianuri	7/10/2016 8:47:48 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Clor	7/10/2016 8:47:47 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 8:47:46 PM	23	mg/l
SC ALRO SA	Grasimi	7/10/2016 8:47:26 PM	0	mg/l
SC ALRO SA	Temp	7/10/2016 8:47:25 PM	29	gradCels
SC ALRO SA	pH	7/10/2016 8:47:24 PM	7	unit pH
SC ALRO SA	Cianuri	7/10/2016 8:42:02 PM	0	mg/l
SC ALRO SA	Clor	7/10/2016 8:42:00 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 8:41:48 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 8:41:47 PM	23	mg/l
SC ALRO SA	Temp	7/10/2016 8:41:46 PM	29	gradCels
SC ALRO SA	pH	7/10/2016 8:41:45 PM	7	unit pH
SC ALRO SA	Clor	7/10/2016 8:36:52 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 8:36:50 PM	23	mg/l
SC ALRO SA	Cianuri	7/10/2016 8:36:28 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 8:36:27 PM	0	mg/l
SC ALRO SA	Temp	7/10/2016 8:36:26 PM	29	gradCels
SC ALRO SA	pH	7/10/2016 8:36:25 PM	7	unit pH
SC ALRO SA	Clor	7/10/2016 8:31:04 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 8:31:02 PM	23	mg/l
SC ALRO SA	Cianuri	7/10/2016 8:30:54 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 8:30:53 PM	0	mg/l
SC ALRO SA	Temp	7/10/2016 8:30:52 PM	29	gradCels
SC ALRO SA	pH	7/10/2016 8:30:51 PM	7	unit pH
SC ALRO SA	Cianuri	7/10/2016 8:28:00 PM	0	mg/l
SC ALRO SA	Clor	7/10/2016 8:27:50 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 8:27:30 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 8:27:10 PM	23	mg/l
SC ALRO SA	Temp	7/10/2016 8:27:00 PM	29	gradCels
SC ALRO SA	pH	7/10/2016 8:26:50 PM	7	unit pH
SC ALRO SA	Cianuri	7/10/2016 8:25:53 PM	0	mg/l
SC ALRO SA	Clor	7/10/2016 8:25:51 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 8:25:49 PM	23	mg/l
SC ALRO SA	Grasimi	7/10/2016 8:25:24 PM	0	mg/l
SC ALRO SA	Temp	7/10/2016 8:25:23 PM	29	gradCels
SC ALRO SA	pH	7/10/2016 8:25:22 PM	7	unit pH
SC ALRO SA	Cianuri	7/10/2016 8:20:06 PM	0	mg/l
SC ALRO SA	Clor	7/10/2016 8:20:05 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 8:20:04 PM	23	mg/l
SC ALRO SA	Grasimi	7/10/2016 8:19:49 PM	0	mg/l
SC ALRO SA	Temp	7/10/2016 8:19:48 PM	29	gradCels
SC ALRO SA	pH	7/10/2016 8:19:47 PM	7	unit pH
SC ALRO SA	Clor	7/10/2016 8:14:54 PM	0	mg/l
SC ALRO SA	Cianuri	7/10/2016 8:14:51 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 8:14:29 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 8:14:28 PM	23	mg/l
SC ALRO SA	Temp	7/10/2016 8:14:27 PM	29	gradCels
SC ALRO SA	pH	7/10/2016 8:14:26 PM	7	unit pH
SC ALRO SA	Cianuri	7/10/2016 8:09:50 PM	0	mg/l
SC ALRO SA	Clor	7/10/2016 8:09:40 PM	0	mg/l
SC ALRO SA	Cianuri	7/10/2016 8:09:06 PM	0	mg/l
SC ALRO SA	Clor	7/10/2016 8:09:04 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 8:09:02 PM	23	mg/l
SC ALRO SA	Grasimi	7/10/2016 8:08:49 PM	0	mg/l
SC ALRO SA	Temp	7/10/2016 8:08:48 PM	29	gradCels
SC ALRO SA	pH	7/10/2016 8:08:47 PM	7	unit pH
SC ALRO SA	Grasimi	7/10/2016 8:07:30 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 8:07:20 PM	23	mg/l
SC ALRO SA	Temp	7/10/2016 8:07:10 PM	29	gradCels
SC ALRO SA	pH	7/10/2016 8:07:00 PM	7	unit pH
SC ALRO SA	Substante organice	7/10/2016 8:03:53 PM	23	mg/l
SC ALRO SA	Cianuri	7/10/2016 8:03:52 PM	0	mg/l
SC ALRO SA	Clor	7/10/2016 8:03:50 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 8:03:28 PM	0	mg/l
SC ALRO SA	Temp	7/10/2016 8:03:27 PM	29	gradCels
SC ALRO SA	pH	7/10/2016 8:03:26 PM	7	unit pH
SC ALRO SA	Cianuri	7/10/2016 7:58:19 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Clor	7/10/2016 7:58:17 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 7:58:15 PM	23	mg/l
SC ALRO SA	Grasimi	7/10/2016 7:58:09 PM	0	mg/l
SC ALRO SA	Temp	7/10/2016 7:58:08 PM	29	gradCels
SC ALRO SA	pH	7/10/2016 7:58:07 PM	7	unit pH
SC ALRO SA	Substante organice	7/10/2016 7:52:53 PM	23	mg/l
SC ALRO SA	Cianuri	7/10/2016 7:52:50 PM	0	mg/l
SC ALRO SA	Clor	7/10/2016 7:52:49 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 7:52:29 PM	0	mg/l
SC ALRO SA	Temp	7/10/2016 7:52:28 PM	29	gradCels
SC ALRO SA	pH	7/10/2016 7:52:27 PM	7	unit pH
SC ALRO SA	Cianuri	7/10/2016 7:49:40 PM	0	mg/l
SC ALRO SA	Clor	7/10/2016 7:49:30 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 7:49:10 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 7:49:00 PM	23	mg/l
SC ALRO SA	Temp	7/10/2016 7:48:50 PM	29	gradCels
SC ALRO SA	pH	7/10/2016 7:48:30 PM	7	unit pH
SC ALRO SA	Cianuri	7/10/2016 7:46:46 PM	0	mg/l
SC ALRO SA	Clor	7/10/2016 7:46:45 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 7:46:44 PM	23	mg/l
SC ALRO SA	Grasimi	7/10/2016 7:46:29 PM	0	mg/l
SC ALRO SA	Temp	7/10/2016 7:46:28 PM	29	gradCels
SC ALRO SA	pH	7/10/2016 7:46:27 PM	7	unit pH
SC ALRO SA	Clor	7/10/2016 7:41:52 PM	0	mg/l
SC ALRO SA	Cianuri	7/10/2016 7:41:51 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 7:41:28 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 7:41:27 PM	23	mg/l
SC ALRO SA	Temp	7/10/2016 7:41:26 PM	29	gradCels
SC ALRO SA	pH	7/10/2016 7:41:25 PM	7	unit pH
SC ALRO SA	Cianuri	7/10/2016 7:35:46 PM	0	mg/l
SC ALRO SA	Clor	7/10/2016 7:35:44 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 7:35:42 PM	23	mg/l
SC ALRO SA	Grasimi	7/10/2016 7:35:29 PM	0	mg/l
SC ALRO SA	Temp	7/10/2016 7:35:28 PM	29	gradCels
SC ALRO SA	pH	7/10/2016 7:35:27 PM	7	unit pH
SC ALRO SA	Cianuri	7/10/2016 7:31:20 PM	0	mg/l
SC ALRO SA	Clor	7/10/2016 7:31:10 PM	0	mg/l
SC ALRO SA	Cianuri	7/10/2016 7:31:00 PM	0	mg/l
SC ALRO SA	Clor	7/10/2016 7:30:59 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 7:30:58 PM	23	mg/l
SC ALRO SA	Grasimi	7/10/2016 7:30:31 PM	0	mg/l
SC ALRO SA	Temp	7/10/2016 7:30:30 PM	29	gradCels
SC ALRO SA	pH	7/10/2016 7:30:29 PM	7	unit pH
SC ALRO SA	Grasimi	7/10/2016 7:28:50 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 7:28:20 PM	23	mg/l
SC ALRO SA	Temp	7/10/2016 7:28:10 PM	28	gradCels
SC ALRO SA	pH	7/10/2016 7:28:00 PM	7	unit pH
SC ALRO SA	Cianuri	7/10/2016 7:25:25 PM	0	mg/l
SC ALRO SA	Clor	7/10/2016 7:25:23 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 7:25:21 PM	23	mg/l
SC ALRO SA	Grasimi	7/10/2016 7:25:13 PM	0	mg/l
SC ALRO SA	Temp	7/10/2016 7:25:12 PM	28	gradCels
SC ALRO SA	pH	7/10/2016 7:25:11 PM	7	unit pH
SC ALRO SA	Substante organice	7/10/2016 7:20:01 PM	23	mg/l
SC ALRO SA	Cianuri	7/10/2016 7:19:58 PM	0	mg/l
SC ALRO SA	Clor	7/10/2016 7:19:56 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 7:19:29 PM	0	mg/l
SC ALRO SA	Temp	7/10/2016 7:19:28 PM	28	gradCels
SC ALRO SA	pH	7/10/2016 7:19:27 PM	7	unit pH
SC ALRO SA	Clor	7/10/2016 7:14:23 PM	0	mg/l
SC ALRO SA	Cianuri	7/10/2016 7:14:20 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 7:14:10 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 7:14:09 PM	23	mg/l
SC ALRO SA	Temp	7/10/2016 7:14:08 PM	28	gradCels
SC ALRO SA	pH	7/10/2016 7:14:07 PM	7	unit pH
SC ALRO SA	Cianuri	7/10/2016 7:11:30 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Clor	7/10/2016 7:11:00 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 7:10:40 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 7:10:30 PM	23	mg/l
SC ALRO SA	Temp	7/10/2016 7:10:20 PM	28	gradCels
SC ALRO SA	pH	7/10/2016 7:10:10 PM	7	unit pH
SC ALRO SA	Clor	7/10/2016 7:09:00 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 7:08:57 PM	23	mg/l
SC ALRO SA	Cianuri	7/10/2016 7:08:54 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 7:07:42 PM	0	mg/l
SC ALRO SA	Temp	7/10/2016 7:07:41 PM	28	gradCels
SC ALRO SA	pH	7/10/2016 7:07:40 PM	7	unit pH
SC ALRO SA	Cianuri	7/10/2016 7:03:24 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 7:03:23 PM	23	mg/l
SC ALRO SA	Clor	7/10/2016 7:03:22 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 7:02:22 PM	0	mg/l
SC ALRO SA	Temp	7/10/2016 7:02:21 PM	28	gradCels
SC ALRO SA	pH	7/10/2016 7:02:20 PM	7	unit pH
SC ALRO SA	Cianuri	7/10/2016 6:58:22 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 6:58:20 PM	23	mg/l
SC ALRO SA	Clor	7/10/2016 6:58:18 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 6:56:42 PM	0	mg/l
SC ALRO SA	Temp	7/10/2016 6:56:41 PM	28	gradCels
SC ALRO SA	pH	7/10/2016 6:56:40 PM	7	unit pH
SC ALRO SA	Cianuri	7/10/2016 6:52:24 PM	0	mg/l
SC ALRO SA	Clor	7/10/2016 6:52:23 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 6:52:22 PM	23	mg/l
SC ALRO SA	Grasimi	7/10/2016 6:51:22 PM	0	mg/l
SC ALRO SA	Temp	7/10/2016 6:51:21 PM	28	gradCels
SC ALRO SA	pH	7/10/2016 6:51:20 PM	7	unit pH
SC ALRO SA	Cianuri	7/10/2016 6:51:00 PM	0	mg/l
SC ALRO SA	Clor	7/10/2016 6:50:50 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 6:50:30 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 6:50:20 PM	23	mg/l
SC ALRO SA	Temp	7/10/2016 6:50:10 PM	28	gradCels
SC ALRO SA	pH	7/10/2016 6:50:00 PM	7	unit pH
SC ALRO SA	Cianuri	7/10/2016 6:46:56 PM	0	mg/l
SC ALRO SA	Clor	7/10/2016 6:46:54 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 6:45:43 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 6:45:42 PM	23	mg/l
SC ALRO SA	Temp	7/10/2016 6:45:41 PM	28	gradCels
SC ALRO SA	pH	7/10/2016 6:45:40 PM	7	unit pH
SC ALRO SA	Cianuri	7/10/2016 6:41:24 PM	0	mg/l
SC ALRO SA	Clor	7/10/2016 6:41:23 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 6:41:21 PM	23	mg/l
SC ALRO SA	Grasimi	7/10/2016 6:40:28 PM	0	mg/l
SC ALRO SA	Temp	7/10/2016 6:40:27 PM	28	gradCels
SC ALRO SA	pH	7/10/2016 6:40:26 PM	7	unit pH
SC ALRO SA	Cianuri	7/10/2016 6:35:50 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 6:35:49 PM	23	mg/l
SC ALRO SA	Clor	7/10/2016 6:35:48 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 6:34:48 PM	0	mg/l
SC ALRO SA	Temp	7/10/2016 6:34:47 PM	28	gradCels
SC ALRO SA	pH	7/10/2016 6:34:46 PM	7	unit pH
SC ALRO SA	Cianuri	7/10/2016 6:33:10 PM	0	mg/l
SC ALRO SA	Clor	7/10/2016 6:33:00 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 6:32:30 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 6:32:20 PM	23	mg/l
SC ALRO SA	Temp	7/10/2016 6:32:10 PM	28	gradCels
SC ALRO SA	pH	7/10/2016 6:32:00 PM	7	unit pH
SC ALRO SA	Cianuri	7/10/2016 6:30:25 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 6:30:24 PM	23	mg/l
SC ALRO SA	Clor	7/10/2016 6:30:23 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 6:29:28 PM	0	mg/l
SC ALRO SA	Temp	7/10/2016 6:29:27 PM	28	gradCels
SC ALRO SA	pH	7/10/2016 6:29:26 PM	7	unit pH
SC ALRO SA	Substante organice	7/10/2016 6:24:52 PM	23	mg/l



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Cianuri	7/10/2016 6:24:49 PM	0	mg/l
SC ALRO SA	Clor	7/10/2016 6:24:48 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 6:23:48 PM	0	mg/l
SC ALRO SA	Temp	7/10/2016 6:23:47 PM	28	gradCels
SC ALRO SA	pH	7/10/2016 6:23:46 PM	7	unit pH
SC ALRO SA	Substante organice	7/10/2016 6:19:24 PM	23	mg/l
SC ALRO SA	Cianuri	7/10/2016 6:19:23 PM	0	mg/l
SC ALRO SA	Clor	7/10/2016 6:19:22 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 6:19:09 PM	0	mg/l
SC ALRO SA	Temp	7/10/2016 6:19:08 PM	28	gradCels
SC ALRO SA	pH	7/10/2016 6:19:07 PM	7	unit pH
SC ALRO SA	Cianuri	7/10/2016 6:15:10 PM	0	mg/l
SC ALRO SA	Clor	7/10/2016 6:15:00 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 6:14:40 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 6:14:30 PM	23	mg/l
SC ALRO SA	Temp	7/10/2016 6:14:20 PM	28	gradCels
SC ALRO SA	pH	7/10/2016 6:14:10 PM	7	unit pH
SC ALRO SA	Cianuri	7/10/2016 6:14:00 PM	0	mg/l
SC ALRO SA	Clor	7/10/2016 6:13:58 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 6:13:30 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 6:13:29 PM	23	mg/l
SC ALRO SA	Temp	7/10/2016 6:13:28 PM	28	gradCels
SC ALRO SA	pH	7/10/2016 6:13:27 PM	7	unit pH
SC ALRO SA	Substante organice	7/10/2016 6:08:24 PM	23	mg/l
SC ALRO SA	Cianuri	7/10/2016 6:08:23 PM	0	mg/l
SC ALRO SA	Clor	7/10/2016 6:08:22 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 6:08:09 PM	0	mg/l
SC ALRO SA	Temp	7/10/2016 6:08:08 PM	28	gradCels
SC ALRO SA	pH	7/10/2016 6:08:07 PM	7	unit pH
SC ALRO SA	Cianuri	7/10/2016 6:03:08 PM	0	mg/l
SC ALRO SA	Clor	7/10/2016 6:03:00 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 6:02:59 PM	23	mg/l
SC ALRO SA	Grasimi	7/10/2016 6:02:30 PM	0	mg/l
SC ALRO SA	Temp	7/10/2016 6:02:29 PM	28	gradCels
SC ALRO SA	pH	7/10/2016 6:02:28 PM	7	unit pH
SC ALRO SA	Cianuri	7/10/2016 5:57:34 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 5:57:33 PM	23	mg/l
SC ALRO SA	Clor	7/10/2016 5:57:32 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 5:57:29 PM	0	mg/l
SC ALRO SA	Temp	7/10/2016 5:57:28 PM	28	gradCels
SC ALRO SA	pH	7/10/2016 5:57:27 PM	7	unit pH
SC ALRO SA	Cianuri	7/10/2016 5:54:20 PM	0	mg/l
SC ALRO SA	Clor	7/10/2016 5:54:10 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 5:53:40 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 5:53:30 PM	23	mg/l
SC ALRO SA	Temp	7/10/2016 5:53:20 PM	28	gradCels
SC ALRO SA	pH	7/10/2016 5:53:10 PM	7	unit pH
SC ALRO SA	Cianuri	7/10/2016 5:51:55 PM	0	mg/l
SC ALRO SA	Clor	7/10/2016 5:51:53 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 5:51:51 PM	23	mg/l
SC ALRO SA	Grasimi	7/10/2016 5:51:23 PM	0	mg/l
SC ALRO SA	Temp	7/10/2016 5:51:22 PM	28	gradCels
SC ALRO SA	pH	7/10/2016 5:51:21 PM	7	unit pH
SC ALRO SA	Clor	7/10/2016 5:46:03 PM	0	mg/l
SC ALRO SA	Cianuri	7/10/2016 5:46:01 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 5:45:44 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 5:45:43 PM	23	mg/l
SC ALRO SA	Temp	7/10/2016 5:45:42 PM	28	gradCels
SC ALRO SA	pH	7/10/2016 5:45:41 PM	7	unit pH
SC ALRO SA	Cianuri	7/10/2016 5:40:54 PM	0	mg/l
SC ALRO SA	Clor	7/10/2016 5:40:47 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 5:40:46 PM	23	mg/l
SC ALRO SA	Grasimi	7/10/2016 5:39:48 PM	0	mg/l
SC ALRO SA	Temp	7/10/2016 5:39:47 PM	27	gradCels
SC ALRO SA	pH	7/10/2016 5:39:46 PM	7	unit pH
SC ALRO SA	Cianuri	7/10/2016 5:35:50 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Clor	7/10/2016 5:35:40 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 5:35:04 PM	23	mg/l
SC ALRO SA	Cianuri	7/10/2016 5:35:02 PM	0	mg/l
SC ALRO SA	Clor	7/10/2016 5:35:00 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 5:34:08 PM	0	mg/l
SC ALRO SA	Temp	7/10/2016 5:34:07 PM	27	gradCels
SC ALRO SA	pH	7/10/2016 5:34:06 PM	7	unit pH
SC ALRO SA	Grasimi	7/10/2016 5:33:40 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 5:33:30 PM	23	mg/l
SC ALRO SA	Temp	7/10/2016 5:33:20 PM	27	gradCels
SC ALRO SA	pH	7/10/2016 5:33:10 PM	7	unit pH
SC ALRO SA	Cianuri	7/10/2016 5:30:01 PM	0	mg/l
SC ALRO SA	Clor	7/10/2016 5:30:00 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 5:29:58 PM	23	mg/l
SC ALRO SA	Grasimi	7/10/2016 5:29:29 PM	0	mg/l
SC ALRO SA	Temp	7/10/2016 5:29:28 PM	27	gradCels
SC ALRO SA	pH	7/10/2016 5:29:27 PM	7	unit pH
SC ALRO SA	Substante organice	7/10/2016 5:24:04 PM	23	mg/l
SC ALRO SA	Cianuri	7/10/2016 5:24:03 PM	0	mg/l
SC ALRO SA	Clor	7/10/2016 5:24:02 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 5:23:49 PM	0	mg/l
SC ALRO SA	Temp	7/10/2016 5:23:48 PM	27	gradCels
SC ALRO SA	pH	7/10/2016 5:23:47 PM	7	unit pH
SC ALRO SA	Cianuri	7/10/2016 5:19:01 PM	0	mg/l
SC ALRO SA	Clor	7/10/2016 5:19:00 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 5:18:58 PM	23	mg/l
SC ALRO SA	Grasimi	7/10/2016 5:18:29 PM	0	mg/l
SC ALRO SA	Temp	7/10/2016 5:18:28 PM	27	gradCels
SC ALRO SA	pH	7/10/2016 5:18:27 PM	7	unit pH
SC ALRO SA	Cianuri	7/10/2016 5:15:50 PM	0	mg/l
SC ALRO SA	Clor	7/10/2016 5:15:20 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 5:15:00 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 5:14:50 PM	23	mg/l
SC ALRO SA	Temp	7/10/2016 5:14:40 PM	27	gradCels
SC ALRO SA	pH	7/10/2016 5:14:30 PM	7	unit pH
SC ALRO SA	Clor	7/10/2016 5:13:03 PM	0	mg/l
SC ALRO SA	Cianuri	7/10/2016 5:13:02 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 5:12:50 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 5:12:49 PM	23	mg/l
SC ALRO SA	Temp	7/10/2016 5:12:48 PM	27	gradCels
SC ALRO SA	pH	7/10/2016 5:12:47 PM	7	unit pH
SC ALRO SA	Cianuri	7/10/2016 5:08:02 PM	0	mg/l
SC ALRO SA	Clor	7/10/2016 5:08:00 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 5:07:59 PM	23	mg/l
SC ALRO SA	Grasimi	7/10/2016 5:07:29 PM	0	mg/l
SC ALRO SA	Temp	7/10/2016 5:07:28 PM	27	gradCels
SC ALRO SA	pH	7/10/2016 5:07:27 PM	7	unit pH
SC ALRO SA	Cianuri	7/10/2016 5:02:04 PM	0	mg/l
SC ALRO SA	Clor	7/10/2016 5:02:02 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 5:02:00 PM	23	mg/l
SC ALRO SA	Grasimi	7/10/2016 5:01:02 PM	0	mg/l
SC ALRO SA	Temp	7/10/2016 5:01:01 PM	27	gradCels
SC ALRO SA	pH	7/10/2016 5:01:00 PM	7	unit pH
SC ALRO SA	Cianuri	7/10/2016 4:57:30 PM	0	mg/l
SC ALRO SA	Cianuri	7/10/2016 4:57:17 PM	0	mg/l
SC ALRO SA	Clor	7/10/2016 4:57:16 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 4:57:14 PM	23	mg/l
SC ALRO SA	Grasimi	7/10/2016 4:55:47 PM	0	mg/l
SC ALRO SA	Temp	7/10/2016 4:55:46 PM	27	gradCels
SC ALRO SA	pH	7/10/2016 4:55:45 PM	7	unit pH
SC ALRO SA	Clor	7/10/2016 4:55:20 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 4:55:00 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 4:54:50 PM	23	mg/l
SC ALRO SA	Temp	7/10/2016 4:54:40 PM	27	gradCels
SC ALRO SA	pH	7/10/2016 4:54:30 PM	7	unit pH
SC ALRO SA	Clor	7/10/2016 4:51:58 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Cianuri	7/10/2016 4:51:57 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 4:51:54 PM	23	mg/l
SC ALRO SA	Grasimi	7/10/2016 4:50:48 PM	0	mg/l
SC ALRO SA	Temp	7/10/2016 4:50:47 PM	27	gradCels
SC ALRO SA	pH	7/10/2016 4:50:46 PM	7	unit pH
SC ALRO SA	Cianuri	7/10/2016 4:47:00 PM	0	mg/l
SC ALRO SA	Clor	7/10/2016 4:46:59 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 4:45:47 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 4:45:46 PM	23	mg/l
SC ALRO SA	Temp	7/10/2016 4:45:45 PM	27	gradCels
SC ALRO SA	pH	7/10/2016 4:45:44 PM	7	unit pH
SC ALRO SA	Clor	7/10/2016 4:42:02 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 4:42:01 PM	23	mg/l
SC ALRO SA	Cianuri	7/10/2016 4:40:47 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 4:40:46 PM	0	mg/l
SC ALRO SA	Temp	7/10/2016 4:40:45 PM	27	gradCels
SC ALRO SA	pH	7/10/2016 4:40:44 PM	7	unit pH
SC ALRO SA	Cianuri	7/10/2016 4:38:50 PM	0	mg/l
SC ALRO SA	Clor	7/10/2016 4:38:40 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 4:38:20 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 4:38:10 PM	23	mg/l
SC ALRO SA	Temp	7/10/2016 4:38:00 PM	27	gradCels
SC ALRO SA	pH	7/10/2016 4:37:50 PM	7	unit pH
SC ALRO SA	Clor	7/10/2016 4:37:28 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 4:37:27 PM	23	mg/l
SC ALRO SA	Cianuri	7/10/2016 4:35:47 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 4:35:46 PM	0	mg/l
SC ALRO SA	Temp	7/10/2016 4:35:45 PM	27	gradCels
SC ALRO SA	pH	7/10/2016 4:35:44 PM	7	unit pH
SC ALRO SA	Cianuri	7/10/2016 4:31:58 PM	0	mg/l
SC ALRO SA	Clor	7/10/2016 4:31:57 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 4:31:55 PM	23	mg/l
SC ALRO SA	Grasimi	7/10/2016 4:30:46 PM	0	mg/l
SC ALRO SA	Temp	7/10/2016 4:30:45 PM	27	gradCels
SC ALRO SA	pH	7/10/2016 4:30:44 PM	7	unit pH
SC ALRO SA	Clor	7/10/2016 4:27:21 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 4:27:19 PM	23	mg/l
SC ALRO SA	Cianuri	7/10/2016 4:25:47 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 4:25:46 PM	0	mg/l
SC ALRO SA	Temp	7/10/2016 4:25:45 PM	27	gradCels
SC ALRO SA	pH	7/10/2016 4:25:44 PM	7	unit pH
SC ALRO SA	Clor	7/10/2016 4:22:00 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 4:21:58 PM	23	mg/l
SC ALRO SA	Grasimi	7/10/2016 4:20:48 PM	0	mg/l
SC ALRO SA	Cianuri	7/10/2016 4:20:47 PM	0	mg/l
SC ALRO SA	Temp	7/10/2016 4:20:46 PM	27	gradCels
SC ALRO SA	pH	7/10/2016 4:20:45 PM	7	unit pH
SC ALRO SA	Cianuri	7/10/2016 4:19:40 PM	0	mg/l
SC ALRO SA	Clor	7/10/2016 4:19:30 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 4:19:10 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 4:19:00 PM	23	mg/l
SC ALRO SA	Temp	7/10/2016 4:18:50 PM	27	gradCels
SC ALRO SA	pH	7/10/2016 4:18:40 PM	7	unit pH
SC ALRO SA	Clor	7/10/2016 4:16:42 PM	0	mg/l
SC ALRO SA	Cianuri	7/10/2016 4:15:30 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 4:15:29 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 4:15:28 PM	23	mg/l
SC ALRO SA	Temp	7/10/2016 4:15:27 PM	27	gradCels
SC ALRO SA	pH	7/10/2016 4:15:26 PM	7	unit pH
SC ALRO SA	Cianuri	7/10/2016 4:14:19 PM	0	mg/l
SC ALRO SA	Clor	7/10/2016 4:14:18 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 4:14:17 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 4:14:16 PM	23	mg/l
SC ALRO SA	Temp	7/10/2016 4:14:15 PM	27	gradCels
SC ALRO SA	pH	7/10/2016 4:14:13 PM	7	unit pH
SC ALRO SA	Clor	7/10/2016 4:11:47 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	7/10/2016 4:11:45 PM	23	mg/l
SC ALRO SA	Cianuri	7/10/2016 4:11:02 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 4:11:01 PM	0	mg/l
SC ALRO SA	Temp	7/10/2016 4:11:00 PM	27	gradCels
SC ALRO SA	pH	7/10/2016 4:10:59 PM	7	unit pH
SC ALRO SA	Clor	7/10/2016 4:06:44 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 4:06:43 PM	23	mg/l
SC ALRO SA	Cianuri	7/10/2016 4:05:58 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 4:05:57 PM	0	mg/l
SC ALRO SA	Temp	7/10/2016 4:05:56 PM	27	gradCels
SC ALRO SA	pH	7/10/2016 4:05:55 PM	7	unit pH
SC ALRO SA	Cianuri	7/10/2016 4:02:08 PM	0	mg/l
SC ALRO SA	Clor	7/10/2016 4:02:07 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 4:02:06 PM	23	mg/l
SC ALRO SA	Grasimi	7/10/2016 4:01:42 PM	0	mg/l
SC ALRO SA	Temp	7/10/2016 4:01:41 PM	27	gradCels
SC ALRO SA	pH	7/10/2016 4:01:40 PM	7	unit pH
SC ALRO SA	Cianuri	7/10/2016 3:59:21 PM	0	mg/l
SC ALRO SA	Clor	7/10/2016 3:59:20 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 3:59:19 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 3:59:18 PM	23	mg/l
SC ALRO SA	Temp	7/10/2016 3:59:16 PM	27	gradCels
SC ALRO SA	pH	7/10/2016 3:59:15 PM	7	unit pH
SC ALRO SA	Cianuri	7/10/2016 3:57:50 PM	0	mg/l
SC ALRO SA	Clor	7/10/2016 3:57:49 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 3:56:47 PM	0	mg/l
SC ALRO SA	Temp	7/10/2016 3:56:46 PM	27	gradCels
SC ALRO SA	pH	7/10/2016 3:56:45 PM	7	unit pH
SC ALRO SA	Cianuri	7/10/2016 3:51:45 PM	0	mg/l
SC ALRO SA	Clor	7/10/2016 3:51:44 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 3:51:42 PM	23	mg/l
SC ALRO SA	Grasimi	7/10/2016 3:51:16 PM	0	mg/l
SC ALRO SA	Temp	7/10/2016 3:51:15 PM	27	gradCels
SC ALRO SA	pH	7/10/2016 3:51:14 PM	7	unit pH
SC ALRO SA	Cianuri	7/10/2016 3:47:30 PM	0	mg/l
SC ALRO SA	Clor	7/10/2016 3:47:29 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 3:47:17 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 3:47:16 PM	23	mg/l
SC ALRO SA	Temp	7/10/2016 3:47:15 PM	27	gradCels
SC ALRO SA	pH	7/10/2016 3:47:14 PM	7	unit pH
SC ALRO SA	Cianuri	7/10/2016 3:42:13 PM	0	mg/l
SC ALRO SA	Clor	7/10/2016 3:42:12 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 3:42:11 PM	23	mg/l
SC ALRO SA	Grasimi	7/10/2016 3:40:53 PM	0	mg/l
SC ALRO SA	Temp	7/10/2016 3:40:52 PM	27	gradCels
SC ALRO SA	pH	7/10/2016 3:40:51 PM	7	unit pH
SC ALRO SA	Cianuri	7/10/2016 3:39:57 PM	0	mg/l
SC ALRO SA	Clor	7/10/2016 3:39:56 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 3:39:55 PM	23	mg/l
SC ALRO SA	Grasimi	7/10/2016 3:39:39 PM	0	mg/l
SC ALRO SA	Temp	7/10/2016 3:39:38 PM	27	gradCels
SC ALRO SA	pH	7/10/2016 3:39:37 PM	7	unit pH
SC ALRO SA	Clor	7/10/2016 3:38:58 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 3:38:57 PM	23	mg/l
SC ALRO SA	Grasimi	7/10/2016 3:38:44 PM	0	mg/l
SC ALRO SA	Temp	7/10/2016 3:38:43 PM	27	gradCels
SC ALRO SA	pH	7/10/2016 3:38:42 PM	7	unit pH
SC ALRO SA	Cianuri	7/10/2016 3:38:06 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 3:37:58 PM	23	mg/l
SC ALRO SA	Grasimi	7/10/2016 3:37:44 PM	0	mg/l
SC ALRO SA	Temp	7/10/2016 3:37:43 PM	27	gradCels
SC ALRO SA	pH	7/10/2016 3:37:42 PM	7	unit pH
SC ALRO SA	Cianuri	7/10/2016 3:37:05 PM	0	mg/l
SC ALRO SA	Clor	7/10/2016 3:37:03 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 3:37:01 PM	23	mg/l
SC ALRO SA	Grasimi	7/10/2016 3:36:52 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	7/10/2016 3:36:51 PM	27	gradCels
SC ALRO SA	pH	7/10/2016 3:36:50 PM	7	unit pH
SC ALRO SA	Cianuri	7/10/2016 3:23:00 PM	0	mg/l
SC ALRO SA	Clor	7/10/2016 3:22:00 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 3:20:00 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 3:19:00 PM	23	mg/l
SC ALRO SA	Temp	7/10/2016 3:18:00 PM	27	gradCels
SC ALRO SA	pH	7/10/2016 3:17:00 PM	7	unit pH
SC ALRO SA	Cianuri	7/10/2016 3:16:24 PM	0	mg/l
SC ALRO SA	Clor	7/10/2016 3:16:23 PM	0	mg/l
SC ALRO SA	Temp	7/10/2016 3:15:51 PM	27	gradCels
SC ALRO SA	Grasimi	7/10/2016 3:15:50 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 3:15:49 PM	23	mg/l
SC ALRO SA	pH	7/10/2016 3:15:48 PM	7	unit pH
SC ALRO SA	Cianuri	7/10/2016 3:14:30 PM	0	mg/l
SC ALRO SA	Clor	7/10/2016 3:14:29 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 3:14:28 PM	23	mg/l
SC ALRO SA	Grasimi	7/10/2016 3:10:48 PM	0	mg/l
SC ALRO SA	Temp	7/10/2016 3:10:47 PM	27	gradCels
SC ALRO SA	pH	7/10/2016 3:10:46 PM	7	unit pH
SC ALRO SA	Cianuri	7/10/2016 3:06:35 PM	0	mg/l
SC ALRO SA	Clor	7/10/2016 3:06:34 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 3:06:33 PM	23	mg/l
SC ALRO SA	Grasimi	7/10/2016 3:05:46 PM	0	mg/l
SC ALRO SA	Temp	7/10/2016 3:05:45 PM	27	gradCels
SC ALRO SA	pH	7/10/2016 3:05:44 PM	7	unit pH
SC ALRO SA	Cianuri	7/10/2016 3:02:58 PM	0	mg/l
SC ALRO SA	Clor	7/10/2016 3:02:57 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 3:02:56 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 3:02:55 PM	23	mg/l
SC ALRO SA	Temp	7/10/2016 3:02:54 PM	27	gradCels
SC ALRO SA	pH	7/10/2016 3:02:53 PM	7	unit pH
SC ALRO SA	Grasimi	7/10/2016 3:01:11 PM	0	mg/l
SC ALRO SA	Temp	7/10/2016 3:01:10 PM	27	gradCels
SC ALRO SA	Cianuri	7/10/2016 3:01:03 PM	27	mg/l
SC ALRO SA	Clor	7/10/2016 3:01:02 PM	0	mg/l
SC ALRO SA	Cianuri	7/10/2016 2:56:58 PM	0	mg/l
SC ALRO SA	Clor	7/10/2016 2:56:57 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 2:56:55 PM	23	mg/l
SC ALRO SA	Grasimi	7/10/2016 2:55:45 PM	0	mg/l
SC ALRO SA	Temp	7/10/2016 2:55:44 PM	27	gradCels
SC ALRO SA	pH	7/10/2016 2:55:43 PM	7	unit pH
SC ALRO SA	Substante organice	7/10/2016 2:55:00 PM	7	mg/l
SC ALRO SA	Cianuri	7/10/2016 2:51:06 PM	0	mg/l
SC ALRO SA	Clor	7/10/2016 2:51:05 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 2:51:04 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 2:51:03 PM	23	mg/l
SC ALRO SA	Temp	7/10/2016 2:51:02 PM	27	gradCels
SC ALRO SA	pH	7/10/2016 2:51:01 PM	7	unit pH
SC ALRO SA	Cianuri	7/10/2016 2:51:00 PM	0	mg/l
SC ALRO SA	Clor	7/10/2016 2:50:59 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 2:50:58 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 2:50:57 PM	23	mg/l
SC ALRO SA	Temp	7/10/2016 2:50:56 PM	27	gradCels
SC ALRO SA	pH	7/10/2016 2:50:55 PM	7	unit pH
SC ALRO SA	Clor	7/10/2016 2:46:26 PM	0	mg/l
SC ALRO SA	Cianuri	7/10/2016 2:45:27 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 2:45:26 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 2:45:25 PM	23	mg/l
SC ALRO SA	Temp	7/10/2016 2:45:24 PM	27	gradCels
SC ALRO SA	pH	7/10/2016 2:45:23 PM	7	unit pH
SC ALRO SA	Clor	7/10/2016 2:40:57 PM	0	mg/l
SC ALRO SA	Cianuri	7/10/2016 2:40:56 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 2:40:55 PM	23	mg/l
SC ALRO SA	Grasimi	7/10/2016 2:40:54 PM	0	mg/l
SC ALRO SA	Temp	7/10/2016 2:40:53 PM	27	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	7/10/2016 2:40:51 PM	7	unit pH
SC ALRO SA	Cianuri	7/10/2016 2:33:15 PM	0	mg/l
SC ALRO SA	Clor	7/10/2016 2:33:14 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 2:33:13 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 2:33:12 PM	23	mg/l
SC ALRO SA	Temp	7/10/2016 2:33:09 PM	27	gradCels
SC ALRO SA	pH	7/10/2016 2:33:08 PM	7	unit pH
SC ALRO SA	Cianuri	7/10/2016 2:12:45 PM	0	mg/l
SC ALRO SA	Clor	7/10/2016 2:12:44 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 2:12:24 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 2:12:23 PM	23	mg/l
SC ALRO SA	Temp	7/10/2016 2:12:22 PM	27	gradCels
SC ALRO SA	pH	7/10/2016 2:12:21 PM	7	unit pH
SC ALRO SA	Cianuri	7/10/2016 2:11:47 PM	0	mg/l
SC ALRO SA	Clor	7/10/2016 2:11:45 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 2:11:43 PM	23	mg/l
SC ALRO SA	Grasimi	7/10/2016 2:11:29 PM	0	mg/l
SC ALRO SA	Temp	7/10/2016 2:11:28 PM	27	gradCels
SC ALRO SA	pH	7/10/2016 2:11:27 PM	7	unit pH
SC ALRO SA	Substante organice	7/10/2016 2:10:56 PM	23	mg/l
SC ALRO SA	Cianuri	7/10/2016 2:10:51 PM	0	mg/l
SC ALRO SA	Clor	7/10/2016 2:10:49 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 2:10:36 PM	0	mg/l
SC ALRO SA	Temp	7/10/2016 2:10:35 PM	27	gradCels
SC ALRO SA	pH	7/10/2016 2:10:34 PM	7	unit pH
SC ALRO SA	Clor	7/10/2016 2:10:01 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 2:09:58 PM	23	mg/l
SC ALRO SA	Cianuri	7/10/2016 2:09:57 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 2:09:42 PM	0	mg/l
SC ALRO SA	Temp	7/10/2016 2:09:41 PM	27	gradCels
SC ALRO SA	pH	7/10/2016 2:09:40 PM	7	unit pH
SC ALRO SA	Clor	7/10/2016 2:08:53 PM	0	mg/l
SC ALRO SA	Cianuri	7/10/2016 2:08:52 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 2:08:51 PM	23	mg/l
SC ALRO SA	Grasimi	7/10/2016 2:08:31 PM	0	mg/l
SC ALRO SA	Temp	7/10/2016 2:08:30 PM	27	gradCels
SC ALRO SA	pH	7/10/2016 2:08:29 PM	7	unit pH
SC ALRO SA	Cianuri	7/10/2016 2:07:58 PM	0	mg/l
SC ALRO SA	Clor	7/10/2016 2:07:57 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 2:07:43 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 2:07:42 PM	23	mg/l
SC ALRO SA	Temp	7/10/2016 2:07:41 PM	27	gradCels
SC ALRO SA	pH	7/10/2016 2:07:40 PM	7	unit pH
SC ALRO SA	Substante organice	7/10/2016 2:07:03 PM	23	mg/l
SC ALRO SA	Cianuri	7/10/2016 2:07:02 PM	0	mg/l
SC ALRO SA	Clor	7/10/2016 2:07:01 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 2:06:45 PM	0	mg/l
SC ALRO SA	Temp	7/10/2016 2:06:44 PM	27	gradCels
SC ALRO SA	pH	7/10/2016 2:06:43 PM	7	unit pH
SC ALRO SA	Cianuri	7/10/2016 2:06:07 PM	0	mg/l
SC ALRO SA	Clor	7/10/2016 2:06:05 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 2:06:02 PM	23	mg/l
SC ALRO SA	Grasimi	7/10/2016 2:05:48 PM	0	mg/l
SC ALRO SA	Temp	7/10/2016 2:05:47 PM	27	gradCels
SC ALRO SA	pH	7/10/2016 2:05:46 PM	7	unit pH
SC ALRO SA	Cianuri	7/10/2016 2:05:12 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 2:05:11 PM	23	mg/l
SC ALRO SA	Clor	7/10/2016 2:05:10 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 2:04:55 PM	0	mg/l
SC ALRO SA	Temp	7/10/2016 2:04:54 PM	27	gradCels
SC ALRO SA	pH	7/10/2016 2:04:53 PM	7	unit pH
SC ALRO SA	Substante organice	7/10/2016 2:04:19 PM	23	mg/l
SC ALRO SA	Cianuri	7/10/2016 2:04:18 PM	0	mg/l
SC ALRO SA	Clor	7/10/2016 2:04:17 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 2:04:01 PM	0	mg/l
SC ALRO SA	Temp	7/10/2016 2:04:00 PM	27	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	7/10/2016 2:03:59 PM	7	unit pH
SC ALRO SA	Cianuri	7/10/2016 2:03:26 PM	0	mg/l
SC ALRO SA	Clor	7/10/2016 2:03:25 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 2:03:24 PM	23	mg/l
SC ALRO SA	Grasimi	7/10/2016 2:03:10 PM	0	mg/l
SC ALRO SA	Temp	7/10/2016 2:03:09 PM	27	gradCels
SC ALRO SA	pH	7/10/2016 2:03:08 PM	7	unit pH
SC ALRO SA	Cianuri	7/10/2016 2:02:30 PM	0	mg/l
SC ALRO SA	Clor	7/10/2016 2:02:29 PM	0	mg/l
SC ALRO SA	Grasimi	7/10/2016 2:02:14 PM	0	mg/l
SC ALRO SA	Substante organice	7/10/2016 2:02:13 PM	23	mg/l
SC ALRO SA	Temp	7/10/2016 2:02:12 PM	27	gradCels
SC ALRO SA	pH	7/10/2016 2:02:11 PM	7	unit pH
SC ALRO SA	Cianuri	7/9/2016 6:51:00 PM	34	mg/l
SC ALRO SA	Clor	7/9/2016 6:50:00 PM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 6:48:00 PM	29	mg/l
SC ALRO SA	Substante organice	7/9/2016 6:47:00 PM	6	mg/l
SC ALRO SA	Temp	7/9/2016 6:46:00 PM	0	gradCels
SC ALRO SA	Cianuri	7/9/2016 6:42:03 PM	0	mg/l
SC ALRO SA	Clor	7/9/2016 6:42:02 PM	0	mg/l
SC ALRO SA	Substante organice	7/9/2016 6:42:00 PM	24	mg/l
SC ALRO SA	Grasimi	7/9/2016 6:41:43 PM	0	mg/l
SC ALRO SA	Temp	7/9/2016 6:41:42 PM	27	gradCels
SC ALRO SA	pH	7/9/2016 6:41:41 PM	7	unit pH
SC ALRO SA	Cianuri	7/9/2016 6:39:57 PM	0	mg/l
SC ALRO SA	Clor	7/9/2016 6:39:56 PM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 6:39:55 PM	0	mg/l
SC ALRO SA	Substante organice	7/9/2016 6:39:54 PM	24	mg/l
SC ALRO SA	Temp	7/9/2016 6:39:53 PM	27	gradCels
SC ALRO SA	pH	7/9/2016 6:39:52 PM	7	unit pH
SC ALRO SA	Cianuri	7/9/2016 6:36:53 PM	0	mg/l
SC ALRO SA	Clor	7/9/2016 6:36:52 PM	0	mg/l
SC ALRO SA	Substante organice	7/9/2016 6:36:50 PM	24	mg/l
SC ALRO SA	Grasimi	7/9/2016 6:36:37 PM	0	mg/l
SC ALRO SA	Temp	7/9/2016 6:36:36 PM	27	gradCels
SC ALRO SA	pH	7/9/2016 6:36:35 PM	7	unit pH
SC ALRO SA	Cianuri	7/9/2016 6:34:57 PM	0	mg/l
SC ALRO SA	Clor	7/9/2016 6:34:56 PM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 6:34:55 PM	0	mg/l
SC ALRO SA	Substante organice	7/9/2016 6:34:54 PM	24	mg/l
SC ALRO SA	Temp	7/9/2016 6:34:53 PM	27	gradCels
SC ALRO SA	pH	7/9/2016 6:34:52 PM	7	unit pH
SC ALRO SA	Cianuri	7/9/2016 6:30:37 PM	0	mg/l
SC ALRO SA	Clor	7/9/2016 6:30:36 PM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 6:30:35 PM	0	mg/l
SC ALRO SA	Substante organice	7/9/2016 6:30:34 PM	24	mg/l
SC ALRO SA	Temp	7/9/2016 6:30:33 PM	27	gradCels
SC ALRO SA	pH	7/9/2016 6:30:32 PM	7	unit pH
SC ALRO SA	Substante organice	7/9/2016 6:27:02 PM	24	mg/l
SC ALRO SA	Cianuri	7/9/2016 6:26:59 PM	0	mg/l
SC ALRO SA	Clor	7/9/2016 6:26:57 PM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 6:26:11 PM	0	mg/l
SC ALRO SA	Temp	7/9/2016 6:26:10 PM	27	gradCels
SC ALRO SA	pH	7/9/2016 6:26:09 PM	7	unit pH
SC ALRO SA	Cianuri	7/9/2016 6:24:17 PM	0	mg/l
SC ALRO SA	Clor	7/9/2016 6:24:16 PM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 6:24:15 PM	0	mg/l
SC ALRO SA	Substante organice	7/9/2016 6:24:14 PM	24	mg/l
SC ALRO SA	Temp	7/9/2016 6:24:13 PM	27	gradCels
SC ALRO SA	pH	7/9/2016 6:24:12 PM	7	unit pH
SC ALRO SA	Cianuri	7/9/2016 6:17:02 PM	0	mg/l
SC ALRO SA	Clor	7/9/2016 6:17:00 PM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 6:16:40 PM	0	mg/l
SC ALRO SA	Substante organice	7/9/2016 6:16:39 PM	24	mg/l
SC ALRO SA	Temp	7/9/2016 6:16:38 PM	27	gradCels
SC ALRO SA	pH	7/9/2016 6:16:37 PM	7	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Cianuri	7/9/2016 6:12:00 PM	0	mg/l
SC ALRO SA	Clor	7/9/2016 6:11:59 PM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 6:11:58 PM	0	mg/l
SC ALRO SA	Substante organice	7/9/2016 6:11:57 PM	24	mg/l
SC ALRO SA	Temp	7/9/2016 6:11:56 PM	27	gradCels
SC ALRO SA	pH	7/9/2016 6:11:55 PM	7	unit pH
SC ALRO SA	Clor	7/9/2016 6:06:40 PM	0	mg/l
SC ALRO SA	Cianuri	7/9/2016 6:06:39 PM	0	mg/l
SC ALRO SA	Substante organice	7/9/2016 6:06:38 PM	24	mg/l
SC ALRO SA	Grasimi	7/9/2016 6:06:35 PM	0	mg/l
SC ALRO SA	Temp	7/9/2016 6:06:34 PM	27	gradCels
SC ALRO SA	pH	7/9/2016 6:06:33 PM	7	unit pH
SC ALRO SA	Cianuri	7/9/2016 6:02:08 PM	0	mg/l
SC ALRO SA	Clor	7/9/2016 6:02:07 PM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 6:02:06 PM	0	mg/l
SC ALRO SA	Substante organice	7/9/2016 6:02:05 PM	24	mg/l
SC ALRO SA	pH	7/9/2016 6:02:04 PM	7	unit pH
SC ALRO SA	Temp	7/9/2016 6:02:03 PM	27	gradCels
SC ALRO SA	Clor	7/9/2016 5:56:16 PM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 5:56:15 PM	0	mg/l
SC ALRO SA	Substante organice	7/9/2016 5:56:14 PM	14	mg/l
SC ALRO SA	Temp	7/9/2016 5:56:13 PM	25	gradCels
SC ALRO SA	pH	7/9/2016 5:56:12 PM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 5:52:29 PM	14	mg/l
SC ALRO SA	Clor	7/9/2016 5:51:43 PM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 5:51:42 PM	0	mg/l
SC ALRO SA	Temp	7/9/2016 5:51:41 PM	25	gradCels
SC ALRO SA	pH	7/9/2016 5:51:40 PM	8	unit pH
SC ALRO SA	Clor	7/9/2016 5:46:24 PM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 5:46:23 PM	0	mg/l
SC ALRO SA	Substante organice	7/9/2016 5:46:22 PM	14	mg/l
SC ALRO SA	pH	7/9/2016 5:46:21 PM	8	unit pH
SC ALRO SA	Temp	7/9/2016 5:46:20 PM	24	gradCels
SC ALRO SA	Substante organice	7/9/2016 5:41:41 PM	14	mg/l
SC ALRO SA	Clor	7/9/2016 5:40:43 PM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 5:40:42 PM	0	mg/l
SC ALRO SA	pH	7/9/2016 5:40:41 PM	8	unit pH
SC ALRO SA	Temp	7/9/2016 5:40:40 PM	24	gradCels
SC ALRO SA	Substante organice	7/9/2016 5:35:31 PM	14	mg/l
SC ALRO SA	Clor	7/9/2016 5:35:23 PM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 5:35:22 PM	0	mg/l
SC ALRO SA	Temp	7/9/2016 5:35:21 PM	24	gradCels
SC ALRO SA	pH	7/9/2016 5:35:20 PM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 5:30:42 PM	14	mg/l
SC ALRO SA	Clor	7/9/2016 5:29:46 PM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 5:29:45 PM	0	mg/l
SC ALRO SA	Temp	7/9/2016 5:29:44 PM	24	gradCels
SC ALRO SA	pH	7/9/2016 5:29:43 PM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 5:25:27 PM	14	mg/l
SC ALRO SA	Clor	7/9/2016 5:24:43 PM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 5:24:42 PM	0	mg/l
SC ALRO SA	Temp	7/9/2016 5:24:41 PM	24	gradCels
SC ALRO SA	pH	7/9/2016 5:24:40 PM	8	unit pH
SC ALRO SA	Clor	7/9/2016 5:19:24 PM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 5:19:23 PM	0	mg/l
SC ALRO SA	Substante organice	7/9/2016 5:19:22 PM	14	mg/l
SC ALRO SA	pH	7/9/2016 5:19:21 PM	8	unit pH
SC ALRO SA	Temp	7/9/2016 5:19:20 PM	24	gradCels
SC ALRO SA	Substante organice	7/9/2016 5:14:27 PM	14	mg/l
SC ALRO SA	Clor	7/9/2016 5:13:43 PM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 5:13:42 PM	0	mg/l
SC ALRO SA	pH	7/9/2016 5:13:41 PM	8	unit pH
SC ALRO SA	Temp	7/9/2016 5:13:40 PM	24	gradCels
SC ALRO SA	Substante organice	7/9/2016 5:08:26 PM	14	mg/l
SC ALRO SA	Clor	7/9/2016 5:08:23 PM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 5:08:22 PM	0	mg/l



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	7/9/2016 5:08:21 PM	24	gradCels
SC ALRO SA	pH	7/9/2016 5:08:20 PM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 5:03:27 PM	14	mg/l
SC ALRO SA	Clor	7/9/2016 5:02:43 PM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 5:02:42 PM	0	mg/l
SC ALRO SA	Temp	7/9/2016 5:02:41 PM	24	gradCels
SC ALRO SA	pH	7/9/2016 5:02:40 PM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 4:57:26 PM	14	mg/l
SC ALRO SA	Clor	7/9/2016 4:57:23 PM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 4:57:22 PM	0	mg/l
SC ALRO SA	Temp	7/9/2016 4:57:21 PM	24	gradCels
SC ALRO SA	pH	7/9/2016 4:57:20 PM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 4:52:27 PM	14	mg/l
SC ALRO SA	Clor	7/9/2016 4:51:43 PM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 4:51:42 PM	0	mg/l
SC ALRO SA	Temp	7/9/2016 4:51:41 PM	24	gradCels
SC ALRO SA	pH	7/9/2016 4:51:40 PM	8	unit pH
SC ALRO SA	Clor	7/9/2016 4:46:27 PM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 4:46:25 PM	0	mg/l
SC ALRO SA	Substante organice	7/9/2016 4:46:23 PM	14	mg/l
SC ALRO SA	pH	7/9/2016 4:46:21 PM	8	unit pH
SC ALRO SA	Temp	7/9/2016 4:46:20 PM	24	gradCels
SC ALRO SA	Substante organice	7/9/2016 4:41:27 PM	14	mg/l
SC ALRO SA	Clor	7/9/2016 4:40:43 PM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 4:40:42 PM	0	mg/l
SC ALRO SA	Temp	7/9/2016 4:40:41 PM	24	gradCels
SC ALRO SA	pH	7/9/2016 4:40:40 PM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 4:35:26 PM	14	mg/l
SC ALRO SA	Clor	7/9/2016 4:35:23 PM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 4:35:22 PM	0	mg/l
SC ALRO SA	Temp	7/9/2016 4:35:21 PM	24	gradCels
SC ALRO SA	pH	7/9/2016 4:35:20 PM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 4:30:27 PM	14	mg/l
SC ALRO SA	Clor	7/9/2016 4:29:43 PM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 4:29:42 PM	0	mg/l
SC ALRO SA	Temp	7/9/2016 4:29:41 PM	24	gradCels
SC ALRO SA	pH	7/9/2016 4:29:40 PM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 4:24:26 PM	14	mg/l
SC ALRO SA	Clor	7/9/2016 4:24:23 PM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 4:24:22 PM	0	mg/l
SC ALRO SA	Temp	7/9/2016 4:24:21 PM	24	gradCels
SC ALRO SA	pH	7/9/2016 4:24:20 PM	8	unit pH
SC ALRO SA	Clor	7/9/2016 4:18:44 PM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 4:18:43 PM	0	mg/l
SC ALRO SA	Substante organice	7/9/2016 4:18:42 PM	14	mg/l
SC ALRO SA	pH	7/9/2016 4:18:41 PM	8	unit pH
SC ALRO SA	Temp	7/9/2016 4:18:40 PM	24	gradCels
SC ALRO SA	Substante organice	7/9/2016 4:13:26 PM	14	mg/l
SC ALRO SA	Clor	7/9/2016 4:13:23 PM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 4:13:22 PM	0	mg/l
SC ALRO SA	Temp	7/9/2016 4:13:21 PM	24	gradCels
SC ALRO SA	pH	7/9/2016 4:13:20 PM	8	unit pH
SC ALRO SA	Clor	7/9/2016 4:10:26 PM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 4:10:25 PM	0	mg/l
SC ALRO SA	Substante organice	7/9/2016 4:10:24 PM	14	mg/l
SC ALRO SA	Temp	7/9/2016 4:10:23 PM	24	gradCels
SC ALRO SA	pH	7/9/2016 4:10:22 PM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 4:08:27 PM	14	mg/l
SC ALRO SA	Clor	7/9/2016 4:07:43 PM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 4:07:42 PM	0	mg/l
SC ALRO SA	pH	7/9/2016 4:07:41 PM	8	unit pH
SC ALRO SA	Temp	7/9/2016 4:07:40 PM	24	gradCels
SC ALRO SA	Substante organice	7/9/2016 4:02:26 PM	14	mg/l
SC ALRO SA	Clor	7/9/2016 4:02:23 PM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 4:02:22 PM	0	mg/l
SC ALRO SA	Temp	7/9/2016 4:02:21 PM	23	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	7/9/2016 4:02:20 PM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 3:57:27 PM	14	mg/l
SC ALRO SA	Clor	7/9/2016 3:56:43 PM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 3:56:42 PM	0	mg/l
SC ALRO SA	Temp	7/9/2016 3:56:41 PM	23	gradCels
SC ALRO SA	pH	7/9/2016 3:56:40 PM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 3:51:27 PM	14	mg/l
SC ALRO SA	Clor	7/9/2016 3:51:23 PM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 3:51:22 PM	0	mg/l
SC ALRO SA	Temp	7/9/2016 3:51:21 PM	23	gradCels
SC ALRO SA	pH	7/9/2016 3:51:20 PM	8	unit pH
SC ALRO SA	Clor	7/9/2016 3:45:44 PM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 3:45:43 PM	0	mg/l
SC ALRO SA	Substante organice	7/9/2016 3:45:42 PM	14	mg/l
SC ALRO SA	pH	7/9/2016 3:45:41 PM	8	unit pH
SC ALRO SA	Temp	7/9/2016 3:45:40 PM	23	gradCels
SC ALRO SA	Substante organice	7/9/2016 3:40:26 PM	14	mg/l
SC ALRO SA	Clor	7/9/2016 3:40:23 PM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 3:40:22 PM	0	mg/l
SC ALRO SA	Temp	7/9/2016 3:40:21 PM	23	gradCels
SC ALRO SA	pH	7/9/2016 3:40:20 PM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 3:35:42 PM	14	mg/l
SC ALRO SA	Clor	7/9/2016 3:34:43 PM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 3:34:42 PM	0	mg/l
SC ALRO SA	Temp	7/9/2016 3:34:41 PM	23	gradCels
SC ALRO SA	pH	7/9/2016 3:34:40 PM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 3:29:41 PM	14	mg/l
SC ALRO SA	Clor	7/9/2016 3:29:03 PM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 3:29:02 PM	0	mg/l
SC ALRO SA	Temp	7/9/2016 3:29:01 PM	23	gradCels
SC ALRO SA	pH	7/9/2016 3:29:00 PM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 3:24:42 PM	14	mg/l
SC ALRO SA	Clor	7/9/2016 3:23:43 PM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 3:23:42 PM	0	mg/l
SC ALRO SA	Temp	7/9/2016 3:23:41 PM	23	gradCels
SC ALRO SA	pH	7/9/2016 3:23:40 PM	8	unit pH
SC ALRO SA	Clor	7/9/2016 3:18:04 PM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 3:18:03 PM	0	mg/l
SC ALRO SA	Substante organice	7/9/2016 3:18:02 PM	14	mg/l
SC ALRO SA	Temp	7/9/2016 3:18:01 PM	23	gradCels
SC ALRO SA	pH	7/9/2016 3:18:00 PM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 3:13:42 PM	14	mg/l
SC ALRO SA	Clor	7/9/2016 3:12:29 PM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 3:12:28 PM	0	mg/l
SC ALRO SA	Temp	7/9/2016 3:12:27 PM	23	gradCels
SC ALRO SA	pH	7/9/2016 3:12:26 PM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 3:07:42 PM	14	mg/l
SC ALRO SA	Clor	7/9/2016 3:07:03 PM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 3:07:02 PM	0	mg/l
SC ALRO SA	Temp	7/9/2016 3:07:01 PM	23	gradCels
SC ALRO SA	pH	7/9/2016 3:07:00 PM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 3:02:42 PM	14	mg/l
SC ALRO SA	Clor	7/9/2016 3:01:29 PM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 3:01:28 PM	0	mg/l
SC ALRO SA	Temp	7/9/2016 3:01:27 PM	23	gradCels
SC ALRO SA	pH	7/9/2016 3:01:26 PM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 2:56:41 PM	14	mg/l
SC ALRO SA	Clor	7/9/2016 2:56:03 PM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 2:56:02 PM	0	mg/l
SC ALRO SA	pH	7/9/2016 2:56:01 PM	8	unit pH
SC ALRO SA	Temp	7/9/2016 2:56:00 PM	23	gradCels
SC ALRO SA	Substante organice	7/9/2016 2:50:31 PM	14	mg/l
SC ALRO SA	Clor	7/9/2016 2:50:28 PM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 2:50:27 PM	0	mg/l
SC ALRO SA	Temp	7/9/2016 2:50:26 PM	23	gradCels
SC ALRO SA	pH	7/9/2016 2:50:25 PM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Clor	7/9/2016 2:45:04 PM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 2:45:03 PM	0	mg/l
SC ALRO SA	Substante organice	7/9/2016 2:45:02 PM	14	mg/l
SC ALRO SA	Temp	7/9/2016 2:45:01 PM	23	gradCels
SC ALRO SA	pH	7/9/2016 2:45:00 PM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 2:39:25 PM	14	mg/l
SC ALRO SA	Clor	7/9/2016 2:39:23 PM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 2:39:22 PM	0	mg/l
SC ALRO SA	Temp	7/9/2016 2:39:21 PM	23	gradCels
SC ALRO SA	pH	7/9/2016 2:39:20 PM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 2:34:41 PM	14	mg/l
SC ALRO SA	Clor	7/9/2016 2:34:03 PM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 2:34:02 PM	0	mg/l
SC ALRO SA	Temp	7/9/2016 2:34:01 PM	23	gradCels
SC ALRO SA	pH	7/9/2016 2:34:00 PM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 2:28:25 PM	14	mg/l
SC ALRO SA	Clor	7/9/2016 2:28:23 PM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 2:28:22 PM	0	mg/l
SC ALRO SA	Temp	7/9/2016 2:28:21 PM	23	gradCels
SC ALRO SA	pH	7/9/2016 2:28:20 PM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 2:23:28 PM	14	mg/l
SC ALRO SA	Clor	7/9/2016 2:22:48 PM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 2:22:47 PM	0	mg/l
SC ALRO SA	Temp	7/9/2016 2:22:46 PM	23	gradCels
SC ALRO SA	pH	7/9/2016 2:22:45 PM	8	unit pH
SC ALRO SA	Clor	7/9/2016 2:17:24 PM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 2:17:23 PM	0	mg/l
SC ALRO SA	Substante organice	7/9/2016 2:17:22 PM	14	mg/l
SC ALRO SA	Temp	7/9/2016 2:17:21 PM	23	gradCels
SC ALRO SA	pH	7/9/2016 2:17:20 PM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 2:12:29 PM	14	mg/l
SC ALRO SA	Clor	7/9/2016 2:11:47 PM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 2:11:46 PM	0	mg/l
SC ALRO SA	Temp	7/9/2016 2:11:45 PM	23	gradCels
SC ALRO SA	pH	7/9/2016 2:11:44 PM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 2:06:26 PM	14	mg/l
SC ALRO SA	Clor	7/9/2016 2:06:23 PM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 2:06:22 PM	0	mg/l
SC ALRO SA	Temp	7/9/2016 2:06:21 PM	23	gradCels
SC ALRO SA	pH	7/9/2016 2:06:20 PM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 2:01:29 PM	14	mg/l
SC ALRO SA	Clor	7/9/2016 2:00:47 PM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 2:00:46 PM	0	mg/l
SC ALRO SA	Temp	7/9/2016 2:00:45 PM	23	gradCels
SC ALRO SA	pH	7/9/2016 2:00:44 PM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 1:55:25 PM	14	mg/l
SC ALRO SA	Clor	7/9/2016 1:55:23 PM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 1:55:22 PM	0	mg/l
SC ALRO SA	Temp	7/9/2016 1:55:21 PM	23	gradCels
SC ALRO SA	pH	7/9/2016 1:55:20 PM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 1:50:27 PM	14	mg/l
SC ALRO SA	Clor	7/9/2016 1:49:49 PM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 1:49:48 PM	0	mg/l
SC ALRO SA	Temp	7/9/2016 1:49:47 PM	22	gradCels
SC ALRO SA	pH	7/9/2016 1:49:46 PM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 1:44:24 PM	14	mg/l
SC ALRO SA	Clor	7/9/2016 1:44:23 PM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 1:44:22 PM	0	mg/l
SC ALRO SA	Temp	7/9/2016 1:44:21 PM	22	gradCels
SC ALRO SA	pH	7/9/2016 1:44:20 PM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 1:39:27 PM	14	mg/l
SC ALRO SA	Clor	7/9/2016 1:39:03 PM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 1:39:02 PM	0	mg/l
SC ALRO SA	Temp	7/9/2016 1:39:01 PM	22	gradCels
SC ALRO SA	pH	7/9/2016 1:39:00 PM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 1:33:25 PM	14	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Clor	7/9/2016 1:33:23 PM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 1:33:22 PM	0	mg/l
SC ALRO SA	Temp	7/9/2016 1:33:21 PM	22	gradCels
SC ALRO SA	pH	7/9/2016 1:33:20 PM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 1:28:26 PM	14	mg/l
SC ALRO SA	Clor	7/9/2016 1:28:03 PM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 1:28:02 PM	0	mg/l
SC ALRO SA	Temp	7/9/2016 1:28:01 PM	22	gradCels
SC ALRO SA	pH	7/9/2016 1:28:00 PM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 1:22:25 PM	14	mg/l
SC ALRO SA	Clor	7/9/2016 1:22:23 PM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 1:22:22 PM	0	mg/l
SC ALRO SA	Temp	7/9/2016 1:22:21 PM	22	gradCels
SC ALRO SA	pH	7/9/2016 1:22:20 PM	8	unit pH
SC ALRO SA	Clor	7/9/2016 1:17:03 PM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 1:17:02 PM	0	mg/l
SC ALRO SA	Substante organice	7/9/2016 1:17:01 PM	14	mg/l
SC ALRO SA	Temp	7/9/2016 1:17:00 PM	22	gradCels
SC ALRO SA	Substante organice	7/9/2016 1:11:26 PM	14	mg/l
SC ALRO SA	Clor	7/9/2016 1:11:23 PM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 1:11:22 PM	0	mg/l
SC ALRO SA	Temp	7/9/2016 1:11:21 PM	22	gradCels
SC ALRO SA	pH	7/9/2016 1:11:20 PM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 1:06:27 PM	14	mg/l
SC ALRO SA	Clor	7/9/2016 1:05:43 PM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 1:05:42 PM	0	mg/l
SC ALRO SA	Temp	7/9/2016 1:05:41 PM	22	gradCels
SC ALRO SA	pH	7/9/2016 1:05:40 PM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 1:00:26 PM	14	mg/l
SC ALRO SA	Clor	7/9/2016 1:00:23 PM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 1:00:22 PM	0	mg/l
SC ALRO SA	Temp	7/9/2016 1:00:21 PM	22	gradCels
SC ALRO SA	pH	7/9/2016 1:00:20 PM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 12:55:27 PM	14	mg/l
SC ALRO SA	Clor	7/9/2016 12:54:43 PM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 12:54:42 PM	0	mg/l
SC ALRO SA	Temp	7/9/2016 12:54:41 PM	22	gradCels
SC ALRO SA	pH	7/9/2016 12:54:40 PM	8	unit pH
SC ALRO SA	Clor	7/9/2016 12:49:24 PM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 12:49:23 PM	0	mg/l
SC ALRO SA	Substante organice	7/9/2016 12:49:22 PM	14	mg/l
SC ALRO SA	Temp	7/9/2016 12:49:21 PM	22	gradCels
SC ALRO SA	pH	7/9/2016 12:49:20 PM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 12:44:20 PM	14	mg/l
SC ALRO SA	Clor	7/9/2016 12:43:43 PM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 12:43:42 PM	0	mg/l
SC ALRO SA	Temp	7/9/2016 12:43:41 PM	22	gradCels
SC ALRO SA	pH	7/9/2016 12:43:40 PM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 12:38:26 PM	14	mg/l
SC ALRO SA	Clor	7/9/2016 12:38:23 PM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 12:38:22 PM	0	mg/l
SC ALRO SA	Temp	7/9/2016 12:38:21 PM	22	gradCels
SC ALRO SA	pH	7/9/2016 12:38:20 PM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 12:33:20 PM	14	mg/l
SC ALRO SA	Clor	7/9/2016 12:32:43 PM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 12:32:42 PM	0	mg/l
SC ALRO SA	Temp	7/9/2016 12:32:41 PM	22	gradCels
SC ALRO SA	pH	7/9/2016 12:32:40 PM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 12:27:26 PM	14	mg/l
SC ALRO SA	Clor	7/9/2016 12:27:23 PM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 12:27:22 PM	0	mg/l
SC ALRO SA	Temp	7/9/2016 12:27:21 PM	22	gradCels
SC ALRO SA	pH	7/9/2016 12:27:20 PM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 12:22:20 PM	14	mg/l
SC ALRO SA	Clor	7/9/2016 12:21:43 PM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 12:21:42 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	7/9/2016 12:21:41 PM	22	gradCels
SC ALRO SA	pH	7/9/2016 12:21:40 PM	8	unit pH
SC ALRO SA	Clor	7/9/2016 12:16:24 PM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 12:16:23 PM	0	mg/l
SC ALRO SA	Substante organice	7/9/2016 12:16:22 PM	14	mg/l
SC ALRO SA	Temp	7/9/2016 12:16:21 PM	22	gradCels
SC ALRO SA	pH	7/9/2016 12:16:20 PM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 12:11:40 PM	14	mg/l
SC ALRO SA	Clor	7/9/2016 12:10:43 PM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 12:10:42 PM	0	mg/l
SC ALRO SA	Temp	7/9/2016 12:10:41 PM	22	gradCels
SC ALRO SA	pH	7/9/2016 12:10:40 PM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 12:05:27 PM	14	mg/l
SC ALRO SA	Clor	7/9/2016 12:05:24 PM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 12:05:23 PM	0	mg/l
SC ALRO SA	Temp	7/9/2016 12:05:22 PM	22	gradCels
SC ALRO SA	pH	7/9/2016 12:05:21 PM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 12:00:22 PM	14	mg/l
SC ALRO SA	Clor	7/9/2016 11:59:47 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 11:59:46 AM	0	mg/l
SC ALRO SA	Temp	7/9/2016 11:59:45 AM	22	gradCels
SC ALRO SA	pH	7/9/2016 11:59:44 AM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 11:54:30 AM	14	mg/l
SC ALRO SA	Clor	7/9/2016 11:54:27 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 11:54:26 AM	0	mg/l
SC ALRO SA	Temp	7/9/2016 11:54:25 AM	22	gradCels
SC ALRO SA	pH	7/9/2016 11:54:24 AM	8	unit pH
SC ALRO SA	Clor	7/9/2016 11:48:49 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 11:48:48 AM	0	mg/l
SC ALRO SA	Substante organice	7/9/2016 11:48:47 AM	14	mg/l
SC ALRO SA	Temp	7/9/2016 11:48:46 AM	22	gradCels
SC ALRO SA	pH	7/9/2016 11:48:45 AM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 11:44:27 AM	14	mg/l
SC ALRO SA	Clor	7/9/2016 11:43:43 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 11:43:42 AM	0	mg/l
SC ALRO SA	Temp	7/9/2016 11:43:41 AM	22	gradCels
SC ALRO SA	pH	7/9/2016 11:43:40 AM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 11:38:25 AM	14	mg/l
SC ALRO SA	Clor	7/9/2016 11:38:23 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 11:38:22 AM	0	mg/l
SC ALRO SA	Temp	7/9/2016 11:38:21 AM	21	gradCels
SC ALRO SA	pH	7/9/2016 11:38:20 AM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 11:33:27 AM	14	mg/l
SC ALRO SA	Clor	7/9/2016 11:32:43 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 11:32:42 AM	0	mg/l
SC ALRO SA	Temp	7/9/2016 11:32:41 AM	21	gradCels
SC ALRO SA	pH	7/9/2016 11:32:40 AM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 11:27:25 AM	14	mg/l
SC ALRO SA	Clor	7/9/2016 11:27:23 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 11:27:22 AM	0	mg/l
SC ALRO SA	Temp	7/9/2016 11:27:21 AM	21	gradCels
SC ALRO SA	pH	7/9/2016 11:27:20 AM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 11:22:27 AM	14	mg/l
SC ALRO SA	Clor	7/9/2016 11:21:43 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 11:21:42 AM	0	mg/l
SC ALRO SA	Temp	7/9/2016 11:21:41 AM	21	gradCels
SC ALRO SA	pH	7/9/2016 11:21:40 AM	8	unit pH
SC ALRO SA	Clor	7/9/2016 11:16:24 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 11:16:23 AM	0	mg/l
SC ALRO SA	Substante organice	7/9/2016 11:16:22 AM	14	mg/l
SC ALRO SA	Temp	7/9/2016 11:16:21 AM	21	gradCels
SC ALRO SA	pH	7/9/2016 11:16:20 AM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 11:11:27 AM	14	mg/l
SC ALRO SA	Clor	7/9/2016 11:10:43 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 11:10:42 AM	0	mg/l
SC ALRO SA	Temp	7/9/2016 11:10:41 AM	21	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	7/9/2016 11:10:40 AM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 11:05:25 AM	14	mg/l
SC ALRO SA	Clor	7/9/2016 11:05:23 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 11:05:22 AM	0	mg/l
SC ALRO SA	Temp	7/9/2016 11:05:21 AM	21	gradCels
SC ALRO SA	pH	7/9/2016 11:05:20 AM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 11:00:27 AM	14	mg/l
SC ALRO SA	Clor	7/9/2016 10:59:43 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 10:59:42 AM	0	mg/l
SC ALRO SA	Temp	7/9/2016 10:59:41 AM	21	gradCels
SC ALRO SA	pH	7/9/2016 10:59:40 AM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 10:54:25 AM	14	mg/l
SC ALRO SA	Clor	7/9/2016 10:54:23 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 10:54:22 AM	0	mg/l
SC ALRO SA	Temp	7/9/2016 10:54:21 AM	21	gradCels
SC ALRO SA	pH	7/9/2016 10:54:20 AM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 10:49:27 AM	14	mg/l
SC ALRO SA	Clor	7/9/2016 10:48:43 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 10:48:42 AM	0	mg/l
SC ALRO SA	Temp	7/9/2016 10:48:41 AM	21	gradCels
SC ALRO SA	pH	7/9/2016 10:48:40 AM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 10:43:25 AM	14	mg/l
SC ALRO SA	Clor	7/9/2016 10:43:23 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 10:43:22 AM	0	mg/l
SC ALRO SA	Temp	7/9/2016 10:43:21 AM	21	gradCels
SC ALRO SA	pH	7/9/2016 10:43:20 AM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 10:38:27 AM	14	mg/l
SC ALRO SA	Clor	7/9/2016 10:37:43 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 10:37:42 AM	0	mg/l
SC ALRO SA	Temp	7/9/2016 10:37:41 AM	21	gradCels
SC ALRO SA	pH	7/9/2016 10:37:40 AM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 10:32:26 AM	14	mg/l
SC ALRO SA	Clor	7/9/2016 10:32:23 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 10:32:22 AM	0	mg/l
SC ALRO SA	Temp	7/9/2016 10:32:21 AM	21	gradCels
SC ALRO SA	pH	7/9/2016 10:32:20 AM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 10:27:26 AM	14	mg/l
SC ALRO SA	Clor	7/9/2016 10:26:44 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 10:26:43 AM	0	mg/l
SC ALRO SA	Temp	7/9/2016 10:26:42 AM	21	gradCels
SC ALRO SA	pH	7/9/2016 10:26:40 AM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 10:21:22 AM	14	mg/l
SC ALRO SA	Clor	7/9/2016 10:21:03 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 10:21:02 AM	0	mg/l
SC ALRO SA	Temp	7/9/2016 10:21:01 AM	21	gradCels
SC ALRO SA	pH	7/9/2016 10:21:00 AM	8	unit pH
SC ALRO SA	Clor	7/9/2016 10:15:44 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 10:15:43 AM	0	mg/l
SC ALRO SA	Substante organice	7/9/2016 10:15:42 AM	14	mg/l
SC ALRO SA	Temp	7/9/2016 10:15:41 AM	21	gradCels
SC ALRO SA	pH	7/9/2016 10:15:40 AM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 10:10:22 AM	15	mg/l
SC ALRO SA	Clor	7/9/2016 10:10:03 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 10:10:02 AM	0	mg/l
SC ALRO SA	Temp	7/9/2016 10:10:01 AM	21	gradCels
SC ALRO SA	pH	7/9/2016 10:10:00 AM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 10:05:22 AM	15	mg/l
SC ALRO SA	Clor	7/9/2016 10:04:43 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 10:04:42 AM	0	mg/l
SC ALRO SA	Temp	7/9/2016 10:04:41 AM	21	gradCels
SC ALRO SA	pH	7/9/2016 10:04:40 AM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 9:59:22 AM	15	mg/l
SC ALRO SA	Clor	7/9/2016 9:59:03 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 9:59:02 AM	0	mg/l
SC ALRO SA	Temp	7/9/2016 9:59:01 AM	21	gradCels
SC ALRO SA	pH	7/9/2016 9:59:00 AM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	7/9/2016 9:54:22 AM	15	mg/l
SC ALRO SA	Clor	7/9/2016 9:53:43 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 9:53:42 AM	0	mg/l
SC ALRO SA	Temp	7/9/2016 9:53:41 AM	21	gradCels
SC ALRO SA	pH	7/9/2016 9:53:40 AM	8	unit pH
SC ALRO SA	Clor	7/9/2016 9:48:04 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 9:48:03 AM	0	mg/l
SC ALRO SA	Substante organice	7/9/2016 9:48:02 AM	15	mg/l
SC ALRO SA	Temp	7/9/2016 9:48:01 AM	21	gradCels
SC ALRO SA	pH	7/9/2016 9:48:00 AM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 9:43:22 AM	14	mg/l
SC ALRO SA	Clor	7/9/2016 9:42:43 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 9:42:42 AM	0	mg/l
SC ALRO SA	Temp	7/9/2016 9:42:41 AM	21	gradCels
SC ALRO SA	pH	7/9/2016 9:42:40 AM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 9:37:22 AM	14	mg/l
SC ALRO SA	Clor	7/9/2016 9:37:03 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 9:37:02 AM	0	mg/l
SC ALRO SA	Temp	7/9/2016 9:37:01 AM	21	gradCels
SC ALRO SA	pH	7/9/2016 9:37:00 AM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 9:32:22 AM	14	mg/l
SC ALRO SA	Clor	7/9/2016 9:31:43 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 9:31:42 AM	0	mg/l
SC ALRO SA	Temp	7/9/2016 9:31:41 AM	21	gradCels
SC ALRO SA	pH	7/9/2016 9:31:40 AM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 9:26:22 AM	14	mg/l
SC ALRO SA	Clor	7/9/2016 9:26:03 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 9:26:02 AM	0	mg/l
SC ALRO SA	Temp	7/9/2016 9:26:01 AM	21	gradCels
SC ALRO SA	pH	7/9/2016 9:26:00 AM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 9:21:20 AM	14	mg/l
SC ALRO SA	Clor	7/9/2016 9:20:43 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 9:20:42 AM	0	mg/l
SC ALRO SA	Temp	7/9/2016 9:20:41 AM	21	gradCels
SC ALRO SA	pH	7/9/2016 9:20:40 AM	8	unit pH
SC ALRO SA	Clor	7/9/2016 9:15:04 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 9:15:03 AM	0	mg/l
SC ALRO SA	Substante organice	7/9/2016 9:15:02 AM	14	mg/l
SC ALRO SA	pH	7/9/2016 9:15:01 AM	8	unit pH
SC ALRO SA	Temp	7/9/2016 9:15:00 AM	21	gradCels
SC ALRO SA	Substante organice	7/9/2016 9:10:20 AM	14	mg/l
SC ALRO SA	Clor	7/9/2016 9:09:43 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 9:09:42 AM	0	mg/l
SC ALRO SA	pH	7/9/2016 9:09:41 AM	8	unit pH
SC ALRO SA	Temp	7/9/2016 9:09:40 AM	21	gradCels
SC ALRO SA	Substante organice	7/9/2016 9:04:20 AM	14	mg/l
SC ALRO SA	Clor	7/9/2016 9:04:03 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 9:04:02 AM	0	mg/l
SC ALRO SA	Temp	7/9/2016 9:04:01 AM	21	gradCels
SC ALRO SA	pH	7/9/2016 9:04:00 AM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 8:59:27 AM	14	mg/l
SC ALRO SA	Clor	7/9/2016 8:58:32 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 8:58:31 AM	0	mg/l
SC ALRO SA	pH	7/9/2016 8:58:30 AM	8	unit pH
SC ALRO SA	Temp	7/9/2016 8:58:29 AM	21	gradCels
SC ALRO SA	Substante organice	7/9/2016 8:53:22 AM	14	mg/l
SC ALRO SA	Clor	7/9/2016 8:53:07 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 8:53:06 AM	0	mg/l
SC ALRO SA	Temp	7/9/2016 8:53:05 AM	21	gradCels
SC ALRO SA	pH	7/9/2016 8:53:04 AM	8	unit pH
SC ALRO SA	Clor	7/9/2016 8:47:33 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 8:47:32 AM	0	mg/l
SC ALRO SA	Substante organice	7/9/2016 8:47:31 AM	14	mg/l
SC ALRO SA	Temp	7/9/2016 8:47:30 AM	21	gradCels
SC ALRO SA	pH	7/9/2016 8:47:29 AM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 8:42:22 AM	14	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Clor	7/9/2016 8:42:07 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 8:42:06 AM	0	mg/l
SC ALRO SA	Temp	7/9/2016 8:42:05 AM	21	gradCels
SC ALRO SA	pH	7/9/2016 8:42:04 AM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 8:36:32 AM	14	mg/l
SC ALRO SA	Clor	7/9/2016 8:36:27 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 8:36:26 AM	0	mg/l
SC ALRO SA	Temp	7/9/2016 8:36:25 AM	21	gradCels
SC ALRO SA	pH	7/9/2016 8:36:24 AM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 8:31:22 AM	14	mg/l
SC ALRO SA	Clor	7/9/2016 8:31:07 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 8:31:06 AM	0	mg/l
SC ALRO SA	Temp	7/9/2016 8:31:05 AM	21	gradCels
SC ALRO SA	pH	7/9/2016 8:31:04 AM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 8:25:33 AM	14	mg/l
SC ALRO SA	Clor	7/9/2016 8:25:27 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 8:25:26 AM	0	mg/l
SC ALRO SA	pH	7/9/2016 8:25:25 AM	8	unit pH
SC ALRO SA	Temp	7/9/2016 8:25:24 AM	21	gradCels
SC ALRO SA	Clor	7/9/2016 8:20:24 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 8:20:23 AM	0	mg/l
SC ALRO SA	Substante organice	7/9/2016 8:20:22 AM	14	mg/l
SC ALRO SA	Temp	7/9/2016 8:20:21 AM	21	gradCels
SC ALRO SA	pH	7/9/2016 8:20:20 AM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 8:15:27 AM	14	mg/l
SC ALRO SA	Clor	7/9/2016 8:15:03 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 8:15:02 AM	0	mg/l
SC ALRO SA	Temp	7/9/2016 8:15:01 AM	21	gradCels
SC ALRO SA	pH	7/9/2016 8:15:00 AM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 8:09:27 AM	14	mg/l
SC ALRO SA	Clor	7/9/2016 8:09:23 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 8:09:22 AM	0	mg/l
SC ALRO SA	Temp	7/9/2016 8:09:21 AM	21	gradCels
SC ALRO SA	pH	7/9/2016 8:09:20 AM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 8:04:27 AM	14	mg/l
SC ALRO SA	Clor	7/9/2016 8:04:03 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 8:04:02 AM	0	mg/l
SC ALRO SA	pH	7/9/2016 8:04:01 AM	8	unit pH
SC ALRO SA	Temp	7/9/2016 8:04:00 AM	21	gradCels
SC ALRO SA	Substante organice	7/9/2016 7:58:26 AM	14	mg/l
SC ALRO SA	Clor	7/9/2016 7:58:23 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 7:58:22 AM	0	mg/l
SC ALRO SA	Temp	7/9/2016 7:58:21 AM	21	gradCels
SC ALRO SA	pH	7/9/2016 7:58:20 AM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 7:53:27 AM	14	mg/l
SC ALRO SA	Clor	7/9/2016 7:52:43 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 7:52:42 AM	0	mg/l
SC ALRO SA	Temp	7/9/2016 7:52:41 AM	21	gradCels
SC ALRO SA	pH	7/9/2016 7:52:40 AM	8	unit pH
SC ALRO SA	Clor	7/9/2016 7:47:24 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 7:47:23 AM	0	mg/l
SC ALRO SA	Substante organice	7/9/2016 7:47:22 AM	14	mg/l
SC ALRO SA	Temp	7/9/2016 7:47:21 AM	21	gradCels
SC ALRO SA	pH	7/9/2016 7:47:20 AM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 7:42:27 AM	14	mg/l
SC ALRO SA	Clor	7/9/2016 7:41:43 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 7:41:42 AM	0	mg/l
SC ALRO SA	Temp	7/9/2016 7:41:41 AM	21	gradCels
SC ALRO SA	pH	7/9/2016 7:41:40 AM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 7:36:26 AM	14	mg/l
SC ALRO SA	Clor	7/9/2016 7:36:23 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 7:36:22 AM	0	mg/l
SC ALRO SA	Temp	7/9/2016 7:36:21 AM	21	gradCels
SC ALRO SA	pH	7/9/2016 7:36:20 AM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 7:31:28 AM	14	mg/l
SC ALRO SA	Clor	7/9/2016 7:30:43 AM	0	mg/l



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Grasimi	7/9/2016 7:30:42 AM	0	mg/l
SC ALRO SA	Temp	7/9/2016 7:30:41 AM	21	gradCels
SC ALRO SA	pH	7/9/2016 7:30:40 AM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 7:25:27 AM	14	mg/l
SC ALRO SA	Clor	7/9/2016 7:25:23 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 7:25:22 AM	0	mg/l
SC ALRO SA	Temp	7/9/2016 7:25:21 AM	21	gradCels
SC ALRO SA	pH	7/9/2016 7:25:20 AM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 7:20:27 AM	14	mg/l
SC ALRO SA	Clor	7/9/2016 7:19:43 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 7:19:42 AM	0	mg/l
SC ALRO SA	Temp	7/9/2016 7:19:41 AM	21	gradCels
SC ALRO SA	pH	7/9/2016 7:19:40 AM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 7:15:22 AM	14	mg/l
SC ALRO SA	Clor	7/9/2016 7:14:43 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 7:14:42 AM	0	mg/l
SC ALRO SA	Temp	7/9/2016 7:14:41 AM	21	gradCels
SC ALRO SA	pH	7/9/2016 7:14:40 AM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 7:11:20 AM	14	mg/l
SC ALRO SA	Clor	7/9/2016 7:09:43 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 7:09:42 AM	0	mg/l
SC ALRO SA	Temp	7/9/2016 7:09:41 AM	21	gradCels
SC ALRO SA	pH	7/9/2016 7:09:40 AM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 7:04:27 AM	14	mg/l
SC ALRO SA	Clor	7/9/2016 7:04:23 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 7:04:22 AM	0	mg/l
SC ALRO SA	Temp	7/9/2016 7:04:21 AM	22	gradCels
SC ALRO SA	pH	7/9/2016 7:04:20 AM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 7:00:23 AM	14	mg/l
SC ALRO SA	Clor	7/9/2016 6:58:43 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 6:58:42 AM	0	mg/l
SC ALRO SA	Temp	7/9/2016 6:58:41 AM	22	gradCels
SC ALRO SA	pH	7/9/2016 6:58:40 AM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 6:53:26 AM	14	mg/l
SC ALRO SA	Clor	7/9/2016 6:53:23 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 6:53:22 AM	0	mg/l
SC ALRO SA	Temp	7/9/2016 6:53:21 AM	22	gradCels
SC ALRO SA	pH	7/9/2016 6:53:20 AM	8	unit pH
SC ALRO SA	Clor	7/9/2016 6:47:44 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 6:47:43 AM	0	mg/l
SC ALRO SA	Substante organice	7/9/2016 6:47:42 AM	14	mg/l
SC ALRO SA	Temp	7/9/2016 6:47:41 AM	22	gradCels
SC ALRO SA	pH	7/9/2016 6:47:40 AM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 6:42:31 AM	14	mg/l
SC ALRO SA	Clor	7/9/2016 6:42:23 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 6:42:22 AM	0	mg/l
SC ALRO SA	Temp	7/9/2016 6:42:21 AM	22	gradCels
SC ALRO SA	pH	7/9/2016 6:42:20 AM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 6:38:22 AM	14	mg/l
SC ALRO SA	Clor	7/9/2016 6:36:48 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 6:36:47 AM	0	mg/l
SC ALRO SA	Temp	7/9/2016 6:36:46 AM	22	gradCels
SC ALRO SA	pH	7/9/2016 6:36:45 AM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 6:31:32 AM	14	mg/l
SC ALRO SA	Clor	7/9/2016 6:31:28 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 6:31:27 AM	0	mg/l
SC ALRO SA	Temp	7/9/2016 6:31:26 AM	22	gradCels
SC ALRO SA	pH	7/9/2016 6:31:25 AM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 6:27:29 AM	14	mg/l
SC ALRO SA	Clor	7/9/2016 6:25:48 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 6:25:47 AM	0	mg/l
SC ALRO SA	pH	7/9/2016 6:25:46 AM	8	unit pH
SC ALRO SA	Temp	7/9/2016 6:25:45 AM	22	gradCels
SC ALRO SA	Substante organice	7/9/2016 6:20:32 AM	14	mg/l
SC ALRO SA	Clor	7/9/2016 6:20:28 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 6:20:27 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	7/9/2016 6:20:26 AM	22	gradCels
SC ALRO SA	pH	7/9/2016 6:20:25 AM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 6:16:21 AM	14	mg/l
SC ALRO SA	Clor	7/9/2016 6:14:49 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 6:14:48 AM	0	mg/l
SC ALRO SA	pH	7/9/2016 6:14:47 AM	8	unit pH
SC ALRO SA	Temp	7/9/2016 6:14:46 AM	22	gradCels
SC ALRO SA	Substante organice	7/9/2016 6:09:32 AM	14	mg/l
SC ALRO SA	Clor	7/9/2016 6:09:29 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 6:09:28 AM	0	mg/l
SC ALRO SA	Temp	7/9/2016 6:09:27 AM	22	gradCels
SC ALRO SA	pH	7/9/2016 6:09:26 AM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 6:05:22 AM	14	mg/l
SC ALRO SA	Clor	7/9/2016 6:03:48 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 6:03:47 AM	0	mg/l
SC ALRO SA	Temp	7/9/2016 6:03:46 AM	22	gradCels
SC ALRO SA	pH	7/9/2016 6:03:45 AM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 5:58:31 AM	14	mg/l
SC ALRO SA	Clor	7/9/2016 5:58:28 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 5:58:27 AM	0	mg/l
SC ALRO SA	Temp	7/9/2016 5:58:26 AM	22	gradCels
SC ALRO SA	pH	7/9/2016 5:58:25 AM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 5:54:22 AM	14	mg/l
SC ALRO SA	Clor	7/9/2016 5:52:48 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 5:52:47 AM	0	mg/l
SC ALRO SA	Temp	7/9/2016 5:52:46 AM	22	gradCels
SC ALRO SA	pH	7/9/2016 5:52:45 AM	8	unit pH
SC ALRO SA	Clor	7/9/2016 5:47:29 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 5:47:28 AM	0	mg/l
SC ALRO SA	Substante organice	7/9/2016 5:47:27 AM	14	mg/l
SC ALRO SA	pH	7/9/2016 5:47:26 AM	8	unit pH
SC ALRO SA	Temp	7/9/2016 5:47:25 AM	22	gradCels
SC ALRO SA	Substante organice	7/9/2016 5:43:02 AM	14	mg/l
SC ALRO SA	Clor	7/9/2016 5:41:48 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 5:41:47 AM	0	mg/l
SC ALRO SA	Temp	7/9/2016 5:41:46 AM	22	gradCels
SC ALRO SA	pH	7/9/2016 5:41:45 AM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 5:36:31 AM	14	mg/l
SC ALRO SA	Clor	7/9/2016 5:36:28 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 5:36:27 AM	0	mg/l
SC ALRO SA	Temp	7/9/2016 5:36:26 AM	22	gradCels
SC ALRO SA	pH	7/9/2016 5:36:25 AM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 5:32:02 AM	14	mg/l
SC ALRO SA	Clor	7/9/2016 5:30:48 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 5:30:47 AM	0	mg/l
SC ALRO SA	pH	7/9/2016 5:30:46 AM	8	unit pH
SC ALRO SA	Temp	7/9/2016 5:30:45 AM	22	gradCels
SC ALRO SA	Substante organice	7/9/2016 5:25:31 AM	14	mg/l
SC ALRO SA	Clor	7/9/2016 5:25:28 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 5:25:27 AM	0	mg/l
SC ALRO SA	Temp	7/9/2016 5:25:26 AM	22	gradCels
SC ALRO SA	pH	7/9/2016 5:25:25 AM	8	unit pH
SC ALRO SA	Clor	7/9/2016 5:19:49 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 5:19:48 AM	0	mg/l
SC ALRO SA	Substante organice	7/9/2016 5:19:47 AM	14	mg/l
SC ALRO SA	pH	7/9/2016 5:19:46 AM	8	unit pH
SC ALRO SA	Temp	7/9/2016 5:19:45 AM	22	gradCels
SC ALRO SA	Substante organice	7/9/2016 5:14:22 AM	14	mg/l
SC ALRO SA	Clor	7/9/2016 5:14:03 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 5:14:02 AM	0	mg/l
SC ALRO SA	Temp	7/9/2016 5:14:01 AM	22	gradCels
SC ALRO SA	pH	7/9/2016 5:14:00 AM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 5:10:02 AM	14	mg/l
SC ALRO SA	Clor	7/9/2016 5:08:43 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 5:08:42 AM	0	mg/l
SC ALRO SA	Temp	7/9/2016 5:08:41 AM	22	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	7/9/2016 5:08:40 AM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 5:03:21 AM	14	mg/l
SC ALRO SA	Clor	7/9/2016 5:03:03 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 5:03:02 AM	0	mg/l
SC ALRO SA	Temp	7/9/2016 5:03:01 AM	22	gradCels
SC ALRO SA	pH	7/9/2016 5:03:00 AM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 4:59:05 AM	14	mg/l
SC ALRO SA	Clor	7/9/2016 4:57:43 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 4:57:42 AM	0	mg/l
SC ALRO SA	pH	7/9/2016 4:57:41 AM	8	unit pH
SC ALRO SA	Temp	7/9/2016 4:57:40 AM	22	gradCels
SC ALRO SA	Substante organice	7/9/2016 4:52:21 AM	14	mg/l
SC ALRO SA	Clor	7/9/2016 4:52:03 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 4:52:02 AM	0	mg/l
SC ALRO SA	Temp	7/9/2016 4:52:01 AM	22	gradCels
SC ALRO SA	pH	7/9/2016 4:52:00 AM	8	unit pH
SC ALRO SA	Clor	7/9/2016 4:46:44 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 4:46:43 AM	0	mg/l
SC ALRO SA	Substante organice	7/9/2016 4:46:42 AM	14	mg/l
SC ALRO SA	Temp	7/9/2016 4:46:41 AM	23	gradCels
SC ALRO SA	pH	7/9/2016 4:46:40 AM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 4:41:21 AM	14	mg/l
SC ALRO SA	Clor	7/9/2016 4:41:03 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 4:41:02 AM	0	mg/l
SC ALRO SA	Temp	7/9/2016 4:41:01 AM	23	gradCels
SC ALRO SA	pH	7/9/2016 4:41:00 AM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 4:37:02 AM	14	mg/l
SC ALRO SA	Clor	7/9/2016 4:35:43 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 4:35:42 AM	0	mg/l
SC ALRO SA	Temp	7/9/2016 4:35:41 AM	23	gradCels
SC ALRO SA	pH	7/9/2016 4:35:40 AM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 4:30:23 AM	14	mg/l
SC ALRO SA	Clor	7/9/2016 4:30:03 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 4:30:02 AM	0	mg/l
SC ALRO SA	Temp	7/9/2016 4:30:01 AM	23	gradCels
SC ALRO SA	pH	7/9/2016 4:30:00 AM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 4:26:05 AM	14	mg/l
SC ALRO SA	Clor	7/9/2016 4:24:43 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 4:24:42 AM	0	mg/l
SC ALRO SA	Temp	7/9/2016 4:24:41 AM	23	gradCels
SC ALRO SA	pH	7/9/2016 4:24:40 AM	8	unit pH
SC ALRO SA	Clor	7/9/2016 4:19:04 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 4:19:03 AM	0	mg/l
SC ALRO SA	Substante organice	7/9/2016 4:19:02 AM	14	mg/l
SC ALRO SA	Temp	7/9/2016 4:19:01 AM	23	gradCels
SC ALRO SA	pH	7/9/2016 4:19:00 AM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 4:15:02 AM	14	mg/l
SC ALRO SA	Clor	7/9/2016 4:13:43 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 4:13:42 AM	0	mg/l
SC ALRO SA	Temp	7/9/2016 4:13:41 AM	23	gradCels
SC ALRO SA	pH	7/9/2016 4:13:40 AM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 4:08:22 AM	14	mg/l
SC ALRO SA	Clor	7/9/2016 4:08:08 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 4:08:07 AM	0	mg/l
SC ALRO SA	Temp	7/9/2016 4:08:06 AM	23	gradCels
SC ALRO SA	pH	7/9/2016 4:08:05 AM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 4:04:02 AM	14	mg/l
SC ALRO SA	Clor	7/9/2016 4:02:43 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 4:02:42 AM	0	mg/l
SC ALRO SA	Temp	7/9/2016 4:02:41 AM	23	gradCels
SC ALRO SA	pH	7/9/2016 4:02:40 AM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 3:57:22 AM	14	mg/l
SC ALRO SA	Clor	7/9/2016 3:57:08 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 3:57:07 AM	0	mg/l
SC ALRO SA	Temp	7/9/2016 3:57:06 AM	23	gradCels
SC ALRO SA	pH	7/9/2016 3:57:05 AM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	7/9/2016 3:52:42 AM	14	mg/l
SC ALRO SA	Clor	7/9/2016 3:51:43 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 3:51:42 AM	0	mg/l
SC ALRO SA	Temp	7/9/2016 3:51:41 AM	23	gradCels
SC ALRO SA	pH	7/9/2016 3:51:40 AM	8	unit pH
SC ALRO SA	Clor	7/9/2016 3:46:09 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 3:46:08 AM	0	mg/l
SC ALRO SA	Substante organice	7/9/2016 3:46:07 AM	14	mg/l
SC ALRO SA	Temp	7/9/2016 3:46:06 AM	23	gradCels
SC ALRO SA	pH	7/9/2016 3:46:05 AM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 3:41:43 AM	14	mg/l
SC ALRO SA	Clor	7/9/2016 3:40:43 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 3:40:42 AM	0	mg/l
SC ALRO SA	Temp	7/9/2016 3:40:41 AM	23	gradCels
SC ALRO SA	pH	7/9/2016 3:40:40 AM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 3:36:21 AM	14	mg/l
SC ALRO SA	Clor	7/9/2016 3:35:08 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 3:35:07 AM	0	mg/l
SC ALRO SA	Temp	7/9/2016 3:35:06 AM	23	gradCels
SC ALRO SA	pH	7/9/2016 3:35:05 AM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 3:31:04 AM	14	mg/l
SC ALRO SA	Clor	7/9/2016 3:29:23 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 3:29:22 AM	0	mg/l
SC ALRO SA	Temp	7/9/2016 3:29:21 AM	23	gradCels
SC ALRO SA	pH	7/9/2016 3:29:20 AM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 3:25:02 AM	14	mg/l
SC ALRO SA	Clor	7/9/2016 3:24:03 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 3:24:02 AM	0	mg/l
SC ALRO SA	Temp	7/9/2016 3:24:01 AM	23	gradCels
SC ALRO SA	pH	7/9/2016 3:24:00 AM	8	unit pH
SC ALRO SA	Clor	7/9/2016 3:18:24 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 3:18:23 AM	0	mg/l
SC ALRO SA	Substante organice	7/9/2016 3:18:22 AM	14	mg/l
SC ALRO SA	Temp	7/9/2016 3:18:21 AM	23	gradCels
SC ALRO SA	pH	7/9/2016 3:18:20 AM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 3:14:22 AM	14	mg/l
SC ALRO SA	Clor	7/9/2016 3:13:08 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 3:13:07 AM	0	mg/l
SC ALRO SA	Temp	7/9/2016 3:13:06 AM	23	gradCels
SC ALRO SA	pH	7/9/2016 3:13:05 AM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 3:08:43 AM	14	mg/l
SC ALRO SA	Clor	7/9/2016 3:07:23 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 3:07:22 AM	0	mg/l
SC ALRO SA	Temp	7/9/2016 3:07:21 AM	23	gradCels
SC ALRO SA	pH	7/9/2016 3:07:20 AM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 3:03:01 AM	14	mg/l
SC ALRO SA	Clor	7/9/2016 3:02:08 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 3:02:07 AM	0	mg/l
SC ALRO SA	Temp	7/9/2016 3:02:06 AM	23	gradCels
SC ALRO SA	pH	7/9/2016 3:02:05 AM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 2:56:31 AM	14	mg/l
SC ALRO SA	Clor	7/9/2016 2:56:23 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 2:56:22 AM	0	mg/l
SC ALRO SA	Temp	7/9/2016 2:56:21 AM	23	gradCels
SC ALRO SA	pH	7/9/2016 2:56:20 AM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 2:52:03 AM	14	mg/l
SC ALRO SA	Clor	7/9/2016 2:51:08 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 2:51:07 AM	0	mg/l
SC ALRO SA	Temp	7/9/2016 2:51:06 AM	23	gradCels
SC ALRO SA	pH	7/9/2016 2:51:05 AM	8	unit pH
SC ALRO SA	Clor	7/9/2016 2:45:24 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 2:45:23 AM	0	mg/l
SC ALRO SA	Temp	7/9/2016 2:45:22 AM	23	gradCels
SC ALRO SA	Substante organice	7/9/2016 2:45:21 AM	14	mg/l
SC ALRO SA	pH	7/9/2016 2:45:20 AM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 2:41:02 AM	14	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Clor	7/9/2016 2:40:08 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 2:40:07 AM	0	mg/l
SC ALRO SA	pH	7/9/2016 2:40:06 AM	8	unit pH
SC ALRO SA	Temp	7/9/2016 2:40:05 AM	23	gradCels
SC ALRO SA	Substante organice	7/9/2016 2:34:31 AM	14	mg/l
SC ALRO SA	Clor	7/9/2016 2:34:23 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 2:34:22 AM	0	mg/l
SC ALRO SA	Temp	7/9/2016 2:34:21 AM	23	gradCels
SC ALRO SA	pH	7/9/2016 2:34:20 AM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 2:30:05 AM	14	mg/l
SC ALRO SA	Clor	7/9/2016 2:29:08 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 2:29:07 AM	0	mg/l
SC ALRO SA	Temp	7/9/2016 2:29:06 AM	23	gradCels
SC ALRO SA	pH	7/9/2016 2:29:05 AM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 2:23:31 AM	14	mg/l
SC ALRO SA	Clor	7/9/2016 2:23:23 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 2:23:22 AM	0	mg/l
SC ALRO SA	Temp	7/9/2016 2:23:21 AM	23	gradCels
SC ALRO SA	pH	7/9/2016 2:23:20 AM	8	unit pH
SC ALRO SA	Clor	7/9/2016 2:17:44 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 2:17:43 AM	0	mg/l
SC ALRO SA	Substante organice	7/9/2016 2:17:42 AM	14	mg/l
SC ALRO SA	Temp	7/9/2016 2:17:41 AM	24	gradCels
SC ALRO SA	pH	7/9/2016 2:17:40 AM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 2:12:31 AM	14	mg/l
SC ALRO SA	Clor	7/9/2016 2:12:23 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 2:12:22 AM	0	mg/l
SC ALRO SA	Temp	7/9/2016 2:12:21 AM	24	gradCels
SC ALRO SA	pH	7/9/2016 2:12:20 AM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 2:07:22 AM	14	mg/l
SC ALRO SA	Clor	7/9/2016 2:06:43 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 2:06:42 AM	0	mg/l
SC ALRO SA	Temp	7/9/2016 2:06:41 AM	24	gradCels
SC ALRO SA	pH	7/9/2016 2:06:40 AM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 2:01:31 AM	14	mg/l
SC ALRO SA	Clor	7/9/2016 2:01:23 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 2:01:22 AM	0	mg/l
SC ALRO SA	Temp	7/9/2016 2:01:21 AM	24	gradCels
SC ALRO SA	pH	7/9/2016 2:01:20 AM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 1:56:22 AM	14	mg/l
SC ALRO SA	Clor	7/9/2016 1:55:43 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 1:55:42 AM	0	mg/l
SC ALRO SA	Temp	7/9/2016 1:55:41 AM	24	gradCels
SC ALRO SA	pH	7/9/2016 1:55:40 AM	8	unit pH
SC ALRO SA	Clor	7/9/2016 1:50:24 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 1:50:23 AM	0	mg/l
SC ALRO SA	Substante organice	7/9/2016 1:50:22 AM	14	mg/l
SC ALRO SA	Temp	7/9/2016 1:50:21 AM	24	gradCels
SC ALRO SA	pH	7/9/2016 1:50:20 AM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 1:45:22 AM	13	mg/l
SC ALRO SA	Clor	7/9/2016 1:44:43 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 1:44:42 AM	0	mg/l
SC ALRO SA	Temp	7/9/2016 1:44:41 AM	24	gradCels
SC ALRO SA	pH	7/9/2016 1:44:40 AM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 1:39:32 AM	13	mg/l
SC ALRO SA	Clor	7/9/2016 1:39:23 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 1:39:22 AM	0	mg/l
SC ALRO SA	Temp	7/9/2016 1:39:21 AM	24	gradCels
SC ALRO SA	pH	7/9/2016 1:39:20 AM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 1:34:22 AM	13	mg/l
SC ALRO SA	Clor	7/9/2016 1:33:43 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 1:33:42 AM	0	mg/l
SC ALRO SA	Temp	7/9/2016 1:33:41 AM	24	gradCels
SC ALRO SA	pH	7/9/2016 1:33:40 AM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 1:28:31 AM	13	mg/l
SC ALRO SA	Clor	7/9/2016 1:28:23 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Grasimi	7/9/2016 1:28:22 AM	0	mg/l
SC ALRO SA	Temp	7/9/2016 1:28:21 AM	24	gradCels
SC ALRO SA	pH	7/9/2016 1:28:20 AM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 1:23:22 AM	13	mg/l
SC ALRO SA	Clor	7/9/2016 1:22:43 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 1:22:42 AM	0	mg/l
SC ALRO SA	Temp	7/9/2016 1:22:41 AM	24	gradCels
SC ALRO SA	pH	7/9/2016 1:22:40 AM	8	unit pH
SC ALRO SA	Clor	7/9/2016 1:17:24 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 1:17:23 AM	0	mg/l
SC ALRO SA	Substante organice	7/9/2016 1:17:22 AM	13	mg/l
SC ALRO SA	pH	7/9/2016 1:17:21 AM	8	unit pH
SC ALRO SA	Temp	7/9/2016 1:17:20 AM	24	gradCels
SC ALRO SA	Substante organice	7/9/2016 1:12:22 AM	13	mg/l
SC ALRO SA	Clor	7/9/2016 1:11:43 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 1:11:42 AM	0	mg/l
SC ALRO SA	Temp	7/9/2016 1:11:41 AM	24	gradCels
SC ALRO SA	pH	7/9/2016 1:11:40 AM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 1:06:32 AM	13	mg/l
SC ALRO SA	Clor	7/9/2016 1:06:28 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 1:06:27 AM	0	mg/l
SC ALRO SA	pH	7/9/2016 1:06:26 AM	8	unit pH
SC ALRO SA	Temp	7/9/2016 1:06:25 AM	24	gradCels
SC ALRO SA	Substante organice	7/9/2016 1:01:22 AM	13	mg/l
SC ALRO SA	Clor	7/9/2016 1:00:48 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 1:00:47 AM	0	mg/l
SC ALRO SA	Temp	7/9/2016 1:00:46 AM	24	gradCels
SC ALRO SA	pH	7/9/2016 1:00:45 AM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 12:55:32 AM	13	mg/l
SC ALRO SA	Clor	7/9/2016 12:55:27 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 12:55:26 AM	0	mg/l
SC ALRO SA	Temp	7/9/2016 12:55:25 AM	24	gradCels
SC ALRO SA	pH	7/9/2016 12:55:24 AM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 12:50:22 AM	13	mg/l
SC ALRO SA	Clor	7/9/2016 12:49:48 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 12:49:47 AM	0	mg/l
SC ALRO SA	Temp	7/9/2016 12:49:46 AM	24	gradCels
SC ALRO SA	pH	7/9/2016 12:49:45 AM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 12:44:32 AM	13	mg/l
SC ALRO SA	Clor	7/9/2016 12:44:29 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 12:44:28 AM	0	mg/l
SC ALRO SA	Temp	7/9/2016 12:44:27 AM	24	gradCels
SC ALRO SA	pH	7/9/2016 12:44:26 AM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 12:39:22 AM	13	mg/l
SC ALRO SA	Clor	7/9/2016 12:38:48 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 12:38:47 AM	0	mg/l
SC ALRO SA	Temp	7/9/2016 12:38:46 AM	24	gradCels
SC ALRO SA	pH	7/9/2016 12:38:45 AM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 12:33:32 AM	13	mg/l
SC ALRO SA	Clor	7/9/2016 12:33:28 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 12:33:27 AM	0	mg/l
SC ALRO SA	Temp	7/9/2016 12:33:26 AM	24	gradCels
SC ALRO SA	pH	7/9/2016 12:33:25 AM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 12:28:23 AM	13	mg/l
SC ALRO SA	Clor	7/9/2016 12:27:47 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 12:27:46 AM	0	mg/l
SC ALRO SA	pH	7/9/2016 12:27:45 AM	8	unit pH
SC ALRO SA	Temp	7/9/2016 12:27:44 AM	24	gradCels
SC ALRO SA	Substante organice	7/9/2016 12:22:32 AM	13	mg/l
SC ALRO SA	Clor	7/9/2016 12:22:28 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 12:22:27 AM	0	mg/l
SC ALRO SA	pH	7/9/2016 12:22:26 AM	8	unit pH
SC ALRO SA	Temp	7/9/2016 12:22:25 AM	24	gradCels
SC ALRO SA	Clor	7/9/2016 12:16:49 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 12:16:48 AM	0	mg/l
SC ALRO SA	Temp	7/9/2016 12:16:47 AM	24	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	7/9/2016 12:16:46 AM	13	mg/l
SC ALRO SA	pH	7/9/2016 12:16:45 AM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 12:11:32 AM	13	mg/l
SC ALRO SA	Clor	7/9/2016 12:11:28 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 12:11:27 AM	0	mg/l
SC ALRO SA	Temp	7/9/2016 12:11:26 AM	24	gradCels
SC ALRO SA	pH	7/9/2016 12:11:25 AM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 12:06:23 AM	13	mg/l
SC ALRO SA	Clor	7/9/2016 12:05:47 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 12:05:46 AM	0	mg/l
SC ALRO SA	Temp	7/9/2016 12:05:45 AM	24	gradCels
SC ALRO SA	pH	7/9/2016 12:05:44 AM	8	unit pH
SC ALRO SA	Substante organice	7/9/2016 12:00:32 AM	13	mg/l
SC ALRO SA	Clor	7/9/2016 12:00:28 AM	0	mg/l
SC ALRO SA	Grasimi	7/9/2016 12:00:27 AM	0	mg/l
SC ALRO SA	pH	7/9/2016 12:00:26 AM	8	unit pH
SC ALRO SA	Temp	7/9/2016 12:00:25 AM	24	gradCels
SC ALRO SA	Substante organice	7/8/2016 11:55:22 PM	13	mg/l
SC ALRO SA	Clor	7/8/2016 11:54:48 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 11:54:47 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 11:54:46 PM	24	gradCels
SC ALRO SA	pH	7/8/2016 11:54:45 PM	8	unit pH
SC ALRO SA	Clor	7/8/2016 11:49:29 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 11:49:28 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 11:49:27 PM	24	gradCels
SC ALRO SA	Substante organice	7/8/2016 11:49:26 PM	13	mg/l
SC ALRO SA	pH	7/8/2016 11:49:25 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 11:44:22 PM	13	mg/l
SC ALRO SA	Clor	7/8/2016 11:43:48 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 11:43:47 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 11:43:46 PM	24	gradCels
SC ALRO SA	pH	7/8/2016 11:43:45 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 11:38:22 PM	13	mg/l
SC ALRO SA	Clor	7/8/2016 11:38:08 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 11:38:07 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 11:38:06 PM	24	gradCels
SC ALRO SA	pH	7/8/2016 11:38:05 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 11:33:26 PM	13	mg/l
SC ALRO SA	Clor	7/8/2016 11:32:48 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 11:32:47 PM	0	mg/l
SC ALRO SA	pH	7/8/2016 11:32:46 PM	8	unit pH
SC ALRO SA	Temp	7/8/2016 11:32:45 PM	24	gradCels
SC ALRO SA	Substante organice	7/8/2016 11:27:22 PM	13	mg/l
SC ALRO SA	Clor	7/8/2016 11:27:08 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 11:27:07 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 11:27:06 PM	24	gradCels
SC ALRO SA	pH	7/8/2016 11:27:05 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 11:22:26 PM	13	mg/l
SC ALRO SA	Clor	7/8/2016 11:21:48 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 11:21:47 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 11:21:46 PM	24	gradCels
SC ALRO SA	pH	7/8/2016 11:21:45 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 11:16:22 PM	13	mg/l
SC ALRO SA	Clor	7/8/2016 11:16:08 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 11:16:07 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 11:16:06 PM	24	gradCels
SC ALRO SA	pH	7/8/2016 11:16:05 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 11:11:26 PM	13	mg/l
SC ALRO SA	Clor	7/8/2016 11:10:48 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 11:10:47 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 11:10:46 PM	24	gradCels
SC ALRO SA	pH	7/8/2016 11:10:45 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 11:05:22 PM	13	mg/l
SC ALRO SA	Clor	7/8/2016 11:05:08 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 11:05:07 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 11:05:06 PM	24	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	7/8/2016 11:05:05 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 11:00:28 PM	13	mg/l
SC ALRO SA	Clor	7/8/2016 10:59:48 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 10:59:47 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 10:59:46 PM	24	gradCels
SC ALRO SA	pH	7/8/2016 10:59:45 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 10:54:22 PM	13	mg/l
SC ALRO SA	Clor	7/8/2016 10:54:08 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 10:54:07 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 10:54:06 PM	24	gradCels
SC ALRO SA	pH	7/8/2016 10:54:05 PM	8	unit pH
SC ALRO SA	Clor	7/8/2016 10:48:50 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 10:48:49 PM	0	mg/l
SC ALRO SA	Substante organice	7/8/2016 10:48:48 PM	13	mg/l
SC ALRO SA	Temp	7/8/2016 10:48:47 PM	25	gradCels
SC ALRO SA	pH	7/8/2016 10:48:46 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 10:43:22 PM	13	mg/l
SC ALRO SA	Clor	7/8/2016 10:43:08 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 10:43:07 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 10:43:06 PM	25	gradCels
SC ALRO SA	pH	7/8/2016 10:43:05 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 10:39:22 PM	13	mg/l
SC ALRO SA	Clor	7/8/2016 10:37:49 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 10:37:48 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 10:37:47 PM	25	gradCels
SC ALRO SA	pH	7/8/2016 10:37:46 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 10:32:23 PM	13	mg/l
SC ALRO SA	Clor	7/8/2016 10:32:07 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 10:32:06 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 10:32:05 PM	25	gradCels
SC ALRO SA	pH	7/8/2016 10:32:04 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 10:28:22 PM	13	mg/l
SC ALRO SA	Clor	7/8/2016 10:26:43 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 10:26:42 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 10:26:41 PM	25	gradCels
SC ALRO SA	pH	7/8/2016 10:26:40 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 10:21:20 PM	13	mg/l
SC ALRO SA	Clor	7/8/2016 10:21:03 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 10:21:02 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 10:21:01 PM	25	gradCels
SC ALRO SA	pH	7/8/2016 10:21:00 PM	8	unit pH
SC ALRO SA	Clor	7/8/2016 10:15:44 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 10:15:43 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 10:15:42 PM	25	gradCels
SC ALRO SA	Substante organice	7/8/2016 10:15:41 PM	13	mg/l
SC ALRO SA	pH	7/8/2016 10:15:40 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 10:10:20 PM	13	mg/l
SC ALRO SA	Clor	7/8/2016 10:10:03 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 10:10:02 PM	0	mg/l
SC ALRO SA	pH	7/8/2016 10:10:01 PM	8	unit pH
SC ALRO SA	Temp	7/8/2016 10:10:00 PM	25	gradCels
SC ALRO SA	Substante organice	7/8/2016 10:06:24 PM	13	mg/l
SC ALRO SA	Clor	7/8/2016 10:04:23 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 10:04:22 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 10:04:21 PM	25	gradCels
SC ALRO SA	pH	7/8/2016 10:04:20 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 9:59:20 PM	13	mg/l
SC ALRO SA	Clor	7/8/2016 9:59:03 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 9:59:02 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 9:59:01 PM	25	gradCels
SC ALRO SA	pH	7/8/2016 9:59:00 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 9:55:23 PM	13	mg/l
SC ALRO SA	Clor	7/8/2016 9:53:23 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 9:53:22 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 9:53:21 PM	25	gradCels
SC ALRO SA	pH	7/8/2016 9:53:20 PM	8	unit pH



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Clor	7/8/2016 9:48:24 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 9:48:23 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 9:48:22 PM	25	gradCels
SC ALRO SA	Substante organice	7/8/2016 9:48:21 PM	13	mg/l
SC ALRO SA	pH	7/8/2016 9:48:20 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 9:44:01 PM	13	mg/l
SC ALRO SA	Clor	7/8/2016 9:43:09 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 9:43:08 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 9:43:07 PM	25	gradCels
SC ALRO SA	pH	7/8/2016 9:43:06 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 9:37:31 PM	13	mg/l
SC ALRO SA	Clor	7/8/2016 9:37:23 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 9:37:22 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 9:37:21 PM	25	gradCels
SC ALRO SA	pH	7/8/2016 9:37:20 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 9:33:03 PM	13	mg/l
SC ALRO SA	Clor	7/8/2016 9:32:08 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 9:32:07 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 9:32:06 PM	25	gradCels
SC ALRO SA	pH	7/8/2016 9:32:05 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 9:26:30 PM	13	mg/l
SC ALRO SA	Clor	7/8/2016 9:26:23 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 9:26:22 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 9:26:21 PM	25	gradCels
SC ALRO SA	pH	7/8/2016 9:26:20 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 9:22:03 PM	13	mg/l
SC ALRO SA	Clor	7/8/2016 9:21:08 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 9:21:07 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 9:21:06 PM	25	gradCels
SC ALRO SA	pH	7/8/2016 9:21:05 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 9:15:31 PM	13	mg/l
SC ALRO SA	Clor	7/8/2016 9:15:29 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 9:15:28 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 9:15:27 PM	25	gradCels
SC ALRO SA	pH	7/8/2016 9:15:26 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 9:11:22 PM	13	mg/l
SC ALRO SA	Clor	7/8/2016 9:09:49 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 9:09:48 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 9:09:47 PM	25	gradCels
SC ALRO SA	pH	7/8/2016 9:09:46 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 9:04:32 PM	13	mg/l
SC ALRO SA	Clor	7/8/2016 9:04:30 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 9:04:29 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 9:04:28 PM	25	gradCels
SC ALRO SA	pH	7/8/2016 9:04:27 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 9:00:24 PM	13	mg/l
SC ALRO SA	Clor	7/8/2016 8:58:49 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 8:58:48 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 8:58:47 PM	25	gradCels
SC ALRO SA	pH	7/8/2016 8:58:46 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 8:53:31 PM	13	mg/l
SC ALRO SA	Clor	7/8/2016 8:53:29 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 8:53:28 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 8:53:27 PM	25	gradCels
SC ALRO SA	pH	7/8/2016 8:53:26 PM	8	unit pH
SC ALRO SA	Clor	7/8/2016 8:47:50 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 8:47:49 PM	0	mg/l
SC ALRO SA	Substante organice	7/8/2016 8:47:48 PM	13	mg/l
SC ALRO SA	Temp	7/8/2016 8:47:47 PM	25	gradCels
SC ALRO SA	pH	7/8/2016 8:47:46 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 8:42:31 PM	13	mg/l
SC ALRO SA	Clor	7/8/2016 8:42:28 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 8:42:27 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 8:42:26 PM	25	gradCels
SC ALRO SA	pH	7/8/2016 8:42:25 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 8:37:22 PM	13	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Clor	7/8/2016 8:36:48 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 8:36:47 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 8:36:46 PM	25	gradCels
SC ALRO SA	pH	7/8/2016 8:36:45 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 8:31:31 PM	13	mg/l
SC ALRO SA	Clor	7/8/2016 8:31:28 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 8:31:27 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 8:31:26 PM	25	gradCels
SC ALRO SA	pH	7/8/2016 8:31:25 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 8:26:23 PM	13	mg/l
SC ALRO SA	Clor	7/8/2016 8:25:48 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 8:25:47 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 8:25:46 PM	25	gradCels
SC ALRO SA	pH	7/8/2016 8:25:45 PM	8	unit pH
SC ALRO SA	Clor	7/8/2016 8:20:28 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 8:20:27 PM	0	mg/l
SC ALRO SA	Substante organice	7/8/2016 8:20:26 PM	13	mg/l
SC ALRO SA	Temp	7/8/2016 8:20:25 PM	25	gradCels
SC ALRO SA	pH	7/8/2016 8:20:24 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 8:15:22 PM	13	mg/l
SC ALRO SA	Clor	7/8/2016 8:14:48 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 8:14:47 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 8:14:46 PM	25	gradCels
SC ALRO SA	pH	7/8/2016 8:14:45 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 8:09:31 PM	13	mg/l
SC ALRO SA	Clor	7/8/2016 8:09:28 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 8:09:27 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 8:09:26 PM	25	gradCels
SC ALRO SA	pH	7/8/2016 8:09:25 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 8:04:22 PM	13	mg/l
SC ALRO SA	Clor	7/8/2016 8:03:48 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 8:03:47 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 8:03:46 PM	25	gradCels
SC ALRO SA	pH	7/8/2016 8:03:45 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 7:58:31 PM	13	mg/l
SC ALRO SA	Clor	7/8/2016 7:58:28 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 7:58:27 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 7:58:26 PM	25	gradCels
SC ALRO SA	pH	7/8/2016 7:58:25 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 7:53:22 PM	13	mg/l
SC ALRO SA	Clor	7/8/2016 7:52:48 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 7:52:47 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 7:52:46 PM	25	gradCels
SC ALRO SA	pH	7/8/2016 7:52:45 PM	8	unit pH
SC ALRO SA	Clor	7/8/2016 7:47:24 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 7:47:23 PM	0	mg/l
SC ALRO SA	Substante organice	7/8/2016 7:47:22 PM	13	mg/l
SC ALRO SA	Temp	7/8/2016 7:47:21 PM	25	gradCels
SC ALRO SA	pH	7/8/2016 7:47:20 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 7:42:27 PM	13	mg/l
SC ALRO SA	Clor	7/8/2016 7:41:43 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 7:41:42 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 7:41:41 PM	25	gradCels
SC ALRO SA	pH	7/8/2016 7:41:40 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 7:38:21 PM	13	mg/l
SC ALRO SA	Clor	7/8/2016 7:36:49 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 7:36:48 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 7:36:47 PM	25	gradCels
SC ALRO SA	pH	7/8/2016 7:36:46 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 7:31:37 PM	13	mg/l
SC ALRO SA	Clor	7/8/2016 7:31:29 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 7:31:28 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 7:31:27 PM	25	gradCels
SC ALRO SA	pH	7/8/2016 7:31:26 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 7:27:06 PM	13	mg/l
SC ALRO SA	Clor	7/8/2016 7:25:48 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Grasimi	7/8/2016 7:25:47 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 7:25:46 PM	25	gradCels
SC ALRO SA	pH	7/8/2016 7:25:45 PM	8	unit pH
SC ALRO SA	Clor	7/8/2016 7:20:30 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 7:20:29 PM	0	mg/l
SC ALRO SA	Substante organice	7/8/2016 7:20:28 PM	13	mg/l
SC ALRO SA	Temp	7/8/2016 7:20:27 PM	25	gradCels
SC ALRO SA	pH	7/8/2016 7:20:26 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 7:16:02 PM	13	mg/l
SC ALRO SA	Clor	7/8/2016 7:14:50 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 7:14:49 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 7:14:48 PM	25	gradCels
SC ALRO SA	pH	7/8/2016 7:14:47 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 7:09:36 PM	13	mg/l
SC ALRO SA	Clor	7/8/2016 7:09:30 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 7:09:29 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 7:09:28 PM	24	gradCels
SC ALRO SA	pH	7/8/2016 7:09:27 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 7:05:02 PM	13	mg/l
SC ALRO SA	Clor	7/8/2016 7:03:49 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 7:03:48 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 7:03:47 PM	24	gradCels
SC ALRO SA	pH	7/8/2016 7:03:46 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 6:58:36 PM	13	mg/l
SC ALRO SA	Clor	7/8/2016 6:58:29 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 6:58:28 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 6:58:27 PM	24	gradCels
SC ALRO SA	pH	7/8/2016 6:58:26 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 6:54:02 PM	13	mg/l
SC ALRO SA	Clor	7/8/2016 6:52:49 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 6:52:48 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 6:52:47 PM	24	gradCels
SC ALRO SA	pH	7/8/2016 6:52:46 PM	8	unit pH
SC ALRO SA	Clor	7/8/2016 6:47:30 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 6:47:29 PM	0	mg/l
SC ALRO SA	Substante organice	7/8/2016 6:47:28 PM	13	mg/l
SC ALRO SA	Temp	7/8/2016 6:47:27 PM	24	gradCels
SC ALRO SA	pH	7/8/2016 6:47:26 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 6:42:41 PM	14	mg/l
SC ALRO SA	Clor	7/8/2016 6:41:50 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 6:41:49 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 6:41:48 PM	24	gradCels
SC ALRO SA	pH	7/8/2016 6:41:47 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 6:36:15 PM	14	mg/l
SC ALRO SA	Clor	7/8/2016 6:36:09 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 6:36:08 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 6:36:07 PM	24	gradCels
SC ALRO SA	pH	7/8/2016 6:36:06 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 6:32:02 PM	14	mg/l
SC ALRO SA	Clor	7/8/2016 6:30:49 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 6:30:48 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 6:30:47 PM	24	gradCels
SC ALRO SA	pH	7/8/2016 6:30:46 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 6:25:16 PM	14	mg/l
SC ALRO SA	Clor	7/8/2016 6:25:09 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 6:25:08 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 6:25:07 PM	24	gradCels
SC ALRO SA	pH	7/8/2016 6:25:06 PM	8	unit pH
SC ALRO SA	Clor	7/8/2016 6:19:49 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 6:19:48 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 6:19:47 PM	24	gradCels
SC ALRO SA	Substante organice	7/8/2016 6:19:46 PM	14	mg/l
SC ALRO SA	pH	7/8/2016 6:19:45 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 6:14:21 PM	14	mg/l
SC ALRO SA	Clor	7/8/2016 6:14:09 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 6:14:08 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	7/8/2016 6:14:07 PM	8	unit pH
SC ALRO SA	Temp	7/8/2016 6:14:06 PM	24	gradCels
SC ALRO SA	Substante organice	7/8/2016 6:10:02 PM	14	mg/l
SC ALRO SA	Clor	7/8/2016 6:08:49 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 6:08:48 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 6:08:47 PM	24	gradCels
SC ALRO SA	pH	7/8/2016 6:08:46 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 6:03:20 PM	14	mg/l
SC ALRO SA	Clor	7/8/2016 6:03:03 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 6:03:02 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 6:03:01 PM	24	gradCels
SC ALRO SA	pH	7/8/2016 6:03:00 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 5:59:03 PM	14	mg/l
SC ALRO SA	Clor	7/8/2016 5:57:43 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 5:57:42 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 5:57:41 PM	24	gradCels
SC ALRO SA	pH	7/8/2016 5:57:40 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 5:52:21 PM	14	mg/l
SC ALRO SA	Clor	7/8/2016 5:52:03 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 5:52:02 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 5:52:01 PM	24	gradCels
SC ALRO SA	pH	7/8/2016 5:52:00 PM	8	unit pH
SC ALRO SA	Clor	7/8/2016 5:46:47 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 5:46:45 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 5:46:43 PM	24	gradCels
SC ALRO SA	Substante organice	7/8/2016 5:46:41 PM	14	mg/l
SC ALRO SA	pH	7/8/2016 5:46:40 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 5:41:21 PM	14	mg/l
SC ALRO SA	Clor	7/8/2016 5:41:03 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 5:41:02 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 5:41:01 PM	24	gradCels
SC ALRO SA	pH	7/8/2016 5:41:00 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 5:36:21 PM	14	mg/l
SC ALRO SA	Clor	7/8/2016 5:35:43 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 5:35:42 PM	0	mg/l
SC ALRO SA	pH	7/8/2016 5:35:41 PM	8	unit pH
SC ALRO SA	Temp	7/8/2016 5:35:40 PM	24	gradCels
SC ALRO SA	Substante organice	7/8/2016 5:30:21 PM	14	mg/l
SC ALRO SA	Clor	7/8/2016 5:30:03 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 5:30:02 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 5:30:01 PM	24	gradCels
SC ALRO SA	pH	7/8/2016 5:30:00 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 5:25:22 PM	14	mg/l
SC ALRO SA	Clor	7/8/2016 5:24:43 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 5:24:42 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 5:24:41 PM	24	gradCels
SC ALRO SA	pH	7/8/2016 5:24:40 PM	8	unit pH
SC ALRO SA	Clor	7/8/2016 5:19:04 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 5:19:03 PM	0	mg/l
SC ALRO SA	Substante organice	7/8/2016 5:19:02 PM	14	mg/l
SC ALRO SA	pH	7/8/2016 5:19:01 PM	8	unit pH
SC ALRO SA	Temp	7/8/2016 5:19:00 PM	24	gradCels
SC ALRO SA	Substante organice	7/8/2016 5:14:20 PM	14	mg/l
SC ALRO SA	Clor	7/8/2016 5:13:43 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 5:13:42 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 5:13:41 PM	24	gradCels
SC ALRO SA	pH	7/8/2016 5:13:40 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 5:08:22 PM	14	mg/l
SC ALRO SA	Clor	7/8/2016 5:08:03 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 5:08:02 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 5:08:01 PM	24	gradCels
SC ALRO SA	pH	7/8/2016 5:08:00 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 5:03:21 PM	14	mg/l
SC ALRO SA	Clor	7/8/2016 5:02:43 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 5:02:42 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 5:02:41 PM	24	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	7/8/2016 5:02:40 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 4:57:22 PM	14	mg/l
SC ALRO SA	Clor	7/8/2016 4:57:03 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 4:57:02 PM	0	mg/l
SC ALRO SA	pH	7/8/2016 4:57:01 PM	8	unit pH
SC ALRO SA	Temp	7/8/2016 4:57:00 PM	24	gradCels
SC ALRO SA	Substante organice	7/8/2016 4:52:21 PM	14	mg/l
SC ALRO SA	Clor	7/8/2016 4:51:43 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 4:51:42 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 4:51:41 PM	24	gradCels
SC ALRO SA	pH	7/8/2016 4:51:40 PM	8	unit pH
SC ALRO SA	Clor	7/8/2016 4:46:04 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 4:46:03 PM	0	mg/l
SC ALRO SA	Substante organice	7/8/2016 4:46:02 PM	14	mg/l
SC ALRO SA	Temp	7/8/2016 4:46:01 PM	24	gradCels
SC ALRO SA	pH	7/8/2016 4:46:00 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 4:41:20 PM	14	mg/l
SC ALRO SA	Clor	7/8/2016 4:40:43 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 4:40:42 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 4:40:41 PM	24	gradCels
SC ALRO SA	pH	7/8/2016 4:40:40 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 4:35:22 PM	14	mg/l
SC ALRO SA	Clor	7/8/2016 4:35:03 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 4:35:02 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 4:35:01 PM	24	gradCels
SC ALRO SA	pH	7/8/2016 4:35:00 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 4:30:26 PM	14	mg/l
SC ALRO SA	Clor	7/8/2016 4:29:49 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 4:29:48 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 4:29:47 PM	24	gradCels
SC ALRO SA	pH	7/8/2016 4:29:46 PM	8	unit pH
SC ALRO SA	pH	7/8/2016 4:24:22 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 4:24:21 PM	14	mg/l
SC ALRO SA	Clor	7/8/2016 4:24:02 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 4:24:01 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 4:24:00 PM	24	gradCels
SC ALRO SA	Clor	7/8/2016 4:18:44 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 4:18:43 PM	0	mg/l
SC ALRO SA	Substante organice	7/8/2016 4:18:42 PM	14	mg/l
SC ALRO SA	pH	7/8/2016 4:18:41 PM	8	unit pH
SC ALRO SA	Temp	7/8/2016 4:18:40 PM	23	gradCels
SC ALRO SA	Substante organice	7/8/2016 4:13:23 PM	14	mg/l
SC ALRO SA	Clor	7/8/2016 4:13:03 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 4:13:02 PM	0	mg/l
SC ALRO SA	pH	7/8/2016 4:13:01 PM	8	unit pH
SC ALRO SA	Temp	7/8/2016 4:13:00 PM	23	gradCels
SC ALRO SA	Substante organice	7/8/2016 4:09:24 PM	14	mg/l
SC ALRO SA	Clor	7/8/2016 4:07:28 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 4:07:27 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 4:07:26 PM	23	gradCels
SC ALRO SA	pH	7/8/2016 4:07:25 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 4:02:22 PM	14	mg/l
SC ALRO SA	Clor	7/8/2016 4:02:03 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 4:02:02 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 4:02:01 PM	23	gradCels
SC ALRO SA	pH	7/8/2016 4:02:00 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 3:58:26 PM	14	mg/l
SC ALRO SA	Clor	7/8/2016 3:56:28 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 3:56:27 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 3:56:26 PM	23	gradCels
SC ALRO SA	pH	7/8/2016 3:56:25 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 3:51:22 PM	14	mg/l
SC ALRO SA	Clor	7/8/2016 3:51:03 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 3:51:02 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 3:51:01 PM	23	gradCels
SC ALRO SA	pH	7/8/2016 3:51:00 PM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	7/8/2016 3:47:23 PM	14	mg/l
SC ALRO SA	Clor	7/8/2016 3:45:23 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 3:45:22 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 3:45:21 PM	23	gradCels
SC ALRO SA	pH	7/8/2016 3:45:20 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 3:40:22 PM	14	mg/l
SC ALRO SA	Clor	7/8/2016 3:40:08 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 3:40:07 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 3:40:06 PM	23	gradCels
SC ALRO SA	pH	7/8/2016 3:40:05 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 3:36:24 PM	14	mg/l
SC ALRO SA	Clor	7/8/2016 3:34:23 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 3:34:22 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 3:34:21 PM	23	gradCels
SC ALRO SA	pH	7/8/2016 3:34:20 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 3:29:21 PM	14	mg/l
SC ALRO SA	Clor	7/8/2016 3:29:09 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 3:29:08 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 3:29:07 PM	23	gradCels
SC ALRO SA	pH	7/8/2016 3:29:06 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 3:23:24 PM	14	mg/l
SC ALRO SA	Clor	7/8/2016 3:23:23 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 3:23:22 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 3:23:21 PM	23	gradCels
SC ALRO SA	pH	7/8/2016 3:23:20 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 3:18:22 PM	14	mg/l
SC ALRO SA	Clor	7/8/2016 3:18:03 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 3:18:02 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 3:18:01 PM	23	gradCels
SC ALRO SA	pH	7/8/2016 3:18:00 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 3:12:31 PM	14	mg/l
SC ALRO SA	Clor	7/8/2016 3:12:28 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 3:12:27 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 3:12:26 PM	23	gradCels
SC ALRO SA	pH	7/8/2016 3:12:25 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 3:07:21 PM	14	mg/l
SC ALRO SA	Clor	7/8/2016 3:06:49 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 3:06:48 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 3:06:47 PM	23	gradCels
SC ALRO SA	pH	7/8/2016 3:06:46 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 3:01:31 PM	14	mg/l
SC ALRO SA	Clor	7/8/2016 3:01:29 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 3:01:28 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 3:01:27 PM	23	gradCels
SC ALRO SA	pH	7/8/2016 3:01:26 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 2:56:22 PM	14	mg/l
SC ALRO SA	Clor	7/8/2016 2:55:48 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 2:55:47 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 2:55:46 PM	23	gradCels
SC ALRO SA	pH	7/8/2016 2:55:45 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 2:50:31 PM	14	mg/l
SC ALRO SA	Clor	7/8/2016 2:50:28 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 2:50:27 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 2:50:26 PM	23	gradCels
SC ALRO SA	pH	7/8/2016 2:50:25 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 2:45:22 PM	14	mg/l
SC ALRO SA	Clor	7/8/2016 2:44:48 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 2:44:47 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 2:44:46 PM	23	gradCels
SC ALRO SA	pH	7/8/2016 2:44:45 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 2:39:31 PM	14	mg/l
SC ALRO SA	Clor	7/8/2016 2:39:29 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 2:39:28 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 2:39:27 PM	23	gradCels
SC ALRO SA	pH	7/8/2016 2:39:26 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 2:34:22 PM	14	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Clor	7/8/2016 2:33:48 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 2:33:47 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 2:33:46 PM	23	gradCels
SC ALRO SA	pH	7/8/2016 2:33:45 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 2:28:31 PM	14	mg/l
SC ALRO SA	Clor	7/8/2016 2:28:28 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 2:28:27 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 2:28:26 PM	23	gradCels
SC ALRO SA	pH	7/8/2016 2:28:25 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 2:23:22 PM	14	mg/l
SC ALRO SA	Clor	7/8/2016 2:22:48 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 2:22:47 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 2:22:46 PM	23	gradCels
SC ALRO SA	pH	7/8/2016 2:22:45 PM	8	unit pH
SC ALRO SA	Clor	7/8/2016 2:17:29 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 2:17:28 PM	0	mg/l
SC ALRO SA	Substante organice	7/8/2016 2:17:27 PM	14	mg/l
SC ALRO SA	Temp	7/8/2016 2:17:26 PM	23	gradCels
SC ALRO SA	pH	7/8/2016 2:17:25 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 2:12:23 PM	14	mg/l
SC ALRO SA	Clor	7/8/2016 2:11:47 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 2:11:46 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 2:11:45 PM	23	gradCels
SC ALRO SA	pH	7/8/2016 2:11:44 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 2:06:24 PM	14	mg/l
SC ALRO SA	Clor	7/8/2016 2:06:23 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 2:06:22 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 2:06:21 PM	23	gradCels
SC ALRO SA	pH	7/8/2016 2:06:20 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 2:01:27 PM	14	mg/l
SC ALRO SA	Clor	7/8/2016 2:00:43 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 2:00:42 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 2:00:41 PM	23	gradCels
SC ALRO SA	pH	7/8/2016 2:00:40 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 1:57:11 PM	14	mg/l
SC ALRO SA	Clor	7/8/2016 1:55:48 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 1:55:47 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 1:55:46 PM	23	gradCels
SC ALRO SA	pH	7/8/2016 1:55:45 PM	8	unit pH
SC ALRO SA	Clor	7/8/2016 1:50:29 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 1:50:28 PM	0	mg/l
SC ALRO SA	Substante organice	7/8/2016 1:50:27 PM	14	mg/l
SC ALRO SA	pH	7/8/2016 1:50:26 PM	8	unit pH
SC ALRO SA	Temp	7/8/2016 1:50:25 PM	23	gradCels
SC ALRO SA	Substante organice	7/8/2016 1:46:06 PM	14	mg/l
SC ALRO SA	Clor	7/8/2016 1:44:52 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 1:44:51 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 1:44:50 PM	23	gradCels
SC ALRO SA	pH	7/8/2016 1:44:47 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 1:39:31 PM	14	mg/l
SC ALRO SA	Clor	7/8/2016 1:39:28 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 1:39:27 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 1:39:26 PM	23	gradCels
SC ALRO SA	pH	7/8/2016 1:39:25 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 1:35:05 PM	14	mg/l
SC ALRO SA	Clor	7/8/2016 1:33:48 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 1:33:47 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 1:33:46 PM	23	gradCels
SC ALRO SA	pH	7/8/2016 1:33:45 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 1:28:31 PM	14	mg/l
SC ALRO SA	Clor	7/8/2016 1:28:23 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 1:28:22 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 1:28:21 PM	22	gradCels
SC ALRO SA	pH	7/8/2016 1:28:20 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 1:24:03 PM	14	mg/l
SC ALRO SA	Clor	7/8/2016 1:22:43 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Grasimi	7/8/2016 1:22:42 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 1:22:41 PM	22	gradCels
SC ALRO SA	pH	7/8/2016 1:22:40 PM	8	unit pH
SC ALRO SA	Clor	7/8/2016 1:17:04 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 1:17:03 PM	0	mg/l
SC ALRO SA	Substante organice	7/8/2016 1:17:02 PM	14	mg/l
SC ALRO SA	Temp	7/8/2016 1:17:01 PM	22	gradCels
SC ALRO SA	pH	7/8/2016 1:17:00 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 1:13:06 PM	14	mg/l
SC ALRO SA	Clor	7/8/2016 1:11:43 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 1:11:42 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 1:11:41 PM	22	gradCels
SC ALRO SA	pH	7/8/2016 1:11:40 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 1:06:22 PM	14	mg/l
SC ALRO SA	Clor	7/8/2016 1:06:03 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 1:06:02 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 1:06:01 PM	22	gradCels
SC ALRO SA	pH	7/8/2016 1:06:00 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 1:02:05 PM	14	mg/l
SC ALRO SA	Clor	7/8/2016 1:00:43 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 1:00:42 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 1:00:41 PM	22	gradCels
SC ALRO SA	pH	7/8/2016 1:00:40 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 12:55:21 PM	14	mg/l
SC ALRO SA	Clor	7/8/2016 12:55:03 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 12:55:02 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 12:55:01 PM	22	gradCels
SC ALRO SA	pH	7/8/2016 12:55:00 PM	8	unit pH
SC ALRO SA	Clor	7/8/2016 12:49:44 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 12:49:43 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 12:49:42 PM	22	gradCels
SC ALRO SA	Substante organice	7/8/2016 12:49:41 PM	14	mg/l
SC ALRO SA	pH	7/8/2016 12:49:40 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 12:44:22 PM	14	mg/l
SC ALRO SA	Clor	7/8/2016 12:44:03 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 12:44:02 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 12:44:01 PM	22	gradCels
SC ALRO SA	pH	7/8/2016 12:44:00 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 12:40:05 PM	14	mg/l
SC ALRO SA	Clor	7/8/2016 12:38:43 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 12:38:42 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 12:38:41 PM	22	gradCels
SC ALRO SA	pH	7/8/2016 12:38:40 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 12:33:22 PM	14	mg/l
SC ALRO SA	Clor	7/8/2016 12:33:03 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 12:33:02 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 12:33:01 PM	22	gradCels
SC ALRO SA	pH	7/8/2016 12:33:00 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 12:29:06 PM	14	mg/l
SC ALRO SA	Clor	7/8/2016 12:27:43 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 12:27:42 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 12:27:41 PM	22	gradCels
SC ALRO SA	pH	7/8/2016 12:27:40 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 12:22:22 PM	14	mg/l
SC ALRO SA	Clor	7/8/2016 12:22:03 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 12:22:02 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 12:22:01 PM	22	gradCels
SC ALRO SA	pH	7/8/2016 12:22:00 PM	8	unit pH
SC ALRO SA	Clor	7/8/2016 12:16:44 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 12:16:43 PM	0	mg/l
SC ALRO SA	Substante organice	7/8/2016 12:16:42 PM	14	mg/l
SC ALRO SA	Temp	7/8/2016 12:16:41 PM	22	gradCels
SC ALRO SA	pH	7/8/2016 12:16:40 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 12:11:21 PM	14	mg/l
SC ALRO SA	Clor	7/8/2016 12:11:03 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 12:11:02 PM	0	mg/l



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	7/8/2016 12:11:01 PM	22	gradCels
SC ALRO SA	pH	7/8/2016 12:11:00 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 12:06:22 PM	14	mg/l
SC ALRO SA	Clor	7/8/2016 12:05:43 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 12:05:42 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 12:05:41 PM	22	gradCels
SC ALRO SA	pH	7/8/2016 12:05:40 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 12:00:21 PM	14	mg/l
SC ALRO SA	Clor	7/8/2016 12:00:03 PM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 12:00:02 PM	0	mg/l
SC ALRO SA	Temp	7/8/2016 12:00:01 PM	22	gradCels
SC ALRO SA	pH	7/8/2016 12:00:00 PM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 11:55:21 AM	14	mg/l
SC ALRO SA	Clor	7/8/2016 11:54:43 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 11:54:42 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 11:54:41 AM	22	gradCels
SC ALRO SA	pH	7/8/2016 11:54:40 AM	8	unit pH
SC ALRO SA	Clor	7/8/2016 11:49:04 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 11:49:03 AM	0	mg/l
SC ALRO SA	Substante organice	7/8/2016 11:49:02 AM	14	mg/l
SC ALRO SA	Temp	7/8/2016 11:49:01 AM	22	gradCels
SC ALRO SA	pH	7/8/2016 11:49:00 AM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 11:44:22 AM	14	mg/l
SC ALRO SA	Clor	7/8/2016 11:43:43 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 11:43:42 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 11:43:41 AM	22	gradCels
SC ALRO SA	pH	7/8/2016 11:43:40 AM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 11:38:22 AM	14	mg/l
SC ALRO SA	Clor	7/8/2016 11:38:03 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 11:38:02 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 11:38:01 AM	22	gradCels
SC ALRO SA	pH	7/8/2016 11:38:00 AM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 11:33:21 AM	14	mg/l
SC ALRO SA	Clor	7/8/2016 11:32:43 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 11:32:42 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 11:32:41 AM	22	gradCels
SC ALRO SA	pH	7/8/2016 11:32:40 AM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 11:27:21 AM	14	mg/l
SC ALRO SA	Clor	7/8/2016 11:27:03 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 11:27:02 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 11:27:01 AM	22	gradCels
SC ALRO SA	pH	7/8/2016 11:27:00 AM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 11:22:22 AM	14	mg/l
SC ALRO SA	Clor	7/8/2016 11:21:23 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 11:21:22 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 11:21:21 AM	22	gradCels
SC ALRO SA	pH	7/8/2016 11:21:20 AM	8	unit pH
SC ALRO SA	Clor	7/8/2016 11:16:04 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 11:16:03 AM	0	mg/l
SC ALRO SA	Substante organice	7/8/2016 11:16:02 AM	14	mg/l
SC ALRO SA	Temp	7/8/2016 11:16:01 AM	22	gradCels
SC ALRO SA	pH	7/8/2016 11:16:00 AM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 11:11:22 AM	14	mg/l
SC ALRO SA	Clor	7/8/2016 11:10:23 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 11:10:22 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 11:10:21 AM	22	gradCels
SC ALRO SA	pH	7/8/2016 11:10:20 AM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 11:05:11 AM	14	mg/l
SC ALRO SA	Clor	7/8/2016 11:05:03 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 11:05:02 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 11:05:01 AM	22	gradCels
SC ALRO SA	pH	7/8/2016 11:05:00 AM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 11:00:21 AM	14	mg/l
SC ALRO SA	Clor	7/8/2016 10:59:23 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 10:59:22 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 10:59:21 AM	22	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	7/8/2016 10:59:20 AM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 10:54:20 AM	14	mg/l
SC ALRO SA	Clor	7/8/2016 10:54:03 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 10:54:02 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 10:54:01 AM	22	gradCels
SC ALRO SA	pH	7/8/2016 10:54:00 AM	8	unit pH
SC ALRO SA	Clor	7/8/2016 10:48:24 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 10:48:23 AM	0	mg/l
SC ALRO SA	Substante organice	7/8/2016 10:48:22 AM	14	mg/l
SC ALRO SA	Temp	7/8/2016 10:48:21 AM	22	gradCels
SC ALRO SA	pH	7/8/2016 10:48:20 AM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 10:43:20 AM	14	mg/l
SC ALRO SA	Clor	7/8/2016 10:42:43 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 10:42:42 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 10:42:41 AM	22	gradCels
SC ALRO SA	pH	7/8/2016 10:42:40 AM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 10:37:24 AM	14	mg/l
SC ALRO SA	Clor	7/8/2016 10:37:23 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 10:37:22 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 10:37:21 AM	22	gradCels
SC ALRO SA	pH	7/8/2016 10:37:20 AM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 10:32:20 AM	14	mg/l
SC ALRO SA	Clor	7/8/2016 10:31:43 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 10:31:42 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 10:31:41 AM	22	gradCels
SC ALRO SA	pH	7/8/2016 10:31:40 AM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 10:26:24 AM	14	mg/l
SC ALRO SA	Clor	7/8/2016 10:26:23 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 10:26:22 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 10:26:21 AM	22	gradCels
SC ALRO SA	pH	7/8/2016 10:26:20 AM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 10:21:20 AM	14	mg/l
SC ALRO SA	Clor	7/8/2016 10:20:43 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 10:20:42 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 10:20:41 AM	22	gradCels
SC ALRO SA	pH	7/8/2016 10:20:40 AM	8	unit pH
SC ALRO SA	Clor	7/8/2016 10:15:24 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 10:15:23 AM	0	mg/l
SC ALRO SA	Substante organice	7/8/2016 10:15:22 AM	14	mg/l
SC ALRO SA	Temp	7/8/2016 10:15:21 AM	22	gradCels
SC ALRO SA	pH	7/8/2016 10:15:20 AM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 10:10:20 AM	14	mg/l
SC ALRO SA	Clor	7/8/2016 10:09:43 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 10:09:42 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 10:09:41 AM	22	gradCels
SC ALRO SA	pH	7/8/2016 10:09:40 AM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 10:06:24 AM	14	mg/l
SC ALRO SA	Clor	7/8/2016 10:04:43 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 10:04:42 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 10:04:41 AM	22	gradCels
SC ALRO SA	pH	7/8/2016 10:04:40 AM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 10:00:47 AM	14	mg/l
SC ALRO SA	Clor	7/8/2016 9:59:43 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 9:59:42 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 9:59:41 AM	22	gradCels
SC ALRO SA	pH	7/8/2016 9:59:40 AM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 9:55:10 AM	14	mg/l
SC ALRO SA	Clor	7/8/2016 9:55:07 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 9:55:06 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 9:55:05 AM	22	gradCels
SC ALRO SA	pH	7/8/2016 9:55:04 AM	8	unit pH
SC ALRO SA	Clor	7/8/2016 9:49:27 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 9:49:26 AM	0	mg/l
SC ALRO SA	Substante organice	7/8/2016 9:49:25 AM	14	mg/l
SC ALRO SA	Temp	7/8/2016 9:49:24 AM	22	gradCels
SC ALRO SA	pH	7/8/2016 9:49:23 AM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	7/8/2016 9:44:33 AM	14	mg/l
SC ALRO SA	Clor	7/8/2016 9:44:26 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 9:44:25 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 9:44:24 AM	22	gradCels
SC ALRO SA	pH	7/8/2016 9:44:23 AM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 9:38:43 AM	14	mg/l
SC ALRO SA	Clor	7/8/2016 9:38:26 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 9:38:25 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 9:38:24 AM	22	gradCels
SC ALRO SA	pH	7/8/2016 9:38:23 AM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 9:33:33 AM	14	mg/l
SC ALRO SA	Clor	7/8/2016 9:33:25 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 9:33:24 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 9:33:23 AM	22	gradCels
SC ALRO SA	pH	7/8/2016 9:33:22 AM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 9:27:43 AM	14	mg/l
SC ALRO SA	Clor	7/8/2016 9:27:26 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 9:27:25 AM	0	mg/l
SC ALRO SA	pH	7/8/2016 9:27:24 AM	8	unit pH
SC ALRO SA	Temp	7/8/2016 9:27:23 AM	22	gradCels
SC ALRO SA	Substante organice	7/8/2016 9:22:33 AM	14	mg/l
SC ALRO SA	Clor	7/8/2016 9:22:25 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 9:22:24 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 9:22:23 AM	22	gradCels
SC ALRO SA	pH	7/8/2016 9:22:22 AM	8	unit pH
SC ALRO SA	Clor	7/8/2016 9:16:27 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 9:16:26 AM	0	mg/l
SC ALRO SA	Substante organice	7/8/2016 9:16:25 AM	14	mg/l
SC ALRO SA	Temp	7/8/2016 9:16:24 AM	22	gradCels
SC ALRO SA	pH	7/8/2016 9:16:23 AM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 9:11:44 AM	14	mg/l
SC ALRO SA	Clor	7/8/2016 9:10:43 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 9:10:42 AM	0	mg/l
SC ALRO SA	pH	7/8/2016 9:10:41 AM	8	unit pH
SC ALRO SA	Temp	7/8/2016 9:10:40 AM	22	gradCels
SC ALRO SA	Substante organice	7/8/2016 9:06:23 AM	14	mg/l
SC ALRO SA	Clor	7/8/2016 9:05:23 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 9:05:22 AM	0	mg/l
SC ALRO SA	pH	7/8/2016 9:05:21 AM	8	unit pH
SC ALRO SA	Temp	7/8/2016 9:05:20 AM	22	gradCels
SC ALRO SA	Substante organice	7/8/2016 9:00:43 AM	14	mg/l
SC ALRO SA	Clor	7/8/2016 8:59:46 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 8:59:45 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 8:59:44 AM	22	gradCels
SC ALRO SA	pH	7/8/2016 8:59:43 AM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 8:55:05 AM	14	mg/l
SC ALRO SA	Clor	7/8/2016 8:54:07 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 8:54:06 AM	22	gradCels
SC ALRO SA	Grasimi	7/8/2016 8:54:05 AM	0	mg/l
SC ALRO SA	pH	7/8/2016 8:54:04 AM	8	unit pH
SC ALRO SA	Clor	7/8/2016 8:48:47 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 8:48:46 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 8:48:45 AM	22	gradCels
SC ALRO SA	Substante organice	7/8/2016 8:48:44 AM	14	mg/l
SC ALRO SA	pH	7/8/2016 8:48:43 AM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 8:44:05 AM	14	mg/l
SC ALRO SA	Clor	7/8/2016 8:43:06 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 8:43:05 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 8:43:04 AM	22	gradCels
SC ALRO SA	pH	7/8/2016 8:43:03 AM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 8:38:44 AM	14	mg/l
SC ALRO SA	Clor	7/8/2016 8:37:46 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 8:37:45 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 8:37:44 AM	22	gradCels
SC ALRO SA	pH	7/8/2016 8:37:43 AM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 8:33:05 AM	14	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Clor	7/8/2016 8:32:06 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 8:32:05 AM	0	mg/l
SC ALRO SA	pH	7/8/2016 8:32:04 AM	8	unit pH
SC ALRO SA	Temp	7/8/2016 8:32:03 AM	22	gradCels
SC ALRO SA	Substante organice	7/8/2016 8:27:46 AM	14	mg/l
SC ALRO SA	Clor	7/8/2016 8:26:46 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 8:26:45 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 8:26:44 AM	22	gradCels
SC ALRO SA	pH	7/8/2016 8:26:43 AM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 8:22:04 AM	14	mg/l
SC ALRO SA	Clor	7/8/2016 8:21:07 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 8:21:06 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 8:21:05 AM	22	gradCels
SC ALRO SA	pH	7/8/2016 8:21:04 AM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 8:16:43 AM	14	mg/l
SC ALRO SA	Clor	7/8/2016 8:15:46 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 8:15:45 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 8:15:44 AM	22	gradCels
SC ALRO SA	pH	7/8/2016 8:15:43 AM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 8:11:04 AM	14	mg/l
SC ALRO SA	Clor	7/8/2016 8:10:06 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 8:10:05 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 8:10:04 AM	22	gradCels
SC ALRO SA	pH	7/8/2016 8:10:03 AM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 8:05:43 AM	14	mg/l
SC ALRO SA	Clor	7/8/2016 8:04:46 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 8:04:45 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 8:04:44 AM	22	gradCels
SC ALRO SA	pH	7/8/2016 8:04:43 AM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 8:00:07 AM	14	mg/l
SC ALRO SA	Clor	7/8/2016 7:59:06 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 7:59:05 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 7:59:04 AM	22	gradCels
SC ALRO SA	pH	7/8/2016 7:59:03 AM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 7:54:42 AM	14	mg/l
SC ALRO SA	Clor	7/8/2016 7:53:47 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 7:53:46 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 7:53:45 AM	22	gradCels
SC ALRO SA	pH	7/8/2016 7:53:44 AM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 7:49:05 AM	14	mg/l
SC ALRO SA	Clor	7/8/2016 7:48:06 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 7:48:05 AM	0	mg/l
SC ALRO SA	pH	7/8/2016 7:48:04 AM	8	unit pH
SC ALRO SA	Temp	7/8/2016 7:48:03 AM	22	gradCels
SC ALRO SA	Substante organice	7/8/2016 7:43:43 AM	14	mg/l
SC ALRO SA	Clor	7/8/2016 7:42:46 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 7:42:45 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 7:42:44 AM	22	gradCels
SC ALRO SA	pH	7/8/2016 7:42:43 AM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 7:38:05 AM	14	mg/l
SC ALRO SA	Clor	7/8/2016 7:37:06 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 7:37:05 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 7:37:04 AM	22	gradCels
SC ALRO SA	pH	7/8/2016 7:37:03 AM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 7:32:43 AM	14	mg/l
SC ALRO SA	Clor	7/8/2016 7:31:46 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 7:31:45 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 7:31:44 AM	22	gradCels
SC ALRO SA	pH	7/8/2016 7:31:43 AM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 7:27:09 AM	14	mg/l
SC ALRO SA	Clor	7/8/2016 7:26:06 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 7:26:05 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 7:26:04 AM	22	gradCels
SC ALRO SA	pH	7/8/2016 7:26:03 AM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 7:21:43 AM	14	mg/l
SC ALRO SA	Clor	7/8/2016 7:20:47 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Grasimi	7/8/2016 7:20:46 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 7:20:45 AM	22	gradCels
SC ALRO SA	pH	7/8/2016 7:20:44 AM	8	unit pH
SC ALRO SA	Clor	7/8/2016 7:15:07 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 7:15:06 AM	0	mg/l
SC ALRO SA	Substante organice	7/8/2016 7:15:05 AM	14	mg/l
SC ALRO SA	Temp	7/8/2016 7:15:04 AM	22	gradCels
SC ALRO SA	pH	7/8/2016 7:15:03 AM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 7:10:43 AM	14	mg/l
SC ALRO SA	Clor	7/8/2016 7:09:46 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 7:09:45 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 7:09:44 AM	22	gradCels
SC ALRO SA	pH	7/8/2016 7:09:43 AM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 7:05:05 AM	14	mg/l
SC ALRO SA	Clor	7/8/2016 7:04:06 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 7:04:05 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 7:04:04 AM	23	gradCels
SC ALRO SA	pH	7/8/2016 7:04:03 AM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 6:59:50 AM	14	mg/l
SC ALRO SA	Clor	7/8/2016 6:59:46 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 6:59:45 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 6:59:44 AM	23	gradCels
SC ALRO SA	pH	7/8/2016 6:59:43 AM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 6:54:04 AM	14	mg/l
SC ALRO SA	Clor	7/8/2016 6:53:46 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 6:53:45 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 6:53:44 AM	23	gradCels
SC ALRO SA	pH	7/8/2016 6:53:43 AM	8	unit pH
SC ALRO SA	Clor	7/8/2016 6:48:27 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 6:48:26 AM	0	mg/l
SC ALRO SA	Substante organice	7/8/2016 6:48:25 AM	14	mg/l
SC ALRO SA	Temp	7/8/2016 6:48:24 AM	23	gradCels
SC ALRO SA	pH	7/8/2016 6:48:23 AM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 6:43:06 AM	14	mg/l
SC ALRO SA	Clor	7/8/2016 6:42:46 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 6:42:45 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 6:42:44 AM	23	gradCels
SC ALRO SA	pH	7/8/2016 6:42:43 AM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 6:37:43 AM	14	mg/l
SC ALRO SA	Clor	7/8/2016 6:37:26 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 6:37:25 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 6:37:24 AM	23	gradCels
SC ALRO SA	pH	7/8/2016 6:37:23 AM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 6:32:05 AM	14	mg/l
SC ALRO SA	Clor	7/8/2016 6:31:46 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 6:31:45 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 6:31:44 AM	23	gradCels
SC ALRO SA	pH	7/8/2016 6:31:43 AM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 6:26:51 AM	14	mg/l
SC ALRO SA	Clor	7/8/2016 6:26:46 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 6:26:45 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 6:26:44 AM	23	gradCels
SC ALRO SA	pH	7/8/2016 6:26:43 AM	8	unit pH
SC ALRO SA	Clor	7/8/2016 6:20:47 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 6:20:46 AM	0	mg/l
SC ALRO SA	Substante organice	7/8/2016 6:20:45 AM	14	mg/l
SC ALRO SA	Temp	7/8/2016 6:20:44 AM	23	gradCels
SC ALRO SA	pH	7/8/2016 6:20:43 AM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 6:15:43 AM	14	mg/l
SC ALRO SA	Clor	7/8/2016 6:15:26 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 6:15:25 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 6:15:24 AM	23	gradCels
SC ALRO SA	pH	7/8/2016 6:15:23 AM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 6:10:06 AM	14	mg/l
SC ALRO SA	Clor	7/8/2016 6:09:46 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 6:09:45 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	7/8/2016 6:09:44 AM	23	gradCels
SC ALRO SA	pH	7/8/2016 6:09:43 AM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 6:04:43 AM	14	mg/l
SC ALRO SA	Clor	7/8/2016 6:04:26 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 6:04:25 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 6:04:24 AM	23	gradCels
SC ALRO SA	pH	7/8/2016 6:04:23 AM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 5:59:11 AM	14	mg/l
SC ALRO SA	Clor	7/8/2016 5:59:06 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 5:59:05 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 5:59:04 AM	23	gradCels
SC ALRO SA	pH	7/8/2016 5:59:03 AM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 5:53:42 AM	14	mg/l
SC ALRO SA	Clor	7/8/2016 5:53:26 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 5:53:25 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 5:53:24 AM	23	gradCels
SC ALRO SA	pH	7/8/2016 5:53:23 AM	8	unit pH
SC ALRO SA	Clor	7/8/2016 5:47:47 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 5:47:46 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 5:47:45 AM	23	gradCels
SC ALRO SA	Substante organice	7/8/2016 5:47:44 AM	14	mg/l
SC ALRO SA	pH	7/8/2016 5:47:43 AM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 5:42:23 AM	14	mg/l
SC ALRO SA	Clor	7/8/2016 5:42:06 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 5:42:05 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 5:42:04 AM	23	gradCels
SC ALRO SA	pH	7/8/2016 5:42:03 AM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 5:37:05 AM	14	mg/l
SC ALRO SA	Clor	7/8/2016 5:36:03 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 5:36:02 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 5:36:01 AM	23	gradCels
SC ALRO SA	pH	7/8/2016 5:36:00 AM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 5:31:23 AM	14	mg/l
SC ALRO SA	Clor	7/8/2016 5:31:06 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 5:31:05 AM	0	mg/l
SC ALRO SA	pH	7/8/2016 5:31:04 AM	8	unit pH
SC ALRO SA	Temp	7/8/2016 5:31:03 AM	23	gradCels
SC ALRO SA	Substante organice	7/8/2016 5:26:12 AM	14	mg/l
SC ALRO SA	Clor	7/8/2016 5:26:06 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 5:26:05 AM	0	mg/l
SC ALRO SA	pH	7/8/2016 5:26:04 AM	8	unit pH
SC ALRO SA	Temp	7/8/2016 5:26:03 AM	23	gradCels
SC ALRO SA	Clor	7/8/2016 5:20:07 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 5:20:06 AM	0	mg/l
SC ALRO SA	Substante organice	7/8/2016 5:20:05 AM	14	mg/l
SC ALRO SA	pH	7/8/2016 5:20:04 AM	8	unit pH
SC ALRO SA	Temp	7/8/2016 5:20:03 AM	23	gradCels
SC ALRO SA	Substante organice	7/8/2016 5:15:05 AM	14	mg/l
SC ALRO SA	Clor	7/8/2016 5:14:46 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 5:14:45 AM	0	mg/l
SC ALRO SA	pH	7/8/2016 5:14:44 AM	8	unit pH
SC ALRO SA	Temp	7/8/2016 5:14:43 AM	23	gradCels
SC ALRO SA	Substante organice	7/8/2016 5:09:43 AM	14	mg/l
SC ALRO SA	Clor	7/8/2016 5:08:25 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 5:08:24 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 5:08:23 AM	23	gradCels
SC ALRO SA	pH	7/8/2016 5:08:22 AM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 5:04:04 AM	14	mg/l
SC ALRO SA	Clor	7/8/2016 5:03:45 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 5:03:44 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 5:03:43 AM	23	gradCels
SC ALRO SA	pH	7/8/2016 5:03:42 AM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 4:58:33 AM	14	mg/l
SC ALRO SA	Clor	7/8/2016 4:58:25 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 4:58:24 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 4:58:23 AM	23	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	7/8/2016 4:58:22 AM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 4:53:05 AM	14	mg/l
SC ALRO SA	Clor	7/8/2016 4:52:45 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 4:52:44 AM	0	mg/l
SC ALRO SA	pH	7/8/2016 4:52:43 AM	8	unit pH
SC ALRO SA	Temp	7/8/2016 4:52:42 AM	24	gradCels
SC ALRO SA	Clor	7/8/2016 4:46:26 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 4:46:25 AM	0	mg/l
SC ALRO SA	Substante organice	7/8/2016 4:46:24 AM	14	mg/l
SC ALRO SA	Temp	7/8/2016 4:46:23 AM	24	gradCels
SC ALRO SA	pH	7/8/2016 4:46:22 AM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 4:42:06 AM	14	mg/l
SC ALRO SA	Clor	7/8/2016 4:41:45 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 4:41:44 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 4:41:43 AM	24	gradCels
SC ALRO SA	pH	7/8/2016 4:41:42 AM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 4:36:45 AM	14	mg/l
SC ALRO SA	Clor	7/8/2016 4:35:29 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 4:35:28 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 4:35:27 AM	24	gradCels
SC ALRO SA	pH	7/8/2016 4:35:26 AM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 4:31:19 AM	14	mg/l
SC ALRO SA	Clor	7/8/2016 4:31:09 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 4:31:08 AM	0	mg/l
SC ALRO SA	pH	7/8/2016 4:31:07 AM	8	unit pH
SC ALRO SA	Temp	7/8/2016 4:31:06 AM	24	gradCels
SC ALRO SA	Substante organice	7/8/2016 4:25:24 AM	14	mg/l
SC ALRO SA	Clor	7/8/2016 4:25:11 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 4:25:10 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 4:25:09 AM	24	gradCels
SC ALRO SA	pH	7/8/2016 4:25:08 AM	8	unit pH
SC ALRO SA	Clor	7/8/2016 4:19:04 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 4:19:03 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 4:19:02 AM	24	gradCels
SC ALRO SA	Substante organice	7/8/2016 4:19:01 AM	14	mg/l
SC ALRO SA	pH	7/8/2016 4:19:00 AM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 4:14:46 AM	14	mg/l
SC ALRO SA	Clor	7/8/2016 4:13:28 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 4:13:27 AM	0	mg/l
SC ALRO SA	pH	7/8/2016 4:13:26 AM	8	unit pH
SC ALRO SA	Temp	7/8/2016 4:13:25 AM	24	gradCels
SC ALRO SA	Substante organice	7/8/2016 4:08:46 AM	14	mg/l
SC ALRO SA	Clor	7/8/2016 4:08:30 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 4:08:29 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 4:08:28 AM	24	gradCels
SC ALRO SA	pH	7/8/2016 4:08:27 AM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 4:03:26 AM	14	mg/l
SC ALRO SA	Clor	7/8/2016 4:03:10 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 4:03:09 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 4:03:08 AM	24	gradCels
SC ALRO SA	pH	7/8/2016 4:03:07 AM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 3:57:53 AM	14	mg/l
SC ALRO SA	Clor	7/8/2016 3:56:43 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 3:56:42 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 3:56:41 AM	24	gradCels
SC ALRO SA	pH	7/8/2016 3:56:40 AM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 3:52:49 AM	14	mg/l
SC ALRO SA	Clor	7/8/2016 3:51:28 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 3:51:27 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 3:51:26 AM	24	gradCels
SC ALRO SA	pH	7/8/2016 3:51:25 AM	8	unit pH
SC ALRO SA	Clor	7/8/2016 3:46:31 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 3:46:30 AM	0	mg/l
SC ALRO SA	Substante organice	7/8/2016 3:46:29 AM	14	mg/l
SC ALRO SA	pH	7/8/2016 3:46:28 AM	8	unit pH
SC ALRO SA	Temp	7/8/2016 3:46:27 AM	24	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	7/8/2016 3:41:28 AM	13	mg/l
SC ALRO SA	Clor	7/8/2016 3:41:05 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 3:41:04 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 3:41:03 AM	24	gradCels
SC ALRO SA	pH	7/8/2016 3:41:02 AM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 3:35:46 AM	13	mg/l
SC ALRO SA	Clor	7/8/2016 3:35:25 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 3:35:24 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 3:35:23 AM	24	gradCels
SC ALRO SA	pH	7/8/2016 3:35:22 AM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 3:30:42 AM	13	mg/l
SC ALRO SA	Clor	7/8/2016 3:30:28 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 3:30:27 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 3:30:26 AM	24	gradCels
SC ALRO SA	pH	7/8/2016 3:30:25 AM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 3:24:46 AM	13	mg/l
SC ALRO SA	Clor	7/8/2016 3:24:25 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 3:24:24 AM	0	mg/l
SC ALRO SA	pH	7/8/2016 3:24:23 AM	8	unit pH
SC ALRO SA	Temp	7/8/2016 3:24:22 AM	24	gradCels
SC ALRO SA	Clor	7/8/2016 3:19:40 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 3:19:38 AM	0	mg/l
SC ALRO SA	Substante organice	7/8/2016 3:19:36 AM	13	mg/l
SC ALRO SA	pH	7/8/2016 3:19:34 AM	8	unit pH
SC ALRO SA	Temp	7/8/2016 3:19:32 AM	24	gradCels
SC ALRO SA	Grasimi	7/8/2016 3:19:30 AM	0	mg/l
SC ALRO SA	Clor	7/8/2016 3:19:28 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 3:19:26 AM	24	gradCels
SC ALRO SA	pH	7/8/2016 3:19:24 AM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 3:19:23 AM	13	mg/l
SC ALRO SA	Substante organice	7/8/2016 3:13:46 AM	13	mg/l
SC ALRO SA	Clor	7/8/2016 3:13:25 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 3:13:24 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 3:13:23 AM	24	gradCels
SC ALRO SA	pH	7/8/2016 3:13:22 AM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 3:08:25 AM	13	mg/l
SC ALRO SA	Clor	7/8/2016 3:08:08 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 3:08:07 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 3:08:06 AM	24	gradCels
SC ALRO SA	pH	7/8/2016 3:08:05 AM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 3:02:46 AM	13	mg/l
SC ALRO SA	Clor	7/8/2016 3:02:28 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 3:02:27 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 3:02:26 AM	24	gradCels
SC ALRO SA	pH	7/8/2016 3:02:25 AM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 2:57:34 AM	13	mg/l
SC ALRO SA	Clor	7/8/2016 2:57:28 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 2:57:27 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 2:57:26 AM	24	gradCels
SC ALRO SA	pH	7/8/2016 2:57:25 AM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 2:51:44 AM	13	mg/l
SC ALRO SA	Clor	7/8/2016 2:51:29 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 2:51:28 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 2:51:27 AM	24	gradCels
SC ALRO SA	pH	7/8/2016 2:51:26 AM	8	unit pH
SC ALRO SA	Clor	7/8/2016 2:46:09 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 2:46:08 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 2:46:07 AM	24	gradCels
SC ALRO SA	Substante organice	7/8/2016 2:46:06 AM	13	mg/l
SC ALRO SA	pH	7/8/2016 2:46:05 AM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 2:40:44 AM	13	mg/l
SC ALRO SA	Clor	7/8/2016 2:40:28 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 2:40:27 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 2:40:26 AM	24	gradCels
SC ALRO SA	pH	7/8/2016 2:40:25 AM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 2:34:30 AM	13	mg/l



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Clor	7/8/2016 2:34:26 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 2:34:25 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 2:34:24 AM	24	gradCels
SC ALRO SA	pH	7/8/2016 2:34:23 AM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 2:30:12 AM	13	mg/l
SC ALRO SA	Clor	7/8/2016 2:28:51 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 2:28:49 AM	0	mg/l
SC ALRO SA	pH	7/8/2016 2:28:47 AM	8	unit pH
SC ALRO SA	Temp	7/8/2016 2:28:45 AM	24	gradCels
SC ALRO SA	Substante organice	7/8/2016 2:23:31 AM	13	mg/l
SC ALRO SA	Clor	7/8/2016 2:23:27 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 2:23:26 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 2:23:25 AM	24	gradCels
SC ALRO SA	pH	7/8/2016 2:23:24 AM	8	unit pH
SC ALRO SA	Clor	7/8/2016 2:17:47 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 2:17:46 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 2:17:45 AM	25	gradCels
SC ALRO SA	Substante organice	7/8/2016 2:17:44 AM	13	mg/l
SC ALRO SA	pH	7/8/2016 2:17:43 AM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 2:12:24 AM	13	mg/l
SC ALRO SA	Clor	7/8/2016 2:12:23 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 2:12:22 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 2:12:21 AM	25	gradCels
SC ALRO SA	pH	7/8/2016 2:12:20 AM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 2:08:05 AM	13	mg/l
SC ALRO SA	Clor	7/8/2016 2:06:43 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 2:06:42 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 2:06:41 AM	25	gradCels
SC ALRO SA	pH	7/8/2016 2:06:40 AM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 2:01:25 AM	13	mg/l
SC ALRO SA	Clor	7/8/2016 2:01:23 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 2:01:22 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 2:01:21 AM	25	gradCels
SC ALRO SA	pH	7/8/2016 2:01:20 AM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 1:57:10 AM	13	mg/l
SC ALRO SA	Clor	7/8/2016 1:55:43 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 1:55:42 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 1:55:41 AM	25	gradCels
SC ALRO SA	pH	7/8/2016 1:55:40 AM	8	unit pH
SC ALRO SA	Clor	7/8/2016 1:50:24 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 1:50:23 AM	0	mg/l
SC ALRO SA	Substante organice	7/8/2016 1:50:22 AM	13	mg/l
SC ALRO SA	Temp	7/8/2016 1:50:21 AM	25	gradCels
SC ALRO SA	pH	7/8/2016 1:50:20 AM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 1:46:06 AM	13	mg/l
SC ALRO SA	Clor	7/8/2016 1:44:43 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 1:44:42 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 1:44:41 AM	25	gradCels
SC ALRO SA	pH	7/8/2016 1:44:40 AM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 1:39:24 AM	13	mg/l
SC ALRO SA	Clor	7/8/2016 1:39:23 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 1:39:22 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 1:39:21 AM	25	gradCels
SC ALRO SA	pH	7/8/2016 1:39:20 AM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 1:35:06 AM	13	mg/l
SC ALRO SA	Clor	7/8/2016 1:33:43 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 1:33:42 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 1:33:41 AM	25	gradCels
SC ALRO SA	pH	7/8/2016 1:33:40 AM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 1:28:20 AM	13	mg/l
SC ALRO SA	Clor	7/8/2016 1:28:03 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 1:28:02 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 1:28:01 AM	25	gradCels
SC ALRO SA	pH	7/8/2016 1:28:00 AM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 1:24:05 AM	13	mg/l
SC ALRO SA	Clor	7/8/2016 1:22:43 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Grasimi	7/8/2016 1:22:42 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 1:22:41 AM	25	gradCels
SC ALRO SA	pH	7/8/2016 1:22:40 AM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 1:17:20 AM	13	mg/l
SC ALRO SA	Clor	7/8/2016 1:17:03 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 1:17:02 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 1:17:01 AM	25	gradCels
SC ALRO SA	pH	7/8/2016 1:17:00 AM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 1:13:06 AM	13	mg/l
SC ALRO SA	Clor	7/8/2016 1:11:43 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 1:11:42 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 1:11:41 AM	25	gradCels
SC ALRO SA	pH	7/8/2016 1:11:40 AM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 1:06:20 AM	13	mg/l
SC ALRO SA	Clor	7/8/2016 1:06:03 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 1:06:02 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 1:06:01 AM	25	gradCels
SC ALRO SA	pH	7/8/2016 1:06:00 AM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 1:02:06 AM	13	mg/l
SC ALRO SA	Clor	7/8/2016 1:00:43 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 1:00:42 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 1:00:41 AM	25	gradCels
SC ALRO SA	pH	7/8/2016 1:00:40 AM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 12:55:20 AM	13	mg/l
SC ALRO SA	Clor	7/8/2016 12:55:03 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 12:55:02 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 12:55:01 AM	25	gradCels
SC ALRO SA	pH	7/8/2016 12:55:00 AM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 12:51:05 AM	13	mg/l
SC ALRO SA	Clor	7/8/2016 12:49:43 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 12:49:42 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 12:49:41 AM	25	gradCels
SC ALRO SA	pH	7/8/2016 12:49:40 AM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 12:44:20 AM	13	mg/l
SC ALRO SA	Clor	7/8/2016 12:44:03 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 12:44:02 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 12:44:01 AM	25	gradCels
SC ALRO SA	pH	7/8/2016 12:44:00 AM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 12:40:04 AM	13	mg/l
SC ALRO SA	Clor	7/8/2016 12:38:43 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 12:38:42 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 12:38:41 AM	25	gradCels
SC ALRO SA	pH	7/8/2016 12:38:40 AM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 12:33:20 AM	13	mg/l
SC ALRO SA	Clor	7/8/2016 12:33:03 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 12:33:02 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 12:33:01 AM	25	gradCels
SC ALRO SA	pH	7/8/2016 12:33:00 AM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 12:29:09 AM	13	mg/l
SC ALRO SA	Clor	7/8/2016 12:27:43 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 12:27:42 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 12:27:41 AM	25	gradCels
SC ALRO SA	pH	7/8/2016 12:27:40 AM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 12:22:20 AM	13	mg/l
SC ALRO SA	Clor	7/8/2016 12:22:03 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 12:22:02 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 12:22:01 AM	25	gradCels
SC ALRO SA	pH	7/8/2016 12:22:00 AM	8	unit pH
SC ALRO SA	Clor	7/8/2016 12:16:44 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 12:16:43 AM	0	mg/l
SC ALRO SA	Substante organice	7/8/2016 12:16:42 AM	13	mg/l
SC ALRO SA	Temp	7/8/2016 12:16:41 AM	25	gradCels
SC ALRO SA	pH	7/8/2016 12:16:40 AM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 12:11:20 AM	13	mg/l
SC ALRO SA	Clor	7/8/2016 12:11:03 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 12:11:02 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	7/8/2016 12:11:01 AM	25	gradCels
SC ALRO SA	pH	7/8/2016 12:11:00 AM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 12:07:04 AM	13	mg/l
SC ALRO SA	Clor	7/8/2016 12:05:43 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 12:05:42 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 12:05:41 AM	25	gradCels
SC ALRO SA	pH	7/8/2016 12:05:40 AM	8	unit pH
SC ALRO SA	Substante organice	7/8/2016 12:00:20 AM	13	mg/l
SC ALRO SA	Clor	7/8/2016 12:00:03 AM	0	mg/l
SC ALRO SA	Grasimi	7/8/2016 12:00:02 AM	0	mg/l
SC ALRO SA	Temp	7/8/2016 12:00:01 AM	25	gradCels
SC ALRO SA	pH	7/8/2016 12:00:00 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 11:56:09 PM	13	mg/l
SC ALRO SA	Clor	7/7/2016 11:55:03 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 11:55:02 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 11:55:01 PM	25	gradCels
SC ALRO SA	pH	7/7/2016 11:55:00 PM	8	unit pH
SC ALRO SA	Clor	7/7/2016 11:49:44 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 11:49:43 PM	0	mg/l
SC ALRO SA	Substante organice	7/7/2016 11:49:42 PM	13	mg/l
SC ALRO SA	Temp	7/7/2016 11:49:41 PM	25	gradCels
SC ALRO SA	pH	7/7/2016 11:49:40 PM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 11:44:20 PM	13	mg/l
SC ALRO SA	Clor	7/7/2016 11:44:03 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 11:44:02 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 11:44:01 PM	25	gradCels
SC ALRO SA	pH	7/7/2016 11:44:00 PM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 11:40:01 PM	13	mg/l
SC ALRO SA	Clor	7/7/2016 11:38:43 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 11:38:42 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 11:38:41 PM	25	gradCels
SC ALRO SA	pH	7/7/2016 11:38:40 PM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 11:33:20 PM	13	mg/l
SC ALRO SA	Clor	7/7/2016 11:33:03 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 11:33:02 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 11:33:01 PM	25	gradCels
SC ALRO SA	pH	7/7/2016 11:33:00 PM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 11:29:07 PM	13	mg/l
SC ALRO SA	Clor	7/7/2016 11:27:43 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 11:27:42 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 11:27:41 PM	25	gradCels
SC ALRO SA	pH	7/7/2016 11:27:40 PM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 11:22:20 PM	13	mg/l
SC ALRO SA	Clor	7/7/2016 11:22:03 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 11:22:02 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 11:22:01 PM	25	gradCels
SC ALRO SA	pH	7/7/2016 11:22:00 PM	8	unit pH
SC ALRO SA	Clor	7/7/2016 11:16:44 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 11:16:43 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 11:16:42 PM	25	gradCels
SC ALRO SA	Substante organice	7/7/2016 11:16:41 PM	13	mg/l
SC ALRO SA	pH	7/7/2016 11:16:40 PM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 11:11:20 PM	13	mg/l
SC ALRO SA	Clor	7/7/2016 11:11:03 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 11:11:02 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 11:11:01 PM	25	gradCels
SC ALRO SA	pH	7/7/2016 11:11:00 PM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 11:07:00 PM	13	mg/l
SC ALRO SA	Clor	7/7/2016 11:05:23 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 11:05:22 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 11:05:21 PM	25	gradCels
SC ALRO SA	pH	7/7/2016 11:05:20 PM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 11:00:20 PM	13	mg/l
SC ALRO SA	Clor	7/7/2016 11:00:03 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 11:00:02 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 11:00:01 PM	25	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	7/7/2016 11:00:00 PM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 10:56:07 PM	13	mg/l
SC ALRO SA	Clor	7/7/2016 10:54:23 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 10:54:22 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 10:54:21 PM	25	gradCels
SC ALRO SA	pH	7/7/2016 10:54:20 PM	8	unit pH
SC ALRO SA	Clor	7/7/2016 10:49:04 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 10:49:03 PM	0	mg/l
SC ALRO SA	Substante organice	7/7/2016 10:49:02 PM	13	mg/l
SC ALRO SA	Temp	7/7/2016 10:49:01 PM	25	gradCels
SC ALRO SA	pH	7/7/2016 10:49:00 PM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 10:45:04 PM	13	mg/l
SC ALRO SA	Clor	7/7/2016 10:43:23 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 10:43:22 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 10:43:21 PM	25	gradCels
SC ALRO SA	pH	7/7/2016 10:43:20 PM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 10:38:20 PM	13	mg/l
SC ALRO SA	Clor	7/7/2016 10:38:03 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 10:38:02 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 10:38:01 PM	25	gradCels
SC ALRO SA	pH	7/7/2016 10:38:00 PM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 10:34:06 PM	13	mg/l
SC ALRO SA	Clor	7/7/2016 10:32:23 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 10:32:22 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 10:32:21 PM	26	gradCels
SC ALRO SA	pH	7/7/2016 10:32:20 PM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 10:27:20 PM	13	mg/l
SC ALRO SA	Clor	7/7/2016 10:27:03 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 10:27:02 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 10:27:01 PM	26	gradCels
SC ALRO SA	pH	7/7/2016 10:27:00 PM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 10:23:01 PM	13	mg/l
SC ALRO SA	Clor	7/7/2016 10:21:23 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 10:21:22 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 10:21:21 PM	26	gradCels
SC ALRO SA	pH	7/7/2016 10:21:20 PM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 10:17:28 PM	13	mg/l
SC ALRO SA	Clor	7/7/2016 10:16:23 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 10:16:22 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 10:16:21 PM	26	gradCels
SC ALRO SA	pH	7/7/2016 10:16:20 PM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 10:12:00 PM	13	mg/l
SC ALRO SA	Clor	7/7/2016 10:11:45 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 10:11:44 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 10:11:43 PM	26	gradCels
SC ALRO SA	pH	7/7/2016 10:11:42 PM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 10:06:30 PM	13	mg/l
SC ALRO SA	Clor	7/7/2016 10:05:23 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 10:05:22 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 10:05:21 PM	26	gradCels
SC ALRO SA	pH	7/7/2016 10:05:20 PM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 10:00:43 PM	13	mg/l
SC ALRO SA	Clor	7/7/2016 9:59:43 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 9:59:42 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 9:59:41 PM	26	gradCels
SC ALRO SA	pH	7/7/2016 9:59:40 PM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 9:55:29 PM	13	mg/l
SC ALRO SA	Clor	7/7/2016 9:55:05 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 9:55:04 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 9:55:03 PM	26	gradCels
SC ALRO SA	pH	7/7/2016 9:55:02 PM	8	unit pH
SC ALRO SA	Clor	7/7/2016 9:49:26 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 9:49:25 PM	0	mg/l
SC ALRO SA	Substante organice	7/7/2016 9:49:24 PM	13	mg/l
SC ALRO SA	Temp	7/7/2016 9:49:23 PM	26	gradCels
SC ALRO SA	pH	7/7/2016 9:49:22 PM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	7/7/2016 9:44:33 PM	13	mg/l
SC ALRO SA	Clor	7/7/2016 9:44:05 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 9:44:04 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 9:44:03 PM	26	gradCels
SC ALRO SA	pH	7/7/2016 9:44:02 PM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 9:38:41 PM	13	mg/l
SC ALRO SA	Clor	7/7/2016 9:38:25 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 9:38:24 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 9:38:23 PM	26	gradCels
SC ALRO SA	pH	7/7/2016 9:38:22 PM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 9:33:50 PM	13	mg/l
SC ALRO SA	Clor	7/7/2016 9:33:24 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 9:33:23 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 9:33:22 PM	26	gradCels
SC ALRO SA	pH	7/7/2016 9:33:21 PM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 9:27:47 PM	13	mg/l
SC ALRO SA	Clor	7/7/2016 9:27:45 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 9:27:44 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 9:27:43 PM	26	gradCels
SC ALRO SA	pH	7/7/2016 9:27:42 PM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 9:23:02 PM	13	mg/l
SC ALRO SA	Clor	7/7/2016 9:22:27 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 9:22:25 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 9:22:23 PM	26	gradCels
SC ALRO SA	pH	7/7/2016 9:22:21 PM	8	unit pH
SC ALRO SA	Clor	7/7/2016 9:16:26 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 9:16:25 PM	0	mg/l
SC ALRO SA	Substante organice	7/7/2016 9:16:24 PM	13	mg/l
SC ALRO SA	Temp	7/7/2016 9:16:23 PM	26	gradCels
SC ALRO SA	pH	7/7/2016 9:16:22 PM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 9:11:46 PM	13	mg/l
SC ALRO SA	Clor	7/7/2016 9:10:23 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 9:10:22 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 9:10:21 PM	26	gradCels
SC ALRO SA	pH	7/7/2016 9:10:20 PM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 9:06:20 PM	13	mg/l
SC ALRO SA	Clor	7/7/2016 9:04:43 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 9:04:42 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 9:04:41 PM	26	gradCels
SC ALRO SA	pH	7/7/2016 9:04:40 PM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 9:01:13 PM	13	mg/l
SC ALRO SA	Clor	7/7/2016 9:00:46 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 9:00:45 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 9:00:44 PM	26	gradCels
SC ALRO SA	pH	7/7/2016 9:00:43 PM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 8:55:20 PM	13	mg/l
SC ALRO SA	Clor	7/7/2016 8:55:06 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 8:55:05 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 8:55:04 PM	26	gradCels
SC ALRO SA	pH	7/7/2016 8:55:03 PM	8	unit pH
SC ALRO SA	Clor	7/7/2016 8:49:27 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 8:49:26 PM	0	mg/l
SC ALRO SA	Substante organice	7/7/2016 8:49:25 PM	13	mg/l
SC ALRO SA	pH	7/7/2016 8:49:24 PM	8	unit pH
SC ALRO SA	Temp	7/7/2016 8:49:23 PM	26	gradCels
SC ALRO SA	Substante organice	7/7/2016 8:44:20 PM	13	mg/l
SC ALRO SA	Clor	7/7/2016 8:44:06 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 8:44:05 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 8:44:04 PM	26	gradCels
SC ALRO SA	pH	7/7/2016 8:44:03 PM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 8:38:47 PM	13	mg/l
SC ALRO SA	Clor	7/7/2016 8:38:26 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 8:38:25 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 8:38:24 PM	26	gradCels
SC ALRO SA	pH	7/7/2016 8:38:23 PM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 8:33:00 PM	13	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Clor	7/7/2016 8:32:46 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 8:32:45 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 8:32:44 PM	26	gradCels
SC ALRO SA	pH	7/7/2016 8:32:43 PM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 8:27:47 PM	13	mg/l
SC ALRO SA	Clor	7/7/2016 8:26:43 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 8:26:42 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 8:26:41 PM	26	gradCels
SC ALRO SA	pH	7/7/2016 8:26:40 PM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 8:22:00 PM	13	mg/l
SC ALRO SA	Clor	7/7/2016 8:21:03 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 8:21:02 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 8:21:01 PM	26	gradCels
SC ALRO SA	pH	7/7/2016 8:21:00 PM	8	unit pH
SC ALRO SA	Clor	7/7/2016 8:15:44 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 8:15:43 PM	0	mg/l
SC ALRO SA	Substante organice	7/7/2016 8:15:42 PM	13	mg/l
SC ALRO SA	Temp	7/7/2016 8:15:41 PM	26	gradCels
SC ALRO SA	pH	7/7/2016 8:15:40 PM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 8:11:01 PM	13	mg/l
SC ALRO SA	Clor	7/7/2016 8:10:03 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 8:10:02 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 8:10:01 PM	26	gradCels
SC ALRO SA	pH	7/7/2016 8:10:00 PM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 8:05:47 PM	13	mg/l
SC ALRO SA	Clor	7/7/2016 8:04:43 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 8:04:42 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 8:04:41 PM	26	gradCels
SC ALRO SA	pH	7/7/2016 8:04:40 PM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 8:00:03 PM	13	mg/l
SC ALRO SA	Clor	7/7/2016 7:59:07 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 7:59:06 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 7:59:05 PM	26	gradCels
SC ALRO SA	pH	7/7/2016 7:59:04 PM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 7:54:46 PM	13	mg/l
SC ALRO SA	Clor	7/7/2016 7:53:47 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 7:53:46 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 7:53:45 PM	26	gradCels
SC ALRO SA	pH	7/7/2016 7:53:44 PM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 7:49:01 PM	13	mg/l
SC ALRO SA	Clor	7/7/2016 7:48:07 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 7:48:06 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 7:48:05 PM	26	gradCels
SC ALRO SA	pH	7/7/2016 7:48:04 PM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 7:43:42 PM	13	mg/l
SC ALRO SA	Clor	7/7/2016 7:42:43 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 7:42:42 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 7:42:41 PM	26	gradCels
SC ALRO SA	pH	7/7/2016 7:42:40 PM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 7:38:00 PM	13	mg/l
SC ALRO SA	Clor	7/7/2016 7:37:03 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 7:37:02 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 7:37:01 PM	26	gradCels
SC ALRO SA	pH	7/7/2016 7:37:00 PM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 7:32:43 PM	13	mg/l
SC ALRO SA	Clor	7/7/2016 7:31:43 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 7:31:42 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 7:31:41 PM	26	gradCels
SC ALRO SA	pH	7/7/2016 7:31:40 PM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 7:27:03 PM	13	mg/l
SC ALRO SA	Clor	7/7/2016 7:26:03 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 7:26:02 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 7:26:01 PM	26	gradCels
SC ALRO SA	pH	7/7/2016 7:26:00 PM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 7:21:43 PM	13	mg/l
SC ALRO SA	Clor	7/7/2016 7:20:43 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Grasimi	7/7/2016 7:20:42 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 7:20:41 PM	26	gradCels
SC ALRO SA	pH	7/7/2016 7:20:40 PM	8	unit pH
SC ALRO SA	Clor	7/7/2016 7:15:04 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 7:15:03 PM	0	mg/l
SC ALRO SA	Substante organice	7/7/2016 7:15:02 PM	13	mg/l
SC ALRO SA	Temp	7/7/2016 7:15:01 PM	26	gradCels
SC ALRO SA	pH	7/7/2016 7:15:00 PM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 7:10:43 PM	13	mg/l
SC ALRO SA	Clor	7/7/2016 7:09:43 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 7:09:42 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 7:09:41 PM	26	gradCels
SC ALRO SA	pH	7/7/2016 7:09:40 PM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 7:05:01 PM	13	mg/l
SC ALRO SA	Clor	7/7/2016 7:04:03 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 7:04:02 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 7:04:01 PM	26	gradCels
SC ALRO SA	pH	7/7/2016 7:04:00 PM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 7:00:00 PM	13	mg/l
SC ALRO SA	Clor	7/7/2016 6:58:43 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 6:58:42 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 6:58:41 PM	26	gradCels
SC ALRO SA	pH	7/7/2016 6:58:40 PM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 6:54:01 PM	13	mg/l
SC ALRO SA	Clor	7/7/2016 6:53:03 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 6:53:02 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 6:53:01 PM	25	gradCels
SC ALRO SA	pH	7/7/2016 6:53:00 PM	8	unit pH
SC ALRO SA	Clor	7/7/2016 6:48:26 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 6:48:25 PM	0	mg/l
SC ALRO SA	Substante organice	7/7/2016 6:48:24 PM	13	mg/l
SC ALRO SA	pH	7/7/2016 6:48:23 PM	8	unit pH
SC ALRO SA	Temp	7/7/2016 6:48:22 PM	25	gradCels
SC ALRO SA	Substante organice	7/7/2016 6:43:19 PM	13	mg/l
SC ALRO SA	Clor	7/7/2016 6:43:04 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 6:43:03 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 6:43:02 PM	25	gradCels
SC ALRO SA	pH	7/7/2016 6:43:01 PM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 6:38:02 PM	13	mg/l
SC ALRO SA	Clor	7/7/2016 6:37:03 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 6:37:02 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 6:37:01 PM	25	gradCels
SC ALRO SA	pH	7/7/2016 6:37:00 PM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 6:32:42 PM	13	mg/l
SC ALRO SA	Clor	7/7/2016 6:31:43 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 6:31:42 PM	0	mg/l
SC ALRO SA	pH	7/7/2016 6:31:41 PM	8	unit pH
SC ALRO SA	Temp	7/7/2016 6:31:40 PM	25	gradCels
SC ALRO SA	Substante organice	7/7/2016 6:27:03 PM	13	mg/l
SC ALRO SA	Clor	7/7/2016 6:26:03 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 6:26:02 PM	0	mg/l
SC ALRO SA	pH	7/7/2016 6:26:01 PM	8	unit pH
SC ALRO SA	Temp	7/7/2016 6:26:00 PM	26	gradCels
SC ALRO SA	Substante organice	7/7/2016 6:21:43 PM	13	mg/l
SC ALRO SA	Clor	7/7/2016 6:20:43 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 6:20:42 PM	0	mg/l
SC ALRO SA	pH	7/7/2016 6:20:41 PM	8	unit pH
SC ALRO SA	Temp	7/7/2016 6:20:40 PM	26	gradCels
SC ALRO SA	Clor	7/7/2016 6:15:04 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 6:15:03 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 6:15:02 PM	26	gradCels
SC ALRO SA	Substante organice	7/7/2016 6:15:01 PM	13	mg/l
SC ALRO SA	pH	7/7/2016 6:15:00 PM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 6:10:42 PM	13	mg/l
SC ALRO SA	Clor	7/7/2016 6:09:43 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 6:09:42 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	7/7/2016 6:09:41 PM	8	unit pH
SC ALRO SA	Temp	7/7/2016 6:09:40 PM	25	gradCels
SC ALRO SA	Substante organice	7/7/2016 6:05:01 PM	13	mg/l
SC ALRO SA	Clor	7/7/2016 6:04:03 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 6:04:02 PM	0	mg/l
SC ALRO SA	pH	7/7/2016 6:04:01 PM	8	unit pH
SC ALRO SA	Temp	7/7/2016 6:04:00 PM	25	gradCels
SC ALRO SA	Substante organice	7/7/2016 5:59:43 PM	13	mg/l
SC ALRO SA	Clor	7/7/2016 5:58:43 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 5:58:42 PM	25	gradCels
SC ALRO SA	Grasimi	7/7/2016 5:58:41 PM	0	mg/l
SC ALRO SA	pH	7/7/2016 5:58:40 PM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 5:54:01 PM	13	mg/l
SC ALRO SA	Clor	7/7/2016 5:53:03 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 5:53:02 PM	0	mg/l
SC ALRO SA	pH	7/7/2016 5:53:01 PM	8	unit pH
SC ALRO SA	Temp	7/7/2016 5:53:00 PM	25	gradCels
SC ALRO SA	Substante organice	7/7/2016 5:48:24 PM	13	mg/l
SC ALRO SA	Clor	7/7/2016 5:47:23 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 5:47:22 PM	0	mg/l
SC ALRO SA	pH	7/7/2016 5:47:21 PM	8	unit pH
SC ALRO SA	Temp	7/7/2016 5:47:20 PM	25	gradCels
SC ALRO SA	Substante organice	7/7/2016 5:43:01 PM	13	mg/l
SC ALRO SA	Clor	7/7/2016 5:42:03 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 5:42:02 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 5:42:01 PM	25	gradCels
SC ALRO SA	pH	7/7/2016 5:42:00 PM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 5:37:28 PM	13	mg/l
SC ALRO SA	Clor	7/7/2016 5:36:23 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 5:36:22 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 5:36:21 PM	25	gradCels
SC ALRO SA	pH	7/7/2016 5:36:20 PM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 5:32:01 PM	13	mg/l
SC ALRO SA	Clor	7/7/2016 5:31:03 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 5:31:02 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 5:31:01 PM	25	gradCels
SC ALRO SA	pH	7/7/2016 5:31:00 PM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 5:26:46 PM	13	mg/l
SC ALRO SA	Clor	7/7/2016 5:25:23 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 5:25:22 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 5:25:21 PM	25	gradCels
SC ALRO SA	pH	7/7/2016 5:25:20 PM	8	unit pH
SC ALRO SA	Clor	7/7/2016 5:20:04 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 5:20:03 PM	0	mg/l
SC ALRO SA	Substante organice	7/7/2016 5:20:02 PM	13	mg/l
SC ALRO SA	pH	7/7/2016 5:20:01 PM	8	unit pH
SC ALRO SA	Temp	7/7/2016 5:20:00 PM	25	gradCels
SC ALRO SA	Substante organice	7/7/2016 5:15:33 PM	13	mg/l
SC ALRO SA	Clor	7/7/2016 5:15:05 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 5:15:04 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 5:15:03 PM	25	gradCels
SC ALRO SA	pH	7/7/2016 5:15:02 PM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 5:10:01 PM	13	mg/l
SC ALRO SA	Clor	7/7/2016 5:09:03 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 5:09:02 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 5:09:01 PM	25	gradCels
SC ALRO SA	pH	7/7/2016 5:09:00 PM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 5:04:29 PM	13	mg/l
SC ALRO SA	Clor	7/7/2016 5:03:23 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 5:03:22 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 5:03:21 PM	25	gradCels
SC ALRO SA	pH	7/7/2016 5:03:20 PM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 4:59:03 PM	13	mg/l
SC ALRO SA	Clor	7/7/2016 4:58:03 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 4:58:02 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 4:58:01 PM	25	gradCels



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	7/7/2016 4:58:00 PM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 4:53:31 PM	13	mg/l
SC ALRO SA	Clor	7/7/2016 4:53:05 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 4:53:04 PM	0	mg/l
SC ALRO SA	pH	7/7/2016 4:53:03 PM	8	unit pH
SC ALRO SA	Temp	7/7/2016 4:53:02 PM	25	gradCels
SC ALRO SA	Clor	7/7/2016 4:47:04 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 4:47:03 PM	0	mg/l
SC ALRO SA	Substante organice	7/7/2016 4:47:02 PM	13	mg/l
SC ALRO SA	pH	7/7/2016 4:47:01 PM	8	unit pH
SC ALRO SA	Temp	7/7/2016 4:47:00 PM	25	gradCels
SC ALRO SA	Substante organice	7/7/2016 4:42:34 PM	13	mg/l
SC ALRO SA	Clor	7/7/2016 4:42:05 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 4:42:04 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 4:42:03 PM	25	gradCels
SC ALRO SA	pH	7/7/2016 4:42:02 PM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 4:37:00 PM	13	mg/l
SC ALRO SA	Clor	7/7/2016 4:36:03 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 4:36:02 PM	25	gradCels
SC ALRO SA	Grasimi	7/7/2016 4:36:01 PM	0	mg/l
SC ALRO SA	pH	7/7/2016 4:36:00 PM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 4:31:28 PM	13	mg/l
SC ALRO SA	Clor	7/7/2016 4:30:23 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 4:30:22 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 4:30:21 PM	25	gradCels
SC ALRO SA	pH	7/7/2016 4:30:20 PM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 4:25:48 PM	13	mg/l
SC ALRO SA	Clor	7/7/2016 4:25:46 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 4:25:45 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 4:25:44 PM	25	gradCels
SC ALRO SA	pH	7/7/2016 4:25:43 PM	8	unit pH
SC ALRO SA	Clor	7/7/2016 4:19:24 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 4:19:23 PM	0	mg/l
SC ALRO SA	Substante organice	7/7/2016 4:19:22 PM	13	mg/l
SC ALRO SA	Temp	7/7/2016 4:19:21 PM	25	gradCels
SC ALRO SA	pH	7/7/2016 4:19:20 PM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 4:14:40 PM	13	mg/l
SC ALRO SA	Clor	7/7/2016 4:14:26 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 4:14:25 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 4:14:24 PM	25	gradCels
SC ALRO SA	pH	7/7/2016 4:14:23 PM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 4:09:25 PM	13	mg/l
SC ALRO SA	Clor	7/7/2016 4:08:23 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 4:08:22 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 4:08:21 PM	25	gradCels
SC ALRO SA	pH	7/7/2016 4:08:20 PM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 4:03:40 PM	13	mg/l
SC ALRO SA	Clor	7/7/2016 4:03:26 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 4:03:25 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 4:03:24 PM	25	gradCels
SC ALRO SA	pH	7/7/2016 4:03:23 PM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 3:58:43 PM	13	mg/l
SC ALRO SA	Clor	7/7/2016 3:57:24 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 3:57:22 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 3:57:21 PM	25	gradCels
SC ALRO SA	pH	7/7/2016 3:57:20 PM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 3:52:41 PM	13	mg/l
SC ALRO SA	Clor	7/7/2016 3:52:26 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 3:52:25 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 3:52:24 PM	25	gradCels
SC ALRO SA	pH	7/7/2016 3:52:23 PM	8	unit pH
SC ALRO SA	Clor	7/7/2016 3:46:24 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 3:46:23 PM	0	mg/l
SC ALRO SA	Substante organice	7/7/2016 3:46:22 PM	13	mg/l
SC ALRO SA	pH	7/7/2016 3:46:21 PM	8	unit pH
SC ALRO SA	Temp	7/7/2016 3:46:20 PM	25	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	7/7/2016 3:41:41 PM	14	mg/l
SC ALRO SA	Clor	7/7/2016 3:40:43 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 3:40:42 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 3:40:41 PM	25	gradCels
SC ALRO SA	pH	7/7/2016 3:40:40 PM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 3:36:30 PM	14	mg/l
SC ALRO SA	Clor	7/7/2016 3:36:06 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 3:36:05 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 3:36:04 PM	25	gradCels
SC ALRO SA	pH	7/7/2016 3:36:03 PM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 3:30:42 PM	14	mg/l
SC ALRO SA	Clor	7/7/2016 3:30:31 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 3:30:30 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 3:30:29 PM	25	gradCels
SC ALRO SA	pH	7/7/2016 3:30:28 PM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 3:26:04 PM	14	mg/l
SC ALRO SA	Clor	7/7/2016 3:24:47 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 3:24:46 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 3:24:45 PM	24	gradCels
SC ALRO SA	pH	7/7/2016 3:24:44 PM	8	unit pH
SC ALRO SA	Clor	7/7/2016 3:19:29 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 3:19:28 PM	0	mg/l
SC ALRO SA	Substante organice	7/7/2016 3:19:27 PM	14	mg/l
SC ALRO SA	Temp	7/7/2016 3:19:26 PM	24	gradCels
SC ALRO SA	pH	7/7/2016 3:19:25 PM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 3:14:46 PM	14	mg/l
SC ALRO SA	Clor	7/7/2016 3:13:48 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 3:13:47 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 3:13:46 PM	24	gradCels
SC ALRO SA	pH	7/7/2016 3:13:45 PM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 3:09:23 PM	14	mg/l
SC ALRO SA	Clor	7/7/2016 3:08:28 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 3:08:27 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 3:08:26 PM	24	gradCels
SC ALRO SA	pH	7/7/2016 3:08:25 PM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 3:03:48 PM	14	mg/l
SC ALRO SA	Clor	7/7/2016 3:02:48 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 3:02:47 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 3:02:46 PM	24	gradCels
SC ALRO SA	pH	7/7/2016 3:02:45 PM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 2:58:04 PM	14	mg/l
SC ALRO SA	Clor	7/7/2016 2:57:09 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 2:57:08 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 2:57:07 PM	24	gradCels
SC ALRO SA	pH	7/7/2016 2:57:06 PM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 2:52:46 PM	14	mg/l
SC ALRO SA	Clor	7/7/2016 2:51:48 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 2:51:47 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 2:51:46 PM	24	gradCels
SC ALRO SA	pH	7/7/2016 2:51:45 PM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 2:47:03 PM	14	mg/l
SC ALRO SA	Clor	7/7/2016 2:46:08 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 2:46:07 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 2:46:06 PM	24	gradCels
SC ALRO SA	pH	7/7/2016 2:46:05 PM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 2:41:51 PM	14	mg/l
SC ALRO SA	Clor	7/7/2016 2:40:48 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 2:40:47 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 2:40:46 PM	24	gradCels
SC ALRO SA	pH	7/7/2016 2:40:45 PM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 2:36:04 PM	14	mg/l
SC ALRO SA	Clor	7/7/2016 2:35:07 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 2:35:06 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 2:35:05 PM	24	gradCels
SC ALRO SA	pH	7/7/2016 2:35:04 PM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 2:31:01 PM	14	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Clor	7/7/2016 2:29:43 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 2:29:42 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 2:29:41 PM	24	gradCels
SC ALRO SA	pH	7/7/2016 2:29:40 PM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 2:25:02 PM	14	mg/l
SC ALRO SA	Clor	7/7/2016 2:24:03 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 2:24:02 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 2:24:01 PM	24	gradCels
SC ALRO SA	pH	7/7/2016 2:24:00 PM	8	unit pH
SC ALRO SA	Clor	7/7/2016 2:18:44 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 2:18:43 PM	0	mg/l
SC ALRO SA	Substante organice	7/7/2016 2:18:42 PM	14	mg/l
SC ALRO SA	Temp	7/7/2016 2:18:41 PM	24	gradCels
SC ALRO SA	pH	7/7/2016 2:18:40 PM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 2:14:02 PM	13	mg/l
SC ALRO SA	Clor	7/7/2016 2:13:03 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 2:13:02 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 2:13:01 PM	24	gradCels
SC ALRO SA	pH	7/7/2016 2:13:00 PM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 2:08:44 PM	13	mg/l
SC ALRO SA	Clor	7/7/2016 2:07:43 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 2:07:42 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 2:07:41 PM	24	gradCels
SC ALRO SA	pH	7/7/2016 2:07:40 PM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 2:03:03 PM	13	mg/l
SC ALRO SA	Clor	7/7/2016 2:02:03 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 2:02:02 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 2:02:01 PM	24	gradCels
SC ALRO SA	pH	7/7/2016 2:02:00 PM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 1:58:00 PM	13	mg/l
SC ALRO SA	Clor	7/7/2016 1:56:48 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 1:56:47 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 1:56:46 PM	24	gradCels
SC ALRO SA	pH	7/7/2016 1:56:45 PM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 1:52:04 PM	13	mg/l
SC ALRO SA	Clor	7/7/2016 1:51:08 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 1:51:07 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 1:51:06 PM	24	gradCels
SC ALRO SA	pH	7/7/2016 1:51:05 PM	8	unit pH
SC ALRO SA	Clor	7/7/2016 1:45:49 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 1:45:48 PM	0	mg/l
SC ALRO SA	Substante organice	7/7/2016 1:45:47 PM	13	mg/l
SC ALRO SA	pH	7/7/2016 1:45:46 PM	8	unit pH
SC ALRO SA	Temp	7/7/2016 1:45:45 PM	24	gradCels
SC ALRO SA	Substante organice	7/7/2016 1:41:04 PM	14	mg/l
SC ALRO SA	Clor	7/7/2016 1:40:08 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 1:40:07 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 1:40:06 PM	24	gradCels
SC ALRO SA	pH	7/7/2016 1:40:05 PM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 1:35:47 PM	14	mg/l
SC ALRO SA	Clor	7/7/2016 1:34:48 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 1:34:47 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 1:34:46 PM	24	gradCels
SC ALRO SA	pH	7/7/2016 1:34:45 PM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 1:30:11 PM	14	mg/l
SC ALRO SA	Clor	7/7/2016 1:29:08 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 1:29:07 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 1:29:06 PM	24	gradCels
SC ALRO SA	pH	7/7/2016 1:29:05 PM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 1:24:45 PM	14	mg/l
SC ALRO SA	Clor	7/7/2016 1:23:48 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 1:23:47 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 1:23:46 PM	24	gradCels
SC ALRO SA	pH	7/7/2016 1:23:45 PM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 1:19:03 PM	14	mg/l
SC ALRO SA	Clor	7/7/2016 1:18:08 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Grasimi	7/7/2016 1:18:07 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 1:18:06 PM	24	gradCels
SC ALRO SA	pH	7/7/2016 1:18:05 PM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 1:13:45 PM	14	mg/l
SC ALRO SA	Clor	7/7/2016 1:12:48 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 1:12:47 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 1:12:46 PM	24	gradCels
SC ALRO SA	pH	7/7/2016 1:12:45 PM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 1:08:03 PM	14	mg/l
SC ALRO SA	Clor	7/7/2016 1:07:08 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 1:07:07 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 1:07:06 PM	24	gradCels
SC ALRO SA	pH	7/7/2016 1:07:05 PM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 1:02:45 PM	14	mg/l
SC ALRO SA	Clor	7/7/2016 1:01:48 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 1:01:47 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 1:01:46 PM	24	gradCels
SC ALRO SA	pH	7/7/2016 1:01:45 PM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 12:57:09 PM	14	mg/l
SC ALRO SA	Clor	7/7/2016 12:56:08 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 12:56:07 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 12:56:06 PM	24	gradCels
SC ALRO SA	pH	7/7/2016 12:56:05 PM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 12:51:47 PM	14	mg/l
SC ALRO SA	Clor	7/7/2016 12:50:48 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 12:50:47 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 12:50:46 PM	24	gradCels
SC ALRO SA	pH	7/7/2016 12:50:45 PM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 12:46:02 PM	14	mg/l
SC ALRO SA	Clor	7/7/2016 12:45:08 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 12:45:07 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 12:45:06 PM	24	gradCels
SC ALRO SA	pH	7/7/2016 12:45:05 PM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 12:40:46 PM	14	mg/l
SC ALRO SA	Clor	7/7/2016 12:39:43 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 12:39:42 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 12:39:41 PM	24	gradCels
SC ALRO SA	pH	7/7/2016 12:39:40 PM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 12:35:01 PM	14	mg/l
SC ALRO SA	Clor	7/7/2016 12:34:03 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 12:34:02 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 12:34:01 PM	24	gradCels
SC ALRO SA	pH	7/7/2016 12:34:00 PM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 12:30:02 PM	14	mg/l
SC ALRO SA	Clor	7/7/2016 12:29:56 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 12:29:55 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 12:29:54 PM	24	gradCels
SC ALRO SA	pH	7/7/2016 12:29:53 PM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 12:24:26 PM	14	mg/l
SC ALRO SA	Clor	7/7/2016 12:24:16 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 12:24:15 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 12:24:14 PM	24	gradCels
SC ALRO SA	pH	7/7/2016 12:24:13 PM	8	unit pH
SC ALRO SA	Clor	7/7/2016 12:18:04 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 12:18:03 PM	0	mg/l
SC ALRO SA	Substante organice	7/7/2016 12:18:02 PM	14	mg/l
SC ALRO SA	Temp	7/7/2016 12:18:01 PM	24	gradCels
SC ALRO SA	pH	7/7/2016 12:18:00 PM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 12:13:26 PM	14	mg/l
SC ALRO SA	Clor	7/7/2016 12:12:26 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 12:12:25 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 12:12:24 PM	24	gradCels
SC ALRO SA	pH	7/7/2016 12:12:23 PM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 12:08:05 PM	14	mg/l
SC ALRO SA	Clor	7/7/2016 12:07:03 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 12:07:02 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	7/7/2016 12:07:01 PM	24	gradCels
SC ALRO SA	pH	7/7/2016 12:07:00 PM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 12:02:24 PM	14	mg/l
SC ALRO SA	Clor	7/7/2016 12:01:29 PM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 12:01:28 PM	0	mg/l
SC ALRO SA	Temp	7/7/2016 12:01:27 PM	24	gradCels
SC ALRO SA	pH	7/7/2016 12:01:26 PM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 11:57:04 AM	14	mg/l
SC ALRO SA	Clor	7/7/2016 11:56:03 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 11:56:02 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 11:56:01 AM	24	gradCels
SC ALRO SA	pH	7/7/2016 11:56:00 AM	8	unit pH
SC ALRO SA	Clor	7/7/2016 11:50:30 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 11:50:29 AM	0	mg/l
SC ALRO SA	Substante organice	7/7/2016 11:50:28 AM	14	mg/l
SC ALRO SA	Temp	7/7/2016 11:50:27 AM	24	gradCels
SC ALRO SA	pH	7/7/2016 11:50:26 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 11:46:08 AM	14	mg/l
SC ALRO SA	Clor	7/7/2016 11:45:03 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 11:45:02 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 11:45:01 AM	24	gradCels
SC ALRO SA	pH	7/7/2016 11:45:00 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 11:40:24 AM	14	mg/l
SC ALRO SA	Clor	7/7/2016 11:39:24 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 11:39:23 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 11:39:22 AM	24	gradCels
SC ALRO SA	pH	7/7/2016 11:39:20 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 11:35:02 AM	14	mg/l
SC ALRO SA	Clor	7/7/2016 11:34:03 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 11:34:02 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 11:34:01 AM	24	gradCels
SC ALRO SA	pH	7/7/2016 11:34:00 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 11:29:27 AM	14	mg/l
SC ALRO SA	Clor	7/7/2016 11:28:23 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 11:28:22 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 11:28:21 AM	24	gradCels
SC ALRO SA	pH	7/7/2016 11:28:20 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 11:24:05 AM	14	mg/l
SC ALRO SA	Clor	7/7/2016 11:23:03 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 11:23:02 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 11:23:01 AM	24	gradCels
SC ALRO SA	pH	7/7/2016 11:23:00 AM	8	unit pH
SC ALRO SA	Clor	7/7/2016 11:17:24 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 11:17:23 AM	0	mg/l
SC ALRO SA	Substante organice	7/7/2016 11:17:22 AM	14	mg/l
SC ALRO SA	Temp	7/7/2016 11:17:21 AM	24	gradCels
SC ALRO SA	pH	7/7/2016 11:17:20 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 11:13:05 AM	14	mg/l
SC ALRO SA	Clor	7/7/2016 11:12:03 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 11:12:02 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 11:12:01 AM	24	gradCels
SC ALRO SA	pH	7/7/2016 11:12:00 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 11:07:25 AM	14	mg/l
SC ALRO SA	Clor	7/7/2016 11:06:28 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 11:06:27 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 11:06:26 AM	24	gradCels
SC ALRO SA	pH	7/7/2016 11:06:25 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 11:02:08 AM	14	mg/l
SC ALRO SA	Clor	7/7/2016 11:01:08 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 11:01:07 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 11:01:06 AM	24	gradCels
SC ALRO SA	pH	7/7/2016 11:01:05 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 10:56:24 AM	14	mg/l
SC ALRO SA	Clor	7/7/2016 10:56:10 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 10:56:09 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 10:56:08 AM	24	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	7/7/2016 10:56:07 AM	8	unit pH
SC ALRO SA	Clor	7/7/2016 10:50:51 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 10:50:50 AM	0	mg/l
SC ALRO SA	Substante organice	7/7/2016 10:50:49 AM	14	mg/l
SC ALRO SA	Temp	7/7/2016 10:50:48 AM	24	gradCels
SC ALRO SA	pH	7/7/2016 10:50:47 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 10:45:25 AM	14	mg/l
SC ALRO SA	Clor	7/7/2016 10:45:16 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 10:45:15 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 10:45:14 AM	24	gradCels
SC ALRO SA	pH	7/7/2016 10:45:13 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 10:40:06 AM	14	mg/l
SC ALRO SA	Clor	7/7/2016 10:39:49 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 10:39:48 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 10:39:47 AM	24	gradCels
SC ALRO SA	pH	7/7/2016 10:39:46 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 10:34:27 AM	14	mg/l
SC ALRO SA	Clor	7/7/2016 10:34:05 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 10:34:04 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 10:34:03 AM	24	gradCels
SC ALRO SA	pH	7/7/2016 10:34:02 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 10:29:01 AM	14	mg/l
SC ALRO SA	Clor	7/7/2016 10:28:51 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 10:28:50 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 10:28:49 AM	24	gradCels
SC ALRO SA	pH	7/7/2016 10:28:48 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 10:23:29 AM	14	mg/l
SC ALRO SA	Clor	7/7/2016 10:23:11 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 10:23:10 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 10:23:09 AM	24	gradCels
SC ALRO SA	pH	7/7/2016 10:23:08 AM	8	unit pH
SC ALRO SA	Clor	7/7/2016 10:17:31 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 10:17:30 AM	0	mg/l
SC ALRO SA	Substante organice	7/7/2016 10:17:29 AM	14	mg/l
SC ALRO SA	Temp	7/7/2016 10:17:28 AM	24	gradCels
SC ALRO SA	pH	7/7/2016 10:17:27 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 10:12:30 AM	14	mg/l
SC ALRO SA	Clor	7/7/2016 10:12:10 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 10:12:09 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 10:12:08 AM	24	gradCels
SC ALRO SA	pH	7/7/2016 10:12:07 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 10:06:48 AM	14	mg/l
SC ALRO SA	Clor	7/7/2016 10:06:25 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 10:06:24 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 10:06:23 AM	24	gradCels
SC ALRO SA	pH	7/7/2016 10:06:22 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 10:01:30 AM	14	mg/l
SC ALRO SA	Clor	7/7/2016 10:01:14 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 10:01:13 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 10:01:12 AM	24	gradCels
SC ALRO SA	pH	7/7/2016 10:01:11 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 9:55:55 AM	14	mg/l
SC ALRO SA	Clor	7/7/2016 9:55:50 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 9:55:49 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 9:55:48 AM	24	gradCels
SC ALRO SA	pH	7/7/2016 9:55:47 AM	8	unit pH
SC ALRO SA	Clor	7/7/2016 9:50:15 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 9:50:14 AM	0	mg/l
SC ALRO SA	Substante organice	7/7/2016 9:50:13 AM	14	mg/l
SC ALRO SA	Temp	7/7/2016 9:50:12 AM	24	gradCels
SC ALRO SA	pH	7/7/2016 9:50:11 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 9:45:04 AM	14	mg/l
SC ALRO SA	Clor	7/7/2016 9:44:48 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 9:44:47 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 9:44:46 AM	24	gradCels
SC ALRO SA	pH	7/7/2016 9:44:45 AM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	7/7/2016 9:39:30 AM	14	mg/l
SC ALRO SA	Clor	7/7/2016 9:39:05 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 9:39:04 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 9:39:03 AM	24	gradCels
SC ALRO SA	pH	7/7/2016 9:39:02 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 9:34:04 AM	14	mg/l
SC ALRO SA	Clor	7/7/2016 9:33:50 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 9:33:49 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 9:33:48 AM	24	gradCels
SC ALRO SA	pH	7/7/2016 9:33:47 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 9:28:44 AM	14	mg/l
SC ALRO SA	Clor	7/7/2016 9:28:31 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 9:28:30 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 9:28:29 AM	24	gradCels
SC ALRO SA	pH	7/7/2016 9:28:28 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 9:23:03 AM	14	mg/l
SC ALRO SA	Clor	7/7/2016 9:22:50 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 9:22:49 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 9:22:48 AM	24	gradCels
SC ALRO SA	pH	7/7/2016 9:22:47 AM	8	unit pH
SC ALRO SA	Clor	7/7/2016 9:16:46 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 9:16:45 AM	0	mg/l
SC ALRO SA	Substante organice	7/7/2016 9:16:44 AM	14	mg/l
SC ALRO SA	Temp	7/7/2016 9:16:43 AM	24	gradCels
SC ALRO SA	pH	7/7/2016 9:16:42 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 9:12:03 AM	14	mg/l
SC ALRO SA	Clor	7/7/2016 9:11:49 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 9:11:48 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 9:11:47 AM	24	gradCels
SC ALRO SA	pH	7/7/2016 9:11:46 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 9:06:22 AM	14	mg/l
SC ALRO SA	Clor	7/7/2016 9:05:45 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 9:05:44 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 9:05:43 AM	24	gradCels
SC ALRO SA	pH	7/7/2016 9:05:42 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 9:01:12 AM	14	mg/l
SC ALRO SA	Clor	7/7/2016 9:01:01 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 9:01:00 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 9:00:59 AM	24	gradCels
SC ALRO SA	pH	7/7/2016 9:00:58 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 8:55:03 AM	14	mg/l
SC ALRO SA	Clor	7/7/2016 8:54:54 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 8:54:53 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 8:54:52 AM	24	gradCels
SC ALRO SA	pH	7/7/2016 8:54:51 AM	8	unit pH
SC ALRO SA	Clor	7/7/2016 8:49:31 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 8:49:30 AM	0	mg/l
SC ALRO SA	Substante organice	7/7/2016 8:49:29 AM	14	mg/l
SC ALRO SA	pH	7/7/2016 8:49:28 AM	8	unit pH
SC ALRO SA	Temp	7/7/2016 8:49:27 AM	24	gradCels
SC ALRO SA	Substante organice	7/7/2016 8:44:03 AM	14	mg/l
SC ALRO SA	Clor	7/7/2016 8:43:54 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 8:43:53 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 8:43:52 AM	24	gradCels
SC ALRO SA	pH	7/7/2016 8:43:51 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 8:38:47 AM	14	mg/l
SC ALRO SA	Clor	7/7/2016 8:38:35 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 8:38:34 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 8:38:33 AM	24	gradCels
SC ALRO SA	pH	7/7/2016 8:38:32 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 8:33:04 AM	14	mg/l
SC ALRO SA	Clor	7/7/2016 8:32:55 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 8:32:54 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 8:32:53 AM	24	gradCels
SC ALRO SA	pH	7/7/2016 8:32:52 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 8:28:00 AM	14	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Clor	7/7/2016 8:27:53 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 8:27:52 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 8:27:51 AM	24	gradCels
SC ALRO SA	pH	7/7/2016 8:27:50 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 8:22:18 AM	14	mg/l
SC ALRO SA	Clor	7/7/2016 8:22:15 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 8:22:14 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 8:22:13 AM	24	gradCels
SC ALRO SA	pH	7/7/2016 8:22:12 AM	8	unit pH
SC ALRO SA	Clor	7/7/2016 8:16:35 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 8:16:34 AM	0	mg/l
SC ALRO SA	Substante organice	7/7/2016 8:16:33 AM	14	mg/l
SC ALRO SA	Temp	7/7/2016 8:16:32 AM	24	gradCels
SC ALRO SA	pH	7/7/2016 8:16:31 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 8:11:20 AM	13	mg/l
SC ALRO SA	Clor	7/7/2016 8:11:12 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 8:11:11 AM	0	mg/l
SC ALRO SA	pH	7/7/2016 8:11:10 AM	8	unit pH
SC ALRO SA	Temp	7/7/2016 8:11:09 AM	24	gradCels
SC ALRO SA	Substante organice	7/7/2016 8:05:45 AM	13	mg/l
SC ALRO SA	Clor	7/7/2016 8:05:30 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 8:05:29 AM	0	mg/l
SC ALRO SA	pH	7/7/2016 8:05:28 AM	8	unit pH
SC ALRO SA	Temp	7/7/2016 8:05:27 AM	24	gradCels
SC ALRO SA	Substante organice	7/7/2016 8:00:20 AM	13	mg/l
SC ALRO SA	Clor	7/7/2016 8:00:13 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 8:00:12 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 8:00:11 AM	24	gradCels
SC ALRO SA	pH	7/7/2016 8:00:10 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 7:54:43 AM	13	mg/l
SC ALRO SA	Clor	7/7/2016 7:54:31 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 7:54:30 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 7:54:29 AM	24	gradCels
SC ALRO SA	pH	7/7/2016 7:54:28 AM	8	unit pH
SC ALRO SA	Clor	7/7/2016 7:49:13 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 7:49:12 AM	0	mg/l
SC ALRO SA	Substante organice	7/7/2016 7:49:11 AM	13	mg/l
SC ALRO SA	pH	7/7/2016 7:49:10 AM	8	unit pH
SC ALRO SA	Temp	7/7/2016 7:49:09 AM	24	gradCels
SC ALRO SA	Substante organice	7/7/2016 7:43:44 AM	13	mg/l
SC ALRO SA	Clor	7/7/2016 7:43:30 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 7:43:29 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 7:43:28 AM	24	gradCels
SC ALRO SA	pH	7/7/2016 7:43:27 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 7:38:18 AM	13	mg/l
SC ALRO SA	Clor	7/7/2016 7:38:11 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 7:38:10 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 7:38:09 AM	24	gradCels
SC ALRO SA	pH	7/7/2016 7:38:08 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 7:32:44 AM	13	mg/l
SC ALRO SA	Clor	7/7/2016 7:32:25 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 7:32:24 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 7:32:23 AM	24	gradCels
SC ALRO SA	pH	7/7/2016 7:32:22 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 7:27:20 AM	13	mg/l
SC ALRO SA	Clor	7/7/2016 7:27:08 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 7:27:07 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 7:27:06 AM	24	gradCels
SC ALRO SA	pH	7/7/2016 7:27:05 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 7:21:45 AM	13	mg/l
SC ALRO SA	Clor	7/7/2016 7:21:25 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 7:21:24 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 7:21:23 AM	24	gradCels
SC ALRO SA	pH	7/7/2016 7:21:22 AM	8	unit pH
SC ALRO SA	Clor	7/7/2016 7:16:07 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 7:16:06 AM	0	mg/l



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	7/7/2016 7:16:05 AM	13	mg/l
SC ALRO SA	Temp	7/7/2016 7:16:04 AM	24	gradCels
SC ALRO SA	pH	7/7/2016 7:16:03 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 7:10:45 AM	13	mg/l
SC ALRO SA	Clor	7/7/2016 7:10:25 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 7:10:24 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 7:10:23 AM	24	gradCels
SC ALRO SA	pH	7/7/2016 7:10:22 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 7:05:19 AM	13	mg/l
SC ALRO SA	Clor	7/7/2016 7:05:17 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 7:05:16 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 7:05:15 AM	24	gradCels
SC ALRO SA	pH	7/7/2016 7:05:14 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 7:00:06 AM	13	mg/l
SC ALRO SA	Clor	7/7/2016 7:00:01 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 7:00:00 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 6:59:59 AM	24	gradCels
SC ALRO SA	pH	7/7/2016 6:59:58 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 6:54:17 AM	13	mg/l
SC ALRO SA	Clor	7/7/2016 6:54:14 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 6:54:13 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 6:54:12 AM	24	gradCels
SC ALRO SA	pH	7/7/2016 6:54:11 AM	8	unit pH
SC ALRO SA	Clor	7/7/2016 6:48:49 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 6:48:48 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 6:48:47 AM	24	gradCels
SC ALRO SA	Substante organice	7/7/2016 6:48:46 AM	13	mg/l
SC ALRO SA	pH	7/7/2016 6:48:45 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 6:43:20 AM	13	mg/l
SC ALRO SA	Clor	7/7/2016 6:43:16 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 6:43:15 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 6:43:14 AM	24	gradCels
SC ALRO SA	pH	7/7/2016 6:43:13 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 6:38:02 AM	13	mg/l
SC ALRO SA	Clor	7/7/2016 6:37:51 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 6:37:49 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 6:37:47 AM	24	gradCels
SC ALRO SA	pH	7/7/2016 6:37:45 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 6:32:19 AM	13	mg/l
SC ALRO SA	Clor	7/7/2016 6:32:11 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 6:32:10 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 6:32:09 AM	24	gradCels
SC ALRO SA	pH	7/7/2016 6:32:08 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 6:27:24 AM	13	mg/l
SC ALRO SA	Clor	7/7/2016 6:27:12 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 6:27:11 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 6:27:10 AM	24	gradCels
SC ALRO SA	pH	7/7/2016 6:27:09 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 6:22:04 AM	13	mg/l
SC ALRO SA	Clor	7/7/2016 6:21:03 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 6:21:02 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 6:21:01 AM	24	gradCels
SC ALRO SA	pH	7/7/2016 6:21:00 AM	8	unit pH
SC ALRO SA	Clor	7/7/2016 6:15:24 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 6:15:23 AM	0	mg/l
SC ALRO SA	Substante organice	7/7/2016 6:15:22 AM	13	mg/l
SC ALRO SA	Temp	7/7/2016 6:15:21 AM	24	gradCels
SC ALRO SA	pH	7/7/2016 6:15:20 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 6:11:02 AM	13	mg/l
SC ALRO SA	Clor	7/7/2016 6:10:03 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 6:10:02 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 6:10:01 AM	24	gradCels
SC ALRO SA	pH	7/7/2016 6:10:00 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 6:05:23 AM	13	mg/l
SC ALRO SA	Clor	7/7/2016 6:04:23 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 6:04:22 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	7/7/2016 6:04:21 AM	24	gradCels
SC ALRO SA	pH	7/7/2016 6:04:20 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 6:00:03 AM	13	mg/l
SC ALRO SA	Clor	7/7/2016 5:59:03 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 5:59:02 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 5:59:01 AM	24	gradCels
SC ALRO SA	pH	7/7/2016 5:59:00 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 5:54:22 AM	13	mg/l
SC ALRO SA	Clor	7/7/2016 5:53:23 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 5:53:22 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 5:53:21 AM	24	gradCels
SC ALRO SA	pH	7/7/2016 5:53:20 AM	8	unit pH
SC ALRO SA	Clor	7/7/2016 5:48:04 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 5:48:03 AM	0	mg/l
SC ALRO SA	Substante organice	7/7/2016 5:48:02 AM	13	mg/l
SC ALRO SA	Temp	7/7/2016 5:48:01 AM	24	gradCels
SC ALRO SA	pH	7/7/2016 5:48:00 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 5:43:22 AM	13	mg/l
SC ALRO SA	Clor	7/7/2016 5:42:23 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 5:42:22 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 5:42:21 AM	24	gradCels
SC ALRO SA	pH	7/7/2016 5:42:20 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 5:38:03 AM	13	mg/l
SC ALRO SA	Clor	7/7/2016 5:37:03 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 5:37:02 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 5:37:01 AM	24	gradCels
SC ALRO SA	pH	7/7/2016 5:37:00 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 5:32:23 AM	13	mg/l
SC ALRO SA	Clor	7/7/2016 5:31:23 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 5:31:22 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 5:31:21 AM	24	gradCels
SC ALRO SA	pH	7/7/2016 5:31:20 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 5:27:03 AM	13	mg/l
SC ALRO SA	Clor	7/7/2016 5:26:03 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 5:26:02 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 5:26:01 AM	24	gradCels
SC ALRO SA	pH	7/7/2016 5:26:00 AM	8	unit pH
SC ALRO SA	Clor	7/7/2016 5:20:24 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 5:20:23 AM	0	mg/l
SC ALRO SA	Substante organice	7/7/2016 5:20:22 AM	13	mg/l
SC ALRO SA	Temp	7/7/2016 5:20:21 AM	24	gradCels
SC ALRO SA	pH	7/7/2016 5:20:20 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 5:16:03 AM	13	mg/l
SC ALRO SA	Clor	7/7/2016 5:15:03 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 5:15:02 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 5:15:01 AM	25	gradCels
SC ALRO SA	pH	7/7/2016 5:15:00 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 5:10:23 AM	13	mg/l
SC ALRO SA	Clor	7/7/2016 5:09:23 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 5:09:22 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 5:09:21 AM	25	gradCels
SC ALRO SA	pH	7/7/2016 5:09:20 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 5:05:03 AM	13	mg/l
SC ALRO SA	Clor	7/7/2016 5:04:08 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 5:04:07 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 5:04:06 AM	25	gradCels
SC ALRO SA	pH	7/7/2016 5:04:05 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 4:59:21 AM	13	mg/l
SC ALRO SA	Clor	7/7/2016 4:59:11 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 4:59:10 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 4:59:09 AM	25	gradCels
SC ALRO SA	pH	7/7/2016 4:59:08 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 4:53:42 AM	13	mg/l
SC ALRO SA	Clor	7/7/2016 4:52:48 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 4:52:47 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 4:52:46 AM	25	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	7/7/2016 4:52:45 AM	8	unit pH
SC ALRO SA	Clor	7/7/2016 4:47:24 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 4:47:23 AM	0	mg/l
SC ALRO SA	Substante organice	7/7/2016 4:47:22 AM	13	mg/l
SC ALRO SA	Temp	7/7/2016 4:47:21 AM	25	gradCels
SC ALRO SA	pH	7/7/2016 4:47:20 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 4:42:42 AM	13	mg/l
SC ALRO SA	Clor	7/7/2016 4:41:48 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 4:41:47 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 4:41:46 AM	25	gradCels
SC ALRO SA	pH	7/7/2016 4:41:45 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 4:37:21 AM	13	mg/l
SC ALRO SA	Clor	7/7/2016 4:36:29 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 4:36:28 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 4:36:27 AM	25	gradCels
SC ALRO SA	pH	7/7/2016 4:36:26 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 4:32:06 AM	13	mg/l
SC ALRO SA	Clor	7/7/2016 4:31:50 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 4:31:49 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 4:31:48 AM	25	gradCels
SC ALRO SA	pH	7/7/2016 4:31:47 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 4:26:34 AM	13	mg/l
SC ALRO SA	Clor	7/7/2016 4:25:23 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 4:25:22 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 4:25:21 AM	25	gradCels
SC ALRO SA	pH	7/7/2016 4:25:20 AM	8	unit pH
SC ALRO SA	Clor	7/7/2016 4:20:09 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 4:20:08 AM	0	mg/l
SC ALRO SA	Substante organice	7/7/2016 4:20:07 AM	13	mg/l
SC ALRO SA	Temp	7/7/2016 4:20:06 AM	25	gradCels
SC ALRO SA	pH	7/7/2016 4:20:05 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 4:15:22 AM	13	mg/l
SC ALRO SA	Clor	7/7/2016 4:15:11 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 4:15:10 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 4:15:09 AM	25	gradCels
SC ALRO SA	pH	7/7/2016 4:15:08 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 4:09:42 AM	13	mg/l
SC ALRO SA	Clor	7/7/2016 4:08:43 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 4:08:42 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 4:08:41 AM	25	gradCels
SC ALRO SA	pH	7/7/2016 4:08:40 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 4:04:23 AM	13	mg/l
SC ALRO SA	Clor	7/7/2016 4:03:28 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 4:03:27 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 4:03:26 AM	25	gradCels
SC ALRO SA	pH	7/7/2016 4:03:25 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 3:58:42 AM	13	mg/l
SC ALRO SA	Clor	7/7/2016 3:58:30 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 3:58:29 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 3:58:28 AM	25	gradCels
SC ALRO SA	pH	7/7/2016 3:58:27 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 3:53:23 AM	13	mg/l
SC ALRO SA	Clor	7/7/2016 3:52:23 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 3:52:22 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 3:52:21 AM	25	gradCels
SC ALRO SA	pH	7/7/2016 3:52:20 AM	8	unit pH
SC ALRO SA	Clor	7/7/2016 3:46:49 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 3:46:48 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 3:46:47 AM	25	gradCels
SC ALRO SA	Substante organice	7/7/2016 3:46:46 AM	13	mg/l
SC ALRO SA	pH	7/7/2016 3:46:45 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 3:42:01 AM	13	mg/l
SC ALRO SA	Clor	7/7/2016 3:41:51 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 3:41:50 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 3:41:49 AM	25	gradCels
SC ALRO SA	pH	7/7/2016 3:41:48 AM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	7/7/2016 3:36:42 AM	13	mg/l
SC ALRO SA	Clor	7/7/2016 3:35:43 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 3:35:42 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 3:35:41 AM	25	gradCels
SC ALRO SA	pH	7/7/2016 3:35:40 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 3:31:23 AM	13	mg/l
SC ALRO SA	Clor	7/7/2016 3:30:28 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 3:30:27 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 3:30:26 AM	25	gradCels
SC ALRO SA	pH	7/7/2016 3:30:25 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 3:25:42 AM	13	mg/l
SC ALRO SA	Clor	7/7/2016 3:25:31 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 3:25:30 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 3:25:29 AM	25	gradCels
SC ALRO SA	pH	7/7/2016 3:25:28 AM	8	unit pH
SC ALRO SA	Clor	7/7/2016 3:20:06 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 3:20:05 AM	0	mg/l
SC ALRO SA	Substante organice	7/7/2016 3:20:04 AM	13	mg/l
SC ALRO SA	Temp	7/7/2016 3:20:03 AM	25	gradCels
SC ALRO SA	pH	7/7/2016 3:20:02 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 3:14:43 AM	13	mg/l
SC ALRO SA	Clor	7/7/2016 3:14:25 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 3:14:24 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 3:14:23 AM	25	gradCels
SC ALRO SA	pH	7/7/2016 3:14:22 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 3:09:22 AM	13	mg/l
SC ALRO SA	Clor	7/7/2016 3:09:05 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 3:09:04 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 3:09:03 AM	25	gradCels
SC ALRO SA	pH	7/7/2016 3:09:02 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 3:03:41 AM	13	mg/l
SC ALRO SA	Clor	7/7/2016 3:02:43 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 3:02:42 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 3:02:41 AM	25	gradCels
SC ALRO SA	pH	7/7/2016 3:02:40 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 2:58:18 AM	13	mg/l
SC ALRO SA	Clor	7/7/2016 2:58:05 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 2:58:04 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 2:58:03 AM	25	gradCels
SC ALRO SA	pH	7/7/2016 2:58:02 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 2:52:41 AM	13	mg/l
SC ALRO SA	Clor	7/7/2016 2:51:43 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 2:51:42 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 2:51:41 AM	25	gradCels
SC ALRO SA	pH	7/7/2016 2:51:40 AM	8	unit pH
SC ALRO SA	Clor	7/7/2016 2:46:46 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 2:46:45 AM	0	mg/l
SC ALRO SA	Substante organice	7/7/2016 2:46:44 AM	13	mg/l
SC ALRO SA	Temp	7/7/2016 2:46:43 AM	25	gradCels
SC ALRO SA	pH	7/7/2016 2:46:42 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 2:41:41 AM	13	mg/l
SC ALRO SA	Clor	7/7/2016 2:41:25 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 2:41:24 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 2:41:23 AM	25	gradCels
SC ALRO SA	pH	7/7/2016 2:41:22 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 2:36:02 AM	13	mg/l
SC ALRO SA	Clor	7/7/2016 2:35:45 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 2:35:44 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 2:35:43 AM	25	gradCels
SC ALRO SA	pH	7/7/2016 2:35:42 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 2:30:51 AM	13	mg/l
SC ALRO SA	Clor	7/7/2016 2:30:45 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 2:30:44 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 2:30:43 AM	25	gradCels
SC ALRO SA	pH	7/7/2016 2:30:42 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 2:25:23 AM	13	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Clor	7/7/2016 2:24:07 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 2:24:06 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 2:24:05 AM	25	gradCels
SC ALRO SA	pH	7/7/2016 2:24:04 AM	8	unit pH
SC ALRO SA	Clor	7/7/2016 2:18:44 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 2:18:43 AM	0	mg/l
SC ALRO SA	Substante organice	7/7/2016 2:18:42 AM	13	mg/l
SC ALRO SA	Temp	7/7/2016 2:18:41 AM	25	gradCels
SC ALRO SA	pH	7/7/2016 2:18:40 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 2:14:23 AM	13	mg/l
SC ALRO SA	Clor	7/7/2016 2:13:08 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 2:13:07 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 2:13:06 AM	25	gradCels
SC ALRO SA	pH	7/7/2016 2:13:05 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 2:08:42 AM	13	mg/l
SC ALRO SA	Clor	7/7/2016 2:07:43 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 2:07:42 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 2:07:41 AM	25	gradCels
SC ALRO SA	pH	7/7/2016 2:07:40 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 2:02:06 AM	13	mg/l
SC ALRO SA	Clor	7/7/2016 2:02:03 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 2:02:02 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 2:02:01 AM	25	gradCels
SC ALRO SA	pH	7/7/2016 2:02:00 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 1:57:52 AM	13	mg/l
SC ALRO SA	Clor	7/7/2016 1:56:50 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 1:56:49 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 1:56:48 AM	25	gradCels
SC ALRO SA	pH	7/7/2016 1:56:40 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 1:51:07 AM	13	mg/l
SC ALRO SA	Clor	7/7/2016 1:51:03 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 1:51:02 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 1:51:01 AM	25	gradCels
SC ALRO SA	pH	7/7/2016 1:51:00 AM	8	unit pH
SC ALRO SA	Clor	7/7/2016 1:45:44 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 1:45:43 AM	0	mg/l
SC ALRO SA	Substante organice	7/7/2016 1:45:42 AM	13	mg/l
SC ALRO SA	pH	7/7/2016 1:45:41 AM	8	unit pH
SC ALRO SA	Temp	7/7/2016 1:45:40 AM	25	gradCels
SC ALRO SA	Substante organice	7/7/2016 1:41:03 AM	13	mg/l
SC ALRO SA	Clor	7/7/2016 1:40:03 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 1:40:02 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 1:40:01 AM	25	gradCels
SC ALRO SA	pH	7/7/2016 1:40:00 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 1:35:43 AM	13	mg/l
SC ALRO SA	Clor	7/7/2016 1:34:43 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 1:34:42 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 1:34:41 AM	25	gradCels
SC ALRO SA	pH	7/7/2016 1:34:40 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 1:30:04 AM	13	mg/l
SC ALRO SA	Clor	7/7/2016 1:29:03 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 1:29:02 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 1:29:01 AM	25	gradCels
SC ALRO SA	pH	7/7/2016 1:29:00 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 1:24:42 AM	13	mg/l
SC ALRO SA	Clor	7/7/2016 1:23:43 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 1:23:42 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 1:23:41 AM	25	gradCels
SC ALRO SA	pH	7/7/2016 1:23:40 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 1:19:03 AM	13	mg/l
SC ALRO SA	Clor	7/7/2016 1:18:03 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 1:18:02 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 1:18:01 AM	25	gradCels
SC ALRO SA	pH	7/7/2016 1:18:00 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 1:13:42 AM	13	mg/l
SC ALRO SA	Clor	7/7/2016 1:12:43 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Grasimi	7/7/2016 1:12:42 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 1:12:41 AM	25	gradCels
SC ALRO SA	pH	7/7/2016 1:12:40 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 1:08:03 AM	13	mg/l
SC ALRO SA	Clor	7/7/2016 1:07:03 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 1:07:02 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 1:07:01 AM	25	gradCels
SC ALRO SA	pH	7/7/2016 1:07:00 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 1:02:43 AM	13	mg/l
SC ALRO SA	Clor	7/7/2016 1:02:25 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 1:02:24 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 1:02:23 AM	25	gradCels
SC ALRO SA	pH	7/7/2016 1:02:22 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 12:57:03 AM	13	mg/l
SC ALRO SA	Clor	7/7/2016 12:56:45 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 12:56:44 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 12:56:43 AM	25	gradCels
SC ALRO SA	pH	7/7/2016 12:56:42 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 12:51:40 AM	13	mg/l
SC ALRO SA	Clor	7/7/2016 12:51:25 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 12:51:24 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 12:51:23 AM	25	gradCels
SC ALRO SA	pH	7/7/2016 12:51:22 AM	8	unit pH
SC ALRO SA	Clor	7/7/2016 12:45:46 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 12:45:45 AM	0	mg/l
SC ALRO SA	Substante organice	7/7/2016 12:45:44 AM	13	mg/l
SC ALRO SA	Temp	7/7/2016 12:45:43 AM	25	gradCels
SC ALRO SA	pH	7/7/2016 12:45:42 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 12:40:41 AM	13	mg/l
SC ALRO SA	Clor	7/7/2016 12:40:25 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 12:40:24 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 12:40:23 AM	25	gradCels
SC ALRO SA	pH	7/7/2016 12:40:22 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 12:35:03 AM	13	mg/l
SC ALRO SA	Clor	7/7/2016 12:34:45 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 12:34:44 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 12:34:43 AM	26	gradCels
SC ALRO SA	pH	7/7/2016 12:34:42 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 12:29:51 AM	13	mg/l
SC ALRO SA	Clor	7/7/2016 12:29:45 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 12:29:44 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 12:29:43 AM	26	gradCels
SC ALRO SA	pH	7/7/2016 12:29:42 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 12:24:01 AM	13	mg/l
SC ALRO SA	Clor	7/7/2016 12:23:45 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 12:23:44 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 12:23:43 AM	26	gradCels
SC ALRO SA	pH	7/7/2016 12:23:42 AM	8	unit pH
SC ALRO SA	Clor	7/7/2016 12:18:06 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 12:18:05 AM	0	mg/l
SC ALRO SA	Substante organice	7/7/2016 12:18:04 AM	13	mg/l
SC ALRO SA	Temp	7/7/2016 12:18:03 AM	26	gradCels
SC ALRO SA	pH	7/7/2016 12:18:02 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 12:13:01 AM	13	mg/l
SC ALRO SA	Clor	7/7/2016 12:12:45 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 12:12:44 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 12:12:43 AM	26	gradCels
SC ALRO SA	pH	7/7/2016 12:12:42 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 12:07:21 AM	13	mg/l
SC ALRO SA	Clor	7/7/2016 12:07:05 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 12:07:04 AM	0	mg/l
SC ALRO SA	Temp	7/7/2016 12:07:03 AM	26	gradCels
SC ALRO SA	pH	7/7/2016 12:07:02 AM	8	unit pH
SC ALRO SA	Substante organice	7/7/2016 12:02:01 AM	13	mg/l
SC ALRO SA	Clor	7/7/2016 12:01:45 AM	0	mg/l
SC ALRO SA	Grasimi	7/7/2016 12:01:44 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	7/7/2016 12:01:43 AM	26	gradCels
SC ALRO SA	pH	7/7/2016 12:01:42 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 11:56:31 PM	13	mg/l
SC ALRO SA	Clor	7/6/2016 11:56:25 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 11:56:24 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 11:56:23 PM	26	gradCels
SC ALRO SA	pH	7/6/2016 11:56:22 PM	8	unit pH
SC ALRO SA	Clor	7/6/2016 11:50:46 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 11:50:45 PM	0	mg/l
SC ALRO SA	Substante organice	7/6/2016 11:50:44 PM	13	mg/l
SC ALRO SA	Temp	7/6/2016 11:50:43 PM	26	gradCels
SC ALRO SA	pH	7/6/2016 11:50:42 PM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 11:45:20 PM	13	mg/l
SC ALRO SA	Clor	7/6/2016 11:45:05 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 11:45:04 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 11:45:03 PM	26	gradCels
SC ALRO SA	pH	7/6/2016 11:45:02 PM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 11:40:01 PM	13	mg/l
SC ALRO SA	Clor	7/6/2016 11:39:45 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 11:39:44 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 11:39:43 PM	26	gradCels
SC ALRO SA	pH	7/6/2016 11:39:42 PM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 11:34:21 PM	13	mg/l
SC ALRO SA	Clor	7/6/2016 11:34:05 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 11:34:04 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 11:34:03 PM	26	gradCels
SC ALRO SA	pH	7/6/2016 11:34:02 PM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 11:29:01 PM	13	mg/l
SC ALRO SA	Clor	7/6/2016 11:28:45 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 11:28:44 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 11:28:43 PM	26	gradCels
SC ALRO SA	pH	7/6/2016 11:28:42 PM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 11:23:21 PM	13	mg/l
SC ALRO SA	Clor	7/6/2016 11:23:05 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 11:23:04 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 11:23:03 PM	26	gradCels
SC ALRO SA	pH	7/6/2016 11:23:02 PM	8	unit pH
SC ALRO SA	Clor	7/6/2016 11:17:46 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 11:17:45 PM	0	mg/l
SC ALRO SA	Substante organice	7/6/2016 11:17:44 PM	13	mg/l
SC ALRO SA	Temp	7/6/2016 11:17:43 PM	26	gradCels
SC ALRO SA	pH	7/6/2016 11:17:42 PM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 11:12:20 PM	13	mg/l
SC ALRO SA	Clor	7/6/2016 11:12:05 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 11:12:04 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 11:12:03 PM	26	gradCels
SC ALRO SA	pH	7/6/2016 11:12:02 PM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 11:07:01 PM	13	mg/l
SC ALRO SA	Clor	7/6/2016 11:06:45 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 11:06:44 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 11:06:43 PM	26	gradCels
SC ALRO SA	pH	7/6/2016 11:06:42 PM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 11:01:21 PM	13	mg/l
SC ALRO SA	Clor	7/6/2016 11:01:05 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 11:01:04 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 11:01:03 PM	26	gradCels
SC ALRO SA	pH	7/6/2016 11:01:02 PM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 10:56:07 PM	13	mg/l
SC ALRO SA	Clor	7/6/2016 10:56:05 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 10:56:04 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 10:56:03 PM	26	gradCels
SC ALRO SA	pH	7/6/2016 10:56:02 PM	8	unit pH
SC ALRO SA	Clor	7/6/2016 10:50:06 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 10:50:05 PM	0	mg/l
SC ALRO SA	Substante organice	7/6/2016 10:50:04 PM	13	mg/l
SC ALRO SA	Temp	7/6/2016 10:50:03 PM	26	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	7/6/2016 10:50:02 PM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 10:45:00 PM	13	mg/l
SC ALRO SA	Clor	7/6/2016 10:44:46 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 10:44:45 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 10:44:44 PM	26	gradCels
SC ALRO SA	pH	7/6/2016 10:44:43 PM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 10:39:20 PM	13	mg/l
SC ALRO SA	Clor	7/6/2016 10:39:06 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 10:39:05 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 10:39:04 PM	26	gradCels
SC ALRO SA	pH	7/6/2016 10:39:03 PM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 10:34:00 PM	13	mg/l
SC ALRO SA	Clor	7/6/2016 10:33:46 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 10:33:45 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 10:33:44 PM	26	gradCels
SC ALRO SA	pH	7/6/2016 10:33:43 PM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 10:28:27 PM	13	mg/l
SC ALRO SA	Clor	7/6/2016 10:27:23 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 10:27:22 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 10:27:21 PM	26	gradCels
SC ALRO SA	pH	7/6/2016 10:27:20 PM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 10:22:40 PM	13	mg/l
SC ALRO SA	Clor	7/6/2016 10:22:26 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 10:22:25 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 10:22:24 PM	26	gradCels
SC ALRO SA	pH	7/6/2016 10:22:23 PM	8	unit pH
SC ALRO SA	Clor	7/6/2016 10:16:24 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 10:16:23 PM	0	mg/l
SC ALRO SA	Substante organice	7/6/2016 10:16:22 PM	13	mg/l
SC ALRO SA	Temp	7/6/2016 10:16:21 PM	26	gradCels
SC ALRO SA	pH	7/6/2016 10:16:20 PM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 10:12:00 PM	13	mg/l
SC ALRO SA	Clor	7/6/2016 10:11:46 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 10:11:45 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 10:11:44 PM	26	gradCels
SC ALRO SA	pH	7/6/2016 10:11:43 PM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 10:06:20 PM	13	mg/l
SC ALRO SA	Clor	7/6/2016 10:05:23 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 10:05:22 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 10:05:21 PM	26	gradCels
SC ALRO SA	pH	7/6/2016 10:05:20 PM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 10:00:48 PM	13	mg/l
SC ALRO SA	Clor	7/6/2016 9:59:43 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 9:59:42 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 9:59:41 PM	26	gradCels
SC ALRO SA	pH	7/6/2016 9:59:40 PM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 9:55:21 PM	13	mg/l
SC ALRO SA	Clor	7/6/2016 9:55:05 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 9:55:04 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 9:55:03 PM	26	gradCels
SC ALRO SA	pH	7/6/2016 9:55:02 PM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 9:49:41 PM	13	mg/l
SC ALRO SA	Clor	7/6/2016 9:48:43 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 9:48:42 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 9:48:41 PM	26	gradCels
SC ALRO SA	pH	7/6/2016 9:48:40 PM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 9:44:21 PM	13	mg/l
SC ALRO SA	Clor	7/6/2016 9:44:05 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 9:44:04 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 9:44:03 PM	26	gradCels
SC ALRO SA	pH	7/6/2016 9:44:02 PM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 9:38:41 PM	13	mg/l
SC ALRO SA	Clor	7/6/2016 9:37:43 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 9:37:42 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 9:37:41 PM	26	gradCels
SC ALRO SA	pH	7/6/2016 9:37:40 PM	8	unit pH



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	7/6/2016 9:33:23 PM	13	mg/l
SC ALRO SA	Clor	7/6/2016 9:33:05 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 9:33:04 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 9:33:03 PM	26	gradCels
SC ALRO SA	pH	7/6/2016 9:33:02 PM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 9:27:40 PM	13	mg/l
SC ALRO SA	Clor	7/6/2016 9:27:25 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 9:27:24 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 9:27:23 PM	26	gradCels
SC ALRO SA	pH	7/6/2016 9:27:22 PM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 9:22:21 PM	13	mg/l
SC ALRO SA	Clor	7/6/2016 9:21:23 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 9:21:22 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 9:21:21 PM	26	gradCels
SC ALRO SA	pH	7/6/2016 9:21:20 PM	8	unit pH
SC ALRO SA	Clor	7/6/2016 9:16:26 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 9:16:25 PM	0	mg/l
SC ALRO SA	Substante organice	7/6/2016 9:16:24 PM	13	mg/l
SC ALRO SA	pH	7/6/2016 9:16:23 PM	8	unit pH
SC ALRO SA	Temp	7/6/2016 9:16:22 PM	26	gradCels
SC ALRO SA	Substante organice	7/6/2016 9:11:42 PM	13	mg/l
SC ALRO SA	Clor	7/6/2016 9:10:06 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 9:10:05 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 9:10:04 PM	26	gradCels
SC ALRO SA	pH	7/6/2016 9:10:03 PM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 9:05:00 PM	13	mg/l
SC ALRO SA	Clor	7/6/2016 9:04:43 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 9:04:42 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 9:04:41 PM	26	gradCels
SC ALRO SA	pH	7/6/2016 9:04:40 PM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 9:00:50 PM	13	mg/l
SC ALRO SA	Clor	7/6/2016 8:59:05 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 8:59:04 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 8:59:03 PM	26	gradCels
SC ALRO SA	pH	7/6/2016 8:59:02 PM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 8:54:02 PM	13	mg/l
SC ALRO SA	Clor	7/6/2016 8:53:43 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 8:53:42 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 8:53:41 PM	26	gradCels
SC ALRO SA	pH	7/6/2016 8:53:40 PM	8	unit pH
SC ALRO SA	Clor	7/6/2016 8:48:07 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 8:48:06 PM	0	mg/l
SC ALRO SA	Substante organice	7/6/2016 8:48:05 PM	13	mg/l
SC ALRO SA	Temp	7/6/2016 8:48:04 PM	26	gradCels
SC ALRO SA	pH	7/6/2016 8:48:03 PM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 8:43:08 PM	13	mg/l
SC ALRO SA	Clor	7/6/2016 8:42:43 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 8:42:42 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 8:42:41 PM	26	gradCels
SC ALRO SA	pH	7/6/2016 8:42:40 PM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 8:38:41 PM	13	mg/l
SC ALRO SA	Clor	7/6/2016 8:37:05 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 8:37:04 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 8:37:03 PM	26	gradCels
SC ALRO SA	pH	7/6/2016 8:37:02 PM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 8:32:06 PM	13	mg/l
SC ALRO SA	Clor	7/6/2016 8:31:43 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 8:31:42 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 8:31:41 PM	26	gradCels
SC ALRO SA	pH	7/6/2016 8:31:40 PM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 8:27:43 PM	13	mg/l
SC ALRO SA	Clor	7/6/2016 8:26:05 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 8:26:04 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 8:26:03 PM	26	gradCels
SC ALRO SA	pH	7/6/2016 8:26:02 PM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 8:21:04 PM	13	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Clor	7/6/2016 8:20:43 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 8:20:42 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 8:20:41 PM	26	gradCels
SC ALRO SA	pH	7/6/2016 8:20:40 PM	8	unit pH
SC ALRO SA	Clor	7/6/2016 8:15:06 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 8:15:05 PM	0	mg/l
SC ALRO SA	Substante organice	7/6/2016 8:15:04 PM	13	mg/l
SC ALRO SA	Temp	7/6/2016 8:15:03 PM	26	gradCels
SC ALRO SA	pH	7/6/2016 8:15:02 PM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 8:11:06 PM	13	mg/l
SC ALRO SA	Clor	7/6/2016 8:09:43 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 8:09:42 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 8:09:41 PM	26	gradCels
SC ALRO SA	pH	7/6/2016 8:09:40 PM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 8:05:41 PM	13	mg/l
SC ALRO SA	Clor	7/6/2016 8:04:05 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 8:04:04 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 8:04:03 PM	26	gradCels
SC ALRO SA	pH	7/6/2016 8:04:02 PM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 8:00:05 PM	13	mg/l
SC ALRO SA	Clor	7/6/2016 7:58:43 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 7:58:42 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 7:58:41 PM	26	gradCels
SC ALRO SA	pH	7/6/2016 7:58:40 PM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 7:53:05 PM	13	mg/l
SC ALRO SA	Clor	7/6/2016 7:53:03 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 7:53:02 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 7:53:01 PM	26	gradCels
SC ALRO SA	pH	7/6/2016 7:53:00 PM	8	unit pH
SC ALRO SA	Clor	7/6/2016 7:47:44 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 7:47:43 PM	0	mg/l
SC ALRO SA	Substante organice	7/6/2016 7:47:42 PM	13	mg/l
SC ALRO SA	Temp	7/6/2016 7:47:41 PM	26	gradCels
SC ALRO SA	pH	7/6/2016 7:47:40 PM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 7:42:07 PM	13	mg/l
SC ALRO SA	Clor	7/6/2016 7:42:03 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 7:42:02 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 7:42:01 PM	26	gradCels
SC ALRO SA	pH	7/6/2016 7:42:00 PM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 7:37:41 PM	13	mg/l
SC ALRO SA	Clor	7/6/2016 7:36:43 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 7:36:42 PM	0	mg/l
SC ALRO SA	pH	7/6/2016 7:36:41 PM	8	unit pH
SC ALRO SA	Temp	7/6/2016 7:36:40 PM	26	gradCels
SC ALRO SA	Substante organice	7/6/2016 7:31:07 PM	13	mg/l
SC ALRO SA	Clor	7/6/2016 7:31:03 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 7:31:02 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 7:31:01 PM	26	gradCels
SC ALRO SA	pH	7/6/2016 7:31:00 PM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 7:26:49 PM	13	mg/l
SC ALRO SA	Clor	7/6/2016 7:25:43 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 7:25:42 PM	0	mg/l
SC ALRO SA	pH	7/6/2016 7:25:41 PM	8	unit pH
SC ALRO SA	Temp	7/6/2016 7:25:40 PM	26	gradCels
SC ALRO SA	Substante organice	7/6/2016 7:20:07 PM	13	mg/l
SC ALRO SA	Clor	7/6/2016 7:20:03 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 7:20:02 PM	0	mg/l
SC ALRO SA	pH	7/6/2016 7:20:01 PM	8	unit pH
SC ALRO SA	Temp	7/6/2016 7:20:00 PM	26	gradCels
SC ALRO SA	Substante organice	7/6/2016 7:16:01 PM	13	mg/l
SC ALRO SA	Clor	7/6/2016 7:15:08 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 7:15:07 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 7:15:06 PM	25	gradCels
SC ALRO SA	pH	7/6/2016 7:15:05 PM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 7:10:20 PM	13	mg/l
SC ALRO SA	Clor	7/6/2016 7:09:27 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Grasimi	7/6/2016 7:09:26 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 7:09:25 PM	25	gradCels
SC ALRO SA	pH	7/6/2016 7:09:24 PM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 7:05:04 PM	13	mg/l
SC ALRO SA	Clor	7/6/2016 7:04:07 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 7:04:06 PM	0	mg/l
SC ALRO SA	pH	7/6/2016 7:04:05 PM	8	unit pH
SC ALRO SA	Temp	7/6/2016 7:04:04 PM	25	gradCels
SC ALRO SA	Substante organice	7/6/2016 6:59:23 PM	13	mg/l
SC ALRO SA	Clor	7/6/2016 6:58:27 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 6:58:26 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 6:58:25 PM	25	gradCels
SC ALRO SA	pH	7/6/2016 6:58:24 PM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 6:54:05 PM	13	mg/l
SC ALRO SA	Clor	7/6/2016 6:53:07 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 6:53:06 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 6:53:05 PM	25	gradCels
SC ALRO SA	pH	7/6/2016 6:53:04 PM	8	unit pH
SC ALRO SA	Clor	7/6/2016 6:47:28 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 6:47:27 PM	0	mg/l
SC ALRO SA	Substante organice	7/6/2016 6:47:26 PM	13	mg/l
SC ALRO SA	Temp	7/6/2016 6:47:25 PM	25	gradCels
SC ALRO SA	pH	7/6/2016 6:47:24 PM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 6:42:15 PM	13	mg/l
SC ALRO SA	Clor	7/6/2016 6:42:09 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 6:42:08 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 6:42:07 PM	25	gradCels
SC ALRO SA	pH	7/6/2016 6:42:06 PM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 6:38:01 PM	13	mg/l
SC ALRO SA	Clor	7/6/2016 6:36:27 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 6:36:26 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 6:36:25 PM	25	gradCels
SC ALRO SA	pH	7/6/2016 6:36:24 PM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 6:31:13 PM	13	mg/l
SC ALRO SA	Clor	7/6/2016 6:31:07 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 6:31:06 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 6:31:05 PM	25	gradCels
SC ALRO SA	pH	7/6/2016 6:31:04 PM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 6:27:03 PM	13	mg/l
SC ALRO SA	Clor	7/6/2016 6:25:27 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 6:25:26 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 6:25:25 PM	25	gradCels
SC ALRO SA	pH	7/6/2016 6:25:24 PM	8	unit pH
SC ALRO SA	Clor	7/6/2016 6:20:08 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 6:20:07 PM	0	mg/l
SC ALRO SA	Substante organice	7/6/2016 6:20:06 PM	13	mg/l
SC ALRO SA	Temp	7/6/2016 6:20:05 PM	25	gradCels
SC ALRO SA	pH	7/6/2016 6:20:04 PM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 6:16:01 PM	13	mg/l
SC ALRO SA	Clor	7/6/2016 6:14:28 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 6:14:27 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 6:14:26 PM	25	gradCels
SC ALRO SA	pH	7/6/2016 6:14:25 PM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 6:09:15 PM	13	mg/l
SC ALRO SA	Clor	7/6/2016 6:09:07 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 6:09:06 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 6:09:05 PM	25	gradCels
SC ALRO SA	pH	7/6/2016 6:09:04 PM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 6:05:00 PM	13	mg/l
SC ALRO SA	Clor	7/6/2016 6:03:27 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 6:03:26 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 6:03:25 PM	25	gradCels
SC ALRO SA	pH	7/6/2016 6:03:24 PM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 5:58:18 PM	13	mg/l
SC ALRO SA	Clor	7/6/2016 5:58:07 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 5:58:06 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	7/6/2016 5:58:05 PM	25	gradCels
SC ALRO SA	pH	7/6/2016 5:58:04 PM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 5:54:00 PM	13	mg/l
SC ALRO SA	Clor	7/6/2016 5:52:32 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 5:52:31 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 5:52:30 PM	25	gradCels
SC ALRO SA	pH	7/6/2016 5:52:29 PM	8	unit pH
SC ALRO SA	Clor	7/6/2016 5:47:04 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 5:47:03 PM	0	mg/l
SC ALRO SA	Substante organice	7/6/2016 5:47:02 PM	13	mg/l
SC ALRO SA	pH	7/6/2016 5:47:01 PM	8	unit pH
SC ALRO SA	Temp	7/6/2016 5:47:00 PM	25	gradCels
SC ALRO SA	Substante organice	7/6/2016 5:43:01 PM	14	mg/l
SC ALRO SA	Clor	7/6/2016 5:41:27 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 5:41:26 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 5:41:25 PM	25	gradCels
SC ALRO SA	pH	7/6/2016 5:41:24 PM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 5:36:11 PM	14	mg/l
SC ALRO SA	Clor	7/6/2016 5:36:08 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 5:36:07 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 5:36:06 PM	25	gradCels
SC ALRO SA	pH	7/6/2016 5:36:05 PM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 5:32:01 PM	14	mg/l
SC ALRO SA	Clor	7/6/2016 5:30:28 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 5:30:27 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 5:30:26 PM	25	gradCels
SC ALRO SA	pH	7/6/2016 5:30:25 PM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 5:25:11 PM	14	mg/l
SC ALRO SA	Clor	7/6/2016 5:25:08 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 5:25:07 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 5:25:06 PM	25	gradCels
SC ALRO SA	pH	7/6/2016 5:25:05 PM	8	unit pH
SC ALRO SA	Clor	7/6/2016 5:19:30 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 5:19:29 PM	0	mg/l
SC ALRO SA	Substante organice	7/6/2016 5:19:28 PM	14	mg/l
SC ALRO SA	Temp	7/6/2016 5:19:27 PM	25	gradCels
SC ALRO SA	pH	7/6/2016 5:19:26 PM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 5:14:02 PM	14	mg/l
SC ALRO SA	Clor	7/6/2016 5:13:53 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 5:13:52 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 5:13:51 PM	25	gradCels
SC ALRO SA	pH	7/6/2016 5:13:50 PM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 5:10:01 PM	14	mg/l
SC ALRO SA	Clor	7/6/2016 5:08:28 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 5:08:27 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 5:08:26 PM	25	gradCels
SC ALRO SA	pH	7/6/2016 5:08:25 PM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 5:03:02 PM	14	mg/l
SC ALRO SA	Clor	7/6/2016 5:02:47 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 5:02:46 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 5:02:45 PM	25	gradCels
SC ALRO SA	pH	7/6/2016 5:02:44 PM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 4:59:03 PM	14	mg/l
SC ALRO SA	Clor	7/6/2016 4:57:23 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 4:57:22 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 4:57:21 PM	25	gradCels
SC ALRO SA	pH	7/6/2016 4:57:20 PM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 4:52:11 PM	14	mg/l
SC ALRO SA	Clor	7/6/2016 4:52:09 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 4:52:08 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 4:52:07 PM	24	gradCels
SC ALRO SA	pH	7/6/2016 4:52:06 PM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 4:48:01 PM	14	mg/l
SC ALRO SA	Clor	7/6/2016 4:46:23 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 4:46:22 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 4:46:21 PM	24	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	7/6/2016 4:46:20 PM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 4:41:05 PM	14	mg/l
SC ALRO SA	Clor	7/6/2016 4:40:48 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 4:40:47 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 4:40:46 PM	24	gradCels
SC ALRO SA	pH	7/6/2016 4:40:45 PM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 4:37:01 PM	14	mg/l
SC ALRO SA	Clor	7/6/2016 4:35:23 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 4:35:22 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 4:35:21 PM	24	gradCels
SC ALRO SA	pH	7/6/2016 4:35:20 PM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 4:30:01 PM	14	mg/l
SC ALRO SA	Clor	7/6/2016 4:29:48 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 4:29:47 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 4:29:46 PM	24	gradCels
SC ALRO SA	pH	7/6/2016 4:29:45 PM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 4:26:03 PM	14	mg/l
SC ALRO SA	Clor	7/6/2016 4:24:23 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 4:24:22 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 4:24:21 PM	24	gradCels
SC ALRO SA	pH	7/6/2016 4:24:20 PM	8	unit pH
SC ALRO SA	Clor	7/6/2016 4:18:50 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 4:18:49 PM	0	mg/l
SC ALRO SA	Substante organice	7/6/2016 4:18:48 PM	14	mg/l
SC ALRO SA	pH	7/6/2016 4:18:47 PM	8	unit pH
SC ALRO SA	Temp	7/6/2016 4:18:46 PM	24	gradCels
SC ALRO SA	Substante organice	7/6/2016 4:14:40 PM	14	mg/l
SC ALRO SA	Clor	7/6/2016 4:13:11 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 4:13:10 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 4:13:09 PM	24	gradCels
SC ALRO SA	pH	7/6/2016 4:13:08 PM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 4:08:04 PM	14	mg/l
SC ALRO SA	Clor	7/6/2016 4:07:48 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 4:07:47 PM	0	mg/l
SC ALRO SA	pH	7/6/2016 4:07:46 PM	8	unit pH
SC ALRO SA	Temp	7/6/2016 4:07:45 PM	24	gradCels
SC ALRO SA	Substante organice	7/6/2016 4:03:41 PM	14	mg/l
SC ALRO SA	Clor	7/6/2016 4:02:16 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 4:02:15 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 4:02:14 PM	24	gradCels
SC ALRO SA	pH	7/6/2016 4:02:13 PM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 3:57:02 PM	14	mg/l
SC ALRO SA	Clor	7/6/2016 3:56:51 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 3:56:50 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 3:56:49 PM	24	gradCels
SC ALRO SA	pH	7/6/2016 3:56:48 PM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 3:52:41 PM	14	mg/l
SC ALRO SA	Clor	7/6/2016 3:51:15 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 3:51:14 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 3:51:13 PM	24	gradCels
SC ALRO SA	pH	7/6/2016 3:51:12 PM	8	unit pH
SC ALRO SA	Clor	7/6/2016 3:45:53 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 3:45:52 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 3:45:51 PM	24	gradCels
SC ALRO SA	Substante organice	7/6/2016 3:45:50 PM	14	mg/l
SC ALRO SA	pH	7/6/2016 3:45:49 PM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 3:41:40 PM	14	mg/l
SC ALRO SA	Clor	7/6/2016 3:40:15 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 3:40:14 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 3:40:13 PM	24	gradCels
SC ALRO SA	pH	7/6/2016 3:40:12 PM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 3:35:02 PM	14	mg/l
SC ALRO SA	Clor	7/6/2016 3:34:51 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 3:34:50 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 3:34:49 PM	24	gradCels
SC ALRO SA	pH	7/6/2016 3:34:48 PM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	7/6/2016 3:30:00 PM	14	mg/l
SC ALRO SA	Clor	7/6/2016 3:29:15 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 3:29:14 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 3:29:13 PM	24	gradCels
SC ALRO SA	pH	7/6/2016 3:29:12 PM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 3:24:00 PM	14	mg/l
SC ALRO SA	Clor	7/6/2016 3:23:49 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 3:23:48 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 3:23:47 PM	24	gradCels
SC ALRO SA	pH	7/6/2016 3:23:45 PM	8	unit pH
SC ALRO SA	Clor	7/6/2016 3:18:44 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 3:18:43 PM	0	mg/l
SC ALRO SA	Substante organice	7/6/2016 3:18:42 PM	14	mg/l
SC ALRO SA	pH	7/6/2016 3:18:41 PM	8	unit pH
SC ALRO SA	Temp	7/6/2016 3:18:40 PM	23	gradCels
SC ALRO SA	Substante organice	7/6/2016 3:14:42 PM	14	mg/l
SC ALRO SA	Clor	7/6/2016 3:13:07 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 3:13:06 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 3:13:05 PM	23	gradCels
SC ALRO SA	pH	7/6/2016 3:13:04 PM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 3:08:38 PM	14	mg/l
SC ALRO SA	Clor	7/6/2016 3:08:36 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 3:08:35 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 3:08:34 PM	23	gradCels
SC ALRO SA	pH	7/6/2016 3:08:33 PM	8	unit pH
SC ALRO SA	Clor	7/6/2016 3:07:19 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 3:07:18 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 3:07:17 PM	23	gradCels
SC ALRO SA	Substante organice	7/6/2016 3:07:16 PM	14	mg/l
SC ALRO SA	pH	7/6/2016 3:07:15 PM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 3:03:41 PM	14	mg/l
SC ALRO SA	Clor	7/6/2016 3:02:07 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 3:02:06 PM	23	gradCels
SC ALRO SA	Grasimi	7/6/2016 3:02:05 PM	0	mg/l
SC ALRO SA	pH	7/6/2016 3:02:04 PM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 2:57:00 PM	14	mg/l
SC ALRO SA	Clor	7/6/2016 2:56:43 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 2:56:42 PM	0	mg/l
SC ALRO SA	pH	7/6/2016 2:56:41 PM	8	unit pH
SC ALRO SA	Temp	7/6/2016 2:56:40 PM	23	gradCels
SC ALRO SA	Substante organice	7/6/2016 2:51:12 PM	14	mg/l
SC ALRO SA	Clor	7/6/2016 2:51:05 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 2:51:04 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 2:51:01 PM	23	gradCels
SC ALRO SA	pH	7/6/2016 2:51:00 PM	8	unit pH
SC ALRO SA	Clor	7/6/2016 2:45:44 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 2:45:43 PM	0	mg/l
SC ALRO SA	Substante organice	7/6/2016 2:45:42 PM	14	mg/l
SC ALRO SA	Temp	7/6/2016 2:45:41 PM	23	gradCels
SC ALRO SA	pH	7/6/2016 2:45:40 PM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 2:40:07 PM	14	mg/l
SC ALRO SA	Clor	7/6/2016 2:40:03 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 2:40:02 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 2:40:01 PM	23	gradCels
SC ALRO SA	pH	7/6/2016 2:40:00 PM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 2:36:00 PM	14	mg/l
SC ALRO SA	Clor	7/6/2016 2:34:43 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 2:34:42 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 2:34:41 PM	23	gradCels
SC ALRO SA	pH	7/6/2016 2:34:40 PM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 2:29:09 PM	14	mg/l
SC ALRO SA	Clor	7/6/2016 2:29:03 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 2:29:02 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 2:29:01 PM	23	gradCels
SC ALRO SA	pH	7/6/2016 2:29:00 PM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 2:25:00 PM	14	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Clor	7/6/2016 2:23:43 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 2:23:42 PM	0	mg/l
SC ALRO SA	pH	7/6/2016 2:23:41 PM	8	unit pH
SC ALRO SA	Temp	7/6/2016 2:23:40 PM	23	gradCels
SC ALRO SA	Clor	7/6/2016 2:18:04 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 2:18:03 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 2:18:02 PM	23	gradCels
SC ALRO SA	Substante organice	7/6/2016 2:18:01 PM	14	mg/l
SC ALRO SA	pH	7/6/2016 2:18:00 PM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 2:14:01 PM	14	mg/l
SC ALRO SA	Clor	7/6/2016 2:12:43 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 2:12:42 PM	0	mg/l
SC ALRO SA	pH	7/6/2016 2:12:41 PM	8	unit pH
SC ALRO SA	Temp	7/6/2016 2:12:40 PM	23	gradCels
SC ALRO SA	Substante organice	7/6/2016 2:07:08 PM	14	mg/l
SC ALRO SA	Clor	7/6/2016 2:07:04 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 2:07:03 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 2:07:02 PM	23	gradCels
SC ALRO SA	pH	7/6/2016 2:07:01 PM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 2:03:01 PM	14	mg/l
SC ALRO SA	Clor	7/6/2016 2:01:23 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 2:01:22 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 2:01:21 PM	23	gradCels
SC ALRO SA	pH	7/6/2016 2:01:20 PM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 1:56:07 PM	14	mg/l
SC ALRO SA	Clor	7/6/2016 1:56:03 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 1:56:02 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 1:56:01 PM	23	gradCels
SC ALRO SA	pH	7/6/2016 1:56:00 PM	8	unit pH
SC ALRO SA	Clor	7/6/2016 1:50:24 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 1:50:23 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 1:50:22 PM	23	gradCels
SC ALRO SA	Substante organice	7/6/2016 1:50:21 PM	14	mg/l
SC ALRO SA	pH	7/6/2016 1:50:20 PM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 1:45:07 PM	14	mg/l
SC ALRO SA	Clor	7/6/2016 1:45:03 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 1:45:02 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 1:45:01 PM	23	gradCels
SC ALRO SA	pH	7/6/2016 1:45:00 PM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 1:41:01 PM	14	mg/l
SC ALRO SA	Clor	7/6/2016 1:39:23 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 1:39:22 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 1:39:21 PM	23	gradCels
SC ALRO SA	pH	7/6/2016 1:39:20 PM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 1:34:07 PM	14	mg/l
SC ALRO SA	Clor	7/6/2016 1:34:03 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 1:34:02 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 1:34:01 PM	23	gradCels
SC ALRO SA	pH	7/6/2016 1:34:00 PM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 1:30:03 PM	14	mg/l
SC ALRO SA	Clor	7/6/2016 1:28:23 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 1:28:22 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 1:28:21 PM	23	gradCels
SC ALRO SA	pH	7/6/2016 1:28:20 PM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 1:23:06 PM	14	mg/l
SC ALRO SA	Clor	7/6/2016 1:23:03 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 1:23:02 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 1:23:01 PM	23	gradCels
SC ALRO SA	pH	7/6/2016 1:23:00 PM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 1:19:01 PM	14	mg/l
SC ALRO SA	Clor	7/6/2016 1:17:23 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 1:17:22 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 1:17:21 PM	23	gradCels
SC ALRO SA	pH	7/6/2016 1:17:20 PM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 1:12:10 PM	14	mg/l
SC ALRO SA	Clor	7/6/2016 1:12:03 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Grasimi	7/6/2016 1:12:02 PM	0	mg/l
SC ALRO SA	pH	7/6/2016 1:12:01 PM	8	unit pH
SC ALRO SA	Temp	7/6/2016 1:12:00 PM	23	gradCels
SC ALRO SA	Substante organice	7/6/2016 1:08:01 PM	14	mg/l
SC ALRO SA	Clor	7/6/2016 1:06:23 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 1:06:22 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 1:06:21 PM	23	gradCels
SC ALRO SA	pH	7/6/2016 1:06:20 PM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 1:01:08 PM	14	mg/l
SC ALRO SA	Clor	7/6/2016 1:01:03 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 1:01:02 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 1:01:01 PM	22	gradCels
SC ALRO SA	pH	7/6/2016 1:01:00 PM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 12:57:03 PM	14	mg/l
SC ALRO SA	Clor	7/6/2016 12:55:23 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 12:55:22 PM	0	mg/l
SC ALRO SA	pH	7/6/2016 12:55:21 PM	8	unit pH
SC ALRO SA	Temp	7/6/2016 12:55:20 PM	22	gradCels
SC ALRO SA	Clor	7/6/2016 12:50:04 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 12:50:03 PM	0	mg/l
SC ALRO SA	Substante organice	7/6/2016 12:50:02 PM	14	mg/l
SC ALRO SA	Temp	7/6/2016 12:50:01 PM	22	gradCels
SC ALRO SA	pH	7/6/2016 12:50:00 PM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 12:46:03 PM	14	mg/l
SC ALRO SA	Clor	7/6/2016 12:44:23 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 12:44:22 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 12:44:21 PM	22	gradCels
SC ALRO SA	pH	7/6/2016 12:44:20 PM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 12:39:06 PM	14	mg/l
SC ALRO SA	Clor	7/6/2016 12:39:03 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 12:39:02 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 12:39:01 PM	22	gradCels
SC ALRO SA	pH	7/6/2016 12:39:00 PM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 12:35:03 PM	14	mg/l
SC ALRO SA	Clor	7/6/2016 12:33:23 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 12:33:22 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 12:33:21 PM	22	gradCels
SC ALRO SA	pH	7/6/2016 12:33:20 PM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 12:28:06 PM	14	mg/l
SC ALRO SA	Clor	7/6/2016 12:28:03 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 12:28:02 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 12:28:01 PM	22	gradCels
SC ALRO SA	pH	7/6/2016 12:28:00 PM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 12:24:02 PM	14	mg/l
SC ALRO SA	Clor	7/6/2016 12:22:23 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 12:22:22 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 12:22:21 PM	22	gradCels
SC ALRO SA	pH	7/6/2016 12:22:20 PM	8	unit pH
SC ALRO SA	Clor	7/6/2016 12:17:04 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 12:17:03 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 12:17:02 PM	22	gradCels
SC ALRO SA	Substante organice	7/6/2016 12:17:01 PM	14	mg/l
SC ALRO SA	pH	7/6/2016 12:17:00 PM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 12:13:03 PM	14	mg/l
SC ALRO SA	Clor	7/6/2016 12:11:24 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 12:11:23 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 12:11:22 PM	22	gradCels
SC ALRO SA	pH	7/6/2016 12:11:20 PM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 12:06:06 PM	14	mg/l
SC ALRO SA	Clor	7/6/2016 12:06:03 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 12:06:02 PM	0	mg/l
SC ALRO SA	Temp	7/6/2016 12:06:01 PM	22	gradCels
SC ALRO SA	pH	7/6/2016 12:06:00 PM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 12:02:03 PM	14	mg/l
SC ALRO SA	Clor	7/6/2016 12:00:23 PM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 12:00:22 PM	0	mg/l



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	7/6/2016 12:00:21 PM	22	gradCels
SC ALRO SA	pH	7/6/2016 12:00:20 PM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 11:55:06 AM	14	mg/l
SC ALRO SA	Clor	7/6/2016 11:55:03 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 11:55:02 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 11:55:01 AM	22	gradCels
SC ALRO SA	pH	7/6/2016 11:55:00 AM	8	unit pH
SC ALRO SA	Clor	7/6/2016 11:49:24 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 11:49:23 AM	0	mg/l
SC ALRO SA	Substante organice	7/6/2016 11:49:22 AM	14	mg/l
SC ALRO SA	Temp	7/6/2016 11:49:21 AM	22	gradCels
SC ALRO SA	pH	7/6/2016 11:49:20 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 11:44:06 AM	14	mg/l
SC ALRO SA	Clor	7/6/2016 11:44:03 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 11:44:02 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 11:44:01 AM	22	gradCels
SC ALRO SA	pH	7/6/2016 11:44:00 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 11:40:03 AM	14	mg/l
SC ALRO SA	Clor	7/6/2016 11:38:23 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 11:38:22 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 11:38:21 AM	22	gradCels
SC ALRO SA	pH	7/6/2016 11:38:20 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 11:33:02 AM	14	mg/l
SC ALRO SA	Clor	7/6/2016 11:32:43 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 11:32:42 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 11:32:41 AM	22	gradCels
SC ALRO SA	pH	7/6/2016 11:32:40 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 11:28:43 AM	14	mg/l
SC ALRO SA	Clor	7/6/2016 11:27:23 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 11:27:22 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 11:27:21 AM	22	gradCels
SC ALRO SA	pH	7/6/2016 11:27:20 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 11:22:06 AM	14	mg/l
SC ALRO SA	Clor	7/6/2016 11:21:43 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 11:21:42 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 11:21:41 AM	22	gradCels
SC ALRO SA	pH	7/6/2016 11:21:40 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 11:17:43 AM	14	mg/l
SC ALRO SA	Clor	7/6/2016 11:16:12 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 11:16:11 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 11:16:10 AM	22	gradCels
SC ALRO SA	pH	7/6/2016 11:16:09 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 11:11:00 AM	14	mg/l
SC ALRO SA	Clor	7/6/2016 11:10:43 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 11:10:42 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 11:10:41 AM	22	gradCels
SC ALRO SA	pH	7/6/2016 11:10:40 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 11:06:43 AM	14	mg/l
SC ALRO SA	Clor	7/6/2016 11:05:12 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 11:05:11 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 11:05:10 AM	22	gradCels
SC ALRO SA	pH	7/6/2016 11:05:09 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 11:00:02 AM	14	mg/l
SC ALRO SA	Clor	7/6/2016 10:59:47 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 10:59:46 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 10:59:45 AM	22	gradCels
SC ALRO SA	pH	7/6/2016 10:59:44 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 10:55:51 AM	14	mg/l
SC ALRO SA	Clor	7/6/2016 10:54:15 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 10:54:14 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 10:54:13 AM	22	gradCels
SC ALRO SA	pH	7/6/2016 10:54:12 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 10:49:04 AM	14	mg/l
SC ALRO SA	Clor	7/6/2016 10:48:47 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 10:48:46 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 10:48:45 AM	22	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	7/6/2016 10:48:44 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 10:44:43 AM	14	mg/l
SC ALRO SA	Clor	7/6/2016 10:43:10 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 10:43:09 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 10:43:08 AM	22	gradCels
SC ALRO SA	pH	7/6/2016 10:43:07 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 10:38:01 AM	14	mg/l
SC ALRO SA	Clor	7/6/2016 10:37:47 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 10:37:46 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 10:37:45 AM	22	gradCels
SC ALRO SA	pH	7/6/2016 10:37:44 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 10:33:44 AM	14	mg/l
SC ALRO SA	Clor	7/6/2016 10:32:15 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 10:32:14 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 10:32:13 AM	22	gradCels
SC ALRO SA	pH	7/6/2016 10:32:12 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 10:27:02 AM	14	mg/l
SC ALRO SA	Clor	7/6/2016 10:26:47 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 10:26:46 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 10:26:45 AM	22	gradCels
SC ALRO SA	pH	7/6/2016 10:26:44 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 10:22:45 AM	14	mg/l
SC ALRO SA	Clor	7/6/2016 10:21:10 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 10:21:09 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 10:21:08 AM	22	gradCels
SC ALRO SA	pH	7/6/2016 10:21:07 AM	8	unit pH
SC ALRO SA	Clor	7/6/2016 10:15:44 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 10:15:43 AM	0	mg/l
SC ALRO SA	Substante organice	7/6/2016 10:15:42 AM	14	mg/l
SC ALRO SA	Temp	7/6/2016 10:15:41 AM	22	gradCels
SC ALRO SA	pH	7/6/2016 10:15:40 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 10:11:46 AM	14	mg/l
SC ALRO SA	Clor	7/6/2016 10:10:12 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 10:10:11 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 10:10:10 AM	22	gradCels
SC ALRO SA	pH	7/6/2016 10:10:09 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 10:05:02 AM	14	mg/l
SC ALRO SA	Clor	7/6/2016 10:04:27 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 10:04:26 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 10:04:25 AM	22	gradCels
SC ALRO SA	pH	7/6/2016 10:04:24 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 10:00:51 AM	14	mg/l
SC ALRO SA	Clor	7/6/2016 9:59:11 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 9:59:10 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 9:59:09 AM	22	gradCels
SC ALRO SA	pH	7/6/2016 9:59:08 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 9:54:02 AM	14	mg/l
SC ALRO SA	Clor	7/6/2016 9:53:27 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 9:53:26 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 9:53:25 AM	22	gradCels
SC ALRO SA	pH	7/6/2016 9:53:24 AM	8	unit pH
SC ALRO SA	Clor	7/6/2016 9:48:11 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 9:48:10 AM	0	mg/l
SC ALRO SA	Substante organice	7/6/2016 9:48:09 AM	14	mg/l
SC ALRO SA	Temp	7/6/2016 9:48:08 AM	22	gradCels
SC ALRO SA	pH	7/6/2016 9:48:07 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 9:44:02 AM	14	mg/l
SC ALRO SA	Clor	7/6/2016 9:42:28 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 9:42:27 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 9:42:26 AM	22	gradCels
SC ALRO SA	pH	7/6/2016 9:42:25 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 9:37:08 AM	14	mg/l
SC ALRO SA	Clor	7/6/2016 9:37:07 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 9:37:06 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 9:37:05 AM	22	gradCels
SC ALRO SA	pH	7/6/2016 9:37:04 AM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	7/6/2016 9:33:02 AM	14	mg/l
SC ALRO SA	Clor	7/6/2016 9:31:27 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 9:31:26 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 9:31:25 AM	22	gradCels
SC ALRO SA	pH	7/6/2016 9:31:24 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 9:26:04 AM	14	mg/l
SC ALRO SA	Clor	7/6/2016 9:26:03 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 9:26:02 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 9:26:01 AM	22	gradCels
SC ALRO SA	pH	7/6/2016 9:26:00 AM	8	unit pH
SC ALRO SA	Clor	7/6/2016 9:20:28 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 9:20:27 AM	0	mg/l
SC ALRO SA	Substante organice	7/6/2016 9:20:26 AM	14	mg/l
SC ALRO SA	Temp	7/6/2016 9:20:25 AM	22	gradCels
SC ALRO SA	pH	7/6/2016 9:20:24 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 9:15:04 AM	14	mg/l
SC ALRO SA	Clor	7/6/2016 9:15:03 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 9:15:02 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 9:15:01 AM	22	gradCels
SC ALRO SA	pH	7/6/2016 9:15:00 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 9:11:02 AM	14	mg/l
SC ALRO SA	Clor	7/6/2016 9:09:27 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 9:09:26 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 9:09:25 AM	22	gradCels
SC ALRO SA	pH	7/6/2016 9:09:24 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 9:04:04 AM	14	mg/l
SC ALRO SA	Clor	7/6/2016 9:04:03 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 9:04:02 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 9:04:01 AM	22	gradCels
SC ALRO SA	pH	7/6/2016 9:04:00 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 9:00:06 AM	14	mg/l
SC ALRO SA	Clor	7/6/2016 8:59:03 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 8:59:02 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 8:59:01 AM	22	gradCels
SC ALRO SA	pH	7/6/2016 8:59:00 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 8:54:23 AM	14	mg/l
SC ALRO SA	Clor	7/6/2016 8:53:23 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 8:53:22 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 8:53:21 AM	22	gradCels
SC ALRO SA	pH	7/6/2016 8:53:20 AM	8	unit pH
SC ALRO SA	Clor	7/6/2016 8:48:47 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 8:48:46 AM	0	mg/l
SC ALRO SA	Substante organice	7/6/2016 8:48:45 AM	14	mg/l
SC ALRO SA	Temp	7/6/2016 8:48:44 AM	22	gradCels
SC ALRO SA	pH	7/6/2016 8:48:43 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 8:43:24 AM	14	mg/l
SC ALRO SA	Clor	7/6/2016 8:43:06 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 8:43:05 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 8:43:04 AM	22	gradCels
SC ALRO SA	pH	7/6/2016 8:43:03 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 8:38:03 AM	14	mg/l
SC ALRO SA	Clor	7/6/2016 8:37:45 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 8:37:44 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 8:37:43 AM	22	gradCels
SC ALRO SA	pH	7/6/2016 8:37:42 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 8:32:23 AM	14	mg/l
SC ALRO SA	Clor	7/6/2016 8:32:06 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 8:32:05 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 8:32:04 AM	22	gradCels
SC ALRO SA	pH	7/6/2016 8:32:03 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 8:27:08 AM	14	mg/l
SC ALRO SA	Clor	7/6/2016 8:27:06 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 8:27:05 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 8:27:04 AM	22	gradCels
SC ALRO SA	pH	7/6/2016 8:27:03 AM	8	unit pH
SC ALRO SA	Clor	7/6/2016 8:21:07 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Grasimi	7/6/2016 8:21:06 AM	0	mg/l
SC ALRO SA	Substante organice	7/6/2016 8:21:05 AM	14	mg/l
SC ALRO SA	Temp	7/6/2016 8:21:04 AM	22	gradCels
SC ALRO SA	pH	7/6/2016 8:21:03 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 8:16:03 AM	14	mg/l
SC ALRO SA	Clor	7/6/2016 8:15:45 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 8:15:44 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 8:15:43 AM	22	gradCels
SC ALRO SA	pH	7/6/2016 8:15:42 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 8:10:23 AM	14	mg/l
SC ALRO SA	Clor	7/6/2016 8:10:06 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 8:10:05 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 8:10:04 AM	22	gradCels
SC ALRO SA	pH	7/6/2016 8:10:03 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 8:05:03 AM	14	mg/l
SC ALRO SA	Clor	7/6/2016 8:04:46 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 8:04:45 AM	0	mg/l
SC ALRO SA	pH	7/6/2016 8:04:44 AM	8	unit pH
SC ALRO SA	Temp	7/6/2016 8:04:43 AM	22	gradCels
SC ALRO SA	Substante organice	7/6/2016 7:59:40 AM	14	mg/l
SC ALRO SA	Clor	7/6/2016 7:59:26 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 7:59:25 AM	0	mg/l
SC ALRO SA	pH	7/6/2016 7:59:24 AM	8	unit pH
SC ALRO SA	Temp	7/6/2016 7:59:23 AM	22	gradCels
SC ALRO SA	Substante organice	7/6/2016 7:54:01 AM	14	mg/l
SC ALRO SA	Clor	7/6/2016 7:53:46 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 7:53:45 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 7:53:44 AM	22	gradCels
SC ALRO SA	pH	7/6/2016 7:53:43 AM	8	unit pH
SC ALRO SA	Clor	7/6/2016 7:48:07 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 7:48:06 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 7:48:05 AM	22	gradCels
SC ALRO SA	Substante organice	7/6/2016 7:48:04 AM	14	mg/l
SC ALRO SA	pH	7/6/2016 7:48:03 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 7:42:49 AM	14	mg/l
SC ALRO SA	Clor	7/6/2016 7:42:03 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 7:42:02 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 7:42:01 AM	22	gradCels
SC ALRO SA	pH	7/6/2016 7:42:00 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 7:37:26 AM	14	mg/l
SC ALRO SA	Clor	7/6/2016 7:36:23 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 7:36:22 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 7:36:21 AM	22	gradCels
SC ALRO SA	pH	7/6/2016 7:36:20 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 7:32:05 AM	14	mg/l
SC ALRO SA	Clor	7/6/2016 7:31:03 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 7:31:02 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 7:31:01 AM	22	gradCels
SC ALRO SA	pH	7/6/2016 7:31:00 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 7:26:35 AM	14	mg/l
SC ALRO SA	Clor	7/6/2016 7:25:23 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 7:25:22 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 7:25:21 AM	22	gradCels
SC ALRO SA	pH	7/6/2016 7:25:20 AM	8	unit pH
SC ALRO SA	Clor	7/6/2016 7:20:04 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 7:20:03 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 7:20:02 AM	22	gradCels
SC ALRO SA	Substante organice	7/6/2016 7:20:01 AM	14	mg/l
SC ALRO SA	pH	7/6/2016 7:20:00 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 7:15:25 AM	14	mg/l
SC ALRO SA	Clor	7/6/2016 7:14:23 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 7:14:22 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 7:14:21 AM	22	gradCels
SC ALRO SA	pH	7/6/2016 7:14:20 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 7:10:06 AM	14	mg/l
SC ALRO SA	Clor	7/6/2016 7:09:03 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Grasimi	7/6/2016 7:09:02 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 7:09:01 AM	22	gradCels
SC ALRO SA	pH	7/6/2016 7:09:00 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 7:04:25 AM	14	mg/l
SC ALRO SA	Clor	7/6/2016 7:04:06 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 7:04:05 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 7:04:04 AM	22	gradCels
SC ALRO SA	pH	7/6/2016 7:04:03 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 6:59:05 AM	14	mg/l
SC ALRO SA	Clor	7/6/2016 6:58:03 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 6:58:02 AM	0	mg/l
SC ALRO SA	pH	7/6/2016 6:58:01 AM	8	unit pH
SC ALRO SA	Temp	7/6/2016 6:58:00 AM	22	gradCels
SC ALRO SA	Substante organice	7/6/2016 6:53:26 AM	14	mg/l
SC ALRO SA	Clor	7/6/2016 6:53:06 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 6:53:05 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 6:53:04 AM	22	gradCels
SC ALRO SA	pH	7/6/2016 6:53:03 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 6:47:45 AM	14	mg/l
SC ALRO SA	Clor	7/6/2016 6:47:26 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 6:47:25 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 6:47:24 AM	22	gradCels
SC ALRO SA	pH	7/6/2016 6:47:23 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 6:42:08 AM	14	mg/l
SC ALRO SA	Clor	7/6/2016 6:41:46 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 6:41:45 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 6:41:44 AM	22	gradCels
SC ALRO SA	pH	7/6/2016 6:41:43 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 6:36:45 AM	14	mg/l
SC ALRO SA	Clor	7/6/2016 6:35:43 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 6:35:42 AM	0	mg/l
SC ALRO SA	pH	7/6/2016 6:35:41 AM	8	unit pH
SC ALRO SA	Temp	7/6/2016 6:35:40 AM	22	gradCels
SC ALRO SA	Substante organice	7/6/2016 6:31:05 AM	14	mg/l
SC ALRO SA	Clor	7/6/2016 6:30:46 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 6:30:45 AM	0	mg/l
SC ALRO SA	pH	7/6/2016 6:30:44 AM	8	unit pH
SC ALRO SA	Temp	7/6/2016 6:30:43 AM	22	gradCels
SC ALRO SA	Substante organice	7/6/2016 6:25:51 AM	14	mg/l
SC ALRO SA	Clor	7/6/2016 6:24:43 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 6:24:42 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 6:24:41 AM	22	gradCels
SC ALRO SA	pH	7/6/2016 6:24:40 AM	8	unit pH
SC ALRO SA	Clor	7/6/2016 6:19:15 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 6:19:14 AM	0	mg/l
SC ALRO SA	Substante organice	7/6/2016 6:19:12 AM	14	mg/l
SC ALRO SA	Temp	7/6/2016 6:19:11 AM	22	gradCels
SC ALRO SA	pH	7/6/2016 6:19:09 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 6:14:46 AM	14	mg/l
SC ALRO SA	Clor	7/6/2016 6:13:43 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 6:13:42 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 6:13:41 AM	22	gradCels
SC ALRO SA	pH	7/6/2016 6:13:40 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 6:09:03 AM	14	mg/l
SC ALRO SA	Clor	7/6/2016 6:08:46 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 6:08:45 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 6:08:44 AM	22	gradCels
SC ALRO SA	pH	7/6/2016 6:08:43 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 6:03:45 AM	14	mg/l
SC ALRO SA	Clor	7/6/2016 6:02:43 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 6:02:42 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 6:02:41 AM	22	gradCels
SC ALRO SA	pH	7/6/2016 6:02:40 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 5:58:05 AM	14	mg/l
SC ALRO SA	Clor	7/6/2016 5:57:46 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 5:57:45 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	7/6/2016 5:57:44 AM	22	gradCels
SC ALRO SA	pH	7/6/2016 5:57:43 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 5:52:43 AM	14	mg/l
SC ALRO SA	Clor	7/6/2016 5:52:26 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 5:52:25 AM	0	mg/l
SC ALRO SA	pH	7/6/2016 5:52:24 AM	8	unit pH
SC ALRO SA	Temp	7/6/2016 5:52:23 AM	22	gradCels
SC ALRO SA	Clor	7/6/2016 5:46:47 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 5:46:46 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 5:46:45 AM	22	gradCels
SC ALRO SA	Substante organice	7/6/2016 5:46:44 AM	14	mg/l
SC ALRO SA	pH	7/6/2016 5:46:43 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 5:41:45 AM	14	mg/l
SC ALRO SA	Clor	7/6/2016 5:40:43 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 5:40:42 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 5:40:41 AM	22	gradCels
SC ALRO SA	pH	7/6/2016 5:40:40 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 5:36:06 AM	14	mg/l
SC ALRO SA	Clor	7/6/2016 5:35:46 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 5:35:45 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 5:35:44 AM	22	gradCels
SC ALRO SA	pH	7/6/2016 5:35:43 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 5:30:55 AM	14	mg/l
SC ALRO SA	Clor	7/6/2016 5:30:46 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 5:30:45 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 5:30:44 AM	23	gradCels
SC ALRO SA	pH	7/6/2016 5:30:43 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 5:25:04 AM	14	mg/l
SC ALRO SA	Clor	7/6/2016 5:24:11 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 5:24:10 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 5:24:09 AM	23	gradCels
SC ALRO SA	pH	7/6/2016 5:24:08 AM	8	unit pH
SC ALRO SA	Clor	7/6/2016 5:19:27 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 5:19:26 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 5:19:25 AM	23	gradCels
SC ALRO SA	Substante organice	7/6/2016 5:19:24 AM	14	mg/l
SC ALRO SA	pH	7/6/2016 5:19:23 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 5:14:04 AM	14	mg/l
SC ALRO SA	Clor	7/6/2016 5:13:11 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 5:13:10 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 5:13:09 AM	23	gradCels
SC ALRO SA	pH	7/6/2016 5:13:08 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 5:08:45 AM	14	mg/l
SC ALRO SA	Clor	7/6/2016 5:08:26 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 5:08:25 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 5:08:24 AM	23	gradCels
SC ALRO SA	pH	7/6/2016 5:08:23 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 5:03:06 AM	14	mg/l
SC ALRO SA	Clor	7/6/2016 5:02:08 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 5:02:07 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 5:02:06 AM	23	gradCels
SC ALRO SA	pH	7/6/2016 5:02:05 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 4:57:45 AM	14	mg/l
SC ALRO SA	Clor	7/6/2016 4:57:26 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 4:57:25 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 4:57:24 AM	23	gradCels
SC ALRO SA	pH	7/6/2016 4:57:23 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 4:52:04 AM	14	mg/l
SC ALRO SA	Clor	7/6/2016 4:51:07 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 4:51:06 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 4:51:05 AM	23	gradCels
SC ALRO SA	pH	7/6/2016 4:51:04 AM	8	unit pH
SC ALRO SA	Clor	7/6/2016 4:46:27 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 4:46:26 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 4:46:25 AM	23	gradCels
SC ALRO SA	Substante organice	7/6/2016 4:46:24 AM	14	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	7/6/2016 4:46:23 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 4:41:05 AM	14	mg/l
SC ALRO SA	Clor	7/6/2016 4:40:46 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 4:40:45 AM	0	mg/l
SC ALRO SA	pH	7/6/2016 4:40:44 AM	8	unit pH
SC ALRO SA	Temp	7/6/2016 4:40:43 AM	23	gradCels
SC ALRO SA	Substante organice	7/6/2016 4:35:32 AM	14	mg/l
SC ALRO SA	Clor	7/6/2016 4:35:12 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 4:35:10 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 4:35:08 AM	23	gradCels
SC ALRO SA	pH	7/6/2016 4:35:06 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 4:30:21 AM	14	mg/l
SC ALRO SA	Clor	7/6/2016 4:30:05 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 4:30:04 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 4:30:03 AM	23	gradCels
SC ALRO SA	pH	7/6/2016 4:30:02 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 4:24:44 AM	14	mg/l
SC ALRO SA	Clor	7/6/2016 4:23:43 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 4:23:42 AM	0	mg/l
SC ALRO SA	pH	7/6/2016 4:23:41 AM	8	unit pH
SC ALRO SA	Temp	7/6/2016 4:23:40 AM	23	gradCels
SC ALRO SA	Clor	7/6/2016 4:18:08 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 4:18:07 AM	0	mg/l
SC ALRO SA	Substante organice	7/6/2016 4:18:06 AM	14	mg/l
SC ALRO SA	Temp	7/6/2016 4:18:05 AM	23	gradCels
SC ALRO SA	pH	7/6/2016 4:18:04 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 4:13:45 AM	14	mg/l
SC ALRO SA	Clor	7/6/2016 4:12:43 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 4:12:42 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 4:12:41 AM	23	gradCels
SC ALRO SA	pH	7/6/2016 4:12:40 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 4:08:02 AM	14	mg/l
SC ALRO SA	Clor	7/6/2016 4:07:07 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 4:07:06 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 4:07:05 AM	23	gradCels
SC ALRO SA	pH	7/6/2016 4:07:04 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 4:02:44 AM	14	mg/l
SC ALRO SA	Clor	7/6/2016 4:01:43 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 4:01:42 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 4:01:41 AM	23	gradCels
SC ALRO SA	pH	7/6/2016 4:01:40 AM	8	unit pH
SC ALRO SA	Clor	7/6/2016 3:56:09 AM	0	mg/l
SC ALRO SA	Substante organice	7/6/2016 3:56:05 AM	14	mg/l
SC ALRO SA	Grasimi	7/6/2016 3:56:02 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 3:56:01 AM	23	gradCels
SC ALRO SA	pH	7/6/2016 3:56:00 AM	8	unit pH
SC ALRO SA	Clor	7/6/2016 3:50:24 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 3:50:23 AM	0	mg/l
SC ALRO SA	Substante organice	7/6/2016 3:50:22 AM	14	mg/l
SC ALRO SA	pH	7/6/2016 3:50:21 AM	8	unit pH
SC ALRO SA	Temp	7/6/2016 3:50:20 AM	23	gradCels
SC ALRO SA	Substante organice	7/6/2016 3:45:07 AM	14	mg/l
SC ALRO SA	Clor	7/6/2016 3:45:03 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 3:45:02 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 3:45:01 AM	23	gradCels
SC ALRO SA	pH	7/6/2016 3:45:00 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 3:40:25 AM	14	mg/l
SC ALRO SA	Clor	7/6/2016 3:39:23 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 3:39:22 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 3:39:21 AM	23	gradCels
SC ALRO SA	pH	7/6/2016 3:39:20 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 3:34:08 AM	14	mg/l
SC ALRO SA	Clor	7/6/2016 3:34:03 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 3:34:02 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 3:34:01 AM	23	gradCels
SC ALRO SA	pH	7/6/2016 3:34:00 AM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	7/6/2016 3:29:31 AM	14	mg/l
SC ALRO SA	Clor	7/6/2016 3:28:23 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 3:28:22 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 3:28:21 AM	23	gradCels
SC ALRO SA	pH	7/6/2016 3:28:20 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 3:23:05 AM	14	mg/l
SC ALRO SA	Clor	7/6/2016 3:23:03 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 3:23:02 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 3:23:01 AM	23	gradCels
SC ALRO SA	pH	7/6/2016 3:23:00 AM	8	unit pH
SC ALRO SA	Clor	7/6/2016 3:17:24 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 3:17:23 AM	0	mg/l
SC ALRO SA	Substante organice	7/6/2016 3:17:22 AM	14	mg/l
SC ALRO SA	Temp	7/6/2016 3:17:21 AM	23	gradCels
SC ALRO SA	pH	7/6/2016 3:17:20 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 3:12:06 AM	14	mg/l
SC ALRO SA	Clor	7/6/2016 3:12:03 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 3:12:02 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 3:12:01 AM	23	gradCels
SC ALRO SA	pH	7/6/2016 3:12:00 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 3:08:04 AM	14	mg/l
SC ALRO SA	Clor	7/6/2016 3:06:23 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 3:06:22 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 3:06:21 AM	23	gradCels
SC ALRO SA	pH	7/6/2016 3:06:20 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 3:01:02 AM	14	mg/l
SC ALRO SA	Clor	7/6/2016 3:00:47 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 3:00:46 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 3:00:45 AM	23	gradCels
SC ALRO SA	pH	7/6/2016 3:00:44 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 2:57:06 AM	14	mg/l
SC ALRO SA	Clor	7/6/2016 2:55:23 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 2:55:22 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 2:55:21 AM	23	gradCels
SC ALRO SA	pH	7/6/2016 2:55:20 AM	8	unit pH
SC ALRO SA	Clor	7/6/2016 2:49:49 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 2:49:48 AM	0	mg/l
SC ALRO SA	Substante organice	7/6/2016 2:49:47 AM	14	mg/l
SC ALRO SA	Temp	7/6/2016 2:49:46 AM	23	gradCels
SC ALRO SA	pH	7/6/2016 2:49:45 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 2:46:08 AM	14	mg/l
SC ALRO SA	Clor	7/6/2016 2:44:23 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 2:44:22 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 2:44:21 AM	23	gradCels
SC ALRO SA	pH	7/6/2016 2:44:20 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 2:39:10 AM	14	mg/l
SC ALRO SA	Clor	7/6/2016 2:39:03 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 2:39:02 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 2:39:01 AM	23	gradCels
SC ALRO SA	pH	7/6/2016 2:39:00 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 2:35:07 AM	14	mg/l
SC ALRO SA	Clor	7/6/2016 2:33:23 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 2:33:22 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 2:33:21 AM	23	gradCels
SC ALRO SA	pH	7/6/2016 2:33:20 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 2:28:06 AM	14	mg/l
SC ALRO SA	Clor	7/6/2016 2:28:03 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 2:28:02 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 2:28:01 AM	23	gradCels
SC ALRO SA	pH	7/6/2016 2:28:00 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 2:23:43 AM	14	mg/l
SC ALRO SA	Clor	7/6/2016 2:22:23 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 2:22:22 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 2:22:21 AM	23	gradCels
SC ALRO SA	pH	7/6/2016 2:22:20 AM	8	unit pH
SC ALRO SA	Clor	7/6/2016 2:17:04 AM	0	mg/l



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Grasimi	7/6/2016 2:17:03 AM	0	mg/l
SC ALRO SA	Substante organice	7/6/2016 2:17:02 AM	14	mg/l
SC ALRO SA	Temp	7/6/2016 2:17:01 AM	23	gradCels
SC ALRO SA	pH	7/6/2016 2:17:00 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 2:12:44 AM	14	mg/l
SC ALRO SA	Clor	7/6/2016 2:11:23 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 2:11:22 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 2:11:21 AM	23	gradCels
SC ALRO SA	pH	7/6/2016 2:11:20 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 2:06:09 AM	14	mg/l
SC ALRO SA	Clor	7/6/2016 2:06:03 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 2:06:02 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 2:06:01 AM	23	gradCels
SC ALRO SA	pH	7/6/2016 2:06:00 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 2:02:04 AM	14	mg/l
SC ALRO SA	Clor	7/6/2016 2:00:23 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 2:00:22 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 2:00:21 AM	23	gradCels
SC ALRO SA	pH	7/6/2016 2:00:20 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 1:55:05 AM	14	mg/l
SC ALRO SA	Clor	7/6/2016 1:55:03 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 1:55:02 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 1:55:01 AM	24	gradCels
SC ALRO SA	pH	7/6/2016 1:55:00 AM	8	unit pH
SC ALRO SA	Clor	7/6/2016 1:49:24 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 1:49:23 AM	0	mg/l
SC ALRO SA	Substante organice	7/6/2016 1:49:22 AM	14	mg/l
SC ALRO SA	Temp	7/6/2016 1:49:21 AM	24	gradCels
SC ALRO SA	pH	7/6/2016 1:49:20 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 1:44:06 AM	13	mg/l
SC ALRO SA	Clor	7/6/2016 1:44:03 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 1:44:02 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 1:44:01 AM	24	gradCels
SC ALRO SA	pH	7/6/2016 1:44:00 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 1:40:03 AM	13	mg/l
SC ALRO SA	Clor	7/6/2016 1:38:23 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 1:38:22 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 1:38:21 AM	24	gradCels
SC ALRO SA	pH	7/6/2016 1:38:20 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 1:33:02 AM	13	mg/l
SC ALRO SA	Clor	7/6/2016 1:32:43 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 1:32:42 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 1:32:41 AM	24	gradCels
SC ALRO SA	pH	7/6/2016 1:32:40 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 1:29:04 AM	13	mg/l
SC ALRO SA	Clor	7/6/2016 1:27:23 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 1:27:22 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 1:27:21 AM	24	gradCels
SC ALRO SA	pH	7/6/2016 1:27:20 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 1:22:01 AM	13	mg/l
SC ALRO SA	Clor	7/6/2016 1:21:43 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 1:21:42 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 1:21:41 AM	24	gradCels
SC ALRO SA	pH	7/6/2016 1:21:40 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 1:18:04 AM	13	mg/l
SC ALRO SA	Clor	7/6/2016 1:16:23 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 1:16:22 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 1:16:21 AM	24	gradCels
SC ALRO SA	pH	7/6/2016 1:16:20 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 1:12:25 AM	13	mg/l
SC ALRO SA	Clor	7/6/2016 1:11:23 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 1:11:22 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 1:11:21 AM	24	gradCels
SC ALRO SA	pH	7/6/2016 1:11:20 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 1:06:44 AM	13	mg/l
SC ALRO SA	Clor	7/6/2016 1:05:43 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Grasimi	7/6/2016 1:05:42 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 1:05:41 AM	24	gradCels
SC ALRO SA	pH	7/6/2016 1:05:40 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 1:01:26 AM	13	mg/l
SC ALRO SA	Clor	7/6/2016 1:00:23 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 1:00:22 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 1:00:21 AM	24	gradCels
SC ALRO SA	pH	7/6/2016 1:00:20 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 12:55:44 AM	13	mg/l
SC ALRO SA	Clor	7/6/2016 12:54:43 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 12:54:42 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 12:54:41 AM	24	gradCels
SC ALRO SA	pH	7/6/2016 12:54:40 AM	8	unit pH
SC ALRO SA	Clor	7/6/2016 12:49:24 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 12:49:23 AM	0	mg/l
SC ALRO SA	Substante organice	7/6/2016 12:49:22 AM	13	mg/l
SC ALRO SA	Temp	7/6/2016 12:49:21 AM	24	gradCels
SC ALRO SA	pH	7/6/2016 12:49:20 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 12:44:43 AM	13	mg/l
SC ALRO SA	Clor	7/6/2016 12:43:43 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 12:43:42 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 12:43:41 AM	24	gradCels
SC ALRO SA	pH	7/6/2016 12:43:40 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 12:39:24 AM	13	mg/l
SC ALRO SA	Clor	7/6/2016 12:38:23 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 12:38:22 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 12:38:21 AM	24	gradCels
SC ALRO SA	pH	7/6/2016 12:38:20 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 12:32:54 AM	13	mg/l
SC ALRO SA	Clor	7/6/2016 12:32:43 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 12:32:42 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 12:32:41 AM	24	gradCels
SC ALRO SA	pH	7/6/2016 12:32:40 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 12:28:45 AM	13	mg/l
SC ALRO SA	Clor	7/6/2016 12:27:05 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 12:27:04 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 12:27:03 AM	24	gradCels
SC ALRO SA	pH	7/6/2016 12:27:02 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 12:21:51 AM	13	mg/l
SC ALRO SA	Clor	7/6/2016 12:21:43 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 12:21:42 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 12:21:41 AM	24	gradCels
SC ALRO SA	pH	7/6/2016 12:21:40 AM	8	unit pH
SC ALRO SA	Clor	7/6/2016 12:16:06 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 12:16:05 AM	0	mg/l
SC ALRO SA	Substante organice	7/6/2016 12:16:04 AM	13	mg/l
SC ALRO SA	Temp	7/6/2016 12:16:03 AM	24	gradCels
SC ALRO SA	pH	7/6/2016 12:16:02 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 12:11:03 AM	13	mg/l
SC ALRO SA	Clor	7/6/2016 12:10:43 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 12:10:42 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 12:10:41 AM	24	gradCels
SC ALRO SA	pH	7/6/2016 12:10:40 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 12:06:46 AM	13	mg/l
SC ALRO SA	Clor	7/6/2016 12:05:07 AM	0	mg/l
SC ALRO SA	Grasimi	7/6/2016 12:05:06 AM	0	mg/l
SC ALRO SA	Temp	7/6/2016 12:05:05 AM	24	gradCels
SC ALRO SA	pH	7/6/2016 12:05:04 AM	8	unit pH
SC ALRO SA	Substante organice	7/6/2016 12:00:03 AM	13	mg/l
SC ALRO SA	Clor	7/5/2016 11:59:43 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 11:59:42 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 11:59:41 PM	24	gradCels
SC ALRO SA	pH	7/5/2016 11:59:40 PM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 11:55:52 PM	13	mg/l
SC ALRO SA	Clor	7/5/2016 11:54:06 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 11:54:05 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	7/5/2016 11:54:04 PM	24	gradCels
SC ALRO SA	pH	7/5/2016 11:54:03 PM	8	unit pH
SC ALRO SA	Clor	7/5/2016 11:48:44 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 11:48:43 PM	0	mg/l
SC ALRO SA	Substante organice	7/5/2016 11:48:42 PM	13	mg/l
SC ALRO SA	Temp	7/5/2016 11:48:41 PM	24	gradCels
SC ALRO SA	pH	7/5/2016 11:48:40 PM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 11:44:45 PM	13	mg/l
SC ALRO SA	Clor	7/5/2016 11:43:06 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 11:43:05 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 11:43:04 PM	24	gradCels
SC ALRO SA	pH	7/5/2016 11:43:03 PM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 11:37:50 PM	13	mg/l
SC ALRO SA	Clor	7/5/2016 11:37:43 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 11:37:42 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 11:37:41 PM	24	gradCels
SC ALRO SA	pH	7/5/2016 11:37:40 PM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 11:33:45 PM	13	mg/l
SC ALRO SA	Clor	7/5/2016 11:32:07 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 11:32:06 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 11:32:05 PM	24	gradCels
SC ALRO SA	pH	7/5/2016 11:32:04 PM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 11:26:50 PM	13	mg/l
SC ALRO SA	Clor	7/5/2016 11:26:43 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 11:26:42 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 11:26:41 PM	24	gradCels
SC ALRO SA	pH	7/5/2016 11:26:40 PM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 11:22:44 PM	13	mg/l
SC ALRO SA	Clor	7/5/2016 11:21:06 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 11:21:05 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 11:21:04 PM	24	gradCels
SC ALRO SA	pH	7/5/2016 11:21:03 PM	8	unit pH
SC ALRO SA	Clor	7/5/2016 11:15:44 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 11:15:43 PM	0	mg/l
SC ALRO SA	Substante organice	7/5/2016 11:15:42 PM	13	mg/l
SC ALRO SA	Temp	7/5/2016 11:15:41 PM	24	gradCels
SC ALRO SA	pH	7/5/2016 11:15:40 PM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 11:11:47 PM	13	mg/l
SC ALRO SA	Clor	7/5/2016 11:10:09 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 11:10:08 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 11:10:07 PM	24	gradCels
SC ALRO SA	pH	7/5/2016 11:10:06 PM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 11:05:00 PM	13	mg/l
SC ALRO SA	Clor	7/5/2016 11:04:43 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 11:04:42 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 11:04:41 PM	24	gradCels
SC ALRO SA	pH	7/5/2016 11:04:40 PM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 11:00:56 PM	13	mg/l
SC ALRO SA	Clor	7/5/2016 10:59:10 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 10:59:09 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 10:59:08 PM	24	gradCels
SC ALRO SA	pH	7/5/2016 10:59:07 PM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 10:55:07 PM	13	mg/l
SC ALRO SA	Clor	7/5/2016 10:54:05 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 10:54:04 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 10:54:03 PM	24	gradCels
SC ALRO SA	pH	7/5/2016 10:54:02 PM	8	unit pH
SC ALRO SA	Clor	7/5/2016 10:48:24 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 10:48:23 PM	0	mg/l
SC ALRO SA	Substante organice	7/5/2016 10:48:22 PM	13	mg/l
SC ALRO SA	Temp	7/5/2016 10:48:21 PM	24	gradCels
SC ALRO SA	pH	7/5/2016 10:48:20 PM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 10:44:01 PM	13	mg/l
SC ALRO SA	Clor	7/5/2016 10:43:05 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 10:43:04 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 10:43:03 PM	24	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	7/5/2016 10:43:02 PM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 10:38:24 PM	13	mg/l
SC ALRO SA	Clor	7/5/2016 10:37:23 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 10:37:22 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 10:37:21 PM	24	gradCels
SC ALRO SA	pH	7/5/2016 10:37:20 PM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 10:33:07 PM	13	mg/l
SC ALRO SA	Clor	7/5/2016 10:32:05 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 10:32:04 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 10:32:03 PM	24	gradCels
SC ALRO SA	pH	7/5/2016 10:32:02 PM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 10:27:30 PM	13	mg/l
SC ALRO SA	Clor	7/5/2016 10:26:23 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 10:26:22 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 10:26:21 PM	24	gradCels
SC ALRO SA	pH	7/5/2016 10:26:20 PM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 10:21:04 PM	13	mg/l
SC ALRO SA	Clor	7/5/2016 10:21:03 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 10:21:02 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 10:21:01 PM	24	gradCels
SC ALRO SA	pH	7/5/2016 10:21:00 PM	8	unit pH
SC ALRO SA	Clor	7/5/2016 10:15:24 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 10:15:23 PM	0	mg/l
SC ALRO SA	Substante organice	7/5/2016 10:15:22 PM	13	mg/l
SC ALRO SA	Temp	7/5/2016 10:15:21 PM	24	gradCels
SC ALRO SA	pH	7/5/2016 10:15:20 PM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 10:10:04 PM	14	mg/l
SC ALRO SA	Clor	7/5/2016 10:10:03 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 10:10:02 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 10:10:01 PM	24	gradCels
SC ALRO SA	pH	7/5/2016 10:10:00 PM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 10:05:23 PM	14	mg/l
SC ALRO SA	Clor	7/5/2016 10:05:05 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 10:05:04 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 10:05:03 PM	24	gradCels
SC ALRO SA	pH	7/5/2016 10:05:02 PM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 10:00:07 PM	14	mg/l
SC ALRO SA	Clor	7/5/2016 10:00:05 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 10:00:04 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 10:00:03 PM	24	gradCels
SC ALRO SA	pH	7/5/2016 10:00:02 PM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 9:54:22 PM	14	mg/l
SC ALRO SA	Clor	7/5/2016 9:54:05 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 9:54:04 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 9:54:03 PM	24	gradCels
SC ALRO SA	pH	7/5/2016 9:54:02 PM	8	unit pH
SC ALRO SA	Clor	7/5/2016 9:48:46 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 9:48:45 PM	0	mg/l
SC ALRO SA	Substante organice	7/5/2016 9:48:44 PM	14	mg/l
SC ALRO SA	Temp	7/5/2016 9:48:43 PM	24	gradCels
SC ALRO SA	pH	7/5/2016 9:48:42 PM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 9:43:20 PM	13	mg/l
SC ALRO SA	Clor	7/5/2016 9:43:05 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 9:43:04 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 9:43:03 PM	24	gradCels
SC ALRO SA	pH	7/5/2016 9:43:02 PM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 9:38:03 PM	13	mg/l
SC ALRO SA	Clor	7/5/2016 9:37:45 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 9:37:44 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 9:37:43 PM	24	gradCels
SC ALRO SA	pH	7/5/2016 9:37:42 PM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 9:32:21 PM	13	mg/l
SC ALRO SA	Clor	7/5/2016 9:32:05 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 9:32:04 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 9:32:03 PM	24	gradCels
SC ALRO SA	pH	7/5/2016 9:32:02 PM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	7/5/2016 9:27:03 PM	13	mg/l
SC ALRO SA	Clor	7/5/2016 9:26:45 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 9:26:44 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 9:26:43 PM	24	gradCels
SC ALRO SA	pH	7/5/2016 9:26:42 PM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 9:21:20 PM	13	mg/l
SC ALRO SA	Clor	7/5/2016 9:21:05 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 9:21:04 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 9:21:03 PM	24	gradCels
SC ALRO SA	pH	7/5/2016 9:21:02 PM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 9:16:07 PM	13	mg/l
SC ALRO SA	Clor	7/5/2016 9:15:45 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 9:15:44 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 9:15:43 PM	24	gradCels
SC ALRO SA	pH	7/5/2016 9:15:42 PM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 9:10:20 PM	13	mg/l
SC ALRO SA	Clor	7/5/2016 9:10:05 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 9:10:04 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 9:10:03 PM	24	gradCels
SC ALRO SA	pH	7/5/2016 9:10:02 PM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 9:05:02 PM	13	mg/l
SC ALRO SA	Clor	7/5/2016 9:04:45 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 9:04:44 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 9:04:43 PM	24	gradCels
SC ALRO SA	pH	7/5/2016 9:04:42 PM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 8:59:32 PM	13	mg/l
SC ALRO SA	Clor	7/5/2016 8:59:26 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 8:59:25 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 8:59:24 PM	24	gradCels
SC ALRO SA	pH	7/5/2016 8:59:22 PM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 8:54:02 PM	13	mg/l
SC ALRO SA	Clor	7/5/2016 8:53:45 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 8:53:44 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 8:53:43 PM	24	gradCels
SC ALRO SA	pH	7/5/2016 8:53:42 PM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 8:48:21 PM	13	mg/l
SC ALRO SA	Clor	7/5/2016 8:48:05 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 8:48:04 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 8:48:03 PM	24	gradCels
SC ALRO SA	pH	7/5/2016 8:48:02 PM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 8:43:01 PM	13	mg/l
SC ALRO SA	Clor	7/5/2016 8:42:45 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 8:42:44 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 8:42:43 PM	24	gradCels
SC ALRO SA	pH	7/5/2016 8:42:42 PM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 8:37:20 PM	13	mg/l
SC ALRO SA	Clor	7/5/2016 8:37:05 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 8:37:04 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 8:37:03 PM	24	gradCels
SC ALRO SA	pH	7/5/2016 8:37:02 PM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 8:32:01 PM	13	mg/l
SC ALRO SA	Clor	7/5/2016 8:31:45 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 8:31:44 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 8:31:43 PM	24	gradCels
SC ALRO SA	pH	7/5/2016 8:31:42 PM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 8:26:31 PM	13	mg/l
SC ALRO SA	Clor	7/5/2016 8:26:25 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 8:26:24 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 8:26:23 PM	24	gradCels
SC ALRO SA	pH	7/5/2016 8:26:22 PM	8	unit pH
SC ALRO SA	Clor	7/5/2016 8:20:46 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 8:20:45 PM	0	mg/l
SC ALRO SA	Substante organice	7/5/2016 8:20:44 PM	13	mg/l
SC ALRO SA	Temp	7/5/2016 8:20:43 PM	24	gradCels
SC ALRO SA	pH	7/5/2016 8:20:42 PM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 8:15:21 PM	14	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Clor	7/5/2016 8:15:05 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 8:15:04 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 8:15:03 PM	24	gradCels
SC ALRO SA	pH	7/5/2016 8:15:02 PM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 8:10:00 PM	14	mg/l
SC ALRO SA	Clor	7/5/2016 8:09:46 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 8:09:45 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 8:09:44 PM	24	gradCels
SC ALRO SA	pH	7/5/2016 8:09:43 PM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 8:04:20 PM	14	mg/l
SC ALRO SA	Clor	7/5/2016 8:04:06 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 8:04:05 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 8:04:04 PM	24	gradCels
SC ALRO SA	pH	7/5/2016 8:04:03 PM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 7:58:41 PM	14	mg/l
SC ALRO SA	Clor	7/5/2016 7:58:25 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 7:58:24 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 7:58:23 PM	24	gradCels
SC ALRO SA	pH	7/5/2016 7:58:22 PM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 7:53:21 PM	14	mg/l
SC ALRO SA	Clor	7/5/2016 7:53:05 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 7:53:04 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 7:53:03 PM	24	gradCels
SC ALRO SA	pH	7/5/2016 7:53:02 PM	8	unit pH
SC ALRO SA	Clor	7/5/2016 7:47:26 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 7:47:25 PM	0	mg/l
SC ALRO SA	Substante organice	7/5/2016 7:47:24 PM	14	mg/l
SC ALRO SA	Temp	7/5/2016 7:47:23 PM	24	gradCels
SC ALRO SA	pH	7/5/2016 7:47:22 PM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 7:42:21 PM	14	mg/l
SC ALRO SA	Clor	7/5/2016 7:42:05 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 7:42:04 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 7:42:03 PM	24	gradCels
SC ALRO SA	pH	7/5/2016 7:42:02 PM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 7:36:41 PM	14	mg/l
SC ALRO SA	Clor	7/5/2016 7:36:25 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 7:36:24 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 7:36:23 PM	24	gradCels
SC ALRO SA	pH	7/5/2016 7:36:22 PM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 7:31:21 PM	14	mg/l
SC ALRO SA	Clor	7/5/2016 7:31:05 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 7:31:04 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 7:31:03 PM	24	gradCels
SC ALRO SA	pH	7/5/2016 7:31:02 PM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 7:25:48 PM	14	mg/l
SC ALRO SA	Clor	7/5/2016 7:25:45 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 7:25:44 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 7:25:43 PM	24	gradCels
SC ALRO SA	pH	7/5/2016 7:25:42 PM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 7:20:20 PM	14	mg/l
SC ALRO SA	Clor	7/5/2016 7:20:06 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 7:20:05 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 7:20:04 PM	24	gradCels
SC ALRO SA	pH	7/5/2016 7:20:03 PM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 7:14:40 PM	14	mg/l
SC ALRO SA	Clor	7/5/2016 7:13:43 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 7:13:42 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 7:13:41 PM	24	gradCels
SC ALRO SA	pH	7/5/2016 7:13:40 PM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 7:09:22 PM	14	mg/l
SC ALRO SA	Clor	7/5/2016 7:08:23 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 7:08:22 PM	0	mg/l
SC ALRO SA	pH	7/5/2016 7:08:21 PM	8	unit pH
SC ALRO SA	Temp	7/5/2016 7:08:20 PM	24	gradCels
SC ALRO SA	Substante organice	7/5/2016 7:03:40 PM	14	mg/l
SC ALRO SA	Clor	7/5/2016 7:03:26 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Grasimi	7/5/2016 7:03:25 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 7:03:24 PM	24	gradCels
SC ALRO SA	pH	7/5/2016 7:03:23 PM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 6:58:22 PM	14	mg/l
SC ALRO SA	Clor	7/5/2016 6:58:06 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 6:58:05 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 6:58:04 PM	24	gradCels
SC ALRO SA	pH	7/5/2016 6:58:03 PM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 6:52:40 PM	14	mg/l
SC ALRO SA	Clor	7/5/2016 6:52:26 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 6:52:25 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 6:52:24 PM	24	gradCels
SC ALRO SA	pH	7/5/2016 6:52:23 PM	8	unit pH
SC ALRO SA	Clor	7/5/2016 6:46:24 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 6:46:23 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 6:46:22 PM	24	gradCels
SC ALRO SA	Substante organice	7/5/2016 6:46:21 PM	14	mg/l
SC ALRO SA	pH	7/5/2016 6:46:20 PM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 6:41:41 PM	14	mg/l
SC ALRO SA	Clor	7/5/2016 6:41:25 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 6:41:24 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 6:41:23 PM	24	gradCels
SC ALRO SA	pH	7/5/2016 6:41:22 PM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 6:36:01 PM	14	mg/l
SC ALRO SA	Clor	7/5/2016 6:35:07 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 6:35:06 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 6:35:05 PM	24	gradCels
SC ALRO SA	pH	7/5/2016 6:35:04 PM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 6:30:52 PM	14	mg/l
SC ALRO SA	Clor	7/5/2016 6:30:46 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 6:30:45 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 6:30:44 PM	24	gradCels
SC ALRO SA	pH	7/5/2016 6:30:43 PM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 6:25:01 PM	14	mg/l
SC ALRO SA	Clor	7/5/2016 6:24:06 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 6:24:05 PM	0	mg/l
SC ALRO SA	pH	7/5/2016 6:24:04 PM	8	unit pH
SC ALRO SA	Temp	7/5/2016 6:24:03 PM	24	gradCels
SC ALRO SA	Clor	7/5/2016 6:19:27 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 6:19:26 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 6:19:25 PM	24	gradCels
SC ALRO SA	Substante organice	7/5/2016 6:19:24 PM	14	mg/l
SC ALRO SA	pH	7/5/2016 6:19:23 PM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 6:14:02 PM	14	mg/l
SC ALRO SA	Clor	7/5/2016 6:13:46 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 6:13:45 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 6:13:44 PM	24	gradCels
SC ALRO SA	pH	7/5/2016 6:13:43 PM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 6:08:41 PM	14	mg/l
SC ALRO SA	Clor	7/5/2016 6:07:43 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 6:07:42 PM	0	mg/l
SC ALRO SA	pH	7/5/2016 6:07:41 PM	8	unit pH
SC ALRO SA	Temp	7/5/2016 6:07:40 PM	24	gradCels
SC ALRO SA	Substante organice	7/5/2016 6:03:02 PM	14	mg/l
SC ALRO SA	Clor	7/5/2016 6:02:07 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 6:02:06 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 6:02:05 PM	24	gradCels
SC ALRO SA	pH	7/5/2016 6:02:04 PM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 5:57:45 PM	14	mg/l
SC ALRO SA	Clor	7/5/2016 5:56:43 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 5:56:42 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 5:56:41 PM	24	gradCels
SC ALRO SA	pH	7/5/2016 5:56:40 PM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 5:52:01 PM	14	mg/l
SC ALRO SA	Clor	7/5/2016 5:51:45 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 5:51:44 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	7/5/2016 5:51:43 PM	24	gradCels
SC ALRO SA	pH	7/5/2016 5:51:42 PM	8	unit pH
SC ALRO SA	Clor	7/5/2016 5:46:26 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 5:46:25 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 5:46:24 PM	24	gradCels
SC ALRO SA	Substante organice	7/5/2016 5:46:23 PM	14	mg/l
SC ALRO SA	pH	7/5/2016 5:46:22 PM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 5:41:03 PM	14	mg/l
SC ALRO SA	Clor	7/5/2016 5:40:08 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 5:40:07 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 5:40:06 PM	24	gradCels
SC ALRO SA	pH	7/5/2016 5:40:05 PM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 5:35:43 PM	14	mg/l
SC ALRO SA	Clor	7/5/2016 5:35:29 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 5:35:28 PM	0	mg/l
SC ALRO SA	pH	7/5/2016 5:35:27 PM	8	unit pH
SC ALRO SA	Temp	7/5/2016 5:35:26 PM	24	gradCels
SC ALRO SA	Substante organice	7/5/2016 5:30:19 PM	14	mg/l
SC ALRO SA	Clor	7/5/2016 5:30:05 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 5:30:04 PM	0	mg/l
SC ALRO SA	pH	7/5/2016 5:30:03 PM	8	unit pH
SC ALRO SA	Temp	7/5/2016 5:30:02 PM	24	gradCels
SC ALRO SA	Substante organice	7/5/2016 5:24:42 PM	14	mg/l
SC ALRO SA	Clor	7/5/2016 5:24:25 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 5:24:24 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 5:24:23 PM	24	gradCels
SC ALRO SA	pH	7/5/2016 5:24:22 PM	8	unit pH
SC ALRO SA	Clor	7/5/2016 5:18:46 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 5:18:45 PM	0	mg/l
SC ALRO SA	Substante organice	7/5/2016 5:18:44 PM	14	mg/l
SC ALRO SA	pH	7/5/2016 5:18:43 PM	8	unit pH
SC ALRO SA	Temp	7/5/2016 5:18:42 PM	24	gradCels
SC ALRO SA	Substante organice	7/5/2016 5:13:43 PM	14	mg/l
SC ALRO SA	Clor	7/5/2016 5:12:48 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 5:12:47 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 5:12:46 PM	24	gradCels
SC ALRO SA	pH	7/5/2016 5:12:45 PM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 5:08:21 PM	14	mg/l
SC ALRO SA	Clor	7/5/2016 5:07:07 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 5:07:06 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 5:07:05 PM	24	gradCels
SC ALRO SA	pH	7/5/2016 5:07:04 PM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 5:02:24 PM	14	mg/l
SC ALRO SA	Clor	7/5/2016 5:01:27 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 5:01:26 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 5:01:25 PM	24	gradCels
SC ALRO SA	pH	7/5/2016 5:01:24 PM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 4:57:21 PM	14	mg/l
SC ALRO SA	Clor	7/5/2016 4:56:11 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 4:56:10 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 4:56:09 PM	24	gradCels
SC ALRO SA	pH	7/5/2016 4:56:08 PM	8	unit pH
SC ALRO SA	Clor	7/5/2016 4:50:28 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 4:50:27 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 4:50:26 PM	24	gradCels
SC ALRO SA	Substante organice	7/5/2016 4:50:25 PM	14	mg/l
SC ALRO SA	pH	7/5/2016 4:50:24 PM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 4:46:00 PM	14	mg/l
SC ALRO SA	Clor	7/5/2016 4:45:11 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 4:45:10 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 4:45:09 PM	24	gradCels
SC ALRO SA	pH	7/5/2016 4:45:08 PM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 4:40:21 PM	14	mg/l
SC ALRO SA	Clor	7/5/2016 4:39:27 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 4:39:26 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 4:39:25 PM	24	gradCels



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	7/5/2016 4:39:24 PM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 4:35:21 PM	14	mg/l
SC ALRO SA	Clor	7/5/2016 4:34:11 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 4:34:10 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 4:34:09 PM	23	gradCels
SC ALRO SA	pH	7/5/2016 4:34:08 PM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 4:29:25 PM	14	mg/l
SC ALRO SA	Clor	7/5/2016 4:28:27 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 4:28:26 PM	0	mg/l
SC ALRO SA	pH	7/5/2016 4:28:25 PM	8	unit pH
SC ALRO SA	Temp	7/5/2016 4:28:24 PM	23	gradCels
SC ALRO SA	Substante organice	7/5/2016 4:24:00 PM	14	mg/l
SC ALRO SA	Clor	7/5/2016 4:23:10 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 4:23:09 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 4:23:08 PM	23	gradCels
SC ALRO SA	pH	7/5/2016 4:23:07 PM	8	unit pH
SC ALRO SA	Clor	7/5/2016 4:17:28 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 4:17:27 PM	0	mg/l
SC ALRO SA	Substante organice	7/5/2016 4:17:26 PM	14	mg/l
SC ALRO SA	Temp	7/5/2016 4:17:25 PM	23	gradCels
SC ALRO SA	pH	7/5/2016 4:17:24 PM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 4:13:02 PM	14	mg/l
SC ALRO SA	Clor	7/5/2016 4:12:14 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 4:12:13 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 4:12:12 PM	23	gradCels
SC ALRO SA	pH	7/5/2016 4:12:11 PM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 4:07:23 PM	14	mg/l
SC ALRO SA	Clor	7/5/2016 4:06:31 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 4:06:30 PM	0	mg/l
SC ALRO SA	pH	7/5/2016 4:06:29 PM	8	unit pH
SC ALRO SA	Temp	7/5/2016 4:06:28 PM	23	gradCels
SC ALRO SA	Substante organice	7/5/2016 4:02:24 PM	14	mg/l
SC ALRO SA	Clor	7/5/2016 4:01:13 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 4:01:12 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 4:01:11 PM	23	gradCels
SC ALRO SA	pH	7/5/2016 4:01:10 PM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 3:57:08 PM	14	mg/l
SC ALRO SA	Clor	7/5/2016 3:56:30 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 3:56:29 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 3:56:28 PM	23	gradCels
SC ALRO SA	pH	7/5/2016 3:56:27 PM	8	unit pH
SC ALRO SA	Clor	7/5/2016 3:50:46 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 3:50:45 PM	0	mg/l
SC ALRO SA	Substante organice	7/5/2016 3:50:44 PM	14	mg/l
SC ALRO SA	pH	7/5/2016 3:50:43 PM	8	unit pH
SC ALRO SA	Temp	7/5/2016 3:50:42 PM	23	gradCels
SC ALRO SA	Substante organice	7/5/2016 3:46:04 PM	14	mg/l
SC ALRO SA	Clor	7/5/2016 3:45:27 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 3:45:26 PM	0	mg/l
SC ALRO SA	pH	7/5/2016 3:45:25 PM	8	unit pH
SC ALRO SA	Temp	7/5/2016 3:45:24 PM	23	gradCels
SC ALRO SA	Substante organice	7/5/2016 3:40:03 PM	14	mg/l
SC ALRO SA	Clor	7/5/2016 3:39:45 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 3:39:44 PM	0	mg/l
SC ALRO SA	pH	7/5/2016 3:39:43 PM	8	unit pH
SC ALRO SA	Temp	7/5/2016 3:39:42 PM	23	gradCels
SC ALRO SA	Substante organice	7/5/2016 3:34:24 PM	14	mg/l
SC ALRO SA	Clor	7/5/2016 3:34:05 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 3:34:04 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 3:34:03 PM	23	gradCels
SC ALRO SA	pH	7/5/2016 3:34:02 PM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 3:28:50 PM	14	mg/l
SC ALRO SA	Clor	7/5/2016 3:28:45 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 3:28:44 PM	0	mg/l
SC ALRO SA	pH	7/5/2016 3:28:43 PM	8	unit pH
SC ALRO SA	Temp	7/5/2016 3:28:42 PM	23	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	7/5/2016 3:23:24 PM	14	mg/l
SC ALRO SA	Clor	7/5/2016 3:23:05 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 3:23:04 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 3:23:03 PM	23	gradCels
SC ALRO SA	pH	7/5/2016 3:23:02 PM	8	unit pH
SC ALRO SA	Clor	7/5/2016 3:17:26 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 3:17:25 PM	0	mg/l
SC ALRO SA	Substante organice	7/5/2016 3:17:24 PM	14	mg/l
SC ALRO SA	Temp	7/5/2016 3:17:23 PM	23	gradCels
SC ALRO SA	pH	7/5/2016 3:17:22 PM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 3:12:23 PM	14	mg/l
SC ALRO SA	Clor	7/5/2016 3:12:05 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 3:12:04 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 3:12:03 PM	23	gradCels
SC ALRO SA	pH	7/5/2016 3:12:02 PM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 3:07:21 PM	14	mg/l
SC ALRO SA	Clor	7/5/2016 3:06:25 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 3:06:24 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 3:06:23 PM	23	gradCels
SC ALRO SA	pH	7/5/2016 3:06:22 PM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 3:01:23 PM	14	mg/l
SC ALRO SA	Clor	7/5/2016 3:01:05 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 3:01:04 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 3:01:03 PM	23	gradCels
SC ALRO SA	pH	7/5/2016 3:01:02 PM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 2:55:51 PM	14	mg/l
SC ALRO SA	Clor	7/5/2016 2:55:50 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 2:55:49 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 2:55:48 PM	23	gradCels
SC ALRO SA	pH	7/5/2016 2:55:47 PM	8	unit pH
SC ALRO SA	Clor	7/5/2016 2:50:06 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 2:50:05 PM	0	mg/l
SC ALRO SA	Substante organice	7/5/2016 2:50:04 PM	14	mg/l
SC ALRO SA	Temp	7/5/2016 2:50:03 PM	23	gradCels
SC ALRO SA	pH	7/5/2016 2:50:02 PM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 2:44:50 PM	14	mg/l
SC ALRO SA	Clor	7/5/2016 2:44:49 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 2:44:48 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 2:44:47 PM	23	gradCels
SC ALRO SA	pH	7/5/2016 2:44:46 PM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 2:39:23 PM	14	mg/l
SC ALRO SA	Clor	7/5/2016 2:39:05 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 2:39:04 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 2:39:03 PM	23	gradCels
SC ALRO SA	pH	7/5/2016 2:39:02 PM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 2:33:51 PM	14	mg/l
SC ALRO SA	Clor	7/5/2016 2:33:50 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 2:33:49 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 2:33:48 PM	23	gradCels
SC ALRO SA	pH	7/5/2016 2:33:47 PM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 2:28:27 PM	14	mg/l
SC ALRO SA	Clor	7/5/2016 2:28:25 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 2:28:24 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 2:28:23 PM	23	gradCels
SC ALRO SA	pH	7/5/2016 2:28:22 PM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 2:22:50 PM	14	mg/l
SC ALRO SA	Clor	7/5/2016 2:22:49 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 2:22:48 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 2:22:47 PM	23	gradCels
SC ALRO SA	pH	7/5/2016 2:22:46 PM	8	unit pH
SC ALRO SA	Clor	7/5/2016 2:16:49 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 2:16:48 PM	0	mg/l
SC ALRO SA	Substante organice	7/5/2016 2:16:47 PM	14	mg/l
SC ALRO SA	Temp	7/5/2016 2:16:46 PM	23	gradCels
SC ALRO SA	pH	7/5/2016 2:16:45 PM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 2:11:51 PM	14	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Clor	7/5/2016 2:11:50 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 2:11:49 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 2:11:48 PM	23	gradCels
SC ALRO SA	pH	7/5/2016 2:11:47 PM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 2:06:22 PM	14	mg/l
SC ALRO SA	Clor	7/5/2016 2:06:09 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 2:06:08 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 2:06:07 PM	23	gradCels
SC ALRO SA	pH	7/5/2016 2:06:06 PM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 2:00:57 PM	14	mg/l
SC ALRO SA	Clor	7/5/2016 2:00:56 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 2:00:55 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 2:00:54 PM	23	gradCels
SC ALRO SA	pH	7/5/2016 2:00:53 PM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 1:55:03 PM	14	mg/l
SC ALRO SA	Clor	7/5/2016 1:54:49 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 1:54:48 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 1:54:47 PM	23	gradCels
SC ALRO SA	pH	7/5/2016 1:54:46 PM	8	unit pH
SC ALRO SA	Clor	7/5/2016 1:49:47 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 1:49:46 PM	0	mg/l
SC ALRO SA	Substante organice	7/5/2016 1:49:45 PM	14	mg/l
SC ALRO SA	Temp	7/5/2016 1:49:44 PM	23	gradCels
SC ALRO SA	pH	7/5/2016 1:49:43 PM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 1:44:24 PM	14	mg/l
SC ALRO SA	Clor	7/5/2016 1:44:05 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 1:44:04 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 1:44:03 PM	23	gradCels
SC ALRO SA	pH	7/5/2016 1:44:02 PM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 1:38:52 PM	14	mg/l
SC ALRO SA	Clor	7/5/2016 1:38:48 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 1:38:47 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 1:38:46 PM	23	gradCels
SC ALRO SA	pH	7/5/2016 1:38:45 PM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 1:33:04 PM	14	mg/l
SC ALRO SA	Clor	7/5/2016 1:32:45 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 1:32:44 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 1:32:43 PM	23	gradCels
SC ALRO SA	pH	7/5/2016 1:32:42 PM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 1:28:00 PM	14	mg/l
SC ALRO SA	Clor	7/5/2016 1:27:48 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 1:27:47 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 1:27:46 PM	23	gradCels
SC ALRO SA	pH	7/5/2016 1:27:45 PM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 1:22:22 PM	14	mg/l
SC ALRO SA	Clor	7/5/2016 1:22:05 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 1:22:04 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 1:22:03 PM	23	gradCels
SC ALRO SA	pH	7/5/2016 1:22:02 PM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 1:17:23 PM	14	mg/l
SC ALRO SA	Clor	7/5/2016 1:16:23 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 1:16:22 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 1:16:21 PM	23	gradCels
SC ALRO SA	pH	7/5/2016 1:16:20 PM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 1:11:43 PM	14	mg/l
SC ALRO SA	Clor	7/5/2016 1:10:43 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 1:10:42 PM	0	mg/l
SC ALRO SA	pH	7/5/2016 1:10:41 PM	8	unit pH
SC ALRO SA	Temp	7/5/2016 1:10:40 PM	23	gradCels
SC ALRO SA	Substante organice	7/5/2016 1:06:25 PM	14	mg/l
SC ALRO SA	Clor	7/5/2016 1:05:23 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 1:05:22 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 1:05:21 PM	23	gradCels
SC ALRO SA	pH	7/5/2016 1:05:20 PM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 1:00:42 PM	14	mg/l
SC ALRO SA	Clor	7/5/2016 12:59:47 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Grasimi	7/5/2016 12:59:46 PM	0	mg/l
SC ALRO SA	pH	7/5/2016 12:59:45 PM	8	unit pH
SC ALRO SA	Temp	7/5/2016 12:59:44 PM	23	gradCels
SC ALRO SA	Substante organice	7/5/2016 12:55:23 PM	14	mg/l
SC ALRO SA	Clor	7/5/2016 12:54:23 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 12:54:22 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 12:54:21 PM	23	gradCels
SC ALRO SA	pH	7/5/2016 12:54:20 PM	8	unit pH
SC ALRO SA	Clor	7/5/2016 12:48:48 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 12:48:47 PM	0	mg/l
SC ALRO SA	Substante organice	7/5/2016 12:48:46 PM	14	mg/l
SC ALRO SA	Temp	7/5/2016 12:48:45 PM	23	gradCels
SC ALRO SA	pH	7/5/2016 12:48:44 PM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 12:44:23 PM	14	mg/l
SC ALRO SA	Clor	7/5/2016 12:43:23 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 12:43:22 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 12:43:21 PM	23	gradCels
SC ALRO SA	pH	7/5/2016 12:43:20 PM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 12:38:44 PM	14	mg/l
SC ALRO SA	Clor	7/5/2016 12:38:25 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 12:38:24 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 12:38:23 PM	23	gradCels
SC ALRO SA	pH	7/5/2016 12:38:22 PM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 12:33:04 PM	14	mg/l
SC ALRO SA	Clor	7/5/2016 12:32:45 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 12:32:44 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 12:32:43 PM	23	gradCels
SC ALRO SA	pH	7/5/2016 12:32:42 PM	8	unit pH
SC ALRO SA	Clor	7/5/2016 12:28:03 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 12:28:02 PM	0	mg/l
SC ALRO SA	Substante organice	7/5/2016 12:28:00 PM	14	mg/l
SC ALRO SA	Temp	7/5/2016 12:27:58 PM	22	gradCels
SC ALRO SA	pH	7/5/2016 12:27:57 PM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 12:27:51 PM	14	mg/l
SC ALRO SA	Clor	7/5/2016 12:26:43 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 12:26:42 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 12:26:41 PM	22	gradCels
SC ALRO SA	pH	7/5/2016 12:26:40 PM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 12:22:02 PM	14	mg/l
SC ALRO SA	Clor	7/5/2016 12:21:09 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 12:21:08 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 12:21:07 PM	22	gradCels
SC ALRO SA	pH	7/5/2016 12:21:06 PM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 12:16:48 PM	14	mg/l
SC ALRO SA	Clor	7/5/2016 12:16:29 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 12:16:28 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 12:16:27 PM	22	gradCels
SC ALRO SA	pH	7/5/2016 12:16:26 PM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 12:11:08 PM	14	mg/l
SC ALRO SA	Clor	7/5/2016 12:10:49 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 12:10:48 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 12:10:47 PM	22	gradCels
SC ALRO SA	pH	7/5/2016 12:10:46 PM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 12:05:43 PM	14	mg/l
SC ALRO SA	Clor	7/5/2016 12:04:47 PM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 12:04:46 PM	0	mg/l
SC ALRO SA	Temp	7/5/2016 12:04:45 PM	22	gradCels
SC ALRO SA	pH	7/5/2016 12:04:44 PM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 12:00:04 PM	14	mg/l
SC ALRO SA	Clor	7/5/2016 11:59:09 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 11:59:08 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 11:59:07 AM	22	gradCels
SC ALRO SA	pH	7/5/2016 11:59:06 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 11:54:41 AM	14	mg/l
SC ALRO SA	Clor	7/5/2016 11:54:30 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 11:54:29 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	7/5/2016 11:54:28 AM	22	gradCels
SC ALRO SA	pH	7/5/2016 11:54:27 AM	8	unit pH
SC ALRO SA	Clor	7/5/2016 11:48:50 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 11:48:49 AM	0	mg/l
SC ALRO SA	Substante organice	7/5/2016 11:48:48 AM	14	mg/l
SC ALRO SA	Temp	7/5/2016 11:48:47 AM	22	gradCels
SC ALRO SA	pH	7/5/2016 11:48:46 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 11:43:43 AM	14	mg/l
SC ALRO SA	Clor	7/5/2016 11:43:29 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 11:43:28 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 11:43:27 AM	22	gradCels
SC ALRO SA	pH	7/5/2016 11:43:26 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 11:38:03 AM	14	mg/l
SC ALRO SA	Clor	7/5/2016 11:37:45 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 11:37:44 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 11:37:43 AM	22	gradCels
SC ALRO SA	pH	7/5/2016 11:37:42 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 11:32:43 AM	14	mg/l
SC ALRO SA	Clor	7/5/2016 11:32:33 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 11:32:32 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 11:32:31 AM	22	gradCels
SC ALRO SA	pH	7/5/2016 11:32:30 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 11:27:13 AM	14	mg/l
SC ALRO SA	Clor	7/5/2016 11:27:09 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 11:27:08 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 11:27:07 AM	22	gradCels
SC ALRO SA	pH	7/5/2016 11:27:06 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 11:21:42 AM	14	mg/l
SC ALRO SA	Clor	7/5/2016 11:21:29 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 11:21:28 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 11:21:27 AM	22	gradCels
SC ALRO SA	pH	7/5/2016 11:21:26 AM	8	unit pH
SC ALRO SA	Clor	7/5/2016 11:15:50 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 11:15:49 AM	0	mg/l
SC ALRO SA	Substante organice	7/5/2016 11:15:48 AM	14	mg/l
SC ALRO SA	Temp	7/5/2016 11:15:47 AM	22	gradCels
SC ALRO SA	pH	7/5/2016 11:15:46 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 11:10:43 AM	14	mg/l
SC ALRO SA	Clor	7/5/2016 11:10:29 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 11:10:28 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 11:10:27 AM	22	gradCels
SC ALRO SA	pH	7/5/2016 11:10:26 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 11:05:03 AM	14	mg/l
SC ALRO SA	Clor	7/5/2016 11:04:45 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 11:04:44 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 11:04:43 AM	22	gradCels
SC ALRO SA	pH	7/5/2016 11:04:42 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 10:59:37 AM	14	mg/l
SC ALRO SA	Clor	7/5/2016 10:59:33 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 10:59:32 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 10:59:31 AM	22	gradCels
SC ALRO SA	pH	7/5/2016 10:59:30 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 10:54:02 AM	14	mg/l
SC ALRO SA	Clor	7/5/2016 10:53:53 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 10:53:52 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 10:53:51 AM	22	gradCels
SC ALRO SA	pH	7/5/2016 10:53:50 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 10:48:21 AM	14	mg/l
SC ALRO SA	Clor	7/5/2016 10:48:14 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 10:48:13 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 10:48:12 AM	22	gradCels
SC ALRO SA	pH	7/5/2016 10:48:11 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 10:43:02 AM	14	mg/l
SC ALRO SA	Clor	7/5/2016 10:42:55 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 10:42:54 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 10:42:53 AM	22	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	7/5/2016 10:42:52 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 10:37:22 AM	14	mg/l
SC ALRO SA	Clor	7/5/2016 10:37:14 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 10:37:13 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 10:37:12 AM	22	gradCels
SC ALRO SA	pH	7/5/2016 10:37:11 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 10:32:02 AM	14	mg/l
SC ALRO SA	Clor	7/5/2016 10:31:54 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 10:31:53 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 10:31:52 AM	22	gradCels
SC ALRO SA	pH	7/5/2016 10:31:51 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 10:26:26 AM	14	mg/l
SC ALRO SA	Clor	7/5/2016 10:26:13 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 10:26:12 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 10:26:11 AM	23	gradCels
SC ALRO SA	pH	7/5/2016 10:26:10 AM	8	unit pH
SC ALRO SA	Clor	7/5/2016 10:21:08 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 10:21:07 AM	0	mg/l
SC ALRO SA	Substante organice	7/5/2016 10:21:06 AM	14	mg/l
SC ALRO SA	Temp	7/5/2016 10:21:04 AM	23	gradCels
SC ALRO SA	pH	7/5/2016 10:21:02 AM	8	unit pH
SC ALRO SA	Clor	7/5/2016 10:20:55 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 10:20:54 AM	0	mg/l
SC ALRO SA	Substante organice	7/5/2016 10:20:53 AM	14	mg/l
SC ALRO SA	Temp	7/5/2016 10:20:52 AM	23	gradCels
SC ALRO SA	pH	7/5/2016 10:20:51 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 10:15:02 AM	14	mg/l
SC ALRO SA	Clor	7/5/2016 10:14:31 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 10:14:30 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 10:14:29 AM	23	gradCels
SC ALRO SA	pH	7/5/2016 10:14:28 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 10:10:02 AM	14	mg/l
SC ALRO SA	Clor	7/5/2016 10:09:13 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 10:09:12 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 10:09:11 AM	23	gradCels
SC ALRO SA	pH	7/5/2016 10:09:10 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 10:04:02 AM	14	mg/l
SC ALRO SA	Clor	7/5/2016 10:03:31 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 10:03:30 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 10:03:29 AM	23	gradCels
SC ALRO SA	pH	7/5/2016 10:03:28 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 9:59:05 AM	14	mg/l
SC ALRO SA	Clor	7/5/2016 9:58:13 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 9:58:12 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 9:58:11 AM	23	gradCels
SC ALRO SA	pH	7/5/2016 9:58:10 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 9:53:05 AM	14	mg/l
SC ALRO SA	Clor	7/5/2016 9:52:30 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 9:52:29 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 9:52:28 AM	23	gradCels
SC ALRO SA	pH	7/5/2016 9:52:27 AM	8	unit pH
SC ALRO SA	Clor	7/5/2016 9:47:12 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 9:47:11 AM	0	mg/l
SC ALRO SA	Substante organice	7/5/2016 9:47:10 AM	14	mg/l
SC ALRO SA	Temp	7/5/2016 9:47:09 AM	23	gradCels
SC ALRO SA	pH	7/5/2016 9:47:08 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 9:42:02 AM	14	mg/l
SC ALRO SA	Clor	7/5/2016 9:41:31 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 9:41:30 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 9:41:29 AM	23	gradCels
SC ALRO SA	pH	7/5/2016 9:41:28 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 9:37:02 AM	14	mg/l
SC ALRO SA	Clor	7/5/2016 9:36:13 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 9:36:12 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 9:36:11 AM	23	gradCels
SC ALRO SA	pH	7/5/2016 9:36:10 AM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	7/5/2016 9:31:02 AM	14	mg/l
SC ALRO SA	Clor	7/5/2016 9:30:31 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 9:30:30 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 9:30:29 AM	23	gradCels
SC ALRO SA	pH	7/5/2016 9:30:28 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 9:26:03 AM	14	mg/l
SC ALRO SA	Clor	7/5/2016 9:25:22 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 9:25:20 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 9:25:18 AM	23	gradCels
SC ALRO SA	pH	7/5/2016 9:25:16 AM	8	unit pH
SC ALRO SA	Clor	7/5/2016 9:19:32 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 9:19:31 AM	0	mg/l
SC ALRO SA	Substante organice	7/5/2016 9:19:30 AM	14	mg/l
SC ALRO SA	Temp	7/5/2016 9:19:29 AM	23	gradCels
SC ALRO SA	pH	7/5/2016 9:19:28 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 9:15:04 AM	14	mg/l
SC ALRO SA	Clor	7/5/2016 9:14:14 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 9:14:13 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 9:14:12 AM	23	gradCels
SC ALRO SA	pH	7/5/2016 9:14:11 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 9:09:02 AM	14	mg/l
SC ALRO SA	Clor	7/5/2016 9:08:31 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 9:08:30 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 9:08:29 AM	23	gradCels
SC ALRO SA	pH	7/5/2016 9:08:28 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 9:04:01 AM	14	mg/l
SC ALRO SA	Clor	7/5/2016 9:03:12 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 9:03:11 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 9:03:10 AM	23	gradCels
SC ALRO SA	pH	7/5/2016 9:03:09 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 8:58:01 AM	14	mg/l
SC ALRO SA	Clor	7/5/2016 8:57:31 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 8:57:30 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 8:57:29 AM	23	gradCels
SC ALRO SA	pH	7/5/2016 8:57:28 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 8:53:01 AM	14	mg/l
SC ALRO SA	Clor	7/5/2016 8:52:13 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 8:52:12 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 8:52:11 AM	23	gradCels
SC ALRO SA	pH	7/5/2016 8:52:10 AM	8	unit pH
SC ALRO SA	Clor	7/5/2016 8:46:32 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 8:46:31 AM	0	mg/l
SC ALRO SA	Substante organice	7/5/2016 8:46:30 AM	14	mg/l
SC ALRO SA	Temp	7/5/2016 8:46:29 AM	23	gradCels
SC ALRO SA	pH	7/5/2016 8:46:28 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 8:42:02 AM	14	mg/l
SC ALRO SA	Clor	7/5/2016 8:41:13 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 8:41:12 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 8:41:11 AM	23	gradCels
SC ALRO SA	pH	7/5/2016 8:41:10 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 8:36:02 AM	14	mg/l
SC ALRO SA	Clor	7/5/2016 8:35:31 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 8:35:30 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 8:35:29 AM	23	gradCels
SC ALRO SA	pH	7/5/2016 8:35:28 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 8:32:02 AM	14	mg/l
SC ALRO SA	Clor	7/5/2016 8:29:57 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 8:29:56 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 8:29:55 AM	23	gradCels
SC ALRO SA	pH	7/5/2016 8:29:54 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 8:25:04 AM	14	mg/l
SC ALRO SA	Clor	7/5/2016 8:24:30 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 8:24:29 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 8:24:28 AM	23	gradCels
SC ALRO SA	pH	7/5/2016 8:24:27 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 8:21:03 AM	14	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Clor	7/5/2016 8:18:59 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 8:18:58 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 8:18:57 AM	23	gradCels
SC ALRO SA	pH	7/5/2016 8:18:56 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 8:14:02 AM	14	mg/l
SC ALRO SA	Clor	7/5/2016 8:13:31 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 8:13:30 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 8:13:29 AM	23	gradCels
SC ALRO SA	pH	7/5/2016 8:13:28 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 8:10:03 AM	14	mg/l
SC ALRO SA	Clor	7/5/2016 8:07:59 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 8:07:58 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 8:07:57 AM	23	gradCels
SC ALRO SA	pH	7/5/2016 8:07:56 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 8:03:02 AM	14	mg/l
SC ALRO SA	Clor	7/5/2016 8:02:31 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 8:02:30 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 8:02:29 AM	23	gradCels
SC ALRO SA	pH	7/5/2016 8:02:28 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 7:58:47 AM	14	mg/l
SC ALRO SA	Clor	7/5/2016 7:56:55 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 7:56:54 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 7:56:53 AM	23	gradCels
SC ALRO SA	pH	7/5/2016 7:56:52 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 7:52:01 AM	14	mg/l
SC ALRO SA	Clor	7/5/2016 7:51:32 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 7:51:31 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 7:51:30 AM	23	gradCels
SC ALRO SA	pH	7/5/2016 7:51:29 AM	8	unit pH
SC ALRO SA	Clor	7/5/2016 7:45:56 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 7:45:55 AM	0	mg/l
SC ALRO SA	Substante organice	7/5/2016 7:45:54 AM	14	mg/l
SC ALRO SA	Temp	7/5/2016 7:45:53 AM	23	gradCels
SC ALRO SA	pH	7/5/2016 7:45:52 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 7:41:05 AM	14	mg/l
SC ALRO SA	Clor	7/5/2016 7:40:31 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 7:40:30 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 7:40:29 AM	23	gradCels
SC ALRO SA	pH	7/5/2016 7:40:28 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 7:36:40 AM	14	mg/l
SC ALRO SA	Clor	7/5/2016 7:34:55 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 7:34:54 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 7:34:53 AM	23	gradCels
SC ALRO SA	pH	7/5/2016 7:34:52 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 7:30:01 AM	14	mg/l
SC ALRO SA	Clor	7/5/2016 7:29:31 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 7:29:30 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 7:29:29 AM	23	gradCels
SC ALRO SA	pH	7/5/2016 7:29:28 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 7:25:43 AM	14	mg/l
SC ALRO SA	Clor	7/5/2016 7:23:55 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 7:23:54 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 7:23:53 AM	23	gradCels
SC ALRO SA	pH	7/5/2016 7:23:52 AM	8	unit pH
SC ALRO SA	Clor	7/5/2016 7:18:32 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 7:18:31 AM	0	mg/l
SC ALRO SA	Substante organice	7/5/2016 7:18:30 AM	14	mg/l
SC ALRO SA	Temp	7/5/2016 7:18:29 AM	23	gradCels
SC ALRO SA	pH	7/5/2016 7:18:28 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 7:14:40 AM	14	mg/l
SC ALRO SA	Clor	7/5/2016 7:12:49 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 7:12:48 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 7:12:47 AM	23	gradCels
SC ALRO SA	pH	7/5/2016 7:12:46 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 7:07:46 AM	14	mg/l
SC ALRO SA	Clor	7/5/2016 7:07:27 AM	0	mg/l



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Grasimi	7/5/2016 7:07:26 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 7:07:25 AM	23	gradCels
SC ALRO SA	pH	7/5/2016 7:07:24 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 7:03:00 AM	14	mg/l
SC ALRO SA	Clor	7/5/2016 7:01:49 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 7:01:48 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 7:01:47 AM	23	gradCels
SC ALRO SA	pH	7/5/2016 7:01:46 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 6:56:46 AM	14	mg/l
SC ALRO SA	Clor	7/5/2016 6:56:27 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 6:56:26 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 6:56:25 AM	23	gradCels
SC ALRO SA	pH	7/5/2016 6:56:24 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 6:52:00 AM	14	mg/l
SC ALRO SA	Clor	7/5/2016 6:50:49 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 6:50:48 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 6:50:47 AM	23	gradCels
SC ALRO SA	pH	7/5/2016 6:50:46 AM	8	unit pH
SC ALRO SA	Clor	7/5/2016 6:45:28 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 6:45:27 AM	0	mg/l
SC ALRO SA	Substante organice	7/5/2016 6:45:26 AM	14	mg/l
SC ALRO SA	Temp	7/5/2016 6:45:25 AM	23	gradCels
SC ALRO SA	pH	7/5/2016 6:45:24 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 6:39:49 AM	14	mg/l
SC ALRO SA	Clor	7/5/2016 6:39:47 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 6:39:46 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 6:39:45 AM	23	gradCels
SC ALRO SA	pH	7/5/2016 6:39:44 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 6:34:46 AM	14	mg/l
SC ALRO SA	Clor	7/5/2016 6:34:27 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 6:34:26 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 6:34:25 AM	23	gradCels
SC ALRO SA	pH	7/5/2016 6:34:24 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 6:28:50 AM	14	mg/l
SC ALRO SA	Clor	7/5/2016 6:28:47 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 6:28:46 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 6:28:45 AM	24	gradCels
SC ALRO SA	pH	7/5/2016 6:28:44 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 6:23:45 AM	14	mg/l
SC ALRO SA	Clor	7/5/2016 6:23:28 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 6:23:27 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 6:23:26 AM	24	gradCels
SC ALRO SA	pH	7/5/2016 6:23:25 AM	8	unit pH
SC ALRO SA	Clor	7/5/2016 6:17:44 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 6:17:43 AM	0	mg/l
SC ALRO SA	Substante organice	7/5/2016 6:17:42 AM	14	mg/l
SC ALRO SA	Temp	7/5/2016 6:17:41 AM	24	gradCels
SC ALRO SA	pH	7/5/2016 6:17:40 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 6:12:51 AM	14	mg/l
SC ALRO SA	Clor	7/5/2016 6:12:23 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 6:12:22 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 6:12:21 AM	24	gradCels
SC ALRO SA	pH	7/5/2016 6:12:20 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 6:06:44 AM	14	mg/l
SC ALRO SA	Clor	7/5/2016 6:06:43 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 6:06:42 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 6:06:41 AM	24	gradCels
SC ALRO SA	pH	7/5/2016 6:06:40 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 6:01:52 AM	14	mg/l
SC ALRO SA	Clor	7/5/2016 6:01:23 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 6:01:22 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 6:01:21 AM	24	gradCels
SC ALRO SA	pH	7/5/2016 6:01:20 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 5:55:44 AM	14	mg/l
SC ALRO SA	Clor	7/5/2016 5:55:43 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 5:55:42 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	7/5/2016 5:55:41 AM	24	gradCels
SC ALRO SA	pH	7/5/2016 5:55:40 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 5:50:52 AM	14	mg/l
SC ALRO SA	Clor	7/5/2016 5:50:23 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 5:50:22 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 5:50:21 AM	24	gradCels
SC ALRO SA	pH	7/5/2016 5:50:20 AM	8	unit pH
SC ALRO SA	Clor	7/5/2016 5:45:13 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 5:45:12 AM	0	mg/l
SC ALRO SA	Substante organice	7/5/2016 5:45:11 AM	14	mg/l
SC ALRO SA	pH	7/5/2016 5:45:10 AM	8	unit pH
SC ALRO SA	Temp	7/5/2016 5:45:09 AM	24	gradCels
SC ALRO SA	Substante organice	7/5/2016 5:39:57 AM	13	mg/l
SC ALRO SA	Clor	7/5/2016 5:39:51 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 5:39:50 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 5:39:49 AM	24	gradCels
SC ALRO SA	pH	7/5/2016 5:39:48 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 5:35:04 AM	13	mg/l
SC ALRO SA	Clor	7/5/2016 5:34:27 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 5:34:26 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 5:34:25 AM	24	gradCels
SC ALRO SA	pH	7/5/2016 5:34:24 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 5:28:50 AM	13	mg/l
SC ALRO SA	Clor	7/5/2016 5:28:47 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 5:28:46 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 5:28:45 AM	24	gradCels
SC ALRO SA	pH	7/5/2016 5:28:44 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 5:24:01 AM	13	mg/l
SC ALRO SA	Clor	7/5/2016 5:23:28 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 5:23:27 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 5:23:26 AM	24	gradCels
SC ALRO SA	pH	7/5/2016 5:23:25 AM	8	unit pH
SC ALRO SA	Clor	7/5/2016 5:17:48 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 5:17:47 AM	0	mg/l
SC ALRO SA	Substante organice	7/5/2016 5:17:46 AM	13	mg/l
SC ALRO SA	Temp	7/5/2016 5:17:45 AM	24	gradCels
SC ALRO SA	pH	7/5/2016 5:17:44 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 5:13:02 AM	13	mg/l
SC ALRO SA	Clor	7/5/2016 5:12:27 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 5:12:26 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 5:12:25 AM	24	gradCels
SC ALRO SA	pH	7/5/2016 5:12:24 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 5:06:51 AM	13	mg/l
SC ALRO SA	Clor	7/5/2016 5:06:47 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 5:06:46 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 5:06:45 AM	24	gradCels
SC ALRO SA	pH	7/5/2016 5:06:44 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 5:01:42 AM	13	mg/l
SC ALRO SA	Clor	7/5/2016 5:01:27 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 5:01:26 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 5:01:25 AM	24	gradCels
SC ALRO SA	pH	7/5/2016 5:01:24 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 4:55:50 AM	13	mg/l
SC ALRO SA	Clor	7/5/2016 4:55:47 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 4:55:46 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 4:55:45 AM	24	gradCels
SC ALRO SA	pH	7/5/2016 4:55:44 AM	8	unit pH
SC ALRO SA	Clor	7/5/2016 4:50:08 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 4:50:07 AM	0	mg/l
SC ALRO SA	Substante organice	7/5/2016 4:50:06 AM	13	mg/l
SC ALRO SA	pH	7/5/2016 4:50:05 AM	8	unit pH
SC ALRO SA	Temp	7/5/2016 4:50:04 AM	24	gradCels
SC ALRO SA	Substante organice	7/5/2016 4:44:50 AM	13	mg/l
SC ALRO SA	Clor	7/5/2016 4:44:47 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 4:44:46 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 4:44:45 AM	24	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	7/5/2016 4:44:44 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 4:39:46 AM	13	mg/l
SC ALRO SA	Clor	7/5/2016 4:39:23 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 4:39:22 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 4:39:21 AM	24	gradCels
SC ALRO SA	pH	7/5/2016 4:39:20 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 4:33:44 AM	13	mg/l
SC ALRO SA	Clor	7/5/2016 4:33:43 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 4:33:42 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 4:33:41 AM	24	gradCels
SC ALRO SA	pH	7/5/2016 4:33:40 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 4:28:45 AM	13	mg/l
SC ALRO SA	Clor	7/5/2016 4:28:23 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 4:28:22 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 4:28:21 AM	24	gradCels
SC ALRO SA	pH	7/5/2016 4:28:20 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 4:22:44 AM	13	mg/l
SC ALRO SA	Clor	7/5/2016 4:22:43 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 4:22:42 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 4:22:41 AM	24	gradCels
SC ALRO SA	pH	7/5/2016 4:22:40 AM	8	unit pH
SC ALRO SA	Clor	7/5/2016 4:17:24 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 4:17:23 AM	0	mg/l
SC ALRO SA	Substante organice	7/5/2016 4:17:22 AM	13	mg/l
SC ALRO SA	Temp	7/5/2016 4:17:21 AM	24	gradCels
SC ALRO SA	pH	7/5/2016 4:17:20 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 4:11:44 AM	13	mg/l
SC ALRO SA	Clor	7/5/2016 4:11:43 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 4:11:42 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 4:11:41 AM	24	gradCels
SC ALRO SA	pH	7/5/2016 4:11:40 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 4:06:42 AM	13	mg/l
SC ALRO SA	Clor	7/5/2016 4:06:03 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 4:06:02 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 4:06:01 AM	24	gradCels
SC ALRO SA	pH	7/5/2016 4:06:00 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 4:00:44 AM	13	mg/l
SC ALRO SA	Clor	7/5/2016 4:00:43 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 4:00:42 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 4:00:41 AM	24	gradCels
SC ALRO SA	pH	7/5/2016 4:00:40 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 3:55:40 AM	13	mg/l
SC ALRO SA	Clor	7/5/2016 3:55:03 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 3:55:02 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 3:55:01 AM	25	gradCels
SC ALRO SA	pH	7/5/2016 3:55:00 AM	8	unit pH
SC ALRO SA	Clor	7/5/2016 3:49:44 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 3:49:43 AM	0	mg/l
SC ALRO SA	Substante organice	7/5/2016 3:49:42 AM	13	mg/l
SC ALRO SA	Temp	7/5/2016 3:49:41 AM	25	gradCels
SC ALRO SA	pH	7/5/2016 3:49:40 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 3:44:40 AM	13	mg/l
SC ALRO SA	Clor	7/5/2016 3:44:03 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 3:44:02 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 3:44:01 AM	25	gradCels
SC ALRO SA	pH	7/5/2016 3:44:00 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 3:38:40 AM	13	mg/l
SC ALRO SA	Clor	7/5/2016 3:38:23 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 3:38:22 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 3:38:21 AM	25	gradCels
SC ALRO SA	pH	7/5/2016 3:38:20 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 3:33:40 AM	13	mg/l
SC ALRO SA	Clor	7/5/2016 3:33:07 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 3:33:06 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 3:33:05 AM	25	gradCels
SC ALRO SA	pH	7/5/2016 3:33:04 AM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	7/5/2016 3:27:40 AM	13	mg/l
SC ALRO SA	Clor	7/5/2016 3:27:27 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 3:27:26 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 3:27:25 AM	25	gradCels
SC ALRO SA	pH	7/5/2016 3:27:24 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 3:22:40 AM	13	mg/l
SC ALRO SA	Clor	7/5/2016 3:22:07 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 3:22:06 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 3:22:05 AM	25	gradCels
SC ALRO SA	pH	7/5/2016 3:22:04 AM	8	unit pH
SC ALRO SA	Clor	7/5/2016 3:16:28 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 3:16:27 AM	0	mg/l
SC ALRO SA	Substante organice	7/5/2016 3:16:26 AM	13	mg/l
SC ALRO SA	Temp	7/5/2016 3:16:25 AM	25	gradCels
SC ALRO SA	pH	7/5/2016 3:16:24 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 3:11:40 AM	13	mg/l
SC ALRO SA	Clor	7/5/2016 3:11:07 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 3:11:06 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 3:11:05 AM	25	gradCels
SC ALRO SA	pH	7/5/2016 3:11:04 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 3:06:44 AM	13	mg/l
SC ALRO SA	Clor	7/5/2016 3:06:03 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 3:06:02 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 3:06:01 AM	25	gradCels
SC ALRO SA	pH	7/5/2016 3:06:00 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 3:00:40 AM	13	mg/l
SC ALRO SA	Clor	7/5/2016 3:00:23 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 3:00:22 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 3:00:21 AM	25	gradCels
SC ALRO SA	pH	7/5/2016 3:00:20 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 2:55:45 AM	13	mg/l
SC ALRO SA	Clor	7/5/2016 2:55:03 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 2:55:02 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 2:55:01 AM	25	gradCels
SC ALRO SA	pH	7/5/2016 2:55:00 AM	8	unit pH
SC ALRO SA	Clor	7/5/2016 2:49:24 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 2:49:23 AM	0	mg/l
SC ALRO SA	Substante organice	7/5/2016 2:49:22 AM	13	mg/l
SC ALRO SA	pH	7/5/2016 2:49:21 AM	8	unit pH
SC ALRO SA	Temp	7/5/2016 2:49:20 AM	25	gradCels
SC ALRO SA	Substante organice	7/5/2016 2:44:42 AM	13	mg/l
SC ALRO SA	Clor	7/5/2016 2:44:03 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 2:44:02 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 2:44:01 AM	25	gradCels
SC ALRO SA	pH	7/5/2016 2:44:00 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 2:38:40 AM	13	mg/l
SC ALRO SA	Clor	7/5/2016 2:38:23 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 2:38:22 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 2:38:21 AM	25	gradCels
SC ALRO SA	pH	7/5/2016 2:38:20 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 2:33:43 AM	13	mg/l
SC ALRO SA	Clor	7/5/2016 2:33:03 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 2:33:02 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 2:33:01 AM	25	gradCels
SC ALRO SA	pH	7/5/2016 2:33:00 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 2:27:40 AM	13	mg/l
SC ALRO SA	Clor	7/5/2016 2:27:23 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 2:27:22 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 2:27:21 AM	25	gradCels
SC ALRO SA	pH	7/5/2016 2:27:20 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 2:22:41 AM	13	mg/l
SC ALRO SA	Clor	7/5/2016 2:22:03 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 2:22:02 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 2:22:01 AM	25	gradCels
SC ALRO SA	pH	7/5/2016 2:22:00 AM	8	unit pH
SC ALRO SA	Clor	7/5/2016 2:16:24 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Grasimi	7/5/2016 2:16:23 AM	0	mg/l
SC ALRO SA	Substante organice	7/5/2016 2:16:22 AM	13	mg/l
SC ALRO SA	Temp	7/5/2016 2:16:21 AM	25	gradCels
SC ALRO SA	pH	7/5/2016 2:16:20 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 2:11:41 AM	13	mg/l
SC ALRO SA	Clor	7/5/2016 2:11:03 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 2:11:02 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 2:11:01 AM	25	gradCels
SC ALRO SA	pH	7/5/2016 2:11:00 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 2:05:44 AM	13	mg/l
SC ALRO SA	Clor	7/5/2016 2:05:28 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 2:05:27 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 2:05:26 AM	25	gradCels
SC ALRO SA	pH	7/5/2016 2:05:25 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 2:00:42 AM	13	mg/l
SC ALRO SA	Clor	7/5/2016 1:59:49 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 1:59:48 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 1:59:47 AM	25	gradCels
SC ALRO SA	pH	7/5/2016 1:59:46 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 1:54:40 AM	13	mg/l
SC ALRO SA	Clor	7/5/2016 1:54:28 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 1:54:27 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 1:54:26 AM	25	gradCels
SC ALRO SA	pH	7/5/2016 1:54:25 AM	8	unit pH
SC ALRO SA	Clor	7/5/2016 1:48:50 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 1:48:49 AM	0	mg/l
SC ALRO SA	Substante organice	7/5/2016 1:48:48 AM	13	mg/l
SC ALRO SA	Temp	7/5/2016 1:48:47 AM	25	gradCels
SC ALRO SA	pH	7/5/2016 1:48:46 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 1:43:40 AM	13	mg/l
SC ALRO SA	Clor	7/5/2016 1:43:28 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 1:43:27 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 1:43:26 AM	25	gradCels
SC ALRO SA	pH	7/5/2016 1:43:25 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 1:38:41 AM	13	mg/l
SC ALRO SA	Clor	7/5/2016 1:37:49 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 1:37:48 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 1:37:47 AM	25	gradCels
SC ALRO SA	pH	7/5/2016 1:37:46 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 1:32:40 AM	13	mg/l
SC ALRO SA	Clor	7/5/2016 1:32:28 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 1:32:27 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 1:32:26 AM	26	gradCels
SC ALRO SA	pH	7/5/2016 1:32:25 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 1:27:42 AM	13	mg/l
SC ALRO SA	Clor	7/5/2016 1:26:49 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 1:26:48 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 1:26:47 AM	26	gradCels
SC ALRO SA	pH	7/5/2016 1:26:46 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 1:21:40 AM	13	mg/l
SC ALRO SA	Clor	7/5/2016 1:21:29 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 1:21:28 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 1:21:27 AM	26	gradCels
SC ALRO SA	pH	7/5/2016 1:21:26 AM	8	unit pH
SC ALRO SA	Clor	7/5/2016 1:15:50 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 1:15:49 AM	0	mg/l
SC ALRO SA	Substante organice	7/5/2016 1:15:48 AM	13	mg/l
SC ALRO SA	Temp	7/5/2016 1:15:47 AM	26	gradCels
SC ALRO SA	pH	7/5/2016 1:15:46 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 1:10:48 AM	13	mg/l
SC ALRO SA	Clor	7/5/2016 1:10:28 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 1:10:27 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 1:10:26 AM	26	gradCels
SC ALRO SA	pH	7/5/2016 1:10:25 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 1:06:43 AM	13	mg/l
SC ALRO SA	Clor	7/5/2016 1:04:49 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Grasimi	7/5/2016 1:04:48 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 1:04:47 AM	26	gradCels
SC ALRO SA	pH	7/5/2016 1:04:46 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 12:59:40 AM	13	mg/l
SC ALRO SA	Clor	7/5/2016 12:59:28 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 12:59:27 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 12:59:26 AM	26	gradCels
SC ALRO SA	pH	7/5/2016 12:59:25 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 12:53:49 AM	13	mg/l
SC ALRO SA	Clor	7/5/2016 12:53:48 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 12:53:47 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 12:53:46 AM	26	gradCels
SC ALRO SA	pH	7/5/2016 12:53:45 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 12:48:40 AM	13	mg/l
SC ALRO SA	Clor	7/5/2016 12:48:23 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 12:48:22 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 12:48:21 AM	26	gradCels
SC ALRO SA	pH	7/5/2016 12:48:20 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 12:43:40 AM	13	mg/l
SC ALRO SA	Clor	7/5/2016 12:43:23 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 12:43:22 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 12:43:21 AM	26	gradCels
SC ALRO SA	pH	7/5/2016 12:43:20 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 12:39:42 AM	13	mg/l
SC ALRO SA	Clor	7/5/2016 12:38:23 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 12:38:22 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 12:38:21 AM	26	gradCels
SC ALRO SA	pH	7/5/2016 12:38:20 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 12:32:44 AM	13	mg/l
SC ALRO SA	Clor	7/5/2016 12:32:43 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 12:32:42 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 12:32:41 AM	26	gradCels
SC ALRO SA	pH	7/5/2016 12:32:40 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 12:28:45 AM	13	mg/l
SC ALRO SA	Clor	7/5/2016 12:27:23 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 12:27:22 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 12:27:21 AM	26	gradCels
SC ALRO SA	pH	7/5/2016 12:27:20 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 12:21:44 AM	13	mg/l
SC ALRO SA	Clor	7/5/2016 12:21:43 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 12:21:42 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 12:21:41 AM	26	gradCels
SC ALRO SA	pH	7/5/2016 12:21:40 AM	8	unit pH
SC ALRO SA	Clor	7/5/2016 12:16:24 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 12:16:23 AM	0	mg/l
SC ALRO SA	Substante organice	7/5/2016 12:16:22 AM	13	mg/l
SC ALRO SA	Temp	7/5/2016 12:16:21 AM	26	gradCels
SC ALRO SA	pH	7/5/2016 12:16:20 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 12:10:44 AM	13	mg/l
SC ALRO SA	Clor	7/5/2016 12:10:43 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 12:10:42 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 12:10:41 AM	26	gradCels
SC ALRO SA	pH	7/5/2016 12:10:40 AM	8	unit pH
SC ALRO SA	Substante organice	7/5/2016 12:06:42 AM	13	mg/l
SC ALRO SA	Clor	7/5/2016 12:05:23 AM	0	mg/l
SC ALRO SA	Grasimi	7/5/2016 12:05:22 AM	0	mg/l
SC ALRO SA	Temp	7/5/2016 12:05:21 AM	26	gradCels
SC ALRO SA	pH	7/5/2016 12:05:20 AM	8	unit pH
SC ALRO SA	Substante organice	7/4/2016 11:59:44 PM	13	mg/l
SC ALRO SA	Clor	7/4/2016 11:59:43 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 11:59:42 PM	0	mg/l
SC ALRO SA	Temp	7/4/2016 11:59:41 PM	26	gradCels
SC ALRO SA	pH	7/4/2016 11:59:40 PM	8	unit pH
SC ALRO SA	Substante organice	7/4/2016 11:55:54 PM	13	mg/l
SC ALRO SA	Clor	7/4/2016 11:54:23 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 11:54:22 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	7/4/2016 11:54:21 PM	26	gradCels
SC ALRO SA	pH	7/4/2016 11:54:20 PM	8	unit pH
SC ALRO SA	Clor	7/4/2016 11:48:44 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 11:48:43 PM	0	mg/l
SC ALRO SA	Substante organice	7/4/2016 11:48:42 PM	13	mg/l
SC ALRO SA	Temp	7/4/2016 11:48:41 PM	26	gradCels
SC ALRO SA	pH	7/4/2016 11:48:40 PM	8	unit pH
SC ALRO SA	Substante organice	7/4/2016 11:44:44 PM	12	mg/l
SC ALRO SA	Clor	7/4/2016 11:43:23 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 11:43:22 PM	0	mg/l
SC ALRO SA	Temp	7/4/2016 11:43:21 PM	26	gradCels
SC ALRO SA	pH	7/4/2016 11:43:20 PM	8	unit pH
SC ALRO SA	Substante organice	7/4/2016 11:37:44 PM	12	mg/l
SC ALRO SA	Clor	7/4/2016 11:37:43 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 11:37:42 PM	0	mg/l
SC ALRO SA	Temp	7/4/2016 11:37:41 PM	26	gradCels
SC ALRO SA	pH	7/4/2016 11:37:40 PM	8	unit pH
SC ALRO SA	Substante organice	7/4/2016 11:33:45 PM	12	mg/l
SC ALRO SA	Clor	7/4/2016 11:32:23 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 11:32:22 PM	0	mg/l
SC ALRO SA	Temp	7/4/2016 11:32:21 PM	26	gradCels
SC ALRO SA	pH	7/4/2016 11:32:20 PM	8	unit pH
SC ALRO SA	Substante organice	7/4/2016 11:26:44 PM	12	mg/l
SC ALRO SA	Clor	7/4/2016 11:26:43 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 11:26:42 PM	0	mg/l
SC ALRO SA	Temp	7/4/2016 11:26:41 PM	26	gradCels
SC ALRO SA	pH	7/4/2016 11:26:40 PM	8	unit pH
SC ALRO SA	Substante organice	7/4/2016 11:22:44 PM	12	mg/l
SC ALRO SA	Clor	7/4/2016 11:21:23 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 11:21:22 PM	0	mg/l
SC ALRO SA	Temp	7/4/2016 11:21:21 PM	26	gradCels
SC ALRO SA	pH	7/4/2016 11:21:20 PM	8	unit pH
SC ALRO SA	Clor	7/4/2016 11:15:44 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 11:15:43 PM	0	mg/l
SC ALRO SA	Substante organice	7/4/2016 11:15:42 PM	12	mg/l
SC ALRO SA	Temp	7/4/2016 11:15:41 PM	26	gradCels
SC ALRO SA	pH	7/4/2016 11:15:40 PM	8	unit pH
SC ALRO SA	Substante organice	7/4/2016 11:11:48 PM	12	mg/l
SC ALRO SA	Clor	7/4/2016 11:10:23 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 11:10:22 PM	0	mg/l
SC ALRO SA	Temp	7/4/2016 11:10:21 PM	26	gradCels
SC ALRO SA	pH	7/4/2016 11:10:20 PM	8	unit pH
SC ALRO SA	Substante organice	7/4/2016 11:04:44 PM	12	mg/l
SC ALRO SA	Clor	7/4/2016 11:04:43 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 11:04:42 PM	0	mg/l
SC ALRO SA	Temp	7/4/2016 11:04:41 PM	26	gradCels
SC ALRO SA	pH	7/4/2016 11:04:40 PM	8	unit pH
SC ALRO SA	Substante organice	7/4/2016 11:00:50 PM	12	mg/l
SC ALRO SA	Clor	7/4/2016 10:59:03 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 10:59:02 PM	0	mg/l
SC ALRO SA	Temp	7/4/2016 10:59:01 PM	26	gradCels
SC ALRO SA	pH	7/4/2016 10:59:00 PM	8	unit pH
SC ALRO SA	Substante organice	7/4/2016 10:53:44 PM	12	mg/l
SC ALRO SA	Clor	7/4/2016 10:53:43 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 10:53:42 PM	0	mg/l
SC ALRO SA	Temp	7/4/2016 10:53:41 PM	26	gradCels
SC ALRO SA	pH	7/4/2016 10:53:40 PM	8	unit pH
SC ALRO SA	Clor	7/4/2016 10:48:04 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 10:48:03 PM	0	mg/l
SC ALRO SA	Substante organice	7/4/2016 10:48:02 PM	12	mg/l
SC ALRO SA	Temp	7/4/2016 10:48:01 PM	27	gradCels
SC ALRO SA	pH	7/4/2016 10:48:00 PM	8	unit pH
SC ALRO SA	Substante organice	7/4/2016 10:42:44 PM	13	mg/l
SC ALRO SA	Clor	7/4/2016 10:42:43 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 10:42:42 PM	0	mg/l
SC ALRO SA	Temp	7/4/2016 10:42:41 PM	27	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	7/4/2016 10:42:40 PM	8	unit pH
SC ALRO SA	Substante organice	7/4/2016 10:38:46 PM	13	mg/l
SC ALRO SA	Clor	7/4/2016 10:37:03 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 10:37:02 PM	0	mg/l
SC ALRO SA	Temp	7/4/2016 10:37:01 PM	27	gradCels
SC ALRO SA	pH	7/4/2016 10:37:00 PM	8	unit pH
SC ALRO SA	Substante organice	7/4/2016 10:31:44 PM	13	mg/l
SC ALRO SA	Clor	7/4/2016 10:31:43 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 10:31:42 PM	0	mg/l
SC ALRO SA	Temp	7/4/2016 10:31:41 PM	27	gradCels
SC ALRO SA	pH	7/4/2016 10:31:40 PM	8	unit pH
SC ALRO SA	Substante organice	7/4/2016 10:27:58 PM	13	mg/l
SC ALRO SA	Clor	7/4/2016 10:26:43 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 10:26:42 PM	0	mg/l
SC ALRO SA	Temp	7/4/2016 10:26:41 PM	27	gradCels
SC ALRO SA	pH	7/4/2016 10:26:40 PM	8	unit pH
SC ALRO SA	Substante organice	7/4/2016 10:22:05 PM	13	mg/l
SC ALRO SA	Clor	7/4/2016 10:21:11 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 10:21:10 PM	0	mg/l
SC ALRO SA	Temp	7/4/2016 10:21:09 PM	27	gradCels
SC ALRO SA	pH	7/4/2016 10:21:08 PM	8	unit pH
SC ALRO SA	Clor	7/4/2016 10:15:29 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 10:15:28 PM	0	mg/l
SC ALRO SA	Substante organice	7/4/2016 10:15:27 PM	13	mg/l
SC ALRO SA	Temp	7/4/2016 10:15:26 PM	27	gradCels
SC ALRO SA	pH	7/4/2016 10:15:25 PM	8	unit pH
SC ALRO SA	Substante organice	7/4/2016 10:11:44 PM	12	mg/l
SC ALRO SA	Clor	7/4/2016 10:10:11 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 10:10:10 PM	0	mg/l
SC ALRO SA	Temp	7/4/2016 10:10:09 PM	27	gradCels
SC ALRO SA	pH	7/4/2016 10:10:08 PM	8	unit pH
SC ALRO SA	Substante organice	7/4/2016 10:04:50 PM	12	mg/l
SC ALRO SA	Clor	7/4/2016 10:04:27 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 10:04:26 PM	0	mg/l
SC ALRO SA	Temp	7/4/2016 10:04:25 PM	27	gradCels
SC ALRO SA	pH	7/4/2016 10:04:24 PM	8	unit pH
SC ALRO SA	Substante organice	7/4/2016 9:59:49 PM	12	mg/l
SC ALRO SA	Clor	7/4/2016 9:59:09 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 9:59:08 PM	0	mg/l
SC ALRO SA	Temp	7/4/2016 9:59:07 PM	27	gradCels
SC ALRO SA	pH	7/4/2016 9:59:06 PM	8	unit pH
SC ALRO SA	Substante organice	7/4/2016 9:53:41 PM	12	mg/l
SC ALRO SA	Clor	7/4/2016 9:53:27 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 9:53:26 PM	0	mg/l
SC ALRO SA	pH	7/4/2016 9:53:25 PM	8	unit pH
SC ALRO SA	Temp	7/4/2016 9:53:24 PM	27	gradCels
SC ALRO SA	Clor	7/4/2016 9:48:05 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 9:48:04 PM	0	mg/l
SC ALRO SA	Substante organice	7/4/2016 9:48:02 PM	12	mg/l
SC ALRO SA	Temp	7/4/2016 9:48:01 PM	27	gradCels
SC ALRO SA	pH	7/4/2016 9:48:00 PM	8	unit pH
SC ALRO SA	Substante organice	7/4/2016 9:43:40 PM	12	mg/l
SC ALRO SA	Clor	7/4/2016 9:42:55 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 9:42:54 PM	0	mg/l
SC ALRO SA	Temp	7/4/2016 9:42:53 PM	27	gradCels
SC ALRO SA	pH	7/4/2016 9:42:52 PM	8	unit pH
SC ALRO SA	Substante organice	7/4/2016 9:37:47 PM	12	mg/l
SC ALRO SA	Clor	7/4/2016 9:37:23 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 9:37:22 PM	0	mg/l
SC ALRO SA	Temp	7/4/2016 9:37:21 PM	27	gradCels
SC ALRO SA	pH	7/4/2016 9:37:20 PM	8	unit pH
SC ALRO SA	Substante organice	7/4/2016 9:32:40 PM	12	mg/l
SC ALRO SA	Clor	7/4/2016 9:31:48 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 9:31:47 PM	0	mg/l
SC ALRO SA	Temp	7/4/2016 9:31:46 PM	27	gradCels
SC ALRO SA	pH	7/4/2016 9:31:45 PM	8	unit pH



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	7/4/2016 9:26:45 PM	12	mg/l
SC ALRO SA	Clor	7/4/2016 9:26:39 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 9:26:38 PM	0	mg/l
SC ALRO SA	Temp	7/4/2016 9:26:37 PM	27	gradCels
SC ALRO SA	pH	7/4/2016 9:26:36 PM	8	unit pH
SC ALRO SA	Substante organice	7/4/2016 9:21:41 PM	12	mg/l
SC ALRO SA	Clor	7/4/2016 9:21:16 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 9:21:15 PM	0	mg/l
SC ALRO SA	Temp	7/4/2016 9:21:14 PM	27	gradCels
SC ALRO SA	pH	7/4/2016 9:21:13 PM	8	unit pH
SC ALRO SA	Clor	7/4/2016 9:15:28 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 9:15:27 PM	0	mg/l
SC ALRO SA	Temp	7/4/2016 9:15:26 PM	27	gradCels
SC ALRO SA	Substante organice	7/4/2016 9:15:25 PM	12	mg/l
SC ALRO SA	pH	7/4/2016 9:15:24 PM	8	unit pH
SC ALRO SA	Substante organice	7/4/2016 9:11:07 PM	12	mg/l
SC ALRO SA	Clor	7/4/2016 9:09:55 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 9:09:54 PM	0	mg/l
SC ALRO SA	Temp	7/4/2016 9:09:53 PM	27	gradCels
SC ALRO SA	pH	7/4/2016 9:09:52 PM	8	unit pH
SC ALRO SA	Substante organice	7/4/2016 9:04:43 PM	12	mg/l
SC ALRO SA	Clor	7/4/2016 9:04:27 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 9:04:26 PM	0	mg/l
SC ALRO SA	Temp	7/4/2016 9:04:25 PM	27	gradCels
SC ALRO SA	pH	7/4/2016 9:04:24 PM	8	unit pH
SC ALRO SA	Substante organice	7/4/2016 8:59:43 PM	12	mg/l
SC ALRO SA	Clor	7/4/2016 8:58:55 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 8:58:54 PM	0	mg/l
SC ALRO SA	Temp	7/4/2016 8:58:53 PM	27	gradCels
SC ALRO SA	pH	7/4/2016 8:58:52 PM	8	unit pH
SC ALRO SA	Substante organice	7/4/2016 8:53:42 PM	12	mg/l
SC ALRO SA	Clor	7/4/2016 8:53:28 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 8:53:27 PM	0	mg/l
SC ALRO SA	Temp	7/4/2016 8:53:26 PM	27	gradCels
SC ALRO SA	pH	7/4/2016 8:53:25 PM	8	unit pH
SC ALRO SA	Clor	7/4/2016 8:48:08 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 8:48:07 PM	0	mg/l
SC ALRO SA	Temp	7/4/2016 8:48:06 PM	27	gradCels
SC ALRO SA	Substante organice	7/4/2016 8:48:05 PM	12	mg/l
SC ALRO SA	pH	7/4/2016 8:48:04 PM	8	unit pH
SC ALRO SA	Substante organice	7/4/2016 8:42:43 PM	12	mg/l
SC ALRO SA	Clor	7/4/2016 8:42:27 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 8:42:26 PM	0	mg/l
SC ALRO SA	Temp	7/4/2016 8:42:25 PM	27	gradCels
SC ALRO SA	pH	7/4/2016 8:42:24 PM	8	unit pH
SC ALRO SA	Substante organice	7/4/2016 8:37:42 PM	12	mg/l
SC ALRO SA	Clor	7/4/2016 8:36:50 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 8:36:49 PM	0	mg/l
SC ALRO SA	Temp	7/4/2016 8:36:48 PM	27	gradCels
SC ALRO SA	pH	7/4/2016 8:36:47 PM	8	unit pH
SC ALRO SA	Substante organice	7/4/2016 8:31:43 PM	12	mg/l
SC ALRO SA	Clor	7/4/2016 8:31:23 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 8:31:22 PM	0	mg/l
SC ALRO SA	Temp	7/4/2016 8:31:21 PM	27	gradCels
SC ALRO SA	pH	7/4/2016 8:31:20 PM	8	unit pH
SC ALRO SA	Substante organice	7/4/2016 8:27:06 PM	12	mg/l
SC ALRO SA	Clor	7/4/2016 8:25:52 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 8:25:51 PM	0	mg/l
SC ALRO SA	Temp	7/4/2016 8:25:50 PM	27	gradCels
SC ALRO SA	pH	7/4/2016 8:25:49 PM	8	unit pH
SC ALRO SA	Clor	7/4/2016 8:20:29 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 8:20:28 PM	0	mg/l
SC ALRO SA	Substante organice	7/4/2016 8:20:27 PM	12	mg/l
SC ALRO SA	pH	7/4/2016 8:20:26 PM	8	unit pH
SC ALRO SA	Temp	7/4/2016 8:20:25 PM	27	gradCels
SC ALRO SA	Substante organice	7/4/2016 8:15:43 PM	12	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Clor	7/4/2016 8:14:49 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 8:14:48 PM	0	mg/l
SC ALRO SA	Temp	7/4/2016 8:14:47 PM	27	gradCels
SC ALRO SA	pH	7/4/2016 8:14:46 PM	8	unit pH
SC ALRO SA	Substante organice	7/4/2016 8:09:46 PM	12	mg/l
SC ALRO SA	Clor	7/4/2016 8:09:26 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 8:09:25 PM	0	mg/l
SC ALRO SA	pH	7/4/2016 8:09:24 PM	8	unit pH
SC ALRO SA	Temp	7/4/2016 8:09:23 PM	27	gradCels
SC ALRO SA	Substante organice	7/4/2016 8:04:42 PM	12	mg/l
SC ALRO SA	Clor	7/4/2016 8:03:51 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 8:03:50 PM	0	mg/l
SC ALRO SA	Temp	7/4/2016 8:03:49 PM	27	gradCels
SC ALRO SA	pH	7/4/2016 8:03:48 PM	8	unit pH
SC ALRO SA	Substante organice	7/4/2016 7:58:42 PM	12	mg/l
SC ALRO SA	Clor	7/4/2016 7:58:27 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 7:58:26 PM	0	mg/l
SC ALRO SA	Temp	7/4/2016 7:58:25 PM	27	gradCels
SC ALRO SA	pH	7/4/2016 7:58:24 PM	8	unit pH
SC ALRO SA	Substante organice	7/4/2016 7:53:41 PM	12	mg/l
SC ALRO SA	Clor	7/4/2016 7:52:52 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 7:52:51 PM	0	mg/l
SC ALRO SA	Temp	7/4/2016 7:52:50 PM	27	gradCels
SC ALRO SA	pH	7/4/2016 7:52:49 PM	8	unit pH
SC ALRO SA	Clor	7/4/2016 7:47:28 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 7:47:27 PM	0	mg/l
SC ALRO SA	Temp	7/4/2016 7:47:26 PM	27	gradCels
SC ALRO SA	Substante organice	7/4/2016 7:47:25 PM	12	mg/l
SC ALRO SA	pH	7/4/2016 7:47:24 PM	8	unit pH
SC ALRO SA	Substante organice	7/4/2016 7:42:42 PM	13	mg/l
SC ALRO SA	Clor	7/4/2016 7:41:51 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 7:41:50 PM	0	mg/l
SC ALRO SA	pH	7/4/2016 7:41:49 PM	8	unit pH
SC ALRO SA	Temp	7/4/2016 7:41:48 PM	27	gradCels
SC ALRO SA	Substante organice	7/4/2016 7:36:44 PM	13	mg/l
SC ALRO SA	Clor	7/4/2016 7:36:27 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 7:36:26 PM	0	mg/l
SC ALRO SA	pH	7/4/2016 7:36:25 PM	8	unit pH
SC ALRO SA	Temp	7/4/2016 7:36:24 PM	27	gradCels
SC ALRO SA	Substante organice	7/4/2016 7:31:42 PM	13	mg/l
SC ALRO SA	Clor	7/4/2016 7:30:50 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 7:30:49 PM	0	mg/l
SC ALRO SA	pH	7/4/2016 7:30:48 PM	8	unit pH
SC ALRO SA	Temp	7/4/2016 7:30:47 PM	27	gradCels
SC ALRO SA	Substante organice	7/4/2016 7:25:43 PM	13	mg/l
SC ALRO SA	Clor	7/4/2016 7:25:27 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 7:25:26 PM	0	mg/l
SC ALRO SA	pH	7/4/2016 7:25:25 PM	8	unit pH
SC ALRO SA	Temp	7/4/2016 7:25:24 PM	27	gradCels
SC ALRO SA	Substante organice	7/4/2016 7:20:41 PM	13	mg/l
SC ALRO SA	Clor	7/4/2016 7:19:52 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 7:19:51 PM	0	mg/l
SC ALRO SA	Temp	7/4/2016 7:19:50 PM	27	gradCels
SC ALRO SA	pH	7/4/2016 7:19:49 PM	8	unit pH
SC ALRO SA	Substante organice	7/4/2016 7:14:43 PM	13	mg/l
SC ALRO SA	Clor	7/4/2016 7:14:27 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 7:14:26 PM	0	mg/l
SC ALRO SA	Temp	7/4/2016 7:14:25 PM	27	gradCels
SC ALRO SA	pH	7/4/2016 7:14:24 PM	8	unit pH
SC ALRO SA	Substante organice	7/4/2016 7:09:42 PM	13	mg/l
SC ALRO SA	Clor	7/4/2016 7:08:51 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 7:08:50 PM	0	mg/l
SC ALRO SA	pH	7/4/2016 7:08:49 PM	8	unit pH
SC ALRO SA	Temp	7/4/2016 7:08:48 PM	27	gradCels
SC ALRO SA	Substante organice	7/4/2016 7:03:44 PM	13	mg/l
SC ALRO SA	Clor	7/4/2016 7:03:27 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Grasimi	7/4/2016 7:03:26 PM	0	mg/l
SC ALRO SA	pH	7/4/2016 7:03:25 PM	8	unit pH
SC ALRO SA	Temp	7/4/2016 7:03:24 PM	27	gradCels
SC ALRO SA	Substante organice	7/4/2016 6:58:47 PM	13	mg/l
SC ALRO SA	Clor	7/4/2016 6:57:51 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 6:57:50 PM	0	mg/l
SC ALRO SA	Temp	7/4/2016 6:57:49 PM	27	gradCels
SC ALRO SA	pH	7/4/2016 6:57:48 PM	8	unit pH
SC ALRO SA	Substante organice	7/4/2016 6:52:43 PM	13	mg/l
SC ALRO SA	Clor	7/4/2016 6:52:28 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 6:52:27 PM	0	mg/l
SC ALRO SA	Temp	7/4/2016 6:52:26 PM	27	gradCels
SC ALRO SA	pH	7/4/2016 6:52:25 PM	8	unit pH
SC ALRO SA	Clor	7/4/2016 6:46:51 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 6:46:50 PM	0	mg/l
SC ALRO SA	Substante organice	7/4/2016 6:46:49 PM	13	mg/l
SC ALRO SA	pH	7/4/2016 6:46:48 PM	8	unit pH
SC ALRO SA	Temp	7/4/2016 6:46:47 PM	27	gradCels
SC ALRO SA	Substante organice	7/4/2016 6:41:43 PM	13	mg/l
SC ALRO SA	Clor	7/4/2016 6:41:27 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 6:41:26 PM	0	mg/l
SC ALRO SA	Temp	7/4/2016 6:41:25 PM	27	gradCels
SC ALRO SA	pH	7/4/2016 6:41:24 PM	8	unit pH
SC ALRO SA	Substante organice	7/4/2016 6:36:47 PM	13	mg/l
SC ALRO SA	Clor	7/4/2016 6:36:26 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 6:36:25 PM	0	mg/l
SC ALRO SA	Temp	7/4/2016 6:36:24 PM	27	gradCels
SC ALRO SA	pH	7/4/2016 6:36:23 PM	8	unit pH
SC ALRO SA	Substante organice	7/4/2016 6:30:50 PM	13	mg/l
SC ALRO SA	Clor	7/4/2016 6:30:47 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 6:30:46 PM	0	mg/l
SC ALRO SA	Temp	7/4/2016 6:30:45 PM	27	gradCels
SC ALRO SA	pH	7/4/2016 6:30:44 PM	8	unit pH
SC ALRO SA	Substante organice	7/4/2016 6:25:47 PM	13	mg/l
SC ALRO SA	Clor	7/4/2016 6:25:27 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 6:25:26 PM	0	mg/l
SC ALRO SA	Temp	7/4/2016 6:25:25 PM	27	gradCels
SC ALRO SA	pH	7/4/2016 6:25:24 PM	8	unit pH
SC ALRO SA	Clor	7/4/2016 6:19:49 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 6:19:48 PM	0	mg/l
SC ALRO SA	Substante organice	7/4/2016 6:19:47 PM	13	mg/l
SC ALRO SA	Temp	7/4/2016 6:19:46 PM	27	gradCels
SC ALRO SA	pH	7/4/2016 6:19:45 PM	8	unit pH
SC ALRO SA	Substante organice	7/4/2016 6:14:47 PM	13	mg/l
SC ALRO SA	Clor	7/4/2016 6:14:27 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 6:14:26 PM	0	mg/l
SC ALRO SA	Temp	7/4/2016 6:14:25 PM	27	gradCels
SC ALRO SA	pH	7/4/2016 6:14:24 PM	8	unit pH
SC ALRO SA	Substante organice	7/4/2016 6:08:53 PM	13	mg/l
SC ALRO SA	Clor	7/4/2016 6:08:47 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 6:08:46 PM	0	mg/l
SC ALRO SA	Temp	7/4/2016 6:08:45 PM	27	gradCels
SC ALRO SA	pH	7/4/2016 6:08:44 PM	8	unit pH
SC ALRO SA	Substante organice	7/4/2016 6:03:47 PM	13	mg/l
SC ALRO SA	Clor	7/4/2016 6:03:27 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 6:03:26 PM	0	mg/l
SC ALRO SA	Temp	7/4/2016 6:03:25 PM	27	gradCels
SC ALRO SA	pH	7/4/2016 6:03:24 PM	8	unit pH
SC ALRO SA	Substante organice	7/4/2016 5:57:52 PM	13	mg/l
SC ALRO SA	Clor	7/4/2016 5:57:47 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 5:57:46 PM	0	mg/l
SC ALRO SA	Temp	7/4/2016 5:57:45 PM	27	gradCels
SC ALRO SA	pH	7/4/2016 5:57:44 PM	8	unit pH
SC ALRO SA	Substante organice	7/4/2016 5:52:46 PM	13	mg/l
SC ALRO SA	Clor	7/4/2016 5:52:28 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 5:52:27 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	7/4/2016 5:52:26 PM	27	gradCels
SC ALRO SA	pH	7/4/2016 5:52:25 PM	8	unit pH
SC ALRO SA	Clor	7/4/2016 5:46:48 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 5:46:47 PM	0	mg/l
SC ALRO SA	Substante organice	7/4/2016 5:46:46 PM	13	mg/l
SC ALRO SA	pH	7/4/2016 5:46:45 PM	8	unit pH
SC ALRO SA	Temp	7/4/2016 5:46:44 PM	27	gradCels
SC ALRO SA	Substante organice	7/4/2016 5:41:47 PM	13	mg/l
SC ALRO SA	Clor	7/4/2016 5:41:27 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 5:41:26 PM	0	mg/l
SC ALRO SA	Temp	7/4/2016 5:41:25 PM	27	gradCels
SC ALRO SA	pH	7/4/2016 5:41:24 PM	8	unit pH
SC ALRO SA	Substante organice	7/4/2016 5:35:53 PM	13	mg/l
SC ALRO SA	Clor	7/4/2016 5:35:43 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 5:35:42 PM	0	mg/l
SC ALRO SA	Temp	7/4/2016 5:35:41 PM	27	gradCels
SC ALRO SA	pH	7/4/2016 5:35:40 PM	8	unit pH
SC ALRO SA	Substante organice	7/4/2016 5:30:45 PM	13	mg/l
SC ALRO SA	Clor	7/4/2016 5:30:23 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 5:30:22 PM	0	mg/l
SC ALRO SA	Temp	7/4/2016 5:30:21 PM	27	gradCels
SC ALRO SA	pH	7/4/2016 5:30:20 PM	8	unit pH
SC ALRO SA	Substante organice	7/4/2016 5:24:51 PM	13	mg/l
SC ALRO SA	Clor	7/4/2016 5:24:43 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 5:24:42 PM	0	mg/l
SC ALRO SA	Temp	7/4/2016 5:24:41 PM	27	gradCels
SC ALRO SA	pH	7/4/2016 5:24:40 PM	8	unit pH
SC ALRO SA	Clor	7/4/2016 5:19:24 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 5:19:23 PM	0	mg/l
SC ALRO SA	Substante organice	7/4/2016 5:19:22 PM	13	mg/l
SC ALRO SA	Temp	7/4/2016 5:19:21 PM	27	gradCels
SC ALRO SA	pH	7/4/2016 5:19:20 PM	8	unit pH
SC ALRO SA	Substante organice	7/4/2016 5:13:52 PM	13	mg/l
SC ALRO SA	Clor	7/4/2016 5:13:43 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 5:13:42 PM	0	mg/l
SC ALRO SA	Temp	7/4/2016 5:13:41 PM	27	gradCels
SC ALRO SA	pH	7/4/2016 5:13:40 PM	8	unit pH
SC ALRO SA	Substante organice	7/4/2016 5:08:42 PM	13	mg/l
SC ALRO SA	Clor	7/4/2016 5:08:23 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 5:08:22 PM	0	mg/l
SC ALRO SA	Temp	7/4/2016 5:08:21 PM	27	gradCels
SC ALRO SA	pH	7/4/2016 5:08:20 PM	8	unit pH
SC ALRO SA	Substante organice	7/4/2016 5:02:51 PM	13	mg/l
SC ALRO SA	Clor	7/4/2016 5:02:43 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 5:02:42 PM	0	mg/l
SC ALRO SA	Temp	7/4/2016 5:02:41 PM	27	gradCels
SC ALRO SA	pH	7/4/2016 5:02:40 PM	8	unit pH
SC ALRO SA	Substante organice	7/4/2016 4:57:42 PM	13	mg/l
SC ALRO SA	Clor	7/4/2016 4:57:23 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 4:57:22 PM	0	mg/l
SC ALRO SA	Temp	7/4/2016 4:57:21 PM	27	gradCels
SC ALRO SA	pH	7/4/2016 4:57:20 PM	8	unit pH
SC ALRO SA	Substante organice	7/4/2016 4:51:52 PM	13	mg/l
SC ALRO SA	Clor	7/4/2016 4:51:43 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 4:51:42 PM	0	mg/l
SC ALRO SA	Temp	7/4/2016 4:51:41 PM	27	gradCels
SC ALRO SA	pH	7/4/2016 4:51:40 PM	8	unit pH
SC ALRO SA	Substante organice	7/4/2016 4:46:42 PM	13	mg/l
SC ALRO SA	Clor	7/4/2016 4:46:03 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 4:46:02 PM	0	mg/l
SC ALRO SA	Temp	7/4/2016 4:46:01 PM	27	gradCels
SC ALRO SA	pH	7/4/2016 4:46:00 PM	8	unit pH
SC ALRO SA	Substante organice	7/4/2016 4:40:52 PM	13	mg/l
SC ALRO SA	Clor	7/4/2016 4:40:47 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 4:40:46 PM	0	mg/l
SC ALRO SA	pH	7/4/2016 4:40:45 PM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	7/4/2016 4:40:44 PM	27	gradCels
SC ALRO SA	Substante organice	7/4/2016 4:35:42 PM	13	mg/l
SC ALRO SA	Clor	7/4/2016 4:35:07 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 4:35:06 PM	0	mg/l
SC ALRO SA	pH	7/4/2016 4:35:05 PM	8	unit pH
SC ALRO SA	Temp	7/4/2016 4:35:04 PM	26	gradCels
SC ALRO SA	Substante organice	7/4/2016 4:29:49 PM	13	mg/l
SC ALRO SA	Clor	7/4/2016 4:29:46 PM	0	mg/l
SC ALRO SA	Temp	7/4/2016 4:29:45 PM	26	gradCels
SC ALRO SA	Grasimi	7/4/2016 4:29:44 PM	0	mg/l
SC ALRO SA	pH	7/4/2016 4:29:43 PM	8	unit pH
SC ALRO SA	Substante organice	7/4/2016 4:24:41 PM	13	mg/l
SC ALRO SA	Clor	7/4/2016 4:24:08 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 4:24:07 PM	0	mg/l
SC ALRO SA	Temp	7/4/2016 4:24:06 PM	26	gradCels
SC ALRO SA	pH	7/4/2016 4:24:05 PM	8	unit pH
SC ALRO SA	Clor	7/4/2016 4:18:48 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 4:18:47 PM	0	mg/l
SC ALRO SA	Substante organice	7/4/2016 4:18:46 PM	13	mg/l
SC ALRO SA	pH	7/4/2016 4:18:45 PM	8	unit pH
SC ALRO SA	Temp	7/4/2016 4:18:44 PM	26	gradCels
SC ALRO SA	Substante organice	7/4/2016 4:13:42 PM	13	mg/l
SC ALRO SA	Clor	7/4/2016 4:13:07 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 4:13:06 PM	0	mg/l
SC ALRO SA	Temp	7/4/2016 4:13:05 PM	26	gradCels
SC ALRO SA	pH	7/4/2016 4:13:04 PM	8	unit pH
SC ALRO SA	Substante organice	7/4/2016 4:07:44 PM	13	mg/l
SC ALRO SA	Clor	7/4/2016 4:07:32 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 4:07:31 PM	0	mg/l
SC ALRO SA	Temp	7/4/2016 4:07:30 PM	26	gradCels
SC ALRO SA	pH	7/4/2016 4:07:29 PM	8	unit pH
SC ALRO SA	Substante organice	7/4/2016 4:02:43 PM	13	mg/l
SC ALRO SA	Clor	7/4/2016 4:02:07 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 4:02:06 PM	0	mg/l
SC ALRO SA	Temp	7/4/2016 4:02:05 PM	26	gradCels
SC ALRO SA	pH	7/4/2016 4:02:04 PM	8	unit pH
SC ALRO SA	Substante organice	7/4/2016 3:56:42 PM	13	mg/l
SC ALRO SA	Clor	7/4/2016 3:56:34 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 3:56:33 PM	0	mg/l
SC ALRO SA	pH	7/4/2016 3:56:31 PM	8	unit pH
SC ALRO SA	Temp	7/4/2016 3:56:30 PM	26	gradCels
SC ALRO SA	Substante organice	7/4/2016 3:51:42 PM	13	mg/l
SC ALRO SA	Clor	7/4/2016 3:51:03 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 3:51:02 PM	0	mg/l
SC ALRO SA	Temp	7/4/2016 3:51:01 PM	26	gradCels
SC ALRO SA	pH	7/4/2016 3:51:00 PM	8	unit pH
SC ALRO SA	Clor	7/4/2016 3:45:33 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 3:45:32 PM	0	mg/l
SC ALRO SA	Substante organice	7/4/2016 3:45:31 PM	13	mg/l
SC ALRO SA	pH	7/4/2016 3:45:30 PM	8	unit pH
SC ALRO SA	Temp	7/4/2016 3:45:29 PM	26	gradCels
SC ALRO SA	Substante organice	7/4/2016 3:40:42 PM	13	mg/l
SC ALRO SA	Clor	7/4/2016 3:40:03 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 3:40:02 PM	0	mg/l
SC ALRO SA	Temp	7/4/2016 3:40:01 PM	26	gradCels
SC ALRO SA	pH	7/4/2016 3:40:00 PM	8	unit pH
SC ALRO SA	Substante organice	7/4/2016 3:34:42 PM	13	mg/l
SC ALRO SA	Clor	7/4/2016 3:34:28 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 3:34:27 PM	0	mg/l
SC ALRO SA	Temp	7/4/2016 3:34:26 PM	26	gradCels
SC ALRO SA	pH	7/4/2016 3:34:25 PM	8	unit pH
SC ALRO SA	Substante organice	7/4/2016 3:29:43 PM	13	mg/l
SC ALRO SA	Clor	7/4/2016 3:29:03 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 3:29:02 PM	0	mg/l
SC ALRO SA	Temp	7/4/2016 3:29:01 PM	26	gradCels
SC ALRO SA	pH	7/4/2016 3:29:00 PM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	7/4/2016 3:23:42 PM	13	mg/l
SC ALRO SA	Clor	7/4/2016 3:23:28 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 3:23:27 PM	0	mg/l
SC ALRO SA	Temp	7/4/2016 3:23:26 PM	26	gradCels
SC ALRO SA	pH	7/4/2016 3:23:25 PM	8	unit pH
SC ALRO SA	Substante organice	7/4/2016 3:18:42 PM	13	mg/l
SC ALRO SA	Clor	7/4/2016 3:18:03 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 3:18:02 PM	0	mg/l
SC ALRO SA	Temp	7/4/2016 3:18:01 PM	26	gradCels
SC ALRO SA	pH	7/4/2016 3:18:00 PM	8	unit pH
SC ALRO SA	Substante organice	7/4/2016 3:12:41 PM	13	mg/l
SC ALRO SA	Clor	7/4/2016 3:12:29 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 3:12:28 PM	0	mg/l
SC ALRO SA	Temp	7/4/2016 3:12:27 PM	26	gradCels
SC ALRO SA	pH	7/4/2016 3:12:26 PM	8	unit pH
SC ALRO SA	Substante organice	7/4/2016 3:07:42 PM	13	mg/l
SC ALRO SA	Clor	7/4/2016 3:06:52 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 3:06:51 PM	0	mg/l
SC ALRO SA	Temp	7/4/2016 3:06:50 PM	26	gradCels
SC ALRO SA	pH	7/4/2016 3:06:49 PM	8	unit pH
SC ALRO SA	Substante organice	7/4/2016 3:02:42 PM	13	mg/l
SC ALRO SA	Clor	7/4/2016 3:02:07 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 3:02:06 PM	0	mg/l
SC ALRO SA	Temp	7/4/2016 3:02:05 PM	26	gradCels
SC ALRO SA	pH	7/4/2016 3:02:04 PM	8	unit pH
SC ALRO SA	Substante organice	7/4/2016 2:56:42 PM	13	mg/l
SC ALRO SA	Clor	7/4/2016 2:56:27 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 2:56:26 PM	0	mg/l
SC ALRO SA	Temp	7/4/2016 2:56:25 PM	26	gradCels
SC ALRO SA	pH	7/4/2016 2:56:24 PM	8	unit pH
SC ALRO SA	Substante organice	7/4/2016 2:51:41 PM	13	mg/l
SC ALRO SA	Clor	7/4/2016 2:50:50 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 2:50:49 PM	0	mg/l
SC ALRO SA	Temp	7/4/2016 2:50:48 PM	26	gradCels
SC ALRO SA	pH	7/4/2016 2:50:47 PM	8	unit pH
SC ALRO SA	Clor	7/4/2016 2:45:28 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 2:45:27 PM	0	mg/l
SC ALRO SA	Substante organice	7/4/2016 2:45:26 PM	13	mg/l
SC ALRO SA	Temp	7/4/2016 2:45:25 PM	26	gradCels
SC ALRO SA	pH	7/4/2016 2:45:24 PM	8	unit pH
SC ALRO SA	Substante organice	7/4/2016 2:40:44 PM	13	mg/l
SC ALRO SA	Clor	7/4/2016 2:39:48 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 2:39:47 PM	0	mg/l
SC ALRO SA	Temp	7/4/2016 2:39:46 PM	26	gradCels
SC ALRO SA	pH	7/4/2016 2:39:45 PM	8	unit pH
SC ALRO SA	Substante organice	7/4/2016 2:34:42 PM	13	mg/l
SC ALRO SA	Clor	7/4/2016 2:34:27 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 2:34:26 PM	0	mg/l
SC ALRO SA	Temp	7/4/2016 2:34:25 PM	26	gradCels
SC ALRO SA	pH	7/4/2016 2:34:24 PM	8	unit pH
SC ALRO SA	Substante organice	7/4/2016 2:29:42 PM	13	mg/l
SC ALRO SA	Clor	7/4/2016 2:28:54 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 2:28:53 PM	0	mg/l
SC ALRO SA	Temp	7/4/2016 2:28:52 PM	26	gradCels
SC ALRO SA	pH	7/4/2016 2:28:51 PM	8	unit pH
SC ALRO SA	Substante organice	7/4/2016 2:23:46 PM	13	mg/l
SC ALRO SA	Clor	7/4/2016 2:23:28 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 2:23:27 PM	0	mg/l
SC ALRO SA	Temp	7/4/2016 2:23:26 PM	26	gradCels
SC ALRO SA	pH	7/4/2016 2:23:25 PM	8	unit pH
SC ALRO SA	Clor	7/4/2016 2:17:55 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 2:17:54 PM	0	mg/l
SC ALRO SA	Substante organice	7/4/2016 2:17:53 PM	13	mg/l
SC ALRO SA	pH	7/4/2016 2:17:52 PM	8	unit pH
SC ALRO SA	Temp	7/4/2016 2:17:51 PM	26	gradCels
SC ALRO SA	Substante organice	7/4/2016 2:12:44 PM	13	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Clor	7/4/2016 2:12:27 PM	0	mg/l
SC ALRO SA	Temp	7/4/2016 2:12:26 PM	26	gradCels
SC ALRO SA	Grasimi	7/4/2016 2:12:25 PM	0	mg/l
SC ALRO SA	pH	7/4/2016 2:12:24 PM	8	unit pH
SC ALRO SA	Substante organice	7/4/2016 2:07:42 PM	13	mg/l
SC ALRO SA	Clor	7/4/2016 2:06:54 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 2:06:53 PM	0	mg/l
SC ALRO SA	Temp	7/4/2016 2:06:52 PM	26	gradCels
SC ALRO SA	pH	7/4/2016 2:06:51 PM	8	unit pH
SC ALRO SA	Substante organice	7/4/2016 2:01:43 PM	13	mg/l
SC ALRO SA	Clor	7/4/2016 2:01:27 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 2:01:26 PM	0	mg/l
SC ALRO SA	pH	7/4/2016 2:01:25 PM	8	unit pH
SC ALRO SA	Temp	7/4/2016 2:01:24 PM	26	gradCels
SC ALRO SA	Substante organice	7/4/2016 1:56:42 PM	13	mg/l
SC ALRO SA	Clor	7/4/2016 1:55:51 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 1:55:50 PM	0	mg/l
SC ALRO SA	pH	7/4/2016 1:55:49 PM	8	unit pH
SC ALRO SA	Temp	7/4/2016 1:55:48 PM	26	gradCels
SC ALRO SA	Clor	7/4/2016 1:50:29 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 1:50:28 PM	0	mg/l
SC ALRO SA	Temp	7/4/2016 1:50:27 PM	26	gradCels
SC ALRO SA	Substante organice	7/4/2016 1:50:26 PM	13	mg/l
SC ALRO SA	pH	7/4/2016 1:50:25 PM	8	unit pH
SC ALRO SA	Substante organice	7/4/2016 1:45:41 PM	13	mg/l
SC ALRO SA	Clor	7/4/2016 1:44:51 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 1:44:50 PM	0	mg/l
SC ALRO SA	Temp	7/4/2016 1:44:49 PM	26	gradCels
SC ALRO SA	pH	7/4/2016 1:44:48 PM	8	unit pH
SC ALRO SA	Substante organice	7/4/2016 1:39:43 PM	13	mg/l
SC ALRO SA	Clor	7/4/2016 1:39:27 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 1:39:26 PM	0	mg/l
SC ALRO SA	Temp	7/4/2016 1:39:25 PM	26	gradCels
SC ALRO SA	pH	7/4/2016 1:39:24 PM	8	unit pH
SC ALRO SA	Substante organice	7/4/2016 1:34:42 PM	13	mg/l
SC ALRO SA	Clor	7/4/2016 1:33:51 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 1:33:50 PM	0	mg/l
SC ALRO SA	Temp	7/4/2016 1:33:49 PM	26	gradCels
SC ALRO SA	pH	7/4/2016 1:33:48 PM	8	unit pH
SC ALRO SA	Substante organice	7/4/2016 1:28:45 PM	13	mg/l
SC ALRO SA	Clor	7/4/2016 1:28:16 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 1:28:15 PM	0	mg/l
SC ALRO SA	Temp	7/4/2016 1:28:14 PM	26	gradCels
SC ALRO SA	pH	7/4/2016 1:28:13 PM	8	unit pH
SC ALRO SA	Substante organice	7/4/2016 1:23:42 PM	13	mg/l
SC ALRO SA	Clor	7/4/2016 1:22:47 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 1:22:46 PM	0	mg/l
SC ALRO SA	Temp	7/4/2016 1:22:45 PM	26	gradCels
SC ALRO SA	pH	7/4/2016 1:22:44 PM	8	unit pH
SC ALRO SA	Clor	7/4/2016 1:17:13 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 1:17:12 PM	0	mg/l
SC ALRO SA	Temp	7/4/2016 1:17:11 PM	25	gradCels
SC ALRO SA	Substante organice	7/4/2016 1:17:10 PM	13	mg/l
SC ALRO SA	pH	7/4/2016 1:17:09 PM	8	unit pH
SC ALRO SA	Substante organice	7/4/2016 1:12:42 PM	13	mg/l
SC ALRO SA	Clor	7/4/2016 1:11:47 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 1:11:46 PM	0	mg/l
SC ALRO SA	Temp	7/4/2016 1:11:45 PM	25	gradCels
SC ALRO SA	pH	7/4/2016 1:11:44 PM	8	unit pH
SC ALRO SA	Substante organice	7/4/2016 1:06:43 PM	13	mg/l
SC ALRO SA	Clor	7/4/2016 1:06:13 PM	0	mg/l
SC ALRO SA	Grasimi	7/4/2016 1:06:12 PM	0	mg/l
SC ALRO SA	Temp	7/4/2016 1:06:11 PM	25	gradCels
SC ALRO SA	pH	7/4/2016 1:06:10 PM	8	unit pH
SC ALRO SA	Substante organice	7/4/2016 1:01:40 PM	13	mg/l
SC ALRO SA	Clor	7/4/2016 1:00:46 PM	0	mg/l