

Analiza evolutie pe mai multi senzori

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	8/20/2016 1:57:04 AM	10	mg/l
SC ALRO SA	Clor	8/20/2016 1:57:03 AM	0	mg/l
SC ALRO SA	Grasimi	8/20/2016 1:57:02 AM	0	mg/l
SC ALRO SA	Temp	8/20/2016 1:57:01 AM	26	gradCels
SC ALRO SA	pH	8/20/2016 1:57:00 AM	2	unit pH
SC ALRO SA	Clor	8/20/2016 1:55:20 AM	0	mg/l
SC ALRO SA	Grasimi	8/20/2016 1:54:50 AM	0	mg/l
SC ALRO SA	Substante organice	8/20/2016 1:54:40 AM	10	mg/l
SC ALRO SA	Temp	8/20/2016 1:54:30 AM	26	gradCels
SC ALRO SA	pH	8/20/2016 1:53:40 AM	2	unit pH
SC ALRO SA	Substante organice	8/20/2016 1:52:20 AM	10	mg/l
SC ALRO SA	Clor	8/20/2016 1:51:43 AM	0	mg/l
SC ALRO SA	Grasimi	8/20/2016 1:51:42 AM	0	mg/l
SC ALRO SA	Temp	8/20/2016 1:51:41 AM	26	gradCels
SC ALRO SA	pH	8/20/2016 1:51:40 AM	2	unit pH
SC ALRO SA	Substante organice	8/20/2016 1:46:05 AM	10	mg/l
SC ALRO SA	Clor	8/20/2016 1:46:03 AM	0	mg/l
SC ALRO SA	Grasimi	8/20/2016 1:46:02 AM	0	mg/l
SC ALRO SA	Temp	8/20/2016 1:46:01 AM	26	gradCels
SC ALRO SA	pH	8/20/2016 1:46:00 AM	2	unit pH
SC ALRO SA	Substante organice	8/20/2016 1:41:20 AM	10	mg/l
SC ALRO SA	Clor	8/20/2016 1:40:27 AM	0	mg/l
SC ALRO SA	Grasimi	8/20/2016 1:40:26 AM	0	mg/l
SC ALRO SA	Temp	8/20/2016 1:40:25 AM	26	gradCels
SC ALRO SA	pH	8/20/2016 1:40:24 AM	2	unit pH
SC ALRO SA	Clor	8/20/2016 1:35:04 AM	0	mg/l
SC ALRO SA	Grasimi	8/20/2016 1:35:03 AM	0	mg/l
SC ALRO SA	Temp	8/20/2016 1:35:02 AM	26	gradCels
SC ALRO SA	Substante organice	8/20/2016 1:35:01 AM	10	mg/l
SC ALRO SA	pH	8/20/2016 1:35:00 AM	2	unit pH
SC ALRO SA	Clor	8/20/2016 1:33:20 AM	0	mg/l
SC ALRO SA	Grasimi	8/20/2016 1:32:50 AM	0	mg/l
SC ALRO SA	Substante organice	8/20/2016 1:32:40 AM	10	mg/l
SC ALRO SA	Temp	8/20/2016 1:32:30 AM	26	gradCels
SC ALRO SA	pH	8/20/2016 1:32:00 AM	2	unit pH
SC ALRO SA	Substante organice	8/20/2016 1:30:20 AM	10	mg/l
SC ALRO SA	Clor	8/20/2016 1:29:25 AM	0	mg/l
SC ALRO SA	Grasimi	8/20/2016 1:29:24 AM	0	mg/l
SC ALRO SA	Temp	8/20/2016 1:29:23 AM	26	gradCels
SC ALRO SA	pH	8/20/2016 1:29:22 AM	2	unit pH
SC ALRO SA	Substante organice	8/20/2016 1:24:04 AM	10	mg/l
SC ALRO SA	Clor	8/20/2016 1:24:03 AM	0	mg/l
SC ALRO SA	Grasimi	8/20/2016 1:24:02 AM	0	mg/l
SC ALRO SA	Temp	8/20/2016 1:24:01 AM	26	gradCels
SC ALRO SA	pH	8/20/2016 1:24:00 AM	2	unit pH
SC ALRO SA	Substante organice	8/20/2016 1:19:20 AM	10	mg/l
SC ALRO SA	Clor	8/20/2016 1:18:27 AM	0	mg/l
SC ALRO SA	Grasimi	8/20/2016 1:18:26 AM	0	mg/l
SC ALRO SA	pH	8/20/2016 1:18:25 AM	2	unit pH
SC ALRO SA	Temp	8/20/2016 1:18:24 AM	26	gradCels
SC ALRO SA	Clor	8/20/2016 1:13:20 AM	0	mg/l
SC ALRO SA	Substante organice	8/20/2016 1:13:05 AM	10	mg/l
SC ALRO SA	Clor	8/20/2016 1:13:03 AM	0	mg/l
SC ALRO SA	Grasimi	8/20/2016 1:13:02 AM	0	mg/l
SC ALRO SA	pH	8/20/2016 1:13:01 AM	2	unit pH
SC ALRO SA	Temp	8/20/2016 1:13:00 AM	26	gradCels
SC ALRO SA	Grasimi	8/20/2016 1:12:40 AM	0	mg/l
SC ALRO SA	Substante organice	8/20/2016 1:12:30 AM	10	mg/l
SC ALRO SA	Temp	8/20/2016 1:12:20 AM	26	gradCels
SC ALRO SA	pH	8/20/2016 1:11:40 AM	2	unit pH
SC ALRO SA	Clor	8/20/2016 1:07:28 AM	0	mg/l
SC ALRO SA	Grasimi	8/20/2016 1:07:27 AM	0	mg/l
SC ALRO SA	Substante organice	8/20/2016 1:07:26 AM	10	mg/l
SC ALRO SA	Temp	8/20/2016 1:07:25 AM	26	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	8/20/2016 1:07:24 AM	2	unit pH
SC ALRO SA	Substante organice	8/20/2016 1:02:05 AM	10	mg/l
SC ALRO SA	Clor	8/20/2016 1:02:03 AM	0	mg/l
SC ALRO SA	Grasimi	8/20/2016 1:02:02 AM	0	mg/l
SC ALRO SA	Temp	8/20/2016 1:02:01 AM	26	gradCels
SC ALRO SA	pH	8/20/2016 1:02:00 AM	2	unit pH
SC ALRO SA	Substante organice	8/20/2016 12:57:20 AM	10	mg/l
SC ALRO SA	Clor	8/20/2016 12:56:27 AM	0	mg/l
SC ALRO SA	Grasimi	8/20/2016 12:56:26 AM	0	mg/l
SC ALRO SA	pH	8/20/2016 12:56:25 AM	2	unit pH
SC ALRO SA	Temp	8/20/2016 12:56:24 AM	26	gradCels
SC ALRO SA	Clor	8/20/2016 12:52:50 AM	0	mg/l
SC ALRO SA	Grasimi	8/20/2016 12:52:30 AM	0	mg/l
SC ALRO SA	Substante organice	8/20/2016 12:52:20 AM	10	mg/l
SC ALRO SA	Temp	8/20/2016 12:52:10 AM	26	gradCels
SC ALRO SA	pH	8/20/2016 12:51:40 AM	2	unit pH
SC ALRO SA	Substante organice	8/20/2016 12:51:05 AM	10	mg/l
SC ALRO SA	Clor	8/20/2016 12:51:03 AM	0	mg/l
SC ALRO SA	Grasimi	8/20/2016 12:51:02 AM	0	mg/l
SC ALRO SA	pH	8/20/2016 12:51:01 AM	2	unit pH
SC ALRO SA	Temp	8/20/2016 12:51:00 AM	26	gradCels
SC ALRO SA	Substante organice	8/20/2016 12:46:00 AM	10	mg/l
SC ALRO SA	Clor	8/20/2016 12:45:23 AM	0	mg/l
SC ALRO SA	Grasimi	8/20/2016 12:45:22 AM	0	mg/l
SC ALRO SA	Temp	8/20/2016 12:45:21 AM	26	gradCels
SC ALRO SA	pH	8/20/2016 12:45:20 AM	2	unit pH
SC ALRO SA	Substante organice	8/20/2016 12:40:05 AM	10	mg/l
SC ALRO SA	Clor	8/20/2016 12:40:03 AM	0	mg/l
SC ALRO SA	Grasimi	8/20/2016 12:40:02 AM	0	mg/l
SC ALRO SA	Temp	8/20/2016 12:40:01 AM	26	gradCels
SC ALRO SA	pH	8/20/2016 12:40:00 AM	2	unit pH
SC ALRO SA	Substante organice	8/20/2016 12:35:20 AM	10	mg/l
SC ALRO SA	Clor	8/20/2016 12:34:28 AM	0	mg/l
SC ALRO SA	Grasimi	8/20/2016 12:34:27 AM	0	mg/l
SC ALRO SA	Temp	8/20/2016 12:34:26 AM	26	gradCels
SC ALRO SA	pH	8/20/2016 12:34:25 AM	2	unit pH
SC ALRO SA	Clor	8/20/2016 12:32:40 AM	0	mg/l
SC ALRO SA	Grasimi	8/20/2016 12:31:50 AM	0	mg/l
SC ALRO SA	Substante organice	8/20/2016 12:31:40 AM	10	mg/l
SC ALRO SA	Temp	8/20/2016 12:31:30 AM	26	gradCels
SC ALRO SA	pH	8/20/2016 12:30:50 AM	2	unit pH
SC ALRO SA	Substante organice	8/20/2016 12:29:20 AM	10	mg/l
SC ALRO SA	Clor	8/20/2016 12:28:43 AM	0	mg/l
SC ALRO SA	Grasimi	8/20/2016 12:28:42 AM	0	mg/l
SC ALRO SA	Temp	8/20/2016 12:28:41 AM	26	gradCels
SC ALRO SA	pH	8/20/2016 12:28:40 AM	2	unit pH
SC ALRO SA	Substante organice	8/20/2016 12:24:20 AM	10	mg/l
SC ALRO SA	Clor	8/20/2016 12:23:29 AM	0	mg/l
SC ALRO SA	Grasimi	8/20/2016 12:23:28 AM	0	mg/l
SC ALRO SA	Temp	8/20/2016 12:23:27 AM	26	gradCels
SC ALRO SA	pH	8/20/2016 12:23:26 AM	2	unit pH
SC ALRO SA	Substante organice	8/20/2016 12:18:20 AM	10	mg/l
SC ALRO SA	Clor	8/20/2016 12:17:43 AM	0	mg/l
SC ALRO SA	Grasimi	8/20/2016 12:17:42 AM	0	mg/l
SC ALRO SA	pH	8/20/2016 12:17:41 AM	2	unit pH
SC ALRO SA	Temp	8/20/2016 12:17:40 AM	26	gradCels
SC ALRO SA	Substante organice	8/20/2016 12:13:00 AM	10	mg/l
SC ALRO SA	Clor	8/20/2016 12:12:08 AM	0	mg/l
SC ALRO SA	Grasimi	8/20/2016 12:12:07 AM	0	mg/l
SC ALRO SA	Temp	8/20/2016 12:12:06 AM	26	gradCels
SC ALRO SA	pH	8/20/2016 12:12:05 AM	2	unit pH
SC ALRO SA	Clor	8/20/2016 12:11:40 AM	0	mg/l
SC ALRO SA	Grasimi	8/20/2016 12:10:40 AM	0	mg/l
SC ALRO SA	Substante organice	8/20/2016 12:10:30 AM	10	mg/l
SC ALRO SA	Temp	8/20/2016 12:10:00 AM	26	gradCels
SC ALRO SA	pH	8/20/2016 12:09:50 AM	2	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Clor	8/20/2016 12:06:44 AM	0	mg/l
SC ALRO SA	Grasimi	8/20/2016 12:06:43 AM	0	mg/l
SC ALRO SA	Substante organice	8/20/2016 12:06:42 AM	10	mg/l
SC ALRO SA	Temp	8/20/2016 12:06:41 AM	26	gradCels
SC ALRO SA	pH	8/20/2016 12:06:40 AM	2	unit pH
SC ALRO SA	Clor	8/20/2016 12:01:14 AM	0	mg/l
SC ALRO SA	Grasimi	8/20/2016 12:01:13 AM	0	mg/l
SC ALRO SA	Substante organice	8/20/2016 12:01:12 AM	10	mg/l
SC ALRO SA	Temp	8/20/2016 12:01:11 AM	26	gradCels
SC ALRO SA	pH	8/20/2016 12:01:10 AM	2	unit pH
SC ALRO SA	Grasimi	8/20/2016 12:01:08 AM	0	mg/l
SC ALRO SA	Clor	8/20/2016 12:01:06 AM	0	mg/l
SC ALRO SA	Temp	8/20/2016 12:01:05 AM	26	gradCels
SC ALRO SA	pH	8/20/2016 12:01:03 AM	2	unit pH
SC ALRO SA	Substante organice	8/20/2016 12:01:02 AM	10	mg/l
SC ALRO SA	Substante organice	8/19/2016 11:56:00 PM	10	mg/l
SC ALRO SA	Clor	8/19/2016 11:55:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 11:55:42 PM	0	mg/l
SC ALRO SA	Temp	8/19/2016 11:55:41 PM	26	gradCels
SC ALRO SA	pH	8/19/2016 11:55:40 PM	2	unit pH
SC ALRO SA	Substante organice	8/19/2016 11:50:09 PM	10	mg/l
SC ALRO SA	Clor	8/19/2016 11:50:03 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 11:50:02 PM	0	mg/l
SC ALRO SA	pH	8/19/2016 11:50:01 PM	2	unit pH
SC ALRO SA	Temp	8/19/2016 11:50:00 PM	26	gradCels
SC ALRO SA	Clor	8/19/2016 11:49:50 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 11:49:00 PM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 11:48:50 PM	10	mg/l
SC ALRO SA	Temp	8/19/2016 11:48:40 PM	26	gradCels
SC ALRO SA	pH	8/19/2016 11:48:30 PM	2	unit pH
SC ALRO SA	Substante organice	8/19/2016 11:45:00 PM	10	mg/l
SC ALRO SA	Clor	8/19/2016 11:44:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 11:44:42 PM	0	mg/l
SC ALRO SA	Temp	8/19/2016 11:44:41 PM	26	gradCels
SC ALRO SA	pH	8/19/2016 11:44:40 PM	2	unit pH
SC ALRO SA	Clor	8/19/2016 11:39:04 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 11:39:03 PM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 11:39:02 PM	10	mg/l
SC ALRO SA	pH	8/19/2016 11:39:01 PM	2	unit pH
SC ALRO SA	Temp	8/19/2016 11:39:00 PM	26	gradCels
SC ALRO SA	Substante organice	8/19/2016 11:34:20 PM	10	mg/l
SC ALRO SA	Clor	8/19/2016 11:33:28 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 11:33:27 PM	0	mg/l
SC ALRO SA	Temp	8/19/2016 11:33:26 PM	26	gradCels
SC ALRO SA	pH	8/19/2016 11:33:25 PM	2	unit pH
SC ALRO SA	Clor	8/19/2016 11:29:30 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 11:29:10 PM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 11:28:50 PM	10	mg/l
SC ALRO SA	Temp	8/19/2016 11:28:40 PM	26	gradCels
SC ALRO SA	pH	8/19/2016 11:28:30 PM	2	unit pH
SC ALRO SA	Substante organice	8/19/2016 11:28:08 PM	10	mg/l
SC ALRO SA	Clor	8/19/2016 11:28:03 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 11:28:02 PM	0	mg/l
SC ALRO SA	Temp	8/19/2016 11:28:01 PM	26	gradCels
SC ALRO SA	pH	8/19/2016 11:28:00 PM	2	unit pH
SC ALRO SA	Substante organice	8/19/2016 11:23:00 PM	10	mg/l
SC ALRO SA	Clor	8/19/2016 11:22:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 11:22:42 PM	0	mg/l
SC ALRO SA	Temp	8/19/2016 11:22:41 PM	26	gradCels
SC ALRO SA	pH	8/19/2016 11:22:40 PM	2	unit pH
SC ALRO SA	Substante organice	8/19/2016 11:17:08 PM	10	mg/l
SC ALRO SA	Clor	8/19/2016 11:17:03 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 11:17:02 PM	0	mg/l
SC ALRO SA	Temp	8/19/2016 11:17:01 PM	26	gradCels
SC ALRO SA	pH	8/19/2016 11:17:00 PM	2	unit pH
SC ALRO SA	Substante organice	8/19/2016 11:12:00 PM	10	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Clor	8/19/2016 11:11:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 11:11:22 PM	0	mg/l
SC ALRO SA	Temp	8/19/2016 11:11:21 PM	26	gradCels
SC ALRO SA	pH	8/19/2016 11:11:20 PM	2	unit pH
SC ALRO SA	Clor	8/19/2016 11:10:20 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 11:09:50 PM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 11:09:40 PM	10	mg/l
SC ALRO SA	Temp	8/19/2016 11:09:30 PM	27	gradCels
SC ALRO SA	pH	8/19/2016 11:09:10 PM	2	unit pH
SC ALRO SA	Clor	8/19/2016 11:06:04 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 11:06:03 PM	0	mg/l
SC ALRO SA	Temp	8/19/2016 11:06:02 PM	26	gradCels
SC ALRO SA	Substante organice	8/19/2016 11:06:01 PM	10	mg/l
SC ALRO SA	pH	8/19/2016 11:06:00 PM	2	unit pH
SC ALRO SA	Substante organice	8/19/2016 11:01:00 PM	10	mg/l
SC ALRO SA	Clor	8/19/2016 11:00:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 11:00:22 PM	0	mg/l
SC ALRO SA	Temp	8/19/2016 11:00:21 PM	27	gradCels
SC ALRO SA	pH	8/19/2016 11:00:20 PM	2	unit pH
SC ALRO SA	Substante organice	8/19/2016 10:55:05 PM	10	mg/l
SC ALRO SA	Clor	8/19/2016 10:55:03 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 10:55:02 PM	0	mg/l
SC ALRO SA	Temp	8/19/2016 10:55:01 PM	27	gradCels
SC ALRO SA	pH	8/19/2016 10:55:00 PM	2	unit pH
SC ALRO SA	Clor	8/19/2016 10:51:30 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 10:51:10 PM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 10:50:50 PM	10	mg/l
SC ALRO SA	Temp	8/19/2016 10:50:40 PM	27	gradCels
SC ALRO SA	pH	8/19/2016 10:50:30 PM	2	unit pH
SC ALRO SA	Substante organice	8/19/2016 10:50:00 PM	10	mg/l
SC ALRO SA	Clor	8/19/2016 10:49:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 10:49:22 PM	0	mg/l
SC ALRO SA	Temp	8/19/2016 10:49:21 PM	27	gradCels
SC ALRO SA	pH	8/19/2016 10:49:20 PM	2	unit pH
SC ALRO SA	Substante organice	8/19/2016 10:44:05 PM	10	mg/l
SC ALRO SA	Clor	8/19/2016 10:44:03 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 10:44:02 PM	0	mg/l
SC ALRO SA	pH	8/19/2016 10:44:01 PM	2	unit pH
SC ALRO SA	Temp	8/19/2016 10:44:00 PM	27	gradCels
SC ALRO SA	Clor	8/19/2016 10:38:24 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 10:38:23 PM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 10:38:22 PM	10	mg/l
SC ALRO SA	Temp	8/19/2016 10:38:21 PM	27	gradCels
SC ALRO SA	pH	8/19/2016 10:38:20 PM	2	unit pH
SC ALRO SA	Substante organice	8/19/2016 10:33:05 PM	10	mg/l
SC ALRO SA	Clor	8/19/2016 10:33:03 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 10:33:02 PM	0	mg/l
SC ALRO SA	Temp	8/19/2016 10:33:01 PM	27	gradCels
SC ALRO SA	pH	8/19/2016 10:33:00 PM	2	unit pH
SC ALRO SA	Clor	8/19/2016 10:31:40 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 10:31:00 PM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 10:30:50 PM	10	mg/l
SC ALRO SA	Temp	8/19/2016 10:30:40 PM	27	gradCels
SC ALRO SA	pH	8/19/2016 10:30:30 PM	2	unit pH
SC ALRO SA	Substante organice	8/19/2016 10:28:00 PM	10	mg/l
SC ALRO SA	Clor	8/19/2016 10:27:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 10:27:22 PM	0	mg/l
SC ALRO SA	Temp	8/19/2016 10:27:21 PM	27	gradCels
SC ALRO SA	pH	8/19/2016 10:27:20 PM	2	unit pH
SC ALRO SA	Substante organice	8/19/2016 10:22:00 PM	10	mg/l
SC ALRO SA	Clor	8/19/2016 10:21:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 10:21:42 PM	0	mg/l
SC ALRO SA	Temp	8/19/2016 10:21:41 PM	27	gradCels
SC ALRO SA	pH	8/19/2016 10:21:40 PM	2	unit pH
SC ALRO SA	Substante organice	8/19/2016 10:17:00 PM	10	mg/l
SC ALRO SA	Clor	8/19/2016 10:16:23 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Grasimi	8/19/2016 10:16:22 PM	0	mg/l
SC ALRO SA	Temp	8/19/2016 10:16:21 PM	27	gradCels
SC ALRO SA	pH	8/19/2016 10:16:20 PM	2	unit pH
SC ALRO SA	Clor	8/19/2016 10:12:30 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 10:12:10 PM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 10:11:50 PM	10	mg/l
SC ALRO SA	Temp	8/19/2016 10:11:30 PM	27	gradCels
SC ALRO SA	pH	8/19/2016 10:11:20 PM	2	unit pH
SC ALRO SA	Substante organice	8/19/2016 10:11:00 PM	10	mg/l
SC ALRO SA	Clor	8/19/2016 10:10:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 10:10:42 PM	0	mg/l
SC ALRO SA	pH	8/19/2016 10:10:41 PM	2	unit pH
SC ALRO SA	Temp	8/19/2016 10:10:40 PM	27	gradCels
SC ALRO SA	Clor	8/19/2016 10:05:10 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 10:05:09 PM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 10:05:08 PM	10	mg/l
SC ALRO SA	pH	8/19/2016 10:05:07 PM	2	unit pH
SC ALRO SA	Temp	8/19/2016 10:05:06 PM	27	gradCels
SC ALRO SA	Substante organice	8/19/2016 10:00:00 PM	10	mg/l
SC ALRO SA	Clor	8/19/2016 9:59:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 9:59:42 PM	0	mg/l
SC ALRO SA	Temp	8/19/2016 9:59:41 PM	27	gradCels
SC ALRO SA	pH	8/19/2016 9:59:40 PM	2	unit pH
SC ALRO SA	Substante organice	8/19/2016 9:55:00 PM	10	mg/l
SC ALRO SA	Clor	8/19/2016 9:54:08 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 9:54:07 PM	0	mg/l
SC ALRO SA	Temp	8/19/2016 9:54:06 PM	27	gradCels
SC ALRO SA	pH	8/19/2016 9:54:05 PM	2	unit pH
SC ALRO SA	Clor	8/19/2016 9:52:50 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 9:52:10 PM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 9:51:50 PM	10	mg/l
SC ALRO SA	Temp	8/19/2016 9:51:40 PM	27	gradCels
SC ALRO SA	pH	8/19/2016 9:51:10 PM	2	unit pH
SC ALRO SA	Substante organice	8/19/2016 9:49:00 PM	10	mg/l
SC ALRO SA	Clor	8/19/2016 9:48:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 9:48:42 PM	0	mg/l
SC ALRO SA	Temp	8/19/2016 9:48:41 PM	27	gradCels
SC ALRO SA	pH	8/19/2016 9:48:40 PM	2	unit pH
SC ALRO SA	Substante organice	8/19/2016 9:43:07 PM	10	mg/l
SC ALRO SA	Clor	8/19/2016 9:43:03 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 9:43:02 PM	0	mg/l
SC ALRO SA	Temp	8/19/2016 9:43:01 PM	27	gradCels
SC ALRO SA	pH	8/19/2016 9:43:00 PM	2	unit pH
SC ALRO SA	Clor	8/19/2016 9:37:44 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 9:37:43 PM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 9:37:42 PM	10	mg/l
SC ALRO SA	pH	8/19/2016 9:37:41 PM	2	unit pH
SC ALRO SA	Temp	8/19/2016 9:37:40 PM	27	gradCels
SC ALRO SA	Clor	8/19/2016 9:33:30 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 9:33:10 PM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 9:32:50 PM	10	mg/l
SC ALRO SA	Temp	8/19/2016 9:32:40 PM	27	gradCels
SC ALRO SA	pH	8/19/2016 9:32:30 PM	2	unit pH
SC ALRO SA	Substante organice	8/19/2016 9:32:06 PM	10	mg/l
SC ALRO SA	Clor	8/19/2016 9:32:03 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 9:32:02 PM	0	mg/l
SC ALRO SA	Temp	8/19/2016 9:32:01 PM	27	gradCels
SC ALRO SA	pH	8/19/2016 9:32:00 PM	2	unit pH
SC ALRO SA	Substante organice	8/19/2016 9:27:00 PM	10	mg/l
SC ALRO SA	Clor	8/19/2016 9:26:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 9:26:42 PM	0	mg/l
SC ALRO SA	Temp	8/19/2016 9:26:41 PM	27	gradCels
SC ALRO SA	pH	8/19/2016 9:26:40 PM	2	unit pH
SC ALRO SA	Substante organice	8/19/2016 9:21:07 PM	10	mg/l
SC ALRO SA	Clor	8/19/2016 9:21:03 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 9:21:02 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	8/19/2016 9:21:01 PM	27	gradCels
SC ALRO SA	pH	8/19/2016 9:21:00 PM	2	unit pH
SC ALRO SA	Substante organice	8/19/2016 9:16:00 PM	10	mg/l
SC ALRO SA	Clor	8/19/2016 9:15:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 9:15:42 PM	0	mg/l
SC ALRO SA	Temp	8/19/2016 9:15:41 PM	27	gradCels
SC ALRO SA	pH	8/19/2016 9:15:40 PM	2	unit pH
SC ALRO SA	Clor	8/19/2016 9:12:30 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 9:12:00 PM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 9:11:50 PM	10	mg/l
SC ALRO SA	Temp	8/19/2016 9:11:40 PM	27	gradCels
SC ALRO SA	pH	8/19/2016 9:11:30 PM	2	unit pH
SC ALRO SA	Substante organice	8/19/2016 9:10:16 PM	10	mg/l
SC ALRO SA	Clor	8/19/2016 9:10:12 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 9:10:11 PM	0	mg/l
SC ALRO SA	Temp	8/19/2016 9:10:10 PM	27	gradCels
SC ALRO SA	pH	8/19/2016 9:10:09 PM	2	unit pH
SC ALRO SA	Clor	8/19/2016 9:04:33 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 9:04:32 PM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 9:04:31 PM	10	mg/l
SC ALRO SA	Temp	8/19/2016 9:04:30 PM	27	gradCels
SC ALRO SA	pH	8/19/2016 9:04:29 PM	2	unit pH
SC ALRO SA	Substante organice	8/19/2016 8:59:16 PM	10	mg/l
SC ALRO SA	Clor	8/19/2016 8:59:13 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 8:59:12 PM	0	mg/l
SC ALRO SA	Temp	8/19/2016 8:59:11 PM	27	gradCels
SC ALRO SA	pH	8/19/2016 8:59:10 PM	2	unit pH
SC ALRO SA	Substante organice	8/19/2016 8:54:05 PM	10	mg/l
SC ALRO SA	Clor	8/19/2016 8:54:03 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 8:54:02 PM	0	mg/l
SC ALRO SA	Temp	8/19/2016 8:54:01 PM	27	gradCels
SC ALRO SA	pH	8/19/2016 8:54:00 PM	2	unit pH
SC ALRO SA	Clor	8/19/2016 8:53:10 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 8:52:20 PM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 8:52:10 PM	10	mg/l
SC ALRO SA	Temp	8/19/2016 8:51:50 PM	27	gradCels
SC ALRO SA	pH	8/19/2016 8:51:30 PM	2	unit pH
SC ALRO SA	Substante organice	8/19/2016 8:49:05 PM	10	mg/l
SC ALRO SA	Clor	8/19/2016 8:48:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 8:48:22 PM	0	mg/l
SC ALRO SA	Temp	8/19/2016 8:48:21 PM	27	gradCels
SC ALRO SA	pH	8/19/2016 8:48:20 PM	2	unit pH
SC ALRO SA	Substante organice	8/19/2016 8:43:06 PM	10	mg/l
SC ALRO SA	Clor	8/19/2016 8:43:03 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 8:43:02 PM	0	mg/l
SC ALRO SA	pH	8/19/2016 8:43:01 PM	2	unit pH
SC ALRO SA	Temp	8/19/2016 8:43:00 PM	27	gradCels
SC ALRO SA	Clor	8/19/2016 8:37:24 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 8:37:23 PM	0	mg/l
SC ALRO SA	Temp	8/19/2016 8:37:22 PM	27	gradCels
SC ALRO SA	Substante organice	8/19/2016 8:37:21 PM	10	mg/l
SC ALRO SA	pH	8/19/2016 8:37:20 PM	3	unit pH
SC ALRO SA	Clor	8/19/2016 8:32:40 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 8:32:10 PM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 8:32:05 PM	11	mg/l
SC ALRO SA	Clor	8/19/2016 8:32:03 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 8:32:02 PM	0	mg/l
SC ALRO SA	Temp	8/19/2016 8:32:01 PM	27	gradCels
SC ALRO SA	pH	8/19/2016 8:32:00 PM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 8:31:40 PM	11	mg/l
SC ALRO SA	Temp	8/19/2016 8:31:30 PM	27	gradCels
SC ALRO SA	pH	8/19/2016 8:31:10 PM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 8:27:05 PM	11	mg/l
SC ALRO SA	Clor	8/19/2016 8:26:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 8:26:22 PM	0	mg/l
SC ALRO SA	Temp	8/19/2016 8:26:21 PM	27	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	8/19/2016 8:26:20 PM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 8:21:06 PM	11	mg/l
SC ALRO SA	Clor	8/19/2016 8:21:03 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 8:21:02 PM	0	mg/l
SC ALRO SA	Temp	8/19/2016 8:21:01 PM	27	gradCels
SC ALRO SA	pH	8/19/2016 8:21:00 PM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 8:16:00 PM	11	mg/l
SC ALRO SA	Clor	8/19/2016 8:15:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 8:15:22 PM	0	mg/l
SC ALRO SA	Temp	8/19/2016 8:15:21 PM	27	gradCels
SC ALRO SA	pH	8/19/2016 8:15:20 PM	3	unit pH
SC ALRO SA	Clor	8/19/2016 8:12:40 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 8:12:00 PM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 8:11:50 PM	11	mg/l
SC ALRO SA	Temp	8/19/2016 8:11:40 PM	27	gradCels
SC ALRO SA	pH	8/19/2016 8:11:30 PM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 8:10:01 PM	11	mg/l
SC ALRO SA	Clor	8/19/2016 8:09:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 8:09:42 PM	0	mg/l
SC ALRO SA	pH	8/19/2016 8:09:41 PM	3	unit pH
SC ALRO SA	Temp	8/19/2016 8:09:40 PM	27	gradCels
SC ALRO SA	Clor	8/19/2016 8:04:24 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 8:04:23 PM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 8:04:22 PM	11	mg/l
SC ALRO SA	pH	8/19/2016 8:04:21 PM	3	unit pH
SC ALRO SA	Temp	8/19/2016 8:04:20 PM	27	gradCels
SC ALRO SA	Substante organice	8/19/2016 7:59:01 PM	11	mg/l
SC ALRO SA	Clor	8/19/2016 7:58:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 7:58:42 PM	0	mg/l
SC ALRO SA	Temp	8/19/2016 7:58:41 PM	27	gradCels
SC ALRO SA	pH	8/19/2016 7:58:40 PM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 7:54:02 PM	11	mg/l
SC ALRO SA	Clor	8/19/2016 7:53:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 7:53:22 PM	0	mg/l
SC ALRO SA	pH	8/19/2016 7:53:21 PM	3	unit pH
SC ALRO SA	Temp	8/19/2016 7:53:20 PM	27	gradCels
SC ALRO SA	Clor	8/19/2016 7:52:10 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 7:51:20 PM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 7:51:10 PM	11	mg/l
SC ALRO SA	Temp	8/19/2016 7:50:50 PM	27	gradCels
SC ALRO SA	pH	8/19/2016 7:50:20 PM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 7:48:02 PM	11	mg/l
SC ALRO SA	Clor	8/19/2016 7:47:47 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 7:47:46 PM	0	mg/l
SC ALRO SA	Temp	8/19/2016 7:47:45 PM	26	gradCels
SC ALRO SA	pH	8/19/2016 7:47:44 PM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 7:43:02 PM	11	mg/l
SC ALRO SA	Clor	8/19/2016 7:42:27 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 7:42:26 PM	0	mg/l
SC ALRO SA	pH	8/19/2016 7:42:25 PM	3	unit pH
SC ALRO SA	Temp	8/19/2016 7:42:24 PM	26	gradCels
SC ALRO SA	Clor	8/19/2016 7:36:48 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 7:36:47 PM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 7:36:46 PM	11	mg/l
SC ALRO SA	Temp	8/19/2016 7:36:45 PM	26	gradCels
SC ALRO SA	pH	8/19/2016 7:36:44 PM	3	unit pH
SC ALRO SA	Clor	8/19/2016 7:32:50 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 7:32:30 PM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 7:32:20 PM	10	mg/l
SC ALRO SA	Temp	8/19/2016 7:32:10 PM	26	gradCels
SC ALRO SA	Substante organice	8/19/2016 7:32:06 PM	10	mg/l
SC ALRO SA	pH	8/19/2016 7:31:50 PM	3	unit pH
SC ALRO SA	Clor	8/19/2016 7:31:07 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 7:31:06 PM	0	mg/l
SC ALRO SA	pH	8/19/2016 7:31:05 PM	3	unit pH
SC ALRO SA	Temp	8/19/2016 7:31:04 PM	26	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	8/19/2016 7:26:02 PM	10	mg/l
SC ALRO SA	Clor	8/19/2016 7:25:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 7:25:42 PM	0	mg/l
SC ALRO SA	Temp	8/19/2016 7:25:41 PM	26	gradCels
SC ALRO SA	pH	8/19/2016 7:25:40 PM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 7:21:07 PM	10	mg/l
SC ALRO SA	Clor	8/19/2016 7:20:10 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 7:20:09 PM	0	mg/l
SC ALRO SA	Temp	8/19/2016 7:20:08 PM	26	gradCels
SC ALRO SA	pH	8/19/2016 7:20:07 PM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 7:15:02 PM	10	mg/l
SC ALRO SA	Clor	8/19/2016 7:14:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 7:14:42 PM	0	mg/l
SC ALRO SA	pH	8/19/2016 7:14:41 PM	3	unit pH
SC ALRO SA	Temp	8/19/2016 7:14:40 PM	26	gradCels
SC ALRO SA	Clor	8/19/2016 7:12:30 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 7:11:50 PM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 7:11:40 PM	10	mg/l
SC ALRO SA	Temp	8/19/2016 7:11:30 PM	26	gradCels
SC ALRO SA	pH	8/19/2016 7:11:10 PM	3	unit pH
SC ALRO SA	Clor	8/19/2016 7:09:12 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 7:09:11 PM	0	mg/l
SC ALRO SA	Temp	8/19/2016 7:09:10 PM	26	gradCels
SC ALRO SA	Substante organice	8/19/2016 7:09:09 PM	10	mg/l
SC ALRO SA	pH	8/19/2016 7:09:08 PM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 7:04:02 PM	11	mg/l
SC ALRO SA	Clor	8/19/2016 7:03:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 7:03:42 PM	0	mg/l
SC ALRO SA	pH	8/19/2016 7:03:41 PM	3	unit pH
SC ALRO SA	Temp	8/19/2016 7:03:40 PM	26	gradCels
SC ALRO SA	Substante organice	8/19/2016 6:58:11 PM	11	mg/l
SC ALRO SA	Clor	8/19/2016 6:58:03 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 6:58:02 PM	0	mg/l
SC ALRO SA	Temp	8/19/2016 6:58:01 PM	26	gradCels
SC ALRO SA	pH	8/19/2016 6:58:00 PM	3	unit pH
SC ALRO SA	Clor	8/19/2016 6:53:10 PM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 6:53:03 PM	11	mg/l
SC ALRO SA	Clor	8/19/2016 6:52:47 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 6:52:46 PM	0	mg/l
SC ALRO SA	Temp	8/19/2016 6:52:45 PM	26	gradCels
SC ALRO SA	pH	8/19/2016 6:52:44 PM	3	unit pH
SC ALRO SA	Grasimi	8/19/2016 6:52:20 PM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 6:52:10 PM	11	mg/l
SC ALRO SA	Temp	8/19/2016 6:51:50 PM	26	gradCels
SC ALRO SA	pH	8/19/2016 6:51:30 PM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 6:47:13 PM	11	mg/l
SC ALRO SA	Clor	8/19/2016 6:47:07 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 6:47:06 PM	0	mg/l
SC ALRO SA	Temp	8/19/2016 6:47:05 PM	26	gradCels
SC ALRO SA	pH	8/19/2016 6:47:04 PM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 6:42:02 PM	11	mg/l
SC ALRO SA	Clor	8/19/2016 6:41:47 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 6:41:46 PM	0	mg/l
SC ALRO SA	Temp	8/19/2016 6:41:45 PM	26	gradCels
SC ALRO SA	pH	8/19/2016 6:41:44 PM	3	unit pH
SC ALRO SA	Clor	8/19/2016 6:36:08 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 6:36:07 PM	0	mg/l
SC ALRO SA	Temp	8/19/2016 6:36:06 PM	26	gradCels
SC ALRO SA	Substante organice	8/19/2016 6:36:05 PM	11	mg/l
SC ALRO SA	pH	8/19/2016 6:36:04 PM	3	unit pH
SC ALRO SA	Clor	8/19/2016 6:33:20 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 6:32:30 PM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 6:32:20 PM	11	mg/l
SC ALRO SA	Temp	8/19/2016 6:32:10 PM	26	gradCels
SC ALRO SA	pH	8/19/2016 6:32:00 PM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 6:31:01 PM	11	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Clor	8/19/2016 6:30:48 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 6:30:47 PM	0	mg/l
SC ALRO SA	Temp	8/19/2016 6:30:46 PM	26	gradCels
SC ALRO SA	pH	8/19/2016 6:30:45 PM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 6:25:11 PM	11	mg/l
SC ALRO SA	Clor	8/19/2016 6:25:07 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 6:25:06 PM	0	mg/l
SC ALRO SA	Temp	8/19/2016 6:25:05 PM	26	gradCels
SC ALRO SA	pH	8/19/2016 6:25:04 PM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 6:20:02 PM	11	mg/l
SC ALRO SA	Clor	8/19/2016 6:19:47 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 6:19:46 PM	0	mg/l
SC ALRO SA	pH	8/19/2016 6:19:45 PM	3	unit pH
SC ALRO SA	Temp	8/19/2016 6:19:44 PM	26	gradCels
SC ALRO SA	Substante organice	8/19/2016 6:14:11 PM	11	mg/l
SC ALRO SA	Clor	8/19/2016 6:14:07 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 6:14:06 PM	0	mg/l
SC ALRO SA	pH	8/19/2016 6:14:05 PM	3	unit pH
SC ALRO SA	Temp	8/19/2016 6:14:04 PM	26	gradCels
SC ALRO SA	Clor	8/19/2016 6:13:50 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 6:13:30 PM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 6:13:10 PM	11	mg/l
SC ALRO SA	Temp	8/19/2016 6:12:50 PM	26	gradCels
SC ALRO SA	pH	8/19/2016 6:12:40 PM	3	unit pH
SC ALRO SA	Clor	8/19/2016 6:08:49 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 6:08:48 PM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 6:08:47 PM	11	mg/l
SC ALRO SA	Temp	8/19/2016 6:08:46 PM	26	gradCels
SC ALRO SA	pH	8/19/2016 6:08:45 PM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 6:03:11 PM	11	mg/l
SC ALRO SA	Clor	8/19/2016 6:03:07 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 6:03:06 PM	0	mg/l
SC ALRO SA	Temp	8/19/2016 6:03:05 PM	26	gradCels
SC ALRO SA	pH	8/19/2016 6:03:04 PM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 5:58:01 PM	11	mg/l
SC ALRO SA	Clor	8/19/2016 5:57:28 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 5:57:27 PM	0	mg/l
SC ALRO SA	Temp	8/19/2016 5:57:26 PM	26	gradCels
SC ALRO SA	pH	8/19/2016 5:57:25 PM	3	unit pH
SC ALRO SA	Clor	8/19/2016 5:53:30 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 5:53:10 PM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 5:52:50 PM	11	mg/l
SC ALRO SA	Temp	8/19/2016 5:52:30 PM	26	gradCels
SC ALRO SA	pH	8/19/2016 5:52:20 PM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 5:52:11 PM	11	mg/l
SC ALRO SA	Clor	8/19/2016 5:52:07 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 5:52:06 PM	0	mg/l
SC ALRO SA	Temp	8/19/2016 5:52:05 PM	26	gradCels
SC ALRO SA	pH	8/19/2016 5:52:04 PM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 5:47:06 PM	11	mg/l
SC ALRO SA	Clor	8/19/2016 5:46:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 5:46:22 PM	0	mg/l
SC ALRO SA	Temp	8/19/2016 5:46:21 PM	26	gradCels
SC ALRO SA	pH	8/19/2016 5:46:20 PM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 5:41:04 PM	11	mg/l
SC ALRO SA	Clor	8/19/2016 5:41:03 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 5:41:02 PM	0	mg/l
SC ALRO SA	Temp	8/19/2016 5:41:01 PM	26	gradCels
SC ALRO SA	pH	8/19/2016 5:41:00 PM	3	unit pH
SC ALRO SA	Clor	8/19/2016 5:35:24 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 5:35:23 PM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 5:35:22 PM	11	mg/l
SC ALRO SA	Temp	8/19/2016 5:35:21 PM	26	gradCels
SC ALRO SA	pH	8/19/2016 5:35:20 PM	3	unit pH
SC ALRO SA	Clor	8/19/2016 5:33:30 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 5:31:50 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	8/19/2016 5:31:40 PM	11	mg/l
SC ALRO SA	Temp	8/19/2016 5:31:30 PM	26	gradCels
SC ALRO SA	pH	8/19/2016 5:31:20 PM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 5:30:05 PM	11	mg/l
SC ALRO SA	Clor	8/19/2016 5:30:03 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 5:30:02 PM	0	mg/l
SC ALRO SA	Temp	8/19/2016 5:30:01 PM	26	gradCels
SC ALRO SA	pH	8/19/2016 5:30:00 PM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 5:25:06 PM	11	mg/l
SC ALRO SA	Clor	8/19/2016 5:24:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 5:24:22 PM	0	mg/l
SC ALRO SA	Temp	8/19/2016 5:24:21 PM	26	gradCels
SC ALRO SA	pH	8/19/2016 5:24:20 PM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 5:19:05 PM	11	mg/l
SC ALRO SA	Clor	8/19/2016 5:19:03 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 5:19:02 PM	0	mg/l
SC ALRO SA	pH	8/19/2016 5:19:01 PM	3	unit pH
SC ALRO SA	Temp	8/19/2016 5:19:00 PM	26	gradCels
SC ALRO SA	Substante organice	8/19/2016 5:14:06 PM	11	mg/l
SC ALRO SA	Clor	8/19/2016 5:13:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 5:13:22 PM	0	mg/l
SC ALRO SA	Temp	8/19/2016 5:13:21 PM	26	gradCels
SC ALRO SA	pH	8/19/2016 5:13:20 PM	3	unit pH
SC ALRO SA	Clor	8/19/2016 5:12:50 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 5:11:40 PM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 5:11:30 PM	11	mg/l
SC ALRO SA	Temp	8/19/2016 5:11:20 PM	26	gradCels
SC ALRO SA	pH	8/19/2016 5:11:10 PM	3	unit pH
SC ALRO SA	Clor	8/19/2016 5:08:04 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 5:08:03 PM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 5:08:02 PM	11	mg/l
SC ALRO SA	Temp	8/19/2016 5:08:01 PM	26	gradCels
SC ALRO SA	pH	8/19/2016 5:08:00 PM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 5:03:11 PM	11	mg/l
SC ALRO SA	Clor	8/19/2016 5:02:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 5:02:22 PM	0	mg/l
SC ALRO SA	Temp	8/19/2016 5:02:21 PM	26	gradCels
SC ALRO SA	pH	8/19/2016 5:02:20 PM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 4:57:00 PM	11	mg/l
SC ALRO SA	Clor	8/19/2016 4:56:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 4:56:42 PM	0	mg/l
SC ALRO SA	Temp	8/19/2016 4:56:41 PM	26	gradCels
SC ALRO SA	pH	8/19/2016 4:56:40 PM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 4:52:07 PM	11	mg/l
SC ALRO SA	Clor	8/19/2016 4:51:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 4:51:22 PM	0	mg/l
SC ALRO SA	Temp	8/19/2016 4:51:21 PM	26	gradCels
SC ALRO SA	pH	8/19/2016 4:51:20 PM	3	unit pH
SC ALRO SA	Clor	8/19/2016 4:50:50 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 4:50:30 PM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 4:50:00 PM	11	mg/l
SC ALRO SA	Temp	8/19/2016 4:49:50 PM	26	gradCels
SC ALRO SA	pH	8/19/2016 4:49:40 PM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 4:46:00 PM	11	mg/l
SC ALRO SA	Clor	8/19/2016 4:45:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 4:45:42 PM	0	mg/l
SC ALRO SA	Temp	8/19/2016 4:45:41 PM	26	gradCels
SC ALRO SA	pH	8/19/2016 4:45:40 PM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 4:41:07 PM	11	mg/l
SC ALRO SA	Clor	8/19/2016 4:40:10 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 4:40:09 PM	0	mg/l
SC ALRO SA	pH	8/19/2016 4:40:08 PM	3	unit pH
SC ALRO SA	Temp	8/19/2016 4:40:07 PM	26	gradCels
SC ALRO SA	Clor	8/19/2016 4:34:44 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 4:34:43 PM	0	mg/l
SC ALRO SA	Temp	8/19/2016 4:34:42 PM	26	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	8/19/2016 4:34:41 PM	11	mg/l
SC ALRO SA	pH	8/19/2016 4:34:40 PM	3	unit pH
SC ALRO SA	Clor	8/19/2016 4:30:40 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 4:30:20 PM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 4:30:10 PM	11	mg/l
SC ALRO SA	Substante organice	8/19/2016 4:30:08 PM	11	mg/l
SC ALRO SA	Temp	8/19/2016 4:29:30 PM	26	gradCels
SC ALRO SA	pH	8/19/2016 4:29:20 PM	3	unit pH
SC ALRO SA	Clor	8/19/2016 4:29:10 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 4:29:09 PM	0	mg/l
SC ALRO SA	pH	8/19/2016 4:29:08 PM	3	unit pH
SC ALRO SA	Temp	8/19/2016 4:29:07 PM	26	gradCels
SC ALRO SA	Substante organice	8/19/2016 4:24:00 PM	11	mg/l
SC ALRO SA	Clor	8/19/2016 4:23:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 4:23:42 PM	0	mg/l
SC ALRO SA	Temp	8/19/2016 4:23:41 PM	25	gradCels
SC ALRO SA	pH	8/19/2016 4:23:40 PM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 4:19:07 PM	11	mg/l
SC ALRO SA	Clor	8/19/2016 4:18:09 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 4:18:08 PM	0	mg/l
SC ALRO SA	Temp	8/19/2016 4:18:07 PM	25	gradCels
SC ALRO SA	pH	8/19/2016 4:18:06 PM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 4:13:00 PM	11	mg/l
SC ALRO SA	Clor	8/19/2016 4:12:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 4:12:42 PM	0	mg/l
SC ALRO SA	Temp	8/19/2016 4:12:41 PM	25	gradCels
SC ALRO SA	pH	8/19/2016 4:12:40 PM	3	unit pH
SC ALRO SA	Clor	8/19/2016 4:08:50 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 4:08:30 PM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 4:08:10 PM	11	mg/l
SC ALRO SA	Temp	8/19/2016 4:07:50 PM	25	gradCels
SC ALRO SA	pH	8/19/2016 4:07:40 PM	3	unit pH
SC ALRO SA	Clor	8/19/2016 4:07:09 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 4:07:08 PM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 4:07:07 PM	11	mg/l
SC ALRO SA	Temp	8/19/2016 4:07:06 PM	25	gradCels
SC ALRO SA	pH	8/19/2016 4:07:05 PM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 4:02:00 PM	11	mg/l
SC ALRO SA	Clor	8/19/2016 4:01:29 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 4:01:28 PM	0	mg/l
SC ALRO SA	Temp	8/19/2016 4:01:27 PM	25	gradCels
SC ALRO SA	pH	8/19/2016 4:01:26 PM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 3:56:05 PM	11	mg/l
SC ALRO SA	Clor	8/19/2016 3:56:03 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 3:56:02 PM	0	mg/l
SC ALRO SA	Temp	8/19/2016 3:56:01 PM	25	gradCels
SC ALRO SA	pH	8/19/2016 3:56:00 PM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 3:51:00 PM	11	mg/l
SC ALRO SA	Clor	8/19/2016 3:50:28 PM	0	mg/l
SC ALRO SA	Temp	8/19/2016 3:50:27 PM	25	gradCels
SC ALRO SA	Grasimi	8/19/2016 3:50:26 PM	0	mg/l
SC ALRO SA	pH	8/19/2016 3:50:25 PM	3	unit pH
SC ALRO SA	Clor	8/19/2016 3:47:30 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 3:47:10 PM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 3:46:50 PM	11	mg/l
SC ALRO SA	Temp	8/19/2016 3:46:40 PM	25	gradCels
SC ALRO SA	pH	8/19/2016 3:46:30 PM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 3:45:05 PM	11	mg/l
SC ALRO SA	Clor	8/19/2016 3:45:03 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 3:45:02 PM	0	mg/l
SC ALRO SA	pH	8/19/2016 3:45:01 PM	3	unit pH
SC ALRO SA	Temp	8/19/2016 3:45:00 PM	25	gradCels
SC ALRO SA	Substante organice	8/19/2016 3:40:00 PM	11	mg/l
SC ALRO SA	Clor	8/19/2016 3:39:28 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 3:39:27 PM	0	mg/l
SC ALRO SA	Temp	8/19/2016 3:39:26 PM	25	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	8/19/2016 3:39:25 PM	3	unit pH
SC ALRO SA	Clor	8/19/2016 3:34:04 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 3:34:03 PM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 3:34:02 PM	11	mg/l
SC ALRO SA	pH	8/19/2016 3:34:01 PM	3	unit pH
SC ALRO SA	Temp	8/19/2016 3:34:00 PM	25	gradCels
SC ALRO SA	Substante organice	8/19/2016 3:29:00 PM	11	mg/l
SC ALRO SA	Clor	8/19/2016 3:28:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 3:28:22 PM	0	mg/l
SC ALRO SA	pH	8/19/2016 3:28:21 PM	3	unit pH
SC ALRO SA	Temp	8/19/2016 3:28:20 PM	25	gradCels
SC ALRO SA	Clor	8/19/2016 3:27:30 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 3:27:10 PM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 3:26:50 PM	11	mg/l
SC ALRO SA	Temp	8/19/2016 3:26:30 PM	25	gradCels
SC ALRO SA	pH	8/19/2016 3:26:10 PM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 3:23:06 PM	11	mg/l
SC ALRO SA	Clor	8/19/2016 3:23:03 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 3:23:02 PM	0	mg/l
SC ALRO SA	Temp	8/19/2016 3:23:01 PM	25	gradCels
SC ALRO SA	pH	8/19/2016 3:23:00 PM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 3:18:04 PM	11	mg/l
SC ALRO SA	Clor	8/19/2016 3:18:03 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 3:18:02 PM	0	mg/l
SC ALRO SA	Temp	8/19/2016 3:18:01 PM	25	gradCels
SC ALRO SA	pH	8/19/2016 3:18:00 PM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 3:13:06 PM	11	mg/l
SC ALRO SA	Clor	8/19/2016 3:12:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 3:12:22 PM	0	mg/l
SC ALRO SA	Temp	8/19/2016 3:12:21 PM	25	gradCels
SC ALRO SA	pH	8/19/2016 3:12:20 PM	3	unit pH
SC ALRO SA	Clor	8/19/2016 3:07:30 PM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 3:07:05 PM	11	mg/l
SC ALRO SA	Clor	8/19/2016 3:07:03 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 3:07:02 PM	0	mg/l
SC ALRO SA	pH	8/19/2016 3:07:01 PM	3	unit pH
SC ALRO SA	Temp	8/19/2016 3:07:00 PM	25	gradCels
SC ALRO SA	Grasimi	8/19/2016 3:06:20 PM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 3:06:10 PM	11	mg/l
SC ALRO SA	Temp	8/19/2016 3:05:40 PM	25	gradCels
SC ALRO SA	pH	8/19/2016 3:05:30 PM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 3:02:06 PM	11	mg/l
SC ALRO SA	Clor	8/19/2016 3:01:24 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 3:01:23 PM	0	mg/l
SC ALRO SA	pH	8/19/2016 3:01:22 PM	3	unit pH
SC ALRO SA	Temp	8/19/2016 3:01:20 PM	25	gradCels
SC ALRO SA	Substante organice	8/19/2016 2:56:00 PM	11	mg/l
SC ALRO SA	Clor	8/19/2016 2:55:50 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 2:55:48 PM	0	mg/l
SC ALRO SA	Temp	8/19/2016 2:55:46 PM	25	gradCels
SC ALRO SA	pH	8/19/2016 2:55:45 PM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 2:51:06 PM	11	mg/l
SC ALRO SA	Clor	8/19/2016 2:50:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 2:50:22 PM	0	mg/l
SC ALRO SA	Temp	8/19/2016 2:50:21 PM	25	gradCels
SC ALRO SA	pH	8/19/2016 2:50:20 PM	3	unit pH
SC ALRO SA	Clor	8/19/2016 2:47:10 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 2:46:40 PM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 2:46:30 PM	11	mg/l
SC ALRO SA	Temp	8/19/2016 2:46:10 PM	25	gradCels
SC ALRO SA	pH	8/19/2016 2:45:50 PM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 2:45:02 PM	11	mg/l
SC ALRO SA	Clor	8/19/2016 2:44:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 2:44:42 PM	0	mg/l
SC ALRO SA	Temp	8/19/2016 2:44:41 PM	25	gradCels
SC ALRO SA	pH	8/19/2016 2:44:40 PM	3	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	8/19/2016 2:40:11 PM	11	mg/l
SC ALRO SA	Clor	8/19/2016 2:39:11 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 2:39:10 PM	0	mg/l
SC ALRO SA	Temp	8/19/2016 2:39:09 PM	25	gradCels
SC ALRO SA	pH	8/19/2016 2:39:08 PM	3	unit pH
SC ALRO SA	Clor	8/19/2016 2:33:44 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 2:33:43 PM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 2:33:42 PM	11	mg/l
SC ALRO SA	Temp	8/19/2016 2:33:41 PM	25	gradCels
SC ALRO SA	pH	8/19/2016 2:33:40 PM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 2:29:11 PM	11	mg/l
SC ALRO SA	Clor	8/19/2016 2:28:10 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 2:28:09 PM	0	mg/l
SC ALRO SA	Temp	8/19/2016 2:28:08 PM	25	gradCels
SC ALRO SA	pH	8/19/2016 2:28:07 PM	3	unit pH
SC ALRO SA	Clor	8/19/2016 2:27:20 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 2:27:00 PM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 2:26:50 PM	11	mg/l
SC ALRO SA	Temp	8/19/2016 2:26:40 PM	25	gradCels
SC ALRO SA	pH	8/19/2016 2:26:30 PM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 2:23:02 PM	11	mg/l
SC ALRO SA	Clor	8/19/2016 2:22:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 2:22:42 PM	0	mg/l
SC ALRO SA	Temp	8/19/2016 2:22:41 PM	25	gradCels
SC ALRO SA	pH	8/19/2016 2:22:40 PM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 2:18:12 PM	11	mg/l
SC ALRO SA	Clor	8/19/2016 2:17:11 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 2:17:10 PM	0	mg/l
SC ALRO SA	Temp	8/19/2016 2:17:09 PM	25	gradCels
SC ALRO SA	pH	8/19/2016 2:17:08 PM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 2:12:08 PM	11	mg/l
SC ALRO SA	Clor	8/19/2016 2:11:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 2:11:42 PM	0	mg/l
SC ALRO SA	Temp	8/19/2016 2:11:41 PM	25	gradCels
SC ALRO SA	pH	8/19/2016 2:11:40 PM	3	unit pH
SC ALRO SA	Clor	8/19/2016 2:07:30 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 2:06:30 PM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 2:06:20 PM	11	mg/l
SC ALRO SA	Temp	8/19/2016 2:06:10 PM	25	gradCels
SC ALRO SA	Clor	8/19/2016 2:06:06 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 2:06:05 PM	0	mg/l
SC ALRO SA	Temp	8/19/2016 2:06:04 PM	25	gradCels
SC ALRO SA	Substante organice	8/19/2016 2:06:03 PM	11	mg/l
SC ALRO SA	pH	8/19/2016 2:06:02 PM	3	unit pH
SC ALRO SA	pH	8/19/2016 2:05:50 PM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 2:01:01 PM	11	mg/l
SC ALRO SA	Clor	8/19/2016 2:00:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 2:00:42 PM	0	mg/l
SC ALRO SA	Temp	8/19/2016 2:00:41 PM	25	gradCels
SC ALRO SA	pH	8/19/2016 2:00:40 PM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 1:56:16 PM	11	mg/l
SC ALRO SA	Clor	8/19/2016 1:55:03 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 1:55:02 PM	0	mg/l
SC ALRO SA	Temp	8/19/2016 1:55:01 PM	25	gradCels
SC ALRO SA	pH	8/19/2016 1:55:00 PM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 1:50:02 PM	11	mg/l
SC ALRO SA	Clor	8/19/2016 1:49:47 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 1:49:46 PM	0	mg/l
SC ALRO SA	Temp	8/19/2016 1:49:45 PM	25	gradCels
SC ALRO SA	pH	8/19/2016 1:49:44 PM	3	unit pH
SC ALRO SA	Clor	8/19/2016 1:48:40 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 1:48:20 PM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 1:48:10 PM	11	mg/l
SC ALRO SA	Temp	8/19/2016 1:47:50 PM	25	gradCels
SC ALRO SA	pH	8/19/2016 1:47:40 PM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 1:44:10 PM	11	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Clor	8/19/2016 1:44:07 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 1:44:06 PM	0	mg/l
SC ALRO SA	Temp	8/19/2016 1:44:05 PM	25	gradCels
SC ALRO SA	pH	8/19/2016 1:44:04 PM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 1:39:02 PM	11	mg/l
SC ALRO SA	Clor	8/19/2016 1:38:47 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 1:38:46 PM	0	mg/l
SC ALRO SA	Temp	8/19/2016 1:38:45 PM	25	gradCels
SC ALRO SA	pH	8/19/2016 1:38:44 PM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 1:33:10 PM	11	mg/l
SC ALRO SA	Clor	8/19/2016 1:33:07 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 1:33:06 PM	0	mg/l
SC ALRO SA	Temp	8/19/2016 1:33:05 PM	25	gradCels
SC ALRO SA	pH	8/19/2016 1:33:04 PM	3	unit pH
SC ALRO SA	Clor	8/19/2016 1:28:50 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 1:28:10 PM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 1:28:01 PM	11	mg/l
SC ALRO SA	Clor	8/19/2016 1:27:43 PM	0	mg/l
SC ALRO SA	Temp	8/19/2016 1:27:42 PM	25	gradCels
SC ALRO SA	Grasimi	8/19/2016 1:27:41 PM	0	mg/l
SC ALRO SA	pH	8/19/2016 1:27:40 PM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 1:27:20 PM	11	mg/l
SC ALRO SA	Temp	8/19/2016 1:27:10 PM	25	gradCels
SC ALRO SA	pH	8/19/2016 1:27:00 PM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 1:22:11 PM	11	mg/l
SC ALRO SA	Clor	8/19/2016 1:22:07 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 1:22:06 PM	0	mg/l
SC ALRO SA	pH	8/19/2016 1:22:05 PM	3	unit pH
SC ALRO SA	Temp	8/19/2016 1:22:04 PM	25	gradCels
SC ALRO SA	Substante organice	8/19/2016 1:17:02 PM	11	mg/l
SC ALRO SA	Clor	8/19/2016 1:16:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 1:16:42 PM	0	mg/l
SC ALRO SA	Temp	8/19/2016 1:16:41 PM	25	gradCels
SC ALRO SA	pH	8/19/2016 1:16:40 PM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 1:11:11 PM	11	mg/l
SC ALRO SA	Clor	8/19/2016 1:11:03 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 1:11:02 PM	0	mg/l
SC ALRO SA	Temp	8/19/2016 1:11:01 PM	25	gradCels
SC ALRO SA	pH	8/19/2016 1:11:00 PM	3	unit pH
SC ALRO SA	Clor	8/19/2016 1:09:20 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 1:08:30 PM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 1:08:20 PM	11	mg/l
SC ALRO SA	Temp	8/19/2016 1:08:10 PM	25	gradCels
SC ALRO SA	pH	8/19/2016 1:07:50 PM	3	unit pH
SC ALRO SA	Clor	8/19/2016 1:05:28 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 1:05:27 PM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 1:05:26 PM	11	mg/l
SC ALRO SA	Temp	8/19/2016 1:05:25 PM	25	gradCels
SC ALRO SA	pH	8/19/2016 1:05:24 PM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 1:00:10 PM	11	mg/l
SC ALRO SA	Clor	8/19/2016 1:00:08 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 1:00:07 PM	0	mg/l
SC ALRO SA	Temp	8/19/2016 1:00:06 PM	24	gradCels
SC ALRO SA	pH	8/19/2016 1:00:05 PM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 12:55:02 PM	11	mg/l
SC ALRO SA	Clor	8/19/2016 12:54:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 12:54:22 PM	0	mg/l
SC ALRO SA	Temp	8/19/2016 12:54:21 PM	24	gradCels
SC ALRO SA	pH	8/19/2016 12:54:20 PM	3	unit pH
SC ALRO SA	Clor	8/19/2016 12:49:30 PM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 12:49:11 PM	11	mg/l
SC ALRO SA	Clor	8/19/2016 12:49:03 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 12:49:02 PM	0	mg/l
SC ALRO SA	pH	8/19/2016 12:49:01 PM	3	unit pH
SC ALRO SA	Temp	8/19/2016 12:49:00 PM	24	gradCels
SC ALRO SA	Grasimi	8/19/2016 12:48:40 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	8/19/2016 12:48:30 PM	11	mg/l
SC ALRO SA	Temp	8/19/2016 12:48:20 PM	24	gradCels
SC ALRO SA	pH	8/19/2016 12:48:10 PM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 12:44:02 PM	11	mg/l
SC ALRO SA	Clor	8/19/2016 12:43:27 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 12:43:26 PM	0	mg/l
SC ALRO SA	Temp	8/19/2016 12:43:25 PM	24	gradCels
SC ALRO SA	pH	8/19/2016 12:43:24 PM	3	unit pH
SC ALRO SA	Clor	8/19/2016 12:38:04 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 12:38:03 PM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 12:38:02 PM	11	mg/l
SC ALRO SA	Temp	8/19/2016 12:38:01 PM	24	gradCels
SC ALRO SA	pH	8/19/2016 12:38:00 PM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 12:33:01 PM	12	mg/l
SC ALRO SA	Clor	8/19/2016 12:32:28 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 12:32:27 PM	0	mg/l
SC ALRO SA	Temp	8/19/2016 12:32:26 PM	24	gradCels
SC ALRO SA	pH	8/19/2016 12:32:25 PM	3	unit pH
SC ALRO SA	Clor	8/19/2016 12:31:40 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 12:31:20 PM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 12:31:10 PM	12	mg/l
SC ALRO SA	Temp	8/19/2016 12:30:50 PM	24	gradCels
SC ALRO SA	pH	8/19/2016 12:30:40 PM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 12:27:12 PM	12	mg/l
SC ALRO SA	Clor	8/19/2016 12:27:04 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 12:27:03 PM	0	mg/l
SC ALRO SA	Temp	8/19/2016 12:27:02 PM	24	gradCels
SC ALRO SA	pH	8/19/2016 12:27:01 PM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 12:22:02 PM	12	mg/l
SC ALRO SA	Clor	8/19/2016 12:21:27 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 12:21:26 PM	0	mg/l
SC ALRO SA	Temp	8/19/2016 12:21:25 PM	24	gradCels
SC ALRO SA	pH	8/19/2016 12:21:24 PM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 12:16:10 PM	12	mg/l
SC ALRO SA	Clor	8/19/2016 12:16:03 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 12:16:02 PM	0	mg/l
SC ALRO SA	pH	8/19/2016 12:16:01 PM	3	unit pH
SC ALRO SA	Temp	8/19/2016 12:16:00 PM	24	gradCels
SC ALRO SA	Clor	8/19/2016 12:14:10 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 12:13:20 PM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 12:13:10 PM	12	mg/l
SC ALRO SA	Temp	8/19/2016 12:12:50 PM	24	gradCels
SC ALRO SA	pH	8/19/2016 12:12:40 PM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 12:11:02 PM	12	mg/l
SC ALRO SA	Clor	8/19/2016 12:10:27 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 12:10:26 PM	0	mg/l
SC ALRO SA	Temp	8/19/2016 12:10:25 PM	24	gradCels
SC ALRO SA	pH	8/19/2016 12:10:24 PM	3	unit pH
SC ALRO SA	Clor	8/19/2016 12:04:44 PM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 12:04:43 PM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 12:04:42 PM	12	mg/l
SC ALRO SA	Temp	8/19/2016 12:04:41 PM	24	gradCels
SC ALRO SA	pH	8/19/2016 12:04:40 PM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 12:00:11 PM	12	mg/l
SC ALRO SA	Clor	8/19/2016 11:59:23 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 11:59:22 AM	0	mg/l
SC ALRO SA	Temp	8/19/2016 11:59:21 AM	24	gradCels
SC ALRO SA	pH	8/19/2016 11:59:20 AM	3	unit pH
SC ALRO SA	Clor	8/19/2016 11:55:10 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 11:54:10 AM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 11:54:02 AM	12	mg/l
SC ALRO SA	Substante organice	8/19/2016 11:53:50 AM	12	mg/l
SC ALRO SA	Clor	8/19/2016 11:53:43 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 11:53:42 AM	0	mg/l
SC ALRO SA	Temp	8/19/2016 11:53:41 AM	24	gradCels
SC ALRO SA	pH	8/19/2016 11:53:40 AM	3	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	8/19/2016 11:53:30 AM	24	gradCels
SC ALRO SA	pH	8/19/2016 11:53:20 AM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 11:49:12 AM	12	mg/l
SC ALRO SA	Clor	8/19/2016 11:48:23 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 11:48:22 AM	0	mg/l
SC ALRO SA	Temp	8/19/2016 11:48:21 AM	24	gradCels
SC ALRO SA	pH	8/19/2016 11:48:20 AM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 11:43:00 AM	12	mg/l
SC ALRO SA	Clor	8/19/2016 11:42:43 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 11:42:42 AM	0	mg/l
SC ALRO SA	Temp	8/19/2016 11:42:41 AM	24	gradCels
SC ALRO SA	pH	8/19/2016 11:42:40 AM	3	unit pH
SC ALRO SA	Clor	8/19/2016 11:37:24 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 11:37:23 AM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 11:37:22 AM	12	mg/l
SC ALRO SA	Temp	8/19/2016 11:37:21 AM	24	gradCels
SC ALRO SA	pH	8/19/2016 11:37:20 AM	3	unit pH
SC ALRO SA	Clor	8/19/2016 11:35:50 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 11:35:30 AM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 11:34:50 AM	12	mg/l
SC ALRO SA	Temp	8/19/2016 11:34:40 AM	24	gradCels
SC ALRO SA	pH	8/19/2016 11:34:30 AM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 11:32:00 AM	12	mg/l
SC ALRO SA	Clor	8/19/2016 11:31:43 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 11:31:42 AM	0	mg/l
SC ALRO SA	Temp	8/19/2016 11:31:41 AM	24	gradCels
SC ALRO SA	pH	8/19/2016 11:31:40 AM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 11:27:12 AM	12	mg/l
SC ALRO SA	Clor	8/19/2016 11:26:03 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 11:26:02 AM	0	mg/l
SC ALRO SA	Temp	8/19/2016 11:26:01 AM	24	gradCels
SC ALRO SA	pH	8/19/2016 11:26:00 AM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 11:21:00 AM	12	mg/l
SC ALRO SA	Clor	8/19/2016 11:20:43 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 11:20:42 AM	0	mg/l
SC ALRO SA	Temp	8/19/2016 11:20:41 AM	24	gradCels
SC ALRO SA	pH	8/19/2016 11:20:40 AM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 11:16:13 AM	12	mg/l
SC ALRO SA	Clor	8/19/2016 11:15:10 AM	0	mg/l
SC ALRO SA	Clor	8/19/2016 11:15:03 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 11:15:02 AM	0	mg/l
SC ALRO SA	Temp	8/19/2016 11:15:01 AM	24	gradCels
SC ALRO SA	pH	8/19/2016 11:15:00 AM	3	unit pH
SC ALRO SA	Grasimi	8/19/2016 11:14:40 AM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 11:14:30 AM	12	mg/l
SC ALRO SA	Temp	8/19/2016 11:14:20 AM	24	gradCels
SC ALRO SA	pH	8/19/2016 11:14:10 AM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 11:10:00 AM	12	mg/l
SC ALRO SA	Clor	8/19/2016 11:09:43 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 11:09:42 AM	0	mg/l
SC ALRO SA	Temp	8/19/2016 11:09:41 AM	24	gradCels
SC ALRO SA	pH	8/19/2016 11:09:40 AM	3	unit pH
SC ALRO SA	Clor	8/19/2016 11:04:04 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 11:04:03 AM	0	mg/l
SC ALRO SA	Temp	8/19/2016 11:04:02 AM	24	gradCels
SC ALRO SA	Substante organice	8/19/2016 11:04:01 AM	12	mg/l
SC ALRO SA	pH	8/19/2016 11:04:00 AM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 10:59:00 AM	11	mg/l
SC ALRO SA	Clor	8/19/2016 10:58:43 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 10:58:42 AM	0	mg/l
SC ALRO SA	Temp	8/19/2016 10:58:41 AM	24	gradCels
SC ALRO SA	pH	8/19/2016 10:58:40 AM	3	unit pH
SC ALRO SA	Clor	8/19/2016 10:55:20 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 10:54:30 AM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 10:54:10 AM	11	mg/l
SC ALRO SA	Temp	8/19/2016 10:53:50 AM	24	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	8/19/2016 10:53:20 AM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 10:53:05 AM	11	mg/l
SC ALRO SA	Clor	8/19/2016 10:53:03 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 10:53:02 AM	0	mg/l
SC ALRO SA	Temp	8/19/2016 10:53:01 AM	24	gradCels
SC ALRO SA	pH	8/19/2016 10:53:00 AM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 10:48:06 AM	11	mg/l
SC ALRO SA	Clor	8/19/2016 10:47:43 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 10:47:42 AM	0	mg/l
SC ALRO SA	Temp	8/19/2016 10:47:41 AM	24	gradCels
SC ALRO SA	pH	8/19/2016 10:47:40 AM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 10:42:05 AM	11	mg/l
SC ALRO SA	Clor	8/19/2016 10:42:03 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 10:42:02 AM	0	mg/l
SC ALRO SA	Temp	8/19/2016 10:42:01 AM	24	gradCels
SC ALRO SA	pH	8/19/2016 10:42:00 AM	3	unit pH
SC ALRO SA	Clor	8/19/2016 10:36:44 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 10:36:43 AM	0	mg/l
SC ALRO SA	Temp	8/19/2016 10:36:42 AM	24	gradCels
SC ALRO SA	Substante organice	8/19/2016 10:36:41 AM	11	mg/l
SC ALRO SA	pH	8/19/2016 10:36:40 AM	3	unit pH
SC ALRO SA	Clor	8/19/2016 10:35:30 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 10:35:10 AM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 10:34:20 AM	11	mg/l
SC ALRO SA	Temp	8/19/2016 10:34:10 AM	24	gradCels
SC ALRO SA	pH	8/19/2016 10:33:50 AM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 10:31:05 AM	11	mg/l
SC ALRO SA	Clor	8/19/2016 10:31:03 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 10:31:02 AM	0	mg/l
SC ALRO SA	pH	8/19/2016 10:31:01 AM	3	unit pH
SC ALRO SA	Temp	8/19/2016 10:31:00 AM	24	gradCels
SC ALRO SA	Substante organice	8/19/2016 10:26:06 AM	11	mg/l
SC ALRO SA	Clor	8/19/2016 10:25:23 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 10:25:22 AM	0	mg/l
SC ALRO SA	Temp	8/19/2016 10:25:21 AM	24	gradCels
SC ALRO SA	pH	8/19/2016 10:25:20 AM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 10:20:04 AM	11	mg/l
SC ALRO SA	Clor	8/19/2016 10:20:03 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 10:20:02 AM	0	mg/l
SC ALRO SA	Temp	8/19/2016 10:20:01 AM	24	gradCels
SC ALRO SA	pH	8/19/2016 10:20:00 AM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 10:15:06 AM	11	mg/l
SC ALRO SA	Clor	8/19/2016 10:14:30 AM	0	mg/l
SC ALRO SA	Clor	8/19/2016 10:14:24 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 10:14:22 AM	0	mg/l
SC ALRO SA	Temp	8/19/2016 10:14:21 AM	24	gradCels
SC ALRO SA	pH	8/19/2016 10:14:20 AM	3	unit pH
SC ALRO SA	Grasimi	8/19/2016 10:14:00 AM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 10:13:50 AM	11	mg/l
SC ALRO SA	Temp	8/19/2016 10:13:40 AM	24	gradCels
SC ALRO SA	pH	8/19/2016 10:13:30 AM	3	unit pH
SC ALRO SA	Clor	8/19/2016 10:09:04 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 10:09:03 AM	0	mg/l
SC ALRO SA	Temp	8/19/2016 10:09:02 AM	24	gradCels
SC ALRO SA	Substante organice	8/19/2016 10:09:01 AM	11	mg/l
SC ALRO SA	pH	8/19/2016 10:09:00 AM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 10:04:06 AM	11	mg/l
SC ALRO SA	Clor	8/19/2016 10:03:23 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 10:03:22 AM	0	mg/l
SC ALRO SA	Temp	8/19/2016 10:03:21 AM	24	gradCels
SC ALRO SA	pH	8/19/2016 10:03:20 AM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 9:58:05 AM	11	mg/l
SC ALRO SA	Clor	8/19/2016 9:58:03 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 9:58:02 AM	0	mg/l
SC ALRO SA	pH	8/19/2016 9:58:01 AM	3	unit pH
SC ALRO SA	Temp	8/19/2016 9:58:00 AM	24	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Clor	8/19/2016 9:56:40 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 9:56:20 AM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 9:55:40 AM	11	mg/l
SC ALRO SA	Temp	8/19/2016 9:55:30 AM	24	gradCels
SC ALRO SA	pH	8/19/2016 9:55:20 AM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 9:53:02 AM	11	mg/l
SC ALRO SA	Clor	8/19/2016 9:52:23 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 9:52:22 AM	0	mg/l
SC ALRO SA	pH	8/19/2016 9:52:21 AM	3	unit pH
SC ALRO SA	Temp	8/19/2016 9:52:20 AM	24	gradCels
SC ALRO SA	Substante organice	8/19/2016 9:47:00 AM	11	mg/l
SC ALRO SA	Clor	8/19/2016 9:46:43 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 9:46:42 AM	0	mg/l
SC ALRO SA	pH	8/19/2016 9:46:41 AM	3	unit pH
SC ALRO SA	Temp	8/19/2016 9:46:40 AM	24	gradCels
SC ALRO SA	Substante organice	8/19/2016 9:42:00 AM	11	mg/l
SC ALRO SA	Clor	8/19/2016 9:41:23 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 9:41:22 AM	0	mg/l
SC ALRO SA	Temp	8/19/2016 9:41:21 AM	24	gradCels
SC ALRO SA	pH	8/19/2016 9:41:20 AM	3	unit pH
SC ALRO SA	Clor	8/19/2016 9:35:50 AM	0	mg/l
SC ALRO SA	Clor	8/19/2016 9:35:44 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 9:35:43 AM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 9:35:42 AM	11	mg/l
SC ALRO SA	pH	8/19/2016 9:35:41 AM	3	unit pH
SC ALRO SA	Temp	8/19/2016 9:35:40 AM	24	gradCels
SC ALRO SA	Grasimi	8/19/2016 9:35:20 AM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 9:35:10 AM	11	mg/l
SC ALRO SA	Temp	8/19/2016 9:34:50 AM	24	gradCels
SC ALRO SA	pH	8/19/2016 9:34:40 AM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 9:31:00 AM	11	mg/l
SC ALRO SA	Clor	8/19/2016 9:30:23 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 9:30:22 AM	0	mg/l
SC ALRO SA	pH	8/19/2016 9:30:21 AM	3	unit pH
SC ALRO SA	Temp	8/19/2016 9:30:20 AM	24	gradCels
SC ALRO SA	Substante organice	8/19/2016 9:25:00 AM	11	mg/l
SC ALRO SA	Clor	8/19/2016 9:24:43 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 9:24:42 AM	0	mg/l
SC ALRO SA	Temp	8/19/2016 9:24:41 AM	24	gradCels
SC ALRO SA	pH	8/19/2016 9:24:40 AM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 9:20:00 AM	11	mg/l
SC ALRO SA	Clor	8/19/2016 9:19:03 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 9:19:02 AM	0	mg/l
SC ALRO SA	Temp	8/19/2016 9:19:01 AM	24	gradCels
SC ALRO SA	pH	8/19/2016 9:19:00 AM	3	unit pH
SC ALRO SA	Clor	8/19/2016 9:15:20 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 9:14:20 AM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 9:14:10 AM	11	mg/l
SC ALRO SA	Substante organice	8/19/2016 9:14:00 AM	11	mg/l
SC ALRO SA	Temp	8/19/2016 9:13:50 AM	24	gradCels
SC ALRO SA	Clor	8/19/2016 9:13:43 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 9:13:42 AM	0	mg/l
SC ALRO SA	pH	8/19/2016 9:13:41 AM	3	unit pH
SC ALRO SA	Temp	8/19/2016 9:13:40 AM	24	gradCels
SC ALRO SA	pH	8/19/2016 9:13:20 AM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 9:09:00 AM	11	mg/l
SC ALRO SA	Clor	8/19/2016 9:08:43 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 9:08:42 AM	0	mg/l
SC ALRO SA	Temp	8/19/2016 9:08:41 AM	24	gradCels
SC ALRO SA	pH	8/19/2016 9:08:40 AM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 9:04:03 AM	11	mg/l
SC ALRO SA	Clor	8/19/2016 9:03:47 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 9:03:46 AM	0	mg/l
SC ALRO SA	pH	8/19/2016 9:03:45 AM	3	unit pH
SC ALRO SA	Temp	8/19/2016 9:03:44 AM	24	gradCels
SC ALRO SA	Substante organice	8/19/2016 8:59:22 AM	11	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Clor	8/19/2016 8:58:09 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 8:58:08 AM	0	mg/l
SC ALRO SA	pH	8/19/2016 8:58:07 AM	3	unit pH
SC ALRO SA	Temp	8/19/2016 8:58:06 AM	24	gradCels
SC ALRO SA	Clor	8/19/2016 8:56:20 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 8:55:50 AM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 8:55:30 AM	11	mg/l
SC ALRO SA	Temp	8/19/2016 8:55:10 AM	24	gradCels
SC ALRO SA	pH	8/19/2016 8:55:00 AM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 8:53:02 AM	11	mg/l
SC ALRO SA	Clor	8/19/2016 8:52:47 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 8:52:46 AM	0	mg/l
SC ALRO SA	pH	8/19/2016 8:52:45 AM	3	unit pH
SC ALRO SA	Temp	8/19/2016 8:52:44 AM	24	gradCels
SC ALRO SA	Substante organice	8/19/2016 8:48:21 AM	11	mg/l
SC ALRO SA	Clor	8/19/2016 8:47:09 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 8:47:08 AM	0	mg/l
SC ALRO SA	pH	8/19/2016 8:47:07 AM	3	unit pH
SC ALRO SA	Temp	8/19/2016 8:47:06 AM	24	gradCels
SC ALRO SA	Substante organice	8/19/2016 8:42:03 AM	11	mg/l
SC ALRO SA	Clor	8/19/2016 8:41:46 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 8:41:45 AM	0	mg/l
SC ALRO SA	Temp	8/19/2016 8:41:44 AM	24	gradCels
SC ALRO SA	pH	8/19/2016 8:41:43 AM	3	unit pH
SC ALRO SA	Clor	8/19/2016 8:38:30 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 8:38:10 AM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 8:38:00 AM	11	mg/l
SC ALRO SA	Temp	8/19/2016 8:37:50 AM	24	gradCels
SC ALRO SA	pH	8/19/2016 8:37:30 AM	3	unit pH
SC ALRO SA	Clor	8/19/2016 8:36:07 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 8:36:06 AM	0	mg/l
SC ALRO SA	Temp	8/19/2016 8:36:05 AM	24	gradCels
SC ALRO SA	Substante organice	8/19/2016 8:36:04 AM	11	mg/l
SC ALRO SA	pH	8/19/2016 8:36:03 AM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 8:31:02 AM	11	mg/l
SC ALRO SA	Clor	8/19/2016 8:30:43 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 8:30:42 AM	0	mg/l
SC ALRO SA	pH	8/19/2016 8:30:41 AM	3	unit pH
SC ALRO SA	Temp	8/19/2016 8:30:40 AM	24	gradCels
SC ALRO SA	Substante organice	8/19/2016 8:25:11 AM	11	mg/l
SC ALRO SA	Clor	8/19/2016 8:25:03 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 8:25:02 AM	0	mg/l
SC ALRO SA	pH	8/19/2016 8:25:01 AM	3	unit pH
SC ALRO SA	Temp	8/19/2016 8:25:00 AM	24	gradCels
SC ALRO SA	Substante organice	8/19/2016 8:20:03 AM	11	mg/l
SC ALRO SA	Clor	8/19/2016 8:19:30 AM	0	mg/l
SC ALRO SA	Clor	8/19/2016 8:19:26 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 8:19:25 AM	0	mg/l
SC ALRO SA	Temp	8/19/2016 8:19:24 AM	24	gradCels
SC ALRO SA	pH	8/19/2016 8:19:23 AM	3	unit pH
SC ALRO SA	Grasimi	8/19/2016 8:19:00 AM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 8:18:50 AM	11	mg/l
SC ALRO SA	Temp	8/19/2016 8:18:40 AM	24	gradCels
SC ALRO SA	pH	8/19/2016 8:18:30 AM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 8:14:11 AM	11	mg/l
SC ALRO SA	Clor	8/19/2016 8:14:03 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 8:14:02 AM	0	mg/l
SC ALRO SA	pH	8/19/2016 8:14:01 AM	3	unit pH
SC ALRO SA	Temp	8/19/2016 8:14:00 AM	24	gradCels
SC ALRO SA	Clor	8/19/2016 8:08:27 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 8:08:26 AM	0	mg/l
SC ALRO SA	Temp	8/19/2016 8:08:25 AM	24	gradCels
SC ALRO SA	Substante organice	8/19/2016 8:08:24 AM	11	mg/l
SC ALRO SA	pH	8/19/2016 8:08:23 AM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 8:03:11 AM	11	mg/l
SC ALRO SA	Clor	8/19/2016 8:03:03 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Grasimi	8/19/2016 8:03:02 AM	0	mg/l
SC ALRO SA	Temp	8/19/2016 8:03:01 AM	24	gradCels
SC ALRO SA	pH	8/19/2016 8:03:00 AM	3	unit pH
SC ALRO SA	Clor	8/19/2016 8:01:50 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 8:01:30 AM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 8:01:20 AM	11	mg/l
SC ALRO SA	Temp	8/19/2016 8:01:10 AM	24	gradCels
SC ALRO SA	pH	8/19/2016 8:00:50 AM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 7:58:02 AM	11	mg/l
SC ALRO SA	Clor	8/19/2016 7:57:27 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 7:57:26 AM	0	mg/l
SC ALRO SA	pH	8/19/2016 7:57:25 AM	3	unit pH
SC ALRO SA	Temp	8/19/2016 7:57:24 AM	24	gradCels
SC ALRO SA	Substante organice	8/19/2016 7:52:11 AM	11	mg/l
SC ALRO SA	Clor	8/19/2016 7:52:03 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 7:52:02 AM	0	mg/l
SC ALRO SA	pH	8/19/2016 7:52:01 AM	3	unit pH
SC ALRO SA	Temp	8/19/2016 7:52:00 AM	24	gradCels
SC ALRO SA	Substante organice	8/19/2016 7:47:03 AM	11	mg/l
SC ALRO SA	Clor	8/19/2016 7:46:26 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 7:46:25 AM	0	mg/l
SC ALRO SA	pH	8/19/2016 7:46:24 AM	3	unit pH
SC ALRO SA	Temp	8/19/2016 7:46:23 AM	24	gradCels
SC ALRO SA	Clor	8/19/2016 7:44:40 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 7:44:20 AM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 7:43:40 AM	11	mg/l
SC ALRO SA	Temp	8/19/2016 7:43:30 AM	24	gradCels
SC ALRO SA	pH	8/19/2016 7:43:20 AM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 7:41:11 AM	11	mg/l
SC ALRO SA	Clor	8/19/2016 7:41:03 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 7:41:02 AM	0	mg/l
SC ALRO SA	pH	8/19/2016 7:41:01 AM	3	unit pH
SC ALRO SA	Temp	8/19/2016 7:41:00 AM	24	gradCels
SC ALRO SA	Clor	8/19/2016 7:35:27 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 7:35:26 AM	0	mg/l
SC ALRO SA	Temp	8/19/2016 7:35:25 AM	24	gradCels
SC ALRO SA	Substante organice	8/19/2016 7:35:24 AM	11	mg/l
SC ALRO SA	pH	8/19/2016 7:35:23 AM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 7:30:11 AM	11	mg/l
SC ALRO SA	Clor	8/19/2016 7:30:06 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 7:30:05 AM	0	mg/l
SC ALRO SA	Temp	8/19/2016 7:30:04 AM	24	gradCels
SC ALRO SA	pH	8/19/2016 7:30:03 AM	3	unit pH
SC ALRO SA	Clor	8/19/2016 7:26:20 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 7:25:30 AM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 7:25:03 AM	11	mg/l
SC ALRO SA	Substante organice	8/19/2016 7:24:50 AM	11	mg/l
SC ALRO SA	Temp	8/19/2016 7:24:40 AM	24	gradCels
SC ALRO SA	pH	8/19/2016 7:24:30 AM	3	unit pH
SC ALRO SA	Clor	8/19/2016 7:24:23 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 7:24:22 AM	0	mg/l
SC ALRO SA	Temp	8/19/2016 7:24:21 AM	24	gradCels
SC ALRO SA	pH	8/19/2016 7:24:20 AM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 7:19:11 AM	11	mg/l
SC ALRO SA	Clor	8/19/2016 7:19:06 AM	0	mg/l
SC ALRO SA	Temp	8/19/2016 7:19:05 AM	24	gradCels
SC ALRO SA	Grasimi	8/19/2016 7:19:04 AM	0	mg/l
SC ALRO SA	pH	8/19/2016 7:19:03 AM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 7:14:09 AM	11	mg/l
SC ALRO SA	Clor	8/19/2016 7:13:26 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 7:13:25 AM	0	mg/l
SC ALRO SA	pH	8/19/2016 7:13:24 AM	3	unit pH
SC ALRO SA	Temp	8/19/2016 7:13:23 AM	24	gradCels
SC ALRO SA	Clor	8/19/2016 7:07:44 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 7:07:43 AM	0	mg/l
SC ALRO SA	Temp	8/19/2016 7:07:42 AM	24	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	8/19/2016 7:07:41 AM	11	mg/l
SC ALRO SA	pH	8/19/2016 7:07:40 AM	3	unit pH
SC ALRO SA	Clor	8/19/2016 7:07:10 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 7:06:50 AM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 7:06:40 AM	11	mg/l
SC ALRO SA	Temp	8/19/2016 7:06:30 AM	25	gradCels
SC ALRO SA	pH	8/19/2016 7:06:20 AM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 7:03:08 AM	11	mg/l
SC ALRO SA	Clor	8/19/2016 7:02:23 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 7:02:22 AM	0	mg/l
SC ALRO SA	Temp	8/19/2016 7:02:21 AM	25	gradCels
SC ALRO SA	pH	8/19/2016 7:02:20 AM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 6:57:03 AM	11	mg/l
SC ALRO SA	Clor	8/19/2016 6:56:46 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 6:56:45 AM	0	mg/l
SC ALRO SA	Temp	8/19/2016 6:56:44 AM	25	gradCels
SC ALRO SA	pH	8/19/2016 6:56:43 AM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 6:52:15 AM	11	mg/l
SC ALRO SA	Clor	8/19/2016 6:51:23 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 6:51:22 AM	0	mg/l
SC ALRO SA	Temp	8/19/2016 6:51:21 AM	25	gradCels
SC ALRO SA	pH	8/19/2016 6:51:20 AM	3	unit pH
SC ALRO SA	Clor	8/19/2016 6:50:00 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 6:49:40 AM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 6:49:30 AM	11	mg/l
SC ALRO SA	Temp	8/19/2016 6:49:20 AM	25	gradCels
SC ALRO SA	pH	8/19/2016 6:48:50 AM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 6:46:03 AM	11	mg/l
SC ALRO SA	Clor	8/19/2016 6:45:46 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 6:45:45 AM	0	mg/l
SC ALRO SA	Temp	8/19/2016 6:45:44 AM	25	gradCels
SC ALRO SA	pH	8/19/2016 6:45:43 AM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 6:41:16 AM	11	mg/l
SC ALRO SA	Clor	8/19/2016 6:40:23 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 6:40:22 AM	0	mg/l
SC ALRO SA	Temp	8/19/2016 6:40:21 AM	25	gradCels
SC ALRO SA	pH	8/19/2016 6:40:20 AM	3	unit pH
SC ALRO SA	Clor	8/19/2016 6:34:47 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 6:34:46 AM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 6:34:45 AM	11	mg/l
SC ALRO SA	Temp	8/19/2016 6:34:44 AM	25	gradCels
SC ALRO SA	pH	8/19/2016 6:34:43 AM	3	unit pH
SC ALRO SA	Clor	8/19/2016 6:31:40 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 6:31:20 AM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 6:31:10 AM	11	mg/l
SC ALRO SA	Temp	8/19/2016 6:30:50 AM	25	gradCels
SC ALRO SA	pH	8/19/2016 6:30:20 AM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 6:30:15 AM	11	mg/l
SC ALRO SA	Clor	8/19/2016 6:29:23 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 6:29:22 AM	0	mg/l
SC ALRO SA	Temp	8/19/2016 6:29:21 AM	25	gradCels
SC ALRO SA	pH	8/19/2016 6:29:20 AM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 6:24:03 AM	11	mg/l
SC ALRO SA	Clor	8/19/2016 6:23:46 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 6:23:45 AM	0	mg/l
SC ALRO SA	pH	8/19/2016 6:23:44 AM	3	unit pH
SC ALRO SA	Temp	8/19/2016 6:23:43 AM	25	gradCels
SC ALRO SA	Substante organice	8/19/2016 6:19:16 AM	11	mg/l
SC ALRO SA	Clor	8/19/2016 6:18:03 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 6:18:02 AM	0	mg/l
SC ALRO SA	Temp	8/19/2016 6:18:01 AM	25	gradCels
SC ALRO SA	pH	8/19/2016 6:18:00 AM	3	unit pH
SC ALRO SA	Clor	8/19/2016 6:13:10 AM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 6:13:03 AM	11	mg/l
SC ALRO SA	Clor	8/19/2016 6:12:43 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 6:12:42 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	8/19/2016 6:12:41 AM	25	gradCels
SC ALRO SA	pH	8/19/2016 6:12:40 AM	3	unit pH
SC ALRO SA	Grasimi	8/19/2016 6:12:20 AM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 6:12:10 AM	11	mg/l
SC ALRO SA	Temp	8/19/2016 6:12:00 AM	25	gradCels
SC ALRO SA	pH	8/19/2016 6:11:50 AM	3	unit pH
SC ALRO SA	Clor	8/19/2016 6:07:04 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 6:07:03 AM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 6:07:02 AM	11	mg/l
SC ALRO SA	Temp	8/19/2016 6:07:01 AM	25	gradCels
SC ALRO SA	pH	8/19/2016 6:07:00 AM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 6:02:02 AM	11	mg/l
SC ALRO SA	Clor	8/19/2016 6:01:47 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 6:01:46 AM	0	mg/l
SC ALRO SA	Temp	8/19/2016 6:01:45 AM	25	gradCels
SC ALRO SA	pH	8/19/2016 6:01:44 AM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 5:57:15 AM	11	mg/l
SC ALRO SA	Clor	8/19/2016 5:56:03 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 5:56:02 AM	0	mg/l
SC ALRO SA	pH	8/19/2016 5:56:01 AM	3	unit pH
SC ALRO SA	Temp	8/19/2016 5:56:00 AM	25	gradCels
SC ALRO SA	Clor	8/19/2016 5:55:00 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 5:54:40 AM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 5:54:30 AM	11	mg/l
SC ALRO SA	Temp	8/19/2016 5:54:20 AM	25	gradCels
SC ALRO SA	pH	8/19/2016 5:53:40 AM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 5:51:03 AM	11	mg/l
SC ALRO SA	Clor	8/19/2016 5:50:46 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 5:50:45 AM	0	mg/l
SC ALRO SA	Temp	8/19/2016 5:50:44 AM	25	gradCels
SC ALRO SA	pH	8/19/2016 5:50:43 AM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 5:46:17 AM	11	mg/l
SC ALRO SA	Clor	8/19/2016 5:45:06 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 5:45:05 AM	0	mg/l
SC ALRO SA	Temp	8/19/2016 5:45:04 AM	25	gradCels
SC ALRO SA	pH	8/19/2016 5:45:03 AM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 5:40:03 AM	11	mg/l
SC ALRO SA	Clor	8/19/2016 5:39:46 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 5:39:45 AM	0	mg/l
SC ALRO SA	pH	8/19/2016 5:39:44 AM	3	unit pH
SC ALRO SA	Temp	8/19/2016 5:39:43 AM	25	gradCels
SC ALRO SA	Clor	8/19/2016 5:35:30 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 5:34:30 AM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 5:34:20 AM	11	mg/l
SC ALRO SA	Clor	8/19/2016 5:34:07 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 5:34:06 AM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 5:34:05 AM	11	mg/l
SC ALRO SA	Temp	8/19/2016 5:34:04 AM	25	gradCels
SC ALRO SA	pH	8/19/2016 5:34:03 AM	3	unit pH
SC ALRO SA	Temp	8/19/2016 5:33:50 AM	25	gradCels
SC ALRO SA	pH	8/19/2016 5:33:40 AM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 5:29:02 AM	11	mg/l
SC ALRO SA	Clor	8/19/2016 5:28:43 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 5:28:42 AM	0	mg/l
SC ALRO SA	Temp	8/19/2016 5:28:41 AM	25	gradCels
SC ALRO SA	pH	8/19/2016 5:28:40 AM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 5:23:11 AM	11	mg/l
SC ALRO SA	Clor	8/19/2016 5:23:06 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 5:23:05 AM	0	mg/l
SC ALRO SA	Temp	8/19/2016 5:23:04 AM	25	gradCels
SC ALRO SA	pH	8/19/2016 5:23:03 AM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 5:18:03 AM	11	mg/l
SC ALRO SA	Clor	8/19/2016 5:17:23 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 5:17:22 AM	0	mg/l
SC ALRO SA	Temp	8/19/2016 5:17:21 AM	25	gradCels
SC ALRO SA	pH	8/19/2016 5:17:20 AM	3	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Clor	8/19/2016 5:16:30 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 5:16:10 AM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 5:15:50 AM	11	mg/l
SC ALRO SA	Temp	8/19/2016 5:15:40 AM	25	gradCels
SC ALRO SA	pH	8/19/2016 5:15:30 AM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 5:12:11 AM	11	mg/l
SC ALRO SA	Clor	8/19/2016 5:12:03 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 5:12:02 AM	0	mg/l
SC ALRO SA	Temp	8/19/2016 5:12:01 AM	25	gradCels
SC ALRO SA	pH	8/19/2016 5:12:00 AM	3	unit pH
SC ALRO SA	Clor	8/19/2016 5:06:27 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 5:06:26 AM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 5:06:25 AM	11	mg/l
SC ALRO SA	Temp	8/19/2016 5:06:24 AM	25	gradCels
SC ALRO SA	pH	8/19/2016 5:06:23 AM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 5:01:11 AM	11	mg/l
SC ALRO SA	Clor	8/19/2016 5:01:07 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 5:01:06 AM	0	mg/l
SC ALRO SA	Temp	8/19/2016 5:01:05 AM	25	gradCels
SC ALRO SA	pH	8/19/2016 5:01:04 AM	3	unit pH
SC ALRO SA	Clor	8/19/2016 4:56:50 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 4:56:10 AM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 4:56:03 AM	11	mg/l
SC ALRO SA	Substante organice	8/19/2016 4:55:50 AM	11	mg/l
SC ALRO SA	Temp	8/19/2016 4:55:40 AM	25	gradCels
SC ALRO SA	pH	8/19/2016 4:55:30 AM	3	unit pH
SC ALRO SA	Clor	8/19/2016 4:55:23 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 4:55:22 AM	0	mg/l
SC ALRO SA	Temp	8/19/2016 4:55:21 AM	25	gradCels
SC ALRO SA	pH	8/19/2016 4:55:20 AM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 4:50:11 AM	11	mg/l
SC ALRO SA	Clor	8/19/2016 4:50:06 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 4:50:05 AM	0	mg/l
SC ALRO SA	Temp	8/19/2016 4:50:04 AM	25	gradCels
SC ALRO SA	pH	8/19/2016 4:50:03 AM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 4:45:09 AM	11	mg/l
SC ALRO SA	Clor	8/19/2016 4:44:23 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 4:44:22 AM	0	mg/l
SC ALRO SA	Temp	8/19/2016 4:44:21 AM	25	gradCels
SC ALRO SA	pH	8/19/2016 4:44:20 AM	3	unit pH
SC ALRO SA	Clor	8/19/2016 4:39:07 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 4:39:06 AM	0	mg/l
SC ALRO SA	Temp	8/19/2016 4:39:05 AM	25	gradCels
SC ALRO SA	Substante organice	8/19/2016 4:39:04 AM	11	mg/l
SC ALRO SA	pH	8/19/2016 4:39:03 AM	3	unit pH
SC ALRO SA	Clor	8/19/2016 4:37:50 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 4:37:30 AM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 4:37:20 AM	11	mg/l
SC ALRO SA	Temp	8/19/2016 4:37:10 AM	25	gradCels
SC ALRO SA	pH	8/19/2016 4:36:50 AM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 4:34:09 AM	11	mg/l
SC ALRO SA	Clor	8/19/2016 4:33:23 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 4:33:22 AM	0	mg/l
SC ALRO SA	pH	8/19/2016 4:33:21 AM	3	unit pH
SC ALRO SA	Temp	8/19/2016 4:33:20 AM	25	gradCels
SC ALRO SA	Substante organice	8/19/2016 4:28:11 AM	11	mg/l
SC ALRO SA	Clor	8/19/2016 4:28:03 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 4:28:02 AM	0	mg/l
SC ALRO SA	pH	8/19/2016 4:28:01 AM	3	unit pH
SC ALRO SA	Temp	8/19/2016 4:28:00 AM	25	gradCels
SC ALRO SA	Substante organice	8/19/2016 4:23:09 AM	11	mg/l
SC ALRO SA	Clor	8/19/2016 4:22:26 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 4:22:25 AM	0	mg/l
SC ALRO SA	Temp	8/19/2016 4:22:24 AM	25	gradCels
SC ALRO SA	pH	8/19/2016 4:22:23 AM	3	unit pH
SC ALRO SA	Clor	8/19/2016 4:17:20 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	8/19/2016 4:17:03 AM	11	mg/l
SC ALRO SA	Grasimi	8/19/2016 4:16:50 AM	0	mg/l
SC ALRO SA	Clor	8/19/2016 4:16:46 AM	0	mg/l
SC ALRO SA	Temp	8/19/2016 4:16:45 AM	25	gradCels
SC ALRO SA	Grasimi	8/19/2016 4:16:44 AM	0	mg/l
SC ALRO SA	pH	8/19/2016 4:16:43 AM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 4:16:30 AM	11	mg/l
SC ALRO SA	Temp	8/19/2016 4:16:20 AM	25	gradCels
SC ALRO SA	pH	8/19/2016 4:16:10 AM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 4:12:03 AM	11	mg/l
SC ALRO SA	Clor	8/19/2016 4:11:23 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 4:11:22 AM	0	mg/l
SC ALRO SA	pH	8/19/2016 4:11:21 AM	3	unit pH
SC ALRO SA	Temp	8/19/2016 4:11:20 AM	25	gradCels
SC ALRO SA	Clor	8/19/2016 4:05:44 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 4:05:43 AM	0	mg/l
SC ALRO SA	Temp	8/19/2016 4:05:42 AM	25	gradCels
SC ALRO SA	Substante organice	8/19/2016 4:05:41 AM	11	mg/l
SC ALRO SA	pH	8/19/2016 4:05:40 AM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 4:01:03 AM	11	mg/l
SC ALRO SA	Clor	8/19/2016 4:00:23 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 4:00:22 AM	0	mg/l
SC ALRO SA	pH	8/19/2016 4:00:21 AM	3	unit pH
SC ALRO SA	Temp	8/19/2016 4:00:20 AM	25	gradCels
SC ALRO SA	Clor	8/19/2016 3:58:50 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 3:57:20 AM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 3:57:10 AM	11	mg/l
SC ALRO SA	Temp	8/19/2016 3:56:50 AM	25	gradCels
SC ALRO SA	pH	8/19/2016 3:56:20 AM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 3:55:03 AM	11	mg/l
SC ALRO SA	Clor	8/19/2016 3:54:43 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 3:54:42 AM	0	mg/l
SC ALRO SA	Temp	8/19/2016 3:54:41 AM	25	gradCels
SC ALRO SA	pH	8/19/2016 3:54:40 AM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 3:50:03 AM	11	mg/l
SC ALRO SA	Clor	8/19/2016 3:49:23 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 3:49:22 AM	0	mg/l
SC ALRO SA	pH	8/19/2016 3:49:21 AM	3	unit pH
SC ALRO SA	Temp	8/19/2016 3:49:20 AM	25	gradCels
SC ALRO SA	Substante organice	8/19/2016 3:44:00 AM	11	mg/l
SC ALRO SA	Clor	8/19/2016 3:43:43 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 3:43:42 AM	0	mg/l
SC ALRO SA	Temp	8/19/2016 3:43:41 AM	25	gradCels
SC ALRO SA	pH	8/19/2016 3:43:40 AM	3	unit pH
SC ALRO SA	Clor	8/19/2016 3:38:24 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 3:38:23 AM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 3:38:22 AM	11	mg/l
SC ALRO SA	pH	8/19/2016 3:38:21 AM	3	unit pH
SC ALRO SA	Temp	8/19/2016 3:38:20 AM	25	gradCels
SC ALRO SA	Clor	8/19/2016 3:37:20 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 3:36:50 AM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 3:36:40 AM	11	mg/l
SC ALRO SA	Temp	8/19/2016 3:36:30 AM	25	gradCels
SC ALRO SA	pH	8/19/2016 3:36:10 AM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 3:33:00 AM	11	mg/l
SC ALRO SA	Clor	8/19/2016 3:32:43 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 3:32:42 AM	0	mg/l
SC ALRO SA	Temp	8/19/2016 3:32:41 AM	25	gradCels
SC ALRO SA	pH	8/19/2016 3:32:40 AM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 3:28:02 AM	11	mg/l
SC ALRO SA	Clor	8/19/2016 3:27:03 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 3:27:02 AM	0	mg/l
SC ALRO SA	pH	8/19/2016 3:27:01 AM	3	unit pH
SC ALRO SA	Temp	8/19/2016 3:27:00 AM	25	gradCels
SC ALRO SA	Substante organice	8/19/2016 3:22:00 AM	11	mg/l
SC ALRO SA	Clor	8/19/2016 3:21:43 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Grasimi	8/19/2016 3:21:42 AM	0	mg/l
SC ALRO SA	pH	8/19/2016 3:21:41 AM	3	unit pH
SC ALRO SA	Temp	8/19/2016 3:21:40 AM	25	gradCels
SC ALRO SA	Substante organice	8/19/2016 3:17:03 AM	11	mg/l
SC ALRO SA	Clor	8/19/2016 3:16:20 AM	0	mg/l
SC ALRO SA	Clor	8/19/2016 3:16:03 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 3:16:02 AM	0	mg/l
SC ALRO SA	Temp	8/19/2016 3:16:01 AM	25	gradCels
SC ALRO SA	pH	8/19/2016 3:16:00 AM	3	unit pH
SC ALRO SA	Grasimi	8/19/2016 3:15:50 AM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 3:15:40 AM	11	mg/l
SC ALRO SA	Temp	8/19/2016 3:15:30 AM	25	gradCels
SC ALRO SA	pH	8/19/2016 3:15:20 AM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 3:11:00 AM	11	mg/l
SC ALRO SA	Clor	8/19/2016 3:10:43 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 3:10:42 AM	0	mg/l
SC ALRO SA	Temp	8/19/2016 3:10:41 AM	25	gradCels
SC ALRO SA	pH	8/19/2016 3:10:40 AM	3	unit pH
SC ALRO SA	Clor	8/19/2016 3:05:04 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 3:05:03 AM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 3:05:02 AM	11	mg/l
SC ALRO SA	Temp	8/19/2016 3:05:01 AM	25	gradCels
SC ALRO SA	pH	8/19/2016 3:05:00 AM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 3:00:00 AM	11	mg/l
SC ALRO SA	Clor	8/19/2016 2:59:43 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 2:59:42 AM	0	mg/l
SC ALRO SA	Temp	8/19/2016 2:59:41 AM	25	gradCels
SC ALRO SA	pH	8/19/2016 2:59:40 AM	3	unit pH
SC ALRO SA	Clor	8/19/2016 2:54:20 AM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 2:54:05 AM	11	mg/l
SC ALRO SA	Clor	8/19/2016 2:54:03 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 2:54:02 AM	0	mg/l
SC ALRO SA	pH	8/19/2016 2:54:01 AM	3	unit pH
SC ALRO SA	Temp	8/19/2016 2:54:00 AM	25	gradCels
SC ALRO SA	Grasimi	8/19/2016 2:53:40 AM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 2:53:30 AM	11	mg/l
SC ALRO SA	Temp	8/19/2016 2:53:20 AM	25	gradCels
SC ALRO SA	pH	8/19/2016 2:53:10 AM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 2:49:00 AM	11	mg/l
SC ALRO SA	Clor	8/19/2016 2:48:23 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 2:48:22 AM	0	mg/l
SC ALRO SA	pH	8/19/2016 2:48:21 AM	3	unit pH
SC ALRO SA	Temp	8/19/2016 2:48:20 AM	25	gradCels
SC ALRO SA	Substante organice	8/19/2016 2:43:05 AM	11	mg/l
SC ALRO SA	Clor	8/19/2016 2:43:03 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 2:43:02 AM	0	mg/l
SC ALRO SA	pH	8/19/2016 2:43:01 AM	3	unit pH
SC ALRO SA	Temp	8/19/2016 2:43:00 AM	25	gradCels
SC ALRO SA	Substante organice	8/19/2016 2:38:06 AM	11	mg/l
SC ALRO SA	Clor	8/19/2016 2:37:23 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 2:37:22 AM	0	mg/l
SC ALRO SA	Temp	8/19/2016 2:37:21 AM	25	gradCels
SC ALRO SA	pH	8/19/2016 2:37:20 AM	3	unit pH
SC ALRO SA	Clor	8/19/2016 2:34:50 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 2:34:20 AM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 2:33:40 AM	11	mg/l
SC ALRO SA	Temp	8/19/2016 2:33:30 AM	25	gradCels
SC ALRO SA	pH	8/19/2016 2:33:10 AM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 2:32:05 AM	11	mg/l
SC ALRO SA	Clor	8/19/2016 2:32:03 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 2:32:02 AM	0	mg/l
SC ALRO SA	Temp	8/19/2016 2:32:01 AM	25	gradCels
SC ALRO SA	pH	8/19/2016 2:32:00 AM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 2:27:06 AM	11	mg/l
SC ALRO SA	Clor	8/19/2016 2:26:23 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 2:26:22 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	8/19/2016 2:26:21 AM	3	unit pH
SC ALRO SA	Temp	8/19/2016 2:26:20 AM	25	gradCels
SC ALRO SA	Substante organice	8/19/2016 2:21:05 AM	11	mg/l
SC ALRO SA	Clor	8/19/2016 2:21:03 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 2:21:02 AM	0	mg/l
SC ALRO SA	Temp	8/19/2016 2:21:01 AM	25	gradCels
SC ALRO SA	pH	8/19/2016 2:21:00 AM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 2:16:06 AM	11	mg/l
SC ALRO SA	Clor	8/19/2016 2:15:23 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 2:15:22 AM	0	mg/l
SC ALRO SA	pH	8/19/2016 2:15:21 AM	3	unit pH
SC ALRO SA	Temp	8/19/2016 2:15:20 AM	25	gradCels
SC ALRO SA	Clor	8/19/2016 2:13:40 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 2:13:20 AM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 2:13:10 AM	11	mg/l
SC ALRO SA	Temp	8/19/2016 2:12:50 AM	25	gradCels
SC ALRO SA	pH	8/19/2016 2:12:20 AM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 2:10:00 AM	11	mg/l
SC ALRO SA	Clor	8/19/2016 2:09:43 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 2:09:42 AM	0	mg/l
SC ALRO SA	Temp	8/19/2016 2:09:41 AM	25	gradCels
SC ALRO SA	pH	8/19/2016 2:09:40 AM	3	unit pH
SC ALRO SA	Clor	8/19/2016 2:04:24 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 2:04:23 AM	0	mg/l
SC ALRO SA	Temp	8/19/2016 2:04:22 AM	25	gradCels
SC ALRO SA	Substante organice	8/19/2016 2:04:21 AM	11	mg/l
SC ALRO SA	pH	8/19/2016 2:04:20 AM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 1:59:00 AM	11	mg/l
SC ALRO SA	Clor	8/19/2016 1:58:43 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 1:58:42 AM	0	mg/l
SC ALRO SA	Temp	8/19/2016 1:58:41 AM	25	gradCels
SC ALRO SA	pH	8/19/2016 1:58:40 AM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 1:54:00 AM	11	mg/l
SC ALRO SA	Clor	8/19/2016 1:53:23 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 1:53:22 AM	0	mg/l
SC ALRO SA	pH	8/19/2016 1:53:21 AM	3	unit pH
SC ALRO SA	Temp	8/19/2016 1:53:20 AM	25	gradCels
SC ALRO SA	Clor	8/19/2016 1:52:50 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 1:52:30 AM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 1:52:20 AM	11	mg/l
SC ALRO SA	Temp	8/19/2016 1:51:50 AM	25	gradCels
SC ALRO SA	pH	8/19/2016 1:51:40 AM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 1:48:00 AM	11	mg/l
SC ALRO SA	Clor	8/19/2016 1:47:43 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 1:47:42 AM	0	mg/l
SC ALRO SA	Temp	8/19/2016 1:47:41 AM	25	gradCels
SC ALRO SA	pH	8/19/2016 1:47:40 AM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 1:43:00 AM	11	mg/l
SC ALRO SA	Clor	8/19/2016 1:42:04 AM	0	mg/l
SC ALRO SA	Temp	8/19/2016 1:42:03 AM	25	gradCels
SC ALRO SA	Grasimi	8/19/2016 1:42:02 AM	0	mg/l
SC ALRO SA	pH	8/19/2016 1:42:01 AM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 1:37:00 AM	11	mg/l
SC ALRO SA	Clor	8/19/2016 1:36:43 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 1:36:42 AM	0	mg/l
SC ALRO SA	Temp	8/19/2016 1:36:41 AM	25	gradCels
SC ALRO SA	pH	8/19/2016 1:36:40 AM	3	unit pH
SC ALRO SA	Clor	8/19/2016 1:32:40 AM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 1:32:00 AM	11	mg/l
SC ALRO SA	Grasimi	8/19/2016 1:31:50 AM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 1:31:40 AM	11	mg/l
SC ALRO SA	Temp	8/19/2016 1:31:30 AM	25	gradCels
SC ALRO SA	pH	8/19/2016 1:31:20 AM	3	unit pH
SC ALRO SA	Clor	8/19/2016 1:31:03 AM	0	mg/l
SC ALRO SA	Temp	8/19/2016 1:31:02 AM	25	gradCels
SC ALRO SA	Grasimi	8/19/2016 1:31:01 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	8/19/2016 1:31:00 AM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 1:26:00 AM	11	mg/l
SC ALRO SA	Clor	8/19/2016 1:25:43 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 1:25:42 AM	0	mg/l
SC ALRO SA	pH	8/19/2016 1:25:41 AM	3	unit pH
SC ALRO SA	Temp	8/19/2016 1:25:40 AM	25	gradCels
SC ALRO SA	Substante organice	8/19/2016 1:21:00 AM	11	mg/l
SC ALRO SA	Clor	8/19/2016 1:20:03 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 1:20:02 AM	0	mg/l
SC ALRO SA	Temp	8/19/2016 1:20:01 AM	25	gradCels
SC ALRO SA	pH	8/19/2016 1:20:00 AM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 1:15:00 AM	11	mg/l
SC ALRO SA	Clor	8/19/2016 1:14:43 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 1:14:42 AM	0	mg/l
SC ALRO SA	Temp	8/19/2016 1:14:41 AM	25	gradCels
SC ALRO SA	pH	8/19/2016 1:14:40 AM	3	unit pH
SC ALRO SA	Clor	8/19/2016 1:13:00 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 1:12:40 AM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 1:12:30 AM	11	mg/l
SC ALRO SA	Temp	8/19/2016 1:12:20 AM	25	gradCels
SC ALRO SA	pH	8/19/2016 1:12:10 AM	3	unit pH
SC ALRO SA	Clor	8/19/2016 1:09:04 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 1:09:03 AM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 1:09:02 AM	11	mg/l
SC ALRO SA	Temp	8/19/2016 1:09:01 AM	25	gradCels
SC ALRO SA	pH	8/19/2016 1:09:00 AM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 1:04:00 AM	11	mg/l
SC ALRO SA	Clor	8/19/2016 1:03:43 AM	0	mg/l
SC ALRO SA	Temp	8/19/2016 1:03:42 AM	25	gradCels
SC ALRO SA	Grasimi	8/19/2016 1:03:41 AM	0	mg/l
SC ALRO SA	pH	8/19/2016 1:03:40 AM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 12:59:00 AM	11	mg/l
SC ALRO SA	Clor	8/19/2016 12:58:05 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 12:58:04 AM	0	mg/l
SC ALRO SA	pH	8/19/2016 12:58:03 AM	3	unit pH
SC ALRO SA	Temp	8/19/2016 12:58:02 AM	25	gradCels
SC ALRO SA	Clor	8/19/2016 12:53:20 AM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 12:53:00 AM	11	mg/l
SC ALRO SA	Grasimi	8/19/2016 12:52:50 AM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 12:52:40 AM	11	mg/l
SC ALRO SA	Temp	8/19/2016 12:52:30 AM	26	gradCels
SC ALRO SA	Clor	8/19/2016 12:52:23 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 12:52:22 AM	0	mg/l
SC ALRO SA	pH	8/19/2016 12:52:21 AM	3	unit pH
SC ALRO SA	Temp	8/19/2016 12:52:20 AM	25	gradCels
SC ALRO SA	pH	8/19/2016 12:51:40 AM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 12:47:06 AM	11	mg/l
SC ALRO SA	Clor	8/19/2016 12:47:03 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 12:47:02 AM	0	mg/l
SC ALRO SA	pH	8/19/2016 12:47:01 AM	3	unit pH
SC ALRO SA	Temp	8/19/2016 12:47:00 AM	26	gradCels
SC ALRO SA	Substante organice	8/19/2016 12:42:00 AM	11	mg/l
SC ALRO SA	Clor	8/19/2016 12:41:23 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 12:41:22 AM	0	mg/l
SC ALRO SA	Temp	8/19/2016 12:41:21 AM	26	gradCels
SC ALRO SA	pH	8/19/2016 12:41:20 AM	3	unit pH
SC ALRO SA	Clor	8/19/2016 12:36:04 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 12:36:03 AM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 12:36:02 AM	11	mg/l
SC ALRO SA	Temp	8/19/2016 12:36:01 AM	26	gradCels
SC ALRO SA	pH	8/19/2016 12:36:00 AM	3	unit pH
SC ALRO SA	Clor	8/19/2016 12:34:30 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 12:34:10 AM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 12:33:50 AM	11	mg/l
SC ALRO SA	Temp	8/19/2016 12:33:40 AM	26	gradCels
SC ALRO SA	pH	8/19/2016 12:33:30 AM	3	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	8/19/2016 12:31:00 AM	11	mg/l
SC ALRO SA	Clor	8/19/2016 12:30:23 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 12:30:22 AM	0	mg/l
SC ALRO SA	Temp	8/19/2016 12:30:21 AM	26	gradCels
SC ALRO SA	pH	8/19/2016 12:30:20 AM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 12:25:07 AM	11	mg/l
SC ALRO SA	Clor	8/19/2016 12:25:03 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 12:25:02 AM	0	mg/l
SC ALRO SA	Temp	8/19/2016 12:25:01 AM	26	gradCels
SC ALRO SA	pH	8/19/2016 12:25:00 AM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 12:20:00 AM	11	mg/l
SC ALRO SA	Clor	8/19/2016 12:19:23 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 12:19:22 AM	0	mg/l
SC ALRO SA	Temp	8/19/2016 12:19:21 AM	26	gradCels
SC ALRO SA	pH	8/19/2016 12:19:20 AM	3	unit pH
SC ALRO SA	Clor	8/19/2016 12:14:50 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 12:14:30 AM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 12:14:20 AM	11	mg/l
SC ALRO SA	Temp	8/19/2016 12:14:10 AM	26	gradCels
SC ALRO SA	Substante organice	8/19/2016 12:14:06 AM	11	mg/l
SC ALRO SA	Clor	8/19/2016 12:14:03 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 12:14:02 AM	0	mg/l
SC ALRO SA	Temp	8/19/2016 12:14:01 AM	26	gradCels
SC ALRO SA	pH	8/19/2016 12:14:00 AM	3	unit pH
SC ALRO SA	pH	8/19/2016 12:13:40 AM	3	unit pH
SC ALRO SA	Clor	8/19/2016 12:08:24 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 12:08:23 AM	0	mg/l
SC ALRO SA	Substante organice	8/19/2016 12:08:22 AM	11	mg/l
SC ALRO SA	Temp	8/19/2016 12:08:21 AM	26	gradCels
SC ALRO SA	pH	8/19/2016 12:08:20 AM	3	unit pH
SC ALRO SA	Substante organice	8/19/2016 12:03:03 AM	11	mg/l
SC ALRO SA	Clor	8/19/2016 12:02:43 AM	0	mg/l
SC ALRO SA	Grasimi	8/19/2016 12:02:42 AM	0	mg/l
SC ALRO SA	Temp	8/19/2016 12:02:41 AM	26	gradCels
SC ALRO SA	pH	8/19/2016 12:02:40 AM	3	unit pH
SC ALRO SA	Substante organice	8/18/2016 11:58:00 PM	11	mg/l
SC ALRO SA	Clor	8/18/2016 11:57:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 11:57:22 PM	0	mg/l
SC ALRO SA	Temp	8/18/2016 11:57:21 PM	26	gradCels
SC ALRO SA	pH	8/18/2016 11:57:20 PM	3	unit pH
SC ALRO SA	Clor	8/18/2016 11:56:00 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 11:55:40 PM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 11:55:30 PM	11	mg/l
SC ALRO SA	Temp	8/18/2016 11:55:20 PM	26	gradCels
SC ALRO SA	pH	8/18/2016 11:55:10 PM	3	unit pH
SC ALRO SA	Substante organice	8/18/2016 11:52:02 PM	11	mg/l
SC ALRO SA	Clor	8/18/2016 11:51:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 11:51:42 PM	0	mg/l
SC ALRO SA	Temp	8/18/2016 11:51:41 PM	26	gradCels
SC ALRO SA	pH	8/18/2016 11:51:40 PM	3	unit pH
SC ALRO SA	Substante organice	8/18/2016 11:47:00 PM	11	mg/l
SC ALRO SA	Clor	8/18/2016 11:46:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 11:46:22 PM	0	mg/l
SC ALRO SA	pH	8/18/2016 11:46:21 PM	3	unit pH
SC ALRO SA	Temp	8/18/2016 11:46:20 PM	26	gradCels
SC ALRO SA	Substante organice	8/18/2016 11:41:03 PM	11	mg/l
SC ALRO SA	Clor	8/18/2016 11:40:43 PM	0	mg/l
SC ALRO SA	Temp	8/18/2016 11:40:42 PM	26	gradCels
SC ALRO SA	Grasimi	8/18/2016 11:40:41 PM	0	mg/l
SC ALRO SA	pH	8/18/2016 11:40:40 PM	3	unit pH
SC ALRO SA	Clor	8/18/2016 11:36:10 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 11:35:40 PM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 11:35:30 PM	11	mg/l
SC ALRO SA	Temp	8/18/2016 11:35:20 PM	26	gradCels
SC ALRO SA	pH	8/18/2016 11:35:10 PM	3	unit pH
SC ALRO SA	Clor	8/18/2016 11:35:07 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Grasimi	8/18/2016 11:35:06 PM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 11:35:05 PM	11	mg/l
SC ALRO SA	Temp	8/18/2016 11:35:04 PM	26	gradCels
SC ALRO SA	pH	8/18/2016 11:35:03 PM	3	unit pH
SC ALRO SA	Substante organice	8/18/2016 11:30:03 PM	11	mg/l
SC ALRO SA	Clor	8/18/2016 11:29:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 11:29:42 PM	0	mg/l
SC ALRO SA	Temp	8/18/2016 11:29:41 PM	26	gradCels
SC ALRO SA	pH	8/18/2016 11:29:40 PM	3	unit pH
SC ALRO SA	Substante organice	8/18/2016 11:25:00 PM	11	mg/l
SC ALRO SA	Clor	8/18/2016 11:24:06 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 11:24:05 PM	0	mg/l
SC ALRO SA	Temp	8/18/2016 11:24:04 PM	26	gradCels
SC ALRO SA	pH	8/18/2016 11:24:03 PM	3	unit pH
SC ALRO SA	Substante organice	8/18/2016 11:19:02 PM	11	mg/l
SC ALRO SA	Clor	8/18/2016 11:18:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 11:18:42 PM	0	mg/l
SC ALRO SA	Temp	8/18/2016 11:18:41 PM	26	gradCels
SC ALRO SA	pH	8/18/2016 11:18:40 PM	3	unit pH
SC ALRO SA	Clor	8/18/2016 11:17:40 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 11:17:20 PM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 11:17:10 PM	11	mg/l
SC ALRO SA	Temp	8/18/2016 11:17:00 PM	26	gradCels
SC ALRO SA	pH	8/18/2016 11:16:50 PM	3	unit pH
SC ALRO SA	Substante organice	8/18/2016 11:14:00 PM	11	mg/l
SC ALRO SA	Clor	8/18/2016 11:13:06 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 11:13:05 PM	0	mg/l
SC ALRO SA	Temp	8/18/2016 11:13:04 PM	26	gradCels
SC ALRO SA	pH	8/18/2016 11:13:03 PM	3	unit pH
SC ALRO SA	Clor	8/18/2016 11:07:44 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 11:07:43 PM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 11:07:42 PM	11	mg/l
SC ALRO SA	pH	8/18/2016 11:07:41 PM	3	unit pH
SC ALRO SA	Temp	8/18/2016 11:07:40 PM	26	gradCels
SC ALRO SA	Substante organice	8/18/2016 11:03:00 PM	11	mg/l
SC ALRO SA	Clor	8/18/2016 11:02:07 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 11:02:06 PM	0	mg/l
SC ALRO SA	Temp	8/18/2016 11:02:05 PM	26	gradCels
SC ALRO SA	pH	8/18/2016 11:02:04 PM	3	unit pH
SC ALRO SA	Clor	8/18/2016 10:59:40 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 10:59:10 PM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 10:58:30 PM	11	mg/l
SC ALRO SA	Temp	8/18/2016 10:58:10 PM	26	gradCels
SC ALRO SA	pH	8/18/2016 10:57:40 PM	3	unit pH
SC ALRO SA	Substante organice	8/18/2016 10:57:00 PM	11	mg/l
SC ALRO SA	Clor	8/18/2016 10:56:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 10:56:42 PM	0	mg/l
SC ALRO SA	Temp	8/18/2016 10:56:41 PM	26	gradCels
SC ALRO SA	pH	8/18/2016 10:56:40 PM	3	unit pH
SC ALRO SA	Substante organice	8/18/2016 10:51:06 PM	11	mg/l
SC ALRO SA	Clor	8/18/2016 10:51:03 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 10:51:02 PM	0	mg/l
SC ALRO SA	Temp	8/18/2016 10:51:01 PM	26	gradCels
SC ALRO SA	pH	8/18/2016 10:51:00 PM	3	unit pH
SC ALRO SA	Substante organice	8/18/2016 10:46:00 PM	11	mg/l
SC ALRO SA	Clor	8/18/2016 10:45:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 10:45:22 PM	0	mg/l
SC ALRO SA	Temp	8/18/2016 10:45:21 PM	26	gradCels
SC ALRO SA	pH	8/18/2016 10:45:20 PM	3	unit pH
SC ALRO SA	Clor	8/18/2016 10:40:20 PM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 10:40:08 PM	11	mg/l
SC ALRO SA	Clor	8/18/2016 10:40:03 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 10:40:02 PM	0	mg/l
SC ALRO SA	pH	8/18/2016 10:40:01 PM	3	unit pH
SC ALRO SA	Temp	8/18/2016 10:40:00 PM	26	gradCels
SC ALRO SA	Grasimi	8/18/2016 10:39:40 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	8/18/2016 10:39:30 PM	11	mg/l
SC ALRO SA	Temp	8/18/2016 10:39:10 PM	26	gradCels
SC ALRO SA	pH	8/18/2016 10:39:00 PM	3	unit pH
SC ALRO SA	Clor	8/18/2016 10:34:24 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 10:34:23 PM	0	mg/l
SC ALRO SA	Temp	8/18/2016 10:34:22 PM	26	gradCels
SC ALRO SA	Substante organice	8/18/2016 10:34:21 PM	11	mg/l
SC ALRO SA	pH	8/18/2016 10:34:20 PM	3	unit pH
SC ALRO SA	Substante organice	8/18/2016 10:29:09 PM	11	mg/l
SC ALRO SA	Clor	8/18/2016 10:29:03 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 10:29:02 PM	0	mg/l
SC ALRO SA	Temp	8/18/2016 10:29:01 PM	26	gradCels
SC ALRO SA	pH	8/18/2016 10:29:00 PM	3	unit pH
SC ALRO SA	Substante organice	8/18/2016 10:24:00 PM	11	mg/l
SC ALRO SA	Clor	8/18/2016 10:23:28 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 10:23:27 PM	0	mg/l
SC ALRO SA	Temp	8/18/2016 10:23:26 PM	26	gradCels
SC ALRO SA	pH	8/18/2016 10:23:25 PM	3	unit pH
SC ALRO SA	Clor	8/18/2016 10:21:30 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 10:21:10 PM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 10:20:50 PM	11	mg/l
SC ALRO SA	Temp	8/18/2016 10:20:30 PM	26	gradCels
SC ALRO SA	pH	8/18/2016 10:20:20 PM	3	unit pH
SC ALRO SA	Substante organice	8/18/2016 10:18:09 PM	11	mg/l
SC ALRO SA	Clor	8/18/2016 10:18:03 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 10:18:02 PM	0	mg/l
SC ALRO SA	Temp	8/18/2016 10:18:01 PM	26	gradCels
SC ALRO SA	pH	8/18/2016 10:18:00 PM	3	unit pH
SC ALRO SA	Substante organice	8/18/2016 10:13:01 PM	11	mg/l
SC ALRO SA	Clor	8/18/2016 10:12:28 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 10:12:27 PM	0	mg/l
SC ALRO SA	Temp	8/18/2016 10:12:26 PM	26	gradCels
SC ALRO SA	pH	8/18/2016 10:12:25 PM	3	unit pH
SC ALRO SA	Clor	8/18/2016 10:07:09 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 10:07:08 PM	0	mg/l
SC ALRO SA	Temp	8/18/2016 10:07:07 PM	26	gradCels
SC ALRO SA	Substante organice	8/18/2016 10:07:06 PM	11	mg/l
SC ALRO SA	pH	8/18/2016 10:07:05 PM	3	unit pH
SC ALRO SA	Substante organice	8/18/2016 10:02:02 PM	11	mg/l
SC ALRO SA	Clor	8/18/2016 10:01:40 PM	0	mg/l
SC ALRO SA	Clor	8/18/2016 10:01:28 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 10:01:27 PM	0	mg/l
SC ALRO SA	Temp	8/18/2016 10:01:26 PM	26	gradCels
SC ALRO SA	pH	8/18/2016 10:01:25 PM	3	unit pH
SC ALRO SA	Grasimi	8/18/2016 10:00:30 PM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 10:00:20 PM	11	mg/l
SC ALRO SA	Temp	8/18/2016 10:00:10 PM	26	gradCels
SC ALRO SA	pH	8/18/2016 10:00:00 PM	3	unit pH
SC ALRO SA	Substante organice	8/18/2016 9:56:02 PM	11	mg/l
SC ALRO SA	Clor	8/18/2016 9:55:48 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 9:55:47 PM	0	mg/l
SC ALRO SA	Temp	8/18/2016 9:55:46 PM	26	gradCels
SC ALRO SA	pH	8/18/2016 9:55:45 PM	3	unit pH
SC ALRO SA	Substante organice	8/18/2016 9:51:03 PM	11	mg/l
SC ALRO SA	Clor	8/18/2016 9:50:32 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 9:50:31 PM	0	mg/l
SC ALRO SA	Temp	8/18/2016 9:50:30 PM	26	gradCels
SC ALRO SA	pH	8/18/2016 9:50:29 PM	3	unit pH
SC ALRO SA	Substante organice	8/18/2016 9:45:00 PM	11	mg/l
SC ALRO SA	Clor	8/18/2016 9:44:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 9:44:42 PM	0	mg/l
SC ALRO SA	Temp	8/18/2016 9:44:41 PM	26	gradCels
SC ALRO SA	pH	8/18/2016 9:44:40 PM	3	unit pH
SC ALRO SA	Clor	8/18/2016 9:40:50 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 9:40:10 PM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 9:40:03 PM	11	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	8/18/2016 9:39:50 PM	11	mg/l
SC ALRO SA	Temp	8/18/2016 9:39:30 PM	26	gradCels
SC ALRO SA	Clor	8/18/2016 9:39:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 9:39:22 PM	0	mg/l
SC ALRO SA	Temp	8/18/2016 9:39:21 PM	26	gradCels
SC ALRO SA	pH	8/18/2016 9:39:20 PM	4	unit pH
SC ALRO SA	pH	8/18/2016 9:39:00 PM	4	unit pH
SC ALRO SA	Substante organice	8/18/2016 9:34:00 PM	11	mg/l
SC ALRO SA	Clor	8/18/2016 9:33:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 9:33:42 PM	0	mg/l
SC ALRO SA	Temp	8/18/2016 9:33:41 PM	26	gradCels
SC ALRO SA	pH	8/18/2016 9:33:40 PM	4	unit pH
SC ALRO SA	Substante organice	8/18/2016 9:29:04 PM	11	mg/l
SC ALRO SA	Clor	8/18/2016 9:28:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 9:28:22 PM	0	mg/l
SC ALRO SA	pH	8/18/2016 9:28:21 PM	4	unit pH
SC ALRO SA	Temp	8/18/2016 9:28:20 PM	26	gradCels
SC ALRO SA	Substante organice	8/18/2016 9:23:00 PM	11	mg/l
SC ALRO SA	Clor	8/18/2016 9:22:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 9:22:42 PM	0	mg/l
SC ALRO SA	Temp	8/18/2016 9:22:41 PM	26	gradCels
SC ALRO SA	pH	8/18/2016 9:22:40 PM	4	unit pH
SC ALRO SA	Clor	8/18/2016 9:21:10 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 9:20:40 PM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 9:20:30 PM	11	mg/l
SC ALRO SA	Temp	8/18/2016 9:20:20 PM	26	gradCels
SC ALRO SA	pH	8/18/2016 9:19:20 PM	4	unit pH
SC ALRO SA	Substante organice	8/18/2016 9:18:05 PM	11	mg/l
SC ALRO SA	Clor	8/18/2016 9:17:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 9:17:22 PM	0	mg/l
SC ALRO SA	pH	8/18/2016 9:17:21 PM	4	unit pH
SC ALRO SA	Temp	8/18/2016 9:17:20 PM	26	gradCels
SC ALRO SA	Substante organice	8/18/2016 9:12:00 PM	11	mg/l
SC ALRO SA	Clor	8/18/2016 9:11:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 9:11:42 PM	0	mg/l
SC ALRO SA	Temp	8/18/2016 9:11:41 PM	26	gradCels
SC ALRO SA	pH	8/18/2016 9:11:40 PM	4	unit pH
SC ALRO SA	Clor	8/18/2016 9:06:04 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 9:06:03 PM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 9:06:02 PM	11	mg/l
SC ALRO SA	Temp	8/18/2016 9:06:01 PM	26	gradCels
SC ALRO SA	pH	8/18/2016 9:06:00 PM	4	unit pH
SC ALRO SA	Substante organice	8/18/2016 9:01:00 PM	11	mg/l
SC ALRO SA	Clor	8/18/2016 9:00:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 9:00:42 PM	0	mg/l
SC ALRO SA	Temp	8/18/2016 9:00:41 PM	26	gradCels
SC ALRO SA	pH	8/18/2016 9:00:40 PM	4	unit pH
SC ALRO SA	Clor	8/18/2016 9:00:20 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 9:00:00 PM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 8:59:50 PM	11	mg/l
SC ALRO SA	Temp	8/18/2016 8:59:40 PM	26	gradCels
SC ALRO SA	pH	8/18/2016 8:59:30 PM	4	unit pH
SC ALRO SA	Substante organice	8/18/2016 8:56:03 PM	11	mg/l
SC ALRO SA	Clor	8/18/2016 8:55:03 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 8:55:02 PM	0	mg/l
SC ALRO SA	Temp	8/18/2016 8:55:01 PM	26	gradCels
SC ALRO SA	pH	8/18/2016 8:55:00 PM	4	unit pH
SC ALRO SA	Substante organice	8/18/2016 8:50:00 PM	11	mg/l
SC ALRO SA	Clor	8/18/2016 8:49:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 8:49:42 PM	0	mg/l
SC ALRO SA	Temp	8/18/2016 8:49:41 PM	26	gradCels
SC ALRO SA	pH	8/18/2016 8:49:40 PM	4	unit pH
SC ALRO SA	Substante organice	8/18/2016 8:45:03 PM	11	mg/l
SC ALRO SA	Clor	8/18/2016 8:44:03 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 8:44:02 PM	0	mg/l
SC ALRO SA	Temp	8/18/2016 8:44:01 PM	26	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	8/18/2016 8:44:00 PM	4	unit pH
SC ALRO SA	Clor	8/18/2016 8:42:30 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 8:42:10 PM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 8:41:40 PM	11	mg/l
SC ALRO SA	Temp	8/18/2016 8:41:30 PM	26	gradCels
SC ALRO SA	pH	8/18/2016 8:40:40 PM	4	unit pH
SC ALRO SA	Clor	8/18/2016 8:38:44 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 8:38:43 PM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 8:38:42 PM	11	mg/l
SC ALRO SA	Temp	8/18/2016 8:38:41 PM	26	gradCels
SC ALRO SA	pH	8/18/2016 8:38:40 PM	4	unit pH
SC ALRO SA	Substante organice	8/18/2016 8:34:04 PM	11	mg/l
SC ALRO SA	Clor	8/18/2016 8:33:03 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 8:33:02 PM	0	mg/l
SC ALRO SA	Temp	8/18/2016 8:33:01 PM	25	gradCels
SC ALRO SA	pH	8/18/2016 8:33:00 PM	4	unit pH
SC ALRO SA	Substante organice	8/18/2016 8:28:12 PM	11	mg/l
SC ALRO SA	Clor	8/18/2016 8:27:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 8:27:22 PM	0	mg/l
SC ALRO SA	Temp	8/18/2016 8:27:21 PM	25	gradCels
SC ALRO SA	pH	8/18/2016 8:27:20 PM	4	unit pH
SC ALRO SA	Clor	8/18/2016 8:23:20 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 8:22:40 PM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 8:22:30 PM	11	mg/l
SC ALRO SA	Temp	8/18/2016 8:22:10 PM	25	gradCels
SC ALRO SA	Substante organice	8/18/2016 8:22:04 PM	11	mg/l
SC ALRO SA	Clor	8/18/2016 8:22:03 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 8:22:02 PM	0	mg/l
SC ALRO SA	Temp	8/18/2016 8:22:01 PM	25	gradCels
SC ALRO SA	pH	8/18/2016 8:22:00 PM	4	unit pH
SC ALRO SA	pH	8/18/2016 8:21:40 PM	4	unit pH
SC ALRO SA	Substante organice	8/18/2016 8:17:12 PM	11	mg/l
SC ALRO SA	Clor	8/18/2016 8:16:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 8:16:22 PM	0	mg/l
SC ALRO SA	pH	8/18/2016 8:16:21 PM	4	unit pH
SC ALRO SA	Temp	8/18/2016 8:16:20 PM	25	gradCels
SC ALRO SA	Substante organice	8/18/2016 8:11:05 PM	11	mg/l
SC ALRO SA	Clor	8/18/2016 8:11:03 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 8:11:02 PM	0	mg/l
SC ALRO SA	Temp	8/18/2016 8:11:01 PM	25	gradCels
SC ALRO SA	pH	8/18/2016 8:11:00 PM	4	unit pH
SC ALRO SA	Clor	8/18/2016 8:05:24 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 8:05:23 PM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 8:05:22 PM	11	mg/l
SC ALRO SA	Temp	8/18/2016 8:05:21 PM	25	gradCels
SC ALRO SA	pH	8/18/2016 8:05:20 PM	4	unit pH
SC ALRO SA	Clor	8/18/2016 8:04:50 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 8:04:30 PM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 8:04:20 PM	11	mg/l
SC ALRO SA	Temp	8/18/2016 8:04:10 PM	25	gradCels
SC ALRO SA	pH	8/18/2016 8:04:00 PM	4	unit pH
SC ALRO SA	Substante organice	8/18/2016 8:00:05 PM	11	mg/l
SC ALRO SA	Clor	8/18/2016 8:00:03 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 8:00:02 PM	0	mg/l
SC ALRO SA	pH	8/18/2016 8:00:01 PM	4	unit pH
SC ALRO SA	Temp	8/18/2016 8:00:00 PM	25	gradCels
SC ALRO SA	Substante organice	8/18/2016 7:55:12 PM	11	mg/l
SC ALRO SA	Clor	8/18/2016 7:54:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 7:54:22 PM	0	mg/l
SC ALRO SA	Temp	8/18/2016 7:54:21 PM	25	gradCels
SC ALRO SA	pH	8/18/2016 7:54:20 PM	4	unit pH
SC ALRO SA	Substante organice	8/18/2016 7:49:00 PM	11	mg/l
SC ALRO SA	Clor	8/18/2016 7:48:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 7:48:42 PM	0	mg/l
SC ALRO SA	Temp	8/18/2016 7:48:41 PM	25	gradCels
SC ALRO SA	pH	8/18/2016 7:48:40 PM	4	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Clor	8/18/2016 7:46:40 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 7:45:30 PM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 7:45:10 PM	11	mg/l
SC ALRO SA	Temp	8/18/2016 7:45:00 PM	25	gradCels
SC ALRO SA	pH	8/18/2016 7:44:50 PM	4	unit pH
SC ALRO SA	Substante organice	8/18/2016 7:44:12 PM	11	mg/l
SC ALRO SA	Clor	8/18/2016 7:43:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 7:43:22 PM	0	mg/l
SC ALRO SA	Temp	8/18/2016 7:43:21 PM	25	gradCels
SC ALRO SA	pH	8/18/2016 7:43:20 PM	4	unit pH
SC ALRO SA	Substante organice	8/18/2016 7:38:00 PM	11	mg/l
SC ALRO SA	Clor	8/18/2016 7:37:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 7:37:42 PM	0	mg/l
SC ALRO SA	Temp	8/18/2016 7:37:41 PM	25	gradCels
SC ALRO SA	pH	8/18/2016 7:37:40 PM	4	unit pH
SC ALRO SA	Substante organice	8/18/2016 7:33:02 PM	11	mg/l
SC ALRO SA	Clor	8/18/2016 7:32:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 7:32:22 PM	0	mg/l
SC ALRO SA	Temp	8/18/2016 7:32:21 PM	25	gradCels
SC ALRO SA	pH	8/18/2016 7:32:20 PM	4	unit pH
SC ALRO SA	Substante organice	8/18/2016 7:27:00 PM	11	mg/l
SC ALRO SA	Clor	8/18/2016 7:26:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 7:26:42 PM	0	mg/l
SC ALRO SA	Temp	8/18/2016 7:26:41 PM	25	gradCels
SC ALRO SA	pH	8/18/2016 7:26:40 PM	4	unit pH
SC ALRO SA	Clor	8/18/2016 7:25:50 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 7:25:30 PM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 7:25:20 PM	11	mg/l
SC ALRO SA	Temp	8/18/2016 7:25:10 PM	25	gradCels
SC ALRO SA	pH	8/18/2016 7:24:40 PM	4	unit pH
SC ALRO SA	Substante organice	8/18/2016 7:22:03 PM	11	mg/l
SC ALRO SA	Clor	8/18/2016 7:21:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 7:21:22 PM	0	mg/l
SC ALRO SA	Temp	8/18/2016 7:21:21 PM	25	gradCels
SC ALRO SA	pH	8/18/2016 7:21:20 PM	4	unit pH
SC ALRO SA	Substante organice	8/18/2016 7:16:00 PM	11	mg/l
SC ALRO SA	Clor	8/18/2016 7:15:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 7:15:42 PM	0	mg/l
SC ALRO SA	pH	8/18/2016 7:15:41 PM	4	unit pH
SC ALRO SA	Temp	8/18/2016 7:15:40 PM	25	gradCels
SC ALRO SA	Substante organice	8/18/2016 7:11:03 PM	11	mg/l
SC ALRO SA	Clor	8/18/2016 7:10:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 7:10:22 PM	0	mg/l
SC ALRO SA	Temp	8/18/2016 7:10:21 PM	25	gradCels
SC ALRO SA	pH	8/18/2016 7:10:20 PM	4	unit pH
SC ALRO SA	Clor	8/18/2016 7:04:44 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 7:04:43 PM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 7:04:42 PM	11	mg/l
SC ALRO SA	Temp	8/18/2016 7:04:41 PM	25	gradCels
SC ALRO SA	pH	8/18/2016 7:04:40 PM	4	unit pH
SC ALRO SA	Clor	8/18/2016 7:04:10 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 7:03:50 PM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 7:03:40 PM	12	mg/l
SC ALRO SA	Temp	8/18/2016 7:03:30 PM	25	gradCels
SC ALRO SA	pH	8/18/2016 7:03:20 PM	4	unit pH
SC ALRO SA	Substante organice	8/18/2016 7:00:05 PM	12	mg/l
SC ALRO SA	Clor	8/18/2016 6:59:03 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 6:59:02 PM	0	mg/l
SC ALRO SA	pH	8/18/2016 6:59:01 PM	4	unit pH
SC ALRO SA	Temp	8/18/2016 6:59:00 PM	25	gradCels
SC ALRO SA	Substante organice	8/18/2016 6:54:00 PM	12	mg/l
SC ALRO SA	Clor	8/18/2016 6:53:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 6:53:42 PM	0	mg/l
SC ALRO SA	Temp	8/18/2016 6:53:41 PM	25	gradCels
SC ALRO SA	pH	8/18/2016 6:53:40 PM	4	unit pH
SC ALRO SA	Substante organice	8/18/2016 6:48:52 PM	12	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Clor	8/18/2016 6:48:03 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 6:48:02 PM	0	mg/l
SC ALRO SA	Temp	8/18/2016 6:48:01 PM	25	gradCels
SC ALRO SA	pH	8/18/2016 6:48:00 PM	4	unit pH
SC ALRO SA	Clor	8/18/2016 6:44:20 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 6:43:40 PM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 6:43:30 PM	12	mg/l
SC ALRO SA	Temp	8/18/2016 6:43:20 PM	25	gradCels
SC ALRO SA	pH	8/18/2016 6:43:10 PM	4	unit pH
SC ALRO SA	Substante organice	8/18/2016 6:43:00 PM	12	mg/l
SC ALRO SA	Clor	8/18/2016 6:42:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 6:42:42 PM	0	mg/l
SC ALRO SA	Temp	8/18/2016 6:42:41 PM	25	gradCels
SC ALRO SA	pH	8/18/2016 6:42:40 PM	4	unit pH
SC ALRO SA	Clor	8/18/2016 6:37:04 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 6:37:03 PM	0	mg/l
SC ALRO SA	Temp	8/18/2016 6:37:02 PM	25	gradCels
SC ALRO SA	Substante organice	8/18/2016 6:37:01 PM	12	mg/l
SC ALRO SA	pH	8/18/2016 6:37:00 PM	4	unit pH
SC ALRO SA	Substante organice	8/18/2016 6:32:00 PM	12	mg/l
SC ALRO SA	Clor	8/18/2016 6:31:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 6:31:42 PM	0	mg/l
SC ALRO SA	Temp	8/18/2016 6:31:41 PM	25	gradCels
SC ALRO SA	pH	8/18/2016 6:31:40 PM	4	unit pH
SC ALRO SA	Substante organice	8/18/2016 6:27:05 PM	12	mg/l
SC ALRO SA	Clor	8/18/2016 6:26:03 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 6:26:02 PM	0	mg/l
SC ALRO SA	pH	8/18/2016 6:26:01 PM	4	unit pH
SC ALRO SA	Temp	8/18/2016 6:26:00 PM	25	gradCels
SC ALRO SA	Clor	8/18/2016 6:24:30 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 6:24:10 PM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 6:23:20 PM	12	mg/l
SC ALRO SA	Temp	8/18/2016 6:22:50 PM	25	gradCels
SC ALRO SA	pH	8/18/2016 6:22:40 PM	4	unit pH
SC ALRO SA	Substante organice	8/18/2016 6:21:00 PM	12	mg/l
SC ALRO SA	Clor	8/18/2016 6:20:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 6:20:22 PM	0	mg/l
SC ALRO SA	Temp	8/18/2016 6:20:21 PM	25	gradCels
SC ALRO SA	pH	8/18/2016 6:20:20 PM	4	unit pH
SC ALRO SA	Substante organice	8/18/2016 6:16:03 PM	12	mg/l
SC ALRO SA	Clor	8/18/2016 6:15:03 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 6:15:02 PM	0	mg/l
SC ALRO SA	Temp	8/18/2016 6:15:01 PM	25	gradCels
SC ALRO SA	pH	8/18/2016 6:15:00 PM	4	unit pH
SC ALRO SA	Substante organice	8/18/2016 6:10:00 PM	12	mg/l
SC ALRO SA	Clor	8/18/2016 6:09:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 6:09:22 PM	0	mg/l
SC ALRO SA	Temp	8/18/2016 6:09:21 PM	25	gradCels
SC ALRO SA	pH	8/18/2016 6:09:20 PM	4	unit pH
SC ALRO SA	Clor	8/18/2016 6:04:30 PM	0	mg/l
SC ALRO SA	Clor	8/18/2016 6:04:04 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 6:04:03 PM	0	mg/l
SC ALRO SA	Temp	8/18/2016 6:04:02 PM	25	gradCels
SC ALRO SA	Substante organice	8/18/2016 6:04:01 PM	12	mg/l
SC ALRO SA	pH	8/18/2016 6:04:00 PM	4	unit pH
SC ALRO SA	Grasimi	8/18/2016 6:03:40 PM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 6:03:30 PM	12	mg/l
SC ALRO SA	Temp	8/18/2016 6:03:20 PM	24	gradCels
SC ALRO SA	pH	8/18/2016 6:03:10 PM	4	unit pH
SC ALRO SA	Substante organice	8/18/2016 5:59:12 PM	12	mg/l
SC ALRO SA	Clor	8/18/2016 5:58:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 5:58:22 PM	0	mg/l
SC ALRO SA	pH	8/18/2016 5:58:21 PM	4	unit pH
SC ALRO SA	Temp	8/18/2016 5:58:20 PM	24	gradCels
SC ALRO SA	Substante organice	8/18/2016 5:53:05 PM	12	mg/l
SC ALRO SA	Clor	8/18/2016 5:53:03 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Grasimi	8/18/2016 5:53:02 PM	0	mg/l
SC ALRO SA	Temp	8/18/2016 5:53:01 PM	24	gradCels
SC ALRO SA	pH	8/18/2016 5:53:00 PM	4	unit pH
SC ALRO SA	Substante organice	8/18/2016 5:48:12 PM	12	mg/l
SC ALRO SA	Clor	8/18/2016 5:47:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 5:47:22 PM	0	mg/l
SC ALRO SA	Temp	8/18/2016 5:47:21 PM	24	gradCels
SC ALRO SA	pH	8/18/2016 5:47:20 PM	4	unit pH
SC ALRO SA	Clor	8/18/2016 5:46:50 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 5:46:30 PM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 5:46:20 PM	12	mg/l
SC ALRO SA	Temp	8/18/2016 5:45:20 PM	24	gradCels
SC ALRO SA	pH	8/18/2016 5:44:20 PM	4	unit pH
SC ALRO SA	Substante organice	8/18/2016 5:42:05 PM	12	mg/l
SC ALRO SA	Clor	8/18/2016 5:42:03 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 5:42:02 PM	0	mg/l
SC ALRO SA	Temp	8/18/2016 5:42:01 PM	24	gradCels
SC ALRO SA	pH	8/18/2016 5:42:00 PM	4	unit pH
SC ALRO SA	Clor	8/18/2016 5:36:24 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 5:36:23 PM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 5:36:22 PM	12	mg/l
SC ALRO SA	Temp	8/18/2016 5:36:21 PM	24	gradCels
SC ALRO SA	pH	8/18/2016 5:36:20 PM	4	unit pH
SC ALRO SA	Substante organice	8/18/2016 5:31:05 PM	12	mg/l
SC ALRO SA	Clor	8/18/2016 5:31:03 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 5:31:02 PM	0	mg/l
SC ALRO SA	pH	8/18/2016 5:31:01 PM	4	unit pH
SC ALRO SA	Temp	8/18/2016 5:31:00 PM	24	gradCels
SC ALRO SA	Clor	8/18/2016 5:27:20 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 5:27:00 PM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 5:26:50 PM	12	mg/l
SC ALRO SA	Temp	8/18/2016 5:26:40 PM	24	gradCels
SC ALRO SA	pH	8/18/2016 5:26:30 PM	4	unit pH
SC ALRO SA	Substante organice	8/18/2016 5:26:12 PM	12	mg/l
SC ALRO SA	Clor	8/18/2016 5:25:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 5:25:22 PM	0	mg/l
SC ALRO SA	Temp	8/18/2016 5:25:21 PM	24	gradCels
SC ALRO SA	pH	8/18/2016 5:25:20 PM	4	unit pH
SC ALRO SA	Substante organice	8/18/2016 5:20:00 PM	12	mg/l
SC ALRO SA	Clor	8/18/2016 5:19:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 5:19:42 PM	0	mg/l
SC ALRO SA	Temp	8/18/2016 5:19:41 PM	24	gradCels
SC ALRO SA	pH	8/18/2016 5:19:40 PM	4	unit pH
SC ALRO SA	Substante organice	8/18/2016 5:14:52 PM	12	mg/l
SC ALRO SA	Clor	8/18/2016 5:14:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 5:14:22 PM	0	mg/l
SC ALRO SA	Temp	8/18/2016 5:14:21 PM	24	gradCels
SC ALRO SA	pH	8/18/2016 5:14:20 PM	4	unit pH
SC ALRO SA	Clor	8/18/2016 5:08:44 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 5:08:43 PM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 5:08:42 PM	12	mg/l
SC ALRO SA	Temp	8/18/2016 5:08:41 PM	24	gradCels
SC ALRO SA	pH	8/18/2016 5:08:40 PM	4	unit pH
SC ALRO SA	Clor	8/18/2016 5:07:20 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 5:05:40 PM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 5:05:30 PM	12	mg/l
SC ALRO SA	Temp	8/18/2016 5:05:20 PM	24	gradCels
SC ALRO SA	pH	8/18/2016 5:05:10 PM	4	unit pH
SC ALRO SA	Substante organice	8/18/2016 5:04:05 PM	12	mg/l
SC ALRO SA	Clor	8/18/2016 5:03:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 5:03:22 PM	0	mg/l
SC ALRO SA	Temp	8/18/2016 5:03:21 PM	24	gradCels
SC ALRO SA	pH	8/18/2016 5:03:20 PM	4	unit pH
SC ALRO SA	Substante organice	8/18/2016 4:59:05 PM	12	mg/l
SC ALRO SA	Clor	8/18/2016 4:58:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 4:58:22 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	8/18/2016 4:58:21 PM	24	gradCels
SC ALRO SA	pH	8/18/2016 4:58:20 PM	4	unit pH
SC ALRO SA	Substante organice	8/18/2016 4:52:57 PM	12	mg/l
SC ALRO SA	Clor	8/18/2016 4:52:47 PM	0	mg/l
SC ALRO SA	Temp	8/18/2016 4:52:46 PM	24	gradCels
SC ALRO SA	Grasimi	8/18/2016 4:52:45 PM	0	mg/l
SC ALRO SA	pH	8/18/2016 4:52:44 PM	4	unit pH
SC ALRO SA	Clor	8/18/2016 4:48:10 PM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 4:48:04 PM	12	mg/l
SC ALRO SA	Clor	8/18/2016 4:47:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 4:47:22 PM	0	mg/l
SC ALRO SA	pH	8/18/2016 4:47:21 PM	4	unit pH
SC ALRO SA	Temp	8/18/2016 4:47:20 PM	24	gradCels
SC ALRO SA	Grasimi	8/18/2016 4:47:00 PM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 4:46:50 PM	12	mg/l
SC ALRO SA	Temp	8/18/2016 4:46:40 PM	24	gradCels
SC ALRO SA	pH	8/18/2016 4:46:30 PM	4	unit pH
SC ALRO SA	Substante organice	8/18/2016 4:41:57 PM	12	mg/l
SC ALRO SA	Clor	8/18/2016 4:41:50 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 4:41:49 PM	0	mg/l
SC ALRO SA	pH	8/18/2016 4:41:48 PM	4	unit pH
SC ALRO SA	Temp	8/18/2016 4:41:47 PM	24	gradCels
SC ALRO SA	Clor	8/18/2016 4:36:11 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 4:36:10 PM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 4:36:09 PM	12	mg/l
SC ALRO SA	pH	8/18/2016 4:36:08 PM	4	unit pH
SC ALRO SA	Temp	8/18/2016 4:36:07 PM	24	gradCels
SC ALRO SA	Substante organice	8/18/2016 4:30:57 PM	12	mg/l
SC ALRO SA	Clor	8/18/2016 4:30:50 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 4:30:49 PM	0	mg/l
SC ALRO SA	Temp	8/18/2016 4:30:48 PM	24	gradCels
SC ALRO SA	pH	8/18/2016 4:30:47 PM	4	unit pH
SC ALRO SA	Clor	8/18/2016 4:30:20 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 4:30:00 PM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 4:29:50 PM	12	mg/l
SC ALRO SA	Temp	8/18/2016 4:29:40 PM	24	gradCels
SC ALRO SA	pH	8/18/2016 4:29:30 PM	4	unit pH
SC ALRO SA	Substante organice	8/18/2016 4:26:03 PM	12	mg/l
SC ALRO SA	Clor	8/18/2016 4:25:03 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 4:25:02 PM	0	mg/l
SC ALRO SA	pH	8/18/2016 4:25:01 PM	4	unit pH
SC ALRO SA	Temp	8/18/2016 4:25:00 PM	24	gradCels
SC ALRO SA	Substante organice	8/18/2016 4:19:57 PM	12	mg/l
SC ALRO SA	Clor	8/18/2016 4:19:52 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 4:19:51 PM	0	mg/l
SC ALRO SA	pH	8/18/2016 4:19:50 PM	4	unit pH
SC ALRO SA	Temp	8/18/2016 4:19:49 PM	24	gradCels
SC ALRO SA	Substante organice	8/18/2016 4:15:00 PM	12	mg/l
SC ALRO SA	Clor	8/18/2016 4:14:03 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 4:14:02 PM	0	mg/l
SC ALRO SA	pH	8/18/2016 4:14:01 PM	4	unit pH
SC ALRO SA	Temp	8/18/2016 4:14:00 PM	24	gradCels
SC ALRO SA	Clor	8/18/2016 4:12:30 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 4:11:30 PM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 4:11:00 PM	12	mg/l
SC ALRO SA	Temp	8/18/2016 4:10:50 PM	24	gradCels
SC ALRO SA	pH	8/18/2016 4:10:40 PM	4	unit pH
SC ALRO SA	Substante organice	8/18/2016 4:08:57 PM	12	mg/l
SC ALRO SA	Clor	8/18/2016 4:08:47 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 4:08:46 PM	0	mg/l
SC ALRO SA	Temp	8/18/2016 4:08:45 PM	24	gradCels
SC ALRO SA	pH	8/18/2016 4:08:44 PM	4	unit pH
SC ALRO SA	Substante organice	8/18/2016 4:04:04 PM	12	mg/l
SC ALRO SA	Clor	8/18/2016 4:03:07 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 4:03:06 PM	0	mg/l
SC ALRO SA	Temp	8/18/2016 4:03:05 PM	24	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	8/18/2016 4:03:04 PM	4	unit pH
SC ALRO SA	Substante organice	8/18/2016 3:57:57 PM	12	mg/l
SC ALRO SA	Clor	8/18/2016 3:57:46 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 3:57:45 PM	0	mg/l
SC ALRO SA	Temp	8/18/2016 3:57:44 PM	24	gradCels
SC ALRO SA	pH	8/18/2016 3:57:43 PM	4	unit pH
SC ALRO SA	Clor	8/18/2016 3:54:10 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 3:53:50 PM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 3:53:40 PM	12	mg/l
SC ALRO SA	Temp	8/18/2016 3:53:30 PM	24	gradCels
SC ALRO SA	pH	8/18/2016 3:53:20 PM	4	unit pH
SC ALRO SA	Substante organice	8/18/2016 3:53:03 PM	12	mg/l
SC ALRO SA	Clor	8/18/2016 3:52:08 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 3:52:07 PM	0	mg/l
SC ALRO SA	Temp	8/18/2016 3:52:06 PM	24	gradCels
SC ALRO SA	pH	8/18/2016 3:52:04 PM	4	unit pH
SC ALRO SA	Substante organice	8/18/2016 3:46:57 PM	12	mg/l
SC ALRO SA	Clor	8/18/2016 3:46:47 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 3:46:46 PM	0	mg/l
SC ALRO SA	pH	8/18/2016 3:46:45 PM	4	unit pH
SC ALRO SA	Temp	8/18/2016 3:46:44 PM	24	gradCels
SC ALRO SA	Substante organice	8/18/2016 3:42:03 PM	12	mg/l
SC ALRO SA	Clor	8/18/2016 3:41:07 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 3:41:06 PM	0	mg/l
SC ALRO SA	Temp	8/18/2016 3:41:05 PM	24	gradCels
SC ALRO SA	pH	8/18/2016 3:41:04 PM	4	unit pH
SC ALRO SA	Clor	8/18/2016 3:37:10 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 3:36:50 PM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 3:36:40 PM	12	mg/l
SC ALRO SA	Temp	8/18/2016 3:36:30 PM	24	gradCels
SC ALRO SA	pH	8/18/2016 3:36:20 PM	4	unit pH
SC ALRO SA	Clor	8/18/2016 3:35:48 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 3:35:47 PM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 3:35:46 PM	12	mg/l
SC ALRO SA	Temp	8/18/2016 3:35:45 PM	24	gradCels
SC ALRO SA	pH	8/18/2016 3:35:44 PM	4	unit pH
SC ALRO SA	Substante organice	8/18/2016 3:31:03 PM	12	mg/l
SC ALRO SA	Clor	8/18/2016 3:30:07 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 3:30:06 PM	0	mg/l
SC ALRO SA	Temp	8/18/2016 3:30:05 PM	23	gradCels
SC ALRO SA	pH	8/18/2016 3:30:04 PM	4	unit pH
SC ALRO SA	Substante organice	8/18/2016 3:25:03 PM	12	mg/l
SC ALRO SA	Clor	8/18/2016 3:24:27 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 3:24:26 PM	0	mg/l
SC ALRO SA	pH	8/18/2016 3:24:25 PM	4	unit pH
SC ALRO SA	Temp	8/18/2016 3:24:24 PM	23	gradCels
SC ALRO SA	Substante organice	8/18/2016 3:20:03 PM	12	mg/l
SC ALRO SA	Clor	8/18/2016 3:19:20 PM	0	mg/l
SC ALRO SA	Clor	8/18/2016 3:19:07 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 3:19:06 PM	0	mg/l
SC ALRO SA	Temp	8/18/2016 3:19:05 PM	23	gradCels
SC ALRO SA	pH	8/18/2016 3:19:04 PM	4	unit pH
SC ALRO SA	Grasimi	8/18/2016 3:18:30 PM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 3:18:20 PM	12	mg/l
SC ALRO SA	Temp	8/18/2016 3:18:10 PM	23	gradCels
SC ALRO SA	pH	8/18/2016 3:18:00 PM	4	unit pH
SC ALRO SA	Substante organice	8/18/2016 3:14:02 PM	12	mg/l
SC ALRO SA	Clor	8/18/2016 3:13:27 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 3:13:26 PM	0	mg/l
SC ALRO SA	Temp	8/18/2016 3:13:25 PM	23	gradCels
SC ALRO SA	pH	8/18/2016 3:13:24 PM	4	unit pH
SC ALRO SA	Substante organice	8/18/2016 3:09:01 PM	12	mg/l
SC ALRO SA	Clor	8/18/2016 3:08:09 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 3:08:08 PM	0	mg/l
SC ALRO SA	Temp	8/18/2016 3:08:07 PM	23	gradCels
SC ALRO SA	pH	8/18/2016 3:08:06 PM	4	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	8/18/2016 3:03:04 PM	12	mg/l
SC ALRO SA	Clor	8/18/2016 3:02:32 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 3:02:31 PM	0	mg/l
SC ALRO SA	Temp	8/18/2016 3:02:30 PM	23	gradCels
SC ALRO SA	pH	8/18/2016 3:02:29 PM	4	unit pH
SC ALRO SA	Clor	8/18/2016 3:01:30 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 3:01:10 PM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 3:00:40 PM	12	mg/l
SC ALRO SA	Temp	8/18/2016 2:59:20 PM	23	gradCels
SC ALRO SA	pH	8/18/2016 2:59:10 PM	4	unit pH
SC ALRO SA	Substante organice	8/18/2016 2:58:02 PM	12	mg/l
SC ALRO SA	Clor	8/18/2016 2:57:13 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 2:57:12 PM	0	mg/l
SC ALRO SA	Temp	8/18/2016 2:57:11 PM	23	gradCels
SC ALRO SA	pH	8/18/2016 2:57:10 PM	4	unit pH
SC ALRO SA	Substante organice	8/18/2016 2:52:03 PM	12	mg/l
SC ALRO SA	Clor	8/18/2016 2:51:33 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 2:51:32 PM	0	mg/l
SC ALRO SA	Temp	8/18/2016 2:51:31 PM	23	gradCels
SC ALRO SA	pH	8/18/2016 2:51:30 PM	4	unit pH
SC ALRO SA	Substante organice	8/18/2016 2:47:01 PM	12	mg/l
SC ALRO SA	Clor	8/18/2016 2:46:10 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 2:46:09 PM	0	mg/l
SC ALRO SA	Temp	8/18/2016 2:46:08 PM	23	gradCels
SC ALRO SA	pH	8/18/2016 2:46:07 PM	4	unit pH
SC ALRO SA	Clor	8/18/2016 2:42:00 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 2:41:40 PM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 2:41:30 PM	12	mg/l
SC ALRO SA	Temp	8/18/2016 2:41:20 PM	23	gradCels
SC ALRO SA	pH	8/18/2016 2:41:10 PM	4	unit pH
SC ALRO SA	Substante organice	8/18/2016 2:41:04 PM	12	mg/l
SC ALRO SA	Clor	8/18/2016 2:40:27 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 2:40:26 PM	0	mg/l
SC ALRO SA	Temp	8/18/2016 2:40:25 PM	23	gradCels
SC ALRO SA	pH	8/18/2016 2:40:24 PM	4	unit pH
SC ALRO SA	Clor	8/18/2016 2:35:06 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 2:35:05 PM	0	mg/l
SC ALRO SA	Temp	8/18/2016 2:35:04 PM	23	gradCels
SC ALRO SA	Substante organice	8/18/2016 2:35:03 PM	12	mg/l
SC ALRO SA	pH	8/18/2016 2:35:02 PM	4	unit pH
SC ALRO SA	Substante organice	8/18/2016 2:30:03 PM	12	mg/l
SC ALRO SA	Clor	8/18/2016 2:29:32 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 2:29:31 PM	0	mg/l
SC ALRO SA	Temp	8/18/2016 2:29:30 PM	23	gradCels
SC ALRO SA	pH	8/18/2016 2:29:29 PM	4	unit pH
SC ALRO SA	Substante organice	8/18/2016 2:24:12 PM	12	mg/l
SC ALRO SA	Clor	8/18/2016 2:24:03 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 2:24:02 PM	0	mg/l
SC ALRO SA	Temp	8/18/2016 2:24:01 PM	23	gradCels
SC ALRO SA	pH	8/18/2016 2:24:00 PM	4	unit pH
SC ALRO SA	Clor	8/18/2016 2:23:20 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 2:23:00 PM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 2:22:50 PM	12	mg/l
SC ALRO SA	Temp	8/18/2016 2:22:40 PM	23	gradCels
SC ALRO SA	pH	8/18/2016 2:22:30 PM	4	unit pH
SC ALRO SA	Substante organice	8/18/2016 2:19:02 PM	12	mg/l
SC ALRO SA	Clor	8/18/2016 2:18:27 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 2:18:26 PM	0	mg/l
SC ALRO SA	Temp	8/18/2016 2:18:25 PM	23	gradCels
SC ALRO SA	pH	8/18/2016 2:18:24 PM	4	unit pH
SC ALRO SA	Substante organice	8/18/2016 2:12:54 PM	12	mg/l
SC ALRO SA	Clor	8/18/2016 2:12:52 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 2:12:51 PM	0	mg/l
SC ALRO SA	Temp	8/18/2016 2:12:50 PM	23	gradCels
SC ALRO SA	pH	8/18/2016 2:12:49 PM	4	unit pH
SC ALRO SA	Clor	8/18/2016 2:07:28 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Grasimi	8/18/2016 2:07:27 PM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 2:07:26 PM	12	mg/l
SC ALRO SA	Temp	8/18/2016 2:07:25 PM	23	gradCels
SC ALRO SA	pH	8/18/2016 2:07:24 PM	4	unit pH
SC ALRO SA	Clor	8/18/2016 2:06:20 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 2:05:40 PM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 2:04:40 PM	12	mg/l
SC ALRO SA	Temp	8/18/2016 2:04:30 PM	23	gradCels
SC ALRO SA	pH	8/18/2016 2:04:20 PM	4	unit pH
SC ALRO SA	Substante organice	8/18/2016 2:01:56 PM	12	mg/l
SC ALRO SA	Clor	8/18/2016 2:01:52 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 2:01:51 PM	0	mg/l
SC ALRO SA	Temp	8/18/2016 2:01:50 PM	23	gradCels
SC ALRO SA	pH	8/18/2016 2:01:49 PM	4	unit pH
SC ALRO SA	Substante organice	8/18/2016 1:57:03 PM	12	mg/l
SC ALRO SA	Clor	8/18/2016 1:56:28 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 1:56:27 PM	0	mg/l
SC ALRO SA	Temp	8/18/2016 1:56:26 PM	23	gradCels
SC ALRO SA	pH	8/18/2016 1:56:25 PM	4	unit pH
SC ALRO SA	Substante organice	8/18/2016 1:50:57 PM	12	mg/l
SC ALRO SA	Clor	8/18/2016 1:50:48 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 1:50:47 PM	0	mg/l
SC ALRO SA	Temp	8/18/2016 1:50:46 PM	23	gradCels
SC ALRO SA	pH	8/18/2016 1:50:45 PM	4	unit pH
SC ALRO SA	Clor	8/18/2016 1:49:50 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 1:49:30 PM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 1:49:20 PM	12	mg/l
SC ALRO SA	Temp	8/18/2016 1:49:10 PM	23	gradCels
SC ALRO SA	pH	8/18/2016 1:48:00 PM	4	unit pH
SC ALRO SA	Substante organice	8/18/2016 1:46:03 PM	12	mg/l
SC ALRO SA	Clor	8/18/2016 1:45:28 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 1:45:27 PM	0	mg/l
SC ALRO SA	Temp	8/18/2016 1:45:26 PM	23	gradCels
SC ALRO SA	pH	8/18/2016 1:45:25 PM	4	unit pH
SC ALRO SA	Substante organice	8/18/2016 1:39:58 PM	12	mg/l
SC ALRO SA	Clor	8/18/2016 1:39:49 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 1:39:48 PM	0	mg/l
SC ALRO SA	Temp	8/18/2016 1:39:47 PM	23	gradCels
SC ALRO SA	pH	8/18/2016 1:39:46 PM	4	unit pH
SC ALRO SA	Clor	8/18/2016 1:34:29 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 1:34:28 PM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 1:34:27 PM	12	mg/l
SC ALRO SA	Temp	8/18/2016 1:34:26 PM	23	gradCels
SC ALRO SA	pH	8/18/2016 1:34:25 PM	4	unit pH
SC ALRO SA	Clor	8/18/2016 1:31:30 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 1:31:10 PM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 1:31:00 PM	12	mg/l
SC ALRO SA	Temp	8/18/2016 1:30:50 PM	23	gradCels
SC ALRO SA	pH	8/18/2016 1:30:40 PM	4	unit pH
SC ALRO SA	Substante organice	8/18/2016 1:28:57 PM	12	mg/l
SC ALRO SA	Clor	8/18/2016 1:28:52 PM	0	mg/l
SC ALRO SA	Temp	8/18/2016 1:28:51 PM	23	gradCels
SC ALRO SA	Grasimi	8/18/2016 1:28:50 PM	0	mg/l
SC ALRO SA	pH	8/18/2016 1:28:49 PM	4	unit pH
SC ALRO SA	Substante organice	8/18/2016 1:24:02 PM	12	mg/l
SC ALRO SA	Clor	8/18/2016 1:23:13 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 1:23:12 PM	0	mg/l
SC ALRO SA	Temp	8/18/2016 1:23:11 PM	23	gradCels
SC ALRO SA	pH	8/18/2016 1:23:10 PM	3	unit pH
SC ALRO SA	Substante organice	8/18/2016 1:17:52 PM	12	mg/l
SC ALRO SA	Clor	8/18/2016 1:17:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 1:17:42 PM	0	mg/l
SC ALRO SA	pH	8/18/2016 1:17:41 PM	3	unit pH
SC ALRO SA	Temp	8/18/2016 1:17:40 PM	23	gradCels
SC ALRO SA	Clor	8/18/2016 1:15:00 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 1:14:40 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	8/18/2016 1:14:30 PM	12	mg/l
SC ALRO SA	Temp	8/18/2016 1:14:20 PM	23	gradCels
SC ALRO SA	pH	8/18/2016 1:14:10 PM	3	unit pH
SC ALRO SA	Substante organice	8/18/2016 1:13:03 PM	12	mg/l
SC ALRO SA	Clor	8/18/2016 1:12:08 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 1:12:07 PM	0	mg/l
SC ALRO SA	Temp	8/18/2016 1:12:06 PM	23	gradCels
SC ALRO SA	pH	8/18/2016 1:12:05 PM	3	unit pH
SC ALRO SA	Substante organice	8/18/2016 1:06:52 PM	12	mg/l
SC ALRO SA	Clor	8/18/2016 1:06:47 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 1:06:46 PM	0	mg/l
SC ALRO SA	Temp	8/18/2016 1:06:45 PM	23	gradCels
SC ALRO SA	pH	8/18/2016 1:06:44 PM	3	unit pH
SC ALRO SA	Substante organice	8/18/2016 1:02:01 PM	12	mg/l
SC ALRO SA	Clor	8/18/2016 1:01:09 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 1:01:08 PM	0	mg/l
SC ALRO SA	Temp	8/18/2016 1:01:07 PM	23	gradCels
SC ALRO SA	pH	8/18/2016 1:01:06 PM	3	unit pH
SC ALRO SA	Clor	8/18/2016 12:57:40 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 12:57:20 PM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 12:57:10 PM	12	mg/l
SC ALRO SA	Temp	8/18/2016 12:57:00 PM	23	gradCels
SC ALRO SA	pH	8/18/2016 12:56:50 PM	3	unit pH
SC ALRO SA	Substante organice	8/18/2016 12:55:51 PM	12	mg/l
SC ALRO SA	Clor	8/18/2016 12:55:48 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 12:55:47 PM	0	mg/l
SC ALRO SA	Temp	8/18/2016 12:55:46 PM	23	gradCels
SC ALRO SA	pH	8/18/2016 12:55:45 PM	3	unit pH
SC ALRO SA	Substante organice	8/18/2016 12:51:01 PM	12	mg/l
SC ALRO SA	Clor	8/18/2016 12:50:14 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 12:50:13 PM	0	mg/l
SC ALRO SA	Temp	8/18/2016 12:50:12 PM	23	gradCels
SC ALRO SA	pH	8/18/2016 12:50:11 PM	3	unit pH
SC ALRO SA	Substante organice	8/18/2016 12:44:52 PM	12	mg/l
SC ALRO SA	Clor	8/18/2016 12:44:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 12:44:42 PM	0	mg/l
SC ALRO SA	pH	8/18/2016 12:44:41 PM	3	unit pH
SC ALRO SA	Temp	8/18/2016 12:44:40 PM	23	gradCels
SC ALRO SA	Clor	8/18/2016 12:40:40 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 12:40:20 PM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 12:40:11 PM	12	mg/l
SC ALRO SA	Temp	8/18/2016 12:39:40 PM	23	gradCels
SC ALRO SA	pH	8/18/2016 12:39:30 PM	3	unit pH
SC ALRO SA	Clor	8/18/2016 12:39:09 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 12:39:08 PM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 12:39:07 PM	12	mg/l
SC ALRO SA	Temp	8/18/2016 12:39:06 PM	23	gradCels
SC ALRO SA	pH	8/18/2016 12:39:05 PM	3	unit pH
SC ALRO SA	Substante organice	8/18/2016 12:33:51 PM	12	mg/l
SC ALRO SA	Clor	8/18/2016 12:33:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 12:33:42 PM	0	mg/l
SC ALRO SA	Temp	8/18/2016 12:33:41 PM	23	gradCels
SC ALRO SA	pH	8/18/2016 12:33:40 PM	3	unit pH
SC ALRO SA	Substante organice	8/18/2016 12:29:02 PM	12	mg/l
SC ALRO SA	Clor	8/18/2016 12:28:08 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 12:28:07 PM	0	mg/l
SC ALRO SA	Temp	8/18/2016 12:28:06 PM	23	gradCels
SC ALRO SA	pH	8/18/2016 12:28:05 PM	3	unit pH
SC ALRO SA	Clor	8/18/2016 12:23:10 PM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 12:22:52 PM	12	mg/l
SC ALRO SA	Clor	8/18/2016 12:22:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 12:22:42 PM	0	mg/l
SC ALRO SA	Temp	8/18/2016 12:22:41 PM	23	gradCels
SC ALRO SA	pH	8/18/2016 12:22:40 PM	3	unit pH
SC ALRO SA	Grasimi	8/18/2016 12:22:00 PM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 12:21:50 PM	12	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	8/18/2016 12:21:40 PM	23	gradCels
SC ALRO SA	pH	8/18/2016 12:21:30 PM	3	unit pH
SC ALRO SA	Substante organice	8/18/2016 12:18:01 PM	12	mg/l
SC ALRO SA	Clor	8/18/2016 12:17:10 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 12:17:09 PM	0	mg/l
SC ALRO SA	pH	8/18/2016 12:17:08 PM	3	unit pH
SC ALRO SA	Temp	8/18/2016 12:17:07 PM	23	gradCels
SC ALRO SA	Substante organice	8/18/2016 12:12:02 PM	12	mg/l
SC ALRO SA	Clor	8/18/2016 12:11:28 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 12:11:27 PM	0	mg/l
SC ALRO SA	pH	8/18/2016 12:11:26 PM	3	unit pH
SC ALRO SA	Temp	8/18/2016 12:11:25 PM	23	gradCels
SC ALRO SA	Substante organice	8/18/2016 12:07:02 PM	12	mg/l
SC ALRO SA	Clor	8/18/2016 12:06:08 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 12:06:07 PM	0	mg/l
SC ALRO SA	Temp	8/18/2016 12:06:06 PM	23	gradCels
SC ALRO SA	pH	8/18/2016 12:06:05 PM	3	unit pH
SC ALRO SA	Clor	8/18/2016 12:04:20 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 12:03:10 PM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 12:03:00 PM	12	mg/l
SC ALRO SA	Temp	8/18/2016 12:02:50 PM	23	gradCels
SC ALRO SA	pH	8/18/2016 12:02:40 PM	3	unit pH
SC ALRO SA	Substante organice	8/18/2016 12:00:52 PM	12	mg/l
SC ALRO SA	Clor	8/18/2016 12:00:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 12:00:42 PM	0	mg/l
SC ALRO SA	pH	8/18/2016 12:00:41 PM	3	unit pH
SC ALRO SA	Temp	8/18/2016 12:00:40 PM	23	gradCels
SC ALRO SA	Substante organice	8/18/2016 11:56:02 AM	12	mg/l
SC ALRO SA	Clor	8/18/2016 11:55:05 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 11:55:04 AM	0	mg/l
SC ALRO SA	Temp	8/18/2016 11:55:03 AM	23	gradCels
SC ALRO SA	pH	8/18/2016 11:55:02 AM	3	unit pH
SC ALRO SA	Substante organice	8/18/2016 11:49:53 AM	12	mg/l
SC ALRO SA	Clor	8/18/2016 11:49:48 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 11:49:47 AM	0	mg/l
SC ALRO SA	Temp	8/18/2016 11:49:46 AM	23	gradCels
SC ALRO SA	pH	8/18/2016 11:49:45 AM	3	unit pH
SC ALRO SA	Clor	8/18/2016 11:45:50 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 11:45:30 AM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 11:45:20 AM	12	mg/l
SC ALRO SA	Temp	8/18/2016 11:45:10 AM	23	gradCels
SC ALRO SA	Substante organice	8/18/2016 11:45:00 AM	12	mg/l
SC ALRO SA	pH	8/18/2016 11:44:40 AM	3	unit pH
SC ALRO SA	Clor	8/18/2016 11:44:11 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 11:44:10 AM	0	mg/l
SC ALRO SA	pH	8/18/2016 11:44:09 AM	3	unit pH
SC ALRO SA	Temp	8/18/2016 11:44:08 AM	23	gradCels
SC ALRO SA	Clor	8/18/2016 11:38:24 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 11:38:23 AM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 11:38:22 AM	12	mg/l
SC ALRO SA	pH	8/18/2016 11:38:21 AM	3	unit pH
SC ALRO SA	Temp	8/18/2016 11:38:20 AM	23	gradCels
SC ALRO SA	Substante organice	8/18/2016 11:34:01 AM	12	mg/l
SC ALRO SA	Clor	8/18/2016 11:33:05 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 11:33:04 AM	0	mg/l
SC ALRO SA	Temp	8/18/2016 11:33:03 AM	23	gradCels
SC ALRO SA	pH	8/18/2016 11:33:02 AM	3	unit pH
SC ALRO SA	Substante organice	8/18/2016 11:28:02 AM	12	mg/l
SC ALRO SA	Clor	8/18/2016 11:27:23 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 11:27:22 AM	0	mg/l
SC ALRO SA	Temp	8/18/2016 11:27:21 AM	23	gradCels
SC ALRO SA	pH	8/18/2016 11:27:20 AM	3	unit pH
SC ALRO SA	Clor	8/18/2016 11:24:20 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 11:24:00 AM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 11:23:50 AM	12	mg/l
SC ALRO SA	Temp	8/18/2016 11:23:40 AM	23	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	8/18/2016 11:23:30 AM	3	unit pH
SC ALRO SA	Substante organice	8/18/2016 11:23:01 AM	12	mg/l
SC ALRO SA	Clor	8/18/2016 11:22:09 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 11:22:08 AM	0	mg/l
SC ALRO SA	Temp	8/18/2016 11:22:07 AM	23	gradCels
SC ALRO SA	pH	8/18/2016 11:22:06 AM	3	unit pH
SC ALRO SA	Substante organice	8/18/2016 11:17:02 AM	12	mg/l
SC ALRO SA	Clor	8/18/2016 11:16:23 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 11:16:22 AM	0	mg/l
SC ALRO SA	Temp	8/18/2016 11:16:21 AM	23	gradCels
SC ALRO SA	pH	8/18/2016 11:16:20 AM	3	unit pH
SC ALRO SA	Substante organice	8/18/2016 11:12:01 AM	12	mg/l
SC ALRO SA	Clor	8/18/2016 11:11:05 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 11:11:04 AM	0	mg/l
SC ALRO SA	Temp	8/18/2016 11:11:03 AM	23	gradCels
SC ALRO SA	pH	8/18/2016 11:11:02 AM	3	unit pH
SC ALRO SA	Clor	8/18/2016 11:05:24 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 11:05:23 AM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 11:05:22 AM	12	mg/l
SC ALRO SA	Temp	8/18/2016 11:05:21 AM	23	gradCels
SC ALRO SA	pH	8/18/2016 11:05:20 AM	3	unit pH
SC ALRO SA	Clor	8/18/2016 11:04:30 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 11:04:10 AM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 11:03:30 AM	12	mg/l
SC ALRO SA	Temp	8/18/2016 11:03:20 AM	23	gradCels
SC ALRO SA	pH	8/18/2016 11:02:50 AM	3	unit pH
SC ALRO SA	Substante organice	8/18/2016 11:00:07 AM	12	mg/l
SC ALRO SA	Clor	8/18/2016 11:00:03 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 11:00:02 AM	0	mg/l
SC ALRO SA	Temp	8/18/2016 11:00:01 AM	23	gradCels
SC ALRO SA	pH	8/18/2016 11:00:00 AM	3	unit pH
SC ALRO SA	Substante organice	8/18/2016 10:55:01 AM	12	mg/l
SC ALRO SA	Clor	8/18/2016 10:54:23 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 10:54:22 AM	0	mg/l
SC ALRO SA	Temp	8/18/2016 10:54:21 AM	23	gradCels
SC ALRO SA	pH	8/18/2016 10:54:20 AM	3	unit pH
SC ALRO SA	Substante organice	8/18/2016 10:49:12 AM	12	mg/l
SC ALRO SA	Clor	8/18/2016 10:49:03 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 10:49:02 AM	0	mg/l
SC ALRO SA	Temp	8/18/2016 10:49:01 AM	23	gradCels
SC ALRO SA	pH	8/18/2016 10:49:00 AM	3	unit pH
SC ALRO SA	Clor	8/18/2016 10:46:00 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 10:45:40 AM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 10:45:30 AM	12	mg/l
SC ALRO SA	Temp	8/18/2016 10:45:20 AM	23	gradCels
SC ALRO SA	pH	8/18/2016 10:45:10 AM	3	unit pH
SC ALRO SA	Substante organice	8/18/2016 10:44:01 AM	12	mg/l
SC ALRO SA	Clor	8/18/2016 10:43:23 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 10:43:22 AM	0	mg/l
SC ALRO SA	pH	8/18/2016 10:43:21 AM	3	unit pH
SC ALRO SA	Temp	8/18/2016 10:43:20 AM	23	gradCels
SC ALRO SA	Substante organice	8/18/2016 10:37:53 AM	12	mg/l
SC ALRO SA	Clor	8/18/2016 10:37:43 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 10:37:42 AM	0	mg/l
SC ALRO SA	Temp	8/18/2016 10:37:41 AM	23	gradCels
SC ALRO SA	pH	8/18/2016 10:37:40 AM	3	unit pH
SC ALRO SA	Substante organice	8/18/2016 10:33:01 AM	12	mg/l
SC ALRO SA	Clor	8/18/2016 10:32:23 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 10:32:22 AM	0	mg/l
SC ALRO SA	Temp	8/18/2016 10:32:21 AM	23	gradCels
SC ALRO SA	pH	8/18/2016 10:32:20 AM	3	unit pH
SC ALRO SA	Clor	8/18/2016 10:27:50 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 10:27:30 AM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 10:27:20 AM	12	mg/l
SC ALRO SA	Temp	8/18/2016 10:27:10 AM	23	gradCels
SC ALRO SA	pH	8/18/2016 10:27:00 AM	3	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	8/18/2016 10:26:51 AM	12	mg/l
SC ALRO SA	Clor	8/18/2016 10:26:43 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 10:26:42 AM	0	mg/l
SC ALRO SA	Temp	8/18/2016 10:26:41 AM	23	gradCels
SC ALRO SA	pH	8/18/2016 10:26:40 AM	3	unit pH
SC ALRO SA	Substante organice	8/18/2016 10:22:06 AM	12	mg/l
SC ALRO SA	Clor	8/18/2016 10:21:23 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 10:21:22 AM	0	mg/l
SC ALRO SA	pH	8/18/2016 10:21:21 AM	3	unit pH
SC ALRO SA	Temp	8/18/2016 10:21:20 AM	23	gradCels
SC ALRO SA	Substante organice	8/18/2016 10:16:03 AM	12	mg/l
SC ALRO SA	Clor	8/18/2016 10:15:43 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 10:15:42 AM	0	mg/l
SC ALRO SA	Temp	8/18/2016 10:15:41 AM	23	gradCels
SC ALRO SA	pH	8/18/2016 10:15:40 AM	3	unit pH
SC ALRO SA	Substante organice	8/18/2016 10:10:47 AM	12	mg/l
SC ALRO SA	Clor	8/18/2016 10:10:08 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 10:10:07 AM	0	mg/l
SC ALRO SA	Temp	8/18/2016 10:10:06 AM	23	gradCels
SC ALRO SA	pH	8/18/2016 10:10:05 AM	3	unit pH
SC ALRO SA	Clor	8/18/2016 10:08:20 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 10:07:40 AM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 10:07:30 AM	12	mg/l
SC ALRO SA	Temp	8/18/2016 10:07:20 AM	23	gradCels
SC ALRO SA	pH	8/18/2016 10:07:10 AM	3	unit pH
SC ALRO SA	Clor	8/18/2016 10:04:49 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 10:04:48 AM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 10:04:47 AM	12	mg/l
SC ALRO SA	Temp	8/18/2016 10:04:46 AM	23	gradCels
SC ALRO SA	pH	8/18/2016 10:04:45 AM	3	unit pH
SC ALRO SA	Substante organice	8/18/2016 10:00:03 AM	12	mg/l
SC ALRO SA	Clor	8/18/2016 9:59:10 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 9:59:09 AM	0	mg/l
SC ALRO SA	Temp	8/18/2016 9:59:08 AM	23	gradCels
SC ALRO SA	pH	8/18/2016 9:59:07 AM	3	unit pH
SC ALRO SA	Substante organice	8/18/2016 9:53:52 AM	12	mg/l
SC ALRO SA	Clor	8/18/2016 9:53:43 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 9:53:42 AM	0	mg/l
SC ALRO SA	pH	8/18/2016 9:53:41 AM	3	unit pH
SC ALRO SA	Temp	8/18/2016 9:53:40 AM	23	gradCels
SC ALRO SA	Clor	8/18/2016 9:49:00 AM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 9:48:47 AM	12	mg/l
SC ALRO SA	Grasimi	8/18/2016 9:48:30 AM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 9:48:20 AM	12	mg/l
SC ALRO SA	Clor	8/18/2016 9:48:13 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 9:48:12 AM	0	mg/l
SC ALRO SA	Temp	8/18/2016 9:48:11 AM	23	gradCels
SC ALRO SA	pH	8/18/2016 9:48:10 AM	3	unit pH
SC ALRO SA	Temp	8/18/2016 9:47:20 AM	23	gradCels
SC ALRO SA	pH	8/18/2016 9:46:40 AM	3	unit pH
SC ALRO SA	Substante organice	8/18/2016 9:42:52 AM	12	mg/l
SC ALRO SA	Clor	8/18/2016 9:42:43 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 9:42:42 AM	0	mg/l
SC ALRO SA	pH	8/18/2016 9:42:41 AM	3	unit pH
SC ALRO SA	Temp	8/18/2016 9:42:40 AM	23	gradCels
SC ALRO SA	Clor	8/18/2016 9:37:09 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 9:37:08 AM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 9:37:07 AM	12	mg/l
SC ALRO SA	Temp	8/18/2016 9:37:06 AM	23	gradCels
SC ALRO SA	pH	8/18/2016 9:37:05 AM	3	unit pH
SC ALRO SA	Substante organice	8/18/2016 9:31:56 AM	12	mg/l
SC ALRO SA	Clor	8/18/2016 9:31:47 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 9:31:46 AM	0	mg/l
SC ALRO SA	Temp	8/18/2016 9:31:45 AM	23	gradCels
SC ALRO SA	pH	8/18/2016 9:31:44 AM	3	unit pH
SC ALRO SA	Clor	8/18/2016 9:28:10 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Grasimi	8/18/2016 9:27:50 AM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 9:27:40 AM	12	mg/l
SC ALRO SA	Temp	8/18/2016 9:27:30 AM	23	gradCels
SC ALRO SA	pH	8/18/2016 9:27:20 AM	3	unit pH
SC ALRO SA	Substante organice	8/18/2016 9:26:49 AM	12	mg/l
SC ALRO SA	Clor	8/18/2016 9:26:07 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 9:26:06 AM	0	mg/l
SC ALRO SA	pH	8/18/2016 9:26:05 AM	3	unit pH
SC ALRO SA	Temp	8/18/2016 9:26:04 AM	23	gradCels
SC ALRO SA	Substante organice	8/18/2016 9:20:55 AM	12	mg/l
SC ALRO SA	Clor	8/18/2016 9:20:43 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 9:20:42 AM	0	mg/l
SC ALRO SA	Temp	8/18/2016 9:20:41 AM	23	gradCels
SC ALRO SA	pH	8/18/2016 9:20:40 AM	3	unit pH
SC ALRO SA	Substante organice	8/18/2016 9:15:49 AM	12	mg/l
SC ALRO SA	Clor	8/18/2016 9:15:03 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 9:15:02 AM	0	mg/l
SC ALRO SA	Temp	8/18/2016 9:15:01 AM	23	gradCels
SC ALRO SA	pH	8/18/2016 9:15:00 AM	3	unit pH
SC ALRO SA	Clor	8/18/2016 9:10:40 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 9:10:20 AM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 9:10:10 AM	12	mg/l
SC ALRO SA	Substante organice	8/18/2016 9:09:56 AM	12	mg/l
SC ALRO SA	Clor	8/18/2016 9:09:47 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 9:09:46 AM	0	mg/l
SC ALRO SA	pH	8/18/2016 9:09:45 AM	3	unit pH
SC ALRO SA	Temp	8/18/2016 9:09:44 AM	23	gradCels
SC ALRO SA	Temp	8/18/2016 9:09:20 AM	23	gradCels
SC ALRO SA	pH	8/18/2016 9:09:10 AM	3	unit pH
SC ALRO SA	Clor	8/18/2016 9:04:07 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 9:04:06 AM	0	mg/l
SC ALRO SA	Temp	8/18/2016 9:04:05 AM	23	gradCels
SC ALRO SA	Substante organice	8/18/2016 9:04:04 AM	12	mg/l
SC ALRO SA	pH	8/18/2016 9:04:03 AM	3	unit pH
SC ALRO SA	Substante organice	8/18/2016 8:59:02 AM	12	mg/l
SC ALRO SA	Clor	8/18/2016 8:58:23 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 8:58:22 AM	0	mg/l
SC ALRO SA	pH	8/18/2016 8:58:21 AM	3	unit pH
SC ALRO SA	Temp	8/18/2016 8:58:20 AM	23	gradCels
SC ALRO SA	Substante organice	8/18/2016 8:53:52 AM	12	mg/l
SC ALRO SA	Clor	8/18/2016 8:53:03 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 8:53:02 AM	0	mg/l
SC ALRO SA	pH	8/18/2016 8:53:01 AM	3	unit pH
SC ALRO SA	Temp	8/18/2016 8:53:00 AM	23	gradCels
SC ALRO SA	Clor	8/18/2016 8:50:30 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 8:50:10 AM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 8:50:00 AM	12	mg/l
SC ALRO SA	Temp	8/18/2016 8:49:50 AM	23	gradCels
SC ALRO SA	pH	8/18/2016 8:49:40 AM	3	unit pH
SC ALRO SA	Substante organice	8/18/2016 8:48:01 AM	12	mg/l
SC ALRO SA	Clor	8/18/2016 8:47:27 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 8:47:26 AM	0	mg/l
SC ALRO SA	Temp	8/18/2016 8:47:25 AM	23	gradCels
SC ALRO SA	pH	8/18/2016 8:47:24 AM	3	unit pH
SC ALRO SA	Substante organice	8/18/2016 8:42:53 AM	12	mg/l
SC ALRO SA	Clor	8/18/2016 8:42:03 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 8:42:02 AM	0	mg/l
SC ALRO SA	Temp	8/18/2016 8:42:01 AM	23	gradCels
SC ALRO SA	pH	8/18/2016 8:42:00 AM	3	unit pH
SC ALRO SA	Clor	8/18/2016 8:36:24 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 8:36:23 AM	0	mg/l
SC ALRO SA	Temp	8/18/2016 8:36:22 AM	23	gradCels
SC ALRO SA	Substante organice	8/18/2016 8:36:21 AM	12	mg/l
SC ALRO SA	pH	8/18/2016 8:36:20 AM	3	unit pH
SC ALRO SA	Clor	8/18/2016 8:32:10 AM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 8:32:01 AM	12	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Grasimi	8/18/2016 8:31:30 AM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 8:31:10 AM	12	mg/l
SC ALRO SA	Clor	8/18/2016 8:31:08 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 8:31:07 AM	0	mg/l
SC ALRO SA	Temp	8/18/2016 8:31:06 AM	23	gradCels
SC ALRO SA	pH	8/18/2016 8:31:05 AM	3	unit pH
SC ALRO SA	Temp	8/18/2016 8:30:40 AM	23	gradCels
SC ALRO SA	pH	8/18/2016 8:30:30 AM	3	unit pH
SC ALRO SA	Substante organice	8/18/2016 8:26:01 AM	12	mg/l
SC ALRO SA	Clor	8/18/2016 8:25:27 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 8:25:26 AM	0	mg/l
SC ALRO SA	pH	8/18/2016 8:25:25 AM	3	unit pH
SC ALRO SA	Temp	8/18/2016 8:25:24 AM	23	gradCels
SC ALRO SA	Substante organice	8/18/2016 8:20:10 AM	12	mg/l
SC ALRO SA	Clor	8/18/2016 8:20:03 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 8:20:02 AM	0	mg/l
SC ALRO SA	pH	8/18/2016 8:20:01 AM	3	unit pH
SC ALRO SA	Temp	8/18/2016 8:20:00 AM	23	gradCels
SC ALRO SA	Substante organice	8/18/2016 8:15:13 AM	12	mg/l
SC ALRO SA	Clor	8/18/2016 8:14:23 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 8:14:22 AM	0	mg/l
SC ALRO SA	pH	8/18/2016 8:14:21 AM	3	unit pH
SC ALRO SA	Temp	8/18/2016 8:14:20 AM	23	gradCels
SC ALRO SA	Clor	8/18/2016 8:14:10 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 8:13:30 AM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 8:13:20 AM	12	mg/l
SC ALRO SA	Temp	8/18/2016 8:12:40 AM	23	gradCels
SC ALRO SA	pH	8/18/2016 8:12:30 AM	3	unit pH
SC ALRO SA	Clor	8/18/2016 8:09:04 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 8:09:03 AM	0	mg/l
SC ALRO SA	Temp	8/18/2016 8:09:02 AM	23	gradCels
SC ALRO SA	Substante organice	8/18/2016 8:09:01 AM	12	mg/l
SC ALRO SA	pH	8/18/2016 8:09:00 AM	3	unit pH
SC ALRO SA	Substante organice	8/18/2016 8:04:13 AM	12	mg/l
SC ALRO SA	Clor	8/18/2016 8:03:23 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 8:03:22 AM	0	mg/l
SC ALRO SA	Temp	8/18/2016 8:03:21 AM	24	gradCels
SC ALRO SA	pH	8/18/2016 8:03:20 AM	3	unit pH
SC ALRO SA	Substante organice	8/18/2016 7:57:52 AM	12	mg/l
SC ALRO SA	Clor	8/18/2016 7:57:48 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 7:57:47 AM	0	mg/l
SC ALRO SA	Temp	8/18/2016 7:57:46 AM	24	gradCels
SC ALRO SA	pH	8/18/2016 7:57:45 AM	3	unit pH
SC ALRO SA	Clor	8/18/2016 7:55:10 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 7:54:50 AM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 7:54:40 AM	12	mg/l
SC ALRO SA	Temp	8/18/2016 7:54:30 AM	24	gradCels
SC ALRO SA	pH	8/18/2016 7:54:20 AM	3	unit pH
SC ALRO SA	Substante organice	8/18/2016 7:52:53 AM	12	mg/l
SC ALRO SA	Clor	8/18/2016 7:52:27 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 7:52:26 AM	0	mg/l
SC ALRO SA	Temp	8/18/2016 7:52:25 AM	24	gradCels
SC ALRO SA	pH	8/18/2016 7:52:24 AM	3	unit pH
SC ALRO SA	Substante organice	8/18/2016 7:46:51 AM	12	mg/l
SC ALRO SA	Clor	8/18/2016 7:46:43 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 7:46:42 AM	0	mg/l
SC ALRO SA	Temp	8/18/2016 7:46:41 AM	24	gradCels
SC ALRO SA	pH	8/18/2016 7:46:40 AM	3	unit pH
SC ALRO SA	Substante organice	8/18/2016 7:41:53 AM	12	mg/l
SC ALRO SA	Clor	8/18/2016 7:41:23 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 7:41:22 AM	0	mg/l
SC ALRO SA	Temp	8/18/2016 7:41:21 AM	24	gradCels
SC ALRO SA	pH	8/18/2016 7:41:20 AM	3	unit pH
SC ALRO SA	Clor	8/18/2016 7:37:20 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 7:36:40 AM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 7:36:30 AM	12	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	8/18/2016 7:36:00 AM	24	gradCels
SC ALRO SA	Clor	8/18/2016 7:35:48 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 7:35:47 AM	0	mg/l
SC ALRO SA	Temp	8/18/2016 7:35:46 AM	24	gradCels
SC ALRO SA	Substante organice	8/18/2016 7:35:45 AM	12	mg/l
SC ALRO SA	pH	8/18/2016 7:35:44 AM	3	unit pH
SC ALRO SA	pH	8/18/2016 7:35:30 AM	3	unit pH
SC ALRO SA	Substante organice	8/18/2016 7:30:52 AM	12	mg/l
SC ALRO SA	Clor	8/18/2016 7:30:23 AM	0	mg/l
SC ALRO SA	Temp	8/18/2016 7:30:22 AM	24	gradCels
SC ALRO SA	Grasimi	8/18/2016 7:30:21 AM	0	mg/l
SC ALRO SA	pH	8/18/2016 7:30:20 AM	3	unit pH
SC ALRO SA	Substante organice	8/18/2016 7:26:04 AM	12	mg/l
SC ALRO SA	Clor	8/18/2016 7:25:14 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 7:25:13 AM	0	mg/l
SC ALRO SA	Temp	8/18/2016 7:25:12 AM	24	gradCels
SC ALRO SA	pH	8/18/2016 7:25:11 AM	3	unit pH
SC ALRO SA	Substante organice	8/18/2016 7:20:02 AM	12	mg/l
SC ALRO SA	Clor	8/18/2016 7:19:47 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 7:19:46 AM	0	mg/l
SC ALRO SA	Temp	8/18/2016 7:19:45 AM	24	gradCels
SC ALRO SA	pH	8/18/2016 7:19:44 AM	3	unit pH
SC ALRO SA	Clor	8/18/2016 7:18:11 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 7:17:30 AM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 7:17:20 AM	12	mg/l
SC ALRO SA	Temp	8/18/2016 7:17:10 AM	24	gradCels
SC ALRO SA	pH	8/18/2016 7:16:50 AM	3	unit pH
SC ALRO SA	Substante organice	8/18/2016 7:15:04 AM	12	mg/l
SC ALRO SA	Clor	8/18/2016 7:14:16 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 7:14:15 AM	0	mg/l
SC ALRO SA	pH	8/18/2016 7:14:14 AM	3	unit pH
SC ALRO SA	Temp	8/18/2016 7:14:13 AM	24	gradCels
SC ALRO SA	Clor	8/18/2016 7:08:51 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 7:08:50 AM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 7:08:49 AM	12	mg/l
SC ALRO SA	Temp	8/18/2016 7:08:48 AM	24	gradCels
SC ALRO SA	pH	8/18/2016 7:08:47 AM	3	unit pH
SC ALRO SA	Substante organice	8/18/2016 7:04:05 AM	12	mg/l
SC ALRO SA	Clor	8/18/2016 7:03:18 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 7:03:17 AM	0	mg/l
SC ALRO SA	pH	8/18/2016 7:03:16 AM	3	unit pH
SC ALRO SA	Temp	8/18/2016 7:03:15 AM	24	gradCels
SC ALRO SA	Clor	8/18/2016 6:59:40 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 6:59:20 AM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 6:59:10 AM	12	mg/l
SC ALRO SA	Temp	8/18/2016 6:59:00 AM	24	gradCels
SC ALRO SA	pH	8/18/2016 6:58:50 AM	3	unit pH
SC ALRO SA	Substante organice	8/18/2016 6:58:05 AM	12	mg/l
SC ALRO SA	Clor	8/18/2016 6:57:52 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 6:57:51 AM	0	mg/l
SC ALRO SA	pH	8/18/2016 6:57:50 AM	3	unit pH
SC ALRO SA	Temp	8/18/2016 6:57:49 AM	24	gradCels
SC ALRO SA	Substante organice	8/18/2016 6:53:03 AM	12	mg/l
SC ALRO SA	Clor	8/18/2016 6:52:21 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 6:52:20 AM	0	mg/l
SC ALRO SA	Temp	8/18/2016 6:52:19 AM	24	gradCels
SC ALRO SA	pH	8/18/2016 6:52:18 AM	3	unit pH
SC ALRO SA	Substante organice	8/18/2016 6:47:02 AM	12	mg/l
SC ALRO SA	Clor	8/18/2016 6:46:51 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 6:46:50 AM	0	mg/l
SC ALRO SA	pH	8/18/2016 6:46:49 AM	3	unit pH
SC ALRO SA	Temp	8/18/2016 6:46:48 AM	24	gradCels
SC ALRO SA	Clor	8/18/2016 6:42:20 AM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 6:42:05 AM	12	mg/l
SC ALRO SA	Grasimi	8/18/2016 6:41:40 AM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 6:41:30 AM	12	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Clor	8/18/2016 6:41:20 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 6:41:19 AM	0	mg/l
SC ALRO SA	Temp	8/18/2016 6:41:18 AM	24	gradCels
SC ALRO SA	pH	8/18/2016 6:41:17 AM	3	unit pH
SC ALRO SA	Temp	8/18/2016 6:40:40 AM	24	gradCels
SC ALRO SA	pH	8/18/2016 6:40:30 AM	3	unit pH
SC ALRO SA	Clor	8/18/2016 6:35:53 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 6:35:52 AM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 6:35:51 AM	12	mg/l
SC ALRO SA	pH	8/18/2016 6:35:50 AM	3	unit pH
SC ALRO SA	Temp	8/18/2016 6:35:49 AM	24	gradCels
SC ALRO SA	Substante organice	8/18/2016 6:31:03 AM	12	mg/l
SC ALRO SA	Clor	8/18/2016 6:30:15 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 6:30:14 AM	0	mg/l
SC ALRO SA	pH	8/18/2016 6:30:13 AM	3	unit pH
SC ALRO SA	Temp	8/18/2016 6:30:12 AM	24	gradCels
SC ALRO SA	Substante organice	8/18/2016 6:25:02 AM	12	mg/l
SC ALRO SA	Clor	8/18/2016 6:24:48 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 6:24:47 AM	0	mg/l
SC ALRO SA	Temp	8/18/2016 6:24:46 AM	24	gradCels
SC ALRO SA	pH	8/18/2016 6:24:45 AM	3	unit pH
SC ALRO SA	Clor	8/18/2016 6:24:10 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 6:23:10 AM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 6:22:40 AM	12	mg/l
SC ALRO SA	Temp	8/18/2016 6:22:30 AM	24	gradCels
SC ALRO SA	pH	8/18/2016 6:22:20 AM	3	unit pH
SC ALRO SA	Substante organice	8/18/2016 6:20:04 AM	12	mg/l
SC ALRO SA	Clor	8/18/2016 6:19:16 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 6:19:15 AM	0	mg/l
SC ALRO SA	pH	8/18/2016 6:19:14 AM	3	unit pH
SC ALRO SA	Temp	8/18/2016 6:19:13 AM	24	gradCels
SC ALRO SA	Substante organice	8/18/2016 6:13:58 AM	12	mg/l
SC ALRO SA	Clor	8/18/2016 6:13:43 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 6:13:42 AM	0	mg/l
SC ALRO SA	pH	8/18/2016 6:13:41 AM	3	unit pH
SC ALRO SA	Temp	8/18/2016 6:13:40 AM	24	gradCels
SC ALRO SA	Clor	8/18/2016 6:08:13 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 6:08:12 AM	0	mg/l
SC ALRO SA	Temp	8/18/2016 6:08:11 AM	24	gradCels
SC ALRO SA	Substante organice	8/18/2016 6:08:10 AM	12	mg/l
SC ALRO SA	pH	8/18/2016 6:08:09 AM	3	unit pH
SC ALRO SA	Clor	8/18/2016 6:05:10 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 6:04:50 AM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 6:04:40 AM	12	mg/l
SC ALRO SA	Temp	8/18/2016 6:04:30 AM	24	gradCels
SC ALRO SA	pH	8/18/2016 6:04:20 AM	3	unit pH
SC ALRO SA	Substante organice	8/18/2016 6:02:57 AM	12	mg/l
SC ALRO SA	Clor	8/18/2016 6:02:46 AM	0	mg/l
SC ALRO SA	Temp	8/18/2016 6:02:45 AM	24	gradCels
SC ALRO SA	Grasimi	8/18/2016 6:02:44 AM	0	mg/l
SC ALRO SA	pH	8/18/2016 6:02:43 AM	3	unit pH
SC ALRO SA	Substante organice	8/18/2016 5:58:04 AM	12	mg/l
SC ALRO SA	Clor	8/18/2016 5:57:16 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 5:57:15 AM	0	mg/l
SC ALRO SA	Temp	8/18/2016 5:57:14 AM	24	gradCels
SC ALRO SA	pH	8/18/2016 5:57:13 AM	3	unit pH
SC ALRO SA	Substante organice	8/18/2016 5:52:04 AM	12	mg/l
SC ALRO SA	Clor	8/18/2016 5:51:28 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 5:51:27 AM	0	mg/l
SC ALRO SA	pH	8/18/2016 5:51:26 AM	3	unit pH
SC ALRO SA	Temp	8/18/2016 5:51:25 AM	24	gradCels
SC ALRO SA	Clor	8/18/2016 5:48:00 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 5:47:40 AM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 5:47:30 AM	12	mg/l
SC ALRO SA	Temp	8/18/2016 5:47:20 AM	24	gradCels
SC ALRO SA	pH	8/18/2016 5:47:10 AM	3	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	8/18/2016 5:47:01 AM	12	mg/l
SC ALRO SA	Clor	8/18/2016 5:46:19 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 5:46:18 AM	0	mg/l
SC ALRO SA	pH	8/18/2016 5:46:17 AM	3	unit pH
SC ALRO SA	Temp	8/18/2016 5:46:16 AM	24	gradCels
SC ALRO SA	Substante organice	8/18/2016 5:41:04 AM	12	mg/l
SC ALRO SA	Clor	8/18/2016 5:40:36 AM	0	mg/l
SC ALRO SA	Temp	8/18/2016 5:40:35 AM	24	gradCels
SC ALRO SA	Grasimi	8/18/2016 5:40:34 AM	0	mg/l
SC ALRO SA	pH	8/18/2016 5:40:33 AM	3	unit pH
SC ALRO SA	Clor	8/18/2016 5:35:44 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 5:35:43 AM	0	mg/l
SC ALRO SA	Temp	8/18/2016 5:35:42 AM	24	gradCels
SC ALRO SA	Substante organice	8/18/2016 5:35:41 AM	12	mg/l
SC ALRO SA	pH	8/18/2016 5:35:40 AM	3	unit pH
SC ALRO SA	Substante organice	8/18/2016 5:31:00 AM	12	mg/l
SC ALRO SA	Clor	8/18/2016 5:30:08 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 5:30:07 AM	0	mg/l
SC ALRO SA	Temp	8/18/2016 5:30:06 AM	24	gradCels
SC ALRO SA	pH	8/18/2016 5:30:05 AM	3	unit pH
SC ALRO SA	Clor	8/18/2016 5:27:10 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 5:26:30 AM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 5:26:20 AM	12	mg/l
SC ALRO SA	Temp	8/18/2016 5:26:10 AM	24	gradCels
SC ALRO SA	pH	8/18/2016 5:26:00 AM	3	unit pH
SC ALRO SA	Substante organice	8/18/2016 5:25:02 AM	12	mg/l
SC ALRO SA	Clor	8/18/2016 5:24:23 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 5:24:22 AM	0	mg/l
SC ALRO SA	pH	8/18/2016 5:24:21 AM	3	unit pH
SC ALRO SA	Temp	8/18/2016 5:24:20 AM	24	gradCels
SC ALRO SA	Substante organice	8/18/2016 5:20:00 AM	12	mg/l
SC ALRO SA	Clor	8/18/2016 5:19:06 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 5:19:05 AM	0	mg/l
SC ALRO SA	Temp	8/18/2016 5:19:04 AM	24	gradCels
SC ALRO SA	pH	8/18/2016 5:19:03 AM	3	unit pH
SC ALRO SA	Substante organice	8/18/2016 5:14:03 AM	12	mg/l
SC ALRO SA	Clor	8/18/2016 5:13:23 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 5:13:22 AM	0	mg/l
SC ALRO SA	Temp	8/18/2016 5:13:21 AM	24	gradCels
SC ALRO SA	pH	8/18/2016 5:13:20 AM	3	unit pH
SC ALRO SA	Clor	8/18/2016 5:08:12 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 5:08:11 AM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 5:08:10 AM	12	mg/l
SC ALRO SA	Temp	8/18/2016 5:08:09 AM	24	gradCels
SC ALRO SA	pH	8/18/2016 5:08:08 AM	3	unit pH
SC ALRO SA	Clor	8/18/2016 5:07:40 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 5:06:50 AM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 5:06:20 AM	12	mg/l
SC ALRO SA	Temp	8/18/2016 5:05:40 AM	24	gradCels
SC ALRO SA	pH	8/18/2016 5:05:30 AM	3	unit pH
SC ALRO SA	Substante organice	8/18/2016 5:03:02 AM	12	mg/l
SC ALRO SA	Clor	8/18/2016 5:02:23 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 5:02:22 AM	0	mg/l
SC ALRO SA	Temp	8/18/2016 5:02:21 AM	24	gradCels
SC ALRO SA	pH	8/18/2016 5:02:20 AM	3	unit pH
SC ALRO SA	Clor	8/18/2016 4:58:01 AM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 4:58:00 AM	12	mg/l
SC ALRO SA	Grasimi	8/18/2016 4:57:08 AM	0	mg/l
SC ALRO SA	Temp	8/18/2016 4:57:07 AM	24	gradCels
SC ALRO SA	pH	8/18/2016 4:57:06 AM	3	unit pH
SC ALRO SA	Substante organice	8/18/2016 4:52:02 AM	12	mg/l
SC ALRO SA	Clor	8/18/2016 4:51:23 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 4:51:22 AM	0	mg/l
SC ALRO SA	Temp	8/18/2016 4:51:21 AM	24	gradCels
SC ALRO SA	pH	8/18/2016 4:51:20 AM	3	unit pH
SC ALRO SA	Clor	8/18/2016 4:47:50 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Grasimi	8/18/2016 4:47:30 AM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 4:47:20 AM	12	mg/l
SC ALRO SA	Temp	8/18/2016 4:47:10 AM	24	gradCels
SC ALRO SA	pH	8/18/2016 4:47:00 AM	3	unit pH
SC ALRO SA	Substante organice	8/18/2016 4:46:14 AM	12	mg/l
SC ALRO SA	Clor	8/18/2016 4:46:09 AM	0	mg/l
SC ALRO SA	Temp	8/18/2016 4:46:08 AM	24	gradCels
SC ALRO SA	Grasimi	8/18/2016 4:46:07 AM	0	mg/l
SC ALRO SA	pH	8/18/2016 4:46:06 AM	3	unit pH
SC ALRO SA	Substante organice	8/18/2016 4:41:03 AM	12	mg/l
SC ALRO SA	Clor	8/18/2016 4:40:23 AM	0	mg/l
SC ALRO SA	Temp	8/18/2016 4:40:22 AM	24	gradCels
SC ALRO SA	Grasimi	8/18/2016 4:40:21 AM	0	mg/l
SC ALRO SA	pH	8/18/2016 4:40:20 AM	3	unit pH
SC ALRO SA	Clor	8/18/2016 4:35:04 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 4:35:03 AM	0	mg/l
SC ALRO SA	Temp	8/18/2016 4:35:02 AM	24	gradCels
SC ALRO SA	Substante organice	8/18/2016 4:35:01 AM	12	mg/l
SC ALRO SA	pH	8/18/2016 4:35:00 AM	3	unit pH
SC ALRO SA	Clor	8/18/2016 4:30:10 AM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 4:30:01 AM	12	mg/l
SC ALRO SA	Grasimi	8/18/2016 4:29:30 AM	0	mg/l
SC ALRO SA	Clor	8/18/2016 4:29:28 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 4:29:27 AM	0	mg/l
SC ALRO SA	pH	8/18/2016 4:29:26 AM	3	unit pH
SC ALRO SA	Temp	8/18/2016 4:29:25 AM	24	gradCels
SC ALRO SA	Substante organice	8/18/2016 4:29:00 AM	12	mg/l
SC ALRO SA	Temp	8/18/2016 4:28:20 AM	24	gradCels
SC ALRO SA	pH	8/18/2016 4:28:10 AM	3	unit pH
SC ALRO SA	Substante organice	8/18/2016 4:23:53 AM	12	mg/l
SC ALRO SA	Clor	8/18/2016 4:23:43 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 4:23:42 AM	0	mg/l
SC ALRO SA	Temp	8/18/2016 4:23:41 AM	24	gradCels
SC ALRO SA	pH	8/18/2016 4:23:40 AM	3	unit pH
SC ALRO SA	Substante organice	8/18/2016 4:19:00 AM	12	mg/l
SC ALRO SA	Clor	8/18/2016 4:18:29 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 4:18:28 AM	0	mg/l
SC ALRO SA	Temp	8/18/2016 4:18:27 AM	24	gradCels
SC ALRO SA	pH	8/18/2016 4:18:26 AM	3	unit pH
SC ALRO SA	Substante organice	8/18/2016 4:12:54 AM	12	mg/l
SC ALRO SA	Clor	8/18/2016 4:12:43 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 4:12:42 AM	0	mg/l
SC ALRO SA	pH	8/18/2016 4:12:41 AM	3	unit pH
SC ALRO SA	Temp	8/18/2016 4:12:40 AM	24	gradCels
SC ALRO SA	Clor	8/18/2016 4:10:30 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 4:09:50 AM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 4:09:40 AM	12	mg/l
SC ALRO SA	Temp	8/18/2016 4:09:30 AM	24	gradCels
SC ALRO SA	pH	8/18/2016 4:09:20 AM	3	unit pH
SC ALRO SA	Clor	8/18/2016 4:07:29 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 4:07:28 AM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 4:07:27 AM	12	mg/l
SC ALRO SA	Temp	8/18/2016 4:07:26 AM	24	gradCels
SC ALRO SA	pH	8/18/2016 4:07:25 AM	3	unit pH
SC ALRO SA	Substante organice	8/18/2016 4:01:53 AM	12	mg/l
SC ALRO SA	Clor	8/18/2016 4:01:48 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 4:01:47 AM	0	mg/l
SC ALRO SA	Temp	8/18/2016 4:01:46 AM	24	gradCels
SC ALRO SA	pH	8/18/2016 4:01:45 AM	3	unit pH
SC ALRO SA	Clor	8/18/2016 3:57:02 AM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 3:57:01 AM	12	mg/l
SC ALRO SA	Grasimi	8/18/2016 3:56:22 AM	0	mg/l
SC ALRO SA	Temp	8/18/2016 3:56:21 AM	24	gradCels
SC ALRO SA	pH	8/18/2016 3:56:20 AM	3	unit pH
SC ALRO SA	Clor	8/18/2016 3:52:30 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 3:52:10 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	8/18/2016 3:52:00 AM	12	mg/l
SC ALRO SA	Temp	8/18/2016 3:51:50 AM	24	gradCels
SC ALRO SA	pH	8/18/2016 3:51:40 AM	3	unit pH
SC ALRO SA	Substante organice	8/18/2016 3:50:54 AM	12	mg/l
SC ALRO SA	Clor	8/18/2016 3:50:48 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 3:50:47 AM	0	mg/l
SC ALRO SA	pH	8/18/2016 3:50:46 AM	3	unit pH
SC ALRO SA	Temp	8/18/2016 3:50:45 AM	24	gradCels
SC ALRO SA	Substante organice	8/18/2016 3:46:02 AM	12	mg/l
SC ALRO SA	Clor	8/18/2016 3:45:20 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 3:45:19 AM	0	mg/l
SC ALRO SA	Temp	8/18/2016 3:45:18 AM	24	gradCels
SC ALRO SA	pH	8/18/2016 3:45:17 AM	3	unit pH
SC ALRO SA	Substante organice	8/18/2016 3:41:00 AM	12	mg/l
SC ALRO SA	Clor	8/18/2016 3:40:23 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 3:40:22 AM	0	mg/l
SC ALRO SA	Temp	8/18/2016 3:40:21 AM	24	gradCels
SC ALRO SA	pH	8/18/2016 3:40:20 AM	3	unit pH
SC ALRO SA	Clor	8/18/2016 3:35:07 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 3:35:06 AM	0	mg/l
SC ALRO SA	Temp	8/18/2016 3:35:05 AM	24	gradCels
SC ALRO SA	Substante organice	8/18/2016 3:35:04 AM	12	mg/l
SC ALRO SA	pH	8/18/2016 3:35:03 AM	3	unit pH
SC ALRO SA	Clor	8/18/2016 3:33:10 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 3:32:20 AM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 3:32:10 AM	12	mg/l
SC ALRO SA	Temp	8/18/2016 3:32:00 AM	24	gradCels
SC ALRO SA	pH	8/18/2016 3:31:20 AM	3	unit pH
SC ALRO SA	Substante organice	8/18/2016 3:29:44 AM	12	mg/l
SC ALRO SA	Clor	8/18/2016 3:29:43 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 3:29:42 AM	0	mg/l
SC ALRO SA	Temp	8/18/2016 3:29:41 AM	24	gradCels
SC ALRO SA	pH	8/18/2016 3:29:40 AM	3	unit pH
SC ALRO SA	Substante organice	8/18/2016 3:25:00 AM	12	mg/l
SC ALRO SA	Clor	8/18/2016 3:24:06 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 3:24:05 AM	0	mg/l
SC ALRO SA	pH	8/18/2016 3:24:04 AM	3	unit pH
SC ALRO SA	Temp	8/18/2016 3:24:03 AM	24	gradCels
SC ALRO SA	Substante organice	8/18/2016 3:18:45 AM	12	mg/l
SC ALRO SA	Clor	8/18/2016 3:18:43 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 3:18:42 AM	0	mg/l
SC ALRO SA	pH	8/18/2016 3:18:41 AM	3	unit pH
SC ALRO SA	Temp	8/18/2016 3:18:40 AM	24	gradCels
SC ALRO SA	Substante organice	8/18/2016 3:14:00 AM	12	mg/l
SC ALRO SA	Clor	8/18/2016 3:13:10 AM	0	mg/l
SC ALRO SA	Clor	8/18/2016 3:13:06 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 3:13:05 AM	0	mg/l
SC ALRO SA	pH	8/18/2016 3:13:04 AM	3	unit pH
SC ALRO SA	Temp	8/18/2016 3:13:03 AM	24	gradCels
SC ALRO SA	Grasimi	8/18/2016 3:12:30 AM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 3:12:20 AM	12	mg/l
SC ALRO SA	Temp	8/18/2016 3:11:40 AM	24	gradCels
SC ALRO SA	pH	8/18/2016 3:11:10 AM	3	unit pH
SC ALRO SA	Clor	8/18/2016 3:07:44 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 3:07:43 AM	0	mg/l
SC ALRO SA	Temp	8/18/2016 3:07:42 AM	24	gradCels
SC ALRO SA	Substante organice	8/18/2016 3:07:41 AM	12	mg/l
SC ALRO SA	pH	8/18/2016 3:07:40 AM	3	unit pH
SC ALRO SA	Substante organice	8/18/2016 3:03:00 AM	12	mg/l
SC ALRO SA	Clor	8/18/2016 3:02:05 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 3:02:04 AM	0	mg/l
SC ALRO SA	Temp	8/18/2016 3:02:03 AM	24	gradCels
SC ALRO SA	pH	8/18/2016 3:02:02 AM	3	unit pH
SC ALRO SA	Substante organice	8/18/2016 2:56:45 AM	12	mg/l
SC ALRO SA	Clor	8/18/2016 2:56:44 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 2:56:43 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	8/18/2016 2:56:41 AM	24	gradCels
SC ALRO SA	pH	8/18/2016 2:56:40 AM	3	unit pH
SC ALRO SA	Clor	8/18/2016 2:52:10 AM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 2:52:00 AM	12	mg/l
SC ALRO SA	Grasimi	8/18/2016 2:51:30 AM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 2:51:20 AM	12	mg/l
SC ALRO SA	Temp	8/18/2016 2:51:10 AM	24	gradCels
SC ALRO SA	Clor	8/18/2016 2:51:06 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 2:51:05 AM	0	mg/l
SC ALRO SA	Temp	8/18/2016 2:51:04 AM	24	gradCels
SC ALRO SA	pH	8/18/2016 2:51:03 AM	3	unit pH
SC ALRO SA	pH	8/18/2016 2:50:40 AM	3	unit pH
SC ALRO SA	Substante organice	8/18/2016 2:46:00 AM	12	mg/l
SC ALRO SA	Clor	8/18/2016 2:45:23 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 2:45:22 AM	0	mg/l
SC ALRO SA	pH	8/18/2016 2:45:21 AM	3	unit pH
SC ALRO SA	Temp	8/18/2016 2:45:20 AM	24	gradCels
SC ALRO SA	Substante organice	8/18/2016 2:41:00 AM	12	mg/l
SC ALRO SA	Clor	8/18/2016 2:40:03 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 2:40:02 AM	0	mg/l
SC ALRO SA	Temp	8/18/2016 2:40:01 AM	24	gradCels
SC ALRO SA	pH	8/18/2016 2:40:00 AM	3	unit pH
SC ALRO SA	Clor	8/18/2016 2:34:24 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 2:34:23 AM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 2:34:22 AM	12	mg/l
SC ALRO SA	Temp	8/18/2016 2:34:21 AM	24	gradCels
SC ALRO SA	pH	8/18/2016 2:34:20 AM	3	unit pH
SC ALRO SA	Clor	8/18/2016 2:30:30 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 2:30:10 AM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 2:30:00 AM	12	mg/l
SC ALRO SA	Substante organice	8/18/2016 2:29:40 AM	12	mg/l
SC ALRO SA	Temp	8/18/2016 2:29:30 AM	25	gradCels
SC ALRO SA	pH	8/18/2016 2:29:20 AM	3	unit pH
SC ALRO SA	Clor	8/18/2016 2:29:05 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 2:29:04 AM	0	mg/l
SC ALRO SA	Temp	8/18/2016 2:29:03 AM	25	gradCels
SC ALRO SA	pH	8/18/2016 2:29:02 AM	3	unit pH
SC ALRO SA	Substante organice	8/18/2016 2:24:02 AM	12	mg/l
SC ALRO SA	Clor	8/18/2016 2:23:23 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 2:23:22 AM	0	mg/l
SC ALRO SA	pH	8/18/2016 2:23:21 AM	3	unit pH
SC ALRO SA	Temp	8/18/2016 2:23:20 AM	25	gradCels
SC ALRO SA	Substante organice	8/18/2016 2:19:00 AM	12	mg/l
SC ALRO SA	Clor	8/18/2016 2:18:05 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 2:18:04 AM	0	mg/l
SC ALRO SA	Temp	8/18/2016 2:18:03 AM	25	gradCels
SC ALRO SA	pH	8/18/2016 2:18:02 AM	3	unit pH
SC ALRO SA	Substante organice	8/18/2016 2:13:02 AM	12	mg/l
SC ALRO SA	Clor	8/18/2016 2:12:23 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 2:12:22 AM	0	mg/l
SC ALRO SA	Temp	8/18/2016 2:12:21 AM	25	gradCels
SC ALRO SA	pH	8/18/2016 2:12:20 AM	3	unit pH
SC ALRO SA	Clor	8/18/2016 2:08:50 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 2:08:20 AM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 2:08:10 AM	12	mg/l
SC ALRO SA	Temp	8/18/2016 2:08:00 AM	25	gradCels
SC ALRO SA	pH	8/18/2016 2:07:50 AM	3	unit pH
SC ALRO SA	Clor	8/18/2016 2:07:04 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 2:07:03 AM	0	mg/l
SC ALRO SA	Temp	8/18/2016 2:07:02 AM	25	gradCels
SC ALRO SA	Substante organice	8/18/2016 2:07:01 AM	12	mg/l
SC ALRO SA	pH	8/18/2016 2:07:00 AM	3	unit pH
SC ALRO SA	Substante organice	8/18/2016 2:02:01 AM	12	mg/l
SC ALRO SA	Clor	8/18/2016 2:01:23 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 2:01:22 AM	0	mg/l
SC ALRO SA	Temp	8/18/2016 2:01:21 AM	25	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	8/18/2016 2:01:20 AM	3	unit pH
SC ALRO SA	Substante organice	8/18/2016 1:55:46 AM	12	mg/l
SC ALRO SA	Clor	8/18/2016 1:55:43 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 1:55:42 AM	0	mg/l
SC ALRO SA	Temp	8/18/2016 1:55:41 AM	25	gradCels
SC ALRO SA	pH	8/18/2016 1:55:40 AM	3	unit pH
SC ALRO SA	Substante organice	8/18/2016 1:51:02 AM	12	mg/l
SC ALRO SA	Clor	8/18/2016 1:50:23 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 1:50:22 AM	0	mg/l
SC ALRO SA	Temp	8/18/2016 1:50:21 AM	25	gradCels
SC ALRO SA	pH	8/18/2016 1:50:20 AM	3	unit pH
SC ALRO SA	Clor	8/18/2016 1:49:30 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 1:48:10 AM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 1:46:50 AM	12	mg/l
SC ALRO SA	Temp	8/18/2016 1:46:40 AM	25	gradCels
SC ALRO SA	pH	8/18/2016 1:46:30 AM	3	unit pH
SC ALRO SA	Substante organice	8/18/2016 1:44:47 AM	12	mg/l
SC ALRO SA	Clor	8/18/2016 1:44:43 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 1:44:42 AM	0	mg/l
SC ALRO SA	Temp	8/18/2016 1:44:41 AM	25	gradCels
SC ALRO SA	pH	8/18/2016 1:44:40 AM	3	unit pH
SC ALRO SA	Substante organice	8/18/2016 1:40:00 AM	12	mg/l
SC ALRO SA	Clor	8/18/2016 1:39:13 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 1:39:12 AM	0	mg/l
SC ALRO SA	pH	8/18/2016 1:39:11 AM	3	unit pH
SC ALRO SA	Temp	8/18/2016 1:39:10 AM	25	gradCels
SC ALRO SA	Clor	8/18/2016 1:33:44 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 1:33:43 AM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 1:33:42 AM	12	mg/l
SC ALRO SA	pH	8/18/2016 1:33:41 AM	3	unit pH
SC ALRO SA	Temp	8/18/2016 1:33:40 AM	25	gradCels
SC ALRO SA	Clor	8/18/2016 1:29:50 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 1:29:30 AM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 1:29:20 AM	12	mg/l
SC ALRO SA	Temp	8/18/2016 1:29:10 AM	25	gradCels
SC ALRO SA	Substante organice	8/18/2016 1:29:00 AM	12	mg/l
SC ALRO SA	pH	8/18/2016 1:28:40 AM	3	unit pH
SC ALRO SA	Clor	8/18/2016 1:28:23 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 1:28:22 AM	0	mg/l
SC ALRO SA	Temp	8/18/2016 1:28:21 AM	25	gradCels
SC ALRO SA	pH	8/18/2016 1:28:20 AM	3	unit pH
SC ALRO SA	Substante organice	8/18/2016 1:22:46 AM	12	mg/l
SC ALRO SA	Clor	8/18/2016 1:22:43 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 1:22:42 AM	0	mg/l
SC ALRO SA	Temp	8/18/2016 1:22:41 AM	25	gradCels
SC ALRO SA	pH	8/18/2016 1:22:40 AM	3	unit pH
SC ALRO SA	Substante organice	8/18/2016 1:18:00 AM	12	mg/l
SC ALRO SA	Clor	8/18/2016 1:17:03 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 1:17:02 AM	0	mg/l
SC ALRO SA	Temp	8/18/2016 1:17:01 AM	25	gradCels
SC ALRO SA	pH	8/18/2016 1:17:00 AM	3	unit pH
SC ALRO SA	Clor	8/18/2016 1:12:00 AM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 1:11:47 AM	12	mg/l
SC ALRO SA	Clor	8/18/2016 1:11:43 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 1:11:42 AM	0	mg/l
SC ALRO SA	Temp	8/18/2016 1:11:41 AM	25	gradCels
SC ALRO SA	pH	8/18/2016 1:11:40 AM	3	unit pH
SC ALRO SA	Grasimi	8/18/2016 1:11:00 AM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 1:10:20 AM	12	mg/l
SC ALRO SA	Temp	8/18/2016 1:09:40 AM	25	gradCels
SC ALRO SA	pH	8/18/2016 1:09:30 AM	3	unit pH
SC ALRO SA	Clor	8/18/2016 1:06:04 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 1:06:03 AM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 1:06:02 AM	12	mg/l
SC ALRO SA	Temp	8/18/2016 1:06:01 AM	25	gradCels
SC ALRO SA	pH	8/18/2016 1:06:00 AM	3	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	8/18/2016 1:00:47 AM	12	mg/l
SC ALRO SA	Clor	8/18/2016 1:00:43 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 1:00:42 AM	0	mg/l
SC ALRO SA	pH	8/18/2016 1:00:41 AM	3	unit pH
SC ALRO SA	Temp	8/18/2016 1:00:40 AM	25	gradCels
SC ALRO SA	Substante organice	8/18/2016 12:56:00 AM	12	mg/l
SC ALRO SA	Clor	8/18/2016 12:55:03 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 12:55:02 AM	0	mg/l
SC ALRO SA	pH	8/18/2016 12:55:01 AM	3	unit pH
SC ALRO SA	Temp	8/18/2016 12:55:00 AM	25	gradCels
SC ALRO SA	Clor	8/18/2016 12:51:30 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 12:51:10 AM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 12:51:00 AM	12	mg/l
SC ALRO SA	Temp	8/18/2016 12:50:50 AM	25	gradCels
SC ALRO SA	pH	8/18/2016 12:50:40 AM	3	unit pH
SC ALRO SA	Substante organice	8/18/2016 12:49:47 AM	12	mg/l
SC ALRO SA	Clor	8/18/2016 12:49:43 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 12:49:42 AM	0	mg/l
SC ALRO SA	Temp	8/18/2016 12:49:41 AM	25	gradCels
SC ALRO SA	pH	8/18/2016 12:49:40 AM	3	unit pH
SC ALRO SA	Substante organice	8/18/2016 12:45:00 AM	12	mg/l
SC ALRO SA	Clor	8/18/2016 12:44:03 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 12:44:02 AM	0	mg/l
SC ALRO SA	Temp	8/18/2016 12:44:01 AM	25	gradCels
SC ALRO SA	pH	8/18/2016 12:44:00 AM	3	unit pH
SC ALRO SA	Clor	8/18/2016 12:38:44 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 12:38:43 AM	0	mg/l
SC ALRO SA	Temp	8/18/2016 12:38:42 AM	25	gradCels
SC ALRO SA	Substante organice	8/18/2016 12:38:41 AM	12	mg/l
SC ALRO SA	pH	8/18/2016 12:38:40 AM	3	unit pH
SC ALRO SA	Substante organice	8/18/2016 12:34:00 AM	12	mg/l
SC ALRO SA	Clor	8/18/2016 12:33:03 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 12:33:02 AM	0	mg/l
SC ALRO SA	pH	8/18/2016 12:33:01 AM	3	unit pH
SC ALRO SA	Temp	8/18/2016 12:33:00 AM	25	gradCels
SC ALRO SA	Clor	8/18/2016 12:32:20 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 12:31:30 AM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 12:31:10 AM	12	mg/l
SC ALRO SA	Temp	8/18/2016 12:31:00 AM	25	gradCels
SC ALRO SA	pH	8/18/2016 12:30:30 AM	3	unit pH
SC ALRO SA	Substante organice	8/18/2016 12:27:46 AM	12	mg/l
SC ALRO SA	Clor	8/18/2016 12:27:43 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 12:27:42 AM	0	mg/l
SC ALRO SA	Temp	8/18/2016 12:27:41 AM	25	gradCels
SC ALRO SA	pH	8/18/2016 12:27:40 AM	3	unit pH
SC ALRO SA	Substante organice	8/18/2016 12:23:00 AM	12	mg/l
SC ALRO SA	Clor	8/18/2016 12:22:03 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 12:22:02 AM	0	mg/l
SC ALRO SA	Temp	8/18/2016 12:22:01 AM	25	gradCels
SC ALRO SA	pH	8/18/2016 12:22:00 AM	3	unit pH
SC ALRO SA	Substante organice	8/18/2016 12:17:02 AM	12	mg/l
SC ALRO SA	Clor	8/18/2016 12:16:23 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 12:16:22 AM	0	mg/l
SC ALRO SA	pH	8/18/2016 12:16:21 AM	3	unit pH
SC ALRO SA	Temp	8/18/2016 12:16:20 AM	25	gradCels
SC ALRO SA	Clor	8/18/2016 12:12:50 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 12:12:30 AM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 12:12:20 AM	12	mg/l
SC ALRO SA	Temp	8/18/2016 12:12:10 AM	25	gradCels
SC ALRO SA	Substante organice	8/18/2016 12:12:02 AM	12	mg/l
SC ALRO SA	pH	8/18/2016 12:11:40 AM	3	unit pH
SC ALRO SA	Clor	8/18/2016 12:11:08 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 12:11:07 AM	0	mg/l
SC ALRO SA	Temp	8/18/2016 12:11:06 AM	25	gradCels
SC ALRO SA	pH	8/18/2016 12:11:05 AM	3	unit pH
SC ALRO SA	Clor	8/18/2016 12:05:27 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Grasimi	8/18/2016 12:05:26 AM	0	mg/l
SC ALRO SA	Substante organice	8/18/2016 12:05:25 AM	12	mg/l
SC ALRO SA	pH	8/18/2016 12:05:24 AM	3	unit pH
SC ALRO SA	Temp	8/18/2016 12:05:23 AM	25	gradCels
SC ALRO SA	Substante organice	8/18/2016 12:01:01 AM	12	mg/l
SC ALRO SA	Clor	8/18/2016 12:00:11 AM	0	mg/l
SC ALRO SA	Grasimi	8/18/2016 12:00:10 AM	0	mg/l
SC ALRO SA	Temp	8/18/2016 12:00:09 AM	25	gradCels
SC ALRO SA	pH	8/18/2016 12:00:08 AM	3	unit pH
SC ALRO SA	Substante organice	8/17/2016 11:55:02 PM	12	mg/l
SC ALRO SA	Clor	8/17/2016 11:54:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 11:54:22 PM	0	mg/l
SC ALRO SA	Temp	8/17/2016 11:54:21 PM	25	gradCels
SC ALRO SA	pH	8/17/2016 11:54:20 PM	3	unit pH
SC ALRO SA	Clor	8/17/2016 11:52:20 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 11:51:50 PM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 11:51:30 PM	12	mg/l
SC ALRO SA	Temp	8/17/2016 11:51:00 PM	25	gradCels
SC ALRO SA	pH	8/17/2016 11:50:50 PM	3	unit pH
SC ALRO SA	Substante organice	8/17/2016 11:50:02 PM	12	mg/l
SC ALRO SA	Clor	8/17/2016 11:49:09 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 11:49:08 PM	0	mg/l
SC ALRO SA	Temp	8/17/2016 11:49:07 PM	25	gradCels
SC ALRO SA	pH	8/17/2016 11:49:06 PM	3	unit pH
SC ALRO SA	Substante organice	8/17/2016 11:44:02 PM	12	mg/l
SC ALRO SA	Clor	8/17/2016 11:43:26 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 11:43:25 PM	0	mg/l
SC ALRO SA	Temp	8/17/2016 11:43:24 PM	25	gradCels
SC ALRO SA	pH	8/17/2016 11:43:23 PM	3	unit pH
SC ALRO SA	Clor	8/17/2016 11:38:12 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 11:38:11 PM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 11:38:10 PM	12	mg/l
SC ALRO SA	Temp	8/17/2016 11:38:09 PM	25	gradCels
SC ALRO SA	pH	8/17/2016 11:38:08 PM	3	unit pH
SC ALRO SA	Substante organice	8/17/2016 11:33:01 PM	12	mg/l
SC ALRO SA	Clor	8/17/2016 11:32:40 PM	0	mg/l
SC ALRO SA	Clor	8/17/2016 11:32:27 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 11:32:26 PM	0	mg/l
SC ALRO SA	Temp	8/17/2016 11:32:25 PM	25	gradCels
SC ALRO SA	pH	8/17/2016 11:32:24 PM	3	unit pH
SC ALRO SA	Grasimi	8/17/2016 11:32:10 PM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 11:31:40 PM	12	mg/l
SC ALRO SA	Temp	8/17/2016 11:31:10 PM	25	gradCels
SC ALRO SA	pH	8/17/2016 11:30:50 PM	3	unit pH
SC ALRO SA	Substante organice	8/17/2016 11:28:00 PM	12	mg/l
SC ALRO SA	Clor	8/17/2016 11:26:50 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 11:26:49 PM	0	mg/l
SC ALRO SA	Temp	8/17/2016 11:26:48 PM	25	gradCels
SC ALRO SA	pH	8/17/2016 11:26:47 PM	3	unit pH
SC ALRO SA	Substante organice	8/17/2016 11:22:02 PM	12	mg/l
SC ALRO SA	Clor	8/17/2016 11:21:16 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 11:21:15 PM	0	mg/l
SC ALRO SA	Temp	8/17/2016 11:21:14 PM	25	gradCels
SC ALRO SA	pH	8/17/2016 11:21:13 PM	3	unit pH
SC ALRO SA	Substante organice	8/17/2016 11:17:00 PM	12	mg/l
SC ALRO SA	Clor	8/17/2016 11:15:52 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 11:15:51 PM	0	mg/l
SC ALRO SA	Temp	8/17/2016 11:15:50 PM	25	gradCels
SC ALRO SA	pH	8/17/2016 11:15:49 PM	3	unit pH
SC ALRO SA	Clor	8/17/2016 11:12:10 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 11:11:50 PM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 11:11:40 PM	12	mg/l
SC ALRO SA	Temp	8/17/2016 11:11:30 PM	25	gradCels
SC ALRO SA	pH	8/17/2016 11:11:20 PM	3	unit pH
SC ALRO SA	Substante organice	8/17/2016 11:11:02 PM	12	mg/l
SC ALRO SA	Clor	8/17/2016 11:10:26 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Grasimi	8/17/2016 11:10:25 PM	0	mg/l
SC ALRO SA	pH	8/17/2016 11:10:24 PM	3	unit pH
SC ALRO SA	Temp	8/17/2016 11:10:23 PM	25	gradCels
SC ALRO SA	Substante organice	8/17/2016 11:04:52 PM	12	mg/l
SC ALRO SA	Clor	8/17/2016 11:04:46 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 11:04:45 PM	0	mg/l
SC ALRO SA	pH	8/17/2016 11:04:44 PM	3	unit pH
SC ALRO SA	Temp	8/17/2016 11:04:43 PM	25	gradCels
SC ALRO SA	Substante organice	8/17/2016 11:00:02 PM	12	mg/l
SC ALRO SA	Clor	8/17/2016 10:59:26 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 10:59:25 PM	0	mg/l
SC ALRO SA	Temp	8/17/2016 10:59:24 PM	25	gradCels
SC ALRO SA	pH	8/17/2016 10:59:23 PM	3	unit pH
SC ALRO SA	Substante organice	8/17/2016 10:53:52 PM	12	mg/l
SC ALRO SA	Clor	8/17/2016 10:53:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 10:53:42 PM	0	mg/l
SC ALRO SA	pH	8/17/2016 10:53:41 PM	3	unit pH
SC ALRO SA	Temp	8/17/2016 10:53:40 PM	25	gradCels
SC ALRO SA	Clor	8/17/2016 10:52:30 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 10:52:10 PM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 10:51:40 PM	12	mg/l
SC ALRO SA	Temp	8/17/2016 10:51:30 PM	25	gradCels
SC ALRO SA	pH	8/17/2016 10:51:10 PM	4	unit pH
SC ALRO SA	Substante organice	8/17/2016 10:49:02 PM	12	mg/l
SC ALRO SA	Clor	8/17/2016 10:48:26 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 10:48:25 PM	0	mg/l
SC ALRO SA	Temp	8/17/2016 10:48:24 PM	25	gradCels
SC ALRO SA	pH	8/17/2016 10:48:23 PM	3	unit pH
SC ALRO SA	Substante organice	8/17/2016 10:42:52 PM	12	mg/l
SC ALRO SA	Clor	8/17/2016 10:42:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 10:42:42 PM	0	mg/l
SC ALRO SA	Temp	8/17/2016 10:42:41 PM	25	gradCels
SC ALRO SA	pH	8/17/2016 10:42:40 PM	4	unit pH
SC ALRO SA	Clor	8/17/2016 10:37:27 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 10:37:26 PM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 10:37:25 PM	12	mg/l
SC ALRO SA	Temp	8/17/2016 10:37:24 PM	25	gradCels
SC ALRO SA	pH	8/17/2016 10:37:23 PM	4	unit pH
SC ALRO SA	Clor	8/17/2016 10:32:40 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 10:32:20 PM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 10:32:10 PM	12	mg/l
SC ALRO SA	Temp	8/17/2016 10:32:00 PM	25	gradCels
SC ALRO SA	Substante organice	8/17/2016 10:31:51 PM	12	mg/l
SC ALRO SA	Clor	8/17/2016 10:31:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 10:31:42 PM	0	mg/l
SC ALRO SA	Temp	8/17/2016 10:31:41 PM	25	gradCels
SC ALRO SA	pH	8/17/2016 10:31:40 PM	4	unit pH
SC ALRO SA	pH	8/17/2016 10:31:30 PM	4	unit pH
SC ALRO SA	Substante organice	8/17/2016 10:27:02 PM	12	mg/l
SC ALRO SA	Clor	8/17/2016 10:26:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 10:26:22 PM	0	mg/l
SC ALRO SA	Temp	8/17/2016 10:26:21 PM	25	gradCels
SC ALRO SA	pH	8/17/2016 10:26:20 PM	4	unit pH
SC ALRO SA	Substante organice	8/17/2016 10:20:51 PM	12	mg/l
SC ALRO SA	Clor	8/17/2016 10:20:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 10:20:42 PM	0	mg/l
SC ALRO SA	Temp	8/17/2016 10:20:41 PM	25	gradCels
SC ALRO SA	pH	8/17/2016 10:20:40 PM	4	unit pH
SC ALRO SA	Substante organice	8/17/2016 10:16:02 PM	12	mg/l
SC ALRO SA	Clor	8/17/2016 10:15:06 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 10:15:05 PM	0	mg/l
SC ALRO SA	Temp	8/17/2016 10:15:04 PM	25	gradCels
SC ALRO SA	pH	8/17/2016 10:15:03 PM	4	unit pH
SC ALRO SA	Clor	8/17/2016 10:11:00 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 10:10:40 PM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 10:10:30 PM	12	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	8/17/2016 10:10:20 PM	25	gradCels
SC ALRO SA	pH	8/17/2016 10:10:10 PM	4	unit pH
SC ALRO SA	Substante organice	8/17/2016 10:09:50 PM	12	mg/l
SC ALRO SA	Clor	8/17/2016 10:09:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 10:09:42 PM	0	mg/l
SC ALRO SA	Temp	8/17/2016 10:09:41 PM	25	gradCels
SC ALRO SA	pH	8/17/2016 10:09:40 PM	4	unit pH
SC ALRO SA	Clor	8/17/2016 10:04:09 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 10:04:08 PM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 10:04:07 PM	12	mg/l
SC ALRO SA	Temp	8/17/2016 10:04:06 PM	25	gradCels
SC ALRO SA	pH	8/17/2016 10:04:05 PM	4	unit pH
SC ALRO SA	Substante organice	8/17/2016 9:58:53 PM	12	mg/l
SC ALRO SA	Clor	8/17/2016 9:58:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 9:58:42 PM	0	mg/l
SC ALRO SA	pH	8/17/2016 9:58:41 PM	4	unit pH
SC ALRO SA	Temp	8/17/2016 9:58:40 PM	25	gradCels
SC ALRO SA	Substante organice	8/17/2016 9:54:03 PM	12	mg/l
SC ALRO SA	Clor	8/17/2016 9:53:09 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 9:53:08 PM	0	mg/l
SC ALRO SA	Temp	8/17/2016 9:53:07 PM	25	gradCels
SC ALRO SA	pH	8/17/2016 9:53:06 PM	4	unit pH
SC ALRO SA	Clor	8/17/2016 9:51:20 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 9:50:40 PM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 9:50:30 PM	12	mg/l
SC ALRO SA	Temp	8/17/2016 9:50:00 PM	25	gradCels
SC ALRO SA	pH	8/17/2016 9:49:50 PM	4	unit pH
SC ALRO SA	Substante organice	8/17/2016 9:48:01 PM	12	mg/l
SC ALRO SA	Clor	8/17/2016 9:47:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 9:47:42 PM	0	mg/l
SC ALRO SA	Temp	8/17/2016 9:47:41 PM	25	gradCels
SC ALRO SA	pH	8/17/2016 9:47:40 PM	4	unit pH
SC ALRO SA	Substante organice	8/17/2016 9:43:03 PM	12	mg/l
SC ALRO SA	Clor	8/17/2016 9:42:11 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 9:42:10 PM	0	mg/l
SC ALRO SA	Temp	8/17/2016 9:42:09 PM	25	gradCels
SC ALRO SA	pH	8/17/2016 9:42:08 PM	4	unit pH
SC ALRO SA	Clor	8/17/2016 9:36:44 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 9:36:43 PM	0	mg/l
SC ALRO SA	Temp	8/17/2016 9:36:42 PM	25	gradCels
SC ALRO SA	Substante organice	8/17/2016 9:36:41 PM	12	mg/l
SC ALRO SA	pH	8/17/2016 9:36:40 PM	4	unit pH
SC ALRO SA	Clor	8/17/2016 9:32:40 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 9:32:20 PM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 9:32:10 PM	12	mg/l
SC ALRO SA	Substante organice	8/17/2016 9:32:02 PM	12	mg/l
SC ALRO SA	Temp	8/17/2016 9:31:40 PM	25	gradCels
SC ALRO SA	pH	8/17/2016 9:31:30 PM	4	unit pH
SC ALRO SA	Clor	8/17/2016 9:31:03 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 9:31:02 PM	0	mg/l
SC ALRO SA	pH	8/17/2016 9:31:01 PM	4	unit pH
SC ALRO SA	Temp	8/17/2016 9:31:00 PM	25	gradCels
SC ALRO SA	Substante organice	8/17/2016 9:26:00 PM	12	mg/l
SC ALRO SA	Clor	8/17/2016 9:25:47 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 9:25:46 PM	0	mg/l
SC ALRO SA	pH	8/17/2016 9:25:45 PM	4	unit pH
SC ALRO SA	Temp	8/17/2016 9:25:44 PM	25	gradCels
SC ALRO SA	Substante organice	8/17/2016 9:21:04 PM	12	mg/l
SC ALRO SA	Clor	8/17/2016 9:20:12 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 9:20:11 PM	0	mg/l
SC ALRO SA	Temp	8/17/2016 9:20:10 PM	25	gradCels
SC ALRO SA	pH	8/17/2016 9:20:09 PM	4	unit pH
SC ALRO SA	Substante organice	8/17/2016 9:14:59 PM	12	mg/l
SC ALRO SA	Clor	8/17/2016 9:14:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 9:14:42 PM	0	mg/l
SC ALRO SA	Temp	8/17/2016 9:14:41 PM	25	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	8/17/2016 9:14:40 PM	4	unit pH
SC ALRO SA	Clor	8/17/2016 9:13:30 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 9:13:10 PM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 9:13:00 PM	12	mg/l
SC ALRO SA	Temp	8/17/2016 9:12:50 PM	25	gradCels
SC ALRO SA	pH	8/17/2016 9:12:20 PM	4	unit pH
SC ALRO SA	Substante organice	8/17/2016 9:09:42 PM	12	mg/l
SC ALRO SA	Clor	8/17/2016 9:09:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 9:09:22 PM	0	mg/l
SC ALRO SA	Temp	8/17/2016 9:09:21 PM	25	gradCels
SC ALRO SA	pH	8/17/2016 9:09:20 PM	4	unit pH
SC ALRO SA	Clor	8/17/2016 9:04:04 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 9:04:03 PM	0	mg/l
SC ALRO SA	Temp	8/17/2016 9:04:02 PM	25	gradCels
SC ALRO SA	Substante organice	8/17/2016 9:04:01 PM	12	mg/l
SC ALRO SA	pH	8/17/2016 9:04:00 PM	4	unit pH
SC ALRO SA	Substante organice	8/17/2016 8:59:02 PM	12	mg/l
SC ALRO SA	Clor	8/17/2016 8:58:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 8:58:22 PM	0	mg/l
SC ALRO SA	pH	8/17/2016 8:58:21 PM	4	unit pH
SC ALRO SA	Temp	8/17/2016 8:58:20 PM	25	gradCels
SC ALRO SA	Substante organice	8/17/2016 8:53:42 PM	12	mg/l
SC ALRO SA	Clor	8/17/2016 8:53:30 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 8:53:10 PM	0	mg/l
SC ALRO SA	Clor	8/17/2016 8:53:06 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 8:53:05 PM	0	mg/l
SC ALRO SA	Temp	8/17/2016 8:53:04 PM	25	gradCels
SC ALRO SA	pH	8/17/2016 8:53:03 PM	4	unit pH
SC ALRO SA	Substante organice	8/17/2016 8:52:20 PM	12	mg/l
SC ALRO SA	Temp	8/17/2016 8:52:10 PM	25	gradCels
SC ALRO SA	pH	8/17/2016 8:51:30 PM	4	unit pH
SC ALRO SA	Substante organice	8/17/2016 8:48:04 PM	12	mg/l
SC ALRO SA	Clor	8/17/2016 8:47:23 PM	0	mg/l
SC ALRO SA	Temp	8/17/2016 8:47:22 PM	25	gradCels
SC ALRO SA	Grasimi	8/17/2016 8:47:21 PM	0	mg/l
SC ALRO SA	pH	8/17/2016 8:47:20 PM	4	unit pH
SC ALRO SA	Substante organice	8/17/2016 8:42:44 PM	12	mg/l
SC ALRO SA	Clor	8/17/2016 8:42:06 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 8:42:05 PM	0	mg/l
SC ALRO SA	Temp	8/17/2016 8:42:04 PM	25	gradCels
SC ALRO SA	pH	8/17/2016 8:42:03 PM	4	unit pH
SC ALRO SA	Clor	8/17/2016 8:36:24 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 8:36:23 PM	0	mg/l
SC ALRO SA	Temp	8/17/2016 8:36:22 PM	25	gradCels
SC ALRO SA	Substante organice	8/17/2016 8:36:21 PM	12	mg/l
SC ALRO SA	pH	8/17/2016 8:36:20 PM	4	unit pH
SC ALRO SA	Clor	8/17/2016 8:33:30 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 8:33:10 PM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 8:32:40 PM	12	mg/l
SC ALRO SA	Temp	8/17/2016 8:32:30 PM	25	gradCels
SC ALRO SA	pH	8/17/2016 8:32:10 PM	4	unit pH
SC ALRO SA	Substante organice	8/17/2016 8:32:03 PM	12	mg/l
SC ALRO SA	Clor	8/17/2016 8:31:11 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 8:31:10 PM	0	mg/l
SC ALRO SA	Temp	8/17/2016 8:31:09 PM	25	gradCels
SC ALRO SA	pH	8/17/2016 8:31:08 PM	4	unit pH
SC ALRO SA	Substante organice	8/17/2016 8:25:44 PM	12	mg/l
SC ALRO SA	Clor	8/17/2016 8:25:27 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 8:25:26 PM	0	mg/l
SC ALRO SA	Temp	8/17/2016 8:25:25 PM	25	gradCels
SC ALRO SA	pH	8/17/2016 8:25:24 PM	4	unit pH
SC ALRO SA	Substante organice	8/17/2016 8:21:04 PM	12	mg/l
SC ALRO SA	Clor	8/17/2016 8:20:11 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 8:20:10 PM	0	mg/l
SC ALRO SA	Temp	8/17/2016 8:20:09 PM	25	gradCels
SC ALRO SA	pH	8/17/2016 8:20:08 PM	4	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	8/17/2016 8:14:45 PM	12	mg/l
SC ALRO SA	Clor	8/17/2016 8:14:23 PM	0	mg/l
SC ALRO SA	Temp	8/17/2016 8:14:22 PM	25	gradCels
SC ALRO SA	Grasimi	8/17/2016 8:14:21 PM	0	mg/l
SC ALRO SA	pH	8/17/2016 8:14:20 PM	4	unit pH
SC ALRO SA	Clor	8/17/2016 8:14:00 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 8:13:30 PM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 8:13:20 PM	12	mg/l
SC ALRO SA	Temp	8/17/2016 8:12:50 PM	25	gradCels
SC ALRO SA	pH	8/17/2016 8:12:30 PM	4	unit pH
SC ALRO SA	Clor	8/17/2016 8:09:04 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 8:09:03 PM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 8:09:02 PM	12	mg/l
SC ALRO SA	Temp	8/17/2016 8:09:01 PM	25	gradCels
SC ALRO SA	pH	8/17/2016 8:09:00 PM	4	unit pH
SC ALRO SA	Substante organice	8/17/2016 8:04:02 PM	12	mg/l
SC ALRO SA	Clor	8/17/2016 8:03:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 8:03:22 PM	0	mg/l
SC ALRO SA	Temp	8/17/2016 8:03:21 PM	25	gradCels
SC ALRO SA	pH	8/17/2016 8:03:20 PM	4	unit pH
SC ALRO SA	Substante organice	8/17/2016 7:57:51 PM	12	mg/l
SC ALRO SA	Clor	8/17/2016 7:57:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 7:57:42 PM	0	mg/l
SC ALRO SA	Temp	8/17/2016 7:57:41 PM	24	gradCels
SC ALRO SA	pH	8/17/2016 7:57:40 PM	4	unit pH
SC ALRO SA	Clor	8/17/2016 7:55:00 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 7:54:30 PM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 7:54:00 PM	12	mg/l
SC ALRO SA	Temp	8/17/2016 7:53:50 PM	24	gradCels
SC ALRO SA	pH	8/17/2016 7:53:30 PM	4	unit pH
SC ALRO SA	Substante organice	8/17/2016 7:52:47 PM	12	mg/l
SC ALRO SA	Clor	8/17/2016 7:52:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 7:52:22 PM	0	mg/l
SC ALRO SA	Temp	8/17/2016 7:52:21 PM	24	gradCels
SC ALRO SA	pH	8/17/2016 7:52:20 PM	4	unit pH
SC ALRO SA	Substante organice	8/17/2016 7:46:51 PM	12	mg/l
SC ALRO SA	Clor	8/17/2016 7:46:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 7:46:42 PM	0	mg/l
SC ALRO SA	pH	8/17/2016 7:46:41 PM	4	unit pH
SC ALRO SA	Temp	8/17/2016 7:46:40 PM	24	gradCels
SC ALRO SA	Substante organice	8/17/2016 7:41:47 PM	12	mg/l
SC ALRO SA	Clor	8/17/2016 7:41:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 7:41:22 PM	0	mg/l
SC ALRO SA	Temp	8/17/2016 7:41:21 PM	24	gradCels
SC ALRO SA	pH	8/17/2016 7:41:20 PM	4	unit pH
SC ALRO SA	Clor	8/17/2016 7:35:44 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 7:35:43 PM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 7:35:42 PM	12	mg/l
SC ALRO SA	Temp	8/17/2016 7:35:41 PM	24	gradCels
SC ALRO SA	pH	8/17/2016 7:35:40 PM	4	unit pH
SC ALRO SA	Clor	8/17/2016 7:35:30 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 7:35:10 PM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 7:34:20 PM	12	mg/l
SC ALRO SA	Temp	8/17/2016 7:34:10 PM	24	gradCels
SC ALRO SA	pH	8/17/2016 7:34:00 PM	4	unit pH
SC ALRO SA	Substante organice	8/17/2016 7:30:47 PM	12	mg/l
SC ALRO SA	Clor	8/17/2016 7:30:03 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 7:30:02 PM	0	mg/l
SC ALRO SA	Temp	8/17/2016 7:30:01 PM	24	gradCels
SC ALRO SA	pH	8/17/2016 7:30:00 PM	4	unit pH
SC ALRO SA	Substante organice	8/17/2016 7:25:42 PM	12	mg/l
SC ALRO SA	Clor	8/17/2016 7:25:03 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 7:25:02 PM	0	mg/l
SC ALRO SA	Temp	8/17/2016 7:25:01 PM	24	gradCels
SC ALRO SA	pH	8/17/2016 7:25:00 PM	4	unit pH
SC ALRO SA	Substante organice	8/17/2016 7:19:52 PM	12	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Clor	8/17/2016 7:19:46 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 7:19:45 PM	0	mg/l
SC ALRO SA	pH	8/17/2016 7:19:44 PM	4	unit pH
SC ALRO SA	Temp	8/17/2016 7:19:43 PM	24	gradCels
SC ALRO SA	Clor	8/17/2016 7:17:10 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 7:16:40 PM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 7:16:30 PM	12	mg/l
SC ALRO SA	Temp	8/17/2016 7:16:20 PM	24	gradCels
SC ALRO SA	pH	8/17/2016 7:16:10 PM	4	unit pH
SC ALRO SA	Substante organice	8/17/2016 7:14:42 PM	12	mg/l
SC ALRO SA	Clor	8/17/2016 7:14:06 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 7:14:05 PM	0	mg/l
SC ALRO SA	Temp	8/17/2016 7:14:04 PM	24	gradCels
SC ALRO SA	pH	8/17/2016 7:14:03 PM	4	unit pH
SC ALRO SA	Clor	8/17/2016 7:08:47 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 7:08:46 PM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 7:08:45 PM	12	mg/l
SC ALRO SA	Temp	8/17/2016 7:08:44 PM	24	gradCels
SC ALRO SA	pH	8/17/2016 7:08:43 PM	4	unit pH
SC ALRO SA	Substante organice	8/17/2016 7:03:42 PM	12	mg/l
SC ALRO SA	Clor	8/17/2016 7:03:03 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 7:03:02 PM	0	mg/l
SC ALRO SA	Temp	8/17/2016 7:03:01 PM	24	gradCels
SC ALRO SA	pH	8/17/2016 7:03:00 PM	4	unit pH
SC ALRO SA	Clor	8/17/2016 6:59:10 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 6:58:20 PM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 6:58:10 PM	12	mg/l
SC ALRO SA	Temp	8/17/2016 6:58:00 PM	24	gradCels
SC ALRO SA	Substante organice	8/17/2016 6:57:52 PM	12	mg/l
SC ALRO SA	Clor	8/17/2016 6:57:47 PM	0	mg/l
SC ALRO SA	Temp	8/17/2016 6:57:46 PM	24	gradCels
SC ALRO SA	Grasimi	8/17/2016 6:57:45 PM	0	mg/l
SC ALRO SA	pH	8/17/2016 6:57:44 PM	4	unit pH
SC ALRO SA	pH	8/17/2016 6:57:20 PM	5	unit pH
SC ALRO SA	Substante organice	8/17/2016 6:52:42 PM	12	mg/l
SC ALRO SA	Clor	8/17/2016 6:52:06 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 6:52:05 PM	0	mg/l
SC ALRO SA	pH	8/17/2016 6:52:04 PM	4	unit pH
SC ALRO SA	Temp	8/17/2016 6:52:03 PM	24	gradCels
SC ALRO SA	Substante organice	8/17/2016 6:46:52 PM	12	mg/l
SC ALRO SA	Clor	8/17/2016 6:46:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 6:46:42 PM	0	mg/l
SC ALRO SA	Temp	8/17/2016 6:46:41 PM	24	gradCels
SC ALRO SA	pH	8/17/2016 6:46:40 PM	5	unit pH
SC ALRO SA	Substante organice	8/17/2016 6:41:42 PM	12	mg/l
SC ALRO SA	Clor	8/17/2016 6:41:03 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 6:41:02 PM	0	mg/l
SC ALRO SA	pH	8/17/2016 6:41:01 PM	5	unit pH
SC ALRO SA	Temp	8/17/2016 6:41:00 PM	24	gradCels
SC ALRO SA	Clor	8/17/2016 6:39:00 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 6:38:30 PM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 6:38:10 PM	12	mg/l
SC ALRO SA	Temp	8/17/2016 6:38:00 PM	24	gradCels
SC ALRO SA	pH	8/17/2016 6:37:50 PM	5	unit pH
SC ALRO SA	Clor	8/17/2016 6:35:47 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 6:35:46 PM	0	mg/l
SC ALRO SA	Temp	8/17/2016 6:35:45 PM	24	gradCels
SC ALRO SA	Substante organice	8/17/2016 6:35:44 PM	12	mg/l
SC ALRO SA	pH	8/17/2016 6:35:43 PM	5	unit pH
SC ALRO SA	Substante organice	8/17/2016 6:30:42 PM	12	mg/l
SC ALRO SA	Clor	8/17/2016 6:30:03 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 6:30:02 PM	0	mg/l
SC ALRO SA	pH	8/17/2016 6:30:01 PM	5	unit pH
SC ALRO SA	Temp	8/17/2016 6:30:00 PM	24	gradCels
SC ALRO SA	Substante organice	8/17/2016 6:24:44 PM	12	mg/l
SC ALRO SA	Clor	8/17/2016 6:24:26 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Grasimi	8/17/2016 6:24:25 PM	0	mg/l
SC ALRO SA	pH	8/17/2016 6:24:24 PM	5	unit pH
SC ALRO SA	Temp	8/17/2016 6:24:23 PM	23	gradCels
SC ALRO SA	Substante organice	8/17/2016 6:19:42 PM	12	mg/l
SC ALRO SA	Clor	8/17/2016 6:19:20 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 6:19:00 PM	0	mg/l
SC ALRO SA	Clor	8/17/2016 6:18:57 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 6:18:56 PM	0	mg/l
SC ALRO SA	Temp	8/17/2016 6:18:55 PM	23	gradCels
SC ALRO SA	pH	8/17/2016 6:18:54 PM	5	unit pH
SC ALRO SA	Substante organice	8/17/2016 6:18:20 PM	12	mg/l
SC ALRO SA	Temp	8/17/2016 6:18:10 PM	23	gradCels
SC ALRO SA	pH	8/17/2016 6:18:00 PM	5	unit pH
SC ALRO SA	Substante organice	8/17/2016 6:13:44 PM	12	mg/l
SC ALRO SA	Clor	8/17/2016 6:13:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 6:13:22 PM	0	mg/l
SC ALRO SA	Temp	8/17/2016 6:13:21 PM	23	gradCels
SC ALRO SA	pH	8/17/2016 6:13:20 PM	5	unit pH
SC ALRO SA	Clor	8/17/2016 6:08:07 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 6:08:06 PM	0	mg/l
SC ALRO SA	Temp	8/17/2016 6:08:05 PM	23	gradCels
SC ALRO SA	Substante organice	8/17/2016 6:08:04 PM	12	mg/l
SC ALRO SA	pH	8/17/2016 6:08:03 PM	5	unit pH
SC ALRO SA	Substante organice	8/17/2016 6:02:43 PM	13	mg/l
SC ALRO SA	Clor	8/17/2016 6:02:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 6:02:22 PM	0	mg/l
SC ALRO SA	pH	8/17/2016 6:02:21 PM	4	unit pH
SC ALRO SA	Temp	8/17/2016 6:02:20 PM	23	gradCels
SC ALRO SA	Clor	8/17/2016 5:59:10 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 5:58:50 PM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 5:58:30 PM	13	mg/l
SC ALRO SA	Temp	8/17/2016 5:58:00 PM	23	gradCels
SC ALRO SA	pH	8/17/2016 5:57:50 PM	4	unit pH
SC ALRO SA	Substante organice	8/17/2016 5:57:42 PM	13	mg/l
SC ALRO SA	Clor	8/17/2016 5:57:06 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 5:57:05 PM	0	mg/l
SC ALRO SA	pH	8/17/2016 5:57:04 PM	4	unit pH
SC ALRO SA	Temp	8/17/2016 5:57:03 PM	23	gradCels
SC ALRO SA	Substante organice	8/17/2016 5:51:43 PM	13	mg/l
SC ALRO SA	Clor	8/17/2016 5:51:30 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 5:51:29 PM	0	mg/l
SC ALRO SA	pH	8/17/2016 5:51:28 PM	4	unit pH
SC ALRO SA	Temp	8/17/2016 5:51:25 PM	23	gradCels
SC ALRO SA	Substante organice	8/17/2016 5:46:49 PM	13	mg/l
SC ALRO SA	Clor	8/17/2016 5:46:06 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 5:46:05 PM	0	mg/l
SC ALRO SA	pH	8/17/2016 5:46:04 PM	4	unit pH
SC ALRO SA	Temp	8/17/2016 5:46:03 PM	23	gradCels
SC ALRO SA	Substante organice	8/17/2016 5:40:43 PM	13	mg/l
SC ALRO SA	Clor	8/17/2016 5:40:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 5:40:22 PM	0	mg/l
SC ALRO SA	pH	8/17/2016 5:40:21 PM	4	unit pH
SC ALRO SA	Temp	8/17/2016 5:40:20 PM	23	gradCels
SC ALRO SA	Clor	8/17/2016 5:39:30 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 5:38:50 PM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 5:38:30 PM	13	mg/l
SC ALRO SA	Temp	8/17/2016 5:38:20 PM	23	gradCels
SC ALRO SA	pH	8/17/2016 5:38:10 PM	4	unit pH
SC ALRO SA	Clor	8/17/2016 5:34:46 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 5:34:45 PM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 5:34:44 PM	13	mg/l
SC ALRO SA	pH	8/17/2016 5:34:43 PM	4	unit pH
SC ALRO SA	Temp	8/17/2016 5:34:42 PM	23	gradCels
SC ALRO SA	Substante organice	8/17/2016 5:29:43 PM	13	mg/l
SC ALRO SA	Clor	8/17/2016 5:29:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 5:29:22 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	8/17/2016 5:29:21 PM	23	gradCels
SC ALRO SA	pH	8/17/2016 5:29:20 PM	4	unit pH
SC ALRO SA	Substante organice	8/17/2016 5:24:49 PM	13	mg/l
SC ALRO SA	Clor	8/17/2016 5:23:48 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 5:23:47 PM	0	mg/l
SC ALRO SA	pH	8/17/2016 5:23:46 PM	4	unit pH
SC ALRO SA	Temp	8/17/2016 5:23:45 PM	23	gradCels
SC ALRO SA	Clor	8/17/2016 5:21:00 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 5:20:40 PM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 5:20:30 PM	13	mg/l
SC ALRO SA	Temp	8/17/2016 5:20:20 PM	23	gradCels
SC ALRO SA	pH	8/17/2016 5:20:10 PM	4	unit pH
SC ALRO SA	Substante organice	8/17/2016 5:18:42 PM	13	mg/l
SC ALRO SA	Clor	8/17/2016 5:18:23 PM	0	mg/l
SC ALRO SA	Temp	8/17/2016 5:18:22 PM	23	gradCels
SC ALRO SA	Grasimi	8/17/2016 5:18:21 PM	0	mg/l
SC ALRO SA	pH	8/17/2016 5:18:20 PM	4	unit pH
SC ALRO SA	Substante organice	8/17/2016 5:12:52 PM	13	mg/l
SC ALRO SA	Clor	8/17/2016 5:12:46 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 5:12:45 PM	0	mg/l
SC ALRO SA	Temp	8/17/2016 5:12:44 PM	23	gradCels
SC ALRO SA	pH	8/17/2016 5:12:43 PM	4	unit pH
SC ALRO SA	Clor	8/17/2016 5:07:25 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 5:07:24 PM	0	mg/l
SC ALRO SA	Temp	8/17/2016 5:07:22 PM	23	gradCels
SC ALRO SA	Substante organice	8/17/2016 5:07:21 PM	13	mg/l
SC ALRO SA	pH	8/17/2016 5:07:20 PM	4	unit pH
SC ALRO SA	Clor	8/17/2016 5:02:50 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 5:02:30 PM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 5:02:20 PM	13	mg/l
SC ALRO SA	Temp	8/17/2016 5:02:10 PM	22	gradCels
SC ALRO SA	pH	8/17/2016 5:02:00 PM	4	unit pH
SC ALRO SA	Substante organice	8/17/2016 5:01:52 PM	13	mg/l
SC ALRO SA	Clor	8/17/2016 5:01:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 5:01:42 PM	0	mg/l
SC ALRO SA	Temp	8/17/2016 5:01:41 PM	22	gradCels
SC ALRO SA	pH	8/17/2016 5:01:40 PM	4	unit pH
SC ALRO SA	Substante organice	8/17/2016 4:56:42 PM	13	mg/l
SC ALRO SA	Clor	8/17/2016 4:56:26 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 4:56:25 PM	0	mg/l
SC ALRO SA	Temp	8/17/2016 4:56:24 PM	22	gradCels
SC ALRO SA	pH	8/17/2016 4:56:23 PM	4	unit pH
SC ALRO SA	Substante organice	8/17/2016 4:50:52 PM	13	mg/l
SC ALRO SA	Clor	8/17/2016 4:50:46 PM	0	mg/l
SC ALRO SA	Temp	8/17/2016 4:50:45 PM	22	gradCels
SC ALRO SA	Grasimi	8/17/2016 4:50:44 PM	0	mg/l
SC ALRO SA	pH	8/17/2016 4:50:43 PM	3	unit pH
SC ALRO SA	Substante organice	8/17/2016 4:45:42 PM	13	mg/l
SC ALRO SA	Clor	8/17/2016 4:45:26 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 4:45:25 PM	0	mg/l
SC ALRO SA	Temp	8/17/2016 4:45:24 PM	22	gradCels
SC ALRO SA	pH	8/17/2016 4:45:23 PM	3	unit pH
SC ALRO SA	Clor	8/17/2016 4:44:30 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 4:43:50 PM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 4:43:10 PM	13	mg/l
SC ALRO SA	Temp	8/17/2016 4:43:00 PM	22	gradCels
SC ALRO SA	pH	8/17/2016 4:42:50 PM	3	unit pH
SC ALRO SA	Substante organice	8/17/2016 4:39:52 PM	13	mg/l
SC ALRO SA	Clor	8/17/2016 4:39:46 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 4:39:45 PM	0	mg/l
SC ALRO SA	Temp	8/17/2016 4:39:44 PM	22	gradCels
SC ALRO SA	pH	8/17/2016 4:39:43 PM	3	unit pH
SC ALRO SA	Clor	8/17/2016 4:34:11 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 4:34:10 PM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 4:34:09 PM	13	mg/l
SC ALRO SA	Temp	8/17/2016 4:34:08 PM	22	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	8/17/2016 4:34:07 PM	3	unit pH
SC ALRO SA	Substante organice	8/17/2016 4:28:55 PM	13	mg/l
SC ALRO SA	Clor	8/17/2016 4:28:51 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 4:28:50 PM	0	mg/l
SC ALRO SA	Temp	8/17/2016 4:28:49 PM	22	gradCels
SC ALRO SA	pH	8/17/2016 4:28:48 PM	3	unit pH
SC ALRO SA	Clor	8/17/2016 4:26:10 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 4:25:50 PM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 4:25:40 PM	13	mg/l
SC ALRO SA	Temp	8/17/2016 4:25:30 PM	22	gradCels
SC ALRO SA	pH	8/17/2016 4:25:20 PM	3	unit pH
SC ALRO SA	Substante organice	8/17/2016 4:23:44 PM	13	mg/l
SC ALRO SA	Clor	8/17/2016 4:23:10 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 4:23:09 PM	0	mg/l
SC ALRO SA	Temp	8/17/2016 4:23:08 PM	22	gradCels
SC ALRO SA	pH	8/17/2016 4:23:07 PM	3	unit pH
SC ALRO SA	Substante organice	8/17/2016 4:17:56 PM	13	mg/l
SC ALRO SA	Clor	8/17/2016 4:17:50 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 4:17:49 PM	0	mg/l
SC ALRO SA	pH	8/17/2016 4:17:48 PM	3	unit pH
SC ALRO SA	Temp	8/17/2016 4:17:47 PM	22	gradCels
SC ALRO SA	Substante organice	8/17/2016 4:12:44 PM	13	mg/l
SC ALRO SA	Clor	8/17/2016 4:12:10 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 4:12:09 PM	0	mg/l
SC ALRO SA	pH	8/17/2016 4:12:08 PM	3	unit pH
SC ALRO SA	Temp	8/17/2016 4:12:07 PM	22	gradCels
SC ALRO SA	Clor	8/17/2016 4:08:10 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 4:07:30 PM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 4:07:20 PM	13	mg/l
SC ALRO SA	Temp	8/17/2016 4:07:10 PM	22	gradCels
SC ALRO SA	pH	8/17/2016 4:07:00 PM	3	unit pH
SC ALRO SA	Clor	8/17/2016 4:06:51 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 4:06:50 PM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 4:06:49 PM	13	mg/l
SC ALRO SA	Temp	8/17/2016 4:06:48 PM	22	gradCels
SC ALRO SA	pH	8/17/2016 4:06:47 PM	3	unit pH
SC ALRO SA	Substante organice	8/17/2016 4:01:43 PM	13	mg/l
SC ALRO SA	Clor	8/17/2016 4:01:11 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 4:01:10 PM	0	mg/l
SC ALRO SA	Temp	8/17/2016 4:01:09 PM	22	gradCels
SC ALRO SA	pH	8/17/2016 4:01:08 PM	2	unit pH
SC ALRO SA	Substante organice	8/17/2016 3:55:55 PM	13	mg/l
SC ALRO SA	Clor	8/17/2016 3:55:50 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 3:55:49 PM	0	mg/l
SC ALRO SA	Temp	8/17/2016 3:55:48 PM	22	gradCels
SC ALRO SA	pH	8/17/2016 3:55:47 PM	2	unit pH
SC ALRO SA	Substante organice	8/17/2016 3:50:44 PM	13	mg/l
SC ALRO SA	Clor	8/17/2016 3:50:10 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 3:50:09 PM	0	mg/l
SC ALRO SA	Temp	8/17/2016 3:50:08 PM	22	gradCels
SC ALRO SA	pH	8/17/2016 3:50:07 PM	2	unit pH
SC ALRO SA	Clor	8/17/2016 3:49:50 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 3:49:20 PM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 3:49:10 PM	13	mg/l
SC ALRO SA	Temp	8/17/2016 3:49:00 PM	22	gradCels
SC ALRO SA	pH	8/17/2016 3:48:30 PM	2	unit pH
SC ALRO SA	Substante organice	8/17/2016 3:44:57 PM	13	mg/l
SC ALRO SA	Clor	8/17/2016 3:44:50 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 3:44:49 PM	0	mg/l
SC ALRO SA	Temp	8/17/2016 3:44:48 PM	22	gradCels
SC ALRO SA	pH	8/17/2016 3:44:47 PM	2	unit pH
SC ALRO SA	Clor	8/17/2016 3:39:11 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 3:39:10 PM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 3:39:09 PM	13	mg/l
SC ALRO SA	Temp	8/17/2016 3:39:08 PM	22	gradCels
SC ALRO SA	pH	8/17/2016 3:39:07 PM	2	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	8/17/2016 3:33:56 PM	13	mg/l
SC ALRO SA	Clor	8/17/2016 3:33:50 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 3:33:49 PM	0	mg/l
SC ALRO SA	Temp	8/17/2016 3:33:48 PM	22	gradCels
SC ALRO SA	pH	8/17/2016 3:33:47 PM	2	unit pH
SC ALRO SA	Clor	8/17/2016 3:30:50 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 3:30:30 PM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 3:30:20 PM	13	mg/l
SC ALRO SA	Temp	8/17/2016 3:30:10 PM	21	gradCels
SC ALRO SA	pH	8/17/2016 3:29:30 PM	2	unit pH
SC ALRO SA	Substante organice	8/17/2016 3:28:43 PM	13	mg/l
SC ALRO SA	Clor	8/17/2016 3:28:03 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 3:28:02 PM	0	mg/l
SC ALRO SA	Temp	8/17/2016 3:28:01 PM	21	gradCels
SC ALRO SA	pH	8/17/2016 3:28:00 PM	2	unit pH
SC ALRO SA	Substante organice	8/17/2016 3:22:45 PM	13	mg/l
SC ALRO SA	Clor	8/17/2016 3:22:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 3:22:42 PM	0	mg/l
SC ALRO SA	pH	8/17/2016 3:22:41 PM	2	unit pH
SC ALRO SA	Temp	8/17/2016 3:22:40 PM	21	gradCels
SC ALRO SA	Substante organice	8/17/2016 3:17:44 PM	13	mg/l
SC ALRO SA	Clor	8/17/2016 3:17:03 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 3:17:02 PM	0	mg/l
SC ALRO SA	Temp	8/17/2016 3:17:01 PM	21	gradCels
SC ALRO SA	pH	8/17/2016 3:17:00 PM	2	unit pH
SC ALRO SA	Substante organice	8/17/2016 3:11:47 PM	13	mg/l
SC ALRO SA	Clor	8/17/2016 3:11:43 PM	0	mg/l
SC ALRO SA	Temp	8/17/2016 3:11:42 PM	21	gradCels
SC ALRO SA	Grasimi	8/17/2016 3:11:41 PM	0	mg/l
SC ALRO SA	pH	8/17/2016 3:11:40 PM	1	unit pH
SC ALRO SA	Clor	8/17/2016 3:11:20 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 3:10:30 PM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 3:10:20 PM	13	mg/l
SC ALRO SA	Temp	8/17/2016 3:10:10 PM	21	gradCels
SC ALRO SA	pH	8/17/2016 3:10:00 PM	1	unit pH
SC ALRO SA	Clor	8/17/2016 3:06:04 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 3:06:03 PM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 3:06:02 PM	13	mg/l
SC ALRO SA	pH	8/17/2016 3:06:01 PM	1	unit pH
SC ALRO SA	Temp	8/17/2016 3:06:00 PM	21	gradCels
SC ALRO SA	Substante organice	8/17/2016 3:00:41 PM	13	mg/l
SC ALRO SA	Clor	8/17/2016 3:00:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 3:00:22 PM	0	mg/l
SC ALRO SA	Temp	8/17/2016 3:00:21 PM	21	gradCels
SC ALRO SA	pH	8/17/2016 3:00:20 PM	1	unit pH
SC ALRO SA	Substante organice	8/17/2016 2:55:44 PM	13	mg/l
SC ALRO SA	Clor	8/17/2016 2:55:03 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 2:55:02 PM	0	mg/l
SC ALRO SA	Temp	8/17/2016 2:55:01 PM	21	gradCels
SC ALRO SA	pH	8/17/2016 2:55:00 PM	1	unit pH
SC ALRO SA	Clor	8/17/2016 2:52:00 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 2:51:30 PM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 2:51:20 PM	13	mg/l
SC ALRO SA	Temp	8/17/2016 2:51:10 PM	21	gradCels
SC ALRO SA	pH	8/17/2016 2:51:00 PM	1	unit pH
SC ALRO SA	Substante organice	8/17/2016 2:49:42 PM	13	mg/l
SC ALRO SA	Clor	8/17/2016 2:49:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 2:49:22 PM	0	mg/l
SC ALRO SA	pH	8/17/2016 2:49:21 PM	1	unit pH
SC ALRO SA	Temp	8/17/2016 2:49:20 PM	21	gradCels
SC ALRO SA	Substante organice	8/17/2016 2:44:42 PM	13	mg/l
SC ALRO SA	Clor	8/17/2016 2:43:55 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 2:43:54 PM	0	mg/l
SC ALRO SA	Temp	8/17/2016 2:43:53 PM	21	gradCels
SC ALRO SA	pH	8/17/2016 2:43:52 PM	1	unit pH
SC ALRO SA	Clor	8/17/2016 2:38:24 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Grasimi	8/17/2016 2:38:23 PM	0	mg/l
SC ALRO SA	Temp	8/17/2016 2:38:22 PM	21	gradCels
SC ALRO SA	Substante organice	8/17/2016 2:38:21 PM	13	mg/l
SC ALRO SA	pH	8/17/2016 2:38:20 PM	1	unit pH
SC ALRO SA	Substante organice	8/17/2016 2:33:48 PM	13	mg/l
SC ALRO SA	Clor	8/17/2016 2:32:49 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 2:32:48 PM	0	mg/l
SC ALRO SA	Temp	8/17/2016 2:32:47 PM	21	gradCels
SC ALRO SA	pH	8/17/2016 2:32:46 PM	1	unit pH
SC ALRO SA	Clor	8/17/2016 2:32:30 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 2:31:30 PM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 2:31:20 PM	13	mg/l
SC ALRO SA	Temp	8/17/2016 2:31:10 PM	21	gradCels
SC ALRO SA	pH	8/17/2016 2:30:40 PM	1	unit pH
SC ALRO SA	Substante organice	8/17/2016 2:28:43 PM	13	mg/l
SC ALRO SA	Clor	8/17/2016 2:27:49 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 2:27:48 PM	0	mg/l
SC ALRO SA	pH	8/17/2016 2:27:47 PM	1	unit pH
SC ALRO SA	Temp	8/17/2016 2:27:46 PM	21	gradCels
SC ALRO SA	Substante organice	8/17/2016 2:22:47 PM	13	mg/l
SC ALRO SA	Clor	8/17/2016 2:22:27 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 2:22:26 PM	0	mg/l
SC ALRO SA	Temp	8/17/2016 2:22:25 PM	21	gradCels
SC ALRO SA	pH	8/17/2016 2:22:24 PM	1	unit pH
SC ALRO SA	Substante organice	8/17/2016 2:17:42 PM	13	mg/l
SC ALRO SA	Clor	8/17/2016 2:16:50 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 2:16:49 PM	0	mg/l
SC ALRO SA	Temp	8/17/2016 2:16:48 PM	21	gradCels
SC ALRO SA	pH	8/17/2016 2:16:47 PM	1	unit pH
SC ALRO SA	Clor	8/17/2016 2:12:30 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 2:12:00 PM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 2:11:50 PM	13	mg/l
SC ALRO SA	Substante organice	8/17/2016 2:11:47 PM	13	mg/l
SC ALRO SA	Temp	8/17/2016 2:11:30 PM	21	gradCels
SC ALRO SA	Clor	8/17/2016 2:11:27 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 2:11:26 PM	0	mg/l
SC ALRO SA	Temp	8/17/2016 2:11:25 PM	21	gradCels
SC ALRO SA	pH	8/17/2016 2:11:24 PM	0	unit pH
SC ALRO SA	pH	8/17/2016 2:11:00 PM	0	unit pH
SC ALRO SA	Clor	8/17/2016 2:05:47 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 2:05:46 PM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 2:05:45 PM	13	mg/l
SC ALRO SA	pH	8/17/2016 2:05:44 PM	0	unit pH
SC ALRO SA	Temp	8/17/2016 2:05:43 PM	21	gradCels
SC ALRO SA	Substante organice	8/17/2016 2:00:42 PM	13	mg/l
SC ALRO SA	Clor	8/17/2016 2:00:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 2:00:22 PM	0	mg/l
SC ALRO SA	Temp	8/17/2016 2:00:21 PM	21	gradCels
SC ALRO SA	pH	8/17/2016 2:00:20 PM	0	unit pH
SC ALRO SA	Substante organice	8/17/2016 1:54:47 PM	13	mg/l
SC ALRO SA	Clor	8/17/2016 1:54:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 1:54:42 PM	0	mg/l
SC ALRO SA	Temp	8/17/2016 1:54:41 PM	21	gradCels
SC ALRO SA	pH	8/17/2016 1:54:40 PM	0	unit pH
SC ALRO SA	Clor	8/17/2016 1:51:50 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 1:51:20 PM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 1:51:10 PM	13	mg/l
SC ALRO SA	Temp	8/17/2016 1:50:30 PM	21	gradCels
SC ALRO SA	pH	8/17/2016 1:50:10 PM	0	unit pH
SC ALRO SA	Substante organice	8/17/2016 1:49:42 PM	13	mg/l
SC ALRO SA	Clor	8/17/2016 1:49:25 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 1:49:23 PM	0	mg/l
SC ALRO SA	Temp	8/17/2016 1:49:21 PM	21	gradCels
SC ALRO SA	pH	8/17/2016 1:49:20 PM	0	unit pH
SC ALRO SA	Substante organice	8/17/2016 1:43:47 PM	13	mg/l
SC ALRO SA	Clor	8/17/2016 1:43:43 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Grasimi	8/17/2016 1:43:42 PM	0	mg/l
SC ALRO SA	pH	8/17/2016 1:43:41 PM	0	unit pH
SC ALRO SA	Temp	8/17/2016 1:43:40 PM	21	gradCels
SC ALRO SA	Clor	8/17/2016 1:38:24 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 1:38:23 PM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 1:38:22 PM	13	mg/l
SC ALRO SA	Temp	8/17/2016 1:38:21 PM	20	gradCels
SC ALRO SA	pH	8/17/2016 1:38:20 PM	0	unit pH
SC ALRO SA	Substante organice	8/17/2016 1:32:46 PM	13	mg/l
SC ALRO SA	Clor	8/17/2016 1:32:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 1:32:42 PM	0	mg/l
SC ALRO SA	Temp	8/17/2016 1:32:41 PM	20	gradCels
SC ALRO SA	Clor	8/17/2016 1:31:30 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 1:31:00 PM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 1:30:50 PM	13	mg/l
SC ALRO SA	Temp	8/17/2016 1:30:30 PM	20	gradCels
SC ALRO SA	Substante organice	8/17/2016 1:27:42 PM	13	mg/l
SC ALRO SA	Clor	8/17/2016 1:27:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 1:27:22 PM	0	mg/l
SC ALRO SA	Temp	8/17/2016 1:27:21 PM	20	gradCels
SC ALRO SA	Substante organice	8/17/2016 1:21:46 PM	13	mg/l
SC ALRO SA	Clor	8/17/2016 1:21:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 1:21:42 PM	0	mg/l
SC ALRO SA	Temp	8/17/2016 1:21:41 PM	20	gradCels
SC ALRO SA	Substante organice	8/17/2016 1:16:45 PM	13	mg/l
SC ALRO SA	Clor	8/17/2016 1:16:03 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 1:16:02 PM	0	mg/l
SC ALRO SA	Temp	8/17/2016 1:16:01 PM	20	gradCels
SC ALRO SA	Clor	8/17/2016 1:11:10 PM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 1:10:46 PM	13	mg/l
SC ALRO SA	Clor	8/17/2016 1:10:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 1:10:42 PM	0	mg/l
SC ALRO SA	Temp	8/17/2016 1:10:41 PM	20	gradCels
SC ALRO SA	Grasimi	8/17/2016 1:10:20 PM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 1:10:10 PM	13	mg/l
SC ALRO SA	Temp	8/17/2016 1:09:50 PM	20	gradCels
SC ALRO SA	Substante organice	8/17/2016 1:05:46 PM	13	mg/l
SC ALRO SA	Clor	8/17/2016 1:05:03 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 1:05:02 PM	0	mg/l
SC ALRO SA	Temp	8/17/2016 1:05:00 PM	20	gradCels
SC ALRO SA	Substante organice	8/17/2016 12:59:44 PM	13	mg/l
SC ALRO SA	Clor	8/17/2016 12:59:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 12:59:42 PM	0	mg/l
SC ALRO SA	Temp	8/17/2016 12:59:41 PM	20	gradCels
SC ALRO SA	Substante organice	8/17/2016 12:54:42 PM	13	mg/l
SC ALRO SA	Clor	8/17/2016 12:54:03 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 12:54:02 PM	0	mg/l
SC ALRO SA	Temp	8/17/2016 12:54:01 PM	20	gradCels
SC ALRO SA	Clor	8/17/2016 12:52:00 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 12:51:20 PM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 12:51:10 PM	13	mg/l
SC ALRO SA	Temp	8/17/2016 12:51:00 PM	20	gradCels
SC ALRO SA	Substante organice	8/17/2016 12:48:42 PM	13	mg/l
SC ALRO SA	Clor	8/17/2016 12:48:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 12:48:22 PM	0	mg/l
SC ALRO SA	Temp	8/17/2016 12:48:21 PM	20	gradCels
SC ALRO SA	Substante organice	8/17/2016 12:43:42 PM	13	mg/l
SC ALRO SA	Clor	8/17/2016 12:43:26 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 12:43:25 PM	0	mg/l
SC ALRO SA	Temp	8/17/2016 12:43:24 PM	20	gradCels
SC ALRO SA	Clor	8/17/2016 12:38:04 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 12:38:03 PM	0	mg/l
SC ALRO SA	Temp	8/17/2016 12:38:02 PM	20	gradCels
SC ALRO SA	Substante organice	8/17/2016 12:38:01 PM	13	mg/l
SC ALRO SA	Substante organice	8/17/2016 12:32:42 PM	13	mg/l
SC ALRO SA	Clor	8/17/2016 12:32:26 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Grasimi	8/17/2016 12:32:25 PM	0	mg/l
SC ALRO SA	Temp	8/17/2016 12:32:24 PM	20	gradCels
SC ALRO SA	Clor	8/17/2016 12:31:10 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 12:30:20 PM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 12:30:10 PM	13	mg/l
SC ALRO SA	Temp	8/17/2016 12:30:00 PM	20	gradCels
SC ALRO SA	Substante organice	8/17/2016 12:27:47 PM	13	mg/l
SC ALRO SA	Clor	8/17/2016 12:27:03 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 12:27:02 PM	0	mg/l
SC ALRO SA	Temp	8/17/2016 12:27:01 PM	20	gradCels
SC ALRO SA	Substante organice	8/17/2016 12:21:42 PM	13	mg/l
SC ALRO SA	Clor	8/17/2016 12:21:26 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 12:21:25 PM	0	mg/l
SC ALRO SA	Temp	8/17/2016 12:21:24 PM	20	gradCels
SC ALRO SA	Substante organice	8/17/2016 12:16:49 PM	13	mg/l
SC ALRO SA	Clor	8/17/2016 12:16:03 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 12:16:02 PM	0	mg/l
SC ALRO SA	Temp	8/17/2016 12:16:01 PM	20	gradCels
SC ALRO SA	Clor	8/17/2016 12:10:50 PM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 12:10:42 PM	13	mg/l
SC ALRO SA	Clor	8/17/2016 12:10:26 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 12:10:25 PM	0	mg/l
SC ALRO SA	Temp	8/17/2016 12:10:24 PM	20	gradCels
SC ALRO SA	Grasimi	8/17/2016 12:10:10 PM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 12:10:00 PM	13	mg/l
SC ALRO SA	Temp	8/17/2016 12:09:50 PM	20	gradCels
SC ALRO SA	Clor	8/17/2016 12:04:46 PM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 12:04:45 PM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 12:04:44 PM	13	mg/l
SC ALRO SA	Temp	8/17/2016 12:04:42 PM	20	gradCels
SC ALRO SA	Substante organice	8/17/2016 11:59:41 AM	13	mg/l
SC ALRO SA	Clor	8/17/2016 11:59:27 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 11:59:26 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 11:59:25 AM	20	gradCels
SC ALRO SA	Substante organice	8/17/2016 11:54:48 AM	13	mg/l
SC ALRO SA	Clor	8/17/2016 11:53:45 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 11:53:44 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 11:53:43 AM	20	gradCels
SC ALRO SA	Clor	8/17/2016 11:51:30 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 11:51:10 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 11:51:00 AM	13	mg/l
SC ALRO SA	Temp	8/17/2016 11:50:50 AM	20	gradCels
SC ALRO SA	Substante organice	8/17/2016 11:48:42 AM	13	mg/l
SC ALRO SA	Clor	8/17/2016 11:48:23 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 11:48:22 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 11:48:21 AM	20	gradCels
SC ALRO SA	Substante organice	8/17/2016 11:43:50 AM	13	mg/l
SC ALRO SA	Clor	8/17/2016 11:42:48 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 11:42:47 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 11:42:46 AM	20	gradCels
SC ALRO SA	Clor	8/17/2016 11:37:24 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 11:37:23 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 11:37:22 AM	13	mg/l
SC ALRO SA	Temp	8/17/2016 11:37:21 AM	20	gradCels
SC ALRO SA	Clor	8/17/2016 11:32:00 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 11:31:50 AM	14	mg/l
SC ALRO SA	Clor	8/17/2016 11:31:46 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 11:31:45 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 11:31:44 AM	20	gradCels
SC ALRO SA	Grasimi	8/17/2016 11:31:20 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 11:31:10 AM	14	mg/l
SC ALRO SA	Temp	8/17/2016 11:31:00 AM	20	gradCels
SC ALRO SA	Substante organice	8/17/2016 11:26:42 AM	14	mg/l
SC ALRO SA	Clor	8/17/2016 11:26:26 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 11:26:25 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 11:26:24 AM	20	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	8/17/2016 11:20:49 AM	14	mg/l
SC ALRO SA	Clor	8/17/2016 11:20:46 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 11:20:45 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 11:20:44 AM	20	gradCels
SC ALRO SA	Substante organice	8/17/2016 11:15:42 AM	14	mg/l
SC ALRO SA	Clor	8/17/2016 11:15:26 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 11:15:25 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 11:15:23 AM	19	gradCels
SC ALRO SA	Clor	8/17/2016 11:12:20 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 11:11:50 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 11:11:30 AM	14	mg/l
SC ALRO SA	Temp	8/17/2016 11:11:20 AM	19	gradCels
SC ALRO SA	Substante organice	8/17/2016 11:09:50 AM	14	mg/l
SC ALRO SA	Clor	8/17/2016 11:09:46 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 11:09:45 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 11:09:44 AM	19	gradCels
SC ALRO SA	Substante organice	8/17/2016 11:04:50 AM	14	mg/l
SC ALRO SA	Clor	8/17/2016 11:04:06 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 11:04:05 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 11:04:04 AM	19	gradCels
SC ALRO SA	Substante organice	8/17/2016 10:58:50 AM	14	mg/l
SC ALRO SA	Clor	8/17/2016 10:58:47 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 10:58:46 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 10:58:45 AM	19	gradCels
SC ALRO SA	Substante organice	8/17/2016 10:53:49 AM	14	mg/l
SC ALRO SA	Clor	8/17/2016 10:53:30 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 10:53:10 AM	0	mg/l
SC ALRO SA	Clor	8/17/2016 10:53:06 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 10:53:05 AM	19	gradCels
SC ALRO SA	Grasimi	8/17/2016 10:53:04 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 10:52:50 AM	14	mg/l
SC ALRO SA	Temp	8/17/2016 10:52:30 AM	19	gradCels
SC ALRO SA	Substante organice	8/17/2016 10:47:50 AM	14	mg/l
SC ALRO SA	Clor	8/17/2016 10:47:46 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 10:47:45 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 10:47:43 AM	19	gradCels
SC ALRO SA	Substante organice	8/17/2016 10:42:49 AM	14	mg/l
SC ALRO SA	Clor	8/17/2016 10:42:06 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 10:42:05 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 10:42:04 AM	19	gradCels
SC ALRO SA	Clor	8/17/2016 10:37:11 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 10:37:10 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 10:37:09 AM	14	mg/l
SC ALRO SA	Temp	8/17/2016 10:37:08 AM	19	gradCels
SC ALRO SA	Clor	8/17/2016 10:34:10 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 10:33:50 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 10:33:30 AM	14	mg/l
SC ALRO SA	Temp	8/17/2016 10:33:10 AM	19	gradCels
SC ALRO SA	Substante organice	8/17/2016 10:31:52 AM	14	mg/l
SC ALRO SA	Clor	8/17/2016 10:31:50 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 10:31:49 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 10:31:48 AM	19	gradCels
SC ALRO SA	Substante organice	8/17/2016 10:26:46 AM	14	mg/l
SC ALRO SA	Clor	8/17/2016 10:26:08 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 10:26:07 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 10:26:06 AM	19	gradCels
SC ALRO SA	Substante organice	8/17/2016 10:21:01 AM	14	mg/l
SC ALRO SA	Clor	8/17/2016 10:20:44 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 10:20:42 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 10:20:41 AM	19	gradCels
SC ALRO SA	Substante organice	8/17/2016 10:15:47 AM	14	mg/l
SC ALRO SA	Clor	8/17/2016 10:15:03 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 10:15:02 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 10:15:00 AM	19	gradCels
SC ALRO SA	Clor	8/17/2016 10:14:00 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 10:13:00 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	8/17/2016 10:12:50 AM	14	mg/l
SC ALRO SA	Temp	8/17/2016 10:12:40 AM	19	gradCels
SC ALRO SA	Substante organice	8/17/2016 10:09:53 AM	14	mg/l
SC ALRO SA	Clor	8/17/2016 10:09:43 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 10:09:42 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 10:09:41 AM	19	gradCels
SC ALRO SA	Clor	8/17/2016 10:04:10 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 10:04:09 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 10:04:08 AM	19	gradCels
SC ALRO SA	Substante organice	8/17/2016 10:04:07 AM	14	mg/l
SC ALRO SA	Substante organice	8/17/2016 9:58:52 AM	15	mg/l
SC ALRO SA	Clor	8/17/2016 9:58:49 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 9:58:48 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 9:58:47 AM	19	gradCels
SC ALRO SA	Clor	8/17/2016 9:54:10 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 9:53:45 AM	15	mg/l
SC ALRO SA	Grasimi	8/17/2016 9:53:20 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 9:53:10 AM	15	mg/l
SC ALRO SA	Clor	8/17/2016 9:53:09 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 9:53:08 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 9:53:07 AM	19	gradCels
SC ALRO SA	Temp	8/17/2016 9:52:50 AM	19	gradCels
SC ALRO SA	Substante organice	8/17/2016 9:47:43 AM	15	mg/l
SC ALRO SA	Clor	8/17/2016 9:47:28 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 9:47:27 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 9:47:26 AM	19	gradCels
SC ALRO SA	Substante organice	8/17/2016 9:42:46 AM	15	mg/l
SC ALRO SA	Clor	8/17/2016 9:42:03 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 9:42:02 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 9:42:00 AM	19	gradCels
SC ALRO SA	Clor	8/17/2016 9:36:41 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 9:36:23 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 9:36:22 AM	15	mg/l
SC ALRO SA	Temp	8/17/2016 9:36:20 AM	19	gradCels
SC ALRO SA	Clor	8/17/2016 9:34:10 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 9:33:50 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 9:33:30 AM	16	mg/l
SC ALRO SA	Temp	8/17/2016 9:33:20 AM	19	gradCels
SC ALRO SA	Clor	8/17/2016 9:31:50 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 9:31:48 AM	16	mg/l
SC ALRO SA	Grasimi	8/17/2016 9:31:02 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 9:31:01 AM	19	gradCels
SC ALRO SA	Clor	8/17/2016 9:25:41 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 9:25:40 AM	16	mg/l
SC ALRO SA	Grasimi	8/17/2016 9:25:22 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 9:25:21 AM	19	gradCels
SC ALRO SA	Substante organice	8/17/2016 9:20:48 AM	16	mg/l
SC ALRO SA	Clor	8/17/2016 9:20:47 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 9:20:02 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 9:20:01 AM	19	gradCels
SC ALRO SA	Clor	8/17/2016 9:15:20 AM	0	mg/l
SC ALRO SA	Clor	8/17/2016 9:14:42 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 9:14:40 AM	16	mg/l
SC ALRO SA	Grasimi	8/17/2016 9:14:30 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 9:14:22 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 9:14:21 AM	20	gradCels
SC ALRO SA	Substante organice	8/17/2016 9:14:10 AM	16	mg/l
SC ALRO SA	Temp	8/17/2016 9:14:00 AM	20	gradCels
SC ALRO SA	Clor	8/17/2016 9:09:42 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 9:09:03 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 9:09:02 AM	16	mg/l
SC ALRO SA	Temp	8/17/2016 9:09:01 AM	20	gradCels
SC ALRO SA	Clor	8/17/2016 9:03:42 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 9:03:40 AM	18	mg/l
SC ALRO SA	Grasimi	8/17/2016 9:03:22 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 9:03:21 AM	21	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Clor	8/17/2016 8:58:40 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 8:58:39 AM	18	mg/l
SC ALRO SA	Grasimi	8/17/2016 8:57:42 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 8:57:41 AM	22	gradCels
SC ALRO SA	Clor	8/17/2016 8:56:30 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 8:55:50 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 8:55:40 AM	18	mg/l
SC ALRO SA	Temp	8/17/2016 8:55:30 AM	24	gradCels
SC ALRO SA	pH	8/17/2016 8:55:20 AM	0	unit pH
SC ALRO SA	Substante organice	8/17/2016 8:52:40 AM	18	mg/l
SC ALRO SA	Clor	8/17/2016 8:52:23 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 8:52:22 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 8:52:21 AM	24	gradCels
SC ALRO SA	pH	8/17/2016 8:52:20 AM	0	unit pH
SC ALRO SA	Substante organice	8/17/2016 8:47:43 AM	18	mg/l
SC ALRO SA	Clor	8/17/2016 8:46:44 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 8:46:43 AM	0	mg/l
SC ALRO SA	pH	8/17/2016 8:46:42 AM	1	unit pH
SC ALRO SA	Temp	8/17/2016 8:46:41 AM	26	gradCels
SC ALRO SA	Clor	8/17/2016 8:41:48 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 8:41:47 AM	18	mg/l
SC ALRO SA	Grasimi	8/17/2016 8:41:22 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 8:41:21 AM	27	gradCels
SC ALRO SA	pH	8/17/2016 8:41:20 AM	1	unit pH
SC ALRO SA	Clor	8/17/2016 8:37:40 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 8:37:20 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 8:37:10 AM	18	mg/l
SC ALRO SA	Temp	8/17/2016 8:37:00 AM	27	gradCels
SC ALRO SA	pH	8/17/2016 8:36:50 AM	1	unit pH
SC ALRO SA	Clor	8/17/2016 8:35:46 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 8:35:43 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 8:35:42 AM	18	mg/l
SC ALRO SA	Temp	8/17/2016 8:35:41 AM	27	gradCels
SC ALRO SA	pH	8/17/2016 8:35:40 AM	1	unit pH
SC ALRO SA	Substante organice	8/17/2016 8:30:52 AM	18	mg/l
SC ALRO SA	Clor	8/17/2016 8:30:23 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 8:30:22 AM	0	mg/l
SC ALRO SA	pH	8/17/2016 8:30:21 AM	1	unit pH
SC ALRO SA	Temp	8/17/2016 8:30:20 AM	27	gradCels
SC ALRO SA	Substante organice	8/17/2016 8:24:46 AM	18	mg/l
SC ALRO SA	Clor	8/17/2016 8:24:43 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 8:24:42 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 8:24:41 AM	27	gradCels
SC ALRO SA	pH	8/17/2016 8:24:40 AM	1	unit pH
SC ALRO SA	Clor	8/17/2016 8:20:20 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 8:20:00 AM	0	mg/l
SC ALRO SA	Clor	8/17/2016 8:19:52 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 8:19:51 AM	18	mg/l
SC ALRO SA	Substante organice	8/17/2016 8:19:30 AM	18	mg/l
SC ALRO SA	Temp	8/17/2016 8:19:20 AM	27	gradCels
SC ALRO SA	pH	8/17/2016 8:19:10 AM	1	unit pH
SC ALRO SA	Grasimi	8/17/2016 8:19:02 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 8:19:01 AM	27	gradCels
SC ALRO SA	pH	8/17/2016 8:19:00 AM	1	unit pH
SC ALRO SA	Clor	8/17/2016 8:14:45 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 8:14:44 AM	18	mg/l
SC ALRO SA	Grasimi	8/17/2016 8:14:02 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 8:14:01 AM	27	gradCels
SC ALRO SA	pH	8/17/2016 8:14:00 AM	1	unit pH
SC ALRO SA	Clor	8/17/2016 8:08:56 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 8:08:49 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 8:08:48 AM	18	mg/l
SC ALRO SA	Temp	8/17/2016 8:08:47 AM	27	gradCels
SC ALRO SA	pH	8/17/2016 8:08:46 AM	1	unit pH
SC ALRO SA	Clor	8/17/2016 8:03:45 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 8:03:44 AM	18	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Grasimi	8/17/2016 8:03:02 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 8:03:01 AM	27	gradCels
SC ALRO SA	pH	8/17/2016 8:03:00 AM	1	unit pH
SC ALRO SA	Clor	8/17/2016 8:02:20 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 8:01:00 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 8:00:50 AM	18	mg/l
SC ALRO SA	Temp	8/17/2016 8:00:40 AM	27	gradCels
SC ALRO SA	pH	8/17/2016 8:00:30 AM	1	unit pH
SC ALRO SA	Clor	8/17/2016 7:57:58 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 7:57:56 AM	18	mg/l
SC ALRO SA	Grasimi	8/17/2016 7:57:47 AM	0	mg/l
SC ALRO SA	pH	8/17/2016 7:57:46 AM	1	unit pH
SC ALRO SA	Temp	8/17/2016 7:57:45 AM	27	gradCels
SC ALRO SA	Clor	8/17/2016 7:52:43 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 7:52:42 AM	18	mg/l
SC ALRO SA	Grasimi	8/17/2016 7:52:09 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 7:52:08 AM	27	gradCels
SC ALRO SA	pH	8/17/2016 7:52:07 AM	1	unit pH
SC ALRO SA	Clor	8/17/2016 7:46:57 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 7:46:55 AM	18	mg/l
SC ALRO SA	Grasimi	8/17/2016 7:46:42 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 7:46:41 AM	27	gradCels
SC ALRO SA	pH	8/17/2016 7:46:40 AM	1	unit pH
SC ALRO SA	Clor	8/17/2016 7:44:00 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 7:43:30 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 7:43:20 AM	18	mg/l
SC ALRO SA	Temp	8/17/2016 7:43:10 AM	27	gradCels
SC ALRO SA	pH	8/17/2016 7:42:40 AM	1	unit pH
SC ALRO SA	Substante organice	8/17/2016 7:41:44 AM	18	mg/l
SC ALRO SA	Clor	8/17/2016 7:41:43 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 7:41:02 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 7:41:01 AM	27	gradCels
SC ALRO SA	pH	8/17/2016 7:41:00 AM	1	unit pH
SC ALRO SA	Clor	8/17/2016 7:35:56 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 7:35:49 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 7:35:48 AM	18	mg/l
SC ALRO SA	Temp	8/17/2016 7:35:47 AM	27	gradCels
SC ALRO SA	pH	8/17/2016 7:35:46 AM	1	unit pH
SC ALRO SA	Clor	8/17/2016 7:30:46 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 7:30:44 AM	18	mg/l
SC ALRO SA	Grasimi	8/17/2016 7:30:07 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 7:30:06 AM	27	gradCels
SC ALRO SA	pH	8/17/2016 7:30:05 AM	1	unit pH
SC ALRO SA	Clor	8/17/2016 7:26:50 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 7:26:10 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 7:26:00 AM	18	mg/l
SC ALRO SA	Temp	8/17/2016 7:25:50 AM	27	gradCels
SC ALRO SA	pH	8/17/2016 7:25:30 AM	1	unit pH
SC ALRO SA	Clor	8/17/2016 7:24:58 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 7:24:56 AM	18	mg/l
SC ALRO SA	Grasimi	8/17/2016 7:24:49 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 7:24:48 AM	27	gradCels
SC ALRO SA	pH	8/17/2016 7:24:47 AM	1	unit pH
SC ALRO SA	Clor	8/17/2016 7:19:45 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 7:19:43 AM	18	mg/l
SC ALRO SA	Grasimi	8/17/2016 7:19:08 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 7:19:07 AM	27	gradCels
SC ALRO SA	pH	8/17/2016 7:19:06 AM	1	unit pH
SC ALRO SA	Substante organice	8/17/2016 7:14:01 AM	18	mg/l
SC ALRO SA	Clor	8/17/2016 7:14:00 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 7:13:42 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 7:13:41 AM	27	gradCels
SC ALRO SA	pH	8/17/2016 7:13:40 AM	1	unit pH
SC ALRO SA	Clor	8/17/2016 7:09:20 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 7:09:00 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 7:08:50 AM	18	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Clor	8/17/2016 7:08:44 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 7:08:30 AM	27	gradCels
SC ALRO SA	pH	8/17/2016 7:08:20 AM	1	unit pH
SC ALRO SA	Grasimi	8/17/2016 7:08:03 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 7:08:02 AM	18	mg/l
SC ALRO SA	Temp	8/17/2016 7:08:01 AM	27	gradCels
SC ALRO SA	pH	8/17/2016 7:08:00 AM	1	unit pH
SC ALRO SA	Clor	8/17/2016 7:02:44 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 7:02:43 AM	18	mg/l
SC ALRO SA	Grasimi	8/17/2016 7:02:27 AM	0	mg/l
SC ALRO SA	pH	8/17/2016 7:02:26 AM	1	unit pH
SC ALRO SA	Temp	8/17/2016 7:02:25 AM	27	gradCels
SC ALRO SA	Substante organice	8/17/2016 6:57:43 AM	18	mg/l
SC ALRO SA	Clor	8/17/2016 6:57:09 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 6:57:08 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 6:57:07 AM	27	gradCels
SC ALRO SA	pH	8/17/2016 6:57:06 AM	1	unit pH
SC ALRO SA	Clor	8/17/2016 6:52:40 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 6:52:20 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 6:52:10 AM	18	mg/l
SC ALRO SA	Temp	8/17/2016 6:52:00 AM	27	gradCels
SC ALRO SA	pH	8/17/2016 6:51:50 AM	1	unit pH
SC ALRO SA	Substante organice	8/17/2016 6:51:43 AM	18	mg/l
SC ALRO SA	Clor	8/17/2016 6:51:23 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 6:51:22 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 6:51:21 AM	27	gradCels
SC ALRO SA	pH	8/17/2016 6:51:20 AM	1	unit pH
SC ALRO SA	Clor	8/17/2016 6:46:44 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 6:46:43 AM	18	mg/l
SC ALRO SA	Grasimi	8/17/2016 6:46:12 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 6:46:11 AM	27	gradCels
SC ALRO SA	pH	8/17/2016 6:46:10 AM	1	unit pH
SC ALRO SA	Clor	8/17/2016 6:40:44 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 6:40:41 AM	18	mg/l
SC ALRO SA	Grasimi	8/17/2016 6:40:28 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 6:40:27 AM	27	gradCels
SC ALRO SA	pH	8/17/2016 6:40:26 AM	1	unit pH
SC ALRO SA	Clor	8/17/2016 6:35:46 AM	0	mg/l
SC ALRO SA	Clor	8/17/2016 6:35:20 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 6:35:03 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 6:35:02 AM	18	mg/l
SC ALRO SA	Temp	8/17/2016 6:35:01 AM	27	gradCels
SC ALRO SA	pH	8/17/2016 6:35:00 AM	1	unit pH
SC ALRO SA	Grasimi	8/17/2016 6:34:30 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 6:34:20 AM	18	mg/l
SC ALRO SA	Temp	8/17/2016 6:34:10 AM	27	gradCels
SC ALRO SA	pH	8/17/2016 6:34:00 AM	1	unit pH
SC ALRO SA	Clor	8/17/2016 6:29:44 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 6:29:42 AM	18	mg/l
SC ALRO SA	Grasimi	8/17/2016 6:29:28 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 6:29:27 AM	27	gradCels
SC ALRO SA	pH	8/17/2016 6:29:26 AM	1	unit pH
SC ALRO SA	Clor	8/17/2016 6:24:43 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 6:24:42 AM	18	mg/l
SC ALRO SA	Grasimi	8/17/2016 6:24:06 AM	0	mg/l
SC ALRO SA	pH	8/17/2016 6:24:05 AM	1	unit pH
SC ALRO SA	Temp	8/17/2016 6:24:04 AM	27	gradCels
SC ALRO SA	Clor	8/17/2016 6:18:44 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 6:18:43 AM	18	mg/l
SC ALRO SA	Grasimi	8/17/2016 6:18:22 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 6:18:21 AM	27	gradCels
SC ALRO SA	pH	8/17/2016 6:18:20 AM	1	unit pH
SC ALRO SA	Clor	8/17/2016 6:17:10 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 6:16:10 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 6:16:00 AM	18	mg/l
SC ALRO SA	Temp	8/17/2016 6:15:50 AM	27	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	8/17/2016 6:15:30 AM	1	unit pH
SC ALRO SA	Clor	8/17/2016 6:13:44 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 6:13:43 AM	18	mg/l
SC ALRO SA	Grasimi	8/17/2016 6:13:02 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 6:13:01 AM	27	gradCels
SC ALRO SA	pH	8/17/2016 6:13:00 AM	1	unit pH
SC ALRO SA	Clor	8/17/2016 6:07:39 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 6:07:28 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 6:07:27 AM	18	mg/l
SC ALRO SA	Temp	8/17/2016 6:07:26 AM	27	gradCels
SC ALRO SA	pH	8/17/2016 6:07:25 AM	1	unit pH
SC ALRO SA	Clor	8/17/2016 6:02:46 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 6:02:45 AM	18	mg/l
SC ALRO SA	Grasimi	8/17/2016 6:01:42 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 6:01:41 AM	27	gradCels
SC ALRO SA	pH	8/17/2016 6:01:40 AM	1	unit pH
SC ALRO SA	Clor	8/17/2016 5:59:10 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 5:58:50 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 5:58:30 AM	18	mg/l
SC ALRO SA	Temp	8/17/2016 5:58:10 AM	27	gradCels
SC ALRO SA	pH	8/17/2016 5:58:00 AM	1	unit pH
SC ALRO SA	Clor	8/17/2016 5:56:45 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 5:56:44 AM	18	mg/l
SC ALRO SA	Grasimi	8/17/2016 5:56:27 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 5:56:26 AM	27	gradCels
SC ALRO SA	pH	8/17/2016 5:56:25 AM	1	unit pH
SC ALRO SA	Clor	8/17/2016 5:51:49 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 5:51:45 AM	18	mg/l
SC ALRO SA	Grasimi	8/17/2016 5:50:42 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 5:50:41 AM	27	gradCels
SC ALRO SA	pH	8/17/2016 5:50:40 AM	1	unit pH
SC ALRO SA	Substante organice	8/17/2016 5:45:44 AM	18	mg/l
SC ALRO SA	Clor	8/17/2016 5:45:43 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 5:45:22 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 5:45:21 AM	27	gradCels
SC ALRO SA	pH	8/17/2016 5:45:20 AM	1	unit pH
SC ALRO SA	Clor	8/17/2016 5:40:50 AM	0	mg/l
SC ALRO SA	Clor	8/17/2016 5:40:43 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 5:40:42 AM	18	mg/l
SC ALRO SA	Grasimi	8/17/2016 5:40:00 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 5:39:50 AM	18	mg/l
SC ALRO SA	Grasimi	8/17/2016 5:39:48 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 5:39:47 AM	27	gradCels
SC ALRO SA	pH	8/17/2016 5:39:46 AM	1	unit pH
SC ALRO SA	Temp	8/17/2016 5:39:30 AM	27	gradCels
SC ALRO SA	pH	8/17/2016 5:39:20 AM	1	unit pH
SC ALRO SA	Clor	8/17/2016 5:34:46 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 5:34:23 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 5:34:22 AM	18	mg/l
SC ALRO SA	pH	8/17/2016 5:34:21 AM	1	unit pH
SC ALRO SA	Temp	8/17/2016 5:34:20 AM	27	gradCels
SC ALRO SA	Clor	8/17/2016 5:28:52 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 5:28:51 AM	18	mg/l
SC ALRO SA	Grasimi	8/17/2016 5:28:42 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 5:28:41 AM	27	gradCels
SC ALRO SA	pH	8/17/2016 5:28:40 AM	1	unit pH
SC ALRO SA	Clor	8/17/2016 5:23:52 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 5:23:51 AM	18	mg/l
SC ALRO SA	Grasimi	8/17/2016 5:23:22 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 5:23:21 AM	27	gradCels
SC ALRO SA	pH	8/17/2016 5:23:20 AM	1	unit pH
SC ALRO SA	Clor	8/17/2016 5:22:20 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 5:21:10 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 5:21:00 AM	18	mg/l
SC ALRO SA	Temp	8/17/2016 5:20:50 AM	27	gradCels
SC ALRO SA	pH	8/17/2016 5:20:30 AM	1	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Clor	8/17/2016 5:17:51 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 5:17:50 AM	18	mg/l
SC ALRO SA	Grasimi	8/17/2016 5:17:48 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 5:17:47 AM	27	gradCels
SC ALRO SA	pH	8/17/2016 5:17:46 AM	1	unit pH
SC ALRO SA	Substante organice	8/17/2016 5:12:56 AM	18	mg/l
SC ALRO SA	Clor	8/17/2016 5:12:53 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 5:12:22 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 5:12:21 AM	27	gradCels
SC ALRO SA	pH	8/17/2016 5:12:20 AM	1	unit pH
SC ALRO SA	Clor	8/17/2016 5:06:52 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 5:06:48 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 5:06:47 AM	28	gradCels
SC ALRO SA	Substante organice	8/17/2016 5:06:46 AM	18	mg/l
SC ALRO SA	pH	8/17/2016 5:06:45 AM	1	unit pH
SC ALRO SA	Clor	8/17/2016 5:04:00 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 5:03:30 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 5:03:00 AM	18	mg/l
SC ALRO SA	Temp	8/17/2016 5:02:50 AM	28	gradCels
SC ALRO SA	pH	8/17/2016 5:02:40 AM	1	unit pH
SC ALRO SA	Substante organice	8/17/2016 5:01:55 AM	18	mg/l
SC ALRO SA	Clor	8/17/2016 5:01:53 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 5:01:02 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 5:01:01 AM	28	gradCels
SC ALRO SA	pH	8/17/2016 5:01:00 AM	1	unit pH
SC ALRO SA	Clor	8/17/2016 4:55:51 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 4:55:50 AM	18	mg/l
SC ALRO SA	Grasimi	8/17/2016 4:55:42 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 4:55:41 AM	28	gradCels
SC ALRO SA	pH	8/17/2016 4:55:40 AM	1	unit pH
SC ALRO SA	Clor	8/17/2016 4:50:53 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 4:50:52 AM	18	mg/l
SC ALRO SA	Grasimi	8/17/2016 4:50:08 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 4:50:07 AM	28	gradCels
SC ALRO SA	pH	8/17/2016 4:50:06 AM	1	unit pH
SC ALRO SA	Clor	8/17/2016 4:45:50 AM	0	mg/l
SC ALRO SA	Clor	8/17/2016 4:45:43 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 4:45:42 AM	18	mg/l
SC ALRO SA	Grasimi	8/17/2016 4:45:20 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 4:45:11 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 4:45:10 AM	28	gradCels
SC ALRO SA	pH	8/17/2016 4:45:09 AM	1	unit pH
SC ALRO SA	Substante organice	8/17/2016 4:44:50 AM	18	mg/l
SC ALRO SA	Temp	8/17/2016 4:44:20 AM	28	gradCels
SC ALRO SA	pH	8/17/2016 4:44:10 AM	1	unit pH
SC ALRO SA	Substante organice	8/17/2016 4:39:59 AM	18	mg/l
SC ALRO SA	Clor	8/17/2016 4:39:53 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 4:39:52 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 4:39:51 AM	28	gradCels
SC ALRO SA	pH	8/17/2016 4:39:50 AM	1	unit pH
SC ALRO SA	Clor	8/17/2016 4:34:17 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 4:34:14 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 4:34:12 AM	18	mg/l
SC ALRO SA	Temp	8/17/2016 4:34:10 AM	28	gradCels
SC ALRO SA	pH	8/17/2016 4:34:09 AM	1	unit pH
SC ALRO SA	Substante organice	8/17/2016 4:28:57 AM	18	mg/l
SC ALRO SA	Clor	8/17/2016 4:28:52 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 4:28:51 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 4:28:50 AM	28	gradCels
SC ALRO SA	pH	8/17/2016 4:28:49 AM	1	unit pH
SC ALRO SA	Clor	8/17/2016 4:27:10 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 4:26:50 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 4:26:00 AM	18	mg/l
SC ALRO SA	Temp	8/17/2016 4:25:50 AM	28	gradCels
SC ALRO SA	pH	8/17/2016 4:25:40 AM	1	unit pH
SC ALRO SA	Clor	8/17/2016 4:23:43 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	8/17/2016 4:23:42 AM	18	mg/l
SC ALRO SA	Grasimi	8/17/2016 4:23:11 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 4:23:10 AM	28	gradCels
SC ALRO SA	pH	8/17/2016 4:23:09 AM	1	unit pH
SC ALRO SA	Clor	8/17/2016 4:17:59 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 4:17:57 AM	18	mg/l
SC ALRO SA	Grasimi	8/17/2016 4:17:42 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 4:17:41 AM	28	gradCels
SC ALRO SA	pH	8/17/2016 4:17:40 AM	1	unit pH
SC ALRO SA	Clor	8/17/2016 4:12:44 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 4:12:42 AM	18	mg/l
SC ALRO SA	Grasimi	8/17/2016 4:12:02 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 4:12:01 AM	28	gradCels
SC ALRO SA	pH	8/17/2016 4:12:00 AM	1	unit pH
SC ALRO SA	Clor	8/17/2016 4:08:20 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 4:07:50 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 4:07:40 AM	18	mg/l
SC ALRO SA	Temp	8/17/2016 4:07:30 AM	28	gradCels
SC ALRO SA	pH	8/17/2016 4:07:20 AM	1	unit pH
SC ALRO SA	Clor	8/17/2016 4:06:45 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 4:06:43 AM	18	mg/l
SC ALRO SA	Grasimi	8/17/2016 4:06:22 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 4:06:21 AM	28	gradCels
SC ALRO SA	pH	8/17/2016 4:06:20 AM	1	unit pH
SC ALRO SA	Clor	8/17/2016 4:01:44 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 4:01:42 AM	18	mg/l
SC ALRO SA	Grasimi	8/17/2016 4:01:02 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 4:01:01 AM	28	gradCels
SC ALRO SA	pH	8/17/2016 4:01:00 AM	1	unit pH
SC ALRO SA	Clor	8/17/2016 3:55:46 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 3:55:45 AM	18	mg/l
SC ALRO SA	Grasimi	8/17/2016 3:55:22 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 3:55:21 AM	28	gradCels
SC ALRO SA	pH	8/17/2016 3:55:20 AM	1	unit pH
SC ALRO SA	Clor	8/17/2016 3:50:43 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 3:50:42 AM	18	mg/l
SC ALRO SA	Grasimi	8/17/2016 3:50:07 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 3:50:06 AM	28	gradCels
SC ALRO SA	pH	8/17/2016 3:50:05 AM	1	unit pH
SC ALRO SA	Clor	8/17/2016 3:49:10 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 3:48:50 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 3:48:30 AM	18	mg/l
SC ALRO SA	Temp	8/17/2016 3:48:00 AM	28	gradCels
SC ALRO SA	pH	8/17/2016 3:47:20 AM	1	unit pH
SC ALRO SA	Clor	8/17/2016 3:44:48 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 3:44:47 AM	18	mg/l
SC ALRO SA	Grasimi	8/17/2016 3:44:22 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 3:44:21 AM	28	gradCels
SC ALRO SA	pH	8/17/2016 3:44:20 AM	1	unit pH
SC ALRO SA	Clor	8/17/2016 3:39:42 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 3:39:07 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 3:39:06 AM	18	mg/l
SC ALRO SA	Temp	8/17/2016 3:39:05 AM	28	gradCels
SC ALRO SA	pH	8/17/2016 3:39:04 AM	1	unit pH
SC ALRO SA	Clor	8/17/2016 3:33:38 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 3:33:36 AM	18	mg/l
SC ALRO SA	Grasimi	8/17/2016 3:33:31 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 3:33:30 AM	28	gradCels
SC ALRO SA	pH	8/17/2016 3:33:29 AM	1	unit pH
SC ALRO SA	Clor	8/17/2016 3:29:50 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 3:29:10 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 3:29:00 AM	18	mg/l
SC ALRO SA	Temp	8/17/2016 3:28:50 AM	28	gradCels
SC ALRO SA	Clor	8/17/2016 3:28:43 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 3:28:42 AM	18	mg/l
SC ALRO SA	pH	8/17/2016 3:28:30 AM	1	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Grasimi	8/17/2016 3:27:54 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 3:27:53 AM	28	gradCels
SC ALRO SA	pH	8/17/2016 3:27:52 AM	1	unit pH
SC ALRO SA	Clor	8/17/2016 3:22:42 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 3:22:41 AM	18	mg/l
SC ALRO SA	Grasimi	8/17/2016 3:22:31 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 3:22:30 AM	28	gradCels
SC ALRO SA	pH	8/17/2016 3:22:29 AM	1	unit pH
SC ALRO SA	Clor	8/17/2016 3:17:43 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 3:17:42 AM	18	mg/l
SC ALRO SA	Grasimi	8/17/2016 3:16:52 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 3:16:51 AM	28	gradCels
SC ALRO SA	pH	8/17/2016 3:16:50 AM	1	unit pH
SC ALRO SA	Clor	8/17/2016 3:11:43 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 3:11:42 AM	18	mg/l
SC ALRO SA	Grasimi	8/17/2016 3:11:31 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 3:11:30 AM	28	gradCels
SC ALRO SA	pH	8/17/2016 3:11:29 AM	1	unit pH
SC ALRO SA	Clor	8/17/2016 3:10:30 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 3:10:10 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 3:09:50 AM	18	mg/l
SC ALRO SA	Temp	8/17/2016 3:09:30 AM	28	gradCels
SC ALRO SA	pH	8/17/2016 3:08:50 AM	1	unit pH
SC ALRO SA	Clor	8/17/2016 3:06:44 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 3:06:42 AM	18	mg/l
SC ALRO SA	Grasimi	8/17/2016 3:05:53 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 3:05:52 AM	28	gradCels
SC ALRO SA	pH	8/17/2016 3:05:51 AM	1	unit pH
SC ALRO SA	Clor	8/17/2016 3:00:44 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 3:00:42 AM	18	mg/l
SC ALRO SA	Grasimi	8/17/2016 3:00:27 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 3:00:26 AM	28	gradCels
SC ALRO SA	pH	8/17/2016 3:00:25 AM	1	unit pH
SC ALRO SA	Clor	8/17/2016 2:55:44 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 2:55:42 AM	18	mg/l
SC ALRO SA	Grasimi	8/17/2016 2:54:51 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 2:54:50 AM	28	gradCels
SC ALRO SA	pH	8/17/2016 2:54:49 AM	1	unit pH
SC ALRO SA	Clor	8/17/2016 2:51:00 AM	0	mg/l
SC ALRO SA	Clor	8/17/2016 2:50:43 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 2:50:42 AM	18	mg/l
SC ALRO SA	Grasimi	8/17/2016 2:50:30 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 2:50:20 AM	18	mg/l
SC ALRO SA	Temp	8/17/2016 2:50:10 AM	28	gradCels
SC ALRO SA	pH	8/17/2016 2:50:00 AM	1	unit pH
SC ALRO SA	Grasimi	8/17/2016 2:49:49 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 2:49:47 AM	28	gradCels
SC ALRO SA	pH	8/17/2016 2:49:45 AM	1	unit pH
SC ALRO SA	Clor	8/17/2016 2:44:44 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 2:44:42 AM	18	mg/l
SC ALRO SA	Grasimi	8/17/2016 2:44:22 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 2:44:21 AM	28	gradCels
SC ALRO SA	pH	8/17/2016 2:44:20 AM	1	unit pH
SC ALRO SA	Clor	8/17/2016 2:39:42 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 2:38:44 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 2:38:43 AM	18	mg/l
SC ALRO SA	Temp	8/17/2016 2:38:42 AM	28	gradCels
SC ALRO SA	pH	8/17/2016 2:38:41 AM	1	unit pH
SC ALRO SA	Clor	8/17/2016 2:33:44 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 2:33:42 AM	18	mg/l
SC ALRO SA	Grasimi	8/17/2016 2:33:22 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 2:33:21 AM	28	gradCels
SC ALRO SA	pH	8/17/2016 2:33:20 AM	1	unit pH
SC ALRO SA	Clor	8/17/2016 2:32:10 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 2:31:10 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 2:31:00 AM	18	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	8/17/2016 2:30:50 AM	28	gradCels
SC ALRO SA	pH	8/17/2016 2:30:40 AM	1	unit pH
SC ALRO SA	Clor	8/17/2016 2:27:52 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 2:27:49 AM	18	mg/l
SC ALRO SA	Grasimi	8/17/2016 2:27:42 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 2:27:41 AM	28	gradCels
SC ALRO SA	pH	8/17/2016 2:27:40 AM	1	unit pH
SC ALRO SA	Clor	8/17/2016 2:22:44 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 2:22:42 AM	18	mg/l
SC ALRO SA	Grasimi	8/17/2016 2:22:22 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 2:22:21 AM	28	gradCels
SC ALRO SA	pH	8/17/2016 2:22:20 AM	1	unit pH
SC ALRO SA	Clor	8/17/2016 2:16:51 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 2:16:50 AM	18	mg/l
SC ALRO SA	Grasimi	8/17/2016 2:16:42 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 2:16:41 AM	28	gradCels
SC ALRO SA	pH	8/17/2016 2:16:40 AM	1	unit pH
SC ALRO SA	Clor	8/17/2016 2:13:00 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 2:12:20 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 2:12:10 AM	18	mg/l
SC ALRO SA	Temp	8/17/2016 2:12:00 AM	28	gradCels
SC ALRO SA	pH	8/17/2016 2:11:50 AM	1	unit pH
SC ALRO SA	Clor	8/17/2016 2:11:43 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 2:11:42 AM	18	mg/l
SC ALRO SA	Grasimi	8/17/2016 2:11:06 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 2:11:05 AM	28	gradCels
SC ALRO SA	pH	8/17/2016 2:11:04 AM	1	unit pH
SC ALRO SA	Clor	8/17/2016 2:05:51 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 2:05:48 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 2:05:47 AM	18	mg/l
SC ALRO SA	Temp	8/17/2016 2:05:46 AM	28	gradCels
SC ALRO SA	pH	8/17/2016 2:05:45 AM	1	unit pH
SC ALRO SA	Clor	8/17/2016 2:00:43 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 2:00:42 AM	18	mg/l
SC ALRO SA	Grasimi	8/17/2016 2:00:06 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 2:00:05 AM	28	gradCels
SC ALRO SA	pH	8/17/2016 2:00:04 AM	1	unit pH
SC ALRO SA	Clor	8/17/2016 1:54:50 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 1:54:49 AM	18	mg/l
SC ALRO SA	Grasimi	8/17/2016 1:54:46 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 1:54:45 AM	28	gradCels
SC ALRO SA	pH	8/17/2016 1:54:44 AM	1	unit pH
SC ALRO SA	Clor	8/17/2016 1:54:10 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 1:53:30 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 1:53:10 AM	18	mg/l
SC ALRO SA	Temp	8/17/2016 1:52:30 AM	28	gradCels
SC ALRO SA	pH	8/17/2016 1:52:20 AM	1	unit pH
SC ALRO SA	Clor	8/17/2016 1:49:44 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 1:49:42 AM	18	mg/l
SC ALRO SA	Grasimi	8/17/2016 1:49:06 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 1:49:05 AM	28	gradCels
SC ALRO SA	pH	8/17/2016 1:49:04 AM	1	unit pH
SC ALRO SA	Clor	8/17/2016 1:43:50 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 1:43:49 AM	18	mg/l
SC ALRO SA	Grasimi	8/17/2016 1:43:46 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 1:43:45 AM	28	gradCels
SC ALRO SA	pH	8/17/2016 1:43:44 AM	1	unit pH
SC ALRO SA	Clor	8/17/2016 1:38:42 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 1:38:07 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 1:38:06 AM	18	mg/l
SC ALRO SA	Temp	8/17/2016 1:38:05 AM	28	gradCels
SC ALRO SA	pH	8/17/2016 1:38:04 AM	1	unit pH
SC ALRO SA	Clor	8/17/2016 1:35:00 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 1:34:30 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 1:34:20 AM	19	mg/l
SC ALRO SA	Temp	8/17/2016 1:34:10 AM	28	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	8/17/2016 1:33:40 AM	1	unit pH
SC ALRO SA	Clor	8/17/2016 1:32:50 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 1:32:49 AM	19	mg/l
SC ALRO SA	Grasimi	8/17/2016 1:32:46 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 1:32:45 AM	28	gradCels
SC ALRO SA	pH	8/17/2016 1:32:44 AM	1	unit pH
SC ALRO SA	Substante organice	8/17/2016 1:27:42 AM	19	mg/l
SC ALRO SA	Clor	8/17/2016 1:27:07 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 1:27:06 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 1:27:05 AM	28	gradCels
SC ALRO SA	pH	8/17/2016 1:27:04 AM	1	unit pH
SC ALRO SA	Substante organice	8/17/2016 1:21:50 AM	19	mg/l
SC ALRO SA	Clor	8/17/2016 1:21:47 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 1:21:46 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 1:21:45 AM	28	gradCels
SC ALRO SA	pH	8/17/2016 1:21:44 AM	1	unit pH
SC ALRO SA	Substante organice	8/17/2016 1:16:42 AM	19	mg/l
SC ALRO SA	Clor	8/17/2016 1:16:05 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 1:16:04 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 1:16:03 AM	28	gradCels
SC ALRO SA	pH	8/17/2016 1:16:02 AM	1	unit pH
SC ALRO SA	Clor	8/17/2016 1:16:00 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 1:15:10 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 1:15:00 AM	19	mg/l
SC ALRO SA	Temp	8/17/2016 1:14:50 AM	28	gradCels
SC ALRO SA	pH	8/17/2016 1:14:30 AM	1	unit pH
SC ALRO SA	Substante organice	8/17/2016 1:10:41 AM	19	mg/l
SC ALRO SA	Clor	8/17/2016 1:10:23 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 1:10:22 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 1:10:21 AM	28	gradCels
SC ALRO SA	pH	8/17/2016 1:10:20 AM	1	unit pH
SC ALRO SA	Clor	8/17/2016 1:05:42 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 1:05:07 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 1:05:06 AM	19	mg/l
SC ALRO SA	Temp	8/17/2016 1:05:05 AM	28	gradCels
SC ALRO SA	pH	8/17/2016 1:05:04 AM	1	unit pH
SC ALRO SA	Substante organice	8/17/2016 12:59:42 AM	19	mg/l
SC ALRO SA	Clor	8/17/2016 12:59:23 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 12:59:22 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 12:59:21 AM	28	gradCels
SC ALRO SA	pH	8/17/2016 12:59:20 AM	1	unit pH
SC ALRO SA	Clor	8/17/2016 12:56:20 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 12:56:00 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 12:55:50 AM	19	mg/l
SC ALRO SA	Temp	8/17/2016 12:55:30 AM	28	gradCels
SC ALRO SA	pH	8/17/2016 12:55:00 AM	1	unit pH
SC ALRO SA	Substante organice	8/17/2016 12:54:42 AM	19	mg/l
SC ALRO SA	Clor	8/17/2016 12:54:03 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 12:54:02 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 12:54:01 AM	28	gradCels
SC ALRO SA	pH	8/17/2016 12:54:00 AM	1	unit pH
SC ALRO SA	Clor	8/17/2016 12:48:43 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 12:48:41 AM	19	mg/l
SC ALRO SA	Grasimi	8/17/2016 12:48:22 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 12:48:21 AM	28	gradCels
SC ALRO SA	pH	8/17/2016 12:48:20 AM	1	unit pH
SC ALRO SA	Substante organice	8/17/2016 12:43:41 AM	19	mg/l
SC ALRO SA	Clor	8/17/2016 12:43:08 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 12:43:07 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 12:43:06 AM	28	gradCels
SC ALRO SA	pH	8/17/2016 12:43:05 AM	1	unit pH
SC ALRO SA	Clor	8/17/2016 12:37:29 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 12:37:28 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 12:37:27 AM	19	mg/l
SC ALRO SA	pH	8/17/2016 12:37:26 AM	1	unit pH
SC ALRO SA	Temp	8/17/2016 12:37:25 AM	28	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Clor	8/17/2016 12:36:30 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 12:36:10 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 12:35:50 AM	19	mg/l
SC ALRO SA	Temp	8/17/2016 12:35:30 AM	28	gradCels
SC ALRO SA	pH	8/17/2016 12:35:20 AM	1	unit pH
SC ALRO SA	Substante organice	8/17/2016 12:32:42 AM	19	mg/l
SC ALRO SA	Clor	8/17/2016 12:31:48 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 12:31:47 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 12:31:46 AM	28	gradCels
SC ALRO SA	pH	8/17/2016 12:31:45 AM	1	unit pH
SC ALRO SA	Substante organice	8/17/2016 12:26:42 AM	19	mg/l
SC ALRO SA	Clor	8/17/2016 12:26:23 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 12:26:22 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 12:26:21 AM	28	gradCels
SC ALRO SA	pH	8/17/2016 12:26:20 AM	1	unit pH
SC ALRO SA	Substante organice	8/17/2016 12:21:42 AM	19	mg/l
SC ALRO SA	Clor	8/17/2016 12:20:45 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 12:20:44 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 12:20:43 AM	28	gradCels
SC ALRO SA	pH	8/17/2016 12:20:42 AM	1	unit pH
SC ALRO SA	Clor	8/17/2016 12:17:20 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 12:16:50 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 12:16:40 AM	19	mg/l
SC ALRO SA	Temp	8/17/2016 12:16:30 AM	28	gradCels
SC ALRO SA	pH	8/17/2016 12:16:20 AM	1	unit pH
SC ALRO SA	Substante organice	8/17/2016 12:15:41 AM	19	mg/l
SC ALRO SA	Clor	8/17/2016 12:15:23 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 12:15:22 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 12:15:21 AM	28	gradCels
SC ALRO SA	pH	8/17/2016 12:15:20 AM	1	unit pH
SC ALRO SA	Substante organice	8/17/2016 12:10:40 AM	19	mg/l
SC ALRO SA	Clor	8/17/2016 12:09:53 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 12:09:52 AM	0	mg/l
SC ALRO SA	Temp	8/17/2016 12:09:51 AM	29	gradCels
SC ALRO SA	pH	8/17/2016 12:09:50 AM	1	unit pH
SC ALRO SA	Clor	8/17/2016 12:04:24 AM	0	mg/l
SC ALRO SA	Grasimi	8/17/2016 12:04:23 AM	0	mg/l
SC ALRO SA	Substante organice	8/17/2016 12:04:22 AM	19	mg/l
SC ALRO SA	Temp	8/17/2016 12:04:21 AM	29	gradCels
SC ALRO SA	pH	8/17/2016 12:04:20 AM	1	unit pH
SC ALRO SA	Substante organice	8/16/2016 11:58:52 PM	19	mg/l
SC ALRO SA	Clor	8/16/2016 11:58:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 11:58:42 PM	0	mg/l
SC ALRO SA	Temp	8/16/2016 11:58:41 PM	29	gradCels
SC ALRO SA	pH	8/16/2016 11:58:40 PM	1	unit pH
SC ALRO SA	Clor	8/16/2016 11:58:10 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 11:57:20 PM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 11:57:10 PM	19	mg/l
SC ALRO SA	Temp	8/16/2016 11:56:50 PM	29	gradCels
SC ALRO SA	pH	8/16/2016 11:56:20 PM	1	unit pH
SC ALRO SA	Substante organice	8/16/2016 11:53:42 PM	19	mg/l
SC ALRO SA	Clor	8/16/2016 11:53:03 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 11:53:02 PM	0	mg/l
SC ALRO SA	Temp	8/16/2016 11:53:01 PM	29	gradCels
SC ALRO SA	pH	8/16/2016 11:53:00 PM	1	unit pH
SC ALRO SA	Substante organice	8/16/2016 11:47:53 PM	19	mg/l
SC ALRO SA	Clor	8/16/2016 11:47:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 11:47:42 PM	0	mg/l
SC ALRO SA	Temp	8/16/2016 11:47:41 PM	29	gradCels
SC ALRO SA	pH	8/16/2016 11:47:40 PM	1	unit pH
SC ALRO SA	Substante organice	8/16/2016 11:42:42 PM	19	mg/l
SC ALRO SA	Clor	8/16/2016 11:42:03 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 11:42:02 PM	0	mg/l
SC ALRO SA	Temp	8/16/2016 11:42:01 PM	29	gradCels
SC ALRO SA	pH	8/16/2016 11:42:00 PM	1	unit pH
SC ALRO SA	Clor	8/16/2016 11:38:10 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Grasimi	8/16/2016 11:37:50 PM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 11:37:40 PM	19	mg/l
SC ALRO SA	Temp	8/16/2016 11:37:30 PM	29	gradCels
SC ALRO SA	pH	8/16/2016 11:37:20 PM	1	unit pH
SC ALRO SA	Clor	8/16/2016 11:36:44 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 11:36:43 PM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 11:36:42 PM	19	mg/l
SC ALRO SA	Temp	8/16/2016 11:36:41 PM	29	gradCels
SC ALRO SA	pH	8/16/2016 11:36:40 PM	1	unit pH
SC ALRO SA	Substante organice	8/16/2016 11:31:42 PM	19	mg/l
SC ALRO SA	Clor	8/16/2016 11:31:07 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 11:31:06 PM	0	mg/l
SC ALRO SA	Temp	8/16/2016 11:31:05 PM	29	gradCels
SC ALRO SA	pH	8/16/2016 11:31:04 PM	1	unit pH
SC ALRO SA	Substante organice	8/16/2016 11:25:53 PM	19	mg/l
SC ALRO SA	Clor	8/16/2016 11:25:47 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 11:25:46 PM	0	mg/l
SC ALRO SA	Temp	8/16/2016 11:25:45 PM	29	gradCels
SC ALRO SA	pH	8/16/2016 11:25:44 PM	1	unit pH
SC ALRO SA	Substante organice	8/16/2016 11:20:42 PM	19	mg/l
SC ALRO SA	Clor	8/16/2016 11:20:07 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 11:20:06 PM	0	mg/l
SC ALRO SA	Temp	8/16/2016 11:20:05 PM	29	gradCels
SC ALRO SA	pH	8/16/2016 11:20:04 PM	1	unit pH
SC ALRO SA	Clor	8/16/2016 11:17:30 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 11:17:00 PM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 11:16:50 PM	19	mg/l
SC ALRO SA	Temp	8/16/2016 11:16:30 PM	29	gradCels
SC ALRO SA	pH	8/16/2016 11:16:10 PM	1	unit pH
SC ALRO SA	Substante organice	8/16/2016 11:14:52 PM	19	mg/l
SC ALRO SA	Clor	8/16/2016 11:14:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 11:14:42 PM	0	mg/l
SC ALRO SA	Temp	8/16/2016 11:14:41 PM	29	gradCels
SC ALRO SA	pH	8/16/2016 11:14:40 PM	1	unit pH
SC ALRO SA	Clor	8/16/2016 11:09:04 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 11:09:03 PM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 11:09:02 PM	19	mg/l
SC ALRO SA	Temp	8/16/2016 11:09:01 PM	29	gradCels
SC ALRO SA	pH	8/16/2016 11:09:00 PM	1	unit pH
SC ALRO SA	Substante organice	8/16/2016 11:03:44 PM	19	mg/l
SC ALRO SA	Clor	8/16/2016 11:03:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 11:03:22 PM	0	mg/l
SC ALRO SA	Temp	8/16/2016 11:03:21 PM	29	gradCels
SC ALRO SA	pH	8/16/2016 11:03:20 PM	1	unit pH
SC ALRO SA	Clor	8/16/2016 10:59:20 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 10:59:00 PM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 10:58:50 PM	19	mg/l
SC ALRO SA	Substante organice	8/16/2016 10:58:42 PM	19	mg/l
SC ALRO SA	Temp	8/16/2016 10:58:30 PM	29	gradCels
SC ALRO SA	pH	8/16/2016 10:58:20 PM	1	unit pH
SC ALRO SA	Clor	8/16/2016 10:58:03 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 10:58:02 PM	0	mg/l
SC ALRO SA	Temp	8/16/2016 10:58:01 PM	29	gradCels
SC ALRO SA	pH	8/16/2016 10:58:00 PM	1	unit pH
SC ALRO SA	Substante organice	8/16/2016 10:52:44 PM	19	mg/l
SC ALRO SA	Clor	8/16/2016 10:52:26 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 10:52:25 PM	0	mg/l
SC ALRO SA	Temp	8/16/2016 10:52:24 PM	29	gradCels
SC ALRO SA	pH	8/16/2016 10:52:23 PM	1	unit pH
SC ALRO SA	Substante organice	8/16/2016 10:47:44 PM	19	mg/l
SC ALRO SA	Clor	8/16/2016 10:47:03 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 10:47:02 PM	0	mg/l
SC ALRO SA	Temp	8/16/2016 10:47:01 PM	29	gradCels
SC ALRO SA	pH	8/16/2016 10:47:00 PM	1	unit pH
SC ALRO SA	Substante organice	8/16/2016 10:41:37 PM	19	mg/l
SC ALRO SA	Clor	8/16/2016 10:41:27 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Grasimi	8/16/2016 10:41:26 PM	0	mg/l
SC ALRO SA	pH	8/16/2016 10:41:25 PM	1	unit pH
SC ALRO SA	Temp	8/16/2016 10:41:24 PM	29	gradCels
SC ALRO SA	Clor	8/16/2016 10:41:10 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 10:40:50 PM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 10:40:30 PM	19	mg/l
SC ALRO SA	Temp	8/16/2016 10:40:00 PM	29	gradCels
SC ALRO SA	pH	8/16/2016 10:39:50 PM	1	unit pH
SC ALRO SA	Clor	8/16/2016 10:36:12 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 10:36:11 PM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 10:36:10 PM	19	mg/l
SC ALRO SA	Temp	8/16/2016 10:36:09 PM	29	gradCels
SC ALRO SA	pH	8/16/2016 10:36:08 PM	1	unit pH
SC ALRO SA	Substante organice	8/16/2016 10:30:36 PM	19	mg/l
SC ALRO SA	Clor	8/16/2016 10:30:27 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 10:30:26 PM	0	mg/l
SC ALRO SA	Temp	8/16/2016 10:30:25 PM	29	gradCels
SC ALRO SA	pH	8/16/2016 10:30:24 PM	1	unit pH
SC ALRO SA	Substante organice	8/16/2016 10:25:44 PM	19	mg/l
SC ALRO SA	Clor	8/16/2016 10:25:03 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 10:25:02 PM	0	mg/l
SC ALRO SA	pH	8/16/2016 10:25:01 PM	1	unit pH
SC ALRO SA	Temp	8/16/2016 10:25:00 PM	29	gradCels
SC ALRO SA	Clor	8/16/2016 10:21:30 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 10:21:10 PM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 10:21:00 PM	19	mg/l
SC ALRO SA	Temp	8/16/2016 10:20:50 PM	29	gradCels
SC ALRO SA	pH	8/16/2016 10:20:40 PM	1	unit pH
SC ALRO SA	Substante organice	8/16/2016 10:19:36 PM	19	mg/l
SC ALRO SA	Clor	8/16/2016 10:19:27 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 10:19:26 PM	0	mg/l
SC ALRO SA	pH	8/16/2016 10:19:25 PM	1	unit pH
SC ALRO SA	Temp	8/16/2016 10:19:24 PM	29	gradCels
SC ALRO SA	Substante organice	8/16/2016 10:14:43 PM	19	mg/l
SC ALRO SA	Clor	8/16/2016 10:13:47 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 10:13:46 PM	0	mg/l
SC ALRO SA	Temp	8/16/2016 10:13:45 PM	28	gradCels
SC ALRO SA	pH	8/16/2016 10:13:44 PM	1	unit pH
SC ALRO SA	Clor	8/16/2016 10:08:28 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 10:08:27 PM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 10:08:26 PM	19	mg/l
SC ALRO SA	Temp	8/16/2016 10:08:25 PM	28	gradCels
SC ALRO SA	pH	8/16/2016 10:08:24 PM	1	unit pH
SC ALRO SA	Clor	8/16/2016 10:04:00 PM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 10:03:44 PM	19	mg/l
SC ALRO SA	Grasimi	8/16/2016 10:03:30 PM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 10:03:20 PM	19	mg/l
SC ALRO SA	Temp	8/16/2016 10:03:10 PM	28	gradCels
SC ALRO SA	pH	8/16/2016 10:03:00 PM	1	unit pH
SC ALRO SA	Clor	8/16/2016 10:02:52 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 10:02:51 PM	0	mg/l
SC ALRO SA	Temp	8/16/2016 10:02:50 PM	28	gradCels
SC ALRO SA	pH	8/16/2016 10:02:49 PM	1	unit pH
SC ALRO SA	Substante organice	8/16/2016 9:57:40 PM	19	mg/l
SC ALRO SA	Clor	8/16/2016 9:57:27 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 9:57:26 PM	0	mg/l
SC ALRO SA	pH	8/16/2016 9:57:25 PM	2	unit pH
SC ALRO SA	Temp	8/16/2016 9:57:24 PM	28	gradCels
SC ALRO SA	Substante organice	8/16/2016 9:52:43 PM	19	mg/l
SC ALRO SA	Clor	8/16/2016 9:51:51 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 9:51:50 PM	0	mg/l
SC ALRO SA	Temp	8/16/2016 9:51:49 PM	28	gradCels
SC ALRO SA	pH	8/16/2016 9:51:48 PM	2	unit pH
SC ALRO SA	Clor	8/16/2016 9:46:50 PM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 9:46:35 PM	19	mg/l
SC ALRO SA	Clor	8/16/2016 9:46:27 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Grasimi	8/16/2016 9:46:26 PM	0	mg/l
SC ALRO SA	Temp	8/16/2016 9:46:25 PM	28	gradCels
SC ALRO SA	pH	8/16/2016 9:46:24 PM	2	unit pH
SC ALRO SA	Grasimi	8/16/2016 9:45:50 PM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 9:45:20 PM	19	mg/l
SC ALRO SA	Temp	8/16/2016 9:45:10 PM	28	gradCels
SC ALRO SA	pH	8/16/2016 9:44:20 PM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 9:41:43 PM	19	mg/l
SC ALRO SA	Clor	8/16/2016 9:40:50 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 9:40:49 PM	0	mg/l
SC ALRO SA	Temp	8/16/2016 9:40:48 PM	28	gradCels
SC ALRO SA	pH	8/16/2016 9:40:47 PM	2	unit pH
SC ALRO SA	Clor	8/16/2016 9:35:27 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 9:35:26 PM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 9:35:25 PM	19	mg/l
SC ALRO SA	Temp	8/16/2016 9:35:24 PM	28	gradCels
SC ALRO SA	pH	8/16/2016 9:35:23 PM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 9:30:42 PM	19	mg/l
SC ALRO SA	Clor	8/16/2016 9:29:59 PM	0	mg/l
SC ALRO SA	Temp	8/16/2016 9:29:58 PM	28	gradCels
SC ALRO SA	Grasimi	8/16/2016 9:29:57 PM	0	mg/l
SC ALRO SA	pH	8/16/2016 9:29:56 PM	2	unit pH
SC ALRO SA	Clor	8/16/2016 9:27:20 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 9:26:50 PM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 9:26:40 PM	19	mg/l
SC ALRO SA	Temp	8/16/2016 9:26:30 PM	28	gradCels
SC ALRO SA	pH	8/16/2016 9:26:20 PM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 9:24:45 PM	19	mg/l
SC ALRO SA	Clor	8/16/2016 9:24:15 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 9:24:14 PM	0	mg/l
SC ALRO SA	Temp	8/16/2016 9:24:13 PM	28	gradCels
SC ALRO SA	pH	8/16/2016 9:24:12 PM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 9:19:44 PM	19	mg/l
SC ALRO SA	Clor	8/16/2016 9:18:50 PM	0	mg/l
SC ALRO SA	Temp	8/16/2016 9:18:49 PM	28	gradCels
SC ALRO SA	Grasimi	8/16/2016 9:18:48 PM	0	mg/l
SC ALRO SA	pH	8/16/2016 9:18:47 PM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 9:13:45 PM	19	mg/l
SC ALRO SA	Clor	8/16/2016 9:13:15 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 9:13:14 PM	0	mg/l
SC ALRO SA	Temp	8/16/2016 9:13:13 PM	28	gradCels
SC ALRO SA	pH	8/16/2016 9:13:12 PM	2	unit pH
SC ALRO SA	Clor	8/16/2016 9:10:00 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 9:09:40 PM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 9:09:30 PM	19	mg/l
SC ALRO SA	Temp	8/16/2016 9:09:20 PM	28	gradCels
SC ALRO SA	pH	8/16/2016 9:09:10 PM	2	unit pH
SC ALRO SA	Clor	8/16/2016 9:07:44 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 9:07:43 PM	0	mg/l
SC ALRO SA	Temp	8/16/2016 9:07:42 PM	28	gradCels
SC ALRO SA	Substante organice	8/16/2016 9:07:41 PM	19	mg/l
SC ALRO SA	pH	8/16/2016 9:07:40 PM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 9:02:43 PM	19	mg/l
SC ALRO SA	Clor	8/16/2016 9:02:13 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 9:02:12 PM	0	mg/l
SC ALRO SA	Temp	8/16/2016 9:02:11 PM	28	gradCels
SC ALRO SA	pH	8/16/2016 9:02:10 PM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 8:56:49 PM	19	mg/l
SC ALRO SA	Clor	8/16/2016 8:56:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 8:56:42 PM	0	mg/l
SC ALRO SA	Temp	8/16/2016 8:56:41 PM	28	gradCels
SC ALRO SA	pH	8/16/2016 8:56:40 PM	2	unit pH
SC ALRO SA	Clor	8/16/2016 8:52:30 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 8:52:10 PM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 8:52:00 PM	19	mg/l
SC ALRO SA	Temp	8/16/2016 8:51:50 PM	28	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	8/16/2016 8:51:44 PM	19	mg/l
SC ALRO SA	pH	8/16/2016 8:51:30 PM	2	unit pH
SC ALRO SA	Clor	8/16/2016 8:51:15 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 8:51:14 PM	0	mg/l
SC ALRO SA	Temp	8/16/2016 8:51:13 PM	28	gradCels
SC ALRO SA	pH	8/16/2016 8:51:12 PM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 8:45:56 PM	19	mg/l
SC ALRO SA	Clor	8/16/2016 8:45:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 8:45:42 PM	0	mg/l
SC ALRO SA	pH	8/16/2016 8:45:41 PM	2	unit pH
SC ALRO SA	Temp	8/16/2016 8:45:40 PM	28	gradCels
SC ALRO SA	Substante organice	8/16/2016 8:40:43 PM	19	mg/l
SC ALRO SA	Clor	8/16/2016 8:40:06 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 8:40:05 PM	0	mg/l
SC ALRO SA	Temp	8/16/2016 8:40:04 PM	28	gradCels
SC ALRO SA	pH	8/16/2016 8:40:03 PM	2	unit pH
SC ALRO SA	Clor	8/16/2016 8:35:08 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 8:35:07 PM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 8:35:06 PM	19	mg/l
SC ALRO SA	Temp	8/16/2016 8:35:05 PM	28	gradCels
SC ALRO SA	pH	8/16/2016 8:35:04 PM	2	unit pH
SC ALRO SA	Clor	8/16/2016 8:34:00 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 8:33:30 PM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 8:33:00 PM	19	mg/l
SC ALRO SA	Temp	8/16/2016 8:32:50 PM	28	gradCels
SC ALRO SA	pH	8/16/2016 8:32:30 PM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 8:29:54 PM	19	mg/l
SC ALRO SA	Clor	8/16/2016 8:29:45 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 8:29:44 PM	0	mg/l
SC ALRO SA	pH	8/16/2016 8:29:43 PM	2	unit pH
SC ALRO SA	Temp	8/16/2016 8:29:40 PM	28	gradCels
SC ALRO SA	Substante organice	8/16/2016 8:24:42 PM	19	mg/l
SC ALRO SA	Clor	8/16/2016 8:24:03 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 8:24:02 PM	0	mg/l
SC ALRO SA	Temp	8/16/2016 8:24:01 PM	28	gradCels
SC ALRO SA	pH	8/16/2016 8:24:00 PM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 8:18:53 PM	19	mg/l
SC ALRO SA	Clor	8/16/2016 8:18:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 8:18:42 PM	0	mg/l
SC ALRO SA	Temp	8/16/2016 8:18:41 PM	28	gradCels
SC ALRO SA	pH	8/16/2016 8:18:40 PM	2	unit pH
SC ALRO SA	Clor	8/16/2016 8:14:30 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 8:14:10 PM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 8:14:00 PM	19	mg/l
SC ALRO SA	Temp	8/16/2016 8:13:50 PM	28	gradCels
SC ALRO SA	Substante organice	8/16/2016 8:13:42 PM	19	mg/l
SC ALRO SA	pH	8/16/2016 8:13:30 PM	2	unit pH
SC ALRO SA	Clor	8/16/2016 8:13:03 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 8:13:02 PM	0	mg/l
SC ALRO SA	Temp	8/16/2016 8:13:01 PM	28	gradCels
SC ALRO SA	pH	8/16/2016 8:13:00 PM	2	unit pH
SC ALRO SA	Clor	8/16/2016 8:07:44 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 8:07:43 PM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 8:07:42 PM	19	mg/l
SC ALRO SA	Temp	8/16/2016 8:07:41 PM	28	gradCels
SC ALRO SA	pH	8/16/2016 8:07:40 PM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 8:02:42 PM	19	mg/l
SC ALRO SA	Clor	8/16/2016 8:02:03 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 8:02:02 PM	0	mg/l
SC ALRO SA	Temp	8/16/2016 8:02:01 PM	28	gradCels
SC ALRO SA	pH	8/16/2016 8:02:00 PM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 7:56:45 PM	19	mg/l
SC ALRO SA	Clor	8/16/2016 7:56:27 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 7:56:26 PM	0	mg/l
SC ALRO SA	Temp	8/16/2016 7:56:25 PM	28	gradCels
SC ALRO SA	pH	8/16/2016 7:56:24 PM	2	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Clor	8/16/2016 7:56:10 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 7:55:20 PM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 7:55:10 PM	19	mg/l
SC ALRO SA	Temp	8/16/2016 7:54:20 PM	28	gradCels
SC ALRO SA	pH	8/16/2016 7:54:10 PM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 7:51:42 PM	19	mg/l
SC ALRO SA	Clor	8/16/2016 7:51:07 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 7:51:06 PM	0	mg/l
SC ALRO SA	Temp	8/16/2016 7:51:05 PM	28	gradCels
SC ALRO SA	pH	8/16/2016 7:51:04 PM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 7:45:44 PM	19	mg/l
SC ALRO SA	Clor	8/16/2016 7:45:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 7:45:22 PM	0	mg/l
SC ALRO SA	pH	8/16/2016 7:45:21 PM	2	unit pH
SC ALRO SA	Temp	8/16/2016 7:45:20 PM	28	gradCels
SC ALRO SA	Substante organice	8/16/2016 7:40:41 PM	19	mg/l
SC ALRO SA	Clor	8/16/2016 7:40:03 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 7:40:02 PM	0	mg/l
SC ALRO SA	Temp	8/16/2016 7:40:01 PM	28	gradCels
SC ALRO SA	pH	8/16/2016 7:40:00 PM	2	unit pH
SC ALRO SA	Clor	8/16/2016 7:36:20 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 7:36:00 PM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 7:35:50 PM	19	mg/l
SC ALRO SA	Temp	8/16/2016 7:35:40 PM	28	gradCels
SC ALRO SA	pH	8/16/2016 7:35:30 PM	2	unit pH
SC ALRO SA	Clor	8/16/2016 7:34:24 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 7:34:23 PM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 7:34:22 PM	19	mg/l
SC ALRO SA	Temp	8/16/2016 7:34:21 PM	28	gradCels
SC ALRO SA	pH	8/16/2016 7:34:20 PM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 7:29:42 PM	19	mg/l
SC ALRO SA	Clor	8/16/2016 7:29:03 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 7:29:02 PM	0	mg/l
SC ALRO SA	Temp	8/16/2016 7:29:01 PM	28	gradCels
SC ALRO SA	pH	8/16/2016 7:29:00 PM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 7:23:44 PM	19	mg/l
SC ALRO SA	Clor	8/16/2016 7:23:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 7:23:22 PM	0	mg/l
SC ALRO SA	Temp	8/16/2016 7:23:21 PM	28	gradCels
SC ALRO SA	pH	8/16/2016 7:23:20 PM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 7:18:42 PM	19	mg/l
SC ALRO SA	Clor	8/16/2016 7:18:00 PM	0	mg/l
SC ALRO SA	Clor	8/16/2016 7:17:47 PM	0	mg/l
SC ALRO SA	Temp	8/16/2016 7:17:46 PM	28	gradCels
SC ALRO SA	Grasimi	8/16/2016 7:17:45 PM	0	mg/l
SC ALRO SA	pH	8/16/2016 7:17:44 PM	2	unit pH
SC ALRO SA	Grasimi	8/16/2016 7:16:50 PM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 7:16:20 PM	19	mg/l
SC ALRO SA	Temp	8/16/2016 7:16:10 PM	28	gradCels
SC ALRO SA	pH	8/16/2016 7:15:50 PM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 7:12:45 PM	19	mg/l
SC ALRO SA	Clor	8/16/2016 7:12:27 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 7:12:26 PM	0	mg/l
SC ALRO SA	Temp	8/16/2016 7:12:25 PM	28	gradCels
SC ALRO SA	pH	8/16/2016 7:12:24 PM	2	unit pH
SC ALRO SA	Clor	8/16/2016 7:06:47 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 7:06:46 PM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 7:06:45 PM	19	mg/l
SC ALRO SA	Temp	8/16/2016 7:06:44 PM	28	gradCels
SC ALRO SA	pH	8/16/2016 7:06:43 PM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 7:01:43 PM	19	mg/l
SC ALRO SA	Clor	8/16/2016 7:01:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 7:01:22 PM	0	mg/l
SC ALRO SA	Temp	8/16/2016 7:01:21 PM	28	gradCels
SC ALRO SA	pH	8/16/2016 7:01:20 PM	2	unit pH
SC ALRO SA	Clor	8/16/2016 6:57:10 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Grasimi	8/16/2016 6:56:50 PM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 6:56:42 PM	19	mg/l
SC ALRO SA	Substante organice	8/16/2016 6:56:20 PM	19	mg/l
SC ALRO SA	Temp	8/16/2016 6:56:10 PM	27	gradCels
SC ALRO SA	pH	8/16/2016 6:56:00 PM	2	unit pH
SC ALRO SA	Clor	8/16/2016 6:55:51 PM	0	mg/l
SC ALRO SA	Temp	8/16/2016 6:55:50 PM	27	gradCels
SC ALRO SA	Grasimi	8/16/2016 6:55:49 PM	0	mg/l
SC ALRO SA	pH	8/16/2016 6:55:48 PM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 6:50:44 PM	19	mg/l
SC ALRO SA	Clor	8/16/2016 6:50:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 6:50:22 PM	0	mg/l
SC ALRO SA	Temp	8/16/2016 6:50:21 PM	27	gradCels
SC ALRO SA	pH	8/16/2016 6:50:20 PM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 6:45:42 PM	19	mg/l
SC ALRO SA	Clor	8/16/2016 6:44:51 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 6:44:50 PM	0	mg/l
SC ALRO SA	pH	8/16/2016 6:44:49 PM	2	unit pH
SC ALRO SA	Temp	8/16/2016 6:44:48 PM	27	gradCels
SC ALRO SA	Clor	8/16/2016 6:39:24 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 6:39:23 PM	0	mg/l
SC ALRO SA	Temp	8/16/2016 6:39:22 PM	27	gradCels
SC ALRO SA	Substante organice	8/16/2016 6:39:21 PM	19	mg/l
SC ALRO SA	pH	8/16/2016 6:39:20 PM	2	unit pH
SC ALRO SA	Clor	8/16/2016 6:36:50 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 6:36:10 PM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 6:36:00 PM	19	mg/l
SC ALRO SA	Temp	8/16/2016 6:35:50 PM	27	gradCels
SC ALRO SA	pH	8/16/2016 6:35:40 PM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 6:33:53 PM	19	mg/l
SC ALRO SA	Clor	8/16/2016 6:33:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 6:33:42 PM	0	mg/l
SC ALRO SA	Temp	8/16/2016 6:33:41 PM	27	gradCels
SC ALRO SA	pH	8/16/2016 6:33:40 PM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 6:28:42 PM	19	mg/l
SC ALRO SA	Clor	8/16/2016 6:28:08 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 6:28:07 PM	0	mg/l
SC ALRO SA	Temp	8/16/2016 6:28:05 PM	27	gradCels
SC ALRO SA	pH	8/16/2016 6:28:04 PM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 6:22:53 PM	19	mg/l
SC ALRO SA	Clor	8/16/2016 6:22:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 6:22:42 PM	0	mg/l
SC ALRO SA	pH	8/16/2016 6:22:41 PM	2	unit pH
SC ALRO SA	Temp	8/16/2016 6:22:40 PM	27	gradCels
SC ALRO SA	Clor	8/16/2016 6:18:50 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 6:18:30 PM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 6:18:20 PM	19	mg/l
SC ALRO SA	Temp	8/16/2016 6:18:10 PM	27	gradCels
SC ALRO SA	pH	8/16/2016 6:18:00 PM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 6:17:44 PM	19	mg/l
SC ALRO SA	Clor	8/16/2016 6:17:06 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 6:17:05 PM	0	mg/l
SC ALRO SA	pH	8/16/2016 6:17:04 PM	2	unit pH
SC ALRO SA	Temp	8/16/2016 6:17:03 PM	27	gradCels
SC ALRO SA	Substante organice	8/16/2016 6:11:57 PM	19	mg/l
SC ALRO SA	Clor	8/16/2016 6:11:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 6:11:42 PM	0	mg/l
SC ALRO SA	pH	8/16/2016 6:11:41 PM	2	unit pH
SC ALRO SA	Temp	8/16/2016 6:11:40 PM	27	gradCels
SC ALRO SA	Clor	8/16/2016 6:06:04 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 6:06:03 PM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 6:06:02 PM	19	mg/l
SC ALRO SA	pH	8/16/2016 6:06:01 PM	2	unit pH
SC ALRO SA	Temp	8/16/2016 6:06:00 PM	27	gradCels
SC ALRO SA	Clor	8/16/2016 6:01:20 PM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 6:01:00 PM	19	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Clor	8/16/2016 6:00:47 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 6:00:46 PM	0	mg/l
SC ALRO SA	pH	8/16/2016 6:00:45 PM	2	unit pH
SC ALRO SA	Temp	8/16/2016 6:00:44 PM	27	gradCels
SC ALRO SA	Grasimi	8/16/2016 6:00:20 PM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 6:00:10 PM	19	mg/l
SC ALRO SA	Temp	8/16/2016 6:00:00 PM	27	gradCels
SC ALRO SA	pH	8/16/2016 5:59:30 PM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 5:55:44 PM	19	mg/l
SC ALRO SA	Clor	8/16/2016 5:55:06 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 5:55:05 PM	0	mg/l
SC ALRO SA	Temp	8/16/2016 5:55:04 PM	27	gradCels
SC ALRO SA	pH	8/16/2016 5:55:03 PM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 5:49:59 PM	19	mg/l
SC ALRO SA	Clor	8/16/2016 5:49:46 PM	0	mg/l
SC ALRO SA	Temp	8/16/2016 5:49:45 PM	27	gradCels
SC ALRO SA	Grasimi	8/16/2016 5:49:44 PM	0	mg/l
SC ALRO SA	pH	8/16/2016 5:49:43 PM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 5:44:44 PM	19	mg/l
SC ALRO SA	Clor	8/16/2016 5:44:03 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 5:44:02 PM	0	mg/l
SC ALRO SA	pH	8/16/2016 5:44:01 PM	2	unit pH
SC ALRO SA	Temp	8/16/2016 5:44:00 PM	27	gradCels
SC ALRO SA	Clor	8/16/2016 5:41:50 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 5:41:30 PM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 5:41:20 PM	19	mg/l
SC ALRO SA	Temp	8/16/2016 5:41:10 PM	27	gradCels
SC ALRO SA	pH	8/16/2016 5:41:00 PM	2	unit pH
SC ALRO SA	Clor	8/16/2016 5:38:32 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 5:38:31 PM	0	mg/l
SC ALRO SA	Temp	8/16/2016 5:38:30 PM	27	gradCels
SC ALRO SA	Substante organice	8/16/2016 5:38:29 PM	19	mg/l
SC ALRO SA	pH	8/16/2016 5:38:28 PM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 5:33:44 PM	19	mg/l
SC ALRO SA	Clor	8/16/2016 5:33:06 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 5:33:05 PM	0	mg/l
SC ALRO SA	Temp	8/16/2016 5:33:04 PM	27	gradCels
SC ALRO SA	pH	8/16/2016 5:33:03 PM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 5:27:40 PM	19	mg/l
SC ALRO SA	Clor	8/16/2016 5:27:27 PM	0	mg/l
SC ALRO SA	Temp	8/16/2016 5:27:26 PM	27	gradCels
SC ALRO SA	Grasimi	8/16/2016 5:27:25 PM	0	mg/l
SC ALRO SA	pH	8/16/2016 5:27:24 PM	2	unit pH
SC ALRO SA	Clor	8/16/2016 5:24:30 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 5:24:10 PM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 5:24:00 PM	19	mg/l
SC ALRO SA	Temp	8/16/2016 5:23:50 PM	27	gradCels
SC ALRO SA	pH	8/16/2016 5:23:40 PM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 5:22:44 PM	19	mg/l
SC ALRO SA	Clor	8/16/2016 5:21:57 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 5:21:56 PM	0	mg/l
SC ALRO SA	Temp	8/16/2016 5:21:55 PM	27	gradCels
SC ALRO SA	pH	8/16/2016 5:21:54 PM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 5:16:36 PM	19	mg/l
SC ALRO SA	Clor	8/16/2016 5:16:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 5:16:22 PM	0	mg/l
SC ALRO SA	Temp	8/16/2016 5:16:21 PM	27	gradCels
SC ALRO SA	pH	8/16/2016 5:16:20 PM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 5:11:43 PM	19	mg/l
SC ALRO SA	Clor	8/16/2016 5:10:55 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 5:10:54 PM	0	mg/l
SC ALRO SA	pH	8/16/2016 5:10:53 PM	2	unit pH
SC ALRO SA	Temp	8/16/2016 5:10:52 PM	27	gradCels
SC ALRO SA	Clor	8/16/2016 5:07:00 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 5:06:40 PM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 5:06:30 PM	19	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	8/16/2016 5:06:20 PM	27	gradCels
SC ALRO SA	pH	8/16/2016 5:06:10 PM	2	unit pH
SC ALRO SA	Clor	8/16/2016 5:05:28 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 5:05:27 PM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 5:05:26 PM	19	mg/l
SC ALRO SA	Temp	8/16/2016 5:05:25 PM	27	gradCels
SC ALRO SA	pH	8/16/2016 5:05:24 PM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 5:00:43 PM	20	mg/l
SC ALRO SA	Clor	8/16/2016 4:59:57 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 4:59:56 PM	0	mg/l
SC ALRO SA	Temp	8/16/2016 4:59:55 PM	27	gradCels
SC ALRO SA	pH	8/16/2016 4:59:54 PM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 4:54:35 PM	20	mg/l
SC ALRO SA	Clor	8/16/2016 4:54:26 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 4:54:25 PM	0	mg/l
SC ALRO SA	Temp	8/16/2016 4:54:24 PM	27	gradCels
SC ALRO SA	pH	8/16/2016 4:54:23 PM	2	unit pH
SC ALRO SA	Clor	8/16/2016 4:49:50 PM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 4:49:44 PM	20	mg/l
SC ALRO SA	Grasimi	8/16/2016 4:49:10 PM	0	mg/l
SC ALRO SA	Clor	8/16/2016 4:48:53 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 4:48:52 PM	0	mg/l
SC ALRO SA	pH	8/16/2016 4:48:51 PM	2	unit pH
SC ALRO SA	Temp	8/16/2016 4:48:50 PM	26	gradCels
SC ALRO SA	Substante organice	8/16/2016 4:48:20 PM	20	mg/l
SC ALRO SA	Temp	8/16/2016 4:48:10 PM	26	gradCels
SC ALRO SA	pH	8/16/2016 4:47:10 PM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 4:43:36 PM	20	mg/l
SC ALRO SA	Clor	8/16/2016 4:43:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 4:43:22 PM	0	mg/l
SC ALRO SA	Temp	8/16/2016 4:43:21 PM	26	gradCels
SC ALRO SA	pH	8/16/2016 4:43:20 PM	2	unit pH
SC ALRO SA	Clor	8/16/2016 4:37:53 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 4:37:52 PM	0	mg/l
SC ALRO SA	Temp	8/16/2016 4:37:51 PM	26	gradCels
SC ALRO SA	Substante organice	8/16/2016 4:37:50 PM	20	mg/l
SC ALRO SA	pH	8/16/2016 4:37:49 PM	2	unit pH
SC ALRO SA	Clor	8/16/2016 4:33:00 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 4:32:40 PM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 4:32:36 PM	19	mg/l
SC ALRO SA	Clor	8/16/2016 4:32:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 4:32:22 PM	0	mg/l
SC ALRO SA	pH	8/16/2016 4:32:21 PM	2	unit pH
SC ALRO SA	Temp	8/16/2016 4:32:20 PM	26	gradCels
SC ALRO SA	Substante organice	8/16/2016 4:32:10 PM	20	mg/l
SC ALRO SA	Temp	8/16/2016 4:31:40 PM	26	gradCels
SC ALRO SA	pH	8/16/2016 4:30:40 PM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 4:27:44 PM	19	mg/l
SC ALRO SA	Clor	8/16/2016 4:26:47 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 4:26:46 PM	0	mg/l
SC ALRO SA	pH	8/16/2016 4:26:45 PM	2	unit pH
SC ALRO SA	Temp	8/16/2016 4:26:44 PM	26	gradCels
SC ALRO SA	Substante organice	8/16/2016 4:21:36 PM	19	mg/l
SC ALRO SA	Clor	8/16/2016 4:21:26 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 4:21:25 PM	0	mg/l
SC ALRO SA	pH	8/16/2016 4:21:24 PM	2	unit pH
SC ALRO SA	Temp	8/16/2016 4:21:23 PM	26	gradCels
SC ALRO SA	Substante organice	8/16/2016 4:16:44 PM	19	mg/l
SC ALRO SA	Clor	8/16/2016 4:16:20 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 4:16:00 PM	0	mg/l
SC ALRO SA	Clor	8/16/2016 4:15:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 4:15:42 PM	0	mg/l
SC ALRO SA	Temp	8/16/2016 4:15:41 PM	26	gradCels
SC ALRO SA	pH	8/16/2016 4:15:40 PM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 4:15:10 PM	20	mg/l
SC ALRO SA	Temp	8/16/2016 4:15:00 PM	26	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	8/16/2016 4:14:50 PM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 4:10:36 PM	19	mg/l
SC ALRO SA	Clor	8/16/2016 4:10:30 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 4:10:29 PM	0	mg/l
SC ALRO SA	Temp	8/16/2016 4:10:28 PM	26	gradCels
SC ALRO SA	pH	8/16/2016 4:10:27 PM	2	unit pH
SC ALRO SA	Clor	8/16/2016 4:04:52 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 4:04:51 PM	0	mg/l
SC ALRO SA	Temp	8/16/2016 4:04:50 PM	26	gradCels
SC ALRO SA	Substante organice	8/16/2016 4:04:49 PM	19	mg/l
SC ALRO SA	pH	8/16/2016 4:04:48 PM	2	unit pH
SC ALRO SA	Clor	8/16/2016 3:59:50 PM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 3:59:36 PM	20	mg/l
SC ALRO SA	Clor	8/16/2016 3:59:27 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 3:59:26 PM	0	mg/l
SC ALRO SA	Temp	8/16/2016 3:59:25 PM	26	gradCels
SC ALRO SA	pH	8/16/2016 3:59:24 PM	2	unit pH
SC ALRO SA	Grasimi	8/16/2016 3:58:00 PM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 3:57:30 PM	20	mg/l
SC ALRO SA	Temp	8/16/2016 3:57:20 PM	26	gradCels
SC ALRO SA	pH	8/16/2016 3:57:10 PM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 3:54:44 PM	20	mg/l
SC ALRO SA	Clor	8/16/2016 3:53:49 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 3:53:48 PM	0	mg/l
SC ALRO SA	Temp	8/16/2016 3:53:47 PM	26	gradCels
SC ALRO SA	pH	8/16/2016 3:53:46 PM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 3:48:36 PM	20	mg/l
SC ALRO SA	Clor	8/16/2016 3:48:23 PM	0	mg/l
SC ALRO SA	Temp	8/16/2016 3:48:22 PM	26	gradCels
SC ALRO SA	Grasimi	8/16/2016 3:48:21 PM	0	mg/l
SC ALRO SA	pH	8/16/2016 3:48:20 PM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 3:43:44 PM	20	mg/l
SC ALRO SA	Clor	8/16/2016 3:42:38 PM	0	mg/l
SC ALRO SA	Temp	8/16/2016 3:42:37 PM	26	gradCels
SC ALRO SA	Grasimi	8/16/2016 3:42:36 PM	0	mg/l
SC ALRO SA	pH	8/16/2016 3:42:35 PM	2	unit pH
SC ALRO SA	Clor	8/16/2016 3:41:00 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 3:40:40 PM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 3:40:30 PM	20	mg/l
SC ALRO SA	Temp	8/16/2016 3:40:20 PM	26	gradCels
SC ALRO SA	pH	8/16/2016 3:40:10 PM	2	unit pH
SC ALRO SA	Clor	8/16/2016 3:37:04 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 3:37:03 PM	0	mg/l
SC ALRO SA	Temp	8/16/2016 3:37:02 PM	26	gradCels
SC ALRO SA	Substante organice	8/16/2016 3:37:01 PM	20	mg/l
SC ALRO SA	pH	8/16/2016 3:37:00 PM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 3:32:43 PM	20	mg/l
SC ALRO SA	Clor	8/16/2016 3:31:40 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 3:31:39 PM	0	mg/l
SC ALRO SA	Temp	8/16/2016 3:31:38 PM	26	gradCels
SC ALRO SA	pH	8/16/2016 3:31:37 PM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 3:26:44 PM	20	mg/l
SC ALRO SA	Clor	8/16/2016 3:26:04 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 3:26:03 PM	0	mg/l
SC ALRO SA	Temp	8/16/2016 3:26:02 PM	26	gradCels
SC ALRO SA	pH	8/16/2016 3:26:00 PM	2	unit pH
SC ALRO SA	Clor	8/16/2016 3:23:50 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 3:23:30 PM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 3:23:20 PM	20	mg/l
SC ALRO SA	Temp	8/16/2016 3:23:10 PM	26	gradCels
SC ALRO SA	pH	8/16/2016 3:23:00 PM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 3:20:44 PM	20	mg/l
SC ALRO SA	Clor	8/16/2016 3:20:31 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 3:20:30 PM	0	mg/l
SC ALRO SA	Temp	8/16/2016 3:20:29 PM	26	gradCels
SC ALRO SA	pH	8/16/2016 3:20:28 PM	2	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	8/16/2016 3:15:44 PM	20	mg/l
SC ALRO SA	Clor	8/16/2016 3:15:03 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 3:15:02 PM	0	mg/l
SC ALRO SA	pH	8/16/2016 3:15:01 PM	2	unit pH
SC ALRO SA	Temp	8/16/2016 3:15:00 PM	26	gradCels
SC ALRO SA	Substante organice	8/16/2016 3:09:56 PM	20	mg/l
SC ALRO SA	Clor	8/16/2016 3:09:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 3:09:42 PM	0	mg/l
SC ALRO SA	Temp	8/16/2016 3:09:41 PM	26	gradCels
SC ALRO SA	pH	8/16/2016 3:09:40 PM	2	unit pH
SC ALRO SA	Clor	8/16/2016 3:07:20 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 3:07:00 PM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 3:06:50 PM	20	mg/l
SC ALRO SA	Temp	8/16/2016 3:06:40 PM	26	gradCels
SC ALRO SA	pH	8/16/2016 3:06:30 PM	2	unit pH
SC ALRO SA	Clor	8/16/2016 3:04:03 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 3:04:02 PM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 3:04:01 PM	20	mg/l
SC ALRO SA	pH	8/16/2016 3:04:00 PM	2	unit pH
SC ALRO SA	Temp	8/16/2016 3:03:59 PM	26	gradCels
SC ALRO SA	Substante organice	8/16/2016 2:58:56 PM	20	mg/l
SC ALRO SA	Clor	8/16/2016 2:58:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 2:58:42 PM	0	mg/l
SC ALRO SA	pH	8/16/2016 2:58:41 PM	2	unit pH
SC ALRO SA	Temp	8/16/2016 2:58:40 PM	26	gradCels
SC ALRO SA	Substante organice	8/16/2016 2:53:44 PM	20	mg/l
SC ALRO SA	Clor	8/16/2016 2:52:57 PM	0	mg/l
SC ALRO SA	Temp	8/16/2016 2:52:56 PM	26	gradCels
SC ALRO SA	Grasimi	8/16/2016 2:52:55 PM	0	mg/l
SC ALRO SA	pH	8/16/2016 2:52:54 PM	2	unit pH
SC ALRO SA	Clor	8/16/2016 2:50:40 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 2:50:20 PM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 2:50:10 PM	20	mg/l
SC ALRO SA	Temp	8/16/2016 2:50:00 PM	26	gradCels
SC ALRO SA	pH	8/16/2016 2:49:50 PM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 2:47:56 PM	20	mg/l
SC ALRO SA	Clor	8/16/2016 2:47:46 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 2:47:45 PM	0	mg/l
SC ALRO SA	pH	8/16/2016 2:47:44 PM	2	unit pH
SC ALRO SA	Temp	8/16/2016 2:47:43 PM	26	gradCels
SC ALRO SA	Substante organice	8/16/2016 2:42:44 PM	20	mg/l
SC ALRO SA	Clor	8/16/2016 2:41:59 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 2:41:58 PM	0	mg/l
SC ALRO SA	pH	8/16/2016 2:41:57 PM	2	unit pH
SC ALRO SA	Temp	8/16/2016 2:41:56 PM	26	gradCels
SC ALRO SA	Clor	8/16/2016 2:36:47 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 2:36:46 PM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 2:36:45 PM	20	mg/l
SC ALRO SA	Temp	8/16/2016 2:36:44 PM	26	gradCels
SC ALRO SA	pH	8/16/2016 2:36:43 PM	2	unit pH
SC ALRO SA	Clor	8/16/2016 2:34:20 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 2:34:00 PM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 2:33:50 PM	20	mg/l
SC ALRO SA	Temp	8/16/2016 2:33:40 PM	26	gradCels
SC ALRO SA	pH	8/16/2016 2:33:30 PM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 2:31:43 PM	20	mg/l
SC ALRO SA	Clor	8/16/2016 2:30:59 PM	0	mg/l
SC ALRO SA	Temp	8/16/2016 2:30:58 PM	26	gradCels
SC ALRO SA	Grasimi	8/16/2016 2:30:57 PM	0	mg/l
SC ALRO SA	pH	8/16/2016 2:30:56 PM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 2:25:56 PM	20	mg/l
SC ALRO SA	Clor	8/16/2016 2:25:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 2:25:42 PM	0	mg/l
SC ALRO SA	pH	8/16/2016 2:25:41 PM	2	unit pH
SC ALRO SA	Temp	8/16/2016 2:25:40 PM	26	gradCels
SC ALRO SA	Substante organice	8/16/2016 2:20:43 PM	20	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Clor	8/16/2016 2:19:56 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 2:19:55 PM	0	mg/l
SC ALRO SA	pH	8/16/2016 2:19:54 PM	2	unit pH
SC ALRO SA	Temp	8/16/2016 2:19:53 PM	26	gradCels
SC ALRO SA	Clor	8/16/2016 2:17:50 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 2:17:30 PM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 2:17:20 PM	20	mg/l
SC ALRO SA	Temp	8/16/2016 2:17:10 PM	26	gradCels
SC ALRO SA	pH	8/16/2016 2:17:00 PM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 2:14:36 PM	20	mg/l
SC ALRO SA	Clor	8/16/2016 2:14:27 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 2:14:26 PM	0	mg/l
SC ALRO SA	Temp	8/16/2016 2:14:25 PM	26	gradCels
SC ALRO SA	pH	8/16/2016 2:14:24 PM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 2:09:43 PM	20	mg/l
SC ALRO SA	Clor	8/16/2016 2:09:08 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 2:09:06 PM	0	mg/l
SC ALRO SA	Temp	8/16/2016 2:09:05 PM	26	gradCels
SC ALRO SA	pH	8/16/2016 2:09:04 PM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 2:03:36 PM	20	mg/l
SC ALRO SA	Clor	8/16/2016 2:03:31 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 2:03:30 PM	0	mg/l
SC ALRO SA	Temp	8/16/2016 2:03:29 PM	26	gradCels
SC ALRO SA	pH	8/16/2016 2:03:28 PM	2	unit pH
SC ALRO SA	Clor	8/16/2016 2:01:40 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 2:01:20 PM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 2:01:10 PM	20	mg/l
SC ALRO SA	Temp	8/16/2016 2:01:00 PM	26	gradCels
SC ALRO SA	pH	8/16/2016 2:00:50 PM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 1:58:42 PM	20	mg/l
SC ALRO SA	Clor	8/16/2016 1:58:03 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 1:58:02 PM	0	mg/l
SC ALRO SA	pH	8/16/2016 1:58:01 PM	2	unit pH
SC ALRO SA	Temp	8/16/2016 1:58:00 PM	26	gradCels
SC ALRO SA	Substante organice	8/16/2016 1:52:35 PM	20	mg/l
SC ALRO SA	Clor	8/16/2016 1:52:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 1:52:22 PM	0	mg/l
SC ALRO SA	Temp	8/16/2016 1:52:21 PM	25	gradCels
SC ALRO SA	pH	8/16/2016 1:52:20 PM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 1:47:44 PM	20	mg/l
SC ALRO SA	Clor	8/16/2016 1:47:06 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 1:47:05 PM	0	mg/l
SC ALRO SA	Temp	8/16/2016 1:47:04 PM	25	gradCels
SC ALRO SA	pH	8/16/2016 1:47:03 PM	2	unit pH
SC ALRO SA	Clor	8/16/2016 1:45:00 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 1:44:40 PM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 1:44:30 PM	20	mg/l
SC ALRO SA	Temp	8/16/2016 1:44:20 PM	25	gradCels
SC ALRO SA	pH	8/16/2016 1:44:10 PM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 1:41:35 PM	20	mg/l
SC ALRO SA	Clor	8/16/2016 1:41:27 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 1:41:26 PM	0	mg/l
SC ALRO SA	Temp	8/16/2016 1:41:25 PM	25	gradCels
SC ALRO SA	pH	8/16/2016 1:41:24 PM	2	unit pH
SC ALRO SA	Clor	8/16/2016 1:36:04 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 1:36:03 PM	0	mg/l
SC ALRO SA	Temp	8/16/2016 1:36:02 PM	25	gradCels
SC ALRO SA	Substante organice	8/16/2016 1:36:01 PM	20	mg/l
SC ALRO SA	pH	8/16/2016 1:36:00 PM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 1:30:36 PM	20	mg/l
SC ALRO SA	Clor	8/16/2016 1:30:28 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 1:30:27 PM	0	mg/l
SC ALRO SA	Temp	8/16/2016 1:30:26 PM	25	gradCels
SC ALRO SA	pH	8/16/2016 1:30:25 PM	2	unit pH
SC ALRO SA	Clor	8/16/2016 1:28:30 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 1:28:10 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	8/16/2016 1:28:00 PM	20	mg/l
SC ALRO SA	Temp	8/16/2016 1:27:50 PM	25	gradCels
SC ALRO SA	pH	8/16/2016 1:27:40 PM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 1:25:43 PM	20	mg/l
SC ALRO SA	Clor	8/16/2016 1:25:03 PM	0	mg/l
SC ALRO SA	Temp	8/16/2016 1:25:02 PM	25	gradCels
SC ALRO SA	Grasimi	8/16/2016 1:25:01 PM	0	mg/l
SC ALRO SA	pH	8/16/2016 1:25:00 PM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 1:19:36 PM	20	mg/l
SC ALRO SA	Clor	8/16/2016 1:19:28 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 1:19:27 PM	0	mg/l
SC ALRO SA	pH	8/16/2016 1:19:26 PM	2	unit pH
SC ALRO SA	Temp	8/16/2016 1:19:25 PM	25	gradCels
SC ALRO SA	Substante organice	8/16/2016 1:14:43 PM	20	mg/l
SC ALRO SA	Clor	8/16/2016 1:13:48 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 1:13:47 PM	0	mg/l
SC ALRO SA	Temp	8/16/2016 1:13:46 PM	25	gradCels
SC ALRO SA	pH	8/16/2016 1:13:45 PM	2	unit pH
SC ALRO SA	Clor	8/16/2016 1:11:50 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 1:11:30 PM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 1:11:20 PM	20	mg/l
SC ALRO SA	Temp	8/16/2016 1:11:10 PM	25	gradCels
SC ALRO SA	pH	8/16/2016 1:11:00 PM	2	unit pH
SC ALRO SA	Clor	8/16/2016 1:08:30 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 1:08:29 PM	0	mg/l
SC ALRO SA	Temp	8/16/2016 1:08:28 PM	25	gradCels
SC ALRO SA	Substante organice	8/16/2016 1:08:27 PM	20	mg/l
SC ALRO SA	pH	8/16/2016 1:08:26 PM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 1:03:43 PM	20	mg/l
SC ALRO SA	Clor	8/16/2016 1:02:48 PM	0	mg/l
SC ALRO SA	Temp	8/16/2016 1:02:47 PM	25	gradCels
SC ALRO SA	Grasimi	8/16/2016 1:02:46 PM	0	mg/l
SC ALRO SA	pH	8/16/2016 1:02:45 PM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 12:57:35 PM	20	mg/l
SC ALRO SA	Clor	8/16/2016 12:57:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 12:57:22 PM	0	mg/l
SC ALRO SA	pH	8/16/2016 12:57:21 PM	2	unit pH
SC ALRO SA	Temp	8/16/2016 12:57:20 PM	25	gradCels
SC ALRO SA	Clor	8/16/2016 12:55:20 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 12:55:00 PM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 12:54:50 PM	20	mg/l
SC ALRO SA	Temp	8/16/2016 12:54:40 PM	25	gradCels
SC ALRO SA	pH	8/16/2016 12:54:30 PM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 12:52:43 PM	20	mg/l
SC ALRO SA	Clor	8/16/2016 12:51:48 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 12:51:47 PM	0	mg/l
SC ALRO SA	pH	8/16/2016 12:51:46 PM	2	unit pH
SC ALRO SA	Temp	8/16/2016 12:51:45 PM	25	gradCels
SC ALRO SA	Substante organice	8/16/2016 12:46:39 PM	20	mg/l
SC ALRO SA	Clor	8/16/2016 12:46:22 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 12:46:21 PM	0	mg/l
SC ALRO SA	Temp	8/16/2016 12:46:20 PM	25	gradCels
SC ALRO SA	pH	8/16/2016 12:46:19 PM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 12:41:52 PM	20	mg/l
SC ALRO SA	Clor	8/16/2016 12:41:14 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 12:41:13 PM	0	mg/l
SC ALRO SA	pH	8/16/2016 12:41:12 PM	2	unit pH
SC ALRO SA	Temp	8/16/2016 12:41:11 PM	25	gradCels
SC ALRO SA	Clor	8/16/2016 12:39:30 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 12:39:10 PM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 12:39:00 PM	20	mg/l
SC ALRO SA	Temp	8/16/2016 12:38:50 PM	25	gradCels
SC ALRO SA	pH	8/16/2016 12:38:40 PM	2	unit pH
SC ALRO SA	Clor	8/16/2016 12:36:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 12:36:22 PM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 12:36:21 PM	20	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	8/16/2016 12:36:20 PM	25	gradCels
SC ALRO SA	pH	8/16/2016 12:36:19 PM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 12:31:39 PM	20	mg/l
SC ALRO SA	Clor	8/16/2016 12:31:19 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 12:31:18 PM	0	mg/l
SC ALRO SA	Temp	8/16/2016 12:31:17 PM	25	gradCels
SC ALRO SA	pH	8/16/2016 12:31:16 PM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 12:26:51 PM	20	mg/l
SC ALRO SA	Clor	8/16/2016 12:26:19 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 12:26:18 PM	0	mg/l
SC ALRO SA	pH	8/16/2016 12:26:17 PM	2	unit pH
SC ALRO SA	Temp	8/16/2016 12:26:16 PM	25	gradCels
SC ALRO SA	Clor	8/16/2016 12:24:20 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 12:24:00 PM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 12:23:50 PM	20	mg/l
SC ALRO SA	Temp	8/16/2016 12:23:40 PM	25	gradCels
SC ALRO SA	pH	8/16/2016 12:23:30 PM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 12:21:47 PM	20	mg/l
SC ALRO SA	Clor	8/16/2016 12:21:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 12:21:22 PM	0	mg/l
SC ALRO SA	Temp	8/16/2016 12:21:21 PM	25	gradCels
SC ALRO SA	pH	8/16/2016 12:21:20 PM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 12:16:36 PM	20	mg/l
SC ALRO SA	Clor	8/16/2016 12:16:22 PM	0	mg/l
SC ALRO SA	Temp	8/16/2016 12:16:21 PM	25	gradCels
SC ALRO SA	Grasimi	8/16/2016 12:16:20 PM	0	mg/l
SC ALRO SA	pH	8/16/2016 12:16:19 PM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 12:11:53 PM	20	mg/l
SC ALRO SA	Clor	8/16/2016 12:11:15 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 12:11:14 PM	0	mg/l
SC ALRO SA	Temp	8/16/2016 12:11:13 PM	25	gradCels
SC ALRO SA	pH	8/16/2016 12:11:12 PM	2	unit pH
SC ALRO SA	Clor	8/16/2016 12:08:20 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 12:08:00 PM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 12:07:50 PM	20	mg/l
SC ALRO SA	Temp	8/16/2016 12:07:40 PM	25	gradCels
SC ALRO SA	pH	8/16/2016 12:07:30 PM	2	unit pH
SC ALRO SA	Clor	8/16/2016 12:06:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 12:06:22 PM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 12:06:21 PM	20	mg/l
SC ALRO SA	Temp	8/16/2016 12:06:20 PM	25	gradCels
SC ALRO SA	pH	8/16/2016 12:06:19 PM	2	unit pH
SC ALRO SA	Clor	8/16/2016 12:03:21 PM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 12:03:20 PM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 12:03:19 PM	20	mg/l
SC ALRO SA	Temp	8/16/2016 12:03:18 PM	25	gradCels
SC ALRO SA	pH	8/16/2016 12:03:17 PM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 11:59:03 AM	20	mg/l
SC ALRO SA	Clor	8/16/2016 11:58:57 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 11:58:56 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 11:58:55 AM	25	gradCels
SC ALRO SA	pH	8/16/2016 11:58:54 AM	2	unit pH
SC ALRO SA	Clor	8/16/2016 11:58:20 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 11:57:50 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 11:57:40 AM	20	mg/l
SC ALRO SA	Temp	8/16/2016 11:57:30 AM	25	gradCels
SC ALRO SA	pH	8/16/2016 11:57:20 AM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 11:54:02 AM	20	mg/l
SC ALRO SA	Clor	8/16/2016 11:53:33 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 11:53:32 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 11:53:31 AM	25	gradCels
SC ALRO SA	pH	8/16/2016 11:53:30 AM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 11:48:06 AM	20	mg/l
SC ALRO SA	Clor	8/16/2016 11:48:03 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 11:48:02 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 11:48:01 AM	25	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	8/16/2016 11:48:00 AM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 11:43:13 AM	20	mg/l
SC ALRO SA	Clor	8/16/2016 11:42:23 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 11:42:22 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 11:42:21 AM	25	gradCels
SC ALRO SA	pH	8/16/2016 11:42:20 AM	2	unit pH
SC ALRO SA	Clor	8/16/2016 11:36:49 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 11:36:48 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 11:36:47 AM	20	mg/l
SC ALRO SA	Temp	8/16/2016 11:36:46 AM	25	gradCels
SC ALRO SA	pH	8/16/2016 11:36:45 AM	2	unit pH
SC ALRO SA	Clor	8/16/2016 11:36:20 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 11:35:50 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 11:35:40 AM	20	mg/l
SC ALRO SA	Temp	8/16/2016 11:35:30 AM	25	gradCels
SC ALRO SA	pH	8/16/2016 11:35:20 AM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 11:32:01 AM	20	mg/l
SC ALRO SA	Clor	8/16/2016 11:31:23 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 11:31:22 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 11:31:21 AM	25	gradCels
SC ALRO SA	pH	8/16/2016 11:31:20 AM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 11:25:55 AM	20	mg/l
SC ALRO SA	Clor	8/16/2016 11:25:50 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 11:25:49 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 11:25:47 AM	25	gradCels
SC ALRO SA	pH	8/16/2016 11:25:45 AM	2	unit pH
SC ALRO SA	Clor	8/16/2016 11:25:15 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 11:25:14 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 11:25:13 AM	20	mg/l
SC ALRO SA	Temp	8/16/2016 11:25:12 AM	25	gradCels
SC ALRO SA	pH	8/16/2016 11:25:11 AM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 11:21:02 AM	20	mg/l
SC ALRO SA	Clor	8/16/2016 11:20:23 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 11:20:22 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 11:20:21 AM	25	gradCels
SC ALRO SA	pH	8/16/2016 11:20:20 AM	2	unit pH
SC ALRO SA	Clor	8/16/2016 11:15:40 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 11:15:02 AM	20	mg/l
SC ALRO SA	Clor	8/16/2016 11:14:49 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 11:14:48 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 11:14:47 AM	25	gradCels
SC ALRO SA	pH	8/16/2016 11:14:46 AM	2	unit pH
SC ALRO SA	Grasimi	8/16/2016 11:14:20 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 11:14:10 AM	20	mg/l
SC ALRO SA	Temp	8/16/2016 11:13:50 AM	25	gradCels
SC ALRO SA	pH	8/16/2016 11:13:40 AM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 11:10:02 AM	20	mg/l
SC ALRO SA	Clor	8/16/2016 11:09:23 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 11:09:22 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 11:09:21 AM	25	gradCels
SC ALRO SA	pH	8/16/2016 11:09:20 AM	2	unit pH
SC ALRO SA	Clor	8/16/2016 11:03:44 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 11:03:43 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 11:03:42 AM	20	mg/l
SC ALRO SA	Temp	8/16/2016 11:03:41 AM	25	gradCels
SC ALRO SA	pH	8/16/2016 11:03:40 AM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 10:59:02 AM	19	mg/l
SC ALRO SA	Clor	8/16/2016 10:58:11 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 10:58:10 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 10:58:09 AM	25	gradCels
SC ALRO SA	pH	8/16/2016 10:58:08 AM	2	unit pH
SC ALRO SA	Clor	8/16/2016 10:53:30 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 10:53:00 AM	19	mg/l
SC ALRO SA	Grasimi	8/16/2016 10:52:50 AM	0	mg/l
SC ALRO SA	Clor	8/16/2016 10:52:43 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 10:52:42 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	8/16/2016 10:52:41 AM	25	gradCels
SC ALRO SA	pH	8/16/2016 10:52:40 AM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 10:52:30 AM	20	mg/l
SC ALRO SA	Temp	8/16/2016 10:52:10 AM	25	gradCels
SC ALRO SA	pH	8/16/2016 10:51:50 AM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 10:48:02 AM	19	mg/l
SC ALRO SA	Clor	8/16/2016 10:47:11 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 10:47:10 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 10:47:09 AM	25	gradCels
SC ALRO SA	pH	8/16/2016 10:47:08 AM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 10:42:01 AM	19	mg/l
SC ALRO SA	Clor	8/16/2016 10:41:43 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 10:41:42 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 10:41:41 AM	25	gradCels
SC ALRO SA	pH	8/16/2016 10:41:40 AM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 10:37:02 AM	19	mg/l
SC ALRO SA	Clor	8/16/2016 10:36:10 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 10:36:09 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 10:36:08 AM	25	gradCels
SC ALRO SA	pH	8/16/2016 10:36:07 AM	2	unit pH
SC ALRO SA	Clor	8/16/2016 10:32:30 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 10:32:10 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 10:31:41 AM	20	mg/l
SC ALRO SA	Temp	8/16/2016 10:31:30 AM	25	gradCels
SC ALRO SA	pH	8/16/2016 10:31:20 AM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 10:31:00 AM	19	mg/l
SC ALRO SA	Clor	8/16/2016 10:30:43 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 10:30:42 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 10:30:41 AM	25	gradCels
SC ALRO SA	pH	8/16/2016 10:30:40 AM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 10:26:02 AM	19	mg/l
SC ALRO SA	Clor	8/16/2016 10:25:11 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 10:25:10 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 10:25:09 AM	25	gradCels
SC ALRO SA	pH	8/16/2016 10:25:08 AM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 10:20:00 AM	19	mg/l
SC ALRO SA	Clor	8/16/2016 10:19:43 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 10:19:42 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 10:19:41 AM	25	gradCels
SC ALRO SA	pH	8/16/2016 10:19:40 AM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 10:15:01 AM	19	mg/l
SC ALRO SA	Clor	8/16/2016 10:14:06 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 10:14:05 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 10:14:04 AM	25	gradCels
SC ALRO SA	pH	8/16/2016 10:14:03 AM	2	unit pH
SC ALRO SA	Clor	8/16/2016 10:10:10 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 10:09:30 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 10:09:20 AM	20	mg/l
SC ALRO SA	Temp	8/16/2016 10:08:50 AM	25	gradCels
SC ALRO SA	pH	8/16/2016 10:08:40 AM	2	unit pH
SC ALRO SA	Clor	8/16/2016 10:08:28 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 10:08:27 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 10:08:26 AM	19	mg/l
SC ALRO SA	Temp	8/16/2016 10:08:25 AM	25	gradCels
SC ALRO SA	pH	8/16/2016 10:08:24 AM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 10:03:05 AM	19	mg/l
SC ALRO SA	Clor	8/16/2016 10:03:03 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 10:03:02 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 10:03:01 AM	25	gradCels
SC ALRO SA	pH	8/16/2016 10:03:00 AM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 9:58:12 AM	19	mg/l
SC ALRO SA	Clor	8/16/2016 9:57:27 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 9:57:26 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 9:57:25 AM	25	gradCels
SC ALRO SA	pH	8/16/2016 9:57:24 AM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 9:52:06 AM	19	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Clor	8/16/2016 9:52:03 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 9:52:02 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 9:52:01 AM	25	gradCels
SC ALRO SA	pH	8/16/2016 9:52:00 AM	2	unit pH
SC ALRO SA	Clor	8/16/2016 9:47:30 AM	0	mg/l
SC ALRO SA	Clor	8/16/2016 9:47:13 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 9:47:12 AM	19	mg/l
SC ALRO SA	Grasimi	8/16/2016 9:46:40 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 9:46:30 AM	19	mg/l
SC ALRO SA	Grasimi	8/16/2016 9:46:27 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 9:46:26 AM	25	gradCels
SC ALRO SA	pH	8/16/2016 9:46:25 AM	2	unit pH
SC ALRO SA	Temp	8/16/2016 9:45:50 AM	25	gradCels
SC ALRO SA	pH	8/16/2016 9:45:30 AM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 9:41:05 AM	19	mg/l
SC ALRO SA	Clor	8/16/2016 9:41:04 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 9:41:02 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 9:41:01 AM	25	gradCels
SC ALRO SA	pH	8/16/2016 9:41:00 AM	2	unit pH
SC ALRO SA	Clor	8/16/2016 9:36:13 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 9:35:23 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 9:35:22 AM	19	mg/l
SC ALRO SA	Temp	8/16/2016 9:35:21 AM	25	gradCels
SC ALRO SA	pH	8/16/2016 9:35:20 AM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 9:30:02 AM	19	mg/l
SC ALRO SA	Clor	8/16/2016 9:30:01 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 9:29:46 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 9:29:45 AM	25	gradCels
SC ALRO SA	pH	8/16/2016 9:29:44 AM	2	unit pH
SC ALRO SA	Clor	8/16/2016 9:26:30 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 9:25:50 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 9:25:20 AM	19	mg/l
SC ALRO SA	Clor	8/16/2016 9:25:15 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 9:25:11 AM	19	mg/l
SC ALRO SA	Temp	8/16/2016 9:24:40 AM	25	gradCels
SC ALRO SA	pH	8/16/2016 9:24:30 AM	2	unit pH
SC ALRO SA	Grasimi	8/16/2016 9:24:22 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 9:24:21 AM	25	gradCels
SC ALRO SA	pH	8/16/2016 9:24:20 AM	2	unit pH
SC ALRO SA	Clor	8/16/2016 9:19:02 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 9:19:01 AM	19	mg/l
SC ALRO SA	Grasimi	8/16/2016 9:18:46 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 9:18:45 AM	25	gradCels
SC ALRO SA	pH	8/16/2016 9:18:44 AM	2	unit pH
SC ALRO SA	Clor	8/16/2016 9:14:04 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 9:14:02 AM	19	mg/l
SC ALRO SA	Grasimi	8/16/2016 9:13:22 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 9:13:21 AM	25	gradCels
SC ALRO SA	pH	8/16/2016 9:13:20 AM	2	unit pH
SC ALRO SA	Clor	8/16/2016 9:08:01 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 9:07:47 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 9:07:46 AM	19	mg/l
SC ALRO SA	Temp	8/16/2016 9:07:45 AM	25	gradCels
SC ALRO SA	pH	8/16/2016 9:07:44 AM	2	unit pH
SC ALRO SA	Clor	8/16/2016 9:05:20 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 9:04:50 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 9:04:30 AM	19	mg/l
SC ALRO SA	Temp	8/16/2016 9:04:10 AM	25	gradCels
SC ALRO SA	pH	8/16/2016 9:03:50 AM	2	unit pH
SC ALRO SA	Clor	8/16/2016 9:03:05 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 9:03:04 AM	19	mg/l
SC ALRO SA	Grasimi	8/16/2016 9:02:22 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 9:02:21 AM	25	gradCels
SC ALRO SA	pH	8/16/2016 9:02:20 AM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 8:57:01 AM	19	mg/l
SC ALRO SA	Clor	8/16/2016 8:56:47 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Grasimi	8/16/2016 8:56:46 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 8:56:45 AM	25	gradCels
SC ALRO SA	pH	8/16/2016 8:56:44 AM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 8:52:03 AM	19	mg/l
SC ALRO SA	Clor	8/16/2016 8:51:10 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 8:51:09 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 8:51:08 AM	25	gradCels
SC ALRO SA	pH	8/16/2016 8:51:07 AM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 8:46:01 AM	19	mg/l
SC ALRO SA	Clor	8/16/2016 8:45:47 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 8:45:46 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 8:45:45 AM	25	gradCels
SC ALRO SA	pH	8/16/2016 8:45:44 AM	2	unit pH
SC ALRO SA	Clor	8/16/2016 8:44:20 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 8:43:50 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 8:43:40 AM	19	mg/l
SC ALRO SA	Temp	8/16/2016 8:43:30 AM	25	gradCels
SC ALRO SA	pH	8/16/2016 8:43:20 AM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 8:41:03 AM	19	mg/l
SC ALRO SA	Clor	8/16/2016 8:40:10 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 8:40:09 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 8:40:08 AM	25	gradCels
SC ALRO SA	pH	8/16/2016 8:40:07 AM	2	unit pH
SC ALRO SA	Clor	8/16/2016 8:35:01 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 8:34:43 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 8:34:42 AM	19	mg/l
SC ALRO SA	Temp	8/16/2016 8:34:41 AM	25	gradCels
SC ALRO SA	pH	8/16/2016 8:34:40 AM	2	unit pH
SC ALRO SA	Clor	8/16/2016 8:30:04 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 8:30:03 AM	19	mg/l
SC ALRO SA	Grasimi	8/16/2016 8:29:04 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 8:29:03 AM	25	gradCels
SC ALRO SA	pH	8/16/2016 8:29:02 AM	2	unit pH
SC ALRO SA	Clor	8/16/2016 8:24:02 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 8:24:00 AM	19	mg/l
SC ALRO SA	Grasimi	8/16/2016 8:23:42 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 8:23:41 AM	26	gradCels
SC ALRO SA	pH	8/16/2016 8:23:40 AM	2	unit pH
SC ALRO SA	Clor	8/16/2016 8:22:20 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 8:21:40 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 8:21:30 AM	19	mg/l
SC ALRO SA	Temp	8/16/2016 8:21:20 AM	26	gradCels
SC ALRO SA	pH	8/16/2016 8:21:10 AM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 8:19:02 AM	19	mg/l
SC ALRO SA	Clor	8/16/2016 8:19:01 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 8:18:04 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 8:18:02 AM	26	gradCels
SC ALRO SA	pH	8/16/2016 8:18:00 AM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 8:13:02 AM	19	mg/l
SC ALRO SA	Clor	8/16/2016 8:13:01 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 8:12:27 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 8:12:26 AM	26	gradCels
SC ALRO SA	pH	8/16/2016 8:12:25 AM	2	unit pH
SC ALRO SA	Clor	8/16/2016 8:08:04 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 8:07:10 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 8:07:09 AM	19	mg/l
SC ALRO SA	Temp	8/16/2016 8:07:08 AM	26	gradCels
SC ALRO SA	pH	8/16/2016 8:07:07 AM	2	unit pH
SC ALRO SA	Clor	8/16/2016 8:02:30 AM	0	mg/l
SC ALRO SA	Clor	8/16/2016 8:02:02 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 8:02:00 AM	19	mg/l
SC ALRO SA	Grasimi	8/16/2016 8:01:50 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 8:01:40 AM	19	mg/l
SC ALRO SA	Temp	8/16/2016 8:01:30 AM	26	gradCels
SC ALRO SA	Grasimi	8/16/2016 8:01:26 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 8:01:25 AM	26	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	8/16/2016 8:01:24 AM	2	unit pH
SC ALRO SA	pH	8/16/2016 8:01:00 AM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 7:56:59 AM	19	mg/l
SC ALRO SA	Clor	8/16/2016 7:56:58 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 7:56:04 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 7:56:03 AM	26	gradCels
SC ALRO SA	pH	8/16/2016 7:56:02 AM	2	unit pH
SC ALRO SA	Clor	8/16/2016 7:52:07 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 7:52:05 AM	19	mg/l
SC ALRO SA	Grasimi	8/16/2016 7:51:14 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 7:51:13 AM	26	gradCels
SC ALRO SA	pH	8/16/2016 7:51:12 AM	2	unit pH
SC ALRO SA	Clor	8/16/2016 7:46:03 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 7:46:01 AM	19	mg/l
SC ALRO SA	Grasimi	8/16/2016 7:45:51 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 7:45:50 AM	26	gradCels
SC ALRO SA	pH	8/16/2016 7:45:49 AM	2	unit pH
SC ALRO SA	Clor	8/16/2016 7:42:40 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 7:42:10 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 7:41:50 AM	19	mg/l
SC ALRO SA	Temp	8/16/2016 7:41:20 AM	26	gradCels
SC ALRO SA	pH	8/16/2016 7:41:10 AM	2	unit pH
SC ALRO SA	Clor	8/16/2016 7:41:05 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 7:41:04 AM	19	mg/l
SC ALRO SA	Grasimi	8/16/2016 7:40:16 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 7:40:15 AM	26	gradCels
SC ALRO SA	pH	8/16/2016 7:40:14 AM	2	unit pH
SC ALRO SA	Clor	8/16/2016 7:35:02 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 7:34:52 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 7:34:51 AM	19	mg/l
SC ALRO SA	Temp	8/16/2016 7:34:50 AM	26	gradCels
SC ALRO SA	pH	8/16/2016 7:34:49 AM	2	unit pH
SC ALRO SA	Clor	8/16/2016 7:29:24 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 7:29:22 AM	19	mg/l
SC ALRO SA	Grasimi	8/16/2016 7:29:18 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 7:29:17 AM	26	gradCels
SC ALRO SA	pH	8/16/2016 7:29:16 AM	2	unit pH
SC ALRO SA	Clor	8/16/2016 7:24:03 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 7:24:02 AM	19	mg/l
SC ALRO SA	Grasimi	8/16/2016 7:23:38 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 7:23:37 AM	26	gradCels
SC ALRO SA	pH	8/16/2016 7:23:36 AM	2	unit pH
SC ALRO SA	Clor	8/16/2016 7:22:50 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 7:22:10 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 7:21:50 AM	19	mg/l
SC ALRO SA	Temp	8/16/2016 7:21:40 AM	26	gradCels
SC ALRO SA	pH	8/16/2016 7:21:30 AM	2	unit pH
SC ALRO SA	Clor	8/16/2016 7:18:23 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 7:18:22 AM	19	mg/l
SC ALRO SA	Grasimi	8/16/2016 7:18:17 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 7:18:16 AM	26	gradCels
SC ALRO SA	pH	8/16/2016 7:18:15 AM	2	unit pH
SC ALRO SA	Clor	8/16/2016 7:13:05 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 7:13:03 AM	19	mg/l
SC ALRO SA	Grasimi	8/16/2016 7:12:36 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 7:12:35 AM	26	gradCels
SC ALRO SA	pH	8/16/2016 7:12:34 AM	2	unit pH
SC ALRO SA	Clor	8/16/2016 7:07:23 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 7:07:17 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 7:07:16 AM	19	mg/l
SC ALRO SA	Temp	8/16/2016 7:07:15 AM	26	gradCels
SC ALRO SA	pH	8/16/2016 7:07:14 AM	2	unit pH
SC ALRO SA	Clor	8/16/2016 7:03:50 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 7:03:20 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 7:03:10 AM	19	mg/l
SC ALRO SA	Temp	8/16/2016 7:02:40 AM	26	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	8/16/2016 7:02:30 AM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 7:02:05 AM	19	mg/l
SC ALRO SA	Clor	8/16/2016 7:02:04 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 7:01:36 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 7:01:35 AM	26	gradCels
SC ALRO SA	pH	8/16/2016 7:01:34 AM	2	unit pH
SC ALRO SA	Clor	8/16/2016 6:56:17 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 6:56:16 AM	19	mg/l
SC ALRO SA	Grasimi	8/16/2016 6:56:12 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 6:56:11 AM	26	gradCels
SC ALRO SA	pH	8/16/2016 6:56:10 AM	2	unit pH
SC ALRO SA	Clor	8/16/2016 6:51:08 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 6:51:07 AM	19	mg/l
SC ALRO SA	Grasimi	8/16/2016 6:50:28 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 6:50:27 AM	26	gradCels
SC ALRO SA	pH	8/16/2016 6:50:26 AM	2	unit pH
SC ALRO SA	Clor	8/16/2016 6:45:17 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 6:45:15 AM	19	mg/l
SC ALRO SA	Grasimi	8/16/2016 6:45:06 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 6:45:05 AM	26	gradCels
SC ALRO SA	pH	8/16/2016 6:45:04 AM	2	unit pH
SC ALRO SA	Clor	8/16/2016 6:43:30 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 6:43:10 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 6:42:50 AM	19	mg/l
SC ALRO SA	Temp	8/16/2016 6:42:20 AM	26	gradCels
SC ALRO SA	pH	8/16/2016 6:42:10 AM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 6:40:05 AM	19	mg/l
SC ALRO SA	Clor	8/16/2016 6:40:04 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 6:39:22 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 6:39:21 AM	26	gradCels
SC ALRO SA	pH	8/16/2016 6:39:20 AM	2	unit pH
SC ALRO SA	Clor	8/16/2016 6:34:17 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 6:34:12 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 6:34:11 AM	19	mg/l
SC ALRO SA	Temp	8/16/2016 6:34:10 AM	26	gradCels
SC ALRO SA	pH	8/16/2016 6:34:09 AM	2	unit pH
SC ALRO SA	Clor	8/16/2016 6:29:04 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 6:29:03 AM	18	mg/l
SC ALRO SA	Grasimi	8/16/2016 6:28:34 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 6:28:33 AM	26	gradCels
SC ALRO SA	pH	8/16/2016 6:28:31 AM	2	unit pH
SC ALRO SA	Clor	8/16/2016 6:25:10 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 6:24:30 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 6:24:20 AM	18	mg/l
SC ALRO SA	Temp	8/16/2016 6:24:10 AM	26	gradCels
SC ALRO SA	pH	8/16/2016 6:23:50 AM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 6:23:17 AM	18	mg/l
SC ALRO SA	Clor	8/16/2016 6:23:16 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 6:23:12 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 6:23:11 AM	26	gradCels
SC ALRO SA	pH	8/16/2016 6:23:10 AM	2	unit pH
SC ALRO SA	Clor	8/16/2016 6:18:03 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 6:18:02 AM	18	mg/l
SC ALRO SA	Grasimi	8/16/2016 6:17:22 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 6:17:21 AM	26	gradCels
SC ALRO SA	pH	8/16/2016 6:17:20 AM	2	unit pH
SC ALRO SA	Clor	8/16/2016 6:12:25 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 6:12:23 AM	18	mg/l
SC ALRO SA	Grasimi	8/16/2016 6:12:20 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 6:12:19 AM	26	gradCels
SC ALRO SA	pH	8/16/2016 6:12:17 AM	2	unit pH
SC ALRO SA	Clor	8/16/2016 6:07:09 AM	0	mg/l
SC ALRO SA	Clor	8/16/2016 6:06:40 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 6:06:23 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 6:06:22 AM	18	mg/l
SC ALRO SA	Temp	8/16/2016 6:06:21 AM	26	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	8/16/2016 6:06:20 AM	2	unit pH
SC ALRO SA	Grasimi	8/16/2016 6:05:50 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 6:05:40 AM	18	mg/l
SC ALRO SA	Temp	8/16/2016 6:05:30 AM	26	gradCels
SC ALRO SA	pH	8/16/2016 6:05:10 AM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 6:00:57 AM	18	mg/l
SC ALRO SA	Clor	8/16/2016 6:00:56 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 6:00:52 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 6:00:51 AM	26	gradCels
SC ALRO SA	pH	8/16/2016 6:00:50 AM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 5:56:09 AM	18	mg/l
SC ALRO SA	Clor	8/16/2016 5:56:05 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 5:55:33 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 5:55:32 AM	26	gradCels
SC ALRO SA	pH	8/16/2016 5:55:31 AM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 5:49:57 AM	18	mg/l
SC ALRO SA	Clor	8/16/2016 5:49:56 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 5:49:42 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 5:49:41 AM	26	gradCels
SC ALRO SA	pH	8/16/2016 5:49:40 AM	2	unit pH
SC ALRO SA	Clor	8/16/2016 5:47:30 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 5:46:20 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 5:46:10 AM	18	mg/l
SC ALRO SA	Temp	8/16/2016 5:45:50 AM	26	gradCels
SC ALRO SA	pH	8/16/2016 5:45:40 AM	2	unit pH
SC ALRO SA	Clor	8/16/2016 5:45:08 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 5:45:06 AM	18	mg/l
SC ALRO SA	Grasimi	8/16/2016 5:44:27 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 5:44:26 AM	26	gradCels
SC ALRO SA	pH	8/16/2016 5:44:25 AM	2	unit pH
SC ALRO SA	Clor	8/16/2016 5:38:56 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 5:38:43 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 5:38:42 AM	18	mg/l
SC ALRO SA	Temp	8/16/2016 5:38:41 AM	26	gradCels
SC ALRO SA	pH	8/16/2016 5:38:40 AM	2	unit pH
SC ALRO SA	Clor	8/16/2016 5:34:09 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 5:34:08 AM	18	mg/l
SC ALRO SA	Grasimi	8/16/2016 5:33:32 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 5:33:31 AM	26	gradCels
SC ALRO SA	pH	8/16/2016 5:33:30 AM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 5:27:57 AM	18	mg/l
SC ALRO SA	Clor	8/16/2016 5:27:56 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 5:27:51 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 5:27:50 AM	26	gradCels
SC ALRO SA	pH	8/16/2016 5:27:49 AM	2	unit pH
SC ALRO SA	Clor	8/16/2016 5:26:50 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 5:26:20 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 5:26:10 AM	18	mg/l
SC ALRO SA	Temp	8/16/2016 5:25:50 AM	26	gradCels
SC ALRO SA	pH	8/16/2016 5:25:30 AM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 5:23:06 AM	18	mg/l
SC ALRO SA	Clor	8/16/2016 5:23:03 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 5:22:22 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 5:22:21 AM	26	gradCels
SC ALRO SA	pH	8/16/2016 5:22:20 AM	2	unit pH
SC ALRO SA	Clor	8/16/2016 5:16:57 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 5:16:55 AM	18	mg/l
SC ALRO SA	Grasimi	8/16/2016 5:16:53 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 5:16:52 AM	26	gradCels
SC ALRO SA	pH	8/16/2016 5:16:51 AM	2	unit pH
SC ALRO SA	Clor	8/16/2016 5:12:04 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 5:12:02 AM	18	mg/l
SC ALRO SA	Grasimi	8/16/2016 5:11:04 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 5:11:03 AM	26	gradCels
SC ALRO SA	pH	8/16/2016 5:11:02 AM	2	unit pH
SC ALRO SA	Clor	8/16/2016 5:07:20 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Grasimi	8/16/2016 5:06:50 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 5:06:00 AM	18	mg/l
SC ALRO SA	Clor	8/16/2016 5:05:57 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 5:05:53 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 5:05:52 AM	18	mg/l
SC ALRO SA	Temp	8/16/2016 5:05:51 AM	26	gradCels
SC ALRO SA	pH	8/16/2016 5:05:50 AM	2	unit pH
SC ALRO SA	Temp	8/16/2016 5:05:20 AM	26	gradCels
SC ALRO SA	pH	8/16/2016 5:05:10 AM	2	unit pH
SC ALRO SA	Clor	8/16/2016 5:01:06 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 5:01:05 AM	19	mg/l
SC ALRO SA	Grasimi	8/16/2016 5:00:15 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 5:00:14 AM	26	gradCels
SC ALRO SA	pH	8/16/2016 5:00:13 AM	2	unit pH
SC ALRO SA	Clor	8/16/2016 4:54:57 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 4:54:56 AM	19	mg/l
SC ALRO SA	Grasimi	8/16/2016 4:54:53 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 4:54:52 AM	26	gradCels
SC ALRO SA	pH	8/16/2016 4:54:51 AM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 4:50:06 AM	19	mg/l
SC ALRO SA	Clor	8/16/2016 4:50:03 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 4:49:13 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 4:49:12 AM	26	gradCels
SC ALRO SA	pH	8/16/2016 4:49:11 AM	2	unit pH
SC ALRO SA	Clor	8/16/2016 4:45:30 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 4:45:10 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 4:44:50 AM	19	mg/l
SC ALRO SA	Temp	8/16/2016 4:44:20 AM	26	gradCels
SC ALRO SA	pH	8/16/2016 4:44:10 AM	2	unit pH
SC ALRO SA	Clor	8/16/2016 4:43:56 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 4:43:55 AM	19	mg/l
SC ALRO SA	Grasimi	8/16/2016 4:43:53 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 4:43:52 AM	26	gradCels
SC ALRO SA	pH	8/16/2016 4:43:51 AM	2	unit pH
SC ALRO SA	Clor	8/16/2016 4:39:05 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 4:38:10 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 4:38:09 AM	19	mg/l
SC ALRO SA	Temp	8/16/2016 4:38:08 AM	26	gradCels
SC ALRO SA	pH	8/16/2016 4:38:07 AM	2	unit pH
SC ALRO SA	Clor	8/16/2016 4:32:57 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 4:32:55 AM	19	mg/l
SC ALRO SA	Grasimi	8/16/2016 4:32:42 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 4:32:41 AM	26	gradCels
SC ALRO SA	pH	8/16/2016 4:32:40 AM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 4:28:07 AM	19	mg/l
SC ALRO SA	Clor	8/16/2016 4:28:04 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 4:27:04 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 4:27:03 AM	26	gradCels
SC ALRO SA	pH	8/16/2016 4:27:02 AM	2	unit pH
SC ALRO SA	Clor	8/16/2016 4:24:30 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 4:23:40 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 4:23:30 AM	19	mg/l
SC ALRO SA	Temp	8/16/2016 4:23:20 AM	26	gradCels
SC ALRO SA	pH	8/16/2016 4:23:10 AM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 4:21:57 AM	19	mg/l
SC ALRO SA	Clor	8/16/2016 4:21:56 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 4:21:46 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 4:21:45 AM	26	gradCels
SC ALRO SA	pH	8/16/2016 4:21:44 AM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 4:17:04 AM	19	mg/l
SC ALRO SA	Clor	8/16/2016 4:17:02 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 4:16:08 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 4:16:07 AM	26	gradCels
SC ALRO SA	pH	8/16/2016 4:16:06 AM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 4:10:56 AM	19	mg/l
SC ALRO SA	Clor	8/16/2016 4:10:55 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Grasimi	8/16/2016 4:10:42 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 4:10:41 AM	27	gradCels
SC ALRO SA	pH	8/16/2016 4:10:40 AM	2	unit pH
SC ALRO SA	Clor	8/16/2016 4:06:05 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 4:05:05 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 4:05:04 AM	19	mg/l
SC ALRO SA	Temp	8/16/2016 4:05:03 AM	27	gradCels
SC ALRO SA	pH	8/16/2016 4:05:02 AM	2	unit pH
SC ALRO SA	Clor	8/16/2016 4:01:50 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 4:01:20 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 4:01:10 AM	20	mg/l
SC ALRO SA	Temp	8/16/2016 4:00:50 AM	27	gradCels
SC ALRO SA	pH	8/16/2016 4:00:40 AM	2	unit pH
SC ALRO SA	Clor	8/16/2016 3:59:57 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 3:59:56 AM	20	mg/l
SC ALRO SA	Grasimi	8/16/2016 3:59:52 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 3:59:51 AM	27	gradCels
SC ALRO SA	pH	8/16/2016 3:59:50 AM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 3:54:17 AM	20	mg/l
SC ALRO SA	Clor	8/16/2016 3:54:15 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 3:54:02 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 3:54:01 AM	27	gradCels
SC ALRO SA	pH	8/16/2016 3:54:00 AM	2	unit pH
SC ALRO SA	Clor	8/16/2016 3:49:05 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 3:49:02 AM	20	mg/l
SC ALRO SA	Grasimi	8/16/2016 3:48:22 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 3:48:21 AM	27	gradCels
SC ALRO SA	pH	8/16/2016 3:48:20 AM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 3:43:18 AM	20	mg/l
SC ALRO SA	Clor	8/16/2016 3:43:17 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 3:43:11 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 3:43:10 AM	27	gradCels
SC ALRO SA	pH	8/16/2016 3:43:09 AM	2	unit pH
SC ALRO SA	Clor	8/16/2016 3:38:30 AM	0	mg/l
SC ALRO SA	Clor	8/16/2016 3:38:03 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 3:37:40 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 3:37:23 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 3:37:22 AM	20	mg/l
SC ALRO SA	Temp	8/16/2016 3:37:21 AM	27	gradCels
SC ALRO SA	pH	8/16/2016 3:37:20 AM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 3:37:10 AM	20	mg/l
SC ALRO SA	Temp	8/16/2016 3:36:30 AM	27	gradCels
SC ALRO SA	pH	8/16/2016 3:36:20 AM	2	unit pH
SC ALRO SA	Clor	8/16/2016 3:32:17 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 3:32:16 AM	20	mg/l
SC ALRO SA	Grasimi	8/16/2016 3:32:11 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 3:32:10 AM	27	gradCels
SC ALRO SA	pH	8/16/2016 3:32:09 AM	2	unit pH
SC ALRO SA	Clor	8/16/2016 3:27:09 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 3:27:07 AM	20	mg/l
SC ALRO SA	Grasimi	8/16/2016 3:26:22 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 3:26:21 AM	27	gradCels
SC ALRO SA	pH	8/16/2016 3:26:20 AM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 3:21:16 AM	20	mg/l
SC ALRO SA	Clor	8/16/2016 3:21:15 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 3:21:11 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 3:21:10 AM	27	gradCels
SC ALRO SA	pH	8/16/2016 3:21:09 AM	2	unit pH
SC ALRO SA	Clor	8/16/2016 3:16:06 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 3:16:04 AM	20	mg/l
SC ALRO SA	Clor	8/16/2016 3:15:40 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 3:15:22 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 3:15:21 AM	27	gradCels
SC ALRO SA	pH	8/16/2016 3:15:20 AM	2	unit pH
SC ALRO SA	Grasimi	8/16/2016 3:14:30 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 3:14:20 AM	20	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	8/16/2016 3:14:10 AM	27	gradCels
SC ALRO SA	pH	8/16/2016 3:13:20 AM	2	unit pH
SC ALRO SA	Clor	8/16/2016 3:10:17 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 3:10:16 AM	20	mg/l
SC ALRO SA	Grasimi	8/16/2016 3:10:02 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 3:10:01 AM	27	gradCels
SC ALRO SA	pH	8/16/2016 3:10:00 AM	2	unit pH
SC ALRO SA	Clor	8/16/2016 3:05:08 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 3:04:23 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 3:04:22 AM	20	mg/l
SC ALRO SA	Temp	8/16/2016 3:04:21 AM	27	gradCels
SC ALRO SA	pH	8/16/2016 3:04:20 AM	2	unit pH
SC ALRO SA	Clor	8/16/2016 2:59:18 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 2:59:16 AM	20	mg/l
SC ALRO SA	Grasimi	8/16/2016 2:59:07 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 2:59:06 AM	27	gradCels
SC ALRO SA	pH	8/16/2016 2:59:05 AM	2	unit pH
SC ALRO SA	Clor	8/16/2016 2:54:03 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 2:54:01 AM	20	mg/l
SC ALRO SA	Grasimi	8/16/2016 2:53:22 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 2:53:21 AM	27	gradCels
SC ALRO SA	pH	8/16/2016 2:53:20 AM	2	unit pH
SC ALRO SA	Clor	8/16/2016 2:51:10 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 2:50:20 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 2:50:10 AM	20	mg/l
SC ALRO SA	Temp	8/16/2016 2:49:40 AM	27	gradCels
SC ALRO SA	pH	8/16/2016 2:49:30 AM	2	unit pH
SC ALRO SA	Clor	8/16/2016 2:48:17 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 2:48:16 AM	20	mg/l
SC ALRO SA	Grasimi	8/16/2016 2:48:02 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 2:48:01 AM	27	gradCels
SC ALRO SA	pH	8/16/2016 2:48:00 AM	2	unit pH
SC ALRO SA	Clor	8/16/2016 2:43:07 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 2:43:05 AM	20	mg/l
SC ALRO SA	Grasimi	8/16/2016 2:42:31 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 2:42:30 AM	27	gradCels
SC ALRO SA	pH	8/16/2016 2:42:29 AM	2	unit pH
SC ALRO SA	Clor	8/16/2016 2:36:57 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 2:36:43 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 2:36:42 AM	20	mg/l
SC ALRO SA	Temp	8/16/2016 2:36:41 AM	27	gradCels
SC ALRO SA	pH	8/16/2016 2:36:40 AM	2	unit pH
SC ALRO SA	Clor	8/16/2016 2:32:07 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 2:32:03 AM	20	mg/l
SC ALRO SA	Grasimi	8/16/2016 2:31:31 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 2:31:30 AM	27	gradCels
SC ALRO SA	pH	8/16/2016 2:31:29 AM	2	unit pH
SC ALRO SA	Clor	8/16/2016 2:27:10 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 2:26:30 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 2:26:00 AM	20	mg/l
SC ALRO SA	Clor	8/16/2016 2:25:56 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 2:25:55 AM	20	mg/l
SC ALRO SA	Grasimi	8/16/2016 2:25:42 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 2:25:41 AM	27	gradCels
SC ALRO SA	pH	8/16/2016 2:25:40 AM	2	unit pH
SC ALRO SA	Temp	8/16/2016 2:25:30 AM	27	gradCels
SC ALRO SA	pH	8/16/2016 2:25:20 AM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 2:21:07 AM	20	mg/l
SC ALRO SA	Clor	8/16/2016 2:21:04 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 2:20:32 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 2:20:31 AM	27	gradCels
SC ALRO SA	pH	8/16/2016 2:20:30 AM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 2:14:56 AM	20	mg/l
SC ALRO SA	Clor	8/16/2016 2:14:55 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 2:14:42 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 2:14:41 AM	27	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	8/16/2016 2:14:40 AM	2	unit pH
SC ALRO SA	Clor	8/16/2016 2:10:07 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 2:10:05 AM	20	mg/l
SC ALRO SA	Grasimi	8/16/2016 2:09:11 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 2:09:10 AM	27	gradCels
SC ALRO SA	pH	8/16/2016 2:09:09 AM	2	unit pH
SC ALRO SA	Clor	8/16/2016 2:03:57 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 2:03:53 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 2:03:52 AM	20	mg/l
SC ALRO SA	Temp	8/16/2016 2:03:51 AM	27	gradCels
SC ALRO SA	pH	8/16/2016 2:03:50 AM	2	unit pH
SC ALRO SA	Clor	8/16/2016 2:03:10 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 2:02:20 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 2:02:10 AM	21	mg/l
SC ALRO SA	Temp	8/16/2016 2:01:40 AM	27	gradCels
SC ALRO SA	pH	8/16/2016 2:01:30 AM	2	unit pH
SC ALRO SA	Clor	8/16/2016 1:59:05 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 1:59:04 AM	21	mg/l
SC ALRO SA	Grasimi	8/16/2016 1:58:22 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 1:58:21 AM	27	gradCels
SC ALRO SA	pH	8/16/2016 1:58:20 AM	2	unit pH
SC ALRO SA	Clor	8/16/2016 1:52:57 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 1:52:56 AM	21	mg/l
SC ALRO SA	Grasimi	8/16/2016 1:52:53 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 1:52:52 AM	27	gradCels
SC ALRO SA	pH	8/16/2016 1:52:51 AM	2	unit pH
SC ALRO SA	Clor	8/16/2016 1:48:08 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 1:48:06 AM	21	mg/l
SC ALRO SA	Grasimi	8/16/2016 1:47:06 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 1:47:05 AM	27	gradCels
SC ALRO SA	pH	8/16/2016 1:47:04 AM	2	unit pH
SC ALRO SA	Clor	8/16/2016 1:41:57 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 1:41:56 AM	21	mg/l
SC ALRO SA	Grasimi	8/16/2016 1:41:51 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 1:41:50 AM	27	gradCels
SC ALRO SA	pH	8/16/2016 1:41:49 AM	2	unit pH
SC ALRO SA	Clor	8/16/2016 1:39:20 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 1:39:00 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 1:38:30 AM	21	mg/l
SC ALRO SA	Temp	8/16/2016 1:38:20 AM	27	gradCels
SC ALRO SA	pH	8/16/2016 1:38:10 AM	2	unit pH
SC ALRO SA	Clor	8/16/2016 1:37:03 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 1:36:07 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 1:36:06 AM	21	mg/l
SC ALRO SA	Temp	8/16/2016 1:36:05 AM	27	gradCels
SC ALRO SA	pH	8/16/2016 1:36:04 AM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 1:30:57 AM	21	mg/l
SC ALRO SA	Clor	8/16/2016 1:30:56 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 1:30:51 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 1:30:50 AM	27	gradCels
SC ALRO SA	pH	8/16/2016 1:30:49 AM	2	unit pH
SC ALRO SA	Clor	8/16/2016 1:26:06 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 1:26:04 AM	21	mg/l
SC ALRO SA	Grasimi	8/16/2016 1:25:12 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 1:25:11 AM	27	gradCels
SC ALRO SA	pH	8/16/2016 1:25:10 AM	2	unit pH
SC ALRO SA	Clor	8/16/2016 1:19:57 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 1:19:56 AM	21	mg/l
SC ALRO SA	Grasimi	8/16/2016 1:19:42 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 1:19:41 AM	27	gradCels
SC ALRO SA	pH	8/16/2016 1:19:40 AM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 1:15:06 AM	21	mg/l
SC ALRO SA	Clor	8/16/2016 1:15:02 AM	0	mg/l
SC ALRO SA	Clor	8/16/2016 1:14:30 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 1:14:06 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 1:14:05 AM	27	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	8/16/2016 1:14:04 AM	2	unit pH
SC ALRO SA	Grasimi	8/16/2016 1:13:30 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 1:12:30 AM	21	mg/l
SC ALRO SA	Temp	8/16/2016 1:12:20 AM	27	gradCels
SC ALRO SA	pH	8/16/2016 1:12:10 AM	2	unit pH
SC ALRO SA	Clor	8/16/2016 1:08:59 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 1:08:53 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 1:08:52 AM	21	mg/l
SC ALRO SA	Temp	8/16/2016 1:08:51 AM	27	gradCels
SC ALRO SA	pH	8/16/2016 1:08:50 AM	2	unit pH
SC ALRO SA	Clor	8/16/2016 1:04:05 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 1:04:03 AM	21	mg/l
SC ALRO SA	Grasimi	8/16/2016 1:03:14 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 1:03:13 AM	27	gradCels
SC ALRO SA	pH	8/16/2016 1:03:12 AM	2	unit pH
SC ALRO SA	Clor	8/16/2016 12:58:03 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 12:58:01 AM	21	mg/l
SC ALRO SA	Grasimi	8/16/2016 12:57:42 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 12:57:41 AM	27	gradCels
SC ALRO SA	pH	8/16/2016 12:57:40 AM	2	unit pH
SC ALRO SA	Clor	8/16/2016 12:53:10 AM	0	mg/l
SC ALRO SA	Clor	8/16/2016 12:53:04 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 12:53:02 AM	21	mg/l
SC ALRO SA	Grasimi	8/16/2016 12:52:30 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 12:52:20 AM	21	mg/l
SC ALRO SA	Grasimi	8/16/2016 12:52:06 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 12:52:05 AM	27	gradCels
SC ALRO SA	pH	8/16/2016 12:52:04 AM	2	unit pH
SC ALRO SA	Temp	8/16/2016 12:51:40 AM	27	gradCels
SC ALRO SA	pH	8/16/2016 12:51:30 AM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 12:46:56 AM	21	mg/l
SC ALRO SA	Clor	8/16/2016 12:46:55 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 12:46:52 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 12:46:51 AM	27	gradCels
SC ALRO SA	pH	8/16/2016 12:46:50 AM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 12:42:07 AM	21	mg/l
SC ALRO SA	Clor	8/16/2016 12:42:04 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 12:41:13 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 12:41:12 AM	27	gradCels
SC ALRO SA	pH	8/16/2016 12:41:11 AM	2	unit pH
SC ALRO SA	Clor	8/16/2016 12:35:57 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 12:35:51 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 12:35:50 AM	21	mg/l
SC ALRO SA	Temp	8/16/2016 12:35:49 AM	27	gradCels
SC ALRO SA	pH	8/16/2016 12:35:48 AM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 12:31:08 AM	21	mg/l
SC ALRO SA	Clor	8/16/2016 12:31:04 AM	0	mg/l
SC ALRO SA	Clor	8/16/2016 12:30:30 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 12:30:12 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 12:30:11 AM	27	gradCels
SC ALRO SA	pH	8/16/2016 12:30:10 AM	2	unit pH
SC ALRO SA	Grasimi	8/16/2016 12:29:40 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 12:29:30 AM	21	mg/l
SC ALRO SA	Temp	8/16/2016 12:29:20 AM	27	gradCels
SC ALRO SA	pH	8/16/2016 12:29:10 AM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 12:26:05 AM	21	mg/l
SC ALRO SA	Clor	8/16/2016 12:25:05 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 12:25:04 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 12:25:03 AM	27	gradCels
SC ALRO SA	pH	8/16/2016 12:25:02 AM	2	unit pH
SC ALRO SA	Substante organice	8/16/2016 12:20:01 AM	21	mg/l
SC ALRO SA	Clor	8/16/2016 12:19:23 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 12:19:22 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 12:19:21 AM	27	gradCels
SC ALRO SA	pH	8/16/2016 12:19:20 AM	3	unit pH
SC ALRO SA	Substante organice	8/16/2016 12:14:07 AM	21	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Clor	8/16/2016 12:14:06 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 12:14:02 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 12:14:01 AM	27	gradCels
SC ALRO SA	pH	8/16/2016 12:14:00 AM	3	unit pH
SC ALRO SA	Clor	8/16/2016 12:09:04 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 12:08:23 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 12:08:22 AM	21	mg/l
SC ALRO SA	Temp	8/16/2016 12:08:21 AM	27	gradCels
SC ALRO SA	pH	8/16/2016 12:08:20 AM	3	unit pH
SC ALRO SA	Clor	8/16/2016 12:07:10 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 12:06:10 AM	0	mg/l
SC ALRO SA	Substante organice	8/16/2016 12:05:40 AM	21	mg/l
SC ALRO SA	Temp	8/16/2016 12:05:30 AM	27	gradCels
SC ALRO SA	pH	8/16/2016 12:05:20 AM	3	unit pH
SC ALRO SA	Substante organice	8/16/2016 12:03:06 AM	21	mg/l
SC ALRO SA	Clor	8/16/2016 12:03:05 AM	0	mg/l
SC ALRO SA	Grasimi	8/16/2016 12:03:02 AM	0	mg/l
SC ALRO SA	Temp	8/16/2016 12:03:01 AM	27	gradCels
SC ALRO SA	pH	8/16/2016 12:03:00 AM	3	unit pH
SC ALRO SA	Substante organice	8/15/2016 11:58:01 PM	21	mg/l
SC ALRO SA	Clor	8/15/2016 11:58:00 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 11:57:22 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 11:57:21 PM	27	gradCels
SC ALRO SA	pH	8/15/2016 11:57:20 PM	3	unit pH
SC ALRO SA	Clor	8/15/2016 11:52:06 PM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 11:52:04 PM	21	mg/l
SC ALRO SA	Grasimi	8/15/2016 11:52:02 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 11:52:01 PM	27	gradCels
SC ALRO SA	pH	8/15/2016 11:52:00 PM	3	unit pH
SC ALRO SA	Clor	8/15/2016 11:47:02 PM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 11:47:01 PM	21	mg/l
SC ALRO SA	Grasimi	8/15/2016 11:46:33 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 11:46:32 PM	27	gradCels
SC ALRO SA	pH	8/15/2016 11:46:31 PM	3	unit pH
SC ALRO SA	Clor	8/15/2016 11:45:50 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 11:45:30 PM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 11:45:20 PM	21	mg/l
SC ALRO SA	Temp	8/15/2016 11:45:10 PM	27	gradCels
SC ALRO SA	pH	8/15/2016 11:44:30 PM	3	unit pH
SC ALRO SA	Substante organice	8/15/2016 11:42:03 PM	21	mg/l
SC ALRO SA	Clor	8/15/2016 11:41:15 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 11:41:14 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 11:41:13 PM	27	gradCels
SC ALRO SA	pH	8/15/2016 11:41:12 PM	3	unit pH
SC ALRO SA	Clor	8/15/2016 11:36:04 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 11:36:03 PM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 11:36:02 PM	21	mg/l
SC ALRO SA	Temp	8/15/2016 11:36:01 PM	27	gradCels
SC ALRO SA	pH	8/15/2016 11:36:00 PM	3	unit pH
SC ALRO SA	Substante organice	8/15/2016 11:30:52 PM	21	mg/l
SC ALRO SA	Clor	8/15/2016 11:30:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 11:30:22 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 11:30:21 PM	27	gradCels
SC ALRO SA	pH	8/15/2016 11:30:20 PM	3	unit pH
SC ALRO SA	Substante organice	8/15/2016 11:25:01 PM	21	mg/l
SC ALRO SA	Clor	8/15/2016 11:24:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 11:24:42 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 11:24:41 PM	27	gradCels
SC ALRO SA	pH	8/15/2016 11:24:40 PM	3	unit pH
SC ALRO SA	Clor	8/15/2016 11:20:20 PM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 11:20:06 PM	21	mg/l
SC ALRO SA	Clor	8/15/2016 11:19:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 11:19:22 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 11:19:21 PM	27	gradCels
SC ALRO SA	pH	8/15/2016 11:19:20 PM	3	unit pH
SC ALRO SA	Grasimi	8/15/2016 11:19:00 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	8/15/2016 11:18:30 PM	21	mg/l
SC ALRO SA	Temp	8/15/2016 11:18:20 PM	27	gradCels
SC ALRO SA	pH	8/15/2016 11:18:10 PM	3	unit pH
SC ALRO SA	Substante organice	8/15/2016 11:14:03 PM	21	mg/l
SC ALRO SA	Clor	8/15/2016 11:13:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 11:13:42 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 11:13:41 PM	27	gradCels
SC ALRO SA	pH	8/15/2016 11:13:40 PM	3	unit pH
SC ALRO SA	Clor	8/15/2016 11:08:24 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 11:08:23 PM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 11:08:22 PM	21	mg/l
SC ALRO SA	Temp	8/15/2016 11:08:21 PM	27	gradCels
SC ALRO SA	pH	8/15/2016 11:08:20 PM	3	unit pH
SC ALRO SA	Substante organice	8/15/2016 11:02:51 PM	21	mg/l
SC ALRO SA	Clor	8/15/2016 11:02:47 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 11:02:46 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 11:02:45 PM	27	gradCels
SC ALRO SA	pH	8/15/2016 11:02:44 PM	3	unit pH
SC ALRO SA	Substante organice	8/15/2016 10:57:50 PM	21	mg/l
SC ALRO SA	Clor	8/15/2016 10:57:07 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 10:57:06 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 10:57:05 PM	27	gradCels
SC ALRO SA	pH	8/15/2016 10:57:04 PM	3	unit pH
SC ALRO SA	Clor	8/15/2016 10:55:30 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 10:55:10 PM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 10:54:50 PM	21	mg/l
SC ALRO SA	Temp	8/15/2016 10:54:40 PM	27	gradCels
SC ALRO SA	pH	8/15/2016 10:54:30 PM	3	unit pH
SC ALRO SA	Substante organice	8/15/2016 10:51:52 PM	21	mg/l
SC ALRO SA	Clor	8/15/2016 10:51:49 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 10:51:48 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 10:51:47 PM	27	gradCels
SC ALRO SA	pH	8/15/2016 10:51:46 PM	3	unit pH
SC ALRO SA	Substante organice	8/15/2016 10:46:53 PM	21	mg/l
SC ALRO SA	Clor	8/15/2016 10:46:07 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 10:46:06 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 10:46:05 PM	27	gradCels
SC ALRO SA	pH	8/15/2016 10:46:04 PM	3	unit pH
SC ALRO SA	Substante organice	8/15/2016 10:40:51 PM	21	mg/l
SC ALRO SA	Clor	8/15/2016 10:40:47 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 10:40:46 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 10:40:45 PM	27	gradCels
SC ALRO SA	pH	8/15/2016 10:40:44 PM	3	unit pH
SC ALRO SA	Clor	8/15/2016 10:35:06 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 10:35:05 PM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 10:35:04 PM	21	mg/l
SC ALRO SA	Temp	8/15/2016 10:35:03 PM	27	gradCels
SC ALRO SA	pH	8/15/2016 10:35:02 PM	3	unit pH
SC ALRO SA	Clor	8/15/2016 10:34:20 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 10:33:40 PM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 10:33:30 PM	21	mg/l
SC ALRO SA	Temp	8/15/2016 10:33:20 PM	27	gradCels
SC ALRO SA	pH	8/15/2016 10:33:10 PM	3	unit pH
SC ALRO SA	Substante organice	8/15/2016 10:29:53 PM	21	mg/l
SC ALRO SA	Clor	8/15/2016 10:29:47 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 10:29:46 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 10:29:45 PM	27	gradCels
SC ALRO SA	pH	8/15/2016 10:29:44 PM	3	unit pH
SC ALRO SA	Substante organice	8/15/2016 10:25:06 PM	21	mg/l
SC ALRO SA	Clor	8/15/2016 10:24:09 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 10:24:08 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 10:24:07 PM	27	gradCels
SC ALRO SA	pH	8/15/2016 10:24:06 PM	3	unit pH
SC ALRO SA	Substante organice	8/15/2016 10:18:53 PM	21	mg/l
SC ALRO SA	Clor	8/15/2016 10:18:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 10:18:42 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	8/15/2016 10:18:41 PM	27	gradCels
SC ALRO SA	pH	8/15/2016 10:18:40 PM	3	unit pH
SC ALRO SA	Clor	8/15/2016 10:14:00 PM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 10:13:53 PM	21	mg/l
SC ALRO SA	Grasimi	8/15/2016 10:13:10 PM	0	mg/l
SC ALRO SA	Clor	8/15/2016 10:13:04 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 10:13:03 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 10:13:02 PM	27	gradCels
SC ALRO SA	pH	8/15/2016 10:13:01 PM	3	unit pH
SC ALRO SA	Substante organice	8/15/2016 10:12:20 PM	21	mg/l
SC ALRO SA	Temp	8/15/2016 10:12:10 PM	27	gradCels
SC ALRO SA	pH	8/15/2016 10:11:40 PM	3	unit pH
SC ALRO SA	Clor	8/15/2016 10:07:48 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 10:07:47 PM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 10:07:46 PM	21	mg/l
SC ALRO SA	Temp	8/15/2016 10:07:45 PM	27	gradCels
SC ALRO SA	pH	8/15/2016 10:07:44 PM	3	unit pH
SC ALRO SA	Substante organice	8/15/2016 10:02:51 PM	21	mg/l
SC ALRO SA	Clor	8/15/2016 10:02:09 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 10:02:08 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 10:02:07 PM	27	gradCels
SC ALRO SA	pH	8/15/2016 10:02:06 PM	3	unit pH
SC ALRO SA	Substante organice	8/15/2016 9:56:52 PM	21	mg/l
SC ALRO SA	Clor	8/15/2016 9:56:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 9:56:42 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 9:56:41 PM	27	gradCels
SC ALRO SA	pH	8/15/2016 9:56:40 PM	3	unit pH
SC ALRO SA	Clor	8/15/2016 9:53:10 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 9:52:20 PM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 9:52:10 PM	21	mg/l
SC ALRO SA	Substante organice	8/15/2016 9:52:04 PM	21	mg/l
SC ALRO SA	Temp	8/15/2016 9:51:40 PM	27	gradCels
SC ALRO SA	pH	8/15/2016 9:51:30 PM	3	unit pH
SC ALRO SA	Clor	8/15/2016 9:51:04 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 9:51:03 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 9:51:02 PM	27	gradCels
SC ALRO SA	pH	8/15/2016 9:51:01 PM	3	unit pH
SC ALRO SA	Substante organice	8/15/2016 9:45:50 PM	21	mg/l
SC ALRO SA	Clor	8/15/2016 9:45:48 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 9:45:47 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 9:45:46 PM	27	gradCels
SC ALRO SA	pH	8/15/2016 9:45:45 PM	3	unit pH
SC ALRO SA	Substante organice	8/15/2016 9:41:03 PM	21	mg/l
SC ALRO SA	Clor	8/15/2016 9:40:09 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 9:40:08 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 9:40:07 PM	27	gradCels
SC ALRO SA	pH	8/15/2016 9:40:06 PM	3	unit pH
SC ALRO SA	Substante organice	8/15/2016 9:35:01 PM	21	mg/l
SC ALRO SA	Clor	8/15/2016 9:34:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 9:34:42 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 9:34:41 PM	27	gradCels
SC ALRO SA	pH	8/15/2016 9:34:40 PM	3	unit pH
SC ALRO SA	Clor	8/15/2016 9:31:30 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 9:31:10 PM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 9:30:10 PM	21	mg/l
SC ALRO SA	Substante organice	8/15/2016 9:30:02 PM	21	mg/l
SC ALRO SA	Temp	8/15/2016 9:29:40 PM	27	gradCels
SC ALRO SA	pH	8/15/2016 9:29:30 PM	3	unit pH
SC ALRO SA	Clor	8/15/2016 9:29:08 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 9:29:07 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 9:29:06 PM	27	gradCels
SC ALRO SA	pH	8/15/2016 9:29:05 PM	3	unit pH
SC ALRO SA	Substante organice	8/15/2016 9:24:12 PM	21	mg/l
SC ALRO SA	Clor	8/15/2016 9:23:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 9:23:22 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 9:23:21 PM	27	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	8/15/2016 9:23:20 PM	3	unit pH
SC ALRO SA	Substante organice	8/15/2016 9:19:03 PM	21	mg/l
SC ALRO SA	Clor	8/15/2016 9:18:07 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 9:18:06 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 9:18:05 PM	27	gradCels
SC ALRO SA	pH	8/15/2016 9:18:04 PM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 9:13:12 PM	21	mg/l
SC ALRO SA	Clor	8/15/2016 9:12:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 9:12:22 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 9:12:21 PM	27	gradCels
SC ALRO SA	pH	8/15/2016 9:12:20 PM	4	unit pH
SC ALRO SA	Clor	8/15/2016 9:08:10 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 9:07:30 PM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 9:07:20 PM	21	mg/l
SC ALRO SA	Clor	8/15/2016 9:07:08 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 9:07:07 PM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 9:07:06 PM	21	mg/l
SC ALRO SA	Temp	8/15/2016 9:07:05 PM	27	gradCels
SC ALRO SA	pH	8/15/2016 9:07:04 PM	4	unit pH
SC ALRO SA	Temp	8/15/2016 9:06:40 PM	27	gradCels
SC ALRO SA	pH	8/15/2016 9:06:30 PM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 9:02:14 PM	21	mg/l
SC ALRO SA	Clor	8/15/2016 9:01:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 9:01:22 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 9:01:21 PM	27	gradCels
SC ALRO SA	pH	8/15/2016 9:01:20 PM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 8:56:12 PM	21	mg/l
SC ALRO SA	Clor	8/15/2016 8:56:07 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 8:56:06 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 8:56:05 PM	27	gradCels
SC ALRO SA	pH	8/15/2016 8:56:04 PM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 8:50:53 PM	21	mg/l
SC ALRO SA	Clor	8/15/2016 8:50:28 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 8:50:27 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 8:50:26 PM	26	gradCels
SC ALRO SA	pH	8/15/2016 8:50:25 PM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 8:45:13 PM	21	mg/l
SC ALRO SA	Clor	8/15/2016 8:45:03 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 8:45:02 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 8:45:01 PM	26	gradCels
SC ALRO SA	pH	8/15/2016 8:45:00 PM	4	unit pH
SC ALRO SA	Clor	8/15/2016 8:44:40 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 8:44:20 PM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 8:44:10 PM	21	mg/l
SC ALRO SA	Temp	8/15/2016 8:43:20 PM	26	gradCels
SC ALRO SA	pH	8/15/2016 8:43:10 PM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 8:39:54 PM	21	mg/l
SC ALRO SA	Clor	8/15/2016 8:39:27 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 8:39:26 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 8:39:25 PM	26	gradCels
SC ALRO SA	pH	8/15/2016 8:39:24 PM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 8:34:12 PM	21	mg/l
SC ALRO SA	Clor	8/15/2016 8:34:03 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 8:34:02 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 8:34:01 PM	26	gradCels
SC ALRO SA	pH	8/15/2016 8:34:00 PM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 8:28:54 PM	21	mg/l
SC ALRO SA	Clor	8/15/2016 8:28:27 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 8:28:26 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 8:28:25 PM	26	gradCels
SC ALRO SA	pH	8/15/2016 8:28:24 PM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 8:22:53 PM	21	mg/l
SC ALRO SA	Clor	8/15/2016 8:22:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 8:22:42 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 8:22:41 PM	26	gradCels
SC ALRO SA	pH	8/15/2016 8:22:40 PM	4	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Clor	8/15/2016 8:21:40 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 8:21:10 PM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 8:21:00 PM	21	mg/l
SC ALRO SA	Temp	8/15/2016 8:20:20 PM	26	gradCels
SC ALRO SA	pH	8/15/2016 8:20:10 PM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 8:17:54 PM	21	mg/l
SC ALRO SA	Clor	8/15/2016 8:17:27 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 8:17:26 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 8:17:25 PM	26	gradCels
SC ALRO SA	pH	8/15/2016 8:17:24 PM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 8:11:53 PM	21	mg/l
SC ALRO SA	Clor	8/15/2016 8:11:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 8:11:42 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 8:11:41 PM	26	gradCels
SC ALRO SA	pH	8/15/2016 8:11:40 PM	4	unit pH
SC ALRO SA	Clor	8/15/2016 8:06:28 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 8:06:27 PM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 8:06:26 PM	21	mg/l
SC ALRO SA	Temp	8/15/2016 8:06:25 PM	26	gradCels
SC ALRO SA	pH	8/15/2016 8:06:24 PM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 8:00:53 PM	21	mg/l
SC ALRO SA	Clor	8/15/2016 8:00:47 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 8:00:46 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 8:00:45 PM	26	gradCels
SC ALRO SA	pH	8/15/2016 8:00:44 PM	4	unit pH
SC ALRO SA	Clor	8/15/2016 7:58:20 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 7:57:40 PM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 7:57:30 PM	21	mg/l
SC ALRO SA	Temp	8/15/2016 7:57:10 PM	26	gradCels
SC ALRO SA	pH	8/15/2016 7:56:20 PM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 7:56:02 PM	21	mg/l
SC ALRO SA	Clor	8/15/2016 7:55:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 7:55:22 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 7:55:21 PM	26	gradCels
SC ALRO SA	pH	8/15/2016 7:55:20 PM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 7:49:53 PM	21	mg/l
SC ALRO SA	Clor	8/15/2016 7:49:47 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 7:49:46 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 7:49:45 PM	26	gradCels
SC ALRO SA	pH	8/15/2016 7:49:44 PM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 7:44:52 PM	21	mg/l
SC ALRO SA	Clor	8/15/2016 7:44:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 7:44:22 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 7:44:21 PM	26	gradCels
SC ALRO SA	pH	8/15/2016 7:44:20 PM	4	unit pH
SC ALRO SA	Clor	8/15/2016 7:38:47 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 7:38:46 PM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 7:38:45 PM	21	mg/l
SC ALRO SA	Temp	8/15/2016 7:38:44 PM	26	gradCels
SC ALRO SA	pH	8/15/2016 7:38:43 PM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 7:34:05 PM	21	mg/l
SC ALRO SA	Clor	8/15/2016 7:33:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 7:33:22 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 7:33:21 PM	26	gradCels
SC ALRO SA	pH	8/15/2016 7:33:20 PM	4	unit pH
SC ALRO SA	Clor	8/15/2016 7:32:10 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 7:31:20 PM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 7:30:40 PM	21	mg/l
SC ALRO SA	Temp	8/15/2016 7:30:30 PM	26	gradCels
SC ALRO SA	pH	8/15/2016 7:29:40 PM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 7:27:51 PM	21	mg/l
SC ALRO SA	Clor	8/15/2016 7:27:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 7:27:42 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 7:27:41 PM	26	gradCels
SC ALRO SA	pH	8/15/2016 7:27:40 PM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 7:22:54 PM	21	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Clor	8/15/2016 7:22:04 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 7:22:03 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 7:22:02 PM	26	gradCels
SC ALRO SA	pH	8/15/2016 7:22:01 PM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 7:17:04 PM	21	mg/l
SC ALRO SA	Clor	8/15/2016 7:16:28 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 7:16:27 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 7:16:26 PM	26	gradCels
SC ALRO SA	pH	8/15/2016 7:16:25 PM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 7:11:55 PM	21	mg/l
SC ALRO SA	Clor	8/15/2016 7:11:06 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 7:11:05 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 7:11:04 PM	26	gradCels
SC ALRO SA	pH	8/15/2016 7:11:03 PM	4	unit pH
SC ALRO SA	Clor	8/15/2016 7:07:20 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 7:06:30 PM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 7:06:20 PM	21	mg/l
SC ALRO SA	Temp	8/15/2016 7:05:40 PM	26	gradCels
SC ALRO SA	Clor	8/15/2016 7:05:29 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 7:05:28 PM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 7:05:27 PM	21	mg/l
SC ALRO SA	Temp	8/15/2016 7:05:26 PM	26	gradCels
SC ALRO SA	pH	8/15/2016 7:05:25 PM	4	unit pH
SC ALRO SA	pH	8/15/2016 7:04:20 PM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 7:00:58 PM	21	mg/l
SC ALRO SA	Clor	8/15/2016 7:00:05 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 7:00:04 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 7:00:03 PM	25	gradCels
SC ALRO SA	pH	8/15/2016 7:00:02 PM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 6:55:01 PM	21	mg/l
SC ALRO SA	Clor	8/15/2016 6:54:28 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 6:54:27 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 6:54:26 PM	25	gradCels
SC ALRO SA	pH	8/15/2016 6:54:25 PM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 6:49:55 PM	21	mg/l
SC ALRO SA	Clor	8/15/2016 6:49:05 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 6:49:04 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 6:49:03 PM	25	gradCels
SC ALRO SA	pH	8/15/2016 6:49:02 PM	4	unit pH
SC ALRO SA	Clor	8/15/2016 6:45:30 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 6:44:40 PM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 6:44:30 PM	21	mg/l
SC ALRO SA	Temp	8/15/2016 6:44:20 PM	25	gradCels
SC ALRO SA	Substante organice	8/15/2016 6:44:02 PM	21	mg/l
SC ALRO SA	Clor	8/15/2016 6:43:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 6:43:42 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 6:43:41 PM	25	gradCels
SC ALRO SA	pH	8/15/2016 6:43:40 PM	4	unit pH
SC ALRO SA	pH	8/15/2016 6:43:20 PM	4	unit pH
SC ALRO SA	Clor	8/15/2016 6:37:53 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 6:37:52 PM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 6:37:51 PM	21	mg/l
SC ALRO SA	Temp	8/15/2016 6:37:50 PM	25	gradCels
SC ALRO SA	pH	8/15/2016 6:37:49 PM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 6:33:02 PM	21	mg/l
SC ALRO SA	Clor	8/15/2016 6:32:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 6:32:22 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 6:32:21 PM	25	gradCels
SC ALRO SA	pH	8/15/2016 6:32:20 PM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 6:27:09 PM	21	mg/l
SC ALRO SA	Clor	8/15/2016 6:27:03 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 6:27:02 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 6:27:01 PM	25	gradCels
SC ALRO SA	pH	8/15/2016 6:27:00 PM	4	unit pH
SC ALRO SA	Clor	8/15/2016 6:23:20 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 6:22:30 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	8/15/2016 6:22:20 PM	21	mg/l
SC ALRO SA	Substante organice	8/15/2016 6:22:02 PM	21	mg/l
SC ALRO SA	Temp	8/15/2016 6:21:40 PM	25	gradCels
SC ALRO SA	pH	8/15/2016 6:21:30 PM	4	unit pH
SC ALRO SA	Clor	8/15/2016 6:21:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 6:21:22 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 6:21:21 PM	25	gradCels
SC ALRO SA	pH	8/15/2016 6:21:20 PM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 6:15:51 PM	21	mg/l
SC ALRO SA	Clor	8/15/2016 6:15:48 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 6:15:47 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 6:15:46 PM	25	gradCels
SC ALRO SA	pH	8/15/2016 6:15:45 PM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 6:11:02 PM	21	mg/l
SC ALRO SA	Clor	8/15/2016 6:10:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 6:10:22 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 6:10:21 PM	25	gradCels
SC ALRO SA	pH	8/15/2016 6:10:20 PM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 6:04:51 PM	21	mg/l
SC ALRO SA	Clor	8/15/2016 6:04:48 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 6:04:47 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 6:04:46 PM	25	gradCels
SC ALRO SA	pH	8/15/2016 6:04:45 PM	4	unit pH
SC ALRO SA	Clor	8/15/2016 6:02:30 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 6:02:00 PM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 6:01:50 PM	21	mg/l
SC ALRO SA	Temp	8/15/2016 6:01:40 PM	25	gradCels
SC ALRO SA	pH	8/15/2016 6:01:30 PM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 6:00:01 PM	21	mg/l
SC ALRO SA	Clor	8/15/2016 5:59:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 5:59:22 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 5:59:21 PM	25	gradCels
SC ALRO SA	pH	8/15/2016 5:59:20 PM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 5:53:51 PM	21	mg/l
SC ALRO SA	Clor	8/15/2016 5:53:48 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 5:53:47 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 5:53:46 PM	25	gradCels
SC ALRO SA	pH	8/15/2016 5:53:45 PM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 5:49:00 PM	21	mg/l
SC ALRO SA	Clor	8/15/2016 5:48:11 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 5:48:10 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 5:48:09 PM	25	gradCels
SC ALRO SA	pH	8/15/2016 5:48:08 PM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 5:43:02 PM	21	mg/l
SC ALRO SA	Clor	8/15/2016 5:42:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 5:42:42 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 5:42:41 PM	25	gradCels
SC ALRO SA	pH	8/15/2016 5:42:40 PM	4	unit pH
SC ALRO SA	Clor	8/15/2016 5:39:30 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 5:39:10 PM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 5:39:00 PM	21	mg/l
SC ALRO SA	Temp	8/15/2016 5:38:20 PM	25	gradCels
SC ALRO SA	pH	8/15/2016 5:37:40 PM	4	unit pH
SC ALRO SA	Clor	8/15/2016 5:37:11 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 5:37:10 PM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 5:37:09 PM	21	mg/l
SC ALRO SA	Temp	8/15/2016 5:37:08 PM	25	gradCels
SC ALRO SA	pH	8/15/2016 5:37:07 PM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 5:32:01 PM	21	mg/l
SC ALRO SA	Clor	8/15/2016 5:31:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 5:31:42 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 5:31:41 PM	25	gradCels
SC ALRO SA	pH	8/15/2016 5:31:40 PM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 5:27:02 PM	21	mg/l
SC ALRO SA	Clor	8/15/2016 5:26:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 5:26:42 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	8/15/2016 5:26:41 PM	25	gradCels
SC ALRO SA	pH	8/15/2016 5:26:40 PM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 5:22:00 PM	21	mg/l
SC ALRO SA	Clor	8/15/2016 5:21:04 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 5:21:03 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 5:21:02 PM	25	gradCels
SC ALRO SA	pH	8/15/2016 5:21:01 PM	4	unit pH
SC ALRO SA	Clor	8/15/2016 5:17:10 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 5:16:10 PM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 5:16:00 PM	21	mg/l
SC ALRO SA	Clor	8/15/2016 5:15:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 5:15:42 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 5:15:41 PM	25	gradCels
SC ALRO SA	pH	8/15/2016 5:15:40 PM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 5:15:20 PM	21	mg/l
SC ALRO SA	Temp	8/15/2016 5:15:10 PM	24	gradCels
SC ALRO SA	pH	8/15/2016 5:14:30 PM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 5:11:00 PM	21	mg/l
SC ALRO SA	Clor	8/15/2016 5:10:06 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 5:10:05 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 5:10:04 PM	24	gradCels
SC ALRO SA	pH	8/15/2016 5:10:03 PM	4	unit pH
SC ALRO SA	Clor	8/15/2016 5:04:44 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 5:04:43 PM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 5:04:42 PM	21	mg/l
SC ALRO SA	Temp	8/15/2016 5:04:41 PM	24	gradCels
SC ALRO SA	pH	8/15/2016 5:04:40 PM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 5:00:00 PM	21	mg/l
SC ALRO SA	Clor	8/15/2016 4:59:06 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 4:59:05 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 4:59:04 PM	24	gradCels
SC ALRO SA	pH	8/15/2016 4:59:03 PM	4	unit pH
SC ALRO SA	Clor	8/15/2016 4:54:10 PM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 4:54:00 PM	21	mg/l
SC ALRO SA	Clor	8/15/2016 4:53:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 4:53:42 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 4:53:41 PM	24	gradCels
SC ALRO SA	pH	8/15/2016 4:53:40 PM	4	unit pH
SC ALRO SA	Grasimi	8/15/2016 4:53:10 PM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 4:53:00 PM	21	mg/l
SC ALRO SA	Temp	8/15/2016 4:52:20 PM	24	gradCels
SC ALRO SA	pH	8/15/2016 4:52:10 PM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 4:49:25 PM	21	mg/l
SC ALRO SA	Clor	8/15/2016 4:48:05 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 4:48:04 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 4:48:03 PM	24	gradCels
SC ALRO SA	pH	8/15/2016 4:48:02 PM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 4:43:00 PM	21	mg/l
SC ALRO SA	Clor	8/15/2016 4:42:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 4:42:42 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 4:42:41 PM	24	gradCels
SC ALRO SA	pH	8/15/2016 4:42:40 PM	4	unit pH
SC ALRO SA	Clor	8/15/2016 4:37:13 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 4:37:12 PM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 4:37:10 PM	21	mg/l
SC ALRO SA	Temp	8/15/2016 4:37:07 PM	24	gradCels
SC ALRO SA	pH	8/15/2016 4:37:05 PM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 4:32:00 PM	22	mg/l
SC ALRO SA	Clor	8/15/2016 4:31:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 4:31:42 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 4:31:41 PM	24	gradCels
SC ALRO SA	pH	8/15/2016 4:31:40 PM	4	unit pH
SC ALRO SA	Clor	8/15/2016 4:30:20 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 4:29:40 PM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 4:29:30 PM	22	mg/l
SC ALRO SA	Temp	8/15/2016 4:29:20 PM	24	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	8/15/2016 4:28:40 PM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 4:27:23 PM	22	mg/l
SC ALRO SA	Clor	8/15/2016 4:26:06 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 4:26:05 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 4:26:04 PM	24	gradCels
SC ALRO SA	pH	8/15/2016 4:26:03 PM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 4:21:00 PM	22	mg/l
SC ALRO SA	Clor	8/15/2016 4:20:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 4:20:22 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 4:20:21 PM	24	gradCels
SC ALRO SA	pH	8/15/2016 4:20:20 PM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 4:16:23 PM	22	mg/l
SC ALRO SA	Clor	8/15/2016 4:15:05 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 4:15:04 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 4:15:03 PM	24	gradCels
SC ALRO SA	pH	8/15/2016 4:15:02 PM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 4:10:00 PM	22	mg/l
SC ALRO SA	Clor	8/15/2016 4:09:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 4:09:22 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 4:09:21 PM	24	gradCels
SC ALRO SA	pH	8/15/2016 4:09:20 PM	4	unit pH
SC ALRO SA	Clor	8/15/2016 4:07:30 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 4:07:10 PM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 4:06:40 PM	22	mg/l
SC ALRO SA	Temp	8/15/2016 4:06:30 PM	24	gradCels
SC ALRO SA	pH	8/15/2016 4:06:00 PM	4	unit pH
SC ALRO SA	Clor	8/15/2016 4:04:04 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 4:04:03 PM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 4:04:02 PM	22	mg/l
SC ALRO SA	Temp	8/15/2016 4:04:01 PM	24	gradCels
SC ALRO SA	pH	8/15/2016 4:04:00 PM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 3:59:00 PM	22	mg/l
SC ALRO SA	Clor	8/15/2016 3:58:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 3:58:22 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 3:58:21 PM	24	gradCels
SC ALRO SA	pH	8/15/2016 3:58:20 PM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 3:53:06 PM	22	mg/l
SC ALRO SA	Clor	8/15/2016 3:53:03 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 3:53:02 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 3:53:01 PM	24	gradCels
SC ALRO SA	pH	8/15/2016 3:53:00 PM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 3:48:00 PM	22	mg/l
SC ALRO SA	Clor	8/15/2016 3:47:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 3:47:22 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 3:47:21 PM	24	gradCels
SC ALRO SA	pH	8/15/2016 3:47:20 PM	4	unit pH
SC ALRO SA	Clor	8/15/2016 3:46:00 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 3:45:40 PM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 3:45:30 PM	22	mg/l
SC ALRO SA	Temp	8/15/2016 3:45:20 PM	24	gradCels
SC ALRO SA	pH	8/15/2016 3:44:40 PM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 3:41:46 PM	22	mg/l
SC ALRO SA	Clor	8/15/2016 3:41:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 3:41:42 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 3:41:41 PM	24	gradCels
SC ALRO SA	pH	8/15/2016 3:41:40 PM	4	unit pH
SC ALRO SA	Clor	8/15/2016 3:36:24 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 3:36:23 PM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 3:36:22 PM	22	mg/l
SC ALRO SA	Temp	8/15/2016 3:36:21 PM	24	gradCels
SC ALRO SA	pH	8/15/2016 3:36:20 PM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 3:31:01 PM	22	mg/l
SC ALRO SA	Clor	8/15/2016 3:30:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 3:30:42 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 3:30:41 PM	24	gradCels
SC ALRO SA	pH	8/15/2016 3:30:40 PM	4	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	8/15/2016 3:26:00 PM	22	mg/l
SC ALRO SA	Clor	8/15/2016 3:25:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 3:25:22 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 3:25:21 PM	24	gradCels
SC ALRO SA	pH	8/15/2016 3:25:20 PM	4	unit pH
SC ALRO SA	Clor	8/15/2016 3:23:50 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 3:23:30 PM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 3:23:20 PM	22	mg/l
SC ALRO SA	Temp	8/15/2016 3:23:10 PM	24	gradCels
SC ALRO SA	pH	8/15/2016 3:23:00 PM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 3:20:00 PM	22	mg/l
SC ALRO SA	Clor	8/15/2016 3:19:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 3:19:42 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 3:19:41 PM	24	gradCels
SC ALRO SA	pH	8/15/2016 3:19:40 PM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 3:15:00 PM	22	mg/l
SC ALRO SA	Clor	8/15/2016 3:14:05 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 3:14:04 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 3:14:03 PM	24	gradCels
SC ALRO SA	pH	8/15/2016 3:14:02 PM	4	unit pH
SC ALRO SA	Clor	8/15/2016 3:08:45 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 3:08:44 PM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 3:08:43 PM	22	mg/l
SC ALRO SA	Temp	8/15/2016 3:08:41 PM	24	gradCels
SC ALRO SA	pH	8/15/2016 3:08:40 PM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 3:04:00 PM	22	mg/l
SC ALRO SA	Clor	8/15/2016 3:03:04 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 3:03:03 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 3:03:02 PM	24	gradCels
SC ALRO SA	pH	8/15/2016 3:03:01 PM	4	unit pH
SC ALRO SA	Clor	8/15/2016 3:02:30 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 3:01:50 PM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 3:01:40 PM	22	mg/l
SC ALRO SA	Temp	8/15/2016 3:01:30 PM	24	gradCels
SC ALRO SA	pH	8/15/2016 3:01:20 PM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 2:57:46 PM	22	mg/l
SC ALRO SA	Clor	8/15/2016 2:57:44 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 2:57:43 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 2:57:42 PM	24	gradCels
SC ALRO SA	pH	8/15/2016 2:57:40 PM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 2:53:00 PM	22	mg/l
SC ALRO SA	Clor	8/15/2016 2:52:05 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 2:52:04 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 2:52:03 PM	24	gradCels
SC ALRO SA	pH	8/15/2016 2:52:02 PM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 2:47:00 PM	22	mg/l
SC ALRO SA	Clor	8/15/2016 2:46:29 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 2:46:28 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 2:46:27 PM	24	gradCels
SC ALRO SA	pH	8/15/2016 2:46:26 PM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 2:42:00 PM	22	mg/l
SC ALRO SA	Clor	8/15/2016 2:41:03 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 2:41:02 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 2:41:01 PM	24	gradCels
SC ALRO SA	pH	8/15/2016 2:41:00 PM	4	unit pH
SC ALRO SA	Clor	8/15/2016 2:40:30 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 2:40:10 PM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 2:39:50 PM	22	mg/l
SC ALRO SA	Temp	8/15/2016 2:39:40 PM	24	gradCels
SC ALRO SA	pH	8/15/2016 2:39:30 PM	4	unit pH
SC ALRO SA	Clor	8/15/2016 2:35:29 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 2:35:28 PM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 2:35:27 PM	22	mg/l
SC ALRO SA	Temp	8/15/2016 2:35:26 PM	24	gradCels
SC ALRO SA	pH	8/15/2016 2:35:25 PM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 2:31:00 PM	22	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Clor	8/15/2016 2:30:03 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 2:30:02 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 2:30:01 PM	24	gradCels
SC ALRO SA	pH	8/15/2016 2:30:00 PM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 2:25:01 PM	22	mg/l
SC ALRO SA	Clor	8/15/2016 2:24:28 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 2:24:27 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 2:24:26 PM	24	gradCels
SC ALRO SA	pH	8/15/2016 2:24:25 PM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 2:20:00 PM	22	mg/l
SC ALRO SA	Clor	8/15/2016 2:19:05 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 2:19:04 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 2:19:03 PM	24	gradCels
SC ALRO SA	pH	8/15/2016 2:19:02 PM	4	unit pH
SC ALRO SA	Clor	8/15/2016 2:18:10 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 2:17:40 PM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 2:17:30 PM	22	mg/l
SC ALRO SA	Temp	8/15/2016 2:17:20 PM	24	gradCels
SC ALRO SA	pH	8/15/2016 2:17:10 PM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 2:14:01 PM	22	mg/l
SC ALRO SA	Clor	8/15/2016 2:13:28 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 2:13:27 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 2:13:26 PM	24	gradCels
SC ALRO SA	pH	8/15/2016 2:13:25 PM	4	unit pH
SC ALRO SA	Clor	8/15/2016 2:07:58 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 2:07:57 PM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 2:07:56 PM	22	mg/l
SC ALRO SA	Temp	8/15/2016 2:07:55 PM	24	gradCels
SC ALRO SA	pH	8/15/2016 2:07:54 PM	4	unit pH
SC ALRO SA	Temp	8/15/2016 2:07:53 PM	24	gradCels
SC ALRO SA	pH	8/15/2016 2:07:52 PM	4	unit pH
SC ALRO SA	Grasimi	8/15/2016 2:07:51 PM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 2:07:50 PM	22	mg/l
SC ALRO SA	Clor	8/15/2016 2:07:47 PM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 2:03:02 PM	22	mg/l
SC ALRO SA	Clor	8/15/2016 2:02:27 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 2:02:26 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 2:02:25 PM	24	gradCels
SC ALRO SA	pH	8/15/2016 2:02:24 PM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 1:56:53 PM	22	mg/l
SC ALRO SA	Clor	8/15/2016 1:56:47 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 1:56:46 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 1:56:45 PM	23	gradCels
SC ALRO SA	pH	8/15/2016 1:56:44 PM	4	unit pH
SC ALRO SA	Clor	8/15/2016 1:55:20 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 1:55:00 PM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 1:54:20 PM	22	mg/l
SC ALRO SA	Temp	8/15/2016 1:54:10 PM	23	gradCels
SC ALRO SA	pH	8/15/2016 1:54:00 PM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 1:52:02 PM	22	mg/l
SC ALRO SA	Clor	8/15/2016 1:51:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 1:51:22 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 1:51:21 PM	23	gradCels
SC ALRO SA	pH	8/15/2016 1:51:20 PM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 1:47:07 PM	22	mg/l
SC ALRO SA	Clor	8/15/2016 1:46:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 1:46:22 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 1:46:21 PM	23	gradCels
SC ALRO SA	pH	8/15/2016 1:46:20 PM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 1:41:02 PM	22	mg/l
SC ALRO SA	Clor	8/15/2016 1:40:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 1:40:42 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 1:40:41 PM	23	gradCels
SC ALRO SA	pH	8/15/2016 1:40:40 PM	4	unit pH
SC ALRO SA	Clor	8/15/2016 1:35:24 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 1:35:23 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	8/15/2016 1:35:22 PM	22	mg/l
SC ALRO SA	Temp	8/15/2016 1:35:21 PM	23	gradCels
SC ALRO SA	pH	8/15/2016 1:35:20 PM	4	unit pH
SC ALRO SA	Clor	8/15/2016 1:31:10 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 1:30:00 PM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 1:29:50 PM	22	mg/l
SC ALRO SA	Substante organice	8/15/2016 1:29:47 PM	22	mg/l
SC ALRO SA	Clor	8/15/2016 1:29:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 1:29:42 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 1:29:41 PM	23	gradCels
SC ALRO SA	pH	8/15/2016 1:29:40 PM	4	unit pH
SC ALRO SA	Temp	8/15/2016 1:29:30 PM	23	gradCels
SC ALRO SA	pH	8/15/2016 1:29:20 PM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 1:24:47 PM	22	mg/l
SC ALRO SA	Clor	8/15/2016 1:24:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 1:24:22 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 1:24:21 PM	23	gradCels
SC ALRO SA	pH	8/15/2016 1:24:20 PM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 1:18:46 PM	22	mg/l
SC ALRO SA	Clor	8/15/2016 1:18:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 1:18:42 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 1:18:41 PM	23	gradCels
SC ALRO SA	pH	8/15/2016 1:18:40 PM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 1:13:47 PM	22	mg/l
SC ALRO SA	Clor	8/15/2016 1:13:05 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 1:13:04 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 1:13:03 PM	23	gradCels
SC ALRO SA	pH	8/15/2016 1:13:02 PM	4	unit pH
SC ALRO SA	Clor	8/15/2016 1:07:44 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 1:07:43 PM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 1:07:42 PM	22	mg/l
SC ALRO SA	Temp	8/15/2016 1:07:41 PM	23	gradCels
SC ALRO SA	pH	8/15/2016 1:07:40 PM	4	unit pH
SC ALRO SA	Clor	8/15/2016 1:07:20 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 1:06:40 PM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 1:06:30 PM	22	mg/l
SC ALRO SA	Temp	8/15/2016 1:06:00 PM	23	gradCels
SC ALRO SA	pH	8/15/2016 1:05:50 PM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 1:02:47 PM	22	mg/l
SC ALRO SA	Clor	8/15/2016 1:02:05 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 1:02:04 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 1:02:03 PM	23	gradCels
SC ALRO SA	pH	8/15/2016 1:02:02 PM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 12:56:47 PM	22	mg/l
SC ALRO SA	Clor	8/15/2016 12:56:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 12:56:42 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 12:56:41 PM	23	gradCels
SC ALRO SA	pH	8/15/2016 12:56:40 PM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 12:51:46 PM	22	mg/l
SC ALRO SA	Clor	8/15/2016 12:51:05 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 12:51:04 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 12:51:03 PM	23	gradCels
SC ALRO SA	pH	8/15/2016 12:51:02 PM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 12:46:01 PM	22	mg/l
SC ALRO SA	Clor	8/15/2016 12:45:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 12:45:42 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 12:45:41 PM	23	gradCels
SC ALRO SA	pH	8/15/2016 12:45:40 PM	4	unit pH
SC ALRO SA	Clor	8/15/2016 12:45:10 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 12:44:30 PM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 12:44:20 PM	22	mg/l
SC ALRO SA	Temp	8/15/2016 12:44:10 PM	23	gradCels
SC ALRO SA	pH	8/15/2016 12:43:50 PM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 12:40:47 PM	22	mg/l
SC ALRO SA	Clor	8/15/2016 12:40:05 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 12:40:04 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	8/15/2016 12:40:03 PM	23	gradCels
SC ALRO SA	pH	8/15/2016 12:40:02 PM	4	unit pH
SC ALRO SA	Clor	8/15/2016 12:34:44 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 12:34:43 PM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 12:34:42 PM	22	mg/l
SC ALRO SA	Temp	8/15/2016 12:34:41 PM	23	gradCels
SC ALRO SA	pH	8/15/2016 12:34:40 PM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 12:29:47 PM	22	mg/l
SC ALRO SA	Clor	8/15/2016 12:29:05 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 12:29:04 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 12:29:03 PM	23	gradCels
SC ALRO SA	pH	8/15/2016 12:29:02 PM	4	unit pH
SC ALRO SA	Clor	8/15/2016 12:24:20 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 12:23:50 PM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 12:23:44 PM	22	mg/l
SC ALRO SA	Clor	8/15/2016 12:23:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 12:23:42 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 12:23:41 PM	23	gradCels
SC ALRO SA	pH	8/15/2016 12:23:40 PM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 12:23:20 PM	22	mg/l
SC ALRO SA	Temp	8/15/2016 12:23:10 PM	23	gradCels
SC ALRO SA	pH	8/15/2016 12:22:40 PM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 12:18:48 PM	22	mg/l
SC ALRO SA	Clor	8/15/2016 12:18:04 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 12:18:03 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 12:18:02 PM	23	gradCels
SC ALRO SA	pH	8/15/2016 12:18:01 PM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 12:14:14 PM	22	mg/l
SC ALRO SA	Clor	8/15/2016 12:13:03 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 12:13:02 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 12:13:01 PM	23	gradCels
SC ALRO SA	pH	8/15/2016 12:13:00 PM	4	unit pH
SC ALRO SA	Clor	8/15/2016 12:07:30 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 12:07:29 PM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 12:07:28 PM	22	mg/l
SC ALRO SA	Temp	8/15/2016 12:07:27 PM	23	gradCels
SC ALRO SA	pH	8/15/2016 12:07:26 PM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 12:02:53 PM	21	mg/l
SC ALRO SA	Clor	8/15/2016 12:02:03 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 12:02:02 PM	0	mg/l
SC ALRO SA	Temp	8/15/2016 12:02:01 PM	23	gradCels
SC ALRO SA	pH	8/15/2016 12:02:00 PM	4	unit pH
SC ALRO SA	Clor	8/15/2016 12:01:10 PM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 12:00:20 PM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 12:00:10 PM	21	mg/l
SC ALRO SA	Temp	8/15/2016 11:59:40 AM	23	gradCels
SC ALRO SA	pH	8/15/2016 11:59:30 AM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 11:57:00 AM	21	mg/l
SC ALRO SA	Clor	8/15/2016 11:56:23 AM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 11:56:22 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 11:56:21 AM	23	gradCels
SC ALRO SA	pH	8/15/2016 11:56:20 AM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 11:51:52 AM	21	mg/l
SC ALRO SA	Clor	8/15/2016 11:51:10 AM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 11:51:09 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 11:51:08 AM	23	gradCels
SC ALRO SA	pH	8/15/2016 11:51:07 AM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 11:46:01 AM	21	mg/l
SC ALRO SA	Clor	8/15/2016 11:45:23 AM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 11:45:22 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 11:45:21 AM	23	gradCels
SC ALRO SA	pH	8/15/2016 11:45:20 AM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 11:40:53 AM	21	mg/l
SC ALRO SA	Clor	8/15/2016 11:40:03 AM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 11:40:02 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 11:40:01 AM	23	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	8/15/2016 11:40:00 AM	4	unit pH
SC ALRO SA	Clor	8/15/2016 11:38:10 AM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 11:37:30 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 11:37:20 AM	21	mg/l
SC ALRO SA	Temp	8/15/2016 11:36:40 AM	23	gradCels
SC ALRO SA	pH	8/15/2016 11:36:30 AM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 11:35:00 AM	21	mg/l
SC ALRO SA	Clor	8/15/2016 11:34:30 AM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 11:34:29 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 11:34:28 AM	23	gradCels
SC ALRO SA	pH	8/15/2016 11:34:27 AM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 11:29:12 AM	21	mg/l
SC ALRO SA	Clor	8/15/2016 11:29:10 AM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 11:29:09 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 11:29:08 AM	23	gradCels
SC ALRO SA	pH	8/15/2016 11:29:07 AM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 11:24:01 AM	21	mg/l
SC ALRO SA	Clor	8/15/2016 11:23:29 AM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 11:23:28 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 11:23:27 AM	23	gradCels
SC ALRO SA	pH	8/15/2016 11:23:26 AM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 11:18:04 AM	21	mg/l
SC ALRO SA	Clor	8/15/2016 11:18:03 AM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 11:18:02 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 11:18:01 AM	23	gradCels
SC ALRO SA	pH	8/15/2016 11:18:00 AM	4	unit pH
SC ALRO SA	Clor	8/15/2016 11:14:30 AM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 11:13:40 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 11:13:30 AM	21	mg/l
SC ALRO SA	Temp	8/15/2016 11:13:20 AM	23	gradCels
SC ALRO SA	pH	8/15/2016 11:13:10 AM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 11:12:47 AM	21	mg/l
SC ALRO SA	Clor	8/15/2016 11:12:23 AM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 11:12:22 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 11:12:21 AM	23	gradCels
SC ALRO SA	pH	8/15/2016 11:12:20 AM	4	unit pH
SC ALRO SA	Clor	8/15/2016 11:06:44 AM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 11:06:43 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 11:06:42 AM	21	mg/l
SC ALRO SA	Temp	8/15/2016 11:06:41 AM	23	gradCels
SC ALRO SA	pH	8/15/2016 11:06:40 AM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 11:01:47 AM	21	mg/l
SC ALRO SA	Clor	8/15/2016 11:01:23 AM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 11:01:22 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 11:01:21 AM	23	gradCels
SC ALRO SA	pH	8/15/2016 11:01:20 AM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 10:55:45 AM	21	mg/l
SC ALRO SA	Clor	8/15/2016 10:55:43 AM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 10:55:42 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 10:55:41 AM	23	gradCels
SC ALRO SA	pH	8/15/2016 10:55:40 AM	4	unit pH
SC ALRO SA	Clor	8/15/2016 10:52:40 AM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 10:52:20 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 10:51:40 AM	21	mg/l
SC ALRO SA	Temp	8/15/2016 10:51:30 AM	23	gradCels
SC ALRO SA	pH	8/15/2016 10:51:20 AM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 10:50:47 AM	21	mg/l
SC ALRO SA	Clor	8/15/2016 10:50:23 AM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 10:50:22 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 10:50:21 AM	23	gradCels
SC ALRO SA	pH	8/15/2016 10:50:20 AM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 10:44:45 AM	21	mg/l
SC ALRO SA	Clor	8/15/2016 10:44:43 AM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 10:44:42 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 10:44:41 AM	23	gradCels
SC ALRO SA	pH	8/15/2016 10:44:40 AM	4	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	8/15/2016 10:39:47 AM	21	mg/l
SC ALRO SA	Clor	8/15/2016 10:39:06 AM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 10:39:05 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 10:39:04 AM	23	gradCels
SC ALRO SA	pH	8/15/2016 10:39:03 AM	4	unit pH
SC ALRO SA	Clor	8/15/2016 10:33:44 AM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 10:33:43 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 10:33:42 AM	21	mg/l
SC ALRO SA	Temp	8/15/2016 10:33:41 AM	23	gradCels
SC ALRO SA	pH	8/15/2016 10:33:40 AM	4	unit pH
SC ALRO SA	Clor	8/15/2016 10:30:40 AM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 10:29:40 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 10:29:30 AM	21	mg/l
SC ALRO SA	Temp	8/15/2016 10:29:20 AM	23	gradCels
SC ALRO SA	pH	8/15/2016 10:29:10 AM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 10:28:52 AM	21	mg/l
SC ALRO SA	Clor	8/15/2016 10:28:48 AM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 10:28:47 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 10:28:46 AM	23	gradCels
SC ALRO SA	pH	8/15/2016 10:28:45 AM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 10:23:54 AM	21	mg/l
SC ALRO SA	Clor	8/15/2016 10:23:09 AM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 10:23:08 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 10:23:07 AM	23	gradCels
SC ALRO SA	pH	8/15/2016 10:23:06 AM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 10:17:51 AM	21	mg/l
SC ALRO SA	Clor	8/15/2016 10:17:49 AM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 10:17:48 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 10:17:47 AM	23	gradCels
SC ALRO SA	pH	8/15/2016 10:17:46 AM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 10:12:51 AM	21	mg/l
SC ALRO SA	Clor	8/15/2016 10:12:10 AM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 10:12:09 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 10:12:08 AM	23	gradCels
SC ALRO SA	pH	8/15/2016 10:12:07 AM	4	unit pH
SC ALRO SA	Clor	8/15/2016 10:08:30 AM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 10:07:40 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 10:07:30 AM	21	mg/l
SC ALRO SA	Temp	8/15/2016 10:07:20 AM	23	gradCels
SC ALRO SA	pH	8/15/2016 10:07:10 AM	4	unit pH
SC ALRO SA	Clor	8/15/2016 10:06:52 AM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 10:06:43 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 10:06:42 AM	21	mg/l
SC ALRO SA	Temp	8/15/2016 10:06:41 AM	23	gradCels
SC ALRO SA	pH	8/15/2016 10:06:40 AM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 10:02:04 AM	21	mg/l
SC ALRO SA	Clor	8/15/2016 10:02:03 AM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 10:01:02 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 10:01:01 AM	23	gradCels
SC ALRO SA	pH	8/15/2016 10:01:00 AM	4	unit pH
SC ALRO SA	Clor	8/15/2016 9:55:52 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 9:55:51 AM	21	mg/l
SC ALRO SA	Grasimi	8/15/2016 9:55:42 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 9:55:41 AM	23	gradCels
SC ALRO SA	pH	8/15/2016 9:55:40 AM	4	unit pH
SC ALRO SA	Clor	8/15/2016 9:51:05 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 9:51:03 AM	21	mg/l
SC ALRO SA	Grasimi	8/15/2016 9:50:02 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 9:50:01 AM	23	gradCels
SC ALRO SA	pH	8/15/2016 9:50:00 AM	4	unit pH
SC ALRO SA	Clor	8/15/2016 9:47:30 AM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 9:46:30 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 9:46:20 AM	21	mg/l
SC ALRO SA	Temp	8/15/2016 9:46:10 AM	23	gradCels
SC ALRO SA	pH	8/15/2016 9:45:40 AM	4	unit pH
SC ALRO SA	Clor	8/15/2016 9:44:52 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	8/15/2016 9:44:50 AM	21	mg/l
SC ALRO SA	Grasimi	8/15/2016 9:44:42 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 9:44:41 AM	23	gradCels
SC ALRO SA	pH	8/15/2016 9:44:40 AM	4	unit pH
SC ALRO SA	Clor	8/15/2016 9:40:05 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 9:40:04 AM	21	mg/l
SC ALRO SA	Grasimi	8/15/2016 9:39:08 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 9:39:07 AM	23	gradCels
SC ALRO SA	pH	8/15/2016 9:39:06 AM	4	unit pH
SC ALRO SA	Clor	8/15/2016 9:34:14 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 9:34:13 AM	21	mg/l
SC ALRO SA	Grasimi	8/15/2016 9:33:28 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 9:33:27 AM	23	gradCels
SC ALRO SA	pH	8/15/2016 9:33:26 AM	4	unit pH
SC ALRO SA	Clor	8/15/2016 9:29:04 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 9:29:03 AM	21	mg/l
SC ALRO SA	Grasimi	8/15/2016 9:28:08 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 9:28:07 AM	23	gradCels
SC ALRO SA	pH	8/15/2016 9:28:06 AM	4	unit pH
SC ALRO SA	Clor	8/15/2016 9:26:50 AM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 9:26:10 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 9:25:40 AM	21	mg/l
SC ALRO SA	Temp	8/15/2016 9:25:30 AM	23	gradCels
SC ALRO SA	pH	8/15/2016 9:24:40 AM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 9:22:54 AM	21	mg/l
SC ALRO SA	Clor	8/15/2016 9:22:53 AM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 9:22:22 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 9:22:21 AM	23	gradCels
SC ALRO SA	pH	8/15/2016 9:22:20 AM	4	unit pH
SC ALRO SA	Clor	8/15/2016 9:18:05 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 9:18:03 AM	21	mg/l
SC ALRO SA	Grasimi	8/15/2016 9:17:07 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 9:17:06 AM	23	gradCels
SC ALRO SA	pH	8/15/2016 9:17:05 AM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 9:11:54 AM	21	mg/l
SC ALRO SA	Clor	8/15/2016 9:11:51 AM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 9:11:22 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 9:11:21 AM	23	gradCels
SC ALRO SA	pH	8/15/2016 9:11:20 AM	4	unit pH
SC ALRO SA	Clor	8/15/2016 9:07:10 AM	0	mg/l
SC ALRO SA	Clor	8/15/2016 9:07:04 AM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 9:06:30 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 9:06:20 AM	21	mg/l
SC ALRO SA	Grasimi	8/15/2016 9:06:09 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 9:06:08 AM	21	mg/l
SC ALRO SA	Temp	8/15/2016 9:06:07 AM	23	gradCels
SC ALRO SA	pH	8/15/2016 9:06:06 AM	4	unit pH
SC ALRO SA	Temp	8/15/2016 9:05:40 AM	23	gradCels
SC ALRO SA	pH	8/15/2016 9:05:30 AM	4	unit pH
SC ALRO SA	Clor	8/15/2016 9:00:53 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 9:00:51 AM	21	mg/l
SC ALRO SA	Grasimi	8/15/2016 9:00:22 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 9:00:21 AM	23	gradCels
SC ALRO SA	pH	8/15/2016 9:00:20 AM	4	unit pH
SC ALRO SA	Clor	8/15/2016 8:55:12 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 8:55:11 AM	21	mg/l
SC ALRO SA	Grasimi	8/15/2016 8:55:02 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 8:55:01 AM	23	gradCels
SC ALRO SA	pH	8/15/2016 8:55:00 AM	4	unit pH
SC ALRO SA	Clor	8/15/2016 8:49:54 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 8:49:53 AM	21	mg/l
SC ALRO SA	Grasimi	8/15/2016 8:49:28 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 8:49:27 AM	23	gradCels
SC ALRO SA	pH	8/15/2016 8:49:26 AM	4	unit pH
SC ALRO SA	Clor	8/15/2016 8:47:50 AM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 8:47:20 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	8/15/2016 8:47:10 AM	21	mg/l
SC ALRO SA	Temp	8/15/2016 8:47:00 AM	23	gradCels
SC ALRO SA	pH	8/15/2016 8:46:20 AM	4	unit pH
SC ALRO SA	Clor	8/15/2016 8:43:52 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 8:43:51 AM	21	mg/l
SC ALRO SA	Grasimi	8/15/2016 8:43:42 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 8:43:41 AM	23	gradCels
SC ALRO SA	pH	8/15/2016 8:43:40 AM	4	unit pH
SC ALRO SA	Clor	8/15/2016 8:39:02 AM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 8:38:29 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 8:38:28 AM	21	mg/l
SC ALRO SA	Temp	8/15/2016 8:38:27 AM	23	gradCels
SC ALRO SA	pH	8/15/2016 8:38:26 AM	4	unit pH
SC ALRO SA	Clor	8/15/2016 8:32:52 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 8:32:51 AM	21	mg/l
SC ALRO SA	Grasimi	8/15/2016 8:32:42 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 8:32:41 AM	24	gradCels
SC ALRO SA	pH	8/15/2016 8:32:40 AM	4	unit pH
SC ALRO SA	Clor	8/15/2016 8:28:03 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 8:28:02 AM	21	mg/l
SC ALRO SA	Grasimi	8/15/2016 8:27:28 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 8:27:27 AM	24	gradCels
SC ALRO SA	pH	8/15/2016 8:27:26 AM	4	unit pH
SC ALRO SA	Clor	8/15/2016 8:26:40 AM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 8:26:20 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 8:26:10 AM	21	mg/l
SC ALRO SA	Temp	8/15/2016 8:25:50 AM	24	gradCels
SC ALRO SA	pH	8/15/2016 8:25:20 AM	4	unit pH
SC ALRO SA	Clor	8/15/2016 8:21:52 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 8:21:51 AM	21	mg/l
SC ALRO SA	Grasimi	8/15/2016 8:21:42 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 8:21:41 AM	24	gradCels
SC ALRO SA	pH	8/15/2016 8:21:40 AM	4	unit pH
SC ALRO SA	Clor	8/15/2016 8:17:04 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 8:17:02 AM	21	mg/l
SC ALRO SA	Grasimi	8/15/2016 8:16:28 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 8:16:27 AM	24	gradCels
SC ALRO SA	pH	8/15/2016 8:16:26 AM	3	unit pH
SC ALRO SA	Clor	8/15/2016 8:10:53 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 8:10:52 AM	21	mg/l
SC ALRO SA	Grasimi	8/15/2016 8:10:47 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 8:10:46 AM	24	gradCels
SC ALRO SA	pH	8/15/2016 8:10:45 AM	3	unit pH
SC ALRO SA	Clor	8/15/2016 8:07:00 AM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 8:06:20 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 8:06:10 AM	21	mg/l
SC ALRO SA	Clor	8/15/2016 8:06:03 AM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 8:05:23 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 8:05:22 AM	21	mg/l
SC ALRO SA	Temp	8/15/2016 8:05:21 AM	24	gradCels
SC ALRO SA	pH	8/15/2016 8:05:20 AM	3	unit pH
SC ALRO SA	Temp	8/15/2016 8:04:40 AM	24	gradCels
SC ALRO SA	pH	8/15/2016 8:04:30 AM	3	unit pH
SC ALRO SA	Clor	8/15/2016 7:59:53 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 7:59:52 AM	21	mg/l
SC ALRO SA	Grasimi	8/15/2016 7:59:48 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 7:59:47 AM	24	gradCels
SC ALRO SA	pH	8/15/2016 7:59:46 AM	3	unit pH
SC ALRO SA	Substante organice	8/15/2016 7:54:55 AM	21	mg/l
SC ALRO SA	Clor	8/15/2016 7:54:54 AM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 7:54:04 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 7:54:03 AM	24	gradCels
SC ALRO SA	pH	8/15/2016 7:54:02 AM	3	unit pH
SC ALRO SA	Substante organice	8/15/2016 7:48:53 AM	21	mg/l
SC ALRO SA	Clor	8/15/2016 7:48:52 AM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 7:48:47 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	8/15/2016 7:48:46 AM	24	gradCels
SC ALRO SA	pH	8/15/2016 7:48:45 AM	3	unit pH
SC ALRO SA	Clor	8/15/2016 7:45:30 AM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 7:45:10 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 7:45:00 AM	21	mg/l
SC ALRO SA	Temp	8/15/2016 7:44:30 AM	24	gradCels
SC ALRO SA	pH	8/15/2016 7:44:20 AM	3	unit pH
SC ALRO SA	Substante organice	8/15/2016 7:43:54 AM	21	mg/l
SC ALRO SA	Clor	8/15/2016 7:43:51 AM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 7:43:05 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 7:43:04 AM	24	gradCels
SC ALRO SA	pH	8/15/2016 7:43:03 AM	3	unit pH
SC ALRO SA	Clor	8/15/2016 7:37:53 AM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 7:37:43 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 7:37:42 AM	21	mg/l
SC ALRO SA	Temp	8/15/2016 7:37:41 AM	24	gradCels
SC ALRO SA	pH	8/15/2016 7:37:40 AM	3	unit pH
SC ALRO SA	Clor	8/15/2016 7:32:55 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 7:32:53 AM	20	mg/l
SC ALRO SA	Grasimi	8/15/2016 7:32:04 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 7:32:03 AM	24	gradCels
SC ALRO SA	pH	8/15/2016 7:32:02 AM	3	unit pH
SC ALRO SA	Clor	8/15/2016 7:26:52 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 7:26:50 AM	20	mg/l
SC ALRO SA	Grasimi	8/15/2016 7:26:48 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 7:26:47 AM	24	gradCels
SC ALRO SA	pH	8/15/2016 7:26:46 AM	3	unit pH
SC ALRO SA	Clor	8/15/2016 7:24:10 AM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 7:23:30 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 7:23:20 AM	20	mg/l
SC ALRO SA	Temp	8/15/2016 7:23:10 AM	24	gradCels
SC ALRO SA	pH	8/15/2016 7:23:00 AM	3	unit pH
SC ALRO SA	Clor	8/15/2016 7:21:53 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 7:21:51 AM	20	mg/l
SC ALRO SA	Grasimi	8/15/2016 7:21:10 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 7:21:09 AM	24	gradCels
SC ALRO SA	pH	8/15/2016 7:21:08 AM	3	unit pH
SC ALRO SA	Clor	8/15/2016 7:15:52 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 7:15:51 AM	20	mg/l
SC ALRO SA	Grasimi	8/15/2016 7:15:47 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 7:15:46 AM	24	gradCels
SC ALRO SA	pH	8/15/2016 7:15:45 AM	3	unit pH
SC ALRO SA	Clor	8/15/2016 7:10:53 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 7:10:51 AM	20	mg/l
SC ALRO SA	Grasimi	8/15/2016 7:10:10 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 7:10:09 AM	24	gradCels
SC ALRO SA	pH	8/15/2016 7:10:08 AM	3	unit pH
SC ALRO SA	Clor	8/15/2016 7:04:53 AM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 7:04:44 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 7:04:43 AM	20	mg/l
SC ALRO SA	Temp	8/15/2016 7:04:42 AM	24	gradCels
SC ALRO SA	pH	8/15/2016 7:04:40 AM	3	unit pH
SC ALRO SA	Clor	8/15/2016 7:02:10 AM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 7:01:30 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 7:01:20 AM	20	mg/l
SC ALRO SA	Temp	8/15/2016 7:01:10 AM	24	gradCels
SC ALRO SA	pH	8/15/2016 7:01:00 AM	3	unit pH
SC ALRO SA	Substante organice	8/15/2016 6:59:54 AM	20	mg/l
SC ALRO SA	Clor	8/15/2016 6:59:52 AM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 6:59:03 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 6:59:02 AM	24	gradCels
SC ALRO SA	pH	8/15/2016 6:59:01 AM	3	unit pH
SC ALRO SA	Substante organice	8/15/2016 6:53:52 AM	20	mg/l
SC ALRO SA	Clor	8/15/2016 6:53:51 AM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 6:53:48 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 6:53:47 AM	24	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	8/15/2016 6:53:46 AM	3	unit pH
SC ALRO SA	Clor	8/15/2016 6:48:54 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 6:48:53 AM	20	mg/l
SC ALRO SA	Grasimi	8/15/2016 6:48:08 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 6:48:07 AM	24	gradCels
SC ALRO SA	pH	8/15/2016 6:48:06 AM	3	unit pH
SC ALRO SA	Substante organice	8/15/2016 6:42:52 AM	20	mg/l
SC ALRO SA	Clor	8/15/2016 6:42:50 AM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 6:42:42 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 6:42:41 AM	24	gradCels
SC ALRO SA	pH	8/15/2016 6:42:40 AM	3	unit pH
SC ALRO SA	Clor	8/15/2016 6:40:40 AM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 6:40:10 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 6:40:00 AM	20	mg/l
SC ALRO SA	Temp	8/15/2016 6:39:50 AM	24	gradCels
SC ALRO SA	pH	8/15/2016 6:39:30 AM	3	unit pH
SC ALRO SA	Clor	8/15/2016 6:37:51 AM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 6:37:04 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 6:37:03 AM	20	mg/l
SC ALRO SA	Temp	8/15/2016 6:37:02 AM	24	gradCels
SC ALRO SA	pH	8/15/2016 6:37:01 AM	3	unit pH
SC ALRO SA	Clor	8/15/2016 6:32:03 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 6:32:02 AM	20	mg/l
SC ALRO SA	Grasimi	8/15/2016 6:31:22 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 6:31:21 AM	24	gradCels
SC ALRO SA	pH	8/15/2016 6:31:20 AM	3	unit pH
SC ALRO SA	Clor	8/15/2016 6:27:07 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 6:27:05 AM	20	mg/l
SC ALRO SA	Grasimi	8/15/2016 6:26:03 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 6:26:02 AM	24	gradCels
SC ALRO SA	pH	8/15/2016 6:26:01 AM	3	unit pH
SC ALRO SA	Clor	8/15/2016 6:21:01 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 6:21:00 AM	20	mg/l
SC ALRO SA	Grasimi	8/15/2016 6:20:22 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 6:20:21 AM	24	gradCels
SC ALRO SA	pH	8/15/2016 6:20:20 AM	3	unit pH
SC ALRO SA	Clor	8/15/2016 6:20:10 AM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 6:19:50 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 6:19:21 AM	20	mg/l
SC ALRO SA	Temp	8/15/2016 6:19:10 AM	24	gradCels
SC ALRO SA	pH	8/15/2016 6:18:40 AM	3	unit pH
SC ALRO SA	Clor	8/15/2016 6:16:04 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 6:16:02 AM	20	mg/l
SC ALRO SA	Grasimi	8/15/2016 6:15:02 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 6:15:01 AM	24	gradCels
SC ALRO SA	pH	8/15/2016 6:15:00 AM	3	unit pH
SC ALRO SA	Clor	8/15/2016 6:10:01 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 6:10:00 AM	20	mg/l
SC ALRO SA	Grasimi	8/15/2016 6:09:22 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 6:09:21 AM	24	gradCels
SC ALRO SA	pH	8/15/2016 6:09:20 AM	3	unit pH
SC ALRO SA	Clor	8/15/2016 6:04:07 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 6:04:06 AM	20	mg/l
SC ALRO SA	Grasimi	8/15/2016 6:04:02 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 6:04:01 AM	24	gradCels
SC ALRO SA	pH	8/15/2016 6:04:00 AM	3	unit pH
SC ALRO SA	Clor	8/15/2016 5:59:05 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 5:59:04 AM	20	mg/l
SC ALRO SA	Clor	8/15/2016 5:58:40 AM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 5:58:22 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 5:58:21 AM	24	gradCels
SC ALRO SA	pH	8/15/2016 5:58:20 AM	3	unit pH
SC ALRO SA	Grasimi	8/15/2016 5:57:40 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 5:57:30 AM	20	mg/l
SC ALRO SA	Temp	8/15/2016 5:57:20 AM	24	gradCels
SC ALRO SA	pH	8/15/2016 5:57:10 AM	3	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Clor	8/15/2016 5:52:45 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 5:52:44 AM	20	mg/l
SC ALRO SA	Grasimi	8/15/2016 5:52:42 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 5:52:41 AM	24	gradCels
SC ALRO SA	pH	8/15/2016 5:52:40 AM	3	unit pH
SC ALRO SA	Clor	8/15/2016 5:48:01 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 5:48:00 AM	20	mg/l
SC ALRO SA	Grasimi	8/15/2016 5:47:22 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 5:47:21 AM	24	gradCels
SC ALRO SA	pH	8/15/2016 5:47:20 AM	3	unit pH
SC ALRO SA	Clor	8/15/2016 5:41:45 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 5:41:44 AM	20	mg/l
SC ALRO SA	Grasimi	8/15/2016 5:41:42 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 5:41:41 AM	24	gradCels
SC ALRO SA	pH	8/15/2016 5:41:40 AM	3	unit pH
SC ALRO SA	Clor	8/15/2016 5:37:01 AM	0	mg/l
SC ALRO SA	Clor	8/15/2016 5:36:40 AM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 5:36:23 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 5:36:22 AM	20	mg/l
SC ALRO SA	Temp	8/15/2016 5:36:21 AM	24	gradCels
SC ALRO SA	pH	8/15/2016 5:36:20 AM	3	unit pH
SC ALRO SA	Grasimi	8/15/2016 5:35:40 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 5:35:30 AM	20	mg/l
SC ALRO SA	Temp	8/15/2016 5:35:20 AM	24	gradCels
SC ALRO SA	pH	8/15/2016 5:35:10 AM	3	unit pH
SC ALRO SA	Clor	8/15/2016 5:30:45 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 5:30:44 AM	20	mg/l
SC ALRO SA	Grasimi	8/15/2016 5:30:42 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 5:30:41 AM	24	gradCels
SC ALRO SA	pH	8/15/2016 5:30:40 AM	3	unit pH
SC ALRO SA	Clor	8/15/2016 5:26:09 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 5:26:07 AM	20	mg/l
SC ALRO SA	Grasimi	8/15/2016 5:25:03 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 5:25:02 AM	24	gradCels
SC ALRO SA	pH	8/15/2016 5:25:01 AM	3	unit pH
SC ALRO SA	Clor	8/15/2016 5:19:51 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 5:19:50 AM	20	mg/l
SC ALRO SA	Grasimi	8/15/2016 5:19:42 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 5:19:41 AM	24	gradCels
SC ALRO SA	pH	8/15/2016 5:19:40 AM	3	unit pH
SC ALRO SA	Clor	8/15/2016 5:15:40 AM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 5:15:10 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 5:15:00 AM	20	mg/l
SC ALRO SA	Clor	8/15/2016 5:14:58 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 5:14:57 AM	20	mg/l
SC ALRO SA	Grasimi	8/15/2016 5:14:42 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 5:14:41 AM	24	gradCels
SC ALRO SA	pH	8/15/2016 5:14:40 AM	3	unit pH
SC ALRO SA	Temp	8/15/2016 5:13:40 AM	24	gradCels
SC ALRO SA	pH	8/15/2016 5:13:30 AM	3	unit pH
SC ALRO SA	Clor	8/15/2016 5:09:48 AM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 5:09:03 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 5:09:02 AM	20	mg/l
SC ALRO SA	Temp	8/15/2016 5:09:01 AM	24	gradCels
SC ALRO SA	pH	8/15/2016 5:09:00 AM	3	unit pH
SC ALRO SA	Clor	8/15/2016 5:03:59 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 5:03:57 AM	20	mg/l
SC ALRO SA	Grasimi	8/15/2016 5:03:42 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 5:03:41 AM	24	gradCels
SC ALRO SA	pH	8/15/2016 5:03:40 AM	3	unit pH
SC ALRO SA	Clor	8/15/2016 4:58:50 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 4:58:49 AM	20	mg/l
SC ALRO SA	Grasimi	8/15/2016 4:58:02 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 4:58:01 AM	24	gradCels
SC ALRO SA	pH	8/15/2016 4:58:00 AM	3	unit pH
SC ALRO SA	Clor	8/15/2016 4:53:00 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Clor	8/15/2016 4:52:57 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 4:52:55 AM	20	mg/l
SC ALRO SA	Grasimi	8/15/2016 4:52:42 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 4:52:41 AM	24	gradCels
SC ALRO SA	pH	8/15/2016 4:52:40 AM	3	unit pH
SC ALRO SA	Grasimi	8/15/2016 4:51:50 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 4:51:40 AM	20	mg/l
SC ALRO SA	Temp	8/15/2016 4:51:30 AM	24	gradCels
SC ALRO SA	pH	8/15/2016 4:51:20 AM	3	unit pH
SC ALRO SA	Clor	8/15/2016 4:47:48 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 4:47:47 AM	20	mg/l
SC ALRO SA	Grasimi	8/15/2016 4:47:02 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 4:47:01 AM	24	gradCels
SC ALRO SA	pH	8/15/2016 4:47:00 AM	3	unit pH
SC ALRO SA	Substante organice	8/15/2016 4:41:59 AM	20	mg/l
SC ALRO SA	Clor	8/15/2016 4:41:58 AM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 4:41:42 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 4:41:41 AM	24	gradCels
SC ALRO SA	pH	8/15/2016 4:41:40 AM	3	unit pH
SC ALRO SA	Clor	8/15/2016 4:36:47 AM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 4:36:03 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 4:36:02 AM	20	mg/l
SC ALRO SA	Temp	8/15/2016 4:36:01 AM	24	gradCels
SC ALRO SA	pH	8/15/2016 4:36:00 AM	3	unit pH
SC ALRO SA	Clor	8/15/2016 4:30:59 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 4:30:57 AM	21	mg/l
SC ALRO SA	Grasimi	8/15/2016 4:30:42 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 4:30:41 AM	24	gradCels
SC ALRO SA	pH	8/15/2016 4:30:40 AM	3	unit pH
SC ALRO SA	Clor	8/15/2016 4:30:20 AM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 4:29:50 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 4:29:40 AM	21	mg/l
SC ALRO SA	Temp	8/15/2016 4:29:30 AM	24	gradCels
SC ALRO SA	pH	8/15/2016 4:29:20 AM	3	unit pH
SC ALRO SA	Clor	8/15/2016 4:25:49 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 4:25:47 AM	21	mg/l
SC ALRO SA	Grasimi	8/15/2016 4:25:02 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 4:25:01 AM	24	gradCels
SC ALRO SA	pH	8/15/2016 4:25:00 AM	3	unit pH
SC ALRO SA	Clor	8/15/2016 4:19:59 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 4:19:58 AM	21	mg/l
SC ALRO SA	Grasimi	8/15/2016 4:19:42 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 4:19:41 AM	24	gradCels
SC ALRO SA	pH	8/15/2016 4:19:40 AM	3	unit pH
SC ALRO SA	Clor	8/15/2016 4:15:04 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 4:15:03 AM	21	mg/l
SC ALRO SA	Grasimi	8/15/2016 4:14:02 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 4:14:01 AM	24	gradCels
SC ALRO SA	pH	8/15/2016 4:14:00 AM	3	unit pH
SC ALRO SA	Clor	8/15/2016 4:10:50 AM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 4:10:10 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 4:09:50 AM	21	mg/l
SC ALRO SA	Temp	8/15/2016 4:09:20 AM	25	gradCels
SC ALRO SA	pH	8/15/2016 4:09:10 AM	3	unit pH
SC ALRO SA	Clor	8/15/2016 4:08:56 AM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 4:08:43 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 4:08:42 AM	21	mg/l
SC ALRO SA	Temp	8/15/2016 4:08:41 AM	25	gradCels
SC ALRO SA	pH	8/15/2016 4:08:40 AM	3	unit pH
SC ALRO SA	Clor	8/15/2016 4:04:05 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 4:04:04 AM	21	mg/l
SC ALRO SA	Grasimi	8/15/2016 4:03:02 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 4:03:01 AM	25	gradCels
SC ALRO SA	pH	8/15/2016 4:03:00 AM	3	unit pH
SC ALRO SA	Substante organice	8/15/2016 3:57:56 AM	21	mg/l
SC ALRO SA	Clor	8/15/2016 3:57:54 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Grasimi	8/15/2016 3:57:22 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 3:57:21 AM	25	gradCels
SC ALRO SA	pH	8/15/2016 3:57:20 AM	3	unit pH
SC ALRO SA	Clor	8/15/2016 3:53:03 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 3:53:02 AM	21	mg/l
SC ALRO SA	Grasimi	8/15/2016 3:52:03 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 3:52:02 AM	25	gradCels
SC ALRO SA	pH	8/15/2016 3:52:01 AM	3	unit pH
SC ALRO SA	Clor	8/15/2016 3:49:40 AM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 3:49:20 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 3:49:10 AM	21	mg/l
SC ALRO SA	Temp	8/15/2016 3:48:50 AM	25	gradCels
SC ALRO SA	pH	8/15/2016 3:48:20 AM	3	unit pH
SC ALRO SA	Clor	8/15/2016 3:46:54 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 3:46:53 AM	21	mg/l
SC ALRO SA	Grasimi	8/15/2016 3:46:22 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 3:46:21 AM	25	gradCels
SC ALRO SA	pH	8/15/2016 3:46:20 AM	3	unit pH
SC ALRO SA	Clor	8/15/2016 3:42:05 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 3:42:04 AM	21	mg/l
SC ALRO SA	Grasimi	8/15/2016 3:41:03 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 3:41:02 AM	25	gradCels
SC ALRO SA	pH	8/15/2016 3:41:01 AM	3	unit pH
SC ALRO SA	Clor	8/15/2016 3:35:54 AM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 3:35:23 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 3:35:22 AM	21	mg/l
SC ALRO SA	Temp	8/15/2016 3:35:21 AM	25	gradCels
SC ALRO SA	pH	8/15/2016 3:35:20 AM	3	unit pH
SC ALRO SA	Clor	8/15/2016 3:31:04 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 3:31:03 AM	22	mg/l
SC ALRO SA	Grasimi	8/15/2016 3:30:03 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 3:30:02 AM	25	gradCels
SC ALRO SA	pH	8/15/2016 3:30:01 AM	3	unit pH
SC ALRO SA	Clor	8/15/2016 3:28:20 AM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 3:27:50 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 3:27:30 AM	22	mg/l
SC ALRO SA	Temp	8/15/2016 3:27:20 AM	25	gradCels
SC ALRO SA	pH	8/15/2016 3:27:10 AM	3	unit pH
SC ALRO SA	Clor	8/15/2016 3:24:55 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 3:24:53 AM	22	mg/l
SC ALRO SA	Grasimi	8/15/2016 3:24:22 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 3:24:21 AM	25	gradCels
SC ALRO SA	pH	8/15/2016 3:24:20 AM	3	unit pH
SC ALRO SA	Clor	8/15/2016 3:18:45 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 3:18:44 AM	22	mg/l
SC ALRO SA	Grasimi	8/15/2016 3:18:42 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 3:18:41 AM	25	gradCels
SC ALRO SA	pH	8/15/2016 3:18:40 AM	3	unit pH
SC ALRO SA	Clor	8/15/2016 3:14:04 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 3:14:03 AM	22	mg/l
SC ALRO SA	Grasimi	8/15/2016 3:13:22 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 3:13:21 AM	25	gradCels
SC ALRO SA	pH	8/15/2016 3:13:20 AM	3	unit pH
SC ALRO SA	Clor	8/15/2016 3:07:46 AM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 3:07:43 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 3:07:42 AM	22	mg/l
SC ALRO SA	Temp	8/15/2016 3:07:41 AM	25	gradCels
SC ALRO SA	pH	8/15/2016 3:07:40 AM	3	unit pH
SC ALRO SA	Clor	8/15/2016 3:06:30 AM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 3:06:10 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 3:05:20 AM	22	mg/l
SC ALRO SA	Temp	8/15/2016 3:05:10 AM	25	gradCels
SC ALRO SA	pH	8/15/2016 3:05:00 AM	3	unit pH
SC ALRO SA	Clor	8/15/2016 3:03:04 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 3:03:03 AM	22	mg/l
SC ALRO SA	Grasimi	8/15/2016 3:02:22 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	8/15/2016 3:02:21 AM	25	gradCels
SC ALRO SA	pH	8/15/2016 3:02:20 AM	3	unit pH
SC ALRO SA	Clor	8/15/2016 2:56:45 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 2:56:44 AM	22	mg/l
SC ALRO SA	Grasimi	8/15/2016 2:56:42 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 2:56:41 AM	25	gradCels
SC ALRO SA	pH	8/15/2016 2:56:40 AM	3	unit pH
SC ALRO SA	Clor	8/15/2016 2:51:41 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 2:51:40 AM	22	mg/l
SC ALRO SA	Grasimi	8/15/2016 2:51:22 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 2:51:21 AM	25	gradCels
SC ALRO SA	pH	8/15/2016 2:51:20 AM	3	unit pH
SC ALRO SA	Substante organice	8/15/2016 2:45:46 AM	22	mg/l
SC ALRO SA	Clor	8/15/2016 2:45:45 AM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 2:45:42 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 2:45:41 AM	25	gradCels
SC ALRO SA	pH	8/15/2016 2:45:40 AM	3	unit pH
SC ALRO SA	Clor	8/15/2016 2:44:30 AM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 2:44:10 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 2:44:00 AM	22	mg/l
SC ALRO SA	Temp	8/15/2016 2:43:20 AM	25	gradCels
SC ALRO SA	pH	8/15/2016 2:43:10 AM	3	unit pH
SC ALRO SA	Clor	8/15/2016 2:41:04 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 2:41:02 AM	22	mg/l
SC ALRO SA	Grasimi	8/15/2016 2:40:22 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 2:40:21 AM	25	gradCels
SC ALRO SA	pH	8/15/2016 2:40:20 AM	3	unit pH
SC ALRO SA	Clor	8/15/2016 2:34:46 AM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 2:34:43 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 2:34:42 AM	22	mg/l
SC ALRO SA	Temp	8/15/2016 2:34:41 AM	25	gradCels
SC ALRO SA	pH	8/15/2016 2:34:40 AM	3	unit pH
SC ALRO SA	Clor	8/15/2016 2:29:44 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 2:29:43 AM	23	mg/l
SC ALRO SA	Grasimi	8/15/2016 2:29:02 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 2:29:01 AM	25	gradCels
SC ALRO SA	pH	8/15/2016 2:29:00 AM	3	unit pH
SC ALRO SA	Clor	8/15/2016 2:23:46 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 2:23:45 AM	23	mg/l
SC ALRO SA	Grasimi	8/15/2016 2:23:42 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 2:23:41 AM	25	gradCels
SC ALRO SA	pH	8/15/2016 2:23:40 AM	3	unit pH
SC ALRO SA	Clor	8/15/2016 2:22:50 AM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 2:22:30 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 2:22:20 AM	23	mg/l
SC ALRO SA	Temp	8/15/2016 2:22:10 AM	25	gradCels
SC ALRO SA	pH	8/15/2016 2:22:00 AM	3	unit pH
SC ALRO SA	Clor	8/15/2016 2:19:04 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 2:19:03 AM	23	mg/l
SC ALRO SA	Grasimi	8/15/2016 2:18:02 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 2:18:01 AM	25	gradCels
SC ALRO SA	pH	8/15/2016 2:18:00 AM	3	unit pH
SC ALRO SA	Clor	8/15/2016 2:12:47 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 2:12:46 AM	23	mg/l
SC ALRO SA	Grasimi	8/15/2016 2:12:42 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 2:12:41 AM	25	gradCels
SC ALRO SA	pH	8/15/2016 2:12:40 AM	3	unit pH
SC ALRO SA	Clor	8/15/2016 2:07:42 AM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 2:07:03 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 2:07:02 AM	23	mg/l
SC ALRO SA	Temp	8/15/2016 2:07:01 AM	25	gradCels
SC ALRO SA	pH	8/15/2016 2:07:00 AM	3	unit pH
SC ALRO SA	Clor	8/15/2016 2:03:30 AM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 2:03:10 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 2:02:50 AM	23	mg/l
SC ALRO SA	Temp	8/15/2016 2:02:20 AM	25	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	8/15/2016 2:02:10 AM	3	unit pH
SC ALRO SA	Clor	8/15/2016 2:01:46 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 2:01:45 AM	23	mg/l
SC ALRO SA	Grasimi	8/15/2016 2:01:42 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 2:01:41 AM	25	gradCels
SC ALRO SA	pH	8/15/2016 2:01:40 AM	3	unit pH
SC ALRO SA	Clor	8/15/2016 1:56:43 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 1:56:42 AM	23	mg/l
SC ALRO SA	Grasimi	8/15/2016 1:56:02 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 1:56:01 AM	25	gradCels
SC ALRO SA	pH	8/15/2016 1:56:00 AM	3	unit pH
SC ALRO SA	Clor	8/15/2016 1:50:54 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 1:50:53 AM	23	mg/l
SC ALRO SA	Grasimi	8/15/2016 1:50:42 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 1:50:41 AM	25	gradCels
SC ALRO SA	pH	8/15/2016 1:50:40 AM	3	unit pH
SC ALRO SA	Clor	8/15/2016 1:46:04 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 1:46:03 AM	23	mg/l
SC ALRO SA	Grasimi	8/15/2016 1:45:02 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 1:45:01 AM	25	gradCels
SC ALRO SA	pH	8/15/2016 1:45:00 AM	3	unit pH
SC ALRO SA	Clor	8/15/2016 1:42:40 AM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 1:42:10 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 1:41:40 AM	23	mg/l
SC ALRO SA	Temp	8/15/2016 1:41:30 AM	25	gradCels
SC ALRO SA	pH	8/15/2016 1:41:20 AM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 1:39:55 AM	23	mg/l
SC ALRO SA	Clor	8/15/2016 1:39:52 AM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 1:39:22 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 1:39:21 AM	25	gradCels
SC ALRO SA	pH	8/15/2016 1:39:20 AM	4	unit pH
SC ALRO SA	Clor	8/15/2016 1:34:42 AM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 1:34:03 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 1:34:02 AM	23	mg/l
SC ALRO SA	Temp	8/15/2016 1:34:01 AM	25	gradCels
SC ALRO SA	pH	8/15/2016 1:34:00 AM	4	unit pH
SC ALRO SA	Clor	8/15/2016 1:28:56 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 1:28:54 AM	23	mg/l
SC ALRO SA	Grasimi	8/15/2016 1:28:22 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 1:28:21 AM	25	gradCels
SC ALRO SA	pH	8/15/2016 1:28:20 AM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 1:23:44 AM	23	mg/l
SC ALRO SA	Clor	8/15/2016 1:23:43 AM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 1:23:02 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 1:23:01 AM	25	gradCels
SC ALRO SA	pH	8/15/2016 1:23:00 AM	4	unit pH
SC ALRO SA	Clor	8/15/2016 1:19:50 AM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 1:19:20 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 1:19:10 AM	23	mg/l
SC ALRO SA	Temp	8/15/2016 1:19:00 AM	25	gradCels
SC ALRO SA	pH	8/15/2016 1:18:50 AM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 1:17:56 AM	23	mg/l
SC ALRO SA	Clor	8/15/2016 1:17:53 AM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 1:17:22 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 1:17:21 AM	25	gradCels
SC ALRO SA	pH	8/15/2016 1:17:20 AM	4	unit pH
SC ALRO SA	Clor	8/15/2016 1:12:44 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 1:12:43 AM	23	mg/l
SC ALRO SA	Grasimi	8/15/2016 1:12:02 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 1:12:01 AM	25	gradCels
SC ALRO SA	pH	8/15/2016 1:12:00 AM	4	unit pH
SC ALRO SA	Clor	8/15/2016 1:06:55 AM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 1:06:23 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 1:06:22 AM	23	mg/l
SC ALRO SA	Temp	8/15/2016 1:06:21 AM	25	gradCels
SC ALRO SA	pH	8/15/2016 1:06:20 AM	4	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Clor	8/15/2016 1:01:46 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 1:01:45 AM	23	mg/l
SC ALRO SA	Grasimi	8/15/2016 1:00:44 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 1:00:43 AM	25	gradCels
SC ALRO SA	pH	8/15/2016 1:00:42 AM	4	unit pH
SC ALRO SA	Clor	8/15/2016 12:59:20 AM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 12:58:50 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 12:58:30 AM	23	mg/l
SC ALRO SA	Temp	8/15/2016 12:57:50 AM	25	gradCels
SC ALRO SA	pH	8/15/2016 12:57:30 AM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 12:55:54 AM	23	mg/l
SC ALRO SA	Clor	8/15/2016 12:55:53 AM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 12:55:22 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 12:55:21 AM	25	gradCels
SC ALRO SA	pH	8/15/2016 12:55:20 AM	4	unit pH
SC ALRO SA	Clor	8/15/2016 12:49:47 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 12:49:45 AM	23	mg/l
SC ALRO SA	Grasimi	8/15/2016 12:49:42 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 12:49:41 AM	25	gradCels
SC ALRO SA	pH	8/15/2016 12:49:40 AM	4	unit pH
SC ALRO SA	Clor	8/15/2016 12:44:54 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 12:44:53 AM	23	mg/l
SC ALRO SA	Grasimi	8/15/2016 12:44:22 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 12:44:21 AM	25	gradCels
SC ALRO SA	pH	8/15/2016 12:44:20 AM	4	unit pH
SC ALRO SA	Clor	8/15/2016 12:38:47 AM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 12:38:43 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 12:38:42 AM	23	mg/l
SC ALRO SA	Temp	8/15/2016 12:38:41 AM	25	gradCels
SC ALRO SA	pH	8/15/2016 12:38:40 AM	4	unit pH
SC ALRO SA	Clor	8/15/2016 12:37:50 AM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 12:37:20 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 12:37:10 AM	23	mg/l
SC ALRO SA	Temp	8/15/2016 12:36:30 AM	25	gradCels
SC ALRO SA	pH	8/15/2016 12:36:20 AM	4	unit pH
SC ALRO SA	Clor	8/15/2016 12:33:54 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 12:33:53 AM	23	mg/l
SC ALRO SA	Grasimi	8/15/2016 12:33:22 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 12:33:21 AM	25	gradCels
SC ALRO SA	pH	8/15/2016 12:33:20 AM	4	unit pH
SC ALRO SA	Clor	8/15/2016 12:27:47 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 12:27:45 AM	23	mg/l
SC ALRO SA	Grasimi	8/15/2016 12:27:42 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 12:27:41 AM	25	gradCels
SC ALRO SA	pH	8/15/2016 12:27:40 AM	4	unit pH
SC ALRO SA	Clor	8/15/2016 12:22:54 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 12:22:53 AM	23	mg/l
SC ALRO SA	Grasimi	8/15/2016 12:22:22 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 12:22:21 AM	25	gradCels
SC ALRO SA	pH	8/15/2016 12:22:20 AM	4	unit pH
SC ALRO SA	Substante organice	8/15/2016 12:16:46 AM	23	mg/l
SC ALRO SA	Clor	8/15/2016 12:16:45 AM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 12:16:42 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 12:16:41 AM	25	gradCels
SC ALRO SA	pH	8/15/2016 12:16:40 AM	4	unit pH
SC ALRO SA	Clor	8/15/2016 12:15:30 AM	0	mg/l
SC ALRO SA	Grasimi	8/15/2016 12:15:10 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 12:14:30 AM	23	mg/l
SC ALRO SA	Temp	8/15/2016 12:14:20 AM	25	gradCels
SC ALRO SA	pH	8/15/2016 12:14:10 AM	4	unit pH
SC ALRO SA	Clor	8/15/2016 12:11:54 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 12:11:53 AM	23	mg/l
SC ALRO SA	Grasimi	8/15/2016 12:11:02 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 12:11:01 AM	25	gradCels
SC ALRO SA	pH	8/15/2016 12:11:00 AM	4	unit pH
SC ALRO SA	Clor	8/15/2016 12:05:51 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Grasimi	8/15/2016 12:05:43 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 12:05:42 AM	23	mg/l
SC ALRO SA	Temp	8/15/2016 12:05:41 AM	25	gradCels
SC ALRO SA	pH	8/15/2016 12:05:40 AM	4	unit pH
SC ALRO SA	Clor	8/15/2016 12:00:49 AM	0	mg/l
SC ALRO SA	Substante organice	8/15/2016 12:00:47 AM	23	mg/l
SC ALRO SA	Grasimi	8/15/2016 12:00:02 AM	0	mg/l
SC ALRO SA	Temp	8/15/2016 12:00:01 AM	25	gradCels
SC ALRO SA	pH	8/15/2016 12:00:00 AM	4	unit pH
SC ALRO SA	Substante organice	8/14/2016 11:54:51 PM	23	mg/l
SC ALRO SA	Clor	8/14/2016 11:54:50 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 11:54:46 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 11:54:45 PM	25	gradCels
SC ALRO SA	pH	8/14/2016 11:54:44 PM	4	unit pH
SC ALRO SA	Clor	8/14/2016 11:54:00 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 11:53:30 PM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 11:53:20 PM	23	mg/l
SC ALRO SA	Temp	8/14/2016 11:53:10 PM	25	gradCels
SC ALRO SA	pH	8/14/2016 11:52:30 PM	4	unit pH
SC ALRO SA	Clor	8/14/2016 11:49:44 PM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 11:49:42 PM	23	mg/l
SC ALRO SA	Grasimi	8/14/2016 11:49:06 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 11:49:05 PM	25	gradCels
SC ALRO SA	pH	8/14/2016 11:49:04 PM	4	unit pH
SC ALRO SA	Clor	8/14/2016 11:43:51 PM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 11:43:49 PM	23	mg/l
SC ALRO SA	Grasimi	8/14/2016 11:43:42 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 11:43:41 PM	25	gradCels
SC ALRO SA	pH	8/14/2016 11:43:40 PM	4	unit pH
SC ALRO SA	Clor	8/14/2016 11:38:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 11:38:03 PM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 11:38:02 PM	23	mg/l
SC ALRO SA	Temp	8/14/2016 11:38:01 PM	25	gradCels
SC ALRO SA	pH	8/14/2016 11:38:00 PM	4	unit pH
SC ALRO SA	Clor	8/14/2016 11:32:51 PM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 11:32:50 PM	23	mg/l
SC ALRO SA	Grasimi	8/14/2016 11:32:46 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 11:32:45 PM	25	gradCels
SC ALRO SA	pH	8/14/2016 11:32:44 PM	4	unit pH
SC ALRO SA	Clor	8/14/2016 11:32:20 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 11:32:00 PM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 11:31:50 PM	23	mg/l
SC ALRO SA	Temp	8/14/2016 11:31:30 PM	25	gradCels
SC ALRO SA	pH	8/14/2016 11:31:10 PM	4	unit pH
SC ALRO SA	Clor	8/14/2016 11:27:44 PM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 11:27:43 PM	23	mg/l
SC ALRO SA	Grasimi	8/14/2016 11:27:06 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 11:27:05 PM	25	gradCels
SC ALRO SA	pH	8/14/2016 11:27:04 PM	4	unit pH
SC ALRO SA	Clor	8/14/2016 11:21:50 PM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 11:21:49 PM	23	mg/l
SC ALRO SA	Grasimi	8/14/2016 11:21:42 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 11:21:41 PM	25	gradCels
SC ALRO SA	pH	8/14/2016 11:21:40 PM	4	unit pH
SC ALRO SA	Clor	8/14/2016 11:16:43 PM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 11:16:42 PM	23	mg/l
SC ALRO SA	Grasimi	8/14/2016 11:16:02 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 11:16:01 PM	25	gradCels
SC ALRO SA	pH	8/14/2016 11:16:00 PM	4	unit pH
SC ALRO SA	Clor	8/14/2016 11:12:10 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 11:11:30 PM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 11:11:10 PM	23	mg/l
SC ALRO SA	Temp	8/14/2016 11:11:00 PM	25	gradCels
SC ALRO SA	Clor	8/14/2016 11:10:51 PM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 11:10:50 PM	23	mg/l
SC ALRO SA	Grasimi	8/14/2016 11:10:42 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	8/14/2016 11:10:41 PM	25	gradCels
SC ALRO SA	pH	8/14/2016 11:10:40 PM	4	unit pH
SC ALRO SA	pH	8/14/2016 11:10:20 PM	4	unit pH
SC ALRO SA	Clor	8/14/2016 11:05:44 PM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 11:05:42 PM	23	mg/l
SC ALRO SA	Grasimi	8/14/2016 11:05:07 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 11:05:06 PM	25	gradCels
SC ALRO SA	pH	8/14/2016 11:05:05 PM	4	unit pH
SC ALRO SA	Clor	8/14/2016 10:59:43 PM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 10:59:41 PM	23	mg/l
SC ALRO SA	Grasimi	8/14/2016 10:59:22 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 10:59:21 PM	25	gradCels
SC ALRO SA	pH	8/14/2016 10:59:20 PM	4	unit pH
SC ALRO SA	Clor	8/14/2016 10:54:43 PM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 10:54:42 PM	23	mg/l
SC ALRO SA	Grasimi	8/14/2016 10:54:07 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 10:54:06 PM	25	gradCels
SC ALRO SA	pH	8/14/2016 10:54:05 PM	4	unit pH
SC ALRO SA	Clor	8/14/2016 10:50:20 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 10:49:50 PM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 10:49:30 PM	23	mg/l
SC ALRO SA	Temp	8/14/2016 10:49:00 PM	25	gradCels
SC ALRO SA	pH	8/14/2016 10:48:50 PM	4	unit pH
SC ALRO SA	Substante organice	8/14/2016 10:48:42 PM	23	mg/l
SC ALRO SA	Clor	8/14/2016 10:48:41 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 10:48:22 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 10:48:21 PM	25	gradCels
SC ALRO SA	pH	8/14/2016 10:48:20 PM	4	unit pH
SC ALRO SA	Clor	8/14/2016 10:43:55 PM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 10:43:54 PM	23	mg/l
SC ALRO SA	Grasimi	8/14/2016 10:43:07 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 10:43:06 PM	25	gradCels
SC ALRO SA	pH	8/14/2016 10:43:05 PM	4	unit pH
SC ALRO SA	Clor	8/14/2016 10:37:42 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 10:37:23 PM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 10:37:22 PM	23	mg/l
SC ALRO SA	Temp	8/14/2016 10:37:21 PM	25	gradCels
SC ALRO SA	pH	8/14/2016 10:37:20 PM	4	unit pH
SC ALRO SA	Substante organice	8/14/2016 10:32:56 PM	23	mg/l
SC ALRO SA	Clor	8/14/2016 10:32:54 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 10:32:07 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 10:32:06 PM	25	gradCels
SC ALRO SA	pH	8/14/2016 10:32:05 PM	4	unit pH
SC ALRO SA	Clor	8/14/2016 10:30:10 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 10:29:30 PM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 10:29:10 PM	23	mg/l
SC ALRO SA	Temp	8/14/2016 10:29:00 PM	25	gradCels
SC ALRO SA	pH	8/14/2016 10:28:50 PM	4	unit pH
SC ALRO SA	Clor	8/14/2016 10:26:43 PM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 10:26:41 PM	23	mg/l
SC ALRO SA	Grasimi	8/14/2016 10:26:22 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 10:26:21 PM	25	gradCels
SC ALRO SA	pH	8/14/2016 10:26:20 PM	4	unit pH
SC ALRO SA	Substante organice	8/14/2016 10:21:55 PM	23	mg/l
SC ALRO SA	Clor	8/14/2016 10:21:54 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 10:21:07 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 10:21:06 PM	25	gradCels
SC ALRO SA	pH	8/14/2016 10:21:05 PM	4	unit pH
SC ALRO SA	Clor	8/14/2016 10:15:41 PM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 10:15:40 PM	23	mg/l
SC ALRO SA	Grasimi	8/14/2016 10:15:34 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 10:15:32 PM	25	gradCels
SC ALRO SA	pH	8/14/2016 10:15:30 PM	4	unit pH
SC ALRO SA	Substante organice	8/14/2016 10:10:55 PM	23	mg/l
SC ALRO SA	Clor	8/14/2016 10:10:54 PM	0	mg/l
SC ALRO SA	Clor	8/14/2016 10:10:00 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Grasimi	8/14/2016 10:09:43 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 10:09:42 PM	25	gradCels
SC ALRO SA	pH	8/14/2016 10:09:41 PM	4	unit pH
SC ALRO SA	Grasimi	8/14/2016 10:09:30 PM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 10:09:20 PM	23	mg/l
SC ALRO SA	Temp	8/14/2016 10:09:10 PM	25	gradCels
SC ALRO SA	pH	8/14/2016 10:08:50 PM	4	unit pH
SC ALRO SA	Clor	8/14/2016 10:04:42 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 10:04:28 PM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 10:04:27 PM	23	mg/l
SC ALRO SA	Temp	8/14/2016 10:04:26 PM	25	gradCels
SC ALRO SA	pH	8/14/2016 10:04:25 PM	4	unit pH
SC ALRO SA	Substante organice	8/14/2016 9:58:48 PM	23	mg/l
SC ALRO SA	Clor	8/14/2016 9:58:44 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 9:58:42 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 9:58:41 PM	25	gradCels
SC ALRO SA	pH	8/14/2016 9:58:40 PM	4	unit pH
SC ALRO SA	Clor	8/14/2016 9:53:43 PM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 9:53:42 PM	23	mg/l
SC ALRO SA	Grasimi	8/14/2016 9:53:26 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 9:53:25 PM	25	gradCels
SC ALRO SA	pH	8/14/2016 9:53:24 PM	4	unit pH
SC ALRO SA	Clor	8/14/2016 9:50:10 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 9:49:50 PM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 9:49:30 PM	23	mg/l
SC ALRO SA	Temp	8/14/2016 9:49:20 PM	25	gradCels
SC ALRO SA	pH	8/14/2016 9:49:10 PM	4	unit pH
SC ALRO SA	Clor	8/14/2016 9:47:50 PM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 9:47:49 PM	23	mg/l
SC ALRO SA	Grasimi	8/14/2016 9:47:42 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 9:47:41 PM	25	gradCels
SC ALRO SA	pH	8/14/2016 9:47:40 PM	4	unit pH
SC ALRO SA	Clor	8/14/2016 9:42:42 PM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 9:42:41 PM	23	mg/l
SC ALRO SA	Grasimi	8/14/2016 9:42:27 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 9:42:26 PM	25	gradCels
SC ALRO SA	pH	8/14/2016 9:42:25 PM	5	unit pH
SC ALRO SA	Clor	8/14/2016 9:36:50 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 9:36:43 PM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 9:36:42 PM	23	mg/l
SC ALRO SA	Temp	8/14/2016 9:36:41 PM	25	gradCels
SC ALRO SA	pH	8/14/2016 9:36:40 PM	5	unit pH
SC ALRO SA	Substante organice	8/14/2016 9:31:41 PM	23	mg/l
SC ALRO SA	Clor	8/14/2016 9:31:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 9:31:22 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 9:31:21 PM	25	gradCels
SC ALRO SA	pH	8/14/2016 9:31:20 PM	5	unit pH
SC ALRO SA	Clor	8/14/2016 9:31:00 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 9:30:20 PM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 9:30:10 PM	23	mg/l
SC ALRO SA	Temp	8/14/2016 9:30:00 PM	25	gradCels
SC ALRO SA	pH	8/14/2016 9:29:50 PM	5	unit pH
SC ALRO SA	Substante organice	8/14/2016 9:25:51 PM	23	mg/l
SC ALRO SA	Clor	8/14/2016 9:25:48 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 9:25:47 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 9:25:46 PM	25	gradCels
SC ALRO SA	pH	8/14/2016 9:25:45 PM	5	unit pH
SC ALRO SA	Substante organice	8/14/2016 9:20:41 PM	23	mg/l
SC ALRO SA	Clor	8/14/2016 9:20:28 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 9:20:27 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 9:20:26 PM	25	gradCels
SC ALRO SA	pH	8/14/2016 9:20:25 PM	5	unit pH
SC ALRO SA	Substante organice	8/14/2016 9:14:50 PM	23	mg/l
SC ALRO SA	Clor	8/14/2016 9:14:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 9:14:42 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 9:14:41 PM	25	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	8/14/2016 9:14:40 PM	5	unit pH
SC ALRO SA	Clor	8/14/2016 9:11:30 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 9:11:10 PM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 9:10:50 PM	23	mg/l
SC ALRO SA	Temp	8/14/2016 9:10:30 PM	25	gradCels
SC ALRO SA	pH	8/14/2016 9:10:20 PM	5	unit pH
SC ALRO SA	Clor	8/14/2016 9:09:29 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 9:09:28 PM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 9:09:27 PM	23	mg/l
SC ALRO SA	Temp	8/14/2016 9:09:26 PM	25	gradCels
SC ALRO SA	pH	8/14/2016 9:09:25 PM	5	unit pH
SC ALRO SA	Substante organice	8/14/2016 9:03:51 PM	23	mg/l
SC ALRO SA	Clor	8/14/2016 9:03:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 9:03:42 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 9:03:41 PM	24	gradCels
SC ALRO SA	pH	8/14/2016 9:03:40 PM	5	unit pH
SC ALRO SA	Substante organice	8/14/2016 8:58:41 PM	23	mg/l
SC ALRO SA	Clor	8/14/2016 8:58:28 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 8:58:27 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 8:58:26 PM	24	gradCels
SC ALRO SA	pH	8/14/2016 8:58:25 PM	5	unit pH
SC ALRO SA	Substante organice	8/14/2016 8:52:51 PM	23	mg/l
SC ALRO SA	Clor	8/14/2016 8:52:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 8:52:42 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 8:52:41 PM	24	gradCels
SC ALRO SA	pH	8/14/2016 8:52:40 PM	5	unit pH
SC ALRO SA	Clor	8/14/2016 8:51:20 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 8:51:00 PM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 8:50:30 PM	23	mg/l
SC ALRO SA	Temp	8/14/2016 8:50:20 PM	24	gradCels
SC ALRO SA	pH	8/14/2016 8:50:10 PM	5	unit pH
SC ALRO SA	Substante organice	8/14/2016 8:47:41 PM	23	mg/l
SC ALRO SA	Clor	8/14/2016 8:47:08 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 8:47:07 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 8:47:06 PM	24	gradCels
SC ALRO SA	pH	8/14/2016 8:47:05 PM	5	unit pH
SC ALRO SA	Substante organice	8/14/2016 8:41:51 PM	23	mg/l
SC ALRO SA	Clor	8/14/2016 8:41:48 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 8:41:47 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 8:41:46 PM	24	gradCels
SC ALRO SA	pH	8/14/2016 8:41:45 PM	5	unit pH
SC ALRO SA	Clor	8/14/2016 8:36:08 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 8:36:07 PM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 8:36:06 PM	23	mg/l
SC ALRO SA	Temp	8/14/2016 8:36:05 PM	24	gradCels
SC ALRO SA	pH	8/14/2016 8:36:04 PM	5	unit pH
SC ALRO SA	Clor	8/14/2016 8:31:10 PM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 8:30:51 PM	23	mg/l
SC ALRO SA	Clor	8/14/2016 8:30:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 8:30:42 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 8:30:41 PM	24	gradCels
SC ALRO SA	pH	8/14/2016 8:30:40 PM	5	unit pH
SC ALRO SA	Grasimi	8/14/2016 8:30:20 PM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 8:30:10 PM	23	mg/l
SC ALRO SA	Temp	8/14/2016 8:30:00 PM	24	gradCels
SC ALRO SA	pH	8/14/2016 8:29:50 PM	5	unit pH
SC ALRO SA	Substante organice	8/14/2016 8:25:42 PM	23	mg/l
SC ALRO SA	Clor	8/14/2016 8:25:07 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 8:25:06 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 8:25:05 PM	24	gradCels
SC ALRO SA	pH	8/14/2016 8:25:04 PM	5	unit pH
SC ALRO SA	Substante organice	8/14/2016 8:19:52 PM	23	mg/l
SC ALRO SA	Clor	8/14/2016 8:19:47 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 8:19:46 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 8:19:45 PM	24	gradCels
SC ALRO SA	pH	8/14/2016 8:19:44 PM	5	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	8/14/2016 8:14:41 PM	23	mg/l
SC ALRO SA	Clor	8/14/2016 8:14:08 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 8:14:07 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 8:14:06 PM	24	gradCels
SC ALRO SA	pH	8/14/2016 8:14:05 PM	5	unit pH
SC ALRO SA	Clor	8/14/2016 8:10:30 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 8:10:00 PM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 8:09:50 PM	23	mg/l
SC ALRO SA	Temp	8/14/2016 8:09:30 PM	24	gradCels
SC ALRO SA	pH	8/14/2016 8:09:10 PM	5	unit pH
SC ALRO SA	Clor	8/14/2016 8:08:49 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 8:08:48 PM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 8:08:47 PM	23	mg/l
SC ALRO SA	Temp	8/14/2016 8:08:46 PM	24	gradCels
SC ALRO SA	pH	8/14/2016 8:08:45 PM	5	unit pH
SC ALRO SA	Substante organice	8/14/2016 8:03:41 PM	23	mg/l
SC ALRO SA	Clor	8/14/2016 8:03:03 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 8:03:02 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 8:03:01 PM	24	gradCels
SC ALRO SA	pH	8/14/2016 8:03:00 PM	5	unit pH
SC ALRO SA	Substante organice	8/14/2016 7:57:51 PM	23	mg/l
SC ALRO SA	Clor	8/14/2016 7:57:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 7:57:42 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 7:57:41 PM	24	gradCels
SC ALRO SA	pH	8/14/2016 7:57:40 PM	5	unit pH
SC ALRO SA	Substante organice	8/14/2016 7:52:42 PM	23	mg/l
SC ALRO SA	Clor	8/14/2016 7:51:55 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 7:51:54 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 7:51:53 PM	24	gradCels
SC ALRO SA	pH	8/14/2016 7:51:52 PM	5	unit pH
SC ALRO SA	Clor	8/14/2016 7:49:30 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 7:49:00 PM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 7:48:50 PM	23	mg/l
SC ALRO SA	Temp	8/14/2016 7:48:30 PM	24	gradCels
SC ALRO SA	pH	8/14/2016 7:48:00 PM	5	unit pH
SC ALRO SA	Substante organice	8/14/2016 7:46:53 PM	23	mg/l
SC ALRO SA	Clor	8/14/2016 7:46:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 7:46:42 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 7:46:41 PM	24	gradCels
SC ALRO SA	pH	8/14/2016 7:46:40 PM	5	unit pH
SC ALRO SA	Substante organice	8/14/2016 7:41:41 PM	23	mg/l
SC ALRO SA	Clor	8/14/2016 7:41:00 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 7:40:59 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 7:40:58 PM	24	gradCels
SC ALRO SA	pH	8/14/2016 7:40:57 PM	5	unit pH
SC ALRO SA	Clor	8/14/2016 7:35:29 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 7:35:28 PM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 7:35:27 PM	23	mg/l
SC ALRO SA	Temp	8/14/2016 7:35:26 PM	24	gradCels
SC ALRO SA	pH	8/14/2016 7:35:25 PM	5	unit pH
SC ALRO SA	Substante organice	8/14/2016 7:30:41 PM	24	mg/l
SC ALRO SA	Clor	8/14/2016 7:30:10 PM	0	mg/l
SC ALRO SA	Clor	8/14/2016 7:30:00 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 7:29:59 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 7:29:58 PM	24	gradCels
SC ALRO SA	pH	8/14/2016 7:29:57 PM	5	unit pH
SC ALRO SA	Grasimi	8/14/2016 7:29:10 PM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 7:29:00 PM	24	mg/l
SC ALRO SA	Temp	8/14/2016 7:28:50 PM	24	gradCels
SC ALRO SA	pH	8/14/2016 7:28:30 PM	5	unit pH
SC ALRO SA	Substante organice	8/14/2016 7:24:42 PM	24	mg/l
SC ALRO SA	Clor	8/14/2016 7:24:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 7:24:22 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 7:24:21 PM	24	gradCels
SC ALRO SA	pH	8/14/2016 7:24:20 PM	5	unit pH
SC ALRO SA	Substante organice	8/14/2016 7:19:46 PM	24	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Clor	8/14/2016 7:18:55 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 7:18:54 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 7:18:53 PM	24	gradCels
SC ALRO SA	pH	8/14/2016 7:18:52 PM	5	unit pH
SC ALRO SA	Substante organice	8/14/2016 7:13:42 PM	24	mg/l
SC ALRO SA	Clor	8/14/2016 7:13:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 7:13:22 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 7:13:21 PM	24	gradCels
SC ALRO SA	pH	8/14/2016 7:13:20 PM	5	unit pH
SC ALRO SA	Clor	8/14/2016 7:09:50 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 7:09:10 PM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 7:08:50 PM	24	mg/l
SC ALRO SA	Temp	8/14/2016 7:08:30 PM	24	gradCels
SC ALRO SA	pH	8/14/2016 7:08:10 PM	5	unit pH
SC ALRO SA	Clor	8/14/2016 7:08:04 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 7:08:03 PM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 7:08:02 PM	24	mg/l
SC ALRO SA	Temp	8/14/2016 7:08:01 PM	24	gradCels
SC ALRO SA	pH	8/14/2016 7:08:00 PM	5	unit pH
SC ALRO SA	Substante organice	8/14/2016 7:02:41 PM	24	mg/l
SC ALRO SA	Clor	8/14/2016 7:02:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 7:02:22 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 7:02:21 PM	23	gradCels
SC ALRO SA	pH	8/14/2016 7:02:20 PM	5	unit pH
SC ALRO SA	Substante organice	8/14/2016 6:57:46 PM	24	mg/l
SC ALRO SA	Clor	8/14/2016 6:56:47 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 6:56:46 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 6:56:45 PM	23	gradCels
SC ALRO SA	pH	8/14/2016 6:56:44 PM	5	unit pH
SC ALRO SA	Substante organice	8/14/2016 6:51:45 PM	24	mg/l
SC ALRO SA	Clor	8/14/2016 6:51:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 6:51:22 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 6:51:21 PM	23	gradCels
SC ALRO SA	pH	8/14/2016 6:51:20 PM	5	unit pH
SC ALRO SA	Clor	8/14/2016 6:49:00 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 6:48:20 PM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 6:48:10 PM	24	mg/l
SC ALRO SA	Temp	8/14/2016 6:48:00 PM	23	gradCels
SC ALRO SA	pH	8/14/2016 6:47:50 PM	5	unit pH
SC ALRO SA	Substante organice	8/14/2016 6:46:46 PM	24	mg/l
SC ALRO SA	Clor	8/14/2016 6:45:46 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 6:45:45 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 6:45:44 PM	23	gradCels
SC ALRO SA	pH	8/14/2016 6:45:43 PM	5	unit pH
SC ALRO SA	Substante organice	8/14/2016 6:40:48 PM	24	mg/l
SC ALRO SA	Clor	8/14/2016 6:40:16 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 6:40:15 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 6:40:14 PM	23	gradCels
SC ALRO SA	pH	8/14/2016 6:40:13 PM	5	unit pH
SC ALRO SA	Clor	8/14/2016 6:34:44 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 6:34:43 PM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 6:34:42 PM	24	mg/l
SC ALRO SA	Temp	8/14/2016 6:34:41 PM	23	gradCels
SC ALRO SA	pH	8/14/2016 6:34:40 PM	5	unit pH
SC ALRO SA	Substante organice	8/14/2016 6:29:47 PM	24	mg/l
SC ALRO SA	Clor	8/14/2016 6:29:30 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 6:29:10 PM	0	mg/l
SC ALRO SA	Clor	8/14/2016 6:29:08 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 6:29:07 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 6:29:06 PM	23	gradCels
SC ALRO SA	pH	8/14/2016 6:29:05 PM	5	unit pH
SC ALRO SA	Substante organice	8/14/2016 6:28:50 PM	24	mg/l
SC ALRO SA	Temp	8/14/2016 6:28:30 PM	23	gradCels
SC ALRO SA	pH	8/14/2016 6:28:20 PM	5	unit pH
SC ALRO SA	Substante organice	8/14/2016 6:23:47 PM	24	mg/l
SC ALRO SA	Clor	8/14/2016 6:23:43 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Grasimi	8/14/2016 6:23:42 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 6:23:41 PM	23	gradCels
SC ALRO SA	pH	8/14/2016 6:23:40 PM	5	unit pH
SC ALRO SA	Substante organice	8/14/2016 6:18:48 PM	24	mg/l
SC ALRO SA	Clor	8/14/2016 6:18:07 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 6:18:06 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 6:18:05 PM	23	gradCels
SC ALRO SA	pH	8/14/2016 6:18:04 PM	5	unit pH
SC ALRO SA	Substante organice	8/14/2016 6:12:47 PM	24	mg/l
SC ALRO SA	Clor	8/14/2016 6:12:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 6:12:42 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 6:12:41 PM	23	gradCels
SC ALRO SA	pH	8/14/2016 6:12:40 PM	5	unit pH
SC ALRO SA	Clor	8/14/2016 6:10:20 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 6:09:30 PM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 6:09:20 PM	24	mg/l
SC ALRO SA	Temp	8/14/2016 6:09:10 PM	23	gradCels
SC ALRO SA	pH	8/14/2016 6:08:50 PM	5	unit pH
SC ALRO SA	Clor	8/14/2016 6:07:08 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 6:07:07 PM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 6:07:06 PM	24	mg/l
SC ALRO SA	Temp	8/14/2016 6:07:05 PM	23	gradCels
SC ALRO SA	pH	8/14/2016 6:07:04 PM	5	unit pH
SC ALRO SA	Substante organice	8/14/2016 6:01:41 PM	24	mg/l
SC ALRO SA	Clor	8/14/2016 6:01:33 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 6:01:32 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 6:01:31 PM	23	gradCels
SC ALRO SA	pH	8/14/2016 6:01:30 PM	5	unit pH
SC ALRO SA	Substante organice	8/14/2016 5:56:53 PM	24	mg/l
SC ALRO SA	Clor	8/14/2016 5:56:48 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 5:56:47 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 5:56:46 PM	23	gradCels
SC ALRO SA	pH	8/14/2016 5:56:45 PM	5	unit pH
SC ALRO SA	Substante organice	8/14/2016 5:51:41 PM	24	mg/l
SC ALRO SA	Clor	8/14/2016 5:51:14 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 5:51:13 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 5:51:11 PM	23	gradCels
SC ALRO SA	pH	8/14/2016 5:51:10 PM	5	unit pH
SC ALRO SA	Clor	8/14/2016 5:49:20 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 5:49:00 PM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 5:48:30 PM	24	mg/l
SC ALRO SA	Temp	8/14/2016 5:48:20 PM	23	gradCels
SC ALRO SA	pH	8/14/2016 5:48:10 PM	5	unit pH
SC ALRO SA	Substante organice	8/14/2016 5:45:53 PM	24	mg/l
SC ALRO SA	Clor	8/14/2016 5:45:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 5:45:42 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 5:45:41 PM	23	gradCels
SC ALRO SA	pH	8/14/2016 5:45:40 PM	5	unit pH
SC ALRO SA	Substante organice	8/14/2016 5:40:41 PM	24	mg/l
SC ALRO SA	Clor	8/14/2016 5:40:03 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 5:40:02 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 5:40:01 PM	23	gradCels
SC ALRO SA	pH	8/14/2016 5:40:00 PM	5	unit pH
SC ALRO SA	Clor	8/14/2016 5:34:44 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 5:34:43 PM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 5:34:42 PM	24	mg/l
SC ALRO SA	Temp	8/14/2016 5:34:41 PM	23	gradCels
SC ALRO SA	pH	8/14/2016 5:34:40 PM	5	unit pH
SC ALRO SA	Clor	8/14/2016 5:30:00 PM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 5:29:42 PM	24	mg/l
SC ALRO SA	Grasimi	8/14/2016 5:29:20 PM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 5:29:10 PM	24	mg/l
SC ALRO SA	Clor	8/14/2016 5:29:03 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 5:29:02 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 5:29:01 PM	23	gradCels
SC ALRO SA	pH	8/14/2016 5:29:00 PM	5	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	8/14/2016 5:28:50 PM	23	gradCels
SC ALRO SA	pH	8/14/2016 5:28:30 PM	5	unit pH
SC ALRO SA	Substante organice	8/14/2016 5:23:50 PM	24	mg/l
SC ALRO SA	Clor	8/14/2016 5:23:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 5:23:42 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 5:23:41 PM	23	gradCels
SC ALRO SA	pH	8/14/2016 5:23:40 PM	5	unit pH
SC ALRO SA	Substante organice	8/14/2016 5:18:40 PM	24	mg/l
SC ALRO SA	Clor	8/14/2016 5:18:03 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 5:18:02 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 5:18:01 PM	23	gradCels
SC ALRO SA	pH	8/14/2016 5:18:00 PM	5	unit pH
SC ALRO SA	Substante organice	8/14/2016 5:12:41 PM	24	mg/l
SC ALRO SA	Clor	8/14/2016 5:12:28 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 5:12:27 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 5:12:26 PM	23	gradCels
SC ALRO SA	pH	8/14/2016 5:12:25 PM	5	unit pH
SC ALRO SA	Clor	8/14/2016 5:10:20 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 5:09:50 PM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 5:09:30 PM	24	mg/l
SC ALRO SA	Temp	8/14/2016 5:09:20 PM	22	gradCels
SC ALRO SA	pH	8/14/2016 5:09:10 PM	5	unit pH
SC ALRO SA	Clor	8/14/2016 5:07:08 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 5:07:07 PM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 5:07:06 PM	24	mg/l
SC ALRO SA	Temp	8/14/2016 5:07:05 PM	22	gradCels
SC ALRO SA	pH	8/14/2016 5:07:04 PM	5	unit pH
SC ALRO SA	Substante organice	8/14/2016 5:01:41 PM	24	mg/l
SC ALRO SA	Clor	8/14/2016 5:01:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 5:01:22 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 5:01:21 PM	22	gradCels
SC ALRO SA	pH	8/14/2016 5:01:20 PM	5	unit pH
SC ALRO SA	Substante organice	8/14/2016 4:56:48 PM	24	mg/l
SC ALRO SA	Clor	8/14/2016 4:56:03 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 4:56:02 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 4:56:01 PM	22	gradCels
SC ALRO SA	pH	8/14/2016 4:56:00 PM	5	unit pH
SC ALRO SA	Substante organice	8/14/2016 4:50:41 PM	24	mg/l
SC ALRO SA	Clor	8/14/2016 4:50:30 PM	0	mg/l
SC ALRO SA	Clor	8/14/2016 4:50:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 4:50:22 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 4:50:21 PM	22	gradCels
SC ALRO SA	pH	8/14/2016 4:50:20 PM	5	unit pH
SC ALRO SA	Grasimi	8/14/2016 4:50:00 PM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 4:49:50 PM	24	mg/l
SC ALRO SA	Temp	8/14/2016 4:49:10 PM	22	gradCels
SC ALRO SA	pH	8/14/2016 4:49:00 PM	5	unit pH
SC ALRO SA	Substante organice	8/14/2016 4:45:47 PM	24	mg/l
SC ALRO SA	Clor	8/14/2016 4:45:09 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 4:45:08 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 4:45:07 PM	22	gradCels
SC ALRO SA	pH	8/14/2016 4:45:06 PM	5	unit pH
SC ALRO SA	Substante organice	8/14/2016 4:39:41 PM	24	mg/l
SC ALRO SA	Clor	8/14/2016 4:39:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 4:39:22 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 4:39:21 PM	22	gradCels
SC ALRO SA	pH	8/14/2016 4:39:20 PM	5	unit pH
SC ALRO SA	Substante organice	8/14/2016 4:34:49 PM	24	mg/l
SC ALRO SA	Clor	8/14/2016 4:33:51 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 4:33:50 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 4:33:49 PM	22	gradCels
SC ALRO SA	pH	8/14/2016 4:33:48 PM	5	unit pH
SC ALRO SA	Clor	8/14/2016 4:31:20 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 4:31:00 PM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 4:30:50 PM	24	mg/l
SC ALRO SA	Temp	8/14/2016 4:30:30 PM	22	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	8/14/2016 4:30:20 PM	5	unit pH
SC ALRO SA	Substante organice	8/14/2016 4:28:41 PM	24	mg/l
SC ALRO SA	Clor	8/14/2016 4:28:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 4:28:22 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 4:28:21 PM	22	gradCels
SC ALRO SA	pH	8/14/2016 4:28:20 PM	5	unit pH
SC ALRO SA	Substante organice	8/14/2016 4:23:48 PM	24	mg/l
SC ALRO SA	Clor	8/14/2016 4:22:51 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 4:22:50 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 4:22:49 PM	22	gradCels
SC ALRO SA	pH	8/14/2016 4:22:48 PM	5	unit pH
SC ALRO SA	Substante organice	8/14/2016 4:17:40 PM	24	mg/l
SC ALRO SA	Clor	8/14/2016 4:17:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 4:17:22 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 4:17:21 PM	22	gradCels
SC ALRO SA	pH	8/14/2016 4:17:20 PM	5	unit pH
SC ALRO SA	Substante organice	8/14/2016 4:12:49 PM	24	mg/l
SC ALRO SA	Clor	8/14/2016 4:12:10 PM	0	mg/l
SC ALRO SA	Clor	8/14/2016 4:11:51 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 4:11:50 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 4:11:49 PM	22	gradCels
SC ALRO SA	pH	8/14/2016 4:11:48 PM	5	unit pH
SC ALRO SA	Grasimi	8/14/2016 4:11:30 PM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 4:11:20 PM	24	mg/l
SC ALRO SA	Temp	8/14/2016 4:11:10 PM	22	gradCels
SC ALRO SA	pH	8/14/2016 4:10:50 PM	5	unit pH
SC ALRO SA	Clor	8/14/2016 4:06:29 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 4:06:28 PM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 4:06:27 PM	24	mg/l
SC ALRO SA	Temp	8/14/2016 4:06:26 PM	22	gradCels
SC ALRO SA	pH	8/14/2016 4:06:25 PM	5	unit pH
SC ALRO SA	Substante organice	8/14/2016 4:01:49 PM	24	mg/l
SC ALRO SA	Clor	8/14/2016 4:00:44 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 4:00:43 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 4:00:42 PM	22	gradCels
SC ALRO SA	pH	8/14/2016 4:00:41 PM	5	unit pH
SC ALRO SA	Substante organice	8/14/2016 3:55:42 PM	24	mg/l
SC ALRO SA	Clor	8/14/2016 3:55:28 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 3:55:27 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 3:55:26 PM	22	gradCels
SC ALRO SA	pH	8/14/2016 3:55:25 PM	5	unit pH
SC ALRO SA	Clor	8/14/2016 3:52:10 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 3:51:20 PM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 3:51:10 PM	24	mg/l
SC ALRO SA	Temp	8/14/2016 3:50:50 PM	22	gradCels
SC ALRO SA	pH	8/14/2016 3:50:20 PM	5	unit pH
SC ALRO SA	Substante organice	8/14/2016 3:49:52 PM	24	mg/l
SC ALRO SA	Clor	8/14/2016 3:49:48 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 3:49:47 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 3:49:46 PM	22	gradCels
SC ALRO SA	pH	8/14/2016 3:49:45 PM	5	unit pH
SC ALRO SA	Substante organice	8/14/2016 3:44:41 PM	24	mg/l
SC ALRO SA	Clor	8/14/2016 3:44:28 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 3:44:27 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 3:44:26 PM	22	gradCels
SC ALRO SA	pH	8/14/2016 3:44:25 PM	5	unit pH
SC ALRO SA	Clor	8/14/2016 3:38:44 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 3:38:43 PM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 3:38:42 PM	24	mg/l
SC ALRO SA	Temp	8/14/2016 3:38:41 PM	22	gradCels
SC ALRO SA	pH	8/14/2016 3:38:40 PM	5	unit pH
SC ALRO SA	Substante organice	8/14/2016 3:33:41 PM	24	mg/l
SC ALRO SA	Clor	8/14/2016 3:33:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 3:33:22 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 3:33:21 PM	22	gradCels
SC ALRO SA	pH	8/14/2016 3:33:20 PM	5	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Clor	8/14/2016 3:31:20 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 3:31:00 PM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 3:30:50 PM	24	mg/l
SC ALRO SA	Temp	8/14/2016 3:30:30 PM	22	gradCels
SC ALRO SA	pH	8/14/2016 3:30:20 PM	5	unit pH
SC ALRO SA	Substante organice	8/14/2016 3:27:51 PM	24	mg/l
SC ALRO SA	Clor	8/14/2016 3:27:48 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 3:27:47 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 3:27:46 PM	22	gradCels
SC ALRO SA	pH	8/14/2016 3:27:45 PM	5	unit pH
SC ALRO SA	Substante organice	8/14/2016 3:22:42 PM	24	mg/l
SC ALRO SA	Clor	8/14/2016 3:22:07 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 3:22:06 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 3:22:05 PM	22	gradCels
SC ALRO SA	pH	8/14/2016 3:22:04 PM	5	unit pH
SC ALRO SA	Substante organice	8/14/2016 3:16:51 PM	24	mg/l
SC ALRO SA	Clor	8/14/2016 3:16:48 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 3:16:47 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 3:16:46 PM	22	gradCels
SC ALRO SA	pH	8/14/2016 3:16:45 PM	5	unit pH
SC ALRO SA	Substante organice	8/14/2016 3:11:42 PM	24	mg/l
SC ALRO SA	Clor	8/14/2016 3:11:03 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 3:11:02 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 3:11:01 PM	22	gradCels
SC ALRO SA	pH	8/14/2016 3:11:00 PM	5	unit pH
SC ALRO SA	Clor	8/14/2016 3:09:30 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 3:09:10 PM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 3:09:00 PM	24	mg/l
SC ALRO SA	Temp	8/14/2016 3:08:30 PM	22	gradCels
SC ALRO SA	pH	8/14/2016 3:08:20 PM	5	unit pH
SC ALRO SA	Clor	8/14/2016 3:05:44 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 3:05:43 PM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 3:05:42 PM	24	mg/l
SC ALRO SA	Temp	8/14/2016 3:05:41 PM	22	gradCels
SC ALRO SA	pH	8/14/2016 3:05:40 PM	5	unit pH
SC ALRO SA	Substante organice	8/14/2016 3:00:41 PM	24	mg/l
SC ALRO SA	Clor	8/14/2016 3:00:04 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 3:00:02 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 3:00:01 PM	22	gradCels
SC ALRO SA	pH	8/14/2016 3:00:00 PM	5	unit pH
SC ALRO SA	Substante organice	8/14/2016 2:54:52 PM	24	mg/l
SC ALRO SA	Clor	8/14/2016 2:54:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 2:54:42 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 2:54:41 PM	22	gradCels
SC ALRO SA	pH	8/14/2016 2:54:40 PM	5	unit pH
SC ALRO SA	Substante organice	8/14/2016 2:49:42 PM	24	mg/l
SC ALRO SA	Clor	8/14/2016 2:49:10 PM	0	mg/l
SC ALRO SA	Clor	8/14/2016 2:49:03 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 2:49:02 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 2:49:01 PM	22	gradCels
SC ALRO SA	pH	8/14/2016 2:49:00 PM	5	unit pH
SC ALRO SA	Grasimi	8/14/2016 2:48:30 PM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 2:47:40 PM	24	mg/l
SC ALRO SA	Temp	8/14/2016 2:47:30 PM	22	gradCels
SC ALRO SA	pH	8/14/2016 2:47:20 PM	5	unit pH
SC ALRO SA	Substante organice	8/14/2016 2:43:53 PM	24	mg/l
SC ALRO SA	Clor	8/14/2016 2:43:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 2:43:42 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 2:43:41 PM	22	gradCels
SC ALRO SA	pH	8/14/2016 2:43:40 PM	5	unit pH
SC ALRO SA	Clor	8/14/2016 2:38:04 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 2:38:03 PM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 2:38:02 PM	24	mg/l
SC ALRO SA	Temp	8/14/2016 2:38:01 PM	22	gradCels
SC ALRO SA	pH	8/14/2016 2:38:00 PM	5	unit pH
SC ALRO SA	Substante organice	8/14/2016 2:32:51 PM	24	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Clor	8/14/2016 2:32:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 2:32:42 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 2:32:41 PM	22	gradCels
SC ALRO SA	pH	8/14/2016 2:32:40 PM	5	unit pH
SC ALRO SA	Clor	8/14/2016 2:28:50 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 2:28:00 PM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 2:27:46 PM	24	mg/l
SC ALRO SA	Substante organice	8/14/2016 2:27:20 PM	24	mg/l
SC ALRO SA	Temp	8/14/2016 2:27:10 PM	22	gradCels
SC ALRO SA	Clor	8/14/2016 2:27:03 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 2:27:02 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 2:27:01 PM	22	gradCels
SC ALRO SA	pH	8/14/2016 2:27:00 PM	5	unit pH
SC ALRO SA	pH	8/14/2016 2:26:50 PM	5	unit pH
SC ALRO SA	Substante organice	8/14/2016 2:21:40 PM	24	mg/l
SC ALRO SA	Clor	8/14/2016 2:21:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 2:21:22 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 2:21:21 PM	22	gradCels
SC ALRO SA	pH	8/14/2016 2:21:20 PM	5	unit pH
SC ALRO SA	Substante organice	8/14/2016 2:16:54 PM	24	mg/l
SC ALRO SA	Clor	8/14/2016 2:16:03 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 2:16:02 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 2:16:01 PM	22	gradCels
SC ALRO SA	pH	8/14/2016 2:16:00 PM	5	unit pH
SC ALRO SA	Substante organice	8/14/2016 2:10:40 PM	24	mg/l
SC ALRO SA	Clor	8/14/2016 2:10:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 2:10:22 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 2:10:21 PM	22	gradCels
SC ALRO SA	pH	8/14/2016 2:10:20 PM	5	unit pH
SC ALRO SA	Clor	8/14/2016 2:07:30 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 2:07:10 PM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 2:06:50 PM	24	mg/l
SC ALRO SA	Temp	8/14/2016 2:06:20 PM	22	gradCels
SC ALRO SA	pH	8/14/2016 2:06:10 PM	5	unit pH
SC ALRO SA	Clor	8/14/2016 2:05:04 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 2:05:03 PM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 2:05:02 PM	24	mg/l
SC ALRO SA	Temp	8/14/2016 2:05:01 PM	22	gradCels
SC ALRO SA	pH	8/14/2016 2:05:00 PM	5	unit pH
SC ALRO SA	Substante organice	8/14/2016 1:59:40 PM	25	mg/l
SC ALRO SA	Clor	8/14/2016 1:59:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 1:59:22 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 1:59:21 PM	22	gradCels
SC ALRO SA	pH	8/14/2016 1:59:20 PM	5	unit pH
SC ALRO SA	Substante organice	8/14/2016 1:54:49 PM	25	mg/l
SC ALRO SA	Clor	8/14/2016 1:53:53 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 1:53:52 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 1:53:51 PM	22	gradCels
SC ALRO SA	pH	8/14/2016 1:53:50 PM	5	unit pH
SC ALRO SA	Substante organice	8/14/2016 1:48:47 PM	25	mg/l
SC ALRO SA	Clor	8/14/2016 1:48:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 1:48:22 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 1:48:21 PM	22	gradCels
SC ALRO SA	pH	8/14/2016 1:48:20 PM	5	unit pH
SC ALRO SA	Clor	8/14/2016 1:44:10 PM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 1:43:54 PM	25	mg/l
SC ALRO SA	Grasimi	8/14/2016 1:43:10 PM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 1:43:00 PM	25	mg/l
SC ALRO SA	Temp	8/14/2016 1:42:50 PM	22	gradCels
SC ALRO SA	Clor	8/14/2016 1:42:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 1:42:42 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 1:42:41 PM	22	gradCels
SC ALRO SA	pH	8/14/2016 1:42:40 PM	5	unit pH
SC ALRO SA	pH	8/14/2016 1:42:30 PM	5	unit pH
SC ALRO SA	Clor	8/14/2016 1:37:24 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 1:37:23 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	8/14/2016 1:37:22 PM	25	mg/l
SC ALRO SA	Temp	8/14/2016 1:37:21 PM	22	gradCels
SC ALRO SA	pH	8/14/2016 1:37:20 PM	5	unit pH
SC ALRO SA	Substante organice	8/14/2016 1:31:44 PM	25	mg/l
SC ALRO SA	Clor	8/14/2016 1:31:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 1:31:42 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 1:31:41 PM	22	gradCels
SC ALRO SA	pH	8/14/2016 1:31:40 PM	5	unit pH
SC ALRO SA	Substante organice	8/14/2016 1:26:40 PM	25	mg/l
SC ALRO SA	Clor	8/14/2016 1:26:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 1:26:22 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 1:26:21 PM	22	gradCels
SC ALRO SA	pH	8/14/2016 1:26:20 PM	5	unit pH
SC ALRO SA	Clor	8/14/2016 1:23:50 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 1:23:20 PM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 1:23:10 PM	25	mg/l
SC ALRO SA	Temp	8/14/2016 1:22:20 PM	22	gradCels
SC ALRO SA	pH	8/14/2016 1:22:10 PM	5	unit pH
SC ALRO SA	Substante organice	8/14/2016 1:20:50 PM	25	mg/l
SC ALRO SA	Clor	8/14/2016 1:20:45 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 1:20:43 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 1:20:41 PM	22	gradCels
SC ALRO SA	pH	8/14/2016 1:20:40 PM	5	unit pH
SC ALRO SA	Substante organice	8/14/2016 1:15:40 PM	25	mg/l
SC ALRO SA	Clor	8/14/2016 1:15:23 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 1:15:22 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 1:15:21 PM	22	gradCels
SC ALRO SA	pH	8/14/2016 1:15:20 PM	5	unit pH
SC ALRO SA	Substante organice	8/14/2016 1:09:44 PM	25	mg/l
SC ALRO SA	Clor	8/14/2016 1:09:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 1:09:42 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 1:09:41 PM	22	gradCels
SC ALRO SA	pH	8/14/2016 1:09:40 PM	5	unit pH
SC ALRO SA	Clor	8/14/2016 1:04:04 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 1:04:03 PM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 1:04:02 PM	25	mg/l
SC ALRO SA	Temp	8/14/2016 1:04:01 PM	22	gradCels
SC ALRO SA	pH	8/14/2016 1:04:00 PM	5	unit pH
SC ALRO SA	Clor	8/14/2016 1:01:10 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 1:00:20 PM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 1:00:10 PM	25	mg/l
SC ALRO SA	Temp	8/14/2016 12:59:30 PM	22	gradCels
SC ALRO SA	pH	8/14/2016 12:59:00 PM	5	unit pH
SC ALRO SA	Substante organice	8/14/2016 12:58:45 PM	25	mg/l
SC ALRO SA	Clor	8/14/2016 12:58:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 12:58:42 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 12:58:41 PM	22	gradCels
SC ALRO SA	pH	8/14/2016 12:58:40 PM	5	unit pH
SC ALRO SA	Substante organice	8/14/2016 12:53:46 PM	25	mg/l
SC ALRO SA	Clor	8/14/2016 12:53:03 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 12:53:02 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 12:53:01 PM	22	gradCels
SC ALRO SA	pH	8/14/2016 12:53:00 PM	5	unit pH
SC ALRO SA	Substante organice	8/14/2016 12:47:45 PM	25	mg/l
SC ALRO SA	Clor	8/14/2016 12:47:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 12:47:42 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 12:47:41 PM	21	gradCels
SC ALRO SA	pH	8/14/2016 12:47:40 PM	5	unit pH
SC ALRO SA	Substante organice	8/14/2016 12:42:46 PM	25	mg/l
SC ALRO SA	Clor	8/14/2016 12:42:03 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 12:42:02 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 12:42:01 PM	21	gradCels
SC ALRO SA	pH	8/14/2016 12:42:00 PM	5	unit pH
SC ALRO SA	Clor	8/14/2016 12:40:30 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 12:39:50 PM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 12:39:30 PM	25	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	8/14/2016 12:39:00 PM	21	gradCels
SC ALRO SA	pH	8/14/2016 12:38:50 PM	5	unit pH
SC ALRO SA	Clor	8/14/2016 12:36:44 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 12:36:43 PM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 12:36:42 PM	25	mg/l
SC ALRO SA	Temp	8/14/2016 12:36:41 PM	21	gradCels
SC ALRO SA	pH	8/14/2016 12:36:40 PM	5	unit pH
SC ALRO SA	Substante organice	8/14/2016 12:31:46 PM	24	mg/l
SC ALRO SA	Clor	8/14/2016 12:31:03 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 12:31:02 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 12:31:01 PM	21	gradCels
SC ALRO SA	pH	8/14/2016 12:31:00 PM	5	unit pH
SC ALRO SA	Substante organice	8/14/2016 12:25:45 PM	24	mg/l
SC ALRO SA	Clor	8/14/2016 12:25:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 12:25:42 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 12:25:41 PM	21	gradCels
SC ALRO SA	pH	8/14/2016 12:25:40 PM	5	unit pH
SC ALRO SA	Substante organice	8/14/2016 12:20:46 PM	24	mg/l
SC ALRO SA	Clor	8/14/2016 12:20:03 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 12:20:02 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 12:20:01 PM	21	gradCels
SC ALRO SA	pH	8/14/2016 12:20:00 PM	5	unit pH
SC ALRO SA	Clor	8/14/2016 12:18:30 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 12:18:10 PM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 12:17:30 PM	24	mg/l
SC ALRO SA	Temp	8/14/2016 12:17:00 PM	21	gradCels
SC ALRO SA	pH	8/14/2016 12:16:50 PM	5	unit pH
SC ALRO SA	Substante organice	8/14/2016 12:14:45 PM	24	mg/l
SC ALRO SA	Clor	8/14/2016 12:14:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 12:14:42 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 12:14:41 PM	21	gradCels
SC ALRO SA	pH	8/14/2016 12:14:40 PM	5	unit pH
SC ALRO SA	Clor	8/14/2016 12:09:04 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 12:09:03 PM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 12:09:02 PM	24	mg/l
SC ALRO SA	Temp	8/14/2016 12:09:01 PM	21	gradCels
SC ALRO SA	pH	8/14/2016 12:09:00 PM	5	unit pH
SC ALRO SA	Substante organice	8/14/2016 12:03:45 PM	24	mg/l
SC ALRO SA	Clor	8/14/2016 12:03:43 PM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 12:03:42 PM	0	mg/l
SC ALRO SA	Temp	8/14/2016 12:03:41 PM	21	gradCels
SC ALRO SA	pH	8/14/2016 12:03:40 PM	5	unit pH
SC ALRO SA	Substante organice	8/14/2016 11:58:45 AM	24	mg/l
SC ALRO SA	Clor	8/14/2016 11:58:03 AM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 11:58:02 AM	0	mg/l
SC ALRO SA	Temp	8/14/2016 11:58:01 AM	21	gradCels
SC ALRO SA	pH	8/14/2016 11:58:00 AM	5	unit pH
SC ALRO SA	Clor	8/14/2016 11:57:30 AM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 11:56:50 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 11:56:31 AM	24	mg/l
SC ALRO SA	Temp	8/14/2016 11:56:20 AM	21	gradCels
SC ALRO SA	pH	8/14/2016 11:56:10 AM	5	unit pH
SC ALRO SA	Substante organice	8/14/2016 11:52:40 AM	24	mg/l
SC ALRO SA	Clor	8/14/2016 11:52:23 AM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 11:52:22 AM	0	mg/l
SC ALRO SA	Temp	8/14/2016 11:52:21 AM	21	gradCels
SC ALRO SA	pH	8/14/2016 11:52:20 AM	5	unit pH
SC ALRO SA	Substante organice	8/14/2016 11:47:41 AM	24	mg/l
SC ALRO SA	Clor	8/14/2016 11:47:03 AM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 11:47:02 AM	0	mg/l
SC ALRO SA	Temp	8/14/2016 11:47:01 AM	21	gradCels
SC ALRO SA	pH	8/14/2016 11:47:00 AM	5	unit pH
SC ALRO SA	Substante organice	8/14/2016 11:41:40 AM	24	mg/l
SC ALRO SA	Clor	8/14/2016 11:41:29 AM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 11:41:28 AM	0	mg/l
SC ALRO SA	Temp	8/14/2016 11:41:27 AM	21	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	8/14/2016 11:41:26 AM	5	unit pH
SC ALRO SA	Clor	8/14/2016 11:35:50 AM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 11:35:49 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 11:35:48 AM	24	mg/l
SC ALRO SA	Temp	8/14/2016 11:35:47 AM	21	gradCels
SC ALRO SA	pH	8/14/2016 11:35:46 AM	5	unit pH
SC ALRO SA	Clor	8/14/2016 11:35:20 AM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 11:35:00 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 11:34:50 AM	24	mg/l
SC ALRO SA	Temp	8/14/2016 11:34:30 AM	21	gradCels
SC ALRO SA	pH	8/14/2016 11:34:20 AM	5	unit pH
SC ALRO SA	Substante organice	8/14/2016 11:30:40 AM	24	mg/l
SC ALRO SA	Clor	8/14/2016 11:30:28 AM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 11:30:27 AM	0	mg/l
SC ALRO SA	Temp	8/14/2016 11:30:26 AM	21	gradCels
SC ALRO SA	pH	8/14/2016 11:30:25 AM	5	unit pH
SC ALRO SA	Substante organice	8/14/2016 11:25:42 AM	24	mg/l
SC ALRO SA	Clor	8/14/2016 11:24:49 AM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 11:24:48 AM	0	mg/l
SC ALRO SA	Temp	8/14/2016 11:24:47 AM	21	gradCels
SC ALRO SA	pH	8/14/2016 11:24:46 AM	4	unit pH
SC ALRO SA	Substante organice	8/14/2016 11:19:40 AM	24	mg/l
SC ALRO SA	Clor	8/14/2016 11:19:23 AM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 11:19:22 AM	0	mg/l
SC ALRO SA	Temp	8/14/2016 11:19:21 AM	21	gradCels
SC ALRO SA	pH	8/14/2016 11:19:20 AM	4	unit pH
SC ALRO SA	Clor	8/14/2016 11:16:00 AM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 11:15:10 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 11:14:40 AM	24	mg/l
SC ALRO SA	Substante organice	8/14/2016 11:14:30 AM	24	mg/l
SC ALRO SA	Temp	8/14/2016 11:14:00 AM	21	gradCels
SC ALRO SA	Clor	8/14/2016 11:13:49 AM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 11:13:48 AM	0	mg/l
SC ALRO SA	Temp	8/14/2016 11:13:47 AM	21	gradCels
SC ALRO SA	pH	8/14/2016 11:13:46 AM	4	unit pH
SC ALRO SA	pH	8/14/2016 11:13:20 AM	4	unit pH
SC ALRO SA	Clor	8/14/2016 11:08:24 AM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 11:08:23 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 11:08:22 AM	24	mg/l
SC ALRO SA	Temp	8/14/2016 11:08:21 AM	21	gradCels
SC ALRO SA	pH	8/14/2016 11:08:20 AM	4	unit pH
SC ALRO SA	Substante organice	8/14/2016 11:03:41 AM	24	mg/l
SC ALRO SA	Clor	8/14/2016 11:02:49 AM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 11:02:48 AM	0	mg/l
SC ALRO SA	Temp	8/14/2016 11:02:47 AM	21	gradCels
SC ALRO SA	pH	8/14/2016 11:02:46 AM	4	unit pH
SC ALRO SA	Substante organice	8/14/2016 10:57:40 AM	24	mg/l
SC ALRO SA	Clor	8/14/2016 10:57:23 AM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 10:57:22 AM	0	mg/l
SC ALRO SA	Temp	8/14/2016 10:57:21 AM	21	gradCels
SC ALRO SA	pH	8/14/2016 10:57:20 AM	4	unit pH
SC ALRO SA	Clor	8/14/2016 10:54:10 AM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 10:53:50 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 10:53:40 AM	24	mg/l
SC ALRO SA	Temp	8/14/2016 10:53:10 AM	21	gradCels
SC ALRO SA	pH	8/14/2016 10:53:00 AM	4	unit pH
SC ALRO SA	Substante organice	8/14/2016 10:51:45 AM	24	mg/l
SC ALRO SA	Clor	8/14/2016 10:51:43 AM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 10:51:42 AM	0	mg/l
SC ALRO SA	Temp	8/14/2016 10:51:41 AM	21	gradCels
SC ALRO SA	pH	8/14/2016 10:51:40 AM	4	unit pH
SC ALRO SA	Substante organice	8/14/2016 10:46:40 AM	24	mg/l
SC ALRO SA	Clor	8/14/2016 10:46:23 AM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 10:46:22 AM	0	mg/l
SC ALRO SA	Temp	8/14/2016 10:46:21 AM	21	gradCels
SC ALRO SA	pH	8/14/2016 10:46:20 AM	4	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	8/14/2016 10:40:45 AM	24	mg/l
SC ALRO SA	Clor	8/14/2016 10:40:43 AM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 10:40:42 AM	0	mg/l
SC ALRO SA	Temp	8/14/2016 10:40:41 AM	21	gradCels
SC ALRO SA	pH	8/14/2016 10:40:40 AM	4	unit pH
SC ALRO SA	Clor	8/14/2016 10:35:04 AM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 10:35:03 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 10:35:02 AM	24	mg/l
SC ALRO SA	Temp	8/14/2016 10:35:01 AM	21	gradCels
SC ALRO SA	pH	8/14/2016 10:35:00 AM	4	unit pH
SC ALRO SA	Clor	8/14/2016 10:34:30 AM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 10:33:20 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 10:33:10 AM	24	mg/l
SC ALRO SA	Temp	8/14/2016 10:32:20 AM	21	gradCels
SC ALRO SA	pH	8/14/2016 10:32:10 AM	4	unit pH
SC ALRO SA	Substante organice	8/14/2016 10:29:45 AM	24	mg/l
SC ALRO SA	Clor	8/14/2016 10:29:43 AM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 10:29:42 AM	0	mg/l
SC ALRO SA	Temp	8/14/2016 10:29:41 AM	21	gradCels
SC ALRO SA	pH	8/14/2016 10:29:40 AM	4	unit pH
SC ALRO SA	Substante organice	8/14/2016 10:24:40 AM	24	mg/l
SC ALRO SA	Clor	8/14/2016 10:24:03 AM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 10:24:02 AM	0	mg/l
SC ALRO SA	Temp	8/14/2016 10:24:01 AM	21	gradCels
SC ALRO SA	pH	8/14/2016 10:24:00 AM	4	unit pH
SC ALRO SA	Substante organice	8/14/2016 10:18:45 AM	24	mg/l
SC ALRO SA	Clor	8/14/2016 10:18:43 AM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 10:18:42 AM	0	mg/l
SC ALRO SA	Temp	8/14/2016 10:18:41 AM	21	gradCels
SC ALRO SA	pH	8/14/2016 10:18:40 AM	4	unit pH
SC ALRO SA	Clor	8/14/2016 10:13:50 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 10:13:40 AM	24	mg/l
SC ALRO SA	Grasimi	8/14/2016 10:13:10 AM	0	mg/l
SC ALRO SA	Clor	8/14/2016 10:13:03 AM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 10:13:02 AM	0	mg/l
SC ALRO SA	Temp	8/14/2016 10:13:01 AM	21	gradCels
SC ALRO SA	pH	8/14/2016 10:13:00 AM	4	unit pH
SC ALRO SA	Substante organice	8/14/2016 10:12:50 AM	24	mg/l
SC ALRO SA	Temp	8/14/2016 10:12:30 AM	21	gradCels
SC ALRO SA	pH	8/14/2016 10:12:00 AM	4	unit pH
SC ALRO SA	Clor	8/14/2016 10:07:44 AM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 10:07:43 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 10:07:42 AM	24	mg/l
SC ALRO SA	Temp	8/14/2016 10:07:41 AM	21	gradCels
SC ALRO SA	pH	8/14/2016 10:07:40 AM	4	unit pH
SC ALRO SA	Substante organice	8/14/2016 10:02:41 AM	24	mg/l
SC ALRO SA	Clor	8/14/2016 10:02:40 AM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 10:02:02 AM	0	mg/l
SC ALRO SA	Temp	8/14/2016 10:02:01 AM	21	gradCels
SC ALRO SA	pH	8/14/2016 10:02:00 AM	4	unit pH
SC ALRO SA	Clor	8/14/2016 9:56:45 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 9:56:44 AM	24	mg/l
SC ALRO SA	Grasimi	8/14/2016 9:56:42 AM	0	mg/l
SC ALRO SA	Temp	8/14/2016 9:56:41 AM	21	gradCels
SC ALRO SA	pH	8/14/2016 9:56:40 AM	4	unit pH
SC ALRO SA	Clor	8/14/2016 9:53:20 AM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 9:53:00 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 9:52:30 AM	24	mg/l
SC ALRO SA	Temp	8/14/2016 9:52:20 AM	21	gradCels
SC ALRO SA	pH	8/14/2016 9:52:10 AM	4	unit pH
SC ALRO SA	Clor	8/14/2016 9:51:41 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 9:51:40 AM	24	mg/l
SC ALRO SA	Grasimi	8/14/2016 9:51:02 AM	0	mg/l
SC ALRO SA	Temp	8/14/2016 9:51:01 AM	21	gradCels
SC ALRO SA	pH	8/14/2016 9:51:00 AM	4	unit pH
SC ALRO SA	Clor	8/14/2016 9:45:45 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	8/14/2016 9:45:44 AM	24	mg/l
SC ALRO SA	Grasimi	8/14/2016 9:45:42 AM	0	mg/l
SC ALRO SA	Temp	8/14/2016 9:45:41 AM	21	gradCels
SC ALRO SA	pH	8/14/2016 9:45:40 AM	4	unit pH
SC ALRO SA	Clor	8/14/2016 9:40:41 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 9:40:40 AM	24	mg/l
SC ALRO SA	Grasimi	8/14/2016 9:40:02 AM	0	mg/l
SC ALRO SA	Temp	8/14/2016 9:40:01 AM	21	gradCels
SC ALRO SA	pH	8/14/2016 9:40:00 AM	4	unit pH
SC ALRO SA	Clor	8/14/2016 9:34:40 AM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 9:34:23 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 9:34:22 AM	24	mg/l
SC ALRO SA	Temp	8/14/2016 9:34:21 AM	21	gradCels
SC ALRO SA	pH	8/14/2016 9:34:20 AM	4	unit pH
SC ALRO SA	Clor	8/14/2016 9:33:00 AM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 9:32:00 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 9:31:50 AM	24	mg/l
SC ALRO SA	Temp	8/14/2016 9:31:40 AM	21	gradCels
SC ALRO SA	pH	8/14/2016 9:31:30 AM	4	unit pH
SC ALRO SA	Clor	8/14/2016 9:29:41 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 9:29:40 AM	24	mg/l
SC ALRO SA	Grasimi	8/14/2016 9:29:02 AM	0	mg/l
SC ALRO SA	Temp	8/14/2016 9:29:01 AM	21	gradCels
SC ALRO SA	pH	8/14/2016 9:29:00 AM	4	unit pH
SC ALRO SA	Clor	8/14/2016 9:23:45 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 9:23:44 AM	24	mg/l
SC ALRO SA	Grasimi	8/14/2016 9:23:22 AM	0	mg/l
SC ALRO SA	Temp	8/14/2016 9:23:21 AM	21	gradCels
SC ALRO SA	pH	8/14/2016 9:23:20 AM	4	unit pH
SC ALRO SA	Clor	8/14/2016 9:18:41 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 9:18:40 AM	24	mg/l
SC ALRO SA	Grasimi	8/14/2016 9:18:02 AM	0	mg/l
SC ALRO SA	Temp	8/14/2016 9:18:01 AM	22	gradCels
SC ALRO SA	pH	8/14/2016 9:18:00 AM	4	unit pH
SC ALRO SA	Clor	8/14/2016 9:12:47 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 9:12:45 AM	24	mg/l
SC ALRO SA	Grasimi	8/14/2016 9:12:22 AM	0	mg/l
SC ALRO SA	Temp	8/14/2016 9:12:21 AM	22	gradCels
SC ALRO SA	pH	8/14/2016 9:12:20 AM	4	unit pH
SC ALRO SA	Clor	8/14/2016 9:12:00 AM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 9:11:30 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 9:11:10 AM	24	mg/l
SC ALRO SA	Temp	8/14/2016 9:11:00 AM	22	gradCels
SC ALRO SA	pH	8/14/2016 9:10:10 AM	4	unit pH
SC ALRO SA	Clor	8/14/2016 9:07:40 AM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 9:06:45 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 9:06:44 AM	24	mg/l
SC ALRO SA	Temp	8/14/2016 9:06:43 AM	22	gradCels
SC ALRO SA	pH	8/14/2016 9:06:42 AM	4	unit pH
SC ALRO SA	Clor	8/14/2016 9:01:46 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 9:01:45 AM	24	mg/l
SC ALRO SA	Grasimi	8/14/2016 9:01:22 AM	0	mg/l
SC ALRO SA	Temp	8/14/2016 9:01:21 AM	22	gradCels
SC ALRO SA	pH	8/14/2016 9:01:20 AM	4	unit pH
SC ALRO SA	Clor	8/14/2016 8:56:41 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 8:56:40 AM	24	mg/l
SC ALRO SA	Grasimi	8/14/2016 8:55:44 AM	0	mg/l
SC ALRO SA	Temp	8/14/2016 8:55:43 AM	22	gradCels
SC ALRO SA	pH	8/14/2016 8:55:42 AM	4	unit pH
SC ALRO SA	Clor	8/14/2016 8:53:10 AM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 8:52:50 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 8:52:30 AM	24	mg/l
SC ALRO SA	Temp	8/14/2016 8:52:20 AM	22	gradCels
SC ALRO SA	pH	8/14/2016 8:51:50 AM	4	unit pH
SC ALRO SA	Clor	8/14/2016 8:50:45 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 8:50:44 AM	24	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Grasimi	8/14/2016 8:50:22 AM	0	mg/l
SC ALRO SA	Temp	8/14/2016 8:50:21 AM	22	gradCels
SC ALRO SA	pH	8/14/2016 8:50:20 AM	4	unit pH
SC ALRO SA	Clor	8/14/2016 8:45:47 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 8:45:46 AM	24	mg/l
SC ALRO SA	Grasimi	8/14/2016 8:44:44 AM	0	mg/l
SC ALRO SA	Temp	8/14/2016 8:44:43 AM	22	gradCels
SC ALRO SA	pH	8/14/2016 8:44:42 AM	4	unit pH
SC ALRO SA	Clor	8/14/2016 8:39:41 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 8:39:40 AM	24	mg/l
SC ALRO SA	Grasimi	8/14/2016 8:39:22 AM	0	mg/l
SC ALRO SA	Temp	8/14/2016 8:39:21 AM	22	gradCels
SC ALRO SA	pH	8/14/2016 8:39:20 AM	4	unit pH
SC ALRO SA	Clor	8/14/2016 8:34:46 AM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 8:33:45 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 8:33:44 AM	24	mg/l
SC ALRO SA	Temp	8/14/2016 8:33:43 AM	22	gradCels
SC ALRO SA	pH	8/14/2016 8:33:42 AM	4	unit pH
SC ALRO SA	Clor	8/14/2016 8:31:10 AM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 8:30:50 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 8:30:30 AM	24	mg/l
SC ALRO SA	Temp	8/14/2016 8:30:20 AM	22	gradCels
SC ALRO SA	pH	8/14/2016 8:29:50 AM	4	unit pH
SC ALRO SA	Clor	8/14/2016 8:28:41 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 8:28:40 AM	24	mg/l
SC ALRO SA	Grasimi	8/14/2016 8:28:22 AM	0	mg/l
SC ALRO SA	Temp	8/14/2016 8:28:21 AM	22	gradCels
SC ALRO SA	pH	8/14/2016 8:28:20 AM	4	unit pH
SC ALRO SA	Clor	8/14/2016 8:22:47 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 8:22:46 AM	24	mg/l
SC ALRO SA	Grasimi	8/14/2016 8:22:42 AM	0	mg/l
SC ALRO SA	Temp	8/14/2016 8:22:41 AM	22	gradCels
SC ALRO SA	pH	8/14/2016 8:22:40 AM	4	unit pH
SC ALRO SA	Substante organice	8/14/2016 8:17:45 AM	24	mg/l
SC ALRO SA	Clor	8/14/2016 8:17:44 AM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 8:17:02 AM	0	mg/l
SC ALRO SA	Temp	8/14/2016 8:17:01 AM	22	gradCels
SC ALRO SA	pH	8/14/2016 8:17:00 AM	4	unit pH
SC ALRO SA	Substante organice	8/14/2016 8:11:47 AM	24	mg/l
SC ALRO SA	Clor	8/14/2016 8:11:46 AM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 8:11:42 AM	0	mg/l
SC ALRO SA	Temp	8/14/2016 8:11:41 AM	22	gradCels
SC ALRO SA	pH	8/14/2016 8:11:40 AM	4	unit pH
SC ALRO SA	Clor	8/14/2016 8:10:50 AM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 8:10:10 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 8:10:00 AM	24	mg/l
SC ALRO SA	Temp	8/14/2016 8:09:10 AM	22	gradCels
SC ALRO SA	pH	8/14/2016 8:09:00 AM	4	unit pH
SC ALRO SA	Clor	8/14/2016 8:06:40 AM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 8:06:03 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 8:06:02 AM	24	mg/l
SC ALRO SA	Temp	8/14/2016 8:06:01 AM	22	gradCels
SC ALRO SA	pH	8/14/2016 8:06:00 AM	4	unit pH
SC ALRO SA	Clor	8/14/2016 8:00:46 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 8:00:45 AM	23	mg/l
SC ALRO SA	Grasimi	8/14/2016 8:00:42 AM	0	mg/l
SC ALRO SA	Temp	8/14/2016 8:00:41 AM	22	gradCels
SC ALRO SA	pH	8/14/2016 8:00:40 AM	4	unit pH
SC ALRO SA	Clor	8/14/2016 7:55:41 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 7:55:40 AM	23	mg/l
SC ALRO SA	Grasimi	8/14/2016 7:55:02 AM	0	mg/l
SC ALRO SA	Temp	8/14/2016 7:55:01 AM	22	gradCels
SC ALRO SA	pH	8/14/2016 7:55:00 AM	4	unit pH
SC ALRO SA	Clor	8/14/2016 7:50:10 AM	0	mg/l
SC ALRO SA	Clor	8/14/2016 7:49:47 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 7:49:45 AM	23	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Grasimi	8/14/2016 7:49:42 AM	0	mg/l
SC ALRO SA	Temp	8/14/2016 7:49:41 AM	22	gradCels
SC ALRO SA	pH	8/14/2016 7:49:40 AM	4	unit pH
SC ALRO SA	Grasimi	8/14/2016 7:49:20 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 7:49:10 AM	23	mg/l
SC ALRO SA	Temp	8/14/2016 7:48:50 AM	22	gradCels
SC ALRO SA	pH	8/14/2016 7:48:30 AM	4	unit pH
SC ALRO SA	Substante organice	8/14/2016 7:44:41 AM	23	mg/l
SC ALRO SA	Clor	8/14/2016 7:44:40 AM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 7:44:02 AM	0	mg/l
SC ALRO SA	Temp	8/14/2016 7:44:01 AM	22	gradCels
SC ALRO SA	pH	8/14/2016 7:44:00 AM	4	unit pH
SC ALRO SA	Clor	8/14/2016 7:38:47 AM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 7:38:43 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 7:38:42 AM	23	mg/l
SC ALRO SA	Temp	8/14/2016 7:38:41 AM	22	gradCels
SC ALRO SA	pH	8/14/2016 7:38:40 AM	4	unit pH
SC ALRO SA	Clor	8/14/2016 7:33:41 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 7:33:40 AM	23	mg/l
SC ALRO SA	Grasimi	8/14/2016 7:33:02 AM	0	mg/l
SC ALRO SA	Temp	8/14/2016 7:33:01 AM	22	gradCels
SC ALRO SA	pH	8/14/2016 7:33:00 AM	4	unit pH
SC ALRO SA	Clor	8/14/2016 7:28:10 AM	0	mg/l
SC ALRO SA	Clor	8/14/2016 7:27:47 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 7:27:46 AM	23	mg/l
SC ALRO SA	Grasimi	8/14/2016 7:27:42 AM	0	mg/l
SC ALRO SA	Temp	8/14/2016 7:27:41 AM	22	gradCels
SC ALRO SA	pH	8/14/2016 7:27:40 AM	4	unit pH
SC ALRO SA	Grasimi	8/14/2016 7:27:20 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 7:27:10 AM	23	mg/l
SC ALRO SA	Temp	8/14/2016 7:26:50 AM	22	gradCels
SC ALRO SA	pH	8/14/2016 7:26:30 AM	4	unit pH
SC ALRO SA	Clor	8/14/2016 7:22:41 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 7:22:40 AM	23	mg/l
SC ALRO SA	Grasimi	8/14/2016 7:22:02 AM	0	mg/l
SC ALRO SA	Temp	8/14/2016 7:22:01 AM	22	gradCels
SC ALRO SA	pH	8/14/2016 7:22:00 AM	4	unit pH
SC ALRO SA	Clor	8/14/2016 7:16:43 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 7:16:42 AM	23	mg/l
SC ALRO SA	Grasimi	8/14/2016 7:16:22 AM	0	mg/l
SC ALRO SA	Temp	8/14/2016 7:16:21 AM	22	gradCels
SC ALRO SA	pH	8/14/2016 7:16:20 AM	4	unit pH
SC ALRO SA	Clor	8/14/2016 7:11:41 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 7:11:40 AM	23	mg/l
SC ALRO SA	Grasimi	8/14/2016 7:11:02 AM	0	mg/l
SC ALRO SA	Temp	8/14/2016 7:11:01 AM	22	gradCels
SC ALRO SA	pH	8/14/2016 7:11:00 AM	4	unit pH
SC ALRO SA	Clor	8/14/2016 7:05:46 AM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 7:05:23 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 7:05:22 AM	23	mg/l
SC ALRO SA	Temp	8/14/2016 7:05:21 AM	22	gradCels
SC ALRO SA	pH	8/14/2016 7:05:20 AM	4	unit pH
SC ALRO SA	Clor	8/14/2016 7:05:10 AM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 7:04:30 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 7:04:20 AM	23	mg/l
SC ALRO SA	Temp	8/14/2016 7:04:10 AM	22	gradCels
SC ALRO SA	pH	8/14/2016 7:03:20 AM	4	unit pH
SC ALRO SA	Substante organice	8/14/2016 7:00:41 AM	23	mg/l
SC ALRO SA	Clor	8/14/2016 7:00:40 AM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 7:00:02 AM	0	mg/l
SC ALRO SA	Temp	8/14/2016 7:00:01 AM	22	gradCels
SC ALRO SA	pH	8/14/2016 7:00:00 AM	4	unit pH
SC ALRO SA	Clor	8/14/2016 6:55:43 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 6:55:42 AM	23	mg/l
SC ALRO SA	Grasimi	8/14/2016 6:54:50 AM	0	mg/l
SC ALRO SA	Temp	8/14/2016 6:54:49 AM	22	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	8/14/2016 6:54:48 AM	4	unit pH
SC ALRO SA	Substante organice	8/14/2016 6:49:41 AM	23	mg/l
SC ALRO SA	Clor	8/14/2016 6:49:40 AM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 6:49:22 AM	0	mg/l
SC ALRO SA	Temp	8/14/2016 6:49:21 AM	22	gradCels
SC ALRO SA	pH	8/14/2016 6:49:20 AM	4	unit pH
SC ALRO SA	Clor	8/14/2016 6:44:42 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 6:44:41 AM	23	mg/l
SC ALRO SA	Clor	8/14/2016 6:44:30 AM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 6:43:50 AM	0	mg/l
SC ALRO SA	Temp	8/14/2016 6:43:49 AM	22	gradCels
SC ALRO SA	pH	8/14/2016 6:43:48 AM	4	unit pH
SC ALRO SA	Grasimi	8/14/2016 6:43:20 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 6:43:10 AM	23	mg/l
SC ALRO SA	Temp	8/14/2016 6:43:00 AM	22	gradCels
SC ALRO SA	pH	8/14/2016 6:42:20 AM	4	unit pH
SC ALRO SA	Clor	8/14/2016 6:38:44 AM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 6:38:23 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 6:38:22 AM	23	mg/l
SC ALRO SA	Temp	8/14/2016 6:38:21 AM	22	gradCels
SC ALRO SA	pH	8/14/2016 6:38:20 AM	4	unit pH
SC ALRO SA	Clor	8/14/2016 6:33:43 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 6:33:42 AM	23	mg/l
SC ALRO SA	Grasimi	8/14/2016 6:32:50 AM	0	mg/l
SC ALRO SA	Temp	8/14/2016 6:32:49 AM	22	gradCels
SC ALRO SA	pH	8/14/2016 6:32:48 AM	4	unit pH
SC ALRO SA	Clor	8/14/2016 6:27:44 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 6:27:43 AM	23	mg/l
SC ALRO SA	Grasimi	8/14/2016 6:27:22 AM	0	mg/l
SC ALRO SA	Temp	8/14/2016 6:27:21 AM	22	gradCels
SC ALRO SA	pH	8/14/2016 6:27:20 AM	4	unit pH
SC ALRO SA	Clor	8/14/2016 6:23:20 AM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 6:23:00 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 6:22:50 AM	23	mg/l
SC ALRO SA	Clor	8/14/2016 6:22:43 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 6:22:42 AM	23	mg/l
SC ALRO SA	Temp	8/14/2016 6:22:30 AM	22	gradCels
SC ALRO SA	pH	8/14/2016 6:22:00 AM	4	unit pH
SC ALRO SA	Grasimi	8/14/2016 6:21:50 AM	0	mg/l
SC ALRO SA	Temp	8/14/2016 6:21:49 AM	22	gradCels
SC ALRO SA	pH	8/14/2016 6:21:48 AM	4	unit pH
SC ALRO SA	Clor	8/14/2016 6:16:44 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 6:16:42 AM	23	mg/l
SC ALRO SA	Grasimi	8/14/2016 6:16:07 AM	0	mg/l
SC ALRO SA	Temp	8/14/2016 6:16:06 AM	22	gradCels
SC ALRO SA	pH	8/14/2016 6:16:05 AM	4	unit pH
SC ALRO SA	Clor	8/14/2016 6:10:48 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 6:10:46 AM	23	mg/l
SC ALRO SA	Grasimi	8/14/2016 6:10:42 AM	0	mg/l
SC ALRO SA	Temp	8/14/2016 6:10:41 AM	22	gradCels
SC ALRO SA	pH	8/14/2016 6:10:40 AM	4	unit pH
SC ALRO SA	Clor	8/14/2016 6:05:47 AM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 6:05:07 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 6:05:06 AM	23	mg/l
SC ALRO SA	Temp	8/14/2016 6:05:05 AM	22	gradCels
SC ALRO SA	pH	8/14/2016 6:05:04 AM	4	unit pH
SC ALRO SA	Clor	8/14/2016 6:04:20 AM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 6:03:30 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 6:03:10 AM	22	mg/l
SC ALRO SA	Temp	8/14/2016 6:02:50 AM	22	gradCels
SC ALRO SA	pH	8/14/2016 6:02:40 AM	4	unit pH
SC ALRO SA	Substante organice	8/14/2016 5:59:47 AM	22	mg/l
SC ALRO SA	Clor	8/14/2016 5:59:46 AM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 5:59:42 AM	0	mg/l
SC ALRO SA	Temp	8/14/2016 5:59:41 AM	22	gradCels
SC ALRO SA	pH	8/14/2016 5:59:40 AM	4	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Clor	8/14/2016 5:54:51 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 5:54:49 AM	22	mg/l
SC ALRO SA	Grasimi	8/14/2016 5:54:07 AM	0	mg/l
SC ALRO SA	Temp	8/14/2016 5:54:06 AM	22	gradCels
SC ALRO SA	pH	8/14/2016 5:54:05 AM	4	unit pH
SC ALRO SA	Clor	8/14/2016 5:48:48 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 5:48:46 AM	22	mg/l
SC ALRO SA	Grasimi	8/14/2016 5:48:42 AM	0	mg/l
SC ALRO SA	Temp	8/14/2016 5:48:41 AM	22	gradCels
SC ALRO SA	pH	8/14/2016 5:48:40 AM	4	unit pH
SC ALRO SA	Clor	8/14/2016 5:44:50 AM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 5:44:30 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 5:44:20 AM	22	mg/l
SC ALRO SA	Temp	8/14/2016 5:44:10 AM	22	gradCels
SC ALRO SA	pH	8/14/2016 5:44:00 AM	4	unit pH
SC ALRO SA	Clor	8/14/2016 5:43:47 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 5:43:46 AM	22	mg/l
SC ALRO SA	Grasimi	8/14/2016 5:43:02 AM	0	mg/l
SC ALRO SA	Temp	8/14/2016 5:43:01 AM	22	gradCels
SC ALRO SA	pH	8/14/2016 5:43:00 AM	4	unit pH
SC ALRO SA	Clor	8/14/2016 5:37:46 AM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 5:37:43 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 5:37:42 AM	22	mg/l
SC ALRO SA	Temp	8/14/2016 5:37:41 AM	22	gradCels
SC ALRO SA	pH	8/14/2016 5:37:40 AM	4	unit pH
SC ALRO SA	Clor	8/14/2016 5:32:48 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 5:32:45 AM	23	mg/l
SC ALRO SA	Grasimi	8/14/2016 5:32:02 AM	0	mg/l
SC ALRO SA	Temp	8/14/2016 5:32:01 AM	22	gradCels
SC ALRO SA	pH	8/14/2016 5:32:00 AM	4	unit pH
SC ALRO SA	Clor	8/14/2016 5:26:48 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 5:26:46 AM	23	mg/l
SC ALRO SA	Grasimi	8/14/2016 5:26:42 AM	0	mg/l
SC ALRO SA	Temp	8/14/2016 5:26:41 AM	22	gradCels
SC ALRO SA	pH	8/14/2016 5:26:40 AM	4	unit pH
SC ALRO SA	Clor	8/14/2016 5:25:50 AM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 5:25:00 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 5:24:50 AM	23	mg/l
SC ALRO SA	Temp	8/14/2016 5:24:30 AM	22	gradCels
SC ALRO SA	pH	8/14/2016 5:24:10 AM	4	unit pH
SC ALRO SA	Clor	8/14/2016 5:21:42 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 5:21:41 AM	23	mg/l
SC ALRO SA	Grasimi	8/14/2016 5:21:02 AM	0	mg/l
SC ALRO SA	Temp	8/14/2016 5:21:01 AM	22	gradCels
SC ALRO SA	pH	8/14/2016 5:21:00 AM	4	unit pH
SC ALRO SA	Clor	8/14/2016 5:15:43 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 5:15:41 AM	23	mg/l
SC ALRO SA	Grasimi	8/14/2016 5:15:30 AM	0	mg/l
SC ALRO SA	Temp	8/14/2016 5:15:28 AM	22	gradCels
SC ALRO SA	pH	8/14/2016 5:15:26 AM	4	unit pH
SC ALRO SA	Clor	8/14/2016 5:10:44 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 5:10:43 AM	23	mg/l
SC ALRO SA	Grasimi	8/14/2016 5:10:02 AM	0	mg/l
SC ALRO SA	Temp	8/14/2016 5:10:01 AM	22	gradCels
SC ALRO SA	pH	8/14/2016 5:10:00 AM	4	unit pH
SC ALRO SA	Clor	8/14/2016 5:05:30 AM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 5:05:10 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 5:04:40 AM	23	mg/l
SC ALRO SA	Clor	8/14/2016 5:04:35 AM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 5:04:27 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 5:04:26 AM	23	mg/l
SC ALRO SA	Temp	8/14/2016 5:04:25 AM	22	gradCels
SC ALRO SA	pH	8/14/2016 5:04:24 AM	4	unit pH
SC ALRO SA	Temp	8/14/2016 5:04:00 AM	22	gradCels
SC ALRO SA	pH	8/14/2016 5:03:50 AM	4	unit pH
SC ALRO SA	Clor	8/14/2016 4:59:47 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	8/14/2016 4:59:44 AM	23	mg/l
SC ALRO SA	Grasimi	8/14/2016 4:59:02 AM	0	mg/l
SC ALRO SA	Temp	8/14/2016 4:59:01 AM	22	gradCels
SC ALRO SA	pH	8/14/2016 4:59:00 AM	4	unit pH
SC ALRO SA	Clor	8/14/2016 4:53:44 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 4:53:42 AM	23	mg/l
SC ALRO SA	Grasimi	8/14/2016 4:53:26 AM	0	mg/l
SC ALRO SA	Temp	8/14/2016 4:53:25 AM	22	gradCels
SC ALRO SA	pH	8/14/2016 4:53:24 AM	4	unit pH
SC ALRO SA	Substante organice	8/14/2016 4:48:44 AM	23	mg/l
SC ALRO SA	Clor	8/14/2016 4:48:43 AM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 4:48:02 AM	0	mg/l
SC ALRO SA	Temp	8/14/2016 4:48:01 AM	22	gradCels
SC ALRO SA	pH	8/14/2016 4:48:00 AM	4	unit pH
SC ALRO SA	Clor	8/14/2016 4:45:10 AM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 4:44:30 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 4:44:10 AM	23	mg/l
SC ALRO SA	Temp	8/14/2016 4:44:00 AM	22	gradCels
SC ALRO SA	pH	8/14/2016 4:43:50 AM	4	unit pH
SC ALRO SA	Substante organice	8/14/2016 4:42:35 AM	23	mg/l
SC ALRO SA	Clor	8/14/2016 4:42:34 AM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 4:42:27 AM	0	mg/l
SC ALRO SA	Temp	8/14/2016 4:42:26 AM	22	gradCels
SC ALRO SA	pH	8/14/2016 4:42:25 AM	4	unit pH
SC ALRO SA	Clor	8/14/2016 4:37:43 AM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 4:36:49 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 4:36:48 AM	23	mg/l
SC ALRO SA	Temp	8/14/2016 4:36:47 AM	22	gradCels
SC ALRO SA	pH	8/14/2016 4:36:46 AM	4	unit pH
SC ALRO SA	Clor	8/14/2016 4:31:45 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 4:31:43 AM	23	mg/l
SC ALRO SA	Grasimi	8/14/2016 4:31:22 AM	0	mg/l
SC ALRO SA	Temp	8/14/2016 4:31:21 AM	22	gradCels
SC ALRO SA	pH	8/14/2016 4:31:20 AM	4	unit pH
SC ALRO SA	Clor	8/14/2016 4:26:44 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 4:26:42 AM	23	mg/l
SC ALRO SA	Grasimi	8/14/2016 4:25:48 AM	0	mg/l
SC ALRO SA	Temp	8/14/2016 4:25:47 AM	22	gradCels
SC ALRO SA	pH	8/14/2016 4:25:46 AM	4	unit pH
SC ALRO SA	Clor	8/14/2016 4:24:50 AM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 4:23:50 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 4:23:30 AM	23	mg/l
SC ALRO SA	Temp	8/14/2016 4:23:20 AM	22	gradCels
SC ALRO SA	pH	8/14/2016 4:23:10 AM	4	unit pH
SC ALRO SA	Substante organice	8/14/2016 4:20:43 AM	23	mg/l
SC ALRO SA	Clor	8/14/2016 4:20:42 AM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 4:20:22 AM	0	mg/l
SC ALRO SA	Temp	8/14/2016 4:20:21 AM	22	gradCels
SC ALRO SA	pH	8/14/2016 4:20:20 AM	4	unit pH
SC ALRO SA	Clor	8/14/2016 4:15:44 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 4:15:43 AM	23	mg/l
SC ALRO SA	Grasimi	8/14/2016 4:14:48 AM	0	mg/l
SC ALRO SA	Temp	8/14/2016 4:14:47 AM	22	gradCels
SC ALRO SA	pH	8/14/2016 4:14:46 AM	4	unit pH
SC ALRO SA	Substante organice	8/14/2016 4:09:44 AM	23	mg/l
SC ALRO SA	Clor	8/14/2016 4:09:43 AM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 4:09:22 AM	0	mg/l
SC ALRO SA	Temp	8/14/2016 4:09:21 AM	22	gradCels
SC ALRO SA	pH	8/14/2016 4:09:20 AM	4	unit pH
SC ALRO SA	Clor	8/14/2016 4:05:40 AM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 4:05:20 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 4:05:10 AM	23	mg/l
SC ALRO SA	Temp	8/14/2016 4:05:00 AM	23	gradCels
SC ALRO SA	pH	8/14/2016 4:04:50 AM	4	unit pH
SC ALRO SA	Clor	8/14/2016 4:04:43 AM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 4:03:52 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	8/14/2016 4:03:51 AM	23	mg/l
SC ALRO SA	Temp	8/14/2016 4:03:50 AM	23	gradCels
SC ALRO SA	pH	8/14/2016 4:03:49 AM	4	unit pH
SC ALRO SA	Clor	8/14/2016 3:58:49 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 3:58:47 AM	23	mg/l
SC ALRO SA	Grasimi	8/14/2016 3:58:22 AM	0	mg/l
SC ALRO SA	Temp	8/14/2016 3:58:21 AM	23	gradCels
SC ALRO SA	pH	8/14/2016 3:58:20 AM	4	unit pH
SC ALRO SA	Substante organice	8/14/2016 3:53:44 AM	23	mg/l
SC ALRO SA	Clor	8/14/2016 3:53:43 AM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 3:53:07 AM	0	mg/l
SC ALRO SA	Temp	8/14/2016 3:53:06 AM	23	gradCels
SC ALRO SA	pH	8/14/2016 3:53:05 AM	4	unit pH
SC ALRO SA	Clor	8/14/2016 3:48:41 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 3:48:40 AM	23	mg/l
SC ALRO SA	Grasimi	8/14/2016 3:47:52 AM	0	mg/l
SC ALRO SA	Temp	8/14/2016 3:47:51 AM	23	gradCels
SC ALRO SA	pH	8/14/2016 3:47:50 AM	4	unit pH
SC ALRO SA	Clor	8/14/2016 3:46:00 AM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 3:45:10 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 3:45:00 AM	23	mg/l
SC ALRO SA	Temp	8/14/2016 3:44:50 AM	23	gradCels
SC ALRO SA	pH	8/14/2016 3:44:30 AM	4	unit pH
SC ALRO SA	Clor	8/14/2016 3:42:45 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 3:42:44 AM	23	mg/l
SC ALRO SA	Grasimi	8/14/2016 3:42:06 AM	0	mg/l
SC ALRO SA	Temp	8/14/2016 3:42:05 AM	23	gradCels
SC ALRO SA	pH	8/14/2016 3:42:04 AM	4	unit pH
SC ALRO SA	Clor	8/14/2016 3:36:58 AM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 3:36:52 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 3:36:51 AM	23	mg/l
SC ALRO SA	Temp	8/14/2016 3:36:50 AM	23	gradCels
SC ALRO SA	pH	8/14/2016 3:36:49 AM	4	unit pH
SC ALRO SA	Clor	8/14/2016 3:31:38 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 3:31:37 AM	24	mg/l
SC ALRO SA	Grasimi	8/14/2016 3:31:22 AM	0	mg/l
SC ALRO SA	Temp	8/14/2016 3:31:21 AM	23	gradCels
SC ALRO SA	pH	8/14/2016 3:31:20 AM	4	unit pH
SC ALRO SA	Clor	8/14/2016 3:27:10 AM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 3:26:50 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 3:26:30 AM	24	mg/l
SC ALRO SA	Temp	8/14/2016 3:26:20 AM	23	gradCels
SC ALRO SA	pH	8/14/2016 3:26:10 AM	4	unit pH
SC ALRO SA	Clor	8/14/2016 3:25:52 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 3:25:51 AM	24	mg/l
SC ALRO SA	Grasimi	8/14/2016 3:25:42 AM	0	mg/l
SC ALRO SA	Temp	8/14/2016 3:25:41 AM	23	gradCels
SC ALRO SA	pH	8/14/2016 3:25:40 AM	4	unit pH
SC ALRO SA	Clor	8/14/2016 3:20:55 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 3:20:54 AM	24	mg/l
SC ALRO SA	Grasimi	8/14/2016 3:20:02 AM	0	mg/l
SC ALRO SA	Temp	8/14/2016 3:20:01 AM	23	gradCels
SC ALRO SA	pH	8/14/2016 3:20:00 AM	4	unit pH
SC ALRO SA	Clor	8/14/2016 3:14:50 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 3:14:48 AM	24	mg/l
SC ALRO SA	Grasimi	8/14/2016 3:14:42 AM	0	mg/l
SC ALRO SA	Temp	8/14/2016 3:14:41 AM	23	gradCels
SC ALRO SA	pH	8/14/2016 3:14:40 AM	4	unit pH
SC ALRO SA	Clor	8/14/2016 3:09:45 AM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 3:09:03 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 3:09:02 AM	24	mg/l
SC ALRO SA	Temp	8/14/2016 3:09:01 AM	23	gradCels
SC ALRO SA	pH	8/14/2016 3:09:00 AM	4	unit pH
SC ALRO SA	Clor	8/14/2016 3:08:30 AM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 3:08:00 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 3:07:50 AM	25	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	8/14/2016 3:07:30 AM	23	gradCels
SC ALRO SA	pH	8/14/2016 3:07:20 AM	4	unit pH
SC ALRO SA	Clor	8/14/2016 3:03:52 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 3:03:50 AM	25	mg/l
SC ALRO SA	Grasimi	8/14/2016 3:03:42 AM	0	mg/l
SC ALRO SA	Temp	8/14/2016 3:03:41 AM	23	gradCels
SC ALRO SA	pH	8/14/2016 3:03:40 AM	4	unit pH
SC ALRO SA	Clor	8/14/2016 2:58:43 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 2:58:42 AM	25	mg/l
SC ALRO SA	Grasimi	8/14/2016 2:58:02 AM	0	mg/l
SC ALRO SA	Temp	8/14/2016 2:58:01 AM	23	gradCels
SC ALRO SA	pH	8/14/2016 2:58:00 AM	4	unit pH
SC ALRO SA	Clor	8/14/2016 2:52:49 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 2:52:47 AM	25	mg/l
SC ALRO SA	Grasimi	8/14/2016 2:52:42 AM	0	mg/l
SC ALRO SA	Temp	8/14/2016 2:52:41 AM	23	gradCels
SC ALRO SA	pH	8/14/2016 2:52:40 AM	4	unit pH
SC ALRO SA	Clor	8/14/2016 2:50:00 AM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 2:49:20 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 2:49:10 AM	25	mg/l
SC ALRO SA	Temp	8/14/2016 2:48:50 AM	23	gradCels
SC ALRO SA	pH	8/14/2016 2:48:40 AM	4	unit pH
SC ALRO SA	Substante organice	8/14/2016 2:47:45 AM	25	mg/l
SC ALRO SA	Clor	8/14/2016 2:47:44 AM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 2:47:02 AM	0	mg/l
SC ALRO SA	Temp	8/14/2016 2:47:01 AM	23	gradCels
SC ALRO SA	pH	8/14/2016 2:47:00 AM	4	unit pH
SC ALRO SA	Clor	8/14/2016 2:41:47 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 2:41:46 AM	25	mg/l
SC ALRO SA	Grasimi	8/14/2016 2:41:42 AM	0	mg/l
SC ALRO SA	Temp	8/14/2016 2:41:41 AM	23	gradCels
SC ALRO SA	pH	8/14/2016 2:41:40 AM	4	unit pH
SC ALRO SA	Clor	8/14/2016 2:36:43 AM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 2:36:03 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 2:36:02 AM	25	mg/l
SC ALRO SA	Temp	8/14/2016 2:36:01 AM	23	gradCels
SC ALRO SA	pH	8/14/2016 2:36:00 AM	4	unit pH
SC ALRO SA	Clor	8/14/2016 2:31:20 AM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 2:31:00 AM	0	mg/l
SC ALRO SA	Clor	8/14/2016 2:30:43 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 2:30:42 AM	25	mg/l
SC ALRO SA	Substante organice	8/14/2016 2:30:30 AM	25	mg/l
SC ALRO SA	Grasimi	8/14/2016 2:30:22 AM	0	mg/l
SC ALRO SA	Temp	8/14/2016 2:30:21 AM	23	gradCels
SC ALRO SA	pH	8/14/2016 2:30:20 AM	4	unit pH
SC ALRO SA	Temp	8/14/2016 2:30:10 AM	23	gradCels
SC ALRO SA	pH	8/14/2016 2:29:50 AM	4	unit pH
SC ALRO SA	Substante organice	8/14/2016 2:25:44 AM	25	mg/l
SC ALRO SA	Clor	8/14/2016 2:25:43 AM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 2:25:02 AM	0	mg/l
SC ALRO SA	Temp	8/14/2016 2:25:01 AM	23	gradCels
SC ALRO SA	pH	8/14/2016 2:25:00 AM	4	unit pH
SC ALRO SA	Substante organice	8/14/2016 2:19:47 AM	25	mg/l
SC ALRO SA	Clor	8/14/2016 2:19:42 AM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 2:19:22 AM	0	mg/l
SC ALRO SA	Temp	8/14/2016 2:19:21 AM	23	gradCels
SC ALRO SA	pH	8/14/2016 2:19:20 AM	4	unit pH
SC ALRO SA	Clor	8/14/2016 2:14:43 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 2:14:42 AM	25	mg/l
SC ALRO SA	Grasimi	8/14/2016 2:14:02 AM	0	mg/l
SC ALRO SA	Temp	8/14/2016 2:14:01 AM	23	gradCels
SC ALRO SA	pH	8/14/2016 2:14:00 AM	4	unit pH
SC ALRO SA	Clor	8/14/2016 2:10:30 AM	0	mg/l
SC ALRO SA	Grasimi	8/14/2016 2:10:00 AM	0	mg/l
SC ALRO SA	Substante organice	8/14/2016 2:09:50 AM	25	mg/l
SC ALRO SA	Temp	8/14/2016 2:09:30 AM	23	gradCels