

Analiza evolutie pe mai multi senzori

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	9/20/2016 1:55:44 AM	10	mg/l
SC ALRO SA	Clor	9/20/2016 1:55:43 AM	0	mg/l
SC ALRO SA	Grasimi	9/20/2016 1:55:42 AM	0	mg/l
SC ALRO SA	Temp	9/20/2016 1:55:41 AM	23	gradCels
SC ALRO SA	pH	9/20/2016 1:55:40 AM	3	unit pH
SC ALRO SA	Substante organice	9/20/2016 1:50:40 AM	10	mg/l
SC ALRO SA	Clor	9/20/2016 1:50:23 AM	0	mg/l
SC ALRO SA	Grasimi	9/20/2016 1:50:22 AM	0	mg/l
SC ALRO SA	Temp	9/20/2016 1:50:21 AM	23	gradCels
SC ALRO SA	pH	9/20/2016 1:50:20 AM	3	unit pH
SC ALRO SA	Clor	9/20/2016 1:47:20 AM	0	mg/l
SC ALRO SA	Grasimi	9/20/2016 1:45:50 AM	0	mg/l
SC ALRO SA	Substante organice	9/20/2016 1:45:40 AM	10	mg/l
SC ALRO SA	Temp	9/20/2016 1:45:30 AM	23	gradCels
SC ALRO SA	pH	9/20/2016 1:45:20 AM	3	unit pH
SC ALRO SA	Substante organice	9/20/2016 1:44:44 AM	10	mg/l
SC ALRO SA	Clor	9/20/2016 1:44:43 AM	0	mg/l
SC ALRO SA	Grasimi	9/20/2016 1:44:42 AM	0	mg/l
SC ALRO SA	Temp	9/20/2016 1:44:41 AM	23	gradCels
SC ALRO SA	pH	9/20/2016 1:44:40 AM	3	unit pH
SC ALRO SA	Substante organice	9/20/2016 1:39:40 AM	10	mg/l
SC ALRO SA	Clor	9/20/2016 1:39:23 AM	0	mg/l
SC ALRO SA	Grasimi	9/20/2016 1:39:22 AM	0	mg/l
SC ALRO SA	Temp	9/20/2016 1:39:21 AM	23	gradCels
SC ALRO SA	pH	9/20/2016 1:39:20 AM	3	unit pH
SC ALRO SA	Substante organice	9/20/2016 1:33:45 AM	10	mg/l
SC ALRO SA	Clor	9/20/2016 1:33:43 AM	0	mg/l
SC ALRO SA	Grasimi	9/20/2016 1:33:42 AM	0	mg/l
SC ALRO SA	Temp	9/20/2016 1:33:41 AM	23	gradCels
SC ALRO SA	pH	9/20/2016 1:33:40 AM	3	unit pH
SC ALRO SA	Substante organice	9/20/2016 1:28:40 AM	10	mg/l
SC ALRO SA	Clor	9/20/2016 1:28:23 AM	0	mg/l
SC ALRO SA	Grasimi	9/20/2016 1:28:22 AM	0	mg/l
SC ALRO SA	Temp	9/20/2016 1:28:21 AM	23	gradCels
SC ALRO SA	pH	9/20/2016 1:28:20 AM	3	unit pH
SC ALRO SA	Clor	9/20/2016 1:28:00 AM	0	mg/l
SC ALRO SA	Grasimi	9/20/2016 1:27:40 AM	0	mg/l
SC ALRO SA	Substante organice	9/20/2016 1:27:30 AM	10	mg/l
SC ALRO SA	Temp	9/20/2016 1:27:20 AM	23	gradCels
SC ALRO SA	pH	9/20/2016 1:27:10 AM	3	unit pH
SC ALRO SA	Substante organice	9/20/2016 1:22:44 AM	10	mg/l
SC ALRO SA	Clor	9/20/2016 1:22:43 AM	0	mg/l
SC ALRO SA	Grasimi	9/20/2016 1:22:42 AM	0	mg/l
SC ALRO SA	Temp	9/20/2016 1:22:41 AM	23	gradCels
SC ALRO SA	pH	9/20/2016 1:22:40 AM	3	unit pH
SC ALRO SA	Substante organice	9/20/2016 1:17:40 AM	10	mg/l
SC ALRO SA	Clor	9/20/2016 1:17:23 AM	0	mg/l
SC ALRO SA	Grasimi	9/20/2016 1:17:22 AM	0	mg/l
SC ALRO SA	Temp	9/20/2016 1:17:21 AM	23	gradCels
SC ALRO SA	pH	9/20/2016 1:17:20 AM	3	unit pH
SC ALRO SA	Substante organice	9/20/2016 1:11:44 AM	10	mg/l
SC ALRO SA	Clor	9/20/2016 1:11:43 AM	0	mg/l
SC ALRO SA	Grasimi	9/20/2016 1:11:42 AM	0	mg/l
SC ALRO SA	Temp	9/20/2016 1:11:41 AM	23	gradCels
SC ALRO SA	pH	9/20/2016 1:11:40 AM	3	unit pH
SC ALRO SA	Clor	9/20/2016 1:10:00 AM	0	mg/l
SC ALRO SA	Grasimi	9/20/2016 1:09:30 AM	0	mg/l
SC ALRO SA	Substante organice	9/20/2016 1:09:10 AM	10	mg/l
SC ALRO SA	Temp	9/20/2016 1:08:30 AM	23	gradCels
SC ALRO SA	pH	9/20/2016 1:08:20 AM	3	unit pH
SC ALRO SA	Clor	9/20/2016 1:06:24 AM	0	mg/l
SC ALRO SA	Grasimi	9/20/2016 1:06:23 AM	0	mg/l
SC ALRO SA	Substante organice	9/20/2016 1:06:22 AM	10	mg/l
SC ALRO SA	Temp	9/20/2016 1:06:21 AM	23	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	9/20/2016 1:06:20 AM	3	unit pH
SC ALRO SA	Substante organice	9/20/2016 1:00:46 AM	10	mg/l
SC ALRO SA	Clor	9/20/2016 1:00:44 AM	0	mg/l
SC ALRO SA	Grasimi	9/20/2016 1:00:43 AM	0	mg/l
SC ALRO SA	Temp	9/20/2016 1:00:41 AM	23	gradCels
SC ALRO SA	pH	9/20/2016 1:00:40 AM	3	unit pH
SC ALRO SA	Substante organice	9/20/2016 12:55:40 AM	10	mg/l
SC ALRO SA	Clor	9/20/2016 12:55:03 AM	0	mg/l
SC ALRO SA	Grasimi	9/20/2016 12:55:02 AM	0	mg/l
SC ALRO SA	Temp	9/20/2016 12:55:01 AM	23	gradCels
SC ALRO SA	pH	9/20/2016 12:55:00 AM	3	unit pH
SC ALRO SA	Substante organice	9/20/2016 12:49:44 AM	10	mg/l
SC ALRO SA	Clor	9/20/2016 12:49:43 AM	0	mg/l
SC ALRO SA	Grasimi	9/20/2016 12:49:42 AM	0	mg/l
SC ALRO SA	Temp	9/20/2016 12:49:41 AM	23	gradCels
SC ALRO SA	pH	9/20/2016 12:49:40 AM	3	unit pH
SC ALRO SA	Clor	9/20/2016 12:49:10 AM	0	mg/l
SC ALRO SA	Grasimi	9/20/2016 12:48:50 AM	0	mg/l
SC ALRO SA	Substante organice	9/20/2016 12:48:40 AM	10	mg/l
SC ALRO SA	Temp	9/20/2016 12:48:30 AM	23	gradCels
SC ALRO SA	pH	9/20/2016 12:48:20 AM	3	unit pH
SC ALRO SA	Substante organice	9/20/2016 12:44:47 AM	10	mg/l
SC ALRO SA	Clor	9/20/2016 12:44:03 AM	0	mg/l
SC ALRO SA	Grasimi	9/20/2016 12:44:02 AM	0	mg/l
SC ALRO SA	Temp	9/20/2016 12:44:01 AM	23	gradCels
SC ALRO SA	pH	9/20/2016 12:44:00 AM	3	unit pH
SC ALRO SA	Clor	9/20/2016 12:38:44 AM	0	mg/l
SC ALRO SA	Grasimi	9/20/2016 12:38:43 AM	0	mg/l
SC ALRO SA	Substante organice	9/20/2016 12:38:42 AM	10	mg/l
SC ALRO SA	Temp	9/20/2016 12:38:41 AM	23	gradCels
SC ALRO SA	pH	9/20/2016 12:38:40 AM	3	unit pH
SC ALRO SA	Substante organice	9/20/2016 12:34:04 AM	10	mg/l
SC ALRO SA	Clor	9/20/2016 12:33:03 AM	0	mg/l
SC ALRO SA	Grasimi	9/20/2016 12:33:02 AM	0	mg/l
SC ALRO SA	Temp	9/20/2016 12:33:01 AM	23	gradCels
SC ALRO SA	pH	9/20/2016 12:33:00 AM	3	unit pH
SC ALRO SA	Clor	9/20/2016 12:30:50 AM	0	mg/l
SC ALRO SA	Grasimi	9/20/2016 12:30:00 AM	0	mg/l
SC ALRO SA	Substante organice	9/20/2016 12:29:50 AM	10	mg/l
SC ALRO SA	Temp	9/20/2016 12:29:30 AM	23	gradCels
SC ALRO SA	pH	9/20/2016 12:29:10 AM	3	unit pH
SC ALRO SA	Substante organice	9/20/2016 12:27:45 AM	10	mg/l
SC ALRO SA	Clor	9/20/2016 12:27:43 AM	0	mg/l
SC ALRO SA	Grasimi	9/20/2016 12:27:42 AM	0	mg/l
SC ALRO SA	Temp	9/20/2016 12:27:41 AM	23	gradCels
SC ALRO SA	pH	9/20/2016 12:27:40 AM	3	unit pH
SC ALRO SA	Substante organice	9/20/2016 12:23:03 AM	10	mg/l
SC ALRO SA	Clor	9/20/2016 12:22:03 AM	0	mg/l
SC ALRO SA	Grasimi	9/20/2016 12:22:02 AM	0	mg/l
SC ALRO SA	Temp	9/20/2016 12:22:01 AM	23	gradCels
SC ALRO SA	pH	9/20/2016 12:22:00 AM	3	unit pH
SC ALRO SA	Substante organice	9/20/2016 12:16:45 AM	10	mg/l
SC ALRO SA	Clor	9/20/2016 12:16:43 AM	0	mg/l
SC ALRO SA	Grasimi	9/20/2016 12:16:42 AM	0	mg/l
SC ALRO SA	Temp	9/20/2016 12:16:41 AM	23	gradCels
SC ALRO SA	pH	9/20/2016 12:16:40 AM	3	unit pH
SC ALRO SA	Substante organice	9/20/2016 12:12:02 AM	10	mg/l
SC ALRO SA	Clor	9/20/2016 12:11:03 AM	0	mg/l
SC ALRO SA	Grasimi	9/20/2016 12:11:02 AM	0	mg/l
SC ALRO SA	Temp	9/20/2016 12:11:01 AM	23	gradCels
SC ALRO SA	pH	9/20/2016 12:11:00 AM	3	unit pH
SC ALRO SA	Clor	9/20/2016 12:10:50 AM	0	mg/l
SC ALRO SA	Grasimi	9/20/2016 12:10:30 AM	0	mg/l
SC ALRO SA	Substante organice	9/20/2016 12:10:20 AM	10	mg/l
SC ALRO SA	Temp	9/20/2016 12:10:10 AM	24	gradCels
SC ALRO SA	pH	9/20/2016 12:10:00 AM	3	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	9/20/2016 12:05:44 AM	10	mg/l
SC ALRO SA	Clor	9/20/2016 12:05:43 AM	0	mg/l
SC ALRO SA	Grasimi	9/20/2016 12:05:42 AM	0	mg/l
SC ALRO SA	Temp	9/20/2016 12:05:41 AM	24	gradCels
SC ALRO SA	pH	9/20/2016 12:05:40 AM	3	unit pH
SC ALRO SA	Substante organice	9/20/2016 12:01:05 AM	10	mg/l
SC ALRO SA	Clor	9/20/2016 12:00:03 AM	0	mg/l
SC ALRO SA	Grasimi	9/20/2016 12:00:02 AM	0	mg/l
SC ALRO SA	Temp	9/20/2016 12:00:01 AM	24	gradCels
SC ALRO SA	pH	9/20/2016 12:00:00 AM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 11:54:45 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 11:54:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 11:54:42 PM	0	mg/l
SC ALRO SA	Temp	9/19/2016 11:54:41 PM	24	gradCels
SC ALRO SA	pH	9/19/2016 11:54:40 PM	3	unit pH
SC ALRO SA	Clor	9/19/2016 11:51:20 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 11:51:00 PM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 11:50:50 PM	10	mg/l
SC ALRO SA	Temp	9/19/2016 11:50:30 PM	24	gradCels
SC ALRO SA	pH	9/19/2016 11:50:20 PM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 11:50:08 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 11:49:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 11:49:02 PM	0	mg/l
SC ALRO SA	Temp	9/19/2016 11:49:01 PM	24	gradCels
SC ALRO SA	pH	9/19/2016 11:49:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 11:43:40 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 11:43:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 11:43:22 PM	0	mg/l
SC ALRO SA	Temp	9/19/2016 11:43:21 PM	24	gradCels
SC ALRO SA	pH	9/19/2016 11:43:20 PM	3	unit pH
SC ALRO SA	Clor	9/19/2016 11:38:04 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 11:38:03 PM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 11:38:02 PM	10	mg/l
SC ALRO SA	Temp	9/19/2016 11:38:01 PM	24	gradCels
SC ALRO SA	pH	9/19/2016 11:38:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 11:32:40 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 11:32:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 11:32:22 PM	0	mg/l
SC ALRO SA	Temp	9/19/2016 11:32:21 PM	24	gradCels
SC ALRO SA	pH	9/19/2016 11:32:20 PM	3	unit pH
SC ALRO SA	Clor	9/19/2016 11:31:40 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 11:31:20 PM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 11:31:10 PM	10	mg/l
SC ALRO SA	Temp	9/19/2016 11:31:00 PM	24	gradCels
SC ALRO SA	pH	9/19/2016 11:30:50 PM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 11:28:08 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 11:27:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 11:27:02 PM	0	mg/l
SC ALRO SA	Temp	9/19/2016 11:27:01 PM	24	gradCels
SC ALRO SA	pH	9/19/2016 11:27:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 11:21:40 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 11:21:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 11:21:22 PM	0	mg/l
SC ALRO SA	Temp	9/19/2016 11:21:21 PM	24	gradCels
SC ALRO SA	pH	9/19/2016 11:21:20 PM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 11:16:50 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 11:15:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 11:15:42 PM	0	mg/l
SC ALRO SA	Temp	9/19/2016 11:15:41 PM	24	gradCels
SC ALRO SA	pH	9/19/2016 11:15:40 PM	3	unit pH
SC ALRO SA	Clor	9/19/2016 11:12:50 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 11:12:00 PM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 11:11:50 PM	10	mg/l
SC ALRO SA	Substante organice	9/19/2016 11:10:40 PM	10	mg/l
SC ALRO SA	Temp	9/19/2016 11:10:30 PM	24	gradCels
SC ALRO SA	Clor	9/19/2016 11:10:23 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Grasimi	9/19/2016 11:10:22 PM	0	mg/l
SC ALRO SA	Temp	9/19/2016 11:10:21 PM	24	gradCels
SC ALRO SA	pH	9/19/2016 11:10:20 PM	3	unit pH
SC ALRO SA	pH	9/19/2016 11:10:00 PM	3	unit pH
SC ALRO SA	Clor	9/19/2016 11:04:44 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 11:04:43 PM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 11:04:42 PM	10	mg/l
SC ALRO SA	Temp	9/19/2016 11:04:41 PM	24	gradCels
SC ALRO SA	pH	9/19/2016 11:04:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 10:59:40 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 10:59:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 10:59:22 PM	0	mg/l
SC ALRO SA	Temp	9/19/2016 10:59:21 PM	24	gradCels
SC ALRO SA	pH	9/19/2016 10:59:20 PM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 10:53:44 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 10:53:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 10:53:42 PM	0	mg/l
SC ALRO SA	Temp	9/19/2016 10:53:41 PM	24	gradCels
SC ALRO SA	pH	9/19/2016 10:53:40 PM	3	unit pH
SC ALRO SA	Clor	9/19/2016 10:52:30 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 10:52:10 PM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 10:51:50 PM	10	mg/l
SC ALRO SA	Temp	9/19/2016 10:51:30 PM	24	gradCels
SC ALRO SA	pH	9/19/2016 10:51:20 PM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 10:48:40 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 10:48:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 10:48:22 PM	0	mg/l
SC ALRO SA	Temp	9/19/2016 10:48:21 PM	24	gradCels
SC ALRO SA	pH	9/19/2016 10:48:20 PM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 10:42:46 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 10:42:44 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 10:42:42 PM	0	mg/l
SC ALRO SA	Temp	9/19/2016 10:42:41 PM	24	gradCels
SC ALRO SA	pH	9/19/2016 10:42:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 10:37:40 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 10:37:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 10:37:22 PM	0	mg/l
SC ALRO SA	Temp	9/19/2016 10:37:21 PM	24	gradCels
SC ALRO SA	pH	9/19/2016 10:37:20 PM	3	unit pH
SC ALRO SA	Clor	9/19/2016 10:31:50 PM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 10:31:45 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 10:31:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 10:31:42 PM	0	mg/l
SC ALRO SA	Temp	9/19/2016 10:31:41 PM	24	gradCels
SC ALRO SA	pH	9/19/2016 10:31:40 PM	3	unit pH
SC ALRO SA	Grasimi	9/19/2016 10:31:20 PM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 10:31:10 PM	10	mg/l
SC ALRO SA	Temp	9/19/2016 10:31:00 PM	24	gradCels
SC ALRO SA	pH	9/19/2016 10:30:50 PM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 10:27:02 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 10:26:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 10:26:22 PM	0	mg/l
SC ALRO SA	pH	9/19/2016 10:26:21 PM	3	unit pH
SC ALRO SA	Temp	9/19/2016 10:26:20 PM	24	gradCels
SC ALRO SA	Substante organice	9/19/2016 10:20:45 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 10:20:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 10:20:42 PM	0	mg/l
SC ALRO SA	Temp	9/19/2016 10:20:41 PM	24	gradCels
SC ALRO SA	pH	9/19/2016 10:20:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 10:16:08 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 10:15:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 10:15:02 PM	0	mg/l
SC ALRO SA	Temp	9/19/2016 10:15:01 PM	24	gradCels
SC ALRO SA	pH	9/19/2016 10:15:00 PM	3	unit pH
SC ALRO SA	Clor	9/19/2016 10:13:10 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 10:12:50 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	9/19/2016 10:12:30 PM	10	mg/l
SC ALRO SA	Temp	9/19/2016 10:12:00 PM	24	gradCels
SC ALRO SA	pH	9/19/2016 10:11:50 PM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 10:09:44 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 10:09:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 10:09:42 PM	0	mg/l
SC ALRO SA	Temp	9/19/2016 10:09:41 PM	24	gradCels
SC ALRO SA	pH	9/19/2016 10:09:40 PM	3	unit pH
SC ALRO SA	Clor	9/19/2016 10:04:04 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 10:04:03 PM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 10:04:02 PM	10	mg/l
SC ALRO SA	Temp	9/19/2016 10:04:01 PM	24	gradCels
SC ALRO SA	pH	9/19/2016 10:04:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 9:58:44 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 9:58:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 9:58:42 PM	0	mg/l
SC ALRO SA	Temp	9/19/2016 9:58:41 PM	24	gradCels
SC ALRO SA	pH	9/19/2016 9:58:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 9:54:08 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 9:53:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 9:53:02 PM	0	mg/l
SC ALRO SA	Temp	9/19/2016 9:53:01 PM	24	gradCels
SC ALRO SA	pH	9/19/2016 9:53:00 PM	3	unit pH
SC ALRO SA	Clor	9/19/2016 9:52:50 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 9:52:30 PM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 9:52:20 PM	10	mg/l
SC ALRO SA	Temp	9/19/2016 9:52:10 PM	24	gradCels
SC ALRO SA	pH	9/19/2016 9:52:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 9:47:45 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 9:47:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 9:47:42 PM	0	mg/l
SC ALRO SA	Temp	9/19/2016 9:47:41 PM	24	gradCels
SC ALRO SA	pH	9/19/2016 9:47:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 9:43:08 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 9:42:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 9:42:02 PM	0	mg/l
SC ALRO SA	Temp	9/19/2016 9:42:01 PM	24	gradCels
SC ALRO SA	pH	9/19/2016 9:42:00 PM	3	unit pH
SC ALRO SA	Clor	9/19/2016 9:36:44 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 9:36:43 PM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 9:36:42 PM	10	mg/l
SC ALRO SA	Temp	9/19/2016 9:36:41 PM	24	gradCels
SC ALRO SA	pH	9/19/2016 9:36:40 PM	3	unit pH
SC ALRO SA	Clor	9/19/2016 9:33:10 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 9:32:20 PM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 9:32:08 PM	10	mg/l
SC ALRO SA	Substante organice	9/19/2016 9:31:20 PM	10	mg/l
SC ALRO SA	Temp	9/19/2016 9:31:10 PM	24	gradCels
SC ALRO SA	Clor	9/19/2016 9:31:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 9:31:02 PM	0	mg/l
SC ALRO SA	Temp	9/19/2016 9:31:01 PM	24	gradCels
SC ALRO SA	pH	9/19/2016 9:31:00 PM	3	unit pH
SC ALRO SA	pH	9/19/2016 9:30:50 PM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 9:25:45 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 9:25:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 9:25:42 PM	0	mg/l
SC ALRO SA	Temp	9/19/2016 9:25:41 PM	24	gradCels
SC ALRO SA	pH	9/19/2016 9:25:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 9:20:48 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 9:20:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 9:20:02 PM	0	mg/l
SC ALRO SA	Temp	9/19/2016 9:20:01 PM	24	gradCels
SC ALRO SA	pH	9/19/2016 9:20:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 9:14:44 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 9:14:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 9:14:42 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	9/19/2016 9:14:41 PM	24	gradCels
SC ALRO SA	pH	9/19/2016 9:14:40 PM	3	unit pH
SC ALRO SA	Clor	9/19/2016 9:12:10 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 9:11:20 PM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 9:11:10 PM	10	mg/l
SC ALRO SA	Temp	9/19/2016 9:10:50 PM	24	gradCels
SC ALRO SA	pH	9/19/2016 9:10:30 PM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 9:09:48 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 9:09:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 9:09:02 PM	0	mg/l
SC ALRO SA	Temp	9/19/2016 9:09:01 PM	24	gradCels
SC ALRO SA	pH	9/19/2016 9:09:00 PM	3	unit pH
SC ALRO SA	Clor	9/19/2016 9:03:44 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 9:03:43 PM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 9:03:42 PM	10	mg/l
SC ALRO SA	Temp	9/19/2016 9:03:41 PM	24	gradCels
SC ALRO SA	pH	9/19/2016 9:03:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 8:58:46 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 8:58:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 8:58:02 PM	0	mg/l
SC ALRO SA	Temp	9/19/2016 8:58:01 PM	24	gradCels
SC ALRO SA	pH	9/19/2016 8:58:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 8:52:45 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 8:52:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 8:52:42 PM	0	mg/l
SC ALRO SA	Temp	9/19/2016 8:52:41 PM	24	gradCels
SC ALRO SA	pH	9/19/2016 8:52:40 PM	3	unit pH
SC ALRO SA	Clor	9/19/2016 8:52:20 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 8:52:00 PM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 8:51:50 PM	10	mg/l
SC ALRO SA	Temp	9/19/2016 8:51:30 PM	24	gradCels
SC ALRO SA	pH	9/19/2016 8:51:20 PM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 8:47:48 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 8:47:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 8:47:02 PM	0	mg/l
SC ALRO SA	Temp	9/19/2016 8:47:01 PM	24	gradCels
SC ALRO SA	pH	9/19/2016 8:47:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 8:41:40 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 8:41:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 8:41:22 PM	0	mg/l
SC ALRO SA	pH	9/19/2016 8:41:21 PM	3	unit pH
SC ALRO SA	Temp	9/19/2016 8:41:20 PM	24	gradCels
SC ALRO SA	Clor	9/19/2016 8:36:04 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 8:36:03 PM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 8:36:02 PM	10	mg/l
SC ALRO SA	pH	9/19/2016 8:36:01 PM	3	unit pH
SC ALRO SA	Temp	9/19/2016 8:36:00 PM	24	gradCels
SC ALRO SA	Clor	9/19/2016 8:33:50 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 8:33:20 PM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 8:33:10 PM	10	mg/l
SC ALRO SA	Temp	9/19/2016 8:32:20 PM	24	gradCels
SC ALRO SA	pH	9/19/2016 8:32:10 PM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 8:30:40 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 8:30:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 8:30:22 PM	0	mg/l
SC ALRO SA	pH	9/19/2016 8:30:21 PM	3	unit pH
SC ALRO SA	Temp	9/19/2016 8:30:20 PM	24	gradCels
SC ALRO SA	Substante organice	9/19/2016 8:26:05 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 8:25:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 8:25:02 PM	0	mg/l
SC ALRO SA	Temp	9/19/2016 8:25:01 PM	24	gradCels
SC ALRO SA	pH	9/19/2016 8:25:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 8:19:40 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 8:19:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 8:19:22 PM	0	mg/l
SC ALRO SA	Temp	9/19/2016 8:19:21 PM	24	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	9/19/2016 8:19:20 PM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 8:15:02 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 8:13:44 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 8:13:43 PM	0	mg/l
SC ALRO SA	pH	9/19/2016 8:13:42 PM	3	unit pH
SC ALRO SA	Temp	9/19/2016 8:13:41 PM	24	gradCels
SC ALRO SA	Clor	9/19/2016 8:12:10 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 8:11:50 PM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 8:11:30 PM	10	mg/l
SC ALRO SA	Temp	9/19/2016 8:11:20 PM	24	gradCels
SC ALRO SA	pH	9/19/2016 8:11:10 PM	3	unit pH
SC ALRO SA	Clor	9/19/2016 8:08:24 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 8:08:23 PM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 8:08:22 PM	10	mg/l
SC ALRO SA	Temp	9/19/2016 8:08:21 PM	24	gradCels
SC ALRO SA	pH	9/19/2016 8:08:20 PM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 8:04:04 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 8:02:45 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 8:02:44 PM	0	mg/l
SC ALRO SA	pH	9/19/2016 8:02:43 PM	3	unit pH
SC ALRO SA	Temp	9/19/2016 8:02:42 PM	24	gradCels
SC ALRO SA	Substante organice	9/19/2016 7:57:40 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 7:57:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 7:57:22 PM	0	mg/l
SC ALRO SA	Temp	9/19/2016 7:57:21 PM	24	gradCels
SC ALRO SA	pH	9/19/2016 7:57:20 PM	3	unit pH
SC ALRO SA	Clor	9/19/2016 7:53:10 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 7:51:50 PM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 7:51:45 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 7:51:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 7:51:42 PM	0	mg/l
SC ALRO SA	Temp	9/19/2016 7:51:41 PM	24	gradCels
SC ALRO SA	pH	9/19/2016 7:51:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 7:51:30 PM	10	mg/l
SC ALRO SA	Temp	9/19/2016 7:51:00 PM	24	gradCels
SC ALRO SA	pH	9/19/2016 7:50:50 PM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 7:46:46 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 7:46:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 7:46:22 PM	0	mg/l
SC ALRO SA	pH	9/19/2016 7:46:21 PM	3	unit pH
SC ALRO SA	Temp	9/19/2016 7:46:20 PM	24	gradCels
SC ALRO SA	Substante organice	9/19/2016 7:40:46 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 7:40:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 7:40:42 PM	0	mg/l
SC ALRO SA	Temp	9/19/2016 7:40:41 PM	24	gradCels
SC ALRO SA	pH	9/19/2016 7:40:40 PM	3	unit pH
SC ALRO SA	Clor	9/19/2016 7:35:24 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 7:35:23 PM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 7:35:22 PM	10	mg/l
SC ALRO SA	pH	9/19/2016 7:35:21 PM	3	unit pH
SC ALRO SA	Temp	9/19/2016 7:35:20 PM	24	gradCels
SC ALRO SA	Clor	9/19/2016 7:33:40 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 7:33:20 PM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 7:33:10 PM	10	mg/l
SC ALRO SA	Temp	9/19/2016 7:33:00 PM	24	gradCels
SC ALRO SA	pH	9/19/2016 7:32:50 PM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 7:29:46 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 7:29:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 7:29:42 PM	0	mg/l
SC ALRO SA	Temp	9/19/2016 7:29:41 PM	24	gradCels
SC ALRO SA	pH	9/19/2016 7:29:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 7:24:47 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 7:24:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 7:24:22 PM	0	mg/l
SC ALRO SA	Temp	9/19/2016 7:24:21 PM	24	gradCels
SC ALRO SA	pH	9/19/2016 7:24:20 PM	3	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	9/19/2016 7:18:46 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 7:18:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 7:18:42 PM	0	mg/l
SC ALRO SA	Temp	9/19/2016 7:18:41 PM	24	gradCels
SC ALRO SA	pH	9/19/2016 7:18:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 7:13:46 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 7:13:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 7:13:22 PM	0	mg/l
SC ALRO SA	Temp	9/19/2016 7:13:21 PM	24	gradCels
SC ALRO SA	pH	9/19/2016 7:13:20 PM	3	unit pH
SC ALRO SA	Clor	9/19/2016 7:13:00 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 7:12:20 PM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 7:12:10 PM	10	mg/l
SC ALRO SA	Temp	9/19/2016 7:12:00 PM	24	gradCels
SC ALRO SA	pH	9/19/2016 7:11:50 PM	3	unit pH
SC ALRO SA	Clor	9/19/2016 7:07:44 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 7:07:43 PM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 7:07:42 PM	10	mg/l
SC ALRO SA	Temp	9/19/2016 7:07:41 PM	24	gradCels
SC ALRO SA	pH	9/19/2016 7:07:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 7:02:46 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 7:02:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 7:02:22 PM	0	mg/l
SC ALRO SA	Temp	9/19/2016 7:02:21 PM	24	gradCels
SC ALRO SA	pH	9/19/2016 7:02:20 PM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 6:56:47 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 6:56:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 6:56:42 PM	0	mg/l
SC ALRO SA	Temp	9/19/2016 6:56:41 PM	24	gradCels
SC ALRO SA	pH	9/19/2016 6:56:40 PM	3	unit pH
SC ALRO SA	Clor	9/19/2016 6:54:40 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 6:54:20 PM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 6:54:10 PM	10	mg/l
SC ALRO SA	Temp	9/19/2016 6:54:00 PM	24	gradCels
SC ALRO SA	pH	9/19/2016 6:53:10 PM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 6:51:46 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 6:51:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 6:51:02 PM	0	mg/l
SC ALRO SA	pH	9/19/2016 6:51:01 PM	3	unit pH
SC ALRO SA	Temp	9/19/2016 6:51:00 PM	24	gradCels
SC ALRO SA	Substante organice	9/19/2016 6:45:47 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 6:45:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 6:45:42 PM	0	mg/l
SC ALRO SA	Temp	9/19/2016 6:45:41 PM	24	gradCels
SC ALRO SA	pH	9/19/2016 6:45:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 6:41:03 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 6:40:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 6:40:02 PM	0	mg/l
SC ALRO SA	Temp	9/19/2016 6:40:01 PM	24	gradCels
SC ALRO SA	pH	9/19/2016 6:40:00 PM	3	unit pH
SC ALRO SA	Clor	9/19/2016 6:35:50 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 6:34:50 PM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 6:34:47 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 6:34:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 6:34:42 PM	0	mg/l
SC ALRO SA	Temp	9/19/2016 6:34:41 PM	24	gradCels
SC ALRO SA	pH	9/19/2016 6:34:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 6:34:20 PM	10	mg/l
SC ALRO SA	Temp	9/19/2016 6:34:10 PM	24	gradCels
SC ALRO SA	pH	9/19/2016 6:33:50 PM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 6:30:03 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 6:29:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 6:29:02 PM	0	mg/l
SC ALRO SA	pH	9/19/2016 6:29:01 PM	3	unit pH
SC ALRO SA	Temp	9/19/2016 6:29:00 PM	24	gradCels
SC ALRO SA	Substante organice	9/19/2016 6:23:59 PM	10	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Clor	9/19/2016 6:23:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 6:23:42 PM	0	mg/l
SC ALRO SA	pH	9/19/2016 6:23:41 PM	3	unit pH
SC ALRO SA	Temp	9/19/2016 6:23:40 PM	24	gradCels
SC ALRO SA	Substante organice	9/19/2016 6:19:04 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 6:18:08 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 6:18:07 PM	0	mg/l
SC ALRO SA	pH	9/19/2016 6:18:06 PM	3	unit pH
SC ALRO SA	Temp	9/19/2016 6:18:05 PM	24	gradCels
SC ALRO SA	Clor	9/19/2016 6:16:30 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 6:16:10 PM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 6:16:00 PM	10	mg/l
SC ALRO SA	Temp	9/19/2016 6:15:50 PM	24	gradCels
SC ALRO SA	pH	9/19/2016 6:15:30 PM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 6:12:43 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 6:12:28 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 6:12:27 PM	0	mg/l
SC ALRO SA	Temp	9/19/2016 6:12:26 PM	24	gradCels
SC ALRO SA	pH	9/19/2016 6:12:25 PM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 6:08:02 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 6:06:55 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 6:06:54 PM	0	mg/l
SC ALRO SA	pH	9/19/2016 6:06:53 PM	3	unit pH
SC ALRO SA	Temp	9/19/2016 6:06:52 PM	24	gradCels
SC ALRO SA	Substante organice	9/19/2016 6:01:42 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 6:01:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 6:01:22 PM	0	mg/l
SC ALRO SA	Temp	9/19/2016 6:01:21 PM	24	gradCels
SC ALRO SA	pH	9/19/2016 6:01:20 PM	3	unit pH
SC ALRO SA	Clor	9/19/2016 5:57:20 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 5:57:00 PM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 5:56:50 PM	10	mg/l
SC ALRO SA	Substante organice	9/19/2016 5:56:43 PM	10	mg/l
SC ALRO SA	Temp	9/19/2016 5:56:10 PM	24	gradCels
SC ALRO SA	Clor	9/19/2016 5:56:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 5:56:02 PM	0	mg/l
SC ALRO SA	Temp	9/19/2016 5:56:01 PM	24	gradCels
SC ALRO SA	pH	9/19/2016 5:56:00 PM	3	unit pH
SC ALRO SA	pH	9/19/2016 5:55:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 5:50:41 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 5:50:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 5:50:22 PM	0	mg/l
SC ALRO SA	Temp	9/19/2016 5:50:21 PM	24	gradCels
SC ALRO SA	pH	9/19/2016 5:50:20 PM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 5:45:43 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 5:45:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 5:45:02 PM	0	mg/l
SC ALRO SA	Temp	9/19/2016 5:45:01 PM	24	gradCels
SC ALRO SA	pH	9/19/2016 5:45:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 5:39:42 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 5:39:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 5:39:22 PM	0	mg/l
SC ALRO SA	Temp	9/19/2016 5:39:21 PM	24	gradCels
SC ALRO SA	pH	9/19/2016 5:39:20 PM	3	unit pH
SC ALRO SA	Clor	9/19/2016 5:35:30 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 5:35:10 PM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 5:35:00 PM	10	mg/l
SC ALRO SA	Temp	9/19/2016 5:34:50 PM	24	gradCels
SC ALRO SA	Substante organice	9/19/2016 5:34:45 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 5:34:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 5:34:02 PM	0	mg/l
SC ALRO SA	Temp	9/19/2016 5:34:01 PM	24	gradCels
SC ALRO SA	pH	9/19/2016 5:34:00 PM	3	unit pH
SC ALRO SA	pH	9/19/2016 5:33:30 PM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 5:28:42 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 5:28:23 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Grasimi	9/19/2016 5:28:22 PM	0	mg/l
SC ALRO SA	Temp	9/19/2016 5:28:21 PM	24	gradCels
SC ALRO SA	pH	9/19/2016 5:28:20 PM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 5:23:43 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 5:22:46 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 5:22:45 PM	0	mg/l
SC ALRO SA	Temp	9/19/2016 5:22:44 PM	24	gradCels
SC ALRO SA	pH	9/19/2016 5:22:43 PM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 5:17:46 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 5:17:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 5:17:22 PM	0	mg/l
SC ALRO SA	Temp	9/19/2016 5:17:21 PM	24	gradCels
SC ALRO SA	pH	9/19/2016 5:17:20 PM	3	unit pH
SC ALRO SA	Clor	9/19/2016 5:15:10 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 5:14:50 PM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 5:14:30 PM	10	mg/l
SC ALRO SA	Temp	9/19/2016 5:13:50 PM	24	gradCels
SC ALRO SA	pH	9/19/2016 5:13:20 PM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 5:12:44 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 5:11:44 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 5:11:43 PM	0	mg/l
SC ALRO SA	Temp	9/19/2016 5:11:42 PM	24	gradCels
SC ALRO SA	pH	9/19/2016 5:11:41 PM	3	unit pH
SC ALRO SA	Clor	9/19/2016 5:06:24 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 5:06:23 PM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 5:06:22 PM	10	mg/l
SC ALRO SA	Temp	9/19/2016 5:06:21 PM	24	gradCels
SC ALRO SA	pH	9/19/2016 5:06:20 PM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 5:00:45 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 5:00:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 5:00:42 PM	0	mg/l
SC ALRO SA	Temp	9/19/2016 5:00:41 PM	24	gradCels
SC ALRO SA	pH	9/19/2016 5:00:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 4:55:48 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 4:55:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 4:55:22 PM	0	mg/l
SC ALRO SA	Temp	9/19/2016 4:55:21 PM	24	gradCels
SC ALRO SA	pH	9/19/2016 4:55:20 PM	3	unit pH
SC ALRO SA	Clor	9/19/2016 4:54:10 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 4:53:50 PM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 4:53:21 PM	10	mg/l
SC ALRO SA	Temp	9/19/2016 4:53:10 PM	24	gradCels
SC ALRO SA	pH	9/19/2016 4:53:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 4:49:50 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 4:49:47 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 4:49:46 PM	0	mg/l
SC ALRO SA	Temp	9/19/2016 4:49:45 PM	24	gradCels
SC ALRO SA	pH	9/19/2016 4:49:44 PM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 4:45:06 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 4:44:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 4:44:22 PM	0	mg/l
SC ALRO SA	Temp	9/19/2016 4:44:21 PM	24	gradCels
SC ALRO SA	pH	9/19/2016 4:44:20 PM	3	unit pH
SC ALRO SA	Clor	9/19/2016 4:38:44 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 4:38:43 PM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 4:38:42 PM	10	mg/l
SC ALRO SA	Temp	9/19/2016 4:38:41 PM	24	gradCels
SC ALRO SA	pH	9/19/2016 4:38:40 PM	3	unit pH
SC ALRO SA	Clor	9/19/2016 4:34:20 PM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 4:34:05 PM	10	mg/l
SC ALRO SA	Grasimi	9/19/2016 4:33:20 PM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 4:33:10 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 4:33:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 4:33:02 PM	0	mg/l
SC ALRO SA	Temp	9/19/2016 4:33:01 PM	24	gradCels
SC ALRO SA	pH	9/19/2016 4:33:00 PM	3	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	9/19/2016 4:32:50 PM	24	gradCels
SC ALRO SA	pH	9/19/2016 4:32:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 4:27:51 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 4:27:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 4:27:42 PM	0	mg/l
SC ALRO SA	Temp	9/19/2016 4:27:41 PM	24	gradCels
SC ALRO SA	pH	9/19/2016 4:27:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 4:23:06 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 4:22:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 4:22:02 PM	0	mg/l
SC ALRO SA	pH	9/19/2016 4:22:01 PM	3	unit pH
SC ALRO SA	Temp	9/19/2016 4:22:00 PM	24	gradCels
SC ALRO SA	Substante organice	9/19/2016 4:16:51 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 4:16:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 4:16:42 PM	0	mg/l
SC ALRO SA	Temp	9/19/2016 4:16:41 PM	24	gradCels
SC ALRO SA	pH	9/19/2016 4:16:40 PM	3	unit pH
SC ALRO SA	Clor	9/19/2016 4:13:20 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 4:12:40 PM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 4:12:30 PM	10	mg/l
SC ALRO SA	Temp	9/19/2016 4:12:20 PM	24	gradCels
SC ALRO SA	pH	9/19/2016 4:12:10 PM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 4:12:04 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 4:11:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 4:11:02 PM	0	mg/l
SC ALRO SA	Temp	9/19/2016 4:11:01 PM	24	gradCels
SC ALRO SA	pH	9/19/2016 4:11:00 PM	3	unit pH
SC ALRO SA	Clor	9/19/2016 4:05:44 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 4:05:43 PM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 4:05:42 PM	10	mg/l
SC ALRO SA	Temp	9/19/2016 4:05:41 PM	24	gradCels
SC ALRO SA	pH	9/19/2016 4:05:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 4:01:05 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 4:00:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 4:00:02 PM	0	mg/l
SC ALRO SA	pH	9/19/2016 4:00:01 PM	3	unit pH
SC ALRO SA	Temp	9/19/2016 4:00:00 PM	24	gradCels
SC ALRO SA	Substante organice	9/19/2016 3:54:51 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 3:54:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 3:54:42 PM	0	mg/l
SC ALRO SA	Temp	9/19/2016 3:54:41 PM	25	gradCels
SC ALRO SA	pH	9/19/2016 3:54:40 PM	3	unit pH
SC ALRO SA	Clor	9/19/2016 3:52:10 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 3:51:10 PM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 3:51:00 PM	10	mg/l
SC ALRO SA	Temp	9/19/2016 3:50:50 PM	25	gradCels
SC ALRO SA	pH	9/19/2016 3:50:30 PM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 3:50:05 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 3:49:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 3:49:02 PM	0	mg/l
SC ALRO SA	Temp	9/19/2016 3:49:01 PM	25	gradCels
SC ALRO SA	pH	9/19/2016 3:49:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 3:43:51 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 3:43:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 3:43:42 PM	0	mg/l
SC ALRO SA	Temp	9/19/2016 3:43:41 PM	25	gradCels
SC ALRO SA	pH	9/19/2016 3:43:40 PM	3	unit pH
SC ALRO SA	Clor	9/19/2016 3:38:04 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 3:38:03 PM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 3:38:02 PM	10	mg/l
SC ALRO SA	pH	9/19/2016 3:38:01 PM	3	unit pH
SC ALRO SA	Temp	9/19/2016 3:38:00 PM	25	gradCels
SC ALRO SA	Substante organice	9/19/2016 3:32:46 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 3:32:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 3:32:22 PM	0	mg/l
SC ALRO SA	Temp	9/19/2016 3:32:21 PM	25	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	9/19/2016 3:32:20 PM	3	unit pH
SC ALRO SA	Clor	9/19/2016 3:32:00 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 3:31:30 PM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 3:31:20 PM	10	mg/l
SC ALRO SA	Temp	9/19/2016 3:31:10 PM	25	gradCels
SC ALRO SA	pH	9/19/2016 3:31:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 3:27:46 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 3:27:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 3:27:02 PM	0	mg/l
SC ALRO SA	Temp	9/19/2016 3:27:01 PM	25	gradCels
SC ALRO SA	pH	9/19/2016 3:27:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 3:21:41 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 3:21:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 3:21:22 PM	0	mg/l
SC ALRO SA	Temp	9/19/2016 3:21:21 PM	25	gradCels
SC ALRO SA	pH	9/19/2016 3:21:20 PM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 3:16:47 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 3:16:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 3:16:02 PM	0	mg/l
SC ALRO SA	Temp	9/19/2016 3:16:01 PM	25	gradCels
SC ALRO SA	pH	9/19/2016 3:16:00 PM	3	unit pH
SC ALRO SA	Clor	9/19/2016 3:12:10 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 3:11:50 PM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 3:11:30 PM	10	mg/l
SC ALRO SA	Temp	9/19/2016 3:11:20 PM	25	gradCels
SC ALRO SA	pH	9/19/2016 3:11:10 PM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 3:10:42 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 3:10:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 3:10:22 PM	0	mg/l
SC ALRO SA	pH	9/19/2016 3:10:21 PM	3	unit pH
SC ALRO SA	Temp	9/19/2016 3:10:20 PM	25	gradCels
SC ALRO SA	Clor	9/19/2016 3:05:04 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 3:05:03 PM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 3:05:02 PM	10	mg/l
SC ALRO SA	pH	9/19/2016 3:05:01 PM	3	unit pH
SC ALRO SA	Temp	9/19/2016 3:05:00 PM	25	gradCels
SC ALRO SA	Substante organice	9/19/2016 2:59:41 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 2:59:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 2:59:22 PM	0	mg/l
SC ALRO SA	Temp	9/19/2016 2:59:21 PM	25	gradCels
SC ALRO SA	pH	9/19/2016 2:59:20 PM	3	unit pH
SC ALRO SA	Clor	9/19/2016 2:54:50 PM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 2:54:46 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 2:53:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 2:53:42 PM	0	mg/l
SC ALRO SA	Temp	9/19/2016 2:53:41 PM	25	gradCels
SC ALRO SA	pH	9/19/2016 2:53:40 PM	3	unit pH
SC ALRO SA	Grasimi	9/19/2016 2:53:30 PM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 2:53:20 PM	10	mg/l
SC ALRO SA	Temp	9/19/2016 2:53:10 PM	25	gradCels
SC ALRO SA	pH	9/19/2016 2:53:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 2:48:48 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 2:48:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 2:48:22 PM	0	mg/l
SC ALRO SA	Temp	9/19/2016 2:48:21 PM	25	gradCels
SC ALRO SA	pH	9/19/2016 2:48:20 PM	3	unit pH
SC ALRO SA	Clor	9/19/2016 2:42:50 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 2:42:49 PM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 2:42:48 PM	10	mg/l
SC ALRO SA	Temp	9/19/2016 2:42:47 PM	25	gradCels
SC ALRO SA	pH	9/19/2016 2:42:46 PM	3	unit pH
SC ALRO SA	Temp	9/19/2016 2:42:45 PM	25	gradCels
SC ALRO SA	pH	9/19/2016 2:42:44 PM	3	unit pH
SC ALRO SA	Grasimi	9/19/2016 2:42:43 PM	0	mg/l
SC ALRO SA	Clor	9/19/2016 2:42:42 PM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 2:42:40 PM	10	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	9/19/2016 2:37:47 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 2:37:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 2:37:22 PM	0	mg/l
SC ALRO SA	pH	9/19/2016 2:37:21 PM	3	unit pH
SC ALRO SA	Temp	9/19/2016 2:37:20 PM	25	gradCels
SC ALRO SA	Clor	9/19/2016 2:35:50 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 2:35:00 PM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 2:34:20 PM	10	mg/l
SC ALRO SA	Temp	9/19/2016 2:34:10 PM	25	gradCels
SC ALRO SA	pH	9/19/2016 2:34:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 2:31:45 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 2:31:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 2:31:42 PM	0	mg/l
SC ALRO SA	pH	9/19/2016 2:31:41 PM	3	unit pH
SC ALRO SA	Temp	9/19/2016 2:31:40 PM	25	gradCels
SC ALRO SA	Substante organice	9/19/2016 2:27:04 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 2:26:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 2:26:22 PM	0	mg/l
SC ALRO SA	pH	9/19/2016 2:26:21 PM	3	unit pH
SC ALRO SA	Temp	9/19/2016 2:26:20 PM	25	gradCels
SC ALRO SA	Substante organice	9/19/2016 2:20:45 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 2:20:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 2:20:42 PM	0	mg/l
SC ALRO SA	Temp	9/19/2016 2:20:41 PM	25	gradCels
SC ALRO SA	pH	9/19/2016 2:20:40 PM	3	unit pH
SC ALRO SA	Clor	9/19/2016 2:17:00 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 2:16:30 PM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 2:16:20 PM	10	mg/l
SC ALRO SA	Temp	9/19/2016 2:16:10 PM	25	gradCels
SC ALRO SA	pH	9/19/2016 2:15:50 PM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 2:15:43 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 2:15:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 2:15:22 PM	0	mg/l
SC ALRO SA	pH	9/19/2016 2:15:21 PM	3	unit pH
SC ALRO SA	Temp	9/19/2016 2:15:20 PM	25	gradCels
SC ALRO SA	Substante organice	9/19/2016 2:09:45 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 2:09:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 2:09:42 PM	0	mg/l
SC ALRO SA	Temp	9/19/2016 2:09:41 PM	25	gradCels
SC ALRO SA	pH	9/19/2016 2:09:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 2:05:03 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 2:04:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 2:04:02 PM	0	mg/l
SC ALRO SA	Temp	9/19/2016 2:04:01 PM	25	gradCels
SC ALRO SA	pH	9/19/2016 2:04:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 1:58:45 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 1:58:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 1:58:42 PM	0	mg/l
SC ALRO SA	pH	9/19/2016 1:58:41 PM	3	unit pH
SC ALRO SA	Temp	9/19/2016 1:58:40 PM	25	gradCels
SC ALRO SA	Clor	9/19/2016 1:57:00 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 1:56:30 PM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 1:55:40 PM	10	mg/l
SC ALRO SA	Temp	9/19/2016 1:55:30 PM	25	gradCels
SC ALRO SA	pH	9/19/2016 1:55:20 PM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 1:54:04 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 1:53:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 1:53:02 PM	0	mg/l
SC ALRO SA	pH	9/19/2016 1:53:01 PM	3	unit pH
SC ALRO SA	Temp	9/19/2016 1:53:00 PM	25	gradCels
SC ALRO SA	Substante organice	9/19/2016 1:47:44 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 1:47:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 1:47:42 PM	0	mg/l
SC ALRO SA	Temp	9/19/2016 1:47:41 PM	25	gradCels
SC ALRO SA	pH	9/19/2016 1:47:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 1:42:46 PM	10	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Clor	9/19/2016 1:42:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 1:42:02 PM	0	mg/l
SC ALRO SA	Temp	9/19/2016 1:42:01 PM	25	gradCels
SC ALRO SA	pH	9/19/2016 1:42:00 PM	3	unit pH
SC ALRO SA	Clor	9/19/2016 1:36:44 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 1:36:43 PM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 1:36:42 PM	10	mg/l
SC ALRO SA	pH	9/19/2016 1:36:41 PM	3	unit pH
SC ALRO SA	Temp	9/19/2016 1:36:40 PM	25	gradCels
SC ALRO SA	Clor	9/19/2016 1:36:20 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 1:36:00 PM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 1:35:50 PM	10	mg/l
SC ALRO SA	Temp	9/19/2016 1:35:30 PM	25	gradCels
SC ALRO SA	pH	9/19/2016 1:35:10 PM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 1:31:44 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 1:31:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 1:31:02 PM	0	mg/l
SC ALRO SA	Temp	9/19/2016 1:31:01 PM	25	gradCels
SC ALRO SA	pH	9/19/2016 1:31:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 1:25:45 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 1:25:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 1:25:42 PM	0	mg/l
SC ALRO SA	Temp	9/19/2016 1:25:41 PM	25	gradCels
SC ALRO SA	pH	9/19/2016 1:25:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 1:20:42 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 1:20:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 1:20:02 PM	0	mg/l
SC ALRO SA	Temp	9/19/2016 1:20:01 PM	25	gradCels
SC ALRO SA	pH	9/19/2016 1:20:00 PM	3	unit pH
SC ALRO SA	Clor	9/19/2016 1:17:50 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 1:16:50 PM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 1:16:40 PM	10	mg/l
SC ALRO SA	Temp	9/19/2016 1:16:30 PM	25	gradCels
SC ALRO SA	pH	9/19/2016 1:16:20 PM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 1:14:44 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 1:14:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 1:14:42 PM	0	mg/l
SC ALRO SA	Temp	9/19/2016 1:14:41 PM	25	gradCels
SC ALRO SA	pH	9/19/2016 1:14:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 1:09:43 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 1:09:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 1:09:02 PM	0	mg/l
SC ALRO SA	Temp	9/19/2016 1:09:01 PM	25	gradCels
SC ALRO SA	pH	9/19/2016 1:09:00 PM	3	unit pH
SC ALRO SA	Clor	9/19/2016 1:03:24 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 1:03:23 PM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 1:03:22 PM	10	mg/l
SC ALRO SA	Temp	9/19/2016 1:03:21 PM	25	gradCels
SC ALRO SA	pH	9/19/2016 1:03:20 PM	3	unit pH
SC ALRO SA	Clor	9/19/2016 12:59:00 PM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 12:58:44 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 12:58:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 12:58:02 PM	0	mg/l
SC ALRO SA	Temp	9/19/2016 12:58:01 PM	25	gradCels
SC ALRO SA	pH	9/19/2016 12:58:00 PM	3	unit pH
SC ALRO SA	Grasimi	9/19/2016 12:57:40 PM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 12:57:30 PM	10	mg/l
SC ALRO SA	Temp	9/19/2016 12:57:20 PM	25	gradCels
SC ALRO SA	pH	9/19/2016 12:57:10 PM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 12:52:40 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 12:52:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 12:52:22 PM	0	mg/l
SC ALRO SA	Temp	9/19/2016 12:52:21 PM	25	gradCels
SC ALRO SA	pH	9/19/2016 12:52:20 PM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 12:47:42 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 12:47:03 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Grasimi	9/19/2016 12:47:02 PM	0	mg/l
SC ALRO SA	Temp	9/19/2016 12:47:01 PM	25	gradCels
SC ALRO SA	pH	9/19/2016 12:47:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 12:41:40 PM	10	mg/l
SC ALRO SA	Clor	9/19/2016 12:41:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 12:41:22 PM	0	mg/l
SC ALRO SA	Temp	9/19/2016 12:41:21 PM	25	gradCels
SC ALRO SA	pH	9/19/2016 12:41:20 PM	3	unit pH
SC ALRO SA	Clor	9/19/2016 12:39:50 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 12:39:00 PM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 12:38:50 PM	10	mg/l
SC ALRO SA	Temp	9/19/2016 12:38:20 PM	25	gradCels
SC ALRO SA	pH	9/19/2016 12:38:10 PM	3	unit pH
SC ALRO SA	Clor	9/19/2016 12:36:04 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 12:36:03 PM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 12:36:02 PM	10	mg/l
SC ALRO SA	Temp	9/19/2016 12:36:01 PM	25	gradCels
SC ALRO SA	pH	9/19/2016 12:36:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 12:31:09 PM	9	mg/l
SC ALRO SA	Clor	9/19/2016 12:30:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 12:30:22 PM	0	mg/l
SC ALRO SA	Temp	9/19/2016 12:30:21 PM	25	gradCels
SC ALRO SA	pH	9/19/2016 12:30:20 PM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 12:25:46 PM	9	mg/l
SC ALRO SA	Clor	9/19/2016 12:25:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 12:25:02 PM	0	mg/l
SC ALRO SA	Temp	9/19/2016 12:25:01 PM	25	gradCels
SC ALRO SA	pH	9/19/2016 12:25:00 PM	3	unit pH
SC ALRO SA	Clor	9/19/2016 12:21:40 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 12:21:20 PM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 12:21:10 PM	9	mg/l
SC ALRO SA	Temp	9/19/2016 12:21:00 PM	25	gradCels
SC ALRO SA	pH	9/19/2016 12:20:50 PM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 12:20:09 PM	9	mg/l
SC ALRO SA	Clor	9/19/2016 12:19:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 12:19:22 PM	0	mg/l
SC ALRO SA	Temp	9/19/2016 12:19:21 PM	25	gradCels
SC ALRO SA	pH	9/19/2016 12:19:20 PM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 12:14:44 PM	9	mg/l
SC ALRO SA	Clor	9/19/2016 12:14:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 12:14:02 PM	0	mg/l
SC ALRO SA	Temp	9/19/2016 12:14:01 PM	25	gradCels
SC ALRO SA	pH	9/19/2016 12:14:00 PM	3	unit pH
SC ALRO SA	Clor	9/19/2016 12:08:24 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 12:08:23 PM	0	mg/l
SC ALRO SA	Temp	9/19/2016 12:08:22 PM	25	gradCels
SC ALRO SA	Substante organice	9/19/2016 12:08:21 PM	9	mg/l
SC ALRO SA	pH	9/19/2016 12:08:20 PM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 12:03:50 PM	9	mg/l
SC ALRO SA	Clor	9/19/2016 12:03:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 12:03:02 PM	0	mg/l
SC ALRO SA	Temp	9/19/2016 12:03:01 PM	25	gradCels
SC ALRO SA	pH	9/19/2016 12:03:00 PM	3	unit pH
SC ALRO SA	Clor	9/19/2016 12:02:20 PM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 12:02:00 PM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 12:01:50 PM	9	mg/l
SC ALRO SA	Temp	9/19/2016 12:01:20 PM	25	gradCels
SC ALRO SA	pH	9/19/2016 12:01:10 PM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 11:57:48 AM	9	mg/l
SC ALRO SA	Clor	9/19/2016 11:57:23 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 11:57:22 AM	0	mg/l
SC ALRO SA	pH	9/19/2016 11:57:21 AM	3	unit pH
SC ALRO SA	Temp	9/19/2016 11:57:20 AM	25	gradCels
SC ALRO SA	Substante organice	9/19/2016 11:52:43 AM	9	mg/l
SC ALRO SA	Clor	9/19/2016 11:52:03 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 11:52:02 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	9/19/2016 11:52:01 AM	25	gradCels
SC ALRO SA	pH	9/19/2016 11:52:00 AM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 11:46:49 AM	9	mg/l
SC ALRO SA	Clor	9/19/2016 11:46:23 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 11:46:22 AM	0	mg/l
SC ALRO SA	Temp	9/19/2016 11:46:21 AM	25	gradCels
SC ALRO SA	pH	9/19/2016 11:46:20 AM	3	unit pH
SC ALRO SA	Clor	9/19/2016 11:44:10 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 11:43:30 AM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 11:43:20 AM	9	mg/l
SC ALRO SA	Temp	9/19/2016 11:43:10 AM	25	gradCels
SC ALRO SA	pH	9/19/2016 11:43:00 AM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 11:41:46 AM	9	mg/l
SC ALRO SA	Clor	9/19/2016 11:40:43 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 11:40:42 AM	0	mg/l
SC ALRO SA	Temp	9/19/2016 11:40:41 AM	25	gradCels
SC ALRO SA	pH	9/19/2016 11:40:40 AM	3	unit pH
SC ALRO SA	Clor	9/19/2016 11:35:24 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 11:35:23 AM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 11:35:22 AM	9	mg/l
SC ALRO SA	Temp	9/19/2016 11:35:21 AM	25	gradCels
SC ALRO SA	pH	9/19/2016 11:35:20 AM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 11:30:44 AM	9	mg/l
SC ALRO SA	Clor	9/19/2016 11:29:47 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 11:29:45 AM	0	mg/l
SC ALRO SA	Temp	9/19/2016 11:29:43 AM	25	gradCels
SC ALRO SA	pH	9/19/2016 11:29:42 AM	3	unit pH
SC ALRO SA	Clor	9/19/2016 11:26:40 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 11:26:20 AM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 11:26:10 AM	9	mg/l
SC ALRO SA	Temp	9/19/2016 11:26:00 AM	25	gradCels
SC ALRO SA	pH	9/19/2016 11:25:50 AM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 11:25:42 AM	9	mg/l
SC ALRO SA	Clor	9/19/2016 11:24:45 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 11:24:44 AM	0	mg/l
SC ALRO SA	Temp	9/19/2016 11:24:43 AM	25	gradCels
SC ALRO SA	pH	9/19/2016 11:24:42 AM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 11:19:41 AM	9	mg/l
SC ALRO SA	Clor	9/19/2016 11:19:24 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 11:19:23 AM	0	mg/l
SC ALRO SA	Temp	9/19/2016 11:19:22 AM	25	gradCels
SC ALRO SA	pH	9/19/2016 11:19:21 AM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 11:14:43 AM	9	mg/l
SC ALRO SA	Clor	9/19/2016 11:13:45 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 11:13:44 AM	0	mg/l
SC ALRO SA	Temp	9/19/2016 11:13:43 AM	25	gradCels
SC ALRO SA	pH	9/19/2016 11:13:42 AM	3	unit pH
SC ALRO SA	Clor	9/19/2016 11:08:50 AM	0	mg/l
SC ALRO SA	Clor	9/19/2016 11:08:25 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 11:08:24 AM	0	mg/l
SC ALRO SA	Temp	9/19/2016 11:08:23 AM	25	gradCels
SC ALRO SA	Substante organice	9/19/2016 11:08:22 AM	9	mg/l
SC ALRO SA	pH	9/19/2016 11:08:21 AM	3	unit pH
SC ALRO SA	Grasimi	9/19/2016 11:07:30 AM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 11:07:20 AM	9	mg/l
SC ALRO SA	Temp	9/19/2016 11:07:10 AM	25	gradCels
SC ALRO SA	pH	9/19/2016 11:06:40 AM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 11:02:47 AM	9	mg/l
SC ALRO SA	Clor	9/19/2016 11:02:44 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 11:02:43 AM	0	mg/l
SC ALRO SA	Temp	9/19/2016 11:02:42 AM	25	gradCels
SC ALRO SA	pH	9/19/2016 11:02:41 AM	3	unit pH
SC ALRO SA	Clor	9/19/2016 10:57:26 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 10:57:25 AM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 10:57:24 AM	9	mg/l
SC ALRO SA	Temp	9/19/2016 10:57:23 AM	25	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	9/19/2016 10:57:22 AM	3	unit pH
SC ALRO SA	Clor	9/19/2016 10:49:50 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 10:49:20 AM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 10:49:10 AM	9	mg/l
SC ALRO SA	Temp	9/19/2016 10:49:00 AM	25	gradCels
SC ALRO SA	pH	9/19/2016 10:48:20 AM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 10:46:43 AM	9	mg/l
SC ALRO SA	Clor	9/19/2016 10:46:04 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 10:46:03 AM	0	mg/l
SC ALRO SA	Temp	9/19/2016 10:46:02 AM	25	gradCels
SC ALRO SA	pH	9/19/2016 10:46:01 AM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 10:40:47 AM	9	mg/l
SC ALRO SA	Clor	9/19/2016 10:40:44 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 10:40:43 AM	0	mg/l
SC ALRO SA	Temp	9/19/2016 10:40:42 AM	25	gradCels
SC ALRO SA	pH	9/19/2016 10:40:41 AM	3	unit pH
SC ALRO SA	Clor	9/19/2016 10:35:05 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 10:35:04 AM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 10:35:03 AM	9	mg/l
SC ALRO SA	Temp	9/19/2016 10:35:02 AM	25	gradCels
SC ALRO SA	pH	9/19/2016 10:35:01 AM	3	unit pH
SC ALRO SA	Clor	9/19/2016 10:31:30 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 10:31:10 AM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 10:31:00 AM	9	mg/l
SC ALRO SA	Temp	9/19/2016 10:30:50 AM	25	gradCels
SC ALRO SA	pH	9/19/2016 10:30:30 AM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 10:29:53 AM	9	mg/l
SC ALRO SA	Clor	9/19/2016 10:29:44 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 10:29:43 AM	0	mg/l
SC ALRO SA	pH	9/19/2016 10:29:42 AM	3	unit pH
SC ALRO SA	Temp	9/19/2016 10:29:41 AM	25	gradCels
SC ALRO SA	Substante organice	9/19/2016 10:24:48 AM	9	mg/l
SC ALRO SA	Clor	9/19/2016 10:24:04 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 10:24:03 AM	0	mg/l
SC ALRO SA	pH	9/19/2016 10:24:02 AM	3	unit pH
SC ALRO SA	Temp	9/19/2016 10:24:01 AM	25	gradCels
SC ALRO SA	Substante organice	9/19/2016 10:18:52 AM	9	mg/l
SC ALRO SA	Clor	9/19/2016 10:18:44 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 10:18:43 AM	0	mg/l
SC ALRO SA	Temp	9/19/2016 10:18:42 AM	25	gradCels
SC ALRO SA	pH	9/19/2016 10:18:41 AM	3	unit pH
SC ALRO SA	Clor	9/19/2016 10:14:40 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 10:14:20 AM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 10:14:10 AM	9	mg/l
SC ALRO SA	Temp	9/19/2016 10:14:00 AM	25	gradCels
SC ALRO SA	pH	9/19/2016 10:13:50 AM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 10:13:48 AM	9	mg/l
SC ALRO SA	Clor	9/19/2016 10:13:05 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 10:13:04 AM	0	mg/l
SC ALRO SA	Temp	9/19/2016 10:13:03 AM	25	gradCels
SC ALRO SA	pH	9/19/2016 10:13:02 AM	3	unit pH
SC ALRO SA	Clor	9/19/2016 10:07:25 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 10:07:24 AM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 10:07:23 AM	9	mg/l
SC ALRO SA	Temp	9/19/2016 10:07:22 AM	25	gradCels
SC ALRO SA	pH	9/19/2016 10:07:21 AM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 10:02:48 AM	9	mg/l
SC ALRO SA	Clor	9/19/2016 10:02:06 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 10:02:05 AM	0	mg/l
SC ALRO SA	Temp	9/19/2016 10:02:04 AM	25	gradCels
SC ALRO SA	pH	9/19/2016 10:02:03 AM	3	unit pH
SC ALRO SA	Clor	9/19/2016 9:56:50 AM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 9:56:42 AM	9	mg/l
SC ALRO SA	Clor	9/19/2016 9:56:24 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 9:56:23 AM	0	mg/l
SC ALRO SA	Temp	9/19/2016 9:56:22 AM	25	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	9/19/2016 9:56:21 AM	3	unit pH
SC ALRO SA	Grasimi	9/19/2016 9:55:50 AM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 9:55:40 AM	9	mg/l
SC ALRO SA	Temp	9/19/2016 9:55:30 AM	25	gradCels
SC ALRO SA	pH	9/19/2016 9:55:20 AM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 9:51:42 AM	9	mg/l
SC ALRO SA	Clor	9/19/2016 9:51:04 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 9:51:02 AM	0	mg/l
SC ALRO SA	Temp	9/19/2016 9:51:01 AM	25	gradCels
SC ALRO SA	pH	9/19/2016 9:51:00 AM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 9:45:44 AM	9	mg/l
SC ALRO SA	Clor	9/19/2016 9:45:23 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 9:45:22 AM	0	mg/l
SC ALRO SA	Temp	9/19/2016 9:45:21 AM	25	gradCels
SC ALRO SA	pH	9/19/2016 9:45:20 AM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 9:40:44 AM	9	mg/l
SC ALRO SA	Clor	9/19/2016 9:40:30 AM	0	mg/l
SC ALRO SA	Clor	9/19/2016 9:40:03 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 9:40:02 AM	0	mg/l
SC ALRO SA	Temp	9/19/2016 9:40:01 AM	25	gradCels
SC ALRO SA	pH	9/19/2016 9:40:00 AM	3	unit pH
SC ALRO SA	Grasimi	9/19/2016 9:39:30 AM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 9:39:20 AM	9	mg/l
SC ALRO SA	Temp	9/19/2016 9:39:10 AM	25	gradCels
SC ALRO SA	pH	9/19/2016 9:39:00 AM	3	unit pH
SC ALRO SA	Clor	9/19/2016 9:34:24 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 9:34:23 AM	0	mg/l
SC ALRO SA	Temp	9/19/2016 9:34:22 AM	25	gradCels
SC ALRO SA	Substante organice	9/19/2016 9:34:21 AM	9	mg/l
SC ALRO SA	pH	9/19/2016 9:34:20 AM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 9:29:44 AM	10	mg/l
SC ALRO SA	Clor	9/19/2016 9:29:03 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 9:29:02 AM	0	mg/l
SC ALRO SA	Temp	9/19/2016 9:29:01 AM	25	gradCels
SC ALRO SA	pH	9/19/2016 9:29:00 AM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 9:23:48 AM	10	mg/l
SC ALRO SA	Clor	9/19/2016 9:23:23 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 9:23:22 AM	0	mg/l
SC ALRO SA	Temp	9/19/2016 9:23:21 AM	25	gradCels
SC ALRO SA	pH	9/19/2016 9:23:20 AM	3	unit pH
SC ALRO SA	Clor	9/19/2016 9:22:30 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 9:22:10 AM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 9:22:00 AM	10	mg/l
SC ALRO SA	Temp	9/19/2016 9:21:50 AM	25	gradCels
SC ALRO SA	pH	9/19/2016 9:21:30 AM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 9:18:42 AM	10	mg/l
SC ALRO SA	Clor	9/19/2016 9:18:03 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 9:18:02 AM	0	mg/l
SC ALRO SA	Temp	9/19/2016 9:18:01 AM	25	gradCels
SC ALRO SA	pH	9/19/2016 9:18:00 AM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 9:12:48 AM	10	mg/l
SC ALRO SA	Clor	9/19/2016 9:12:23 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 9:12:22 AM	0	mg/l
SC ALRO SA	Temp	9/19/2016 9:12:21 AM	25	gradCels
SC ALRO SA	pH	9/19/2016 9:12:20 AM	3	unit pH
SC ALRO SA	Clor	9/19/2016 9:06:44 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 9:06:43 AM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 9:06:42 AM	10	mg/l
SC ALRO SA	Temp	9/19/2016 9:06:41 AM	25	gradCels
SC ALRO SA	pH	9/19/2016 9:06:40 AM	3	unit pH
SC ALRO SA	Clor	9/19/2016 9:05:10 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 9:04:50 AM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 9:04:30 AM	9	mg/l
SC ALRO SA	Temp	9/19/2016 9:04:00 AM	26	gradCels
SC ALRO SA	pH	9/19/2016 9:03:50 AM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 9:01:48 AM	9	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Clor	9/19/2016 9:01:24 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 9:01:23 AM	0	mg/l
SC ALRO SA	Temp	9/19/2016 9:01:22 AM	26	gradCels
SC ALRO SA	pH	9/19/2016 9:01:21 AM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 8:56:44 AM	9	mg/l
SC ALRO SA	Clor	9/19/2016 8:55:43 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 8:55:42 AM	0	mg/l
SC ALRO SA	Temp	9/19/2016 8:55:41 AM	26	gradCels
SC ALRO SA	pH	9/19/2016 8:55:40 AM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 8:50:42 AM	9	mg/l
SC ALRO SA	Clor	9/19/2016 8:50:23 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 8:50:22 AM	0	mg/l
SC ALRO SA	Temp	9/19/2016 8:50:21 AM	26	gradCels
SC ALRO SA	pH	9/19/2016 8:50:20 AM	3	unit pH
SC ALRO SA	Clor	9/19/2016 8:47:10 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 8:46:40 AM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 8:46:30 AM	9	mg/l
SC ALRO SA	Temp	9/19/2016 8:46:20 AM	26	gradCels
SC ALRO SA	pH	9/19/2016 8:46:10 AM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 8:44:45 AM	9	mg/l
SC ALRO SA	Clor	9/19/2016 8:44:43 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 8:44:42 AM	0	mg/l
SC ALRO SA	Temp	9/19/2016 8:44:41 AM	26	gradCels
SC ALRO SA	pH	9/19/2016 8:44:40 AM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 8:39:42 AM	9	mg/l
SC ALRO SA	Clor	9/19/2016 8:39:23 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 8:39:22 AM	0	mg/l
SC ALRO SA	Temp	9/19/2016 8:39:21 AM	26	gradCels
SC ALRO SA	pH	9/19/2016 8:39:20 AM	3	unit pH
SC ALRO SA	Clor	9/19/2016 8:33:44 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 8:33:43 AM	0	mg/l
SC ALRO SA	Temp	9/19/2016 8:33:42 AM	26	gradCels
SC ALRO SA	Substante organice	9/19/2016 8:33:41 AM	9	mg/l
SC ALRO SA	pH	9/19/2016 8:33:40 AM	3	unit pH
SC ALRO SA	Clor	9/19/2016 8:29:10 AM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 8:28:43 AM	9	mg/l
SC ALRO SA	Clor	9/19/2016 8:28:03 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 8:28:02 AM	0	mg/l
SC ALRO SA	pH	9/19/2016 8:28:01 AM	3	unit pH
SC ALRO SA	Temp	9/19/2016 8:28:00 AM	26	gradCels
SC ALRO SA	Grasimi	9/19/2016 8:27:50 AM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 8:27:40 AM	9	mg/l
SC ALRO SA	Temp	9/19/2016 8:27:30 AM	26	gradCels
SC ALRO SA	pH	9/19/2016 8:27:20 AM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 8:22:44 AM	9	mg/l
SC ALRO SA	Clor	9/19/2016 8:22:43 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 8:22:42 AM	0	mg/l
SC ALRO SA	Temp	9/19/2016 8:22:41 AM	26	gradCels
SC ALRO SA	pH	9/19/2016 8:22:40 AM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 8:17:41 AM	9	mg/l
SC ALRO SA	Clor	9/19/2016 8:17:04 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 8:17:03 AM	0	mg/l
SC ALRO SA	Temp	9/19/2016 8:17:01 AM	26	gradCels
SC ALRO SA	pH	9/19/2016 8:17:00 AM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 8:12:02 AM	9	mg/l
SC ALRO SA	Clor	9/19/2016 8:11:43 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 8:11:42 AM	0	mg/l
SC ALRO SA	pH	9/19/2016 8:11:41 AM	3	unit pH
SC ALRO SA	Temp	9/19/2016 8:11:40 AM	26	gradCels
SC ALRO SA	Clor	9/19/2016 8:10:00 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 8:09:20 AM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 8:09:10 AM	9	mg/l
SC ALRO SA	Temp	9/19/2016 8:08:30 AM	26	gradCels
SC ALRO SA	pH	9/19/2016 8:08:00 AM	3	unit pH
SC ALRO SA	Clor	9/19/2016 8:06:04 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 8:06:03 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	9/19/2016 8:06:02 AM	26	gradCels
SC ALRO SA	Substante organice	9/19/2016 8:06:01 AM	9	mg/l
SC ALRO SA	pH	9/19/2016 8:06:00 AM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 8:01:03 AM	9	mg/l
SC ALRO SA	Clor	9/19/2016 8:00:23 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 8:00:22 AM	0	mg/l
SC ALRO SA	Temp	9/19/2016 8:00:21 AM	26	gradCels
SC ALRO SA	pH	9/19/2016 8:00:20 AM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 7:55:41 AM	9	mg/l
SC ALRO SA	Clor	9/19/2016 7:55:03 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 7:55:02 AM	0	mg/l
SC ALRO SA	Temp	9/19/2016 7:55:01 AM	26	gradCels
SC ALRO SA	pH	9/19/2016 7:55:00 AM	3	unit pH
SC ALRO SA	Clor	9/19/2016 7:50:50 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 7:50:10 AM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 7:50:00 AM	9	mg/l
SC ALRO SA	Temp	9/19/2016 7:49:50 AM	26	gradCels
SC ALRO SA	Substante organice	9/19/2016 7:49:42 AM	9	mg/l
SC ALRO SA	Clor	9/19/2016 7:49:26 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 7:49:24 AM	0	mg/l
SC ALRO SA	Temp	9/19/2016 7:49:21 AM	26	gradCels
SC ALRO SA	pH	9/19/2016 7:49:20 AM	3	unit pH
SC ALRO SA	pH	9/19/2016 7:49:10 AM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 7:44:41 AM	9	mg/l
SC ALRO SA	Clor	9/19/2016 7:43:55 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 7:43:54 AM	0	mg/l
SC ALRO SA	Temp	9/19/2016 7:43:53 AM	26	gradCels
SC ALRO SA	pH	9/19/2016 7:43:52 AM	3	unit pH
SC ALRO SA	Clor	9/19/2016 7:38:24 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 7:38:23 AM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 7:38:22 AM	9	mg/l
SC ALRO SA	Temp	9/19/2016 7:38:21 AM	26	gradCels
SC ALRO SA	pH	9/19/2016 7:38:20 AM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 7:33:41 AM	9	mg/l
SC ALRO SA	Clor	9/19/2016 7:32:49 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 7:32:48 AM	0	mg/l
SC ALRO SA	pH	9/19/2016 7:32:47 AM	3	unit pH
SC ALRO SA	Temp	9/19/2016 7:32:46 AM	26	gradCels
SC ALRO SA	Clor	9/19/2016 7:32:20 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 7:32:00 AM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 7:31:50 AM	9	mg/l
SC ALRO SA	Temp	9/19/2016 7:31:30 AM	26	gradCels
SC ALRO SA	pH	9/19/2016 7:31:20 AM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 7:27:45 AM	9	mg/l
SC ALRO SA	Clor	9/19/2016 7:27:23 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 7:27:22 AM	0	mg/l
SC ALRO SA	Temp	9/19/2016 7:27:21 AM	26	gradCels
SC ALRO SA	pH	9/19/2016 7:27:20 AM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 7:22:41 AM	9	mg/l
SC ALRO SA	Clor	9/19/2016 7:22:24 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 7:22:23 AM	0	mg/l
SC ALRO SA	Temp	9/19/2016 7:22:22 AM	26	gradCels
SC ALRO SA	pH	9/19/2016 7:22:21 AM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 7:17:42 AM	9	mg/l
SC ALRO SA	Clor	9/19/2016 7:16:48 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 7:16:47 AM	0	mg/l
SC ALRO SA	Temp	9/19/2016 7:16:46 AM	26	gradCels
SC ALRO SA	pH	9/19/2016 7:16:45 AM	3	unit pH
SC ALRO SA	Clor	9/19/2016 7:14:20 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 7:14:00 AM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 7:13:50 AM	9	mg/l
SC ALRO SA	Temp	9/19/2016 7:13:30 AM	26	gradCels
SC ALRO SA	pH	9/19/2016 7:13:20 AM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 7:11:41 AM	9	mg/l
SC ALRO SA	Clor	9/19/2016 7:11:24 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 7:11:23 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	9/19/2016 7:11:22 AM	3	unit pH
SC ALRO SA	Temp	9/19/2016 7:11:21 AM	26	gradCels
SC ALRO SA	Clor	9/19/2016 7:05:48 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 7:05:47 AM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 7:05:46 AM	9	mg/l
SC ALRO SA	Temp	9/19/2016 7:05:45 AM	26	gradCels
SC ALRO SA	pH	9/19/2016 7:05:44 AM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 7:00:41 AM	9	mg/l
SC ALRO SA	Clor	9/19/2016 7:00:24 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 7:00:23 AM	0	mg/l
SC ALRO SA	Temp	9/19/2016 7:00:22 AM	26	gradCels
SC ALRO SA	pH	9/19/2016 7:00:21 AM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 6:55:46 AM	9	mg/l
SC ALRO SA	Clor	9/19/2016 6:55:30 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 6:55:00 AM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 6:54:50 AM	9	mg/l
SC ALRO SA	Clor	9/19/2016 6:54:47 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 6:54:46 AM	0	mg/l
SC ALRO SA	Temp	9/19/2016 6:54:45 AM	26	gradCels
SC ALRO SA	pH	9/19/2016 6:54:44 AM	3	unit pH
SC ALRO SA	Temp	9/19/2016 6:54:10 AM	26	gradCels
SC ALRO SA	pH	9/19/2016 6:53:40 AM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 6:49:42 AM	9	mg/l
SC ALRO SA	Clor	9/19/2016 6:49:23 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 6:49:22 AM	0	mg/l
SC ALRO SA	Temp	9/19/2016 6:49:21 AM	26	gradCels
SC ALRO SA	pH	9/19/2016 6:49:20 AM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 6:44:48 AM	9	mg/l
SC ALRO SA	Clor	9/19/2016 6:43:47 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 6:43:46 AM	0	mg/l
SC ALRO SA	Temp	9/19/2016 6:43:45 AM	26	gradCels
SC ALRO SA	pH	9/19/2016 6:43:44 AM	3	unit pH
SC ALRO SA	Clor	9/19/2016 6:38:45 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 6:38:44 AM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 6:38:43 AM	9	mg/l
SC ALRO SA	pH	9/19/2016 6:38:42 AM	3	unit pH
SC ALRO SA	Temp	9/19/2016 6:38:41 AM	26	gradCels
SC ALRO SA	Clor	9/19/2016 6:36:00 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 6:34:50 AM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 6:34:40 AM	9	mg/l
SC ALRO SA	Temp	9/19/2016 6:34:30 AM	26	gradCels
SC ALRO SA	pH	9/19/2016 6:34:20 AM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 6:33:37 AM	9	mg/l
SC ALRO SA	Clor	9/19/2016 6:33:23 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 6:33:22 AM	0	mg/l
SC ALRO SA	Temp	9/19/2016 6:33:21 AM	26	gradCels
SC ALRO SA	pH	9/19/2016 6:33:20 AM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 6:27:49 AM	9	mg/l
SC ALRO SA	Clor	9/19/2016 6:27:43 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 6:27:42 AM	0	mg/l
SC ALRO SA	Temp	9/19/2016 6:27:41 AM	26	gradCels
SC ALRO SA	pH	9/19/2016 6:27:40 AM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 6:22:42 AM	9	mg/l
SC ALRO SA	Clor	9/19/2016 6:22:23 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 6:22:22 AM	0	mg/l
SC ALRO SA	Temp	9/19/2016 6:22:21 AM	26	gradCels
SC ALRO SA	pH	9/19/2016 6:22:20 AM	3	unit pH
SC ALRO SA	Clor	9/19/2016 6:17:00 AM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 6:16:48 AM	9	mg/l
SC ALRO SA	Clor	9/19/2016 6:16:43 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 6:16:42 AM	0	mg/l
SC ALRO SA	pH	9/19/2016 6:16:41 AM	3	unit pH
SC ALRO SA	Temp	9/19/2016 6:16:40 AM	26	gradCels
SC ALRO SA	Grasimi	9/19/2016 6:16:10 AM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 6:15:30 AM	9	mg/l
SC ALRO SA	Temp	9/19/2016 6:15:20 AM	26	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	9/19/2016 6:15:10 AM	3	unit pH
SC ALRO SA	Clor	9/19/2016 6:11:42 AM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 6:11:41 AM	9	mg/l
SC ALRO SA	Grasimi	9/19/2016 6:11:02 AM	0	mg/l
SC ALRO SA	Temp	9/19/2016 6:11:01 AM	26	gradCels
SC ALRO SA	pH	9/19/2016 6:11:00 AM	3	unit pH
SC ALRO SA	Clor	9/19/2016 6:05:47 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 6:05:43 AM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 6:05:42 AM	9	mg/l
SC ALRO SA	Temp	9/19/2016 6:05:41 AM	26	gradCels
SC ALRO SA	pH	9/19/2016 6:05:40 AM	3	unit pH
SC ALRO SA	Clor	9/19/2016 6:00:41 AM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 6:00:40 AM	9	mg/l
SC ALRO SA	Grasimi	9/19/2016 6:00:02 AM	0	mg/l
SC ALRO SA	Temp	9/19/2016 6:00:01 AM	26	gradCels
SC ALRO SA	pH	9/19/2016 6:00:00 AM	3	unit pH
SC ALRO SA	Clor	9/19/2016 5:56:10 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 5:55:50 AM	0	mg/l
SC ALRO SA	Clor	9/19/2016 5:55:47 AM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 5:55:46 AM	9	mg/l
SC ALRO SA	Substante organice	9/19/2016 5:55:20 AM	9	mg/l
SC ALRO SA	Temp	9/19/2016 5:55:10 AM	26	gradCels
SC ALRO SA	Grasimi	9/19/2016 5:55:02 AM	0	mg/l
SC ALRO SA	Temp	9/19/2016 5:55:01 AM	26	gradCels
SC ALRO SA	pH	9/19/2016 5:55:00 AM	3	unit pH
SC ALRO SA	pH	9/19/2016 5:54:50 AM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 5:49:47 AM	9	mg/l
SC ALRO SA	Clor	9/19/2016 5:49:43 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 5:49:42 AM	0	mg/l
SC ALRO SA	pH	9/19/2016 5:49:41 AM	3	unit pH
SC ALRO SA	Temp	9/19/2016 5:49:40 AM	26	gradCels
SC ALRO SA	Substante organice	9/19/2016 5:44:47 AM	9	mg/l
SC ALRO SA	Clor	9/19/2016 5:44:03 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 5:44:02 AM	0	mg/l
SC ALRO SA	Temp	9/19/2016 5:44:01 AM	26	gradCels
SC ALRO SA	pH	9/19/2016 5:44:00 AM	3	unit pH
SC ALRO SA	Clor	9/19/2016 5:38:29 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 5:38:28 AM	0	mg/l
SC ALRO SA	Temp	9/19/2016 5:38:27 AM	26	gradCels
SC ALRO SA	Substante organice	9/19/2016 5:38:26 AM	9	mg/l
SC ALRO SA	pH	9/19/2016 5:38:25 AM	3	unit pH
SC ALRO SA	Clor	9/19/2016 5:35:30 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 5:35:10 AM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 5:34:40 AM	9	mg/l
SC ALRO SA	Temp	9/19/2016 5:34:30 AM	26	gradCels
SC ALRO SA	pH	9/19/2016 5:34:20 AM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 5:33:48 AM	9	mg/l
SC ALRO SA	Clor	9/19/2016 5:33:03 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 5:33:02 AM	0	mg/l
SC ALRO SA	Temp	9/19/2016 5:33:01 AM	26	gradCels
SC ALRO SA	pH	9/19/2016 5:33:00 AM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 5:27:45 AM	9	mg/l
SC ALRO SA	Clor	9/19/2016 5:27:43 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 5:27:42 AM	0	mg/l
SC ALRO SA	pH	9/19/2016 5:27:41 AM	3	unit pH
SC ALRO SA	Temp	9/19/2016 5:27:40 AM	26	gradCels
SC ALRO SA	Clor	9/19/2016 5:22:43 AM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 5:22:42 AM	9	mg/l
SC ALRO SA	Grasimi	9/19/2016 5:22:02 AM	0	mg/l
SC ALRO SA	Temp	9/19/2016 5:22:01 AM	26	gradCels
SC ALRO SA	pH	9/19/2016 5:22:00 AM	3	unit pH
SC ALRO SA	Clor	9/19/2016 5:17:00 AM	0	mg/l
SC ALRO SA	Clor	9/19/2016 5:16:45 AM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 5:16:43 AM	9	mg/l
SC ALRO SA	Grasimi	9/19/2016 5:16:42 AM	0	mg/l
SC ALRO SA	Temp	9/19/2016 5:16:41 AM	26	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	9/19/2016 5:16:40 AM	3	unit pH
SC ALRO SA	Grasimi	9/19/2016 5:16:10 AM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 5:16:00 AM	9	mg/l
SC ALRO SA	Temp	9/19/2016 5:15:50 AM	26	gradCels
SC ALRO SA	pH	9/19/2016 5:15:00 AM	3	unit pH
SC ALRO SA	Clor	9/19/2016 5:11:49 AM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 5:11:47 AM	9	mg/l
SC ALRO SA	Grasimi	9/19/2016 5:11:02 AM	0	mg/l
SC ALRO SA	Temp	9/19/2016 5:11:01 AM	26	gradCels
SC ALRO SA	pH	9/19/2016 5:11:00 AM	3	unit pH
SC ALRO SA	Clor	9/19/2016 5:05:49 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 5:05:42 AM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 5:05:41 AM	9	mg/l
SC ALRO SA	Temp	9/19/2016 5:05:40 AM	26	gradCels
SC ALRO SA	Clor	9/19/2016 5:00:43 AM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 5:00:42 AM	9	mg/l
SC ALRO SA	Grasimi	9/19/2016 5:00:02 AM	0	mg/l
SC ALRO SA	Temp	9/19/2016 5:00:01 AM	26	gradCels
SC ALRO SA	pH	9/19/2016 5:00:00 AM	3	unit pH
SC ALRO SA	Clor	9/19/2016 4:57:10 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 4:56:10 AM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 4:56:00 AM	9	mg/l
SC ALRO SA	Temp	9/19/2016 4:55:50 AM	26	gradCels
SC ALRO SA	pH	9/19/2016 4:55:30 AM	3	unit pH
SC ALRO SA	Clor	9/19/2016 4:54:47 AM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 4:54:46 AM	9	mg/l
SC ALRO SA	Grasimi	9/19/2016 4:54:22 AM	0	mg/l
SC ALRO SA	Temp	9/19/2016 4:54:21 AM	26	gradCels
SC ALRO SA	pH	9/19/2016 4:54:20 AM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 4:49:46 AM	9	mg/l
SC ALRO SA	Clor	9/19/2016 4:49:44 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 4:49:02 AM	0	mg/l
SC ALRO SA	Temp	9/19/2016 4:49:01 AM	26	gradCels
SC ALRO SA	pH	9/19/2016 4:49:00 AM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 4:43:43 AM	9	mg/l
SC ALRO SA	Clor	9/19/2016 4:43:42 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 4:43:22 AM	0	mg/l
SC ALRO SA	Temp	9/19/2016 4:43:21 AM	26	gradCels
SC ALRO SA	pH	9/19/2016 4:43:20 AM	3	unit pH
SC ALRO SA	Clor	9/19/2016 4:38:43 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 4:38:03 AM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 4:38:02 AM	9	mg/l
SC ALRO SA	Temp	9/19/2016 4:38:01 AM	26	gradCels
SC ALRO SA	pH	9/19/2016 4:38:00 AM	3	unit pH
SC ALRO SA	Clor	9/19/2016 4:37:10 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 4:36:20 AM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 4:36:10 AM	9	mg/l
SC ALRO SA	Temp	9/19/2016 4:36:00 AM	26	gradCels
SC ALRO SA	pH	9/19/2016 4:35:50 AM	3	unit pH
SC ALRO SA	Clor	9/19/2016 4:32:42 AM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 4:32:41 AM	9	mg/l
SC ALRO SA	Grasimi	9/19/2016 4:32:22 AM	0	mg/l
SC ALRO SA	Temp	9/19/2016 4:32:21 AM	26	gradCels
SC ALRO SA	pH	9/19/2016 4:32:20 AM	3	unit pH
SC ALRO SA	Clor	9/19/2016 4:27:44 AM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 4:27:42 AM	9	mg/l
SC ALRO SA	Grasimi	9/19/2016 4:27:02 AM	0	mg/l
SC ALRO SA	Temp	9/19/2016 4:27:01 AM	26	gradCels
SC ALRO SA	pH	9/19/2016 4:27:00 AM	3	unit pH
SC ALRO SA	Clor	9/19/2016 4:21:42 AM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 4:21:41 AM	9	mg/l
SC ALRO SA	Grasimi	9/19/2016 4:21:22 AM	0	mg/l
SC ALRO SA	Temp	9/19/2016 4:21:21 AM	26	gradCels
SC ALRO SA	pH	9/19/2016 4:21:20 AM	3	unit pH
SC ALRO SA	Clor	9/19/2016 4:17:30 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 4:17:10 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	9/19/2016 4:17:00 AM	9	mg/l
SC ALRO SA	Temp	9/19/2016 4:16:50 AM	26	gradCels
SC ALRO SA	Clor	9/19/2016 4:16:44 AM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 4:16:43 AM	9	mg/l
SC ALRO SA	pH	9/19/2016 4:16:30 AM	3	unit pH
SC ALRO SA	Grasimi	9/19/2016 4:16:02 AM	0	mg/l
SC ALRO SA	Temp	9/19/2016 4:16:01 AM	26	gradCels
SC ALRO SA	pH	9/19/2016 4:16:00 AM	3	unit pH
SC ALRO SA	Clor	9/19/2016 4:10:44 AM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 4:10:43 AM	9	mg/l
SC ALRO SA	Grasimi	9/19/2016 4:10:22 AM	0	mg/l
SC ALRO SA	Temp	9/19/2016 4:10:21 AM	26	gradCels
SC ALRO SA	pH	9/19/2016 4:10:20 AM	3	unit pH
SC ALRO SA	Clor	9/19/2016 4:05:43 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 4:04:46 AM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 4:04:45 AM	9	mg/l
SC ALRO SA	Temp	9/19/2016 4:04:44 AM	26	gradCels
SC ALRO SA	pH	9/19/2016 4:04:43 AM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 3:59:42 AM	9	mg/l
SC ALRO SA	Clor	9/19/2016 3:59:23 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 3:59:22 AM	0	mg/l
SC ALRO SA	Temp	9/19/2016 3:59:21 AM	26	gradCels
SC ALRO SA	pH	9/19/2016 3:59:20 AM	3	unit pH
SC ALRO SA	Clor	9/19/2016 3:57:00 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 3:56:30 AM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 3:56:20 AM	9	mg/l
SC ALRO SA	Temp	9/19/2016 3:56:10 AM	26	gradCels
SC ALRO SA	pH	9/19/2016 3:56:00 AM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 3:54:42 AM	9	mg/l
SC ALRO SA	Clor	9/19/2016 3:53:52 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 3:53:51 AM	0	mg/l
SC ALRO SA	pH	9/19/2016 3:53:50 AM	3	unit pH
SC ALRO SA	Temp	9/19/2016 3:53:49 AM	26	gradCels
SC ALRO SA	Substante organice	9/19/2016 3:48:42 AM	9	mg/l
SC ALRO SA	Clor	9/19/2016 3:48:28 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 3:48:27 AM	0	mg/l
SC ALRO SA	Temp	9/19/2016 3:48:26 AM	26	gradCels
SC ALRO SA	pH	9/19/2016 3:48:25 AM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 3:43:43 AM	9	mg/l
SC ALRO SA	Clor	9/19/2016 3:42:51 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 3:42:50 AM	0	mg/l
SC ALRO SA	pH	9/19/2016 3:42:49 AM	3	unit pH
SC ALRO SA	Temp	9/19/2016 3:42:48 AM	26	gradCels
SC ALRO SA	Clor	9/19/2016 3:38:10 AM	0	mg/l
SC ALRO SA	Clor	9/19/2016 3:37:29 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 3:37:28 AM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 3:37:27 AM	9	mg/l
SC ALRO SA	pH	9/19/2016 3:37:26 AM	3	unit pH
SC ALRO SA	Temp	9/19/2016 3:37:25 AM	26	gradCels
SC ALRO SA	Grasimi	9/19/2016 3:37:00 AM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 3:36:50 AM	9	mg/l
SC ALRO SA	Temp	9/19/2016 3:36:10 AM	26	gradCels
SC ALRO SA	pH	9/19/2016 3:36:00 AM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 3:32:43 AM	9	mg/l
SC ALRO SA	Clor	9/19/2016 3:31:46 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 3:31:45 AM	0	mg/l
SC ALRO SA	Temp	9/19/2016 3:31:44 AM	26	gradCels
SC ALRO SA	pH	9/19/2016 3:31:43 AM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 3:26:41 AM	9	mg/l
SC ALRO SA	Clor	9/19/2016 3:26:23 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 3:26:22 AM	0	mg/l
SC ALRO SA	Temp	9/19/2016 3:26:21 AM	26	gradCels
SC ALRO SA	pH	9/19/2016 3:26:20 AM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 3:21:41 AM	9	mg/l
SC ALRO SA	Clor	9/19/2016 3:20:46 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 3:20:45 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	9/19/2016 3:20:44 AM	26	gradCels
SC ALRO SA	pH	9/19/2016 3:20:43 AM	3	unit pH
SC ALRO SA	Clor	9/19/2016 3:17:30 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 3:16:50 AM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 3:16:30 AM	9	mg/l
SC ALRO SA	Temp	9/19/2016 3:16:20 AM	26	gradCels
SC ALRO SA	pH	9/19/2016 3:16:10 AM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 3:15:41 AM	9	mg/l
SC ALRO SA	Clor	9/19/2016 3:15:28 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 3:15:27 AM	0	mg/l
SC ALRO SA	Temp	9/19/2016 3:15:26 AM	26	gradCels
SC ALRO SA	pH	9/19/2016 3:15:25 AM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 3:10:43 AM	9	mg/l
SC ALRO SA	Clor	9/19/2016 3:09:50 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 3:09:49 AM	0	mg/l
SC ALRO SA	Temp	9/19/2016 3:09:48 AM	26	gradCels
SC ALRO SA	pH	9/19/2016 3:09:47 AM	3	unit pH
SC ALRO SA	Clor	9/19/2016 3:04:45 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 3:04:44 AM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 3:04:43 AM	9	mg/l
SC ALRO SA	pH	9/19/2016 3:04:42 AM	3	unit pH
SC ALRO SA	Temp	9/19/2016 3:04:41 AM	26	gradCels
SC ALRO SA	Substante organice	9/19/2016 2:59:42 AM	8	mg/l
SC ALRO SA	Clor	9/19/2016 2:59:23 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 2:59:22 AM	0	mg/l
SC ALRO SA	Temp	9/19/2016 2:59:21 AM	27	gradCels
SC ALRO SA	pH	9/19/2016 2:59:20 AM	3	unit pH
SC ALRO SA	Clor	9/19/2016 2:57:30 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 2:57:10 AM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 2:57:00 AM	8	mg/l
SC ALRO SA	Temp	9/19/2016 2:56:50 AM	27	gradCels
SC ALRO SA	pH	9/19/2016 2:56:30 AM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 2:53:44 AM	8	mg/l
SC ALRO SA	Clor	9/19/2016 2:53:43 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 2:53:42 AM	0	mg/l
SC ALRO SA	Temp	9/19/2016 2:53:41 AM	27	gradCels
SC ALRO SA	pH	9/19/2016 2:53:40 AM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 2:48:41 AM	8	mg/l
SC ALRO SA	Clor	9/19/2016 2:48:03 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 2:48:02 AM	0	mg/l
SC ALRO SA	Temp	9/19/2016 2:48:01 AM	27	gradCels
SC ALRO SA	pH	9/19/2016 2:48:00 AM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 2:42:46 AM	8	mg/l
SC ALRO SA	Clor	9/19/2016 2:42:43 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 2:42:42 AM	0	mg/l
SC ALRO SA	Temp	9/19/2016 2:42:41 AM	27	gradCels
SC ALRO SA	pH	9/19/2016 2:42:40 AM	3	unit pH
SC ALRO SA	Clor	9/19/2016 2:38:50 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 2:38:10 AM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 2:38:00 AM	8	mg/l
SC ALRO SA	Temp	9/19/2016 2:37:50 AM	27	gradCels
SC ALRO SA	pH	9/19/2016 2:37:30 AM	3	unit pH
SC ALRO SA	Clor	9/19/2016 2:37:04 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 2:37:03 AM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 2:37:02 AM	8	mg/l
SC ALRO SA	Temp	9/19/2016 2:37:01 AM	27	gradCels
SC ALRO SA	pH	9/19/2016 2:37:00 AM	3	unit pH
SC ALRO SA	Clor	9/19/2016 2:31:52 AM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 2:31:51 AM	8	mg/l
SC ALRO SA	Grasimi	9/19/2016 2:31:42 AM	0	mg/l
SC ALRO SA	Temp	9/19/2016 2:31:41 AM	27	gradCels
SC ALRO SA	pH	9/19/2016 2:31:40 AM	3	unit pH
SC ALRO SA	Clor	9/19/2016 2:26:43 AM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 2:26:42 AM	8	mg/l
SC ALRO SA	Grasimi	9/19/2016 2:26:02 AM	0	mg/l
SC ALRO SA	Temp	9/19/2016 2:26:01 AM	27	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	9/19/2016 2:26:00 AM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 2:21:40 AM	8	mg/l
SC ALRO SA	Clor	9/19/2016 2:21:03 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 2:21:02 AM	0	mg/l
SC ALRO SA	Temp	9/19/2016 2:21:01 AM	27	gradCels
SC ALRO SA	pH	9/19/2016 2:21:00 AM	3	unit pH
SC ALRO SA	Clor	9/19/2016 2:18:10 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 2:17:50 AM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 2:17:30 AM	8	mg/l
SC ALRO SA	Temp	9/19/2016 2:17:10 AM	27	gradCels
SC ALRO SA	pH	9/19/2016 2:17:00 AM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 2:15:47 AM	8	mg/l
SC ALRO SA	Clor	9/19/2016 2:15:43 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 2:15:42 AM	0	mg/l
SC ALRO SA	pH	9/19/2016 2:15:41 AM	3	unit pH
SC ALRO SA	Temp	9/19/2016 2:15:40 AM	27	gradCels
SC ALRO SA	Substante organice	9/19/2016 2:10:40 AM	8	mg/l
SC ALRO SA	Clor	9/19/2016 2:10:03 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 2:10:02 AM	0	mg/l
SC ALRO SA	Temp	9/19/2016 2:10:01 AM	27	gradCels
SC ALRO SA	pH	9/19/2016 2:10:00 AM	3	unit pH
SC ALRO SA	Clor	9/19/2016 2:04:44 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 2:04:43 AM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 2:04:42 AM	8	mg/l
SC ALRO SA	pH	9/19/2016 2:04:41 AM	3	unit pH
SC ALRO SA	Temp	9/19/2016 2:04:40 AM	27	gradCels
SC ALRO SA	Substante organice	9/19/2016 1:59:40 AM	9	mg/l
SC ALRO SA	Clor	9/19/2016 1:59:03 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 1:59:02 AM	0	mg/l
SC ALRO SA	Temp	9/19/2016 1:59:01 AM	27	gradCels
SC ALRO SA	pH	9/19/2016 1:59:00 AM	3	unit pH
SC ALRO SA	Clor	9/19/2016 1:56:10 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 1:55:50 AM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 1:55:00 AM	9	mg/l
SC ALRO SA	Temp	9/19/2016 1:54:50 AM	27	gradCels
SC ALRO SA	pH	9/19/2016 1:54:00 AM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 1:53:42 AM	9	mg/l
SC ALRO SA	Clor	9/19/2016 1:53:23 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 1:53:22 AM	0	mg/l
SC ALRO SA	Temp	9/19/2016 1:53:21 AM	27	gradCels
SC ALRO SA	pH	9/19/2016 1:53:20 AM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 1:48:40 AM	9	mg/l
SC ALRO SA	Clor	9/19/2016 1:48:03 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 1:48:02 AM	0	mg/l
SC ALRO SA	Temp	9/19/2016 1:48:01 AM	27	gradCels
SC ALRO SA	pH	9/19/2016 1:48:00 AM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 1:42:42 AM	9	mg/l
SC ALRO SA	Clor	9/19/2016 1:42:23 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 1:42:22 AM	0	mg/l
SC ALRO SA	Temp	9/19/2016 1:42:21 AM	27	gradCels
SC ALRO SA	pH	9/19/2016 1:42:20 AM	3	unit pH
SC ALRO SA	Clor	9/19/2016 1:37:04 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 1:37:03 AM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 1:37:02 AM	9	mg/l
SC ALRO SA	Temp	9/19/2016 1:37:01 AM	27	gradCels
SC ALRO SA	pH	9/19/2016 1:37:00 AM	3	unit pH
SC ALRO SA	Clor	9/19/2016 1:34:30 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 1:34:10 AM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 1:34:00 AM	9	mg/l
SC ALRO SA	Temp	9/19/2016 1:33:50 AM	27	gradCels
SC ALRO SA	pH	9/19/2016 1:33:30 AM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 1:31:42 AM	9	mg/l
SC ALRO SA	Clor	9/19/2016 1:31:23 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 1:31:22 AM	0	mg/l
SC ALRO SA	Temp	9/19/2016 1:31:21 AM	27	gradCels
SC ALRO SA	pH	9/19/2016 1:31:20 AM	3	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	9/19/2016 1:26:46 AM	9	mg/l
SC ALRO SA	Clor	9/19/2016 1:26:03 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 1:26:02 AM	0	mg/l
SC ALRO SA	Temp	9/19/2016 1:26:01 AM	27	gradCels
SC ALRO SA	pH	9/19/2016 1:26:00 AM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 1:20:40 AM	9	mg/l
SC ALRO SA	Clor	9/19/2016 1:20:23 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 1:20:22 AM	0	mg/l
SC ALRO SA	Temp	9/19/2016 1:20:21 AM	27	gradCels
SC ALRO SA	pH	9/19/2016 1:20:20 AM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 1:15:44 AM	9	mg/l
SC ALRO SA	Clor	9/19/2016 1:15:03 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 1:15:02 AM	0	mg/l
SC ALRO SA	Temp	9/19/2016 1:15:01 AM	27	gradCels
SC ALRO SA	pH	9/19/2016 1:15:00 AM	3	unit pH
SC ALRO SA	Clor	9/19/2016 1:13:50 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 1:12:30 AM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 1:12:20 AM	9	mg/l
SC ALRO SA	Temp	9/19/2016 1:12:10 AM	27	gradCels
SC ALRO SA	pH	9/19/2016 1:12:00 AM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 1:09:40 AM	9	mg/l
SC ALRO SA	Clor	9/19/2016 1:09:23 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 1:09:22 AM	0	mg/l
SC ALRO SA	Temp	9/19/2016 1:09:21 AM	27	gradCels
SC ALRO SA	pH	9/19/2016 1:09:20 AM	3	unit pH
SC ALRO SA	Clor	9/19/2016 1:04:24 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 1:04:23 AM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 1:04:22 AM	9	mg/l
SC ALRO SA	pH	9/19/2016 1:04:21 AM	3	unit pH
SC ALRO SA	Temp	9/19/2016 1:04:20 AM	27	gradCels
SC ALRO SA	Substante organice	9/19/2016 12:59:41 AM	9	mg/l
SC ALRO SA	Clor	9/19/2016 12:59:03 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 12:59:02 AM	0	mg/l
SC ALRO SA	Temp	9/19/2016 12:59:01 AM	27	gradCels
SC ALRO SA	pH	9/19/2016 12:59:00 AM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 12:53:40 AM	9	mg/l
SC ALRO SA	Clor	9/19/2016 12:53:23 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 12:53:22 AM	0	mg/l
SC ALRO SA	Temp	9/19/2016 12:53:21 AM	27	gradCels
SC ALRO SA	pH	9/19/2016 12:53:20 AM	3	unit pH
SC ALRO SA	Clor	9/19/2016 12:52:30 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 12:52:10 AM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 12:52:01 AM	9	mg/l
SC ALRO SA	Temp	9/19/2016 12:51:50 AM	27	gradCels
SC ALRO SA	pH	9/19/2016 12:51:20 AM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 12:48:40 AM	9	mg/l
SC ALRO SA	Clor	9/19/2016 12:48:03 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 12:48:02 AM	0	mg/l
SC ALRO SA	Temp	9/19/2016 12:48:01 AM	27	gradCels
SC ALRO SA	pH	9/19/2016 12:48:00 AM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 12:42:40 AM	9	mg/l
SC ALRO SA	Clor	9/19/2016 12:42:23 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 12:42:22 AM	0	mg/l
SC ALRO SA	pH	9/19/2016 12:42:21 AM	3	unit pH
SC ALRO SA	Temp	9/19/2016 12:42:20 AM	27	gradCels
SC ALRO SA	Clor	9/19/2016 12:37:04 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 12:37:03 AM	0	mg/l
SC ALRO SA	Temp	9/19/2016 12:37:02 AM	27	gradCels
SC ALRO SA	Substante organice	9/19/2016 12:37:01 AM	9	mg/l
SC ALRO SA	pH	9/19/2016 12:37:00 AM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 12:31:31 AM	9	mg/l
SC ALRO SA	Clor	9/19/2016 12:31:23 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 12:31:22 AM	0	mg/l
SC ALRO SA	Temp	9/19/2016 12:31:21 AM	27	gradCels
SC ALRO SA	pH	9/19/2016 12:31:20 AM	3	unit pH
SC ALRO SA	Clor	9/19/2016 12:30:40 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Grasimi	9/19/2016 12:30:20 AM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 12:30:10 AM	9	mg/l
SC ALRO SA	Temp	9/19/2016 12:30:00 AM	27	gradCels
SC ALRO SA	pH	9/19/2016 12:29:50 AM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 12:26:40 AM	9	mg/l
SC ALRO SA	Clor	9/19/2016 12:25:43 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 12:25:42 AM	0	mg/l
SC ALRO SA	Temp	9/19/2016 12:25:41 AM	27	gradCels
SC ALRO SA	pH	9/19/2016 12:25:40 AM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 12:20:30 AM	9	mg/l
SC ALRO SA	Clor	9/19/2016 12:20:23 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 12:20:22 AM	0	mg/l
SC ALRO SA	Temp	9/19/2016 12:20:21 AM	27	gradCels
SC ALRO SA	pH	9/19/2016 12:20:20 AM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 12:15:40 AM	9	mg/l
SC ALRO SA	Clor	9/19/2016 12:14:43 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 12:14:42 AM	0	mg/l
SC ALRO SA	Temp	9/19/2016 12:14:41 AM	27	gradCels
SC ALRO SA	pH	9/19/2016 12:14:40 AM	3	unit pH
SC ALRO SA	Substante organice	9/19/2016 12:09:30 AM	9	mg/l
SC ALRO SA	Clor	9/19/2016 12:09:23 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 12:09:22 AM	0	mg/l
SC ALRO SA	Temp	9/19/2016 12:09:21 AM	27	gradCels
SC ALRO SA	pH	9/19/2016 12:09:20 AM	3	unit pH
SC ALRO SA	Clor	9/19/2016 12:08:40 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 12:08:20 AM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 12:08:10 AM	9	mg/l
SC ALRO SA	Temp	9/19/2016 12:08:00 AM	27	gradCels
SC ALRO SA	pH	9/19/2016 12:07:50 AM	3	unit pH
SC ALRO SA	Clor	9/19/2016 12:03:44 AM	0	mg/l
SC ALRO SA	Grasimi	9/19/2016 12:03:43 AM	0	mg/l
SC ALRO SA	Substante organice	9/19/2016 12:03:42 AM	9	mg/l
SC ALRO SA	Temp	9/19/2016 12:03:41 AM	27	gradCels
SC ALRO SA	pH	9/19/2016 12:03:40 AM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 11:58:40 PM	9	mg/l
SC ALRO SA	Clor	9/18/2016 11:58:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 11:58:22 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 11:58:21 PM	27	gradCels
SC ALRO SA	pH	9/18/2016 11:58:20 PM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 11:53:40 PM	9	mg/l
SC ALRO SA	Clor	9/18/2016 11:52:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 11:52:42 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 11:52:41 PM	27	gradCels
SC ALRO SA	pH	9/18/2016 11:52:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 11:47:40 PM	9	mg/l
SC ALRO SA	Clor	9/18/2016 11:47:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 11:47:22 PM	0	mg/l
SC ALRO SA	pH	9/18/2016 11:47:21 PM	3	unit pH
SC ALRO SA	Temp	9/18/2016 11:47:20 PM	27	gradCels
SC ALRO SA	Clor	9/18/2016 11:45:10 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 11:44:10 PM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 11:44:00 PM	9	mg/l
SC ALRO SA	Temp	9/18/2016 11:43:50 PM	27	gradCels
SC ALRO SA	pH	9/18/2016 11:43:20 PM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 11:42:40 PM	9	mg/l
SC ALRO SA	Clor	9/18/2016 11:41:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 11:41:42 PM	0	mg/l
SC ALRO SA	pH	9/18/2016 11:41:41 PM	3	unit pH
SC ALRO SA	Temp	9/18/2016 11:41:40 PM	27	gradCels
SC ALRO SA	Substante organice	9/18/2016 11:36:40 PM	9	mg/l
SC ALRO SA	Clor	9/18/2016 11:36:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 11:36:22 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 11:36:21 PM	27	gradCels
SC ALRO SA	pH	9/18/2016 11:36:20 PM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 11:31:41 PM	9	mg/l
SC ALRO SA	Clor	9/18/2016 11:30:43 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Grasimi	9/18/2016 11:30:42 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 11:30:41 PM	27	gradCels
SC ALRO SA	pH	9/18/2016 11:30:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 11:25:40 PM	9	mg/l
SC ALRO SA	Clor	9/18/2016 11:25:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 11:25:22 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 11:25:21 PM	27	gradCels
SC ALRO SA	pH	9/18/2016 11:25:20 PM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 11:20:40 PM	9	mg/l
SC ALRO SA	Clor	9/18/2016 11:19:50 PM	0	mg/l
SC ALRO SA	Clor	9/18/2016 11:19:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 11:19:42 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 11:19:41 PM	27	gradCels
SC ALRO SA	pH	9/18/2016 11:19:40 PM	3	unit pH
SC ALRO SA	Grasimi	9/18/2016 11:19:20 PM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 11:19:10 PM	9	mg/l
SC ALRO SA	Temp	9/18/2016 11:19:00 PM	27	gradCels
SC ALRO SA	pH	9/18/2016 11:18:50 PM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 11:14:40 PM	9	mg/l
SC ALRO SA	Clor	9/18/2016 11:14:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 11:14:22 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 11:14:21 PM	27	gradCels
SC ALRO SA	pH	9/18/2016 11:14:20 PM	3	unit pH
SC ALRO SA	Clor	9/18/2016 11:08:44 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 11:08:43 PM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 11:08:42 PM	9	mg/l
SC ALRO SA	Temp	9/18/2016 11:08:41 PM	27	gradCels
SC ALRO SA	pH	9/18/2016 11:08:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 11:03:46 PM	9	mg/l
SC ALRO SA	Clor	9/18/2016 11:03:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 11:03:22 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 11:03:21 PM	27	gradCels
SC ALRO SA	pH	9/18/2016 11:03:20 PM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 10:58:40 PM	9	mg/l
SC ALRO SA	Clor	9/18/2016 10:57:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 10:57:42 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 10:57:41 PM	27	gradCels
SC ALRO SA	pH	9/18/2016 10:57:40 PM	3	unit pH
SC ALRO SA	Clor	9/18/2016 10:56:50 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 10:56:10 PM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 10:56:00 PM	9	mg/l
SC ALRO SA	Temp	9/18/2016 10:55:50 PM	27	gradCels
SC ALRO SA	pH	9/18/2016 10:55:20 PM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 10:52:44 PM	9	mg/l
SC ALRO SA	Clor	9/18/2016 10:52:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 10:52:02 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 10:52:01 PM	27	gradCels
SC ALRO SA	pH	9/18/2016 10:52:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 10:46:45 PM	9	mg/l
SC ALRO SA	Clor	9/18/2016 10:46:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 10:46:42 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 10:46:41 PM	27	gradCels
SC ALRO SA	pH	9/18/2016 10:46:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 10:41:46 PM	9	mg/l
SC ALRO SA	Clor	9/18/2016 10:41:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 10:41:02 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 10:41:01 PM	27	gradCels
SC ALRO SA	pH	9/18/2016 10:41:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 10:35:45 PM	9	mg/l
SC ALRO SA	Clor	9/18/2016 10:35:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 10:35:42 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 10:35:41 PM	27	gradCels
SC ALRO SA	pH	9/18/2016 10:35:40 PM	3	unit pH
SC ALRO SA	Clor	9/18/2016 10:35:00 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 10:34:20 PM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 10:34:10 PM	9	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	9/18/2016 10:34:00 PM	27	gradCels
SC ALRO SA	pH	9/18/2016 10:33:50 PM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 10:30:40 PM	9	mg/l
SC ALRO SA	Clor	9/18/2016 10:30:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 10:30:02 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 10:30:01 PM	27	gradCels
SC ALRO SA	pH	9/18/2016 10:30:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 10:24:45 PM	9	mg/l
SC ALRO SA	Clor	9/18/2016 10:24:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 10:24:42 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 10:24:41 PM	27	gradCels
SC ALRO SA	pH	9/18/2016 10:24:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 10:19:40 PM	9	mg/l
SC ALRO SA	Clor	9/18/2016 10:19:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 10:19:02 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 10:19:01 PM	27	gradCels
SC ALRO SA	pH	9/18/2016 10:19:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 10:13:45 PM	9	mg/l
SC ALRO SA	Clor	9/18/2016 10:13:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 10:13:42 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 10:13:41 PM	27	gradCels
SC ALRO SA	pH	9/18/2016 10:13:40 PM	3	unit pH
SC ALRO SA	Clor	9/18/2016 10:13:10 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 10:12:50 PM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 10:12:40 PM	9	mg/l
SC ALRO SA	Temp	9/18/2016 10:12:30 PM	27	gradCels
SC ALRO SA	pH	9/18/2016 10:12:20 PM	3	unit pH
SC ALRO SA	Clor	9/18/2016 10:08:04 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 10:08:03 PM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 10:08:02 PM	9	mg/l
SC ALRO SA	pH	9/18/2016 10:08:01 PM	3	unit pH
SC ALRO SA	Temp	9/18/2016 10:08:00 PM	27	gradCels
SC ALRO SA	Substante organice	9/18/2016 10:02:45 PM	9	mg/l
SC ALRO SA	Clor	9/18/2016 10:02:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 10:02:42 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 10:02:41 PM	27	gradCels
SC ALRO SA	pH	9/18/2016 10:02:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 9:57:40 PM	9	mg/l
SC ALRO SA	Clor	9/18/2016 9:57:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 9:57:02 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 9:57:01 PM	27	gradCels
SC ALRO SA	pH	9/18/2016 9:57:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 9:51:40 PM	9	mg/l
SC ALRO SA	Clor	9/18/2016 9:51:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 9:51:22 PM	0	mg/l
SC ALRO SA	pH	9/18/2016 9:51:21 PM	3	unit pH
SC ALRO SA	Temp	9/18/2016 9:51:20 PM	27	gradCels
SC ALRO SA	Clor	9/18/2016 9:50:40 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 9:50:20 PM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 9:50:10 PM	9	mg/l
SC ALRO SA	Temp	9/18/2016 9:50:00 PM	27	gradCels
SC ALRO SA	pH	9/18/2016 9:49:50 PM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 9:46:40 PM	9	mg/l
SC ALRO SA	Clor	9/18/2016 9:46:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 9:46:02 PM	0	mg/l
SC ALRO SA	pH	9/18/2016 9:46:01 PM	3	unit pH
SC ALRO SA	Temp	9/18/2016 9:46:00 PM	27	gradCels
SC ALRO SA	Substante organice	9/18/2016 9:40:40 PM	9	mg/l
SC ALRO SA	Clor	9/18/2016 9:40:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 9:40:22 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 9:40:21 PM	27	gradCels
SC ALRO SA	pH	9/18/2016 9:40:20 PM	3	unit pH
SC ALRO SA	Clor	9/18/2016 9:35:04 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 9:35:03 PM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 9:35:02 PM	9	mg/l
SC ALRO SA	Temp	9/18/2016 9:35:01 PM	27	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	9/18/2016 9:35:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 9:29:40 PM	9	mg/l
SC ALRO SA	Clor	9/18/2016 9:29:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 9:29:22 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 9:29:21 PM	27	gradCels
SC ALRO SA	pH	9/18/2016 9:29:20 PM	3	unit pH
SC ALRO SA	Clor	9/18/2016 9:26:20 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 9:26:00 PM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 9:25:50 PM	9	mg/l
SC ALRO SA	Temp	9/18/2016 9:25:20 PM	27	gradCels
SC ALRO SA	pH	9/18/2016 9:25:10 PM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 9:24:40 PM	9	mg/l
SC ALRO SA	Clor	9/18/2016 9:24:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 9:24:02 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 9:24:01 PM	27	gradCels
SC ALRO SA	pH	9/18/2016 9:24:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 9:18:40 PM	9	mg/l
SC ALRO SA	Clor	9/18/2016 9:18:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 9:18:22 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 9:18:21 PM	27	gradCels
SC ALRO SA	pH	9/18/2016 9:18:20 PM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 9:13:40 PM	9	mg/l
SC ALRO SA	Clor	9/18/2016 9:13:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 9:13:02 PM	0	mg/l
SC ALRO SA	pH	9/18/2016 9:13:01 PM	3	unit pH
SC ALRO SA	Temp	9/18/2016 9:13:00 PM	27	gradCels
SC ALRO SA	Clor	9/18/2016 9:07:24 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 9:07:23 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 9:07:22 PM	27	gradCels
SC ALRO SA	Substante organice	9/18/2016 9:07:21 PM	9	mg/l
SC ALRO SA	pH	9/18/2016 9:07:20 PM	3	unit pH
SC ALRO SA	Clor	9/18/2016 9:05:10 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 9:04:50 PM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 9:04:20 PM	9	mg/l
SC ALRO SA	Temp	9/18/2016 9:04:10 PM	27	gradCels
SC ALRO SA	pH	9/18/2016 9:04:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 9:02:40 PM	9	mg/l
SC ALRO SA	Clor	9/18/2016 9:02:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 9:02:02 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 9:02:01 PM	27	gradCels
SC ALRO SA	pH	9/18/2016 9:02:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 8:56:40 PM	9	mg/l
SC ALRO SA	Clor	9/18/2016 8:56:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 8:56:22 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 8:56:21 PM	27	gradCels
SC ALRO SA	pH	9/18/2016 8:56:20 PM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 8:51:40 PM	9	mg/l
SC ALRO SA	Clor	9/18/2016 8:51:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 8:51:22 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 8:51:21 PM	27	gradCels
SC ALRO SA	pH	9/18/2016 8:51:20 PM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 8:46:32 PM	9	mg/l
SC ALRO SA	Clor	9/18/2016 8:46:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 8:46:02 PM	0	mg/l
SC ALRO SA	pH	9/18/2016 8:46:01 PM	3	unit pH
SC ALRO SA	Temp	9/18/2016 8:46:00 PM	27	gradCels
SC ALRO SA	Clor	9/18/2016 8:44:00 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 8:43:10 PM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 8:43:00 PM	9	mg/l
SC ALRO SA	Temp	9/18/2016 8:42:50 PM	27	gradCels
SC ALRO SA	pH	9/18/2016 8:42:20 PM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 8:40:44 PM	9	mg/l
SC ALRO SA	Clor	9/18/2016 8:40:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 8:40:22 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 8:40:21 PM	27	gradCels
SC ALRO SA	pH	9/18/2016 8:40:20 PM	3	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Clor	9/18/2016 8:35:04 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 8:35:03 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 8:35:02 PM	27	gradCels
SC ALRO SA	Substante organice	9/18/2016 8:35:01 PM	9	mg/l
SC ALRO SA	pH	9/18/2016 8:35:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 8:29:29 PM	9	mg/l
SC ALRO SA	Clor	9/18/2016 8:29:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 8:29:22 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 8:29:21 PM	27	gradCels
SC ALRO SA	pH	9/18/2016 8:29:20 PM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 8:24:46 PM	9	mg/l
SC ALRO SA	Clor	9/18/2016 8:23:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 8:23:42 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 8:23:41 PM	27	gradCels
SC ALRO SA	pH	9/18/2016 8:23:40 PM	3	unit pH
SC ALRO SA	Clor	9/18/2016 8:22:40 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 8:22:20 PM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 8:22:10 PM	9	mg/l
SC ALRO SA	Temp	9/18/2016 8:22:00 PM	27	gradCels
SC ALRO SA	pH	9/18/2016 8:21:50 PM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 8:18:30 PM	9	mg/l
SC ALRO SA	Clor	9/18/2016 8:18:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 8:18:22 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 8:18:21 PM	27	gradCels
SC ALRO SA	pH	9/18/2016 8:18:20 PM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 8:13:42 PM	9	mg/l
SC ALRO SA	Clor	9/18/2016 8:12:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 8:12:42 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 8:12:41 PM	27	gradCels
SC ALRO SA	pH	9/18/2016 8:12:40 PM	3	unit pH
SC ALRO SA	Clor	9/18/2016 8:07:24 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 8:07:23 PM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 8:07:22 PM	9	mg/l
SC ALRO SA	Temp	9/18/2016 8:07:21 PM	27	gradCels
SC ALRO SA	pH	9/18/2016 8:07:20 PM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 8:02:42 PM	9	mg/l
SC ALRO SA	Clor	9/18/2016 8:01:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 8:01:42 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 8:01:41 PM	27	gradCels
SC ALRO SA	pH	9/18/2016 8:01:40 PM	3	unit pH
SC ALRO SA	Clor	9/18/2016 7:58:00 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 7:57:20 PM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 7:57:10 PM	9	mg/l
SC ALRO SA	Temp	9/18/2016 7:56:40 PM	27	gradCels
SC ALRO SA	Substante organice	9/18/2016 7:56:29 PM	9	mg/l
SC ALRO SA	Clor	9/18/2016 7:56:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 7:56:22 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 7:56:21 PM	27	gradCels
SC ALRO SA	pH	9/18/2016 7:56:20 PM	3	unit pH
SC ALRO SA	pH	9/18/2016 7:56:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 7:51:41 PM	9	mg/l
SC ALRO SA	Clor	9/18/2016 7:50:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 7:50:42 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 7:50:41 PM	27	gradCels
SC ALRO SA	pH	9/18/2016 7:50:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 7:46:41 PM	9	mg/l
SC ALRO SA	Clor	9/18/2016 7:45:45 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 7:45:44 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 7:45:43 PM	27	gradCels
SC ALRO SA	pH	9/18/2016 7:45:42 PM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 7:40:42 PM	9	mg/l
SC ALRO SA	Clor	9/18/2016 7:40:07 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 7:40:06 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 7:40:05 PM	27	gradCels
SC ALRO SA	pH	9/18/2016 7:40:04 PM	3	unit pH
SC ALRO SA	Clor	9/18/2016 7:34:45 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Grasimi	9/18/2016 7:34:44 PM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 7:34:43 PM	9	mg/l
SC ALRO SA	Temp	9/18/2016 7:34:42 PM	27	gradCels
SC ALRO SA	pH	9/18/2016 7:34:41 PM	3	unit pH
SC ALRO SA	Clor	9/18/2016 7:34:00 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 7:33:40 PM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 7:33:30 PM	9	mg/l
SC ALRO SA	Temp	9/18/2016 7:33:20 PM	27	gradCels
SC ALRO SA	pH	9/18/2016 7:33:10 PM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 7:29:40 PM	9	mg/l
SC ALRO SA	Clor	9/18/2016 7:29:08 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 7:29:07 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 7:29:06 PM	27	gradCels
SC ALRO SA	pH	9/18/2016 7:29:05 PM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 7:23:44 PM	9	mg/l
SC ALRO SA	Clor	9/18/2016 7:23:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 7:23:42 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 7:23:41 PM	26	gradCels
SC ALRO SA	pH	9/18/2016 7:23:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 7:18:46 PM	9	mg/l
SC ALRO SA	Clor	9/18/2016 7:18:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 7:18:02 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 7:18:01 PM	26	gradCels
SC ALRO SA	pH	9/18/2016 7:18:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 7:12:45 PM	9	mg/l
SC ALRO SA	Clor	9/18/2016 7:12:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 7:12:42 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 7:12:41 PM	26	gradCels
SC ALRO SA	pH	9/18/2016 7:12:40 PM	3	unit pH
SC ALRO SA	Clor	9/18/2016 7:12:00 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 7:11:40 PM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 7:11:30 PM	9	mg/l
SC ALRO SA	Temp	9/18/2016 7:11:20 PM	26	gradCels
SC ALRO SA	pH	9/18/2016 7:11:10 PM	3	unit pH
SC ALRO SA	Clor	9/18/2016 7:07:04 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 7:07:03 PM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 7:07:02 PM	9	mg/l
SC ALRO SA	Temp	9/18/2016 7:07:01 PM	26	gradCels
SC ALRO SA	pH	9/18/2016 7:07:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 7:01:31 PM	9	mg/l
SC ALRO SA	Clor	9/18/2016 7:01:28 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 7:01:27 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 7:01:26 PM	26	gradCels
SC ALRO SA	pH	9/18/2016 7:01:25 PM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 6:56:41 PM	9	mg/l
SC ALRO SA	Clor	9/18/2016 6:56:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 6:56:02 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 6:56:01 PM	26	gradCels
SC ALRO SA	pH	9/18/2016 6:56:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 6:50:48 PM	9	mg/l
SC ALRO SA	Clor	9/18/2016 6:50:46 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 6:50:43 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 6:50:41 PM	26	gradCels
SC ALRO SA	pH	9/18/2016 6:50:40 PM	3	unit pH
SC ALRO SA	Clor	9/18/2016 6:49:40 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 6:49:20 PM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 6:49:10 PM	9	mg/l
SC ALRO SA	Temp	9/18/2016 6:49:00 PM	26	gradCels
SC ALRO SA	pH	9/18/2016 6:48:50 PM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 6:45:41 PM	9	mg/l
SC ALRO SA	Clor	9/18/2016 6:45:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 6:45:02 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 6:45:01 PM	26	gradCels
SC ALRO SA	pH	9/18/2016 6:45:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 6:39:40 PM	9	mg/l
SC ALRO SA	Clor	9/18/2016 6:39:23 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Grasimi	9/18/2016 6:39:22 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 6:39:21 PM	26	gradCels
SC ALRO SA	pH	9/18/2016 6:39:20 PM	3	unit pH
SC ALRO SA	Clor	9/18/2016 6:34:04 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 6:34:03 PM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 6:34:02 PM	9	mg/l
SC ALRO SA	pH	9/18/2016 6:34:01 PM	3	unit pH
SC ALRO SA	Temp	9/18/2016 6:34:00 PM	26	gradCels
SC ALRO SA	Substante organice	9/18/2016 6:28:44 PM	9	mg/l
SC ALRO SA	Clor	9/18/2016 6:28:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 6:28:22 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 6:28:21 PM	26	gradCels
SC ALRO SA	pH	9/18/2016 6:28:20 PM	3	unit pH
SC ALRO SA	Clor	9/18/2016 6:27:00 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 6:25:20 PM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 6:25:10 PM	9	mg/l
SC ALRO SA	Temp	9/18/2016 6:25:00 PM	26	gradCels
SC ALRO SA	pH	9/18/2016 6:24:50 PM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 6:23:40 PM	9	mg/l
SC ALRO SA	Clor	9/18/2016 6:23:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 6:23:02 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 6:23:01 PM	26	gradCels
SC ALRO SA	pH	9/18/2016 6:23:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 6:17:29 PM	9	mg/l
SC ALRO SA	Clor	9/18/2016 6:17:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 6:17:22 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 6:17:21 PM	26	gradCels
SC ALRO SA	pH	9/18/2016 6:17:20 PM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 6:12:40 PM	9	mg/l
SC ALRO SA	Clor	9/18/2016 6:12:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 6:12:02 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 6:12:01 PM	26	gradCels
SC ALRO SA	pH	9/18/2016 6:12:00 PM	3	unit pH
SC ALRO SA	Clor	9/18/2016 6:06:24 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 6:06:23 PM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 6:06:22 PM	9	mg/l
SC ALRO SA	Temp	9/18/2016 6:06:21 PM	26	gradCels
SC ALRO SA	pH	9/18/2016 6:06:20 PM	3	unit pH
SC ALRO SA	Clor	9/18/2016 6:05:00 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 6:03:30 PM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 6:03:20 PM	9	mg/l
SC ALRO SA	Temp	9/18/2016 6:03:10 PM	26	gradCels
SC ALRO SA	pH	9/18/2016 6:03:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 6:01:40 PM	9	mg/l
SC ALRO SA	Clor	9/18/2016 6:00:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 6:00:42 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 6:00:41 PM	26	gradCels
SC ALRO SA	pH	9/18/2016 6:00:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 5:55:29 PM	9	mg/l
SC ALRO SA	Clor	9/18/2016 5:55:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 5:55:22 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 5:55:21 PM	26	gradCels
SC ALRO SA	pH	9/18/2016 5:55:20 PM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 5:50:40 PM	9	mg/l
SC ALRO SA	Clor	9/18/2016 5:49:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 5:49:42 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 5:49:41 PM	26	gradCels
SC ALRO SA	pH	9/18/2016 5:49:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 5:44:29 PM	9	mg/l
SC ALRO SA	Clor	9/18/2016 5:44:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 5:44:22 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 5:44:21 PM	26	gradCels
SC ALRO SA	pH	9/18/2016 5:44:20 PM	3	unit pH
SC ALRO SA	Clor	9/18/2016 5:43:10 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 5:42:50 PM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 5:41:30 PM	9	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	9/18/2016 5:41:20 PM	26	gradCels
SC ALRO SA	pH	9/18/2016 5:41:10 PM	3	unit pH
SC ALRO SA	Clor	9/18/2016 5:38:44 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 5:38:43 PM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 5:38:42 PM	9	mg/l
SC ALRO SA	Temp	9/18/2016 5:38:41 PM	26	gradCels
SC ALRO SA	pH	9/18/2016 5:38:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 5:33:30 PM	10	mg/l
SC ALRO SA	Clor	9/18/2016 5:33:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 5:33:22 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 5:33:21 PM	26	gradCels
SC ALRO SA	pH	9/18/2016 5:33:20 PM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 5:28:40 PM	10	mg/l
SC ALRO SA	Clor	9/18/2016 5:27:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 5:27:42 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 5:27:41 PM	26	gradCels
SC ALRO SA	pH	9/18/2016 5:27:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 5:22:29 PM	10	mg/l
SC ALRO SA	Clor	9/18/2016 5:22:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 5:22:22 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 5:22:21 PM	26	gradCels
SC ALRO SA	pH	9/18/2016 5:22:20 PM	3	unit pH
SC ALRO SA	Clor	9/18/2016 5:21:10 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 5:20:50 PM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 5:20:20 PM	10	mg/l
SC ALRO SA	Temp	9/18/2016 5:20:10 PM	26	gradCels
SC ALRO SA	pH	9/18/2016 5:19:30 PM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 5:17:40 PM	10	mg/l
SC ALRO SA	Clor	9/18/2016 5:16:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 5:16:42 PM	0	mg/l
SC ALRO SA	pH	9/18/2016 5:16:41 PM	3	unit pH
SC ALRO SA	Temp	9/18/2016 5:16:40 PM	26	gradCels
SC ALRO SA	Substante organice	9/18/2016 5:11:29 PM	10	mg/l
SC ALRO SA	Clor	9/18/2016 5:11:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 5:11:22 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 5:11:21 PM	26	gradCels
SC ALRO SA	pH	9/18/2016 5:11:20 PM	3	unit pH
SC ALRO SA	Clor	9/18/2016 5:05:44 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 5:05:43 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 5:05:42 PM	26	gradCels
SC ALRO SA	Substante organice	9/18/2016 5:05:41 PM	10	mg/l
SC ALRO SA	pH	9/18/2016 5:05:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 5:00:40 PM	10	mg/l
SC ALRO SA	Clor	9/18/2016 5:00:10 PM	0	mg/l
SC ALRO SA	Clor	9/18/2016 5:00:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 5:00:02 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 5:00:01 PM	26	gradCels
SC ALRO SA	pH	9/18/2016 5:00:00 PM	3	unit pH
SC ALRO SA	Grasimi	9/18/2016 4:59:40 PM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 4:59:30 PM	10	mg/l
SC ALRO SA	Temp	9/18/2016 4:59:20 PM	26	gradCels
SC ALRO SA	pH	9/18/2016 4:59:10 PM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 4:55:52 PM	10	mg/l
SC ALRO SA	Clor	9/18/2016 4:54:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 4:54:42 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 4:54:41 PM	26	gradCels
SC ALRO SA	pH	9/18/2016 4:54:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 4:49:40 PM	10	mg/l
SC ALRO SA	Clor	9/18/2016 4:49:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 4:49:02 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 4:49:01 PM	26	gradCels
SC ALRO SA	pH	9/18/2016 4:49:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 4:43:45 PM	10	mg/l
SC ALRO SA	Clor	9/18/2016 4:43:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 4:43:42 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 4:43:41 PM	26	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	9/18/2016 4:43:40 PM	3	unit pH
SC ALRO SA	Clor	9/18/2016 4:39:10 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 4:38:20 PM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 4:38:10 PM	10	mg/l
SC ALRO SA	Clor	9/18/2016 4:38:04 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 4:38:03 PM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 4:38:02 PM	10	mg/l
SC ALRO SA	Temp	9/18/2016 4:38:01 PM	26	gradCels
SC ALRO SA	pH	9/18/2016 4:38:00 PM	3	unit pH
SC ALRO SA	Temp	9/18/2016 4:37:50 PM	26	gradCels
SC ALRO SA	pH	9/18/2016 4:37:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 4:32:50 PM	10	mg/l
SC ALRO SA	Clor	9/18/2016 4:32:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 4:32:42 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 4:32:41 PM	26	gradCels
SC ALRO SA	pH	9/18/2016 4:32:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 4:27:40 PM	10	mg/l
SC ALRO SA	Clor	9/18/2016 4:27:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 4:27:02 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 4:27:01 PM	25	gradCels
SC ALRO SA	pH	9/18/2016 4:27:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 4:21:50 PM	10	mg/l
SC ALRO SA	Clor	9/18/2016 4:21:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 4:21:42 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 4:21:41 PM	25	gradCels
SC ALRO SA	pH	9/18/2016 4:21:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 4:16:40 PM	10	mg/l
SC ALRO SA	Clor	9/18/2016 4:16:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 4:16:02 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 4:16:01 PM	25	gradCels
SC ALRO SA	pH	9/18/2016 4:16:00 PM	3	unit pH
SC ALRO SA	Clor	9/18/2016 4:15:40 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 4:15:20 PM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 4:15:10 PM	10	mg/l
SC ALRO SA	Temp	9/18/2016 4:15:00 PM	25	gradCels
SC ALRO SA	pH	9/18/2016 4:14:50 PM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 4:10:30 PM	10	mg/l
SC ALRO SA	Clor	9/18/2016 4:10:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 4:10:22 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 4:10:21 PM	25	gradCels
SC ALRO SA	pH	9/18/2016 4:10:20 PM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 4:05:40 PM	10	mg/l
SC ALRO SA	Clor	9/18/2016 4:05:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 4:05:02 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 4:05:01 PM	25	gradCels
SC ALRO SA	pH	9/18/2016 4:05:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 3:59:30 PM	10	mg/l
SC ALRO SA	Clor	9/18/2016 3:59:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 3:59:22 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 3:59:21 PM	25	gradCels
SC ALRO SA	pH	9/18/2016 3:59:20 PM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 3:54:40 PM	10	mg/l
SC ALRO SA	Clor	9/18/2016 3:54:07 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 3:54:06 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 3:54:05 PM	25	gradCels
SC ALRO SA	pH	9/18/2016 3:54:04 PM	3	unit pH
SC ALRO SA	Clor	9/18/2016 3:53:40 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 3:53:20 PM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 3:53:10 PM	10	mg/l
SC ALRO SA	Temp	9/18/2016 3:53:00 PM	25	gradCels
SC ALRO SA	pH	9/18/2016 3:52:50 PM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 3:48:29 PM	10	mg/l
SC ALRO SA	Clor	9/18/2016 3:48:27 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 3:48:26 PM	0	mg/l
SC ALRO SA	pH	9/18/2016 3:48:25 PM	3	unit pH
SC ALRO SA	Temp	9/18/2016 3:48:24 PM	25	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	9/18/2016 3:43:40 PM	10	mg/l
SC ALRO SA	Clor	9/18/2016 3:43:08 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 3:43:07 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 3:43:06 PM	25	gradCels
SC ALRO SA	pH	9/18/2016 3:43:05 PM	3	unit pH
SC ALRO SA	Clor	9/18/2016 3:37:28 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 3:37:27 PM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 3:37:26 PM	10	mg/l
SC ALRO SA	Temp	9/18/2016 3:37:25 PM	25	gradCels
SC ALRO SA	pH	9/18/2016 3:37:24 PM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 3:32:40 PM	10	mg/l
SC ALRO SA	Clor	9/18/2016 3:32:08 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 3:32:07 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 3:32:06 PM	25	gradCels
SC ALRO SA	pH	9/18/2016 3:32:05 PM	3	unit pH
SC ALRO SA	Clor	9/18/2016 3:31:30 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 3:31:10 PM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 3:31:00 PM	10	mg/l
SC ALRO SA	Temp	9/18/2016 3:30:50 PM	25	gradCels
SC ALRO SA	pH	9/18/2016 3:30:20 PM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 3:26:29 PM	10	mg/l
SC ALRO SA	Clor	9/18/2016 3:26:27 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 3:26:26 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 3:26:25 PM	25	gradCels
SC ALRO SA	pH	9/18/2016 3:26:24 PM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 3:21:40 PM	10	mg/l
SC ALRO SA	Clor	9/18/2016 3:21:07 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 3:21:06 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 3:21:05 PM	25	gradCels
SC ALRO SA	pH	9/18/2016 3:21:04 PM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 3:15:29 PM	10	mg/l
SC ALRO SA	Clor	9/18/2016 3:15:27 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 3:15:26 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 3:15:25 PM	25	gradCels
SC ALRO SA	pH	9/18/2016 3:15:24 PM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 3:10:40 PM	10	mg/l
SC ALRO SA	Clor	9/18/2016 3:10:20 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 3:10:00 PM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 3:09:50 PM	10	mg/l
SC ALRO SA	Clor	9/18/2016 3:09:48 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 3:09:47 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 3:09:46 PM	25	gradCels
SC ALRO SA	pH	9/18/2016 3:09:45 PM	3	unit pH
SC ALRO SA	Temp	9/18/2016 3:09:30 PM	25	gradCels
SC ALRO SA	pH	9/18/2016 3:09:20 PM	3	unit pH
SC ALRO SA	Clor	9/18/2016 3:04:28 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 3:04:27 PM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 3:04:26 PM	10	mg/l
SC ALRO SA	Temp	9/18/2016 3:04:25 PM	25	gradCels
SC ALRO SA	pH	9/18/2016 3:04:24 PM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 2:59:40 PM	10	mg/l
SC ALRO SA	Clor	9/18/2016 2:58:47 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 2:58:46 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 2:58:45 PM	25	gradCels
SC ALRO SA	pH	9/18/2016 2:58:44 PM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 2:53:29 PM	10	mg/l
SC ALRO SA	Clor	9/18/2016 2:53:27 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 2:53:26 PM	0	mg/l
SC ALRO SA	pH	9/18/2016 2:53:25 PM	3	unit pH
SC ALRO SA	Temp	9/18/2016 2:53:24 PM	25	gradCels
SC ALRO SA	Clor	9/18/2016 2:50:00 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 2:49:40 PM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 2:49:00 PM	10	mg/l
SC ALRO SA	Temp	9/18/2016 2:48:50 PM	25	gradCels
SC ALRO SA	Substante organice	9/18/2016 2:48:40 PM	10	mg/l
SC ALRO SA	pH	9/18/2016 2:48:20 PM	3	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Clor	9/18/2016 2:47:47 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 2:47:46 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 2:47:45 PM	25	gradCels
SC ALRO SA	pH	9/18/2016 2:47:44 PM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 2:42:29 PM	10	mg/l
SC ALRO SA	Clor	9/18/2016 2:42:27 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 2:42:26 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 2:42:25 PM	25	gradCels
SC ALRO SA	pH	9/18/2016 2:42:24 PM	3	unit pH
SC ALRO SA	Clor	9/18/2016 2:36:48 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 2:36:47 PM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 2:36:46 PM	10	mg/l
SC ALRO SA	Temp	9/18/2016 2:36:45 PM	25	gradCels
SC ALRO SA	pH	9/18/2016 2:36:44 PM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 2:31:31 PM	10	mg/l
SC ALRO SA	Clor	9/18/2016 2:31:29 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 2:31:28 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 2:31:27 PM	25	gradCels
SC ALRO SA	pH	9/18/2016 2:31:26 PM	3	unit pH
SC ALRO SA	Clor	9/18/2016 2:29:50 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 2:29:10 PM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 2:28:10 PM	10	mg/l
SC ALRO SA	Temp	9/18/2016 2:28:00 PM	25	gradCels
SC ALRO SA	pH	9/18/2016 2:27:50 PM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 2:26:40 PM	10	mg/l
SC ALRO SA	Clor	9/18/2016 2:25:48 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 2:25:47 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 2:25:46 PM	25	gradCels
SC ALRO SA	pH	9/18/2016 2:25:45 PM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 2:20:40 PM	10	mg/l
SC ALRO SA	Clor	9/18/2016 2:20:08 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 2:20:07 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 2:20:06 PM	25	gradCels
SC ALRO SA	pH	9/18/2016 2:20:05 PM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 2:15:46 PM	10	mg/l
SC ALRO SA	Clor	9/18/2016 2:14:47 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 2:14:46 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 2:14:45 PM	25	gradCels
SC ALRO SA	pH	9/18/2016 2:14:44 PM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 2:09:40 PM	10	mg/l
SC ALRO SA	Clor	9/18/2016 2:09:07 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 2:09:06 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 2:09:05 PM	25	gradCels
SC ALRO SA	pH	9/18/2016 2:09:04 PM	3	unit pH
SC ALRO SA	Clor	9/18/2016 2:08:30 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 2:08:10 PM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 2:08:00 PM	10	mg/l
SC ALRO SA	Temp	9/18/2016 2:07:50 PM	25	gradCels
SC ALRO SA	pH	9/18/2016 2:07:20 PM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 2:04:46 PM	10	mg/l
SC ALRO SA	Clor	9/18/2016 2:03:49 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 2:03:48 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 2:03:47 PM	25	gradCels
SC ALRO SA	pH	9/18/2016 2:03:46 PM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 1:58:40 PM	10	mg/l
SC ALRO SA	Clor	9/18/2016 1:58:08 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 1:58:07 PM	0	mg/l
SC ALRO SA	pH	9/18/2016 1:58:06 PM	3	unit pH
SC ALRO SA	Temp	9/18/2016 1:58:05 PM	25	gradCels
SC ALRO SA	Substante organice	9/18/2016 1:53:48 PM	10	mg/l
SC ALRO SA	Clor	9/18/2016 1:52:49 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 1:52:48 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 1:52:47 PM	25	gradCels
SC ALRO SA	pH	9/18/2016 1:52:46 PM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 1:48:41 PM	10	mg/l
SC ALRO SA	Clor	9/18/2016 1:47:45 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Grasimi	9/18/2016 1:47:44 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 1:47:43 PM	25	gradCels
SC ALRO SA	pH	9/18/2016 1:47:42 PM	3	unit pH
SC ALRO SA	Clor	9/18/2016 1:47:20 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 1:46:40 PM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 1:46:30 PM	10	mg/l
SC ALRO SA	Temp	9/18/2016 1:46:20 PM	25	gradCels
SC ALRO SA	pH	9/18/2016 1:46:10 PM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 1:42:31 PM	10	mg/l
SC ALRO SA	Clor	9/18/2016 1:42:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 1:42:22 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 1:42:21 PM	25	gradCels
SC ALRO SA	pH	9/18/2016 1:42:20 PM	3	unit pH
SC ALRO SA	Clor	9/18/2016 1:36:44 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 1:36:43 PM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 1:36:42 PM	10	mg/l
SC ALRO SA	Temp	9/18/2016 1:36:41 PM	25	gradCels
SC ALRO SA	pH	9/18/2016 1:36:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 1:31:46 PM	10	mg/l
SC ALRO SA	Clor	9/18/2016 1:31:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 1:31:02 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 1:31:01 PM	25	gradCels
SC ALRO SA	pH	9/18/2016 1:31:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 1:26:42 PM	10	mg/l
SC ALRO SA	Clor	9/18/2016 1:25:45 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 1:25:44 PM	0	mg/l
SC ALRO SA	pH	9/18/2016 1:25:43 PM	3	unit pH
SC ALRO SA	Temp	9/18/2016 1:25:42 PM	25	gradCels
SC ALRO SA	Clor	9/18/2016 1:23:50 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 1:23:30 PM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 1:23:00 PM	10	mg/l
SC ALRO SA	Temp	9/18/2016 1:22:50 PM	25	gradCels
SC ALRO SA	pH	9/18/2016 1:22:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 1:20:46 PM	10	mg/l
SC ALRO SA	Clor	9/18/2016 1:20:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 1:20:02 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 1:20:01 PM	25	gradCels
SC ALRO SA	pH	9/18/2016 1:20:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 1:14:45 PM	10	mg/l
SC ALRO SA	Clor	9/18/2016 1:14:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 1:14:42 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 1:14:41 PM	25	gradCels
SC ALRO SA	pH	9/18/2016 1:14:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 1:09:42 PM	10	mg/l
SC ALRO SA	Clor	9/18/2016 1:09:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 1:09:02 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 1:09:01 PM	25	gradCels
SC ALRO SA	pH	9/18/2016 1:09:00 PM	3	unit pH
SC ALRO SA	Clor	9/18/2016 1:03:44 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 1:03:43 PM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 1:03:42 PM	10	mg/l
SC ALRO SA	Temp	9/18/2016 1:03:41 PM	25	gradCels
SC ALRO SA	pH	9/18/2016 1:03:40 PM	3	unit pH
SC ALRO SA	Clor	9/18/2016 12:59:10 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 12:58:50 PM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 12:58:42 PM	10	mg/l
SC ALRO SA	Substante organice	9/18/2016 12:58:10 PM	10	mg/l
SC ALRO SA	Clor	9/18/2016 12:58:04 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 12:58:03 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 12:58:02 PM	25	gradCels
SC ALRO SA	pH	9/18/2016 12:58:01 PM	3	unit pH
SC ALRO SA	Temp	9/18/2016 12:57:50 PM	25	gradCels
SC ALRO SA	pH	9/18/2016 12:57:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 12:53:42 PM	10	mg/l
SC ALRO SA	Clor	9/18/2016 12:53:07 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 12:53:06 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	9/18/2016 12:53:05 PM	3	unit pH
SC ALRO SA	Temp	9/18/2016 12:53:04 PM	25	gradCels
SC ALRO SA	Substante organice	9/18/2016 12:47:31 PM	10	mg/l
SC ALRO SA	Clor	9/18/2016 12:47:27 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 12:47:26 PM	0	mg/l
SC ALRO SA	pH	9/18/2016 12:47:25 PM	3	unit pH
SC ALRO SA	Temp	9/18/2016 12:47:24 PM	25	gradCels
SC ALRO SA	Substante organice	9/18/2016 12:42:42 PM	10	mg/l
SC ALRO SA	Clor	9/18/2016 12:42:07 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 12:42:06 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 12:42:05 PM	25	gradCels
SC ALRO SA	pH	9/18/2016 12:42:04 PM	3	unit pH
SC ALRO SA	Clor	9/18/2016 12:37:20 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 12:37:00 PM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 12:36:50 PM	10	mg/l
SC ALRO SA	Temp	9/18/2016 12:36:40 PM	25	gradCels
SC ALRO SA	Substante organice	9/18/2016 12:36:31 PM	10	mg/l
SC ALRO SA	Clor	9/18/2016 12:36:27 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 12:36:26 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 12:36:25 PM	25	gradCels
SC ALRO SA	pH	9/18/2016 12:36:24 PM	3	unit pH
SC ALRO SA	pH	9/18/2016 12:36:10 PM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 12:31:42 PM	10	mg/l
SC ALRO SA	Clor	9/18/2016 12:31:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 12:31:02 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 12:31:01 PM	25	gradCels
SC ALRO SA	pH	9/18/2016 12:31:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 12:25:40 PM	10	mg/l
SC ALRO SA	Clor	9/18/2016 12:25:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 12:25:22 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 12:25:21 PM	25	gradCels
SC ALRO SA	pH	9/18/2016 12:25:20 PM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 12:20:41 PM	10	mg/l
SC ALRO SA	Clor	9/18/2016 12:20:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 12:20:02 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 12:20:01 PM	25	gradCels
SC ALRO SA	pH	9/18/2016 12:20:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 12:14:25 PM	10	mg/l
SC ALRO SA	Clor	9/18/2016 12:14:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 12:14:22 PM	0	mg/l
SC ALRO SA	Temp	9/18/2016 12:14:21 PM	25	gradCels
SC ALRO SA	pH	9/18/2016 12:14:20 PM	3	unit pH
SC ALRO SA	Clor	9/18/2016 12:12:50 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 12:12:30 PM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 12:12:20 PM	10	mg/l
SC ALRO SA	Temp	9/18/2016 12:12:10 PM	25	gradCels
SC ALRO SA	pH	9/18/2016 12:11:20 PM	3	unit pH
SC ALRO SA	Clor	9/18/2016 12:08:46 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 12:08:45 PM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 12:08:44 PM	10	mg/l
SC ALRO SA	Temp	9/18/2016 12:08:43 PM	25	gradCels
SC ALRO SA	pH	9/18/2016 12:08:42 PM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 12:03:25 PM	10	mg/l
SC ALRO SA	Clor	9/18/2016 12:03:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 12:03:22 PM	0	mg/l
SC ALRO SA	pH	9/18/2016 12:03:21 PM	3	unit pH
SC ALRO SA	Temp	9/18/2016 12:03:20 PM	25	gradCels
SC ALRO SA	Substante organice	9/18/2016 11:58:42 AM	10	mg/l
SC ALRO SA	Clor	9/18/2016 11:57:45 AM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 11:57:44 AM	0	mg/l
SC ALRO SA	pH	9/18/2016 11:57:43 AM	3	unit pH
SC ALRO SA	Temp	9/18/2016 11:57:42 AM	25	gradCels
SC ALRO SA	Substante organice	9/18/2016 11:52:40 AM	10	mg/l
SC ALRO SA	Clor	9/18/2016 11:52:23 AM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 11:52:22 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 11:52:21 AM	25	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	9/18/2016 11:52:20 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 11:47:40 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 11:47:26 AM	10	mg/l
SC ALRO SA	Grasimi	9/18/2016 11:47:00 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 11:46:50 AM	10	mg/l
SC ALRO SA	Clor	9/18/2016 11:46:43 AM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 11:46:42 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 11:46:41 AM	25	gradCels
SC ALRO SA	pH	9/18/2016 11:46:40 AM	3	unit pH
SC ALRO SA	Temp	9/18/2016 11:46:30 AM	25	gradCels
SC ALRO SA	pH	9/18/2016 11:46:20 AM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 11:41:25 AM	10	mg/l
SC ALRO SA	Clor	9/18/2016 11:41:23 AM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 11:41:22 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 11:41:21 AM	25	gradCels
SC ALRO SA	pH	9/18/2016 11:41:20 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 11:35:45 AM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 11:35:44 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 11:35:43 AM	10	mg/l
SC ALRO SA	pH	9/18/2016 11:35:42 AM	3	unit pH
SC ALRO SA	Temp	9/18/2016 11:35:41 AM	25	gradCels
SC ALRO SA	Substante organice	9/18/2016 11:30:40 AM	10	mg/l
SC ALRO SA	Clor	9/18/2016 11:30:23 AM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 11:30:22 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 11:30:21 AM	25	gradCels
SC ALRO SA	pH	9/18/2016 11:30:20 AM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 11:25:42 AM	10	mg/l
SC ALRO SA	Clor	9/18/2016 11:24:50 AM	0	mg/l
SC ALRO SA	Clor	9/18/2016 11:24:46 AM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 11:24:45 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 11:24:44 AM	25	gradCels
SC ALRO SA	pH	9/18/2016 11:24:43 AM	3	unit pH
SC ALRO SA	Grasimi	9/18/2016 11:24:10 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 11:23:40 AM	10	mg/l
SC ALRO SA	Temp	9/18/2016 11:23:30 AM	25	gradCels
SC ALRO SA	pH	9/18/2016 11:23:20 AM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 11:19:25 AM	10	mg/l
SC ALRO SA	Clor	9/18/2016 11:19:23 AM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 11:19:22 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 11:19:21 AM	25	gradCels
SC ALRO SA	pH	9/18/2016 11:19:20 AM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 11:14:42 AM	10	mg/l
SC ALRO SA	Clor	9/18/2016 11:13:45 AM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 11:13:44 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 11:13:43 AM	25	gradCels
SC ALRO SA	pH	9/18/2016 11:13:42 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 11:08:24 AM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 11:08:23 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 11:08:22 AM	10	mg/l
SC ALRO SA	pH	9/18/2016 11:08:21 AM	3	unit pH
SC ALRO SA	Temp	9/18/2016 11:08:20 AM	25	gradCels
SC ALRO SA	Substante organice	9/18/2016 11:03:42 AM	9	mg/l
SC ALRO SA	Clor	9/18/2016 11:02:45 AM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 11:02:44 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 11:02:43 AM	25	gradCels
SC ALRO SA	pH	9/18/2016 11:02:42 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 11:02:10 AM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 11:01:30 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 11:01:20 AM	9	mg/l
SC ALRO SA	Temp	9/18/2016 11:01:10 AM	25	gradCels
SC ALRO SA	pH	9/18/2016 11:01:00 AM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 10:57:25 AM	9	mg/l
SC ALRO SA	Clor	9/18/2016 10:57:23 AM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 10:57:22 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 10:57:21 AM	25	gradCels
SC ALRO SA	pH	9/18/2016 10:57:20 AM	3	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	9/18/2016 10:52:42 AM	9	mg/l
SC ALRO SA	Clor	9/18/2016 10:51:47 AM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 10:51:45 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 10:51:44 AM	25	gradCels
SC ALRO SA	pH	9/18/2016 10:51:43 AM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 10:46:25 AM	9	mg/l
SC ALRO SA	Clor	9/18/2016 10:46:23 AM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 10:46:22 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 10:46:21 AM	25	gradCels
SC ALRO SA	pH	9/18/2016 10:46:20 AM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 10:41:32 AM	9	mg/l
SC ALRO SA	Clor	9/18/2016 10:40:47 AM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 10:40:46 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 10:40:45 AM	25	gradCels
SC ALRO SA	pH	9/18/2016 10:40:44 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 10:39:10 AM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 10:38:50 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 10:37:50 AM	9	mg/l
SC ALRO SA	Temp	9/18/2016 10:37:20 AM	25	gradCels
SC ALRO SA	pH	9/18/2016 10:37:10 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 10:35:44 AM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 10:35:43 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 10:35:42 AM	9	mg/l
SC ALRO SA	Temp	9/18/2016 10:35:41 AM	25	gradCels
SC ALRO SA	pH	9/18/2016 10:35:40 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 10:30:37 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 10:30:36 AM	9	mg/l
SC ALRO SA	Grasimi	9/18/2016 10:30:22 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 10:30:21 AM	25	gradCels
SC ALRO SA	pH	9/18/2016 10:30:20 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 10:25:45 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 10:25:44 AM	9	mg/l
SC ALRO SA	Grasimi	9/18/2016 10:24:42 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 10:24:41 AM	25	gradCels
SC ALRO SA	pH	9/18/2016 10:24:40 AM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 10:19:44 AM	9	mg/l
SC ALRO SA	Clor	9/18/2016 10:19:43 AM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 10:19:02 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 10:19:01 AM	25	gradCels
SC ALRO SA	pH	9/18/2016 10:19:00 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 10:15:50 AM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 10:15:10 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 10:14:50 AM	9	mg/l
SC ALRO SA	Clor	9/18/2016 10:14:46 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 10:14:44 AM	9	mg/l
SC ALRO SA	Temp	9/18/2016 10:14:20 AM	25	gradCels
SC ALRO SA	pH	9/18/2016 10:14:10 AM	3	unit pH
SC ALRO SA	Grasimi	9/18/2016 10:13:46 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 10:13:45 AM	25	gradCels
SC ALRO SA	pH	9/18/2016 10:13:44 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 10:08:28 AM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 10:08:07 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 10:08:06 AM	9	mg/l
SC ALRO SA	pH	9/18/2016 10:08:05 AM	3	unit pH
SC ALRO SA	Temp	9/18/2016 10:08:04 AM	25	gradCels
SC ALRO SA	Clor	9/18/2016 10:03:44 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 10:03:42 AM	9	mg/l
SC ALRO SA	Grasimi	9/18/2016 10:02:46 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 10:02:45 AM	25	gradCels
SC ALRO SA	pH	9/18/2016 10:02:44 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 9:57:08 AM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 9:57:07 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 9:57:06 AM	9	mg/l
SC ALRO SA	Temp	9/18/2016 9:57:05 AM	25	gradCels
SC ALRO SA	pH	9/18/2016 9:57:04 AM	3	unit pH
SC ALRO SA	Grasimi	9/18/2016 9:51:10 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	9/18/2016 9:51:00 AM	9	mg/l
SC ALRO SA	Temp	9/18/2016 9:50:50 AM	25	gradCels
SC ALRO SA	pH	9/18/2016 9:50:20 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 9:46:45 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 9:46:44 AM	9	mg/l
SC ALRO SA	Grasimi	9/18/2016 9:46:06 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 9:46:05 AM	25	gradCels
SC ALRO SA	pH	9/18/2016 9:46:04 AM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 9:41:42 AM	9	mg/l
SC ALRO SA	Clor	9/18/2016 9:40:49 AM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 9:40:48 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 9:40:47 AM	25	gradCels
SC ALRO SA	pH	9/18/2016 9:40:46 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 9:35:08 AM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 9:35:07 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 9:35:06 AM	9	mg/l
SC ALRO SA	Temp	9/18/2016 9:35:05 AM	25	gradCels
SC ALRO SA	pH	9/18/2016 9:35:04 AM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 9:29:50 AM	9	mg/l
SC ALRO SA	Clor	9/18/2016 9:29:47 AM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 9:29:46 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 9:29:45 AM	25	gradCels
SC ALRO SA	pH	9/18/2016 9:29:44 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 9:29:20 AM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 9:29:00 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 9:28:50 AM	9	mg/l
SC ALRO SA	Temp	9/18/2016 9:28:20 AM	25	gradCels
SC ALRO SA	pH	9/18/2016 9:28:10 AM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 9:24:45 AM	9	mg/l
SC ALRO SA	Clor	9/18/2016 9:24:07 AM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 9:24:06 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 9:24:05 AM	25	gradCels
SC ALRO SA	pH	9/18/2016 9:24:04 AM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 9:18:51 AM	9	mg/l
SC ALRO SA	Clor	9/18/2016 9:18:49 AM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 9:18:48 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 9:18:47 AM	25	gradCels
SC ALRO SA	pH	9/18/2016 9:18:46 AM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 9:13:44 AM	9	mg/l
SC ALRO SA	Clor	9/18/2016 9:13:08 AM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 9:13:07 AM	0	mg/l
SC ALRO SA	pH	9/18/2016 9:13:06 AM	3	unit pH
SC ALRO SA	Temp	9/18/2016 9:13:05 AM	25	gradCels
SC ALRO SA	Clor	9/18/2016 9:07:29 AM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 9:07:28 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 9:07:27 AM	9	mg/l
SC ALRO SA	pH	9/18/2016 9:07:26 AM	3	unit pH
SC ALRO SA	Temp	9/18/2016 9:07:25 AM	25	gradCels
SC ALRO SA	Clor	9/18/2016 9:07:10 AM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 9:06:50 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 9:06:20 AM	10	mg/l
SC ALRO SA	Temp	9/18/2016 9:06:10 AM	25	gradCels
SC ALRO SA	pH	9/18/2016 9:04:40 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 9:02:44 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 9:02:43 AM	10	mg/l
SC ALRO SA	Grasimi	9/18/2016 9:02:07 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 9:02:06 AM	25	gradCels
SC ALRO SA	pH	9/18/2016 9:02:05 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 8:56:31 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 8:56:29 AM	10	mg/l
SC ALRO SA	Grasimi	9/18/2016 8:56:27 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 8:56:26 AM	25	gradCels
SC ALRO SA	pH	9/18/2016 8:56:25 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 8:51:45 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 8:51:44 AM	10	mg/l
SC ALRO SA	Grasimi	9/18/2016 8:51:02 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	9/18/2016 8:51:01 AM	25	gradCels
SC ALRO SA	pH	9/18/2016 8:51:00 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 8:45:31 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 8:45:30 AM	10	mg/l
SC ALRO SA	Grasimi	9/18/2016 8:45:22 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 8:45:21 AM	25	gradCels
SC ALRO SA	pH	9/18/2016 8:45:20 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 8:45:10 AM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 8:44:50 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 8:44:20 AM	10	mg/l
SC ALRO SA	Temp	9/18/2016 8:44:10 AM	25	gradCels
SC ALRO SA	pH	9/18/2016 8:43:20 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 8:40:45 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 8:40:44 AM	10	mg/l
SC ALRO SA	Grasimi	9/18/2016 8:40:07 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 8:40:06 AM	25	gradCels
SC ALRO SA	pH	9/18/2016 8:40:05 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 8:34:37 AM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 8:34:28 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 8:34:27 AM	10	mg/l
SC ALRO SA	Temp	9/18/2016 8:34:26 AM	25	gradCels
SC ALRO SA	pH	9/18/2016 8:34:25 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 8:29:44 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 8:29:43 AM	9	mg/l
SC ALRO SA	Grasimi	9/18/2016 8:29:02 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 8:29:01 AM	25	gradCels
SC ALRO SA	pH	9/18/2016 8:29:00 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 8:24:10 AM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 8:23:50 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 8:23:40 AM	9	mg/l
SC ALRO SA	Clor	9/18/2016 8:23:37 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 8:23:35 AM	9	mg/l
SC ALRO SA	Grasimi	9/18/2016 8:23:27 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 8:23:26 AM	25	gradCels
SC ALRO SA	pH	9/18/2016 8:23:25 AM	3	unit pH
SC ALRO SA	Temp	9/18/2016 8:23:00 AM	25	gradCels
SC ALRO SA	pH	9/18/2016 8:22:50 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 8:18:44 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 8:18:43 AM	9	mg/l
SC ALRO SA	Grasimi	9/18/2016 8:18:22 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 8:18:21 AM	25	gradCels
SC ALRO SA	pH	9/18/2016 8:18:20 AM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 8:13:41 AM	9	mg/l
SC ALRO SA	Clor	9/18/2016 8:13:40 AM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 8:12:42 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 8:12:41 AM	25	gradCels
SC ALRO SA	pH	9/18/2016 8:12:40 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 8:07:46 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 8:07:44 AM	9	mg/l
SC ALRO SA	Grasimi	9/18/2016 8:07:22 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 8:07:21 AM	25	gradCels
SC ALRO SA	pH	9/18/2016 8:07:20 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 8:02:41 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 8:02:40 AM	9	mg/l
SC ALRO SA	Clor	9/18/2016 8:02:01 AM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 8:01:42 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 8:01:41 AM	25	gradCels
SC ALRO SA	pH	9/18/2016 8:01:40 AM	3	unit pH
SC ALRO SA	Grasimi	9/18/2016 8:01:00 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 8:00:50 AM	9	mg/l
SC ALRO SA	Temp	9/18/2016 8:00:00 AM	25	gradCels
SC ALRO SA	pH	9/18/2016 7:59:50 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 7:56:29 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 7:56:28 AM	9	mg/l
SC ALRO SA	Grasimi	9/18/2016 7:56:22 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 7:56:21 AM	25	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	9/18/2016 7:56:20 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 7:51:41 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 7:51:40 AM	9	mg/l
SC ALRO SA	Grasimi	9/18/2016 7:50:42 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 7:50:41 AM	25	gradCels
SC ALRO SA	pH	9/18/2016 7:50:40 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 7:45:29 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 7:45:28 AM	9	mg/l
SC ALRO SA	Grasimi	9/18/2016 7:45:22 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 7:45:21 AM	25	gradCels
SC ALRO SA	pH	9/18/2016 7:45:20 AM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 7:40:41 AM	9	mg/l
SC ALRO SA	Clor	9/18/2016 7:40:40 AM	0	mg/l
SC ALRO SA	Clor	9/18/2016 7:39:50 AM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 7:39:37 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 7:39:36 AM	26	gradCels
SC ALRO SA	pH	9/18/2016 7:39:35 AM	3	unit pH
SC ALRO SA	Grasimi	9/18/2016 7:39:00 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 7:38:50 AM	9	mg/l
SC ALRO SA	Temp	9/18/2016 7:38:20 AM	26	gradCels
SC ALRO SA	pH	9/18/2016 7:38:10 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 7:34:28 AM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 7:34:23 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 7:34:22 AM	9	mg/l
SC ALRO SA	Temp	9/18/2016 7:34:21 AM	26	gradCels
SC ALRO SA	pH	9/18/2016 7:34:20 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 7:29:41 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 7:29:40 AM	9	mg/l
SC ALRO SA	Grasimi	9/18/2016 7:28:42 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 7:28:41 AM	26	gradCels
SC ALRO SA	pH	9/18/2016 7:28:40 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 7:23:29 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 7:23:28 AM	9	mg/l
SC ALRO SA	Grasimi	9/18/2016 7:23:22 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 7:23:21 AM	26	gradCels
SC ALRO SA	pH	9/18/2016 7:23:20 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 7:19:40 AM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 7:19:00 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 7:18:50 AM	9	mg/l
SC ALRO SA	Clor	9/18/2016 7:18:41 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 7:18:40 AM	9	mg/l
SC ALRO SA	Temp	9/18/2016 7:18:20 AM	26	gradCels
SC ALRO SA	pH	9/18/2016 7:18:10 AM	3	unit pH
SC ALRO SA	Grasimi	9/18/2016 7:17:48 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 7:17:47 AM	26	gradCels
SC ALRO SA	pH	9/18/2016 7:17:46 AM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 7:12:29 AM	9	mg/l
SC ALRO SA	Clor	9/18/2016 7:12:28 AM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 7:12:22 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 7:12:21 AM	26	gradCels
SC ALRO SA	pH	9/18/2016 7:12:20 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 7:07:40 AM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 7:06:47 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 7:06:46 AM	9	mg/l
SC ALRO SA	pH	9/18/2016 7:06:45 AM	3	unit pH
SC ALRO SA	Temp	9/18/2016 7:06:44 AM	26	gradCels
SC ALRO SA	Clor	9/18/2016 7:01:44 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 7:01:43 AM	9	mg/l
SC ALRO SA	Grasimi	9/18/2016 7:01:02 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 7:01:01 AM	26	gradCels
SC ALRO SA	pH	9/18/2016 7:01:00 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 6:59:20 AM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 6:59:00 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 6:58:50 AM	9	mg/l
SC ALRO SA	Temp	9/18/2016 6:58:40 AM	26	gradCels
SC ALRO SA	pH	9/18/2016 6:57:40 AM	3	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Clor	9/18/2016 6:56:41 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 6:56:40 AM	9	mg/l
SC ALRO SA	Grasimi	9/18/2016 6:55:46 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 6:55:45 AM	26	gradCels
SC ALRO SA	pH	9/18/2016 6:55:44 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 6:50:44 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 6:50:43 AM	9	mg/l
SC ALRO SA	Grasimi	9/18/2016 6:50:02 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 6:50:01 AM	26	gradCels
SC ALRO SA	pH	9/18/2016 6:50:00 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 6:45:41 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 6:45:40 AM	9	mg/l
SC ALRO SA	Grasimi	9/18/2016 6:44:46 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 6:44:45 AM	26	gradCels
SC ALRO SA	pH	9/18/2016 6:44:44 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 6:39:45 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 6:39:44 AM	9	mg/l
SC ALRO SA	Clor	9/18/2016 6:39:10 AM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 6:39:02 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 6:39:01 AM	26	gradCels
SC ALRO SA	pH	9/18/2016 6:39:00 AM	3	unit pH
SC ALRO SA	Grasimi	9/18/2016 6:38:20 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 6:38:10 AM	9	mg/l
SC ALRO SA	Temp	9/18/2016 6:37:20 AM	26	gradCels
SC ALRO SA	pH	9/18/2016 6:37:10 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 6:34:40 AM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 6:33:47 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 6:33:46 AM	9	mg/l
SC ALRO SA	Temp	9/18/2016 6:33:45 AM	26	gradCels
SC ALRO SA	pH	9/18/2016 6:33:44 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 6:28:44 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 6:28:43 AM	9	mg/l
SC ALRO SA	Grasimi	9/18/2016 6:28:02 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 6:28:01 AM	26	gradCels
SC ALRO SA	pH	9/18/2016 6:28:00 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 6:23:41 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 6:23:40 AM	9	mg/l
SC ALRO SA	Grasimi	9/18/2016 6:22:46 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 6:22:45 AM	26	gradCels
SC ALRO SA	pH	9/18/2016 6:22:44 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 6:17:42 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 6:17:41 AM	9	mg/l
SC ALRO SA	Clor	9/18/2016 6:17:20 AM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 6:17:00 AM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 6:16:55 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 6:16:54 AM	26	gradCels
SC ALRO SA	pH	9/18/2016 6:16:53 AM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 6:16:20 AM	9	mg/l
SC ALRO SA	Temp	9/18/2016 6:16:10 AM	26	gradCels
SC ALRO SA	pH	9/18/2016 6:16:00 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 6:11:49 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 6:11:48 AM	9	mg/l
SC ALRO SA	Grasimi	9/18/2016 6:11:42 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 6:11:41 AM	26	gradCels
SC ALRO SA	pH	9/18/2016 6:11:40 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 6:06:43 AM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 6:06:03 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 6:06:02 AM	9	mg/l
SC ALRO SA	Temp	9/18/2016 6:06:01 AM	26	gradCels
SC ALRO SA	pH	9/18/2016 6:06:00 AM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 6:00:32 AM	9	mg/l
SC ALRO SA	Clor	9/18/2016 6:00:31 AM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 6:00:26 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 6:00:25 AM	26	gradCels
SC ALRO SA	pH	9/18/2016 6:00:24 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 5:56:00 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Clor	9/18/2016 5:55:45 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 5:55:44 AM	9	mg/l
SC ALRO SA	Grasimi	9/18/2016 5:55:20 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 5:55:10 AM	9	mg/l
SC ALRO SA	Temp	9/18/2016 5:55:00 AM	26	gradCels
SC ALRO SA	Grasimi	9/18/2016 5:54:55 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 5:54:54 AM	26	gradCels
SC ALRO SA	pH	9/18/2016 5:54:53 AM	3	unit pH
SC ALRO SA	pH	9/18/2016 5:54:20 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 5:49:31 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 5:49:30 AM	9	mg/l
SC ALRO SA	Grasimi	9/18/2016 5:49:22 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 5:49:21 AM	26	gradCels
SC ALRO SA	pH	9/18/2016 5:49:20 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 5:44:45 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 5:44:44 AM	9	mg/l
SC ALRO SA	Grasimi	9/18/2016 5:44:05 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 5:44:04 AM	26	gradCels
SC ALRO SA	pH	9/18/2016 5:44:03 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 5:38:30 AM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 5:38:23 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 5:38:22 AM	9	mg/l
SC ALRO SA	Temp	9/18/2016 5:38:21 AM	26	gradCels
SC ALRO SA	pH	9/18/2016 5:38:20 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 5:33:45 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 5:33:43 AM	9	mg/l
SC ALRO SA	Grasimi	9/18/2016 5:33:02 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 5:33:01 AM	26	gradCels
SC ALRO SA	pH	9/18/2016 5:33:00 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 5:32:00 AM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 5:31:20 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 5:31:10 AM	9	mg/l
SC ALRO SA	Temp	9/18/2016 5:31:00 AM	26	gradCels
SC ALRO SA	pH	9/18/2016 5:30:50 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 5:27:31 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 5:27:29 AM	9	mg/l
SC ALRO SA	Grasimi	9/18/2016 5:27:25 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 5:27:24 AM	26	gradCels
SC ALRO SA	pH	9/18/2016 5:27:23 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 5:22:45 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 5:22:44 AM	9	mg/l
SC ALRO SA	Grasimi	9/18/2016 5:21:47 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 5:21:45 AM	26	gradCels
SC ALRO SA	pH	9/18/2016 5:21:44 AM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 5:16:31 AM	9	mg/l
SC ALRO SA	Clor	9/18/2016 5:16:29 AM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 5:16:22 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 5:16:21 AM	26	gradCels
SC ALRO SA	pH	9/18/2016 5:16:20 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 5:11:44 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 5:11:43 AM	9	mg/l
SC ALRO SA	Grasimi	9/18/2016 5:10:45 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 5:10:44 AM	26	gradCels
SC ALRO SA	pH	9/18/2016 5:10:43 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 5:09:10 AM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 5:08:50 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 5:08:10 AM	9	mg/l
SC ALRO SA	Temp	9/18/2016 5:08:00 AM	26	gradCels
SC ALRO SA	pH	9/18/2016 5:07:50 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 5:05:31 AM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 5:05:23 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 5:05:22 AM	9	mg/l
SC ALRO SA	pH	9/18/2016 5:05:21 AM	3	unit pH
SC ALRO SA	Temp	9/18/2016 5:05:20 AM	26	gradCels
SC ALRO SA	Clor	9/18/2016 5:00:44 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 5:00:43 AM	9	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Grasimi	9/18/2016 4:59:44 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 4:59:43 AM	26	gradCels
SC ALRO SA	pH	9/18/2016 4:59:42 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 4:54:32 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 4:54:31 AM	9	mg/l
SC ALRO SA	Grasimi	9/18/2016 4:54:23 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 4:54:22 AM	26	gradCels
SC ALRO SA	pH	9/18/2016 4:54:20 AM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 4:49:44 AM	9	mg/l
SC ALRO SA	Clor	9/18/2016 4:49:43 AM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 4:48:42 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 4:48:41 AM	26	gradCels
SC ALRO SA	pH	9/18/2016 4:48:40 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 4:47:10 AM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 4:46:50 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 4:46:40 AM	9	mg/l
SC ALRO SA	Temp	9/18/2016 4:46:30 AM	26	gradCels
SC ALRO SA	pH	9/18/2016 4:46:10 AM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 4:43:31 AM	9	mg/l
SC ALRO SA	Clor	9/18/2016 4:43:23 AM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 4:43:22 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 4:43:21 AM	26	gradCels
SC ALRO SA	pH	9/18/2016 4:43:20 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 4:37:44 AM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 4:37:43 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 4:37:42 AM	9	mg/l
SC ALRO SA	pH	9/18/2016 4:37:41 AM	3	unit pH
SC ALRO SA	Temp	9/18/2016 4:37:40 AM	26	gradCels
SC ALRO SA	Clor	9/18/2016 4:32:31 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 4:32:30 AM	9	mg/l
SC ALRO SA	Grasimi	9/18/2016 4:32:26 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 4:32:25 AM	26	gradCels
SC ALRO SA	pH	9/18/2016 4:32:24 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 4:27:44 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 4:27:43 AM	9	mg/l
SC ALRO SA	Grasimi	9/18/2016 4:26:45 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 4:26:44 AM	26	gradCels
SC ALRO SA	pH	9/18/2016 4:26:43 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 4:25:40 AM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 4:25:10 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 4:25:00 AM	9	mg/l
SC ALRO SA	Temp	9/18/2016 4:24:50 AM	26	gradCels
SC ALRO SA	pH	9/18/2016 4:24:40 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 4:22:30 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 4:22:29 AM	9	mg/l
SC ALRO SA	Grasimi	9/18/2016 4:21:45 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 4:21:44 AM	26	gradCels
SC ALRO SA	pH	9/18/2016 4:21:43 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 4:16:44 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 4:16:43 AM	9	mg/l
SC ALRO SA	Grasimi	9/18/2016 4:16:05 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 4:16:04 AM	26	gradCels
SC ALRO SA	pH	9/18/2016 4:16:03 AM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 4:11:31 AM	9	mg/l
SC ALRO SA	Clor	9/18/2016 4:11:29 AM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 4:10:45 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 4:10:44 AM	26	gradCels
SC ALRO SA	pH	9/18/2016 4:10:43 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 4:05:42 AM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 4:05:07 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 4:05:06 AM	9	mg/l
SC ALRO SA	Temp	9/18/2016 4:05:05 AM	26	gradCels
SC ALRO SA	pH	9/18/2016 4:05:04 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 4:04:10 AM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 4:03:50 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 4:03:40 AM	9	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	9/18/2016 4:03:30 AM	26	gradCels
SC ALRO SA	pH	9/18/2016 4:03:10 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 4:00:28 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 4:00:27 AM	9	mg/l
SC ALRO SA	Grasimi	9/18/2016 3:59:47 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 3:59:46 AM	26	gradCels
SC ALRO SA	pH	9/18/2016 3:59:45 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 3:54:44 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 3:54:43 AM	9	mg/l
SC ALRO SA	Grasimi	9/18/2016 3:54:05 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 3:54:04 AM	26	gradCels
SC ALRO SA	pH	9/18/2016 3:54:03 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 3:49:27 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 3:49:26 AM	9	mg/l
SC ALRO SA	Grasimi	9/18/2016 3:48:48 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 3:48:47 AM	26	gradCels
SC ALRO SA	pH	9/18/2016 3:48:46 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 3:43:44 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 3:43:43 AM	9	mg/l
SC ALRO SA	Clor	9/18/2016 3:43:20 AM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 3:43:05 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 3:43:04 AM	26	gradCels
SC ALRO SA	pH	9/18/2016 3:43:03 AM	3	unit pH
SC ALRO SA	Grasimi	9/18/2016 3:42:40 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 3:42:30 AM	9	mg/l
SC ALRO SA	Temp	9/18/2016 3:42:20 AM	26	gradCels
SC ALRO SA	pH	9/18/2016 3:42:10 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 3:38:26 AM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 3:37:29 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 3:37:28 AM	9	mg/l
SC ALRO SA	pH	9/18/2016 3:37:27 AM	3	unit pH
SC ALRO SA	Temp	9/18/2016 3:37:26 AM	26	gradCels
SC ALRO SA	Clor	9/18/2016 3:32:43 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 3:32:42 AM	9	mg/l
SC ALRO SA	Grasimi	9/18/2016 3:32:06 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 3:32:05 AM	26	gradCels
SC ALRO SA	pH	9/18/2016 3:32:04 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 3:27:43 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 3:27:42 AM	9	mg/l
SC ALRO SA	Grasimi	9/18/2016 3:26:28 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 3:26:27 AM	26	gradCels
SC ALRO SA	pH	9/18/2016 3:26:26 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 3:24:50 AM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 3:24:10 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 3:24:00 AM	9	mg/l
SC ALRO SA	Temp	9/18/2016 3:23:50 AM	26	gradCels
SC ALRO SA	pH	9/18/2016 3:23:20 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 3:21:44 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 3:21:42 AM	9	mg/l
SC ALRO SA	Grasimi	9/18/2016 3:21:06 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 3:21:05 AM	26	gradCels
SC ALRO SA	pH	9/18/2016 3:21:04 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 3:15:36 AM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 3:15:35 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 3:15:34 AM	9	mg/l
SC ALRO SA	Temp	9/18/2016 3:15:33 AM	26	gradCels
SC ALRO SA	pH	9/18/2016 3:15:32 AM	3	unit pH
SC ALRO SA	Temp	9/18/2016 3:15:31 AM	26	gradCels
SC ALRO SA	pH	9/18/2016 3:15:30 AM	3	unit pH
SC ALRO SA	Grasimi	9/18/2016 3:15:29 AM	0	mg/l
SC ALRO SA	Clor	9/18/2016 3:15:27 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 3:15:26 AM	9	mg/l
SC ALRO SA	Clor	9/18/2016 3:10:43 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 3:10:42 AM	9	mg/l
SC ALRO SA	Grasimi	9/18/2016 3:10:06 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 3:10:05 AM	27	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	9/18/2016 3:10:04 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 3:04:31 AM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 3:04:27 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 3:04:26 AM	9	mg/l
SC ALRO SA	Temp	9/18/2016 3:04:25 AM	27	gradCels
SC ALRO SA	pH	9/18/2016 3:04:24 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 3:03:00 AM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 3:02:20 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 3:02:10 AM	9	mg/l
SC ALRO SA	Temp	9/18/2016 3:02:00 AM	27	gradCels
SC ALRO SA	pH	9/18/2016 3:01:50 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 2:59:42 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 2:59:40 AM	9	mg/l
SC ALRO SA	Grasimi	9/18/2016 2:59:02 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 2:59:01 AM	27	gradCels
SC ALRO SA	pH	9/18/2016 2:59:00 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 2:53:31 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 2:53:30 AM	9	mg/l
SC ALRO SA	Grasimi	9/18/2016 2:53:26 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 2:53:25 AM	27	gradCels
SC ALRO SA	pH	9/18/2016 2:53:24 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 2:48:43 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 2:48:42 AM	9	mg/l
SC ALRO SA	Grasimi	9/18/2016 2:48:02 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 2:48:01 AM	27	gradCels
SC ALRO SA	pH	9/18/2016 2:48:00 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 2:42:31 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 2:42:30 AM	9	mg/l
SC ALRO SA	Grasimi	9/18/2016 2:42:26 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 2:42:25 AM	27	gradCels
SC ALRO SA	pH	9/18/2016 2:42:24 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 2:40:50 AM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 2:40:10 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 2:40:00 AM	9	mg/l
SC ALRO SA	Temp	9/18/2016 2:39:50 AM	27	gradCels
SC ALRO SA	pH	9/18/2016 2:39:00 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 2:37:42 AM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 2:36:47 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 2:36:46 AM	9	mg/l
SC ALRO SA	Temp	9/18/2016 2:36:45 AM	27	gradCels
SC ALRO SA	pH	9/18/2016 2:36:44 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 2:31:31 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 2:31:30 AM	9	mg/l
SC ALRO SA	Grasimi	9/18/2016 2:31:26 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 2:31:25 AM	27	gradCels
SC ALRO SA	pH	9/18/2016 2:31:24 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 2:26:43 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 2:26:42 AM	9	mg/l
SC ALRO SA	Grasimi	9/18/2016 2:25:46 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 2:25:45 AM	27	gradCels
SC ALRO SA	pH	9/18/2016 2:25:44 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 2:20:31 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 2:20:30 AM	9	mg/l
SC ALRO SA	Grasimi	9/18/2016 2:20:26 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 2:20:25 AM	27	gradCels
SC ALRO SA	pH	9/18/2016 2:20:24 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 2:18:10 AM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 2:17:50 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 2:17:40 AM	9	mg/l
SC ALRO SA	Temp	9/18/2016 2:17:30 AM	27	gradCels
SC ALRO SA	pH	9/18/2016 2:17:00 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 2:15:43 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 2:15:42 AM	9	mg/l
SC ALRO SA	Grasimi	9/18/2016 2:14:46 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 2:14:45 AM	27	gradCels
SC ALRO SA	pH	9/18/2016 2:14:44 AM	3	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Clor	9/18/2016 2:09:25 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 2:09:24 AM	9	mg/l
SC ALRO SA	Grasimi	9/18/2016 2:09:22 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 2:09:21 AM	27	gradCels
SC ALRO SA	pH	9/18/2016 2:09:20 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 2:04:42 AM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 2:03:43 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 2:03:42 AM	9	mg/l
SC ALRO SA	pH	9/18/2016 2:03:41 AM	3	unit pH
SC ALRO SA	Temp	9/18/2016 2:03:40 AM	27	gradCels
SC ALRO SA	Clor	9/18/2016 1:58:25 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 1:58:24 AM	9	mg/l
SC ALRO SA	Grasimi	9/18/2016 1:58:22 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 1:58:21 AM	27	gradCels
SC ALRO SA	pH	9/18/2016 1:58:20 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 1:56:20 AM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 1:56:00 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 1:55:50 AM	9	mg/l
SC ALRO SA	Temp	9/18/2016 1:55:20 AM	27	gradCels
SC ALRO SA	pH	9/18/2016 1:55:10 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 1:53:43 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 1:53:42 AM	9	mg/l
SC ALRO SA	Grasimi	9/18/2016 1:52:42 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 1:52:41 AM	27	gradCels
SC ALRO SA	pH	9/18/2016 1:52:40 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 1:47:25 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 1:47:24 AM	9	mg/l
SC ALRO SA	Grasimi	9/18/2016 1:47:22 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 1:47:21 AM	27	gradCels
SC ALRO SA	pH	9/18/2016 1:47:20 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 1:42:43 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 1:42:42 AM	9	mg/l
SC ALRO SA	Grasimi	9/18/2016 1:41:42 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 1:41:41 AM	27	gradCels
SC ALRO SA	pH	9/18/2016 1:41:40 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 1:36:25 AM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 1:36:23 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 1:36:22 AM	9	mg/l
SC ALRO SA	Temp	9/18/2016 1:36:21 AM	27	gradCels
SC ALRO SA	pH	9/18/2016 1:36:20 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 1:35:00 AM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 1:34:20 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 1:34:10 AM	9	mg/l
SC ALRO SA	Temp	9/18/2016 1:34:00 AM	27	gradCels
SC ALRO SA	pH	9/18/2016 1:33:50 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 1:31:29 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 1:31:28 AM	9	mg/l
SC ALRO SA	Grasimi	9/18/2016 1:30:42 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 1:30:41 AM	27	gradCels
SC ALRO SA	pH	9/18/2016 1:30:40 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 1:25:31 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 1:25:30 AM	9	mg/l
SC ALRO SA	Grasimi	9/18/2016 1:25:22 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 1:25:21 AM	27	gradCels
SC ALRO SA	pH	9/18/2016 1:25:20 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 1:20:43 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 1:20:42 AM	9	mg/l
SC ALRO SA	Grasimi	9/18/2016 1:19:42 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 1:19:41 AM	27	gradCels
SC ALRO SA	pH	9/18/2016 1:19:40 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 1:15:50 AM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 1:14:40 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 1:14:30 AM	9	mg/l
SC ALRO SA	Substante organice	9/18/2016 1:14:26 AM	9	mg/l
SC ALRO SA	Temp	9/18/2016 1:14:10 AM	27	gradCels
SC ALRO SA	Clor	9/18/2016 1:14:03 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Grasimi	9/18/2016 1:14:02 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 1:14:01 AM	27	gradCels
SC ALRO SA	pH	9/18/2016 1:14:00 AM	3	unit pH
SC ALRO SA	pH	9/18/2016 1:13:50 AM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 1:09:28 AM	9	mg/l
SC ALRO SA	Clor	9/18/2016 1:08:43 AM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 1:08:42 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 1:08:41 AM	27	gradCels
SC ALRO SA	pH	9/18/2016 1:08:40 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 1:04:49 AM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 1:03:43 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 1:03:42 AM	9	mg/l
SC ALRO SA	Temp	9/18/2016 1:03:41 AM	27	gradCels
SC ALRO SA	pH	9/18/2016 1:03:40 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 12:58:28 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 12:58:27 AM	9	mg/l
SC ALRO SA	Grasimi	9/18/2016 12:58:07 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 12:58:06 AM	27	gradCels
SC ALRO SA	pH	9/18/2016 12:58:05 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 12:55:30 AM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 12:55:00 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 12:54:50 AM	9	mg/l
SC ALRO SA	Temp	9/18/2016 12:54:30 AM	27	gradCels
SC ALRO SA	pH	9/18/2016 12:54:20 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 12:53:50 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 12:53:49 AM	9	mg/l
SC ALRO SA	Grasimi	9/18/2016 12:52:42 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 12:52:41 AM	27	gradCels
SC ALRO SA	pH	9/18/2016 12:52:40 AM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 12:47:29 AM	9	mg/l
SC ALRO SA	Clor	9/18/2016 12:47:28 AM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 12:47:06 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 12:47:05 AM	27	gradCels
SC ALRO SA	pH	9/18/2016 12:47:04 AM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 12:42:27 AM	9	mg/l
SC ALRO SA	Clor	9/18/2016 12:41:43 AM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 12:41:42 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 12:41:41 AM	27	gradCels
SC ALRO SA	pH	9/18/2016 12:41:40 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 12:36:04 AM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 12:36:03 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 12:36:02 AM	9	mg/l
SC ALRO SA	Temp	9/18/2016 12:36:01 AM	27	gradCels
SC ALRO SA	pH	9/18/2016 12:36:00 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 12:33:10 AM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 12:32:50 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 12:32:20 AM	9	mg/l
SC ALRO SA	Temp	9/18/2016 12:32:10 AM	27	gradCels
SC ALRO SA	pH	9/18/2016 12:31:30 AM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 12:31:28 AM	9	mg/l
SC ALRO SA	Clor	9/18/2016 12:30:43 AM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 12:30:42 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 12:30:41 AM	27	gradCels
SC ALRO SA	pH	9/18/2016 12:30:40 AM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 12:25:34 AM	9	mg/l
SC ALRO SA	Clor	9/18/2016 12:25:03 AM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 12:25:02 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 12:25:01 AM	27	gradCels
SC ALRO SA	pH	9/18/2016 12:25:00 AM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 12:20:29 AM	9	mg/l
SC ALRO SA	Clor	9/18/2016 12:19:43 AM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 12:19:42 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 12:19:41 AM	27	gradCels
SC ALRO SA	pH	9/18/2016 12:19:40 AM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 12:14:23 AM	9	mg/l
SC ALRO SA	Clor	9/18/2016 12:14:03 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Grasimi	9/18/2016 12:14:02 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 12:14:01 AM	27	gradCels
SC ALRO SA	pH	9/18/2016 12:14:00 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 12:11:00 AM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 12:10:20 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 12:10:10 AM	9	mg/l
SC ALRO SA	Temp	9/18/2016 12:10:00 AM	27	gradCels
SC ALRO SA	pH	9/18/2016 12:09:50 AM	3	unit pH
SC ALRO SA	Clor	9/18/2016 12:08:24 AM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 12:08:23 AM	0	mg/l
SC ALRO SA	Substante organice	9/18/2016 12:08:22 AM	9	mg/l
SC ALRO SA	Temp	9/18/2016 12:08:21 AM	27	gradCels
SC ALRO SA	pH	9/18/2016 12:08:20 AM	3	unit pH
SC ALRO SA	Substante organice	9/18/2016 12:03:42 AM	9	mg/l
SC ALRO SA	Clor	9/18/2016 12:03:03 AM	0	mg/l
SC ALRO SA	Grasimi	9/18/2016 12:03:02 AM	0	mg/l
SC ALRO SA	Temp	9/18/2016 12:03:01 AM	27	gradCels
SC ALRO SA	pH	9/18/2016 12:03:00 AM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 11:58:28 PM	9	mg/l
SC ALRO SA	Clor	9/17/2016 11:57:53 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 11:57:52 PM	0	mg/l
SC ALRO SA	pH	9/17/2016 11:57:51 PM	3	unit pH
SC ALRO SA	Temp	9/17/2016 11:57:50 PM	27	gradCels
SC ALRO SA	Substante organice	9/17/2016 11:52:26 PM	9	mg/l
SC ALRO SA	Clor	9/17/2016 11:52:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 11:52:22 PM	0	mg/l
SC ALRO SA	Temp	9/17/2016 11:52:21 PM	27	gradCels
SC ALRO SA	pH	9/17/2016 11:52:20 PM	3	unit pH
SC ALRO SA	Clor	9/17/2016 11:50:40 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 11:50:10 PM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 11:50:00 PM	9	mg/l
SC ALRO SA	Temp	9/17/2016 11:49:50 PM	27	gradCels
SC ALRO SA	pH	9/17/2016 11:49:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 11:47:24 PM	9	mg/l
SC ALRO SA	Clor	9/17/2016 11:47:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 11:47:02 PM	0	mg/l
SC ALRO SA	Temp	9/17/2016 11:47:01 PM	27	gradCels
SC ALRO SA	pH	9/17/2016 11:47:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 11:41:25 PM	9	mg/l
SC ALRO SA	Clor	9/17/2016 11:41:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 11:41:22 PM	0	mg/l
SC ALRO SA	Temp	9/17/2016 11:41:21 PM	27	gradCels
SC ALRO SA	pH	9/17/2016 11:41:20 PM	3	unit pH
SC ALRO SA	Clor	9/17/2016 11:35:49 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 11:35:48 PM	0	mg/l
SC ALRO SA	Temp	9/17/2016 11:35:47 PM	27	gradCels
SC ALRO SA	Substante organice	9/17/2016 11:35:46 PM	9	mg/l
SC ALRO SA	pH	9/17/2016 11:35:45 PM	3	unit pH
SC ALRO SA	Clor	9/17/2016 11:31:10 PM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 11:30:25 PM	9	mg/l
SC ALRO SA	Clor	9/17/2016 11:30:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 11:30:22 PM	0	mg/l
SC ALRO SA	Temp	9/17/2016 11:30:21 PM	27	gradCels
SC ALRO SA	pH	9/17/2016 11:30:20 PM	3	unit pH
SC ALRO SA	Grasimi	9/17/2016 11:29:50 PM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 11:29:40 PM	9	mg/l
SC ALRO SA	Temp	9/17/2016 11:29:30 PM	27	gradCels
SC ALRO SA	pH	9/17/2016 11:29:20 PM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 11:25:48 PM	9	mg/l
SC ALRO SA	Clor	9/17/2016 11:24:48 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 11:24:47 PM	0	mg/l
SC ALRO SA	Temp	9/17/2016 11:24:46 PM	27	gradCels
SC ALRO SA	pH	9/17/2016 11:24:45 PM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 11:19:27 PM	9	mg/l
SC ALRO SA	Clor	9/17/2016 11:19:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 11:19:22 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	9/17/2016 11:19:21 PM	27	gradCels
SC ALRO SA	pH	9/17/2016 11:19:20 PM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 11:14:47 PM	9	mg/l
SC ALRO SA	Clor	9/17/2016 11:13:48 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 11:13:47 PM	0	mg/l
SC ALRO SA	Temp	9/17/2016 11:13:46 PM	27	gradCels
SC ALRO SA	pH	9/17/2016 11:13:45 PM	3	unit pH
SC ALRO SA	Clor	9/17/2016 11:12:00 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 11:11:20 PM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 11:11:10 PM	9	mg/l
SC ALRO SA	Temp	9/17/2016 11:10:50 PM	27	gradCels
SC ALRO SA	pH	9/17/2016 11:10:20 PM	3	unit pH
SC ALRO SA	Clor	9/17/2016 11:08:09 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 11:08:08 PM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 11:08:07 PM	9	mg/l
SC ALRO SA	pH	9/17/2016 11:08:06 PM	3	unit pH
SC ALRO SA	Temp	9/17/2016 11:08:05 PM	27	gradCels
SC ALRO SA	Substante organice	9/17/2016 11:03:45 PM	9	mg/l
SC ALRO SA	Clor	9/17/2016 11:02:49 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 11:02:48 PM	0	mg/l
SC ALRO SA	pH	9/17/2016 11:02:47 PM	3	unit pH
SC ALRO SA	Temp	9/17/2016 11:02:46 PM	27	gradCels
SC ALRO SA	Substante organice	9/17/2016 10:57:21 PM	9	mg/l
SC ALRO SA	Clor	9/17/2016 10:57:08 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 10:57:07 PM	0	mg/l
SC ALRO SA	Temp	9/17/2016 10:57:06 PM	27	gradCels
SC ALRO SA	pH	9/17/2016 10:57:05 PM	3	unit pH
SC ALRO SA	Clor	9/17/2016 10:53:10 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 10:52:50 PM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 10:52:46 PM	9	mg/l
SC ALRO SA	Clor	9/17/2016 10:51:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 10:51:42 PM	0	mg/l
SC ALRO SA	Temp	9/17/2016 10:51:41 PM	27	gradCels
SC ALRO SA	pH	9/17/2016 10:51:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 10:51:30 PM	9	mg/l
SC ALRO SA	Temp	9/17/2016 10:51:10 PM	27	gradCels
SC ALRO SA	pH	9/17/2016 10:51:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 10:46:27 PM	9	mg/l
SC ALRO SA	Clor	9/17/2016 10:46:08 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 10:46:07 PM	0	mg/l
SC ALRO SA	Temp	9/17/2016 10:46:06 PM	27	gradCels
SC ALRO SA	pH	9/17/2016 10:46:05 PM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 10:41:26 PM	9	mg/l
SC ALRO SA	Clor	9/17/2016 10:40:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 10:40:42 PM	0	mg/l
SC ALRO SA	pH	9/17/2016 10:40:41 PM	3	unit pH
SC ALRO SA	Temp	9/17/2016 10:40:40 PM	27	gradCels
SC ALRO SA	Clor	9/17/2016 10:35:10 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 10:35:09 PM	0	mg/l
SC ALRO SA	Temp	9/17/2016 10:35:08 PM	27	gradCels
SC ALRO SA	Substante organice	9/17/2016 10:35:07 PM	9	mg/l
SC ALRO SA	pH	9/17/2016 10:35:06 PM	3	unit pH
SC ALRO SA	Clor	9/17/2016 10:33:20 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 10:32:50 PM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 10:32:40 PM	9	mg/l
SC ALRO SA	Temp	9/17/2016 10:32:30 PM	27	gradCels
SC ALRO SA	pH	9/17/2016 10:32:10 PM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 10:30:25 PM	9	mg/l
SC ALRO SA	Clor	9/17/2016 10:29:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 10:29:42 PM	0	mg/l
SC ALRO SA	Temp	9/17/2016 10:29:41 PM	27	gradCels
SC ALRO SA	pH	9/17/2016 10:29:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 10:24:27 PM	9	mg/l
SC ALRO SA	Clor	9/17/2016 10:24:08 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 10:24:07 PM	0	mg/l
SC ALRO SA	Temp	9/17/2016 10:24:06 PM	27	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	9/17/2016 10:24:05 PM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 10:19:26 PM	9	mg/l
SC ALRO SA	Clor	9/17/2016 10:18:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 10:18:42 PM	0	mg/l
SC ALRO SA	Temp	9/17/2016 10:18:41 PM	27	gradCels
SC ALRO SA	pH	9/17/2016 10:18:40 PM	3	unit pH
SC ALRO SA	Clor	9/17/2016 10:15:30 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 10:15:00 PM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 10:14:50 PM	9	mg/l
SC ALRO SA	Temp	9/17/2016 10:14:40 PM	27	gradCels
SC ALRO SA	pH	9/17/2016 10:14:30 PM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 10:13:28 PM	9	mg/l
SC ALRO SA	Clor	9/17/2016 10:13:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 10:13:02 PM	0	mg/l
SC ALRO SA	pH	9/17/2016 10:13:01 PM	3	unit pH
SC ALRO SA	Temp	9/17/2016 10:13:00 PM	27	gradCels
SC ALRO SA	Substante organice	9/17/2016 10:08:26 PM	9	mg/l
SC ALRO SA	Clor	9/17/2016 10:07:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 10:07:42 PM	0	mg/l
SC ALRO SA	Temp	9/17/2016 10:07:41 PM	27	gradCels
SC ALRO SA	pH	9/17/2016 10:07:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 10:02:26 PM	9	mg/l
SC ALRO SA	Clor	9/17/2016 10:02:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 10:02:02 PM	0	mg/l
SC ALRO SA	pH	9/17/2016 10:02:01 PM	3	unit pH
SC ALRO SA	Temp	9/17/2016 10:02:00 PM	27	gradCels
SC ALRO SA	Clor	9/17/2016 9:57:30 PM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 9:57:27 PM	9	mg/l
SC ALRO SA	Clor	9/17/2016 9:56:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 9:56:42 PM	0	mg/l
SC ALRO SA	pH	9/17/2016 9:56:41 PM	3	unit pH
SC ALRO SA	Temp	9/17/2016 9:56:40 PM	27	gradCels
SC ALRO SA	Grasimi	9/17/2016 9:56:00 PM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 9:55:50 PM	9	mg/l
SC ALRO SA	Temp	9/17/2016 9:55:40 PM	27	gradCels
SC ALRO SA	pH	9/17/2016 9:55:30 PM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 9:51:23 PM	9	mg/l
SC ALRO SA	Clor	9/17/2016 9:51:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 9:51:02 PM	0	mg/l
SC ALRO SA	Temp	9/17/2016 9:51:01 PM	27	gradCels
SC ALRO SA	pH	9/17/2016 9:51:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 9:46:32 PM	9	mg/l
SC ALRO SA	Clor	9/17/2016 9:45:29 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 9:45:28 PM	0	mg/l
SC ALRO SA	Temp	9/17/2016 9:45:27 PM	27	gradCels
SC ALRO SA	pH	9/17/2016 9:45:26 PM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 9:40:23 PM	9	mg/l
SC ALRO SA	Clor	9/17/2016 9:40:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 9:40:02 PM	0	mg/l
SC ALRO SA	Temp	9/17/2016 9:40:01 PM	27	gradCels
SC ALRO SA	pH	9/17/2016 9:40:00 PM	3	unit pH
SC ALRO SA	Clor	9/17/2016 9:39:20 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 9:39:00 PM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 9:38:50 PM	9	mg/l
SC ALRO SA	Temp	9/17/2016 9:38:40 PM	27	gradCels
SC ALRO SA	pH	9/17/2016 9:38:30 PM	3	unit pH
SC ALRO SA	Clor	9/17/2016 9:34:44 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 9:34:43 PM	0	mg/l
SC ALRO SA	Temp	9/17/2016 9:34:42 PM	27	gradCels
SC ALRO SA	Substante organice	9/17/2016 9:34:41 PM	9	mg/l
SC ALRO SA	pH	9/17/2016 9:34:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 9:29:44 PM	9	mg/l
SC ALRO SA	Clor	9/17/2016 9:29:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 9:29:02 PM	0	mg/l
SC ALRO SA	Temp	9/17/2016 9:29:01 PM	27	gradCels
SC ALRO SA	pH	9/17/2016 9:29:00 PM	3	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	9/17/2016 9:24:26 PM	9	mg/l
SC ALRO SA	Clor	9/17/2016 9:23:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 9:23:42 PM	0	mg/l
SC ALRO SA	pH	9/17/2016 9:23:41 PM	3	unit pH
SC ALRO SA	Temp	9/17/2016 9:23:40 PM	27	gradCels
SC ALRO SA	Clor	9/17/2016 9:22:20 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 9:22:00 PM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 9:21:50 PM	9	mg/l
SC ALRO SA	Temp	9/17/2016 9:21:40 PM	27	gradCels
SC ALRO SA	pH	9/17/2016 9:21:30 PM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 9:18:51 PM	9	mg/l
SC ALRO SA	Clor	9/17/2016 9:18:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 9:18:02 PM	0	mg/l
SC ALRO SA	Temp	9/17/2016 9:18:01 PM	27	gradCels
SC ALRO SA	pH	9/17/2016 9:18:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 9:13:31 PM	9	mg/l
SC ALRO SA	Clor	9/17/2016 9:12:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 9:12:22 PM	0	mg/l
SC ALRO SA	Temp	9/17/2016 9:12:21 PM	27	gradCels
SC ALRO SA	pH	9/17/2016 9:12:20 PM	3	unit pH
SC ALRO SA	Clor	9/17/2016 9:07:04 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 9:07:03 PM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 9:07:02 PM	9	mg/l
SC ALRO SA	Temp	9/17/2016 9:07:01 PM	27	gradCels
SC ALRO SA	pH	9/17/2016 9:07:00 PM	3	unit pH
SC ALRO SA	Clor	9/17/2016 9:05:10 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 9:04:50 PM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 9:04:10 PM	9	mg/l
SC ALRO SA	Temp	9/17/2016 9:03:50 PM	27	gradCels
SC ALRO SA	pH	9/17/2016 9:03:40 PM	3	unit pH
SC ALRO SA	Clor	9/17/2016 9:01:31 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 9:01:30 PM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 9:01:29 PM	9	mg/l
SC ALRO SA	pH	9/17/2016 9:01:28 PM	3	unit pH
SC ALRO SA	Temp	9/17/2016 9:01:27 PM	27	gradCels
SC ALRO SA	Grasimi	9/17/2016 9:01:26 PM	0	mg/l
SC ALRO SA	Clor	9/17/2016 9:01:25 PM	0	mg/l
SC ALRO SA	Temp	9/17/2016 9:01:24 PM	27	gradCels
SC ALRO SA	pH	9/17/2016 9:01:21 PM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 9:01:20 PM	9	mg/l
SC ALRO SA	Substante organice	9/17/2016 8:56:27 PM	9	mg/l
SC ALRO SA	Clor	9/17/2016 8:56:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 8:56:02 PM	0	mg/l
SC ALRO SA	Temp	9/17/2016 8:56:01 PM	27	gradCels
SC ALRO SA	pH	9/17/2016 8:56:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 8:50:25 PM	9	mg/l
SC ALRO SA	Clor	9/17/2016 8:50:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 8:50:22 PM	0	mg/l
SC ALRO SA	Temp	9/17/2016 8:50:21 PM	27	gradCels
SC ALRO SA	pH	9/17/2016 8:50:20 PM	3	unit pH
SC ALRO SA	Clor	9/17/2016 8:48:10 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 8:47:40 PM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 8:47:30 PM	9	mg/l
SC ALRO SA	Temp	9/17/2016 8:47:10 PM	27	gradCels
SC ALRO SA	pH	9/17/2016 8:47:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 8:45:25 PM	9	mg/l
SC ALRO SA	Clor	9/17/2016 8:45:07 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 8:45:06 PM	0	mg/l
SC ALRO SA	Temp	9/17/2016 8:45:05 PM	27	gradCels
SC ALRO SA	pH	9/17/2016 8:45:04 PM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 8:40:29 PM	9	mg/l
SC ALRO SA	Clor	9/17/2016 8:40:08 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 8:40:07 PM	0	mg/l
SC ALRO SA	Temp	9/17/2016 8:40:06 PM	27	gradCels
SC ALRO SA	pH	9/17/2016 8:40:05 PM	3	unit pH
SC ALRO SA	Clor	9/17/2016 8:34:29 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Grasimi	9/17/2016 8:34:28 PM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 8:34:27 PM	9	mg/l
SC ALRO SA	Temp	9/17/2016 8:34:26 PM	27	gradCels
SC ALRO SA	pH	9/17/2016 8:34:25 PM	3	unit pH
SC ALRO SA	Clor	9/17/2016 8:29:50 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 8:29:30 PM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 8:29:24 PM	9	mg/l
SC ALRO SA	Clor	9/17/2016 8:29:04 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 8:29:03 PM	0	mg/l
SC ALRO SA	Temp	9/17/2016 8:29:02 PM	27	gradCels
SC ALRO SA	pH	9/17/2016 8:29:01 PM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 8:28:30 PM	9	mg/l
SC ALRO SA	Temp	9/17/2016 8:28:10 PM	27	gradCels
SC ALRO SA	pH	9/17/2016 8:28:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 8:23:33 PM	9	mg/l
SC ALRO SA	Clor	9/17/2016 8:23:28 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 8:23:27 PM	0	mg/l
SC ALRO SA	Temp	9/17/2016 8:23:26 PM	27	gradCels
SC ALRO SA	pH	9/17/2016 8:23:25 PM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 8:18:24 PM	9	mg/l
SC ALRO SA	Clor	9/17/2016 8:18:04 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 8:18:03 PM	0	mg/l
SC ALRO SA	Temp	9/17/2016 8:18:02 PM	27	gradCels
SC ALRO SA	pH	9/17/2016 8:18:01 PM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 8:12:34 PM	9	mg/l
SC ALRO SA	Clor	9/17/2016 8:12:24 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 8:12:23 PM	0	mg/l
SC ALRO SA	pH	9/17/2016 8:12:22 PM	3	unit pH
SC ALRO SA	Temp	9/17/2016 8:12:21 PM	27	gradCels
SC ALRO SA	Clor	9/17/2016 8:10:10 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 8:09:40 PM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 8:09:30 PM	9	mg/l
SC ALRO SA	Temp	9/17/2016 8:08:40 PM	27	gradCels
SC ALRO SA	pH	9/17/2016 8:08:30 PM	3	unit pH
SC ALRO SA	Clor	9/17/2016 8:06:50 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 8:06:49 PM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 8:06:48 PM	9	mg/l
SC ALRO SA	Temp	9/17/2016 8:06:47 PM	27	gradCels
SC ALRO SA	pH	9/17/2016 8:06:46 PM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 8:01:33 PM	9	mg/l
SC ALRO SA	Clor	9/17/2016 8:01:29 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 8:01:28 PM	0	mg/l
SC ALRO SA	Temp	9/17/2016 8:01:27 PM	27	gradCels
SC ALRO SA	pH	9/17/2016 8:01:26 PM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 7:56:23 PM	9	mg/l
SC ALRO SA	Clor	9/17/2016 7:55:48 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 7:55:47 PM	0	mg/l
SC ALRO SA	Temp	9/17/2016 7:55:46 PM	27	gradCels
SC ALRO SA	pH	9/17/2016 7:55:45 PM	3	unit pH
SC ALRO SA	Clor	9/17/2016 7:51:40 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 7:51:00 PM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 7:50:50 PM	9	mg/l
SC ALRO SA	Temp	9/17/2016 7:50:40 PM	27	gradCels
SC ALRO SA	Substante organice	9/17/2016 7:50:34 PM	9	mg/l
SC ALRO SA	Clor	9/17/2016 7:50:28 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 7:50:27 PM	0	mg/l
SC ALRO SA	Temp	9/17/2016 7:50:26 PM	27	gradCels
SC ALRO SA	pH	9/17/2016 7:50:25 PM	3	unit pH
SC ALRO SA	pH	9/17/2016 7:49:50 PM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 7:45:28 PM	9	mg/l
SC ALRO SA	Clor	9/17/2016 7:45:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 7:45:22 PM	0	mg/l
SC ALRO SA	Temp	9/17/2016 7:45:21 PM	27	gradCels
SC ALRO SA	pH	9/17/2016 7:45:20 PM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 7:40:22 PM	9	mg/l
SC ALRO SA	Clor	9/17/2016 7:39:43 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Grasimi	9/17/2016 7:39:42 PM	0	mg/l
SC ALRO SA	Temp	9/17/2016 7:39:41 PM	27	gradCels
SC ALRO SA	pH	9/17/2016 7:39:40 PM	3	unit pH
SC ALRO SA	Clor	9/17/2016 7:34:24 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 7:34:23 PM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 7:34:22 PM	9	mg/l
SC ALRO SA	Temp	9/17/2016 7:34:21 PM	27	gradCels
SC ALRO SA	pH	9/17/2016 7:34:20 PM	3	unit pH
SC ALRO SA	Clor	9/17/2016 7:32:10 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 7:31:50 PM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 7:31:40 PM	9	mg/l
SC ALRO SA	Temp	9/17/2016 7:31:30 PM	27	gradCels
SC ALRO SA	pH	9/17/2016 7:31:10 PM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 7:29:22 PM	9	mg/l
SC ALRO SA	Clor	9/17/2016 7:28:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 7:28:42 PM	0	mg/l
SC ALRO SA	Temp	9/17/2016 7:28:41 PM	27	gradCels
SC ALRO SA	pH	9/17/2016 7:28:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 7:23:27 PM	9	mg/l
SC ALRO SA	Clor	9/17/2016 7:23:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 7:23:22 PM	0	mg/l
SC ALRO SA	Temp	9/17/2016 7:23:21 PM	27	gradCels
SC ALRO SA	pH	9/17/2016 7:23:20 PM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 7:18:21 PM	9	mg/l
SC ALRO SA	Clor	9/17/2016 7:17:34 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 7:17:33 PM	0	mg/l
SC ALRO SA	Temp	9/17/2016 7:17:32 PM	27	gradCels
SC ALRO SA	pH	9/17/2016 7:17:31 PM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 7:12:22 PM	9	mg/l
SC ALRO SA	Clor	9/17/2016 7:12:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 7:12:02 PM	0	mg/l
SC ALRO SA	Temp	9/17/2016 7:12:01 PM	27	gradCels
SC ALRO SA	pH	9/17/2016 7:12:00 PM	3	unit pH
SC ALRO SA	Clor	9/17/2016 7:11:10 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 7:10:40 PM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 7:10:30 PM	9	mg/l
SC ALRO SA	Temp	9/17/2016 7:10:20 PM	27	gradCels
SC ALRO SA	pH	9/17/2016 7:10:10 PM	3	unit pH
SC ALRO SA	Clor	9/17/2016 7:06:48 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 7:06:47 PM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 7:06:46 PM	9	mg/l
SC ALRO SA	Temp	9/17/2016 7:06:45 PM	27	gradCels
SC ALRO SA	pH	9/17/2016 7:06:44 PM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 7:01:21 PM	9	mg/l
SC ALRO SA	Clor	9/17/2016 7:01:12 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 7:01:11 PM	0	mg/l
SC ALRO SA	Temp	9/17/2016 7:01:10 PM	27	gradCels
SC ALRO SA	pH	9/17/2016 7:01:09 PM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 6:56:24 PM	9	mg/l
SC ALRO SA	Clor	9/17/2016 6:55:47 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 6:55:46 PM	0	mg/l
SC ALRO SA	Temp	9/17/2016 6:55:45 PM	27	gradCels
SC ALRO SA	pH	9/17/2016 6:55:44 PM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 6:50:22 PM	9	mg/l
SC ALRO SA	Clor	9/17/2016 6:50:07 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 6:50:06 PM	0	mg/l
SC ALRO SA	Temp	9/17/2016 6:50:05 PM	27	gradCels
SC ALRO SA	pH	9/17/2016 6:50:04 PM	3	unit pH
SC ALRO SA	Clor	9/17/2016 6:48:40 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 6:48:10 PM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 6:48:00 PM	9	mg/l
SC ALRO SA	Temp	9/17/2016 6:47:50 PM	26	gradCels
SC ALRO SA	pH	9/17/2016 6:47:30 PM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 6:45:24 PM	9	mg/l
SC ALRO SA	Clor	9/17/2016 6:44:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 6:44:42 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	9/17/2016 6:44:41 PM	26	gradCels
SC ALRO SA	pH	9/17/2016 6:44:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 6:39:22 PM	9	mg/l
SC ALRO SA	Clor	9/17/2016 6:39:07 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 6:39:06 PM	0	mg/l
SC ALRO SA	Temp	9/17/2016 6:39:05 PM	26	gradCels
SC ALRO SA	pH	9/17/2016 6:39:04 PM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 6:34:24 PM	9	mg/l
SC ALRO SA	Clor	9/17/2016 6:33:28 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 6:33:27 PM	0	mg/l
SC ALRO SA	Temp	9/17/2016 6:33:26 PM	26	gradCels
SC ALRO SA	pH	9/17/2016 6:33:25 PM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 6:28:22 PM	9	mg/l
SC ALRO SA	Clor	9/17/2016 6:28:10 PM	0	mg/l
SC ALRO SA	Clor	9/17/2016 6:28:07 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 6:28:06 PM	0	mg/l
SC ALRO SA	Temp	9/17/2016 6:28:05 PM	26	gradCels
SC ALRO SA	pH	9/17/2016 6:28:04 PM	3	unit pH
SC ALRO SA	Grasimi	9/17/2016 6:26:30 PM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 6:26:10 PM	9	mg/l
SC ALRO SA	Temp	9/17/2016 6:26:00 PM	26	gradCels
SC ALRO SA	pH	9/17/2016 6:25:50 PM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 6:23:22 PM	9	mg/l
SC ALRO SA	Clor	9/17/2016 6:22:30 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 6:22:29 PM	0	mg/l
SC ALRO SA	Temp	9/17/2016 6:22:28 PM	26	gradCels
SC ALRO SA	pH	9/17/2016 6:22:27 PM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 6:17:23 PM	9	mg/l
SC ALRO SA	Clor	9/17/2016 6:17:07 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 6:17:06 PM	0	mg/l
SC ALRO SA	Temp	9/17/2016 6:17:05 PM	26	gradCels
SC ALRO SA	pH	9/17/2016 6:17:04 PM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 6:12:22 PM	9	mg/l
SC ALRO SA	Clor	9/17/2016 6:11:30 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 6:11:29 PM	0	mg/l
SC ALRO SA	Temp	9/17/2016 6:11:28 PM	26	gradCels
SC ALRO SA	pH	9/17/2016 6:11:27 PM	3	unit pH
SC ALRO SA	Clor	9/17/2016 6:08:30 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 6:07:40 PM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 6:07:30 PM	9	mg/l
SC ALRO SA	Temp	9/17/2016 6:07:10 PM	26	gradCels
SC ALRO SA	pH	9/17/2016 6:07:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 6:06:22 PM	9	mg/l
SC ALRO SA	Clor	9/17/2016 6:06:07 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 6:06:06 PM	0	mg/l
SC ALRO SA	Temp	9/17/2016 6:06:05 PM	26	gradCels
SC ALRO SA	pH	9/17/2016 6:06:04 PM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 6:01:22 PM	9	mg/l
SC ALRO SA	Clor	9/17/2016 6:00:30 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 6:00:29 PM	0	mg/l
SC ALRO SA	Temp	9/17/2016 6:00:28 PM	26	gradCels
SC ALRO SA	pH	9/17/2016 6:00:27 PM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 5:55:23 PM	9	mg/l
SC ALRO SA	Clor	9/17/2016 5:55:08 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 5:55:07 PM	0	mg/l
SC ALRO SA	Temp	9/17/2016 5:55:06 PM	26	gradCels
SC ALRO SA	pH	9/17/2016 5:55:05 PM	3	unit pH
SC ALRO SA	Clor	9/17/2016 5:49:38 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 5:49:37 PM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 5:49:36 PM	9	mg/l
SC ALRO SA	pH	9/17/2016 5:49:35 PM	3	unit pH
SC ALRO SA	Temp	9/17/2016 5:49:34 PM	26	gradCels
SC ALRO SA	Grasimi	9/17/2016 5:49:33 PM	0	mg/l
SC ALRO SA	Clor	9/17/2016 5:49:32 PM	0	mg/l
SC ALRO SA	Temp	9/17/2016 5:49:31 PM	26	gradCels
SC ALRO SA	pH	9/17/2016 5:49:29 PM	3	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	9/17/2016 5:49:28 PM	9	mg/l
SC ALRO SA	Clor	9/17/2016 5:47:40 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 5:47:10 PM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 5:46:40 PM	9	mg/l
SC ALRO SA	Temp	9/17/2016 5:46:30 PM	26	gradCels
SC ALRO SA	pH	9/17/2016 5:46:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 5:44:26 PM	9	mg/l
SC ALRO SA	Clor	9/17/2016 5:44:04 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 5:44:03 PM	0	mg/l
SC ALRO SA	Temp	9/17/2016 5:44:02 PM	26	gradCels
SC ALRO SA	pH	9/17/2016 5:44:01 PM	3	unit pH
SC ALRO SA	Clor	9/17/2016 5:38:25 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 5:38:24 PM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 5:38:23 PM	9	mg/l
SC ALRO SA	Temp	9/17/2016 5:38:22 PM	26	gradCels
SC ALRO SA	pH	9/17/2016 5:38:21 PM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 5:33:23 PM	9	mg/l
SC ALRO SA	Clor	9/17/2016 5:33:04 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 5:33:03 PM	0	mg/l
SC ALRO SA	Temp	9/17/2016 5:33:02 PM	26	gradCels
SC ALRO SA	pH	9/17/2016 5:33:01 PM	3	unit pH
SC ALRO SA	Clor	9/17/2016 5:27:30 PM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 5:27:27 PM	9	mg/l
SC ALRO SA	Clor	9/17/2016 5:27:24 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 5:27:23 PM	0	mg/l
SC ALRO SA	Temp	9/17/2016 5:27:22 PM	26	gradCels
SC ALRO SA	pH	9/17/2016 5:27:21 PM	3	unit pH
SC ALRO SA	Grasimi	9/17/2016 5:26:40 PM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 5:26:30 PM	9	mg/l
SC ALRO SA	Temp	9/17/2016 5:26:10 PM	26	gradCels
SC ALRO SA	pH	9/17/2016 5:25:50 PM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 5:22:22 PM	9	mg/l
SC ALRO SA	Clor	9/17/2016 5:22:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 5:22:02 PM	0	mg/l
SC ALRO SA	Temp	9/17/2016 5:22:01 PM	26	gradCels
SC ALRO SA	pH	9/17/2016 5:22:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 5:16:26 PM	9	mg/l
SC ALRO SA	Clor	9/17/2016 5:16:24 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 5:16:23 PM	0	mg/l
SC ALRO SA	Temp	9/17/2016 5:16:22 PM	26	gradCels
SC ALRO SA	pH	9/17/2016 5:16:21 PM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 5:11:29 PM	9	mg/l
SC ALRO SA	Clor	9/17/2016 5:10:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 5:10:42 PM	0	mg/l
SC ALRO SA	Temp	9/17/2016 5:10:41 PM	26	gradCels
SC ALRO SA	pH	9/17/2016 5:10:40 PM	3	unit pH
SC ALRO SA	Clor	9/17/2016 5:06:30 PM	0	mg/l
SC ALRO SA	Clor	9/17/2016 5:05:24 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 5:05:23 PM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 5:05:22 PM	9	mg/l
SC ALRO SA	Temp	9/17/2016 5:05:21 PM	26	gradCels
SC ALRO SA	pH	9/17/2016 5:05:20 PM	3	unit pH
SC ALRO SA	Grasimi	9/17/2016 5:05:00 PM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 5:04:50 PM	9	mg/l
SC ALRO SA	Temp	9/17/2016 5:04:40 PM	26	gradCels
SC ALRO SA	pH	9/17/2016 5:04:30 PM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 5:00:30 PM	9	mg/l
SC ALRO SA	Clor	9/17/2016 4:59:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 4:59:42 PM	0	mg/l
SC ALRO SA	Temp	9/17/2016 4:59:41 PM	26	gradCels
SC ALRO SA	pH	9/17/2016 4:59:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 4:54:41 PM	9	mg/l
SC ALRO SA	Clor	9/17/2016 4:54:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 4:54:22 PM	0	mg/l
SC ALRO SA	Temp	9/17/2016 4:54:21 PM	26	gradCels
SC ALRO SA	pH	9/17/2016 4:54:20 PM	3	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	9/17/2016 4:49:29 PM	9	mg/l
SC ALRO SA	Clor	9/17/2016 4:48:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 4:48:42 PM	0	mg/l
SC ALRO SA	pH	9/17/2016 4:48:41 PM	3	unit pH
SC ALRO SA	Temp	9/17/2016 4:48:40 PM	26	gradCels
SC ALRO SA	Clor	9/17/2016 4:47:00 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 4:46:40 PM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 4:46:30 PM	9	mg/l
SC ALRO SA	Temp	9/17/2016 4:46:00 PM	26	gradCels
SC ALRO SA	pH	9/17/2016 4:45:50 PM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 4:43:42 PM	9	mg/l
SC ALRO SA	Clor	9/17/2016 4:43:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 4:43:22 PM	0	mg/l
SC ALRO SA	Temp	9/17/2016 4:43:21 PM	26	gradCels
SC ALRO SA	pH	9/17/2016 4:43:20 PM	3	unit pH
SC ALRO SA	Clor	9/17/2016 4:37:44 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 4:37:43 PM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 4:37:42 PM	9	mg/l
SC ALRO SA	pH	9/17/2016 4:37:41 PM	3	unit pH
SC ALRO SA	Temp	9/17/2016 4:37:40 PM	26	gradCels
SC ALRO SA	Substante organice	9/17/2016 4:32:48 PM	10	mg/l
SC ALRO SA	Clor	9/17/2016 4:32:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 4:32:02 PM	0	mg/l
SC ALRO SA	Temp	9/17/2016 4:32:01 PM	26	gradCels
SC ALRO SA	pH	9/17/2016 4:32:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 4:27:30 PM	10	mg/l
SC ALRO SA	Clor	9/17/2016 4:26:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 4:26:42 PM	0	mg/l
SC ALRO SA	pH	9/17/2016 4:26:41 PM	3	unit pH
SC ALRO SA	Temp	9/17/2016 4:26:40 PM	26	gradCels
SC ALRO SA	Clor	9/17/2016 4:26:00 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 4:25:40 PM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 4:25:30 PM	10	mg/l
SC ALRO SA	Temp	9/17/2016 4:25:10 PM	26	gradCels
SC ALRO SA	pH	9/17/2016 4:25:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 4:21:28 PM	10	mg/l
SC ALRO SA	Clor	9/17/2016 4:21:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 4:21:02 PM	0	mg/l
SC ALRO SA	Temp	9/17/2016 4:21:01 PM	26	gradCels
SC ALRO SA	pH	9/17/2016 4:21:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 4:16:29 PM	10	mg/l
SC ALRO SA	Clor	9/17/2016 4:15:44 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 4:15:43 PM	0	mg/l
SC ALRO SA	Temp	9/17/2016 4:15:42 PM	26	gradCels
SC ALRO SA	pH	9/17/2016 4:15:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 4:10:29 PM	10	mg/l
SC ALRO SA	Clor	9/17/2016 4:10:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 4:10:02 PM	0	mg/l
SC ALRO SA	Temp	9/17/2016 4:10:01 PM	26	gradCels
SC ALRO SA	pH	9/17/2016 4:10:00 PM	3	unit pH
SC ALRO SA	Clor	9/17/2016 4:07:10 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 4:06:50 PM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 4:06:20 PM	10	mg/l
SC ALRO SA	Temp	9/17/2016 4:06:10 PM	25	gradCels
SC ALRO SA	pH	9/17/2016 4:06:00 PM	3	unit pH
SC ALRO SA	Clor	9/17/2016 4:04:44 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 4:04:43 PM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 4:04:42 PM	10	mg/l
SC ALRO SA	Temp	9/17/2016 4:04:41 PM	25	gradCels
SC ALRO SA	pH	9/17/2016 4:04:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 3:59:30 PM	10	mg/l
SC ALRO SA	Clor	9/17/2016 3:59:04 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 3:59:03 PM	0	mg/l
SC ALRO SA	Temp	9/17/2016 3:59:02 PM	25	gradCels
SC ALRO SA	pH	9/17/2016 3:59:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 3:54:25 PM	10	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Clor	9/17/2016 3:53:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 3:53:42 PM	0	mg/l
SC ALRO SA	Temp	9/17/2016 3:53:41 PM	25	gradCels
SC ALRO SA	pH	9/17/2016 3:53:40 PM	3	unit pH
SC ALRO SA	Clor	9/17/2016 3:49:00 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 3:48:40 PM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 3:48:29 PM	10	mg/l
SC ALRO SA	Clor	9/17/2016 3:48:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 3:48:02 PM	0	mg/l
SC ALRO SA	Temp	9/17/2016 3:48:01 PM	25	gradCels
SC ALRO SA	pH	9/17/2016 3:48:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 3:47:50 PM	10	mg/l
SC ALRO SA	Temp	9/17/2016 3:47:40 PM	25	gradCels
SC ALRO SA	pH	9/17/2016 3:47:30 PM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 3:43:25 PM	10	mg/l
SC ALRO SA	Clor	9/17/2016 3:42:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 3:42:22 PM	0	mg/l
SC ALRO SA	Temp	9/17/2016 3:42:21 PM	25	gradCels
SC ALRO SA	pH	9/17/2016 3:42:20 PM	3	unit pH
SC ALRO SA	Clor	9/17/2016 3:37:04 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 3:37:03 PM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 3:37:02 PM	10	mg/l
SC ALRO SA	pH	9/17/2016 3:37:01 PM	3	unit pH
SC ALRO SA	Temp	9/17/2016 3:37:00 PM	25	gradCels
SC ALRO SA	Substante organice	9/17/2016 3:32:25 PM	10	mg/l
SC ALRO SA	Clor	9/17/2016 3:31:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 3:31:22 PM	0	mg/l
SC ALRO SA	Temp	9/17/2016 3:31:21 PM	25	gradCels
SC ALRO SA	pH	9/17/2016 3:31:20 PM	3	unit pH
SC ALRO SA	Clor	9/17/2016 3:30:40 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 3:30:20 PM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 3:30:10 PM	10	mg/l
SC ALRO SA	Temp	9/17/2016 3:29:50 PM	25	gradCels
SC ALRO SA	pH	9/17/2016 3:29:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 3:26:28 PM	10	mg/l
SC ALRO SA	Clor	9/17/2016 3:26:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 3:26:02 PM	0	mg/l
SC ALRO SA	pH	9/17/2016 3:26:01 PM	3	unit pH
SC ALRO SA	Temp	9/17/2016 3:26:00 PM	25	gradCels
SC ALRO SA	Substante organice	9/17/2016 3:21:23 PM	10	mg/l
SC ALRO SA	Clor	9/17/2016 3:20:50 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 3:20:49 PM	0	mg/l
SC ALRO SA	Temp	9/17/2016 3:20:48 PM	25	gradCels
SC ALRO SA	pH	9/17/2016 3:20:47 PM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 3:15:33 PM	10	mg/l
SC ALRO SA	Clor	9/17/2016 3:15:28 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 3:15:27 PM	0	mg/l
SC ALRO SA	Temp	9/17/2016 3:15:26 PM	25	gradCels
SC ALRO SA	pH	9/17/2016 3:15:25 PM	3	unit pH
SC ALRO SA	Clor	9/17/2016 3:10:50 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 3:10:30 PM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 3:10:24 PM	10	mg/l
SC ALRO SA	Substante organice	9/17/2016 3:10:10 PM	10	mg/l
SC ALRO SA	Clor	9/17/2016 3:09:49 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 3:09:48 PM	0	mg/l
SC ALRO SA	Temp	9/17/2016 3:09:47 PM	25	gradCels
SC ALRO SA	pH	9/17/2016 3:09:46 PM	3	unit pH
SC ALRO SA	Temp	9/17/2016 3:09:10 PM	25	gradCels
SC ALRO SA	pH	9/17/2016 3:09:00 PM	3	unit pH
SC ALRO SA	Clor	9/17/2016 3:04:29 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 3:04:28 PM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 3:04:27 PM	10	mg/l
SC ALRO SA	Temp	9/17/2016 3:04:26 PM	25	gradCels
SC ALRO SA	pH	9/17/2016 3:04:25 PM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 2:59:23 PM	9	mg/l
SC ALRO SA	Clor	9/17/2016 2:58:50 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Grasimi	9/17/2016 2:58:49 PM	0	mg/l
SC ALRO SA	Temp	9/17/2016 2:58:48 PM	25	gradCels
SC ALRO SA	pH	9/17/2016 2:58:47 PM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 2:53:28 PM	9	mg/l
SC ALRO SA	Clor	9/17/2016 2:53:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 2:53:22 PM	0	mg/l
SC ALRO SA	pH	9/17/2016 2:53:21 PM	3	unit pH
SC ALRO SA	Temp	9/17/2016 2:53:20 PM	25	gradCels
SC ALRO SA	Clor	9/17/2016 2:50:00 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 2:49:40 PM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 2:49:30 PM	9	mg/l
SC ALRO SA	Temp	9/17/2016 2:49:00 PM	25	gradCels
SC ALRO SA	pH	9/17/2016 2:48:50 PM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 2:48:24 PM	9	mg/l
SC ALRO SA	Clor	9/17/2016 2:47:50 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 2:47:49 PM	0	mg/l
SC ALRO SA	pH	9/17/2016 2:47:48 PM	3	unit pH
SC ALRO SA	Temp	9/17/2016 2:47:47 PM	25	gradCels
SC ALRO SA	Substante organice	9/17/2016 2:42:28 PM	9	mg/l
SC ALRO SA	Clor	9/17/2016 2:42:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 2:42:22 PM	0	mg/l
SC ALRO SA	Temp	9/17/2016 2:42:21 PM	25	gradCels
SC ALRO SA	pH	9/17/2016 2:42:20 PM	3	unit pH
SC ALRO SA	Clor	9/17/2016 2:37:24 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 2:37:23 PM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 2:37:22 PM	9	mg/l
SC ALRO SA	pH	9/17/2016 2:37:21 PM	3	unit pH
SC ALRO SA	Temp	9/17/2016 2:37:20 PM	25	gradCels
SC ALRO SA	Substante organice	9/17/2016 2:32:22 PM	10	mg/l
SC ALRO SA	Clor	9/17/2016 2:31:44 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 2:31:43 PM	0	mg/l
SC ALRO SA	Temp	9/17/2016 2:31:41 PM	25	gradCels
SC ALRO SA	pH	9/17/2016 2:31:40 PM	3	unit pH
SC ALRO SA	Clor	9/17/2016 2:29:50 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 2:29:30 PM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 2:29:10 PM	10	mg/l
SC ALRO SA	Temp	9/17/2016 2:28:50 PM	25	gradCels
SC ALRO SA	pH	9/17/2016 2:28:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 2:26:22 PM	10	mg/l
SC ALRO SA	Clor	9/17/2016 2:26:07 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 2:26:06 PM	0	mg/l
SC ALRO SA	Temp	9/17/2016 2:26:05 PM	25	gradCels
SC ALRO SA	pH	9/17/2016 2:26:04 PM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 2:21:21 PM	10	mg/l
SC ALRO SA	Clor	9/17/2016 2:20:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 2:20:42 PM	0	mg/l
SC ALRO SA	Temp	9/17/2016 2:20:41 PM	25	gradCels
SC ALRO SA	pH	9/17/2016 2:20:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 2:15:22 PM	10	mg/l
SC ALRO SA	Clor	9/17/2016 2:15:07 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 2:15:06 PM	0	mg/l
SC ALRO SA	Temp	9/17/2016 2:15:05 PM	25	gradCels
SC ALRO SA	pH	9/17/2016 2:15:04 PM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 2:10:22 PM	10	mg/l
SC ALRO SA	Clor	9/17/2016 2:09:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 2:09:42 PM	0	mg/l
SC ALRO SA	Temp	9/17/2016 2:09:41 PM	25	gradCels
SC ALRO SA	pH	9/17/2016 2:09:40 PM	3	unit pH
SC ALRO SA	Clor	9/17/2016 2:09:10 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 2:08:10 PM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 2:08:00 PM	10	mg/l
SC ALRO SA	Temp	9/17/2016 2:07:50 PM	25	gradCels
SC ALRO SA	pH	9/17/2016 2:07:40 PM	3	unit pH
SC ALRO SA	Clor	9/17/2016 2:04:08 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 2:04:07 PM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 2:04:06 PM	10	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	9/17/2016 2:04:05 PM	3	unit pH
SC ALRO SA	Temp	9/17/2016 2:04:04 PM	25	gradCels
SC ALRO SA	Substante organice	9/17/2016 1:59:20 PM	10	mg/l
SC ALRO SA	Clor	9/17/2016 1:58:31 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 1:58:30 PM	0	mg/l
SC ALRO SA	Temp	9/17/2016 1:58:29 PM	25	gradCels
SC ALRO SA	pH	9/17/2016 1:58:28 PM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 1:53:22 PM	10	mg/l
SC ALRO SA	Clor	9/17/2016 1:53:07 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 1:53:06 PM	0	mg/l
SC ALRO SA	Temp	9/17/2016 1:53:05 PM	25	gradCels
SC ALRO SA	pH	9/17/2016 1:53:04 PM	3	unit pH
SC ALRO SA	Clor	9/17/2016 1:49:40 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 1:49:10 PM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 1:49:00 PM	10	mg/l
SC ALRO SA	Temp	9/17/2016 1:48:50 PM	25	gradCels
SC ALRO SA	Substante organice	9/17/2016 1:48:20 PM	10	mg/l
SC ALRO SA	pH	9/17/2016 1:48:10 PM	3	unit pH
SC ALRO SA	Clor	9/17/2016 1:47:32 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 1:47:31 PM	0	mg/l
SC ALRO SA	Temp	9/17/2016 1:47:30 PM	25	gradCels
SC ALRO SA	pH	9/17/2016 1:47:29 PM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 1:42:22 PM	10	mg/l
SC ALRO SA	Clor	9/17/2016 1:42:07 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 1:42:06 PM	0	mg/l
SC ALRO SA	pH	9/17/2016 1:42:05 PM	3	unit pH
SC ALRO SA	Temp	9/17/2016 1:42:04 PM	25	gradCels
SC ALRO SA	Clor	9/17/2016 1:36:34 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 1:36:33 PM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 1:36:32 PM	10	mg/l
SC ALRO SA	Temp	9/17/2016 1:36:31 PM	25	gradCels
SC ALRO SA	pH	9/17/2016 1:36:30 PM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 1:31:22 PM	10	mg/l
SC ALRO SA	Clor	9/17/2016 1:31:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 1:31:02 PM	0	mg/l
SC ALRO SA	Temp	9/17/2016 1:31:01 PM	25	gradCels
SC ALRO SA	pH	9/17/2016 1:31:00 PM	3	unit pH
SC ALRO SA	Clor	9/17/2016 1:28:50 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 1:28:00 PM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 1:27:50 PM	10	mg/l
SC ALRO SA	Temp	9/17/2016 1:27:40 PM	25	gradCels
SC ALRO SA	pH	9/17/2016 1:27:30 PM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 1:26:26 PM	10	mg/l
SC ALRO SA	Clor	9/17/2016 1:25:31 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 1:25:30 PM	0	mg/l
SC ALRO SA	Temp	9/17/2016 1:25:29 PM	25	gradCels
SC ALRO SA	pH	9/17/2016 1:25:28 PM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 1:20:21 PM	10	mg/l
SC ALRO SA	Clor	9/17/2016 1:20:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 1:20:02 PM	0	mg/l
SC ALRO SA	Temp	9/17/2016 1:20:01 PM	25	gradCels
SC ALRO SA	pH	9/17/2016 1:20:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 1:15:26 PM	10	mg/l
SC ALRO SA	Clor	9/17/2016 1:14:31 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 1:14:30 PM	0	mg/l
SC ALRO SA	pH	9/17/2016 1:14:29 PM	3	unit pH
SC ALRO SA	Temp	9/17/2016 1:14:28 PM	25	gradCels
SC ALRO SA	Clor	9/17/2016 1:09:04 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 1:09:03 PM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 1:09:02 PM	10	mg/l
SC ALRO SA	Temp	9/17/2016 1:09:01 PM	25	gradCels
SC ALRO SA	pH	9/17/2016 1:09:00 PM	3	unit pH
SC ALRO SA	Clor	9/17/2016 1:08:30 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 1:07:30 PM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 1:07:10 PM	10	mg/l
SC ALRO SA	Temp	9/17/2016 1:07:00 PM	25	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	9/17/2016 1:06:50 PM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 1:04:26 PM	10	mg/l
SC ALRO SA	Clor	9/17/2016 1:03:30 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 1:03:29 PM	0	mg/l
SC ALRO SA	Temp	9/17/2016 1:03:28 PM	25	gradCels
SC ALRO SA	pH	9/17/2016 1:03:27 PM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 12:58:22 PM	10	mg/l
SC ALRO SA	Clor	9/17/2016 12:58:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 12:58:02 PM	0	mg/l
SC ALRO SA	pH	9/17/2016 12:58:01 PM	3	unit pH
SC ALRO SA	Temp	9/17/2016 12:58:00 PM	25	gradCels
SC ALRO SA	Substante organice	9/17/2016 12:52:29 PM	10	mg/l
SC ALRO SA	Clor	9/17/2016 12:52:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 12:52:22 PM	0	mg/l
SC ALRO SA	Temp	9/17/2016 12:52:21 PM	25	gradCels
SC ALRO SA	pH	9/17/2016 12:52:20 PM	3	unit pH
SC ALRO SA	Clor	9/17/2016 12:47:50 PM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 12:47:22 PM	10	mg/l
SC ALRO SA	Grasimi	9/17/2016 12:47:10 PM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 12:47:00 PM	10	mg/l
SC ALRO SA	Temp	9/17/2016 12:46:50 PM	25	gradCels
SC ALRO SA	Clor	9/17/2016 12:46:47 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 12:46:46 PM	0	mg/l
SC ALRO SA	pH	9/17/2016 12:46:45 PM	3	unit pH
SC ALRO SA	Temp	9/17/2016 12:46:44 PM	25	gradCels
SC ALRO SA	pH	9/17/2016 12:46:10 PM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 12:41:28 PM	10	mg/l
SC ALRO SA	Clor	9/17/2016 12:41:24 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 12:41:23 PM	0	mg/l
SC ALRO SA	Temp	9/17/2016 12:41:22 PM	25	gradCels
SC ALRO SA	pH	9/17/2016 12:41:20 PM	3	unit pH
SC ALRO SA	Clor	9/17/2016 12:35:48 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 12:35:47 PM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 12:35:46 PM	10	mg/l
SC ALRO SA	pH	9/17/2016 12:35:45 PM	3	unit pH
SC ALRO SA	Temp	9/17/2016 12:35:44 PM	25	gradCels
SC ALRO SA	Substante organice	9/17/2016 12:30:27 PM	10	mg/l
SC ALRO SA	Clor	9/17/2016 12:30:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 12:30:22 PM	0	mg/l
SC ALRO SA	Temp	9/17/2016 12:30:21 PM	25	gradCels
SC ALRO SA	pH	9/17/2016 12:30:20 PM	3	unit pH
SC ALRO SA	Clor	9/17/2016 12:28:30 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 12:28:00 PM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 12:27:50 PM	10	mg/l
SC ALRO SA	Temp	9/17/2016 12:27:30 PM	25	gradCels
SC ALRO SA	pH	9/17/2016 12:27:10 PM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 12:25:22 PM	10	mg/l
SC ALRO SA	Clor	9/17/2016 12:24:47 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 12:24:46 PM	0	mg/l
SC ALRO SA	Temp	9/17/2016 12:24:45 PM	25	gradCels
SC ALRO SA	pH	9/17/2016 12:24:44 PM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 12:19:26 PM	10	mg/l
SC ALRO SA	Clor	9/17/2016 12:19:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 12:19:22 PM	0	mg/l
SC ALRO SA	Temp	9/17/2016 12:19:21 PM	25	gradCels
SC ALRO SA	pH	9/17/2016 12:19:20 PM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 12:14:22 PM	10	mg/l
SC ALRO SA	Clor	9/17/2016 12:13:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 12:13:42 PM	0	mg/l
SC ALRO SA	Temp	9/17/2016 12:13:41 PM	25	gradCels
SC ALRO SA	pH	9/17/2016 12:13:40 PM	3	unit pH
SC ALRO SA	Clor	9/17/2016 12:08:24 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 12:08:23 PM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 12:08:22 PM	10	mg/l
SC ALRO SA	Temp	9/17/2016 12:08:21 PM	25	gradCels
SC ALRO SA	pH	9/17/2016 12:08:20 PM	3	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Clor	9/17/2016 12:07:50 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 12:07:30 PM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 12:06:50 PM	10	mg/l
SC ALRO SA	Temp	9/17/2016 12:06:40 PM	25	gradCels
SC ALRO SA	pH	9/17/2016 12:06:30 PM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 12:03:22 PM	10	mg/l
SC ALRO SA	Clor	9/17/2016 12:02:47 PM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 12:02:46 PM	0	mg/l
SC ALRO SA	Temp	9/17/2016 12:02:45 PM	25	gradCels
SC ALRO SA	pH	9/17/2016 12:02:44 PM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 11:57:22 AM	10	mg/l
SC ALRO SA	Clor	9/17/2016 11:57:07 AM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 11:57:06 AM	0	mg/l
SC ALRO SA	pH	9/17/2016 11:57:05 AM	3	unit pH
SC ALRO SA	Temp	9/17/2016 11:57:04 AM	25	gradCels
SC ALRO SA	Substante organice	9/17/2016 11:52:21 AM	10	mg/l
SC ALRO SA	Clor	9/17/2016 11:51:43 AM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 11:51:42 AM	0	mg/l
SC ALRO SA	pH	9/17/2016 11:51:41 AM	3	unit pH
SC ALRO SA	Temp	9/17/2016 11:51:40 AM	25	gradCels
SC ALRO SA	Clor	9/17/2016 11:48:10 AM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 11:47:30 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 11:47:10 AM	10	mg/l
SC ALRO SA	Temp	9/17/2016 11:46:50 AM	25	gradCels
SC ALRO SA	pH	9/17/2016 11:46:40 AM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 11:46:22 AM	10	mg/l
SC ALRO SA	Clor	9/17/2016 11:46:07 AM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 11:46:06 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 11:46:05 AM	25	gradCels
SC ALRO SA	pH	9/17/2016 11:46:04 AM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 11:41:22 AM	10	mg/l
SC ALRO SA	Clor	9/17/2016 11:40:31 AM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 11:40:30 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 11:40:29 AM	25	gradCels
SC ALRO SA	pH	9/17/2016 11:40:28 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 11:35:08 AM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 11:35:07 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 11:35:06 AM	10	mg/l
SC ALRO SA	Temp	9/17/2016 11:35:05 AM	25	gradCels
SC ALRO SA	pH	9/17/2016 11:35:04 AM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 11:30:22 AM	10	mg/l
SC ALRO SA	Clor	9/17/2016 11:29:40 AM	0	mg/l
SC ALRO SA	Clor	9/17/2016 11:29:29 AM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 11:29:28 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 11:29:27 AM	25	gradCels
SC ALRO SA	pH	9/17/2016 11:29:26 AM	3	unit pH
SC ALRO SA	Grasimi	9/17/2016 11:29:00 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 11:28:50 AM	10	mg/l
SC ALRO SA	Temp	9/17/2016 11:28:10 AM	25	gradCels
SC ALRO SA	pH	9/17/2016 11:28:00 AM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 11:24:22 AM	10	mg/l
SC ALRO SA	Clor	9/17/2016 11:24:07 AM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 11:24:06 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 11:24:05 AM	25	gradCels
SC ALRO SA	pH	9/17/2016 11:24:04 AM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 11:19:22 AM	10	mg/l
SC ALRO SA	Clor	9/17/2016 11:18:29 AM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 11:18:28 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 11:18:27 AM	25	gradCels
SC ALRO SA	pH	9/17/2016 11:18:26 AM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 11:13:22 AM	10	mg/l
SC ALRO SA	Clor	9/17/2016 11:13:07 AM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 11:13:06 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 11:13:05 AM	25	gradCels
SC ALRO SA	pH	9/17/2016 11:13:04 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 11:09:50 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Grasimi	9/17/2016 11:09:30 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 11:09:00 AM	10	mg/l
SC ALRO SA	Temp	9/17/2016 11:08:50 AM	25	gradCels
SC ALRO SA	pH	9/17/2016 11:08:40 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 11:07:30 AM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 11:07:29 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 11:07:28 AM	10	mg/l
SC ALRO SA	Temp	9/17/2016 11:07:27 AM	25	gradCels
SC ALRO SA	pH	9/17/2016 11:07:26 AM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 11:02:22 AM	10	mg/l
SC ALRO SA	Clor	9/17/2016 11:02:07 AM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 11:02:06 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 11:02:05 AM	25	gradCels
SC ALRO SA	pH	9/17/2016 11:02:04 AM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 10:57:28 AM	10	mg/l
SC ALRO SA	Clor	9/17/2016 10:56:25 AM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 10:56:24 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 10:56:23 AM	25	gradCels
SC ALRO SA	pH	9/17/2016 10:56:22 AM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 10:51:21 AM	10	mg/l
SC ALRO SA	Clor	9/17/2016 10:51:08 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 10:51:07 AM	25	gradCels
SC ALRO SA	Grasimi	9/17/2016 10:51:06 AM	0	mg/l
SC ALRO SA	pH	9/17/2016 10:51:05 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 10:50:40 AM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 10:50:10 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 10:49:30 AM	10	mg/l
SC ALRO SA	Temp	9/17/2016 10:49:10 AM	25	gradCels
SC ALRO SA	pH	9/17/2016 10:49:00 AM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 10:46:28 AM	10	mg/l
SC ALRO SA	Clor	9/17/2016 10:45:27 AM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 10:45:26 AM	0	mg/l
SC ALRO SA	pH	9/17/2016 10:45:25 AM	3	unit pH
SC ALRO SA	Temp	9/17/2016 10:45:24 AM	25	gradCels
SC ALRO SA	Substante organice	9/17/2016 10:40:22 AM	10	mg/l
SC ALRO SA	Clor	9/17/2016 10:40:03 AM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 10:40:02 AM	0	mg/l
SC ALRO SA	pH	9/17/2016 10:40:01 AM	3	unit pH
SC ALRO SA	Temp	9/17/2016 10:40:00 AM	25	gradCels
SC ALRO SA	Clor	9/17/2016 10:34:28 AM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 10:34:27 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 10:34:26 AM	10	mg/l
SC ALRO SA	pH	9/17/2016 10:34:25 AM	3	unit pH
SC ALRO SA	Temp	9/17/2016 10:34:24 AM	25	gradCels
SC ALRO SA	Clor	9/17/2016 10:31:40 AM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 10:31:10 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 10:31:00 AM	10	mg/l
SC ALRO SA	Temp	9/17/2016 10:30:50 AM	25	gradCels
SC ALRO SA	pH	9/17/2016 10:30:10 AM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 10:29:22 AM	10	mg/l
SC ALRO SA	Clor	9/17/2016 10:29:07 AM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 10:29:06 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 10:29:05 AM	25	gradCels
SC ALRO SA	pH	9/17/2016 10:29:04 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 10:23:31 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 10:23:30 AM	10	mg/l
SC ALRO SA	Grasimi	9/17/2016 10:23:26 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 10:23:25 AM	25	gradCels
SC ALRO SA	pH	9/17/2016 10:23:24 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 10:18:22 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 10:18:21 AM	10	mg/l
SC ALRO SA	Grasimi	9/17/2016 10:18:02 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 10:18:01 AM	25	gradCels
SC ALRO SA	pH	9/17/2016 10:18:00 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 10:12:31 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 10:12:30 AM	10	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Grasimi	9/17/2016 10:12:22 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 10:12:21 AM	25	gradCels
SC ALRO SA	pH	9/17/2016 10:12:20 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 10:11:50 AM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 10:10:50 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 10:10:40 AM	10	mg/l
SC ALRO SA	Temp	9/17/2016 10:10:00 AM	25	gradCels
SC ALRO SA	pH	9/17/2016 10:09:50 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 10:07:22 AM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 10:07:03 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 10:07:02 AM	10	mg/l
SC ALRO SA	Temp	9/17/2016 10:07:01 AM	25	gradCels
SC ALRO SA	pH	9/17/2016 10:07:00 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 10:01:30 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 10:01:29 AM	9	mg/l
SC ALRO SA	Grasimi	9/17/2016 10:01:22 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 10:01:21 AM	25	gradCels
SC ALRO SA	pH	9/17/2016 10:01:20 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 9:56:23 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 9:56:22 AM	9	mg/l
SC ALRO SA	Grasimi	9/17/2016 9:55:42 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 9:55:41 AM	25	gradCels
SC ALRO SA	pH	9/17/2016 9:55:40 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 9:51:30 AM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 9:50:50 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 9:50:40 AM	9	mg/l
SC ALRO SA	Clor	9/17/2016 9:50:31 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 9:50:30 AM	9	mg/l
SC ALRO SA	Grasimi	9/17/2016 9:50:22 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 9:50:21 AM	25	gradCels
SC ALRO SA	pH	9/17/2016 9:50:20 AM	3	unit pH
SC ALRO SA	Temp	9/17/2016 9:50:00 AM	25	gradCels
SC ALRO SA	pH	9/17/2016 9:49:50 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 9:45:23 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 9:45:22 AM	9	mg/l
SC ALRO SA	Grasimi	9/17/2016 9:44:42 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 9:44:41 AM	25	gradCels
SC ALRO SA	pH	9/17/2016 9:44:40 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 9:39:31 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 9:39:30 AM	9	mg/l
SC ALRO SA	Grasimi	9/17/2016 9:39:22 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 9:39:21 AM	25	gradCels
SC ALRO SA	pH	9/17/2016 9:39:20 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 9:34:21 AM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 9:33:43 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 9:33:42 AM	9	mg/l
SC ALRO SA	Temp	9/17/2016 9:33:41 AM	25	gradCels
SC ALRO SA	pH	9/17/2016 9:33:40 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 9:32:10 AM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 9:31:50 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 9:31:20 AM	10	mg/l
SC ALRO SA	Temp	9/17/2016 9:31:10 AM	25	gradCels
SC ALRO SA	pH	9/17/2016 9:31:00 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 9:28:31 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 9:28:30 AM	10	mg/l
SC ALRO SA	Grasimi	9/17/2016 9:28:26 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 9:28:25 AM	25	gradCels
SC ALRO SA	pH	9/17/2016 9:28:24 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 9:23:22 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 9:23:21 AM	10	mg/l
SC ALRO SA	Grasimi	9/17/2016 9:22:47 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 9:22:46 AM	25	gradCels
SC ALRO SA	pH	9/17/2016 9:22:45 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 9:17:31 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 9:17:30 AM	10	mg/l
SC ALRO SA	Grasimi	9/17/2016 9:17:27 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	9/17/2016 9:17:26 AM	25	gradCels
SC ALRO SA	pH	9/17/2016 9:17:25 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 9:12:30 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 9:12:21 AM	10	mg/l
SC ALRO SA	Grasimi	9/17/2016 9:12:00 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 9:11:50 AM	10	mg/l
SC ALRO SA	Clor	9/17/2016 9:11:48 AM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 9:11:47 AM	0	mg/l
SC ALRO SA	pH	9/17/2016 9:11:46 AM	3	unit pH
SC ALRO SA	Temp	9/17/2016 9:11:45 AM	25	gradCels
SC ALRO SA	Temp	9/17/2016 9:11:30 AM	25	gradCels
SC ALRO SA	pH	9/17/2016 9:11:10 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 9:06:29 AM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 9:06:28 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 9:06:27 AM	10	mg/l
SC ALRO SA	Temp	9/17/2016 9:06:26 AM	25	gradCels
SC ALRO SA	pH	9/17/2016 9:06:25 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 9:01:27 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 9:01:26 AM	9	mg/l
SC ALRO SA	Grasimi	9/17/2016 9:01:22 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 9:01:21 AM	25	gradCels
SC ALRO SA	pH	9/17/2016 9:01:20 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 8:56:22 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 8:56:21 AM	9	mg/l
SC ALRO SA	Grasimi	9/17/2016 8:55:42 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 8:55:41 AM	25	gradCels
SC ALRO SA	pH	9/17/2016 8:55:40 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 8:52:10 AM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 8:51:50 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 8:51:30 AM	9	mg/l
SC ALRO SA	Temp	9/17/2016 8:51:10 AM	25	gradCels
SC ALRO SA	pH	9/17/2016 8:50:40 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 8:50:28 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 8:50:27 AM	9	mg/l
SC ALRO SA	Grasimi	9/17/2016 8:50:24 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 8:50:22 AM	25	gradCels
SC ALRO SA	pH	9/17/2016 8:50:20 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 8:45:21 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 8:45:20 AM	9	mg/l
SC ALRO SA	Grasimi	9/17/2016 8:44:42 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 8:44:41 AM	25	gradCels
SC ALRO SA	pH	9/17/2016 8:44:40 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 8:39:23 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 8:39:21 AM	9	mg/l
SC ALRO SA	Grasimi	9/17/2016 8:39:02 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 8:39:01 AM	25	gradCels
SC ALRO SA	pH	9/17/2016 8:39:00 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 8:34:26 AM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 8:33:43 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 8:33:42 AM	9	mg/l
SC ALRO SA	Temp	9/17/2016 8:33:41 AM	25	gradCels
SC ALRO SA	pH	9/17/2016 8:33:40 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 8:33:10 AM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 8:32:40 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 8:32:30 AM	9	mg/l
SC ALRO SA	Temp	9/17/2016 8:32:10 AM	25	gradCels
SC ALRO SA	pH	9/17/2016 8:31:30 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 8:28:22 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 8:28:21 AM	9	mg/l
SC ALRO SA	Grasimi	9/17/2016 8:28:02 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 8:28:01 AM	25	gradCels
SC ALRO SA	pH	9/17/2016 8:28:00 AM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 8:23:26 AM	9	mg/l
SC ALRO SA	Clor	9/17/2016 8:22:43 AM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 8:22:42 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 8:22:41 AM	25	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	9/17/2016 8:22:40 AM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 8:17:21 AM	9	mg/l
SC ALRO SA	Clor	9/17/2016 8:17:03 AM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 8:17:02 AM	0	mg/l
SC ALRO SA	pH	9/17/2016 8:17:01 AM	3	unit pH
SC ALRO SA	Temp	9/17/2016 8:17:00 AM	25	gradCels
SC ALRO SA	Clor	9/17/2016 8:13:50 AM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 8:13:30 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 8:13:10 AM	9	mg/l
SC ALRO SA	Temp	9/17/2016 8:12:50 AM	25	gradCels
SC ALRO SA	pH	9/17/2016 8:12:40 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 8:12:27 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 8:12:26 AM	9	mg/l
SC ALRO SA	Grasimi	9/17/2016 8:11:42 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 8:11:41 AM	25	gradCels
SC ALRO SA	pH	9/17/2016 8:11:40 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 8:06:21 AM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 8:06:03 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 8:06:02 AM	9	mg/l
SC ALRO SA	Temp	9/17/2016 8:06:01 AM	25	gradCels
SC ALRO SA	pH	9/17/2016 8:06:00 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 8:01:27 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 8:01:26 AM	9	mg/l
SC ALRO SA	Grasimi	9/17/2016 8:00:42 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 8:00:41 AM	25	gradCels
SC ALRO SA	pH	9/17/2016 8:00:40 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 7:55:22 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 7:55:21 AM	9	mg/l
SC ALRO SA	Grasimi	9/17/2016 7:55:02 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 7:55:01 AM	25	gradCels
SC ALRO SA	pH	9/17/2016 7:55:00 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 7:54:10 AM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 7:53:50 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 7:53:40 AM	9	mg/l
SC ALRO SA	Temp	9/17/2016 7:52:50 AM	25	gradCels
SC ALRO SA	pH	9/17/2016 7:52:30 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 7:50:28 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 7:50:26 AM	9	mg/l
SC ALRO SA	Grasimi	9/17/2016 7:49:23 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 7:49:22 AM	25	gradCels
SC ALRO SA	pH	9/17/2016 7:49:21 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 7:44:22 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 7:44:21 AM	9	mg/l
SC ALRO SA	Grasimi	9/17/2016 7:44:02 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 7:44:01 AM	25	gradCels
SC ALRO SA	pH	9/17/2016 7:44:00 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 7:39:26 AM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 7:38:24 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 7:38:23 AM	9	mg/l
SC ALRO SA	Temp	9/17/2016 7:38:22 AM	25	gradCels
SC ALRO SA	pH	9/17/2016 7:38:21 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 7:35:10 AM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 7:34:50 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 7:34:40 AM	9	mg/l
SC ALRO SA	Temp	9/17/2016 7:34:30 AM	25	gradCels
SC ALRO SA	pH	9/17/2016 7:34:10 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 7:33:22 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 7:33:21 AM	9	mg/l
SC ALRO SA	Grasimi	9/17/2016 7:33:02 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 7:33:01 AM	25	gradCels
SC ALRO SA	pH	9/17/2016 7:33:00 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 7:28:23 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 7:28:22 AM	9	mg/l
SC ALRO SA	Grasimi	9/17/2016 7:27:23 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 7:27:22 AM	25	gradCels
SC ALRO SA	pH	9/17/2016 7:27:21 AM	3	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	9/17/2016 7:22:21 AM	9	mg/l
SC ALRO SA	Clor	9/17/2016 7:22:20 AM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 7:22:02 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 7:22:01 AM	25	gradCels
SC ALRO SA	pH	9/17/2016 7:22:00 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 7:17:23 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 7:17:22 AM	9	mg/l
SC ALRO SA	Grasimi	9/17/2016 7:16:23 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 7:16:22 AM	25	gradCels
SC ALRO SA	pH	9/17/2016 7:16:21 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 7:15:10 AM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 7:14:50 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 7:14:10 AM	9	mg/l
SC ALRO SA	Temp	9/17/2016 7:13:50 AM	25	gradCels
SC ALRO SA	pH	9/17/2016 7:13:40 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 7:11:22 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 7:11:21 AM	9	mg/l
SC ALRO SA	Grasimi	9/17/2016 7:11:02 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 7:11:01 AM	25	gradCels
SC ALRO SA	pH	9/17/2016 7:11:00 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 7:05:26 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 7:05:25 AM	9	mg/l
SC ALRO SA	Grasimi	9/17/2016 7:05:22 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 7:05:21 AM	25	gradCels
SC ALRO SA	pH	9/17/2016 7:05:20 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 7:00:22 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 7:00:21 AM	9	mg/l
SC ALRO SA	Grasimi	9/17/2016 7:00:02 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 7:00:01 AM	25	gradCels
SC ALRO SA	pH	9/17/2016 7:00:00 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 6:55:40 AM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 6:55:10 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 6:54:50 AM	9	mg/l
SC ALRO SA	Temp	9/17/2016 6:54:40 AM	25	gradCels
SC ALRO SA	pH	9/17/2016 6:54:30 AM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 6:54:26 AM	9	mg/l
SC ALRO SA	Clor	9/17/2016 6:54:25 AM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 6:54:22 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 6:54:21 AM	25	gradCels
SC ALRO SA	pH	9/17/2016 6:54:20 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 6:49:21 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 6:49:20 AM	9	mg/l
SC ALRO SA	Grasimi	9/17/2016 6:49:02 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 6:49:01 AM	25	gradCels
SC ALRO SA	pH	9/17/2016 6:49:00 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 6:43:26 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 6:43:25 AM	9	mg/l
SC ALRO SA	Grasimi	9/17/2016 6:43:22 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 6:43:21 AM	25	gradCels
SC ALRO SA	pH	9/17/2016 6:43:20 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 6:38:22 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 6:38:21 AM	9	mg/l
SC ALRO SA	Grasimi	9/17/2016 6:37:42 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 6:37:41 AM	26	gradCels
SC ALRO SA	pH	9/17/2016 6:37:40 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 6:36:10 AM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 6:35:10 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 6:35:00 AM	9	mg/l
SC ALRO SA	Temp	9/17/2016 6:34:50 AM	26	gradCels
SC ALRO SA	pH	9/17/2016 6:34:40 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 6:32:27 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 6:32:26 AM	9	mg/l
SC ALRO SA	Grasimi	9/17/2016 6:32:23 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 6:32:22 AM	26	gradCels
SC ALRO SA	pH	9/17/2016 6:32:21 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 6:27:21 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	9/17/2016 6:27:20 AM	9	mg/l
SC ALRO SA	Grasimi	9/17/2016 6:26:42 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 6:26:41 AM	26	gradCels
SC ALRO SA	pH	9/17/2016 6:26:40 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 6:21:25 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 6:21:24 AM	9	mg/l
SC ALRO SA	Grasimi	9/17/2016 6:21:22 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 6:21:21 AM	26	gradCels
SC ALRO SA	pH	9/17/2016 6:21:20 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 6:16:40 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 6:16:27 AM	9	mg/l
SC ALRO SA	Clor	9/17/2016 6:16:26 AM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 6:16:10 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 6:16:00 AM	9	mg/l
SC ALRO SA	Temp	9/17/2016 6:15:50 AM	26	gradCels
SC ALRO SA	Grasimi	9/17/2016 6:15:42 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 6:15:41 AM	26	gradCels
SC ALRO SA	pH	9/17/2016 6:15:40 AM	3	unit pH
SC ALRO SA	pH	9/17/2016 6:15:30 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 6:10:26 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 6:10:25 AM	9	mg/l
SC ALRO SA	Grasimi	9/17/2016 6:10:22 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 6:10:21 AM	26	gradCels
SC ALRO SA	pH	9/17/2016 6:10:20 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 6:05:26 AM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 6:04:43 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 6:04:42 AM	9	mg/l
SC ALRO SA	pH	9/17/2016 6:04:41 AM	3	unit pH
SC ALRO SA	Temp	9/17/2016 6:04:40 AM	26	gradCels
SC ALRO SA	Clor	9/17/2016 5:59:26 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 5:59:25 AM	9	mg/l
SC ALRO SA	Grasimi	9/17/2016 5:59:22 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 5:59:21 AM	26	gradCels
SC ALRO SA	pH	9/17/2016 5:59:20 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 5:56:50 AM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 5:56:10 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 5:56:00 AM	9	mg/l
SC ALRO SA	Temp	9/17/2016 5:55:50 AM	26	gradCels
SC ALRO SA	pH	9/17/2016 5:55:20 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 5:54:27 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 5:54:26 AM	9	mg/l
SC ALRO SA	Grasimi	9/17/2016 5:53:42 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 5:53:41 AM	26	gradCels
SC ALRO SA	pH	9/17/2016 5:53:40 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 5:48:24 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 5:48:23 AM	9	mg/l
SC ALRO SA	Grasimi	9/17/2016 5:48:22 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 5:48:21 AM	26	gradCels
SC ALRO SA	pH	9/17/2016 5:48:20 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 5:43:27 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 5:43:26 AM	9	mg/l
SC ALRO SA	Grasimi	9/17/2016 5:42:42 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 5:42:41 AM	26	gradCels
SC ALRO SA	pH	9/17/2016 5:42:40 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 5:38:10 AM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 5:37:50 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 5:37:30 AM	9	mg/l
SC ALRO SA	Clor	9/17/2016 5:37:21 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 5:37:10 AM	26	gradCels
SC ALRO SA	Grasimi	9/17/2016 5:37:03 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 5:37:02 AM	9	mg/l
SC ALRO SA	pH	9/17/2016 5:37:01 AM	3	unit pH
SC ALRO SA	Temp	9/17/2016 5:37:00 AM	26	gradCels
SC ALRO SA	pH	9/17/2016 5:36:50 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 5:32:27 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 5:32:26 AM	9	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Grasimi	9/17/2016 5:31:42 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 5:31:41 AM	26	gradCels
SC ALRO SA	pH	9/17/2016 5:31:40 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 5:26:25 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 5:26:22 AM	9	mg/l
SC ALRO SA	Grasimi	9/17/2016 5:26:03 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 5:26:02 AM	26	gradCels
SC ALRO SA	pH	9/17/2016 5:26:00 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 5:21:27 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 5:21:26 AM	9	mg/l
SC ALRO SA	Grasimi	9/17/2016 5:20:42 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 5:20:41 AM	26	gradCels
SC ALRO SA	pH	9/17/2016 5:20:40 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 5:17:50 AM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 5:17:30 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 5:17:10 AM	9	mg/l
SC ALRO SA	Temp	9/17/2016 5:16:50 AM	26	gradCels
SC ALRO SA	pH	9/17/2016 5:16:40 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 5:15:22 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 5:15:21 AM	9	mg/l
SC ALRO SA	Grasimi	9/17/2016 5:15:02 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 5:15:01 AM	26	gradCels
SC ALRO SA	pH	9/17/2016 5:15:00 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 5:10:22 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 5:10:21 AM	9	mg/l
SC ALRO SA	Grasimi	9/17/2016 5:09:28 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 5:09:27 AM	26	gradCels
SC ALRO SA	pH	9/17/2016 5:09:26 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 5:05:22 AM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 5:04:43 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 5:04:42 AM	9	mg/l
SC ALRO SA	Temp	9/17/2016 5:04:41 AM	26	gradCels
SC ALRO SA	pH	9/17/2016 5:04:40 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 4:59:23 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 4:59:22 AM	9	mg/l
SC ALRO SA	Clor	9/17/2016 4:59:10 AM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 4:59:02 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 4:59:01 AM	26	gradCels
SC ALRO SA	pH	9/17/2016 4:59:00 AM	3	unit pH
SC ALRO SA	Grasimi	9/17/2016 4:58:40 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 4:58:30 AM	9	mg/l
SC ALRO SA	Temp	9/17/2016 4:58:10 AM	26	gradCels
SC ALRO SA	pH	9/17/2016 4:57:50 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 4:54:23 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 4:54:22 AM	9	mg/l
SC ALRO SA	Grasimi	9/17/2016 4:53:42 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 4:53:41 AM	26	gradCels
SC ALRO SA	pH	9/17/2016 4:53:40 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 4:48:21 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 4:48:20 AM	9	mg/l
SC ALRO SA	Grasimi	9/17/2016 4:48:02 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 4:48:01 AM	26	gradCels
SC ALRO SA	pH	9/17/2016 4:48:00 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 4:43:24 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 4:43:23 AM	9	mg/l
SC ALRO SA	Grasimi	9/17/2016 4:42:23 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 4:42:22 AM	26	gradCels
SC ALRO SA	pH	9/17/2016 4:42:21 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 4:38:10 AM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 4:37:50 AM	0	mg/l
SC ALRO SA	Clor	9/17/2016 4:37:20 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 4:37:10 AM	9	mg/l
SC ALRO SA	Grasimi	9/17/2016 4:37:03 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 4:37:02 AM	9	mg/l
SC ALRO SA	Temp	9/17/2016 4:37:01 AM	26	gradCels
SC ALRO SA	pH	9/17/2016 4:37:00 AM	3	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	9/17/2016 4:36:40 AM	26	gradCels
SC ALRO SA	pH	9/17/2016 4:36:30 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 4:32:23 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 4:32:22 AM	9	mg/l
SC ALRO SA	Grasimi	9/17/2016 4:31:23 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 4:31:22 AM	26	gradCels
SC ALRO SA	pH	9/17/2016 4:31:21 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 4:26:21 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 4:26:20 AM	9	mg/l
SC ALRO SA	Grasimi	9/17/2016 4:26:02 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 4:26:01 AM	26	gradCels
SC ALRO SA	pH	9/17/2016 4:26:00 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 4:21:23 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 4:21:22 AM	9	mg/l
SC ALRO SA	Grasimi	9/17/2016 4:20:22 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 4:20:21 AM	26	gradCels
SC ALRO SA	pH	9/17/2016 4:20:20 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 4:17:00 AM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 4:16:30 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 4:16:10 AM	9	mg/l
SC ALRO SA	Temp	9/17/2016 4:16:00 AM	26	gradCels
SC ALRO SA	pH	9/17/2016 4:15:50 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 4:15:22 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 4:15:21 AM	9	mg/l
SC ALRO SA	Grasimi	9/17/2016 4:14:48 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 4:14:47 AM	26	gradCels
SC ALRO SA	pH	9/17/2016 4:14:45 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 4:09:26 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 4:09:25 AM	9	mg/l
SC ALRO SA	Grasimi	9/17/2016 4:09:22 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 4:09:21 AM	26	gradCels
SC ALRO SA	pH	9/17/2016 4:09:20 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 4:04:22 AM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 4:03:47 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 4:03:46 AM	9	mg/l
SC ALRO SA	Temp	9/17/2016 4:03:45 AM	26	gradCels
SC ALRO SA	pH	9/17/2016 4:03:44 AM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 3:58:28 AM	9	mg/l
SC ALRO SA	Clor	9/17/2016 3:58:24 AM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 3:58:23 AM	0	mg/l
SC ALRO SA	pH	9/17/2016 3:58:22 AM	3	unit pH
SC ALRO SA	Temp	9/17/2016 3:58:21 AM	26	gradCels
SC ALRO SA	Clor	9/17/2016 3:58:20 AM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 3:57:40 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 3:57:30 AM	9	mg/l
SC ALRO SA	Temp	9/17/2016 3:57:20 AM	26	gradCels
SC ALRO SA	pH	9/17/2016 3:57:10 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 3:53:23 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 3:53:22 AM	9	mg/l
SC ALRO SA	Grasimi	9/17/2016 3:52:46 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 3:52:45 AM	26	gradCels
SC ALRO SA	pH	9/17/2016 3:52:44 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 3:47:25 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 3:47:24 AM	9	mg/l
SC ALRO SA	Grasimi	9/17/2016 3:47:22 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 3:47:21 AM	26	gradCels
SC ALRO SA	pH	9/17/2016 3:47:20 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 3:42:23 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 3:42:21 AM	9	mg/l
SC ALRO SA	Grasimi	9/17/2016 3:41:47 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 3:41:46 AM	26	gradCels
SC ALRO SA	pH	9/17/2016 3:41:45 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 3:38:10 AM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 3:37:40 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 3:37:30 AM	9	mg/l
SC ALRO SA	Temp	9/17/2016 3:37:10 AM	26	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	9/17/2016 3:37:00 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 3:36:26 AM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 3:36:23 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 3:36:22 AM	9	mg/l
SC ALRO SA	Temp	9/17/2016 3:36:21 AM	26	gradCels
SC ALRO SA	pH	9/17/2016 3:36:20 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 3:31:22 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 3:31:21 AM	9	mg/l
SC ALRO SA	Grasimi	9/17/2016 3:30:47 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 3:30:46 AM	26	gradCels
SC ALRO SA	pH	9/17/2016 3:30:45 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 3:25:26 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 3:25:25 AM	9	mg/l
SC ALRO SA	Grasimi	9/17/2016 3:25:22 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 3:25:21 AM	26	gradCels
SC ALRO SA	pH	9/17/2016 3:25:20 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 3:20:22 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 3:20:21 AM	9	mg/l
SC ALRO SA	Grasimi	9/17/2016 3:19:42 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 3:19:41 AM	26	gradCels
SC ALRO SA	pH	9/17/2016 3:19:40 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 3:18:50 AM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 3:18:30 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 3:18:10 AM	9	mg/l
SC ALRO SA	Temp	9/17/2016 3:18:00 AM	26	gradCels
SC ALRO SA	pH	9/17/2016 3:17:50 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 3:14:22 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 3:14:21 AM	9	mg/l
SC ALRO SA	Grasimi	9/17/2016 3:14:07 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 3:14:06 AM	26	gradCels
SC ALRO SA	pH	9/17/2016 3:14:05 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 3:09:21 AM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 3:08:43 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 3:08:42 AM	9	mg/l
SC ALRO SA	Temp	9/17/2016 3:08:41 AM	26	gradCels
SC ALRO SA	pH	9/17/2016 3:08:40 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 3:03:22 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 3:03:21 AM	9	mg/l
SC ALRO SA	Grasimi	9/17/2016 3:03:07 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 3:03:06 AM	26	gradCels
SC ALRO SA	pH	9/17/2016 3:03:05 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 2:59:10 AM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 2:58:50 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 2:58:30 AM	9	mg/l
SC ALRO SA	Clor	9/17/2016 2:58:22 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 2:58:21 AM	9	mg/l
SC ALRO SA	Temp	9/17/2016 2:58:10 AM	26	gradCels
SC ALRO SA	pH	9/17/2016 2:58:00 AM	3	unit pH
SC ALRO SA	Grasimi	9/17/2016 2:57:42 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 2:57:41 AM	26	gradCels
SC ALRO SA	pH	9/17/2016 2:57:40 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 2:52:22 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 2:52:20 AM	9	mg/l
SC ALRO SA	Grasimi	9/17/2016 2:52:08 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 2:52:07 AM	26	gradCels
SC ALRO SA	pH	9/17/2016 2:52:06 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 2:47:22 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 2:47:21 AM	9	mg/l
SC ALRO SA	Grasimi	9/17/2016 2:46:42 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 2:46:41 AM	26	gradCels
SC ALRO SA	pH	9/17/2016 2:46:40 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 2:41:22 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 2:41:21 AM	9	mg/l
SC ALRO SA	Grasimi	9/17/2016 2:41:07 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 2:41:06 AM	26	gradCels
SC ALRO SA	pH	9/17/2016 2:41:05 AM	3	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Clor	9/17/2016 2:39:50 AM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 2:39:30 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 2:39:10 AM	9	mg/l
SC ALRO SA	Temp	9/17/2016 2:38:40 AM	26	gradCels
SC ALRO SA	pH	9/17/2016 2:38:30 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 2:36:22 AM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 2:35:43 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 2:35:42 AM	9	mg/l
SC ALRO SA	Temp	9/17/2016 2:35:41 AM	26	gradCels
SC ALRO SA	pH	9/17/2016 2:35:40 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 2:30:23 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 2:30:22 AM	9	mg/l
SC ALRO SA	Grasimi	9/17/2016 2:30:06 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 2:30:05 AM	26	gradCels
SC ALRO SA	pH	9/17/2016 2:30:04 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 2:25:21 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 2:25:20 AM	9	mg/l
SC ALRO SA	Grasimi	9/17/2016 2:24:28 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 2:24:27 AM	26	gradCels
SC ALRO SA	pH	9/17/2016 2:24:26 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 2:20:50 AM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 2:20:10 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 2:20:00 AM	9	mg/l
SC ALRO SA	Temp	9/17/2016 2:19:50 AM	26	gradCels
SC ALRO SA	pH	9/17/2016 2:19:40 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 2:19:22 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 2:19:21 AM	9	mg/l
SC ALRO SA	Grasimi	9/17/2016 2:19:02 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 2:19:01 AM	26	gradCels
SC ALRO SA	pH	9/17/2016 2:19:00 AM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 2:14:21 AM	9	mg/l
SC ALRO SA	Clor	9/17/2016 2:14:20 AM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 2:13:28 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 2:13:27 AM	26	gradCels
SC ALRO SA	pH	9/17/2016 2:13:26 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 2:08:22 AM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 2:08:03 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 2:08:02 AM	9	mg/l
SC ALRO SA	Temp	9/17/2016 2:08:01 AM	27	gradCels
SC ALRO SA	pH	9/17/2016 2:08:00 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 2:03:22 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 2:03:20 AM	9	mg/l
SC ALRO SA	Grasimi	9/17/2016 2:02:28 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 2:02:27 AM	27	gradCels
SC ALRO SA	pH	9/17/2016 2:02:26 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 2:01:50 AM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 2:01:30 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 2:01:10 AM	9	mg/l
SC ALRO SA	Temp	9/17/2016 2:01:00 AM	27	gradCels
SC ALRO SA	pH	9/17/2016 2:00:50 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 1:57:23 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 1:57:22 AM	9	mg/l
SC ALRO SA	Grasimi	9/17/2016 1:57:02 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 1:57:01 AM	27	gradCels
SC ALRO SA	pH	9/17/2016 1:57:00 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 1:52:21 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 1:52:20 AM	9	mg/l
SC ALRO SA	Grasimi	9/17/2016 1:51:28 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 1:51:27 AM	27	gradCels
SC ALRO SA	pH	9/17/2016 1:51:26 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 1:46:23 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 1:46:22 AM	9	mg/l
SC ALRO SA	Grasimi	9/17/2016 1:45:46 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 1:45:45 AM	27	gradCels
SC ALRO SA	pH	9/17/2016 1:45:44 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 1:44:00 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Grasimi	9/17/2016 1:43:30 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 1:42:10 AM	9	mg/l
SC ALRO SA	Temp	9/17/2016 1:41:40 AM	27	gradCels
SC ALRO SA	pH	9/17/2016 1:41:30 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 1:41:21 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 1:41:20 AM	9	mg/l
SC ALRO SA	Grasimi	9/17/2016 1:41:02 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 1:41:01 AM	27	gradCels
SC ALRO SA	pH	9/17/2016 1:41:00 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 1:36:20 AM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 1:35:29 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 1:35:28 AM	9	mg/l
SC ALRO SA	Temp	9/17/2016 1:35:27 AM	27	gradCels
SC ALRO SA	pH	9/17/2016 1:35:26 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 1:30:23 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 1:30:22 AM	9	mg/l
SC ALRO SA	Grasimi	9/17/2016 1:29:47 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 1:29:46 AM	27	gradCels
SC ALRO SA	pH	9/17/2016 1:29:45 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 1:25:27 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 1:25:26 AM	9	mg/l
SC ALRO SA	Clor	9/17/2016 1:24:40 AM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 1:24:28 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 1:24:27 AM	27	gradCels
SC ALRO SA	pH	9/17/2016 1:24:26 AM	3	unit pH
SC ALRO SA	Grasimi	9/17/2016 1:24:00 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 1:23:50 AM	9	mg/l
SC ALRO SA	Temp	9/17/2016 1:23:40 AM	27	gradCels
SC ALRO SA	pH	9/17/2016 1:23:30 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 1:19:22 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 1:19:21 AM	9	mg/l
SC ALRO SA	Grasimi	9/17/2016 1:18:47 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 1:18:46 AM	27	gradCels
SC ALRO SA	pH	9/17/2016 1:18:45 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 1:14:27 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 1:14:26 AM	9	mg/l
SC ALRO SA	Grasimi	9/17/2016 1:13:24 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 1:13:23 AM	27	gradCels
SC ALRO SA	pH	9/17/2016 1:13:22 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 1:08:22 AM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 1:07:47 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 1:07:46 AM	9	mg/l
SC ALRO SA	Temp	9/17/2016 1:07:45 AM	27	gradCels
SC ALRO SA	pH	9/17/2016 1:07:44 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 1:06:50 AM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 1:06:30 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 1:06:20 AM	9	mg/l
SC ALRO SA	Temp	9/17/2016 1:06:10 AM	27	gradCels
SC ALRO SA	pH	9/17/2016 1:06:00 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 1:02:27 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 1:02:26 AM	9	mg/l
SC ALRO SA	Grasimi	9/17/2016 1:02:22 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 1:02:21 AM	27	gradCels
SC ALRO SA	pH	9/17/2016 1:02:20 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 12:57:23 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 12:57:22 AM	9	mg/l
SC ALRO SA	Grasimi	9/17/2016 12:56:46 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 12:56:45 AM	27	gradCels
SC ALRO SA	pH	9/17/2016 12:56:44 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 12:51:26 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 12:51:25 AM	9	mg/l
SC ALRO SA	Grasimi	9/17/2016 12:51:22 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 12:51:21 AM	27	gradCels
SC ALRO SA	pH	9/17/2016 12:51:20 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 12:48:50 AM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 12:47:30 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	9/17/2016 12:47:10 AM	9	mg/l
SC ALRO SA	Temp	9/17/2016 12:47:00 AM	27	gradCels
SC ALRO SA	pH	9/17/2016 12:46:50 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 12:46:23 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 12:46:22 AM	9	mg/l
SC ALRO SA	Grasimi	9/17/2016 12:45:46 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 12:45:45 AM	27	gradCels
SC ALRO SA	pH	9/17/2016 12:45:44 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 12:40:27 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 12:40:26 AM	9	mg/l
SC ALRO SA	Grasimi	9/17/2016 12:40:22 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 12:40:21 AM	27	gradCels
SC ALRO SA	pH	9/17/2016 12:40:20 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 12:35:22 AM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 12:34:47 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 12:34:46 AM	9	mg/l
SC ALRO SA	Temp	9/17/2016 12:34:45 AM	27	gradCels
SC ALRO SA	pH	9/17/2016 12:34:44 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 12:30:00 AM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 12:29:40 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 12:29:30 AM	9	mg/l
SC ALRO SA	Clor	9/17/2016 12:29:27 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 12:29:26 AM	9	mg/l
SC ALRO SA	Grasimi	9/17/2016 12:29:22 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 12:29:21 AM	27	gradCels
SC ALRO SA	pH	9/17/2016 12:29:20 AM	3	unit pH
SC ALRO SA	Temp	9/17/2016 12:28:50 AM	27	gradCels
SC ALRO SA	pH	9/17/2016 12:28:40 AM	3	unit pH
SC ALRO SA	Substante organice	9/17/2016 12:24:22 AM	9	mg/l
SC ALRO SA	Clor	9/17/2016 12:23:47 AM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 12:23:46 AM	0	mg/l
SC ALRO SA	pH	9/17/2016 12:23:45 AM	3	unit pH
SC ALRO SA	Temp	9/17/2016 12:23:44 AM	27	gradCels
SC ALRO SA	Substante organice	9/17/2016 12:18:25 AM	9	mg/l
SC ALRO SA	Clor	9/17/2016 12:18:23 AM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 12:18:22 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 12:18:21 AM	27	gradCels
SC ALRO SA	pH	9/17/2016 12:18:20 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 12:13:23 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 12:13:22 AM	9	mg/l
SC ALRO SA	Grasimi	9/17/2016 12:12:42 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 12:12:41 AM	27	gradCels
SC ALRO SA	pH	9/17/2016 12:12:40 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 12:11:30 AM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 12:11:10 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 12:11:00 AM	9	mg/l
SC ALRO SA	Temp	9/17/2016 12:10:50 AM	27	gradCels
SC ALRO SA	pH	9/17/2016 12:10:40 AM	3	unit pH
SC ALRO SA	Clor	9/17/2016 12:07:25 AM	0	mg/l
SC ALRO SA	Grasimi	9/17/2016 12:07:23 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 12:07:22 AM	9	mg/l
SC ALRO SA	pH	9/17/2016 12:07:21 AM	3	unit pH
SC ALRO SA	Temp	9/17/2016 12:07:20 AM	27	gradCels
SC ALRO SA	Clor	9/17/2016 12:02:23 AM	0	mg/l
SC ALRO SA	Substante organice	9/17/2016 12:02:22 AM	9	mg/l
SC ALRO SA	Grasimi	9/17/2016 12:01:42 AM	0	mg/l
SC ALRO SA	Temp	9/17/2016 12:01:41 AM	27	gradCels
SC ALRO SA	pH	9/17/2016 12:01:40 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 11:56:25 PM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 11:56:24 PM	9	mg/l
SC ALRO SA	Grasimi	9/16/2016 11:56:22 PM	0	mg/l
SC ALRO SA	Temp	9/16/2016 11:56:21 PM	27	gradCels
SC ALRO SA	pH	9/16/2016 11:56:20 PM	3	unit pH
SC ALRO SA	Clor	9/16/2016 11:52:00 PM	0	mg/l
SC ALRO SA	Clor	9/16/2016 11:51:22 PM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 11:51:21 PM	9	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Grasimi	9/16/2016 11:51:10 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 11:50:42 PM	0	mg/l
SC ALRO SA	Temp	9/16/2016 11:50:41 PM	27	gradCels
SC ALRO SA	pH	9/16/2016 11:50:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 11:50:30 PM	9	mg/l
SC ALRO SA	Temp	9/16/2016 11:50:20 PM	27	gradCels
SC ALRO SA	pH	9/16/2016 11:50:10 PM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 11:45:20 PM	9	mg/l
SC ALRO SA	Clor	9/16/2016 11:45:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 11:45:02 PM	0	mg/l
SC ALRO SA	Temp	9/16/2016 11:45:01 PM	27	gradCels
SC ALRO SA	pH	9/16/2016 11:45:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 11:40:22 PM	9	mg/l
SC ALRO SA	Clor	9/16/2016 11:39:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 11:39:42 PM	0	mg/l
SC ALRO SA	Temp	9/16/2016 11:39:41 PM	27	gradCels
SC ALRO SA	pH	9/16/2016 11:39:40 PM	3	unit pH
SC ALRO SA	Clor	9/16/2016 11:34:20 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 11:34:03 PM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 11:34:02 PM	9	mg/l
SC ALRO SA	pH	9/16/2016 11:34:01 PM	3	unit pH
SC ALRO SA	Temp	9/16/2016 11:34:00 PM	27	gradCels
SC ALRO SA	Clor	9/16/2016 11:32:30 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 11:31:40 PM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 11:31:31 PM	9	mg/l
SC ALRO SA	Temp	9/16/2016 11:31:20 PM	27	gradCels
SC ALRO SA	pH	9/16/2016 11:30:10 PM	3	unit pH
SC ALRO SA	Clor	9/16/2016 11:29:23 PM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 11:29:22 PM	9	mg/l
SC ALRO SA	Grasimi	9/16/2016 11:28:42 PM	0	mg/l
SC ALRO SA	Temp	9/16/2016 11:28:41 PM	27	gradCels
SC ALRO SA	pH	9/16/2016 11:28:40 PM	3	unit pH
SC ALRO SA	Clor	9/16/2016 11:23:21 PM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 11:23:20 PM	9	mg/l
SC ALRO SA	Grasimi	9/16/2016 11:23:02 PM	0	mg/l
SC ALRO SA	Temp	9/16/2016 11:23:01 PM	27	gradCels
SC ALRO SA	pH	9/16/2016 11:23:00 PM	3	unit pH
SC ALRO SA	Clor	9/16/2016 11:18:21 PM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 11:18:20 PM	9	mg/l
SC ALRO SA	Grasimi	9/16/2016 11:17:42 PM	0	mg/l
SC ALRO SA	Temp	9/16/2016 11:17:41 PM	27	gradCels
SC ALRO SA	pH	9/16/2016 11:17:40 PM	3	unit pH
SC ALRO SA	Clor	9/16/2016 11:12:40 PM	0	mg/l
SC ALRO SA	Clor	9/16/2016 11:12:27 PM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 11:12:26 PM	9	mg/l
SC ALRO SA	Grasimi	9/16/2016 11:12:10 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 11:12:02 PM	0	mg/l
SC ALRO SA	Temp	9/16/2016 11:12:01 PM	27	gradCels
SC ALRO SA	pH	9/16/2016 11:12:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 11:11:50 PM	9	mg/l
SC ALRO SA	Temp	9/16/2016 11:11:40 PM	27	gradCels
SC ALRO SA	pH	9/16/2016 11:11:30 PM	3	unit pH
SC ALRO SA	Clor	9/16/2016 11:07:22 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 11:06:44 PM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 11:06:43 PM	9	mg/l
SC ALRO SA	Temp	9/16/2016 11:06:41 PM	27	gradCels
SC ALRO SA	pH	9/16/2016 11:06:40 PM	3	unit pH
SC ALRO SA	Clor	9/16/2016 11:01:27 PM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 11:01:26 PM	9	mg/l
SC ALRO SA	Grasimi	9/16/2016 11:01:02 PM	0	mg/l
SC ALRO SA	Temp	9/16/2016 11:01:01 PM	27	gradCels
SC ALRO SA	pH	9/16/2016 11:01:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 10:56:21 PM	9	mg/l
SC ALRO SA	Clor	9/16/2016 10:55:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 10:55:22 PM	0	mg/l
SC ALRO SA	pH	9/16/2016 10:55:21 PM	3	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	9/16/2016 10:55:20 PM	27	gradCels
SC ALRO SA	Clor	9/16/2016 10:53:50 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 10:53:30 PM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 10:53:00 PM	9	mg/l
SC ALRO SA	Temp	9/16/2016 10:52:50 PM	27	gradCels
SC ALRO SA	pH	9/16/2016 10:52:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 10:50:26 PM	9	mg/l
SC ALRO SA	Clor	9/16/2016 10:50:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 10:50:02 PM	0	mg/l
SC ALRO SA	Temp	9/16/2016 10:50:01 PM	27	gradCels
SC ALRO SA	pH	9/16/2016 10:50:00 PM	3	unit pH
SC ALRO SA	Clor	9/16/2016 10:45:22 PM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 10:45:21 PM	9	mg/l
SC ALRO SA	Grasimi	9/16/2016 10:44:22 PM	0	mg/l
SC ALRO SA	Temp	9/16/2016 10:44:21 PM	27	gradCels
SC ALRO SA	pH	9/16/2016 10:44:20 PM	3	unit pH
SC ALRO SA	Clor	9/16/2016 10:39:04 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 10:39:03 PM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 10:39:02 PM	9	mg/l
SC ALRO SA	Temp	9/16/2016 10:39:01 PM	27	gradCels
SC ALRO SA	pH	9/16/2016 10:39:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 10:34:22 PM	9	mg/l
SC ALRO SA	Clor	9/16/2016 10:33:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 10:33:22 PM	0	mg/l
SC ALRO SA	Temp	9/16/2016 10:33:21 PM	27	gradCels
SC ALRO SA	pH	9/16/2016 10:33:20 PM	3	unit pH
SC ALRO SA	Clor	9/16/2016 10:33:10 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 10:32:50 PM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 10:32:40 PM	9	mg/l
SC ALRO SA	Temp	9/16/2016 10:32:30 PM	27	gradCels
SC ALRO SA	pH	9/16/2016 10:32:20 PM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 10:28:26 PM	9	mg/l
SC ALRO SA	Clor	9/16/2016 10:28:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 10:28:02 PM	0	mg/l
SC ALRO SA	Temp	9/16/2016 10:28:01 PM	27	gradCels
SC ALRO SA	pH	9/16/2016 10:28:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 10:23:27 PM	9	mg/l
SC ALRO SA	Clor	9/16/2016 10:22:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 10:22:22 PM	0	mg/l
SC ALRO SA	Temp	9/16/2016 10:22:21 PM	27	gradCels
SC ALRO SA	pH	9/16/2016 10:22:20 PM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 10:17:26 PM	9	mg/l
SC ALRO SA	Clor	9/16/2016 10:17:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 10:17:02 PM	0	mg/l
SC ALRO SA	Temp	9/16/2016 10:17:01 PM	27	gradCels
SC ALRO SA	pH	9/16/2016 10:17:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 10:12:27 PM	9	mg/l
SC ALRO SA	Clor	9/16/2016 10:11:30 PM	0	mg/l
SC ALRO SA	Clor	9/16/2016 10:11:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 10:11:22 PM	0	mg/l
SC ALRO SA	Temp	9/16/2016 10:11:21 PM	27	gradCels
SC ALRO SA	pH	9/16/2016 10:11:20 PM	3	unit pH
SC ALRO SA	Grasimi	9/16/2016 10:11:00 PM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 10:10:50 PM	9	mg/l
SC ALRO SA	Temp	9/16/2016 10:10:40 PM	27	gradCels
SC ALRO SA	pH	9/16/2016 10:10:30 PM	3	unit pH
SC ALRO SA	Clor	9/16/2016 10:06:04 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 10:06:03 PM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 10:06:02 PM	9	mg/l
SC ALRO SA	Temp	9/16/2016 10:06:01 PM	27	gradCels
SC ALRO SA	pH	9/16/2016 10:06:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 10:01:27 PM	9	mg/l
SC ALRO SA	Clor	9/16/2016 10:00:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 10:00:22 PM	0	mg/l
SC ALRO SA	Temp	9/16/2016 10:00:21 PM	27	gradCels
SC ALRO SA	pH	9/16/2016 10:00:20 PM	3	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	9/16/2016 9:55:26 PM	9	mg/l
SC ALRO SA	Clor	9/16/2016 9:54:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 9:54:42 PM	0	mg/l
SC ALRO SA	Temp	9/16/2016 9:54:41 PM	27	gradCels
SC ALRO SA	pH	9/16/2016 9:54:40 PM	3	unit pH
SC ALRO SA	Clor	9/16/2016 9:50:40 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 9:50:00 PM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 9:49:50 PM	9	mg/l
SC ALRO SA	Temp	9/16/2016 9:49:30 PM	27	gradCels
SC ALRO SA	Substante organice	9/16/2016 9:49:25 PM	9	mg/l
SC ALRO SA	Clor	9/16/2016 9:49:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 9:49:22 PM	0	mg/l
SC ALRO SA	Temp	9/16/2016 9:49:21 PM	27	gradCels
SC ALRO SA	pH	9/16/2016 9:49:20 PM	3	unit pH
SC ALRO SA	pH	9/16/2016 9:49:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 9:44:26 PM	9	mg/l
SC ALRO SA	Clor	9/16/2016 9:43:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 9:43:42 PM	0	mg/l
SC ALRO SA	Temp	9/16/2016 9:43:41 PM	27	gradCels
SC ALRO SA	pH	9/16/2016 9:43:40 PM	3	unit pH
SC ALRO SA	Clor	9/16/2016 9:38:24 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 9:38:23 PM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 9:38:22 PM	9	mg/l
SC ALRO SA	Temp	9/16/2016 9:38:21 PM	27	gradCels
SC ALRO SA	pH	9/16/2016 9:38:20 PM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 9:33:22 PM	9	mg/l
SC ALRO SA	Clor	9/16/2016 9:32:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 9:32:42 PM	0	mg/l
SC ALRO SA	Temp	9/16/2016 9:32:41 PM	27	gradCels
SC ALRO SA	pH	9/16/2016 9:32:40 PM	3	unit pH
SC ALRO SA	Clor	9/16/2016 9:29:00 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 9:28:40 PM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 9:28:30 PM	9	mg/l
SC ALRO SA	Temp	9/16/2016 9:27:50 PM	27	gradCels
SC ALRO SA	Substante organice	9/16/2016 9:27:25 PM	9	mg/l
SC ALRO SA	Clor	9/16/2016 9:27:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 9:27:22 PM	0	mg/l
SC ALRO SA	Temp	9/16/2016 9:27:21 PM	27	gradCels
SC ALRO SA	pH	9/16/2016 9:27:20 PM	3	unit pH
SC ALRO SA	pH	9/16/2016 9:27:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 9:22:22 PM	9	mg/l
SC ALRO SA	Clor	9/16/2016 9:21:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 9:21:42 PM	0	mg/l
SC ALRO SA	Temp	9/16/2016 9:21:41 PM	27	gradCels
SC ALRO SA	pH	9/16/2016 9:21:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 9:16:20 PM	9	mg/l
SC ALRO SA	Clor	9/16/2016 9:16:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 9:16:02 PM	0	mg/l
SC ALRO SA	Temp	9/16/2016 9:16:01 PM	27	gradCels
SC ALRO SA	pH	9/16/2016 9:16:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 9:11:22 PM	9	mg/l
SC ALRO SA	Clor	9/16/2016 9:10:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 9:10:42 PM	0	mg/l
SC ALRO SA	Temp	9/16/2016 9:10:41 PM	27	gradCels
SC ALRO SA	pH	9/16/2016 9:10:40 PM	3	unit pH
SC ALRO SA	Clor	9/16/2016 9:05:50 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 9:05:10 PM	0	mg/l
SC ALRO SA	Clor	9/16/2016 9:05:04 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 9:05:03 PM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 9:05:02 PM	9	mg/l
SC ALRO SA	Temp	9/16/2016 9:05:01 PM	27	gradCels
SC ALRO SA	pH	9/16/2016 9:05:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 9:04:50 PM	9	mg/l
SC ALRO SA	Temp	9/16/2016 9:04:40 PM	27	gradCels
SC ALRO SA	pH	9/16/2016 9:04:30 PM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 9:00:22 PM	9	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Clor	9/16/2016 8:59:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 8:59:42 PM	0	mg/l
SC ALRO SA	Temp	9/16/2016 8:59:41 PM	27	gradCels
SC ALRO SA	pH	9/16/2016 8:59:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 8:54:20 PM	9	mg/l
SC ALRO SA	Clor	9/16/2016 8:54:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 8:54:02 PM	0	mg/l
SC ALRO SA	Temp	9/16/2016 8:54:01 PM	27	gradCels
SC ALRO SA	pH	9/16/2016 8:54:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 8:49:21 PM	9	mg/l
SC ALRO SA	Clor	9/16/2016 8:48:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 8:48:42 PM	0	mg/l
SC ALRO SA	Temp	9/16/2016 8:48:41 PM	27	gradCels
SC ALRO SA	pH	9/16/2016 8:48:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 8:43:20 PM	9	mg/l
SC ALRO SA	Clor	9/16/2016 8:43:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 8:43:02 PM	0	mg/l
SC ALRO SA	pH	9/16/2016 8:43:01 PM	3	unit pH
SC ALRO SA	Temp	9/16/2016 8:43:00 PM	27	gradCels
SC ALRO SA	Clor	9/16/2016 8:42:20 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 8:42:00 PM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 8:41:50 PM	9	mg/l
SC ALRO SA	Temp	9/16/2016 8:41:40 PM	27	gradCels
SC ALRO SA	pH	9/16/2016 8:41:30 PM	3	unit pH
SC ALRO SA	Clor	9/16/2016 8:37:44 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 8:37:43 PM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 8:37:42 PM	9	mg/l
SC ALRO SA	Temp	9/16/2016 8:37:41 PM	27	gradCels
SC ALRO SA	pH	9/16/2016 8:37:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 8:32:20 PM	9	mg/l
SC ALRO SA	Clor	9/16/2016 8:32:03 PM	0	mg/l
SC ALRO SA	Temp	9/16/2016 8:32:02 PM	27	gradCels
SC ALRO SA	Grasimi	9/16/2016 8:32:01 PM	0	mg/l
SC ALRO SA	pH	9/16/2016 8:32:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 8:27:20 PM	9	mg/l
SC ALRO SA	Clor	9/16/2016 8:26:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 8:26:22 PM	0	mg/l
SC ALRO SA	Temp	9/16/2016 8:26:21 PM	27	gradCels
SC ALRO SA	pH	9/16/2016 8:26:20 PM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 8:21:20 PM	9	mg/l
SC ALRO SA	Clor	9/16/2016 8:21:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 8:21:02 PM	0	mg/l
SC ALRO SA	Temp	9/16/2016 8:21:01 PM	27	gradCels
SC ALRO SA	pH	9/16/2016 8:21:00 PM	3	unit pH
SC ALRO SA	Clor	9/16/2016 8:17:50 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 8:16:30 PM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 8:16:20 PM	9	mg/l
SC ALRO SA	Substante organice	9/16/2016 8:16:00 PM	9	mg/l
SC ALRO SA	Temp	9/16/2016 8:15:50 PM	27	gradCels
SC ALRO SA	pH	9/16/2016 8:15:40 PM	3	unit pH
SC ALRO SA	Clor	9/16/2016 8:15:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 8:15:22 PM	0	mg/l
SC ALRO SA	Temp	9/16/2016 8:15:21 PM	27	gradCels
SC ALRO SA	pH	9/16/2016 8:15:20 PM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 8:10:20 PM	9	mg/l
SC ALRO SA	Clor	9/16/2016 8:10:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 8:10:02 PM	0	mg/l
SC ALRO SA	Temp	9/16/2016 8:10:01 PM	27	gradCels
SC ALRO SA	pH	9/16/2016 8:10:00 PM	3	unit pH
SC ALRO SA	Clor	9/16/2016 8:04:24 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 8:04:23 PM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 8:04:22 PM	9	mg/l
SC ALRO SA	Temp	9/16/2016 8:04:21 PM	27	gradCels
SC ALRO SA	pH	9/16/2016 8:04:20 PM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 7:59:20 PM	9	mg/l
SC ALRO SA	Clor	9/16/2016 7:59:03 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Grasimi	9/16/2016 7:59:02 PM	0	mg/l
SC ALRO SA	Temp	9/16/2016 7:59:01 PM	27	gradCels
SC ALRO SA	pH	9/16/2016 7:59:00 PM	3	unit pH
SC ALRO SA	Clor	9/16/2016 7:55:30 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 7:54:50 PM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 7:54:30 PM	9	mg/l
SC ALRO SA	Substante organice	9/16/2016 7:54:20 PM	9	mg/l
SC ALRO SA	Temp	9/16/2016 7:54:00 PM	27	gradCels
SC ALRO SA	pH	9/16/2016 7:53:50 PM	3	unit pH
SC ALRO SA	Clor	9/16/2016 7:53:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 7:53:22 PM	0	mg/l
SC ALRO SA	Temp	9/16/2016 7:53:21 PM	27	gradCels
SC ALRO SA	pH	9/16/2016 7:53:20 PM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 7:48:20 PM	9	mg/l
SC ALRO SA	Clor	9/16/2016 7:47:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 7:47:42 PM	0	mg/l
SC ALRO SA	Temp	9/16/2016 7:47:41 PM	27	gradCels
SC ALRO SA	pH	9/16/2016 7:47:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 7:43:20 PM	9	mg/l
SC ALRO SA	Clor	9/16/2016 7:42:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 7:42:22 PM	0	mg/l
SC ALRO SA	Temp	9/16/2016 7:42:21 PM	27	gradCels
SC ALRO SA	pH	9/16/2016 7:42:20 PM	3	unit pH
SC ALRO SA	Clor	9/16/2016 7:36:44 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 7:36:43 PM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 7:36:42 PM	9	mg/l
SC ALRO SA	Temp	9/16/2016 7:36:41 PM	27	gradCels
SC ALRO SA	pH	9/16/2016 7:36:40 PM	3	unit pH
SC ALRO SA	Clor	9/16/2016 7:34:20 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 7:33:40 PM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 7:33:30 PM	9	mg/l
SC ALRO SA	Temp	9/16/2016 7:33:00 PM	27	gradCels
SC ALRO SA	pH	9/16/2016 7:32:50 PM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 7:31:24 PM	9	mg/l
SC ALRO SA	Clor	9/16/2016 7:31:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 7:31:22 PM	0	mg/l
SC ALRO SA	Temp	9/16/2016 7:31:21 PM	27	gradCels
SC ALRO SA	pH	9/16/2016 7:31:20 PM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 7:26:20 PM	9	mg/l
SC ALRO SA	Clor	9/16/2016 7:25:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 7:25:42 PM	0	mg/l
SC ALRO SA	Temp	9/16/2016 7:25:41 PM	27	gradCels
SC ALRO SA	pH	9/16/2016 7:25:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 7:20:24 PM	9	mg/l
SC ALRO SA	Clor	9/16/2016 7:20:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 7:20:22 PM	0	mg/l
SC ALRO SA	Temp	9/16/2016 7:20:21 PM	27	gradCels
SC ALRO SA	pH	9/16/2016 7:20:20 PM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 7:15:20 PM	9	mg/l
SC ALRO SA	Clor	9/16/2016 7:14:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 7:14:42 PM	0	mg/l
SC ALRO SA	Temp	9/16/2016 7:14:41 PM	26	gradCels
SC ALRO SA	pH	9/16/2016 7:14:40 PM	3	unit pH
SC ALRO SA	Clor	9/16/2016 7:13:00 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 7:11:51 PM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 7:11:40 PM	9	mg/l
SC ALRO SA	Temp	9/16/2016 7:11:30 PM	26	gradCels
SC ALRO SA	pH	9/16/2016 7:11:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 7:09:25 PM	9	mg/l
SC ALRO SA	Clor	9/16/2016 7:09:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 7:09:22 PM	0	mg/l
SC ALRO SA	Temp	9/16/2016 7:09:21 PM	26	gradCels
SC ALRO SA	pH	9/16/2016 7:09:20 PM	3	unit pH
SC ALRO SA	Clor	9/16/2016 7:03:44 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 7:03:43 PM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 7:03:42 PM	9	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	9/16/2016 7:03:41 PM	3	unit pH
SC ALRO SA	Temp	9/16/2016 7:03:40 PM	26	gradCels
SC ALRO SA	Substante organice	9/16/2016 6:58:24 PM	9	mg/l
SC ALRO SA	Clor	9/16/2016 6:58:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 6:58:22 PM	0	mg/l
SC ALRO SA	Temp	9/16/2016 6:58:21 PM	26	gradCels
SC ALRO SA	pH	9/16/2016 6:58:20 PM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 6:53:20 PM	9	mg/l
SC ALRO SA	Clor	9/16/2016 6:52:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 6:52:42 PM	0	mg/l
SC ALRO SA	pH	9/16/2016 6:52:41 PM	3	unit pH
SC ALRO SA	Temp	9/16/2016 6:52:40 PM	26	gradCels
SC ALRO SA	Clor	9/16/2016 6:50:40 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 6:49:40 PM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 6:49:30 PM	9	mg/l
SC ALRO SA	Temp	9/16/2016 6:49:00 PM	26	gradCels
SC ALRO SA	pH	9/16/2016 6:48:50 PM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 6:47:25 PM	9	mg/l
SC ALRO SA	Clor	9/16/2016 6:47:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 6:47:22 PM	0	mg/l
SC ALRO SA	Temp	9/16/2016 6:47:21 PM	26	gradCels
SC ALRO SA	pH	9/16/2016 6:47:20 PM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 6:42:20 PM	9	mg/l
SC ALRO SA	Clor	9/16/2016 6:41:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 6:41:42 PM	0	mg/l
SC ALRO SA	Temp	9/16/2016 6:41:41 PM	26	gradCels
SC ALRO SA	pH	9/16/2016 6:41:40 PM	3	unit pH
SC ALRO SA	Clor	9/16/2016 6:36:24 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 6:36:23 PM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 6:36:22 PM	9	mg/l
SC ALRO SA	Temp	9/16/2016 6:36:21 PM	26	gradCels
SC ALRO SA	pH	9/16/2016 6:36:20 PM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 6:31:20 PM	9	mg/l
SC ALRO SA	Clor	9/16/2016 6:30:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 6:30:42 PM	0	mg/l
SC ALRO SA	Temp	9/16/2016 6:30:41 PM	26	gradCels
SC ALRO SA	pH	9/16/2016 6:30:40 PM	3	unit pH
SC ALRO SA	Clor	9/16/2016 6:28:50 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 6:28:30 PM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 6:27:40 PM	9	mg/l
SC ALRO SA	Temp	9/16/2016 6:27:30 PM	26	gradCels
SC ALRO SA	pH	9/16/2016 6:27:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 6:25:24 PM	9	mg/l
SC ALRO SA	Clor	9/16/2016 6:25:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 6:25:22 PM	0	mg/l
SC ALRO SA	Temp	9/16/2016 6:25:21 PM	26	gradCels
SC ALRO SA	pH	9/16/2016 6:25:20 PM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 6:20:20 PM	9	mg/l
SC ALRO SA	Clor	9/16/2016 6:19:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 6:19:42 PM	0	mg/l
SC ALRO SA	Temp	9/16/2016 6:19:41 PM	26	gradCels
SC ALRO SA	pH	9/16/2016 6:19:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 6:14:20 PM	9	mg/l
SC ALRO SA	Clor	9/16/2016 6:14:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 6:14:02 PM	0	mg/l
SC ALRO SA	Temp	9/16/2016 6:14:01 PM	26	gradCels
SC ALRO SA	pH	9/16/2016 6:14:00 PM	3	unit pH
SC ALRO SA	Clor	9/16/2016 6:08:44 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 6:08:43 PM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 6:08:42 PM	9	mg/l
SC ALRO SA	Temp	9/16/2016 6:08:41 PM	26	gradCels
SC ALRO SA	pH	9/16/2016 6:08:40 PM	3	unit pH
SC ALRO SA	Clor	9/16/2016 6:04:30 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 6:04:00 PM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 6:03:50 PM	9	mg/l
SC ALRO SA	Temp	9/16/2016 6:03:40 PM	26	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	9/16/2016 6:03:30 PM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 6:03:20 PM	9	mg/l
SC ALRO SA	Clor	9/16/2016 6:03:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 6:03:02 PM	0	mg/l
SC ALRO SA	Temp	9/16/2016 6:03:01 PM	26	gradCels
SC ALRO SA	pH	9/16/2016 6:03:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 5:58:20 PM	9	mg/l
SC ALRO SA	Clor	9/16/2016 5:57:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 5:57:42 PM	0	mg/l
SC ALRO SA	pH	9/16/2016 5:57:41 PM	3	unit pH
SC ALRO SA	Temp	9/16/2016 5:57:40 PM	26	gradCels
SC ALRO SA	Substante organice	9/16/2016 5:52:20 PM	9	mg/l
SC ALRO SA	Clor	9/16/2016 5:52:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 5:52:02 PM	0	mg/l
SC ALRO SA	Temp	9/16/2016 5:52:01 PM	26	gradCels
SC ALRO SA	pH	9/16/2016 5:52:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 5:47:20 PM	9	mg/l
SC ALRO SA	Clor	9/16/2016 5:46:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 5:46:42 PM	0	mg/l
SC ALRO SA	Temp	9/16/2016 5:46:41 PM	26	gradCels
SC ALRO SA	pH	9/16/2016 5:46:40 PM	3	unit pH
SC ALRO SA	Clor	9/16/2016 5:42:00 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 5:41:40 PM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 5:41:30 PM	9	mg/l
SC ALRO SA	Substante organice	9/16/2016 5:41:20 PM	9	mg/l
SC ALRO SA	Clor	9/16/2016 5:41:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 5:41:02 PM	0	mg/l
SC ALRO SA	Temp	9/16/2016 5:41:01 PM	26	gradCels
SC ALRO SA	pH	9/16/2016 5:41:00 PM	3	unit pH
SC ALRO SA	Temp	9/16/2016 5:40:50 PM	26	gradCels
SC ALRO SA	pH	9/16/2016 5:40:40 PM	3	unit pH
SC ALRO SA	Clor	9/16/2016 5:35:44 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 5:35:43 PM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 5:35:42 PM	9	mg/l
SC ALRO SA	Temp	9/16/2016 5:35:41 PM	26	gradCels
SC ALRO SA	pH	9/16/2016 5:35:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 5:30:20 PM	9	mg/l
SC ALRO SA	Clor	9/16/2016 5:30:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 5:30:02 PM	0	mg/l
SC ALRO SA	Temp	9/16/2016 5:30:01 PM	26	gradCels
SC ALRO SA	pH	9/16/2016 5:30:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 5:25:20 PM	9	mg/l
SC ALRO SA	Clor	9/16/2016 5:24:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 5:24:42 PM	0	mg/l
SC ALRO SA	Temp	9/16/2016 5:24:41 PM	26	gradCels
SC ALRO SA	pH	9/16/2016 5:24:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 5:19:20 PM	9	mg/l
SC ALRO SA	Clor	9/16/2016 5:19:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 5:19:02 PM	0	mg/l
SC ALRO SA	pH	9/16/2016 5:19:01 PM	3	unit pH
SC ALRO SA	Temp	9/16/2016 5:19:00 PM	26	gradCels
SC ALRO SA	Clor	9/16/2016 5:16:20 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 5:15:40 PM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 5:15:30 PM	9	mg/l
SC ALRO SA	Temp	9/16/2016 5:14:50 PM	26	gradCels
SC ALRO SA	pH	9/16/2016 5:14:30 PM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 5:14:20 PM	9	mg/l
SC ALRO SA	Clor	9/16/2016 5:13:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 5:13:42 PM	0	mg/l
SC ALRO SA	pH	9/16/2016 5:13:41 PM	3	unit pH
SC ALRO SA	Temp	9/16/2016 5:13:40 PM	26	gradCels
SC ALRO SA	Clor	9/16/2016 5:08:04 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 5:08:03 PM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 5:08:02 PM	9	mg/l
SC ALRO SA	pH	9/16/2016 5:08:01 PM	3	unit pH
SC ALRO SA	Temp	9/16/2016 5:08:00 PM	26	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	9/16/2016 5:03:20 PM	9	mg/l
SC ALRO SA	Clor	9/16/2016 5:02:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 5:02:22 PM	0	mg/l
SC ALRO SA	Temp	9/16/2016 5:02:21 PM	26	gradCels
SC ALRO SA	pH	9/16/2016 5:02:20 PM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 4:57:20 PM	9	mg/l
SC ALRO SA	Clor	9/16/2016 4:57:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 4:57:02 PM	0	mg/l
SC ALRO SA	Temp	9/16/2016 4:57:01 PM	26	gradCels
SC ALRO SA	pH	9/16/2016 4:57:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 4:52:20 PM	9	mg/l
SC ALRO SA	Clor	9/16/2016 4:51:30 PM	0	mg/l
SC ALRO SA	Clor	9/16/2016 4:51:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 4:51:22 PM	0	mg/l
SC ALRO SA	Temp	9/16/2016 4:51:21 PM	26	gradCels
SC ALRO SA	pH	9/16/2016 4:51:20 PM	3	unit pH
SC ALRO SA	Grasimi	9/16/2016 4:51:00 PM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 4:50:50 PM	9	mg/l
SC ALRO SA	Temp	9/16/2016 4:50:40 PM	25	gradCels
SC ALRO SA	pH	9/16/2016 4:50:30 PM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 4:46:20 PM	9	mg/l
SC ALRO SA	Clor	9/16/2016 4:46:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 4:46:02 PM	0	mg/l
SC ALRO SA	Temp	9/16/2016 4:46:01 PM	25	gradCels
SC ALRO SA	pH	9/16/2016 4:46:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 4:41:20 PM	9	mg/l
SC ALRO SA	Clor	9/16/2016 4:40:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 4:40:22 PM	0	mg/l
SC ALRO SA	Temp	9/16/2016 4:40:21 PM	25	gradCels
SC ALRO SA	pH	9/16/2016 4:40:20 PM	3	unit pH
SC ALRO SA	Clor	9/16/2016 4:35:05 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 4:35:04 PM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 4:35:03 PM	9	mg/l
SC ALRO SA	pH	9/16/2016 4:35:02 PM	3	unit pH
SC ALRO SA	Temp	9/16/2016 4:35:01 PM	25	gradCels
SC ALRO SA	Substante organice	9/16/2016 4:30:20 PM	9	mg/l
SC ALRO SA	Clor	9/16/2016 4:29:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 4:29:22 PM	0	mg/l
SC ALRO SA	pH	9/16/2016 4:29:21 PM	3	unit pH
SC ALRO SA	Temp	9/16/2016 4:29:20 PM	25	gradCels
SC ALRO SA	Clor	9/16/2016 4:27:40 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 4:26:40 PM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 4:26:00 PM	9	mg/l
SC ALRO SA	Temp	9/16/2016 4:25:50 PM	25	gradCels
SC ALRO SA	pH	9/16/2016 4:25:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 4:24:20 PM	9	mg/l
SC ALRO SA	Clor	9/16/2016 4:24:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 4:24:02 PM	0	mg/l
SC ALRO SA	pH	9/16/2016 4:24:01 PM	3	unit pH
SC ALRO SA	Temp	9/16/2016 4:24:00 PM	25	gradCels
SC ALRO SA	Substante organice	9/16/2016 4:19:20 PM	9	mg/l
SC ALRO SA	Clor	9/16/2016 4:18:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 4:18:22 PM	0	mg/l
SC ALRO SA	Temp	9/16/2016 4:18:21 PM	25	gradCels
SC ALRO SA	pH	9/16/2016 4:18:20 PM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 4:13:20 PM	9	mg/l
SC ALRO SA	Clor	9/16/2016 4:12:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 4:12:42 PM	0	mg/l
SC ALRO SA	pH	9/16/2016 4:12:41 PM	3	unit pH
SC ALRO SA	Temp	9/16/2016 4:12:40 PM	25	gradCels
SC ALRO SA	Clor	9/16/2016 4:07:24 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 4:07:23 PM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 4:07:22 PM	9	mg/l
SC ALRO SA	Temp	9/16/2016 4:07:21 PM	25	gradCels
SC ALRO SA	pH	9/16/2016 4:07:20 PM	3	unit pH
SC ALRO SA	Clor	9/16/2016 4:02:30 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	9/16/2016 4:02:20 PM	10	mg/l
SC ALRO SA	Grasimi	9/16/2016 4:01:50 PM	0	mg/l
SC ALRO SA	Clor	9/16/2016 4:01:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 4:01:42 PM	0	mg/l
SC ALRO SA	Temp	9/16/2016 4:01:41 PM	25	gradCels
SC ALRO SA	pH	9/16/2016 4:01:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 4:01:30 PM	10	mg/l
SC ALRO SA	Temp	9/16/2016 4:00:40 PM	25	gradCels
SC ALRO SA	pH	9/16/2016 4:00:30 PM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 3:56:27 PM	10	mg/l
SC ALRO SA	Clor	9/16/2016 3:56:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 3:56:22 PM	0	mg/l
SC ALRO SA	pH	9/16/2016 3:56:21 PM	3	unit pH
SC ALRO SA	Temp	9/16/2016 3:56:20 PM	25	gradCels
SC ALRO SA	Substante organice	9/16/2016 3:51:20 PM	10	mg/l
SC ALRO SA	Clor	9/16/2016 3:50:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 3:50:42 PM	0	mg/l
SC ALRO SA	Temp	9/16/2016 3:50:41 PM	25	gradCels
SC ALRO SA	pH	9/16/2016 3:50:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 3:45:25 PM	10	mg/l
SC ALRO SA	Clor	9/16/2016 3:45:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 3:45:22 PM	0	mg/l
SC ALRO SA	Temp	9/16/2016 3:45:21 PM	25	gradCels
SC ALRO SA	pH	9/16/2016 3:45:20 PM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 3:40:20 PM	10	mg/l
SC ALRO SA	Clor	9/16/2016 3:39:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 3:39:42 PM	0	mg/l
SC ALRO SA	Temp	9/16/2016 3:39:41 PM	25	gradCels
SC ALRO SA	pH	9/16/2016 3:39:40 PM	3	unit pH
SC ALRO SA	Clor	9/16/2016 3:36:00 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 3:35:20 PM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 3:35:10 PM	10	mg/l
SC ALRO SA	Temp	9/16/2016 3:35:00 PM	25	gradCels
SC ALRO SA	pH	9/16/2016 3:34:50 PM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 3:34:20 PM	10	mg/l
SC ALRO SA	Clor	9/16/2016 3:34:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 3:34:02 PM	0	mg/l
SC ALRO SA	Temp	9/16/2016 3:34:01 PM	25	gradCels
SC ALRO SA	pH	9/16/2016 3:34:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 3:29:20 PM	10	mg/l
SC ALRO SA	Clor	9/16/2016 3:28:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 3:28:42 PM	0	mg/l
SC ALRO SA	pH	9/16/2016 3:28:41 PM	3	unit pH
SC ALRO SA	Temp	9/16/2016 3:28:40 PM	25	gradCels
SC ALRO SA	Substante organice	9/16/2016 3:23:20 PM	10	mg/l
SC ALRO SA	Clor	9/16/2016 3:23:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 3:23:02 PM	0	mg/l
SC ALRO SA	Temp	9/16/2016 3:23:01 PM	25	gradCels
SC ALRO SA	pH	9/16/2016 3:23:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 3:18:20 PM	10	mg/l
SC ALRO SA	Clor	9/16/2016 3:17:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 3:17:42 PM	0	mg/l
SC ALRO SA	pH	9/16/2016 3:17:41 PM	3	unit pH
SC ALRO SA	Temp	9/16/2016 3:17:40 PM	25	gradCels
SC ALRO SA	Substante organice	9/16/2016 3:12:20 PM	10	mg/l
SC ALRO SA	Clor	9/16/2016 3:12:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 3:12:02 PM	0	mg/l
SC ALRO SA	Temp	9/16/2016 3:12:01 PM	25	gradCels
SC ALRO SA	pH	9/16/2016 3:12:00 PM	3	unit pH
SC ALRO SA	Clor	9/16/2016 3:10:50 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 3:09:50 PM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 3:08:50 PM	10	mg/l
SC ALRO SA	Temp	9/16/2016 3:08:40 PM	25	gradCels
SC ALRO SA	pH	9/16/2016 3:08:00 PM	3	unit pH
SC ALRO SA	Clor	9/16/2016 3:06:44 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 3:06:43 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	9/16/2016 3:06:42 PM	10	mg/l
SC ALRO SA	Temp	9/16/2016 3:06:41 PM	25	gradCels
SC ALRO SA	pH	9/16/2016 3:06:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 3:01:20 PM	10	mg/l
SC ALRO SA	Clor	9/16/2016 3:01:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 3:01:02 PM	0	mg/l
SC ALRO SA	Temp	9/16/2016 3:01:01 PM	25	gradCels
SC ALRO SA	pH	9/16/2016 3:01:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 2:56:20 PM	10	mg/l
SC ALRO SA	Clor	9/16/2016 2:55:25 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 2:55:24 PM	0	mg/l
SC ALRO SA	Temp	9/16/2016 2:55:23 PM	25	gradCels
SC ALRO SA	pH	9/16/2016 2:55:22 PM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 2:51:20 PM	10	mg/l
SC ALRO SA	Clor	9/16/2016 2:50:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 2:50:42 PM	0	mg/l
SC ALRO SA	Temp	9/16/2016 2:50:41 PM	25	gradCels
SC ALRO SA	pH	9/16/2016 2:50:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 2:45:20 PM	10	mg/l
SC ALRO SA	Clor	9/16/2016 2:45:04 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 2:45:03 PM	0	mg/l
SC ALRO SA	Temp	9/16/2016 2:45:02 PM	25	gradCels
SC ALRO SA	pH	9/16/2016 2:45:01 PM	3	unit pH
SC ALRO SA	Clor	9/16/2016 2:45:00 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 2:44:30 PM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 2:44:00 PM	10	mg/l
SC ALRO SA	Temp	9/16/2016 2:43:50 PM	25	gradCels
SC ALRO SA	pH	9/16/2016 2:42:20 PM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 2:40:20 PM	10	mg/l
SC ALRO SA	Clor	9/16/2016 2:39:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 2:39:22 PM	0	mg/l
SC ALRO SA	Temp	9/16/2016 2:39:21 PM	25	gradCels
SC ALRO SA	pH	9/16/2016 2:39:20 PM	3	unit pH
SC ALRO SA	Clor	9/16/2016 2:34:04 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 2:34:03 PM	0	mg/l
SC ALRO SA	Temp	9/16/2016 2:34:02 PM	25	gradCels
SC ALRO SA	Substante organice	9/16/2016 2:34:01 PM	10	mg/l
SC ALRO SA	pH	9/16/2016 2:34:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 2:29:20 PM	10	mg/l
SC ALRO SA	Clor	9/16/2016 2:28:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 2:28:22 PM	0	mg/l
SC ALRO SA	Temp	9/16/2016 2:28:21 PM	25	gradCels
SC ALRO SA	pH	9/16/2016 2:28:20 PM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 2:23:20 PM	10	mg/l
SC ALRO SA	Clor	9/16/2016 2:23:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 2:23:02 PM	0	mg/l
SC ALRO SA	Temp	9/16/2016 2:23:01 PM	25	gradCels
SC ALRO SA	pH	9/16/2016 2:23:00 PM	3	unit pH
SC ALRO SA	Clor	9/16/2016 2:19:40 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 2:18:50 PM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 2:18:20 PM	10	mg/l
SC ALRO SA	Substante organice	9/16/2016 2:18:00 PM	10	mg/l
SC ALRO SA	Temp	9/16/2016 2:17:50 PM	25	gradCels
SC ALRO SA	pH	9/16/2016 2:17:40 PM	3	unit pH
SC ALRO SA	Clor	9/16/2016 2:17:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 2:17:22 PM	0	mg/l
SC ALRO SA	Temp	9/16/2016 2:17:21 PM	25	gradCels
SC ALRO SA	pH	9/16/2016 2:17:20 PM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 2:12:20 PM	10	mg/l
SC ALRO SA	Clor	9/16/2016 2:12:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 2:12:02 PM	0	mg/l
SC ALRO SA	pH	9/16/2016 2:12:01 PM	3	unit pH
SC ALRO SA	Temp	9/16/2016 2:12:00 PM	25	gradCels
SC ALRO SA	Clor	9/16/2016 2:06:24 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 2:06:23 PM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 2:06:22 PM	10	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	9/16/2016 2:06:21 PM	3	unit pH
SC ALRO SA	Temp	9/16/2016 2:06:20 PM	25	gradCels
SC ALRO SA	Substante organice	9/16/2016 2:01:20 PM	10	mg/l
SC ALRO SA	Clor	9/16/2016 2:00:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 2:00:42 PM	0	mg/l
SC ALRO SA	Temp	9/16/2016 2:00:41 PM	25	gradCels
SC ALRO SA	pH	9/16/2016 2:00:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 1:56:20 PM	10	mg/l
SC ALRO SA	Clor	9/16/2016 1:55:24 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 1:55:23 PM	0	mg/l
SC ALRO SA	Temp	9/16/2016 1:55:22 PM	25	gradCels
SC ALRO SA	pH	9/16/2016 1:55:21 PM	3	unit pH
SC ALRO SA	Clor	9/16/2016 1:55:00 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 1:54:40 PM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 1:54:30 PM	10	mg/l
SC ALRO SA	Temp	9/16/2016 1:53:40 PM	25	gradCels
SC ALRO SA	pH	9/16/2016 1:53:30 PM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 1:50:20 PM	10	mg/l
SC ALRO SA	Clor	9/16/2016 1:49:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 1:49:42 PM	0	mg/l
SC ALRO SA	Temp	9/16/2016 1:49:41 PM	25	gradCels
SC ALRO SA	pH	9/16/2016 1:49:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 1:45:20 PM	10	mg/l
SC ALRO SA	Clor	9/16/2016 1:44:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 1:44:22 PM	0	mg/l
SC ALRO SA	Temp	9/16/2016 1:44:21 PM	25	gradCels
SC ALRO SA	pH	9/16/2016 1:44:20 PM	3	unit pH
SC ALRO SA	Clor	9/16/2016 1:38:45 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 1:38:44 PM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 1:38:43 PM	10	mg/l
SC ALRO SA	pH	9/16/2016 1:38:42 PM	3	unit pH
SC ALRO SA	Temp	9/16/2016 1:38:40 PM	25	gradCels
SC ALRO SA	Substante organice	9/16/2016 1:33:25 PM	9	mg/l
SC ALRO SA	Clor	9/16/2016 1:33:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 1:33:22 PM	0	mg/l
SC ALRO SA	Temp	9/16/2016 1:33:21 PM	25	gradCels
SC ALRO SA	pH	9/16/2016 1:33:20 PM	3	unit pH
SC ALRO SA	Clor	9/16/2016 1:30:00 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 1:29:40 PM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 1:29:30 PM	9	mg/l
SC ALRO SA	Temp	9/16/2016 1:28:40 PM	25	gradCels
SC ALRO SA	pH	9/16/2016 1:28:30 PM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 1:28:20 PM	9	mg/l
SC ALRO SA	Clor	9/16/2016 1:27:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 1:27:42 PM	0	mg/l
SC ALRO SA	Temp	9/16/2016 1:27:41 PM	25	gradCels
SC ALRO SA	pH	9/16/2016 1:27:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 1:22:25 PM	9	mg/l
SC ALRO SA	Clor	9/16/2016 1:22:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 1:22:22 PM	0	mg/l
SC ALRO SA	Temp	9/16/2016 1:22:21 PM	25	gradCels
SC ALRO SA	pH	9/16/2016 1:22:20 PM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 1:17:20 PM	9	mg/l
SC ALRO SA	Clor	9/16/2016 1:16:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 1:16:42 PM	0	mg/l
SC ALRO SA	Temp	9/16/2016 1:16:41 PM	25	gradCels
SC ALRO SA	pH	9/16/2016 1:16:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 1:11:25 PM	9	mg/l
SC ALRO SA	Clor	9/16/2016 1:11:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 1:11:22 PM	0	mg/l
SC ALRO SA	pH	9/16/2016 1:11:21 PM	3	unit pH
SC ALRO SA	Temp	9/16/2016 1:11:20 PM	25	gradCels
SC ALRO SA	Clor	9/16/2016 1:06:40 PM	0	mg/l
SC ALRO SA	Clor	9/16/2016 1:06:24 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 1:06:23 PM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 1:06:22 PM	9	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	9/16/2016 1:06:21 PM	25	gradCels
SC ALRO SA	pH	9/16/2016 1:06:20 PM	3	unit pH
SC ALRO SA	Grasimi	9/16/2016 1:06:00 PM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 1:05:50 PM	10	mg/l
SC ALRO SA	Temp	9/16/2016 1:05:40 PM	25	gradCels
SC ALRO SA	pH	9/16/2016 1:05:30 PM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 1:01:20 PM	10	mg/l
SC ALRO SA	Clor	9/16/2016 1:00:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 1:00:42 PM	0	mg/l
SC ALRO SA	pH	9/16/2016 1:00:41 PM	3	unit pH
SC ALRO SA	Temp	9/16/2016 1:00:40 PM	25	gradCels
SC ALRO SA	Substante organice	9/16/2016 12:55:20 PM	10	mg/l
SC ALRO SA	Clor	9/16/2016 12:55:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 12:55:02 PM	0	mg/l
SC ALRO SA	pH	9/16/2016 12:55:01 PM	3	unit pH
SC ALRO SA	Temp	9/16/2016 12:55:00 PM	25	gradCels
SC ALRO SA	Substante organice	9/16/2016 12:50:20 PM	10	mg/l
SC ALRO SA	Clor	9/16/2016 12:49:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 12:49:42 PM	0	mg/l
SC ALRO SA	Temp	9/16/2016 12:49:41 PM	25	gradCels
SC ALRO SA	pH	9/16/2016 12:49:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 12:44:20 PM	10	mg/l
SC ALRO SA	Clor	9/16/2016 12:44:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 12:44:02 PM	0	mg/l
SC ALRO SA	pH	9/16/2016 12:44:01 PM	3	unit pH
SC ALRO SA	Temp	9/16/2016 12:44:00 PM	25	gradCels
SC ALRO SA	Clor	9/16/2016 12:43:50 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 12:43:30 PM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 12:43:20 PM	10	mg/l
SC ALRO SA	Temp	9/16/2016 12:43:10 PM	25	gradCels
SC ALRO SA	pH	9/16/2016 12:43:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 12:39:20 PM	10	mg/l
SC ALRO SA	Clor	9/16/2016 12:38:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 12:38:42 PM	0	mg/l
SC ALRO SA	Temp	9/16/2016 12:38:41 PM	25	gradCels
SC ALRO SA	pH	9/16/2016 12:38:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 12:33:08 PM	10	mg/l
SC ALRO SA	Clor	9/16/2016 12:33:05 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 12:33:03 PM	0	mg/l
SC ALRO SA	Temp	9/16/2016 12:33:01 PM	25	gradCels
SC ALRO SA	pH	9/16/2016 12:33:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 12:28:20 PM	10	mg/l
SC ALRO SA	Clor	9/16/2016 12:27:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 12:27:42 PM	0	mg/l
SC ALRO SA	Temp	9/16/2016 12:27:41 PM	25	gradCels
SC ALRO SA	pH	9/16/2016 12:27:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 12:22:20 PM	10	mg/l
SC ALRO SA	Clor	9/16/2016 12:22:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 12:22:02 PM	0	mg/l
SC ALRO SA	pH	9/16/2016 12:22:01 PM	3	unit pH
SC ALRO SA	Temp	9/16/2016 12:22:00 PM	25	gradCels
SC ALRO SA	Clor	9/16/2016 12:21:40 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 12:21:20 PM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 12:21:10 PM	10	mg/l
SC ALRO SA	Temp	9/16/2016 12:21:00 PM	25	gradCels
SC ALRO SA	pH	9/16/2016 12:20:50 PM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 12:17:20 PM	10	mg/l
SC ALRO SA	Clor	9/16/2016 12:16:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 12:16:42 PM	0	mg/l
SC ALRO SA	Temp	9/16/2016 12:16:41 PM	25	gradCels
SC ALRO SA	pH	9/16/2016 12:16:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 12:11:20 PM	10	mg/l
SC ALRO SA	Clor	9/16/2016 12:11:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 12:11:02 PM	0	mg/l
SC ALRO SA	pH	9/16/2016 12:11:01 PM	3	unit pH
SC ALRO SA	Temp	9/16/2016 12:11:00 PM	25	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Clor	9/16/2016 12:05:24 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 12:05:23 PM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 12:05:22 PM	10	mg/l
SC ALRO SA	pH	9/16/2016 12:05:21 PM	3	unit pH
SC ALRO SA	Temp	9/16/2016 12:05:20 PM	25	gradCels
SC ALRO SA	Substante organice	9/16/2016 12:00:20 PM	10	mg/l
SC ALRO SA	Clor	9/16/2016 12:00:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 12:00:02 PM	0	mg/l
SC ALRO SA	Temp	9/16/2016 12:00:01 PM	25	gradCels
SC ALRO SA	pH	9/16/2016 12:00:00 PM	3	unit pH
SC ALRO SA	Clor	9/16/2016 11:59:00 AM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 11:58:40 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 11:58:30 AM	10	mg/l
SC ALRO SA	Temp	9/16/2016 11:57:40 AM	25	gradCels
SC ALRO SA	pH	9/16/2016 11:57:30 AM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 11:55:26 AM	10	mg/l
SC ALRO SA	Clor	9/16/2016 11:54:23 AM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 11:54:22 AM	0	mg/l
SC ALRO SA	Temp	9/16/2016 11:54:21 AM	25	gradCels
SC ALRO SA	pH	9/16/2016 11:54:20 AM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 11:49:20 AM	10	mg/l
SC ALRO SA	Clor	9/16/2016 11:49:03 AM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 11:49:02 AM	0	mg/l
SC ALRO SA	Temp	9/16/2016 11:49:01 AM	25	gradCels
SC ALRO SA	pH	9/16/2016 11:49:00 AM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 11:44:26 AM	10	mg/l
SC ALRO SA	Clor	9/16/2016 11:43:23 AM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 11:43:22 AM	0	mg/l
SC ALRO SA	Temp	9/16/2016 11:43:21 AM	25	gradCels
SC ALRO SA	pH	9/16/2016 11:43:20 AM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 11:38:20 AM	10	mg/l
SC ALRO SA	Clor	9/16/2016 11:38:03 AM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 11:38:02 AM	0	mg/l
SC ALRO SA	pH	9/16/2016 11:38:01 AM	3	unit pH
SC ALRO SA	Temp	9/16/2016 11:38:00 AM	25	gradCels
SC ALRO SA	Clor	9/16/2016 11:36:30 AM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 11:36:10 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 11:35:00 AM	10	mg/l
SC ALRO SA	Temp	9/16/2016 11:34:30 AM	25	gradCels
SC ALRO SA	pH	9/16/2016 11:34:00 AM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 11:33:22 AM	10	mg/l
SC ALRO SA	Clor	9/16/2016 11:32:23 AM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 11:32:22 AM	0	mg/l
SC ALRO SA	Temp	9/16/2016 11:32:21 AM	25	gradCels
SC ALRO SA	pH	9/16/2016 11:32:20 AM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 11:27:20 AM	10	mg/l
SC ALRO SA	Clor	9/16/2016 11:26:43 AM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 11:26:42 AM	0	mg/l
SC ALRO SA	Temp	9/16/2016 11:26:41 AM	25	gradCels
SC ALRO SA	pH	9/16/2016 11:26:40 AM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 11:22:22 AM	10	mg/l
SC ALRO SA	Clor	9/16/2016 11:21:23 AM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 11:21:22 AM	0	mg/l
SC ALRO SA	Temp	9/16/2016 11:21:21 AM	25	gradCels
SC ALRO SA	pH	9/16/2016 11:21:20 AM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 11:16:20 AM	10	mg/l
SC ALRO SA	Clor	9/16/2016 11:15:43 AM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 11:15:42 AM	0	mg/l
SC ALRO SA	Temp	9/16/2016 11:15:41 AM	25	gradCels
SC ALRO SA	pH	9/16/2016 11:15:40 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 11:14:30 AM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 11:13:00 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 11:12:50 AM	10	mg/l
SC ALRO SA	Temp	9/16/2016 11:11:40 AM	25	gradCels
SC ALRO SA	pH	9/16/2016 11:11:30 AM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 11:10:25 AM	10	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Clor	9/16/2016 11:10:23 AM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 11:10:22 AM	0	mg/l
SC ALRO SA	Temp	9/16/2016 11:10:21 AM	25	gradCels
SC ALRO SA	pH	9/16/2016 11:10:20 AM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 11:05:20 AM	10	mg/l
SC ALRO SA	Clor	9/16/2016 11:04:43 AM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 11:04:42 AM	0	mg/l
SC ALRO SA	Temp	9/16/2016 11:04:41 AM	25	gradCels
SC ALRO SA	pH	9/16/2016 11:04:40 AM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 10:59:25 AM	10	mg/l
SC ALRO SA	Clor	9/16/2016 10:59:23 AM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 10:59:22 AM	0	mg/l
SC ALRO SA	Temp	9/16/2016 10:59:21 AM	25	gradCels
SC ALRO SA	pH	9/16/2016 10:59:20 AM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 10:54:20 AM	10	mg/l
SC ALRO SA	Clor	9/16/2016 10:53:43 AM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 10:53:42 AM	0	mg/l
SC ALRO SA	pH	9/16/2016 10:53:41 AM	3	unit pH
SC ALRO SA	Temp	9/16/2016 10:53:40 AM	25	gradCels
SC ALRO SA	Clor	9/16/2016 10:52:00 AM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 10:51:40 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 10:51:30 AM	10	mg/l
SC ALRO SA	Temp	9/16/2016 10:50:50 AM	25	gradCels
SC ALRO SA	pH	9/16/2016 10:50:20 AM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 10:48:25 AM	10	mg/l
SC ALRO SA	Clor	9/16/2016 10:48:23 AM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 10:48:22 AM	0	mg/l
SC ALRO SA	pH	9/16/2016 10:48:21 AM	3	unit pH
SC ALRO SA	Temp	9/16/2016 10:48:20 AM	25	gradCels
SC ALRO SA	Substante organice	9/16/2016 10:43:20 AM	10	mg/l
SC ALRO SA	Clor	9/16/2016 10:42:43 AM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 10:42:42 AM	0	mg/l
SC ALRO SA	Temp	9/16/2016 10:42:41 AM	25	gradCels
SC ALRO SA	pH	9/16/2016 10:42:40 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 10:37:24 AM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 10:37:23 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 10:37:22 AM	10	mg/l
SC ALRO SA	Temp	9/16/2016 10:37:21 AM	25	gradCels
SC ALRO SA	pH	9/16/2016 10:37:20 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 10:32:21 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 10:32:20 AM	10	mg/l
SC ALRO SA	Grasimi	9/16/2016 10:31:42 AM	0	mg/l
SC ALRO SA	Temp	9/16/2016 10:31:41 AM	25	gradCels
SC ALRO SA	pH	9/16/2016 10:31:40 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 10:31:20 AM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 10:31:00 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 10:30:50 AM	10	mg/l
SC ALRO SA	Temp	9/16/2016 10:30:40 AM	25	gradCels
SC ALRO SA	pH	9/16/2016 10:30:30 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 10:26:25 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 10:26:24 AM	10	mg/l
SC ALRO SA	Grasimi	9/16/2016 10:26:22 AM	0	mg/l
SC ALRO SA	Temp	9/16/2016 10:26:21 AM	25	gradCels
SC ALRO SA	pH	9/16/2016 10:26:20 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 10:21:21 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 10:21:20 AM	10	mg/l
SC ALRO SA	Grasimi	9/16/2016 10:20:42 AM	0	mg/l
SC ALRO SA	Temp	9/16/2016 10:20:41 AM	25	gradCels
SC ALRO SA	pH	9/16/2016 10:20:40 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 10:15:21 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 10:15:20 AM	10	mg/l
SC ALRO SA	Grasimi	9/16/2016 10:15:02 AM	0	mg/l
SC ALRO SA	Temp	9/16/2016 10:15:01 AM	25	gradCels
SC ALRO SA	pH	9/16/2016 10:15:00 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 10:10:21 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 10:10:20 AM	10	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Grasimi	9/16/2016 10:09:42 AM	0	mg/l
SC ALRO SA	Temp	9/16/2016 10:09:41 AM	25	gradCels
SC ALRO SA	pH	9/16/2016 10:09:40 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 10:08:50 AM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 10:08:30 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 10:08:00 AM	10	mg/l
SC ALRO SA	Temp	9/16/2016 10:07:50 AM	25	gradCels
SC ALRO SA	pH	9/16/2016 10:07:40 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 10:04:20 AM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 10:04:03 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 10:04:02 AM	10	mg/l
SC ALRO SA	pH	9/16/2016 10:04:01 AM	3	unit pH
SC ALRO SA	Temp	9/16/2016 10:04:00 AM	25	gradCels
SC ALRO SA	Clor	9/16/2016 9:59:21 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 9:59:20 AM	10	mg/l
SC ALRO SA	Grasimi	9/16/2016 9:58:42 AM	0	mg/l
SC ALRO SA	Temp	9/16/2016 9:58:41 AM	25	gradCels
SC ALRO SA	pH	9/16/2016 9:58:40 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 9:53:21 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 9:53:20 AM	10	mg/l
SC ALRO SA	Grasimi	9/16/2016 9:53:02 AM	0	mg/l
SC ALRO SA	Temp	9/16/2016 9:53:01 AM	25	gradCels
SC ALRO SA	pH	9/16/2016 9:53:00 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 9:48:21 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 9:48:20 AM	10	mg/l
SC ALRO SA	Grasimi	9/16/2016 9:47:42 AM	0	mg/l
SC ALRO SA	Temp	9/16/2016 9:47:41 AM	25	gradCels
SC ALRO SA	pH	9/16/2016 9:47:40 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 9:46:30 AM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 9:45:50 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 9:45:40 AM	10	mg/l
SC ALRO SA	Temp	9/16/2016 9:44:40 AM	25	gradCels
SC ALRO SA	pH	9/16/2016 9:43:50 AM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 9:42:21 AM	10	mg/l
SC ALRO SA	Clor	9/16/2016 9:42:20 AM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 9:42:02 AM	0	mg/l
SC ALRO SA	Temp	9/16/2016 9:42:01 AM	25	gradCels
SC ALRO SA	pH	9/16/2016 9:42:00 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 9:37:20 AM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 9:36:43 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 9:36:42 AM	10	mg/l
SC ALRO SA	Temp	9/16/2016 9:36:41 AM	25	gradCels
SC ALRO SA	pH	9/16/2016 9:36:40 AM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 9:31:20 AM	10	mg/l
SC ALRO SA	Clor	9/16/2016 9:31:03 AM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 9:31:02 AM	0	mg/l
SC ALRO SA	Temp	9/16/2016 9:31:01 AM	25	gradCels
SC ALRO SA	pH	9/16/2016 9:31:00 AM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 9:26:20 AM	10	mg/l
SC ALRO SA	Clor	9/16/2016 9:25:23 AM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 9:25:22 AM	0	mg/l
SC ALRO SA	Temp	9/16/2016 9:25:21 AM	25	gradCels
SC ALRO SA	pH	9/16/2016 9:25:20 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 9:24:10 AM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 9:23:50 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 9:23:40 AM	10	mg/l
SC ALRO SA	Temp	9/16/2016 9:23:30 AM	25	gradCels
SC ALRO SA	pH	9/16/2016 9:23:20 AM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 9:20:05 AM	10	mg/l
SC ALRO SA	Clor	9/16/2016 9:20:03 AM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 9:20:02 AM	0	mg/l
SC ALRO SA	pH	9/16/2016 9:20:01 AM	3	unit pH
SC ALRO SA	Temp	9/16/2016 9:20:00 AM	25	gradCels
SC ALRO SA	Substante organice	9/16/2016 9:15:20 AM	10	mg/l
SC ALRO SA	Clor	9/16/2016 9:14:23 AM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 9:14:22 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	9/16/2016 9:14:21 AM	25	gradCels
SC ALRO SA	pH	9/16/2016 9:14:20 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 9:09:05 AM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 9:09:03 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 9:09:02 AM	10	mg/l
SC ALRO SA	Temp	9/16/2016 9:09:01 AM	25	gradCels
SC ALRO SA	pH	9/16/2016 9:09:00 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 9:04:21 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 9:04:20 AM	9	mg/l
SC ALRO SA	Grasimi	9/16/2016 9:03:22 AM	0	mg/l
SC ALRO SA	Temp	9/16/2016 9:03:21 AM	25	gradCels
SC ALRO SA	pH	9/16/2016 9:03:20 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 9:02:50 AM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 9:02:30 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 9:02:00 AM	9	mg/l
SC ALRO SA	Temp	9/16/2016 9:01:50 AM	25	gradCels
SC ALRO SA	pH	9/16/2016 9:00:20 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 8:58:21 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 8:58:20 AM	9	mg/l
SC ALRO SA	Grasimi	9/16/2016 8:58:02 AM	0	mg/l
SC ALRO SA	Temp	9/16/2016 8:58:01 AM	25	gradCels
SC ALRO SA	pH	9/16/2016 8:58:00 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 8:53:27 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 8:53:26 AM	9	mg/l
SC ALRO SA	Grasimi	9/16/2016 8:52:22 AM	0	mg/l
SC ALRO SA	pH	9/16/2016 8:52:21 AM	3	unit pH
SC ALRO SA	Temp	9/16/2016 8:52:20 AM	25	gradCels
SC ALRO SA	Clor	9/16/2016 8:47:21 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 8:47:20 AM	9	mg/l
SC ALRO SA	Grasimi	9/16/2016 8:46:42 AM	0	mg/l
SC ALRO SA	Temp	9/16/2016 8:46:41 AM	25	gradCels
SC ALRO SA	pH	9/16/2016 8:46:40 AM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 8:42:26 AM	9	mg/l
SC ALRO SA	Clor	9/16/2016 8:41:23 AM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 8:41:22 AM	0	mg/l
SC ALRO SA	Temp	9/16/2016 8:41:21 AM	25	gradCels
SC ALRO SA	pH	9/16/2016 8:41:20 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 8:37:40 AM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 8:36:50 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 8:36:30 AM	9	mg/l
SC ALRO SA	Temp	9/16/2016 8:36:20 AM	25	gradCels
SC ALRO SA	pH	9/16/2016 8:36:10 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 8:35:44 AM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 8:35:43 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 8:35:42 AM	9	mg/l
SC ALRO SA	pH	9/16/2016 8:35:41 AM	3	unit pH
SC ALRO SA	Temp	9/16/2016 8:35:40 AM	25	gradCels
SC ALRO SA	Substante organice	9/16/2016 8:30:25 AM	9	mg/l
SC ALRO SA	Clor	9/16/2016 8:30:23 AM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 8:30:22 AM	0	mg/l
SC ALRO SA	pH	9/16/2016 8:30:21 AM	3	unit pH
SC ALRO SA	Temp	9/16/2016 8:30:20 AM	25	gradCels
SC ALRO SA	Substante organice	9/16/2016 8:25:20 AM	9	mg/l
SC ALRO SA	Clor	9/16/2016 8:24:43 AM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 8:24:42 AM	0	mg/l
SC ALRO SA	Temp	9/16/2016 8:24:41 AM	25	gradCels
SC ALRO SA	pH	9/16/2016 8:24:40 AM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 8:19:24 AM	9	mg/l
SC ALRO SA	Clor	9/16/2016 8:19:23 AM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 8:19:22 AM	0	mg/l
SC ALRO SA	Temp	9/16/2016 8:19:21 AM	25	gradCels
SC ALRO SA	pH	9/16/2016 8:19:20 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 8:15:40 AM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 8:14:50 AM	0	mg/l
SC ALRO SA	Clor	9/16/2016 8:14:22 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 8:14:20 AM	9	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	9/16/2016 8:14:00 AM	9	mg/l
SC ALRO SA	Temp	9/16/2016 8:13:50 AM	25	gradCels
SC ALRO SA	Grasimi	9/16/2016 8:13:42 AM	0	mg/l
SC ALRO SA	Temp	9/16/2016 8:13:41 AM	25	gradCels
SC ALRO SA	pH	9/16/2016 8:13:40 AM	3	unit pH
SC ALRO SA	pH	9/16/2016 8:13:20 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 8:08:05 AM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 8:08:03 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 8:08:02 AM	9	mg/l
SC ALRO SA	Temp	9/16/2016 8:08:01 AM	25	gradCels
SC ALRO SA	pH	9/16/2016 8:08:00 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 8:03:21 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 8:03:20 AM	9	mg/l
SC ALRO SA	Grasimi	9/16/2016 8:02:42 AM	0	mg/l
SC ALRO SA	Temp	9/16/2016 8:02:41 AM	25	gradCels
SC ALRO SA	pH	9/16/2016 8:02:40 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 7:57:22 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 7:57:20 AM	9	mg/l
SC ALRO SA	Grasimi	9/16/2016 7:57:02 AM	0	mg/l
SC ALRO SA	Temp	9/16/2016 7:57:01 AM	25	gradCels
SC ALRO SA	pH	9/16/2016 7:57:00 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 7:52:21 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 7:52:20 AM	9	mg/l
SC ALRO SA	Clor	9/16/2016 7:51:50 AM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 7:51:42 AM	0	mg/l
SC ALRO SA	Temp	9/16/2016 7:51:41 AM	25	gradCels
SC ALRO SA	pH	9/16/2016 7:51:40 AM	3	unit pH
SC ALRO SA	Grasimi	9/16/2016 7:51:10 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 7:51:00 AM	9	mg/l
SC ALRO SA	Temp	9/16/2016 7:50:50 AM	25	gradCels
SC ALRO SA	pH	9/16/2016 7:50:40 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 7:46:21 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 7:46:20 AM	9	mg/l
SC ALRO SA	Grasimi	9/16/2016 7:46:02 AM	0	mg/l
SC ALRO SA	Temp	9/16/2016 7:46:01 AM	25	gradCels
SC ALRO SA	pH	9/16/2016 7:46:00 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 7:41:22 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 7:41:20 AM	9	mg/l
SC ALRO SA	Grasimi	9/16/2016 7:40:22 AM	0	mg/l
SC ALRO SA	Temp	9/16/2016 7:40:21 AM	25	gradCels
SC ALRO SA	pH	9/16/2016 7:40:20 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 7:36:06 AM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 7:35:23 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 7:35:22 AM	9	mg/l
SC ALRO SA	Temp	9/16/2016 7:35:21 AM	25	gradCels
SC ALRO SA	pH	9/16/2016 7:35:20 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 7:30:10 AM	0	mg/l
SC ALRO SA	Clor	9/16/2016 7:30:05 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 7:30:04 AM	9	mg/l
SC ALRO SA	Grasimi	9/16/2016 7:30:02 AM	0	mg/l
SC ALRO SA	Temp	9/16/2016 7:30:01 AM	25	gradCels
SC ALRO SA	pH	9/16/2016 7:30:00 AM	3	unit pH
SC ALRO SA	Grasimi	9/16/2016 7:29:30 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 7:29:20 AM	9	mg/l
SC ALRO SA	Temp	9/16/2016 7:29:10 AM	25	gradCels
SC ALRO SA	pH	9/16/2016 7:29:00 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 7:25:07 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 7:25:06 AM	9	mg/l
SC ALRO SA	Grasimi	9/16/2016 7:24:22 AM	0	mg/l
SC ALRO SA	Temp	9/16/2016 7:24:21 AM	25	gradCels
SC ALRO SA	pH	9/16/2016 7:24:20 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 7:19:05 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 7:19:04 AM	9	mg/l
SC ALRO SA	Grasimi	9/16/2016 7:19:02 AM	0	mg/l
SC ALRO SA	Temp	9/16/2016 7:19:01 AM	25	gradCels
SC ALRO SA	pH	9/16/2016 7:19:00 AM	3	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Clor	9/16/2016 7:14:07 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 7:14:06 AM	9	mg/l
SC ALRO SA	Grasimi	9/16/2016 7:13:22 AM	0	mg/l
SC ALRO SA	Temp	9/16/2016 7:13:21 AM	25	gradCels
SC ALRO SA	pH	9/16/2016 7:13:20 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 7:12:00 AM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 7:11:40 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 7:11:30 AM	9	mg/l
SC ALRO SA	Temp	9/16/2016 7:11:20 AM	25	gradCels
SC ALRO SA	pH	9/16/2016 7:11:10 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 7:08:20 AM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 7:08:03 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 7:08:02 AM	9	mg/l
SC ALRO SA	Temp	9/16/2016 7:08:01 AM	25	gradCels
SC ALRO SA	pH	9/16/2016 7:08:00 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 7:03:07 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 7:03:06 AM	9	mg/l
SC ALRO SA	Grasimi	9/16/2016 7:02:22 AM	0	mg/l
SC ALRO SA	Temp	9/16/2016 7:02:21 AM	25	gradCels
SC ALRO SA	pH	9/16/2016 7:02:20 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 6:57:21 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 6:57:20 AM	9	mg/l
SC ALRO SA	Grasimi	9/16/2016 6:56:42 AM	0	mg/l
SC ALRO SA	Temp	9/16/2016 6:56:41 AM	25	gradCels
SC ALRO SA	pH	9/16/2016 6:56:40 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 6:52:07 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 6:52:06 AM	9	mg/l
SC ALRO SA	Grasimi	9/16/2016 6:51:22 AM	0	mg/l
SC ALRO SA	Temp	9/16/2016 6:51:21 AM	25	gradCels
SC ALRO SA	pH	9/16/2016 6:51:20 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 6:50:20 AM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 6:50:00 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 6:49:50 AM	9	mg/l
SC ALRO SA	Temp	9/16/2016 6:49:40 AM	25	gradCels
SC ALRO SA	pH	9/16/2016 6:49:30 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 6:46:21 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 6:46:20 AM	9	mg/l
SC ALRO SA	Grasimi	9/16/2016 6:45:42 AM	0	mg/l
SC ALRO SA	Temp	9/16/2016 6:45:41 AM	25	gradCels
SC ALRO SA	pH	9/16/2016 6:45:40 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 6:41:08 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 6:41:07 AM	9	mg/l
SC ALRO SA	Grasimi	9/16/2016 6:40:22 AM	0	mg/l
SC ALRO SA	Temp	9/16/2016 6:40:21 AM	25	gradCels
SC ALRO SA	pH	9/16/2016 6:40:20 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 6:35:20 AM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 6:34:43 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 6:34:42 AM	9	mg/l
SC ALRO SA	Temp	9/16/2016 6:34:41 AM	25	gradCels
SC ALRO SA	pH	9/16/2016 6:34:40 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 6:29:50 AM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 6:29:30 AM	0	mg/l
SC ALRO SA	Clor	9/16/2016 6:29:25 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 6:29:24 AM	9	mg/l
SC ALRO SA	Grasimi	9/16/2016 6:29:22 AM	0	mg/l
SC ALRO SA	Temp	9/16/2016 6:29:21 AM	26	gradCels
SC ALRO SA	pH	9/16/2016 6:29:20 AM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 6:29:00 AM	9	mg/l
SC ALRO SA	Temp	9/16/2016 6:28:50 AM	26	gradCels
SC ALRO SA	pH	9/16/2016 6:28:40 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 6:24:21 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 6:24:20 AM	9	mg/l
SC ALRO SA	Grasimi	9/16/2016 6:23:42 AM	0	mg/l
SC ALRO SA	Temp	9/16/2016 6:23:41 AM	26	gradCels
SC ALRO SA	pH	9/16/2016 6:23:40 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 6:18:25 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	9/16/2016 6:18:24 AM	9	mg/l
SC ALRO SA	Grasimi	9/16/2016 6:18:22 AM	0	mg/l
SC ALRO SA	Temp	9/16/2016 6:18:21 AM	26	gradCels
SC ALRO SA	pH	9/16/2016 6:18:20 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 6:13:21 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 6:13:20 AM	9	mg/l
SC ALRO SA	Grasimi	9/16/2016 6:12:42 AM	0	mg/l
SC ALRO SA	Temp	9/16/2016 6:12:41 AM	26	gradCels
SC ALRO SA	pH	9/16/2016 6:12:40 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 6:09:30 AM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 6:08:30 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 6:08:20 AM	9	mg/l
SC ALRO SA	Temp	9/16/2016 6:08:10 AM	26	gradCels
SC ALRO SA	pH	9/16/2016 6:07:50 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 6:07:05 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 6:07:04 AM	9	mg/l
SC ALRO SA	Grasimi	9/16/2016 6:07:02 AM	0	mg/l
SC ALRO SA	Temp	9/16/2016 6:07:01 AM	26	gradCels
SC ALRO SA	pH	9/16/2016 6:07:00 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 6:02:21 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 6:02:20 AM	9	mg/l
SC ALRO SA	Grasimi	9/16/2016 6:01:42 AM	0	mg/l
SC ALRO SA	Temp	9/16/2016 6:01:41 AM	26	gradCels
SC ALRO SA	pH	9/16/2016 6:01:40 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 5:56:21 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 5:56:20 AM	9	mg/l
SC ALRO SA	Grasimi	9/16/2016 5:56:02 AM	0	mg/l
SC ALRO SA	Temp	9/16/2016 5:56:01 AM	26	gradCels
SC ALRO SA	pH	9/16/2016 5:56:00 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 5:51:21 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 5:51:20 AM	9	mg/l
SC ALRO SA	Grasimi	9/16/2016 5:50:42 AM	0	mg/l
SC ALRO SA	Temp	9/16/2016 5:50:41 AM	26	gradCels
SC ALRO SA	pH	9/16/2016 5:50:40 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 5:50:00 AM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 5:49:40 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 5:49:30 AM	9	mg/l
SC ALRO SA	Temp	9/16/2016 5:49:00 AM	26	gradCels
SC ALRO SA	pH	9/16/2016 5:48:50 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 5:45:05 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 5:45:04 AM	9	mg/l
SC ALRO SA	Grasimi	9/16/2016 5:45:02 AM	0	mg/l
SC ALRO SA	Temp	9/16/2016 5:45:01 AM	26	gradCels
SC ALRO SA	pH	9/16/2016 5:45:00 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 5:40:21 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 5:40:20 AM	9	mg/l
SC ALRO SA	Grasimi	9/16/2016 5:39:42 AM	0	mg/l
SC ALRO SA	Temp	9/16/2016 5:39:41 AM	26	gradCels
SC ALRO SA	pH	9/16/2016 5:39:40 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 5:34:05 AM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 5:34:03 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 5:34:02 AM	9	mg/l
SC ALRO SA	Temp	9/16/2016 5:34:01 AM	26	gradCels
SC ALRO SA	pH	9/16/2016 5:34:00 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 5:31:00 AM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 5:30:20 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 5:29:40 AM	9	mg/l
SC ALRO SA	Temp	9/16/2016 5:29:30 AM	26	gradCels
SC ALRO SA	Clor	9/16/2016 5:29:21 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 5:29:20 AM	9	mg/l
SC ALRO SA	pH	9/16/2016 5:29:00 AM	3	unit pH
SC ALRO SA	Grasimi	9/16/2016 5:28:42 AM	0	mg/l
SC ALRO SA	Temp	9/16/2016 5:28:41 AM	26	gradCels
SC ALRO SA	pH	9/16/2016 5:28:40 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 5:23:05 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 5:23:04 AM	9	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Grasimi	9/16/2016 5:23:02 AM	0	mg/l
SC ALRO SA	Temp	9/16/2016 5:23:01 AM	26	gradCels
SC ALRO SA	pH	9/16/2016 5:23:00 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 5:18:21 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 5:18:20 AM	9	mg/l
SC ALRO SA	Grasimi	9/16/2016 5:17:42 AM	0	mg/l
SC ALRO SA	Temp	9/16/2016 5:17:41 AM	26	gradCels
SC ALRO SA	pH	9/16/2016 5:17:40 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 5:12:05 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 5:12:04 AM	9	mg/l
SC ALRO SA	Grasimi	9/16/2016 5:12:02 AM	0	mg/l
SC ALRO SA	Temp	9/16/2016 5:12:01 AM	26	gradCels
SC ALRO SA	pH	9/16/2016 5:12:00 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 5:11:40 AM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 5:11:20 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 5:11:10 AM	9	mg/l
SC ALRO SA	Temp	9/16/2016 5:11:00 AM	26	gradCels
SC ALRO SA	pH	9/16/2016 5:10:50 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 5:07:20 AM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 5:06:23 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 5:06:22 AM	9	mg/l
SC ALRO SA	Temp	9/16/2016 5:06:21 AM	26	gradCels
SC ALRO SA	pH	9/16/2016 5:06:20 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 5:01:05 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 5:01:04 AM	9	mg/l
SC ALRO SA	Grasimi	9/16/2016 5:01:02 AM	0	mg/l
SC ALRO SA	Temp	9/16/2016 5:01:01 AM	26	gradCels
SC ALRO SA	pH	9/16/2016 5:01:00 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 4:56:21 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 4:56:20 AM	9	mg/l
SC ALRO SA	Grasimi	9/16/2016 4:55:22 AM	0	mg/l
SC ALRO SA	Temp	9/16/2016 4:55:21 AM	26	gradCels
SC ALRO SA	pH	9/16/2016 4:55:20 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 4:50:20 AM	0	mg/l
SC ALRO SA	Clor	9/16/2016 4:50:05 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 4:50:04 AM	9	mg/l
SC ALRO SA	Grasimi	9/16/2016 4:50:02 AM	0	mg/l
SC ALRO SA	Temp	9/16/2016 4:50:01 AM	26	gradCels
SC ALRO SA	pH	9/16/2016 4:50:00 AM	3	unit pH
SC ALRO SA	Grasimi	9/16/2016 4:49:40 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 4:49:30 AM	9	mg/l
SC ALRO SA	Temp	9/16/2016 4:49:20 AM	26	gradCels
SC ALRO SA	pH	9/16/2016 4:49:10 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 4:45:22 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 4:45:20 AM	9	mg/l
SC ALRO SA	Grasimi	9/16/2016 4:44:22 AM	0	mg/l
SC ALRO SA	Temp	9/16/2016 4:44:21 AM	26	gradCels
SC ALRO SA	pH	9/16/2016 4:44:20 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 4:39:05 AM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 4:39:03 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 4:39:02 AM	9	mg/l
SC ALRO SA	pH	9/16/2016 4:39:01 AM	3	unit pH
SC ALRO SA	Temp	9/16/2016 4:39:00 AM	26	gradCels
SC ALRO SA	Clor	9/16/2016 4:34:21 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 4:34:20 AM	9	mg/l
SC ALRO SA	Grasimi	9/16/2016 4:33:22 AM	0	mg/l
SC ALRO SA	Temp	9/16/2016 4:33:21 AM	26	gradCels
SC ALRO SA	pH	9/16/2016 4:33:20 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 4:28:40 AM	0	mg/l
SC ALRO SA	Clor	9/16/2016 4:28:21 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 4:28:20 AM	9	mg/l
SC ALRO SA	Grasimi	9/16/2016 4:28:00 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 4:27:50 AM	9	mg/l
SC ALRO SA	Grasimi	9/16/2016 4:27:42 AM	0	mg/l
SC ALRO SA	Temp	9/16/2016 4:27:41 AM	26	gradCels
SC ALRO SA	pH	9/16/2016 4:27:40 AM	3	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	9/16/2016 4:27:30 AM	26	gradCels
SC ALRO SA	pH	9/16/2016 4:27:20 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 4:23:21 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 4:23:20 AM	9	mg/l
SC ALRO SA	Grasimi	9/16/2016 4:22:22 AM	0	mg/l
SC ALRO SA	Temp	9/16/2016 4:22:21 AM	26	gradCels
SC ALRO SA	pH	9/16/2016 4:22:20 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 4:17:22 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 4:17:20 AM	9	mg/l
SC ALRO SA	Grasimi	9/16/2016 4:16:42 AM	0	mg/l
SC ALRO SA	Temp	9/16/2016 4:16:41 AM	26	gradCels
SC ALRO SA	pH	9/16/2016 4:16:40 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 4:12:21 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 4:12:20 AM	9	mg/l
SC ALRO SA	Grasimi	9/16/2016 4:11:22 AM	0	mg/l
SC ALRO SA	Temp	9/16/2016 4:11:21 AM	26	gradCels
SC ALRO SA	pH	9/16/2016 4:11:20 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 4:06:30 AM	0	mg/l
SC ALRO SA	Clor	9/16/2016 4:06:20 AM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 4:05:50 AM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 4:05:43 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 4:05:42 AM	9	mg/l
SC ALRO SA	Temp	9/16/2016 4:05:41 AM	26	gradCels
SC ALRO SA	pH	9/16/2016 4:05:40 AM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 4:05:30 AM	9	mg/l
SC ALRO SA	Temp	9/16/2016 4:05:20 AM	26	gradCels
SC ALRO SA	pH	9/16/2016 4:05:10 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 4:00:24 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 4:00:23 AM	9	mg/l
SC ALRO SA	Grasimi	9/16/2016 4:00:22 AM	0	mg/l
SC ALRO SA	Temp	9/16/2016 4:00:21 AM	26	gradCels
SC ALRO SA	pH	9/16/2016 4:00:20 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 3:55:21 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 3:55:20 AM	9	mg/l
SC ALRO SA	Grasimi	9/16/2016 3:54:42 AM	0	mg/l
SC ALRO SA	Temp	9/16/2016 3:54:41 AM	26	gradCels
SC ALRO SA	pH	9/16/2016 3:54:40 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 3:49:05 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 3:49:04 AM	9	mg/l
SC ALRO SA	Grasimi	9/16/2016 3:49:02 AM	0	mg/l
SC ALRO SA	Temp	9/16/2016 3:49:01 AM	26	gradCels
SC ALRO SA	pH	9/16/2016 3:49:00 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 3:45:30 AM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 3:44:50 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 3:44:40 AM	9	mg/l
SC ALRO SA	Temp	9/16/2016 3:44:30 AM	26	gradCels
SC ALRO SA	Clor	9/16/2016 3:44:21 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 3:44:20 AM	9	mg/l
SC ALRO SA	pH	9/16/2016 3:44:00 AM	3	unit pH
SC ALRO SA	Grasimi	9/16/2016 3:43:42 AM	0	mg/l
SC ALRO SA	Temp	9/16/2016 3:43:41 AM	26	gradCels
SC ALRO SA	pH	9/16/2016 3:43:40 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 3:38:05 AM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 3:38:03 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 3:38:02 AM	9	mg/l
SC ALRO SA	Temp	9/16/2016 3:38:01 AM	26	gradCels
SC ALRO SA	pH	9/16/2016 3:38:00 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 3:33:05 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 3:33:04 AM	9	mg/l
SC ALRO SA	Grasimi	9/16/2016 3:33:02 AM	0	mg/l
SC ALRO SA	Temp	9/16/2016 3:33:01 AM	26	gradCels
SC ALRO SA	pH	9/16/2016 3:33:00 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 3:28:21 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 3:28:20 AM	9	mg/l
SC ALRO SA	Grasimi	9/16/2016 3:27:42 AM	0	mg/l
SC ALRO SA	Temp	9/16/2016 3:27:41 AM	26	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	9/16/2016 3:27:40 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 3:25:50 AM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 3:25:30 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 3:25:00 AM	9	mg/l
SC ALRO SA	Temp	9/16/2016 3:24:50 AM	26	gradCels
SC ALRO SA	pH	9/16/2016 3:23:50 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 3:22:05 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 3:22:04 AM	9	mg/l
SC ALRO SA	Grasimi	9/16/2016 3:22:02 AM	0	mg/l
SC ALRO SA	Temp	9/16/2016 3:22:01 AM	26	gradCels
SC ALRO SA	pH	9/16/2016 3:22:00 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 3:17:21 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 3:17:20 AM	9	mg/l
SC ALRO SA	Grasimi	9/16/2016 3:16:42 AM	0	mg/l
SC ALRO SA	Temp	9/16/2016 3:16:41 AM	26	gradCels
SC ALRO SA	pH	9/16/2016 3:16:40 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 3:11:05 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 3:11:04 AM	9	mg/l
SC ALRO SA	Grasimi	9/16/2016 3:11:02 AM	0	mg/l
SC ALRO SA	Temp	9/16/2016 3:11:01 AM	26	gradCels
SC ALRO SA	pH	9/16/2016 3:11:00 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 3:06:20 AM	0	mg/l
SC ALRO SA	Clor	9/16/2016 3:05:50 AM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 3:05:43 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 3:05:42 AM	9	mg/l
SC ALRO SA	Temp	9/16/2016 3:05:41 AM	26	gradCels
SC ALRO SA	pH	9/16/2016 3:05:40 AM	3	unit pH
SC ALRO SA	Grasimi	9/16/2016 3:05:10 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 3:05:00 AM	9	mg/l
SC ALRO SA	Temp	9/16/2016 3:04:50 AM	26	gradCels
SC ALRO SA	pH	9/16/2016 3:04:40 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 3:00:04 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 3:00:03 AM	9	mg/l
SC ALRO SA	Grasimi	9/16/2016 3:00:02 AM	0	mg/l
SC ALRO SA	Temp	9/16/2016 3:00:01 AM	26	gradCels
SC ALRO SA	pH	9/16/2016 3:00:00 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 2:55:22 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 2:55:20 AM	9	mg/l
SC ALRO SA	Grasimi	9/16/2016 2:54:42 AM	0	mg/l
SC ALRO SA	Temp	9/16/2016 2:54:41 AM	26	gradCels
SC ALRO SA	pH	9/16/2016 2:54:40 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 2:49:05 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 2:49:04 AM	9	mg/l
SC ALRO SA	Grasimi	9/16/2016 2:49:02 AM	0	mg/l
SC ALRO SA	Temp	9/16/2016 2:49:01 AM	26	gradCels
SC ALRO SA	pH	9/16/2016 2:49:00 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 2:48:20 AM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 2:48:00 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 2:47:50 AM	9	mg/l
SC ALRO SA	Temp	9/16/2016 2:47:40 AM	26	gradCels
SC ALRO SA	pH	9/16/2016 2:47:30 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 2:44:21 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 2:44:20 AM	9	mg/l
SC ALRO SA	Grasimi	9/16/2016 2:43:42 AM	0	mg/l
SC ALRO SA	Temp	9/16/2016 2:43:41 AM	26	gradCels
SC ALRO SA	pH	9/16/2016 2:43:40 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 2:38:05 AM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 2:38:03 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 2:38:02 AM	9	mg/l
SC ALRO SA	Temp	9/16/2016 2:38:01 AM	26	gradCels
SC ALRO SA	pH	9/16/2016 2:38:00 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 2:33:21 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 2:33:20 AM	9	mg/l
SC ALRO SA	Grasimi	9/16/2016 2:32:42 AM	0	mg/l
SC ALRO SA	Temp	9/16/2016 2:32:41 AM	26	gradCels
SC ALRO SA	pH	9/16/2016 2:32:40 AM	3	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Clor	9/16/2016 2:29:30 AM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 2:28:30 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 2:28:20 AM	9	mg/l
SC ALRO SA	Temp	9/16/2016 2:27:40 AM	26	gradCels
SC ALRO SA	pH	9/16/2016 2:27:30 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 2:27:05 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 2:27:04 AM	9	mg/l
SC ALRO SA	Grasimi	9/16/2016 2:27:02 AM	0	mg/l
SC ALRO SA	Temp	9/16/2016 2:27:01 AM	26	gradCels
SC ALRO SA	pH	9/16/2016 2:27:00 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 2:22:21 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 2:22:20 AM	9	mg/l
SC ALRO SA	Grasimi	9/16/2016 2:21:42 AM	0	mg/l
SC ALRO SA	Temp	9/16/2016 2:21:41 AM	26	gradCels
SC ALRO SA	pH	9/16/2016 2:21:40 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 2:16:05 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 2:16:04 AM	9	mg/l
SC ALRO SA	Grasimi	9/16/2016 2:16:02 AM	0	mg/l
SC ALRO SA	Temp	9/16/2016 2:16:01 AM	26	gradCels
SC ALRO SA	pH	9/16/2016 2:16:00 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 2:11:21 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 2:11:20 AM	9	mg/l
SC ALRO SA	Grasimi	9/16/2016 2:10:22 AM	0	mg/l
SC ALRO SA	Temp	9/16/2016 2:10:21 AM	26	gradCels
SC ALRO SA	pH	9/16/2016 2:10:20 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 2:10:00 AM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 2:09:40 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 2:09:30 AM	9	mg/l
SC ALRO SA	Temp	9/16/2016 2:09:00 AM	26	gradCels
SC ALRO SA	pH	9/16/2016 2:08:50 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 2:05:05 AM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 2:05:03 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 2:05:02 AM	9	mg/l
SC ALRO SA	pH	9/16/2016 2:05:01 AM	3	unit pH
SC ALRO SA	Temp	9/16/2016 2:05:00 AM	26	gradCels
SC ALRO SA	Clor	9/16/2016 2:00:21 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 2:00:20 AM	9	mg/l
SC ALRO SA	Grasimi	9/16/2016 1:59:22 AM	0	mg/l
SC ALRO SA	Temp	9/16/2016 1:59:21 AM	26	gradCels
SC ALRO SA	pH	9/16/2016 1:59:20 AM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 1:55:25 AM	9	mg/l
SC ALRO SA	Clor	9/16/2016 1:55:24 AM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 1:54:22 AM	0	mg/l
SC ALRO SA	Temp	9/16/2016 1:54:21 AM	26	gradCels
SC ALRO SA	pH	9/16/2016 1:54:20 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 1:49:50 AM	0	mg/l
SC ALRO SA	Clor	9/16/2016 1:49:05 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 1:49:04 AM	9	mg/l
SC ALRO SA	Grasimi	9/16/2016 1:49:02 AM	0	mg/l
SC ALRO SA	Temp	9/16/2016 1:49:01 AM	26	gradCels
SC ALRO SA	pH	9/16/2016 1:49:00 AM	3	unit pH
SC ALRO SA	Grasimi	9/16/2016 1:48:40 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 1:48:30 AM	9	mg/l
SC ALRO SA	Temp	9/16/2016 1:48:20 AM	27	gradCels
SC ALRO SA	pH	9/16/2016 1:48:10 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 1:44:11 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 1:44:10 AM	9	mg/l
SC ALRO SA	Grasimi	9/16/2016 1:43:22 AM	0	mg/l
SC ALRO SA	Temp	9/16/2016 1:43:21 AM	26	gradCels
SC ALRO SA	pH	9/16/2016 1:43:20 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 1:38:05 AM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 1:38:03 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 1:38:02 AM	9	mg/l
SC ALRO SA	Temp	9/16/2016 1:38:01 AM	27	gradCels
SC ALRO SA	pH	9/16/2016 1:38:00 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 1:33:23 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	9/16/2016 1:33:22 AM	9	mg/l
SC ALRO SA	Grasimi	9/16/2016 1:32:22 AM	0	mg/l
SC ALRO SA	Temp	9/16/2016 1:32:21 AM	27	gradCels
SC ALRO SA	pH	9/16/2016 1:32:20 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 1:29:30 AM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 1:28:00 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 1:27:50 AM	9	mg/l
SC ALRO SA	Temp	9/16/2016 1:27:40 AM	27	gradCels
SC ALRO SA	pH	9/16/2016 1:27:30 AM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 1:27:05 AM	9	mg/l
SC ALRO SA	Clor	9/16/2016 1:27:03 AM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 1:27:02 AM	0	mg/l
SC ALRO SA	Temp	9/16/2016 1:27:01 AM	27	gradCels
SC ALRO SA	pH	9/16/2016 1:27:00 AM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 1:22:20 AM	9	mg/l
SC ALRO SA	Clor	9/16/2016 1:21:24 AM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 1:21:23 AM	0	mg/l
SC ALRO SA	Temp	9/16/2016 1:21:22 AM	27	gradCels
SC ALRO SA	pH	9/16/2016 1:21:20 AM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 1:16:25 AM	9	mg/l
SC ALRO SA	Clor	9/16/2016 1:15:43 AM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 1:15:42 AM	0	mg/l
SC ALRO SA	Temp	9/16/2016 1:15:41 AM	27	gradCels
SC ALRO SA	pH	9/16/2016 1:15:40 AM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 1:11:23 AM	9	mg/l
SC ALRO SA	Clor	9/16/2016 1:10:48 AM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 1:10:47 AM	0	mg/l
SC ALRO SA	Temp	9/16/2016 1:10:46 AM	27	gradCels
SC ALRO SA	pH	9/16/2016 1:10:45 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 1:09:10 AM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 1:08:50 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 1:08:40 AM	9	mg/l
SC ALRO SA	Temp	9/16/2016 1:08:30 AM	27	gradCels
SC ALRO SA	pH	9/16/2016 1:08:00 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 1:06:22 AM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 1:05:23 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 1:05:22 AM	9	mg/l
SC ALRO SA	Temp	9/16/2016 1:05:21 AM	27	gradCels
SC ALRO SA	pH	9/16/2016 1:05:20 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 1:00:23 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 1:00:22 AM	9	mg/l
SC ALRO SA	Grasimi	9/16/2016 12:59:51 AM	0	mg/l
SC ALRO SA	Temp	9/16/2016 12:59:50 AM	27	gradCels
SC ALRO SA	pH	9/16/2016 12:59:49 AM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 12:55:22 AM	9	mg/l
SC ALRO SA	Clor	9/16/2016 12:54:13 AM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 12:54:12 AM	0	mg/l
SC ALRO SA	pH	9/16/2016 12:54:11 AM	3	unit pH
SC ALRO SA	Temp	9/16/2016 12:54:10 AM	27	gradCels
SC ALRO SA	Clor	9/16/2016 12:51:20 AM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 12:49:50 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 12:49:40 AM	9	mg/l
SC ALRO SA	Temp	9/16/2016 12:49:30 AM	27	gradCels
SC ALRO SA	Substante organice	9/16/2016 12:49:22 AM	9	mg/l
SC ALRO SA	pH	9/16/2016 12:49:00 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 12:48:48 AM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 12:48:47 AM	0	mg/l
SC ALRO SA	Temp	9/16/2016 12:48:46 AM	27	gradCels
SC ALRO SA	pH	9/16/2016 12:48:45 AM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 12:44:22 AM	9	mg/l
SC ALRO SA	Clor	9/16/2016 12:43:13 AM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 12:43:12 AM	0	mg/l
SC ALRO SA	pH	9/16/2016 12:43:11 AM	3	unit pH
SC ALRO SA	Temp	9/16/2016 12:43:10 AM	27	gradCels
SC ALRO SA	Clor	9/16/2016 12:37:53 AM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 12:37:52 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	9/16/2016 12:37:51 AM	9	mg/l
SC ALRO SA	Temp	9/16/2016 12:37:50 AM	27	gradCels
SC ALRO SA	pH	9/16/2016 12:37:49 AM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 12:33:20 AM	9	mg/l
SC ALRO SA	Clor	9/16/2016 12:32:15 AM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 12:32:14 AM	0	mg/l
SC ALRO SA	Temp	9/16/2016 12:32:13 AM	27	gradCels
SC ALRO SA	pH	9/16/2016 12:32:12 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 12:31:40 AM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 12:31:20 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 12:31:10 AM	9	mg/l
SC ALRO SA	Temp	9/16/2016 12:31:00 AM	27	gradCels
SC ALRO SA	pH	9/16/2016 12:30:50 AM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 12:27:22 AM	9	mg/l
SC ALRO SA	Clor	9/16/2016 12:26:47 AM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 12:26:46 AM	0	mg/l
SC ALRO SA	pH	9/16/2016 12:26:45 AM	3	unit pH
SC ALRO SA	Temp	9/16/2016 12:26:44 AM	27	gradCels
SC ALRO SA	Substante organice	9/16/2016 12:21:15 AM	9	mg/l
SC ALRO SA	Clor	9/16/2016 12:21:07 AM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 12:21:06 AM	0	mg/l
SC ALRO SA	Temp	9/16/2016 12:21:05 AM	27	gradCels
SC ALRO SA	pH	9/16/2016 12:21:04 AM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 12:16:22 AM	9	mg/l
SC ALRO SA	Clor	9/16/2016 12:15:43 AM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 12:15:42 AM	0	mg/l
SC ALRO SA	pH	9/16/2016 12:15:41 AM	3	unit pH
SC ALRO SA	Temp	9/16/2016 12:15:40 AM	27	gradCels
SC ALRO SA	Clor	9/16/2016 12:12:50 AM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 12:12:30 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 12:11:40 AM	9	mg/l
SC ALRO SA	Temp	9/16/2016 12:11:30 AM	27	gradCels
SC ALRO SA	pH	9/16/2016 12:11:00 AM	3	unit pH
SC ALRO SA	Substante organice	9/16/2016 12:10:15 AM	9	mg/l
SC ALRO SA	Clor	9/16/2016 12:10:07 AM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 12:10:06 AM	0	mg/l
SC ALRO SA	Temp	9/16/2016 12:10:05 AM	27	gradCels
SC ALRO SA	pH	9/16/2016 12:10:04 AM	3	unit pH
SC ALRO SA	Clor	9/16/2016 12:04:44 AM	0	mg/l
SC ALRO SA	Grasimi	9/16/2016 12:04:43 AM	0	mg/l
SC ALRO SA	Substante organice	9/16/2016 12:04:42 AM	9	mg/l
SC ALRO SA	pH	9/16/2016 12:04:41 AM	3	unit pH
SC ALRO SA	Temp	9/16/2016 12:04:40 AM	27	gradCels
SC ALRO SA	Substante organice	9/15/2016 11:59:21 PM	8	mg/l
SC ALRO SA	Clor	9/15/2016 11:59:08 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 11:59:07 PM	0	mg/l
SC ALRO SA	Temp	9/15/2016 11:59:06 PM	27	gradCels
SC ALRO SA	pH	9/15/2016 11:59:05 PM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 11:54:23 PM	8	mg/l
SC ALRO SA	Clor	9/15/2016 11:54:00 PM	0	mg/l
SC ALRO SA	Clor	9/15/2016 11:53:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 11:53:42 PM	0	mg/l
SC ALRO SA	Temp	9/15/2016 11:53:41 PM	27	gradCels
SC ALRO SA	pH	9/15/2016 11:53:40 PM	3	unit pH
SC ALRO SA	Grasimi	9/15/2016 11:53:00 PM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 11:52:50 PM	8	mg/l
SC ALRO SA	Temp	9/15/2016 11:52:40 PM	27	gradCels
SC ALRO SA	pH	9/15/2016 11:52:30 PM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 11:48:20 PM	8	mg/l
SC ALRO SA	Clor	9/15/2016 11:48:08 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 11:48:07 PM	0	mg/l
SC ALRO SA	Temp	9/15/2016 11:48:06 PM	27	gradCels
SC ALRO SA	pH	9/15/2016 11:48:05 PM	3	unit pH
SC ALRO SA	Clor	9/15/2016 11:43:26 PM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 11:43:22 PM	8	mg/l
SC ALRO SA	Grasimi	9/15/2016 11:42:42 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	9/15/2016 11:42:41 PM	27	gradCels
SC ALRO SA	pH	9/15/2016 11:42:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 11:37:17 PM	8	mg/l
SC ALRO SA	Clor	9/15/2016 11:37:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 11:37:02 PM	0	mg/l
SC ALRO SA	Temp	9/15/2016 11:37:01 PM	27	gradCels
SC ALRO SA	pH	9/15/2016 11:37:00 PM	3	unit pH
SC ALRO SA	Clor	9/15/2016 11:36:10 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 11:35:50 PM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 11:35:40 PM	8	mg/l
SC ALRO SA	Temp	9/15/2016 11:35:30 PM	27	gradCels
SC ALRO SA	pH	9/15/2016 11:35:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 11:32:22 PM	8	mg/l
SC ALRO SA	Clor	9/15/2016 11:31:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 11:31:42 PM	0	mg/l
SC ALRO SA	Temp	9/15/2016 11:31:41 PM	27	gradCels
SC ALRO SA	pH	9/15/2016 11:31:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 11:26:15 PM	8	mg/l
SC ALRO SA	Clor	9/15/2016 11:26:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 11:26:02 PM	0	mg/l
SC ALRO SA	Temp	9/15/2016 11:26:01 PM	27	gradCels
SC ALRO SA	pH	9/15/2016 11:26:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 11:21:20 PM	8	mg/l
SC ALRO SA	Clor	9/15/2016 11:20:28 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 11:20:27 PM	0	mg/l
SC ALRO SA	Temp	9/15/2016 11:20:26 PM	27	gradCels
SC ALRO SA	pH	9/15/2016 11:20:25 PM	3	unit pH
SC ALRO SA	Clor	9/15/2016 11:17:40 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 11:17:10 PM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 11:16:30 PM	8	mg/l
SC ALRO SA	Temp	9/15/2016 11:16:20 PM	27	gradCels
SC ALRO SA	pH	9/15/2016 11:16:10 PM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 11:15:16 PM	8	mg/l
SC ALRO SA	Clor	9/15/2016 11:15:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 11:15:02 PM	0	mg/l
SC ALRO SA	Temp	9/15/2016 11:15:01 PM	27	gradCels
SC ALRO SA	pH	9/15/2016 11:15:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 11:10:21 PM	8	mg/l
SC ALRO SA	Clor	9/15/2016 11:09:27 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 11:09:26 PM	0	mg/l
SC ALRO SA	Temp	9/15/2016 11:09:25 PM	27	gradCels
SC ALRO SA	pH	9/15/2016 11:09:24 PM	3	unit pH
SC ALRO SA	Clor	9/15/2016 11:04:04 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 11:04:03 PM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 11:04:02 PM	8	mg/l
SC ALRO SA	Temp	9/15/2016 11:04:01 PM	27	gradCels
SC ALRO SA	pH	9/15/2016 11:04:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 10:59:21 PM	8	mg/l
SC ALRO SA	Clor	9/15/2016 10:59:00 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 10:58:40 PM	0	mg/l
SC ALRO SA	Clor	9/15/2016 10:58:29 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 10:58:28 PM	0	mg/l
SC ALRO SA	Temp	9/15/2016 10:58:27 PM	27	gradCels
SC ALRO SA	pH	9/15/2016 10:58:26 PM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 10:58:00 PM	8	mg/l
SC ALRO SA	Temp	9/15/2016 10:57:50 PM	27	gradCels
SC ALRO SA	pH	9/15/2016 10:57:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 10:53:15 PM	8	mg/l
SC ALRO SA	Clor	9/15/2016 10:53:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 10:53:02 PM	0	mg/l
SC ALRO SA	Temp	9/15/2016 10:53:01 PM	27	gradCels
SC ALRO SA	pH	9/15/2016 10:53:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 10:48:22 PM	8	mg/l
SC ALRO SA	Clor	9/15/2016 10:47:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 10:47:22 PM	0	mg/l
SC ALRO SA	pH	9/15/2016 10:47:21 PM	3	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	9/15/2016 10:47:20 PM	27	gradCels
SC ALRO SA	Substante organice	9/15/2016 10:43:20 PM	8	mg/l
SC ALRO SA	Clor	9/15/2016 10:42:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 10:42:22 PM	0	mg/l
SC ALRO SA	Temp	9/15/2016 10:42:21 PM	27	gradCels
SC ALRO SA	pH	9/15/2016 10:42:20 PM	3	unit pH
SC ALRO SA	Clor	9/15/2016 10:39:40 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 10:39:00 PM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 10:38:50 PM	8	mg/l
SC ALRO SA	Temp	9/15/2016 10:38:30 PM	27	gradCels
SC ALRO SA	pH	9/15/2016 10:37:50 PM	3	unit pH
SC ALRO SA	Clor	9/15/2016 10:37:04 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 10:37:03 PM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 10:37:02 PM	8	mg/l
SC ALRO SA	Temp	9/15/2016 10:37:01 PM	27	gradCels
SC ALRO SA	pH	9/15/2016 10:37:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 10:32:20 PM	9	mg/l
SC ALRO SA	Clor	9/15/2016 10:31:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 10:31:22 PM	0	mg/l
SC ALRO SA	Temp	9/15/2016 10:31:21 PM	27	gradCels
SC ALRO SA	pH	9/15/2016 10:31:20 PM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 10:26:07 PM	9	mg/l
SC ALRO SA	Clor	9/15/2016 10:26:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 10:26:02 PM	0	mg/l
SC ALRO SA	Temp	9/15/2016 10:26:01 PM	27	gradCels
SC ALRO SA	pH	9/15/2016 10:26:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 10:21:20 PM	9	mg/l
SC ALRO SA	Clor	9/15/2016 10:20:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 10:20:22 PM	0	mg/l
SC ALRO SA	Temp	9/15/2016 10:20:21 PM	27	gradCels
SC ALRO SA	pH	9/15/2016 10:20:20 PM	3	unit pH
SC ALRO SA	Clor	9/15/2016 10:19:30 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 10:19:00 PM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 10:18:50 PM	9	mg/l
SC ALRO SA	Temp	9/15/2016 10:18:40 PM	27	gradCels
SC ALRO SA	pH	9/15/2016 10:18:30 PM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 10:15:07 PM	9	mg/l
SC ALRO SA	Clor	9/15/2016 10:15:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 10:15:02 PM	0	mg/l
SC ALRO SA	Temp	9/15/2016 10:15:01 PM	27	gradCels
SC ALRO SA	pH	9/15/2016 10:15:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 10:10:20 PM	9	mg/l
SC ALRO SA	Clor	9/15/2016 10:09:17 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 10:09:16 PM	0	mg/l
SC ALRO SA	Temp	9/15/2016 10:09:15 PM	27	gradCels
SC ALRO SA	pH	9/15/2016 10:09:14 PM	3	unit pH
SC ALRO SA	Clor	9/15/2016 10:04:04 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 10:04:03 PM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 10:04:02 PM	9	mg/l
SC ALRO SA	Temp	9/15/2016 10:04:01 PM	27	gradCels
SC ALRO SA	pH	9/15/2016 10:04:00 PM	3	unit pH
SC ALRO SA	Clor	9/15/2016 10:01:50 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 10:01:30 PM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 10:01:00 PM	8	mg/l
SC ALRO SA	Temp	9/15/2016 10:00:50 PM	27	gradCels
SC ALRO SA	pH	9/15/2016 9:59:50 PM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 9:59:22 PM	8	mg/l
SC ALRO SA	Clor	9/15/2016 9:58:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 9:58:22 PM	0	mg/l
SC ALRO SA	Temp	9/15/2016 9:58:21 PM	27	gradCels
SC ALRO SA	pH	9/15/2016 9:58:20 PM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 9:53:11 PM	8	mg/l
SC ALRO SA	Clor	9/15/2016 9:53:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 9:53:02 PM	0	mg/l
SC ALRO SA	Temp	9/15/2016 9:53:01 PM	27	gradCels
SC ALRO SA	pH	9/15/2016 9:53:00 PM	3	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	9/15/2016 9:48:21 PM	8	mg/l
SC ALRO SA	Clor	9/15/2016 9:47:25 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 9:47:23 PM	0	mg/l
SC ALRO SA	Temp	9/15/2016 9:47:21 PM	27	gradCels
SC ALRO SA	pH	9/15/2016 9:47:20 PM	3	unit pH
SC ALRO SA	Clor	9/15/2016 9:42:50 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 9:42:30 PM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 9:42:20 PM	8	mg/l
SC ALRO SA	Temp	9/15/2016 9:42:10 PM	27	gradCels
SC ALRO SA	Substante organice	9/15/2016 9:42:06 PM	8	mg/l
SC ALRO SA	Clor	9/15/2016 9:41:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 9:41:42 PM	0	mg/l
SC ALRO SA	pH	9/15/2016 9:41:41 PM	3	unit pH
SC ALRO SA	Temp	9/15/2016 9:41:40 PM	27	gradCels
SC ALRO SA	pH	9/15/2016 9:41:30 PM	3	unit pH
SC ALRO SA	Clor	9/15/2016 9:36:44 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 9:36:43 PM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 9:36:42 PM	8	mg/l
SC ALRO SA	Temp	9/15/2016 9:36:41 PM	27	gradCels
SC ALRO SA	pH	9/15/2016 9:36:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 9:32:00 PM	9	mg/l
SC ALRO SA	Clor	9/15/2016 9:31:11 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 9:31:10 PM	0	mg/l
SC ALRO SA	Temp	9/15/2016 9:31:09 PM	27	gradCels
SC ALRO SA	pH	9/15/2016 9:31:08 PM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 9:26:22 PM	9	mg/l
SC ALRO SA	Clor	9/15/2016 9:25:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 9:25:42 PM	0	mg/l
SC ALRO SA	Temp	9/15/2016 9:25:41 PM	27	gradCels
SC ALRO SA	pH	9/15/2016 9:25:40 PM	3	unit pH
SC ALRO SA	Clor	9/15/2016 9:22:40 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 9:22:20 PM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 9:22:10 PM	9	mg/l
SC ALRO SA	Temp	9/15/2016 9:21:10 PM	27	gradCels
SC ALRO SA	Substante organice	9/15/2016 9:21:00 PM	9	mg/l
SC ALRO SA	pH	9/15/2016 9:20:50 PM	3	unit pH
SC ALRO SA	Clor	9/15/2016 9:20:11 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 9:20:10 PM	0	mg/l
SC ALRO SA	Temp	9/15/2016 9:20:09 PM	27	gradCels
SC ALRO SA	pH	9/15/2016 9:20:08 PM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 9:15:22 PM	9	mg/l
SC ALRO SA	Clor	9/15/2016 9:14:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 9:14:42 PM	0	mg/l
SC ALRO SA	Temp	9/15/2016 9:14:41 PM	27	gradCels
SC ALRO SA	pH	9/15/2016 9:14:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 9:09:07 PM	9	mg/l
SC ALRO SA	Clor	9/15/2016 9:09:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 9:09:02 PM	0	mg/l
SC ALRO SA	Temp	9/15/2016 9:09:01 PM	27	gradCels
SC ALRO SA	pH	9/15/2016 9:09:00 PM	3	unit pH
SC ALRO SA	Clor	9/15/2016 9:03:44 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 9:03:43 PM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 9:03:42 PM	9	mg/l
SC ALRO SA	pH	9/15/2016 9:03:41 PM	3	unit pH
SC ALRO SA	Temp	9/15/2016 9:03:40 PM	27	gradCels
SC ALRO SA	Clor	9/15/2016 9:02:50 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 9:02:30 PM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 9:02:20 PM	9	mg/l
SC ALRO SA	Temp	9/15/2016 9:02:10 PM	27	gradCels
SC ALRO SA	pH	9/15/2016 9:01:50 PM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 8:58:07 PM	9	mg/l
SC ALRO SA	Clor	9/15/2016 8:58:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 8:58:02 PM	0	mg/l
SC ALRO SA	Temp	9/15/2016 8:58:01 PM	27	gradCels
SC ALRO SA	pH	9/15/2016 8:58:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 8:53:02 PM	9	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Clor	9/15/2016 8:52:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 8:52:42 PM	0	mg/l
SC ALRO SA	Temp	9/15/2016 8:52:41 PM	27	gradCels
SC ALRO SA	pH	9/15/2016 8:52:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 8:47:04 PM	9	mg/l
SC ALRO SA	Clor	9/15/2016 8:47:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 8:47:02 PM	0	mg/l
SC ALRO SA	Temp	9/15/2016 8:47:01 PM	27	gradCels
SC ALRO SA	pH	9/15/2016 8:47:00 PM	3	unit pH
SC ALRO SA	Clor	9/15/2016 8:44:40 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 8:44:00 PM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 8:43:50 PM	9	mg/l
SC ALRO SA	Temp	9/15/2016 8:43:40 PM	27	gradCels
SC ALRO SA	pH	9/15/2016 8:43:30 PM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 8:42:22 PM	9	mg/l
SC ALRO SA	Clor	9/15/2016 8:41:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 8:41:42 PM	0	mg/l
SC ALRO SA	Temp	9/15/2016 8:41:41 PM	27	gradCels
SC ALRO SA	pH	9/15/2016 8:41:40 PM	3	unit pH
SC ALRO SA	Clor	9/15/2016 8:36:04 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 8:36:03 PM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 8:36:02 PM	9	mg/l
SC ALRO SA	Temp	9/15/2016 8:36:01 PM	27	gradCels
SC ALRO SA	pH	9/15/2016 8:36:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 8:31:22 PM	9	mg/l
SC ALRO SA	Clor	9/15/2016 8:30:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 8:30:42 PM	0	mg/l
SC ALRO SA	Temp	9/15/2016 8:30:41 PM	27	gradCels
SC ALRO SA	pH	9/15/2016 8:30:40 PM	3	unit pH
SC ALRO SA	Clor	9/15/2016 8:25:40 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 8:25:20 PM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 8:25:05 PM	9	mg/l
SC ALRO SA	Clor	9/15/2016 8:25:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 8:25:02 PM	0	mg/l
SC ALRO SA	Temp	9/15/2016 8:25:01 PM	27	gradCels
SC ALRO SA	pH	9/15/2016 8:25:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 8:24:50 PM	9	mg/l
SC ALRO SA	Temp	9/15/2016 8:24:20 PM	27	gradCels
SC ALRO SA	pH	9/15/2016 8:24:10 PM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 8:20:01 PM	9	mg/l
SC ALRO SA	Clor	9/15/2016 8:19:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 8:19:42 PM	0	mg/l
SC ALRO SA	Temp	9/15/2016 8:19:41 PM	27	gradCels
SC ALRO SA	pH	9/15/2016 8:19:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 8:14:10 PM	9	mg/l
SC ALRO SA	Clor	9/15/2016 8:14:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 8:14:02 PM	0	mg/l
SC ALRO SA	Temp	9/15/2016 8:14:01 PM	27	gradCels
SC ALRO SA	pH	9/15/2016 8:14:00 PM	3	unit pH
SC ALRO SA	Clor	9/15/2016 8:08:24 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 8:08:23 PM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 8:08:22 PM	9	mg/l
SC ALRO SA	Temp	9/15/2016 8:08:21 PM	27	gradCels
SC ALRO SA	pH	9/15/2016 8:08:20 PM	3	unit pH
SC ALRO SA	Clor	9/15/2016 8:07:10 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 8:06:50 PM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 8:06:40 PM	9	mg/l
SC ALRO SA	Temp	9/15/2016 8:06:30 PM	27	gradCels
SC ALRO SA	pH	9/15/2016 8:06:20 PM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 8:03:04 PM	9	mg/l
SC ALRO SA	Clor	9/15/2016 8:03:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 8:03:02 PM	0	mg/l
SC ALRO SA	Temp	9/15/2016 8:03:01 PM	27	gradCels
SC ALRO SA	pH	9/15/2016 8:03:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 7:58:00 PM	9	mg/l
SC ALRO SA	Clor	9/15/2016 7:57:23 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Grasimi	9/15/2016 7:57:22 PM	0	mg/l
SC ALRO SA	Temp	9/15/2016 7:57:21 PM	27	gradCels
SC ALRO SA	pH	9/15/2016 7:57:20 PM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 7:52:04 PM	9	mg/l
SC ALRO SA	Clor	9/15/2016 7:52:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 7:52:02 PM	0	mg/l
SC ALRO SA	Temp	9/15/2016 7:52:01 PM	27	gradCels
SC ALRO SA	pH	9/15/2016 7:52:00 PM	3	unit pH
SC ALRO SA	Clor	9/15/2016 7:49:40 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 7:49:20 PM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 7:49:10 PM	9	mg/l
SC ALRO SA	Temp	9/15/2016 7:48:50 PM	27	gradCels
SC ALRO SA	pH	9/15/2016 7:48:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 7:47:00 PM	9	mg/l
SC ALRO SA	Clor	9/15/2016 7:46:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 7:46:22 PM	0	mg/l
SC ALRO SA	Temp	9/15/2016 7:46:21 PM	27	gradCels
SC ALRO SA	pH	9/15/2016 7:46:20 PM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 7:41:04 PM	9	mg/l
SC ALRO SA	Clor	9/15/2016 7:41:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 7:41:02 PM	0	mg/l
SC ALRO SA	Temp	9/15/2016 7:41:01 PM	27	gradCels
SC ALRO SA	pH	9/15/2016 7:41:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 7:36:00 PM	9	mg/l
SC ALRO SA	Clor	9/15/2016 7:35:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 7:35:22 PM	0	mg/l
SC ALRO SA	Temp	9/15/2016 7:35:21 PM	27	gradCels
SC ALRO SA	pH	9/15/2016 7:35:20 PM	3	unit pH
SC ALRO SA	Clor	9/15/2016 7:30:20 PM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 7:30:06 PM	9	mg/l
SC ALRO SA	Clor	9/15/2016 7:30:04 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 7:30:03 PM	0	mg/l
SC ALRO SA	Temp	9/15/2016 7:30:02 PM	27	gradCels
SC ALRO SA	pH	9/15/2016 7:30:00 PM	3	unit pH
SC ALRO SA	Grasimi	9/15/2016 7:29:40 PM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 7:29:30 PM	9	mg/l
SC ALRO SA	Temp	9/15/2016 7:29:10 PM	27	gradCels
SC ALRO SA	pH	9/15/2016 7:28:50 PM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 7:25:00 PM	9	mg/l
SC ALRO SA	Clor	9/15/2016 7:24:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 7:24:22 PM	0	mg/l
SC ALRO SA	Temp	9/15/2016 7:24:21 PM	27	gradCels
SC ALRO SA	pH	9/15/2016 7:24:20 PM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 7:19:04 PM	9	mg/l
SC ALRO SA	Clor	9/15/2016 7:19:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 7:19:02 PM	0	mg/l
SC ALRO SA	Temp	9/15/2016 7:19:01 PM	27	gradCels
SC ALRO SA	pH	9/15/2016 7:19:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 7:14:00 PM	9	mg/l
SC ALRO SA	Clor	9/15/2016 7:13:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 7:13:22 PM	0	mg/l
SC ALRO SA	Temp	9/15/2016 7:13:21 PM	27	gradCels
SC ALRO SA	pH	9/15/2016 7:13:20 PM	3	unit pH
SC ALRO SA	Clor	9/15/2016 7:11:20 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 7:11:00 PM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 7:10:50 PM	9	mg/l
SC ALRO SA	Temp	9/15/2016 7:10:40 PM	26	gradCels
SC ALRO SA	pH	9/15/2016 7:10:30 PM	3	unit pH
SC ALRO SA	Clor	9/15/2016 7:08:04 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 7:08:03 PM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 7:08:02 PM	9	mg/l
SC ALRO SA	pH	9/15/2016 7:08:01 PM	3	unit pH
SC ALRO SA	Temp	9/15/2016 7:08:00 PM	26	gradCels
SC ALRO SA	Substante organice	9/15/2016 7:03:00 PM	9	mg/l
SC ALRO SA	Clor	9/15/2016 7:02:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 7:02:22 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	9/15/2016 7:02:21 PM	26	gradCels
SC ALRO SA	pH	9/15/2016 7:02:20 PM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 6:57:00 PM	9	mg/l
SC ALRO SA	Clor	9/15/2016 6:56:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 6:56:42 PM	0	mg/l
SC ALRO SA	Temp	9/15/2016 6:56:41 PM	26	gradCels
SC ALRO SA	pH	9/15/2016 6:56:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 6:52:00 PM	9	mg/l
SC ALRO SA	Clor	9/15/2016 6:51:50 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 6:51:30 PM	0	mg/l
SC ALRO SA	Clor	9/15/2016 6:51:24 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 6:51:23 PM	0	mg/l
SC ALRO SA	Temp	9/15/2016 6:51:21 PM	26	gradCels
SC ALRO SA	pH	9/15/2016 6:51:20 PM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 6:50:50 PM	9	mg/l
SC ALRO SA	Temp	9/15/2016 6:50:30 PM	26	gradCels
SC ALRO SA	pH	9/15/2016 6:50:20 PM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 6:46:00 PM	9	mg/l
SC ALRO SA	Clor	9/15/2016 6:45:48 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 6:45:47 PM	0	mg/l
SC ALRO SA	Temp	9/15/2016 6:45:46 PM	26	gradCels
SC ALRO SA	pH	9/15/2016 6:45:45 PM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 6:41:00 PM	9	mg/l
SC ALRO SA	Clor	9/15/2016 6:40:29 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 6:40:28 PM	0	mg/l
SC ALRO SA	Temp	9/15/2016 6:40:27 PM	26	gradCels
SC ALRO SA	pH	9/15/2016 6:40:26 PM	3	unit pH
SC ALRO SA	Clor	9/15/2016 6:34:49 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 6:34:48 PM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 6:34:47 PM	9	mg/l
SC ALRO SA	Temp	9/15/2016 6:34:46 PM	26	gradCels
SC ALRO SA	pH	9/15/2016 6:34:45 PM	3	unit pH
SC ALRO SA	Clor	9/15/2016 6:33:00 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 6:32:40 PM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 6:32:30 PM	9	mg/l
SC ALRO SA	Temp	9/15/2016 6:32:20 PM	26	gradCels
SC ALRO SA	pH	9/15/2016 6:32:10 PM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 6:30:00 PM	9	mg/l
SC ALRO SA	Clor	9/15/2016 6:29:28 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 6:29:27 PM	0	mg/l
SC ALRO SA	Temp	9/15/2016 6:29:26 PM	26	gradCels
SC ALRO SA	pH	9/15/2016 6:29:25 PM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 6:24:00 PM	9	mg/l
SC ALRO SA	Clor	9/15/2016 6:23:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 6:23:42 PM	0	mg/l
SC ALRO SA	Temp	9/15/2016 6:23:41 PM	26	gradCels
SC ALRO SA	pH	9/15/2016 6:23:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 6:19:00 PM	9	mg/l
SC ALRO SA	Clor	9/15/2016 6:18:28 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 6:18:27 PM	0	mg/l
SC ALRO SA	pH	9/15/2016 6:18:26 PM	3	unit pH
SC ALRO SA	Temp	9/15/2016 6:18:25 PM	26	gradCels
SC ALRO SA	Clor	9/15/2016 6:15:30 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 6:13:50 PM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 6:13:30 PM	9	mg/l
SC ALRO SA	Temp	9/15/2016 6:13:20 PM	26	gradCels
SC ALRO SA	pH	9/15/2016 6:13:10 PM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 6:13:00 PM	9	mg/l
SC ALRO SA	Clor	9/15/2016 6:12:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 6:12:42 PM	0	mg/l
SC ALRO SA	pH	9/15/2016 6:12:41 PM	3	unit pH
SC ALRO SA	Temp	9/15/2016 6:12:40 PM	26	gradCels
SC ALRO SA	Clor	9/15/2016 6:07:04 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 6:07:03 PM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 6:07:02 PM	9	mg/l
SC ALRO SA	pH	9/15/2016 6:07:01 PM	3	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	9/15/2016 6:07:00 PM	26	gradCels
SC ALRO SA	Substante organice	9/15/2016 6:02:00 PM	9	mg/l
SC ALRO SA	Clor	9/15/2016 6:01:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 6:01:42 PM	0	mg/l
SC ALRO SA	Temp	9/15/2016 6:01:41 PM	26	gradCels
SC ALRO SA	pH	9/15/2016 6:01:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 5:56:05 PM	9	mg/l
SC ALRO SA	Clor	9/15/2016 5:56:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 5:56:02 PM	0	mg/l
SC ALRO SA	Temp	9/15/2016 5:56:01 PM	26	gradCels
SC ALRO SA	pH	9/15/2016 5:56:00 PM	3	unit pH
SC ALRO SA	Clor	9/15/2016 5:55:50 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 5:55:30 PM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 5:55:20 PM	9	mg/l
SC ALRO SA	Temp	9/15/2016 5:55:10 PM	26	gradCels
SC ALRO SA	pH	9/15/2016 5:54:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 5:51:04 PM	9	mg/l
SC ALRO SA	Clor	9/15/2016 5:51:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 5:51:02 PM	0	mg/l
SC ALRO SA	Temp	9/15/2016 5:51:01 PM	26	gradCels
SC ALRO SA	pH	9/15/2016 5:51:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 5:46:00 PM	9	mg/l
SC ALRO SA	Clor	9/15/2016 5:45:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 5:45:42 PM	0	mg/l
SC ALRO SA	Temp	9/15/2016 5:45:41 PM	26	gradCels
SC ALRO SA	pH	9/15/2016 5:45:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 5:40:05 PM	9	mg/l
SC ALRO SA	Clor	9/15/2016 5:40:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 5:40:02 PM	0	mg/l
SC ALRO SA	Temp	9/15/2016 5:40:01 PM	26	gradCels
SC ALRO SA	pH	9/15/2016 5:40:00 PM	3	unit pH
SC ALRO SA	Clor	9/15/2016 5:37:30 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 5:37:10 PM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 5:37:00 PM	9	mg/l
SC ALRO SA	Temp	9/15/2016 5:36:50 PM	26	gradCels
SC ALRO SA	pH	9/15/2016 5:36:40 PM	3	unit pH
SC ALRO SA	Clor	9/15/2016 5:34:44 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 5:34:43 PM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 5:34:42 PM	9	mg/l
SC ALRO SA	Temp	9/15/2016 5:34:41 PM	26	gradCels
SC ALRO SA	pH	9/15/2016 5:34:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 5:29:05 PM	9	mg/l
SC ALRO SA	Clor	9/15/2016 5:29:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 5:29:02 PM	0	mg/l
SC ALRO SA	Temp	9/15/2016 5:29:01 PM	26	gradCels
SC ALRO SA	pH	9/15/2016 5:29:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 5:24:06 PM	9	mg/l
SC ALRO SA	Clor	9/15/2016 5:23:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 5:23:42 PM	0	mg/l
SC ALRO SA	Temp	9/15/2016 5:23:41 PM	26	gradCels
SC ALRO SA	pH	9/15/2016 5:23:40 PM	3	unit pH
SC ALRO SA	Clor	9/15/2016 5:19:10 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 5:18:20 PM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 5:18:10 PM	9	mg/l
SC ALRO SA	Substante organice	9/15/2016 5:18:05 PM	9	mg/l
SC ALRO SA	Clor	9/15/2016 5:18:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 5:18:02 PM	0	mg/l
SC ALRO SA	Temp	9/15/2016 5:18:01 PM	26	gradCels
SC ALRO SA	pH	9/15/2016 5:18:00 PM	3	unit pH
SC ALRO SA	Temp	9/15/2016 5:17:50 PM	26	gradCels
SC ALRO SA	pH	9/15/2016 5:17:20 PM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 5:13:06 PM	9	mg/l
SC ALRO SA	Clor	9/15/2016 5:12:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 5:12:42 PM	0	mg/l
SC ALRO SA	Temp	9/15/2016 5:12:41 PM	26	gradCels
SC ALRO SA	pH	9/15/2016 5:12:40 PM	3	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Clor	9/15/2016 5:07:04 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 5:07:03 PM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 5:07:02 PM	9	mg/l
SC ALRO SA	Temp	9/15/2016 5:07:01 PM	26	gradCels
SC ALRO SA	pH	9/15/2016 5:07:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 5:02:06 PM	9	mg/l
SC ALRO SA	Clor	9/15/2016 5:01:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 5:01:42 PM	0	mg/l
SC ALRO SA	pH	9/15/2016 5:01:41 PM	3	unit pH
SC ALRO SA	Temp	9/15/2016 5:01:40 PM	26	gradCels
SC ALRO SA	Clor	9/15/2016 4:59:20 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 4:59:00 PM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 4:58:50 PM	9	mg/l
SC ALRO SA	Temp	9/15/2016 4:58:40 PM	26	gradCels
SC ALRO SA	pH	9/15/2016 4:58:30 PM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 4:56:05 PM	9	mg/l
SC ALRO SA	Clor	9/15/2016 4:56:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 4:56:02 PM	0	mg/l
SC ALRO SA	Temp	9/15/2016 4:56:01 PM	26	gradCels
SC ALRO SA	pH	9/15/2016 4:56:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 4:51:00 PM	9	mg/l
SC ALRO SA	Clor	9/15/2016 4:50:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 4:50:42 PM	0	mg/l
SC ALRO SA	pH	9/15/2016 4:50:41 PM	3	unit pH
SC ALRO SA	Temp	9/15/2016 4:50:40 PM	26	gradCels
SC ALRO SA	Substante organice	9/15/2016 4:45:05 PM	9	mg/l
SC ALRO SA	Clor	9/15/2016 4:45:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 4:45:02 PM	0	mg/l
SC ALRO SA	Temp	9/15/2016 4:45:01 PM	26	gradCels
SC ALRO SA	pH	9/15/2016 4:45:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 4:40:00 PM	9	mg/l
SC ALRO SA	Clor	9/15/2016 4:39:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 4:39:22 PM	0	mg/l
SC ALRO SA	Temp	9/15/2016 4:39:21 PM	26	gradCels
SC ALRO SA	pH	9/15/2016 4:39:20 PM	3	unit pH
SC ALRO SA	Clor	9/15/2016 4:38:20 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 4:37:50 PM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 4:37:30 PM	9	mg/l
SC ALRO SA	Temp	9/15/2016 4:37:20 PM	26	gradCels
SC ALRO SA	pH	9/15/2016 4:37:10 PM	3	unit pH
SC ALRO SA	Clor	9/15/2016 4:34:04 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 4:34:03 PM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 4:34:02 PM	9	mg/l
SC ALRO SA	Temp	9/15/2016 4:34:01 PM	26	gradCels
SC ALRO SA	pH	9/15/2016 4:34:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 4:29:00 PM	9	mg/l
SC ALRO SA	Clor	9/15/2016 4:28:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 4:28:22 PM	0	mg/l
SC ALRO SA	pH	9/15/2016 4:28:21 PM	3	unit pH
SC ALRO SA	Temp	9/15/2016 4:28:20 PM	26	gradCels
SC ALRO SA	Substante organice	9/15/2016 4:23:04 PM	9	mg/l
SC ALRO SA	Clor	9/15/2016 4:23:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 4:23:02 PM	0	mg/l
SC ALRO SA	Temp	9/15/2016 4:23:01 PM	26	gradCels
SC ALRO SA	pH	9/15/2016 4:23:00 PM	3	unit pH
SC ALRO SA	Clor	9/15/2016 4:18:10 PM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 4:18:00 PM	9	mg/l
SC ALRO SA	Grasimi	9/15/2016 4:17:40 PM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 4:17:30 PM	9	mg/l
SC ALRO SA	Clor	9/15/2016 4:17:24 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 4:17:23 PM	0	mg/l
SC ALRO SA	Temp	9/15/2016 4:17:22 PM	26	gradCels
SC ALRO SA	pH	9/15/2016 4:17:20 PM	3	unit pH
SC ALRO SA	Temp	9/15/2016 4:17:10 PM	26	gradCels
SC ALRO SA	pH	9/15/2016 4:16:50 PM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 4:12:05 PM	9	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Clor	9/15/2016 4:12:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 4:12:02 PM	0	mg/l
SC ALRO SA	pH	9/15/2016 4:12:01 PM	3	unit pH
SC ALRO SA	Temp	9/15/2016 4:12:00 PM	26	gradCels
SC ALRO SA	Clor	9/15/2016 4:06:24 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 4:06:23 PM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 4:06:22 PM	9	mg/l
SC ALRO SA	pH	9/15/2016 4:06:21 PM	3	unit pH
SC ALRO SA	Temp	9/15/2016 4:06:20 PM	25	gradCels
SC ALRO SA	Substante organice	9/15/2016 4:01:00 PM	9	mg/l
SC ALRO SA	Clor	9/15/2016 4:00:43 PM	0	mg/l
SC ALRO SA	Temp	9/15/2016 4:00:42 PM	25	gradCels
SC ALRO SA	Grasimi	9/15/2016 4:00:41 PM	0	mg/l
SC ALRO SA	pH	9/15/2016 4:00:40 PM	3	unit pH
SC ALRO SA	Clor	9/15/2016 3:58:50 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 3:58:30 PM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 3:58:20 PM	9	mg/l
SC ALRO SA	Temp	9/15/2016 3:58:10 PM	25	gradCels
SC ALRO SA	pH	9/15/2016 3:57:50 PM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 3:56:00 PM	9	mg/l
SC ALRO SA	Clor	9/15/2016 3:55:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 3:55:22 PM	0	mg/l
SC ALRO SA	Temp	9/15/2016 3:55:21 PM	25	gradCels
SC ALRO SA	pH	9/15/2016 3:55:20 PM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 3:50:00 PM	9	mg/l
SC ALRO SA	Clor	9/15/2016 3:49:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 3:49:42 PM	0	mg/l
SC ALRO SA	Temp	9/15/2016 3:49:41 PM	25	gradCels
SC ALRO SA	pH	9/15/2016 3:49:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 3:45:00 PM	9	mg/l
SC ALRO SA	Clor	9/15/2016 3:44:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 3:44:22 PM	0	mg/l
SC ALRO SA	Temp	9/15/2016 3:44:21 PM	25	gradCels
SC ALRO SA	pH	9/15/2016 3:44:20 PM	3	unit pH
SC ALRO SA	Clor	9/15/2016 3:38:44 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 3:38:43 PM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 3:38:42 PM	9	mg/l
SC ALRO SA	Temp	9/15/2016 3:38:41 PM	25	gradCels
SC ALRO SA	pH	9/15/2016 3:38:40 PM	3	unit pH
SC ALRO SA	Clor	9/15/2016 3:37:30 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 3:37:10 PM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 3:36:40 PM	9	mg/l
SC ALRO SA	Temp	9/15/2016 3:36:30 PM	25	gradCels
SC ALRO SA	pH	9/15/2016 3:36:20 PM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 3:34:00 PM	9	mg/l
SC ALRO SA	Clor	9/15/2016 3:33:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 3:33:22 PM	0	mg/l
SC ALRO SA	Temp	9/15/2016 3:33:21 PM	25	gradCels
SC ALRO SA	pH	9/15/2016 3:33:20 PM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 3:28:00 PM	9	mg/l
SC ALRO SA	Clor	9/15/2016 3:27:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 3:27:42 PM	0	mg/l
SC ALRO SA	pH	9/15/2016 3:27:41 PM	3	unit pH
SC ALRO SA	Temp	9/15/2016 3:27:40 PM	25	gradCels
SC ALRO SA	Substante organice	9/15/2016 3:23:00 PM	9	mg/l
SC ALRO SA	Clor	9/15/2016 3:22:04 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 3:22:03 PM	0	mg/l
SC ALRO SA	Temp	9/15/2016 3:22:02 PM	25	gradCels
SC ALRO SA	pH	9/15/2016 3:22:01 PM	3	unit pH
SC ALRO SA	Clor	9/15/2016 3:17:20 PM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 3:17:00 PM	9	mg/l
SC ALRO SA	Grasimi	9/15/2016 3:16:50 PM	0	mg/l
SC ALRO SA	Clor	9/15/2016 3:16:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 3:16:42 PM	0	mg/l
SC ALRO SA	Temp	9/15/2016 3:16:41 PM	25	gradCels
SC ALRO SA	pH	9/15/2016 3:16:40 PM	3	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	9/15/2016 3:16:20 PM	9	mg/l
SC ALRO SA	Temp	9/15/2016 3:16:10 PM	25	gradCels
SC ALRO SA	pH	9/15/2016 3:15:50 PM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 3:11:05 PM	9	mg/l
SC ALRO SA	Clor	9/15/2016 3:11:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 3:11:02 PM	0	mg/l
SC ALRO SA	Temp	9/15/2016 3:11:01 PM	25	gradCels
SC ALRO SA	pH	9/15/2016 3:11:00 PM	3	unit pH
SC ALRO SA	Clor	9/15/2016 3:05:44 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 3:05:43 PM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 3:05:42 PM	9	mg/l
SC ALRO SA	Temp	9/15/2016 3:05:41 PM	25	gradCels
SC ALRO SA	pH	9/15/2016 3:05:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 3:00:06 PM	9	mg/l
SC ALRO SA	Clor	9/15/2016 3:00:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 3:00:02 PM	0	mg/l
SC ALRO SA	Temp	9/15/2016 3:00:01 PM	25	gradCels
SC ALRO SA	pH	9/15/2016 3:00:00 PM	3	unit pH
SC ALRO SA	Clor	9/15/2016 2:59:40 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 2:59:10 PM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 2:58:50 PM	9	mg/l
SC ALRO SA	Temp	9/15/2016 2:58:40 PM	25	gradCels
SC ALRO SA	pH	9/15/2016 2:58:30 PM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 2:55:00 PM	9	mg/l
SC ALRO SA	Clor	9/15/2016 2:54:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 2:54:42 PM	0	mg/l
SC ALRO SA	Temp	9/15/2016 2:54:41 PM	25	gradCels
SC ALRO SA	pH	9/15/2016 2:54:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 2:49:05 PM	9	mg/l
SC ALRO SA	Clor	9/15/2016 2:49:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 2:49:02 PM	0	mg/l
SC ALRO SA	Temp	9/15/2016 2:49:01 PM	25	gradCels
SC ALRO SA	pH	9/15/2016 2:49:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 2:44:00 PM	9	mg/l
SC ALRO SA	Clor	9/15/2016 2:43:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 2:43:22 PM	0	mg/l
SC ALRO SA	Temp	9/15/2016 2:43:21 PM	25	gradCels
SC ALRO SA	pH	9/15/2016 2:43:20 PM	3	unit pH
SC ALRO SA	Clor	9/15/2016 2:41:10 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 2:40:40 PM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 2:39:40 PM	9	mg/l
SC ALRO SA	Temp	9/15/2016 2:39:10 PM	25	gradCels
SC ALRO SA	pH	9/15/2016 2:39:00 PM	3	unit pH
SC ALRO SA	Clor	9/15/2016 2:38:04 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 2:38:03 PM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 2:38:02 PM	9	mg/l
SC ALRO SA	Temp	9/15/2016 2:38:01 PM	25	gradCels
SC ALRO SA	pH	9/15/2016 2:38:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 2:33:00 PM	10	mg/l
SC ALRO SA	Clor	9/15/2016 2:32:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 2:32:22 PM	0	mg/l
SC ALRO SA	Temp	9/15/2016 2:32:21 PM	25	gradCels
SC ALRO SA	pH	9/15/2016 2:32:20 PM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 2:27:05 PM	10	mg/l
SC ALRO SA	Clor	9/15/2016 2:27:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 2:27:02 PM	0	mg/l
SC ALRO SA	Temp	9/15/2016 2:27:01 PM	25	gradCels
SC ALRO SA	pH	9/15/2016 2:27:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 2:22:00 PM	10	mg/l
SC ALRO SA	Clor	9/15/2016 2:21:30 PM	0	mg/l
SC ALRO SA	Clor	9/15/2016 2:21:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 2:21:22 PM	0	mg/l
SC ALRO SA	Temp	9/15/2016 2:21:21 PM	25	gradCels
SC ALRO SA	pH	9/15/2016 2:21:20 PM	3	unit pH
SC ALRO SA	Grasimi	9/15/2016 2:20:40 PM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 2:20:30 PM	10	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	9/15/2016 2:20:20 PM	25	gradCels
SC ALRO SA	pH	9/15/2016 2:20:10 PM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 2:16:05 PM	10	mg/l
SC ALRO SA	Clor	9/15/2016 2:16:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 2:16:02 PM	0	mg/l
SC ALRO SA	pH	9/15/2016 2:16:01 PM	3	unit pH
SC ALRO SA	Temp	9/15/2016 2:16:00 PM	25	gradCels
SC ALRO SA	Substante organice	9/15/2016 2:11:00 PM	10	mg/l
SC ALRO SA	Clor	9/15/2016 2:10:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 2:10:22 PM	0	mg/l
SC ALRO SA	Temp	9/15/2016 2:10:21 PM	25	gradCels
SC ALRO SA	pH	9/15/2016 2:10:20 PM	3	unit pH
SC ALRO SA	Clor	9/15/2016 2:05:04 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 2:05:03 PM	0	mg/l
SC ALRO SA	Temp	9/15/2016 2:05:02 PM	25	gradCels
SC ALRO SA	Substante organice	9/15/2016 2:05:01 PM	10	mg/l
SC ALRO SA	pH	9/15/2016 2:05:00 PM	3	unit pH
SC ALRO SA	Clor	9/15/2016 2:02:20 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 2:00:50 PM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 2:00:30 PM	10	mg/l
SC ALRO SA	Temp	9/15/2016 2:00:20 PM	25	gradCels
SC ALRO SA	pH	9/15/2016 2:00:10 PM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 2:00:00 PM	10	mg/l
SC ALRO SA	Clor	9/15/2016 1:59:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 1:59:22 PM	0	mg/l
SC ALRO SA	Temp	9/15/2016 1:59:21 PM	25	gradCels
SC ALRO SA	pH	9/15/2016 1:59:20 PM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 1:54:06 PM	10	mg/l
SC ALRO SA	Clor	9/15/2016 1:54:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 1:54:02 PM	0	mg/l
SC ALRO SA	pH	9/15/2016 1:54:01 PM	3	unit pH
SC ALRO SA	Temp	9/15/2016 1:54:00 PM	25	gradCels
SC ALRO SA	Substante organice	9/15/2016 1:49:00 PM	10	mg/l
SC ALRO SA	Clor	9/15/2016 1:48:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 1:48:22 PM	0	mg/l
SC ALRO SA	pH	9/15/2016 1:48:21 PM	3	unit pH
SC ALRO SA	Temp	9/15/2016 1:48:20 PM	25	gradCels
SC ALRO SA	Substante organice	9/15/2016 1:43:05 PM	10	mg/l
SC ALRO SA	Clor	9/15/2016 1:43:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 1:43:02 PM	0	mg/l
SC ALRO SA	Temp	9/15/2016 1:43:01 PM	25	gradCels
SC ALRO SA	pH	9/15/2016 1:43:00 PM	3	unit pH
SC ALRO SA	Clor	9/15/2016 1:41:30 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 1:41:10 PM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 1:40:40 PM	10	mg/l
SC ALRO SA	Temp	9/15/2016 1:40:30 PM	25	gradCels
SC ALRO SA	pH	9/15/2016 1:40:21 PM	3	unit pH
SC ALRO SA	Clor	9/15/2016 1:37:24 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 1:37:23 PM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 1:37:22 PM	10	mg/l
SC ALRO SA	Temp	9/15/2016 1:37:21 PM	25	gradCels
SC ALRO SA	pH	9/15/2016 1:37:20 PM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 1:32:00 PM	9	mg/l
SC ALRO SA	Clor	9/15/2016 1:31:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 1:31:42 PM	0	mg/l
SC ALRO SA	Temp	9/15/2016 1:31:41 PM	25	gradCels
SC ALRO SA	pH	9/15/2016 1:31:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 1:27:00 PM	9	mg/l
SC ALRO SA	Clor	9/15/2016 1:26:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 1:26:22 PM	0	mg/l
SC ALRO SA	Temp	9/15/2016 1:26:21 PM	25	gradCels
SC ALRO SA	pH	9/15/2016 1:26:20 PM	3	unit pH
SC ALRO SA	Clor	9/15/2016 1:21:30 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 1:21:10 PM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 1:21:00 PM	9	mg/l
SC ALRO SA	Substante organice	9/15/2016 1:20:50 PM	9	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Clor	9/15/2016 1:20:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 1:20:42 PM	0	mg/l
SC ALRO SA	Temp	9/15/2016 1:20:41 PM	25	gradCels
SC ALRO SA	pH	9/15/2016 1:20:40 PM	3	unit pH
SC ALRO SA	Temp	9/15/2016 1:20:30 PM	25	gradCels
SC ALRO SA	pH	9/15/2016 1:20:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 1:16:00 PM	9	mg/l
SC ALRO SA	Clor	9/15/2016 1:15:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 1:15:22 PM	0	mg/l
SC ALRO SA	Temp	9/15/2016 1:15:21 PM	25	gradCels
SC ALRO SA	pH	9/15/2016 1:15:20 PM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 1:10:00 PM	9	mg/l
SC ALRO SA	Clor	9/15/2016 1:09:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 1:09:42 PM	0	mg/l
SC ALRO SA	Temp	9/15/2016 1:09:41 PM	25	gradCels
SC ALRO SA	pH	9/15/2016 1:09:40 PM	3	unit pH
SC ALRO SA	Clor	9/15/2016 1:04:24 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 1:04:23 PM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 1:04:22 PM	9	mg/l
SC ALRO SA	Temp	9/15/2016 1:04:21 PM	25	gradCels
SC ALRO SA	pH	9/15/2016 1:04:20 PM	3	unit pH
SC ALRO SA	Clor	9/15/2016 1:01:30 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 1:00:10 PM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 12:59:50 PM	9	mg/l
SC ALRO SA	Temp	9/15/2016 12:59:40 PM	25	gradCels
SC ALRO SA	pH	9/15/2016 12:59:30 PM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 12:59:00 PM	9	mg/l
SC ALRO SA	Clor	9/15/2016 12:58:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 12:58:42 PM	0	mg/l
SC ALRO SA	Temp	9/15/2016 12:58:41 PM	25	gradCels
SC ALRO SA	pH	9/15/2016 12:58:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 12:54:00 PM	9	mg/l
SC ALRO SA	Clor	9/15/2016 12:53:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 12:53:22 PM	0	mg/l
SC ALRO SA	Temp	9/15/2016 12:53:21 PM	25	gradCels
SC ALRO SA	pH	9/15/2016 12:53:20 PM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 12:48:00 PM	9	mg/l
SC ALRO SA	Clor	9/15/2016 12:47:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 12:47:42 PM	0	mg/l
SC ALRO SA	Temp	9/15/2016 12:47:41 PM	25	gradCels
SC ALRO SA	pH	9/15/2016 12:47:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 12:43:00 PM	9	mg/l
SC ALRO SA	Clor	9/15/2016 12:42:04 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 12:42:03 PM	0	mg/l
SC ALRO SA	Temp	9/15/2016 12:42:02 PM	25	gradCels
SC ALRO SA	pH	9/15/2016 12:42:01 PM	3	unit pH
SC ALRO SA	Clor	9/15/2016 12:40:30 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 12:39:20 PM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 12:38:50 PM	9	mg/l
SC ALRO SA	Temp	9/15/2016 12:38:10 PM	25	gradCels
SC ALRO SA	pH	9/15/2016 12:37:40 PM	3	unit pH
SC ALRO SA	Clor	9/15/2016 12:36:44 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 12:36:43 PM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 12:36:42 PM	9	mg/l
SC ALRO SA	Temp	9/15/2016 12:36:41 PM	25	gradCels
SC ALRO SA	pH	9/15/2016 12:36:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 12:31:05 PM	9	mg/l
SC ALRO SA	Clor	9/15/2016 12:31:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 12:31:02 PM	0	mg/l
SC ALRO SA	Temp	9/15/2016 12:31:01 PM	25	gradCels
SC ALRO SA	pH	9/15/2016 12:31:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 12:26:00 PM	9	mg/l
SC ALRO SA	Clor	9/15/2016 12:25:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 12:25:42 PM	0	mg/l
SC ALRO SA	Temp	9/15/2016 12:25:41 PM	25	gradCels
SC ALRO SA	pH	9/15/2016 12:25:40 PM	3	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	9/15/2016 12:20:05 PM	9	mg/l
SC ALRO SA	Clor	9/15/2016 12:20:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 12:20:02 PM	0	mg/l
SC ALRO SA	Temp	9/15/2016 12:20:01 PM	25	gradCels
SC ALRO SA	pH	9/15/2016 12:20:00 PM	3	unit pH
SC ALRO SA	Clor	9/15/2016 12:19:20 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 12:18:50 PM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 12:18:40 PM	9	mg/l
SC ALRO SA	Temp	9/15/2016 12:18:30 PM	25	gradCels
SC ALRO SA	pH	9/15/2016 12:18:20 PM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 12:15:00 PM	9	mg/l
SC ALRO SA	Clor	9/15/2016 12:14:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 12:14:42 PM	0	mg/l
SC ALRO SA	Temp	9/15/2016 12:14:41 PM	25	gradCels
SC ALRO SA	pH	9/15/2016 12:14:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 12:09:04 PM	9	mg/l
SC ALRO SA	Clor	9/15/2016 12:09:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 12:09:02 PM	0	mg/l
SC ALRO SA	Temp	9/15/2016 12:09:01 PM	25	gradCels
SC ALRO SA	pH	9/15/2016 12:09:00 PM	3	unit pH
SC ALRO SA	Clor	9/15/2016 12:03:44 PM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 12:03:43 PM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 12:03:42 PM	9	mg/l
SC ALRO SA	Temp	9/15/2016 12:03:41 PM	25	gradCels
SC ALRO SA	pH	9/15/2016 12:03:40 PM	3	unit pH
SC ALRO SA	Clor	9/15/2016 11:58:50 AM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 11:58:30 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 11:58:20 AM	10	mg/l
SC ALRO SA	Temp	9/15/2016 11:58:10 AM	25	gradCels
SC ALRO SA	Substante organice	9/15/2016 11:58:04 AM	10	mg/l
SC ALRO SA	Clor	9/15/2016 11:58:03 AM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 11:58:02 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 11:58:01 AM	25	gradCels
SC ALRO SA	pH	9/15/2016 11:58:00 AM	3	unit pH
SC ALRO SA	pH	9/15/2016 11:57:50 AM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 11:53:00 AM	10	mg/l
SC ALRO SA	Clor	9/15/2016 11:52:23 AM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 11:52:22 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 11:52:21 AM	25	gradCels
SC ALRO SA	pH	9/15/2016 11:52:20 AM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 11:47:05 AM	10	mg/l
SC ALRO SA	Clor	9/15/2016 11:47:03 AM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 11:47:02 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 11:47:01 AM	25	gradCels
SC ALRO SA	pH	9/15/2016 11:47:00 AM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 11:42:00 AM	10	mg/l
SC ALRO SA	Clor	9/15/2016 11:41:23 AM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 11:41:22 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 11:41:21 AM	25	gradCels
SC ALRO SA	pH	9/15/2016 11:41:20 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 11:39:40 AM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 11:39:10 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 11:38:40 AM	10	mg/l
SC ALRO SA	Temp	9/15/2016 11:37:50 AM	25	gradCels
SC ALRO SA	pH	9/15/2016 11:37:30 AM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 11:36:05 AM	10	mg/l
SC ALRO SA	Clor	9/15/2016 11:36:03 AM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 11:36:02 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 11:36:01 AM	25	gradCels
SC ALRO SA	pH	9/15/2016 11:36:00 AM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 11:31:00 AM	10	mg/l
SC ALRO SA	Clor	9/15/2016 11:30:23 AM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 11:30:22 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 11:30:21 AM	25	gradCels
SC ALRO SA	pH	9/15/2016 11:30:20 AM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 11:25:05 AM	10	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Clor	9/15/2016 11:25:03 AM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 11:25:02 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 11:25:01 AM	25	gradCels
SC ALRO SA	pH	9/15/2016 11:25:00 AM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 11:20:00 AM	10	mg/l
SC ALRO SA	Clor	9/15/2016 11:19:23 AM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 11:19:22 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 11:19:21 AM	25	gradCels
SC ALRO SA	pH	9/15/2016 11:19:20 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 11:18:50 AM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 11:18:30 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 11:18:20 AM	10	mg/l
SC ALRO SA	Temp	9/15/2016 11:18:10 AM	25	gradCels
SC ALRO SA	pH	9/15/2016 11:17:50 AM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 11:14:11 AM	10	mg/l
SC ALRO SA	Clor	9/15/2016 11:14:03 AM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 11:14:02 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 11:14:01 AM	25	gradCels
SC ALRO SA	pH	9/15/2016 11:14:00 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 11:08:24 AM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 11:08:23 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 11:08:22 AM	10	mg/l
SC ALRO SA	Temp	9/15/2016 11:08:21 AM	25	gradCels
SC ALRO SA	pH	9/15/2016 11:08:20 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 11:05:20 AM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 11:05:19 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 11:05:18 AM	10	mg/l
SC ALRO SA	Temp	9/15/2016 11:05:17 AM	25	gradCels
SC ALRO SA	pH	9/15/2016 11:05:16 AM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 11:03:09 AM	10	mg/l
SC ALRO SA	Clor	9/15/2016 11:03:03 AM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 11:03:02 AM	0	mg/l
SC ALRO SA	pH	9/15/2016 11:03:01 AM	3	unit pH
SC ALRO SA	Temp	9/15/2016 11:03:00 AM	25	gradCels
SC ALRO SA	Clor	9/15/2016 10:58:50 AM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 10:58:30 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 10:58:20 AM	10	mg/l
SC ALRO SA	Temp	9/15/2016 10:58:10 AM	25	gradCels
SC ALRO SA	Substante organice	9/15/2016 10:58:00 AM	10	mg/l
SC ALRO SA	pH	9/15/2016 10:57:50 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 10:57:23 AM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 10:57:22 AM	0	mg/l
SC ALRO SA	pH	9/15/2016 10:57:21 AM	3	unit pH
SC ALRO SA	Temp	9/15/2016 10:57:20 AM	25	gradCels
SC ALRO SA	Substante organice	9/15/2016 10:52:00 AM	10	mg/l
SC ALRO SA	Clor	9/15/2016 10:51:43 AM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 10:51:42 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 10:51:41 AM	25	gradCels
SC ALRO SA	pH	9/15/2016 10:51:40 AM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 10:47:00 AM	10	mg/l
SC ALRO SA	Clor	9/15/2016 10:46:23 AM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 10:46:22 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 10:46:21 AM	25	gradCels
SC ALRO SA	pH	9/15/2016 10:46:20 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 10:41:10 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 10:41:00 AM	10	mg/l
SC ALRO SA	Clor	9/15/2016 10:40:43 AM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 10:40:42 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 10:40:41 AM	25	gradCels
SC ALRO SA	pH	9/15/2016 10:40:40 AM	3	unit pH
SC ALRO SA	Grasimi	9/15/2016 10:40:30 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 10:40:20 AM	10	mg/l
SC ALRO SA	Temp	9/15/2016 10:40:10 AM	25	gradCels
SC ALRO SA	pH	9/15/2016 10:40:00 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 10:36:00 AM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 10:35:23 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	9/15/2016 10:35:22 AM	10	mg/l
SC ALRO SA	Temp	9/15/2016 10:35:21 AM	25	gradCels
SC ALRO SA	pH	9/15/2016 10:35:20 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 10:30:01 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 10:30:00 AM	9	mg/l
SC ALRO SA	Grasimi	9/15/2016 10:29:42 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 10:29:41 AM	25	gradCels
SC ALRO SA	pH	9/15/2016 10:29:40 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 10:25:01 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 10:25:00 AM	9	mg/l
SC ALRO SA	Grasimi	9/15/2016 10:24:22 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 10:24:21 AM	25	gradCels
SC ALRO SA	pH	9/15/2016 10:24:20 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 10:22:50 AM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 10:22:30 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 10:22:20 AM	9	mg/l
SC ALRO SA	Temp	9/15/2016 10:21:50 AM	25	gradCels
SC ALRO SA	pH	9/15/2016 10:21:20 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 10:19:01 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 10:19:00 AM	9	mg/l
SC ALRO SA	Grasimi	9/15/2016 10:18:46 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 10:18:45 AM	25	gradCels
SC ALRO SA	pH	9/15/2016 10:18:44 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 10:14:01 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 10:14:00 AM	9	mg/l
SC ALRO SA	Grasimi	9/15/2016 10:13:22 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 10:13:21 AM	25	gradCels
SC ALRO SA	pH	9/15/2016 10:13:20 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 10:08:00 AM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 10:07:43 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 10:07:42 AM	9	mg/l
SC ALRO SA	Temp	9/15/2016 10:07:41 AM	25	gradCels
SC ALRO SA	pH	9/15/2016 10:07:40 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 10:03:30 AM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 10:03:10 AM	0	mg/l
SC ALRO SA	Clor	9/15/2016 10:03:03 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 10:03:01 AM	9	mg/l
SC ALRO SA	Substante organice	9/15/2016 10:02:50 AM	9	mg/l
SC ALRO SA	Temp	9/15/2016 10:02:40 AM	25	gradCels
SC ALRO SA	pH	9/15/2016 10:02:30 AM	3	unit pH
SC ALRO SA	Grasimi	9/15/2016 10:02:02 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 10:02:01 AM	25	gradCels
SC ALRO SA	pH	9/15/2016 10:02:00 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 9:57:03 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 9:57:01 AM	9	mg/l
SC ALRO SA	Grasimi	9/15/2016 9:56:42 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 9:56:41 AM	25	gradCels
SC ALRO SA	pH	9/15/2016 9:56:40 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 9:52:01 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 9:52:00 AM	9	mg/l
SC ALRO SA	Grasimi	9/15/2016 9:51:02 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 9:51:01 AM	25	gradCels
SC ALRO SA	pH	9/15/2016 9:51:00 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 9:46:01 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 9:46:00 AM	9	mg/l
SC ALRO SA	Clor	9/15/2016 9:45:50 AM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 9:45:42 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 9:45:41 AM	25	gradCels
SC ALRO SA	pH	9/15/2016 9:45:40 AM	3	unit pH
SC ALRO SA	Grasimi	9/15/2016 9:45:10 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 9:45:00 AM	9	mg/l
SC ALRO SA	Temp	9/15/2016 9:44:50 AM	25	gradCels
SC ALRO SA	pH	9/15/2016 9:44:40 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 9:41:01 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 9:41:00 AM	9	mg/l
SC ALRO SA	Grasimi	9/15/2016 9:40:10 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	9/15/2016 9:40:08 AM	25	gradCels
SC ALRO SA	pH	9/15/2016 9:40:06 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 9:35:00 AM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 9:34:48 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 9:34:47 AM	9	mg/l
SC ALRO SA	pH	9/15/2016 9:34:46 AM	3	unit pH
SC ALRO SA	Temp	9/15/2016 9:34:45 AM	25	gradCels
SC ALRO SA	Clor	9/15/2016 9:29:11 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 9:29:09 AM	9	mg/l
SC ALRO SA	Grasimi	9/15/2016 9:29:07 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 9:29:06 AM	25	gradCels
SC ALRO SA	pH	9/15/2016 9:29:05 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 9:27:30 AM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 9:26:50 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 9:26:40 AM	9	mg/l
SC ALRO SA	Temp	9/15/2016 9:26:30 AM	25	gradCels
SC ALRO SA	pH	9/15/2016 9:26:10 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 9:24:01 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 9:24:00 AM	9	mg/l
SC ALRO SA	Grasimi	9/15/2016 9:23:47 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 9:23:46 AM	25	gradCels
SC ALRO SA	pH	9/15/2016 9:23:45 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 9:18:09 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 9:18:08 AM	9	mg/l
SC ALRO SA	Grasimi	9/15/2016 9:18:06 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 9:18:05 AM	25	gradCels
SC ALRO SA	pH	9/15/2016 9:18:04 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 9:13:02 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 9:13:00 AM	9	mg/l
SC ALRO SA	Grasimi	9/15/2016 9:12:47 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 9:12:46 AM	25	gradCels
SC ALRO SA	pH	9/15/2016 9:12:45 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 9:07:40 AM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 9:07:20 AM	0	mg/l
SC ALRO SA	Clor	9/15/2016 9:07:04 AM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 9:07:03 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 9:07:02 AM	9	mg/l
SC ALRO SA	Temp	9/15/2016 9:07:01 AM	25	gradCels
SC ALRO SA	pH	9/15/2016 9:07:00 AM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 9:06:50 AM	9	mg/l
SC ALRO SA	Temp	9/15/2016 9:06:40 AM	25	gradCels
SC ALRO SA	pH	9/15/2016 9:06:30 AM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 9:02:00 AM	9	mg/l
SC ALRO SA	Clor	9/15/2016 9:01:23 AM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 9:01:22 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 9:01:21 AM	25	gradCels
SC ALRO SA	pH	9/15/2016 9:01:20 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 8:56:05 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 8:56:04 AM	9	mg/l
SC ALRO SA	Grasimi	9/15/2016 8:56:02 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 8:56:01 AM	25	gradCels
SC ALRO SA	pH	9/15/2016 8:56:00 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 8:51:01 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 8:51:00 AM	9	mg/l
SC ALRO SA	Grasimi	9/15/2016 8:50:22 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 8:50:21 AM	25	gradCels
SC ALRO SA	pH	9/15/2016 8:50:20 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 8:49:30 AM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 8:49:10 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 8:48:50 AM	9	mg/l
SC ALRO SA	Temp	9/15/2016 8:48:40 AM	25	gradCels
SC ALRO SA	pH	9/15/2016 8:48:10 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 8:45:05 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 8:45:04 AM	9	mg/l
SC ALRO SA	Grasimi	9/15/2016 8:45:02 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 8:45:01 AM	25	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	9/15/2016 8:45:00 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 8:40:01 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 8:40:00 AM	9	mg/l
SC ALRO SA	Grasimi	9/15/2016 8:39:22 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 8:39:21 AM	25	gradCels
SC ALRO SA	pH	9/15/2016 8:39:20 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 8:34:05 AM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 8:34:03 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 8:34:02 AM	9	mg/l
SC ALRO SA	Temp	9/15/2016 8:34:01 AM	25	gradCels
SC ALRO SA	pH	9/15/2016 8:34:00 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 8:33:00 AM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 8:32:40 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 8:32:30 AM	9	mg/l
SC ALRO SA	Temp	9/15/2016 8:32:20 AM	25	gradCels
SC ALRO SA	pH	9/15/2016 8:31:40 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 8:29:01 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 8:29:00 AM	9	mg/l
SC ALRO SA	Grasimi	9/15/2016 8:28:22 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 8:28:21 AM	25	gradCels
SC ALRO SA	pH	9/15/2016 8:28:20 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 8:23:05 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 8:23:03 AM	9	mg/l
SC ALRO SA	Grasimi	9/15/2016 8:23:02 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 8:23:01 AM	25	gradCels
SC ALRO SA	pH	9/15/2016 8:23:00 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 8:18:01 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 8:18:00 AM	9	mg/l
SC ALRO SA	Grasimi	9/15/2016 8:17:22 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 8:17:21 AM	25	gradCels
SC ALRO SA	pH	9/15/2016 8:17:20 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 8:16:10 AM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 8:15:40 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 8:15:30 AM	9	mg/l
SC ALRO SA	Temp	9/15/2016 8:14:20 AM	25	gradCels
SC ALRO SA	pH	9/15/2016 8:13:50 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 8:12:01 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 8:12:00 AM	9	mg/l
SC ALRO SA	Grasimi	9/15/2016 8:11:43 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 8:11:42 AM	25	gradCels
SC ALRO SA	pH	9/15/2016 8:11:41 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 8:07:00 AM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 8:06:23 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 8:06:22 AM	9	mg/l
SC ALRO SA	Temp	9/15/2016 8:06:21 AM	25	gradCels
SC ALRO SA	pH	9/15/2016 8:06:20 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 8:01:01 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 8:01:00 AM	9	mg/l
SC ALRO SA	Grasimi	9/15/2016 8:00:42 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 8:00:41 AM	25	gradCels
SC ALRO SA	pH	9/15/2016 8:00:40 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 7:57:50 AM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 7:57:10 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 7:57:00 AM	9	mg/l
SC ALRO SA	Temp	9/15/2016 7:56:50 AM	26	gradCels
SC ALRO SA	pH	9/15/2016 7:56:40 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 7:56:01 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 7:56:00 AM	9	mg/l
SC ALRO SA	Grasimi	9/15/2016 7:55:22 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 7:55:21 AM	26	gradCels
SC ALRO SA	pH	9/15/2016 7:55:20 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 7:50:01 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 7:50:00 AM	9	mg/l
SC ALRO SA	Grasimi	9/15/2016 7:49:42 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 7:49:41 AM	26	gradCels
SC ALRO SA	pH	9/15/2016 7:49:40 AM	3	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Clor	9/15/2016 7:45:01 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 7:45:00 AM	9	mg/l
SC ALRO SA	Grasimi	9/15/2016 7:44:22 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 7:44:21 AM	26	gradCels
SC ALRO SA	pH	9/15/2016 7:44:20 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 7:39:10 AM	0	mg/l
SC ALRO SA	Clor	9/15/2016 7:39:00 AM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 7:38:43 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 7:38:42 AM	9	mg/l
SC ALRO SA	pH	9/15/2016 7:38:41 AM	3	unit pH
SC ALRO SA	Temp	9/15/2016 7:38:40 AM	26	gradCels
SC ALRO SA	Grasimi	9/15/2016 7:38:30 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 7:38:20 AM	9	mg/l
SC ALRO SA	Temp	9/15/2016 7:38:10 AM	26	gradCels
SC ALRO SA	pH	9/15/2016 7:37:50 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 7:34:01 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 7:34:00 AM	9	mg/l
SC ALRO SA	Grasimi	9/15/2016 7:33:22 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 7:33:21 AM	26	gradCels
SC ALRO SA	pH	9/15/2016 7:33:20 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 7:28:01 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 7:28:00 AM	9	mg/l
SC ALRO SA	Grasimi	9/15/2016 7:27:42 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 7:27:41 AM	26	gradCels
SC ALRO SA	pH	9/15/2016 7:27:40 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 7:23:01 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 7:23:00 AM	9	mg/l
SC ALRO SA	Grasimi	9/15/2016 7:22:22 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 7:22:21 AM	26	gradCels
SC ALRO SA	pH	9/15/2016 7:22:20 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 7:20:40 AM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 7:20:10 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 7:18:40 AM	9	mg/l
SC ALRO SA	Temp	9/15/2016 7:18:30 AM	26	gradCels
SC ALRO SA	pH	9/15/2016 7:18:20 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 7:17:01 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 7:17:00 AM	9	mg/l
SC ALRO SA	Grasimi	9/15/2016 7:16:42 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 7:16:41 AM	26	gradCels
SC ALRO SA	pH	9/15/2016 7:16:40 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 7:12:01 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 7:12:00 AM	9	mg/l
SC ALRO SA	Grasimi	9/15/2016 7:11:02 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 7:11:01 AM	26	gradCels
SC ALRO SA	pH	9/15/2016 7:11:00 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 7:06:00 AM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 7:05:43 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 7:05:42 AM	9	mg/l
SC ALRO SA	Temp	9/15/2016 7:05:41 AM	26	gradCels
SC ALRO SA	pH	9/15/2016 7:05:40 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 7:01:20 AM	0	mg/l
SC ALRO SA	Clor	9/15/2016 7:01:01 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 7:01:00 AM	9	mg/l
SC ALRO SA	Grasimi	9/15/2016 7:00:50 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 7:00:40 AM	9	mg/l
SC ALRO SA	Temp	9/15/2016 7:00:30 AM	26	gradCels
SC ALRO SA	pH	9/15/2016 7:00:20 AM	3	unit pH
SC ALRO SA	Grasimi	9/15/2016 7:00:02 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 7:00:01 AM	26	gradCels
SC ALRO SA	pH	9/15/2016 7:00:00 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 6:55:01 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 6:55:00 AM	9	mg/l
SC ALRO SA	Grasimi	9/15/2016 6:54:42 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 6:54:41 AM	26	gradCels
SC ALRO SA	pH	9/15/2016 6:54:40 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 6:50:01 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	9/15/2016 6:50:00 AM	9	mg/l
SC ALRO SA	Grasimi	9/15/2016 6:49:02 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 6:49:01 AM	26	gradCels
SC ALRO SA	pH	9/15/2016 6:49:00 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 6:44:01 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 6:44:00 AM	9	mg/l
SC ALRO SA	Grasimi	9/15/2016 6:43:42 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 6:43:41 AM	26	gradCels
SC ALRO SA	pH	9/15/2016 6:43:40 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 6:42:40 AM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 6:42:20 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 6:42:10 AM	9	mg/l
SC ALRO SA	Temp	9/15/2016 6:41:50 AM	26	gradCels
SC ALRO SA	pH	9/15/2016 6:41:30 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 6:38:05 AM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 6:38:03 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 6:38:02 AM	9	mg/l
SC ALRO SA	Temp	9/15/2016 6:38:01 AM	26	gradCels
SC ALRO SA	pH	9/15/2016 6:38:00 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 6:33:01 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 6:33:00 AM	9	mg/l
SC ALRO SA	Grasimi	9/15/2016 6:32:42 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 6:32:41 AM	26	gradCels
SC ALRO SA	pH	9/15/2016 6:32:40 AM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 6:27:04 AM	9	mg/l
SC ALRO SA	Clor	9/15/2016 6:27:03 AM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 6:27:02 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 6:27:01 AM	26	gradCels
SC ALRO SA	pH	9/15/2016 6:27:00 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 6:24:10 AM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 6:23:10 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 6:23:00 AM	9	mg/l
SC ALRO SA	Temp	9/15/2016 6:22:50 AM	26	gradCels
SC ALRO SA	pH	9/15/2016 6:22:40 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 6:22:01 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 6:22:00 AM	9	mg/l
SC ALRO SA	Grasimi	9/15/2016 6:21:42 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 6:21:41 AM	26	gradCels
SC ALRO SA	pH	9/15/2016 6:21:40 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 6:16:05 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 6:16:04 AM	9	mg/l
SC ALRO SA	Grasimi	9/15/2016 6:16:02 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 6:16:01 AM	26	gradCels
SC ALRO SA	pH	9/15/2016 6:16:00 AM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 6:11:01 AM	9	mg/l
SC ALRO SA	Clor	9/15/2016 6:11:00 AM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 6:10:22 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 6:10:21 AM	26	gradCels
SC ALRO SA	pH	9/15/2016 6:10:20 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 6:06:10 AM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 6:05:50 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 6:05:40 AM	9	mg/l
SC ALRO SA	Temp	9/15/2016 6:05:30 AM	26	gradCels
SC ALRO SA	pH	9/15/2016 6:05:20 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 6:05:05 AM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 6:05:03 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 6:05:02 AM	9	mg/l
SC ALRO SA	Temp	9/15/2016 6:05:01 AM	26	gradCels
SC ALRO SA	pH	9/15/2016 6:05:00 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 6:00:01 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 6:00:00 AM	9	mg/l
SC ALRO SA	Grasimi	9/15/2016 5:59:22 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 5:59:21 AM	26	gradCels
SC ALRO SA	pH	9/15/2016 5:59:20 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 5:54:05 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 5:54:04 AM	9	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Grasimi	9/15/2016 5:54:02 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 5:54:01 AM	26	gradCels
SC ALRO SA	pH	9/15/2016 5:54:00 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 5:49:01 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 5:49:00 AM	9	mg/l
SC ALRO SA	Grasimi	9/15/2016 5:48:22 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 5:48:21 AM	26	gradCels
SC ALRO SA	pH	9/15/2016 5:48:20 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 5:48:10 AM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 5:47:50 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 5:47:40 AM	9	mg/l
SC ALRO SA	Temp	9/15/2016 5:47:30 AM	26	gradCels
SC ALRO SA	pH	9/15/2016 5:47:20 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 5:43:05 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 5:43:04 AM	9	mg/l
SC ALRO SA	Grasimi	9/15/2016 5:43:02 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 5:43:01 AM	26	gradCels
SC ALRO SA	pH	9/15/2016 5:43:00 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 5:38:00 AM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 5:37:23 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 5:37:22 AM	9	mg/l
SC ALRO SA	Temp	9/15/2016 5:37:21 AM	26	gradCels
SC ALRO SA	pH	9/15/2016 5:37:20 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 5:32:05 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 5:32:03 AM	9	mg/l
SC ALRO SA	Grasimi	9/15/2016 5:32:02 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 5:32:01 AM	26	gradCels
SC ALRO SA	pH	9/15/2016 5:32:00 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 5:29:40 AM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 5:29:20 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 5:29:10 AM	9	mg/l
SC ALRO SA	Temp	9/15/2016 5:28:40 AM	26	gradCels
SC ALRO SA	pH	9/15/2016 5:28:10 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 5:27:01 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 5:27:00 AM	9	mg/l
SC ALRO SA	Grasimi	9/15/2016 5:26:22 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 5:26:21 AM	26	gradCels
SC ALRO SA	pH	9/15/2016 5:26:20 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 5:21:05 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 5:21:04 AM	9	mg/l
SC ALRO SA	Grasimi	9/15/2016 5:21:02 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 5:21:01 AM	26	gradCels
SC ALRO SA	pH	9/15/2016 5:21:00 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 5:16:01 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 5:16:00 AM	9	mg/l
SC ALRO SA	Grasimi	9/15/2016 5:15:22 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 5:15:21 AM	26	gradCels
SC ALRO SA	pH	9/15/2016 5:15:20 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 5:11:40 AM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 5:11:20 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 5:11:10 AM	9	mg/l
SC ALRO SA	Temp	9/15/2016 5:11:00 AM	26	gradCels
SC ALRO SA	pH	9/15/2016 5:10:50 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 5:10:01 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 5:10:00 AM	9	mg/l
SC ALRO SA	Grasimi	9/15/2016 5:09:42 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 5:09:41 AM	26	gradCels
SC ALRO SA	pH	9/15/2016 5:09:40 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 5:05:00 AM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 5:04:23 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 5:04:22 AM	9	mg/l
SC ALRO SA	pH	9/15/2016 5:04:21 AM	3	unit pH
SC ALRO SA	Temp	9/15/2016 5:04:20 AM	26	gradCels
SC ALRO SA	Clor	9/15/2016 4:59:01 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 4:59:00 AM	9	mg/l
SC ALRO SA	Grasimi	9/15/2016 4:58:42 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	9/15/2016 4:58:41 AM	26	gradCels
SC ALRO SA	pH	9/15/2016 4:58:40 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 4:54:20 AM	0	mg/l
SC ALRO SA	Clor	9/15/2016 4:54:01 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 4:54:00 AM	9	mg/l
SC ALRO SA	Grasimi	9/15/2016 4:53:50 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 4:53:40 AM	9	mg/l
SC ALRO SA	Temp	9/15/2016 4:53:30 AM	26	gradCels
SC ALRO SA	Grasimi	9/15/2016 4:53:22 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 4:53:21 AM	26	gradCels
SC ALRO SA	pH	9/15/2016 4:53:20 AM	3	unit pH
SC ALRO SA	pH	9/15/2016 4:53:00 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 4:48:02 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 4:48:00 AM	9	mg/l
SC ALRO SA	Grasimi	9/15/2016 4:47:42 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 4:47:41 AM	26	gradCels
SC ALRO SA	pH	9/15/2016 4:47:40 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 4:43:01 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 4:43:00 AM	9	mg/l
SC ALRO SA	Grasimi	9/15/2016 4:42:22 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 4:42:21 AM	26	gradCels
SC ALRO SA	pH	9/15/2016 4:42:20 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 4:37:00 AM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 4:36:43 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 4:36:42 AM	9	mg/l
SC ALRO SA	pH	9/15/2016 4:36:41 AM	3	unit pH
SC ALRO SA	Temp	9/15/2016 4:36:40 AM	26	gradCels
SC ALRO SA	Clor	9/15/2016 4:35:50 AM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 4:34:50 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 4:34:40 AM	9	mg/l
SC ALRO SA	Temp	9/15/2016 4:34:30 AM	26	gradCels
SC ALRO SA	pH	9/15/2016 4:33:50 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 4:32:01 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 4:32:00 AM	9	mg/l
SC ALRO SA	Grasimi	9/15/2016 4:31:22 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 4:31:21 AM	26	gradCels
SC ALRO SA	pH	9/15/2016 4:31:20 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 4:26:03 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 4:26:02 AM	9	mg/l
SC ALRO SA	Grasimi	9/15/2016 4:25:42 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 4:25:41 AM	26	gradCels
SC ALRO SA	pH	9/15/2016 4:25:40 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 4:21:02 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 4:21:01 AM	9	mg/l
SC ALRO SA	Grasimi	9/15/2016 4:20:07 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 4:20:06 AM	26	gradCels
SC ALRO SA	pH	9/15/2016 4:20:05 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 4:16:00 AM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 4:15:40 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 4:15:30 AM	9	mg/l
SC ALRO SA	Temp	9/15/2016 4:15:20 AM	26	gradCels
SC ALRO SA	pH	9/15/2016 4:15:10 AM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 4:15:03 AM	9	mg/l
SC ALRO SA	Clor	9/15/2016 4:15:02 AM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 4:14:46 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 4:14:45 AM	26	gradCels
SC ALRO SA	pH	9/15/2016 4:14:44 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 4:10:01 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 4:10:00 AM	9	mg/l
SC ALRO SA	Grasimi	9/15/2016 4:09:14 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 4:09:13 AM	26	gradCels
SC ALRO SA	pH	9/15/2016 4:09:12 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 4:04:02 AM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 4:03:47 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 4:03:46 AM	9	mg/l
SC ALRO SA	Temp	9/15/2016 4:03:45 AM	26	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	9/15/2016 4:03:44 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 3:59:01 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 3:59:00 AM	9	mg/l
SC ALRO SA	Grasimi	9/15/2016 3:58:08 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 3:58:07 AM	26	gradCels
SC ALRO SA	pH	9/15/2016 3:58:06 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 3:57:40 AM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 3:56:40 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 3:56:30 AM	9	mg/l
SC ALRO SA	Temp	9/15/2016 3:56:20 AM	26	gradCels
SC ALRO SA	pH	9/15/2016 3:56:10 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 3:53:03 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 3:53:02 AM	9	mg/l
SC ALRO SA	Grasimi	9/15/2016 3:52:46 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 3:52:45 AM	26	gradCels
SC ALRO SA	pH	9/15/2016 3:52:44 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 3:48:01 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 3:48:00 AM	9	mg/l
SC ALRO SA	Grasimi	9/15/2016 3:47:08 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 3:47:07 AM	26	gradCels
SC ALRO SA	pH	9/15/2016 3:47:06 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 3:42:03 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 3:42:02 AM	9	mg/l
SC ALRO SA	Grasimi	9/15/2016 3:41:26 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 3:41:25 AM	26	gradCels
SC ALRO SA	pH	9/15/2016 3:41:24 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 3:38:10 AM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 3:37:40 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 3:37:30 AM	9	mg/l
SC ALRO SA	Temp	9/15/2016 3:37:20 AM	26	gradCels
SC ALRO SA	pH	9/15/2016 3:37:10 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 3:36:11 AM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 3:36:07 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 3:36:06 AM	9	mg/l
SC ALRO SA	Temp	9/15/2016 3:36:05 AM	26	gradCels
SC ALRO SA	pH	9/15/2016 3:36:04 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 3:31:03 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 3:31:02 AM	9	mg/l
SC ALRO SA	Grasimi	9/15/2016 3:30:31 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 3:30:29 AM	26	gradCels
SC ALRO SA	pH	9/15/2016 3:30:27 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 3:25:11 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 3:25:10 AM	9	mg/l
SC ALRO SA	Grasimi	9/15/2016 3:25:06 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 3:25:05 AM	26	gradCels
SC ALRO SA	pH	9/15/2016 3:25:04 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 3:20:10 AM	0	mg/l
SC ALRO SA	Clor	9/15/2016 3:20:02 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 3:20:01 AM	9	mg/l
SC ALRO SA	Grasimi	9/15/2016 3:19:40 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 3:19:30 AM	9	mg/l
SC ALRO SA	Grasimi	9/15/2016 3:19:27 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 3:19:26 AM	26	gradCels
SC ALRO SA	pH	9/15/2016 3:19:25 AM	3	unit pH
SC ALRO SA	Temp	9/15/2016 3:19:10 AM	26	gradCels
SC ALRO SA	pH	9/15/2016 3:18:50 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 3:14:11 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 3:14:10 AM	9	mg/l
SC ALRO SA	Grasimi	9/15/2016 3:14:06 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 3:14:05 AM	26	gradCels
SC ALRO SA	pH	9/15/2016 3:14:04 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 3:09:02 AM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 3:08:27 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 3:08:26 AM	9	mg/l
SC ALRO SA	Temp	9/15/2016 3:08:25 AM	26	gradCels
SC ALRO SA	pH	9/15/2016 3:08:24 AM	3	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Clor	9/15/2016 3:03:11 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 3:03:10 AM	9	mg/l
SC ALRO SA	Grasimi	9/15/2016 3:03:06 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 3:03:05 AM	26	gradCels
SC ALRO SA	pH	9/15/2016 3:03:04 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 3:02:20 AM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 3:01:30 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 3:01:20 AM	9	mg/l
SC ALRO SA	Temp	9/15/2016 3:01:10 AM	26	gradCels
SC ALRO SA	pH	9/15/2016 3:00:50 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 2:58:03 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 2:58:02 AM	9	mg/l
SC ALRO SA	Grasimi	9/15/2016 2:57:26 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 2:57:25 AM	26	gradCels
SC ALRO SA	pH	9/15/2016 2:57:24 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 2:52:11 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 2:52:10 AM	9	mg/l
SC ALRO SA	Grasimi	9/15/2016 2:52:06 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 2:52:05 AM	26	gradCels
SC ALRO SA	pH	9/15/2016 2:52:04 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 2:47:03 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 2:47:02 AM	9	mg/l
SC ALRO SA	Grasimi	9/15/2016 2:46:26 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 2:46:25 AM	27	gradCels
SC ALRO SA	pH	9/15/2016 2:46:24 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 2:45:30 AM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 2:44:40 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 2:44:30 AM	9	mg/l
SC ALRO SA	Temp	9/15/2016 2:44:10 AM	27	gradCels
SC ALRO SA	pH	9/15/2016 2:43:50 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 2:41:03 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 2:41:02 AM	9	mg/l
SC ALRO SA	Grasimi	9/15/2016 2:40:46 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 2:40:45 AM	27	gradCels
SC ALRO SA	pH	9/15/2016 2:40:44 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 2:36:02 AM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 2:35:27 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 2:35:26 AM	9	mg/l
SC ALRO SA	Temp	9/15/2016 2:35:25 AM	27	gradCels
SC ALRO SA	pH	9/15/2016 2:35:24 AM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 2:30:02 AM	9	mg/l
SC ALRO SA	Clor	9/15/2016 2:29:47 AM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 2:29:46 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 2:29:45 AM	27	gradCels
SC ALRO SA	pH	9/15/2016 2:29:44 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 2:26:30 AM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 2:26:10 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 2:26:00 AM	9	mg/l
SC ALRO SA	Temp	9/15/2016 2:25:50 AM	27	gradCels
SC ALRO SA	pH	9/15/2016 2:25:40 AM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 2:25:02 AM	9	mg/l
SC ALRO SA	Clor	9/15/2016 2:24:27 AM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 2:24:26 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 2:24:25 AM	27	gradCels
SC ALRO SA	pH	9/15/2016 2:24:24 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 2:19:03 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 2:19:02 AM	9	mg/l
SC ALRO SA	Grasimi	9/15/2016 2:18:46 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 2:18:45 AM	27	gradCels
SC ALRO SA	pH	9/15/2016 2:18:44 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 2:14:03 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 2:14:02 AM	9	mg/l
SC ALRO SA	Grasimi	9/15/2016 2:13:26 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 2:13:25 AM	27	gradCels
SC ALRO SA	pH	9/15/2016 2:13:24 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 2:08:10 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Clor	9/15/2016 2:08:02 AM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 2:07:47 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 2:07:46 AM	9	mg/l
SC ALRO SA	Temp	9/15/2016 2:07:45 AM	27	gradCels
SC ALRO SA	pH	9/15/2016 2:07:44 AM	3	unit pH
SC ALRO SA	Grasimi	9/15/2016 2:07:30 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 2:07:20 AM	9	mg/l
SC ALRO SA	Temp	9/15/2016 2:07:10 AM	27	gradCels
SC ALRO SA	pH	9/15/2016 2:06:20 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 2:03:03 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 2:03:02 AM	9	mg/l
SC ALRO SA	Grasimi	9/15/2016 2:02:26 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 2:02:25 AM	27	gradCels
SC ALRO SA	pH	9/15/2016 2:02:24 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 1:57:03 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 1:57:02 AM	9	mg/l
SC ALRO SA	Grasimi	9/15/2016 1:56:46 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 1:56:45 AM	27	gradCels
SC ALRO SA	pH	9/15/2016 1:56:44 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 1:52:02 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 1:52:01 AM	9	mg/l
SC ALRO SA	Grasimi	9/15/2016 1:51:22 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 1:51:21 AM	27	gradCels
SC ALRO SA	pH	9/15/2016 1:51:20 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 1:49:20 AM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 1:48:50 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 1:48:20 AM	9	mg/l
SC ALRO SA	Temp	9/15/2016 1:48:10 AM	27	gradCels
SC ALRO SA	pH	9/15/2016 1:47:50 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 1:46:03 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 1:46:02 AM	9	mg/l
SC ALRO SA	Grasimi	9/15/2016 1:45:46 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 1:45:45 AM	27	gradCels
SC ALRO SA	pH	9/15/2016 1:45:44 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 1:41:02 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 1:41:01 AM	9	mg/l
SC ALRO SA	Grasimi	9/15/2016 1:40:08 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 1:40:07 AM	27	gradCels
SC ALRO SA	pH	9/15/2016 1:40:06 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 1:35:01 AM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 1:34:48 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 1:34:47 AM	9	mg/l
SC ALRO SA	pH	9/15/2016 1:34:46 AM	3	unit pH
SC ALRO SA	Temp	9/15/2016 1:34:45 AM	27	gradCels
SC ALRO SA	Clor	9/15/2016 1:31:00 AM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 1:30:40 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 1:30:30 AM	9	mg/l
SC ALRO SA	Temp	9/15/2016 1:30:20 AM	27	gradCels
SC ALRO SA	pH	9/15/2016 1:30:10 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 1:30:03 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 1:30:02 AM	9	mg/l
SC ALRO SA	Grasimi	9/15/2016 1:29:08 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 1:29:07 AM	27	gradCels
SC ALRO SA	pH	9/15/2016 1:29:06 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 1:24:03 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 1:24:02 AM	9	mg/l
SC ALRO SA	Grasimi	9/15/2016 1:23:46 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 1:23:45 AM	27	gradCels
SC ALRO SA	pH	9/15/2016 1:23:44 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 1:19:02 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 1:19:01 AM	9	mg/l
SC ALRO SA	Grasimi	9/15/2016 1:18:09 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 1:18:08 AM	27	gradCels
SC ALRO SA	pH	9/15/2016 1:18:07 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 1:13:50 AM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 1:13:30 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	9/15/2016 1:13:20 AM	9	mg/l
SC ALRO SA	Temp	9/15/2016 1:13:10 AM	27	gradCels
SC ALRO SA	Clor	9/15/2016 1:13:03 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 1:13:02 AM	9	mg/l
SC ALRO SA	pH	9/15/2016 1:12:50 AM	3	unit pH
SC ALRO SA	Grasimi	9/15/2016 1:12:46 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 1:12:45 AM	27	gradCels
SC ALRO SA	pH	9/15/2016 1:12:44 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 1:08:02 AM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 1:07:09 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 1:07:08 AM	9	mg/l
SC ALRO SA	Temp	9/15/2016 1:07:07 AM	27	gradCels
SC ALRO SA	pH	9/15/2016 1:07:06 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 1:02:03 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 1:02:02 AM	9	mg/l
SC ALRO SA	Grasimi	9/15/2016 1:01:46 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 1:01:45 AM	27	gradCels
SC ALRO SA	pH	9/15/2016 1:01:44 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 12:57:03 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 12:57:02 AM	9	mg/l
SC ALRO SA	Grasimi	9/15/2016 12:56:07 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 12:56:06 AM	27	gradCels
SC ALRO SA	pH	9/15/2016 12:56:05 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 12:55:41 AM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 12:54:30 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 12:54:20 AM	9	mg/l
SC ALRO SA	Temp	9/15/2016 12:54:10 AM	27	gradCels
SC ALRO SA	pH	9/15/2016 12:53:40 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 12:51:02 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 12:51:01 AM	9	mg/l
SC ALRO SA	Grasimi	9/15/2016 12:50:47 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 12:50:46 AM	27	gradCels
SC ALRO SA	pH	9/15/2016 12:50:45 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 12:46:03 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 12:46:02 AM	9	mg/l
SC ALRO SA	Grasimi	9/15/2016 12:45:09 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 12:45:08 AM	27	gradCels
SC ALRO SA	pH	9/15/2016 12:45:07 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 12:40:03 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 12:40:02 AM	9	mg/l
SC ALRO SA	Grasimi	9/15/2016 12:39:46 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 12:39:45 AM	27	gradCels
SC ALRO SA	pH	9/15/2016 12:39:44 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 12:36:20 AM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 12:36:00 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 12:35:50 AM	9	mg/l
SC ALRO SA	Temp	9/15/2016 12:35:40 AM	27	gradCels
SC ALRO SA	pH	9/15/2016 12:35:30 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 12:35:02 AM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 12:34:03 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 12:34:02 AM	9	mg/l
SC ALRO SA	Temp	9/15/2016 12:34:01 AM	27	gradCels
SC ALRO SA	pH	9/15/2016 12:34:00 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 12:29:03 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 12:29:02 AM	9	mg/l
SC ALRO SA	Grasimi	9/15/2016 12:28:42 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 12:28:41 AM	27	gradCels
SC ALRO SA	pH	9/15/2016 12:28:40 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 12:24:03 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 12:24:02 AM	9	mg/l
SC ALRO SA	Grasimi	9/15/2016 12:23:04 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 12:23:03 AM	27	gradCels
SC ALRO SA	pH	9/15/2016 12:23:02 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 12:18:30 AM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 12:18:10 AM	0	mg/l
SC ALRO SA	Clor	9/15/2016 12:18:02 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	9/15/2016 12:18:01 AM	9	mg/l
SC ALRO SA	Substante organice	9/15/2016 12:17:50 AM	9	mg/l
SC ALRO SA	Grasimi	9/15/2016 12:17:42 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 12:17:41 AM	27	gradCels
SC ALRO SA	pH	9/15/2016 12:17:40 AM	3	unit pH
SC ALRO SA	Temp	9/15/2016 12:17:20 AM	27	gradCels
SC ALRO SA	pH	9/15/2016 12:17:10 AM	3	unit pH
SC ALRO SA	Substante organice	9/15/2016 12:12:07 AM	9	mg/l
SC ALRO SA	Clor	9/15/2016 12:12:06 AM	0	mg/l
SC ALRO SA	Grasimi	9/15/2016 12:12:02 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 12:12:01 AM	27	gradCels
SC ALRO SA	pH	9/15/2016 12:12:00 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 12:07:04 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 12:07:02 AM	9	mg/l
SC ALRO SA	Grasimi	9/15/2016 12:06:22 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 12:06:21 AM	27	gradCels
SC ALRO SA	pH	9/15/2016 12:06:20 AM	3	unit pH
SC ALRO SA	Clor	9/15/2016 12:01:05 AM	0	mg/l
SC ALRO SA	Substante organice	9/15/2016 12:01:04 AM	9	mg/l
SC ALRO SA	Grasimi	9/15/2016 12:01:02 AM	0	mg/l
SC ALRO SA	Temp	9/15/2016 12:01:01 AM	27	gradCels
SC ALRO SA	pH	9/15/2016 12:01:00 AM	3	unit pH
SC ALRO SA	Clor	9/14/2016 11:59:20 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 11:58:50 PM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 11:58:40 PM	9	mg/l
SC ALRO SA	Temp	9/14/2016 11:58:30 PM	27	gradCels
SC ALRO SA	pH	9/14/2016 11:58:20 PM	3	unit pH
SC ALRO SA	Clor	9/14/2016 11:56:01 PM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 11:56:00 PM	9	mg/l
SC ALRO SA	Grasimi	9/14/2016 11:55:22 PM	0	mg/l
SC ALRO SA	Temp	9/14/2016 11:55:21 PM	27	gradCels
SC ALRO SA	pH	9/14/2016 11:55:20 PM	3	unit pH
SC ALRO SA	Clor	9/14/2016 11:50:05 PM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 11:50:04 PM	9	mg/l
SC ALRO SA	Grasimi	9/14/2016 11:50:02 PM	0	mg/l
SC ALRO SA	Temp	9/14/2016 11:50:01 PM	27	gradCels
SC ALRO SA	pH	9/14/2016 11:50:00 PM	3	unit pH
SC ALRO SA	Clor	9/14/2016 11:45:01 PM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 11:45:00 PM	9	mg/l
SC ALRO SA	Grasimi	9/14/2016 11:44:22 PM	0	mg/l
SC ALRO SA	Temp	9/14/2016 11:44:21 PM	27	gradCels
SC ALRO SA	pH	9/14/2016 11:44:20 PM	3	unit pH
SC ALRO SA	Clor	9/14/2016 11:42:00 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 11:41:10 PM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 11:40:50 PM	9	mg/l
SC ALRO SA	Temp	9/14/2016 11:40:40 PM	27	gradCels
SC ALRO SA	pH	9/14/2016 11:40:30 PM	3	unit pH
SC ALRO SA	Clor	9/14/2016 11:39:04 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 11:39:03 PM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 11:39:02 PM	9	mg/l
SC ALRO SA	pH	9/14/2016 11:39:01 PM	3	unit pH
SC ALRO SA	Temp	9/14/2016 11:39:00 PM	27	gradCels
SC ALRO SA	Substante organice	9/14/2016 11:34:01 PM	9	mg/l
SC ALRO SA	Clor	9/14/2016 11:33:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 11:33:22 PM	0	mg/l
SC ALRO SA	pH	9/14/2016 11:33:21 PM	3	unit pH
SC ALRO SA	Temp	9/14/2016 11:33:20 PM	27	gradCels
SC ALRO SA	Clor	9/14/2016 11:28:10 PM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 11:28:09 PM	9	mg/l
SC ALRO SA	Grasimi	9/14/2016 11:28:02 PM	0	mg/l
SC ALRO SA	Temp	9/14/2016 11:28:01 PM	27	gradCels
SC ALRO SA	pH	9/14/2016 11:28:00 PM	3	unit pH
SC ALRO SA	Clor	9/14/2016 11:23:50 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 11:23:30 PM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 11:23:20 PM	9	mg/l
SC ALRO SA	Temp	9/14/2016 11:23:10 PM	27	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Clor	9/14/2016 11:23:01 PM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 11:23:00 PM	9	mg/l
SC ALRO SA	pH	9/14/2016 11:22:50 PM	3	unit pH
SC ALRO SA	Grasimi	9/14/2016 11:22:22 PM	0	mg/l
SC ALRO SA	Temp	9/14/2016 11:22:21 PM	27	gradCels
SC ALRO SA	pH	9/14/2016 11:22:20 PM	3	unit pH
SC ALRO SA	Clor	9/14/2016 11:17:11 PM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 11:17:08 PM	9	mg/l
SC ALRO SA	Grasimi	9/14/2016 11:17:02 PM	0	mg/l
SC ALRO SA	Temp	9/14/2016 11:17:01 PM	27	gradCels
SC ALRO SA	pH	9/14/2016 11:17:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/14/2016 11:12:00 PM	9	mg/l
SC ALRO SA	Clor	9/14/2016 11:11:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 11:11:22 PM	0	mg/l
SC ALRO SA	Temp	9/14/2016 11:11:21 PM	27	gradCels
SC ALRO SA	pH	9/14/2016 11:11:20 PM	3	unit pH
SC ALRO SA	Clor	9/14/2016 11:06:40 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 11:06:20 PM	0	mg/l
SC ALRO SA	Clor	9/14/2016 11:06:04 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 11:06:03 PM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 11:06:02 PM	9	mg/l
SC ALRO SA	Temp	9/14/2016 11:06:01 PM	27	gradCels
SC ALRO SA	pH	9/14/2016 11:06:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/14/2016 11:05:40 PM	9	mg/l
SC ALRO SA	Temp	9/14/2016 11:05:30 PM	27	gradCels
SC ALRO SA	pH	9/14/2016 11:05:20 PM	3	unit pH
SC ALRO SA	Substante organice	9/14/2016 11:01:00 PM	9	mg/l
SC ALRO SA	Clor	9/14/2016 11:00:24 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 11:00:23 PM	0	mg/l
SC ALRO SA	Temp	9/14/2016 11:00:22 PM	27	gradCels
SC ALRO SA	pH	9/14/2016 11:00:20 PM	3	unit pH
SC ALRO SA	Substante organice	9/14/2016 10:55:00 PM	9	mg/l
SC ALRO SA	Clor	9/14/2016 10:54:48 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 10:54:47 PM	0	mg/l
SC ALRO SA	Temp	9/14/2016 10:54:46 PM	27	gradCels
SC ALRO SA	pH	9/14/2016 10:54:45 PM	3	unit pH
SC ALRO SA	Substante organice	9/14/2016 10:50:01 PM	9	mg/l
SC ALRO SA	Clor	9/14/2016 10:49:28 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 10:49:27 PM	0	mg/l
SC ALRO SA	Temp	9/14/2016 10:49:26 PM	27	gradCels
SC ALRO SA	pH	9/14/2016 10:49:25 PM	3	unit pH
SC ALRO SA	Clor	9/14/2016 10:48:30 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 10:48:10 PM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 10:47:30 PM	9	mg/l
SC ALRO SA	Temp	9/14/2016 10:46:40 PM	27	gradCels
SC ALRO SA	pH	9/14/2016 10:46:10 PM	3	unit pH
SC ALRO SA	Substante organice	9/14/2016 10:44:00 PM	9	mg/l
SC ALRO SA	Clor	9/14/2016 10:43:48 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 10:43:47 PM	0	mg/l
SC ALRO SA	Temp	9/14/2016 10:43:46 PM	27	gradCels
SC ALRO SA	pH	9/14/2016 10:43:45 PM	3	unit pH
SC ALRO SA	Clor	9/14/2016 10:39:00 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 10:38:28 PM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 10:38:27 PM	9	mg/l
SC ALRO SA	Temp	9/14/2016 10:38:26 PM	27	gradCels
SC ALRO SA	pH	9/14/2016 10:38:25 PM	3	unit pH
SC ALRO SA	Clor	9/14/2016 10:33:01 PM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 10:33:00 PM	9	mg/l
SC ALRO SA	Grasimi	9/14/2016 10:32:47 PM	0	mg/l
SC ALRO SA	Temp	9/14/2016 10:32:46 PM	27	gradCels
SC ALRO SA	pH	9/14/2016 10:32:45 PM	3	unit pH
SC ALRO SA	Clor	9/14/2016 10:30:30 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 10:30:00 PM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 10:29:30 PM	9	mg/l
SC ALRO SA	Temp	9/14/2016 10:29:20 PM	27	gradCels
SC ALRO SA	pH	9/14/2016 10:29:10 PM	3	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	9/14/2016 10:28:00 PM	9	mg/l
SC ALRO SA	Clor	9/14/2016 10:27:27 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 10:27:26 PM	0	mg/l
SC ALRO SA	Temp	9/14/2016 10:27:25 PM	27	gradCels
SC ALRO SA	pH	9/14/2016 10:27:24 PM	3	unit pH
SC ALRO SA	Substante organice	9/14/2016 10:21:51 PM	9	mg/l
SC ALRO SA	Clor	9/14/2016 10:21:48 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 10:21:47 PM	0	mg/l
SC ALRO SA	Temp	9/14/2016 10:21:46 PM	27	gradCels
SC ALRO SA	pH	9/14/2016 10:21:45 PM	3	unit pH
SC ALRO SA	Substante organice	9/14/2016 10:17:00 PM	9	mg/l
SC ALRO SA	Clor	9/14/2016 10:16:28 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 10:16:27 PM	0	mg/l
SC ALRO SA	Temp	9/14/2016 10:16:26 PM	27	gradCels
SC ALRO SA	pH	9/14/2016 10:16:25 PM	3	unit pH
SC ALRO SA	Clor	9/14/2016 10:12:10 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 10:11:50 PM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 10:11:40 PM	9	mg/l
SC ALRO SA	Temp	9/14/2016 10:11:30 PM	27	gradCels
SC ALRO SA	pH	9/14/2016 10:11:20 PM	3	unit pH
SC ALRO SA	Substante organice	9/14/2016 10:11:00 PM	9	mg/l
SC ALRO SA	Clor	9/14/2016 10:10:48 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 10:10:47 PM	0	mg/l
SC ALRO SA	pH	9/14/2016 10:10:46 PM	3	unit pH
SC ALRO SA	Temp	9/14/2016 10:10:45 PM	27	gradCels
SC ALRO SA	Clor	9/14/2016 10:05:09 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 10:05:08 PM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 10:05:07 PM	9	mg/l
SC ALRO SA	Temp	9/14/2016 10:05:06 PM	27	gradCels
SC ALRO SA	pH	9/14/2016 10:05:05 PM	3	unit pH
SC ALRO SA	Substante organice	9/14/2016 10:00:00 PM	9	mg/l
SC ALRO SA	Clor	9/14/2016 9:59:47 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 9:59:46 PM	0	mg/l
SC ALRO SA	pH	9/14/2016 9:59:45 PM	3	unit pH
SC ALRO SA	Temp	9/14/2016 9:59:44 PM	27	gradCels
SC ALRO SA	Substante organice	9/14/2016 9:55:00 PM	9	mg/l
SC ALRO SA	Clor	9/14/2016 9:54:31 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 9:54:10 PM	0	mg/l
SC ALRO SA	Clor	9/14/2016 9:54:07 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 9:54:06 PM	0	mg/l
SC ALRO SA	Temp	9/14/2016 9:54:05 PM	27	gradCels
SC ALRO SA	pH	9/14/2016 9:54:04 PM	3	unit pH
SC ALRO SA	Substante organice	9/14/2016 9:53:50 PM	9	mg/l
SC ALRO SA	Temp	9/14/2016 9:53:40 PM	27	gradCels
SC ALRO SA	pH	9/14/2016 9:53:30 PM	3	unit pH
SC ALRO SA	Substante organice	9/14/2016 9:49:01 PM	9	mg/l
SC ALRO SA	Clor	9/14/2016 9:48:47 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 9:48:46 PM	0	mg/l
SC ALRO SA	Temp	9/14/2016 9:48:45 PM	27	gradCels
SC ALRO SA	pH	9/14/2016 9:48:44 PM	3	unit pH
SC ALRO SA	Substante organice	9/14/2016 9:44:01 PM	9	mg/l
SC ALRO SA	Clor	9/14/2016 9:43:06 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 9:43:05 PM	0	mg/l
SC ALRO SA	Temp	9/14/2016 9:43:04 PM	27	gradCels
SC ALRO SA	pH	9/14/2016 9:43:03 PM	3	unit pH
SC ALRO SA	Clor	9/14/2016 9:37:48 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 9:37:47 PM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 9:37:46 PM	9	mg/l
SC ALRO SA	pH	9/14/2016 9:37:45 PM	3	unit pH
SC ALRO SA	Temp	9/14/2016 9:37:44 PM	27	gradCels
SC ALRO SA	Clor	9/14/2016 9:36:40 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 9:35:20 PM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 9:34:50 PM	9	mg/l
SC ALRO SA	Temp	9/14/2016 9:34:20 PM	27	gradCels
SC ALRO SA	pH	9/14/2016 9:34:10 PM	3	unit pH
SC ALRO SA	Substante organice	9/14/2016 9:33:00 PM	9	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Clor	9/14/2016 9:32:09 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 9:32:08 PM	0	mg/l
SC ALRO SA	Temp	9/14/2016 9:32:07 PM	27	gradCels
SC ALRO SA	pH	9/14/2016 9:32:06 PM	3	unit pH
SC ALRO SA	Substante organice	9/14/2016 9:27:00 PM	9	mg/l
SC ALRO SA	Clor	9/14/2016 9:26:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 9:26:42 PM	0	mg/l
SC ALRO SA	Temp	9/14/2016 9:26:41 PM	27	gradCels
SC ALRO SA	pH	9/14/2016 9:26:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/14/2016 9:22:00 PM	9	mg/l
SC ALRO SA	Clor	9/14/2016 9:21:09 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 9:21:08 PM	0	mg/l
SC ALRO SA	Temp	9/14/2016 9:21:07 PM	27	gradCels
SC ALRO SA	pH	9/14/2016 9:21:06 PM	3	unit pH
SC ALRO SA	Clor	9/14/2016 9:17:10 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 9:16:50 PM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 9:16:40 PM	9	mg/l
SC ALRO SA	Temp	9/14/2016 9:16:30 PM	27	gradCels
SC ALRO SA	pH	9/14/2016 9:16:21 PM	3	unit pH
SC ALRO SA	Substante organice	9/14/2016 9:16:01 PM	9	mg/l
SC ALRO SA	Clor	9/14/2016 9:15:28 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 9:15:27 PM	0	mg/l
SC ALRO SA	Temp	9/14/2016 9:15:26 PM	27	gradCels
SC ALRO SA	pH	9/14/2016 9:15:25 PM	3	unit pH
SC ALRO SA	Substante organice	9/14/2016 9:11:00 PM	9	mg/l
SC ALRO SA	Clor	9/14/2016 9:10:09 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 9:10:08 PM	0	mg/l
SC ALRO SA	pH	9/14/2016 9:10:07 PM	3	unit pH
SC ALRO SA	Temp	9/14/2016 9:10:06 PM	27	gradCels
SC ALRO SA	Substante organice	9/14/2016 9:05:00 PM	9	mg/l
SC ALRO SA	Clor	9/14/2016 9:04:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 9:04:42 PM	0	mg/l
SC ALRO SA	Temp	9/14/2016 9:04:41 PM	27	gradCels
SC ALRO SA	pH	9/14/2016 9:04:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/14/2016 9:00:00 PM	9	mg/l
SC ALRO SA	Clor	9/14/2016 8:59:09 PM	0	mg/l
SC ALRO SA	Temp	9/14/2016 8:59:08 PM	27	gradCels
SC ALRO SA	Grasimi	9/14/2016 8:59:07 PM	0	mg/l
SC ALRO SA	pH	9/14/2016 8:59:06 PM	3	unit pH
SC ALRO SA	Clor	9/14/2016 8:57:30 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 8:57:10 PM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 8:56:50 PM	9	mg/l
SC ALRO SA	Temp	9/14/2016 8:56:20 PM	27	gradCels
SC ALRO SA	pH	9/14/2016 8:55:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/14/2016 8:55:00 PM	9	mg/l
SC ALRO SA	Clor	9/14/2016 8:54:05 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 8:54:04 PM	0	mg/l
SC ALRO SA	Temp	9/14/2016 8:54:03 PM	27	gradCels
SC ALRO SA	pH	9/14/2016 8:54:02 PM	3	unit pH
SC ALRO SA	Substante organice	9/14/2016 8:49:00 PM	9	mg/l
SC ALRO SA	Clor	9/14/2016 8:48:27 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 8:48:26 PM	0	mg/l
SC ALRO SA	Temp	9/14/2016 8:48:25 PM	27	gradCels
SC ALRO SA	pH	9/14/2016 8:48:24 PM	3	unit pH
SC ALRO SA	Substante organice	9/14/2016 8:43:08 PM	9	mg/l
SC ALRO SA	Clor	9/14/2016 8:43:07 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 8:43:06 PM	0	mg/l
SC ALRO SA	Temp	9/14/2016 8:43:05 PM	27	gradCels
SC ALRO SA	pH	9/14/2016 8:43:04 PM	3	unit pH
SC ALRO SA	Clor	9/14/2016 8:37:50 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 8:37:30 PM	0	mg/l
SC ALRO SA	Clor	9/14/2016 8:37:28 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 8:37:27 PM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 8:37:26 PM	9	mg/l
SC ALRO SA	Temp	9/14/2016 8:37:25 PM	27	gradCels
SC ALRO SA	pH	9/14/2016 8:37:24 PM	3	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	9/14/2016 8:37:10 PM	9	mg/l
SC ALRO SA	Temp	9/14/2016 8:37:00 PM	27	gradCels
SC ALRO SA	pH	9/14/2016 8:36:50 PM	3	unit pH
SC ALRO SA	Substante organice	9/14/2016 8:32:05 PM	9	mg/l
SC ALRO SA	Clor	9/14/2016 8:32:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 8:32:02 PM	0	mg/l
SC ALRO SA	Temp	9/14/2016 8:32:01 PM	27	gradCels
SC ALRO SA	pH	9/14/2016 8:32:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/14/2016 8:27:00 PM	9	mg/l
SC ALRO SA	Clor	9/14/2016 8:26:27 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 8:26:26 PM	0	mg/l
SC ALRO SA	Temp	9/14/2016 8:26:25 PM	27	gradCels
SC ALRO SA	pH	9/14/2016 8:26:24 PM	3	unit pH
SC ALRO SA	Substante organice	9/14/2016 8:21:04 PM	9	mg/l
SC ALRO SA	Clor	9/14/2016 8:21:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 8:21:02 PM	0	mg/l
SC ALRO SA	Temp	9/14/2016 8:21:01 PM	27	gradCels
SC ALRO SA	pH	9/14/2016 8:21:00 PM	3	unit pH
SC ALRO SA	Clor	9/14/2016 8:18:20 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 8:17:50 PM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 8:17:30 PM	9	mg/l
SC ALRO SA	Temp	9/14/2016 8:17:10 PM	27	gradCels
SC ALRO SA	pH	9/14/2016 8:17:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/14/2016 8:16:00 PM	9	mg/l
SC ALRO SA	Clor	9/14/2016 8:15:26 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 8:15:25 PM	0	mg/l
SC ALRO SA	Temp	9/14/2016 8:15:24 PM	27	gradCels
SC ALRO SA	pH	9/14/2016 8:15:23 PM	3	unit pH
SC ALRO SA	Substante organice	9/14/2016 8:10:05 PM	9	mg/l
SC ALRO SA	Clor	9/14/2016 8:10:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 8:10:02 PM	0	mg/l
SC ALRO SA	Temp	9/14/2016 8:10:01 PM	27	gradCels
SC ALRO SA	pH	9/14/2016 8:10:00 PM	3	unit pH
SC ALRO SA	Clor	9/14/2016 8:04:24 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 8:04:23 PM	0	mg/l
SC ALRO SA	Temp	9/14/2016 8:04:22 PM	27	gradCels
SC ALRO SA	Substante organice	9/14/2016 8:04:21 PM	9	mg/l
SC ALRO SA	pH	9/14/2016 8:04:20 PM	3	unit pH
SC ALRO SA	Clor	9/14/2016 7:59:50 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 7:59:30 PM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 7:59:20 PM	9	mg/l
SC ALRO SA	Temp	9/14/2016 7:59:10 PM	27	gradCels
SC ALRO SA	Substante organice	9/14/2016 7:59:05 PM	9	mg/l
SC ALRO SA	Clor	9/14/2016 7:59:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 7:59:02 PM	0	mg/l
SC ALRO SA	Temp	9/14/2016 7:59:01 PM	27	gradCels
SC ALRO SA	pH	9/14/2016 7:59:00 PM	3	unit pH
SC ALRO SA	pH	9/14/2016 7:58:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/14/2016 7:54:00 PM	9	mg/l
SC ALRO SA	Clor	9/14/2016 7:53:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 7:53:22 PM	0	mg/l
SC ALRO SA	pH	9/14/2016 7:53:21 PM	3	unit pH
SC ALRO SA	Temp	9/14/2016 7:53:20 PM	26	gradCels
SC ALRO SA	Substante organice	9/14/2016 7:48:05 PM	9	mg/l
SC ALRO SA	Clor	9/14/2016 7:48:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 7:48:02 PM	0	mg/l
SC ALRO SA	Temp	9/14/2016 7:48:01 PM	26	gradCels
SC ALRO SA	pH	9/14/2016 7:48:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/14/2016 7:43:00 PM	9	mg/l
SC ALRO SA	Clor	9/14/2016 7:42:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 7:42:22 PM	0	mg/l
SC ALRO SA	Temp	9/14/2016 7:42:21 PM	26	gradCels
SC ALRO SA	pH	9/14/2016 7:42:20 PM	3	unit pH
SC ALRO SA	Clor	9/14/2016 7:39:50 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 7:38:50 PM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 7:38:40 PM	9	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	9/14/2016 7:38:30 PM	26	gradCels
SC ALRO SA	pH	9/14/2016 7:38:20 PM	3	unit pH
SC ALRO SA	Clor	9/14/2016 7:37:04 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 7:37:03 PM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 7:37:02 PM	9	mg/l
SC ALRO SA	Temp	9/14/2016 7:37:01 PM	26	gradCels
SC ALRO SA	pH	9/14/2016 7:37:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/14/2016 7:32:00 PM	9	mg/l
SC ALRO SA	Clor	9/14/2016 7:31:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 7:31:22 PM	0	mg/l
SC ALRO SA	Temp	9/14/2016 7:31:21 PM	26	gradCels
SC ALRO SA	pH	9/14/2016 7:31:20 PM	3	unit pH
SC ALRO SA	Substante organice	9/14/2016 7:26:00 PM	9	mg/l
SC ALRO SA	Clor	9/14/2016 7:25:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 7:25:42 PM	0	mg/l
SC ALRO SA	pH	9/14/2016 7:25:41 PM	3	unit pH
SC ALRO SA	Temp	9/14/2016 7:25:40 PM	26	gradCels
SC ALRO SA	Substante organice	9/14/2016 7:21:00 PM	9	mg/l
SC ALRO SA	Clor	9/14/2016 7:20:30 PM	0	mg/l
SC ALRO SA	Clor	9/14/2016 7:20:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 7:20:22 PM	0	mg/l
SC ALRO SA	Temp	9/14/2016 7:20:21 PM	26	gradCels
SC ALRO SA	pH	9/14/2016 7:20:20 PM	3	unit pH
SC ALRO SA	Grasimi	9/14/2016 7:19:50 PM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 7:19:40 PM	9	mg/l
SC ALRO SA	Temp	9/14/2016 7:19:30 PM	26	gradCels
SC ALRO SA	pH	9/14/2016 7:18:20 PM	3	unit pH
SC ALRO SA	Substante organice	9/14/2016 7:15:00 PM	9	mg/l
SC ALRO SA	Clor	9/14/2016 7:14:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 7:14:42 PM	0	mg/l
SC ALRO SA	Temp	9/14/2016 7:14:41 PM	26	gradCels
SC ALRO SA	pH	9/14/2016 7:14:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/14/2016 7:10:00 PM	9	mg/l
SC ALRO SA	Clor	9/14/2016 7:09:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 7:09:22 PM	0	mg/l
SC ALRO SA	Temp	9/14/2016 7:09:21 PM	26	gradCels
SC ALRO SA	pH	9/14/2016 7:09:20 PM	3	unit pH
SC ALRO SA	Clor	9/14/2016 7:03:44 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 7:03:43 PM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 7:03:42 PM	9	mg/l
SC ALRO SA	Temp	9/14/2016 7:03:41 PM	26	gradCels
SC ALRO SA	pH	9/14/2016 7:03:40 PM	3	unit pH
SC ALRO SA	Clor	9/14/2016 7:00:00 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 6:59:40 PM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 6:59:30 PM	9	mg/l
SC ALRO SA	Temp	9/14/2016 6:59:20 PM	26	gradCels
SC ALRO SA	pH	9/14/2016 6:59:10 PM	3	unit pH
SC ALRO SA	Substante organice	9/14/2016 6:59:00 PM	9	mg/l
SC ALRO SA	Clor	9/14/2016 6:58:05 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 6:58:04 PM	0	mg/l
SC ALRO SA	Temp	9/14/2016 6:58:03 PM	26	gradCels
SC ALRO SA	pH	9/14/2016 6:58:02 PM	3	unit pH
SC ALRO SA	Substante organice	9/14/2016 6:53:05 PM	9	mg/l
SC ALRO SA	Clor	9/14/2016 6:52:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 6:52:42 PM	0	mg/l
SC ALRO SA	Temp	9/14/2016 6:52:41 PM	26	gradCels
SC ALRO SA	pH	9/14/2016 6:52:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/14/2016 6:48:00 PM	9	mg/l
SC ALRO SA	Clor	9/14/2016 6:47:04 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 6:47:03 PM	0	mg/l
SC ALRO SA	Temp	9/14/2016 6:47:02 PM	26	gradCels
SC ALRO SA	pH	9/14/2016 6:47:01 PM	3	unit pH
SC ALRO SA	Substante organice	9/14/2016 6:42:00 PM	9	mg/l
SC ALRO SA	Clor	9/14/2016 6:41:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 6:41:42 PM	0	mg/l
SC ALRO SA	Temp	9/14/2016 6:41:41 PM	26	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	9/14/2016 6:41:40 PM	3	unit pH
SC ALRO SA	Clor	9/14/2016 6:39:10 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 6:38:00 PM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 6:37:50 PM	9	mg/l
SC ALRO SA	Temp	9/14/2016 6:37:40 PM	26	gradCels
SC ALRO SA	pH	9/14/2016 6:37:30 PM	3	unit pH
SC ALRO SA	Clor	9/14/2016 6:36:08 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 6:36:07 PM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 6:36:06 PM	9	mg/l
SC ALRO SA	Temp	9/14/2016 6:36:05 PM	26	gradCels
SC ALRO SA	pH	9/14/2016 6:36:02 PM	3	unit pH
SC ALRO SA	Substante organice	9/14/2016 6:31:00 PM	9	mg/l
SC ALRO SA	Clor	9/14/2016 6:30:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 6:30:42 PM	0	mg/l
SC ALRO SA	Temp	9/14/2016 6:30:41 PM	26	gradCels
SC ALRO SA	pH	9/14/2016 6:30:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/14/2016 6:26:00 PM	9	mg/l
SC ALRO SA	Clor	9/14/2016 6:25:05 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 6:25:04 PM	0	mg/l
SC ALRO SA	Temp	9/14/2016 6:25:03 PM	26	gradCels
SC ALRO SA	pH	9/14/2016 6:25:02 PM	3	unit pH
SC ALRO SA	Substante organice	9/14/2016 6:20:00 PM	9	mg/l
SC ALRO SA	Clor	9/14/2016 6:19:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 6:19:42 PM	0	mg/l
SC ALRO SA	Temp	9/14/2016 6:19:41 PM	26	gradCels
SC ALRO SA	pH	9/14/2016 6:19:40 PM	3	unit pH
SC ALRO SA	Clor	9/14/2016 6:16:00 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 6:15:40 PM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 6:15:30 PM	9	mg/l
SC ALRO SA	Temp	9/14/2016 6:15:20 PM	26	gradCels
SC ALRO SA	pH	9/14/2016 6:15:10 PM	3	unit pH
SC ALRO SA	Clor	9/14/2016 6:14:12 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 6:14:11 PM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 6:14:10 PM	9	mg/l
SC ALRO SA	pH	9/14/2016 6:14:09 PM	3	unit pH
SC ALRO SA	Temp	9/14/2016 6:14:08 PM	26	gradCels
SC ALRO SA	Temp	9/14/2016 6:14:07 PM	26	gradCels
SC ALRO SA	pH	9/14/2016 6:14:06 PM	3	unit pH
SC ALRO SA	Grasimi	9/14/2016 6:14:05 PM	0	mg/l
SC ALRO SA	Clor	9/14/2016 6:14:03 PM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 6:14:02 PM	9	mg/l
SC ALRO SA	Clor	9/14/2016 6:08:24 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 6:08:23 PM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 6:08:22 PM	9	mg/l
SC ALRO SA	Temp	9/14/2016 6:08:21 PM	26	gradCels
SC ALRO SA	pH	9/14/2016 6:08:20 PM	3	unit pH
SC ALRO SA	Substante organice	9/14/2016 6:03:05 PM	9	mg/l
SC ALRO SA	Clor	9/14/2016 6:03:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 6:03:02 PM	0	mg/l
SC ALRO SA	Temp	9/14/2016 6:03:01 PM	26	gradCels
SC ALRO SA	pH	9/14/2016 6:03:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/14/2016 5:58:00 PM	9	mg/l
SC ALRO SA	Clor	9/14/2016 5:57:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 5:57:22 PM	0	mg/l
SC ALRO SA	Temp	9/14/2016 5:57:21 PM	26	gradCels
SC ALRO SA	pH	9/14/2016 5:57:20 PM	3	unit pH
SC ALRO SA	Clor	9/14/2016 5:53:50 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 5:53:30 PM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 5:53:20 PM	9	mg/l
SC ALRO SA	Temp	9/14/2016 5:53:10 PM	26	gradCels
SC ALRO SA	pH	9/14/2016 5:52:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/14/2016 5:52:07 PM	9	mg/l
SC ALRO SA	Clor	9/14/2016 5:52:04 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 5:52:03 PM	0	mg/l
SC ALRO SA	Temp	9/14/2016 5:52:02 PM	26	gradCels
SC ALRO SA	pH	9/14/2016 5:52:00 PM	3	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	9/14/2016 5:47:00 PM	9	mg/l
SC ALRO SA	Clor	9/14/2016 5:46:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 5:46:22 PM	0	mg/l
SC ALRO SA	pH	9/14/2016 5:46:21 PM	3	unit pH
SC ALRO SA	Temp	9/14/2016 5:46:20 PM	26	gradCels
SC ALRO SA	Substante organice	9/14/2016 5:41:05 PM	9	mg/l
SC ALRO SA	Clor	9/14/2016 5:41:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 5:41:02 PM	0	mg/l
SC ALRO SA	Temp	9/14/2016 5:41:01 PM	26	gradCels
SC ALRO SA	pH	9/14/2016 5:41:00 PM	3	unit pH
SC ALRO SA	Clor	9/14/2016 5:35:24 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 5:35:23 PM	0	mg/l
SC ALRO SA	Temp	9/14/2016 5:35:22 PM	26	gradCels
SC ALRO SA	Substante organice	9/14/2016 5:35:21 PM	9	mg/l
SC ALRO SA	pH	9/14/2016 5:35:20 PM	3	unit pH
SC ALRO SA	Clor	9/14/2016 5:30:30 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 5:30:10 PM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 5:30:05 PM	10	mg/l
SC ALRO SA	Clor	9/14/2016 5:30:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 5:30:02 PM	0	mg/l
SC ALRO SA	pH	9/14/2016 5:30:01 PM	3	unit pH
SC ALRO SA	Temp	9/14/2016 5:30:00 PM	25	gradCels
SC ALRO SA	Substante organice	9/14/2016 5:29:40 PM	10	mg/l
SC ALRO SA	Temp	9/14/2016 5:29:30 PM	25	gradCels
SC ALRO SA	pH	9/14/2016 5:28:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/14/2016 5:25:00 PM	10	mg/l
SC ALRO SA	Clor	9/14/2016 5:24:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 5:24:22 PM	0	mg/l
SC ALRO SA	pH	9/14/2016 5:24:21 PM	3	unit pH
SC ALRO SA	Temp	9/14/2016 5:24:20 PM	25	gradCels
SC ALRO SA	Substante organice	9/14/2016 5:19:00 PM	10	mg/l
SC ALRO SA	Clor	9/14/2016 5:18:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 5:18:42 PM	0	mg/l
SC ALRO SA	Temp	9/14/2016 5:18:41 PM	25	gradCels
SC ALRO SA	pH	9/14/2016 5:18:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/14/2016 5:14:00 PM	10	mg/l
SC ALRO SA	Clor	9/14/2016 5:13:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 5:13:22 PM	0	mg/l
SC ALRO SA	Temp	9/14/2016 5:13:21 PM	25	gradCels
SC ALRO SA	pH	9/14/2016 5:13:20 PM	3	unit pH
SC ALRO SA	Clor	9/14/2016 5:08:10 PM	0	mg/l
SC ALRO SA	Clor	9/14/2016 5:07:44 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 5:07:43 PM	0	mg/l
SC ALRO SA	Temp	9/14/2016 5:07:42 PM	25	gradCels
SC ALRO SA	Substante organice	9/14/2016 5:07:41 PM	10	mg/l
SC ALRO SA	pH	9/14/2016 5:07:40 PM	3	unit pH
SC ALRO SA	Grasimi	9/14/2016 5:07:20 PM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 5:07:10 PM	10	mg/l
SC ALRO SA	Temp	9/14/2016 5:06:30 PM	25	gradCels
SC ALRO SA	pH	9/14/2016 5:06:20 PM	3	unit pH
SC ALRO SA	Substante organice	9/14/2016 5:03:00 PM	10	mg/l
SC ALRO SA	Clor	9/14/2016 5:02:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 5:02:22 PM	0	mg/l
SC ALRO SA	Temp	9/14/2016 5:02:21 PM	25	gradCels
SC ALRO SA	pH	9/14/2016 5:02:20 PM	3	unit pH
SC ALRO SA	Substante organice	9/14/2016 4:57:00 PM	10	mg/l
SC ALRO SA	Clor	9/14/2016 4:56:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 4:56:42 PM	0	mg/l
SC ALRO SA	pH	9/14/2016 4:56:41 PM	3	unit pH
SC ALRO SA	Temp	9/14/2016 4:56:40 PM	25	gradCels
SC ALRO SA	Substante organice	9/14/2016 4:52:00 PM	10	mg/l
SC ALRO SA	Clor	9/14/2016 4:51:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 4:51:22 PM	0	mg/l
SC ALRO SA	pH	9/14/2016 4:51:21 PM	3	unit pH
SC ALRO SA	Temp	9/14/2016 4:51:20 PM	25	gradCels
SC ALRO SA	Clor	9/14/2016 4:46:10 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	9/14/2016 4:46:00 PM	10	mg/l
SC ALRO SA	Clor	9/14/2016 4:45:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 4:45:42 PM	0	mg/l
SC ALRO SA	Temp	9/14/2016 4:45:41 PM	25	gradCels
SC ALRO SA	pH	9/14/2016 4:45:40 PM	3	unit pH
SC ALRO SA	Grasimi	9/14/2016 4:45:20 PM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 4:45:10 PM	10	mg/l
SC ALRO SA	Temp	9/14/2016 4:44:30 PM	25	gradCels
SC ALRO SA	pH	9/14/2016 4:44:20 PM	3	unit pH
SC ALRO SA	Substante organice	9/14/2016 4:41:00 PM	10	mg/l
SC ALRO SA	Clor	9/14/2016 4:40:05 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 4:40:04 PM	0	mg/l
SC ALRO SA	pH	9/14/2016 4:40:03 PM	3	unit pH
SC ALRO SA	Temp	9/14/2016 4:40:02 PM	25	gradCels
SC ALRO SA	Substante organice	9/14/2016 4:34:53 PM	10	mg/l
SC ALRO SA	Clor	9/14/2016 4:34:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 4:34:42 PM	0	mg/l
SC ALRO SA	Temp	9/14/2016 4:34:41 PM	25	gradCels
SC ALRO SA	pH	9/14/2016 4:34:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/14/2016 4:30:00 PM	10	mg/l
SC ALRO SA	Clor	9/14/2016 4:29:05 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 4:29:04 PM	0	mg/l
SC ALRO SA	Temp	9/14/2016 4:29:03 PM	25	gradCels
SC ALRO SA	pH	9/14/2016 4:29:02 PM	3	unit pH
SC ALRO SA	Clor	9/14/2016 4:24:20 PM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 4:24:01 PM	10	mg/l
SC ALRO SA	Clor	9/14/2016 4:23:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 4:23:42 PM	0	mg/l
SC ALRO SA	pH	9/14/2016 4:23:41 PM	3	unit pH
SC ALRO SA	Temp	9/14/2016 4:23:40 PM	25	gradCels
SC ALRO SA	Grasimi	9/14/2016 4:22:40 PM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 4:22:30 PM	10	mg/l
SC ALRO SA	Temp	9/14/2016 4:21:40 PM	25	gradCels
SC ALRO SA	pH	9/14/2016 4:21:30 PM	3	unit pH
SC ALRO SA	Substante organice	9/14/2016 4:19:00 PM	10	mg/l
SC ALRO SA	Clor	9/14/2016 4:18:05 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 4:18:04 PM	0	mg/l
SC ALRO SA	Temp	9/14/2016 4:18:03 PM	25	gradCels
SC ALRO SA	pH	9/14/2016 4:18:02 PM	3	unit pH
SC ALRO SA	Substante organice	9/14/2016 4:13:01 PM	10	mg/l
SC ALRO SA	Clor	9/14/2016 4:12:25 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 4:12:24 PM	0	mg/l
SC ALRO SA	pH	9/14/2016 4:12:23 PM	3	unit pH
SC ALRO SA	Temp	9/14/2016 4:12:22 PM	25	gradCels
SC ALRO SA	Clor	9/14/2016 4:07:06 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 4:07:05 PM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 4:07:04 PM	10	mg/l
SC ALRO SA	pH	9/14/2016 4:07:03 PM	3	unit pH
SC ALRO SA	Temp	9/14/2016 4:07:02 PM	25	gradCels
SC ALRO SA	Clor	9/14/2016 3:59:30 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 3:58:00 PM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 3:57:50 PM	10	mg/l
SC ALRO SA	Temp	9/14/2016 3:57:40 PM	25	gradCels
SC ALRO SA	pH	9/14/2016 3:57:30 PM	3	unit pH
SC ALRO SA	Substante organice	9/14/2016 3:56:07 PM	10	mg/l
SC ALRO SA	Clor	9/14/2016 3:56:04 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 3:56:03 PM	0	mg/l
SC ALRO SA	Temp	9/14/2016 3:56:02 PM	25	gradCels
SC ALRO SA	pH	9/14/2016 3:56:01 PM	3	unit pH
SC ALRO SA	Substante organice	9/14/2016 3:51:02 PM	10	mg/l
SC ALRO SA	Clor	9/14/2016 3:50:24 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 3:50:23 PM	0	mg/l
SC ALRO SA	Temp	9/14/2016 3:50:22 PM	25	gradCels
SC ALRO SA	pH	9/14/2016 3:50:21 PM	3	unit pH
SC ALRO SA	Substante organice	9/14/2016 3:45:06 PM	10	mg/l
SC ALRO SA	Clor	9/14/2016 3:45:03 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Grasimi	9/14/2016 3:45:02 PM	0	mg/l
SC ALRO SA	Temp	9/14/2016 3:45:01 PM	25	gradCels
SC ALRO SA	pH	9/14/2016 3:45:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/14/2016 3:40:01 PM	10	mg/l
SC ALRO SA	Clor	9/14/2016 3:39:27 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 3:39:26 PM	0	mg/l
SC ALRO SA	Temp	9/14/2016 3:39:25 PM	25	gradCels
SC ALRO SA	pH	9/14/2016 3:39:24 PM	3	unit pH
SC ALRO SA	Clor	9/14/2016 3:36:40 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 3:36:00 PM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 3:35:50 PM	10	mg/l
SC ALRO SA	Temp	9/14/2016 3:35:40 PM	25	gradCels
SC ALRO SA	pH	9/14/2016 3:35:30 PM	3	unit pH
SC ALRO SA	Clor	9/14/2016 3:33:45 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 3:33:44 PM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 3:33:43 PM	10	mg/l
SC ALRO SA	Temp	9/14/2016 3:33:42 PM	25	gradCels
SC ALRO SA	pH	9/14/2016 3:33:41 PM	3	unit pH
SC ALRO SA	Substante organice	9/14/2016 3:29:00 PM	10	mg/l
SC ALRO SA	Clor	9/14/2016 3:28:27 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 3:28:26 PM	0	mg/l
SC ALRO SA	Temp	9/14/2016 3:28:25 PM	25	gradCels
SC ALRO SA	pH	9/14/2016 3:28:24 PM	3	unit pH
SC ALRO SA	Substante organice	9/14/2016 3:23:01 PM	10	mg/l
SC ALRO SA	Clor	9/14/2016 3:22:44 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 3:22:43 PM	0	mg/l
SC ALRO SA	Temp	9/14/2016 3:22:42 PM	25	gradCels
SC ALRO SA	pH	9/14/2016 3:22:41 PM	3	unit pH
SC ALRO SA	Substante organice	9/14/2016 3:18:00 PM	10	mg/l
SC ALRO SA	Clor	9/14/2016 3:17:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 3:17:22 PM	0	mg/l
SC ALRO SA	Temp	9/14/2016 3:17:21 PM	25	gradCels
SC ALRO SA	pH	9/14/2016 3:17:20 PM	3	unit pH
SC ALRO SA	Clor	9/14/2016 3:13:20 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 3:12:40 PM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 3:12:30 PM	10	mg/l
SC ALRO SA	Temp	9/14/2016 3:12:20 PM	25	gradCels
SC ALRO SA	pH	9/14/2016 3:12:10 PM	3	unit pH
SC ALRO SA	Substante organice	9/14/2016 3:12:01 PM	10	mg/l
SC ALRO SA	Clor	9/14/2016 3:11:44 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 3:11:43 PM	0	mg/l
SC ALRO SA	Temp	9/14/2016 3:11:42 PM	25	gradCels
SC ALRO SA	pH	9/14/2016 3:11:41 PM	3	unit pH
SC ALRO SA	Clor	9/14/2016 3:06:24 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 3:06:23 PM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 3:06:22 PM	10	mg/l
SC ALRO SA	Temp	9/14/2016 3:06:21 PM	25	gradCels
SC ALRO SA	pH	9/14/2016 3:06:20 PM	3	unit pH
SC ALRO SA	Substante organice	9/14/2016 3:01:05 PM	10	mg/l
SC ALRO SA	Clor	9/14/2016 3:00:44 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 3:00:43 PM	0	mg/l
SC ALRO SA	Temp	9/14/2016 3:00:42 PM	25	gradCels
SC ALRO SA	pH	9/14/2016 3:00:41 PM	3	unit pH
SC ALRO SA	Substante organice	9/14/2016 2:56:00 PM	10	mg/l
SC ALRO SA	Clor	9/14/2016 2:55:08 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 2:55:07 PM	0	mg/l
SC ALRO SA	Temp	9/14/2016 2:55:06 PM	25	gradCels
SC ALRO SA	pH	9/14/2016 2:55:05 PM	3	unit pH
SC ALRO SA	Clor	9/14/2016 2:50:20 PM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 2:50:01 PM	10	mg/l
SC ALRO SA	Clor	9/14/2016 2:49:44 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 2:49:43 PM	0	mg/l
SC ALRO SA	Temp	9/14/2016 2:49:42 PM	25	gradCels
SC ALRO SA	pH	9/14/2016 2:49:41 PM	3	unit pH
SC ALRO SA	Grasimi	9/14/2016 2:48:40 PM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 2:48:30 PM	10	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	9/14/2016 2:48:10 PM	25	gradCels
SC ALRO SA	pH	9/14/2016 2:48:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/14/2016 2:45:00 PM	10	mg/l
SC ALRO SA	Clor	9/14/2016 2:44:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 2:44:22 PM	0	mg/l
SC ALRO SA	Temp	9/14/2016 2:44:21 PM	25	gradCels
SC ALRO SA	pH	9/14/2016 2:44:20 PM	3	unit pH
SC ALRO SA	Substante organice	9/14/2016 2:39:02 PM	10	mg/l
SC ALRO SA	Clor	9/14/2016 2:38:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 2:38:42 PM	0	mg/l
SC ALRO SA	Temp	9/14/2016 2:38:41 PM	25	gradCels
SC ALRO SA	pH	9/14/2016 2:38:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/14/2016 2:34:00 PM	10	mg/l
SC ALRO SA	Clor	9/14/2016 2:33:07 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 2:33:06 PM	0	mg/l
SC ALRO SA	pH	9/14/2016 2:33:05 PM	3	unit pH
SC ALRO SA	Temp	9/14/2016 2:33:04 PM	25	gradCels
SC ALRO SA	Clor	9/14/2016 2:28:30 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 2:28:10 PM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 2:28:01 PM	10	mg/l
SC ALRO SA	Clor	9/14/2016 2:27:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 2:27:42 PM	0	mg/l
SC ALRO SA	Temp	9/14/2016 2:27:41 PM	25	gradCels
SC ALRO SA	pH	9/14/2016 2:27:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/14/2016 2:27:30 PM	10	mg/l
SC ALRO SA	Temp	9/14/2016 2:26:40 PM	25	gradCels
SC ALRO SA	pH	9/14/2016 2:26:30 PM	3	unit pH
SC ALRO SA	Substante organice	9/14/2016 2:23:00 PM	10	mg/l
SC ALRO SA	Clor	9/14/2016 2:22:05 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 2:22:04 PM	0	mg/l
SC ALRO SA	Temp	9/14/2016 2:22:03 PM	25	gradCels
SC ALRO SA	pH	9/14/2016 2:22:02 PM	3	unit pH
SC ALRO SA	Substante organice	9/14/2016 2:17:01 PM	10	mg/l
SC ALRO SA	Clor	9/14/2016 2:16:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 2:16:42 PM	0	mg/l
SC ALRO SA	Temp	9/14/2016 2:16:41 PM	25	gradCels
SC ALRO SA	pH	9/14/2016 2:16:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/14/2016 2:12:00 PM	10	mg/l
SC ALRO SA	Clor	9/14/2016 2:11:05 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 2:11:04 PM	0	mg/l
SC ALRO SA	Temp	9/14/2016 2:11:03 PM	25	gradCels
SC ALRO SA	pH	9/14/2016 2:11:02 PM	3	unit pH
SC ALRO SA	Clor	9/14/2016 2:07:10 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 2:06:50 PM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 2:06:40 PM	10	mg/l
SC ALRO SA	Temp	9/14/2016 2:06:30 PM	24	gradCels
SC ALRO SA	pH	9/14/2016 2:06:20 PM	3	unit pH
SC ALRO SA	Clor	9/14/2016 2:05:44 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 2:05:43 PM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 2:05:42 PM	10	mg/l
SC ALRO SA	Temp	9/14/2016 2:05:41 PM	24	gradCels
SC ALRO SA	pH	9/14/2016 2:05:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/14/2016 2:01:00 PM	10	mg/l
SC ALRO SA	Clor	9/14/2016 2:00:05 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 2:00:04 PM	0	mg/l
SC ALRO SA	Temp	9/14/2016 2:00:03 PM	24	gradCels
SC ALRO SA	pH	9/14/2016 2:00:02 PM	3	unit pH
SC ALRO SA	Substante organice	9/14/2016 1:55:01 PM	10	mg/l
SC ALRO SA	Clor	9/14/2016 1:54:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 1:54:42 PM	0	mg/l
SC ALRO SA	Temp	9/14/2016 1:54:41 PM	24	gradCels
SC ALRO SA	pH	9/14/2016 1:54:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/14/2016 1:50:00 PM	10	mg/l
SC ALRO SA	Clor	9/14/2016 1:49:07 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 1:49:06 PM	0	mg/l
SC ALRO SA	pH	9/14/2016 1:49:05 PM	3	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	9/14/2016 1:49:04 PM	24	gradCels
SC ALRO SA	Clor	9/14/2016 1:44:40 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 1:44:20 PM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 1:44:10 PM	10	mg/l
SC ALRO SA	Substante organice	9/14/2016 1:44:01 PM	10	mg/l
SC ALRO SA	Temp	9/14/2016 1:43:40 PM	24	gradCels
SC ALRO SA	pH	9/14/2016 1:43:30 PM	3	unit pH
SC ALRO SA	Clor	9/14/2016 1:43:25 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 1:43:24 PM	0	mg/l
SC ALRO SA	Temp	9/14/2016 1:43:23 PM	24	gradCels
SC ALRO SA	pH	9/14/2016 1:43:22 PM	3	unit pH
SC ALRO SA	Clor	9/14/2016 1:38:06 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 1:38:05 PM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 1:38:04 PM	10	mg/l
SC ALRO SA	Temp	9/14/2016 1:38:03 PM	24	gradCels
SC ALRO SA	pH	9/14/2016 1:38:02 PM	3	unit pH
SC ALRO SA	Substante organice	9/14/2016 1:33:00 PM	10	mg/l
SC ALRO SA	Clor	9/14/2016 1:32:29 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 1:32:28 PM	0	mg/l
SC ALRO SA	Temp	9/14/2016 1:32:27 PM	24	gradCels
SC ALRO SA	pH	9/14/2016 1:32:26 PM	3	unit pH
SC ALRO SA	Substante organice	9/14/2016 1:28:00 PM	10	mg/l
SC ALRO SA	Clor	9/14/2016 1:27:05 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 1:27:04 PM	0	mg/l
SC ALRO SA	Temp	9/14/2016 1:27:03 PM	24	gradCels
SC ALRO SA	pH	9/14/2016 1:27:02 PM	3	unit pH
SC ALRO SA	Clor	9/14/2016 1:22:30 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 1:22:10 PM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 1:22:00 PM	10	mg/l
SC ALRO SA	Substante organice	9/14/2016 1:21:40 PM	10	mg/l
SC ALRO SA	Temp	9/14/2016 1:21:30 PM	24	gradCels
SC ALRO SA	Clor	9/14/2016 1:21:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 1:21:22 PM	0	mg/l
SC ALRO SA	Temp	9/14/2016 1:21:21 PM	24	gradCels
SC ALRO SA	pH	9/14/2016 1:21:20 PM	3	unit pH
SC ALRO SA	pH	9/14/2016 1:21:10 PM	3	unit pH
SC ALRO SA	Substante organice	9/14/2016 1:17:00 PM	10	mg/l
SC ALRO SA	Clor	9/14/2016 1:16:05 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 1:16:04 PM	0	mg/l
SC ALRO SA	pH	9/14/2016 1:16:03 PM	3	unit pH
SC ALRO SA	Temp	9/14/2016 1:16:02 PM	24	gradCels
SC ALRO SA	Substante organice	9/14/2016 1:11:00 PM	10	mg/l
SC ALRO SA	Clor	9/14/2016 1:10:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 1:10:22 PM	0	mg/l
SC ALRO SA	Temp	9/14/2016 1:10:21 PM	24	gradCels
SC ALRO SA	pH	9/14/2016 1:10:20 PM	3	unit pH
SC ALRO SA	Clor	9/14/2016 1:05:04 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 1:05:03 PM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 1:05:02 PM	10	mg/l
SC ALRO SA	Temp	9/14/2016 1:05:01 PM	24	gradCels
SC ALRO SA	pH	9/14/2016 1:05:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/14/2016 1:00:00 PM	10	mg/l
SC ALRO SA	Clor	9/14/2016 12:59:40 PM	0	mg/l
SC ALRO SA	Clor	9/14/2016 12:59:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 12:59:22 PM	0	mg/l
SC ALRO SA	pH	9/14/2016 12:59:21 PM	3	unit pH
SC ALRO SA	Temp	9/14/2016 12:59:20 PM	24	gradCels
SC ALRO SA	Grasimi	9/14/2016 12:59:10 PM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 12:58:20 PM	10	mg/l
SC ALRO SA	Temp	9/14/2016 12:57:40 PM	24	gradCels
SC ALRO SA	pH	9/14/2016 12:57:30 PM	3	unit pH
SC ALRO SA	Substante organice	9/14/2016 12:54:06 PM	10	mg/l
SC ALRO SA	Clor	9/14/2016 12:54:03 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 12:54:02 PM	0	mg/l
SC ALRO SA	pH	9/14/2016 12:54:01 PM	3	unit pH
SC ALRO SA	Temp	9/14/2016 12:54:00 PM	24	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Substante organice	9/14/2016 12:49:00 PM	10	mg/l
SC ALRO SA	Clor	9/14/2016 12:48:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 12:48:22 PM	0	mg/l
SC ALRO SA	Temp	9/14/2016 12:48:21 PM	24	gradCels
SC ALRO SA	pH	9/14/2016 12:48:20 PM	3	unit pH
SC ALRO SA	Substante organice	9/14/2016 12:44:00 PM	10	mg/l
SC ALRO SA	Clor	9/14/2016 12:43:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 12:43:22 PM	0	mg/l
SC ALRO SA	Temp	9/14/2016 12:43:21 PM	24	gradCels
SC ALRO SA	pH	9/14/2016 12:43:20 PM	3	unit pH
SC ALRO SA	Clor	9/14/2016 12:38:50 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 12:38:30 PM	0	mg/l
SC ALRO SA	Clor	9/14/2016 12:38:24 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 12:38:23 PM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 12:38:22 PM	10	mg/l
SC ALRO SA	pH	9/14/2016 12:38:21 PM	3	unit pH
SC ALRO SA	Temp	9/14/2016 12:38:20 PM	24	gradCels
SC ALRO SA	Substante organice	9/14/2016 12:38:00 PM	10	mg/l
SC ALRO SA	Temp	9/14/2016 12:37:50 PM	24	gradCels
SC ALRO SA	pH	9/14/2016 12:37:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/14/2016 12:33:00 PM	10	mg/l
SC ALRO SA	Clor	9/14/2016 12:32:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 12:32:42 PM	0	mg/l
SC ALRO SA	Temp	9/14/2016 12:32:41 PM	24	gradCels
SC ALRO SA	pH	9/14/2016 12:32:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/14/2016 12:28:00 PM	10	mg/l
SC ALRO SA	Clor	9/14/2016 12:27:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 12:27:22 PM	0	mg/l
SC ALRO SA	Temp	9/14/2016 12:27:21 PM	24	gradCels
SC ALRO SA	pH	9/14/2016 12:27:20 PM	3	unit pH
SC ALRO SA	Substante organice	9/14/2016 12:22:00 PM	10	mg/l
SC ALRO SA	Clor	9/14/2016 12:21:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 12:21:42 PM	0	mg/l
SC ALRO SA	Temp	9/14/2016 12:21:41 PM	24	gradCels
SC ALRO SA	pH	9/14/2016 12:21:40 PM	3	unit pH
SC ALRO SA	Substante organice	9/14/2016 12:17:00 PM	10	mg/l
SC ALRO SA	Clor	9/14/2016 12:16:23 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 12:16:22 PM	0	mg/l
SC ALRO SA	Temp	9/14/2016 12:16:21 PM	24	gradCels
SC ALRO SA	pH	9/14/2016 12:16:20 PM	3	unit pH
SC ALRO SA	Clor	9/14/2016 12:15:20 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 12:14:40 PM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 12:14:30 PM	10	mg/l
SC ALRO SA	Temp	9/14/2016 12:14:10 PM	24	gradCels
SC ALRO SA	pH	9/14/2016 12:14:00 PM	3	unit pH
SC ALRO SA	Substante organice	9/14/2016 12:11:00 PM	10	mg/l
SC ALRO SA	Clor	9/14/2016 12:10:43 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 12:10:42 PM	0	mg/l
SC ALRO SA	Temp	9/14/2016 12:10:41 PM	24	gradCels
SC ALRO SA	pH	9/14/2016 12:10:40 PM	3	unit pH
SC ALRO SA	Clor	9/14/2016 12:05:24 PM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 12:05:23 PM	0	mg/l
SC ALRO SA	Temp	9/14/2016 12:05:22 PM	24	gradCels
SC ALRO SA	Substante organice	9/14/2016 12:05:21 PM	10	mg/l
SC ALRO SA	pH	9/14/2016 12:05:20 PM	3	unit pH
SC ALRO SA	Substante organice	9/14/2016 12:00:00 PM	10	mg/l
SC ALRO SA	Clor	9/14/2016 11:59:43 AM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 11:59:42 AM	0	mg/l
SC ALRO SA	pH	9/14/2016 11:59:41 AM	3	unit pH
SC ALRO SA	Temp	9/14/2016 11:59:40 AM	24	gradCels
SC ALRO SA	Substante organice	9/14/2016 11:55:00 AM	10	mg/l
SC ALRO SA	Clor	9/14/2016 11:54:23 AM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 11:54:22 AM	0	mg/l
SC ALRO SA	Temp	9/14/2016 11:54:21 AM	24	gradCels
SC ALRO SA	pH	9/14/2016 11:54:20 AM	3	unit pH
SC ALRO SA	Clor	9/14/2016 11:51:00 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Grasimi	9/14/2016 11:49:30 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 11:49:20 AM	10	mg/l
SC ALRO SA	Temp	9/14/2016 11:49:10 AM	24	gradCels
SC ALRO SA	Substante organice	9/14/2016 11:49:00 AM	10	mg/l
SC ALRO SA	Clor	9/14/2016 11:48:43 AM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 11:48:42 AM	0	mg/l
SC ALRO SA	Temp	9/14/2016 11:48:41 AM	24	gradCels
SC ALRO SA	pH	9/14/2016 11:48:40 AM	3	unit pH
SC ALRO SA	pH	9/14/2016 11:48:30 AM	3	unit pH
SC ALRO SA	Substante organice	9/14/2016 11:44:00 AM	10	mg/l
SC ALRO SA	Clor	9/14/2016 11:43:03 AM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 11:43:02 AM	0	mg/l
SC ALRO SA	Temp	9/14/2016 11:43:01 AM	24	gradCels
SC ALRO SA	pH	9/14/2016 11:43:00 AM	3	unit pH
SC ALRO SA	Substante organice	9/14/2016 11:38:00 AM	10	mg/l
SC ALRO SA	Clor	9/14/2016 11:37:43 AM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 11:37:42 AM	0	mg/l
SC ALRO SA	Temp	9/14/2016 11:37:41 AM	24	gradCels
SC ALRO SA	pH	9/14/2016 11:37:40 AM	3	unit pH
SC ALRO SA	Substante organice	9/14/2016 11:33:00 AM	10	mg/l
SC ALRO SA	Clor	9/14/2016 11:32:03 AM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 11:32:02 AM	0	mg/l
SC ALRO SA	Temp	9/14/2016 11:32:01 AM	24	gradCels
SC ALRO SA	pH	9/14/2016 11:32:00 AM	3	unit pH
SC ALRO SA	Substante organice	9/14/2016 11:27:00 AM	10	mg/l
SC ALRO SA	Clor	9/14/2016 11:26:43 AM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 11:26:42 AM	0	mg/l
SC ALRO SA	Temp	9/14/2016 11:26:41 AM	24	gradCels
SC ALRO SA	pH	9/14/2016 11:26:40 AM	3	unit pH
SC ALRO SA	Clor	9/14/2016 11:25:30 AM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 11:25:10 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 11:24:30 AM	10	mg/l
SC ALRO SA	Temp	9/14/2016 11:24:20 AM	24	gradCels
SC ALRO SA	pH	9/14/2016 11:23:40 AM	3	unit pH
SC ALRO SA	Substante organice	9/14/2016 11:22:00 AM	10	mg/l
SC ALRO SA	Clor	9/14/2016 11:21:03 AM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 11:21:02 AM	0	mg/l
SC ALRO SA	Temp	9/14/2016 11:21:01 AM	24	gradCels
SC ALRO SA	pH	9/14/2016 11:21:00 AM	3	unit pH
SC ALRO SA	Substante organice	9/14/2016 11:16:00 AM	10	mg/l
SC ALRO SA	Clor	9/14/2016 11:15:43 AM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 11:15:42 AM	0	mg/l
SC ALRO SA	Temp	9/14/2016 11:15:41 AM	24	gradCels
SC ALRO SA	pH	9/14/2016 11:15:40 AM	3	unit pH
SC ALRO SA	Substante organice	9/14/2016 11:11:00 AM	10	mg/l
SC ALRO SA	Clor	9/14/2016 11:10:03 AM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 11:10:02 AM	0	mg/l
SC ALRO SA	Temp	9/14/2016 11:10:01 AM	24	gradCels
SC ALRO SA	pH	9/14/2016 11:10:00 AM	3	unit pH
SC ALRO SA	Clor	9/14/2016 11:04:44 AM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 11:04:43 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 11:04:42 AM	10	mg/l
SC ALRO SA	Temp	9/14/2016 11:04:41 AM	24	gradCels
SC ALRO SA	pH	9/14/2016 11:04:40 AM	3	unit pH
SC ALRO SA	Substante organice	9/14/2016 11:00:00 AM	10	mg/l
SC ALRO SA	Clor	9/14/2016 10:59:03 AM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 10:59:02 AM	0	mg/l
SC ALRO SA	Temp	9/14/2016 10:59:01 AM	24	gradCels
SC ALRO SA	pH	9/14/2016 10:59:00 AM	3	unit pH
SC ALRO SA	Clor	9/14/2016 10:58:20 AM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 10:57:30 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 10:57:20 AM	10	mg/l
SC ALRO SA	Temp	9/14/2016 10:57:10 AM	24	gradCels
SC ALRO SA	pH	9/14/2016 10:56:20 AM	3	unit pH
SC ALRO SA	Substante organice	9/14/2016 10:55:23 AM	10	mg/l
SC ALRO SA	Clor	9/14/2016 10:54:03 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Grasimi	9/14/2016 10:54:02 AM	0	mg/l
SC ALRO SA	pH	9/14/2016 10:54:01 AM	3	unit pH
SC ALRO SA	Temp	9/14/2016 10:54:00 AM	24	gradCels
SC ALRO SA	Substante organice	9/14/2016 10:49:00 AM	10	mg/l
SC ALRO SA	Clor	9/14/2016 10:48:24 AM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 10:48:23 AM	0	mg/l
SC ALRO SA	Temp	9/14/2016 10:48:22 AM	24	gradCels
SC ALRO SA	pH	9/14/2016 10:48:20 AM	3	unit pH
SC ALRO SA	Clor	9/14/2016 10:43:10 AM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 10:43:09 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 10:43:08 AM	10	mg/l
SC ALRO SA	Temp	9/14/2016 10:43:07 AM	24	gradCels
SC ALRO SA	pH	9/14/2016 10:43:06 AM	3	unit pH
SC ALRO SA	Temp	9/14/2016 10:43:05 AM	24	gradCels
SC ALRO SA	pH	9/14/2016 10:43:04 AM	3	unit pH
SC ALRO SA	Grasimi	9/14/2016 10:43:03 AM	0	mg/l
SC ALRO SA	Clor	9/14/2016 10:43:01 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 10:43:00 AM	10	mg/l
SC ALRO SA	Clor	9/14/2016 10:37:24 AM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 10:37:23 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 10:37:22 AM	10	mg/l
SC ALRO SA	pH	9/14/2016 10:37:21 AM	3	unit pH
SC ALRO SA	Temp	9/14/2016 10:37:20 AM	24	gradCels
SC ALRO SA	Clor	9/14/2016 10:32:30 AM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 10:32:10 AM	0	mg/l
SC ALRO SA	Clor	9/14/2016 10:32:05 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 10:32:04 AM	10	mg/l
SC ALRO SA	Grasimi	9/14/2016 10:32:02 AM	0	mg/l
SC ALRO SA	Temp	9/14/2016 10:32:01 AM	24	gradCels
SC ALRO SA	pH	9/14/2016 10:32:00 AM	3	unit pH
SC ALRO SA	Substante organice	9/14/2016 10:31:40 AM	10	mg/l
SC ALRO SA	Temp	9/14/2016 10:31:30 AM	24	gradCels
SC ALRO SA	pH	9/14/2016 10:31:20 AM	3	unit pH
SC ALRO SA	Clor	9/14/2016 10:27:01 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 10:27:00 AM	10	mg/l
SC ALRO SA	Grasimi	9/14/2016 10:26:22 AM	0	mg/l
SC ALRO SA	Temp	9/14/2016 10:26:21 AM	24	gradCels
SC ALRO SA	pH	9/14/2016 10:26:20 AM	3	unit pH
SC ALRO SA	Clor	9/14/2016 10:21:04 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 10:21:03 AM	10	mg/l
SC ALRO SA	Grasimi	9/14/2016 10:21:02 AM	0	mg/l
SC ALRO SA	Temp	9/14/2016 10:21:01 AM	24	gradCels
SC ALRO SA	pH	9/14/2016 10:21:00 AM	3	unit pH
SC ALRO SA	Clor	9/14/2016 10:16:01 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 10:16:00 AM	10	mg/l
SC ALRO SA	Grasimi	9/14/2016 10:15:22 AM	0	mg/l
SC ALRO SA	Temp	9/14/2016 10:15:21 AM	25	gradCels
SC ALRO SA	pH	9/14/2016 10:15:20 AM	3	unit pH
SC ALRO SA	Clor	9/14/2016 10:10:04 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 10:10:03 AM	10	mg/l
SC ALRO SA	Grasimi	9/14/2016 10:10:02 AM	0	mg/l
SC ALRO SA	Temp	9/14/2016 10:10:01 AM	25	gradCels
SC ALRO SA	pH	9/14/2016 10:10:00 AM	3	unit pH
SC ALRO SA	Clor	9/14/2016 10:07:10 AM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 10:06:30 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 10:05:20 AM	10	mg/l
SC ALRO SA	Temp	9/14/2016 10:05:10 AM	25	gradCels
SC ALRO SA	Clor	9/14/2016 10:05:06 AM	0	mg/l
SC ALRO SA	pH	9/14/2016 10:04:40 AM	3	unit pH
SC ALRO SA	Grasimi	9/14/2016 10:04:23 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 10:04:22 AM	10	mg/l
SC ALRO SA	Temp	9/14/2016 10:04:21 AM	25	gradCels
SC ALRO SA	pH	9/14/2016 10:04:20 AM	3	unit pH
SC ALRO SA	Clor	9/14/2016 9:59:05 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 9:59:04 AM	10	mg/l
SC ALRO SA	Grasimi	9/14/2016 9:59:02 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	9/14/2016 9:59:01 AM	25	gradCels
SC ALRO SA	pH	9/14/2016 9:59:00 AM	3	unit pH
SC ALRO SA	Clor	9/14/2016 9:54:07 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 9:54:06 AM	10	mg/l
SC ALRO SA	Grasimi	9/14/2016 9:53:22 AM	0	mg/l
SC ALRO SA	Temp	9/14/2016 9:53:21 AM	25	gradCels
SC ALRO SA	pH	9/14/2016 9:53:20 AM	3	unit pH
SC ALRO SA	Substante organice	9/14/2016 9:48:01 AM	10	mg/l
SC ALRO SA	Clor	9/14/2016 9:48:00 AM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 9:47:42 AM	0	mg/l
SC ALRO SA	Temp	9/14/2016 9:47:41 AM	25	gradCels
SC ALRO SA	pH	9/14/2016 9:47:40 AM	3	unit pH
SC ALRO SA	Clor	9/14/2016 9:43:07 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 9:43:06 AM	10	mg/l
SC ALRO SA	Grasimi	9/14/2016 9:42:22 AM	0	mg/l
SC ALRO SA	Temp	9/14/2016 9:42:21 AM	25	gradCels
SC ALRO SA	pH	9/14/2016 9:42:20 AM	3	unit pH
SC ALRO SA	Clor	9/14/2016 9:39:20 AM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 9:37:40 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 9:37:30 AM	10	mg/l
SC ALRO SA	Temp	9/14/2016 9:37:10 AM	25	gradCels
SC ALRO SA	Clor	9/14/2016 9:37:00 AM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 9:36:43 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 9:36:42 AM	10	mg/l
SC ALRO SA	Temp	9/14/2016 9:36:41 AM	25	gradCels
SC ALRO SA	pH	9/14/2016 9:36:40 AM	2	unit pH
SC ALRO SA	pH	9/14/2016 9:36:30 AM	3	unit pH
SC ALRO SA	Clor	9/14/2016 9:32:07 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 9:32:06 AM	9	mg/l
SC ALRO SA	Grasimi	9/14/2016 9:31:15 AM	0	mg/l
SC ALRO SA	Temp	9/14/2016 9:31:14 AM	25	gradCels
SC ALRO SA	pH	9/14/2016 9:31:13 AM	2	unit pH
SC ALRO SA	Clor	9/14/2016 9:25:51 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 9:25:50 AM	9	mg/l
SC ALRO SA	Grasimi	9/14/2016 9:25:46 AM	0	mg/l
SC ALRO SA	Temp	9/14/2016 9:25:45 AM	25	gradCels
SC ALRO SA	pH	9/14/2016 9:25:44 AM	2	unit pH
SC ALRO SA	Clor	9/14/2016 9:20:53 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 9:20:52 AM	9	mg/l
SC ALRO SA	Grasimi	9/14/2016 9:20:22 AM	0	mg/l
SC ALRO SA	Temp	9/14/2016 9:20:21 AM	25	gradCels
SC ALRO SA	pH	9/14/2016 9:20:20 AM	2	unit pH
SC ALRO SA	Clor	9/14/2016 9:15:02 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 9:15:00 AM	9	mg/l
SC ALRO SA	Grasimi	9/14/2016 9:14:42 AM	0	mg/l
SC ALRO SA	Temp	9/14/2016 9:14:41 AM	25	gradCels
SC ALRO SA	pH	9/14/2016 9:14:40 AM	2	unit pH
SC ALRO SA	Clor	9/14/2016 9:10:02 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 9:10:01 AM	9	mg/l
SC ALRO SA	Grasimi	9/14/2016 9:09:22 AM	0	mg/l
SC ALRO SA	Temp	9/14/2016 9:09:21 AM	25	gradCels
SC ALRO SA	pH	9/14/2016 9:09:20 AM	2	unit pH
SC ALRO SA	Clor	9/14/2016 9:09:00 AM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 9:08:40 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 9:08:30 AM	9	mg/l
SC ALRO SA	Temp	9/14/2016 9:08:20 AM	25	gradCels
SC ALRO SA	pH	9/14/2016 9:07:40 AM	2	unit pH
SC ALRO SA	Clor	9/14/2016 9:04:01 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 9:04:00 AM	9	mg/l
SC ALRO SA	Grasimi	9/14/2016 9:03:42 AM	0	mg/l
SC ALRO SA	Temp	9/14/2016 9:03:41 AM	25	gradCels
SC ALRO SA	pH	9/14/2016 9:03:40 AM	2	unit pH
SC ALRO SA	Clor	9/14/2016 8:58:51 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 8:58:50 AM	9	mg/l
SC ALRO SA	Grasimi	9/14/2016 8:58:42 AM	0	mg/l
SC ALRO SA	Temp	9/14/2016 8:58:41 AM	25	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	pH	9/14/2016 8:58:40 AM	2	unit pH
SC ALRO SA	Substante organice	9/14/2016 8:54:27 AM	9	mg/l
SC ALRO SA	Clor	9/14/2016 8:54:26 AM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 8:53:42 AM	0	mg/l
SC ALRO SA	Temp	9/14/2016 8:53:41 AM	25	gradCels
SC ALRO SA	pH	9/14/2016 8:53:40 AM	2	unit pH
SC ALRO SA	Clor	9/14/2016 8:49:05 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 8:49:04 AM	9	mg/l
SC ALRO SA	Grasimi	9/14/2016 8:48:03 AM	0	mg/l
SC ALRO SA	Temp	9/14/2016 8:48:02 AM	25	gradCels
SC ALRO SA	pH	9/14/2016 8:48:01 AM	2	unit pH
SC ALRO SA	Clor	9/14/2016 8:46:10 AM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 8:45:30 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 8:45:20 AM	9	mg/l
SC ALRO SA	Temp	9/14/2016 8:45:10 AM	25	gradCels
SC ALRO SA	pH	9/14/2016 8:44:40 AM	2	unit pH
SC ALRO SA	Clor	9/14/2016 8:43:26 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 8:43:25 AM	9	mg/l
SC ALRO SA	Grasimi	9/14/2016 8:42:42 AM	0	mg/l
SC ALRO SA	Temp	9/14/2016 8:42:41 AM	25	gradCels
SC ALRO SA	pH	9/14/2016 8:42:40 AM	2	unit pH
SC ALRO SA	Clor	9/14/2016 8:38:03 AM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 8:37:04 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 8:37:03 AM	9	mg/l
SC ALRO SA	Temp	9/14/2016 8:37:02 AM	25	gradCels
SC ALRO SA	pH	9/14/2016 8:37:01 AM	2	unit pH
SC ALRO SA	Clor	9/14/2016 8:31:56 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 8:31:55 AM	9	mg/l
SC ALRO SA	Grasimi	9/14/2016 8:31:42 AM	0	mg/l
SC ALRO SA	Temp	9/14/2016 8:31:41 AM	25	gradCels
SC ALRO SA	pH	9/14/2016 8:31:40 AM	2	unit pH
SC ALRO SA	Clor	9/14/2016 8:27:04 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 8:27:03 AM	9	mg/l
SC ALRO SA	Grasimi	9/14/2016 8:26:03 AM	0	mg/l
SC ALRO SA	Temp	9/14/2016 8:26:02 AM	25	gradCels
SC ALRO SA	pH	9/14/2016 8:26:01 AM	2	unit pH
SC ALRO SA	Clor	9/14/2016 8:24:20 AM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 8:23:30 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 8:23:20 AM	9	mg/l
SC ALRO SA	Temp	9/14/2016 8:23:10 AM	25	gradCels
SC ALRO SA	pH	9/14/2016 8:22:40 AM	2	unit pH
SC ALRO SA	Clor	9/14/2016 8:20:56 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 8:20:55 AM	9	mg/l
SC ALRO SA	Grasimi	9/14/2016 8:20:42 AM	0	mg/l
SC ALRO SA	Temp	9/14/2016 8:20:41 AM	25	gradCels
SC ALRO SA	pH	9/14/2016 8:20:40 AM	2	unit pH
SC ALRO SA	Clor	9/14/2016 8:16:06 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 8:16:04 AM	9	mg/l
SC ALRO SA	Grasimi	9/14/2016 8:15:03 AM	0	mg/l
SC ALRO SA	Temp	9/14/2016 8:15:02 AM	25	gradCels
SC ALRO SA	pH	9/14/2016 8:15:01 AM	2	unit pH
SC ALRO SA	Clor	9/14/2016 8:09:56 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 8:09:55 AM	9	mg/l
SC ALRO SA	Grasimi	9/14/2016 8:09:47 AM	0	mg/l
SC ALRO SA	Temp	9/14/2016 8:09:46 AM	25	gradCels
SC ALRO SA	pH	9/14/2016 8:09:45 AM	2	unit pH
SC ALRO SA	Clor	9/14/2016 8:05:04 AM	0	mg/l
SC ALRO SA	Clor	9/14/2016 8:04:20 AM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 8:04:04 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 8:04:03 AM	9	mg/l
SC ALRO SA	Temp	9/14/2016 8:04:02 AM	25	gradCels
SC ALRO SA	pH	9/14/2016 8:04:01 AM	2	unit pH
SC ALRO SA	Grasimi	9/14/2016 8:03:10 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 8:03:00 AM	9	mg/l
SC ALRO SA	Temp	9/14/2016 8:02:50 AM	25	gradCels
SC ALRO SA	pH	9/14/2016 8:02:40 AM	2	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Clor	9/14/2016 7:58:56 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 7:58:54 AM	9	mg/l
SC ALRO SA	Grasimi	9/14/2016 7:58:42 AM	0	mg/l
SC ALRO SA	Temp	9/14/2016 7:58:41 AM	25	gradCels
SC ALRO SA	pH	9/14/2016 7:58:40 AM	2	unit pH
SC ALRO SA	Substante organice	9/14/2016 7:54:04 AM	9	mg/l
SC ALRO SA	Clor	9/14/2016 7:54:03 AM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 7:53:09 AM	0	mg/l
SC ALRO SA	Temp	9/14/2016 7:53:08 AM	25	gradCels
SC ALRO SA	pH	9/14/2016 7:53:07 AM	2	unit pH
SC ALRO SA	Clor	9/14/2016 7:47:56 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 7:47:55 AM	9	mg/l
SC ALRO SA	Grasimi	9/14/2016 7:47:46 AM	0	mg/l
SC ALRO SA	Temp	9/14/2016 7:47:45 AM	25	gradCels
SC ALRO SA	pH	9/14/2016 7:47:44 AM	2	unit pH
SC ALRO SA	Clor	9/14/2016 7:43:04 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 7:43:03 AM	9	mg/l
SC ALRO SA	Clor	9/14/2016 7:42:20 AM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 7:42:08 AM	0	mg/l
SC ALRO SA	Temp	9/14/2016 7:42:07 AM	25	gradCels
SC ALRO SA	pH	9/14/2016 7:42:06 AM	2	unit pH
SC ALRO SA	Grasimi	9/14/2016 7:41:10 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 7:41:00 AM	9	mg/l
SC ALRO SA	Temp	9/14/2016 7:40:50 AM	25	gradCels
SC ALRO SA	pH	9/14/2016 7:40:40 AM	2	unit pH
SC ALRO SA	Clor	9/14/2016 7:37:05 AM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 7:36:23 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 7:36:22 AM	9	mg/l
SC ALRO SA	Temp	9/14/2016 7:36:21 AM	25	gradCels
SC ALRO SA	pH	9/14/2016 7:36:20 AM	2	unit pH
SC ALRO SA	Clor	9/14/2016 7:32:03 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 7:32:02 AM	9	mg/l
SC ALRO SA	Grasimi	9/14/2016 7:31:02 AM	0	mg/l
SC ALRO SA	Temp	9/14/2016 7:31:01 AM	25	gradCels
SC ALRO SA	pH	9/14/2016 7:31:00 AM	2	unit pH
SC ALRO SA	Clor	9/14/2016 7:26:06 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 7:26:05 AM	9	mg/l
SC ALRO SA	Grasimi	9/14/2016 7:25:22 AM	0	mg/l
SC ALRO SA	Temp	9/14/2016 7:25:21 AM	25	gradCels
SC ALRO SA	pH	9/14/2016 7:25:20 AM	2	unit pH
SC ALRO SA	Clor	9/14/2016 7:20:40 AM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 7:20:20 AM	0	mg/l
SC ALRO SA	Clor	9/14/2016 7:20:12 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 7:20:10 AM	9	mg/l
SC ALRO SA	Grasimi	9/14/2016 7:20:07 AM	0	mg/l
SC ALRO SA	Temp	9/14/2016 7:20:06 AM	25	gradCels
SC ALRO SA	pH	9/14/2016 7:20:05 AM	2	unit pH
SC ALRO SA	Substante organice	9/14/2016 7:19:40 AM	9	mg/l
SC ALRO SA	Temp	9/14/2016 7:19:30 AM	25	gradCels
SC ALRO SA	pH	9/14/2016 7:19:10 AM	2	unit pH
SC ALRO SA	Clor	9/14/2016 7:15:06 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 7:15:04 AM	9	mg/l
SC ALRO SA	Grasimi	9/14/2016 7:14:22 AM	0	mg/l
SC ALRO SA	Temp	9/14/2016 7:14:21 AM	25	gradCels
SC ALRO SA	pH	9/14/2016 7:14:20 AM	2	unit pH
SC ALRO SA	Clor	9/14/2016 7:09:11 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 7:09:10 AM	9	mg/l
SC ALRO SA	Grasimi	9/14/2016 7:09:08 AM	0	mg/l
SC ALRO SA	Temp	9/14/2016 7:09:07 AM	25	gradCels
SC ALRO SA	pH	9/14/2016 7:09:06 AM	2	unit pH
SC ALRO SA	Clor	9/14/2016 7:04:03 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 7:04:02 AM	9	mg/l
SC ALRO SA	Grasimi	9/14/2016 7:03:22 AM	0	mg/l
SC ALRO SA	Temp	9/14/2016 7:03:21 AM	25	gradCels
SC ALRO SA	pH	9/14/2016 7:03:20 AM	2	unit pH
SC ALRO SA	Clor	9/14/2016 6:58:30 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Clor	9/14/2016 6:58:04 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 6:58:03 AM	9	mg/l
SC ALRO SA	Grasimi	9/14/2016 6:58:02 AM	0	mg/l
SC ALRO SA	Temp	9/14/2016 6:58:01 AM	25	gradCels
SC ALRO SA	pH	9/14/2016 6:58:00 AM	2	unit pH
SC ALRO SA	Grasimi	9/14/2016 6:57:40 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 6:57:30 AM	9	mg/l
SC ALRO SA	Temp	9/14/2016 6:57:10 AM	25	gradCels
SC ALRO SA	pH	9/14/2016 6:57:00 AM	2	unit pH
SC ALRO SA	Clor	9/14/2016 6:53:03 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 6:53:02 AM	9	mg/l
SC ALRO SA	Grasimi	9/14/2016 6:52:23 AM	0	mg/l
SC ALRO SA	Temp	9/14/2016 6:52:21 AM	25	gradCels
SC ALRO SA	pH	9/14/2016 6:52:20 AM	2	unit pH
SC ALRO SA	Clor	9/14/2016 6:47:03 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 6:47:01 AM	9	mg/l
SC ALRO SA	Grasimi	9/14/2016 6:46:42 AM	0	mg/l
SC ALRO SA	Temp	9/14/2016 6:46:41 AM	25	gradCels
SC ALRO SA	pH	9/14/2016 6:46:40 AM	2	unit pH
SC ALRO SA	Clor	9/14/2016 6:41:49 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 6:41:48 AM	9	mg/l
SC ALRO SA	Grasimi	9/14/2016 6:41:22 AM	0	mg/l
SC ALRO SA	Temp	9/14/2016 6:41:21 AM	26	gradCels
SC ALRO SA	pH	9/14/2016 6:41:20 AM	2	unit pH
SC ALRO SA	Clor	9/14/2016 6:35:51 AM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 6:35:43 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 6:35:42 AM	9	mg/l
SC ALRO SA	Temp	9/14/2016 6:35:41 AM	26	gradCels
SC ALRO SA	pH	9/14/2016 6:35:40 AM	2	unit pH
SC ALRO SA	Clor	9/14/2016 6:35:20 AM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 6:34:40 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 6:34:30 AM	9	mg/l
SC ALRO SA	Temp	9/14/2016 6:34:00 AM	26	gradCels
SC ALRO SA	pH	9/14/2016 6:33:50 AM	2	unit pH
SC ALRO SA	Clor	9/14/2016 6:31:02 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 6:31:01 AM	9	mg/l
SC ALRO SA	Grasimi	9/14/2016 6:30:22 AM	0	mg/l
SC ALRO SA	Temp	9/14/2016 6:30:21 AM	26	gradCels
SC ALRO SA	pH	9/14/2016 6:30:20 AM	2	unit pH
SC ALRO SA	Clor	9/14/2016 6:24:51 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 6:24:50 AM	9	mg/l
SC ALRO SA	Grasimi	9/14/2016 6:24:47 AM	0	mg/l
SC ALRO SA	Temp	9/14/2016 6:24:46 AM	26	gradCels
SC ALRO SA	pH	9/14/2016 6:24:45 AM	2	unit pH
SC ALRO SA	Substante organice	9/14/2016 6:19:53 AM	9	mg/l
SC ALRO SA	Clor	9/14/2016 6:19:52 AM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 6:19:22 AM	0	mg/l
SC ALRO SA	Temp	9/14/2016 6:19:21 AM	26	gradCels
SC ALRO SA	pH	9/14/2016 6:19:20 AM	2	unit pH
SC ALRO SA	Clor	9/14/2016 6:15:10 AM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 6:14:30 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 6:14:00 AM	9	mg/l
SC ALRO SA	Clor	9/14/2016 6:13:51 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 6:13:50 AM	9	mg/l
SC ALRO SA	Grasimi	9/14/2016 6:13:42 AM	0	mg/l
SC ALRO SA	Temp	9/14/2016 6:13:41 AM	26	gradCels
SC ALRO SA	pH	9/14/2016 6:13:40 AM	2	unit pH
SC ALRO SA	Temp	9/14/2016 6:13:30 AM	26	gradCels
SC ALRO SA	pH	9/14/2016 6:13:20 AM	2	unit pH
SC ALRO SA	Clor	9/14/2016 6:08:53 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 6:08:52 AM	9	mg/l
SC ALRO SA	Grasimi	9/14/2016 6:08:22 AM	0	mg/l
SC ALRO SA	Temp	9/14/2016 6:08:21 AM	26	gradCels
SC ALRO SA	pH	9/14/2016 6:08:20 AM	2	unit pH
SC ALRO SA	Clor	9/14/2016 6:02:54 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 6:02:53 AM	9	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Grasimi	9/14/2016 6:02:42 AM	0	mg/l
SC ALRO SA	Temp	9/14/2016 6:02:41 AM	26	gradCels
SC ALRO SA	pH	9/14/2016 6:02:40 AM	2	unit pH
SC ALRO SA	Clor	9/14/2016 5:57:53 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 5:57:52 AM	9	mg/l
SC ALRO SA	Grasimi	9/14/2016 5:57:02 AM	0	mg/l
SC ALRO SA	Temp	9/14/2016 5:57:01 AM	26	gradCels
SC ALRO SA	pH	9/14/2016 5:57:00 AM	2	unit pH
SC ALRO SA	Clor	9/14/2016 5:54:40 AM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 5:54:10 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 5:53:40 AM	9	mg/l
SC ALRO SA	Temp	9/14/2016 5:53:30 AM	26	gradCels
SC ALRO SA	pH	9/14/2016 5:53:20 AM	2	unit pH
SC ALRO SA	Clor	9/14/2016 5:51:51 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 5:51:50 AM	9	mg/l
SC ALRO SA	Grasimi	9/14/2016 5:51:42 AM	0	mg/l
SC ALRO SA	Temp	9/14/2016 5:51:41 AM	26	gradCels
SC ALRO SA	pH	9/14/2016 5:51:40 AM	2	unit pH
SC ALRO SA	Clor	9/14/2016 5:46:53 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 5:46:52 AM	9	mg/l
SC ALRO SA	Grasimi	9/14/2016 5:46:02 AM	0	mg/l
SC ALRO SA	Temp	9/14/2016 5:46:01 AM	26	gradCels
SC ALRO SA	pH	9/14/2016 5:46:00 AM	2	unit pH
SC ALRO SA	Clor	9/14/2016 5:40:51 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 5:40:50 AM	9	mg/l
SC ALRO SA	Grasimi	9/14/2016 5:40:42 AM	0	mg/l
SC ALRO SA	Temp	9/14/2016 5:40:41 AM	26	gradCels
SC ALRO SA	pH	9/14/2016 5:40:40 AM	2	unit pH
SC ALRO SA	Clor	9/14/2016 5:35:53 AM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 5:35:03 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 5:35:02 AM	9	mg/l
SC ALRO SA	Temp	9/14/2016 5:35:01 AM	26	gradCels
SC ALRO SA	pH	9/14/2016 5:35:00 AM	2	unit pH
SC ALRO SA	Clor	9/14/2016 5:34:00 AM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 5:33:20 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 5:33:10 AM	9	mg/l
SC ALRO SA	Temp	9/14/2016 5:32:40 AM	26	gradCels
SC ALRO SA	pH	9/14/2016 5:32:30 AM	2	unit pH
SC ALRO SA	Substante organice	9/14/2016 5:29:51 AM	9	mg/l
SC ALRO SA	Clor	9/14/2016 5:29:50 AM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 5:29:42 AM	0	mg/l
SC ALRO SA	Temp	9/14/2016 5:29:41 AM	26	gradCels
SC ALRO SA	pH	9/14/2016 5:29:40 AM	2	unit pH
SC ALRO SA	Substante organice	9/14/2016 5:24:53 AM	9	mg/l
SC ALRO SA	Clor	9/14/2016 5:24:52 AM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 5:24:02 AM	0	mg/l
SC ALRO SA	Temp	9/14/2016 5:24:01 AM	26	gradCels
SC ALRO SA	pH	9/14/2016 5:24:00 AM	2	unit pH
SC ALRO SA	Clor	9/14/2016 5:18:51 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 5:18:50 AM	9	mg/l
SC ALRO SA	Grasimi	9/14/2016 5:18:42 AM	0	mg/l
SC ALRO SA	Temp	9/14/2016 5:18:41 AM	26	gradCels
SC ALRO SA	pH	9/14/2016 5:18:40 AM	2	unit pH
SC ALRO SA	Clor	9/14/2016 5:14:05 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 5:14:04 AM	9	mg/l
SC ALRO SA	Grasimi	9/14/2016 5:13:02 AM	0	mg/l
SC ALRO SA	Temp	9/14/2016 5:13:01 AM	26	gradCels
SC ALRO SA	pH	9/14/2016 5:13:00 AM	2	unit pH
SC ALRO SA	Clor	9/14/2016 5:11:40 AM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 5:11:10 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 5:10:40 AM	9	mg/l
SC ALRO SA	Temp	9/14/2016 5:10:30 AM	26	gradCels
SC ALRO SA	pH	9/14/2016 5:10:20 AM	2	unit pH
SC ALRO SA	Clor	9/14/2016 5:07:50 AM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 5:07:43 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 5:07:42 AM	9	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	9/14/2016 5:07:41 AM	26	gradCels
SC ALRO SA	pH	9/14/2016 5:07:40 AM	2	unit pH
SC ALRO SA	Clor	9/14/2016 5:02:48 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 5:02:47 AM	9	mg/l
SC ALRO SA	Grasimi	9/14/2016 5:02:02 AM	0	mg/l
SC ALRO SA	Temp	9/14/2016 5:02:01 AM	26	gradCels
SC ALRO SA	pH	9/14/2016 5:02:00 AM	2	unit pH
SC ALRO SA	Clor	9/14/2016 4:56:53 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 4:56:52 AM	9	mg/l
SC ALRO SA	Grasimi	9/14/2016 4:56:22 AM	0	mg/l
SC ALRO SA	Temp	9/14/2016 4:56:21 AM	26	gradCels
SC ALRO SA	pH	9/14/2016 4:56:20 AM	2	unit pH
SC ALRO SA	Clor	9/14/2016 4:51:48 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 4:51:47 AM	9	mg/l
SC ALRO SA	Grasimi	9/14/2016 4:51:02 AM	0	mg/l
SC ALRO SA	Temp	9/14/2016 4:51:01 AM	26	gradCels
SC ALRO SA	pH	9/14/2016 4:51:00 AM	2	unit pH
SC ALRO SA	Clor	9/14/2016 4:48:30 AM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 4:48:10 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 4:47:20 AM	9	mg/l
SC ALRO SA	Temp	9/14/2016 4:47:10 AM	26	gradCels
SC ALRO SA	pH	9/14/2016 4:46:40 AM	2	unit pH
SC ALRO SA	Clor	9/14/2016 4:45:53 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 4:45:52 AM	9	mg/l
SC ALRO SA	Grasimi	9/14/2016 4:45:22 AM	0	mg/l
SC ALRO SA	Temp	9/14/2016 4:45:21 AM	26	gradCels
SC ALRO SA	pH	9/14/2016 4:45:20 AM	2	unit pH
SC ALRO SA	Clor	9/14/2016 4:40:05 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 4:40:04 AM	9	mg/l
SC ALRO SA	Grasimi	9/14/2016 4:40:02 AM	0	mg/l
SC ALRO SA	Temp	9/14/2016 4:40:01 AM	26	gradCels
SC ALRO SA	pH	9/14/2016 4:40:00 AM	2	unit pH
SC ALRO SA	Clor	9/14/2016 4:34:53 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 4:34:52 AM	9	mg/l
SC ALRO SA	Grasimi	9/14/2016 4:34:22 AM	0	mg/l
SC ALRO SA	Temp	9/14/2016 4:34:21 AM	26	gradCels
SC ALRO SA	pH	9/14/2016 4:34:20 AM	2	unit pH
SC ALRO SA	Clor	9/14/2016 4:29:04 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 4:29:03 AM	9	mg/l
SC ALRO SA	Grasimi	9/14/2016 4:29:02 AM	0	mg/l
SC ALRO SA	Temp	9/14/2016 4:29:01 AM	26	gradCels
SC ALRO SA	pH	9/14/2016 4:29:00 AM	2	unit pH
SC ALRO SA	Clor	9/14/2016 4:27:30 AM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 4:26:30 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 4:26:20 AM	9	mg/l
SC ALRO SA	Temp	9/14/2016 4:26:10 AM	26	gradCels
SC ALRO SA	pH	9/14/2016 4:26:00 AM	2	unit pH
SC ALRO SA	Clor	9/14/2016 4:24:01 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 4:23:59 AM	9	mg/l
SC ALRO SA	Grasimi	9/14/2016 4:23:22 AM	0	mg/l
SC ALRO SA	Temp	9/14/2016 4:23:21 AM	26	gradCels
SC ALRO SA	pH	9/14/2016 4:23:20 AM	2	unit pH
SC ALRO SA	Clor	9/14/2016 4:19:05 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 4:19:04 AM	9	mg/l
SC ALRO SA	Grasimi	9/14/2016 4:18:11 AM	0	mg/l
SC ALRO SA	Temp	9/14/2016 4:18:10 AM	26	gradCels
SC ALRO SA	pH	9/14/2016 4:18:09 AM	2	unit pH
SC ALRO SA	Clor	9/14/2016 4:12:57 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 4:12:56 AM	9	mg/l
SC ALRO SA	Grasimi	9/14/2016 4:12:51 AM	0	mg/l
SC ALRO SA	Temp	9/14/2016 4:12:50 AM	26	gradCels
SC ALRO SA	pH	9/14/2016 4:12:49 AM	2	unit pH
SC ALRO SA	Clor	9/14/2016 4:07:48 AM	0	mg/l
SC ALRO SA	Clor	9/14/2016 4:07:20 AM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 4:07:12 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 4:07:11 AM	9	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Temp	9/14/2016 4:07:10 AM	26	gradCels
SC ALRO SA	pH	9/14/2016 4:07:09 AM	2	unit pH
SC ALRO SA	Grasimi	9/14/2016 4:06:40 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 4:06:30 AM	9	mg/l
SC ALRO SA	Temp	9/14/2016 4:06:20 AM	26	gradCels
SC ALRO SA	pH	9/14/2016 4:06:10 AM	2	unit pH
SC ALRO SA	Clor	9/14/2016 4:01:57 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 4:01:56 AM	9	mg/l
SC ALRO SA	Grasimi	9/14/2016 4:01:52 AM	0	mg/l
SC ALRO SA	Temp	9/14/2016 4:01:51 AM	26	gradCels
SC ALRO SA	pH	9/14/2016 4:01:50 AM	2	unit pH
SC ALRO SA	Substante organice	9/14/2016 3:57:06 AM	9	mg/l
SC ALRO SA	Clor	9/14/2016 3:57:05 AM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 3:56:11 AM	0	mg/l
SC ALRO SA	Temp	9/14/2016 3:56:10 AM	26	gradCels
SC ALRO SA	pH	9/14/2016 3:56:09 AM	2	unit pH
SC ALRO SA	Substante organice	9/14/2016 3:50:57 AM	9	mg/l
SC ALRO SA	Clor	9/14/2016 3:50:56 AM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 3:50:51 AM	0	mg/l
SC ALRO SA	Temp	9/14/2016 3:50:50 AM	26	gradCels
SC ALRO SA	pH	9/14/2016 3:50:49 AM	2	unit pH
SC ALRO SA	Clor	9/14/2016 3:48:10 AM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 3:47:30 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 3:46:40 AM	9	mg/l
SC ALRO SA	Temp	9/14/2016 3:46:30 AM	26	gradCels
SC ALRO SA	pH	9/14/2016 3:46:10 AM	2	unit pH
SC ALRO SA	Clor	9/14/2016 3:46:06 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 3:46:05 AM	9	mg/l
SC ALRO SA	Grasimi	9/14/2016 3:45:11 AM	0	mg/l
SC ALRO SA	Temp	9/14/2016 3:45:10 AM	26	gradCels
SC ALRO SA	pH	9/14/2016 3:45:09 AM	2	unit pH
SC ALRO SA	Clor	9/14/2016 3:39:51 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 3:39:50 AM	9	mg/l
SC ALRO SA	Grasimi	9/14/2016 3:39:47 AM	0	mg/l
SC ALRO SA	Temp	9/14/2016 3:39:46 AM	26	gradCels
SC ALRO SA	pH	9/14/2016 3:39:45 AM	2	unit pH
SC ALRO SA	Clor	9/14/2016 3:35:04 AM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 3:34:07 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 3:34:06 AM	9	mg/l
SC ALRO SA	Temp	9/14/2016 3:34:05 AM	26	gradCels
SC ALRO SA	pH	9/14/2016 3:34:04 AM	2	unit pH
SC ALRO SA	Clor	9/14/2016 3:28:51 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 3:28:50 AM	9	mg/l
SC ALRO SA	Grasimi	9/14/2016 3:28:46 AM	0	mg/l
SC ALRO SA	Temp	9/14/2016 3:28:45 AM	26	gradCels
SC ALRO SA	pH	9/14/2016 3:28:44 AM	2	unit pH
SC ALRO SA	Clor	9/14/2016 3:28:10 AM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 3:27:50 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 3:27:40 AM	9	mg/l
SC ALRO SA	Temp	9/14/2016 3:27:30 AM	26	gradCels
SC ALRO SA	pH	9/14/2016 3:27:20 AM	2	unit pH
SC ALRO SA	Substante organice	9/14/2016 3:24:05 AM	9	mg/l
SC ALRO SA	Clor	9/14/2016 3:24:04 AM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 3:23:06 AM	0	mg/l
SC ALRO SA	Temp	9/14/2016 3:23:05 AM	26	gradCels
SC ALRO SA	pH	9/14/2016 3:23:04 AM	2	unit pH
SC ALRO SA	Clor	9/14/2016 3:17:55 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 3:17:54 AM	9	mg/l
SC ALRO SA	Grasimi	9/14/2016 3:17:46 AM	0	mg/l
SC ALRO SA	Temp	9/14/2016 3:17:45 AM	26	gradCels
SC ALRO SA	pH	9/14/2016 3:17:44 AM	2	unit pH
SC ALRO SA	Clor	9/14/2016 3:13:10 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 3:13:09 AM	9	mg/l
SC ALRO SA	Grasimi	9/14/2016 3:12:06 AM	0	mg/l
SC ALRO SA	Temp	9/14/2016 3:12:05 AM	26	gradCels
SC ALRO SA	pH	9/14/2016 3:12:04 AM	2	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC ALRO SA	Clor	9/14/2016 3:09:10 AM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 3:08:30 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 3:08:00 AM	9	mg/l
SC ALRO SA	Temp	9/14/2016 3:07:50 AM	26	gradCels
SC ALRO SA	pH	9/14/2016 3:07:30 AM	2	unit pH
SC ALRO SA	Clor	9/14/2016 3:06:56 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 3:06:55 AM	9	mg/l
SC ALRO SA	Grasimi	9/14/2016 3:06:47 AM	0	mg/l
SC ALRO SA	Temp	9/14/2016 3:06:46 AM	26	gradCels
SC ALRO SA	pH	9/14/2016 3:06:45 AM	2	unit pH
SC ALRO SA	Substante organice	9/14/2016 3:01:50 AM	9	mg/l
SC ALRO SA	Clor	9/14/2016 3:01:49 AM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 3:01:06 AM	0	mg/l
SC ALRO SA	Temp	9/14/2016 3:01:05 AM	26	gradCels
SC ALRO SA	pH	9/14/2016 3:01:04 AM	2	unit pH
SC ALRO SA	Clor	9/14/2016 2:56:06 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 2:56:04 AM	9	mg/l
SC ALRO SA	Grasimi	9/14/2016 2:55:26 AM	0	mg/l
SC ALRO SA	Temp	9/14/2016 2:55:25 AM	27	gradCels
SC ALRO SA	pH	9/14/2016 2:55:24 AM	2	unit pH
SC ALRO SA	Clor	9/14/2016 2:50:51 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 2:50:50 AM	9	mg/l
SC ALRO SA	Grasimi	9/14/2016 2:50:06 AM	0	mg/l
SC ALRO SA	Temp	9/14/2016 2:50:05 AM	27	gradCels
SC ALRO SA	pH	9/14/2016 2:50:04 AM	2	unit pH
SC ALRO SA	Clor	9/14/2016 2:49:10 AM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 2:48:50 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 2:48:40 AM	9	mg/l
SC ALRO SA	Temp	9/14/2016 2:48:30 AM	27	gradCels
SC ALRO SA	pH	9/14/2016 2:48:20 AM	2	unit pH
SC ALRO SA	Substante organice	9/14/2016 2:45:05 AM	9	mg/l
SC ALRO SA	Clor	9/14/2016 2:45:04 AM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 2:44:26 AM	0	mg/l
SC ALRO SA	Temp	9/14/2016 2:44:25 AM	27	gradCels
SC ALRO SA	pH	9/14/2016 2:44:24 AM	2	unit pH
SC ALRO SA	Clor	9/14/2016 2:39:49 AM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 2:39:08 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 2:39:07 AM	9	mg/l
SC ALRO SA	pH	9/14/2016 2:39:06 AM	2	unit pH
SC ALRO SA	Temp	9/14/2016 2:39:05 AM	27	gradCels
SC ALRO SA	Clor	9/14/2016 2:34:05 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 2:34:04 AM	9	mg/l
SC ALRO SA	Grasimi	9/14/2016 2:33:26 AM	0	mg/l
SC ALRO SA	Temp	9/14/2016 2:33:25 AM	27	gradCels
SC ALRO SA	pH	9/14/2016 2:33:24 AM	2	unit pH
SC ALRO SA	Clor	9/14/2016 2:30:30 AM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 2:29:50 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 2:29:20 AM	9	mg/l
SC ALRO SA	Temp	9/14/2016 2:29:10 AM	27	gradCels
SC ALRO SA	pH	9/14/2016 2:28:50 AM	2	unit pH
SC ALRO SA	Clor	9/14/2016 2:28:48 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 2:28:47 AM	9	mg/l
SC ALRO SA	Grasimi	9/14/2016 2:28:08 AM	0	mg/l
SC ALRO SA	Temp	9/14/2016 2:28:07 AM	27	gradCels
SC ALRO SA	pH	9/14/2016 2:28:06 AM	2	unit pH
SC ALRO SA	Clor	9/14/2016 2:23:05 AM	0	mg/l
SC ALRO SA	Substante organice	9/14/2016 2:23:04 AM	9	mg/l
SC ALRO SA	Grasimi	9/14/2016 2:22:26 AM	0	mg/l
SC ALRO SA	Temp	9/14/2016 2:22:25 AM	27	gradCels
SC ALRO SA	pH	9/14/2016 2:22:24 AM	2	unit pH
SC ALRO SA	Substante organice	9/14/2016 2:17:51 AM	9	mg/l
SC ALRO SA	Clor	9/14/2016 2:17:50 AM	0	mg/l
SC ALRO SA	Grasimi	9/14/2016 2:17:02 AM	0	mg/l
SC ALRO SA	Temp	9/14/2016 2:17:01 AM	27	gradCels
SC ALRO SA	pH	9/14/2016 2:17:00 AM	2	unit pH
SC ALRO SA	Clor	9/14/2016 2:11:52 AM	0	mg/l