

Analiza evolutie pe mai multi senzori

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	1/31/2017 9:29:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 9:29:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 9:29:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 9:29:10 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 9:29:00 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 9:28:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/31/2017 9:28:24 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 9:28:23 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 9:28:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 9:28:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 9:28:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 9:28:00 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/31/2017 9:22:34 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/31/2017 9:22:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 9:22:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 9:22:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 9:22:21 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 9:22:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/31/2017 9:17:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 9:17:21 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 9:16:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 9:16:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 9:16:41 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 9:16:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/31/2017 9:11:33 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 9:11:29 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 9:11:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 9:11:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 9:11:21 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 9:11:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/31/2017 9:08:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 9:08:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 9:07:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 9:07:40 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 9:07:30 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 9:07:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/31/2017 9:06:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 9:06:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 9:05:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 9:05:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 9:05:41 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 9:05:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/31/2017 9:00:35 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 9:00:34 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 9:00:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 9:00:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 9:00:21 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 9:00:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/31/2017 8:55:24 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 8:55:23 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 8:54:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 8:54:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 8:54:41 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 8:54:40 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/31/2017 8:49:33 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/31/2017 8:49:31 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 8:49:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 8:49:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 8:49:21 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 8:49:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/31/2017 8:48:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 8:48:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 8:46:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 8:46:30 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Temp	1/31/2017 8:46:10 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 8:45:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/31/2017 8:44:24 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 8:44:23 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 8:43:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 8:43:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 8:43:41 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 8:43:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/31/2017 8:38:31 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 8:38:29 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 8:38:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 8:38:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 8:38:21 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 8:38:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/31/2017 8:33:24 AM	0	mg/l
SC PITUR DORU SNC	pH	1/31/2017 8:33:22 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/31/2017 8:33:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 8:32:42 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 8:32:41 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 8:32:40 AM	25	gradCels
SC PITUR DORU SNC	Cianuri	1/31/2017 8:28:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 8:28:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 8:28:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 8:28:10 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 8:28:00 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 8:27:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/31/2017 8:27:28 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 8:27:27 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 8:27:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 8:27:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 8:27:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 8:27:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/31/2017 8:22:24 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 8:22:22 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 8:21:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 8:21:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 8:21:41 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 8:21:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/31/2017 8:16:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 8:16:24 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 8:16:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 8:16:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 8:16:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 8:16:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/31/2017 8:11:24 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 8:11:23 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 8:10:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 8:10:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 8:10:41 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 8:10:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/31/2017 8:07:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 8:07:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 8:07:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 8:07:00 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 8:06:50 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 8:06:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/31/2017 8:05:24 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 8:05:23 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 8:05:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 8:05:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 8:05:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 8:05:00 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/31/2017 8:00:24 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/31/2017 8:00:21 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 7:59:31 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 7:59:30 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Temp	1/31/2017 7:59:29 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 7:59:28 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/31/2017 7:54:23 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/31/2017 7:54:22 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 7:54:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 7:54:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 7:54:05 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 7:54:04 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/31/2017 7:49:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 7:49:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 7:49:27 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/31/2017 7:49:26 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 7:48:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 7:48:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 7:48:35 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 7:48:34 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 7:48:33 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 7:48:32 AM	8	unit pH
SC PITUR DORU SNC	Temp	1/31/2017 7:48:10 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 7:48:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/31/2017 7:43:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 7:43:21 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 7:43:12 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 7:43:11 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 7:43:10 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 7:43:09 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/31/2017 7:38:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 7:38:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 7:37:35 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 7:37:34 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 7:37:33 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 7:37:32 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/31/2017 7:32:27 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 7:32:23 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 7:32:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 7:32:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 7:32:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 7:32:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/31/2017 7:28:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 7:28:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 7:28:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 7:27:50 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 7:27:40 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 7:27:30 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/31/2017 7:26:35 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/31/2017 7:26:34 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 7:26:31 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 7:26:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 7:26:29 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 7:26:28 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/31/2017 7:21:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 7:21:21 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 7:20:51 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 7:20:50 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 7:20:49 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 7:20:48 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/31/2017 7:15:36 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 7:15:34 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 7:15:31 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 7:15:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 7:15:29 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 7:15:28 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/31/2017 7:10:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 7:10:21 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 7:09:52 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 7:09:51 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Temp	1/31/2017 7:09:50 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 7:09:49 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/31/2017 7:09:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 7:08:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 7:08:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 7:07:20 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 7:07:10 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 7:07:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/31/2017 7:04:39 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 7:04:35 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 7:04:32 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 7:04:31 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 7:04:30 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 7:04:29 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/31/2017 6:59:27 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 6:59:26 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 6:59:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 6:59:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 6:59:21 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 6:59:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/31/2017 6:54:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 6:54:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 6:54:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 6:54:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 6:54:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 6:54:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/31/2017 6:49:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 6:48:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 6:48:30 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/31/2017 6:48:28 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 6:48:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 6:48:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 6:48:21 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 6:48:20 AM	8	unit pH
SC PITUR DORU SNC	Grasimi	1/31/2017 6:48:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 6:48:00 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 6:47:50 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 6:47:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/31/2017 6:43:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 6:43:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 6:42:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 6:42:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 6:42:41 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 6:42:40 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/31/2017 6:37:28 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/31/2017 6:37:27 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 6:37:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 6:37:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 6:37:21 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 6:37:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/31/2017 6:32:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 6:32:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 6:31:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 6:31:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 6:31:41 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 6:31:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/31/2017 6:29:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 6:29:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 6:28:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 6:28:20 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 6:28:10 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 6:28:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/31/2017 6:26:29 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 6:26:26 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 6:26:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 6:26:22 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Temp	1/31/2017 6:26:21 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 6:26:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/31/2017 6:21:26 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 6:21:25 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 6:20:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 6:20:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 6:20:41 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 6:20:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/31/2017 6:15:27 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 6:15:25 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 6:15:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 6:15:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 6:15:21 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 6:15:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/31/2017 6:10:27 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 6:10:25 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/31/2017 6:10:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 6:09:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 6:09:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 6:09:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 6:09:41 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 6:09:40 AM	8	unit pH
SC PITUR DORU SNC	Grasimi	1/31/2017 6:08:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 6:07:50 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 6:07:10 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 6:06:40 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/31/2017 6:04:25 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/31/2017 6:04:24 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 6:04:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 6:04:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 6:04:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 6:04:00 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/31/2017 5:59:27 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/31/2017 5:59:24 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 5:58:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 5:58:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 5:58:41 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 5:58:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/31/2017 5:53:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 5:53:22 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 5:53:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 5:53:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 5:53:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 5:53:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/31/2017 5:48:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 5:48:40 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/31/2017 5:48:27 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 5:48:26 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 5:48:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 5:47:50 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 5:47:40 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 5:47:30 AM	8	unit pH
SC PITUR DORU SNC	Clor	1/31/2017 5:47:29 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 5:47:28 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 5:47:27 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 5:47:26 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/31/2017 5:42:22 AM	0	mg/l
SC PITUR DORU SNC	pH	1/31/2017 5:42:21 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/31/2017 5:42:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 5:42:02 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 5:42:01 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 5:42:00 AM	25	gradCels
SC PITUR DORU SNC	Substante organice	1/31/2017 5:37:27 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/31/2017 5:37:24 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 5:36:29 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 5:36:28 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Temp	1/31/2017 5:36:27 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 5:36:26 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/31/2017 5:31:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 5:31:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 5:31:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 5:31:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 5:31:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 5:31:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/31/2017 5:28:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 5:28:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 5:27:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 5:27:40 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 5:27:30 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 5:27:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/31/2017 5:26:24 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 5:26:23 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 5:25:28 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 5:25:27 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 5:25:26 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 5:25:25 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/31/2017 5:20:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 5:20:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 5:20:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 5:20:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 5:20:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 5:20:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/31/2017 5:15:24 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 5:15:23 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 5:14:28 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 5:14:27 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 5:14:26 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 5:14:25 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/31/2017 5:10:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 5:10:00 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/31/2017 5:09:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 5:09:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 5:09:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 5:09:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 5:09:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 5:09:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 5:09:00 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/31/2017 5:08:50 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 5:08:40 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 5:08:10 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/31/2017 5:04:24 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/31/2017 5:04:21 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 5:03:29 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 5:03:28 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 5:03:27 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 5:03:26 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/31/2017 4:58:21 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/31/2017 4:58:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 4:58:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 4:58:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 4:58:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 4:58:00 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/31/2017 4:52:30 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/31/2017 4:52:28 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 4:52:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 4:52:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 4:52:21 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 4:52:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/31/2017 4:49:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 4:48:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 4:48:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 4:48:10 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Temp	1/31/2017 4:48:00 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 4:47:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/31/2017 4:47:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 4:47:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 4:47:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 4:47:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 4:47:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 4:47:00 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/31/2017 4:41:30 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/31/2017 4:41:28 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 4:41:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 4:41:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 4:41:21 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 4:41:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/31/2017 4:36:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 4:36:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 4:36:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 4:36:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 4:36:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 4:36:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/31/2017 4:30:29 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 4:30:26 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 4:30:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 4:30:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 4:30:21 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 4:30:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/31/2017 4:27:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 4:26:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 4:26:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 4:26:10 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 4:26:00 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 4:25:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/31/2017 4:25:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 4:25:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 4:24:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 4:24:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 4:24:41 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 4:24:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/31/2017 4:19:31 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 4:19:27 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 4:19:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 4:19:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 4:19:21 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 4:19:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/31/2017 4:14:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 4:14:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 4:13:41 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 4:13:40 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 4:13:39 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 4:13:38 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/31/2017 4:08:27 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 4:08:26 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 4:08:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 4:08:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 4:08:21 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 4:08:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/31/2017 4:06:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 4:05:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 4:05:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 4:05:00 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 4:04:50 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 4:04:40 AM	8	unit pH
SC PITUR DORU SNC	pH	1/31/2017 4:03:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/31/2017 4:03:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 4:03:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 4:02:42 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	1/31/2017 4:02:41 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 4:02:40 AM	25	gradCels
SC PITUR DORU SNC	Cianuri	1/31/2017 3:57:28 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 3:57:26 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 3:57:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 3:57:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 3:57:21 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 3:57:20 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/31/2017 3:52:27 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/31/2017 3:52:24 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 3:51:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 3:51:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 3:51:41 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 3:51:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/31/2017 3:46:27 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 3:46:26 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 3:46:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 3:46:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 3:46:21 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 3:46:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/31/2017 3:45:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 3:44:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 3:43:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 3:43:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 3:43:10 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 3:43:00 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/31/2017 3:41:27 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/31/2017 3:41:24 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 3:40:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 3:40:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 3:40:41 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 3:40:40 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/31/2017 3:35:25 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/31/2017 3:35:23 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 3:35:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 3:35:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 3:35:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 3:35:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/31/2017 3:30:24 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 3:30:23 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 3:29:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 3:29:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 3:29:41 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 3:29:40 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/31/2017 3:24:26 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/31/2017 3:24:23 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 3:24:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 3:24:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 3:24:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 3:24:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/31/2017 3:23:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 3:22:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 3:22:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 3:21:50 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 3:21:40 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 3:21:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/31/2017 3:19:27 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 3:19:26 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 3:18:29 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 3:18:28 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 3:18:27 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 3:18:26 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/31/2017 3:13:24 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 3:13:21 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 3:13:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 3:13:02 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Temp	1/31/2017 3:13:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 3:13:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/31/2017 3:08:24 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 3:08:23 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 3:07:49 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 3:07:48 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 3:07:47 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 3:07:46 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/31/2017 3:04:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 3:04:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 3:04:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 3:04:00 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 3:03:50 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 3:03:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/31/2017 3:02:22 AM	0	mg/l
SC PITUR DORU SNC	pH	1/31/2017 3:02:21 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/31/2017 3:02:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 3:02:02 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 3:02:01 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 3:02:00 AM	25	gradCels
SC PITUR DORU SNC	Cianuri	1/31/2017 2:57:27 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 2:57:26 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 2:56:48 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 2:56:47 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 2:56:46 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 2:56:45 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/31/2017 2:51:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 2:51:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 2:51:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 2:51:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 2:51:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 2:51:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/31/2017 2:46:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 2:46:30 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/31/2017 2:46:27 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 2:46:25 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 2:45:51 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 2:45:50 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 2:45:49 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 2:45:48 AM	8	unit pH
SC PITUR DORU SNC	Grasimi	1/31/2017 2:45:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 2:44:40 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 2:44:30 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 2:44:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/31/2017 2:40:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 2:40:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 2:40:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 2:40:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 2:40:05 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 2:40:04 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/31/2017 2:35:24 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 2:35:23 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 2:34:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 2:34:49 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 2:34:48 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 2:34:47 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/31/2017 2:29:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 2:29:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 2:29:02 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 2:29:01 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 2:29:00 AM	25	gradCels
SC PITUR DORU SNC	Cianuri	1/31/2017 2:25:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 2:25:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 2:25:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 2:24:50 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 2:24:40 AM	25	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	1/31/2017 2:24:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/31/2017 2:24:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 2:24:21 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 2:23:27 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 2:23:26 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 2:23:25 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 2:23:24 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/31/2017 2:18:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 2:18:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 2:17:52 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 2:17:51 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 2:17:50 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 2:17:49 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/31/2017 2:12:27 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 2:12:25 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 2:12:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 2:12:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 2:12:21 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 2:12:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/31/2017 2:07:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 2:07:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 2:07:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 2:07:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 2:07:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 2:07:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/31/2017 2:05:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 2:05:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 2:05:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 2:04:50 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 2:04:20 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 2:04:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/31/2017 2:01:46 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 2:01:43 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 2:01:25 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 2:01:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 2:01:21 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 2:01:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/31/2017 1:56:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 1:56:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 1:55:46 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 1:55:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 1:55:43 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 1:55:42 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/31/2017 1:50:32 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 1:50:31 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 1:50:27 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 1:50:26 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 1:50:25 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 1:50:24 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/31/2017 1:47:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 1:47:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 1:46:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 1:46:40 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 1:46:30 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 1:46:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/31/2017 1:45:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 1:45:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 1:44:53 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 1:44:52 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 1:44:51 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 1:44:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/31/2017 1:39:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 1:39:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 1:39:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 1:39:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 1:39:21 AM	25	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	1/31/2017 1:39:20 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/31/2017 1:34:23 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/31/2017 1:34:21 AM	0	mg/l
SC PITUR DORU SNC	pH	1/31/2017 1:34:20 AM	8	unit pH
SC PITUR DORU SNC	Clor	1/31/2017 1:33:53 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 1:33:52 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 1:33:51 AM	25	gradCels
SC PITUR DORU SNC	Cianuri	1/31/2017 1:29:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 1:29:10 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/31/2017 1:28:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 1:28:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 1:28:27 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 1:28:26 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 1:28:25 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 1:28:24 AM	8	unit pH
SC PITUR DORU SNC	Grasimi	1/31/2017 1:28:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 1:27:50 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 1:27:30 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 1:27:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/31/2017 1:23:24 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 1:23:23 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 1:22:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 1:22:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 1:22:41 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 1:22:40 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/31/2017 1:17:41 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/31/2017 1:17:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 1:17:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 1:17:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 1:17:21 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 1:17:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/31/2017 1:12:29 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 1:12:26 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/31/2017 1:12:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 1:11:46 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 1:11:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 1:11:44 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 1:11:43 AM	8	unit pH
SC PITUR DORU SNC	Clor	1/31/2017 1:10:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 1:10:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 1:10:00 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 1:09:20 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 1:09:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/31/2017 1:06:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 1:06:41 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 1:06:28 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 1:06:27 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 1:06:26 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 1:06:25 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/31/2017 1:01:29 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 1:01:26 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 1:00:53 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 1:00:52 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 1:00:51 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 1:00:50 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/31/2017 12:55:43 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/31/2017 12:55:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 12:55:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 12:55:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 12:55:21 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 12:55:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/31/2017 12:52:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 12:52:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 12:52:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 12:52:00 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 12:51:50 AM	25	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	1/31/2017 12:51:40 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/31/2017 12:50:29 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/31/2017 12:50:24 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 12:49:41 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 12:49:40 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 12:49:39 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 12:49:38 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/31/2017 12:44:46 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 12:44:43 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 12:44:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 12:44:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 12:44:05 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 12:44:04 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/31/2017 12:39:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 12:39:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 12:38:51 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 12:38:50 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 12:38:49 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 12:38:48 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/31/2017 12:35:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 12:35:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 12:34:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 12:34:40 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 12:34:30 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 12:34:00 AM	8	unit pH
SC PITUR DORU SNC	pH	1/31/2017 12:33:44 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/31/2017 12:33:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 12:33:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 12:33:06 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 12:33:05 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 12:33:04 AM	25	gradCels
SC PITUR DORU SNC	Cianuri	1/31/2017 12:28:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 12:28:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 12:27:44 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 12:27:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 12:27:42 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 12:27:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/31/2017 12:22:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 12:22:23 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 12:22:19 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 12:22:18 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 12:22:17 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 12:22:16 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/31/2017 12:17:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 12:17:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 12:16:46 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 12:16:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 12:16:44 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 12:16:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/31/2017 12:15:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 12:14:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 12:14:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/31/2017 12:14:10 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 12:14:00 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 12:13:50 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/31/2017 12:11:42 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/31/2017 12:11:25 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 12:10:55 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 12:10:54 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 12:10:53 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 12:10:52 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/31/2017 12:06:21 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/31/2017 12:06:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 12:05:31 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 12:05:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 12:05:29 AM	25	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	1/31/2017 12:05:28 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/31/2017 12:00:41 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/31/2017 12:00:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/31/2017 12:00:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/31/2017 12:00:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/31/2017 12:00:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/31/2017 12:00:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 11:56:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 11:56:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 11:56:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 11:56:00 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 11:55:50 PM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 11:55:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 11:55:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 11:55:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 11:54:32 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 11:54:31 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 11:54:30 PM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 11:54:29 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/30/2017 11:49:26 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/30/2017 11:49:23 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 11:48:59 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 11:48:58 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 11:48:57 PM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 11:48:56 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 11:44:22 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 11:44:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 11:43:32 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 11:43:31 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 11:43:30 PM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 11:43:29 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 11:39:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 11:39:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 11:38:26 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/30/2017 11:38:24 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 11:38:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 11:38:02 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 11:38:01 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 11:38:00 PM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 11:37:59 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/30/2017 11:37:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 11:37:00 PM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 11:36:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 11:33:22 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 11:33:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 11:32:32 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 11:32:31 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 11:32:30 PM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 11:32:29 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 11:27:29 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 11:27:22 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 11:27:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 11:26:59 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 11:26:58 PM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 11:26:57 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 11:21:44 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 11:21:42 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 11:21:35 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 11:21:34 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 11:21:33 PM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 11:21:32 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 11:20:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 11:20:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 11:19:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 11:19:00 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 11:18:50 PM	25	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	1/30/2017 11:18:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 11:16:28 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 11:16:24 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 11:15:57 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 11:15:56 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 11:15:55 PM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 11:15:54 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/30/2017 11:10:32 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/30/2017 11:10:31 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 11:10:27 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 11:10:26 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 11:10:25 PM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 11:10:24 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 11:05:25 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 11:05:24 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 11:05:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 11:05:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 11:05:01 PM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 11:05:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 11:01:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 11:01:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 11:01:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 11:01:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 11:01:00 PM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 11:00:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 10:59:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 10:59:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 10:59:24 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 10:59:23 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 10:59:22 PM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 10:59:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 10:54:25 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 10:54:21 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 10:54:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 10:53:58 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 10:53:57 PM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 10:53:56 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 10:48:32 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 10:48:29 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 10:48:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 10:48:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 10:48:21 PM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 10:48:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 10:43:50 PM	0	mg/l
SC PITUR DORU SNC	pH	1/30/2017 10:43:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 10:43:26 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 10:43:24 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 10:43:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 10:43:01 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 10:43:00 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 10:42:59 PM	25	gradCels
SC PITUR DORU SNC	Grasimi	1/30/2017 10:41:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 10:41:40 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 10:41:30 PM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 10:41:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 10:37:26 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 10:37:24 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 10:37:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 10:37:19 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 10:37:18 PM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 10:37:17 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 10:32:25 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 10:32:23 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 10:32:01 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 10:32:00 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 10:31:59 PM	25	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	1/30/2017 10:31:58 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 10:26:49 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 10:26:45 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 10:26:27 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 10:26:26 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 10:26:25 PM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 10:26:24 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 10:23:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 10:23:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 10:22:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 10:22:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 10:22:10 PM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 10:22:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 10:21:25 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 10:21:21 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 10:20:42 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 10:20:41 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 10:20:40 PM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 10:20:39 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 10:15:46 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 10:15:43 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 10:15:27 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 10:15:26 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 10:15:25 PM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 10:15:24 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/30/2017 10:10:29 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/30/2017 10:10:24 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 10:10:01 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 10:10:00 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 10:09:59 PM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 10:09:58 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/30/2017 10:04:43 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/30/2017 10:04:42 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 10:04:28 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 10:04:27 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 10:04:26 PM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 10:04:25 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 10:03:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 10:03:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 10:02:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 10:01:40 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 10:01:30 PM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 10:01:21 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/30/2017 9:59:27 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/30/2017 9:59:22 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 9:59:01 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 9:59:00 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 9:58:59 PM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 9:58:58 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/30/2017 9:53:26 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/30/2017 9:53:23 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 9:53:18 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 9:53:17 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 9:53:16 PM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 9:53:15 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/30/2017 9:48:24 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/30/2017 9:48:23 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 9:47:59 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 9:47:58 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 9:47:57 PM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 9:47:56 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 9:44:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 9:44:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 9:44:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 9:43:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 9:43:40 PM	25	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	1/30/2017 9:43:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 9:42:26 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 9:42:23 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 9:42:18 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 9:42:17 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 9:42:16 PM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 9:42:15 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/30/2017 9:37:23 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/30/2017 9:37:22 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 9:36:51 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 9:36:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 9:36:49 PM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 9:36:48 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 9:31:24 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 9:31:19 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 9:31:14 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 9:31:13 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 9:31:12 PM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 9:31:11 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 9:26:30 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/30/2017 9:26:24 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 9:26:22 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 9:26:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 9:25:59 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 9:25:58 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 9:25:57 PM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 9:25:56 PM	8	unit pH
SC PITUR DORU SNC	Grasimi	1/30/2017 9:24:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 9:24:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 9:24:10 PM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 9:24:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 9:20:28 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 9:20:26 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 9:19:59 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 9:19:58 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 9:19:57 PM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 9:19:56 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 9:15:25 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 9:15:23 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 9:14:53 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 9:14:52 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 9:14:51 PM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 9:14:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 9:09:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 9:09:27 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 9:09:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 9:08:59 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 9:08:58 PM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 9:08:57 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 9:06:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 9:06:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 9:06:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 9:05:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 9:05:40 PM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 9:05:30 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/30/2017 9:04:31 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/30/2017 9:04:26 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 9:03:36 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 9:03:35 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 9:03:34 PM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 9:03:33 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 8:58:28 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 8:58:23 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 8:58:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 8:57:59 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 8:57:58 PM	25	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	1/30/2017 8:57:57 PM	8	unit pH
SC PITUR DORU SNC	pH	1/30/2017 8:53:31 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 8:53:27 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 8:53:24 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 8:52:29 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 8:52:28 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 8:52:27 PM	25	gradCels
SC PITUR DORU SNC	Cianuri	1/30/2017 8:49:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 8:48:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 8:48:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 8:48:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 8:48:00 PM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 8:47:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 8:47:26 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 8:47:23 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 8:47:02 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 8:47:01 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 8:47:00 PM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 8:46:59 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 8:42:31 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 8:42:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 8:41:56 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 8:41:55 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 8:41:54 PM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 8:41:53 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 8:36:24 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 8:36:21 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 8:36:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 8:35:59 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 8:35:58 PM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 8:35:57 PM	8	unit pH
SC PITUR DORU SNC	pH	1/30/2017 8:31:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 8:31:29 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 8:31:27 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 8:30:54 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 8:30:53 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 8:30:52 PM	25	gradCels
SC PITUR DORU SNC	Cianuri	1/30/2017 8:29:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 8:29:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 8:28:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 8:28:40 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 8:28:30 PM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 8:28:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 8:25:24 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 8:25:21 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 8:24:58 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 8:24:57 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 8:24:56 PM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 8:24:55 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/30/2017 8:20:29 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/30/2017 8:20:28 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 8:19:39 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 8:19:38 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 8:19:37 PM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 8:19:36 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 8:14:26 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 8:14:23 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 8:13:59 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 8:13:58 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 8:13:57 PM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 8:13:56 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 8:11:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 8:10:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 8:10:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 8:10:20 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 8:10:10 PM	25	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	1/30/2017 8:10:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/30/2017 8:09:25 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/30/2017 8:09:23 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 8:08:53 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 8:08:52 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 8:08:51 PM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 8:08:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 8:03:25 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 8:03:23 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 8:03:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 8:02:59 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 8:02:58 PM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 8:02:57 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 7:57:46 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 7:57:43 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 7:57:31 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 7:57:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 7:57:29 PM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 7:57:28 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 7:52:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 7:52:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 7:52:27 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/30/2017 7:52:25 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 7:52:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 7:51:51 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 7:51:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 7:51:49 PM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 7:51:48 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/30/2017 7:50:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 7:50:40 PM	26	gradCels
SC PITUR DORU SNC	pH	1/30/2017 7:50:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 7:46:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 7:46:33 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 7:46:31 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 7:46:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 7:46:29 PM	26	gradCels
SC PITUR DORU SNC	pH	1/30/2017 7:46:28 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 7:41:28 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 7:41:21 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 7:40:51 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 7:40:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 7:40:49 PM	26	gradCels
SC PITUR DORU SNC	pH	1/30/2017 7:40:48 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 7:35:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 7:35:40 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/30/2017 7:35:26 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 7:35:23 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 7:35:19 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 7:35:18 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 7:35:17 PM	26	gradCels
SC PITUR DORU SNC	pH	1/30/2017 7:35:16 PM	8	unit pH
SC PITUR DORU SNC	Grasimi	1/30/2017 7:34:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 7:34:00 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 7:33:50 PM	26	gradCels
SC PITUR DORU SNC	pH	1/30/2017 7:33:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 7:30:49 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 7:30:45 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 7:29:51 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 7:29:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 7:29:49 PM	26	gradCels
SC PITUR DORU SNC	pH	1/30/2017 7:29:48 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 7:24:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 7:24:33 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 7:24:31 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 7:24:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 7:24:29 PM	26	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	1/30/2017 7:24:28 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 7:19:27 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 7:19:25 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 7:18:56 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 7:18:55 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 7:18:54 PM	26	gradCels
SC PITUR DORU SNC	pH	1/30/2017 7:18:53 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 7:17:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 7:17:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 7:17:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 7:16:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 7:16:40 PM	26	gradCels
SC PITUR DORU SNC	pH	1/30/2017 7:16:30 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/30/2017 7:13:42 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/30/2017 7:13:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 7:13:11 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 7:13:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 7:13:09 PM	26	gradCels
SC PITUR DORU SNC	pH	1/30/2017 7:13:08 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 7:08:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 7:08:25 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 7:07:42 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 7:07:41 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 7:07:40 PM	26	gradCels
SC PITUR DORU SNC	pH	1/30/2017 7:07:39 PM	8	unit pH
SC PITUR DORU SNC	pH	1/30/2017 7:02:33 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/30/2017 7:02:30 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/30/2017 7:02:25 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 7:02:16 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 7:02:15 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 7:02:14 PM	26	gradCels
SC PITUR DORU SNC	Cianuri	1/30/2017 6:59:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 6:59:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 6:59:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 6:59:00 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 6:58:50 PM	26	gradCels
SC PITUR DORU SNC	pH	1/30/2017 6:58:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 6:57:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 6:57:41 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 6:56:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 6:56:40 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 6:56:39 PM	26	gradCels
SC PITUR DORU SNC	pH	1/30/2017 6:56:38 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 6:52:26 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 6:52:25 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 6:51:48 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 6:51:47 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 6:51:46 PM	26	gradCels
SC PITUR DORU SNC	pH	1/30/2017 6:51:45 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 6:46:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 6:46:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 6:46:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 6:46:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 6:46:21 PM	26	gradCels
SC PITUR DORU SNC	pH	1/30/2017 6:46:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 6:42:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 6:42:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 6:41:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 6:41:40 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 6:41:30 PM	26	gradCels
SC PITUR DORU SNC	Cianuri	1/30/2017 6:41:25 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 6:41:23 PM	0	mg/l
SC PITUR DORU SNC	pH	1/30/2017 6:41:10 PM	8	unit pH
SC PITUR DORU SNC	Clor	1/30/2017 6:40:33 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 6:40:32 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 6:40:31 PM	26	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	1/30/2017 6:40:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 6:35:34 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 6:35:32 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 6:35:01 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 6:35:00 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 6:34:59 PM	26	gradCels
SC PITUR DORU SNC	pH	1/30/2017 6:34:58 PM	8	unit pH
SC PITUR DORU SNC	pH	1/30/2017 6:30:27 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 6:30:26 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 6:30:25 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 6:29:33 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 6:29:32 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 6:29:31 PM	26	gradCels
SC PITUR DORU SNC	Cianuri	1/30/2017 6:25:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 6:25:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 6:24:40 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/30/2017 6:24:27 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 6:24:26 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 6:24:02 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 6:24:01 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 6:24:00 PM	26	gradCels
SC PITUR DORU SNC	pH	1/30/2017 6:23:59 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/30/2017 6:22:40 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 6:22:30 PM	26	gradCels
SC PITUR DORU SNC	pH	1/30/2017 6:22:10 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/30/2017 6:19:25 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/30/2017 6:19:24 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 6:18:34 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 6:18:33 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 6:18:32 PM	26	gradCels
SC PITUR DORU SNC	pH	1/30/2017 6:18:31 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 6:13:24 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 6:13:23 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 6:13:01 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 6:13:00 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 6:12:59 PM	26	gradCels
SC PITUR DORU SNC	pH	1/30/2017 6:12:58 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 6:08:26 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 6:08:25 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 6:07:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 6:07:49 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 6:07:48 PM	26	gradCels
SC PITUR DORU SNC	pH	1/30/2017 6:07:47 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 6:05:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 6:05:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 6:04:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 6:04:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 6:04:20 PM	26	gradCels
SC PITUR DORU SNC	pH	1/30/2017 6:04:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 6:02:26 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 6:02:24 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 6:01:59 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 6:01:58 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 6:01:57 PM	26	gradCels
SC PITUR DORU SNC	pH	1/30/2017 6:01:56 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 5:57:26 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 5:57:23 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 5:56:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 5:56:49 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 5:56:48 PM	26	gradCels
SC PITUR DORU SNC	pH	1/30/2017 5:56:47 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 5:51:22 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 5:51:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 5:51:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 5:50:59 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 5:50:58 PM	26	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	1/30/2017 5:50:57 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 5:47:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 5:47:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 5:47:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 5:47:00 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 5:46:50 PM	26	gradCels
SC PITUR DORU SNC	pH	1/30/2017 5:46:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 5:46:28 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 5:46:26 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 5:45:51 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 5:45:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 5:45:49 PM	26	gradCels
SC PITUR DORU SNC	pH	1/30/2017 5:45:48 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/30/2017 5:40:24 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/30/2017 5:40:22 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 5:39:54 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 5:39:53 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 5:39:52 PM	26	gradCels
SC PITUR DORU SNC	pH	1/30/2017 5:39:51 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 5:35:26 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 5:35:24 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 5:34:52 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 5:34:51 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 5:34:50 PM	26	gradCels
SC PITUR DORU SNC	pH	1/30/2017 5:34:49 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 5:30:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 5:30:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 5:29:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 5:29:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 5:29:25 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/30/2017 5:29:24 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 5:29:10 PM	26	gradCels
SC PITUR DORU SNC	Clor	1/30/2017 5:28:53 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 5:28:52 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 5:28:51 PM	26	gradCels
SC PITUR DORU SNC	pH	1/30/2017 5:28:50 PM	8	unit pH
SC PITUR DORU SNC	pH	1/30/2017 5:28:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 5:23:44 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 5:23:41 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 5:23:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 5:23:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 5:23:21 PM	26	gradCels
SC PITUR DORU SNC	pH	1/30/2017 5:23:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 5:18:25 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 5:18:21 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 5:17:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 5:17:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 5:17:41 PM	26	gradCels
SC PITUR DORU SNC	pH	1/30/2017 5:17:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 5:12:44 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 5:12:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 5:12:26 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 5:12:25 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 5:12:24 PM	26	gradCels
SC PITUR DORU SNC	pH	1/30/2017 5:12:23 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 5:12:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 5:11:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 5:11:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 5:10:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 5:10:40 PM	26	gradCels
SC PITUR DORU SNC	pH	1/30/2017 5:10:30 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/30/2017 5:07:28 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/30/2017 5:07:23 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 5:06:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 5:06:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 5:06:45 PM	26	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	1/30/2017 5:06:44 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 5:01:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 5:01:41 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 5:01:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 5:01:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 5:01:21 PM	26	gradCels
SC PITUR DORU SNC	pH	1/30/2017 5:01:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 4:56:26 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 4:56:21 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 4:55:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 4:55:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 4:55:41 PM	26	gradCels
SC PITUR DORU SNC	pH	1/30/2017 4:55:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 4:54:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 4:54:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 4:53:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 4:53:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 4:53:20 PM	26	gradCels
SC PITUR DORU SNC	pH	1/30/2017 4:53:10 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/30/2017 4:50:19 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/30/2017 4:50:17 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 4:50:11 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 4:50:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 4:50:09 PM	26	gradCels
SC PITUR DORU SNC	pH	1/30/2017 4:50:08 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 4:45:27 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 4:45:25 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 4:44:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 4:44:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 4:44:41 PM	26	gradCels
SC PITUR DORU SNC	pH	1/30/2017 4:44:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 4:39:44 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 4:39:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 4:39:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 4:39:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 4:39:21 PM	26	gradCels
SC PITUR DORU SNC	pH	1/30/2017 4:39:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 4:36:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 4:36:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 4:36:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 4:36:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 4:36:00 PM	26	gradCels
SC PITUR DORU SNC	pH	1/30/2017 4:35:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 4:34:24 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 4:34:22 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 4:33:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 4:33:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 4:33:41 PM	26	gradCels
SC PITUR DORU SNC	pH	1/30/2017 4:33:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 4:28:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 4:28:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 4:28:07 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 4:28:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 4:28:05 PM	26	gradCels
SC PITUR DORU SNC	pH	1/30/2017 4:28:04 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/30/2017 4:23:26 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/30/2017 4:23:24 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 4:22:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 4:22:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 4:22:45 PM	26	gradCels
SC PITUR DORU SNC	pH	1/30/2017 4:22:44 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 4:19:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 4:19:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 4:18:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 4:18:40 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 4:18:30 PM	26	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	1/30/2017 4:18:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 4:17:46 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 4:17:25 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 4:17:07 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 4:17:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 4:17:05 PM	26	gradCels
SC PITUR DORU SNC	pH	1/30/2017 4:17:04 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 4:12:29 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 4:12:28 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 4:11:35 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 4:11:34 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 4:11:33 PM	26	gradCels
SC PITUR DORU SNC	pH	1/30/2017 4:11:32 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 4:06:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 4:06:41 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 4:06:08 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 4:06:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 4:06:06 PM	26	gradCels
SC PITUR DORU SNC	pH	1/30/2017 4:06:05 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 4:01:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 4:01:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 4:01:35 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/30/2017 4:01:31 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 4:00:35 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 4:00:34 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 4:00:33 PM	26	gradCels
SC PITUR DORU SNC	pH	1/30/2017 4:00:32 PM	8	unit pH
SC PITUR DORU SNC	Grasimi	1/30/2017 3:59:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 3:59:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 3:59:10 PM	26	gradCels
SC PITUR DORU SNC	pH	1/30/2017 3:59:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 3:55:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 3:55:41 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 3:55:07 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 3:55:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 3:55:05 PM	26	gradCels
SC PITUR DORU SNC	pH	1/30/2017 3:55:04 PM	8	unit pH
SC PITUR DORU SNC	pH	1/30/2017 3:50:38 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 3:50:36 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 3:50:31 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 3:49:46 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 3:49:45 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 3:49:44 PM	26	gradCels
SC PITUR DORU SNC	Cianuri	1/30/2017 3:44:25 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 3:44:22 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 3:44:07 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 3:44:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 3:44:05 PM	26	gradCels
SC PITUR DORU SNC	pH	1/30/2017 3:44:04 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 3:42:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 3:42:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 3:42:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 3:41:40 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 3:41:30 PM	26	gradCels
SC PITUR DORU SNC	pH	1/30/2017 3:41:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 3:39:34 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 3:39:32 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 3:38:49 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 3:38:48 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 3:38:47 PM	26	gradCels
SC PITUR DORU SNC	pH	1/30/2017 3:38:46 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 3:33:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 3:33:26 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 3:32:53 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 3:32:52 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 3:32:51 PM	26	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	1/30/2017 3:32:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 3:28:26 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 3:28:24 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 3:27:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 3:27:49 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 3:27:48 PM	26	gradCels
SC PITUR DORU SNC	pH	1/30/2017 3:27:47 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 3:24:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 3:23:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 3:23:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 3:23:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 3:23:00 PM	26	gradCels
SC PITUR DORU SNC	pH	1/30/2017 3:22:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 3:22:27 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 3:22:25 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 3:21:57 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 3:21:56 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 3:21:55 PM	26	gradCels
SC PITUR DORU SNC	pH	1/30/2017 3:21:54 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 3:17:28 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 3:17:26 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 3:16:53 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 3:16:52 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 3:16:51 PM	26	gradCels
SC PITUR DORU SNC	pH	1/30/2017 3:16:50 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/30/2017 3:11:27 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/30/2017 3:11:26 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 3:10:54 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 3:10:53 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 3:10:52 PM	26	gradCels
SC PITUR DORU SNC	pH	1/30/2017 3:10:51 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 3:06:18 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 3:06:17 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 3:05:46 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 3:05:45 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 3:05:44 PM	26	gradCels
SC PITUR DORU SNC	pH	1/30/2017 3:05:43 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 3:05:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 3:05:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 3:04:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 3:04:20 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 3:04:10 PM	26	gradCels
SC PITUR DORU SNC	pH	1/30/2017 3:04:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 3:00:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 3:00:28 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 2:59:46 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 2:59:45 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 2:59:44 PM	26	gradCels
SC PITUR DORU SNC	pH	1/30/2017 2:59:43 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 2:54:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 2:54:41 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 2:54:27 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 2:54:26 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 2:54:25 PM	26	gradCels
SC PITUR DORU SNC	pH	1/30/2017 2:54:24 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/30/2017 2:49:30 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/30/2017 2:49:28 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 2:49:27 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 2:49:26 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 2:49:25 PM	26	gradCels
SC PITUR DORU SNC	pH	1/30/2017 2:49:24 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 2:47:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 2:47:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 2:47:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 2:46:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 2:46:20 PM	26	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	1/30/2017 2:46:10 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/30/2017 2:44:27 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/30/2017 2:44:21 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 2:43:57 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 2:43:56 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 2:43:55 PM	26	gradCels
SC PITUR DORU SNC	pH	1/30/2017 2:43:54 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 2:38:29 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 2:38:28 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 2:38:27 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 2:38:26 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 2:38:25 PM	26	gradCels
SC PITUR DORU SNC	pH	1/30/2017 2:38:24 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/30/2017 2:33:28 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/30/2017 2:33:26 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 2:32:55 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 2:32:54 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 2:32:53 PM	26	gradCels
SC PITUR DORU SNC	pH	1/30/2017 2:32:52 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 2:29:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 2:29:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 2:28:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 2:28:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 2:28:10 PM	26	gradCels
SC PITUR DORU SNC	pH	1/30/2017 2:28:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 2:27:33 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 2:27:32 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 2:27:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 2:27:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 2:27:21 PM	26	gradCels
SC PITUR DORU SNC	pH	1/30/2017 2:27:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 2:22:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 2:22:23 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 2:21:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 2:21:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 2:21:41 PM	26	gradCels
SC PITUR DORU SNC	pH	1/30/2017 2:21:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 2:16:34 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 2:16:32 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 2:16:27 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 2:16:26 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 2:16:25 PM	26	gradCels
SC PITUR DORU SNC	pH	1/30/2017 2:16:24 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 2:11:18 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 2:11:16 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 2:10:49 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 2:10:48 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 2:10:47 PM	26	gradCels
SC PITUR DORU SNC	pH	1/30/2017 2:10:46 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 2:09:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 2:09:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 2:08:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 2:08:40 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 2:08:30 PM	26	gradCels
SC PITUR DORU SNC	pH	1/30/2017 2:08:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 2:05:25 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 2:05:24 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 2:05:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 2:05:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 2:05:01 PM	26	gradCels
SC PITUR DORU SNC	pH	1/30/2017 2:05:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 2:00:29 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 2:00:26 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 1:59:49 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 1:59:48 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 1:59:47 PM	26	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	1/30/2017 1:59:46 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 1:54:25 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 1:54:24 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 1:54:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 1:54:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 1:54:01 PM	26	gradCels
SC PITUR DORU SNC	pH	1/30/2017 1:54:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 1:50:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 1:50:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 1:50:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 1:49:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 1:49:40 PM	26	gradCels
SC PITUR DORU SNC	Substante organice	1/30/2017 1:49:23 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/30/2017 1:49:22 PM	0	mg/l
SC PITUR DORU SNC	pH	1/30/2017 1:49:10 PM	8	unit pH
SC PITUR DORU SNC	Clor	1/30/2017 1:48:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 1:48:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 1:48:41 PM	26	gradCels
SC PITUR DORU SNC	pH	1/30/2017 1:48:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 1:43:22 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 1:43:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 1:43:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 1:43:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 1:43:01 PM	26	gradCels
SC PITUR DORU SNC	pH	1/30/2017 1:43:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 1:38:29 PM	0	mg/l
SC PITUR DORU SNC	pH	1/30/2017 1:38:27 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/30/2017 1:38:25 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 1:37:45 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 1:37:44 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 1:37:43 PM	26	gradCels
SC PITUR DORU SNC	Cianuri	1/30/2017 1:32:14 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 1:32:12 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 1:32:07 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 1:32:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 1:32:05 PM	26	gradCels
SC PITUR DORU SNC	pH	1/30/2017 1:32:04 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 1:29:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 1:29:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 1:29:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 1:29:00 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 1:28:50 PM	26	gradCels
SC PITUR DORU SNC	pH	1/30/2017 1:28:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/30/2017 1:27:30 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/30/2017 1:27:25 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 1:26:48 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 1:26:47 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 1:26:46 PM	26	gradCels
SC PITUR DORU SNC	pH	1/30/2017 1:26:45 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 1:21:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 1:21:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 1:21:08 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 1:21:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 1:21:06 PM	26	gradCels
SC PITUR DORU SNC	pH	1/30/2017 1:21:05 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 1:16:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 1:16:16 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 1:15:27 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 1:15:26 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 1:15:25 PM	26	gradCels
SC PITUR DORU SNC	pH	1/30/2017 1:15:24 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 1:11:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 1:11:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 1:10:40 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/30/2017 1:10:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 1:10:20 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	1/30/2017 1:10:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 1:10:07 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 1:10:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 1:10:05 PM	26	gradCels
SC PITUR DORU SNC	pH	1/30/2017 1:10:04 PM	8	unit pH
SC PITUR DORU SNC	Temp	1/30/2017 1:09:10 PM	26	gradCels
SC PITUR DORU SNC	pH	1/30/2017 1:09:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/30/2017 1:05:22 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/30/2017 1:05:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 1:04:27 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 1:04:26 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 1:04:25 PM	26	gradCels
SC PITUR DORU SNC	pH	1/30/2017 1:04:24 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 12:59:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 12:59:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 12:59:07 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 12:59:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 12:59:05 PM	26	gradCels
SC PITUR DORU SNC	pH	1/30/2017 12:59:04 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 12:54:19 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 12:54:15 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 12:53:28 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 12:53:27 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 12:53:26 PM	26	gradCels
SC PITUR DORU SNC	pH	1/30/2017 12:53:25 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 12:51:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 12:51:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 12:51:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 12:51:00 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 12:50:50 PM	26	gradCels
SC PITUR DORU SNC	pH	1/30/2017 12:50:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 12:48:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 12:48:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 12:47:49 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 12:47:48 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 12:47:47 PM	26	gradCels
SC PITUR DORU SNC	pH	1/30/2017 12:47:46 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 12:43:24 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 12:43:22 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 12:42:29 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 12:42:28 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 12:42:27 PM	26	gradCels
SC PITUR DORU SNC	pH	1/30/2017 12:42:26 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 12:37:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 12:37:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 12:36:48 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 12:36:47 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 12:36:46 PM	26	gradCels
SC PITUR DORU SNC	pH	1/30/2017 12:36:45 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 12:33:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 12:33:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 12:33:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 12:33:00 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 12:32:50 PM	26	gradCels
SC PITUR DORU SNC	pH	1/30/2017 12:32:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 12:31:29 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 12:31:28 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 12:31:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 12:31:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 12:31:21 PM	26	gradCels
SC PITUR DORU SNC	pH	1/30/2017 12:31:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 12:26:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 12:26:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 12:25:52 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 12:25:49 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 12:25:48 PM	26	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	1/30/2017 12:25:47 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 12:20:29 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 12:20:28 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 12:20:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 12:20:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 12:20:21 PM	26	gradCels
SC PITUR DORU SNC	pH	1/30/2017 12:20:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 12:15:22 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 12:15:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 12:14:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 12:14:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 12:14:45 PM	26	gradCels
SC PITUR DORU SNC	pH	1/30/2017 12:14:44 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 12:14:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 12:13:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 12:12:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 12:12:40 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 12:12:30 PM	26	gradCels
SC PITUR DORU SNC	pH	1/30/2017 12:12:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 12:09:29 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 12:09:28 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 12:09:27 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 12:09:26 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 12:09:25 PM	26	gradCels
SC PITUR DORU SNC	pH	1/30/2017 12:09:24 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 12:04:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 12:04:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 12:03:48 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 12:03:47 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 12:03:46 PM	26	gradCels
SC PITUR DORU SNC	pH	1/30/2017 12:03:45 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 11:58:29 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 11:58:28 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 11:58:27 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 11:58:26 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 11:58:25 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 11:58:24 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 11:54:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 11:54:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 11:54:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 11:54:00 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 11:53:50 AM	26	gradCels
SC PITUR DORU SNC	Substante organice	1/30/2017 11:53:34 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/30/2017 11:53:32 AM	0	mg/l
SC PITUR DORU SNC	pH	1/30/2017 11:53:00 AM	8	unit pH
SC PITUR DORU SNC	Clor	1/30/2017 11:52:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 11:52:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 11:52:41 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 11:52:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 11:47:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 11:47:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 11:47:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 11:47:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 11:47:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 11:47:00 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/30/2017 11:42:33 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/30/2017 11:42:32 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 11:41:44 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 11:41:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 11:41:42 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 11:41:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 11:36:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 11:36:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 11:36:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 11:36:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 11:36:05 AM	25	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	1/30/2017 11:36:04 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 11:35:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 11:34:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 11:34:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 11:34:00 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 11:33:50 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 11:33:40 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/30/2017 11:31:35 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/30/2017 11:31:33 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 11:30:48 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 11:30:47 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 11:30:46 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 11:30:45 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 11:25:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 11:25:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 11:25:08 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 11:25:07 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 11:25:06 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 11:25:05 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 11:20:34 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 11:20:32 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 11:19:47 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 11:19:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 11:19:45 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 11:19:44 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 11:17:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 11:16:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 11:16:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 11:16:20 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 11:16:10 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 11:16:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 11:14:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 11:14:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 11:14:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 11:14:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 11:14:05 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 11:14:04 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 11:09:28 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 11:09:24 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 11:08:27 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 11:08:26 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 11:08:25 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 11:08:24 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 11:03:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 11:03:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 11:03:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 11:03:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 11:03:05 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 11:03:04 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 10:59:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 10:59:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 10:59:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 10:58:50 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 10:58:40 AM	25	gradCels
SC PITUR DORU SNC	Substante organice	1/30/2017 10:58:30 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/30/2017 10:58:23 AM	0	mg/l
SC PITUR DORU SNC	pH	1/30/2017 10:58:10 AM	8	unit pH
SC PITUR DORU SNC	Clor	1/30/2017 10:57:27 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 10:57:26 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 10:57:25 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 10:57:24 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/30/2017 10:52:21 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/30/2017 10:52:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 10:52:08 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 10:52:07 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 10:52:06 AM	25	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	1/30/2017 10:52:05 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/30/2017 10:47:20 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/30/2017 10:47:16 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 10:46:27 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 10:46:26 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 10:46:25 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 10:46:24 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 10:43:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 10:42:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 10:42:10 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/30/2017 10:41:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 10:41:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 10:41:10 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 10:41:00 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 10:40:50 AM	8	unit pH
SC PITUR DORU SNC	Clor	1/30/2017 10:40:49 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 10:40:48 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 10:40:47 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 10:40:46 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 10:36:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 10:36:18 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 10:35:29 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 10:35:28 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 10:35:27 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 10:35:26 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/30/2017 10:30:23 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/30/2017 10:30:21 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 10:29:49 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 10:29:48 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 10:29:47 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 10:29:46 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 10:25:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 10:25:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 10:24:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 10:24:40 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/30/2017 10:24:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 10:24:29 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 10:24:28 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 10:24:27 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 10:24:26 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 10:24:25 AM	8	unit pH
SC PITUR DORU SNC	Temp	1/30/2017 10:24:00 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 10:23:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 10:19:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 10:19:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 10:18:47 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 10:18:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 10:18:45 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 10:18:44 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 10:13:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 10:13:28 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 10:13:27 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 10:13:26 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 10:13:25 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 10:13:24 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 10:08:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 10:08:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 10:07:49 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 10:07:48 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 10:07:47 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 10:07:46 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 10:06:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 10:06:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 10:06:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 10:05:50 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 10:05:40 AM	25	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	1/30/2017 10:05:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 10:02:29 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 10:02:28 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 10:02:27 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 10:02:26 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 10:02:25 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 10:02:24 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 9:57:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 9:57:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 9:56:49 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 9:56:48 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 9:56:47 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 9:56:46 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 9:51:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 9:51:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 9:51:09 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 9:51:08 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 9:51:07 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 9:51:06 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 9:49:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 9:49:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 9:48:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 9:48:30 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/30/2017 9:48:03 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 9:48:02 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 9:48:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 9:48:00 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 9:47:59 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 9:47:58 AM	8	unit pH
SC PITUR DORU SNC	Temp	1/30/2017 9:46:40 AM	25	gradCels
SC PITUR DORU SNC	Cianuri	1/30/2017 9:46:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 9:46:20 AM	0	mg/l
SC PITUR DORU SNC	pH	1/30/2017 9:46:00 AM	8	unit pH
SC PITUR DORU SNC	Clor	1/30/2017 9:45:49 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 9:45:48 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 9:45:47 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 9:45:46 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 9:40:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 9:40:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 9:40:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 9:40:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 9:40:05 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 9:40:04 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 9:35:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 9:35:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 9:34:49 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 9:34:48 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 9:34:47 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 9:34:46 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 9:29:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 9:29:20 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/30/2017 9:29:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 9:29:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 9:29:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 9:29:05 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 9:29:04 AM	8	unit pH
SC PITUR DORU SNC	Clor	1/30/2017 9:28:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 9:27:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 9:27:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 9:27:20 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 9:27:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 9:24:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 9:24:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 9:23:48 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 9:23:47 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 9:23:46 AM	25	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	1/30/2017 9:23:45 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 9:18:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 9:18:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 9:18:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 9:18:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 9:18:05 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 9:18:04 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/30/2017 9:13:23 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/30/2017 9:13:21 AM	0	mg/l
SC PITUR DORU SNC	pH	1/30/2017 9:13:20 AM	8	unit pH
SC PITUR DORU SNC	Clor	1/30/2017 9:12:48 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 9:12:47 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 9:12:46 AM	25	gradCels
SC PITUR DORU SNC	Cianuri	1/30/2017 9:09:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 9:09:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 9:08:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 9:08:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 9:07:40 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 9:07:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 9:07:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 9:07:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 9:07:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 9:07:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 9:07:05 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 9:07:04 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 9:02:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 9:02:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 9:01:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 9:01:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 9:01:41 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 9:01:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 8:56:24 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 8:56:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 8:56:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 8:56:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 8:56:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 8:56:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 8:51:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 8:51:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 8:50:29 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 8:50:28 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 8:50:27 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 8:50:26 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 8:48:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 8:48:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 8:47:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 8:47:00 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 8:46:50 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 8:46:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 8:45:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 8:45:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 8:45:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 8:45:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 8:45:05 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 8:45:04 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 8:40:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 8:40:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 8:39:28 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 8:39:27 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 8:39:26 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 8:39:25 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 8:34:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 8:34:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 8:34:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 8:34:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 8:34:01 AM	25	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	1/30/2017 8:34:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 8:29:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 8:29:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 8:28:29 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 8:28:28 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 8:28:27 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 8:28:26 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 8:26:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 8:26:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 8:26:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 8:26:10 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 8:26:00 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 8:25:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 8:23:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 8:23:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 8:23:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 8:23:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 8:23:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 8:23:00 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/30/2017 8:18:21 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/30/2017 8:18:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 8:17:24 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 8:17:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 8:17:22 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 8:17:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 8:12:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 8:12:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 8:12:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 8:12:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 8:12:05 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 8:12:04 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/30/2017 8:07:21 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/30/2017 8:07:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 8:06:24 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 8:06:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 8:06:22 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 8:06:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 8:04:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 8:04:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 8:03:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 8:03:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 8:02:50 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 8:02:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 8:01:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 8:01:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 8:01:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 8:01:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 8:01:05 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 8:01:04 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 7:56:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 7:56:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 7:55:29 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 7:55:28 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 7:55:27 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 7:55:26 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 7:50:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 7:50:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 7:50:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 7:50:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 7:50:05 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 7:50:04 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/30/2017 7:45:21 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/30/2017 7:45:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 7:44:28 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 7:44:27 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 7:44:26 AM	25	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	1/30/2017 7:44:25 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 7:40:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 7:40:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 7:39:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 7:39:30 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/30/2017 7:39:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 7:39:20 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 7:39:00 AM	25	gradCels
SC PITUR DORU SNC	Clor	1/30/2017 7:38:45 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 7:38:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 7:38:43 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 7:38:42 AM	8	unit pH
SC PITUR DORU SNC	pH	1/30/2017 7:37:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 7:33:29 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 7:33:28 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 7:33:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 7:33:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 7:33:21 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 7:33:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 7:28:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 7:28:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 7:27:49 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 7:27:48 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 7:27:47 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 7:27:46 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/30/2017 7:22:31 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/30/2017 7:22:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 7:22:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 7:22:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 7:22:21 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 7:22:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 7:18:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 7:18:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 7:17:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 7:17:30 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/30/2017 7:17:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 7:17:20 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 7:17:00 AM	25	gradCels
SC PITUR DORU SNC	Clor	1/30/2017 7:16:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 7:16:49 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 7:16:48 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 7:16:47 AM	8	unit pH
SC PITUR DORU SNC	pH	1/30/2017 7:15:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 7:11:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 7:11:41 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 7:11:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 7:11:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 7:11:21 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 7:11:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 7:06:23 AM	0	mg/l
SC PITUR DORU SNC	pH	1/30/2017 7:06:21 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/30/2017 7:06:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 7:05:42 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 7:05:41 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 7:05:40 AM	25	gradCels
SC PITUR DORU SNC	Cianuri	1/30/2017 7:00:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 7:00:41 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 7:00:27 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 7:00:26 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 7:00:25 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 7:00:24 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 6:58:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 6:58:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 6:57:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 6:57:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 6:56:40 AM	25	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	1/30/2017 6:56:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 6:55:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 6:55:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 6:54:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 6:54:49 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 6:54:48 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 6:54:47 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/30/2017 6:49:31 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/30/2017 6:49:29 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 6:49:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 6:49:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 6:49:21 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 6:49:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 6:44:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 6:44:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 6:43:49 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 6:43:48 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 6:43:47 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 6:43:46 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/30/2017 6:38:42 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/30/2017 6:38:41 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 6:38:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 6:38:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 6:38:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 6:38:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 6:36:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 6:36:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 6:35:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 6:35:40 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 6:35:30 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 6:35:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 6:33:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 6:33:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 6:32:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 6:32:49 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 6:32:48 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 6:32:47 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 6:27:44 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 6:27:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 6:27:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 6:27:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 6:27:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 6:27:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 6:22:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 6:22:21 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 6:21:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 6:21:29 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 6:21:28 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 6:21:27 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 6:16:30 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/30/2017 6:16:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 6:16:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 6:16:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 6:16:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 6:16:05 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 6:16:04 AM	8	unit pH
SC PITUR DORU SNC	Clor	1/30/2017 6:15:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 6:14:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 6:14:40 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 6:14:30 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 6:14:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 6:11:23 AM	0	mg/l
SC PITUR DORU SNC	pH	1/30/2017 6:11:22 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/30/2017 6:11:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 6:10:48 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 6:10:47 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Temp	1/30/2017 6:10:46 AM	25	gradCels
SC PITUR DORU SNC	Cianuri	1/30/2017 6:05:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 6:05:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 6:05:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 6:05:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 6:05:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 6:05:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 6:00:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 6:00:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 5:59:45 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 5:59:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 5:59:43 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 5:59:42 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 5:57:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 5:56:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 5:55:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 5:55:10 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 5:55:00 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 5:54:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 5:54:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 5:54:09 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 5:54:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 5:54:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 5:54:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 5:54:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 5:49:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 5:49:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 5:48:31 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 5:48:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 5:48:29 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 5:48:28 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 5:43:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 5:43:21 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 5:43:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 5:43:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 5:43:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 5:43:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 5:38:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 5:38:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 5:37:48 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 5:37:47 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 5:37:46 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 5:37:45 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 5:35:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 5:35:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 5:35:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 5:34:50 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 5:34:40 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 5:33:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 5:32:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 5:32:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 5:31:54 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 5:31:53 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 5:31:52 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 5:31:51 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 5:27:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 5:27:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 5:26:49 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 5:26:48 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 5:26:47 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 5:26:46 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 5:21:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 5:21:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 5:20:54 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 5:20:53 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 5:20:52 AM	25	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	1/30/2017 5:20:51 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 5:16:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 5:16:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 5:15:45 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 5:15:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 5:15:43 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 5:15:42 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 5:13:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 5:13:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 5:13:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 5:12:50 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 5:12:40 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 5:11:50 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/30/2017 5:10:22 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/30/2017 5:10:21 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 5:09:57 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 5:09:55 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 5:09:53 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 5:09:51 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 5:05:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 5:05:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 5:04:45 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 5:04:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 5:04:43 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 5:04:42 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 4:59:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 4:59:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 4:58:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 4:58:49 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 4:58:48 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 4:58:47 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 4:54:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 4:54:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 4:53:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 4:53:29 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 4:53:28 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 4:53:27 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 4:51:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 4:50:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 4:49:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 4:49:10 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 4:49:00 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 4:48:50 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/30/2017 4:48:22 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/30/2017 4:48:21 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 4:47:49 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 4:47:48 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 4:47:47 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 4:47:46 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 4:43:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 4:43:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 4:42:29 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 4:42:28 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 4:42:27 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 4:42:26 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 4:38:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 4:38:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 4:37:49 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 4:37:48 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 4:37:47 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 4:37:46 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 4:32:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 4:32:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 4:31:47 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 4:31:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 4:31:45 AM	25	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	1/30/2017 4:31:44 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 4:29:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 4:29:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 4:28:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 4:28:40 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 4:27:40 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 4:27:10 AM	8	unit pH
SC PITUR DORU SNC	pH	1/30/2017 4:26:45 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/30/2017 4:26:43 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/30/2017 4:26:41 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 4:26:26 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 4:26:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 4:26:24 AM	25	gradCels
SC PITUR DORU SNC	Cianuri	1/30/2017 4:21:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 4:21:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 4:20:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 4:20:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 4:20:41 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 4:20:40 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/30/2017 4:15:44 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/30/2017 4:15:41 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 4:15:27 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 4:15:26 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 4:15:25 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 4:15:24 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/30/2017 4:10:21 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/30/2017 4:10:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 4:09:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 4:09:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 4:09:41 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 4:09:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 4:08:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 4:08:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 4:07:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 4:07:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 4:07:00 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 4:06:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 4:04:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 4:04:41 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 4:04:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 4:04:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 4:04:21 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 4:04:20 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/30/2017 3:59:21 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/30/2017 3:59:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 3:58:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 3:58:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 3:58:41 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 3:58:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 3:53:33 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 3:53:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 3:53:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 3:53:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 3:53:21 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 3:53:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 3:48:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 3:48:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 3:47:47 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 3:47:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 3:47:45 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 3:47:44 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 3:46:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 3:46:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 3:46:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 3:45:50 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 3:45:40 AM	25	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	1/30/2017 3:45:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 3:42:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 3:42:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 3:42:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 3:42:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 3:42:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 3:42:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 3:37:44 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 3:37:41 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 3:36:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 3:36:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 3:36:41 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 3:36:40 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/30/2017 3:31:22 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/30/2017 3:31:21 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 3:31:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 3:31:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 3:31:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 3:31:00 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/30/2017 3:26:21 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/30/2017 3:26:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 3:25:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 3:25:49 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 3:25:48 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 3:25:47 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 3:25:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 3:24:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 3:24:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 3:24:10 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 3:24:00 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 3:23:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 3:20:12 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 3:20:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 3:20:04 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 3:20:03 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 3:20:02 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 3:20:01 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 3:15:23 AM	0	mg/l
SC PITUR DORU SNC	pH	1/30/2017 3:15:21 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/30/2017 3:15:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 3:14:44 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 3:14:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 3:14:42 AM	25	gradCels
SC PITUR DORU SNC	Substante organice	1/30/2017 3:09:23 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/30/2017 3:09:21 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 3:09:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 3:09:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 3:09:05 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 3:09:04 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 3:04:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 3:04:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 3:03:45 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 3:03:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 3:03:43 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 3:03:42 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 3:02:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 3:01:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 3:01:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 3:01:00 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 3:00:50 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 3:00:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 2:58:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 2:58:21 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 2:58:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 2:58:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 2:58:05 AM	25	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	1/30/2017 2:58:04 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 2:53:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 2:53:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 2:52:31 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 2:52:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 2:52:29 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 2:52:28 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/30/2017 2:47:22 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/30/2017 2:47:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 2:47:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 2:47:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 2:47:05 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 2:47:04 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 2:42:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 2:42:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 2:41:46 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 2:41:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 2:41:44 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 2:41:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 2:39:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 2:38:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 2:38:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 2:38:00 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 2:37:50 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 2:37:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 2:36:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 2:36:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 2:36:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 2:36:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 2:36:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 2:36:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 2:31:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 2:31:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 2:31:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 2:31:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 2:31:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 2:31:00 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/30/2017 2:26:22 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/30/2017 2:26:16 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 2:25:45 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 2:25:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 2:25:43 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 2:25:42 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 2:20:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 2:20:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 2:20:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 2:20:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 2:20:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 2:20:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 2:16:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 2:15:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 2:15:30 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/30/2017 2:15:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 2:15:17 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 2:14:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 2:14:46 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 2:14:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 2:14:44 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 2:14:43 AM	8	unit pH
SC PITUR DORU SNC	Temp	1/30/2017 2:13:40 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 2:13:30 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/30/2017 2:09:21 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/30/2017 2:09:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 2:08:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 2:08:49 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 2:08:48 AM	25	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	1/30/2017 2:08:47 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/30/2017 2:04:21 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/30/2017 2:04:16 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 2:03:47 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 2:03:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 2:03:44 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 2:03:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 1:58:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 1:58:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 1:57:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 1:57:49 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 1:57:48 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 1:57:47 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 1:53:17 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 1:53:15 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/30/2017 1:52:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 1:52:25 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 1:52:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 1:52:23 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 1:52:22 AM	8	unit pH
SC PITUR DORU SNC	Clor	1/30/2017 1:52:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 1:50:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 1:50:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 1:50:20 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 1:50:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 1:47:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 1:47:21 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 1:46:49 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 1:46:48 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 1:46:47 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 1:46:46 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 1:42:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 1:42:18 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 1:41:46 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 1:41:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 1:41:44 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 1:41:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 1:36:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 1:36:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 1:35:49 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 1:35:48 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 1:35:47 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 1:35:46 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 1:31:16 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 1:31:14 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 1:30:46 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 1:30:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 1:30:44 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 1:30:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 1:28:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 1:28:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 1:28:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 1:28:00 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 1:27:50 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 1:27:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 1:25:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 1:25:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 1:24:46 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 1:24:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 1:24:44 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 1:24:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 1:20:17 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 1:20:15 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 1:19:26 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 1:19:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 1:19:24 AM	25	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	1/30/2017 1:19:23 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 1:14:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 1:14:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 1:13:47 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 1:13:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 1:13:45 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 1:13:44 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 1:08:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 1:08:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 1:08:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 1:08:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 1:08:21 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 1:08:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 1:06:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 1:06:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 1:06:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 1:05:50 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 1:05:40 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 1:05:30 AM	8	unit pH
SC PITUR DORU SNC	pH	1/30/2017 1:03:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 1:03:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 1:03:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 1:02:45 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 1:02:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 1:02:43 AM	25	gradCels
SC PITUR DORU SNC	Cianuri	1/30/2017 12:57:27 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 12:57:24 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 12:57:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 12:57:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 12:57:21 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 12:57:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 12:52:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 12:52:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 12:51:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 12:51:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 12:51:41 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 12:51:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 12:46:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 12:46:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 12:46:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 12:46:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 12:46:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 12:46:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 12:44:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 12:44:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 12:44:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 12:44:00 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 12:43:50 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 12:43:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 12:41:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 12:41:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 12:40:46 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 12:40:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 12:40:44 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 12:40:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 12:35:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 12:35:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 12:35:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 12:35:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 12:35:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 12:35:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 12:30:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 12:30:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 12:29:46 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 12:29:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 12:29:44 AM	25	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	1/30/2017 12:29:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 12:24:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 12:24:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 12:24:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 12:24:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 12:24:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 12:24:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 12:19:40 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/30/2017 12:19:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 12:19:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 12:19:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 12:18:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 12:18:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 12:18:41 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 12:18:40 AM	8	unit pH
SC PITUR DORU SNC	Grasimi	1/30/2017 12:17:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 12:17:10 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 12:16:50 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 12:16:40 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/30/2017 12:13:21 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/30/2017 12:13:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 12:13:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 12:13:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 12:13:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 12:13:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 12:08:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 12:08:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 12:07:45 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 12:07:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 12:07:43 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 12:07:42 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/30/2017 12:02:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/30/2017 12:02:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/30/2017 12:02:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/30/2017 12:02:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/30/2017 12:02:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/30/2017 12:02:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 11:57:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 11:57:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 11:56:46 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 11:56:45 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 11:56:44 PM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 11:56:43 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 11:55:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 11:55:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 11:54:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 11:54:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 11:54:20 PM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 11:54:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 11:51:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 11:51:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 11:51:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 11:51:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 11:51:01 PM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 11:51:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 11:46:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 11:46:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 11:45:26 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 11:45:25 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 11:45:24 PM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 11:45:23 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/29/2017 11:40:21 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/29/2017 11:40:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 11:40:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 11:40:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 11:40:01 PM	25	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	1/29/2017 11:40:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 11:35:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 11:35:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 11:34:44 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 11:34:43 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 11:34:42 PM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 11:34:41 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 11:33:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 11:33:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 11:32:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 11:32:20 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 11:32:10 PM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 11:32:00 PM	8	unit pH
SC PITUR DORU SNC	pH	1/29/2017 11:29:25 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 11:29:24 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 11:29:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 11:29:06 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 11:29:05 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 11:29:04 PM	25	gradCels
SC PITUR DORU SNC	Cianuri	1/29/2017 11:24:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 11:24:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 11:23:44 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 11:23:43 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 11:23:42 PM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 11:23:41 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/29/2017 11:18:11 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/29/2017 11:18:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 11:18:08 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 11:18:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 11:18:05 PM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 11:18:04 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 11:13:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 11:13:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 11:12:48 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 11:12:47 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 11:12:46 PM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 11:12:45 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 11:11:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 11:11:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 11:11:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 11:10:40 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 11:10:30 PM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 11:10:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 11:07:24 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 11:07:22 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 11:07:07 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 11:07:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 11:07:05 PM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 11:07:04 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 11:02:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 11:02:41 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 11:01:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 11:01:29 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 11:01:28 PM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 11:01:27 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/29/2017 10:56:41 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/29/2017 10:56:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 10:55:46 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 10:55:45 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 10:55:44 PM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 10:55:43 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/29/2017 10:51:23 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/29/2017 10:51:22 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 10:50:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 10:50:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 10:50:21 PM	25	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	1/29/2017 10:50:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 10:49:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 10:49:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 10:49:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 10:49:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 10:48:40 PM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 10:48:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 10:45:44 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 10:45:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 10:44:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 10:44:49 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 10:44:48 PM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 10:44:47 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 10:39:29 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 10:39:28 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 10:39:27 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 10:39:26 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 10:39:25 PM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 10:39:24 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 10:34:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 10:34:41 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 10:33:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 10:33:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 10:33:41 PM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 10:33:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 10:28:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 10:28:43 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 10:28:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 10:28:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 10:28:21 PM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 10:28:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 10:26:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 10:26:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 10:25:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 10:25:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 10:25:10 PM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 10:25:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 10:23:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 10:23:41 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 10:22:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 10:22:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 10:22:41 PM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 10:22:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/29/2017 10:17:23 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/29/2017 10:17:22 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 10:17:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 10:17:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 10:17:01 PM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 10:17:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 10:12:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 10:12:41 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 10:11:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 10:11:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 10:11:41 PM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 10:11:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 10:06:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 10:06:21 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 10:06:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 10:06:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 10:06:01 PM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 10:06:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 10:05:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 10:05:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 10:04:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 10:04:00 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 10:03:50 PM	26	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	1/29/2017 10:03:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/29/2017 10:01:42 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/29/2017 10:01:41 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 10:00:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 10:00:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 10:00:45 PM	26	gradCels
SC PITUR DORU SNC	pH	1/29/2017 10:00:44 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/29/2017 9:55:22 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/29/2017 9:55:21 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 9:55:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 9:55:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 9:55:01 PM	26	gradCels
SC PITUR DORU SNC	pH	1/29/2017 9:55:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 9:50:22 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 9:50:21 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 9:49:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 9:49:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 9:49:41 PM	26	gradCels
SC PITUR DORU SNC	pH	1/29/2017 9:49:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 9:44:16 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 9:44:14 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 9:44:05 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 9:44:03 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 9:44:01 PM	26	gradCels
SC PITUR DORU SNC	pH	1/29/2017 9:44:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 9:43:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 9:43:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 9:43:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 9:42:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 9:42:00 PM	26	gradCels
SC PITUR DORU SNC	pH	1/29/2017 9:41:50 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/29/2017 9:39:43 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/29/2017 9:39:41 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 9:38:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 9:38:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 9:38:41 PM	26	gradCels
SC PITUR DORU SNC	pH	1/29/2017 9:38:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 9:33:09 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 9:33:08 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 9:33:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 9:33:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 9:33:01 PM	26	gradCels
SC PITUR DORU SNC	pH	1/29/2017 9:33:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 9:28:44 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 9:28:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 9:27:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 9:27:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 9:27:21 PM	26	gradCels
SC PITUR DORU SNC	pH	1/29/2017 9:27:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 9:22:20 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/29/2017 9:22:11 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 9:22:09 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 9:22:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 9:22:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 9:22:01 PM	26	gradCels
SC PITUR DORU SNC	pH	1/29/2017 9:22:00 PM	8	unit pH
SC PITUR DORU SNC	Clor	1/29/2017 9:21:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 9:21:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 9:20:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 9:20:40 PM	26	gradCels
SC PITUR DORU SNC	pH	1/29/2017 9:20:30 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/29/2017 9:17:23 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/29/2017 9:17:22 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 9:16:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 9:16:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 9:16:21 PM	26	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	1/29/2017 9:16:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 9:11:09 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 9:11:08 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 9:11:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 9:11:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 9:11:01 PM	26	gradCels
SC PITUR DORU SNC	pH	1/29/2017 9:11:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 9:06:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 9:06:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 9:05:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 9:05:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 9:05:21 PM	26	gradCels
SC PITUR DORU SNC	pH	1/29/2017 9:05:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 9:01:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 9:01:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 9:00:20 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/29/2017 9:00:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 9:00:08 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 9:00:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 9:00:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 9:00:01 PM	26	gradCels
SC PITUR DORU SNC	pH	1/29/2017 9:00:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/29/2017 8:59:40 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 8:59:30 PM	26	gradCels
SC PITUR DORU SNC	pH	1/29/2017 8:59:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 8:55:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 8:55:41 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 8:54:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 8:54:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 8:54:21 PM	26	gradCels
SC PITUR DORU SNC	pH	1/29/2017 8:54:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 8:49:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 8:49:08 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 8:49:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 8:49:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 8:49:01 PM	26	gradCels
SC PITUR DORU SNC	pH	1/29/2017 8:49:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/29/2017 8:44:42 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/29/2017 8:44:41 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 8:43:24 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 8:43:23 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 8:43:22 PM	26	gradCels
SC PITUR DORU SNC	pH	1/29/2017 8:43:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 8:38:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 8:38:20 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/29/2017 8:38:10 PM	0	mg/l
SC PITUR DORU SNC	pH	1/29/2017 8:38:08 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/29/2017 8:38:07 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 8:38:02 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 8:38:01 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 8:38:00 PM	26	gradCels
SC PITUR DORU SNC	Grasimi	1/29/2017 8:37:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 8:37:00 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 8:36:50 PM	26	gradCels
SC PITUR DORU SNC	pH	1/29/2017 8:36:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 8:33:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 8:33:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 8:32:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 8:32:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 8:32:21 PM	26	gradCels
SC PITUR DORU SNC	pH	1/29/2017 8:32:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 8:27:09 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 8:27:08 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 8:27:07 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 8:27:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 8:27:05 PM	26	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	1/29/2017 8:27:04 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 8:22:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 8:22:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 8:21:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 8:21:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 8:21:21 PM	26	gradCels
SC PITUR DORU SNC	pH	1/29/2017 8:21:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 8:16:22 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 8:16:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 8:15:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 8:15:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 8:15:45 PM	26	gradCels
SC PITUR DORU SNC	pH	1/29/2017 8:15:44 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 8:14:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 8:14:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 8:13:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 8:13:40 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 8:13:30 PM	26	gradCels
SC PITUR DORU SNC	pH	1/29/2017 8:13:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 8:11:22 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 8:11:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 8:10:27 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 8:10:26 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 8:10:25 PM	26	gradCels
SC PITUR DORU SNC	pH	1/29/2017 8:10:24 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 8:05:24 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 8:05:22 PM	26	gradCels
SC PITUR DORU SNC	Substante organice	1/29/2017 8:05:21 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 8:04:42 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 8:04:41 PM	0	mg/l
SC PITUR DORU SNC	pH	1/29/2017 8:04:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 7:59:29 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 7:59:28 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 7:59:27 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 7:59:26 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 7:59:25 PM	26	gradCels
SC PITUR DORU SNC	pH	1/29/2017 7:59:24 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 7:54:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 7:54:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 7:53:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 7:53:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 7:53:41 PM	26	gradCels
SC PITUR DORU SNC	pH	1/29/2017 7:53:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 7:53:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 7:52:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 7:52:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 7:52:20 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 7:51:50 PM	26	gradCels
SC PITUR DORU SNC	pH	1/29/2017 7:51:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 7:48:29 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 7:48:28 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 7:48:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 7:48:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 7:48:21 PM	26	gradCels
SC PITUR DORU SNC	pH	1/29/2017 7:48:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 7:43:22 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 7:43:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 7:42:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 7:42:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 7:42:41 PM	26	gradCels
SC PITUR DORU SNC	pH	1/29/2017 7:42:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/29/2017 7:37:09 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/29/2017 7:37:08 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 7:37:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 7:37:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 7:37:01 PM	26	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	1/29/2017 7:37:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 7:32:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 7:32:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 7:31:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 7:31:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 7:31:41 PM	26	gradCels
SC PITUR DORU SNC	pH	1/29/2017 7:31:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 7:30:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 7:29:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 7:29:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 7:29:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 7:29:00 PM	26	gradCels
SC PITUR DORU SNC	pH	1/29/2017 7:28:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 7:26:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 7:26:08 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 7:26:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 7:26:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 7:26:01 PM	26	gradCels
SC PITUR DORU SNC	pH	1/29/2017 7:26:00 PM	8	unit pH
SC PITUR DORU SNC	pH	1/29/2017 7:21:22 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 7:21:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 7:21:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 7:20:42 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 7:20:41 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 7:20:40 PM	26	gradCels
SC PITUR DORU SNC	Cianuri	1/29/2017 7:15:09 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 7:15:08 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 7:15:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 7:15:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 7:15:01 PM	26	gradCels
SC PITUR DORU SNC	pH	1/29/2017 7:15:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 7:10:22 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 7:10:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 7:09:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 7:09:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 7:09:41 PM	26	gradCels
SC PITUR DORU SNC	pH	1/29/2017 7:09:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 7:08:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 7:08:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 7:07:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 7:06:00 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 7:05:50 PM	26	gradCels
SC PITUR DORU SNC	pH	1/29/2017 7:05:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 7:04:09 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 7:04:08 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 7:04:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 7:04:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 7:04:01 PM	26	gradCels
SC PITUR DORU SNC	pH	1/29/2017 7:04:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 6:59:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 6:59:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 6:58:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 6:58:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 6:58:41 PM	26	gradCels
SC PITUR DORU SNC	pH	1/29/2017 6:58:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 6:53:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 6:53:09 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 6:53:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 6:53:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 6:53:01 PM	26	gradCels
SC PITUR DORU SNC	pH	1/29/2017 6:53:00 PM	8	unit pH
SC PITUR DORU SNC	pH	1/29/2017 6:48:24 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 6:48:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 6:48:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 6:47:42 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 6:47:41 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Temp	1/29/2017 6:47:40 PM	26	gradCels
SC PITUR DORU SNC	Cianuri	1/29/2017 6:46:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 6:46:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 6:45:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 6:44:00 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 6:43:30 PM	26	gradCels
SC PITUR DORU SNC	pH	1/29/2017 6:43:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 6:42:09 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 6:42:08 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 6:42:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 6:42:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 6:42:01 PM	26	gradCels
SC PITUR DORU SNC	pH	1/29/2017 6:42:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 6:37:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 6:37:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 6:36:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 6:36:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 6:36:41 PM	26	gradCels
SC PITUR DORU SNC	pH	1/29/2017 6:36:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 6:31:09 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 6:31:08 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 6:31:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 6:31:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 6:31:01 PM	26	gradCels
SC PITUR DORU SNC	pH	1/29/2017 6:31:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 6:26:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 6:26:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 6:25:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 6:25:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 6:25:21 PM	26	gradCels
SC PITUR DORU SNC	pH	1/29/2017 6:25:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 6:23:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 6:23:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 6:22:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 6:21:20 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 6:21:10 PM	26	gradCels
SC PITUR DORU SNC	pH	1/29/2017 6:21:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 6:20:09 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 6:20:08 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 6:20:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 6:20:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 6:20:01 PM	26	gradCels
SC PITUR DORU SNC	pH	1/29/2017 6:20:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 6:15:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 6:15:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 6:14:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 6:14:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 6:14:21 PM	26	gradCels
SC PITUR DORU SNC	pH	1/29/2017 6:14:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 6:09:09 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 6:09:08 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 6:09:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 6:09:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 6:09:01 PM	26	gradCels
SC PITUR DORU SNC	pH	1/29/2017 6:09:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 6:04:22 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 6:04:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 6:03:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 6:03:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 6:03:21 PM	26	gradCels
SC PITUR DORU SNC	pH	1/29/2017 6:03:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 6:01:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 6:01:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 5:59:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 5:59:20 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 5:59:10 PM	26	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	1/29/2017 5:59:00 PM	8	unit pH
SC PITUR DORU SNC	pH	1/29/2017 5:58:11 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 5:58:08 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 5:58:07 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 5:58:02 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 5:58:01 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 5:58:00 PM	26	gradCels
SC PITUR DORU SNC	Cianuri	1/29/2017 5:53:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 5:53:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 5:52:28 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 5:52:27 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 5:52:26 PM	26	gradCels
SC PITUR DORU SNC	pH	1/29/2017 5:52:25 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 5:47:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 5:47:08 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 5:47:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 5:47:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 5:47:01 PM	26	gradCels
SC PITUR DORU SNC	pH	1/29/2017 5:47:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 5:42:22 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 5:42:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 5:41:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 5:41:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 5:41:21 PM	26	gradCels
SC PITUR DORU SNC	pH	1/29/2017 5:41:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 5:40:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 5:40:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 5:39:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 5:39:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 5:39:20 PM	26	gradCels
SC PITUR DORU SNC	pH	1/29/2017 5:39:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 5:36:09 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 5:36:08 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 5:36:07 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 5:36:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 5:36:05 PM	26	gradCels
SC PITUR DORU SNC	pH	1/29/2017 5:36:04 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 5:31:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 5:31:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 5:30:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 5:30:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 5:30:21 PM	26	gradCels
SC PITUR DORU SNC	pH	1/29/2017 5:30:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 5:25:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 5:25:09 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 5:25:08 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 5:25:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 5:25:06 PM	26	gradCels
SC PITUR DORU SNC	pH	1/29/2017 5:25:05 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 5:20:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 5:20:20 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/29/2017 5:19:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 5:19:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 5:19:27 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 5:19:26 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 5:19:25 PM	26	gradCels
SC PITUR DORU SNC	pH	1/29/2017 5:19:24 PM	8	unit pH
SC PITUR DORU SNC	Grasimi	1/29/2017 5:18:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 5:18:40 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 5:18:30 PM	26	gradCels
SC PITUR DORU SNC	pH	1/29/2017 5:18:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 5:14:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 5:14:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 5:13:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 5:13:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 5:13:45 PM	26	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	1/29/2017 5:13:44 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 5:09:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 5:09:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 5:08:27 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 5:08:26 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 5:08:25 PM	26	gradCels
SC PITUR DORU SNC	pH	1/29/2017 5:08:24 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 5:03:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 5:03:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 5:02:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 5:02:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 5:02:41 PM	26	gradCels
SC PITUR DORU SNC	pH	1/29/2017 5:02:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 5:00:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 5:00:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 5:00:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 4:59:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 4:59:40 PM	26	gradCels
SC PITUR DORU SNC	pH	1/29/2017 4:58:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 4:58:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 4:58:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 4:57:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 4:57:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 4:57:21 PM	26	gradCels
SC PITUR DORU SNC	pH	1/29/2017 4:57:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 4:52:22 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 4:52:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 4:51:48 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 4:51:47 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 4:51:46 PM	26	gradCels
SC PITUR DORU SNC	pH	1/29/2017 4:51:45 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 4:46:29 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 4:46:28 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 4:46:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 4:46:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 4:46:21 PM	26	gradCels
SC PITUR DORU SNC	pH	1/29/2017 4:46:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 4:41:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 4:41:20 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/29/2017 4:41:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 4:40:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 4:40:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 4:40:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 4:40:41 PM	26	gradCels
SC PITUR DORU SNC	pH	1/29/2017 4:40:40 PM	8	unit pH
SC PITUR DORU SNC	Grasimi	1/29/2017 4:40:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 4:40:00 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 4:39:50 PM	26	gradCels
SC PITUR DORU SNC	pH	1/29/2017 4:39:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 4:35:09 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 4:35:08 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 4:35:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 4:35:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 4:35:01 PM	26	gradCels
SC PITUR DORU SNC	pH	1/29/2017 4:35:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 4:30:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 4:30:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 4:29:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 4:29:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 4:29:41 PM	26	gradCels
SC PITUR DORU SNC	pH	1/29/2017 4:29:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 4:24:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 4:24:09 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 4:24:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 4:24:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 4:24:01 PM	26	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	1/29/2017 4:24:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 4:21:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 4:20:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 4:19:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 4:19:40 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 4:19:30 PM	26	gradCels
SC PITUR DORU SNC	Cianuri	1/29/2017 4:19:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 4:19:20 PM	0	mg/l
SC PITUR DORU SNC	pH	1/29/2017 4:19:00 PM	8	unit pH
SC PITUR DORU SNC	Clor	1/29/2017 4:18:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 4:18:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 4:18:41 PM	26	gradCels
SC PITUR DORU SNC	pH	1/29/2017 4:18:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 4:13:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 4:13:08 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 4:13:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 4:13:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 4:13:01 PM	26	gradCels
SC PITUR DORU SNC	pH	1/29/2017 4:13:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 4:08:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 4:08:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 4:07:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 4:07:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 4:07:41 PM	26	gradCels
SC PITUR DORU SNC	pH	1/29/2017 4:07:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 4:02:09 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 4:02:08 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 4:02:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 4:02:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 4:02:01 PM	26	gradCels
SC PITUR DORU SNC	pH	1/29/2017 4:02:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 3:58:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 3:58:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 3:57:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 3:57:30 PM	0	mg/l
SC PITUR DORU SNC	pH	1/29/2017 3:57:23 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 3:57:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 3:57:20 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 3:57:00 PM	26	gradCels
SC PITUR DORU SNC	pH	1/29/2017 3:56:50 PM	8	unit pH
SC PITUR DORU SNC	Clor	1/29/2017 3:56:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 3:56:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 3:56:21 PM	26	gradCels
SC PITUR DORU SNC	Cianuri	1/29/2017 3:51:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 3:51:09 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 3:51:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 3:51:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 3:51:01 PM	26	gradCels
SC PITUR DORU SNC	pH	1/29/2017 3:51:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 3:46:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 3:46:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 3:45:24 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 3:45:23 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 3:45:22 PM	26	gradCels
SC PITUR DORU SNC	pH	1/29/2017 3:45:21 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 3:40:09 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 3:40:08 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 3:40:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 3:40:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 3:40:01 PM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 3:40:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 3:37:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 3:36:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 3:35:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 3:35:40 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 3:35:30 PM	25	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	1/29/2017 3:35:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 3:35:20 PM	0	mg/l
SC PITUR DORU SNC	pH	1/29/2017 3:35:00 PM	8	unit pH
SC PITUR DORU SNC	Clor	1/29/2017 3:34:25 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 3:34:24 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 3:34:23 PM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 3:34:22 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 3:29:09 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 3:29:08 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 3:29:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 3:29:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 3:29:01 PM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 3:29:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/29/2017 3:24:21 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/29/2017 3:24:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 3:23:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 3:23:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 3:23:21 PM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 3:23:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 3:18:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 3:18:08 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 3:18:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 3:18:06 PM	25	gradCels
SC PITUR DORU SNC	Grasimi	1/29/2017 3:18:05 PM	0	mg/l
SC PITUR DORU SNC	pH	1/29/2017 3:18:04 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 3:14:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 3:13:40 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/29/2017 3:13:22 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 3:13:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 3:13:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 3:12:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 3:12:40 PM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 3:12:30 PM	8	unit pH
SC PITUR DORU SNC	Clor	1/29/2017 3:12:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 3:12:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 3:12:21 PM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 3:12:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 3:07:09 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 3:07:08 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 3:07:07 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 3:07:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 3:07:05 PM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 3:07:04 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 3:02:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 3:02:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 3:01:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 3:01:29 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 3:01:28 PM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 3:01:27 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 2:56:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 2:56:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 2:55:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 2:55:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 2:55:41 PM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 2:55:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 2:51:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 2:51:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 2:50:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 2:50:29 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 2:50:28 PM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 2:50:27 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 2:49:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 2:49:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 2:49:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 2:48:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 2:48:40 PM	25	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	1/29/2017 2:48:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 2:45:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 2:45:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 2:44:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 2:44:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 2:44:45 PM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 2:44:44 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/29/2017 2:40:21 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/29/2017 2:40:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 2:39:26 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 2:39:25 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 2:39:24 PM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 2:39:23 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 2:34:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 2:34:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 2:33:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 2:33:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 2:33:41 PM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 2:33:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 2:29:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 2:29:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 2:28:26 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 2:28:25 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 2:28:24 PM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 2:28:23 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 2:26:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 2:26:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 2:26:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 2:25:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 2:25:30 PM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 2:24:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 2:23:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 2:23:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 2:22:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 2:22:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 2:22:41 PM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 2:22:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 2:17:25 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 2:17:24 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 2:17:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 2:17:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 2:17:21 PM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 2:17:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 2:12:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 2:12:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 2:11:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 2:11:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 2:11:41 PM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 2:11:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 2:06:05 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 2:06:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 2:06:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 2:06:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 2:06:01 PM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 2:06:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 2:05:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 2:05:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 2:05:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 2:04:40 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 2:04:30 PM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 2:04:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/29/2017 2:01:21 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/29/2017 2:01:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 2:00:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 2:00:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 2:00:41 PM	25	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	1/29/2017 2:00:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 1:55:05 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 1:55:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 1:55:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 1:55:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 1:55:01 PM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 1:55:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 1:50:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 1:50:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 1:49:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 1:49:29 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 1:49:28 PM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 1:49:27 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 1:45:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 1:45:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 1:44:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 1:44:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 1:44:20 PM	25	gradCels
SC PITUR DORU SNC	Cianuri	1/29/2017 1:44:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 1:44:08 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 1:44:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 1:44:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 1:44:01 PM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 1:44:00 PM	8	unit pH
SC PITUR DORU SNC	pH	1/29/2017 1:43:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 1:39:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 1:39:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 1:38:28 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 1:38:27 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 1:38:26 PM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 1:38:25 PM	8	unit pH
SC PITUR DORU SNC	pH	1/29/2017 1:33:11 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 1:33:08 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 1:33:07 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 1:33:02 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 1:33:01 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 1:33:00 PM	25	gradCels
SC PITUR DORU SNC	Cianuri	1/29/2017 1:28:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 1:28:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 1:27:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 1:27:29 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 1:27:28 PM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 1:27:27 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 1:23:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 1:23:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 1:23:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 1:23:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 1:23:00 PM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 1:22:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 1:22:15 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 1:22:13 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 1:22:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 1:22:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 1:22:01 PM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 1:22:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 1:17:22 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 1:17:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 1:16:27 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 1:16:26 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 1:16:25 PM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 1:16:24 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 1:11:14 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 1:11:13 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 1:11:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 1:11:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 1:11:01 PM	25	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	1/29/2017 1:11:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 1:06:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 1:06:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 1:05:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 1:05:29 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 1:05:28 PM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 1:05:27 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 1:03:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 1:03:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 1:02:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 1:02:40 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 1:02:30 PM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 1:02:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 1:00:15 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 1:00:12 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 1:00:07 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 1:00:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 1:00:05 PM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 1:00:04 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 12:55:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 12:55:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 12:54:26 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 12:54:25 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 12:54:24 PM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 12:54:23 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 12:49:14 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 12:49:12 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 12:49:07 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 12:49:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 12:49:05 PM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 12:49:04 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 12:44:30 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/29/2017 12:44:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 12:44:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 12:44:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 12:43:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 12:43:26 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 12:43:25 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 12:43:24 PM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 12:43:23 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/29/2017 12:43:00 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 12:42:50 PM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 12:42:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 12:38:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 12:38:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 12:37:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 12:37:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 12:37:41 PM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 12:37:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 12:33:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 12:33:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 12:32:31 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 12:32:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 12:32:29 PM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 12:32:28 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 12:27:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 12:27:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 12:26:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 12:26:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 12:26:41 PM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 12:26:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 12:24:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 12:23:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 12:23:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 12:23:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 12:23:00 PM	25	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	1/29/2017 12:22:50 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/29/2017 12:22:21 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/29/2017 12:22:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 12:21:26 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 12:21:25 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 12:21:24 PM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 12:21:23 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 12:16:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 12:16:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 12:15:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 12:15:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 12:15:45 PM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 12:15:44 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 12:11:22 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 12:11:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 12:10:26 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 12:10:25 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 12:10:24 PM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 12:10:23 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 12:05:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 12:05:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 12:04:46 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 12:04:44 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 12:04:42 PM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 12:04:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 12:04:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 12:04:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 12:02:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 12:02:40 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 12:02:00 PM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 12:01:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 12:00:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 12:00:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 11:59:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 11:59:29 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 11:59:28 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 11:59:27 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 11:54:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 11:54:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 11:53:47 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 11:53:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 11:53:45 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 11:53:44 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 11:49:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 11:49:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 11:48:12 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 11:48:11 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 11:48:10 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 11:48:09 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 11:43:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 11:43:20 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/29/2017 11:43:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 11:42:47 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 11:42:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 11:42:45 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 11:42:44 AM	8	unit pH
SC PITUR DORU SNC	Clor	1/29/2017 11:42:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 11:40:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 11:40:40 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 11:40:00 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 11:39:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 11:37:09 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 11:37:08 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 11:37:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 11:37:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 11:37:05 AM	25	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	1/29/2017 11:37:04 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 11:32:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 11:32:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 11:31:47 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 11:31:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 11:31:45 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 11:31:44 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 11:26:09 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 11:26:08 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 11:26:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 11:26:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 11:26:05 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 11:26:04 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 11:21:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 11:21:20 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/29/2017 11:21:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 11:20:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 11:20:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 11:20:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 11:20:41 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 11:20:40 AM	8	unit pH
SC PITUR DORU SNC	Grasimi	1/29/2017 11:19:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 11:19:00 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 11:18:50 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 11:18:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 11:15:09 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 11:15:08 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 11:15:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 11:15:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 11:15:05 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 11:15:04 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 11:10:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 11:10:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 11:09:31 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 11:09:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 11:09:29 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 11:09:28 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 11:04:16 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 11:04:13 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 11:04:08 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 11:04:07 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 11:04:06 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 11:04:05 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 11:00:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 11:00:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 10:59:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 10:59:30 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/29/2017 10:59:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 10:59:20 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 10:59:00 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 10:58:50 AM	8	unit pH
SC PITUR DORU SNC	Clor	1/29/2017 10:58:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 10:58:29 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 10:58:28 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 10:58:27 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 10:53:14 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 10:53:13 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 10:53:12 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 10:53:11 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 10:53:10 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 10:53:09 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/29/2017 10:48:21 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/29/2017 10:48:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 10:47:34 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 10:47:33 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 10:47:32 AM	25	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	1/29/2017 10:47:31 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 10:42:14 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 10:42:12 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 10:42:11 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 10:42:10 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 10:42:09 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 10:42:08 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 10:41:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 10:41:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 10:39:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 10:39:00 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 10:38:50 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 10:38:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 10:37:24 AM	0	mg/l
SC PITUR DORU SNC	pH	1/29/2017 10:37:22 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/29/2017 10:37:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 10:36:32 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 10:36:31 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 10:36:30 AM	25	gradCels
SC PITUR DORU SNC	Cianuri	1/29/2017 10:31:13 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 10:31:12 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 10:31:11 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 10:31:10 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 10:31:09 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 10:31:08 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 10:26:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 10:26:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 10:25:35 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 10:25:34 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 10:25:33 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 10:25:32 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 10:21:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 10:21:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 10:20:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 10:20:40 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 10:20:30 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 10:20:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 10:20:09 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 10:20:08 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 10:20:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 10:20:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 10:20:05 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 10:20:04 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 10:15:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 10:15:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 10:14:33 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 10:14:32 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 10:14:31 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 10:14:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 10:09:09 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 10:09:08 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 10:09:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 10:09:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 10:09:05 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 10:09:04 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 10:04:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 10:04:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 10:03:34 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 10:03:33 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 10:03:32 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 10:03:31 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 10:00:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 10:00:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 9:59:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 9:59:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 9:59:20 AM	25	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	1/29/2017 9:59:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 9:58:09 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 9:58:08 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 9:58:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 9:58:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 9:58:05 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 9:58:04 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 9:53:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 9:53:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 9:52:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 9:52:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 9:52:41 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 9:52:40 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/29/2017 9:47:01 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/29/2017 9:47:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 9:46:54 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 9:46:53 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 9:46:52 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 9:46:51 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/29/2017 9:42:05 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/29/2017 9:42:04 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 9:42:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 9:42:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 9:42:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 9:42:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 9:39:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 9:39:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 9:38:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 9:38:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 9:38:00 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 9:37:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 9:37:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 9:37:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 9:36:27 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 9:36:26 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 9:36:25 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 9:36:24 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 9:31:06 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 9:31:04 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 9:31:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 9:31:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 9:31:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 9:31:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 9:26:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 9:26:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 9:25:26 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 9:25:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 9:25:24 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 9:25:23 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 9:20:05 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 9:20:04 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 9:20:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 9:20:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 9:20:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 9:20:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 9:17:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 9:17:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 9:16:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 9:16:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 9:16:00 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 9:15:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 9:15:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 9:15:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 9:14:27 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 9:14:26 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 9:14:25 AM	25	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	1/29/2017 9:14:24 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/29/2017 9:09:01 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/29/2017 9:09:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 9:08:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 9:08:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 9:08:41 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 9:08:40 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/29/2017 9:04:21 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/29/2017 9:04:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 9:03:26 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 9:03:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 9:03:24 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 9:03:23 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 8:59:14 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 8:59:13 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 8:58:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 8:58:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 8:58:21 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 8:58:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 8:54:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 8:54:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 8:53:21 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/29/2017 8:53:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 8:53:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 8:52:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 8:52:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 8:52:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 8:52:41 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 8:52:40 AM	8	unit pH
SC PITUR DORU SNC	Temp	1/29/2017 8:52:30 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 8:52:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 8:48:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 8:48:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 8:47:25 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 8:47:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 8:47:23 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 8:47:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 8:42:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 8:42:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 8:41:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 8:41:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 8:41:41 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 8:41:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 8:37:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 8:37:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 8:36:25 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 8:36:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 8:36:23 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 8:36:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 8:31:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 8:31:20 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/29/2017 8:31:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 8:31:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 8:30:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 8:30:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 8:30:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 8:30:41 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 8:30:40 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/29/2017 8:30:20 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 8:30:10 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 8:29:50 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/29/2017 8:25:05 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/29/2017 8:25:04 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 8:25:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 8:25:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 8:25:01 AM	25	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	1/29/2017 8:25:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 8:20:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 8:20:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 8:19:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 8:19:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 8:19:41 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 8:19:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 8:14:05 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 8:14:04 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 8:14:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 8:14:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 8:14:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 8:14:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 8:10:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 8:10:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 8:10:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 8:09:50 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 8:09:40 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 8:09:30 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/29/2017 8:09:01 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/29/2017 8:09:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 8:08:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 8:08:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 8:08:41 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 8:08:40 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/29/2017 8:03:05 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/29/2017 8:03:04 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 8:03:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 8:03:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 8:03:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 8:03:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 7:58:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 7:58:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 7:57:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 7:57:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 7:57:41 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 7:57:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 7:52:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 7:52:20 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/29/2017 7:52:05 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 7:52:04 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 7:52:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 7:52:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 7:52:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 7:52:00 AM	8	unit pH
SC PITUR DORU SNC	Grasimi	1/29/2017 7:51:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 7:51:20 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 7:51:10 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 7:50:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 7:47:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 7:47:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 7:46:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 7:46:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 7:46:21 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 7:46:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 7:41:05 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 7:41:04 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 7:41:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 7:41:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 7:41:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 7:41:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 7:36:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 7:36:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 7:35:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 7:35:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 7:35:21 AM	25	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	1/29/2017 7:35:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 7:32:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 7:32:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 7:32:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 7:31:50 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 7:31:40 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 7:31:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 7:30:05 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 7:30:04 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 7:30:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 7:30:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 7:30:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 7:30:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 7:25:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 7:25:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 7:24:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 7:24:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 7:24:21 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 7:24:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 7:19:09 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 7:19:08 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 7:19:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 7:19:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 7:19:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 7:19:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 7:14:10 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/29/2017 7:14:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 7:14:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 7:13:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 7:13:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 7:13:27 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 7:13:26 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 7:13:25 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 7:13:24 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/29/2017 7:13:10 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 7:12:50 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 7:12:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 7:08:09 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 7:08:07 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 7:08:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 7:08:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 7:08:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 7:08:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 7:03:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 7:03:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 7:02:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 7:02:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 7:02:21 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 7:02:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 6:57:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 6:57:08 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 6:57:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 6:57:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 6:57:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 6:57:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 6:54:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 6:54:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 6:54:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 6:53:50 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 6:53:40 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 6:53:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 6:52:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 6:52:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 6:51:27 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 6:51:26 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 6:51:25 AM	25	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	1/29/2017 6:51:24 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 6:46:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 6:46:09 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 6:46:08 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 6:46:07 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 6:46:06 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 6:46:05 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 6:41:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 6:41:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 6:40:27 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 6:40:26 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 6:40:25 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 6:40:24 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 6:36:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 6:36:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 6:36:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 6:36:00 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 6:35:50 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 6:35:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 6:35:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 6:35:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 6:34:46 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 6:34:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 6:34:44 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 6:34:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 6:30:02 AM	0	mg/l
SC PITUR DORU SNC	pH	1/29/2017 6:30:01 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/29/2017 6:30:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 6:29:26 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 6:29:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 6:29:24 AM	25	gradCels
SC PITUR DORU SNC	Cianuri	1/29/2017 6:24:05 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 6:24:04 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 6:24:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 6:24:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 6:24:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 6:24:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 6:19:10 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/29/2017 6:19:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 6:19:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 6:18:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 6:18:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 6:18:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 6:18:21 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 6:18:20 AM	8	unit pH
SC PITUR DORU SNC	Grasimi	1/29/2017 6:17:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 6:17:40 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 6:17:30 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 6:16:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 6:13:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 6:13:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 6:12:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 6:12:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 6:12:41 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 6:12:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 6:08:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 6:08:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 6:07:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 6:07:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 6:07:21 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 6:07:20 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/29/2017 6:02:01 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/29/2017 6:02:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 6:01:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 6:01:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 6:01:41 AM	25	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	1/29/2017 6:01:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 5:59:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 5:59:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 5:58:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 5:58:10 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 5:58:00 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 5:57:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 5:57:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 5:57:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 5:56:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 5:56:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 5:56:21 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 5:56:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 5:51:07 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 5:51:05 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 5:50:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 5:50:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 5:50:41 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 5:50:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 5:46:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 5:46:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 5:45:05 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 5:45:04 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 5:45:03 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 5:45:02 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 5:41:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 5:41:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 5:40:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 5:40:20 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 5:40:10 AM	25	gradCels
SC PITUR DORU SNC	Cianuri	1/29/2017 5:40:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 5:40:00 AM	0	mg/l
SC PITUR DORU SNC	pH	1/29/2017 5:39:50 AM	8	unit pH
SC PITUR DORU SNC	Clor	1/29/2017 5:39:34 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 5:39:33 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 5:39:32 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 5:39:31 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 5:34:05 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 5:34:04 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 5:34:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 5:34:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 5:34:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 5:34:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 5:29:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 5:29:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 5:28:42 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 5:28:41 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 5:28:40 AM	25	gradCels
SC PITUR DORU SNC	Cianuri	1/29/2017 5:23:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 5:23:05 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/29/2017 5:23:04 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 5:23:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 5:23:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 5:23:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 5:23:00 AM	8	unit pH
SC PITUR DORU SNC	Clor	1/29/2017 5:22:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 5:22:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 5:21:20 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 5:21:10 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 5:20:50 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/29/2017 5:18:01 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/29/2017 5:18:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 5:17:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 5:17:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 5:17:41 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 5:17:40 AM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	1/29/2017 5:12:06 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 5:12:04 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 5:12:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 5:12:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 5:12:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 5:12:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 5:07:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 5:07:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 5:06:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 5:06:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 5:06:41 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 5:06:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 5:03:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 5:03:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 5:02:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 5:02:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 5:02:20 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 5:02:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 5:01:05 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 5:01:04 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 5:01:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 5:01:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 5:01:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 5:01:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 4:56:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 4:56:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 4:55:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 4:55:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 4:55:41 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 4:55:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 4:50:05 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 4:50:04 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 4:50:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 4:50:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 4:50:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 4:50:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 4:45:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 4:45:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 4:44:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 4:44:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 4:44:21 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 4:44:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 4:42:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 4:42:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 4:42:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 4:42:10 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 4:41:50 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 4:41:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 4:39:05 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 4:39:04 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 4:39:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 4:39:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 4:39:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 4:39:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 4:34:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 4:34:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 4:33:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 4:33:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 4:33:21 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 4:33:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 4:28:05 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 4:28:04 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 4:28:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 4:28:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 4:28:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 4:28:00 AM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	1/29/2017 4:23:30 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/29/2017 4:23:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 4:23:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 4:22:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 4:22:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 4:22:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 4:22:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 4:22:21 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 4:22:20 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/29/2017 4:21:50 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 4:20:40 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 4:20:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 4:17:05 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 4:17:04 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 4:17:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 4:17:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 4:17:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 4:17:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 4:12:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 4:12:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 4:11:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 4:11:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 4:11:21 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 4:11:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 4:06:05 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 4:06:04 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 4:06:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 4:06:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 4:06:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 4:06:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 4:03:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 4:03:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 4:02:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 4:02:10 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 4:01:50 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 4:01:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 4:01:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 4:01:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 4:00:12 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 4:00:11 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 4:00:10 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 4:00:09 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/29/2017 3:55:01 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/29/2017 3:55:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 3:54:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 3:54:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 3:54:41 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 3:54:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 3:50:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 3:50:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 3:49:11 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 3:49:10 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 3:49:09 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 3:49:08 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 3:44:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 3:44:10 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/29/2017 3:44:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 3:44:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 3:43:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 3:43:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 3:43:41 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 3:43:40 AM	8	unit pH
SC PITUR DORU SNC	Grasimi	1/29/2017 3:42:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 3:42:00 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 3:41:50 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 3:41:40 AM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	1/29/2017 3:39:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 3:39:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 3:38:14 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 3:38:13 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 3:38:12 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 3:38:11 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 3:33:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 3:33:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 3:32:47 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 3:32:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 3:32:45 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 3:32:44 AM	8	unit pH
SC PITUR DORU SNC	pH	1/29/2017 3:28:02 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/29/2017 3:28:01 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/29/2017 3:28:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 3:27:17 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 3:27:16 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 3:27:15 AM	25	gradCels
SC PITUR DORU SNC	Cianuri	1/29/2017 3:23:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 3:23:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 3:22:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 3:22:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 3:22:20 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 3:22:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 3:22:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 3:22:01 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 3:21:47 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 3:21:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 3:21:45 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 3:21:44 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 3:17:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 3:17:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 3:16:17 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 3:16:16 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 3:16:15 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 3:16:14 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 3:11:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 3:11:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 3:10:37 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 3:10:36 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 3:10:35 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 3:10:34 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 3:06:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 3:06:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 3:05:15 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 3:05:14 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 3:05:13 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 3:05:12 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 3:03:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 3:03:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 3:02:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 3:02:40 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 3:02:30 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 3:02:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 3:00:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 3:00:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 2:59:47 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 2:59:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 2:59:45 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 2:59:44 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 2:55:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 2:55:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 2:54:17 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 2:54:16 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 2:54:15 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 2:54:14 AM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	1/29/2017 2:49:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 2:49:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 2:48:47 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 2:48:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 2:48:45 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 2:48:44 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 2:44:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 2:43:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 2:43:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 2:43:20 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/29/2017 2:43:16 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 2:43:14 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 2:43:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 2:43:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 2:43:05 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 2:43:04 AM	8	unit pH
SC PITUR DORU SNC	Temp	1/29/2017 2:42:50 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 2:42:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 2:38:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 2:38:01 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 2:37:47 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 2:37:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 2:37:45 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 2:37:44 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/29/2017 2:32:20 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/29/2017 2:32:15 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 2:32:11 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 2:32:10 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 2:32:09 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 2:32:08 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/29/2017 2:27:04 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/29/2017 2:27:03 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 2:26:31 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 2:26:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 2:26:29 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 2:26:28 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 2:23:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 2:23:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 2:22:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 2:22:20 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 2:22:10 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 2:22:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 2:21:17 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 2:21:15 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 2:21:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 2:21:09 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 2:21:08 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 2:21:07 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 2:16:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 2:16:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 2:15:47 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 2:15:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 2:15:45 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 2:15:44 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/29/2017 2:10:17 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/29/2017 2:10:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 2:10:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 2:10:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 2:10:05 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 2:10:04 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/29/2017 2:05:04 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/29/2017 2:05:03 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 2:04:31 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 2:04:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 2:04:29 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 2:04:28 AM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	1/29/2017 2:02:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 2:02:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 2:01:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 2:01:20 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 2:01:10 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 2:00:50 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/29/2017 1:59:16 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/29/2017 1:59:11 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 1:59:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 1:59:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 1:59:05 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 1:59:04 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 1:54:04 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 1:54:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 1:53:47 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 1:53:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 1:53:45 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 1:53:44 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/29/2017 1:48:12 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/29/2017 1:48:10 AM	0	mg/l
SC PITUR DORU SNC	pH	1/29/2017 1:48:08 AM	8	unit pH
SC PITUR DORU SNC	Clor	1/29/2017 1:48:06 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 1:48:05 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 1:48:04 AM	25	gradCels
SC PITUR DORU SNC	Cianuri	1/29/2017 1:43:10 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/29/2017 1:43:04 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 1:43:01 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 1:42:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 1:42:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 1:42:27 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 1:42:26 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 1:42:25 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 1:42:24 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/29/2017 1:41:50 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 1:41:30 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 1:40:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 1:37:14 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 1:37:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 1:37:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 1:37:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 1:37:05 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 1:37:04 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 1:32:04 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 1:32:01 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 1:31:27 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 1:31:26 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 1:31:25 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 1:31:24 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 1:26:14 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 1:26:09 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 1:26:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 1:26:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 1:26:05 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 1:26:04 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 1:22:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 1:22:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 1:21:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 1:21:40 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 1:21:30 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 1:21:20 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/29/2017 1:21:04 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/29/2017 1:21:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 1:20:27 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 1:20:26 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 1:20:25 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 1:20:24 AM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	1/29/2017 1:15:11 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 1:15:09 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 1:15:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 1:15:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 1:15:05 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 1:15:04 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 1:10:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 1:10:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 1:09:38 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 1:09:37 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 1:09:36 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 1:09:35 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 1:04:14 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 1:04:13 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 1:04:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 1:04:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 1:04:05 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 1:04:04 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 1:01:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 1:01:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 1:01:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 1:01:10 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 1:00:40 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 1:00:30 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/29/2017 12:59:03 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/29/2017 12:59:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 12:58:33 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 12:58:32 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 12:58:31 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 12:58:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 12:53:13 AM	0	mg/l
SC PITUR DORU SNC	pH	1/29/2017 12:53:11 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/29/2017 12:53:09 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 12:53:02 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 12:53:01 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 12:53:00 AM	25	gradCels
SC PITUR DORU SNC	Cianuri	1/29/2017 12:48:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 12:48:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 12:47:32 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 12:47:31 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 12:47:30 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 12:47:29 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 12:42:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 12:42:20 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/29/2017 12:42:11 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 12:42:09 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 12:42:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 12:42:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 12:42:05 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 12:42:04 AM	8	unit pH
SC PITUR DORU SNC	Grasimi	1/29/2017 12:40:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 12:40:20 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 12:40:10 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 12:39:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 12:37:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 12:37:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 12:36:35 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 12:36:34 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 12:36:33 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 12:36:32 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/29/2017 12:31:11 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/29/2017 12:31:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 12:31:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 12:31:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 12:31:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 12:31:00 AM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	1/29/2017 12:26:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 12:26:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 12:25:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 12:25:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 12:25:21 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 12:25:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 12:21:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 12:21:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 12:21:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 12:21:00 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 12:20:50 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 12:20:40 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/29/2017 12:20:12 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/29/2017 12:20:11 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 12:20:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 12:20:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 12:20:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 12:20:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 12:15:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 12:15:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 12:14:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 12:14:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 12:14:21 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 12:14:20 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/29/2017 12:09:08 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/29/2017 12:09:03 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 12:08:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 12:08:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 12:08:41 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 12:08:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 12:04:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 12:04:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 12:03:19 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 12:03:18 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 12:03:17 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 12:03:16 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/29/2017 12:01:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/29/2017 12:01:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/29/2017 12:01:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/29/2017 12:00:50 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/29/2017 12:00:40 AM	25	gradCels
SC PITUR DORU SNC	pH	1/29/2017 12:00:30 AM	8	unit pH
SC PITUR DORU SNC	pH	1/28/2017 11:58:04 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/28/2017 11:58:03 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/28/2017 11:58:02 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 11:57:42 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 11:57:41 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 11:57:40 PM	25	gradCels
SC PITUR DORU SNC	Cianuri	1/28/2017 11:53:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 11:53:02 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 11:52:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 11:52:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 11:52:21 PM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 11:52:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 11:48:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 11:48:02 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 11:47:27 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 11:47:26 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 11:47:25 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 11:47:24 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 11:42:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 11:42:10 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/28/2017 11:42:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 11:42:02 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 11:41:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 11:41:46 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Temp	1/28/2017 11:41:45 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 11:41:44 PM	8	unit pH
SC PITUR DORU SNC	Grasimi	1/28/2017 11:41:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 11:40:40 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 11:39:40 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 11:39:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 11:37:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 11:37:02 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 11:36:12 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 11:36:11 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 11:36:10 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 11:36:09 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/28/2017 11:31:03 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/28/2017 11:31:02 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 11:30:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 11:30:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 11:30:45 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 11:30:44 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 11:26:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 11:26:01 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 11:25:16 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 11:25:15 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 11:25:14 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 11:25:13 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 11:21:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 11:21:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 11:20:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 11:20:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 11:20:20 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 11:20:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 11:20:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 11:20:02 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 11:19:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 11:19:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 11:19:45 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 11:19:44 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 11:15:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 11:15:02 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 11:14:16 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 11:14:15 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 11:14:14 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 11:14:13 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 11:09:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 11:09:02 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 11:08:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 11:08:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 11:08:45 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 11:08:44 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 11:04:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 11:04:02 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 11:03:15 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 11:03:14 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 11:03:13 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 11:03:12 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 11:01:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 11:00:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 11:00:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 11:00:00 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 10:59:50 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 10:59:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 10:58:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 10:58:02 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 10:57:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 10:57:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 10:57:45 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 10:57:44 PM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	1/28/2017 10:53:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 10:53:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 10:52:18 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 10:52:17 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 10:52:16 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 10:52:15 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/28/2017 10:47:03 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/28/2017 10:47:02 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 10:46:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 10:46:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 10:46:45 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 10:46:44 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 10:41:30 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/28/2017 10:41:18 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 10:41:15 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 10:41:07 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 10:41:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 10:41:05 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 10:41:04 PM	8	unit pH
SC PITUR DORU SNC	Clor	1/28/2017 10:40:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 10:39:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 10:39:40 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 10:39:30 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 10:39:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 10:36:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 10:36:01 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 10:35:48 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 10:35:47 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 10:35:46 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 10:35:44 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/28/2017 10:30:15 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/28/2017 10:30:12 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 10:30:07 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 10:30:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 10:30:05 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 10:30:04 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 10:25:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 10:25:01 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 10:24:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 10:24:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 10:24:45 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 10:24:44 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 10:21:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 10:21:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 10:21:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 10:20:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 10:20:40 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 10:20:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 10:19:12 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 10:19:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 10:19:07 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 10:19:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 10:19:05 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 10:19:04 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 10:14:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 10:14:02 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 10:13:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 10:13:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 10:13:45 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 10:13:44 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/28/2017 10:08:13 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/28/2017 10:08:11 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 10:08:07 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 10:08:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 10:08:05 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 10:08:04 PM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	1/28/2017 10:03:10 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/28/2017 10:03:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 10:03:02 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 10:02:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 10:02:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 10:02:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 10:02:45 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 10:02:44 PM	8	unit pH
SC PITUR DORU SNC	Grasimi	1/28/2017 10:02:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 10:00:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 10:00:20 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 10:00:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 9:57:12 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 9:57:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 9:57:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 9:57:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 9:57:01 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 9:57:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 9:52:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 9:52:02 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 9:51:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 9:51:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 9:51:45 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 9:51:44 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/28/2017 9:46:14 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/28/2017 9:46:12 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 9:46:07 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 9:46:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 9:46:05 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 9:46:04 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 9:42:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 9:42:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 9:41:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 9:41:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 9:41:20 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 9:41:10 PM	8	unit pH
SC PITUR DORU SNC	pH	1/28/2017 9:41:04 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 9:41:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 9:41:02 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 9:40:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 9:40:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 9:40:45 PM	26	gradCels
SC PITUR DORU SNC	Cianuri	1/28/2017 9:35:11 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 9:35:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 9:35:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 9:35:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 9:35:01 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 9:35:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 9:30:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 9:30:02 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 9:29:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 9:29:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 9:29:21 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 9:29:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 9:24:11 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 9:24:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 9:24:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 9:24:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 9:24:01 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 9:24:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 9:21:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 9:20:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 9:20:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 9:20:00 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 9:19:50 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 9:19:40 PM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	1/28/2017 9:19:04 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 9:19:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 9:19:02 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 9:18:22 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 9:18:21 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 9:18:20 PM	26	gradCels
SC PITUR DORU SNC	Substante organice	1/28/2017 9:13:11 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/28/2017 9:13:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 9:13:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 9:13:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 9:13:01 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 9:13:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 9:08:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 9:08:02 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 9:07:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 9:07:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 9:07:21 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 9:07:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/28/2017 9:02:11 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/28/2017 9:02:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 9:02:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 9:02:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 9:02:01 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 9:02:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 9:01:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 9:00:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 8:59:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 8:59:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 8:59:20 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 8:59:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 8:57:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 8:57:02 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 8:56:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 8:56:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 8:56:21 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 8:56:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/28/2017 8:51:10 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/28/2017 8:51:08 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 8:51:02 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 8:51:01 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 8:51:00 PM	26	gradCels
SC PITUR DORU SNC	Cianuri	1/28/2017 8:46:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 8:46:01 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 8:45:22 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 8:45:21 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 8:45:20 PM	26	gradCels
SC PITUR DORU SNC	Cianuri	1/28/2017 8:40:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 8:40:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 8:40:10 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/28/2017 8:40:07 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 8:40:05 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 8:39:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 8:39:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 8:39:41 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 8:39:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/28/2017 8:38:40 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 8:38:30 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 8:37:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 8:35:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 8:35:02 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 8:34:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 8:34:09 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 8:34:08 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 8:34:07 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 8:29:07 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 8:29:06 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	1/28/2017 8:28:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 8:28:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 8:28:41 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 8:28:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 8:24:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 8:24:01 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 8:23:12 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 8:23:11 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 8:23:10 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 8:23:09 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 8:19:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 8:19:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 8:19:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 8:19:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 8:19:00 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 8:18:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 8:18:07 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 8:18:06 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 8:17:34 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 8:17:33 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 8:17:32 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 8:17:31 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 8:13:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 8:13:02 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 8:12:12 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 8:12:11 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 8:12:10 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 8:12:09 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 8:07:07 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 8:07:06 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 8:06:32 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 8:06:31 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 8:06:30 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 8:06:29 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 8:02:10 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/28/2017 8:02:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 8:02:02 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 8:01:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 8:01:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 8:01:13 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 8:01:12 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 8:01:11 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 8:01:10 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/28/2017 8:00:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 7:59:50 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 7:59:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 7:56:07 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 7:56:06 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 7:55:33 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 7:55:32 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 7:55:31 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 7:55:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 7:51:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 7:51:02 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 7:50:27 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 7:50:26 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 7:50:25 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 7:50:24 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 7:45:14 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 7:45:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 7:45:07 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 7:45:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 7:45:05 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 7:45:04 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 7:41:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 7:41:30 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	1/28/2017 7:41:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 7:40:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 7:40:40 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 7:40:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 7:40:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 7:40:02 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 7:39:27 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 7:39:26 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 7:39:25 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 7:39:24 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 7:34:11 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 7:34:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 7:34:07 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 7:34:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 7:34:05 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 7:34:04 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/28/2017 7:29:04 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/28/2017 7:29:03 PM	0	mg/l
SC PITUR DORU SNC	pH	1/28/2017 7:29:01 PM	8	unit pH
SC PITUR DORU SNC	Clor	1/28/2017 7:28:26 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 7:28:25 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 7:28:24 PM	26	gradCels
SC PITUR DORU SNC	Cianuri	1/28/2017 7:23:20 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/28/2017 7:23:11 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 7:23:09 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 7:23:07 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 7:23:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 7:23:05 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 7:23:04 PM	8	unit pH
SC PITUR DORU SNC	Clor	1/28/2017 7:22:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 7:22:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 7:22:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 7:21:30 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 7:20:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 7:18:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 7:18:02 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 7:17:27 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 7:17:26 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 7:17:25 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 7:17:24 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 7:12:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 7:12:08 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 7:12:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 7:12:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 7:12:01 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 7:12:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 7:07:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 7:07:02 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 7:06:27 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 7:06:26 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 7:06:25 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 7:06:24 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 7:02:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 7:02:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 7:01:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 7:01:40 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 7:01:30 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 7:01:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/28/2017 7:01:12 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/28/2017 7:01:07 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 7:01:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 7:01:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 7:01:01 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 7:01:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 6:56:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 6:56:02 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	1/28/2017 6:55:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 6:55:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 6:55:21 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 6:55:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/28/2017 6:50:10 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/28/2017 6:50:05 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 6:50:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 6:50:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 6:50:01 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 6:50:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 6:45:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 6:45:02 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 6:44:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 6:44:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 6:44:21 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 6:44:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 6:41:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 6:41:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 6:41:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 6:41:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 6:40:50 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 6:40:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 6:39:07 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 6:39:06 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 6:39:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 6:39:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 6:39:01 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 6:39:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 6:34:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 6:34:01 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 6:33:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 6:33:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 6:33:21 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 6:33:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/28/2017 6:28:13 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/28/2017 6:28:08 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 6:28:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 6:28:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 6:28:01 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 6:28:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 6:23:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 6:23:02 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 6:22:17 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 6:22:16 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 6:22:15 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 6:22:14 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 6:21:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 6:20:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 6:20:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 6:20:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 6:19:50 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 6:19:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/28/2017 6:17:03 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/28/2017 6:17:01 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 6:16:53 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 6:16:52 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 6:16:51 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 6:16:50 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/28/2017 6:12:04 PM	0	mg/l
SC PITUR DORU SNC	pH	1/28/2017 6:12:03 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 6:12:02 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 6:11:12 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 6:11:11 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 6:11:10 PM	26	gradCels
SC PITUR DORU SNC	Cianuri	1/28/2017 6:06:04 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 6:06:03 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	1/28/2017 6:05:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 6:05:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 6:05:41 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 6:05:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 6:01:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 6:01:10 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/28/2017 6:01:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 6:01:02 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 6:00:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 6:00:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 6:00:20 PM	26	gradCels
SC PITUR DORU SNC	Clor	1/28/2017 6:00:12 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 6:00:11 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 6:00:10 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 6:00:09 PM	8	unit pH
SC PITUR DORU SNC	pH	1/28/2017 5:58:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 5:55:04 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 5:55:02 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 5:54:42 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 5:54:41 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 5:54:40 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 5:54:39 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 5:50:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 5:50:01 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 5:49:12 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 5:49:11 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 5:49:10 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 5:49:09 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/28/2017 5:44:03 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/28/2017 5:44:02 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 5:43:44 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 5:43:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 5:43:41 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 5:43:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 5:41:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 5:41:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 5:41:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 5:41:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 5:40:50 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 5:40:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/28/2017 5:39:03 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/28/2017 5:39:02 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 5:38:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 5:38:09 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 5:38:08 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 5:38:07 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/28/2017 5:34:03 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/28/2017 5:34:02 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 5:33:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 5:33:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 5:33:21 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 5:33:20 PM	8	unit pH
SC PITUR DORU SNC	pH	1/28/2017 5:28:02 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 5:28:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 5:28:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 5:27:42 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 5:27:41 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 5:27:40 PM	26	gradCels
SC PITUR DORU SNC	Cianuri	1/28/2017 5:23:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 5:23:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 5:22:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 5:22:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 5:22:21 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 5:22:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 5:21:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 5:21:40 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	1/28/2017 5:20:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 5:20:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 5:19:50 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 5:19:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 5:17:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 5:17:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 5:16:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 5:16:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 5:16:41 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 5:16:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 5:12:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 5:12:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 5:11:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 5:11:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 5:11:01 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 5:11:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 5:06:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 5:06:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 5:05:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 5:05:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 5:05:41 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 5:05:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 5:02:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 5:02:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 5:02:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 5:02:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 5:01:20 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 5:01:10 PM	8	unit pH
SC PITUR DORU SNC	pH	1/28/2017 5:01:02 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 5:01:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 5:01:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 5:00:02 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 5:00:01 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 5:00:00 PM	26	gradCels
SC PITUR DORU SNC	Cianuri	1/28/2017 4:55:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 4:55:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 4:54:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 4:54:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 4:54:41 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 4:54:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 4:49:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 4:49:08 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 4:49:06 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 4:49:04 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 4:49:02 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 4:49:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 4:44:10 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/28/2017 4:44:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 4:44:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 4:43:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 4:43:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 4:43:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 4:43:41 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 4:43:40 PM	8	unit pH
SC PITUR DORU SNC	Grasimi	1/28/2017 4:43:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 4:42:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 4:41:40 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 4:41:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 4:38:05 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 4:38:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 4:38:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 4:38:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 4:38:01 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 4:38:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 4:33:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 4:33:00 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	1/28/2017 4:32:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 4:32:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 4:32:21 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 4:32:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 4:27:05 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 4:27:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 4:27:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 4:27:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 4:27:01 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 4:27:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 4:24:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 4:24:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 4:24:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 4:24:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 4:23:50 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 4:23:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 4:22:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 4:22:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 4:21:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 4:21:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 4:21:21 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 4:21:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 4:16:05 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 4:16:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 4:16:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 4:16:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 4:16:01 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 4:16:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 4:11:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 4:11:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 4:10:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 4:10:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 4:10:21 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 4:10:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 4:06:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 4:06:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 4:05:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 4:05:40 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 4:05:30 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 4:05:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 4:05:05 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 4:05:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 4:05:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 4:05:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 4:05:01 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 4:05:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 4:00:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 4:00:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 3:59:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 3:59:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 3:59:21 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 3:59:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 3:54:02 PM	0	mg/l
SC PITUR DORU SNC	pH	1/28/2017 3:54:01 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/28/2017 3:54:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 3:53:42 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 3:53:41 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 3:53:40 PM	26	gradCels
SC PITUR DORU SNC	Substante organice	1/28/2017 3:49:01 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/28/2017 3:49:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 3:48:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 3:48:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 3:48:21 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 3:48:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 3:46:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 3:46:30 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	1/28/2017 3:46:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 3:46:00 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 3:45:50 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 3:45:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 3:43:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 3:43:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 3:42:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 3:42:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 3:42:41 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 3:42:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 3:38:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 3:38:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 3:37:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 3:37:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 3:37:21 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 3:37:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 3:32:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 3:32:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 3:31:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 3:31:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 3:31:41 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 3:31:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 3:29:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 3:29:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 3:29:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 3:28:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 3:28:40 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 3:28:30 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/28/2017 3:27:01 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/28/2017 3:27:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 3:26:12 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 3:26:11 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 3:26:10 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 3:26:09 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 3:21:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 3:21:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 3:20:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 3:20:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 3:20:41 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 3:20:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 3:16:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 3:16:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 3:15:12 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 3:15:11 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 3:15:10 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 3:15:09 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 3:11:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 3:11:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 3:10:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 3:10:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 3:10:20 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 3:10:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 3:10:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 3:10:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 3:09:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 3:09:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 3:09:41 PM	26	gradCels
SC PITUR DORU SNC	pH	1/28/2017 3:09:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 3:05:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 3:05:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 3:04:11 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 3:04:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 3:04:09 PM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 3:04:08 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 2:59:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 2:59:00 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	1/28/2017 2:58:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 2:58:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 2:58:41 PM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 2:58:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 2:54:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 2:54:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 2:53:13 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 2:53:12 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 2:53:11 PM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 2:53:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 2:52:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 2:52:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 2:51:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 2:51:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 2:51:00 PM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 2:50:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 2:48:02 PM	0	mg/l
SC PITUR DORU SNC	pH	1/28/2017 2:48:01 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/28/2017 2:48:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 2:47:42 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 2:47:41 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 2:47:40 PM	25	gradCels
SC PITUR DORU SNC	Cianuri	1/28/2017 2:42:07 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 2:42:05 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 2:42:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 2:42:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 2:42:01 PM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 2:42:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 2:37:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 2:37:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 2:36:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 2:36:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 2:36:41 PM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 2:36:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 2:34:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 2:33:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 2:33:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 2:32:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 2:32:40 PM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 2:32:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 2:31:25 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 2:31:21 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 2:31:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 2:31:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 2:31:01 PM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 2:31:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 2:26:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 2:26:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 2:25:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 2:25:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 2:25:21 PM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 2:25:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/28/2017 2:20:10 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/28/2017 2:20:05 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 2:20:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 2:20:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 2:20:01 PM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 2:20:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 2:16:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 2:15:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 2:15:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 2:15:20 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 2:15:10 PM	25	gradCels
SC PITUR DORU SNC	Cianuri	1/28/2017 2:15:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 2:15:00 PM	0	mg/l
SC PITUR DORU SNC	pH	1/28/2017 2:14:50 PM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	1/28/2017 2:14:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 2:14:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 2:14:21 PM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 2:14:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 2:09:08 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 2:09:07 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 2:09:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 2:09:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 2:09:01 PM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 2:09:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 2:04:05 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 2:04:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 2:04:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 2:04:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 2:04:01 PM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 2:04:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 1:59:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 1:59:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 1:58:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 1:58:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 1:58:21 PM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 1:58:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 1:57:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 1:57:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 1:56:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 1:56:20 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 1:55:50 PM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 1:55:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/28/2017 1:53:05 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/28/2017 1:53:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 1:53:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 1:53:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 1:53:01 PM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 1:53:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 1:48:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 1:48:01 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 1:47:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 1:47:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 1:47:21 PM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 1:47:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 1:42:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 1:42:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 1:41:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 1:41:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 1:41:41 PM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 1:41:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 1:38:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 1:38:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 1:37:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 1:37:40 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 1:37:30 PM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 1:37:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 1:37:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 1:37:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 1:36:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 1:36:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 1:36:21 PM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 1:36:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/28/2017 1:31:04 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/28/2017 1:31:01 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 1:30:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 1:30:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 1:30:41 PM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 1:30:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 1:26:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 1:26:00 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	1/28/2017 1:25:08 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 1:25:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 1:25:06 PM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 1:25:05 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 1:20:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 1:20:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 1:20:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 1:20:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 1:20:03 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/28/2017 1:20:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 1:19:50 PM	25	gradCels
SC PITUR DORU SNC	Clor	1/28/2017 1:19:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 1:19:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 1:19:41 PM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 1:19:40 PM	8	unit pH
SC PITUR DORU SNC	pH	1/28/2017 1:19:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 1:15:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 1:15:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 1:14:06 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 1:14:05 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 1:14:04 PM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 1:14:03 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 1:09:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 1:09:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 1:08:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 1:08:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 1:08:41 PM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 1:08:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 1:04:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 1:04:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 1:03:06 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 1:03:05 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 1:03:04 PM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 1:03:03 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 1:02:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 1:02:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 1:01:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 1:01:20 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 1:01:10 PM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 1:00:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 12:58:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 12:58:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 12:57:33 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 12:57:32 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 12:57:31 PM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 12:57:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 12:53:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 12:53:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 12:52:06 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 12:52:05 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 12:52:04 PM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 12:52:03 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 12:47:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 12:47:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 12:46:31 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 12:46:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 12:46:29 PM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 12:46:28 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 12:43:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 12:43:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 12:43:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 12:42:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 12:42:40 PM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 12:42:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 12:42:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 12:42:00 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	1/28/2017 12:41:06 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 12:41:05 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 12:41:04 PM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 12:41:03 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 12:36:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 12:36:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 12:35:31 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 12:35:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 12:35:29 PM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 12:35:28 PM	8	unit pH
SC PITUR DORU SNC	pH	1/28/2017 12:31:02 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 12:31:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 12:31:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 12:30:05 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 12:30:04 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 12:30:03 PM	25	gradCels
SC PITUR DORU SNC	Cianuri	1/28/2017 12:26:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 12:25:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 12:25:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 12:25:20 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 12:25:10 PM	25	gradCels
SC PITUR DORU SNC	Cianuri	1/28/2017 12:25:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 12:25:00 PM	0	mg/l
SC PITUR DORU SNC	pH	1/28/2017 12:24:50 PM	8	unit pH
SC PITUR DORU SNC	Clor	1/28/2017 12:24:34 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 12:24:33 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 12:24:32 PM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 12:24:31 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 12:20:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 12:20:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 12:19:05 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 12:19:04 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 12:19:03 PM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 12:19:02 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 12:14:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 12:14:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 12:13:33 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 12:13:32 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 12:13:31 PM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 12:13:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 12:08:12 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 12:08:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 12:08:06 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 12:08:05 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 12:08:03 PM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 12:08:01 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 12:06:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 12:06:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 12:05:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 12:05:40 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 12:05:30 PM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 12:04:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 12:03:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 12:03:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 12:02:34 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 12:02:33 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 12:02:32 PM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 12:02:31 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 11:57:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 11:57:21 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 11:57:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 11:57:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 11:57:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 11:57:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 11:52:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 11:52:00 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	1/28/2017 11:51:21 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 11:51:20 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 11:51:19 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 11:51:18 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 11:47:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 11:47:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 11:46:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 11:46:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 11:46:26 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/28/2017 11:46:23 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 11:46:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 11:46:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 11:46:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 11:46:00 AM	8	unit pH
SC PITUR DORU SNC	Temp	1/28/2017 11:45:40 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 11:45:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 11:41:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 11:41:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 11:40:33 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 11:40:32 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 11:40:31 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 11:40:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 11:35:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 11:35:21 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 11:35:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 11:35:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 11:35:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 11:35:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 11:30:10 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/28/2017 11:30:02 AM	0	mg/l
SC PITUR DORU SNC	pH	1/28/2017 11:30:01 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/28/2017 11:30:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 11:29:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 11:29:31 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 11:29:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 11:29:29 AM	25	gradCels
SC PITUR DORU SNC	Grasimi	1/28/2017 11:28:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 11:28:20 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 11:27:50 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 11:27:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 11:24:24 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 11:24:23 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 11:23:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 11:23:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 11:23:41 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 11:23:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 11:19:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 11:19:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 11:18:17 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 11:18:16 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 11:18:15 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 11:18:14 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 11:13:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 11:13:21 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 11:12:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 11:12:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 11:12:41 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 11:12:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 11:10:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 11:10:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 11:09:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 11:09:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 11:09:20 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 11:09:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 11:08:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 11:08:00 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	1/28/2017 11:07:32 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 11:07:31 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 11:07:30 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 11:07:29 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 11:02:24 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 11:02:22 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 11:01:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 11:01:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 11:01:41 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 11:01:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 10:57:02 AM	0	mg/l
SC PITUR DORU SNC	pH	1/28/2017 10:57:01 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/28/2017 10:57:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 10:56:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 10:56:29 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 10:56:28 AM	25	gradCels
SC PITUR DORU SNC	Cianuri	1/28/2017 10:51:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 10:51:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 10:51:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 10:51:10 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/28/2017 10:51:04 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 10:51:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 10:50:50 AM	25	gradCels
SC PITUR DORU SNC	Clor	1/28/2017 10:50:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 10:50:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 10:50:41 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 10:50:40 AM	8	unit pH
SC PITUR DORU SNC	pH	1/28/2017 10:50:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 10:46:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 10:46:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 10:45:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 10:45:09 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 10:45:08 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 10:45:07 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 10:39:53 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 10:39:52 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 10:39:49 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 10:39:48 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 10:39:47 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 10:39:46 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 10:35:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 10:35:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 10:34:31 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 10:34:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 10:34:29 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 10:34:28 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 10:31:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 10:31:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 10:31:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 10:30:50 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 10:30:40 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 10:30:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 10:29:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 10:29:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 10:28:39 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 10:28:38 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 10:28:37 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 10:28:36 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 10:24:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 10:24:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 10:23:11 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 10:23:10 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 10:23:09 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 10:23:08 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 10:18:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 10:18:00 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	1/28/2017 10:17:35 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 10:17:34 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 10:17:33 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 10:17:32 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 10:13:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 10:13:20 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/28/2017 10:13:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 10:13:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 10:12:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 10:12:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 10:12:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 10:12:29 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 10:12:28 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 10:12:27 AM	8	unit pH
SC PITUR DORU SNC	Temp	1/28/2017 10:11:50 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 10:11:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 10:08:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 10:08:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 10:07:05 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 10:07:04 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 10:07:03 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 10:07:02 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 10:02:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 10:02:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 10:01:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 10:01:29 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 10:01:28 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 10:01:27 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 9:56:05 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 9:56:04 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 9:56:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 9:56:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 9:56:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 9:56:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 9:54:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 9:54:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 9:53:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 9:53:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 9:53:00 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 9:52:50 AM	8	unit pH
SC PITUR DORU SNC	pH	1/28/2017 9:51:02 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/28/2017 9:51:01 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/28/2017 9:51:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 9:50:28 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 9:50:27 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 9:50:26 AM	25	gradCels
SC PITUR DORU SNC	Cianuri	1/28/2017 9:45:05 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 9:45:04 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 9:45:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 9:45:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 9:45:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 9:45:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 9:40:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 9:40:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 9:39:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 9:39:29 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 9:39:28 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 9:39:27 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 9:36:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 9:36:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 9:36:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 9:35:50 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 9:35:40 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 9:35:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 9:34:05 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 9:34:04 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	1/28/2017 9:34:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 9:34:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 9:34:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 9:34:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 9:29:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 9:29:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 9:28:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 9:28:29 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 9:28:28 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 9:28:27 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 9:23:05 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 9:23:04 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 9:23:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 9:23:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 9:23:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 9:23:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 9:19:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 9:19:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 9:18:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 9:18:40 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 9:18:30 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 9:18:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 9:18:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 9:18:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 9:17:29 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 9:17:28 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 9:17:27 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 9:17:26 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 9:12:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 9:12:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 9:11:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 9:11:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 9:11:41 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 9:11:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 9:07:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 9:07:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 9:06:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 9:06:29 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 9:06:28 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 9:06:27 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 9:01:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 9:01:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 9:01:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 9:01:10 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/28/2017 9:01:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 9:01:00 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 9:00:50 AM	25	gradCels
SC PITUR DORU SNC	Clor	1/28/2017 9:00:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 9:00:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 9:00:41 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 9:00:40 AM	8	unit pH
SC PITUR DORU SNC	pH	1/28/2017 9:00:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 8:56:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 8:56:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 8:55:36 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 8:55:33 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 8:55:31 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 8:55:29 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/28/2017 8:50:01 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/28/2017 8:50:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 8:49:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 8:49:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 8:49:41 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 8:49:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 8:45:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 8:45:00 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	1/28/2017 8:44:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 8:44:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 8:44:29 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 8:44:28 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 8:44:27 AM	8	unit pH
SC PITUR DORU SNC	Clor	1/28/2017 8:43:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 8:43:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 8:42:50 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 8:42:20 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 8:42:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 8:39:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 8:39:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 8:38:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 8:38:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 8:38:41 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 8:38:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 8:34:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 8:34:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 8:33:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 8:33:29 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 8:33:28 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 8:33:27 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 8:28:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 8:28:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 8:27:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 8:27:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 8:27:41 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 8:27:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 8:25:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 8:25:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 8:24:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 8:24:20 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 8:24:10 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 8:24:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 8:23:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 8:23:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 8:22:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 8:22:09 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 8:22:08 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 8:22:07 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 8:17:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 8:17:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 8:16:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 8:16:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 8:16:41 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 8:16:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 8:12:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 8:12:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 8:11:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 8:11:29 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 8:11:28 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 8:11:27 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 8:07:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 8:07:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 8:07:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 8:07:00 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 8:06:50 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 8:06:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 8:06:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 8:06:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 8:05:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 8:05:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 8:05:41 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 8:05:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 8:01:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 8:01:00 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	1/28/2017 8:00:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 8:00:29 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 8:00:28 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 8:00:27 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 7:55:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 7:55:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 7:54:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 7:54:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 7:54:41 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 7:54:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 7:49:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 7:49:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 7:49:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 7:49:09 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/28/2017 7:49:07 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 7:49:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 7:49:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 7:49:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 7:49:00 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/28/2017 7:48:40 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 7:48:30 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 7:47:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 7:44:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 7:44:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 7:43:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 7:43:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 7:43:21 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 7:43:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 7:38:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 7:38:21 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 7:38:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 7:38:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 7:38:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 7:38:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 7:33:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 7:33:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 7:32:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 7:32:39 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 7:32:38 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 7:32:37 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 7:30:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 7:30:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 7:30:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 7:29:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 7:29:20 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 7:29:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 7:27:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 7:27:24 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 7:27:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 7:27:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 7:27:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 7:27:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 7:22:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 7:22:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 7:21:24 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 7:21:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 7:21:22 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 7:21:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 7:16:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 7:16:23 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 7:16:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 7:16:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 7:16:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 7:16:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 7:12:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 7:12:10 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	1/28/2017 7:11:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 7:11:40 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 7:11:30 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 7:11:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 7:11:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 7:11:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 7:10:36 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 7:10:35 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 7:10:34 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 7:10:33 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 7:05:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 7:05:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 7:05:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 7:05:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 7:05:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 7:05:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 7:00:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 7:00:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 6:59:16 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 6:59:15 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 6:59:14 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 6:59:13 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/28/2017 6:54:24 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/28/2017 6:54:22 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 6:53:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 6:53:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 6:53:41 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 6:53:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 6:52:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 6:52:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 6:51:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 6:51:20 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 6:51:10 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 6:50:50 AM	8	unit pH
SC PITUR DORU SNC	pH	1/28/2017 6:49:02 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/28/2017 6:49:01 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/28/2017 6:49:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 6:48:19 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 6:48:18 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 6:48:17 AM	25	gradCels
SC PITUR DORU SNC	Cianuri	1/28/2017 6:43:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 6:43:21 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 6:42:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 6:42:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 6:42:41 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 6:42:40 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/28/2017 6:38:01 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/28/2017 6:38:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 6:37:15 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 6:37:14 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 6:37:13 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 6:37:12 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 6:33:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 6:33:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 6:32:40 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/28/2017 6:32:24 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 6:32:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 6:31:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 6:31:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 6:31:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 6:31:41 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 6:31:40 AM	8	unit pH
SC PITUR DORU SNC	Temp	1/28/2017 6:31:30 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 6:30:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 6:27:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 6:27:00 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	1/28/2017 6:26:16 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 6:26:15 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 6:26:14 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 6:26:13 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 6:21:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 6:21:01 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 6:20:42 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 6:20:41 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 6:20:40 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 6:20:39 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 6:16:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 6:16:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 6:15:16 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 6:15:15 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 6:15:14 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 6:15:13 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 6:13:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 6:12:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 6:12:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 6:11:50 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 6:11:40 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 6:11:30 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/28/2017 6:10:22 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/28/2017 6:10:21 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 6:09:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 6:09:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 6:09:41 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 6:09:40 AM	8	unit pH
SC PITUR DORU SNC	pH	1/28/2017 6:05:02 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 6:05:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 6:05:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 6:04:14 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 6:04:13 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 6:04:12 AM	25	gradCels
SC PITUR DORU SNC	Cianuri	1/28/2017 5:59:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 5:59:21 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 5:58:32 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 5:58:31 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 5:58:30 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 5:58:29 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 5:54:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 5:54:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 5:53:15 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 5:53:14 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 5:53:13 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 5:53:12 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 5:51:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 5:50:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 5:50:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 5:50:00 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 5:49:50 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 5:49:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 5:48:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 5:48:01 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 5:47:34 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 5:47:33 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 5:47:32 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 5:47:31 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 5:43:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 5:43:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 5:42:17 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 5:42:16 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 5:42:15 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 5:42:14 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 5:37:24 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 5:37:20 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	1/28/2017 5:36:33 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 5:36:32 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 5:36:31 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 5:36:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 5:32:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 5:32:00 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/28/2017 5:31:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 5:31:15 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 5:31:14 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 5:31:13 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 5:31:12 AM	8	unit pH
SC PITUR DORU SNC	Clor	1/28/2017 5:30:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 5:29:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 5:29:10 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 5:28:40 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 5:28:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 5:26:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 5:26:21 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 5:25:33 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 5:25:32 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 5:25:31 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 5:25:30 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/28/2017 5:19:59 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/28/2017 5:19:57 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 5:19:54 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 5:19:53 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 5:19:52 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 5:19:51 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 5:15:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 5:15:21 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 5:14:33 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 5:14:32 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 5:14:31 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 5:14:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 5:10:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 5:10:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 5:10:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 5:10:00 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 5:09:50 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 5:09:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 5:09:29 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 5:09:26 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 5:09:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 5:09:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 5:09:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 5:09:00 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/28/2017 5:04:22 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/28/2017 5:04:21 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 5:03:31 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 5:03:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 5:03:29 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 5:03:28 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 4:58:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 4:58:23 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 4:58:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 4:58:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 4:58:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 4:58:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 4:53:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 4:53:01 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 4:52:33 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 4:52:32 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 4:52:31 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 4:52:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 4:48:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 4:48:00 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	1/28/2017 4:47:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 4:47:24 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/28/2017 4:47:22 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 4:46:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 4:46:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 4:46:41 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 4:46:40 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/28/2017 4:45:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 4:44:40 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 4:44:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 4:42:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 4:42:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 4:41:31 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 4:41:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 4:41:29 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 4:41:28 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 4:36:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 4:36:24 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 4:35:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 4:35:39 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 4:35:38 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 4:35:37 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 4:31:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 4:31:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 4:30:42 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 4:30:41 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 4:30:40 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 4:30:39 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 4:26:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 4:26:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 4:25:36 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 4:25:35 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 4:25:34 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 4:25:33 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 4:24:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 4:24:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 4:23:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 4:22:40 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 4:22:30 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 4:22:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 4:19:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 4:19:49 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 4:19:47 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 4:19:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 4:19:45 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 4:19:44 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 4:15:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 4:15:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 4:14:36 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 4:14:35 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 4:14:34 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 4:14:33 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 4:09:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 4:09:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 4:08:37 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 4:08:36 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 4:08:35 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 4:08:34 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 4:04:10 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/28/2017 4:04:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 4:04:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 4:03:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 4:03:34 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 4:03:33 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 4:03:32 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 4:03:31 AM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	1/28/2017 4:02:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 4:01:20 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 4:01:10 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 4:00:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 3:58:02 AM	0	mg/l
SC PITUR DORU SNC	pH	1/28/2017 3:58:01 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/28/2017 3:58:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 3:57:42 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 3:57:41 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 3:57:40 AM	25	gradCels
SC PITUR DORU SNC	Cianuri	1/28/2017 3:53:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 3:53:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 3:52:17 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 3:52:16 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 3:52:15 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 3:52:14 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 3:47:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 3:47:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 3:46:26 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 3:46:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 3:46:24 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 3:46:23 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 3:43:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 3:42:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 3:42:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 3:42:20 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 3:42:10 AM	25	gradCels
SC PITUR DORU SNC	Cianuri	1/28/2017 3:42:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 3:42:00 AM	0	mg/l
SC PITUR DORU SNC	pH	1/28/2017 3:41:40 AM	8	unit pH
SC PITUR DORU SNC	Clor	1/28/2017 3:41:36 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 3:41:35 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 3:41:34 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 3:41:33 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 3:36:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 3:36:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 3:35:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 3:35:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 3:35:21 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 3:35:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 3:30:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 3:30:08 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 3:30:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 3:30:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 3:30:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 3:30:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 3:25:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 3:25:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 3:24:28 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 3:24:27 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 3:24:26 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 3:24:25 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 3:23:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 3:23:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 3:22:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 3:22:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 3:22:20 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 3:22:10 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/28/2017 3:19:14 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/28/2017 3:19:09 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 3:19:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 3:19:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 3:19:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 3:19:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 3:14:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 3:14:00 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	1/28/2017 3:13:21 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 3:13:20 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 3:13:19 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 3:13:18 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/28/2017 3:08:23 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/28/2017 3:08:21 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 3:08:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 3:08:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 3:08:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 3:08:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 3:04:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 3:04:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 3:03:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 3:03:40 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 3:03:30 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 3:03:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 3:03:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 3:03:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 3:02:39 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 3:02:38 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 3:02:37 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 3:02:36 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/28/2017 2:57:21 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/28/2017 2:57:12 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 2:57:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 2:57:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 2:57:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 2:57:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 2:52:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 2:52:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 2:51:33 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 2:51:32 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 2:51:31 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 2:51:30 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/28/2017 2:46:22 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/28/2017 2:46:05 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 2:45:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 2:45:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 2:45:41 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 2:45:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 2:44:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 2:44:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 2:43:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 2:43:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 2:43:20 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 2:43:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 2:41:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 2:41:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 2:40:44 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 2:40:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 2:40:42 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 2:40:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 2:35:04 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 2:35:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 2:34:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 2:34:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 2:34:41 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 2:34:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 2:30:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 2:30:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 2:29:37 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 2:29:36 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 2:29:35 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 2:29:34 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 2:25:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 2:24:50 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	1/28/2017 2:24:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 2:24:20 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/28/2017 2:24:05 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 2:24:01 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 2:23:47 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 2:23:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 2:23:45 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 2:23:44 AM	8	unit pH
SC PITUR DORU SNC	Temp	1/28/2017 2:23:30 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 2:22:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 2:19:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 2:19:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 2:18:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 2:18:19 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 2:18:18 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 2:18:17 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 2:13:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 2:13:21 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 2:12:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 2:12:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 2:12:41 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 2:12:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 2:08:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 2:08:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 2:07:44 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 2:07:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 2:07:42 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 2:07:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 2:04:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 2:03:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 2:03:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 2:03:20 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 2:03:10 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 2:03:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 2:02:46 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 2:02:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 2:02:39 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 2:02:38 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 2:02:37 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 2:02:36 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 1:57:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 1:57:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 1:56:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 1:56:39 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 1:56:38 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 1:56:37 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 1:51:06 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 1:51:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 1:50:38 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 1:50:37 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 1:50:36 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 1:50:35 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 1:46:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 1:46:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 1:45:34 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 1:45:33 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 1:45:32 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 1:45:31 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 1:43:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 1:42:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 1:42:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 1:42:10 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 1:41:50 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 1:41:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 1:40:24 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 1:40:23 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	1/28/2017 1:39:36 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 1:39:35 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 1:39:34 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 1:39:33 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 1:35:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 1:35:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 1:34:36 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 1:34:35 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 1:34:34 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 1:34:33 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 1:29:24 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 1:29:22 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 1:28:36 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 1:28:35 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 1:28:34 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 1:28:33 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 1:24:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 1:24:10 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/28/2017 1:24:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 1:24:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 1:23:44 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 1:23:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 1:23:42 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 1:23:41 AM	8	unit pH
SC PITUR DORU SNC	Grasimi	1/28/2017 1:22:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 1:21:50 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 1:21:40 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 1:21:30 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/28/2017 1:18:06 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/28/2017 1:18:04 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 1:17:37 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 1:17:36 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 1:17:35 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 1:17:34 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 1:13:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 1:13:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 1:12:31 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 1:12:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 1:12:29 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 1:12:28 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 1:07:24 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 1:07:22 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 1:06:28 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 1:06:27 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 1:06:26 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 1:06:25 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 1:04:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 1:04:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 1:03:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 1:03:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 1:03:10 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 1:03:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 1:02:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 1:02:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 1:01:32 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 1:01:31 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 1:01:30 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 1:01:29 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 12:56:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 12:56:22 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 12:55:33 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 12:55:32 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 12:55:31 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 12:55:30 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/28/2017 12:51:01 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/28/2017 12:51:00 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	1/28/2017 12:50:17 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 12:50:16 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 12:50:15 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 12:50:14 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 12:45:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 12:45:40 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/28/2017 12:45:24 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 12:45:22 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 12:44:33 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 12:44:32 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 12:44:31 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 12:44:30 AM	8	unit pH
SC PITUR DORU SNC	Grasimi	1/28/2017 12:44:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 12:43:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 12:43:20 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 12:43:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 12:40:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 12:40:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 12:39:41 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 12:39:40 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 12:39:39 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 12:39:38 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 12:34:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 12:34:21 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 12:33:31 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 12:33:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 12:33:29 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 12:33:28 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 12:29:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 12:29:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 12:28:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 12:28:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 12:28:41 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 12:28:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 12:25:11 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 12:24:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 12:24:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 12:24:00 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 12:23:50 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 12:23:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 12:23:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 12:23:01 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 12:22:33 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 12:22:32 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 12:22:31 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 12:22:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 12:18:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 12:18:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 12:17:34 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 12:17:33 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 12:17:32 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 12:17:31 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/28/2017 12:12:22 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/28/2017 12:12:21 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 12:11:33 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 12:11:32 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 12:11:31 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 12:11:30 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/28/2017 12:06:23 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/28/2017 12:06:22 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 12:06:14 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 12:06:13 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 12:06:12 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 12:06:11 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 12:05:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 12:05:00 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	1/28/2017 12:04:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 12:04:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 12:04:20 AM	25	gradCels
SC PITUR DORU SNC	pH	1/28/2017 12:04:10 AM	8	unit pH
SC PITUR DORU SNC	pH	1/28/2017 12:01:26 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/28/2017 12:01:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/28/2017 12:01:23 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/28/2017 12:00:32 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/28/2017 12:00:31 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/28/2017 12:00:30 AM	25	gradCels
SC PITUR DORU SNC	Substante organice	1/27/2017 11:55:25 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/27/2017 11:55:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 11:55:13 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 11:55:12 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 11:55:11 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 11:55:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 11:49:53 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 11:49:49 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 11:49:46 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 11:49:45 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 11:49:44 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 11:49:43 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 11:46:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 11:46:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 11:46:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 11:45:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 11:45:40 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 11:45:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 11:44:11 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 11:44:09 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 11:44:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 11:44:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 11:44:01 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 11:44:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 11:39:12 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 11:39:01 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 11:38:27 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 11:38:26 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 11:38:25 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 11:38:24 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/27/2017 11:33:10 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/27/2017 11:33:09 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 11:33:02 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 11:33:01 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 11:33:00 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 11:32:59 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 11:28:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 11:28:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 11:28:20 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/27/2017 11:28:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 11:28:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 11:27:40 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 11:27:30 PM	25	gradCels
SC PITUR DORU SNC	Clor	1/27/2017 11:27:28 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 11:27:27 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 11:27:26 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 11:27:25 PM	8	unit pH
SC PITUR DORU SNC	pH	1/27/2017 11:26:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/27/2017 11:22:10 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/27/2017 11:22:09 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 11:22:04 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 11:22:03 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 11:22:02 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 11:22:01 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 11:17:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 11:17:01 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	1/27/2017 11:16:27 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 11:16:26 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 11:16:25 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 11:16:24 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 11:11:12 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 11:11:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 11:11:01 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 11:11:00 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 11:10:59 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 11:10:58 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 11:09:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 11:09:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 11:09:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 11:09:00 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 11:08:50 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 11:08:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 11:05:58 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 11:05:49 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 11:05:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 11:05:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 11:05:45 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 11:05:44 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 11:00:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 11:00:09 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 11:00:01 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 11:00:00 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 10:59:59 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 10:59:58 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 10:54:58 PM	0	mg/l
SC PITUR DORU SNC	pH	1/27/2017 10:54:54 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/27/2017 10:54:49 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 10:54:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 10:54:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 10:54:45 PM	25	gradCels
SC PITUR DORU SNC	Cianuri	1/27/2017 10:51:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 10:51:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 10:50:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 10:50:20 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 10:50:10 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 10:50:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 10:49:08 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 10:49:07 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 10:49:01 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 10:49:00 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 10:48:59 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 10:48:58 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 10:43:54 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 10:43:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 10:43:48 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 10:43:47 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 10:43:46 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 10:43:45 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 10:38:09 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 10:38:08 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 10:37:59 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 10:37:58 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 10:37:57 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 10:37:56 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 10:33:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 10:33:10 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/27/2017 10:33:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 10:32:51 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 10:32:49 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 10:32:48 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 10:32:47 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 10:32:46 PM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	1/27/2017 10:31:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 10:30:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 10:30:40 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 10:30:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 10:27:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 10:27:06 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 10:27:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 10:26:59 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 10:26:58 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 10:26:57 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 10:22:06 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 10:22:01 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 10:21:32 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 10:21:31 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 10:21:30 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 10:21:29 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/27/2017 10:16:09 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/27/2017 10:16:06 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 10:16:01 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 10:16:00 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 10:15:59 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 10:15:58 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 10:12:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 10:12:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 10:12:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 10:12:00 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 10:11:50 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 10:11:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 10:11:07 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 10:11:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 10:10:42 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 10:10:41 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 10:10:40 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 10:10:39 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/27/2017 10:05:11 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/27/2017 10:05:09 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 10:05:01 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 10:05:00 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 10:04:59 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 10:04:58 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/27/2017 9:59:56 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/27/2017 9:59:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 9:59:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 9:59:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 9:59:45 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 9:59:44 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 9:55:04 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 9:55:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 9:54:13 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 9:54:12 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 9:54:11 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 9:54:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 9:51:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 9:50:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 9:50:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 9:50:20 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 9:50:10 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 9:50:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 9:49:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 9:49:01 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 9:48:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 9:48:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 9:48:41 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 9:48:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 9:44:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 9:44:00 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	1/27/2017 9:43:27 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 9:43:26 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 9:43:25 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 9:43:24 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/27/2017 9:38:25 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/27/2017 9:38:23 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 9:37:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 9:37:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 9:37:41 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 9:37:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 9:33:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 9:33:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 9:32:32 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 9:32:31 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 9:32:30 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 9:32:29 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 9:28:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 9:28:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 9:28:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 9:27:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 9:27:40 PM	25	gradCels
SC PITUR DORU SNC	Cianuri	1/27/2017 9:27:25 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 9:27:21 PM	0	mg/l
SC PITUR DORU SNC	pH	1/27/2017 9:26:40 PM	8	unit pH
SC PITUR DORU SNC	Clor	1/27/2017 9:26:32 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 9:26:31 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 9:26:30 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 9:26:29 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 9:22:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 9:22:02 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 9:21:01 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 9:21:00 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 9:20:59 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 9:20:58 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 9:16:27 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 9:16:21 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 9:15:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 9:15:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 9:15:41 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 9:15:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 9:11:06 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 9:11:02 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 9:10:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 9:10:29 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 9:10:28 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 9:10:27 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 9:05:07 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 9:05:03 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 9:04:42 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 9:04:41 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 9:04:40 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 9:04:39 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 9:03:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 9:03:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 9:02:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 9:02:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 9:02:20 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 9:02:10 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/27/2017 9:00:04 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/27/2017 9:00:02 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 8:59:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 8:59:09 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 8:59:08 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 8:59:07 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/27/2017 8:54:05 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/27/2017 8:54:03 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	1/27/2017 8:53:38 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 8:53:37 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 8:53:36 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 8:53:35 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/27/2017 8:49:03 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/27/2017 8:49:01 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 8:48:04 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 8:48:03 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 8:48:02 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 8:48:01 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/27/2017 8:43:02 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/27/2017 8:43:01 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 8:42:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 8:42:39 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 8:42:38 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 8:42:37 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 8:41:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 8:41:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 8:40:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 8:40:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 8:40:20 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 8:40:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 8:38:06 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 8:38:02 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 8:37:27 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 8:37:26 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 8:37:25 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 8:37:24 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 8:33:06 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 8:33:02 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 8:32:11 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 8:32:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 8:32:09 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 8:32:08 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 8:27:04 PM	0	mg/l
SC PITUR DORU SNC	pH	1/27/2017 8:27:03 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/27/2017 8:27:01 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 8:26:29 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 8:26:28 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 8:26:27 PM	25	gradCels
SC PITUR DORU SNC	Substante organice	1/27/2017 8:22:04 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/27/2017 8:22:02 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/27/2017 8:21:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 8:21:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 8:21:11 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 8:21:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 8:21:09 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 8:21:08 PM	8	unit pH
SC PITUR DORU SNC	Grasimi	1/27/2017 8:19:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 8:19:20 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 8:19:10 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 8:18:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/27/2017 8:16:02 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/27/2017 8:16:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 8:15:34 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 8:15:33 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 8:15:32 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 8:15:31 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 8:11:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 8:11:02 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 8:10:12 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 8:10:11 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 8:10:10 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 8:10:09 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/27/2017 8:05:07 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/27/2017 8:05:02 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	1/27/2017 8:04:34 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 8:04:33 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 8:04:32 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 8:04:31 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 8:00:06 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 8:00:02 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/27/2017 7:59:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 7:59:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 7:59:11 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 7:59:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 7:59:09 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 7:59:08 PM	8	unit pH
SC PITUR DORU SNC	Grasimi	1/27/2017 7:58:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 7:58:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 7:58:20 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 7:57:30 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/27/2017 7:54:06 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/27/2017 7:54:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 7:53:27 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 7:53:26 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 7:53:25 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 7:53:24 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 7:49:04 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 7:49:02 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 7:48:12 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 7:48:11 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 7:48:10 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 7:48:09 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/27/2017 7:42:53 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/27/2017 7:42:47 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 7:42:39 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 7:42:38 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 7:42:37 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 7:42:36 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 7:38:10 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/27/2017 7:38:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 7:38:02 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 7:37:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 7:37:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 7:37:09 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 7:37:08 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 7:37:07 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 7:37:06 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/27/2017 7:36:20 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 7:35:30 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 7:35:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 7:32:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 7:32:01 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 7:31:27 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 7:31:26 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 7:31:25 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 7:31:24 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 7:27:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 7:27:02 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 7:26:13 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 7:26:12 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 7:26:11 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 7:26:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 7:21:04 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 7:21:02 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 7:20:27 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 7:20:26 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 7:20:25 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 7:20:24 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 7:15:04 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 7:15:01 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	1/27/2017 7:14:53 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 7:14:52 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 7:14:51 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 7:14:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 7:13:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 7:13:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 7:12:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 7:12:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 7:11:50 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 7:11:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 7:10:04 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 7:10:02 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 7:09:18 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 7:09:17 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 7:09:16 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 7:09:15 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 7:04:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 7:03:56 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 7:03:53 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 7:03:52 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 7:03:51 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 7:03:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 6:59:11 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 6:59:02 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 6:58:19 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 6:58:18 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 6:58:17 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 6:58:16 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/27/2017 6:52:52 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/27/2017 6:52:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 6:52:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 6:52:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 6:52:45 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 6:52:44 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 6:52:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 6:51:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 6:50:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 6:50:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 6:49:50 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 6:49:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/27/2017 6:48:09 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/27/2017 6:48:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 6:47:18 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 6:47:17 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 6:47:16 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 6:47:15 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/27/2017 6:42:03 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/27/2017 6:41:58 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 6:41:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 6:41:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 6:41:45 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 6:41:44 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/27/2017 6:36:54 PM	0	mg/l
SC PITUR DORU SNC	pH	1/27/2017 6:36:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 6:36:48 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 6:36:38 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 6:36:37 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 6:36:36 PM	25	gradCels
SC PITUR DORU SNC	Cianuri	1/27/2017 6:31:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 6:31:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 6:31:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 6:31:03 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/27/2017 6:31:01 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 6:30:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 6:30:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 6:30:45 PM	25	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	1/27/2017 6:30:44 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/27/2017 6:30:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 6:30:10 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 6:29:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 6:25:53 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 6:25:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 6:25:39 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 6:25:38 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 6:25:37 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 6:25:36 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/27/2017 6:20:02 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/27/2017 6:19:57 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 6:19:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 6:19:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 6:19:45 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 6:19:44 PM	8	unit pH
SC PITUR DORU SNC	pH	1/27/2017 6:15:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 6:15:05 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 6:15:02 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 6:14:33 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 6:14:32 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 6:14:31 PM	25	gradCels
SC PITUR DORU SNC	Cianuri	1/27/2017 6:10:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 6:10:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 6:10:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 6:10:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 6:10:00 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 6:09:50 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/27/2017 6:09:06 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/27/2017 6:09:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 6:08:51 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 6:08:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 6:08:49 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 6:08:48 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 6:04:09 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 6:04:06 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 6:03:17 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 6:03:16 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 6:03:15 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 6:03:14 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/27/2017 5:58:04 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/27/2017 5:58:02 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 5:57:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 5:57:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 5:57:45 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 5:57:44 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 5:53:04 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 5:53:01 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 5:52:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 5:52:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 5:52:21 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 5:52:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 5:49:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 5:49:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 5:48:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 5:48:40 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 5:48:30 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 5:48:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 5:47:04 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 5:47:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 5:46:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 5:46:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 5:46:41 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 5:46:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 5:42:08 PM	0	mg/l
SC PITUR DORU SNC	pH	1/27/2017 5:42:04 PM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	1/27/2017 5:42:03 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 5:41:13 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 5:41:12 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 5:41:11 PM	25	gradCels
SC PITUR DORU SNC	Cianuri	1/27/2017 5:36:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 5:35:59 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 5:35:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 5:35:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 5:35:45 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 5:35:44 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 5:31:09 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 5:31:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 5:30:15 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 5:30:14 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 5:30:13 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 5:30:12 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 5:27:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 5:27:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 5:26:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 5:26:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 5:26:20 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 5:26:10 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/27/2017 5:25:07 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/27/2017 5:25:03 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 5:24:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 5:24:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 5:24:45 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 5:24:44 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 5:20:07 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 5:20:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 5:19:05 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 5:19:04 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 5:19:03 PM	25	gradCels
SC PITUR DORU SNC	Substante organice	1/27/2017 5:13:57 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/27/2017 5:13:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 5:13:48 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 5:13:47 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 5:13:46 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 5:13:45 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 5:08:54 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 5:08:49 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 5:08:28 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 5:08:27 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 5:08:26 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 5:08:25 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 5:07:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 5:06:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 5:06:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 5:06:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 5:05:00 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 5:04:50 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/27/2017 5:02:56 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/27/2017 5:02:54 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 5:02:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 5:02:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 5:02:41 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 5:02:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 4:58:12 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 4:58:05 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 4:57:33 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 4:57:32 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 4:57:31 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 4:57:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 4:51:59 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 4:51:55 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 4:51:53 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	1/27/2017 4:51:52 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 4:51:51 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 4:51:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 4:46:48 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 4:46:47 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 4:46:34 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 4:46:33 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 4:46:32 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 4:46:31 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 4:42:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 4:41:40 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/27/2017 4:41:06 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 4:41:02 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 4:40:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 4:40:36 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 4:40:35 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 4:40:34 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 4:40:33 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/27/2017 4:39:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 4:38:40 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 4:38:30 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/27/2017 4:35:56 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/27/2017 4:35:55 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 4:35:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 4:35:39 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 4:35:38 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 4:35:37 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 4:30:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 4:30:02 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 4:29:37 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 4:29:36 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 4:29:35 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 4:29:34 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 4:24:54 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 4:24:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 4:24:34 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 4:24:33 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 4:24:32 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 4:24:31 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 4:19:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 4:19:02 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 4:18:33 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 4:18:32 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 4:18:31 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 4:18:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 4:18:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 4:17:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 4:16:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 4:16:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 4:16:20 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 4:16:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 4:13:56 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 4:13:53 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 4:13:38 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 4:13:37 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 4:13:36 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 4:13:35 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 4:08:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 4:08:02 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 4:07:36 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 4:07:35 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 4:07:34 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 4:07:33 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 4:03:07 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 4:03:05 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 4:02:34 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	1/27/2017 4:02:33 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 4:02:32 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 4:02:31 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/27/2017 3:57:10 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/27/2017 3:57:01 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 3:56:31 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 3:56:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 3:56:29 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 3:56:28 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 3:54:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 3:54:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 3:53:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 3:53:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 3:53:10 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 3:53:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 3:52:09 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 3:52:01 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 3:51:14 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 3:51:13 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 3:51:12 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 3:51:11 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 3:46:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 3:46:02 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 3:45:31 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 3:45:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 3:45:29 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 3:45:28 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 3:40:57 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 3:40:56 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 3:40:34 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 3:40:33 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 3:40:32 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 3:40:31 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 3:35:06 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 3:35:02 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 3:34:31 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 3:34:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 3:34:29 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 3:34:28 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 3:31:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 3:30:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 3:30:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 3:30:20 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 3:30:10 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 3:30:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 3:29:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 3:29:47 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 3:29:28 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 3:29:27 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 3:29:26 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 3:29:25 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 3:24:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 3:24:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 3:23:27 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 3:23:26 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 3:23:25 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 3:23:24 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 3:19:05 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 3:19:02 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 3:18:26 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 3:18:25 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 3:18:24 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 3:18:23 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 3:12:57 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 3:12:56 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 3:12:27 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	1/27/2017 3:12:26 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 3:12:25 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 3:12:24 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 3:08:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 3:08:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 3:07:56 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/27/2017 3:07:53 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 3:07:29 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 3:07:28 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 3:07:27 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 3:07:26 PM	8	unit pH
SC PITUR DORU SNC	Grasimi	1/27/2017 3:06:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 3:06:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 3:06:20 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 3:06:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 3:01:55 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 3:01:53 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 3:01:27 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 3:01:26 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 3:01:25 PM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 3:01:24 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/27/2017 2:56:57 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/27/2017 2:56:52 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 2:56:36 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 2:56:35 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 2:56:34 PM	24	gradCels
SC PITUR DORU SNC	pH	1/27/2017 2:56:33 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 2:51:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 2:50:53 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 2:50:29 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 2:50:28 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 2:50:27 PM	24	gradCels
SC PITUR DORU SNC	pH	1/27/2017 2:50:26 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 2:46:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 2:46:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 2:46:10 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/27/2017 2:46:07 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 2:46:04 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 2:45:40 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 2:45:30 PM	24	gradCels
SC PITUR DORU SNC	Clor	1/27/2017 2:45:16 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 2:45:15 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 2:45:14 PM	24	gradCels
SC PITUR DORU SNC	pH	1/27/2017 2:45:13 PM	8	unit pH
SC PITUR DORU SNC	pH	1/27/2017 2:44:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/27/2017 2:40:03 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/27/2017 2:40:02 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 2:39:27 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 2:39:26 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 2:39:25 PM	24	gradCels
SC PITUR DORU SNC	pH	1/27/2017 2:39:24 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 2:34:05 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 2:34:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 2:34:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 2:34:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 2:34:01 PM	24	gradCels
SC PITUR DORU SNC	pH	1/27/2017 2:34:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/27/2017 2:29:00 PM	0	mg/l
SC PITUR DORU SNC	pH	1/27/2017 2:28:58 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 2:28:56 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 2:28:51 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 2:28:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 2:28:49 PM	24	gradCels
SC PITUR DORU SNC	Cianuri	1/27/2017 2:25:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 2:25:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 2:24:50 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	1/27/2017 2:24:40 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 2:24:30 PM	24	gradCels
SC PITUR DORU SNC	pH	1/27/2017 2:24:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 2:23:53 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 2:23:45 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 2:23:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 2:23:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 2:23:41 PM	24	gradCels
SC PITUR DORU SNC	pH	1/27/2017 2:23:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 2:19:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 2:19:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 2:18:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 2:18:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 2:18:21 PM	24	gradCels
SC PITUR DORU SNC	pH	1/27/2017 2:18:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 2:12:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 2:12:45 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 2:12:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 2:12:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 2:12:41 PM	24	gradCels
SC PITUR DORU SNC	pH	1/27/2017 2:12:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 2:08:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 2:08:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 2:07:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 2:07:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 2:07:21 PM	24	gradCels
SC PITUR DORU SNC	pH	1/27/2017 2:07:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 2:02:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 2:02:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 2:02:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 2:02:00 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/27/2017 2:01:47 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 2:01:46 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 2:01:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 2:01:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 2:01:41 PM	24	gradCels
SC PITUR DORU SNC	pH	1/27/2017 2:01:40 PM	8	unit pH
SC PITUR DORU SNC	Temp	1/27/2017 2:01:30 PM	24	gradCels
SC PITUR DORU SNC	pH	1/27/2017 2:01:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/27/2017 1:57:03 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/27/2017 1:57:02 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 1:56:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 1:56:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 1:56:21 PM	24	gradCels
SC PITUR DORU SNC	pH	1/27/2017 1:56:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 1:50:47 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 1:50:46 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 1:50:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 1:50:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 1:50:41 PM	24	gradCels
SC PITUR DORU SNC	pH	1/27/2017 1:50:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 1:46:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 1:46:02 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 1:45:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 1:45:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 1:45:21 PM	24	gradCels
SC PITUR DORU SNC	pH	1/27/2017 1:45:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 1:41:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 1:41:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 1:41:02 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/27/2017 1:41:01 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 1:40:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 1:40:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 1:40:14 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 1:40:13 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 1:40:12 PM	24	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	1/27/2017 1:40:11 PM	8	unit pH
SC PITUR DORU SNC	Temp	1/27/2017 1:39:40 PM	24	gradCels
SC PITUR DORU SNC	pH	1/27/2017 1:39:30 PM	8	unit pH
SC PITUR DORU SNC	pH	1/27/2017 1:35:04 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 1:35:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 1:35:02 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 1:34:42 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 1:34:41 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 1:34:40 PM	24	gradCels
SC PITUR DORU SNC	Cianuri	1/27/2017 1:30:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 1:30:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 1:29:14 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 1:29:13 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 1:29:12 PM	24	gradCels
SC PITUR DORU SNC	pH	1/27/2017 1:29:11 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 1:23:47 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 1:23:45 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 1:23:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 1:23:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 1:23:41 PM	24	gradCels
SC PITUR DORU SNC	pH	1/27/2017 1:23:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 1:19:05 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 1:19:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 1:18:14 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 1:18:13 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 1:18:12 PM	24	gradCels
SC PITUR DORU SNC	pH	1/27/2017 1:18:11 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 1:16:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 1:16:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 1:15:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 1:15:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 1:14:40 PM	24	gradCels
SC PITUR DORU SNC	pH	1/27/2017 1:14:30 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/27/2017 1:12:51 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/27/2017 1:12:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 1:12:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 1:12:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 1:12:41 PM	24	gradCels
SC PITUR DORU SNC	pH	1/27/2017 1:12:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/27/2017 1:07:47 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/27/2017 1:07:46 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 1:07:07 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 1:07:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 1:07:05 PM	24	gradCels
SC PITUR DORU SNC	pH	1/27/2017 1:07:04 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 1:01:51 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 1:01:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 1:01:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 1:01:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 1:01:41 PM	24	gradCels
SC PITUR DORU SNC	pH	1/27/2017 1:01:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 12:56:47 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 12:56:46 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 12:56:08 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 12:56:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 12:56:06 PM	24	gradCels
SC PITUR DORU SNC	pH	1/27/2017 12:56:05 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 12:53:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 12:52:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 12:52:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 12:52:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 12:51:40 PM	24	gradCels
SC PITUR DORU SNC	pH	1/27/2017 12:51:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 12:50:51 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 12:50:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 12:50:43 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	1/27/2017 12:50:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 12:50:41 PM	24	gradCels
SC PITUR DORU SNC	pH	1/27/2017 12:50:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 12:45:47 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 12:45:45 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 12:45:08 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 12:45:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 12:45:06 PM	24	gradCels
SC PITUR DORU SNC	pH	1/27/2017 12:45:05 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 12:39:47 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 12:39:46 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 12:39:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 12:39:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 12:39:21 PM	24	gradCels
SC PITUR DORU SNC	pH	1/27/2017 12:39:20 PM	8	unit pH
SC PITUR DORU SNC	pH	1/27/2017 12:34:48 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/27/2017 12:34:47 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/27/2017 12:34:46 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 12:34:07 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 12:34:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 12:34:05 PM	24	gradCels
SC PITUR DORU SNC	Cianuri	1/27/2017 12:30:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 12:29:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 12:29:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 12:29:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 12:28:50 PM	24	gradCels
SC PITUR DORU SNC	Cianuri	1/27/2017 12:28:47 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 12:28:46 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 12:28:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 12:28:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 12:28:21 PM	24	gradCels
SC PITUR DORU SNC	pH	1/27/2017 12:28:20 PM	8	unit pH
SC PITUR DORU SNC	pH	1/27/2017 12:28:10 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/27/2017 12:23:48 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/27/2017 12:23:47 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 12:23:08 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 12:23:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 12:23:06 PM	24	gradCels
SC PITUR DORU SNC	pH	1/27/2017 12:23:05 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/27/2017 12:17:47 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/27/2017 12:17:46 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 12:17:17 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 12:17:16 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 12:17:15 PM	24	gradCels
SC PITUR DORU SNC	pH	1/27/2017 12:17:14 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/27/2017 12:12:08 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/27/2017 12:12:07 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 12:12:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 12:12:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 12:12:01 PM	24	gradCels
SC PITUR DORU SNC	pH	1/27/2017 12:12:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 12:07:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 12:07:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 12:07:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 12:06:50 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/27/2017 12:06:47 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 12:06:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 12:06:20 PM	24	gradCels
SC PITUR DORU SNC	Clor	1/27/2017 12:06:16 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 12:06:15 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 12:06:14 PM	24	gradCels
SC PITUR DORU SNC	pH	1/27/2017 12:06:13 PM	8	unit pH
SC PITUR DORU SNC	pH	1/27/2017 12:05:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/27/2017 12:00:49 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/27/2017 12:00:48 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 12:00:43 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	1/27/2017 12:00:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 12:00:41 PM	24	gradCels
SC PITUR DORU SNC	pH	1/27/2017 12:00:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 11:55:47 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 11:55:46 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 11:55:17 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 11:55:16 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 11:55:15 AM	24	gradCels
SC PITUR DORU SNC	pH	1/27/2017 11:55:14 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 11:49:48 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 11:49:47 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 11:49:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 11:49:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 11:49:41 AM	24	gradCels
SC PITUR DORU SNC	pH	1/27/2017 11:49:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 11:45:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 11:45:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 11:45:02 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/27/2017 11:45:01 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 11:44:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 11:44:17 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 11:44:16 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 11:44:15 AM	24	gradCels
SC PITUR DORU SNC	pH	1/27/2017 11:44:14 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/27/2017 11:43:40 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 11:43:00 AM	24	gradCels
SC PITUR DORU SNC	pH	1/27/2017 11:42:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 11:38:48 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 11:38:46 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 11:38:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 11:38:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 11:38:41 AM	24	gradCels
SC PITUR DORU SNC	pH	1/27/2017 11:38:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 11:34:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 11:34:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 11:33:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 11:33:09 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 11:33:08 AM	24	gradCels
SC PITUR DORU SNC	pH	1/27/2017 11:33:07 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 11:27:47 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 11:27:46 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 11:27:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 11:27:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 11:27:41 AM	24	gradCels
SC PITUR DORU SNC	pH	1/27/2017 11:27:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 11:23:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 11:23:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 11:22:18 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 11:22:17 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 11:22:16 AM	24	gradCels
SC PITUR DORU SNC	pH	1/27/2017 11:22:15 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 11:21:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 11:20:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 11:20:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 11:20:20 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 11:20:10 AM	24	gradCels
SC PITUR DORU SNC	pH	1/27/2017 11:19:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 11:16:53 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 11:16:49 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 11:16:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 11:16:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 11:16:41 AM	24	gradCels
SC PITUR DORU SNC	pH	1/27/2017 11:16:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 11:12:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 11:12:01 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 11:11:18 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	1/27/2017 11:11:17 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 11:11:16 AM	24	gradCels
SC PITUR DORU SNC	pH	1/27/2017 11:11:15 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 11:05:52 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 11:05:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 11:05:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 11:05:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 11:05:41 AM	24	gradCels
SC PITUR DORU SNC	pH	1/27/2017 11:05:40 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/27/2017 11:00:47 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/27/2017 11:00:46 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 11:00:17 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 11:00:16 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 11:00:15 AM	24	gradCels
SC PITUR DORU SNC	pH	1/27/2017 11:00:14 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 10:58:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 10:58:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 10:57:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 10:56:40 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 10:56:30 AM	24	gradCels
SC PITUR DORU SNC	pH	1/27/2017 10:55:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 10:54:57 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 10:54:55 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 10:54:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 10:54:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 10:54:41 AM	24	gradCels
SC PITUR DORU SNC	pH	1/27/2017 10:54:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 10:49:47 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 10:49:46 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 10:49:16 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 10:49:15 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 10:49:14 AM	24	gradCels
SC PITUR DORU SNC	pH	1/27/2017 10:49:13 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 10:43:49 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 10:43:48 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 10:43:26 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 10:43:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 10:43:23 AM	24	gradCels
SC PITUR DORU SNC	pH	1/27/2017 10:43:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 10:38:25 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 10:38:24 AM	2	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 10:38:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 10:38:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 10:38:21 AM	0	gradCels
SC PITUR DORU SNC	pH	1/27/2017 10:38:20 AM	0	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 10:25:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 10:25:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 10:25:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 10:25:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 10:25:01 AM	24	gradCels
SC PITUR DORU SNC	pH	1/27/2017 10:25:00 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/27/2017 10:19:46 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/27/2017 10:19:45 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 10:19:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 10:19:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 10:19:41 AM	24	gradCels
SC PITUR DORU SNC	pH	1/27/2017 10:19:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 10:15:05 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 10:15:03 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 10:14:24 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 10:14:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 10:14:22 AM	24	gradCels
SC PITUR DORU SNC	pH	1/27/2017 10:14:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 10:11:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 10:11:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 10:10:50 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	1/27/2017 10:10:20 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 10:10:10 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 10:09:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 10:09:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 10:09:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 10:08:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 10:08:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 10:08:41 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 10:08:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 10:03:47 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 10:03:46 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 10:03:24 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 10:03:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 10:03:22 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 10:03:21 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/27/2017 9:58:02 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/27/2017 9:58:01 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 9:57:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 9:57:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 9:57:41 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 9:57:40 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/27/2017 9:52:44 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/27/2017 9:52:43 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 9:52:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 9:52:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 9:52:21 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 9:52:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 9:48:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 9:48:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 9:47:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 9:46:50 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/27/2017 9:46:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 9:46:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 9:46:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 9:46:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 9:46:41 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 9:46:40 AM	8	unit pH
SC PITUR DORU SNC	Temp	1/27/2017 9:46:30 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 9:45:40 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/27/2017 9:41:47 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/27/2017 9:41:45 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 9:41:24 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 9:41:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 9:41:22 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 9:41:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 9:37:04 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 9:37:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 9:36:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 9:36:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 9:36:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 9:36:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 9:30:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 9:30:49 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 9:30:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 9:30:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 9:30:41 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 9:30:40 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/27/2017 9:26:06 AM	0	mg/l
SC PITUR DORU SNC	pH	1/27/2017 9:26:03 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 9:26:01 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 9:25:02 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 9:25:01 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 9:25:00 AM	25	gradCels
SC PITUR DORU SNC	Cianuri	1/27/2017 9:24:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 9:24:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 9:23:20 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	1/27/2017 9:23:10 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 9:22:40 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 9:22:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 9:19:51 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 9:19:49 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 9:19:47 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 9:19:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 9:19:45 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 9:19:44 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/27/2017 9:15:05 AM	0	mg/l
SC PITUR DORU SNC	pH	1/27/2017 9:15:03 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 9:15:01 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 9:14:05 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 9:14:04 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 9:14:03 AM	25	gradCels
SC PITUR DORU SNC	Substante organice	1/27/2017 9:08:51 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/27/2017 9:08:48 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 9:08:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 9:08:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 9:08:41 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 9:08:40 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/27/2017 9:04:03 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/27/2017 9:04:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 9:03:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 9:03:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 9:03:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 9:03:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 9:02:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 9:01:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 9:01:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 9:00:40 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 9:00:10 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 8:59:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 8:57:51 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 8:57:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 8:57:46 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 8:57:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 8:57:44 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 8:57:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 8:53:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 8:53:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 8:52:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 8:52:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 8:52:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 8:52:00 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/27/2017 8:46:51 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/27/2017 8:46:49 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 8:46:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 8:46:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 8:46:41 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 8:46:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 8:42:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 8:42:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 8:41:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 8:41:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 8:41:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 8:41:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 8:39:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 8:39:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 8:38:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 8:37:40 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 8:37:30 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 8:37:20 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/27/2017 8:36:04 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/27/2017 8:36:01 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 8:35:24 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	1/27/2017 8:35:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 8:35:22 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 8:35:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 8:31:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 8:31:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 8:30:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 8:30:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 8:30:21 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 8:30:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 8:26:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 8:26:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 8:25:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 8:25:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 8:25:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 8:25:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 8:20:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 8:20:01 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 8:19:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 8:19:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 8:19:21 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 8:19:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 8:15:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 8:15:30 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/27/2017 8:15:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 8:15:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 8:14:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 8:14:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 8:14:10 AM	25	gradCels
SC PITUR DORU SNC	Clor	1/27/2017 8:14:06 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 8:14:05 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 8:14:04 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 8:14:03 AM	8	unit pH
SC PITUR DORU SNC	pH	1/27/2017 8:13:40 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/27/2017 8:09:04 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/27/2017 8:09:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 8:08:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 8:08:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 8:08:21 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 8:08:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 8:04:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 8:04:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 8:03:06 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 8:03:05 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 8:03:04 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 8:03:03 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 7:58:07 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 7:58:06 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 7:57:27 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 7:57:26 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 7:57:25 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 7:57:24 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 7:52:10 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/27/2017 7:52:08 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 7:52:07 AM	0	mg/l
SC PITUR DORU SNC	pH	1/27/2017 7:52:05 AM	8	unit pH
SC PITUR DORU SNC	Clor	1/27/2017 7:52:02 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 7:52:01 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 7:52:00 AM	25	gradCels
SC PITUR DORU SNC	Clor	1/27/2017 7:51:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 7:51:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 7:51:00 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 7:50:50 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 7:50:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 7:47:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 7:47:01 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 7:46:28 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	1/27/2017 7:46:27 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 7:46:26 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 7:46:25 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 7:40:48 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 7:40:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 7:40:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 7:40:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 7:40:41 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 7:40:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 7:36:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 7:36:01 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 7:35:27 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 7:35:26 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 7:35:25 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 7:35:24 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 7:31:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 7:30:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 7:30:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 7:29:50 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/27/2017 7:29:48 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 7:29:46 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 7:29:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 7:29:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 7:29:41 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 7:29:40 AM	8	unit pH
SC PITUR DORU SNC	Temp	1/27/2017 7:29:30 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 7:28:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 7:25:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 7:25:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 7:24:27 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 7:24:26 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 7:24:25 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 7:24:24 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 7:18:47 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 7:18:45 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 7:18:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 7:18:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 7:18:41 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 7:18:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 7:14:06 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 7:14:04 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 7:13:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 7:13:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 7:13:05 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 7:13:04 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 7:09:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 7:09:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 7:09:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 7:09:00 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 7:08:30 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 7:08:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 7:07:48 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 7:07:47 AM	0	mg/l
SC PITUR DORU SNC	pH	1/27/2017 7:07:45 AM	8	unit pH
SC PITUR DORU SNC	Clor	1/27/2017 7:07:42 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 7:07:41 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 7:07:40 AM	25	gradCels
SC PITUR DORU SNC	Cianuri	1/27/2017 7:02:46 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 7:02:45 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 7:02:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 7:02:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 7:02:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 7:02:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 6:56:47 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 6:56:46 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 6:56:43 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	1/27/2017 6:56:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 6:56:41 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 6:56:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 6:51:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 6:51:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 6:51:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 6:51:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 6:51:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 6:51:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 6:48:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 6:47:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 6:47:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 6:47:20 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 6:47:10 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 6:46:00 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/27/2017 6:45:48 AM	0	mg/l
SC PITUR DORU SNC	pH	1/27/2017 6:45:46 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 6:45:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 6:45:42 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 6:45:41 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 6:45:40 AM	25	gradCels
SC PITUR DORU SNC	Cianuri	1/27/2017 6:40:48 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 6:40:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 6:40:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 6:40:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 6:40:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 6:40:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 6:34:47 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 6:34:46 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 6:34:24 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 6:34:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 6:34:22 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 6:34:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 6:29:47 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 6:29:46 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 6:29:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 6:29:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 6:29:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 6:29:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 6:26:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 6:26:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 6:25:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 6:25:00 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 6:24:20 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 6:24:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 6:23:47 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 6:23:46 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 6:23:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 6:23:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 6:23:21 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 6:23:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 6:18:48 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 6:18:45 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 6:18:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 6:18:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 6:18:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 6:18:00 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/27/2017 6:13:04 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/27/2017 6:13:01 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 6:12:24 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 6:12:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 6:12:22 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 6:12:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 6:07:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 6:07:47 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 6:07:03 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	1/27/2017 6:07:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 6:07:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 6:07:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 6:03:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 6:02:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 6:01:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 6:01:47 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/27/2017 6:01:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 6:01:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 6:01:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 6:01:21 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 6:01:20 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/27/2017 6:01:10 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 6:00:30 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 6:00:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 5:56:47 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 5:56:43 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 5:56:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 5:56:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 5:56:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 5:56:00 AM	8	unit pH
SC PITUR DORU SNC	pH	1/27/2017 5:50:44 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 5:50:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 5:50:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 5:50:22 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 5:50:21 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 5:50:20 AM	25	gradCels
SC PITUR DORU SNC	Cianuri	1/27/2017 5:44:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 5:44:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 5:44:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 5:44:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 5:44:41 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 5:44:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 5:39:50 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/27/2017 5:39:44 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 5:39:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 5:39:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 5:39:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 5:39:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 5:39:21 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 5:39:20 AM	8	unit pH
SC PITUR DORU SNC	Grasimi	1/27/2017 5:38:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 5:38:10 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 5:37:40 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 5:37:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 5:33:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 5:33:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 5:33:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 5:33:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 5:33:41 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 5:33:40 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/27/2017 5:28:44 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/27/2017 5:28:41 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 5:28:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 5:28:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 5:28:21 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 5:28:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 5:22:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 5:22:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 5:22:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 5:22:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 5:22:41 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 5:22:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 5:17:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 5:17:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 5:17:05 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	1/27/2017 5:17:04 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 5:17:03 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 5:17:02 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 5:16:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 5:16:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 5:16:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 5:15:50 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 5:15:30 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 5:15:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 5:11:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 5:11:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 5:11:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 5:11:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 5:11:41 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 5:11:40 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/27/2017 5:06:44 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/27/2017 5:06:41 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 5:06:04 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 5:06:03 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 5:06:02 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 5:06:01 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 5:00:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 5:00:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 5:00:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 5:00:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 5:00:41 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 5:00:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 4:55:44 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 4:55:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 4:55:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 4:55:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 4:55:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 4:55:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 4:54:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 4:54:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 4:54:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 4:54:10 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 4:53:30 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 4:53:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 4:49:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 4:49:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 4:49:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 4:49:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 4:49:41 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 4:49:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 4:44:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 4:44:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 4:44:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 4:44:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 4:44:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 4:44:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 4:38:46 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 4:38:45 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 4:38:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 4:38:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 4:38:41 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 4:38:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 4:33:50 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/27/2017 4:33:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 4:33:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 4:33:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 4:33:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 4:33:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 4:33:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 4:33:00 AM	8	unit pH
SC PITUR DORU SNC	Grasimi	1/27/2017 4:32:40 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	1/27/2017 4:32:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 4:32:20 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 4:32:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 4:27:49 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 4:27:48 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 4:27:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 4:27:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 4:27:41 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 4:27:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 4:22:46 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 4:22:45 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 4:22:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 4:22:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 4:22:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 4:22:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 4:16:42 AM	0	mg/l
SC PITUR DORU SNC	pH	1/27/2017 4:16:41 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/27/2017 4:16:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 4:16:22 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 4:16:21 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 4:16:20 AM	25	gradCels
SC PITUR DORU SNC	Cianuri	1/27/2017 4:11:50 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/27/2017 4:11:47 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 4:11:46 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 4:11:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 4:11:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 4:11:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 4:11:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 4:11:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 4:11:00 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/27/2017 4:10:40 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 4:10:30 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 4:10:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 4:05:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 4:05:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 4:05:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 4:05:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 4:05:21 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 4:05:20 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/27/2017 4:00:44 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/27/2017 4:00:43 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 4:00:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 4:00:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 4:00:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 4:00:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 3:54:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 3:54:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 3:54:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 3:54:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 3:54:21 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 3:54:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 3:49:50 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/27/2017 3:49:46 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 3:49:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 3:49:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 3:49:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 3:49:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 3:49:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 3:49:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 3:49:00 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/27/2017 3:48:40 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 3:48:30 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 3:48:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 3:43:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 3:43:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 3:43:23 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	1/27/2017 3:43:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 3:43:21 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 3:43:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 3:38:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 3:38:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 3:38:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 3:38:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 3:38:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 3:38:00 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/27/2017 3:32:41 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/27/2017 3:32:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 3:32:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 3:32:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 3:32:21 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 3:32:20 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/27/2017 3:27:41 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/27/2017 3:27:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 3:27:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 3:27:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 3:27:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 3:27:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 3:26:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 3:26:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 3:25:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 3:25:10 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 3:25:00 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 3:24:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 3:21:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 3:21:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 3:21:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 3:21:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 3:21:21 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 3:21:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 3:16:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 3:16:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 3:15:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 3:15:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 3:15:41 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 3:15:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 3:10:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 3:10:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 3:10:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 3:10:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 3:10:21 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 3:10:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 3:04:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 3:04:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 3:04:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 3:04:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 3:04:41 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 3:04:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 3:04:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 3:04:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 3:03:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 3:02:50 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 3:02:00 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 3:01:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 2:59:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 2:59:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 2:59:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 2:59:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 2:59:21 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 2:59:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 2:53:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 2:53:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 2:53:43 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	1/27/2017 2:53:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 2:53:41 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 2:53:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 2:48:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 2:48:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 2:48:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 2:48:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 2:48:21 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 2:48:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 2:42:50 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/27/2017 2:42:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 2:42:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 2:42:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 2:42:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 2:42:41 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 2:42:40 AM	8	unit pH
SC PITUR DORU SNC	Clor	1/27/2017 2:42:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 2:42:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 2:41:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 2:41:00 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 2:40:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 2:37:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 2:37:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 2:37:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 2:37:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 2:37:21 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 2:37:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 2:31:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 2:31:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 2:31:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 2:31:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 2:31:41 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 2:31:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 2:26:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 2:26:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 2:26:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 2:26:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 2:26:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 2:26:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 2:21:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 2:21:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 2:21:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 2:21:00 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 2:20:50 AM	25	gradCels
SC PITUR DORU SNC	Cianuri	1/27/2017 2:20:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 2:20:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 2:20:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 2:20:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 2:20:41 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 2:20:40 AM	8	unit pH
SC PITUR DORU SNC	pH	1/27/2017 2:20:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 2:15:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 2:15:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 2:15:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 2:15:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 2:15:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 2:15:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 2:09:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 2:09:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 2:09:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 2:09:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 2:09:41 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 2:09:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 2:04:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 2:04:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 2:04:03 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	1/27/2017 2:04:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 2:04:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 2:04:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 2:01:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 2:00:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 1:59:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 1:59:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 1:59:20 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 1:59:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 1:58:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 1:58:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 1:58:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 1:58:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 1:58:41 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 1:58:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 1:53:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 1:53:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 1:53:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 1:53:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 1:53:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 1:53:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 1:47:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 1:47:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 1:47:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 1:47:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 1:47:41 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 1:47:40 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/27/2017 1:42:41 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/27/2017 1:42:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 1:42:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 1:42:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 1:42:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 1:42:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 1:38:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 1:38:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 1:37:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 1:37:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 1:37:20 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 1:37:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 1:36:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 1:36:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 1:36:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 1:36:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 1:36:41 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 1:36:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 1:31:42 AM	0	mg/l
SC PITUR DORU SNC	pH	1/27/2017 1:31:41 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/27/2017 1:31:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 1:31:02 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 1:31:01 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 1:31:00 AM	25	gradCels
SC PITUR DORU SNC	Cianuri	1/27/2017 1:25:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 1:25:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 1:25:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 1:25:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 1:25:21 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 1:25:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 1:20:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 1:20:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 1:20:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 1:20:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 1:20:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 1:20:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 1:18:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 1:17:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 1:17:10 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	1/27/2017 1:16:40 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 1:16:30 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 1:16:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 1:14:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 1:14:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 1:14:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 1:14:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 1:14:21 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 1:14:20 AM	8	unit pH
SC PITUR DORU SNC	pH	1/27/2017 1:09:42 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 1:09:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 1:09:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 1:09:22 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 1:09:21 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 1:09:20 AM	25	gradCels
SC PITUR DORU SNC	Substante organice	1/27/2017 1:04:54 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/27/2017 1:04:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 1:04:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 1:04:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 1:04:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 1:04:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 12:58:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 12:58:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 12:58:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 12:58:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 12:58:21 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 12:58:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 12:56:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 12:56:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 12:55:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 12:54:40 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 12:54:30 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 12:54:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 12:53:52 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 12:53:51 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 12:53:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 12:53:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 12:53:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 12:53:00 AM	8	unit pH
SC PITUR DORU SNC	pH	1/27/2017 12:47:42 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 12:47:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 12:47:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 12:47:22 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 12:47:21 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 12:47:20 AM	25	gradCels
SC PITUR DORU SNC	Substante organice	1/27/2017 12:42:52 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/27/2017 12:42:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 12:42:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 12:42:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 12:42:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 12:42:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 12:36:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 12:36:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 12:36:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 12:36:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 12:36:21 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 12:36:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 12:35:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 12:35:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 12:34:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 12:33:20 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 12:33:10 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 12:32:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 12:31:51 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 12:31:49 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 12:30:43 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	1/27/2017 12:30:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 12:30:41 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 12:30:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 12:25:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 12:25:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 12:25:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 12:25:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 12:25:21 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 12:25:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 12:19:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 12:19:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 12:19:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 12:19:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 12:19:41 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 12:19:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 12:14:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 12:14:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 12:14:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 12:14:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 12:14:21 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 12:14:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 12:13:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 12:12:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 12:11:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 12:11:10 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 12:11:00 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 12:10:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 12:08:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 12:08:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 12:08:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 12:08:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 12:08:41 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 12:08:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/27/2017 12:03:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/27/2017 12:03:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/27/2017 12:03:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/27/2017 12:03:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/27/2017 12:03:21 AM	25	gradCels
SC PITUR DORU SNC	pH	1/27/2017 12:03:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 11:57:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 11:57:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 11:57:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 11:57:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 11:57:41 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 11:57:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 11:52:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 11:52:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 11:52:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 11:52:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 11:52:01 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 11:52:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 11:51:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 11:51:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 11:50:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 11:49:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 11:49:11 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 11:48:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 11:46:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 11:46:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 11:46:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 11:46:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 11:46:41 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 11:46:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 11:41:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 11:41:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 11:41:03 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	1/26/2017 11:41:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 11:41:01 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 11:41:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 11:35:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 11:35:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 11:35:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 11:35:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 11:35:41 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 11:35:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 11:30:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 11:30:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 11:30:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 11:30:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 11:30:01 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 11:30:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 11:29:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 11:29:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 11:28:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 11:27:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 11:27:30 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 11:26:30 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/26/2017 11:24:45 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/26/2017 11:24:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 11:24:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 11:24:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 11:24:41 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 11:24:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 11:19:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 11:19:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 11:19:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 11:19:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 11:19:01 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 11:19:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 11:13:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 11:13:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 11:13:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 11:13:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 11:13:21 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 11:13:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 11:08:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 11:08:40 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/26/2017 11:08:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 11:08:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 11:08:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 11:08:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 11:08:01 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 11:08:00 PM	8	unit pH
SC PITUR DORU SNC	Grasimi	1/26/2017 11:07:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 11:07:20 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 11:07:10 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 11:07:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 11:02:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 11:02:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 11:02:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 11:02:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 11:02:21 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 11:02:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 10:56:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 10:56:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 10:56:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 10:56:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 10:56:41 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 10:56:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 10:51:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 10:51:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 10:51:23 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	1/26/2017 10:51:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 10:51:21 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 10:51:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 10:49:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 10:49:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 10:47:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 10:47:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 10:47:20 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 10:47:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 10:45:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 10:45:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 10:45:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 10:45:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 10:45:41 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 10:45:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 10:40:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 10:40:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 10:40:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 10:40:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 10:40:01 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 10:40:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 10:34:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 10:34:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 10:34:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 10:34:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 10:34:41 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 10:34:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 10:29:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 10:29:40 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/26/2017 10:29:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 10:29:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 10:29:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 10:29:01 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 10:29:00 PM	8	unit pH
SC PITUR DORU SNC	Clor	1/26/2017 10:28:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 10:28:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 10:28:20 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 10:28:10 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 10:28:00 PM	8	unit pH
SC PITUR DORU SNC	pH	1/26/2017 10:23:45 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 10:23:44 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 10:23:43 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 10:23:42 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 10:23:41 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 10:23:40 PM	25	gradCels
SC PITUR DORU SNC	Cianuri	1/26/2017 10:18:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 10:18:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 10:18:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 10:18:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 10:18:01 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 10:18:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 10:12:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 10:12:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 10:12:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 10:12:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 10:12:41 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 10:12:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 10:09:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 10:09:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 10:08:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 10:08:00 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 10:07:50 PM	25	gradCels
SC PITUR DORU SNC	Cianuri	1/26/2017 10:07:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 10:07:40 PM	0	mg/l
SC PITUR DORU SNC	pH	1/26/2017 10:07:30 PM	8	unit pH
SC PITUR DORU SNC	Clor	1/26/2017 10:07:03 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	1/26/2017 10:07:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 10:07:01 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 10:07:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 10:01:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 10:01:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 10:01:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 10:01:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 10:01:21 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 10:01:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 9:56:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 9:56:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 9:56:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 9:56:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 9:56:01 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 9:56:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/26/2017 9:50:41 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/26/2017 9:50:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 9:50:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 9:50:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 9:50:21 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 9:50:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 9:49:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 9:49:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 9:49:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 9:49:00 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 9:48:20 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 9:48:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 9:45:42 PM	0	mg/l
SC PITUR DORU SNC	pH	1/26/2017 9:45:41 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/26/2017 9:45:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 9:45:02 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 9:45:01 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 9:45:00 PM	25	gradCels
SC PITUR DORU SNC	Substante organice	1/26/2017 9:39:41 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/26/2017 9:39:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 9:39:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 9:39:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 9:39:21 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 9:39:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 9:34:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 9:34:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 9:34:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 9:34:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 9:34:01 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 9:34:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 9:29:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 9:29:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 9:28:50 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/26/2017 9:28:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 9:28:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 9:28:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 9:28:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 9:28:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 9:28:21 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 9:28:20 PM	8	unit pH
SC PITUR DORU SNC	Temp	1/26/2017 9:28:10 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 9:28:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 9:23:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 9:23:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 9:23:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 9:23:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 9:23:01 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 9:23:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 9:17:42 PM	0	mg/l
SC PITUR DORU SNC	pH	1/26/2017 9:17:41 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/26/2017 9:17:40 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	1/26/2017 9:17:22 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 9:17:21 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 9:17:20 PM	25	gradCels
SC PITUR DORU SNC	Cianuri	1/26/2017 9:12:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 9:12:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 9:12:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 9:12:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 9:12:01 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 9:12:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 9:08:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 9:08:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 9:07:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 9:07:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 9:07:00 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 9:06:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 9:06:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 9:06:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 9:06:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 9:06:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 9:06:21 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 9:06:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 9:01:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 9:01:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 9:00:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 9:00:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 9:00:41 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 9:00:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 8:55:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 8:55:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 8:55:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 8:55:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 8:55:21 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 8:55:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 8:50:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 8:50:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 8:49:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 8:49:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 8:49:41 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 8:49:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 8:48:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 8:48:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 8:47:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 8:47:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 8:46:20 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 8:46:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 8:44:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 8:44:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 8:44:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 8:44:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 8:44:21 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 8:44:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 8:38:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 8:38:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 8:38:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 8:38:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 8:38:41 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 8:38:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 8:33:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 8:33:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 8:33:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 8:33:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 8:33:21 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 8:33:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 8:28:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 8:27:50 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/26/2017 8:27:45 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	1/26/2017 8:27:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 8:27:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 8:27:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 8:27:41 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 8:27:40 PM	8	unit pH
SC PITUR DORU SNC	Grasimi	1/26/2017 8:27:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 8:27:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 8:27:00 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 8:26:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 8:22:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 8:22:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 8:22:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 8:22:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 8:22:01 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 8:22:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 8:16:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 8:16:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 8:16:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 8:16:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 8:16:41 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 8:16:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 8:11:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 8:11:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 8:11:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 8:11:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 8:11:01 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 8:11:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 8:06:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 8:06:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 8:05:50 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/26/2017 8:05:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 8:05:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 8:05:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 8:05:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 8:05:41 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 8:05:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/26/2017 8:05:20 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 8:05:10 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 8:05:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 8:00:42 PM	0	mg/l
SC PITUR DORU SNC	pH	1/26/2017 8:00:41 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/26/2017 8:00:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 8:00:02 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 8:00:01 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 8:00:00 PM	25	gradCels
SC PITUR DORU SNC	Cianuri	1/26/2017 7:54:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 7:54:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 7:54:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 7:54:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 7:54:41 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 7:54:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 7:49:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 7:49:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 7:49:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 7:49:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 7:49:01 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 7:49:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 7:44:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 7:44:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 7:44:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 7:43:50 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/26/2017 7:43:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 7:43:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 7:43:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 7:43:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 7:43:41 PM	25	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	1/26/2017 7:43:40 PM	8	unit pH
SC PITUR DORU SNC	Temp	1/26/2017 7:43:20 PM	26	gradCels
SC PITUR DORU SNC	pH	1/26/2017 7:43:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 7:38:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 7:38:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 7:38:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 7:38:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 7:38:01 PM	26	gradCels
SC PITUR DORU SNC	pH	1/26/2017 7:38:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 7:32:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 7:32:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 7:32:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 7:32:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 7:32:41 PM	26	gradCels
SC PITUR DORU SNC	pH	1/26/2017 7:32:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 7:27:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 7:27:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 7:27:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 7:27:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 7:27:01 PM	26	gradCels
SC PITUR DORU SNC	pH	1/26/2017 7:27:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 7:23:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 7:22:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 7:22:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 7:22:00 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 7:21:50 PM	26	gradCels
SC PITUR DORU SNC	Substante organice	1/26/2017 7:21:41 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/26/2017 7:21:40 PM	0	mg/l
SC PITUR DORU SNC	pH	1/26/2017 7:21:30 PM	8	unit pH
SC PITUR DORU SNC	Clor	1/26/2017 7:21:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 7:21:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 7:21:21 PM	26	gradCels
SC PITUR DORU SNC	pH	1/26/2017 7:21:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 7:16:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 7:16:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 7:16:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 7:16:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 7:16:01 PM	26	gradCels
SC PITUR DORU SNC	pH	1/26/2017 7:16:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 7:10:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 7:10:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 7:10:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 7:10:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 7:10:21 PM	26	gradCels
SC PITUR DORU SNC	pH	1/26/2017 7:10:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 7:05:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 7:05:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 7:05:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 7:05:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 7:05:01 PM	26	gradCels
SC PITUR DORU SNC	pH	1/26/2017 7:05:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 6:59:50 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/26/2017 6:59:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 6:59:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 6:59:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 6:59:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 6:59:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 6:59:21 PM	26	gradCels
SC PITUR DORU SNC	pH	1/26/2017 6:59:20 PM	8	unit pH
SC PITUR DORU SNC	Grasimi	1/26/2017 6:59:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 6:58:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 6:58:30 PM	26	gradCels
SC PITUR DORU SNC	pH	1/26/2017 6:58:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 6:54:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 6:54:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 6:53:46 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	1/26/2017 6:53:45 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 6:53:44 PM	26	gradCels
SC PITUR DORU SNC	pH	1/26/2017 6:53:43 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 6:48:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 6:48:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 6:48:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 6:48:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 6:48:21 PM	26	gradCels
SC PITUR DORU SNC	pH	1/26/2017 6:48:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 6:43:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 6:43:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 6:42:46 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 6:42:45 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 6:42:44 PM	26	gradCels
SC PITUR DORU SNC	pH	1/26/2017 6:42:43 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 6:38:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 6:38:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 6:37:50 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/26/2017 6:37:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 6:37:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 6:37:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 6:37:24 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 6:37:23 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 6:37:22 PM	26	gradCels
SC PITUR DORU SNC	pH	1/26/2017 6:37:21 PM	8	unit pH
SC PITUR DORU SNC	Temp	1/26/2017 6:37:20 PM	26	gradCels
SC PITUR DORU SNC	pH	1/26/2017 6:37:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 6:32:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 6:32:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 6:31:46 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 6:31:45 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 6:31:44 PM	26	gradCels
SC PITUR DORU SNC	pH	1/26/2017 6:31:43 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 6:26:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 6:26:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 6:26:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 6:26:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 6:26:21 PM	26	gradCels
SC PITUR DORU SNC	pH	1/26/2017 6:26:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 6:20:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 6:20:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 6:20:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 6:20:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 6:20:41 PM	26	gradCels
SC PITUR DORU SNC	pH	1/26/2017 6:20:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 6:16:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 6:16:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 6:15:50 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/26/2017 6:15:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 6:15:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 6:15:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 6:15:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 6:15:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 6:15:21 PM	26	gradCels
SC PITUR DORU SNC	pH	1/26/2017 6:15:20 PM	8	unit pH
SC PITUR DORU SNC	Temp	1/26/2017 6:15:00 PM	26	gradCels
SC PITUR DORU SNC	pH	1/26/2017 6:14:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 6:09:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 6:09:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 6:09:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 6:09:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 6:09:41 PM	26	gradCels
SC PITUR DORU SNC	pH	1/26/2017 6:09:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 6:04:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 6:04:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 6:04:23 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	1/26/2017 6:04:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 6:04:21 PM	26	gradCels
SC PITUR DORU SNC	pH	1/26/2017 6:04:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 5:58:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 5:58:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 5:58:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 5:58:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 5:58:41 PM	26	gradCels
SC PITUR DORU SNC	pH	1/26/2017 5:58:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 5:54:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 5:54:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 5:53:50 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/26/2017 5:53:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 5:53:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 5:53:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 5:53:20 PM	26	gradCels
SC PITUR DORU SNC	pH	1/26/2017 5:53:10 PM	8	unit pH
SC PITUR DORU SNC	Clor	1/26/2017 5:53:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 5:53:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 5:53:01 PM	26	gradCels
SC PITUR DORU SNC	pH	1/26/2017 5:53:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 5:47:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 5:47:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 5:47:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 5:47:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 5:47:41 PM	26	gradCels
SC PITUR DORU SNC	pH	1/26/2017 5:47:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 5:42:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 5:42:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 5:42:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 5:42:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 5:42:01 PM	26	gradCels
SC PITUR DORU SNC	pH	1/26/2017 5:42:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 5:36:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 5:36:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 5:36:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 5:36:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 5:36:41 PM	26	gradCels
SC PITUR DORU SNC	pH	1/26/2017 5:36:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 5:35:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 5:34:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 5:33:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 5:33:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 5:33:00 PM	26	gradCels
SC PITUR DORU SNC	pH	1/26/2017 5:32:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 5:31:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 5:31:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 5:31:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 5:31:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 5:31:01 PM	26	gradCels
SC PITUR DORU SNC	pH	1/26/2017 5:31:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 5:26:48 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 5:26:46 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 5:26:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 5:26:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 5:26:01 PM	26	gradCels
SC PITUR DORU SNC	pH	1/26/2017 5:26:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 5:20:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 5:20:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 5:20:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 5:20:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 5:20:41 PM	26	gradCels
SC PITUR DORU SNC	pH	1/26/2017 5:20:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 5:15:48 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 5:15:46 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 5:15:03 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	1/26/2017 5:15:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 5:15:01 PM	26	gradCels
SC PITUR DORU SNC	pH	1/26/2017 5:15:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 5:14:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 5:14:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 5:14:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 5:14:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 5:14:00 PM	26	gradCels
SC PITUR DORU SNC	pH	1/26/2017 5:13:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 5:09:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 5:09:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 5:09:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 5:09:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 5:09:41 PM	26	gradCels
SC PITUR DORU SNC	pH	1/26/2017 5:09:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 5:04:47 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 5:04:46 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 5:04:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 5:04:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 5:04:01 PM	26	gradCels
SC PITUR DORU SNC	pH	1/26/2017 5:04:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 4:58:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 4:58:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 4:58:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 4:58:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 4:58:41 PM	26	gradCels
SC PITUR DORU SNC	pH	1/26/2017 4:58:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 4:54:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 4:54:00 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/26/2017 4:53:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 4:53:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 4:53:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 4:53:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 4:53:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 4:53:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 4:53:01 PM	26	gradCels
SC PITUR DORU SNC	pH	1/26/2017 4:53:00 PM	8	unit pH
SC PITUR DORU SNC	Temp	1/26/2017 4:52:50 PM	26	gradCels
SC PITUR DORU SNC	pH	1/26/2017 4:52:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 4:47:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 4:47:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 4:47:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 4:47:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 4:47:21 PM	26	gradCels
SC PITUR DORU SNC	pH	1/26/2017 4:47:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 4:42:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 4:42:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 4:42:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 4:42:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 4:42:01 PM	26	gradCels
SC PITUR DORU SNC	pH	1/26/2017 4:42:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 4:36:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 4:36:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 4:36:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 4:36:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 4:36:21 PM	26	gradCels
SC PITUR DORU SNC	pH	1/26/2017 4:36:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 4:32:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 4:32:00 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/26/2017 4:31:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 4:31:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 4:31:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 4:31:29 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 4:31:28 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 4:31:27 PM	26	gradCels
SC PITUR DORU SNC	pH	1/26/2017 4:31:26 PM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	1/26/2017 4:31:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 4:31:00 PM	26	gradCels
SC PITUR DORU SNC	pH	1/26/2017 4:30:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 4:26:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 4:26:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 4:26:09 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 4:26:08 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 4:26:07 PM	26	gradCels
SC PITUR DORU SNC	pH	1/26/2017 4:26:06 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 4:20:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 4:20:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 4:20:29 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 4:20:28 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 4:20:27 PM	26	gradCels
SC PITUR DORU SNC	pH	1/26/2017 4:20:26 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 4:15:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 4:15:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 4:15:09 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 4:15:08 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 4:15:07 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 4:15:06 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 4:13:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 4:13:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 4:11:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 4:11:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 4:10:50 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 4:10:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 4:09:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 4:09:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 4:09:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 4:09:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 4:09:21 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 4:09:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 4:04:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 4:04:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 4:03:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 4:03:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 4:03:41 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 4:03:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 3:58:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 3:58:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 3:58:29 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 3:58:28 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 3:58:27 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 3:58:26 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 3:53:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 3:53:40 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/26/2017 3:53:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 3:53:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 3:53:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 3:52:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 3:52:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 3:52:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 3:52:41 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 3:52:40 PM	8	unit pH
SC PITUR DORU SNC	Temp	1/26/2017 3:52:30 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 3:52:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 3:47:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 3:47:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 3:47:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 3:47:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 3:47:21 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 3:47:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 3:42:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 3:42:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 3:41:43 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	1/26/2017 3:41:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 3:41:41 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 3:41:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 3:36:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 3:36:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 3:36:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 3:36:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 3:36:21 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 3:36:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 3:35:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 3:34:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 3:34:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 3:33:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 3:33:20 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 3:33:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 3:30:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 3:30:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 3:30:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 3:30:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 3:30:41 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 3:30:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 3:25:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 3:25:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 3:25:28 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 3:25:27 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 3:25:26 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 3:25:25 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 3:19:59 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 3:19:58 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 3:19:57 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 3:19:56 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 3:19:54 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 3:19:52 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 3:15:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 3:14:50 PM	0	mg/l
SC PITUR DORU SNC	pH	1/26/2017 3:14:42 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 3:14:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 3:14:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 3:14:28 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 3:14:27 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 3:14:26 PM	25	gradCels
SC PITUR DORU SNC	Grasimi	1/26/2017 3:14:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 3:13:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 3:13:40 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 3:13:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 3:08:51 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 3:08:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 3:08:49 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 3:08:48 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 3:08:47 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 3:08:46 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 3:03:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 3:03:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 3:03:08 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 3:03:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 3:03:06 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 3:03:05 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 2:57:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 2:57:49 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 2:57:48 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 2:57:47 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 2:57:46 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 2:57:45 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 2:56:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 2:55:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 2:54:10 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	1/26/2017 2:53:40 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 2:53:30 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 2:53:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 2:52:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 2:52:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 2:52:09 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 2:52:08 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 2:52:07 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 2:52:06 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/26/2017 2:46:51 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/26/2017 2:46:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 2:46:49 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 2:46:48 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 2:46:47 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 2:46:46 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 2:41:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 2:41:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 2:41:09 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 2:41:08 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 2:41:07 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 2:41:06 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 2:36:00 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/26/2017 2:35:52 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 2:35:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 2:35:49 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 2:35:48 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 2:35:47 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 2:35:46 PM	8	unit pH
SC PITUR DORU SNC	Clor	1/26/2017 2:35:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 2:35:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 2:34:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 2:34:40 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 2:34:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 2:30:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 2:30:41 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 2:30:09 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 2:30:08 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 2:30:07 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 2:30:06 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/26/2017 2:24:51 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/26/2017 2:24:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 2:24:49 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 2:24:48 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 2:24:47 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 2:24:46 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 2:19:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 2:19:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 2:19:09 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 2:19:08 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 2:19:07 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 2:19:06 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 2:15:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 2:15:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 2:14:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 2:14:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 2:14:20 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 2:14:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 2:13:51 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 2:13:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 2:13:49 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 2:13:48 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 2:13:47 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 2:13:46 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 2:08:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 2:08:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 2:08:08 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	1/26/2017 2:08:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 2:08:06 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 2:08:05 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 2:02:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 2:02:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 2:02:29 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 2:02:28 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 2:02:27 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 2:02:26 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 1:57:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 1:57:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 1:57:09 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 1:57:08 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 1:57:07 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 1:57:06 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 1:56:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 1:56:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 1:56:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 1:55:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 1:55:30 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 1:55:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 1:51:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 1:51:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 1:51:29 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 1:51:28 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 1:51:27 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 1:51:26 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 1:46:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 1:46:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 1:46:09 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 1:46:08 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 1:46:07 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 1:46:06 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 1:40:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 1:40:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 1:40:29 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 1:40:28 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 1:40:27 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 1:40:26 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 1:37:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 1:36:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 1:36:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 1:35:50 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/26/2017 1:35:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 1:35:40 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 1:35:30 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 1:35:20 PM	8	unit pH
SC PITUR DORU SNC	Clor	1/26/2017 1:35:09 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 1:35:08 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 1:35:07 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 1:35:06 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 1:29:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 1:29:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 1:29:29 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 1:29:28 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 1:29:27 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 1:29:26 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 1:24:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 1:24:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 1:24:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 1:24:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 1:24:01 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 1:24:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 1:18:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 1:18:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 1:18:29 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	1/26/2017 1:18:28 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 1:18:27 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 1:18:26 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 1:17:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 1:17:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 1:17:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 1:17:00 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 1:16:20 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 1:15:50 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/26/2017 1:13:41 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/26/2017 1:13:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 1:13:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 1:13:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 1:13:01 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 1:13:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/26/2017 1:07:41 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/26/2017 1:07:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 1:07:29 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 1:07:28 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 1:07:27 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 1:07:26 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 1:02:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 1:02:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 1:02:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 1:02:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 1:02:01 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 1:02:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 12:57:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 12:56:50 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/26/2017 12:56:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 12:56:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 12:56:29 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 12:56:28 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 12:56:27 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 12:56:26 PM	8	unit pH
SC PITUR DORU SNC	Grasimi	1/26/2017 12:56:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 12:55:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 12:55:40 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 12:55:30 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/26/2017 12:51:41 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/26/2017 12:51:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 12:51:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 12:51:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 12:51:21 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 12:51:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 12:46:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 12:46:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 12:46:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 12:46:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 12:46:01 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 12:46:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 12:40:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 12:40:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 12:40:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 12:40:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 12:40:21 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 12:40:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 12:36:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 12:36:00 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/26/2017 12:35:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 12:35:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 12:35:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 12:35:20 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 12:35:11 PM	25	gradCels
SC PITUR DORU SNC	Clor	1/26/2017 12:35:06 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 12:35:04 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Temp	1/26/2017 12:35:02 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 12:35:00 PM	8	unit pH
SC PITUR DORU SNC	pH	1/26/2017 12:34:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 12:29:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 12:29:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 12:29:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 12:29:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 12:29:21 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 12:29:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 12:24:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 12:24:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 12:23:44 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 12:23:43 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 12:23:42 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 12:23:41 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 12:18:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 12:18:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 12:18:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 12:18:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 12:18:21 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 12:18:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 12:16:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 12:16:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 12:15:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 12:14:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 12:14:20 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 12:14:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 12:13:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 12:13:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 12:12:45 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 12:12:44 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 12:12:43 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 12:12:42 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 12:07:42 PM	0	mg/l
SC PITUR DORU SNC	pH	1/26/2017 12:07:41 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/26/2017 12:07:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 12:07:22 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 12:07:21 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 12:07:20 PM	25	gradCels
SC PITUR DORU SNC	Substante organice	1/26/2017 12:03:02 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/26/2017 12:03:01 PM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 12:01:44 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 12:01:43 PM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 12:01:42 PM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 12:01:41 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 11:56:42 AM	0	mg/l
SC PITUR DORU SNC	pH	1/26/2017 11:56:41 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/26/2017 11:56:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 11:56:22 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 11:56:21 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 11:56:20 AM	25	gradCels
SC PITUR DORU SNC	Cianuri	1/26/2017 11:56:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 11:55:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 11:55:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 11:55:00 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 11:54:30 AM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 11:54:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 11:50:46 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 11:50:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 11:50:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 11:50:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 11:50:41 AM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 11:50:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 11:45:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 11:45:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 11:45:23 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	1/26/2017 11:45:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 11:45:21 AM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 11:45:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 11:39:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 11:39:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 11:39:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 11:39:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 11:39:41 AM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 11:39:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 11:34:50 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/26/2017 11:34:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 11:34:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 11:34:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 11:34:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 11:34:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 11:34:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 11:34:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 11:34:00 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/26/2017 11:33:50 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 11:33:30 AM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 11:33:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 11:28:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 11:28:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 11:28:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 11:28:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 11:28:41 AM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 11:28:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 11:23:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 11:23:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 11:23:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 11:23:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 11:23:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 11:23:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 11:17:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 11:17:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 11:17:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 11:17:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 11:17:41 AM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 11:17:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 11:13:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 11:13:20 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/26/2017 11:12:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 11:12:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 11:12:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 11:12:20 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 11:12:10 AM	25	gradCels
SC PITUR DORU SNC	Clor	1/26/2017 11:12:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 11:12:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 11:12:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 11:12:00 AM	8	unit pH
SC PITUR DORU SNC	pH	1/26/2017 11:11:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 11:06:46 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 11:06:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 11:06:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 11:06:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 11:06:41 AM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 11:06:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 11:01:42 AM	0	mg/l
SC PITUR DORU SNC	pH	1/26/2017 11:01:41 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	1/26/2017 11:01:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 11:01:02 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 11:01:01 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 11:01:00 AM	25	gradCels
SC PITUR DORU SNC	Cianuri	1/26/2017 10:55:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 10:55:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 10:55:29 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	1/26/2017 10:55:28 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 10:55:27 AM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 10:55:26 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 10:52:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 10:51:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 10:50:50 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	1/26/2017 10:50:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 10:50:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 10:50:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 10:50:20 AM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 10:50:10 AM	8	unit pH
SC PITUR DORU SNC	Clor	1/26/2017 10:50:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 10:50:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 10:50:01 AM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 10:50:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 10:44:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 10:44:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 10:44:28 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 10:44:27 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 10:44:26 AM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 10:44:25 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 10:39:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 10:39:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 10:38:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 10:38:49 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 10:38:48 AM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 10:38:47 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 10:33:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 10:33:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 10:33:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 10:33:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 10:33:21 AM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 10:33:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 10:31:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 10:31:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 10:30:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 10:30:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 10:30:20 AM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 10:30:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 10:28:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 10:28:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 10:27:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 10:27:49 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 10:27:48 AM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 10:27:47 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 10:22:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 10:22:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 10:22:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 10:22:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 10:22:21 AM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 10:22:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 10:17:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 10:17:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 10:16:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 10:16:49 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 10:16:48 AM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 10:16:47 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 10:11:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	1/26/2017 10:11:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 10:11:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 10:11:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	1/26/2017 10:11:21 AM	25	gradCels
SC PITUR DORU SNC	pH	1/26/2017 10:11:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	1/26/2017 10:10:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	1/26/2017 10:10:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	1/26/2017 10:10:00 AM	0	mg/l