

Analiza evolutie pe mai multi senzori

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	3/26/2017 8:32:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 8:32:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/26/2017 8:31:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/26/2017 8:31:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/26/2017 8:31:21 AM	14	gradCels
SC PITUR DORU SNC	pH	3/26/2017 8:31:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/26/2017 8:30:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/26/2017 8:30:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/26/2017 8:28:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 8:28:10 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/26/2017 8:27:40 AM	14	gradCels
SC PITUR DORU SNC	pH	3/26/2017 8:27:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/26/2017 8:25:46 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 8:25:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/26/2017 8:25:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/26/2017 8:25:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/26/2017 8:25:41 AM	14	gradCels
SC PITUR DORU SNC	pH	3/26/2017 8:25:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/26/2017 8:21:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 8:21:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/26/2017 8:20:05 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/26/2017 8:20:04 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/26/2017 8:20:03 AM	14	gradCels
SC PITUR DORU SNC	pH	3/26/2017 8:20:02 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/26/2017 8:15:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 8:15:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/26/2017 8:15:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/26/2017 8:15:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/26/2017 8:15:01 AM	14	gradCels
SC PITUR DORU SNC	pH	3/26/2017 8:15:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/26/2017 8:09:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 8:09:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/26/2017 8:09:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/26/2017 8:09:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/26/2017 8:09:41 AM	14	gradCels
SC PITUR DORU SNC	pH	3/26/2017 8:09:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/26/2017 8:05:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/26/2017 8:05:10 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	3/26/2017 8:04:48 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 8:04:47 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/26/2017 8:04:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 8:04:20 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/26/2017 8:04:10 AM	14	gradCels
SC PITUR DORU SNC	Clor	3/26/2017 8:04:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/26/2017 8:04:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/26/2017 8:04:01 AM	14	gradCels
SC PITUR DORU SNC	pH	3/26/2017 8:04:00 AM	8	unit pH
SC PITUR DORU SNC	pH	3/26/2017 8:03:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/26/2017 7:58:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 7:58:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/26/2017 7:58:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/26/2017 7:58:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/26/2017 7:58:41 AM	14	gradCels
SC PITUR DORU SNC	pH	3/26/2017 7:58:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/26/2017 7:53:49 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 7:53:48 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/26/2017 7:53:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/26/2017 7:53:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/26/2017 7:53:01 AM	14	gradCels
SC PITUR DORU SNC	pH	3/26/2017 7:53:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/26/2017 7:47:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 7:47:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/26/2017 7:47:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/26/2017 7:47:42 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Temp	3/26/2017 7:47:41 AM	14	gradCels
SC PITUR DORU SNC	pH	3/26/2017 7:47:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/26/2017 7:42:48 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 7:42:47 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	3/26/2017 7:42:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/26/2017 7:42:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/26/2017 7:42:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/26/2017 7:42:01 AM	14	gradCels
SC PITUR DORU SNC	pH	3/26/2017 7:42:00 AM	8	unit pH
SC PITUR DORU SNC	Clor	3/26/2017 7:41:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/26/2017 7:41:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 7:41:20 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/26/2017 7:41:10 AM	14	gradCels
SC PITUR DORU SNC	pH	3/26/2017 7:41:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/26/2017 7:36:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 7:36:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/26/2017 7:36:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/26/2017 7:36:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/26/2017 7:36:41 AM	14	gradCels
SC PITUR DORU SNC	pH	3/26/2017 7:36:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/26/2017 7:31:48 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 7:31:47 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/26/2017 7:31:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/26/2017 7:31:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/26/2017 7:31:01 AM	14	gradCels
SC PITUR DORU SNC	pH	3/26/2017 7:31:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/26/2017 7:25:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 7:25:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/26/2017 7:25:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/26/2017 7:25:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/26/2017 7:25:41 AM	14	gradCels
SC PITUR DORU SNC	pH	3/26/2017 7:25:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/26/2017 7:20:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 7:20:49 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/26/2017 7:20:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/26/2017 7:20:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/26/2017 7:20:01 AM	14	gradCels
SC PITUR DORU SNC	pH	3/26/2017 7:20:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/26/2017 7:16:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/26/2017 7:15:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/26/2017 7:15:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 7:15:10 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/26/2017 7:14:50 AM	14	gradCels
SC PITUR DORU SNC	Cianuri	3/26/2017 7:14:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 7:14:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/26/2017 7:14:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/26/2017 7:14:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/26/2017 7:14:41 AM	14	gradCels
SC PITUR DORU SNC	pH	3/26/2017 7:14:40 AM	8	unit pH
SC PITUR DORU SNC	pH	3/26/2017 7:14:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/26/2017 7:09:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 7:09:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/26/2017 7:09:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/26/2017 7:09:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/26/2017 7:09:21 AM	14	gradCels
SC PITUR DORU SNC	pH	3/26/2017 7:09:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/26/2017 7:04:44 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 7:04:43 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/26/2017 7:04:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/26/2017 7:04:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/26/2017 7:04:01 AM	14	gradCels
SC PITUR DORU SNC	pH	3/26/2017 7:04:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/26/2017 6:58:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 6:58:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/26/2017 6:58:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/26/2017 6:58:22 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Temp	3/26/2017 6:58:21 AM	14	gradCels
SC PITUR DORU SNC	pH	3/26/2017 6:58:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/26/2017 6:54:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 6:54:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/26/2017 6:53:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/26/2017 6:53:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/26/2017 6:53:01 AM	14	gradCels
SC PITUR DORU SNC	pH	3/26/2017 6:53:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/26/2017 6:52:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/26/2017 6:52:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/26/2017 6:51:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 6:51:20 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/26/2017 6:51:10 AM	14	gradCels
SC PITUR DORU SNC	pH	3/26/2017 6:49:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/26/2017 6:47:44 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 6:47:43 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/26/2017 6:47:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/26/2017 6:47:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/26/2017 6:47:21 AM	14	gradCels
SC PITUR DORU SNC	pH	3/26/2017 6:47:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/26/2017 6:43:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 6:43:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/26/2017 6:42:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/26/2017 6:42:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/26/2017 6:42:01 AM	14	gradCels
SC PITUR DORU SNC	pH	3/26/2017 6:42:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/26/2017 6:37:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 6:37:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/26/2017 6:36:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/26/2017 6:36:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/26/2017 6:36:21 AM	14	gradCels
SC PITUR DORU SNC	pH	3/26/2017 6:36:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/26/2017 6:32:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 6:32:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/26/2017 6:31:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/26/2017 6:31:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/26/2017 6:31:01 AM	14	gradCels
SC PITUR DORU SNC	pH	3/26/2017 6:31:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/26/2017 6:26:04 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 6:26:03 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	3/26/2017 6:25:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/26/2017 6:25:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/26/2017 6:25:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/26/2017 6:25:21 AM	14	gradCels
SC PITUR DORU SNC	pH	3/26/2017 6:25:20 AM	8	unit pH
SC PITUR DORU SNC	Clor	3/26/2017 6:25:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/26/2017 6:24:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 6:24:20 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/26/2017 6:24:10 AM	14	gradCels
SC PITUR DORU SNC	pH	3/26/2017 6:22:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/26/2017 6:19:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 6:19:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/26/2017 6:19:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/26/2017 6:19:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/26/2017 6:19:41 AM	14	gradCels
SC PITUR DORU SNC	pH	3/26/2017 6:19:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/26/2017 6:15:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 6:15:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/26/2017 6:14:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/26/2017 6:14:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/26/2017 6:14:21 AM	14	gradCels
SC PITUR DORU SNC	pH	3/26/2017 6:14:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/26/2017 6:08:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 6:08:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/26/2017 6:08:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/26/2017 6:08:42 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Temp	3/26/2017 6:08:41 AM	14	gradCels
SC PITUR DORU SNC	pH	3/26/2017 6:08:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/26/2017 6:04:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 6:04:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/26/2017 6:03:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/26/2017 6:03:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/26/2017 6:03:21 AM	15	gradCels
SC PITUR DORU SNC	pH	3/26/2017 6:03:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/26/2017 6:00:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/26/2017 6:00:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/26/2017 5:59:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 5:59:10 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/26/2017 5:59:00 AM	15	gradCels
SC PITUR DORU SNC	pH	3/26/2017 5:58:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/26/2017 5:57:49 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 5:57:48 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/26/2017 5:57:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/26/2017 5:57:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/26/2017 5:57:41 AM	15	gradCels
SC PITUR DORU SNC	pH	3/26/2017 5:57:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/26/2017 5:53:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 5:53:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/26/2017 5:52:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/26/2017 5:52:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/26/2017 5:52:21 AM	15	gradCels
SC PITUR DORU SNC	pH	3/26/2017 5:52:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/26/2017 5:46:49 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 5:46:48 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/26/2017 5:46:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/26/2017 5:46:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/26/2017 5:46:41 AM	15	gradCels
SC PITUR DORU SNC	pH	3/26/2017 5:46:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/26/2017 5:42:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 5:42:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/26/2017 5:41:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/26/2017 5:41:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/26/2017 5:41:01 AM	15	gradCels
SC PITUR DORU SNC	pH	3/26/2017 5:41:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/26/2017 5:35:49 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 5:35:48 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/26/2017 5:35:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/26/2017 5:35:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/26/2017 5:35:41 AM	15	gradCels
SC PITUR DORU SNC	pH	3/26/2017 5:35:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/26/2017 5:34:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/26/2017 5:34:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/26/2017 5:34:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 5:32:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/26/2017 5:32:20 AM	15	gradCels
SC PITUR DORU SNC	pH	3/26/2017 5:32:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/26/2017 5:31:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 5:31:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/26/2017 5:30:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/26/2017 5:30:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/26/2017 5:30:01 AM	15	gradCels
SC PITUR DORU SNC	pH	3/26/2017 5:30:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/26/2017 5:24:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 5:24:49 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/26/2017 5:24:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/26/2017 5:24:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/26/2017 5:24:41 AM	15	gradCels
SC PITUR DORU SNC	pH	3/26/2017 5:24:40 AM	8	unit pH
SC PITUR DORU SNC	pH	3/26/2017 5:20:02 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/26/2017 5:20:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 5:20:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/26/2017 5:19:02 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	3/26/2017 5:19:01 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/26/2017 5:19:00 AM	15	gradCels
SC PITUR DORU SNC	Cianuri	3/26/2017 5:13:49 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 5:13:48 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/26/2017 5:13:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/26/2017 5:13:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/26/2017 5:13:41 AM	15	gradCels
SC PITUR DORU SNC	pH	3/26/2017 5:13:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/26/2017 5:09:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 5:09:00 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	3/26/2017 5:08:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/26/2017 5:08:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/26/2017 5:08:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/26/2017 5:08:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/26/2017 5:08:01 AM	15	gradCels
SC PITUR DORU SNC	pH	3/26/2017 5:08:00 AM	8	unit pH
SC PITUR DORU SNC	Grasimi	3/26/2017 5:07:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 5:07:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/26/2017 5:07:20 AM	15	gradCels
SC PITUR DORU SNC	pH	3/26/2017 5:07:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/26/2017 5:02:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 5:02:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/26/2017 5:02:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/26/2017 5:02:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/26/2017 5:02:21 AM	15	gradCels
SC PITUR DORU SNC	pH	3/26/2017 5:02:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/26/2017 4:58:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 4:58:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/26/2017 4:57:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/26/2017 4:57:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/26/2017 4:57:01 AM	15	gradCels
SC PITUR DORU SNC	pH	3/26/2017 4:57:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/26/2017 4:51:46 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 4:51:45 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/26/2017 4:51:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/26/2017 4:51:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/26/2017 4:51:21 AM	15	gradCels
SC PITUR DORU SNC	pH	3/26/2017 4:51:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/26/2017 4:47:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 4:47:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/26/2017 4:46:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/26/2017 4:46:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/26/2017 4:46:01 AM	15	gradCels
SC PITUR DORU SNC	pH	3/26/2017 4:46:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/26/2017 4:42:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/26/2017 4:42:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/26/2017 4:41:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 4:41:10 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/26/2017 4:41:00 AM	15	gradCels
SC PITUR DORU SNC	pH	3/26/2017 4:40:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/26/2017 4:40:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 4:40:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/26/2017 4:40:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/26/2017 4:40:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/26/2017 4:40:21 AM	15	gradCels
SC PITUR DORU SNC	pH	3/26/2017 4:40:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/26/2017 4:36:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 4:36:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/26/2017 4:35:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/26/2017 4:35:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/26/2017 4:35:01 AM	15	gradCels
SC PITUR DORU SNC	pH	3/26/2017 4:35:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/26/2017 4:29:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 4:29:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/26/2017 4:29:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/26/2017 4:29:22 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Temp	3/26/2017 4:29:21 AM	15	gradCels
SC PITUR DORU SNC	pH	3/26/2017 4:29:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/26/2017 4:25:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 4:25:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/26/2017 4:24:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/26/2017 4:24:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/26/2017 4:24:01 AM	15	gradCels
SC PITUR DORU SNC	pH	3/26/2017 4:24:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/26/2017 4:19:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 4:19:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/26/2017 4:18:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/26/2017 4:18:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/26/2017 4:18:21 AM	15	gradCels
SC PITUR DORU SNC	pH	3/26/2017 4:18:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/26/2017 4:15:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/26/2017 4:14:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/26/2017 4:14:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 4:14:00 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/26/2017 4:13:50 AM	15	gradCels
SC PITUR DORU SNC	pH	3/26/2017 4:13:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/26/2017 4:12:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 4:12:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/26/2017 4:12:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/26/2017 4:12:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/26/2017 4:12:41 AM	15	gradCels
SC PITUR DORU SNC	pH	3/26/2017 4:12:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/26/2017 4:08:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 4:08:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/26/2017 4:07:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/26/2017 4:07:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/26/2017 4:07:21 AM	15	gradCels
SC PITUR DORU SNC	pH	3/26/2017 4:07:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/26/2017 4:01:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 4:01:49 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/26/2017 4:01:48 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/26/2017 4:01:47 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/26/2017 4:01:46 AM	15	gradCels
SC PITUR DORU SNC	pH	3/26/2017 4:01:45 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/26/2017 4:01:26 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/26/2017 4:01:25 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/26/2017 4:01:24 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 4:01:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/26/2017 4:01:22 AM	15	gradCels
SC PITUR DORU SNC	pH	3/26/2017 4:01:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/26/2017 2:57:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 2:57:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/26/2017 2:56:26 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/26/2017 2:56:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/26/2017 2:56:21 AM	15	gradCels
SC PITUR DORU SNC	pH	3/26/2017 2:56:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/26/2017 2:50:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 2:50:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/26/2017 2:50:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/26/2017 2:50:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/26/2017 2:50:41 AM	15	gradCels
SC PITUR DORU SNC	pH	3/26/2017 2:50:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/26/2017 2:46:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/26/2017 2:46:10 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	3/26/2017 2:46:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 2:46:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/26/2017 2:45:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 2:45:20 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/26/2017 2:45:10 AM	15	gradCels
SC PITUR DORU SNC	Clor	3/26/2017 2:45:05 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/26/2017 2:45:04 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/26/2017 2:45:03 AM	15	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	3/26/2017 2:45:02 AM	8	unit pH
SC PITUR DORU SNC	pH	3/26/2017 2:44:40 AM	8	unit pH
SC PITUR DORU SNC	pH	3/26/2017 2:40:45 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/26/2017 2:40:44 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 2:40:43 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/26/2017 2:40:02 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/26/2017 2:40:01 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/26/2017 2:40:00 AM	15	gradCels
SC PITUR DORU SNC	Cianuri	3/26/2017 2:34:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 2:34:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/26/2017 2:34:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/26/2017 2:34:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/26/2017 2:34:41 AM	15	gradCels
SC PITUR DORU SNC	pH	3/26/2017 2:34:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/26/2017 2:29:44 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 2:29:43 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/26/2017 2:29:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/26/2017 2:29:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/26/2017 2:29:01 AM	15	gradCels
SC PITUR DORU SNC	pH	3/26/2017 2:29:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/26/2017 2:23:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 2:23:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/26/2017 2:23:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/26/2017 2:23:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/26/2017 2:23:41 AM	15	gradCels
SC PITUR DORU SNC	pH	3/26/2017 2:23:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/26/2017 2:22:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/26/2017 2:22:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/26/2017 2:20:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 2:19:40 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/26/2017 2:19:31 AM	15	gradCels
SC PITUR DORU SNC	pH	3/26/2017 2:19:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/26/2017 2:18:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 2:18:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/26/2017 2:18:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/26/2017 2:18:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/26/2017 2:18:01 AM	15	gradCels
SC PITUR DORU SNC	pH	3/26/2017 2:18:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/26/2017 2:12:49 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 2:12:48 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/26/2017 2:12:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/26/2017 2:12:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/26/2017 2:12:41 AM	15	gradCels
SC PITUR DORU SNC	pH	3/26/2017 2:12:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/26/2017 2:07:44 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 2:07:43 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/26/2017 2:07:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/26/2017 2:07:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/26/2017 2:07:01 AM	15	gradCels
SC PITUR DORU SNC	pH	3/26/2017 2:07:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/26/2017 2:01:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 2:01:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/26/2017 2:01:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/26/2017 2:01:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/26/2017 2:01:21 AM	15	gradCels
SC PITUR DORU SNC	pH	3/26/2017 2:01:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/26/2017 1:57:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 1:57:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/26/2017 1:56:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/26/2017 1:56:29 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/26/2017 1:56:28 AM	15	gradCels
SC PITUR DORU SNC	pH	3/26/2017 1:56:27 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/26/2017 1:55:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/26/2017 1:55:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/26/2017 1:54:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 1:54:20 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Temp	3/26/2017 1:52:40 AM	15	gradCels
SC PITUR DORU SNC	pH	3/26/2017 1:52:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/26/2017 1:52:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 1:52:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/26/2017 1:51:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/26/2017 1:51:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/26/2017 1:51:05 AM	15	gradCels
SC PITUR DORU SNC	pH	3/26/2017 1:51:04 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/26/2017 1:45:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 1:45:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/26/2017 1:45:26 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/26/2017 1:45:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/26/2017 1:45:24 AM	15	gradCels
SC PITUR DORU SNC	pH	3/26/2017 1:45:23 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/26/2017 1:41:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 1:41:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/26/2017 1:40:06 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/26/2017 1:40:05 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/26/2017 1:40:04 AM	15	gradCels
SC PITUR DORU SNC	pH	3/26/2017 1:40:03 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/26/2017 1:34:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 1:34:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/26/2017 1:34:26 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/26/2017 1:34:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/26/2017 1:34:24 AM	15	gradCels
SC PITUR DORU SNC	pH	3/26/2017 1:34:23 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/26/2017 1:32:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/26/2017 1:32:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/26/2017 1:30:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 1:30:10 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/26/2017 1:30:00 AM	15	gradCels
SC PITUR DORU SNC	pH	3/26/2017 1:29:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/26/2017 1:29:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 1:29:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/26/2017 1:29:06 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/26/2017 1:29:05 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/26/2017 1:29:04 AM	15	gradCels
SC PITUR DORU SNC	pH	3/26/2017 1:29:03 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/26/2017 1:24:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 1:24:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/26/2017 1:23:26 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/26/2017 1:23:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/26/2017 1:23:24 AM	15	gradCels
SC PITUR DORU SNC	pH	3/26/2017 1:23:23 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/26/2017 1:18:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 1:18:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/26/2017 1:17:49 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/26/2017 1:17:48 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/26/2017 1:17:47 AM	15	gradCels
SC PITUR DORU SNC	pH	3/26/2017 1:17:46 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/26/2017 1:12:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 1:12:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/26/2017 1:12:26 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/26/2017 1:12:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/26/2017 1:12:24 AM	16	gradCels
SC PITUR DORU SNC	pH	3/26/2017 1:12:23 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/26/2017 1:08:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/26/2017 1:07:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/26/2017 1:07:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 1:07:00 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	3/26/2017 1:06:48 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 1:06:47 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/26/2017 1:06:46 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/26/2017 1:06:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/26/2017 1:06:44 AM	16	gradCels
SC PITUR DORU SNC	pH	3/26/2017 1:06:43 AM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Temp	3/26/2017 1:06:30 AM	16	gradCels
SC PITUR DORU SNC	pH	3/26/2017 1:06:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/26/2017 1:01:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 1:01:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/26/2017 1:01:26 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/26/2017 1:01:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/26/2017 1:01:24 AM	16	gradCels
SC PITUR DORU SNC	pH	3/26/2017 1:01:23 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/26/2017 12:55:48 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 12:55:47 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/26/2017 12:55:46 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/26/2017 12:55:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/26/2017 12:55:44 AM	16	gradCels
SC PITUR DORU SNC	pH	3/26/2017 12:55:43 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	3/26/2017 12:50:42 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	3/26/2017 12:50:41 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/26/2017 12:50:27 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/26/2017 12:50:26 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/26/2017 12:50:25 AM	16	gradCels
SC PITUR DORU SNC	pH	3/26/2017 12:50:24 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/26/2017 12:45:00 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	3/26/2017 12:44:48 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 12:44:47 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/26/2017 12:44:46 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/26/2017 12:44:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/26/2017 12:44:44 AM	16	gradCels
SC PITUR DORU SNC	pH	3/26/2017 12:44:43 AM	8	unit pH
SC PITUR DORU SNC	Clor	3/26/2017 12:44:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/26/2017 12:44:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 12:43:50 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/26/2017 12:43:30 AM	16	gradCels
SC PITUR DORU SNC	pH	3/26/2017 12:43:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/26/2017 12:39:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 12:39:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/26/2017 12:39:06 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/26/2017 12:39:05 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/26/2017 12:39:04 AM	16	gradCels
SC PITUR DORU SNC	pH	3/26/2017 12:39:03 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/26/2017 12:33:48 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 12:33:47 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/26/2017 12:33:46 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/26/2017 12:33:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/26/2017 12:33:44 AM	16	gradCels
SC PITUR DORU SNC	pH	3/26/2017 12:33:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/26/2017 12:28:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 12:28:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/26/2017 12:28:06 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/26/2017 12:28:05 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/26/2017 12:28:04 AM	16	gradCels
SC PITUR DORU SNC	pH	3/26/2017 12:28:03 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/26/2017 12:23:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 12:23:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/26/2017 12:23:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/26/2017 12:23:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/26/2017 12:23:01 AM	16	gradCels
SC PITUR DORU SNC	pH	3/26/2017 12:23:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/26/2017 12:17:49 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 12:17:48 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/26/2017 12:17:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/26/2017 12:17:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/26/2017 12:17:41 AM	16	gradCels
SC PITUR DORU SNC	pH	3/26/2017 12:17:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/26/2017 12:17:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/26/2017 12:17:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/26/2017 12:16:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 12:16:20 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Temp	3/26/2017 12:16:10 AM	16	gradCels
SC PITUR DORU SNC	pH	3/26/2017 12:16:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/26/2017 12:12:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 12:12:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/26/2017 12:12:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/26/2017 12:12:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/26/2017 12:12:01 AM	16	gradCels
SC PITUR DORU SNC	pH	3/26/2017 12:12:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/26/2017 12:06:49 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 12:06:48 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/26/2017 12:06:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/26/2017 12:06:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/26/2017 12:06:41 AM	16	gradCels
SC PITUR DORU SNC	pH	3/26/2017 12:06:40 AM	8	unit pH
SC PITUR DORU SNC	pH	3/26/2017 12:01:42 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/26/2017 12:01:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/26/2017 12:01:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/26/2017 12:01:05 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/26/2017 12:01:04 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/26/2017 12:01:03 AM	16	gradCels
SC PITUR DORU SNC	Cianuri	3/25/2017 11:55:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 11:55:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 11:55:26 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 11:55:25 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 11:55:24 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 11:55:23 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 11:53:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 11:53:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 11:52:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 11:51:20 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 11:51:10 PM	16	gradCels
SC PITUR DORU SNC	Cianuri	3/25/2017 11:50:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 11:50:40 PM	0	mg/l
SC PITUR DORU SNC	pH	3/25/2017 11:50:30 PM	8	unit pH
SC PITUR DORU SNC	Clor	3/25/2017 11:50:07 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 11:50:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 11:50:05 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 11:50:04 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 11:44:44 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 11:44:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 11:44:26 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 11:44:25 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 11:44:24 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 11:44:23 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 11:39:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 11:39:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 11:39:07 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 11:39:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 11:39:05 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 11:39:04 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 11:33:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 11:33:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 11:33:26 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 11:33:25 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 11:33:24 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 11:33:23 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 11:28:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 11:28:40 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	3/25/2017 11:28:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 11:28:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 11:27:49 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 11:27:48 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 11:27:47 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 11:27:46 PM	8	unit pH
SC PITUR DORU SNC	Grasimi	3/25/2017 11:27:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 11:27:20 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Temp	3/25/2017 11:27:10 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 11:27:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 11:22:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 11:22:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 11:22:27 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 11:22:26 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 11:22:25 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 11:22:24 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 11:17:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 11:17:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 11:16:49 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 11:16:48 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 11:16:47 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 11:16:46 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	3/25/2017 11:11:41 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	3/25/2017 11:11:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 11:11:31 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 11:11:29 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 11:11:27 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 11:11:25 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 11:06:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 11:06:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 11:05:49 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 11:05:48 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 11:05:47 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 11:05:46 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 11:03:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 11:02:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 11:02:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 11:01:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 11:01:00 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 11:00:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 11:00:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 11:00:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 11:00:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 11:00:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 11:00:41 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 11:00:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 10:55:47 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 10:55:46 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 10:55:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 10:55:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 10:55:21 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 10:55:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 10:49:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 10:49:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 10:49:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 10:49:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 10:49:41 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 10:49:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 10:44:44 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 10:44:43 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 10:44:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 10:44:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 10:44:21 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 10:44:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 10:38:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 10:38:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 10:38:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 10:38:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 10:38:41 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 10:38:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 10:34:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 10:34:00 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	3/25/2017 10:33:47 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 10:33:46 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	3/25/2017 10:33:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 10:33:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 10:33:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 10:33:21 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 10:33:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	3/25/2017 10:33:00 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 10:32:20 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 10:32:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 10:27:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 10:27:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 10:27:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 10:27:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 10:27:41 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 10:27:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 10:22:47 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 10:22:46 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 10:22:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 10:22:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 10:22:01 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 10:22:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	3/25/2017 10:16:45 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	3/25/2017 10:16:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 10:16:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 10:16:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 10:16:41 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 10:16:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	3/25/2017 10:11:47 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	3/25/2017 10:11:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 10:11:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 10:11:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 10:11:01 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 10:11:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 10:07:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 10:07:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 10:06:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 10:06:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 10:05:50 PM	16	gradCels
SC PITUR DORU SNC	Cianuri	3/25/2017 10:05:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 10:05:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 10:05:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 10:05:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 10:05:41 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 10:05:40 PM	8	unit pH
SC PITUR DORU SNC	pH	3/25/2017 10:04:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 10:00:47 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 10:00:46 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 10:00:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 10:00:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 10:00:01 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 10:00:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 9:54:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 9:54:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 9:54:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 9:54:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 9:54:41 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 9:54:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 9:49:47 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 9:49:46 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 9:49:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 9:49:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 9:49:01 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 9:49:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 9:43:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 9:43:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 9:43:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 9:43:22 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Temp	3/25/2017 9:43:21 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 9:43:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 9:42:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 9:42:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 9:42:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 9:41:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 9:40:10 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 9:39:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 9:38:44 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 9:38:43 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 9:37:52 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 9:37:51 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 9:37:50 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 9:37:49 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 9:32:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 9:32:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 9:32:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 9:32:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 9:32:21 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 9:32:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 9:27:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 9:27:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 9:26:55 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 9:26:54 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 9:26:53 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 9:26:52 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 9:21:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 9:21:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 9:21:26 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 9:21:25 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 9:21:24 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 9:21:23 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 9:16:44 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 9:16:43 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	3/25/2017 9:16:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 9:16:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 9:15:55 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 9:15:54 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 9:15:53 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 9:15:52 PM	8	unit pH
SC PITUR DORU SNC	Grasimi	3/25/2017 9:15:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 9:15:00 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 9:14:50 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 9:14:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 9:10:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 9:10:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 9:10:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 9:10:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 9:10:21 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 9:10:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 9:05:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 9:05:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 9:04:51 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 9:04:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 9:04:49 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 9:04:48 PM	8	unit pH
SC PITUR DORU SNC	pH	3/25/2017 8:59:42 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 8:59:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 8:59:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 8:59:22 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 8:59:21 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 8:59:20 PM	16	gradCels
SC PITUR DORU SNC	Cianuri	3/25/2017 8:53:48 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 8:53:47 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 8:53:46 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 8:53:45 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Temp	3/25/2017 8:53:44 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 8:53:43 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 8:52:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 8:52:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 8:52:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 8:50:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 8:50:00 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 8:49:50 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	3/25/2017 8:48:51 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	3/25/2017 8:48:46 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 8:48:11 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 8:48:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 8:48:09 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 8:48:08 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 8:42:48 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 8:42:47 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 8:42:46 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 8:42:45 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 8:42:44 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 8:42:43 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 8:37:51 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 8:37:48 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 8:37:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 8:37:09 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 8:37:08 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 8:37:07 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 8:31:48 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 8:31:47 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 8:31:46 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 8:31:45 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 8:31:44 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 8:31:43 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 8:28:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 8:27:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 8:27:00 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	3/25/2017 8:26:44 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 8:26:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 8:26:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 8:26:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 8:26:09 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 8:26:08 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 8:26:07 PM	8	unit pH
SC PITUR DORU SNC	Temp	3/25/2017 8:25:40 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 8:25:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 8:20:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 8:20:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 8:20:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 8:20:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 8:20:41 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 8:20:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 8:15:44 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 8:15:43 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 8:15:06 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 8:15:05 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 8:15:04 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 8:15:03 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 8:10:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 8:10:49 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 8:10:06 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 8:10:05 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 8:10:04 PM	17	gradCels
SC PITUR DORU SNC	pH	3/25/2017 8:10:03 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 8:04:48 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 8:04:47 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 8:04:46 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 8:04:45 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Temp	3/25/2017 8:04:44 PM	17	gradCels
SC PITUR DORU SNC	pH	3/25/2017 8:04:43 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 8:03:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 8:03:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 8:02:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 8:02:20 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 8:02:10 PM	17	gradCels
SC PITUR DORU SNC	pH	3/25/2017 8:01:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 7:59:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 7:59:48 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 7:59:07 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 7:59:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 7:59:05 PM	17	gradCels
SC PITUR DORU SNC	pH	3/25/2017 7:59:04 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 7:53:51 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 7:53:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 7:53:46 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 7:53:45 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 7:53:44 PM	17	gradCels
SC PITUR DORU SNC	pH	3/25/2017 7:53:43 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 7:48:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 7:48:49 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 7:48:06 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 7:48:05 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 7:48:04 PM	17	gradCels
SC PITUR DORU SNC	pH	3/25/2017 7:48:03 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 7:42:44 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 7:42:43 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 7:42:29 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 7:42:28 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 7:42:27 PM	17	gradCels
SC PITUR DORU SNC	pH	3/25/2017 7:42:26 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 7:40:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 7:38:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 7:38:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 7:38:00 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 7:37:50 PM	17	gradCels
SC PITUR DORU SNC	Cianuri	3/25/2017 7:37:44 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 7:37:43 PM	0	mg/l
SC PITUR DORU SNC	pH	3/25/2017 7:37:10 PM	8	unit pH
SC PITUR DORU SNC	Clor	3/25/2017 7:37:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 7:37:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 7:37:01 PM	17	gradCels
SC PITUR DORU SNC	pH	3/25/2017 7:37:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 7:31:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 7:31:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 7:31:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 7:31:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 7:31:41 PM	17	gradCels
SC PITUR DORU SNC	pH	3/25/2017 7:31:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 7:26:44 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 7:26:43 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 7:26:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 7:26:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 7:26:01 PM	17	gradCels
SC PITUR DORU SNC	pH	3/25/2017 7:26:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 7:20:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 7:20:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 7:20:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 7:20:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 7:20:41 PM	17	gradCels
SC PITUR DORU SNC	pH	3/25/2017 7:20:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 7:15:50 PM	0	mg/l
SC PITUR DORU SNC	pH	3/25/2017 7:15:44 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 7:15:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 7:15:41 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	3/25/2017 7:15:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 7:15:02 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 7:15:01 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 7:15:00 PM	17	gradCels
SC PITUR DORU SNC	Grasimi	3/25/2017 7:14:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 7:14:20 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 7:14:10 PM	17	gradCels
SC PITUR DORU SNC	pH	3/25/2017 7:13:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 7:09:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 7:09:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 7:09:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 7:09:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 7:09:21 PM	17	gradCels
SC PITUR DORU SNC	pH	3/25/2017 7:09:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 7:04:46 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 7:04:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 7:04:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 7:04:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 7:04:01 PM	17	gradCels
SC PITUR DORU SNC	pH	3/25/2017 7:04:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 6:58:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 6:58:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 6:58:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 6:58:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 6:58:21 PM	17	gradCels
SC PITUR DORU SNC	pH	3/25/2017 6:58:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 6:53:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 6:53:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 6:53:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 6:53:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 6:53:01 PM	17	gradCels
SC PITUR DORU SNC	pH	3/25/2017 6:53:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 6:51:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 6:50:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 6:48:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 6:48:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 6:48:10 PM	17	gradCels
SC PITUR DORU SNC	pH	3/25/2017 6:48:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 6:47:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 6:47:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 6:47:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 6:47:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 6:47:21 PM	17	gradCels
SC PITUR DORU SNC	pH	3/25/2017 6:47:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 6:42:44 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 6:42:43 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 6:42:02 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 6:42:01 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 6:42:00 PM	17	gradCels
SC PITUR DORU SNC	Cianuri	3/25/2017 6:36:47 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 6:36:45 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 6:36:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 6:36:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 6:36:21 PM	17	gradCels
SC PITUR DORU SNC	pH	3/25/2017 6:36:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 6:31:46 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 6:31:45 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 6:31:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 6:31:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 6:31:01 PM	17	gradCels
SC PITUR DORU SNC	pH	3/25/2017 6:31:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 6:26:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 6:26:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 6:25:50 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	3/25/2017 6:25:44 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 6:25:43 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	3/25/2017 6:25:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 6:25:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 6:25:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 6:25:21 PM	17	gradCels
SC PITUR DORU SNC	pH	3/25/2017 6:25:20 PM	8	unit pH
SC PITUR DORU SNC	Temp	3/25/2017 6:25:00 PM	17	gradCels
SC PITUR DORU SNC	pH	3/25/2017 6:24:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 6:19:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 6:19:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 6:19:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 6:19:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 6:19:41 PM	17	gradCels
SC PITUR DORU SNC	pH	3/25/2017 6:19:40 PM	8	unit pH
SC PITUR DORU SNC	pH	3/25/2017 6:14:48 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 6:14:47 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 6:14:46 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 6:14:22 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 6:14:21 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 6:14:20 PM	17	gradCels
SC PITUR DORU SNC	Cianuri	3/25/2017 6:08:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 6:08:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 6:08:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 6:08:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 6:08:41 PM	17	gradCels
SC PITUR DORU SNC	pH	3/25/2017 6:08:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 6:03:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 6:03:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 6:03:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 6:03:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 6:03:21 PM	17	gradCels
SC PITUR DORU SNC	pH	3/25/2017 6:03:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 5:59:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 5:59:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 5:59:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 5:58:20 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 5:58:10 PM	17	gradCels
SC PITUR DORU SNC	pH	3/25/2017 5:57:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 5:57:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 5:57:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 5:57:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 5:57:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 5:57:41 PM	17	gradCels
SC PITUR DORU SNC	pH	3/25/2017 5:57:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 5:52:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 5:52:43 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 5:52:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 5:52:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 5:52:01 PM	17	gradCels
SC PITUR DORU SNC	pH	3/25/2017 5:52:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 5:46:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 5:46:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 5:46:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 5:46:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 5:46:41 PM	17	gradCels
SC PITUR DORU SNC	pH	3/25/2017 5:46:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 5:41:44 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 5:41:43 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 5:41:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 5:41:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 5:41:01 PM	17	gradCels
SC PITUR DORU SNC	pH	3/25/2017 5:41:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 5:35:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 5:35:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 5:35:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 5:35:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 5:35:41 PM	17	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	3/25/2017 5:35:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 5:35:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 5:35:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 5:34:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 5:34:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 5:34:00 PM	17	gradCels
SC PITUR DORU SNC	pH	3/25/2017 5:33:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 5:30:47 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 5:30:46 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 5:30:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 5:30:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 5:30:01 PM	17	gradCels
SC PITUR DORU SNC	pH	3/25/2017 5:30:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 5:24:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 5:24:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 5:24:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 5:24:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 5:24:41 PM	17	gradCels
SC PITUR DORU SNC	pH	3/25/2017 5:24:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 5:19:44 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 5:19:42 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 5:19:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 5:19:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 5:19:01 PM	17	gradCels
SC PITUR DORU SNC	pH	3/25/2017 5:19:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 5:13:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 5:13:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 5:13:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 5:13:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 5:13:41 PM	17	gradCels
SC PITUR DORU SNC	pH	3/25/2017 5:13:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 5:11:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 5:11:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 5:09:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 5:09:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 5:08:50 PM	17	gradCels
SC PITUR DORU SNC	Cianuri	3/25/2017 5:08:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 5:08:40 PM	0	mg/l
SC PITUR DORU SNC	pH	3/25/2017 5:08:30 PM	8	unit pH
SC PITUR DORU SNC	Clor	3/25/2017 5:08:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 5:08:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 5:08:01 PM	17	gradCels
SC PITUR DORU SNC	pH	3/25/2017 5:08:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 5:02:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 5:02:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 5:02:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 5:02:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 5:02:21 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 5:02:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 4:57:44 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 4:57:43 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 4:57:26 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 4:57:25 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 4:57:24 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 4:57:23 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 4:52:44 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 4:52:43 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 4:52:06 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 4:52:05 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 4:52:04 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 4:52:03 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 4:47:00 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	3/25/2017 4:46:44 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 4:46:43 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 4:46:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 4:46:26 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	3/25/2017 4:46:25 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 4:46:24 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 4:46:23 PM	8	unit pH
SC PITUR DORU SNC	Grasimi	3/25/2017 4:45:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 4:45:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 4:45:20 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 4:45:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 4:41:44 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 4:41:43 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 4:41:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 4:41:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 4:41:01 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 4:41:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	3/25/2017 4:35:47 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	3/25/2017 4:35:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 4:35:26 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 4:35:25 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 4:35:24 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 4:35:23 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 4:30:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 4:30:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 4:29:49 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 4:29:48 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 4:29:47 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 4:29:46 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	3/25/2017 4:24:44 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	3/25/2017 4:24:43 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 4:24:27 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 4:24:26 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 4:24:25 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 4:24:24 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 4:23:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 4:23:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 4:23:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 4:22:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 4:22:30 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 4:22:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 4:19:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 4:19:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 4:18:51 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 4:18:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 4:18:49 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 4:18:48 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 4:13:44 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 4:13:43 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 4:13:26 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 4:13:25 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 4:13:24 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 4:13:23 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 4:08:42 PM	0	mg/l
SC PITUR DORU SNC	pH	3/25/2017 4:08:41 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	3/25/2017 4:08:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 4:07:48 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 4:07:47 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 4:07:46 PM	16	gradCels
SC PITUR DORU SNC	Cianuri	3/25/2017 4:02:52 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 4:02:51 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 4:02:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 4:02:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 4:02:21 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 4:02:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 4:00:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 3:59:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 3:58:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 3:58:00 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 3:57:50 PM	16	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	3/25/2017 3:57:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 3:56:51 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 3:56:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 3:56:46 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 3:56:45 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 3:56:44 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 3:56:43 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 3:51:53 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 3:51:52 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 3:51:06 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 3:51:05 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 3:51:04 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 3:51:03 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	3/25/2017 3:45:50 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	3/25/2017 3:45:48 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 3:45:46 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 3:45:45 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 3:45:44 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 3:45:43 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 3:40:57 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 3:40:54 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 3:40:06 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 3:40:05 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 3:40:04 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 3:40:03 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 3:36:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 3:35:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 3:35:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 3:35:10 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	3/25/2017 3:34:53 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 3:34:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 3:34:46 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 3:34:45 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 3:34:44 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 3:34:43 PM	8	unit pH
SC PITUR DORU SNC	Temp	3/25/2017 3:34:20 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 3:34:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 3:29:51 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 3:29:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 3:29:07 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 3:29:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 3:29:05 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 3:29:04 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 3:23:49 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 3:23:46 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 3:23:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 3:23:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 3:23:41 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 3:23:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 3:18:44 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 3:18:43 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 3:18:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 3:18:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 3:18:01 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 3:18:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 3:12:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 3:12:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 3:12:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 3:12:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 3:12:41 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 3:12:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 3:11:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 3:11:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 3:10:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 3:10:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 3:10:20 PM	16	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	3/25/2017 3:10:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 3:07:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 3:07:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 3:07:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 3:07:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 3:07:01 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 3:07:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 3:01:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 3:01:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 3:01:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 3:01:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 3:01:21 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 3:01:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 2:56:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 2:56:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 2:56:26 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 2:56:25 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 2:56:24 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 2:56:23 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 2:51:44 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 2:51:43 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 2:51:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 2:51:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 2:51:01 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 2:51:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 2:45:39 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 2:45:38 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 2:45:31 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 2:45:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 2:45:27 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 2:45:26 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 2:44:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 2:44:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 2:44:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 2:44:00 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 2:43:50 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 2:43:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 2:40:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 2:40:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 2:39:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 2:39:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 2:39:45 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 2:39:44 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 2:34:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 2:34:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 2:34:26 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 2:34:25 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 2:34:24 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 2:34:23 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 2:29:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 2:29:42 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 2:28:51 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 2:28:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 2:28:49 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 2:28:48 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 2:23:47 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 2:23:46 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 2:23:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 2:23:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 2:23:21 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 2:23:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 2:20:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 2:20:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 2:18:50 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	3/25/2017 2:18:44 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 2:18:43 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	3/25/2017 2:18:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 2:18:00 PM	16	gradCels
SC PITUR DORU SNC	Clor	3/25/2017 2:17:51 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 2:17:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 2:17:49 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 2:17:48 PM	8	unit pH
SC PITUR DORU SNC	pH	3/25/2017 2:17:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 2:13:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 2:13:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 2:12:54 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 2:12:53 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 2:12:52 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 2:12:51 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 2:07:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 2:07:43 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 2:07:26 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 2:07:25 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 2:07:24 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 2:07:23 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 2:01:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 2:01:48 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 2:01:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 2:01:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 2:01:45 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 2:01:44 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 1:56:44 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 1:56:43 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 1:56:22 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 1:56:21 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 1:56:20 PM	16	gradCels
SC PITUR DORU SNC	Cianuri	3/25/2017 1:54:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 1:54:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 1:53:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 1:51:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 1:51:30 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 1:51:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 1:50:49 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 1:50:47 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 1:50:46 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 1:50:45 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 1:50:44 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 1:50:43 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 1:45:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 1:45:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 1:45:06 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 1:45:05 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 1:45:04 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 1:45:03 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 1:39:48 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 1:39:45 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 1:39:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 1:39:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 1:39:41 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 1:39:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 1:34:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 1:34:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 1:34:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 1:34:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 1:34:01 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 1:34:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 1:29:47 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 1:29:46 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 1:29:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 1:29:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 1:29:01 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 1:29:00 PM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	3/25/2017 1:28:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 1:27:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 1:27:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 1:27:00 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 1:26:50 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 1:26:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 1:23:48 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 1:23:47 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 1:23:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 1:23:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 1:23:41 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 1:23:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 1:18:47 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 1:18:46 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 1:18:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 1:18:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 1:18:01 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 1:18:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 1:12:48 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 1:12:47 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 1:12:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 1:12:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 1:12:41 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 1:12:40 PM	8	unit pH
SC PITUR DORU SNC	pH	3/25/2017 1:07:48 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 1:07:47 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 1:07:46 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 1:07:02 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 1:07:01 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 1:07:00 PM	16	gradCels
SC PITUR DORU SNC	Cianuri	3/25/2017 1:01:50 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	3/25/2017 1:01:47 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 1:01:46 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 1:01:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 1:01:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 1:01:41 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 1:01:40 PM	8	unit pH
SC PITUR DORU SNC	Clor	3/25/2017 1:01:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 1:01:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 1:00:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 12:59:50 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 12:59:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 12:56:47 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 12:56:46 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 12:56:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 12:56:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 12:56:01 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 12:56:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 12:50:44 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 12:50:43 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 12:50:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 12:50:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 12:50:21 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 12:50:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 12:45:47 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 12:45:45 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 12:44:51 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 12:44:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 12:44:49 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 12:44:48 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	3/25/2017 12:39:41 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	3/25/2017 12:39:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 12:39:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 12:39:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 12:39:21 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 12:39:20 PM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	3/25/2017 12:34:47 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 12:34:46 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 12:33:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 12:33:49 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 12:33:48 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 12:33:47 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 12:33:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 12:32:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 12:32:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 12:31:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 12:31:30 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 12:31:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 12:28:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 12:28:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 12:28:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 12:28:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 12:28:21 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 12:28:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 12:24:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 12:24:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 12:22:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 12:22:49 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 12:22:48 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 12:22:47 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 12:17:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 12:17:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 12:17:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 12:17:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 12:17:21 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 12:17:20 PM	8	unit pH
SC PITUR DORU SNC	pH	3/25/2017 12:13:43 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 12:13:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 12:13:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 12:11:49 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 12:11:48 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 12:11:47 PM	16	gradCels
SC PITUR DORU SNC	Cianuri	3/25/2017 12:08:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 12:08:10 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	3/25/2017 12:06:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 12:06:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 12:06:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 12:06:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 12:06:21 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 12:06:20 PM	8	unit pH
SC PITUR DORU SNC	Grasimi	3/25/2017 12:06:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 12:05:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 12:05:00 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 12:04:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 12:01:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 12:01:42 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 12:00:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 12:00:49 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 12:00:48 PM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 12:00:47 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 11:55:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 11:55:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 11:55:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 11:55:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 11:55:21 AM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 11:55:20 AM	8	unit pH
SC PITUR DORU SNC	pH	3/25/2017 11:50:44 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 11:50:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 11:50:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 11:49:49 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 11:49:48 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 11:49:47 AM	16	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	3/25/2017 11:44:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 11:44:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 11:44:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 11:44:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 11:44:21 AM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 11:44:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 11:41:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 11:39:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 11:39:00 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	3/25/2017 11:38:48 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 11:38:47 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 11:38:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 11:38:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 11:38:41 AM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 11:38:40 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	3/25/2017 11:38:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 11:38:20 AM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 11:38:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 11:33:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 11:33:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 11:33:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 11:33:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 11:33:21 AM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 11:33:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 11:27:48 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 11:27:47 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 11:27:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 11:27:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 11:27:41 AM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 11:27:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 11:22:47 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 11:22:46 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 11:22:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 11:22:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 11:22:01 AM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 11:22:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 11:16:48 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 11:16:47 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 11:16:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 11:16:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 11:16:41 AM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 11:16:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 11:14:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 11:13:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 11:12:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 11:12:00 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 11:11:50 AM	16	gradCels
SC PITUR DORU SNC	Cianuri	3/25/2017 11:11:47 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 11:11:46 AM	0	mg/l
SC PITUR DORU SNC	pH	3/25/2017 11:11:20 AM	8	unit pH
SC PITUR DORU SNC	Clor	3/25/2017 11:11:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 11:11:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 11:11:01 AM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 11:11:00 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	3/25/2017 11:05:50 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	3/25/2017 11:05:45 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 11:05:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 11:05:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 11:05:41 AM	16	gradCels
SC PITUR DORU SNC	pH	3/25/2017 11:05:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 11:00:47 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 11:00:46 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 11:00:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 11:00:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 11:00:01 AM	17	gradCels
SC PITUR DORU SNC	pH	3/25/2017 11:00:00 AM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	3/25/2017 10:54:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 10:54:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 10:54:26 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 10:54:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 10:54:24 AM	17	gradCels
SC PITUR DORU SNC	pH	3/25/2017 10:54:23 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 10:49:47 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 10:49:46 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 10:48:53 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 10:48:52 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 10:48:51 AM	17	gradCels
SC PITUR DORU SNC	pH	3/25/2017 10:48:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 10:47:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 10:47:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 10:47:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 10:46:50 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 10:46:30 AM	17	gradCels
SC PITUR DORU SNC	pH	3/25/2017 10:46:10 AM	8	unit pH
SC PITUR DORU SNC	pH	3/25/2017 10:43:45 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 10:43:44 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 10:43:43 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 10:43:25 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 10:43:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 10:43:23 AM	17	gradCels
SC PITUR DORU SNC	Cianuri	3/25/2017 10:38:48 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 10:38:46 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 10:37:53 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 10:37:52 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 10:37:51 AM	17	gradCels
SC PITUR DORU SNC	pH	3/25/2017 10:37:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 10:32:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 10:32:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 10:32:26 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 10:32:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 10:32:24 AM	17	gradCels
SC PITUR DORU SNC	pH	3/25/2017 10:32:23 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 10:27:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 10:27:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 10:26:52 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 10:26:51 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 10:26:50 AM	17	gradCels
SC PITUR DORU SNC	pH	3/25/2017 10:26:49 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 10:22:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 10:22:00 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	3/25/2017 10:21:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 10:21:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 10:21:26 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 10:21:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 10:21:24 AM	17	gradCels
SC PITUR DORU SNC	pH	3/25/2017 10:21:23 AM	8	unit pH
SC PITUR DORU SNC	Grasimi	3/25/2017 10:21:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 10:20:50 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 10:20:30 AM	17	gradCels
SC PITUR DORU SNC	pH	3/25/2017 10:20:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 10:16:46 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 10:16:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 10:15:54 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 10:15:53 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 10:15:52 AM	17	gradCels
SC PITUR DORU SNC	pH	3/25/2017 10:15:51 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	3/25/2017 10:10:48 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	3/25/2017 10:10:43 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 10:10:29 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 10:10:28 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 10:10:27 AM	17	gradCels
SC PITUR DORU SNC	pH	3/25/2017 10:10:26 AM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	3/25/2017 10:05:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 10:05:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 10:04:56 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 10:04:55 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 10:04:54 AM	17	gradCels
SC PITUR DORU SNC	pH	3/25/2017 10:04:53 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 10:00:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 10:00:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 9:59:49 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 9:59:48 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 9:59:47 AM	17	gradCels
SC PITUR DORU SNC	pH	3/25/2017 9:59:46 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 9:58:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 9:57:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 9:57:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 9:57:10 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 9:57:00 AM	17	gradCels
SC PITUR DORU SNC	pH	3/25/2017 9:55:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 9:54:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 9:54:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 9:54:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 9:54:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 9:54:21 AM	17	gradCels
SC PITUR DORU SNC	pH	3/25/2017 9:54:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 9:48:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 9:48:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 9:48:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 9:48:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 9:48:41 AM	17	gradCels
SC PITUR DORU SNC	pH	3/25/2017 9:48:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 9:43:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 9:43:41 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 9:43:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 9:43:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 9:43:21 AM	17	gradCels
SC PITUR DORU SNC	pH	3/25/2017 9:43:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 9:37:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 9:37:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 9:37:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 9:37:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 9:37:41 AM	17	gradCels
SC PITUR DORU SNC	pH	3/25/2017 9:37:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 9:35:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 9:33:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 9:33:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 9:32:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 9:32:43 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	3/25/2017 9:32:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 9:32:30 AM	17	gradCels
SC PITUR DORU SNC	Clor	3/25/2017 9:32:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 9:32:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 9:32:01 AM	17	gradCels
SC PITUR DORU SNC	pH	3/25/2017 9:32:00 AM	8	unit pH
SC PITUR DORU SNC	pH	3/25/2017 9:31:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 9:26:49 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 9:26:47 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 9:26:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 9:26:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 9:26:41 AM	17	gradCels
SC PITUR DORU SNC	pH	3/25/2017 9:26:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 9:21:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 9:21:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 9:21:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 9:21:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 9:21:01 AM	17	gradCels
SC PITUR DORU SNC	pH	3/25/2017 9:21:00 AM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	3/25/2017 9:15:51 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 9:15:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 9:15:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 9:15:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 9:15:41 AM	17	gradCels
SC PITUR DORU SNC	pH	3/25/2017 9:15:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 9:10:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 9:10:42 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	3/25/2017 9:10:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 9:10:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 9:10:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 9:10:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 9:10:01 AM	17	gradCels
SC PITUR DORU SNC	pH	3/25/2017 9:10:00 AM	8	unit pH
SC PITUR DORU SNC	Grasimi	3/25/2017 9:09:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 9:08:50 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 9:08:40 AM	17	gradCels
SC PITUR DORU SNC	pH	3/25/2017 9:08:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 9:04:51 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 9:04:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 9:04:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 9:04:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 9:04:41 AM	17	gradCels
SC PITUR DORU SNC	pH	3/25/2017 9:04:40 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	3/25/2017 8:59:43 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	3/25/2017 8:59:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 8:59:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 8:59:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 8:59:01 AM	17	gradCels
SC PITUR DORU SNC	pH	3/25/2017 8:59:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 8:53:51 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 8:53:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 8:53:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 8:53:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 8:53:41 AM	17	gradCels
SC PITUR DORU SNC	pH	3/25/2017 8:53:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 8:48:50 AM	0	mg/l
SC PITUR DORU SNC	pH	3/25/2017 8:48:44 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 8:48:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 8:48:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 8:48:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 8:48:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 8:48:02 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 8:48:01 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 8:48:00 AM	17	gradCels
SC PITUR DORU SNC	Substante organice	3/25/2017 8:47:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 8:47:10 AM	17	gradCels
SC PITUR DORU SNC	pH	3/25/2017 8:46:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 8:42:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 8:42:39 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 8:42:29 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 8:42:28 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 8:42:27 AM	17	gradCels
SC PITUR DORU SNC	pH	3/25/2017 8:42:26 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 8:37:46 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 8:37:45 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 8:37:09 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 8:37:08 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 8:37:07 AM	17	gradCels
SC PITUR DORU SNC	pH	3/25/2017 8:37:06 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 8:31:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 8:31:39 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 8:31:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 8:31:29 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 8:31:28 AM	17	gradCels
SC PITUR DORU SNC	pH	3/25/2017 8:31:27 AM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	3/25/2017 8:27:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 8:26:50 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	3/25/2017 8:26:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 8:26:41 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 8:26:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 8:26:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 8:26:21 AM	17	gradCels
SC PITUR DORU SNC	pH	3/25/2017 8:26:20 AM	8	unit pH
SC PITUR DORU SNC	Grasimi	3/25/2017 8:26:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 8:25:50 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 8:25:30 AM	17	gradCels
SC PITUR DORU SNC	pH	3/25/2017 8:25:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 8:21:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 8:21:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 8:20:54 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 8:20:51 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 8:20:49 AM	17	gradCels
SC PITUR DORU SNC	pH	3/25/2017 8:20:48 AM	8	unit pH
SC PITUR DORU SNC	pH	3/25/2017 8:15:49 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 8:15:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 8:15:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 8:15:22 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 8:15:21 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 8:15:20 AM	17	gradCels
SC PITUR DORU SNC	Cianuri	3/25/2017 8:10:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 8:10:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 8:09:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 8:09:49 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 8:09:48 AM	17	gradCels
SC PITUR DORU SNC	pH	3/25/2017 8:09:47 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 8:04:44 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 8:04:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 8:04:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 8:04:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 8:04:21 AM	17	gradCels
SC PITUR DORU SNC	pH	3/25/2017 8:04:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 8:04:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 8:03:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 8:03:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 8:02:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 8:02:20 AM	17	gradCels
SC PITUR DORU SNC	pH	3/25/2017 8:02:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 7:59:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 7:59:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 7:58:51 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 7:58:50 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 7:58:49 AM	17	gradCels
SC PITUR DORU SNC	pH	3/25/2017 7:58:48 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 7:53:46 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 7:53:45 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 7:53:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 7:53:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 7:53:21 AM	17	gradCels
SC PITUR DORU SNC	pH	3/25/2017 7:53:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 7:48:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 7:48:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 7:47:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 7:47:49 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 7:47:48 AM	17	gradCels
SC PITUR DORU SNC	pH	3/25/2017 7:47:47 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 7:42:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 7:42:43 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 7:42:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 7:42:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 7:42:21 AM	17	gradCels
SC PITUR DORU SNC	pH	3/25/2017 7:42:20 AM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	3/25/2017 7:40:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 7:40:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 7:39:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 7:37:50 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	3/25/2017 7:37:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 7:37:40 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 7:37:30 AM	17	gradCels
SC PITUR DORU SNC	pH	3/25/2017 7:37:20 AM	8	unit pH
SC PITUR DORU SNC	Clor	3/25/2017 7:36:51 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 7:36:50 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 7:36:49 AM	17	gradCels
SC PITUR DORU SNC	pH	3/25/2017 7:36:48 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 7:31:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 7:31:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 7:31:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 7:31:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 7:31:21 AM	17	gradCels
SC PITUR DORU SNC	pH	3/25/2017 7:31:20 AM	8	unit pH
SC PITUR DORU SNC	pH	3/25/2017 7:25:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 7:25:49 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 7:25:48 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 7:25:42 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 7:25:41 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 7:25:40 AM	17	gradCels
SC PITUR DORU SNC	Substante organice	3/25/2017 7:20:43 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	3/25/2017 7:20:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 7:20:01 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 7:20:00 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 7:19:59 AM	17	gradCels
SC PITUR DORU SNC	pH	3/25/2017 7:19:58 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 7:15:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 7:15:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 7:14:50 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	3/25/2017 7:14:47 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 7:14:46 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 7:14:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 7:14:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 7:14:41 AM	17	gradCels
SC PITUR DORU SNC	pH	3/25/2017 7:14:40 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	3/25/2017 7:14:10 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 7:13:50 AM	17	gradCels
SC PITUR DORU SNC	pH	3/25/2017 7:13:30 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	3/25/2017 7:09:42 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	3/25/2017 7:09:41 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 7:09:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 7:09:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 7:09:01 AM	17	gradCels
SC PITUR DORU SNC	pH	3/25/2017 7:09:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 7:03:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 7:03:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 7:03:27 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 7:03:26 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 7:03:25 AM	17	gradCels
SC PITUR DORU SNC	pH	3/25/2017 7:03:24 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 6:58:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 6:58:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 6:58:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 6:58:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 6:58:01 AM	17	gradCels
SC PITUR DORU SNC	pH	3/25/2017 6:58:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 6:53:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 6:52:50 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	3/25/2017 6:52:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 6:52:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 6:52:27 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 6:52:26 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Temp	3/25/2017 6:52:25 AM	17	gradCels
SC PITUR DORU SNC	pH	3/25/2017 6:52:24 AM	8	unit pH
SC PITUR DORU SNC	Grasimi	3/25/2017 6:51:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 6:51:20 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 6:51:10 AM	17	gradCels
SC PITUR DORU SNC	pH	3/25/2017 6:50:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 6:47:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 6:47:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 6:47:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 6:47:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 6:47:01 AM	17	gradCels
SC PITUR DORU SNC	pH	3/25/2017 6:47:00 AM	8	unit pH
SC PITUR DORU SNC	pH	3/25/2017 6:41:42 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 6:41:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 6:41:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 6:41:22 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 6:41:21 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 6:41:20 AM	17	gradCels
SC PITUR DORU SNC	Substante organice	3/25/2017 6:36:43 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	3/25/2017 6:36:41 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 6:36:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 6:36:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 6:36:01 AM	17	gradCels
SC PITUR DORU SNC	pH	3/25/2017 6:36:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 6:30:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 6:30:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 6:30:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 6:30:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 6:30:21 AM	17	gradCels
SC PITUR DORU SNC	pH	3/25/2017 6:30:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 6:28:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 6:28:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 6:28:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 6:26:10 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 6:26:00 AM	17	gradCels
SC PITUR DORU SNC	pH	3/25/2017 6:25:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 6:25:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 6:25:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 6:25:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 6:25:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 6:25:01 AM	17	gradCels
SC PITUR DORU SNC	pH	3/25/2017 6:25:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 6:19:47 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 6:19:46 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 6:19:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 6:19:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 6:19:21 AM	17	gradCels
SC PITUR DORU SNC	pH	3/25/2017 6:19:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 6:14:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 6:14:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 6:13:46 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 6:13:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 6:13:44 AM	18	gradCels
SC PITUR DORU SNC	pH	3/25/2017 6:13:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 6:08:47 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 6:08:46 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 6:08:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 6:08:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 6:08:21 AM	18	gradCels
SC PITUR DORU SNC	pH	3/25/2017 6:08:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 6:04:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 6:03:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 6:03:43 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	3/25/2017 6:03:42 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 6:03:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 6:03:10 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Temp	3/25/2017 6:02:50 AM	18	gradCels
SC PITUR DORU SNC	Clor	3/25/2017 6:02:46 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 6:02:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 6:02:44 AM	18	gradCels
SC PITUR DORU SNC	pH	3/25/2017 6:02:43 AM	8	unit pH
SC PITUR DORU SNC	pH	3/25/2017 6:02:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 5:57:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 5:57:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 5:57:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 5:57:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 5:57:21 AM	18	gradCels
SC PITUR DORU SNC	pH	3/25/2017 5:57:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 5:52:47 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 5:52:45 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 5:51:46 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 5:51:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 5:51:44 AM	18	gradCels
SC PITUR DORU SNC	pH	3/25/2017 5:51:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 5:46:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 5:46:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 5:46:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 5:46:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 5:46:21 AM	18	gradCels
SC PITUR DORU SNC	pH	3/25/2017 5:46:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 5:40:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 5:40:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 5:40:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 5:40:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 5:40:41 AM	18	gradCels
SC PITUR DORU SNC	pH	3/25/2017 5:40:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 5:39:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 5:39:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 5:38:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 5:38:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 5:38:10 AM	18	gradCels
SC PITUR DORU SNC	pH	3/25/2017 5:36:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 5:35:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 5:35:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 5:35:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 5:35:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 5:35:01 AM	18	gradCels
SC PITUR DORU SNC	pH	3/25/2017 5:35:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 5:29:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 5:29:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 5:29:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 5:29:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 5:29:41 AM	18	gradCels
SC PITUR DORU SNC	pH	3/25/2017 5:29:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 5:24:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 5:24:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 5:24:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 5:24:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 5:24:01 AM	18	gradCels
SC PITUR DORU SNC	pH	3/25/2017 5:24:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 5:18:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 5:18:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 5:18:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 5:18:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 5:18:41 AM	18	gradCels
SC PITUR DORU SNC	pH	3/25/2017 5:18:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 5:13:50 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	3/25/2017 5:13:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 5:13:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 5:13:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 5:13:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 5:13:03 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	3/25/2017 5:13:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 5:13:01 AM	18	gradCels
SC PITUR DORU SNC	pH	3/25/2017 5:13:00 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	3/25/2017 5:12:50 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 5:12:20 AM	18	gradCels
SC PITUR DORU SNC	pH	3/25/2017 5:12:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 5:07:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 5:07:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 5:07:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 5:07:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 5:07:41 AM	18	gradCels
SC PITUR DORU SNC	pH	3/25/2017 5:07:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 5:02:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 5:02:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 5:02:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 5:02:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 5:02:01 AM	18	gradCels
SC PITUR DORU SNC	pH	3/25/2017 5:02:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 4:56:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 4:56:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 4:56:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 4:56:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 4:56:41 AM	18	gradCels
SC PITUR DORU SNC	pH	3/25/2017 4:56:40 AM	8	unit pH
SC PITUR DORU SNC	pH	3/25/2017 4:51:42 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	3/25/2017 4:51:41 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	3/25/2017 4:51:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 4:51:02 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 4:51:01 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 4:51:00 AM	18	gradCels
SC PITUR DORU SNC	Cianuri	3/25/2017 4:48:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 4:47:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 4:46:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 4:46:20 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 4:46:10 AM	18	gradCels
SC PITUR DORU SNC	pH	3/25/2017 4:46:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 4:45:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 4:45:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 4:45:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 4:45:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 4:45:21 AM	18	gradCels
SC PITUR DORU SNC	pH	3/25/2017 4:45:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 4:40:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 4:40:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 4:40:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 4:40:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 4:40:01 AM	18	gradCels
SC PITUR DORU SNC	pH	3/25/2017 4:40:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 4:34:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 4:34:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 4:34:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 4:34:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 4:34:21 AM	18	gradCels
SC PITUR DORU SNC	pH	3/25/2017 4:34:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 4:29:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 4:29:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 4:29:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 4:29:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 4:29:01 AM	18	gradCels
SC PITUR DORU SNC	pH	3/25/2017 4:29:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 4:23:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 4:23:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 4:23:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 4:23:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 4:23:21 AM	18	gradCels
SC PITUR DORU SNC	pH	3/25/2017 4:23:20 AM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	3/25/2017 4:21:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 4:21:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 4:21:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 4:19:00 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 4:18:50 AM	18	gradCels
SC PITUR DORU SNC	Cianuri	3/25/2017 4:18:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 4:18:40 AM	0	mg/l
SC PITUR DORU SNC	pH	3/25/2017 4:18:30 AM	8	unit pH
SC PITUR DORU SNC	Clor	3/25/2017 4:18:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 4:18:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 4:18:01 AM	18	gradCels
SC PITUR DORU SNC	pH	3/25/2017 4:18:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 4:12:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 4:12:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 4:12:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 4:12:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 4:12:21 AM	18	gradCels
SC PITUR DORU SNC	pH	3/25/2017 4:12:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 4:07:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 4:07:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 4:06:45 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 4:06:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 4:06:43 AM	18	gradCels
SC PITUR DORU SNC	pH	3/25/2017 4:06:42 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 4:01:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 4:01:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 4:01:26 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 4:01:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 4:01:24 AM	18	gradCels
SC PITUR DORU SNC	pH	3/25/2017 4:01:23 AM	8	unit pH
SC PITUR DORU SNC	pH	3/25/2017 3:56:42 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	3/25/2017 3:56:41 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	3/25/2017 3:56:40 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	3/25/2017 3:56:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 3:55:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 3:55:47 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 3:55:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 3:55:45 AM	18	gradCels
SC PITUR DORU SNC	Grasimi	3/25/2017 3:55:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 3:55:10 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 3:54:50 AM	18	gradCels
SC PITUR DORU SNC	pH	3/25/2017 3:54:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 3:50:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 3:50:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 3:50:27 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 3:50:26 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 3:50:25 AM	18	gradCels
SC PITUR DORU SNC	pH	3/25/2017 3:50:24 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 3:45:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 3:45:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 3:44:48 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 3:44:47 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 3:44:46 AM	18	gradCels
SC PITUR DORU SNC	pH	3/25/2017 3:44:45 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 3:39:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 3:39:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 3:39:26 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 3:39:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 3:39:24 AM	18	gradCels
SC PITUR DORU SNC	pH	3/25/2017 3:39:23 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 3:34:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 3:34:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 3:33:51 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 3:33:50 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 3:33:49 AM	18	gradCels
SC PITUR DORU SNC	pH	3/25/2017 3:33:48 AM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	3/25/2017 3:29:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 3:28:50 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	3/25/2017 3:28:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 3:28:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 3:28:26 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 3:28:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 3:28:24 AM	18	gradCels
SC PITUR DORU SNC	pH	3/25/2017 3:28:23 AM	8	unit pH
SC PITUR DORU SNC	Grasimi	3/25/2017 3:28:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 3:27:50 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 3:27:30 AM	18	gradCels
SC PITUR DORU SNC	pH	3/25/2017 3:27:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 3:23:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 3:23:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 3:22:51 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 3:22:50 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 3:22:49 AM	18	gradCels
SC PITUR DORU SNC	pH	3/25/2017 3:22:48 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 3:18:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 3:18:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 3:17:45 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 3:17:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 3:17:43 AM	18	gradCels
SC PITUR DORU SNC	pH	3/25/2017 3:17:42 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 3:12:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 3:12:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 3:12:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 3:12:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 3:12:21 AM	18	gradCels
SC PITUR DORU SNC	pH	3/25/2017 3:12:20 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	3/25/2017 3:07:43 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	3/25/2017 3:07:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 3:06:46 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 3:06:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 3:06:44 AM	18	gradCels
SC PITUR DORU SNC	pH	3/25/2017 3:06:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 3:04:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 3:04:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 3:03:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 3:02:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 3:02:20 AM	18	gradCels
SC PITUR DORU SNC	pH	3/25/2017 3:02:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 3:01:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 3:01:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 3:01:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 3:01:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 3:01:21 AM	18	gradCels
SC PITUR DORU SNC	pH	3/25/2017 3:01:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 2:55:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 2:55:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 2:55:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 2:55:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 2:55:41 AM	18	gradCels
SC PITUR DORU SNC	pH	3/25/2017 2:55:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 2:50:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 2:50:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 2:50:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 2:50:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 2:50:01 AM	18	gradCels
SC PITUR DORU SNC	pH	3/25/2017 2:50:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 2:44:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 2:44:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 2:44:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 2:44:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 2:44:41 AM	18	gradCels
SC PITUR DORU SNC	pH	3/25/2017 2:44:40 AM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	3/25/2017 2:39:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 2:39:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 2:39:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 2:39:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 2:39:01 AM	18	gradCels
SC PITUR DORU SNC	pH	3/25/2017 2:39:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 2:38:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 2:38:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 2:38:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 2:37:20 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 2:37:10 AM	18	gradCels
SC PITUR DORU SNC	pH	3/25/2017 2:36:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 2:34:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 2:34:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 2:34:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 2:34:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 2:34:01 AM	18	gradCels
SC PITUR DORU SNC	pH	3/25/2017 2:34:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 2:28:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 2:28:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 2:28:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 2:28:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 2:28:41 AM	19	gradCels
SC PITUR DORU SNC	pH	3/25/2017 2:28:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 2:23:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 2:23:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 2:23:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 2:23:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 2:23:01 AM	19	gradCels
SC PITUR DORU SNC	pH	3/25/2017 2:23:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 2:17:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 2:17:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 2:17:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 2:17:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 2:17:41 AM	19	gradCels
SC PITUR DORU SNC	pH	3/25/2017 2:17:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 2:12:50 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	3/25/2017 2:12:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 2:12:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 2:12:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 2:12:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 2:12:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 2:12:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 2:12:01 AM	19	gradCels
SC PITUR DORU SNC	pH	3/25/2017 2:12:00 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	3/25/2017 2:11:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 2:11:20 AM	19	gradCels
SC PITUR DORU SNC	pH	3/25/2017 2:11:10 AM	8	unit pH
SC PITUR DORU SNC	pH	3/25/2017 2:06:42 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 2:06:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 2:06:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 2:06:24 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 2:06:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 2:06:20 AM	19	gradCels
SC PITUR DORU SNC	Substante organice	3/25/2017 2:01:50 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	3/25/2017 2:01:47 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 2:01:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 2:01:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 2:01:05 AM	19	gradCels
SC PITUR DORU SNC	pH	3/25/2017 2:01:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 1:55:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 1:55:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 1:55:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 1:55:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 1:55:21 AM	19	gradCels
SC PITUR DORU SNC	pH	3/25/2017 1:55:20 AM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	3/25/2017 1:50:47 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 1:50:46 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 1:50:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 1:50:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 1:50:01 AM	19	gradCels
SC PITUR DORU SNC	pH	3/25/2017 1:50:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 1:45:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 1:44:50 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	3/25/2017 1:44:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 1:44:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 1:44:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 1:44:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 1:44:21 AM	19	gradCels
SC PITUR DORU SNC	pH	3/25/2017 1:44:20 AM	8	unit pH
SC PITUR DORU SNC	Grasimi	3/25/2017 1:44:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 1:44:00 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 1:43:50 AM	19	gradCels
SC PITUR DORU SNC	pH	3/25/2017 1:43:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 1:39:47 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 1:39:46 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 1:38:46 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 1:38:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 1:38:44 AM	19	gradCels
SC PITUR DORU SNC	pH	3/25/2017 1:38:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 1:33:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 1:33:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 1:33:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 1:33:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 1:33:21 AM	19	gradCels
SC PITUR DORU SNC	pH	3/25/2017 1:33:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 1:28:47 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 1:28:46 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 1:27:46 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 1:27:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 1:27:44 AM	19	gradCels
SC PITUR DORU SNC	pH	3/25/2017 1:27:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 1:22:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 1:22:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 1:22:25 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 1:22:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 1:22:22 AM	19	gradCels
SC PITUR DORU SNC	pH	3/25/2017 1:22:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 1:21:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 1:21:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 1:20:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 1:19:40 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 1:19:30 AM	19	gradCels
SC PITUR DORU SNC	pH	3/25/2017 1:19:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 1:17:44 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 1:17:43 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 1:16:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 1:16:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 1:16:41 AM	19	gradCels
SC PITUR DORU SNC	pH	3/25/2017 1:16:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 1:11:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 1:11:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 1:11:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 1:11:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 1:11:21 AM	19	gradCels
SC PITUR DORU SNC	pH	3/25/2017 1:11:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 1:06:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 1:06:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 1:05:44 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 1:05:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 1:05:42 AM	19	gradCels
SC PITUR DORU SNC	pH	3/25/2017 1:05:40 AM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	3/25/2017 1:00:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 1:00:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 1:00:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 1:00:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 1:00:21 AM	19	gradCels
SC PITUR DORU SNC	pH	3/25/2017 1:00:20 AM	8	unit pH
SC PITUR DORU SNC	pH	3/25/2017 12:55:44 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 12:55:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 12:55:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 12:54:42 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 12:54:41 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 12:54:40 AM	19	gradCels
SC PITUR DORU SNC	Cianuri	3/25/2017 12:54:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 12:54:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 12:54:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 12:53:50 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 12:53:20 AM	19	gradCels
SC PITUR DORU SNC	pH	3/25/2017 12:53:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 12:49:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 12:49:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 12:49:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 12:49:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 12:49:21 AM	19	gradCels
SC PITUR DORU SNC	pH	3/25/2017 12:49:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 12:43:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 12:43:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 12:43:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 12:43:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 12:43:41 AM	19	gradCels
SC PITUR DORU SNC	pH	3/25/2017 12:43:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 12:38:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 12:38:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 12:38:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 12:38:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 12:38:01 AM	19	gradCels
SC PITUR DORU SNC	pH	3/25/2017 12:38:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 12:32:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 12:32:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 12:32:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 12:32:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 12:32:41 AM	19	gradCels
SC PITUR DORU SNC	pH	3/25/2017 12:32:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 12:29:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 12:28:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 12:28:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 12:27:50 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	3/25/2017 12:27:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 12:27:40 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 12:27:20 AM	19	gradCels
SC PITUR DORU SNC	pH	3/25/2017 12:27:10 AM	8	unit pH
SC PITUR DORU SNC	Clor	3/25/2017 12:27:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 12:27:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 12:27:01 AM	19	gradCels
SC PITUR DORU SNC	pH	3/25/2017 12:27:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 12:21:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 12:21:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 12:21:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 12:21:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 12:21:41 AM	19	gradCels
SC PITUR DORU SNC	pH	3/25/2017 12:21:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/25/2017 12:16:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 12:16:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 12:16:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 12:16:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 12:16:01 AM	19	gradCels
SC PITUR DORU SNC	pH	3/25/2017 12:16:00 AM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	3/25/2017 12:10:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/25/2017 12:10:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 12:10:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 12:10:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 12:10:21 AM	19	gradCels
SC PITUR DORU SNC	pH	3/25/2017 12:10:20 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	3/25/2017 12:05:47 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	3/25/2017 12:05:46 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/25/2017 12:05:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/25/2017 12:05:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/25/2017 12:05:01 AM	19	gradCels
SC PITUR DORU SNC	pH	3/25/2017 12:05:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 11:59:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 11:59:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 11:59:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 11:59:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 11:59:21 PM	19	gradCels
SC PITUR DORU SNC	pH	3/24/2017 11:59:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 11:58:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 11:58:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 11:57:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 11:57:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 11:57:00 PM	19	gradCels
SC PITUR DORU SNC	pH	3/24/2017 11:55:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 11:54:47 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 11:54:46 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 11:54:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 11:54:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 11:54:01 PM	19	gradCels
SC PITUR DORU SNC	pH	3/24/2017 11:54:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 11:48:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 11:48:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 11:48:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 11:48:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 11:48:21 PM	19	gradCels
SC PITUR DORU SNC	pH	3/24/2017 11:48:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 11:43:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 11:43:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 11:42:46 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 11:42:45 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 11:42:44 PM	19	gradCels
SC PITUR DORU SNC	pH	3/24/2017 11:42:43 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 11:37:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 11:37:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 11:37:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 11:37:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 11:37:21 PM	19	gradCels
SC PITUR DORU SNC	pH	3/24/2017 11:37:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 11:32:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 11:32:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 11:31:46 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 11:31:45 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 11:31:44 PM	19	gradCels
SC PITUR DORU SNC	pH	3/24/2017 11:31:43 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 11:26:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 11:26:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 11:26:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 11:26:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 11:26:21 PM	19	gradCels
SC PITUR DORU SNC	pH	3/24/2017 11:26:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 11:24:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 11:24:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 11:23:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 11:22:10 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	3/24/2017 11:21:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 11:21:40 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Temp	3/24/2017 11:21:20 PM	19	gradCels
SC PITUR DORU SNC	pH	3/24/2017 11:21:10 PM	8	unit pH
SC PITUR DORU SNC	Clor	3/24/2017 11:20:45 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 11:20:44 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 11:20:43 PM	19	gradCels
SC PITUR DORU SNC	pH	3/24/2017 11:20:42 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 11:15:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 11:15:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 11:15:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 11:15:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 11:15:21 PM	19	gradCels
SC PITUR DORU SNC	pH	3/24/2017 11:15:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 11:10:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 11:10:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 11:09:46 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 11:09:45 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 11:09:44 PM	19	gradCels
SC PITUR DORU SNC	pH	3/24/2017 11:09:43 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 11:04:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 11:04:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 11:04:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 11:04:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 11:04:21 PM	19	gradCels
SC PITUR DORU SNC	pH	3/24/2017 11:04:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 10:59:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 10:59:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 10:58:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 10:58:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 10:58:41 PM	19	gradCels
SC PITUR DORU SNC	pH	3/24/2017 10:58:40 PM	8	unit pH
SC PITUR DORU SNC	pH	3/24/2017 10:53:42 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 10:53:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 10:53:40 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	3/24/2017 10:53:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 10:53:02 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 10:53:01 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 10:53:00 PM	19	gradCels
SC PITUR DORU SNC	Clor	3/24/2017 10:52:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 10:52:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 10:51:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 10:49:10 PM	19	gradCels
SC PITUR DORU SNC	pH	3/24/2017 10:49:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 10:47:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 10:47:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 10:47:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 10:47:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 10:47:41 PM	19	gradCels
SC PITUR DORU SNC	pH	3/24/2017 10:47:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 10:42:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 10:42:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 10:42:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 10:42:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 10:42:01 PM	19	gradCels
SC PITUR DORU SNC	pH	3/24/2017 10:42:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 10:36:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 10:36:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 10:36:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 10:36:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 10:36:41 PM	19	gradCels
SC PITUR DORU SNC	pH	3/24/2017 10:36:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 10:31:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 10:31:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 10:31:04 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 10:31:03 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 10:31:02 PM	19	gradCels
SC PITUR DORU SNC	pH	3/24/2017 10:31:01 PM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	3/24/2017 10:25:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 10:25:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 10:25:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 10:25:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 10:25:41 PM	19	gradCels
SC PITUR DORU SNC	pH	3/24/2017 10:25:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 10:20:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 10:20:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 10:20:05 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 10:20:04 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 10:20:01 PM	19	gradCels
SC PITUR DORU SNC	pH	3/24/2017 10:20:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 10:19:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 10:18:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 10:15:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 10:15:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 10:15:20 PM	19	gradCels
SC PITUR DORU SNC	pH	3/24/2017 10:15:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 10:14:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 10:14:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 10:14:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 10:14:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 10:14:21 PM	19	gradCels
SC PITUR DORU SNC	pH	3/24/2017 10:14:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 10:09:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 10:09:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 10:09:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 10:09:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 10:09:01 PM	19	gradCels
SC PITUR DORU SNC	pH	3/24/2017 10:09:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 10:03:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 10:03:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 10:03:24 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 10:03:23 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 10:03:22 PM	20	gradCels
SC PITUR DORU SNC	pH	3/24/2017 10:03:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 9:58:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 9:58:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 9:58:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 9:58:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 9:58:01 PM	20	gradCels
SC PITUR DORU SNC	pH	3/24/2017 9:58:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 9:52:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 9:52:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 9:52:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 9:52:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 9:52:21 PM	20	gradCels
SC PITUR DORU SNC	pH	3/24/2017 9:52:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 9:47:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 9:47:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 9:47:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 9:47:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 9:47:21 PM	20	gradCels
SC PITUR DORU SNC	pH	3/24/2017 9:47:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 9:47:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 9:47:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 9:46:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 9:46:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 9:45:20 PM	20	gradCels
SC PITUR DORU SNC	pH	3/24/2017 9:45:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 9:42:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 9:42:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 9:42:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 9:42:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 9:42:01 PM	20	gradCels
SC PITUR DORU SNC	pH	3/24/2017 9:42:00 PM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	3/24/2017 9:36:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 9:36:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 9:36:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 9:36:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 9:36:21 PM	20	gradCels
SC PITUR DORU SNC	pH	3/24/2017 9:36:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 9:31:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 9:31:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 9:30:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 9:30:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 9:30:41 PM	20	gradCels
SC PITUR DORU SNC	pH	3/24/2017 9:30:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 9:25:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 9:25:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 9:25:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 9:25:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 9:25:21 PM	20	gradCels
SC PITUR DORU SNC	pH	3/24/2017 9:25:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 9:23:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 9:23:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 9:22:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 9:21:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 9:20:50 PM	20	gradCels
SC PITUR DORU SNC	Cianuri	3/24/2017 9:20:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 9:20:40 PM	0	mg/l
SC PITUR DORU SNC	pH	3/24/2017 9:20:20 PM	8	unit pH
SC PITUR DORU SNC	Clor	3/24/2017 9:19:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 9:19:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 9:19:41 PM	20	gradCels
SC PITUR DORU SNC	pH	3/24/2017 9:19:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 9:14:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 9:14:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 9:14:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 9:14:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 9:14:21 PM	20	gradCels
SC PITUR DORU SNC	pH	3/24/2017 9:14:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 9:09:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 9:09:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 9:08:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 9:08:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 9:08:41 PM	20	gradCels
SC PITUR DORU SNC	pH	3/24/2017 9:08:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 9:03:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 9:03:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 9:03:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 9:03:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 9:03:21 PM	20	gradCels
SC PITUR DORU SNC	pH	3/24/2017 9:03:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 8:58:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 8:58:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 8:57:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 8:57:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 8:57:41 PM	20	gradCels
SC PITUR DORU SNC	pH	3/24/2017 8:57:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 8:57:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 8:57:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 8:55:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 8:55:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 8:55:20 PM	20	gradCels
SC PITUR DORU SNC	pH	3/24/2017 8:53:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 8:52:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 8:52:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 8:52:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 8:52:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 8:52:21 PM	20	gradCels
SC PITUR DORU SNC	pH	3/24/2017 8:52:20 PM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	3/24/2017 8:47:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 8:47:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 8:46:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 8:46:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 8:46:41 PM	20	gradCels
SC PITUR DORU SNC	pH	3/24/2017 8:46:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 8:41:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 8:41:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 8:41:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 8:41:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 8:41:01 PM	20	gradCels
SC PITUR DORU SNC	pH	3/24/2017 8:41:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 8:35:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 8:35:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 8:35:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 8:35:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 8:35:41 PM	20	gradCels
SC PITUR DORU SNC	pH	3/24/2017 8:35:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 8:30:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 8:30:40 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	3/24/2017 8:30:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 8:30:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 8:30:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 8:30:01 PM	20	gradCels
SC PITUR DORU SNC	pH	3/24/2017 8:30:00 PM	8	unit pH
SC PITUR DORU SNC	Clor	3/24/2017 8:29:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 8:29:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 8:29:20 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 8:29:10 PM	20	gradCels
SC PITUR DORU SNC	pH	3/24/2017 8:29:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 8:24:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 8:24:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 8:24:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 8:24:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 8:24:41 PM	20	gradCels
SC PITUR DORU SNC	pH	3/24/2017 8:24:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 8:19:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 8:19:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 8:19:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 8:19:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 8:19:01 PM	20	gradCels
SC PITUR DORU SNC	pH	3/24/2017 8:19:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 8:13:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 8:13:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 8:13:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 8:13:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 8:13:41 PM	20	gradCels
SC PITUR DORU SNC	pH	3/24/2017 8:13:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 8:08:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 8:08:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 8:08:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 8:08:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 8:08:01 PM	20	gradCels
SC PITUR DORU SNC	pH	3/24/2017 8:08:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 8:05:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 8:05:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 8:03:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 8:03:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 8:03:20 PM	20	gradCels
SC PITUR DORU SNC	pH	3/24/2017 8:03:10 PM	8	unit pH
SC PITUR DORU SNC	pH	3/24/2017 8:02:42 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	3/24/2017 8:02:41 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	3/24/2017 8:02:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 8:02:22 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 8:02:21 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 8:02:20 PM	20	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	3/24/2017 7:57:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 7:57:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 7:57:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 7:57:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 7:57:01 PM	20	gradCels
SC PITUR DORU SNC	pH	3/24/2017 7:57:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 7:51:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 7:51:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 7:51:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 7:51:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 7:51:21 PM	20	gradCels
SC PITUR DORU SNC	pH	3/24/2017 7:51:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 7:46:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 7:46:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 7:46:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 7:46:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 7:46:01 PM	20	gradCels
SC PITUR DORU SNC	pH	3/24/2017 7:46:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 7:40:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 7:40:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 7:40:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 7:40:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 7:40:21 PM	20	gradCels
SC PITUR DORU SNC	pH	3/24/2017 7:40:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 7:35:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 7:35:40 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	3/24/2017 7:35:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 7:34:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 7:34:46 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 7:34:45 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 7:34:44 PM	19	gradCels
SC PITUR DORU SNC	pH	3/24/2017 7:34:43 PM	8	unit pH
SC PITUR DORU SNC	Grasimi	3/24/2017 7:34:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 7:34:00 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 7:33:50 PM	19	gradCels
SC PITUR DORU SNC	pH	3/24/2017 7:32:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 7:29:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 7:29:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 7:29:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 7:29:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 7:29:21 PM	19	gradCels
SC PITUR DORU SNC	pH	3/24/2017 7:29:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 7:24:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 7:24:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 7:23:46 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 7:23:45 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 7:23:44 PM	19	gradCels
SC PITUR DORU SNC	pH	3/24/2017 7:23:43 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 7:18:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 7:18:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 7:18:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 7:18:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 7:18:21 PM	19	gradCels
SC PITUR DORU SNC	pH	3/24/2017 7:18:20 PM	8	unit pH
SC PITUR DORU SNC	pH	3/24/2017 7:13:42 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 7:13:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 7:13:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 7:12:45 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 7:12:44 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 7:12:43 PM	19	gradCels
SC PITUR DORU SNC	Cianuri	3/24/2017 7:07:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 7:07:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 7:07:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 7:07:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 7:07:21 PM	19	gradCels
SC PITUR DORU SNC	pH	3/24/2017 7:07:20 PM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	3/24/2017 7:02:42 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 7:02:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 7:02:40 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	3/24/2017 7:02:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 7:02:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 7:01:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 7:01:45 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 7:01:44 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 7:01:43 PM	19	gradCels
SC PITUR DORU SNC	Substante organice	3/24/2017 7:01:20 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 7:01:10 PM	19	gradCels
SC PITUR DORU SNC	pH	3/24/2017 7:01:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 6:56:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 6:56:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 6:56:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 6:56:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 6:56:21 PM	19	gradCels
SC PITUR DORU SNC	pH	3/24/2017 6:56:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 6:51:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 6:51:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 6:50:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 6:50:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 6:50:41 PM	19	gradCels
SC PITUR DORU SNC	pH	3/24/2017 6:50:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 6:45:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 6:45:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 6:45:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 6:45:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 6:45:01 PM	19	gradCels
SC PITUR DORU SNC	pH	3/24/2017 6:45:00 PM	8	unit pH
SC PITUR DORU SNC	pH	3/24/2017 6:39:45 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 6:39:44 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 6:39:43 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 6:39:42 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 6:39:41 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 6:39:40 PM	19	gradCels
SC PITUR DORU SNC	Cianuri	3/24/2017 6:34:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 6:34:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 6:34:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 6:34:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 6:34:01 PM	19	gradCels
SC PITUR DORU SNC	pH	3/24/2017 6:34:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 6:32:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 6:31:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 6:31:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 6:30:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 6:30:00 PM	19	gradCels
SC PITUR DORU SNC	pH	3/24/2017 6:29:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 6:28:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 6:28:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 6:28:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 6:28:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 6:28:41 PM	19	gradCels
SC PITUR DORU SNC	pH	3/24/2017 6:28:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 6:23:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 6:23:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 6:23:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 6:23:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 6:23:01 PM	19	gradCels
SC PITUR DORU SNC	pH	3/24/2017 6:23:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 6:17:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 6:17:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 6:17:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 6:17:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 6:17:21 PM	19	gradCels
SC PITUR DORU SNC	pH	3/24/2017 6:17:20 PM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	3/24/2017 6:12:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 6:12:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 6:12:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 6:12:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 6:12:01 PM	19	gradCels
SC PITUR DORU SNC	pH	3/24/2017 6:12:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 6:07:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 6:07:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 6:07:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 6:07:00 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 6:06:50 PM	19	gradCels
SC PITUR DORU SNC	Cianuri	3/24/2017 6:06:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 6:06:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 6:06:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 6:06:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 6:06:21 PM	19	gradCels
SC PITUR DORU SNC	pH	3/24/2017 6:06:20 PM	8	unit pH
SC PITUR DORU SNC	pH	3/24/2017 6:06:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 6:01:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 6:01:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 6:01:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 6:01:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 6:01:01 PM	19	gradCels
SC PITUR DORU SNC	pH	3/24/2017 6:01:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 5:55:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 5:55:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 5:55:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 5:55:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 5:55:21 PM	19	gradCels
SC PITUR DORU SNC	pH	3/24/2017 5:55:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 5:50:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 5:50:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 5:49:57 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 5:49:56 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 5:49:54 PM	19	gradCels
SC PITUR DORU SNC	pH	3/24/2017 5:49:52 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 5:44:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 5:44:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 5:44:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 5:44:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 5:44:21 PM	19	gradCels
SC PITUR DORU SNC	pH	3/24/2017 5:44:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 5:42:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 5:40:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 5:40:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 5:39:50 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	3/24/2017 5:39:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 5:39:40 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 5:39:20 PM	19	gradCels
SC PITUR DORU SNC	pH	3/24/2017 5:39:10 PM	8	unit pH
SC PITUR DORU SNC	Clor	3/24/2017 5:38:51 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 5:38:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 5:38:49 PM	19	gradCels
SC PITUR DORU SNC	pH	3/24/2017 5:38:48 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 5:33:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 5:33:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 5:33:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 5:33:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 5:33:21 PM	19	gradCels
SC PITUR DORU SNC	pH	3/24/2017 5:33:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 5:28:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 5:28:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 5:27:51 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 5:27:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 5:27:49 PM	19	gradCels
SC PITUR DORU SNC	pH	3/24/2017 5:27:48 PM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	3/24/2017 5:22:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 5:22:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 5:22:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 5:22:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 5:22:21 PM	19	gradCels
SC PITUR DORU SNC	pH	3/24/2017 5:22:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 5:17:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 5:17:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 5:16:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 5:16:49 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 5:16:48 PM	19	gradCels
SC PITUR DORU SNC	pH	3/24/2017 5:16:47 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 5:12:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 5:12:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 5:12:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 5:12:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 5:12:00 PM	19	gradCels
SC PITUR DORU SNC	pH	3/24/2017 5:11:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 5:11:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 5:11:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 5:11:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 5:11:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 5:11:21 PM	19	gradCels
SC PITUR DORU SNC	pH	3/24/2017 5:11:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 5:06:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 5:06:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 5:05:52 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 5:05:51 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 5:05:50 PM	19	gradCels
SC PITUR DORU SNC	pH	3/24/2017 5:05:48 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 5:00:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 5:00:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 5:00:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 5:00:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 5:00:01 PM	18	gradCels
SC PITUR DORU SNC	pH	3/24/2017 5:00:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 4:55:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 4:55:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 4:54:51 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 4:54:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 4:54:49 PM	18	gradCels
SC PITUR DORU SNC	pH	3/24/2017 4:54:48 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 4:49:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 4:49:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 4:49:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 4:49:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 4:49:01 PM	18	gradCels
SC PITUR DORU SNC	pH	3/24/2017 4:49:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 4:45:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 4:45:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 4:45:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 4:44:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 4:44:40 PM	18	gradCels
SC PITUR DORU SNC	pH	3/24/2017 4:44:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 4:43:48 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 4:43:47 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 4:43:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 4:43:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 4:43:41 PM	18	gradCels
SC PITUR DORU SNC	pH	3/24/2017 4:43:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 4:38:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 4:38:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 4:38:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 4:38:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 4:38:01 PM	18	gradCels
SC PITUR DORU SNC	pH	3/24/2017 4:38:00 PM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	3/24/2017 4:32:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 4:32:48 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 4:32:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 4:32:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 4:32:41 PM	18	gradCels
SC PITUR DORU SNC	pH	3/24/2017 4:32:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 4:27:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 4:27:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 4:26:55 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 4:26:54 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 4:26:53 PM	18	gradCels
SC PITUR DORU SNC	pH	3/24/2017 4:26:52 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 4:22:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 4:22:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 4:22:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 4:22:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 4:22:00 PM	18	gradCels
SC PITUR DORU SNC	pH	3/24/2017 4:21:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 4:21:44 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 4:21:43 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 4:21:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 4:21:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 4:21:21 PM	18	gradCels
SC PITUR DORU SNC	pH	3/24/2017 4:21:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 4:16:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 4:16:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 4:16:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 4:16:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 4:16:01 PM	18	gradCels
SC PITUR DORU SNC	pH	3/24/2017 4:16:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 4:10:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 4:10:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 4:10:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 4:10:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 4:10:21 PM	18	gradCels
SC PITUR DORU SNC	pH	3/24/2017 4:10:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 4:05:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 4:05:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 4:04:54 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 4:04:53 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 4:04:52 PM	18	gradCels
SC PITUR DORU SNC	pH	3/24/2017 4:04:51 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 4:01:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 4:01:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 4:00:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 4:00:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 4:00:20 PM	18	gradCels
SC PITUR DORU SNC	pH	3/24/2017 4:00:10 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	3/24/2017 3:59:44 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	3/24/2017 3:59:41 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 3:59:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 3:59:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 3:59:21 PM	18	gradCels
SC PITUR DORU SNC	pH	3/24/2017 3:59:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 3:54:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 3:54:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 3:53:55 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 3:53:54 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 3:53:53 PM	18	gradCels
SC PITUR DORU SNC	pH	3/24/2017 3:53:52 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 3:48:44 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 3:48:43 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 3:48:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 3:48:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 3:48:21 PM	18	gradCels
SC PITUR DORU SNC	pH	3/24/2017 3:48:20 PM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	3/24/2017 3:43:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 3:43:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 3:42:55 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 3:42:54 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 3:42:53 PM	18	gradCels
SC PITUR DORU SNC	pH	3/24/2017 3:42:52 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 3:37:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 3:37:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 3:37:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 3:37:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 3:37:21 PM	18	gradCels
SC PITUR DORU SNC	pH	3/24/2017 3:37:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 3:33:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 3:33:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 3:33:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 3:33:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 3:33:00 PM	18	gradCels
SC PITUR DORU SNC	pH	3/24/2017 3:32:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 3:32:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 3:32:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 3:31:55 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 3:31:54 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 3:31:53 PM	18	gradCels
SC PITUR DORU SNC	pH	3/24/2017 3:31:52 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 3:26:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 3:26:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 3:26:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 3:26:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 3:26:21 PM	18	gradCels
SC PITUR DORU SNC	pH	3/24/2017 3:26:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 3:21:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 3:21:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 3:20:54 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 3:20:53 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 3:20:52 PM	18	gradCels
SC PITUR DORU SNC	pH	3/24/2017 3:20:51 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 3:15:42 PM	0	mg/l
SC PITUR DORU SNC	pH	3/24/2017 3:15:41 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	3/24/2017 3:15:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 3:15:08 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 3:15:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 3:15:06 PM	17	gradCels
SC PITUR DORU SNC	Cianuri	3/24/2017 3:10:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 3:10:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 3:09:52 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 3:09:51 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 3:09:50 PM	17	gradCels
SC PITUR DORU SNC	pH	3/24/2017 3:09:49 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 3:09:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 3:08:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 3:08:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 3:08:00 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 3:07:50 PM	17	gradCels
SC PITUR DORU SNC	pH	3/24/2017 3:06:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 3:04:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 3:04:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 3:04:08 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 3:04:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 3:04:06 PM	17	gradCels
SC PITUR DORU SNC	pH	3/24/2017 3:04:05 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	3/24/2017 2:59:41 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	3/24/2017 2:59:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 2:58:52 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 2:58:51 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 2:58:50 PM	17	gradCels
SC PITUR DORU SNC	pH	3/24/2017 2:58:49 PM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	3/24/2017 2:53:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 2:53:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 2:53:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 2:53:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 2:53:01 PM	17	gradCels
SC PITUR DORU SNC	pH	3/24/2017 2:53:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	3/24/2017 2:47:51 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	3/24/2017 2:47:45 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 2:47:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 2:47:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 2:47:41 PM	17	gradCels
SC PITUR DORU SNC	pH	3/24/2017 2:47:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 2:43:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 2:43:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 2:43:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 2:43:00 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 2:42:50 PM	17	gradCels
SC PITUR DORU SNC	Cianuri	3/24/2017 2:42:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 2:42:40 PM	0	mg/l
SC PITUR DORU SNC	pH	3/24/2017 2:42:20 PM	8	unit pH
SC PITUR DORU SNC	Clor	3/24/2017 2:42:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 2:42:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 2:42:01 PM	17	gradCels
SC PITUR DORU SNC	pH	3/24/2017 2:42:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 2:36:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 2:36:46 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 2:36:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 2:36:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 2:36:41 PM	17	gradCels
SC PITUR DORU SNC	pH	3/24/2017 2:36:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 2:31:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 2:31:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 2:31:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 2:31:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 2:31:01 PM	17	gradCels
SC PITUR DORU SNC	pH	3/24/2017 2:31:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 2:25:44 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 2:25:43 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 2:25:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 2:25:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 2:25:21 PM	17	gradCels
SC PITUR DORU SNC	pH	3/24/2017 2:25:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 2:20:50 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	3/24/2017 2:20:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 2:20:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 2:20:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 2:20:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 2:19:54 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 2:19:53 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 2:19:52 PM	17	gradCels
SC PITUR DORU SNC	pH	3/24/2017 2:19:51 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	3/24/2017 2:19:11 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 2:19:00 PM	17	gradCels
SC PITUR DORU SNC	pH	3/24/2017 2:18:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 2:14:49 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 2:14:47 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 2:14:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 2:14:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 2:14:21 PM	17	gradCels
SC PITUR DORU SNC	pH	3/24/2017 2:14:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 2:09:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 2:09:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 2:08:55 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 2:08:54 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 2:08:53 PM	17	gradCels
SC PITUR DORU SNC	pH	3/24/2017 2:08:52 PM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	3/24/2017 2:03:33 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 2:03:29 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 2:03:26 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 2:03:25 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 2:03:24 PM	17	gradCels
SC PITUR DORU SNC	pH	3/24/2017 2:03:23 PM	8	unit pH
SC PITUR DORU SNC	pH	3/24/2017 1:58:45 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 1:58:44 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 1:58:43 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	3/24/2017 1:58:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 1:58:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 1:57:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 1:57:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 1:57:49 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 1:57:48 PM	17	gradCels
SC PITUR DORU SNC	Substante organice	3/24/2017 1:57:00 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 1:56:50 PM	17	gradCels
SC PITUR DORU SNC	pH	3/24/2017 1:55:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 1:52:35 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 1:52:31 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 1:52:26 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 1:52:25 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 1:52:24 PM	17	gradCels
SC PITUR DORU SNC	pH	3/24/2017 1:52:23 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	3/24/2017 1:47:44 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	3/24/2017 1:47:41 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 1:46:51 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 1:46:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 1:46:49 PM	17	gradCels
SC PITUR DORU SNC	pH	3/24/2017 1:46:48 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	3/24/2017 1:41:36 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	3/24/2017 1:41:29 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 1:41:26 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 1:41:25 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 1:41:24 PM	17	gradCels
SC PITUR DORU SNC	pH	3/24/2017 1:41:23 PM	8	unit pH
SC PITUR DORU SNC	pH	3/24/2017 1:36:45 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 1:36:44 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 1:36:43 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	3/24/2017 1:36:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 1:36:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 1:35:58 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 1:35:57 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 1:35:56 PM	17	gradCels
SC PITUR DORU SNC	Grasimi	3/24/2017 1:34:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 1:34:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 1:33:00 PM	17	gradCels
SC PITUR DORU SNC	pH	3/24/2017 1:32:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 1:30:33 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 1:30:32 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 1:30:26 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 1:30:25 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 1:30:24 PM	17	gradCels
SC PITUR DORU SNC	pH	3/24/2017 1:30:23 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 1:25:44 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 1:25:43 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 1:25:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 1:24:59 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 1:24:58 PM	16	gradCels
SC PITUR DORU SNC	pH	3/24/2017 1:24:57 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	3/24/2017 1:19:44 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	3/24/2017 1:19:42 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 1:19:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 1:19:09 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 1:19:08 PM	16	gradCels
SC PITUR DORU SNC	pH	3/24/2017 1:19:07 PM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	3/24/2017 1:14:44 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 1:14:42 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 1:13:59 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 1:13:58 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 1:13:57 PM	16	gradCels
SC PITUR DORU SNC	pH	3/24/2017 1:13:56 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 1:11:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 1:10:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 1:10:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 1:10:20 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 1:10:10 PM	16	gradCels
SC PITUR DORU SNC	pH	3/24/2017 1:10:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 1:08:49 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 1:08:43 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 1:08:09 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 1:08:08 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 1:08:07 PM	16	gradCels
SC PITUR DORU SNC	pH	3/24/2017 1:08:06 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 1:03:44 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 1:03:43 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 1:03:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 1:02:59 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 1:02:58 PM	16	gradCels
SC PITUR DORU SNC	pH	3/24/2017 1:02:57 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 12:57:36 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 12:57:35 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 12:57:31 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 12:57:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 12:57:29 PM	16	gradCels
SC PITUR DORU SNC	pH	3/24/2017 12:57:28 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 12:52:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 12:52:44 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	3/24/2017 12:52:43 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 12:52:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 12:52:05 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 12:52:04 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 12:52:03 PM	16	gradCels
SC PITUR DORU SNC	pH	3/24/2017 12:52:02 PM	8	unit pH
SC PITUR DORU SNC	Grasimi	3/24/2017 12:49:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 12:49:40 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 12:49:30 PM	16	gradCels
SC PITUR DORU SNC	pH	3/24/2017 12:49:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 12:46:44 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 12:46:43 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 12:46:11 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 12:46:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 12:46:09 PM	16	gradCels
SC PITUR DORU SNC	pH	3/24/2017 12:46:08 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	3/24/2017 12:40:46 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	3/24/2017 12:40:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 12:40:36 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 12:40:35 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 12:40:34 PM	16	gradCels
SC PITUR DORU SNC	pH	3/24/2017 12:40:33 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	3/24/2017 12:35:33 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	3/24/2017 12:35:31 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 12:35:28 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 12:35:27 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 12:35:26 PM	16	gradCels
SC PITUR DORU SNC	pH	3/24/2017 12:35:25 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 12:32:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 12:32:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 12:31:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 12:31:40 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 12:31:30 PM	16	gradCels
SC PITUR DORU SNC	pH	3/24/2017 12:31:20 PM	8	unit pH


NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	3/24/2017 12:29:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 12:29:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 12:29:26 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 12:29:25 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 12:29:24 PM	16	gradCels
SC PITUR DORU SNC	pH	3/24/2017 12:29:23 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	3/24/2017 12:24:58 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	3/24/2017 12:24:55 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 12:24:53 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 12:24:52 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 12:24:51 PM	16	gradCels
SC PITUR DORU SNC	pH	3/24/2017 12:24:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 12:19:28 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 12:19:24 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 12:19:08 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 12:19:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 12:19:06 PM	16	gradCels
SC PITUR DORU SNC	pH	3/24/2017 12:19:05 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 12:14:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 12:14:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 12:13:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 12:13:40 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	3/24/2017 12:13:36 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 12:13:35 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 12:13:24 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 12:13:23 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 12:13:22 PM	16	gradCels
SC PITUR DORU SNC	pH	3/24/2017 12:13:21 PM	8	unit pH
SC PITUR DORU SNC	Temp	3/24/2017 12:11:40 PM	16	gradCels
SC PITUR DORU SNC	pH	3/24/2017 12:11:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 12:08:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 12:08:01 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 12:07:49 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 12:07:48 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 12:07:47 PM	16	gradCels
SC PITUR DORU SNC	pH	3/24/2017 12:07:46 PM	8	unit pH
SC PITUR DORU SNC	pH	3/24/2017 12:02:34 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 12:02:33 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 12:02:32 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 12:02:28 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 12:02:27 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 12:02:26 PM	16	gradCels
SC PITUR DORU SNC	Cianuri	3/24/2017 11:57:08 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 11:57:05 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 11:56:56 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 11:56:55 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 11:56:54 AM	16	gradCels
SC PITUR DORU SNC	pH	3/24/2017 11:56:53 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 11:55:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 11:54:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 11:54:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 11:54:20 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 11:54:10 AM	16	gradCels
SC PITUR DORU SNC	pH	3/24/2017 11:54:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 11:51:37 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 11:51:36 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 11:51:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 11:51:29 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 11:51:28 AM	16	gradCels
SC PITUR DORU SNC	pH	3/24/2017 11:51:27 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 11:46:08 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 11:46:01 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 11:45:57 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 11:45:56 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 11:45:55 AM	16	gradCels
SC PITUR DORU SNC	pH	3/24/2017 11:45:54 AM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	3/24/2017 11:40:35 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 11:40:34 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 11:40:31 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 11:40:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 11:40:29 AM	16	gradCels
SC PITUR DORU SNC	pH	3/24/2017 11:40:28 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 11:37:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 11:37:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 11:37:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 11:36:50 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 11:36:40 AM	16	gradCels
SC PITUR DORU SNC	pH	3/24/2017 11:36:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 11:35:04 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 11:35:03 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 11:34:57 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 11:34:56 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 11:34:55 AM	16	gradCels
SC PITUR DORU SNC	pH	3/24/2017 11:34:54 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 11:29:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 11:29:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 11:29:05 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 11:29:04 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 11:29:03 AM	16	gradCels
SC PITUR DORU SNC	pH	3/24/2017 11:29:02 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 11:23:58 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 11:23:57 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 11:23:54 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 11:23:53 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 11:23:52 AM	16	gradCels
SC PITUR DORU SNC	pH	3/24/2017 11:23:51 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 11:19:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 11:19:00 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	3/24/2017 11:18:44 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 11:18:43 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 11:18:04 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 11:18:03 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 11:18:02 AM	16	gradCels
SC PITUR DORU SNC	pH	3/24/2017 11:18:01 AM	8	unit pH
SC PITUR DORU SNC	Grasimi	3/24/2017 11:16:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 11:16:20 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 11:16:10 AM	16	gradCels
SC PITUR DORU SNC	pH	3/24/2017 11:16:00 AM	8	unit pH
SC PITUR DORU SNC	pH	3/24/2017 11:13:02 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 11:13:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 11:13:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 11:12:54 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 11:12:53 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 11:12:52 AM	16	gradCels
SC PITUR DORU SNC	Cianuri	3/24/2017 11:07:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 11:07:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 11:07:05 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 11:07:04 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 11:07:03 AM	16	gradCels
SC PITUR DORU SNC	pH	3/24/2017 11:07:02 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	3/24/2017 11:02:04 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	3/24/2017 11:02:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 11:01:46 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 11:01:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 11:01:44 AM	16	gradCels
SC PITUR DORU SNC	pH	3/24/2017 11:01:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 10:58:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 10:58:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 10:58:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 10:58:10 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 10:58:00 AM	16	gradCels
SC PITUR DORU SNC	pH	3/24/2017 10:57:50 AM	8	unit pH


NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	3/24/2017 10:57:28 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 10:57:21 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 10:57:05 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 10:57:04 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 10:57:03 AM	16	gradCels
SC PITUR DORU SNC	pH	3/24/2017 10:57:02 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	3/24/2017 10:52:10 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	3/24/2017 10:52:06 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 10:51:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 10:51:49 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 10:51:48 AM	16	gradCels
SC PITUR DORU SNC	pH	3/24/2017 10:51:47 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 10:47:06 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 10:47:01 AM	0	mg/l
SC PITUR DORU SNC	pH	3/24/2017 10:47:00 AM	8	unit pH
SC PITUR DORU SNC	Clor	3/24/2017 10:46:49 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 10:46:48 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 10:46:47 AM	16	gradCels
SC PITUR DORU SNC	Cianuri	3/24/2017 10:41:56 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 10:41:55 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 10:41:42 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 10:41:41 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 10:41:40 AM	16	gradCels
SC PITUR DORU SNC	pH	3/24/2017 10:41:39 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 10:40:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 10:39:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 10:39:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 10:39:20 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 10:39:10 AM	16	gradCels
SC PITUR DORU SNC	pH	3/24/2017 10:39:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 10:37:05 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 10:37:04 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 10:36:09 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 10:36:08 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 10:36:07 AM	16	gradCels
SC PITUR DORU SNC	pH	3/24/2017 10:36:06 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 10:32:06 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 10:32:03 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 10:31:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 10:31:09 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 10:31:08 AM	16	gradCels
SC PITUR DORU SNC	pH	3/24/2017 10:31:07 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	3/24/2017 10:26:49 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	3/24/2017 10:26:48 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 10:26:09 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 10:26:08 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 10:26:07 AM	16	gradCels
SC PITUR DORU SNC	pH	3/24/2017 10:26:06 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 10:23:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 10:22:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 10:22:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 10:22:20 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	3/24/2017 10:22:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 10:22:01 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 10:21:08 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 10:21:07 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 10:21:06 AM	16	gradCels
SC PITUR DORU SNC	pH	3/24/2017 10:21:05 AM	8	unit pH
SC PITUR DORU SNC	Temp	3/24/2017 10:20:20 AM	16	gradCels
SC PITUR DORU SNC	pH	3/24/2017 10:20:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 10:17:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 10:17:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 10:16:09 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 10:16:08 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 10:16:07 AM	16	gradCels
SC PITUR DORU SNC	pH	3/24/2017 10:16:06 AM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	3/24/2017 10:12:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/24/2017 10:12:39 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 10:12:12 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 10:12:11 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 10:12:10 AM	16	gradCels
SC PITUR DORU SNC	pH	3/24/2017 10:12:09 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/24/2017 10:11:17 AM	0	mg/l
SC PITUR DORU SNC	Clor	3/24/2017 10:11:16 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/24/2017 10:11:15 AM	0	mg/l
SC PITUR DORU SNC	Temp	3/24/2017 10:11:14 AM	16	gradCels
SC PITUR DORU SNC	Substante organice	3/24/2017 10:11:13 AM	0	mg/l
SC PITUR DORU SNC	pH	3/24/2017 10:11:12 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/22/2017 11:04:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/22/2017 11:04:42 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	3/22/2017 11:04:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/22/2017 11:04:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/22/2017 11:04:07 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/22/2017 11:04:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/22/2017 11:04:05 PM	19	gradCels
SC PITUR DORU SNC	pH	3/22/2017 11:04:04 PM	8	unit pH
SC PITUR DORU SNC	Grasimi	3/22/2017 11:03:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/22/2017 11:03:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/22/2017 11:02:10 PM	19	gradCels
SC PITUR DORU SNC	pH	3/22/2017 11:00:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/22/2017 10:59:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/22/2017 10:59:41 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/22/2017 10:58:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/22/2017 10:58:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/22/2017 10:58:45 PM	19	gradCels
SC PITUR DORU SNC	pH	3/22/2017 10:58:44 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/22/2017 10:53:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/22/2017 10:53:42 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/22/2017 10:53:07 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/22/2017 10:53:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/22/2017 10:53:05 PM	19	gradCels
SC PITUR DORU SNC	pH	3/22/2017 10:53:04 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/22/2017 10:48:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/22/2017 10:48:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/22/2017 10:47:49 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/22/2017 10:47:48 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/22/2017 10:47:47 PM	19	gradCels
SC PITUR DORU SNC	pH	3/22/2017 10:47:46 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/22/2017 10:42:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/22/2017 10:42:41 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/22/2017 10:42:07 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/22/2017 10:42:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/22/2017 10:42:05 PM	19	gradCels
SC PITUR DORU SNC	pH	3/22/2017 10:42:04 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/22/2017 10:38:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/22/2017 10:38:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/22/2017 10:38:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/22/2017 10:38:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/22/2017 10:38:00 PM	19	gradCels
SC PITUR DORU SNC	pH	3/22/2017 10:37:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	3/22/2017 10:37:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	3/22/2017 10:37:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/22/2017 10:36:49 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/22/2017 10:36:48 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/22/2017 10:36:47 PM	19	gradCels
SC PITUR DORU SNC	pH	3/22/2017 10:36:46 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	3/22/2017 10:31:43 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	3/22/2017 10:31:42 PM	0	mg/l
SC PITUR DORU SNC	Clor	3/22/2017 10:31:07 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	3/22/2017 10:31:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	3/22/2017 10:31:05 PM	19	gradCels
SC PITUR DORU SNC	pH	3/22/2017 10:31:04 PM	8	unit pH


DENUMIRE_SENZOR Cianuri



DENUMIRE_SENZOR Clor




DENUMIRE_SENZOR Grasimi




DENUMIRE_SENZOR Substante organice

VALOARE_MASURARE



DENUMIRE_SENZOR Temp

VALOARE_MASURARE



DENUMIRE_SENZOR pH

VALOARE_MASURARE

