

Analiza evolutie pe mai multi senzori

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	2/16/2017 2:14:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/16/2017 2:14:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/16/2017 2:14:01 AM	23	gradCels
SC PITUR DORU SNC	pH	2/16/2017 2:14:00 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/16/2017 2:08:55 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/16/2017 2:08:54 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/16/2017 2:08:47 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/16/2017 2:08:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/16/2017 2:08:45 AM	23	gradCels
SC PITUR DORU SNC	pH	2/16/2017 2:08:44 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/16/2017 2:07:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/16/2017 2:06:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/16/2017 2:05:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/16/2017 2:05:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/16/2017 2:04:40 AM	23	gradCels
SC PITUR DORU SNC	pH	2/16/2017 2:04:30 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/16/2017 2:04:03 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/16/2017 2:04:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/16/2017 2:03:08 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/16/2017 2:03:07 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/16/2017 2:03:06 AM	23	gradCels
SC PITUR DORU SNC	pH	2/16/2017 2:03:05 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/16/2017 1:57:55 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/16/2017 1:57:54 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/16/2017 1:57:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/16/2017 1:57:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/16/2017 1:57:41 AM	23	gradCels
SC PITUR DORU SNC	pH	2/16/2017 1:57:40 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/16/2017 1:53:03 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/16/2017 1:53:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/16/2017 1:52:09 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/16/2017 1:52:08 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/16/2017 1:52:07 AM	23	gradCels
SC PITUR DORU SNC	pH	2/16/2017 1:52:06 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/16/2017 1:47:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/16/2017 1:47:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/16/2017 1:47:03 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/16/2017 1:47:02 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/16/2017 1:46:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/16/2017 1:46:27 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/16/2017 1:46:26 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/16/2017 1:46:25 AM	23	gradCels
SC PITUR DORU SNC	pH	2/16/2017 1:46:24 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/16/2017 1:46:10 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/16/2017 1:46:00 AM	23	gradCels
SC PITUR DORU SNC	pH	2/16/2017 1:45:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/16/2017 1:41:17 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/16/2017 1:41:16 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/16/2017 1:41:15 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/16/2017 1:41:14 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/16/2017 1:41:13 AM	23	gradCels
SC PITUR DORU SNC	pH	2/16/2017 1:41:12 AM	8	unit pH
SC PITUR DORU SNC	Temp	2/16/2017 1:41:10 AM	23	gradCels
SC PITUR DORU SNC	Cianuri	2/16/2017 1:41:09 AM	0	mg/l
SC PITUR DORU SNC	pH	2/16/2017 1:41:08 AM	8	unit pH
SC PITUR DORU SNC	Grasimi	2/16/2017 1:41:07 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/16/2017 1:41:06 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/16/2017 1:41:05 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/16/2017 1:36:04 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/16/2017 1:36:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/16/2017 1:35:27 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/16/2017 1:35:26 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/16/2017 1:35:25 AM	23	gradCels
SC PITUR DORU SNC	pH	2/16/2017 1:35:24 AM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	2/16/2017 1:30:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/16/2017 1:30:08 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/16/2017 1:30:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/16/2017 1:30:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/16/2017 1:30:05 AM	23	gradCels
SC PITUR DORU SNC	pH	2/16/2017 1:30:04 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/16/2017 1:27:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/16/2017 1:27:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/16/2017 1:26:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/16/2017 1:26:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/16/2017 1:25:50 AM	23	gradCels
SC PITUR DORU SNC	pH	2/16/2017 1:25:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/16/2017 1:25:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/16/2017 1:25:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/16/2017 1:24:27 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/16/2017 1:24:26 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/16/2017 1:24:25 AM	23	gradCels
SC PITUR DORU SNC	pH	2/16/2017 1:24:24 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/16/2017 1:19:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/16/2017 1:19:08 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/16/2017 1:19:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/16/2017 1:19:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/16/2017 1:19:05 AM	23	gradCels
SC PITUR DORU SNC	pH	2/16/2017 1:19:04 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/16/2017 1:14:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/16/2017 1:14:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/16/2017 1:13:27 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/16/2017 1:13:26 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/16/2017 1:13:25 AM	23	gradCels
SC PITUR DORU SNC	pH	2/16/2017 1:13:24 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/16/2017 1:08:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/16/2017 1:08:09 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/16/2017 1:08:08 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/16/2017 1:08:07 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/16/2017 1:08:06 AM	23	gradCels
SC PITUR DORU SNC	pH	2/16/2017 1:08:05 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/16/2017 1:07:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/16/2017 1:07:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/16/2017 1:07:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/16/2017 1:06:50 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/16/2017 1:06:40 AM	23	gradCels
SC PITUR DORU SNC	pH	2/16/2017 1:06:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/16/2017 1:03:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/16/2017 1:03:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/16/2017 1:02:27 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/16/2017 1:02:26 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/16/2017 1:02:25 AM	23	gradCels
SC PITUR DORU SNC	pH	2/16/2017 1:02:24 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/16/2017 12:57:09 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/16/2017 12:57:08 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/16/2017 12:57:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/16/2017 12:57:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/16/2017 12:57:05 AM	23	gradCels
SC PITUR DORU SNC	pH	2/16/2017 12:57:04 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/16/2017 12:52:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/16/2017 12:52:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/16/2017 12:51:27 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/16/2017 12:51:26 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/16/2017 12:51:25 AM	23	gradCels
SC PITUR DORU SNC	pH	2/16/2017 12:51:24 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/16/2017 12:47:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/16/2017 12:47:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/16/2017 12:46:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/16/2017 12:46:20 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/16/2017 12:46:10 AM	23	gradCels
SC PITUR DORU SNC	Cianuri	2/16/2017 12:46:03 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	2/16/2017 12:46:00 AM	0	mg/l
SC PITUR DORU SNC	pH	2/16/2017 12:45:50 AM	8	unit pH
SC PITUR DORU SNC	Clor	2/16/2017 12:45:47 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/16/2017 12:45:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/16/2017 12:45:45 AM	23	gradCels
SC PITUR DORU SNC	pH	2/16/2017 12:45:44 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/16/2017 12:41:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/16/2017 12:41:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/16/2017 12:40:29 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/16/2017 12:40:28 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/16/2017 12:40:27 AM	23	gradCels
SC PITUR DORU SNC	pH	2/16/2017 12:40:26 AM	8	unit pH
SC PITUR DORU SNC	pH	2/16/2017 12:35:03 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/16/2017 12:35:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/16/2017 12:35:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/16/2017 12:34:46 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/16/2017 12:34:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/16/2017 12:34:44 AM	23	gradCels
SC PITUR DORU SNC	Cianuri	2/16/2017 12:30:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/16/2017 12:30:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/16/2017 12:29:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/16/2017 12:29:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/16/2017 12:29:21 AM	23	gradCels
SC PITUR DORU SNC	pH	2/16/2017 12:29:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/16/2017 12:27:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/16/2017 12:27:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/16/2017 12:26:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/16/2017 12:26:10 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/16/2017 12:25:50 AM	23	gradCels
SC PITUR DORU SNC	pH	2/16/2017 12:25:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/16/2017 12:24:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/16/2017 12:24:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/16/2017 12:23:47 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/16/2017 12:23:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/16/2017 12:23:45 AM	23	gradCels
SC PITUR DORU SNC	pH	2/16/2017 12:23:44 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/16/2017 12:19:08 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/16/2017 12:19:06 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/16/2017 12:18:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/16/2017 12:18:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/16/2017 12:18:21 AM	23	gradCels
SC PITUR DORU SNC	pH	2/16/2017 12:18:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/16/2017 12:13:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/16/2017 12:13:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/16/2017 12:12:48 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/16/2017 12:12:47 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/16/2017 12:12:46 AM	23	gradCels
SC PITUR DORU SNC	pH	2/16/2017 12:12:45 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/16/2017 12:08:08 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/16/2017 12:08:06 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/16/2017 12:07:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/16/2017 12:07:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/16/2017 12:07:21 AM	23	gradCels
SC PITUR DORU SNC	pH	2/16/2017 12:07:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/16/2017 12:06:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/16/2017 12:05:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/16/2017 12:05:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/16/2017 12:04:50 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/16/2017 12:04:40 AM	23	gradCels
SC PITUR DORU SNC	pH	2/16/2017 12:04:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/16/2017 12:02:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/16/2017 12:02:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/16/2017 12:01:47 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/16/2017 12:01:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/16/2017 12:01:45 AM	23	gradCels
SC PITUR DORU SNC	pH	2/16/2017 12:01:44 AM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	2/15/2017 11:57:08 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 11:57:06 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 11:56:15 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 11:56:14 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 11:56:13 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 11:56:12 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 11:51:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 11:51:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 11:50:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 11:50:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 11:50:45 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 11:50:44 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/15/2017 11:46:08 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/15/2017 11:46:07 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 11:45:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 11:45:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 11:45:21 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 11:45:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 11:42:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 11:42:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 11:41:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 11:41:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 11:40:50 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 11:40:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 11:40:05 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 11:40:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 11:39:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 11:39:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 11:39:41 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 11:39:40 PM	8	unit pH
SC PITUR DORU SNC	pH	2/15/2017 11:35:08 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 11:35:07 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 11:35:05 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 11:34:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 11:34:09 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 11:34:08 PM	23	gradCels
SC PITUR DORU SNC	Cianuri	2/15/2017 11:29:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 11:29:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 11:28:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 11:28:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 11:28:41 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 11:28:40 PM	8	unit pH
SC PITUR DORU SNC	pH	2/15/2017 11:24:04 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 11:24:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 11:24:02 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 11:23:11 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 11:23:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 11:23:09 PM	23	gradCels
SC PITUR DORU SNC	Cianuri	2/15/2017 11:19:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 11:18:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 11:18:30 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/15/2017 11:18:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 11:18:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 11:17:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 11:17:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 11:17:41 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 11:17:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/15/2017 11:17:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 11:17:10 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 11:16:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 11:13:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 11:13:02 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 11:12:12 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 11:12:11 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 11:12:10 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 11:12:09 PM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	2/15/2017 11:07:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 11:07:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 11:06:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 11:06:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 11:06:41 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 11:06:40 PM	8	unit pH
SC PITUR DORU SNC	pH	2/15/2017 11:02:04 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 11:02:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 11:02:02 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 11:01:14 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 11:01:13 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 11:01:12 PM	23	gradCels
SC PITUR DORU SNC	Substante organice	2/15/2017 10:56:04 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/15/2017 10:56:03 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 10:55:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 10:55:29 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 10:55:28 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 10:55:27 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 10:54:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 10:54:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 10:54:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 10:54:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 10:53:40 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 10:52:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 10:51:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 10:51:01 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 10:50:15 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 10:50:14 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 10:50:13 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 10:50:12 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/15/2017 10:45:06 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/15/2017 10:45:01 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 10:44:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 10:44:29 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 10:44:28 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 10:44:27 PM	8	unit pH
SC PITUR DORU SNC	pH	2/15/2017 10:40:04 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 10:40:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 10:40:02 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 10:39:42 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 10:39:41 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 10:39:40 PM	23	gradCels
SC PITUR DORU SNC	Cianuri	2/15/2017 10:35:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 10:35:01 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 10:34:08 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 10:34:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 10:34:06 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 10:34:05 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 10:32:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 10:32:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 10:32:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 10:31:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 10:31:40 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 10:30:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 10:29:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 10:29:02 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 10:28:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 10:28:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 10:28:21 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 10:28:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 10:23:05 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 10:23:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 10:23:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 10:23:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 10:23:01 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 10:23:00 PM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	2/15/2017 10:18:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 10:18:01 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 10:17:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 10:17:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 10:17:21 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 10:17:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 10:12:05 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 10:12:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 10:12:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 10:12:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 10:12:01 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 10:12:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 10:09:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 10:09:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 10:08:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 10:07:20 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 10:07:10 PM	23	gradCels
SC PITUR DORU SNC	Cianuri	2/15/2017 10:07:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 10:07:02 PM	0	mg/l
SC PITUR DORU SNC	pH	2/15/2017 10:06:30 PM	8	unit pH
SC PITUR DORU SNC	Clor	2/15/2017 10:06:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 10:06:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 10:06:21 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 10:06:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 10:01:07 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 10:01:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 10:01:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 10:01:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 10:01:01 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 10:01:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 9:56:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 9:56:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 9:55:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 9:55:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 9:55:21 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 9:55:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 9:50:09 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 9:50:06 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 9:50:02 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 9:50:01 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 9:50:00 PM	23	gradCels
SC PITUR DORU SNC	Cianuri	2/15/2017 9:45:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 9:45:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 9:44:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 9:44:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 9:44:21 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 9:44:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 9:43:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 9:42:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 9:42:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 9:41:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 9:41:20 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 9:41:10 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/15/2017 9:39:04 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/15/2017 9:39:03 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 9:38:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 9:38:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 9:38:41 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 9:38:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 9:34:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 9:34:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 9:33:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 9:33:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 9:33:21 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 9:33:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/15/2017 9:28:04 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	2/15/2017 9:28:01 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 9:27:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 9:27:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 9:27:41 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 9:27:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 9:23:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 9:23:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 9:22:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 9:22:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 9:22:21 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 9:22:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 9:20:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 9:19:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 9:18:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 9:18:00 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 9:17:50 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 9:17:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 9:17:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 9:17:01 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 9:16:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 9:16:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 9:16:41 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 9:16:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/15/2017 9:12:01 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/15/2017 9:12:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 9:11:08 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 9:11:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 9:11:06 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 9:11:05 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 9:06:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 9:06:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 9:05:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 9:05:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 9:05:41 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 9:05:40 PM	8	unit pH
SC PITUR DORU SNC	pH	2/15/2017 9:01:02 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/15/2017 9:01:01 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/15/2017 9:01:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 9:00:07 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 9:00:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 9:00:05 PM	23	gradCels
SC PITUR DORU SNC	Cianuri	2/15/2017 8:58:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 8:57:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 8:57:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 8:56:20 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 8:56:10 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 8:56:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 8:55:04 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 8:55:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 8:54:44 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 8:54:43 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 8:54:42 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 8:54:41 PM	8	unit pH
SC PITUR DORU SNC	pH	2/15/2017 8:50:02 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 8:50:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 8:50:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 8:49:07 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 8:49:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 8:49:05 PM	23	gradCels
SC PITUR DORU SNC	Cianuri	2/15/2017 8:44:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 8:44:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 8:43:46 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 8:43:44 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 8:43:42 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 8:43:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 8:39:01 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	2/15/2017 8:39:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 8:38:07 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 8:38:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 8:38:05 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 8:38:04 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 8:36:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 8:35:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 8:34:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 8:34:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 8:34:00 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 8:33:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 8:33:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 8:33:01 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 8:32:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 8:32:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 8:32:41 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 8:32:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 8:28:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 8:28:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 8:27:08 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 8:27:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 8:27:06 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 8:27:05 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 8:22:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 8:22:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 8:21:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 8:21:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 8:21:41 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 8:21:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 8:17:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 8:17:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 8:16:08 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 8:16:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 8:16:06 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 8:16:05 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 8:11:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 8:11:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 8:11:10 PM	0	mg/l
SC PITUR DORU SNC	pH	2/15/2017 8:11:02 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 8:11:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 8:11:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 8:10:42 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 8:10:41 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 8:10:40 PM	23	gradCels
SC PITUR DORU SNC	Substante organice	2/15/2017 8:10:20 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 8:09:40 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 8:09:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 8:06:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 8:06:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 8:05:07 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 8:05:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 8:05:05 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 8:05:04 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 8:00:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 8:00:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 7:59:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 7:59:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 7:59:21 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 7:59:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/15/2017 7:54:08 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/15/2017 7:54:07 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 7:54:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 7:54:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 7:54:01 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 7:54:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 7:49:01 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	2/15/2017 7:49:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 7:48:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 7:48:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 7:48:21 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 7:48:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 7:45:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 7:44:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 7:44:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 7:44:00 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 7:43:50 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 7:43:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/15/2017 7:43:10 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/15/2017 7:43:05 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 7:43:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 7:43:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 7:43:01 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 7:43:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 7:38:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 7:38:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 7:37:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 7:37:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 7:37:21 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 7:37:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/15/2017 7:32:08 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/15/2017 7:32:05 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 7:32:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 7:32:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 7:32:01 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 7:32:00 PM	8	unit pH
SC PITUR DORU SNC	pH	2/15/2017 7:27:02 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 7:27:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 7:27:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 7:26:14 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 7:26:13 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 7:26:12 PM	23	gradCels
SC PITUR DORU SNC	Cianuri	2/15/2017 7:23:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 7:22:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 7:22:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 7:22:20 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 7:22:10 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 7:22:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 7:21:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 7:21:09 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 7:21:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 7:21:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 7:21:01 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 7:21:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 7:16:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 7:16:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 7:15:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 7:15:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 7:15:21 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 7:15:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 7:10:04 PM	0	mg/l
SC PITUR DORU SNC	pH	2/15/2017 7:10:02 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/15/2017 7:10:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 7:09:42 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 7:09:41 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 7:09:40 PM	23	gradCels
SC PITUR DORU SNC	Cianuri	2/15/2017 7:05:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 7:05:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 7:04:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 7:04:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 7:04:21 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 7:04:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 7:01:40 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	2/15/2017 7:01:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 7:00:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 7:00:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 7:00:20 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 7:00:10 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/15/2017 6:59:04 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/15/2017 6:59:01 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 6:58:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 6:58:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 6:58:41 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 6:58:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 6:54:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 6:54:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 6:53:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 6:53:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 6:53:21 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 6:53:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/15/2017 6:48:06 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/15/2017 6:48:01 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 6:47:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 6:47:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 6:47:41 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 6:47:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 6:43:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 6:43:00 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/15/2017 6:42:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 6:42:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 6:42:07 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 6:42:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 6:42:05 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 6:42:04 PM	8	unit pH
SC PITUR DORU SNC	Grasimi	2/15/2017 6:41:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 6:41:20 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 6:41:10 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 6:39:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 6:38:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 6:38:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 6:37:07 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 6:37:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 6:37:05 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 6:37:04 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 6:32:04 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 6:32:03 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 6:31:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 6:31:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 6:31:41 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 6:31:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 6:27:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 6:27:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 6:26:08 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 6:26:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 6:26:06 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 6:26:05 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/15/2017 6:21:04 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/15/2017 6:21:01 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 6:20:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 6:20:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 6:20:41 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 6:20:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 6:20:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 6:20:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 6:19:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 6:19:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 6:18:40 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 6:18:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 6:16:01 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	2/15/2017 6:16:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 6:15:08 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 6:15:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 6:15:06 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 6:15:05 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/15/2017 6:10:04 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/15/2017 6:10:03 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 6:09:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 6:09:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 6:09:41 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 6:09:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 6:05:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 6:05:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 6:04:07 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 6:04:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 6:04:05 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 6:04:04 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/15/2017 5:59:04 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/15/2017 5:59:02 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 5:58:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 5:58:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 5:58:41 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 5:58:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 5:56:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 5:56:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 5:54:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 5:54:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 5:54:20 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 5:54:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 5:54:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 5:54:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 5:53:08 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 5:53:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 5:53:06 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 5:53:05 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 5:48:04 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 5:48:03 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 5:47:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 5:47:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 5:47:41 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 5:47:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 5:43:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 5:43:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 5:42:07 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 5:42:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 5:42:05 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 5:42:04 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 5:37:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 5:37:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 5:36:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 5:36:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 5:36:21 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 5:36:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 5:32:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 5:32:00 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/15/2017 5:31:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 5:31:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 5:31:08 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 5:31:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 5:31:06 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 5:31:05 PM	8	unit pH
SC PITUR DORU SNC	Grasimi	2/15/2017 5:30:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 5:30:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 5:29:50 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 5:29:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 5:26:03 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	2/15/2017 5:26:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 5:25:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 5:25:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 5:25:21 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 5:25:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/15/2017 5:20:08 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/15/2017 5:20:05 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 5:20:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 5:20:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 5:20:01 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 5:20:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 5:15:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 5:15:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 5:14:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 5:14:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 5:14:21 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 5:14:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 5:09:06 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 5:09:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 5:09:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 5:09:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 5:09:01 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 5:09:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 5:08:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 5:08:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 5:07:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 5:07:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 5:07:20 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 5:07:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 5:04:05 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 5:04:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 5:04:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 5:04:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 5:04:01 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 5:04:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 4:59:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 4:59:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 4:58:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 4:58:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 4:58:21 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 4:58:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 4:53:05 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 4:53:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 4:53:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 4:53:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 4:53:01 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 4:53:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 4:48:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 4:48:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 4:47:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 4:47:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 4:47:21 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 4:47:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 4:43:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 4:42:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 4:42:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 4:42:20 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 4:42:10 PM	23	gradCels
SC PITUR DORU SNC	Cianuri	2/15/2017 4:42:02 PM	0	mg/l
SC PITUR DORU SNC	pH	2/15/2017 4:42:01 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/15/2017 4:42:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 4:41:42 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 4:41:41 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 4:41:40 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 4:41:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 4:37:01 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	2/15/2017 4:37:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 4:36:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 4:36:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 4:36:21 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 4:36:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 4:31:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 4:31:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 4:30:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 4:30:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 4:30:41 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 4:30:40 PM	8	unit pH
SC PITUR DORU SNC	pH	2/15/2017 4:26:02 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 4:26:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 4:26:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 4:25:22 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 4:25:21 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 4:25:20 PM	23	gradCels
SC PITUR DORU SNC	Cianuri	2/15/2017 4:20:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 4:20:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 4:19:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 4:19:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 4:19:41 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 4:19:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 4:15:10 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/15/2017 4:15:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 4:15:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 4:14:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 4:14:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 4:14:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 4:14:21 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 4:14:20 PM	8	unit pH
SC PITUR DORU SNC	Grasimi	2/15/2017 4:13:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 4:13:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 4:12:30 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 4:12:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 4:09:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 4:09:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 4:08:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 4:08:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 4:08:41 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 4:08:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 4:04:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 4:04:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 4:03:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 4:03:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 4:03:21 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 4:03:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/15/2017 3:58:01 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/15/2017 3:58:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 3:57:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 3:57:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 3:57:41 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 3:57:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 3:53:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 3:53:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 3:52:08 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 3:52:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 3:52:06 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 3:52:05 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 3:47:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 3:47:20 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/15/2017 3:47:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 3:47:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 3:46:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 3:46:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 3:46:41 PM	23	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	2/15/2017 3:46:40 PM	8	unit pH
SC PITUR DORU SNC	Grasimi	2/15/2017 3:46:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 3:46:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 3:45:20 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 3:45:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 3:42:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 3:42:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 3:41:07 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 3:41:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 3:41:05 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 3:41:04 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 3:36:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 3:36:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 3:35:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 3:35:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 3:35:41 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 3:35:40 PM	8	unit pH
SC PITUR DORU SNC	pH	2/15/2017 3:31:02 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 3:31:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 3:31:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 3:30:07 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 3:30:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 3:30:05 PM	23	gradCels
SC PITUR DORU SNC	Cianuri	2/15/2017 3:25:04 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 3:25:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 3:24:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 3:24:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 3:24:41 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 3:24:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 3:21:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 3:21:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 3:20:10 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/15/2017 3:20:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 3:20:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 3:19:40 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 3:19:30 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 3:19:20 PM	8	unit pH
SC PITUR DORU SNC	Clor	2/15/2017 3:19:08 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 3:19:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 3:19:06 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 3:19:05 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 3:14:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 3:14:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 3:13:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 3:13:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 3:13:41 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 3:13:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 3:09:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 3:09:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 3:08:05 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 3:08:04 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 3:08:03 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 3:08:02 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 3:03:04 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 3:03:01 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 3:02:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 3:02:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 3:02:21 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 3:02:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 2:58:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 2:58:10 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/15/2017 2:58:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 2:58:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 2:57:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 2:57:20 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 2:57:10 PM	23	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	2/15/2017 2:57:08 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 2:57:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 2:57:06 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 2:57:05 PM	8	unit pH
SC PITUR DORU SNC	pH	2/15/2017 2:56:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 2:52:06 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 2:52:05 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 2:51:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 2:51:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 2:51:21 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 2:51:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/15/2017 2:46:13 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/15/2017 2:46:08 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 2:46:06 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 2:46:05 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 2:46:04 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 2:46:03 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 2:41:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 2:41:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 2:40:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 2:40:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 2:40:21 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 2:40:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 2:38:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 2:38:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 2:36:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 2:36:00 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 2:35:50 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 2:35:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 2:35:17 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 2:35:14 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 2:35:11 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 2:35:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 2:35:09 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 2:35:08 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/15/2017 2:30:06 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/15/2017 2:30:01 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 2:29:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 2:29:29 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 2:29:28 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 2:29:27 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 2:23:52 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 2:23:51 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 2:23:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 2:23:49 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 2:23:48 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 2:23:47 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 2:19:06 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 2:19:02 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 2:18:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 2:18:29 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 2:18:28 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 2:18:27 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 2:16:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 2:16:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 2:15:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 2:15:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 2:14:00 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 2:13:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 2:12:53 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 2:12:52 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 2:12:51 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 2:12:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 2:12:49 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 2:12:48 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 2:08:05 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	2/15/2017 2:08:03 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 2:07:31 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 2:07:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 2:07:29 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 2:07:28 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/15/2017 2:01:57 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/15/2017 2:01:52 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 2:01:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 2:01:49 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 2:01:48 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 2:01:47 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/15/2017 1:57:04 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/15/2017 1:57:03 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 1:56:26 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 1:56:25 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 1:56:24 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 1:56:23 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 1:54:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 1:54:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 1:54:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 1:54:00 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 1:53:30 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 1:53:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 1:50:55 PM	0	mg/l
SC PITUR DORU SNC	pH	2/15/2017 1:50:54 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/15/2017 1:50:53 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 1:50:46 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 1:50:45 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 1:50:44 PM	23	gradCels
SC PITUR DORU SNC	Cianuri	2/15/2017 1:46:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 1:46:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 1:45:27 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 1:45:26 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 1:45:25 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 1:45:24 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 1:39:57 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 1:39:55 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 1:39:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 1:39:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 1:39:41 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 1:39:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 1:35:06 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 1:35:03 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 1:34:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 1:34:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 1:34:21 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 1:34:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 1:32:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 1:32:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 1:30:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 1:30:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 1:29:50 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 1:29:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 1:28:55 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 1:28:51 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 1:28:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 1:28:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 1:28:41 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 1:28:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 1:24:04 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 1:24:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 1:23:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 1:23:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 1:23:01 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 1:23:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 1:17:53 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	2/15/2017 1:17:51 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 1:17:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 1:17:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 1:17:41 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 1:17:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 1:13:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 1:13:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 1:12:08 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 1:12:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 1:12:06 PM	23	gradCels
SC PITUR DORU SNC	pH	2/15/2017 1:12:05 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 1:08:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 1:07:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 1:07:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 1:07:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 1:07:00 PM	22	gradCels
SC PITUR DORU SNC	Cianuri	2/15/2017 1:06:55 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 1:06:54 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 1:06:51 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 1:06:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 1:06:49 PM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 1:06:48 PM	8	unit pH
SC PITUR DORU SNC	pH	2/15/2017 1:06:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 1:02:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 1:02:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 1:01:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 1:01:09 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 1:01:08 PM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 1:01:07 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 12:55:57 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 12:55:56 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 12:55:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 12:55:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 12:55:45 PM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 12:55:44 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 12:51:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 12:51:01 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 12:50:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 12:50:09 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 12:50:08 PM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 12:50:07 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/15/2017 12:44:55 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/15/2017 12:44:54 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 12:44:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 12:44:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 12:44:45 PM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 12:44:44 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 12:44:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 12:43:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 12:43:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 12:43:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 12:42:40 PM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 12:42:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 12:40:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 12:40:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 12:39:08 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 12:39:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 12:39:06 PM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 12:39:05 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 12:33:55 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 12:33:52 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 12:33:51 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 12:33:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 12:33:49 PM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 12:33:48 PM	8	unit pH
SC PITUR DORU SNC	pH	2/15/2017 12:29:02 PM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	2/15/2017 12:29:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 12:29:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 12:28:09 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 12:28:08 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 12:28:07 PM	22	gradCels
SC PITUR DORU SNC	Cianuri	2/15/2017 12:22:56 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 12:22:53 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 12:22:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 12:22:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 12:22:45 PM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 12:22:44 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 12:19:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 12:19:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 12:19:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 12:18:30 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/15/2017 12:18:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 12:18:01 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 12:17:40 PM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 12:17:30 PM	8	unit pH
SC PITUR DORU SNC	Clor	2/15/2017 12:17:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 12:17:09 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 12:17:08 PM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 12:17:07 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/15/2017 12:12:04 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/15/2017 12:12:03 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 12:11:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 12:11:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 12:11:21 PM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 12:11:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 12:07:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 12:07:01 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 12:06:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 12:06:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 12:06:01 PM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 12:06:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 12:01:05 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 12:01:01 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 12:00:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 12:00:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 12:00:21 PM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 12:00:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 11:56:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 11:56:00 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/15/2017 11:55:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 11:55:06 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 11:55:05 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 11:55:04 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 11:55:03 AM	8	unit pH
SC PITUR DORU SNC	Clor	2/15/2017 11:54:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 11:54:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 11:54:10 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 11:53:40 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 11:53:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 11:50:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 11:50:01 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 11:49:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 11:49:29 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 11:49:28 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 11:49:27 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 11:45:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 11:45:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 11:44:13 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 11:44:12 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 11:44:11 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 11:44:10 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/15/2017 11:39:05 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	2/15/2017 11:39:01 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 11:38:31 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 11:38:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 11:38:29 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 11:38:28 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 11:34:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 11:34:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 11:33:15 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 11:33:14 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 11:33:13 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 11:33:12 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 11:29:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 11:28:20 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/15/2017 11:28:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 11:28:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 11:27:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 11:27:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 11:27:29 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 11:27:28 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 11:27:27 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/15/2017 11:27:10 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 11:27:00 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 11:26:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 11:22:15 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 11:22:13 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 11:22:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 11:22:09 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 11:22:08 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 11:22:07 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 11:17:06 AM	0	mg/l
SC PITUR DORU SNC	pH	2/15/2017 11:17:04 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/15/2017 11:17:03 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 11:16:29 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 11:16:28 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 11:16:27 AM	22	gradCels
SC PITUR DORU SNC	Substante organice	2/15/2017 11:11:13 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/15/2017 11:11:12 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 11:11:11 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 11:11:10 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 11:11:09 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 11:11:08 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 11:06:05 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 11:06:03 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 11:05:27 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 11:05:26 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 11:05:25 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 11:05:24 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 11:04:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 11:04:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 11:03:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 11:03:10 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 11:03:00 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 11:02:30 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/15/2017 10:59:56 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/15/2017 10:59:55 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 10:59:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 10:59:49 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 10:59:48 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 10:59:47 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 10:55:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 10:55:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 10:54:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 10:54:29 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 10:54:28 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 10:54:27 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/15/2017 10:48:53 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	2/15/2017 10:48:51 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 10:48:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 10:48:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 10:48:41 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 10:48:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 10:44:06 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 10:44:05 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 10:43:26 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 10:43:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 10:43:24 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 10:43:23 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 10:40:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 10:39:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 10:38:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 10:38:20 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 10:38:10 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 10:38:00 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/15/2017 10:37:53 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/15/2017 10:37:52 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 10:37:46 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 10:37:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 10:37:44 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 10:37:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 10:33:05 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 10:33:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 10:32:31 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 10:32:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 10:32:29 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 10:32:28 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/15/2017 10:26:55 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/15/2017 10:26:54 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 10:26:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 10:26:49 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 10:26:48 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 10:26:47 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 10:22:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 10:22:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 10:21:26 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 10:21:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 10:21:24 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 10:21:23 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 10:15:56 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 10:15:51 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 10:15:46 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 10:15:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 10:15:44 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 10:15:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 10:14:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 10:13:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 10:13:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 10:12:40 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 10:12:30 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 10:11:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 10:11:05 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 10:11:04 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 10:10:31 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 10:10:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 10:10:29 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 10:10:28 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 10:04:53 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 10:04:52 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 10:04:51 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 10:04:50 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 10:04:49 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 10:04:48 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 10:00:06 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	2/15/2017 10:00:03 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 9:59:26 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 9:59:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 9:59:24 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 9:59:23 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 9:53:57 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 9:53:56 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 9:53:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 9:53:49 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 9:53:48 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 9:53:47 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 9:52:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 9:51:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 9:51:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 9:50:40 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 9:50:30 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 9:50:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 9:49:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 9:49:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 9:48:29 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 9:48:28 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 9:48:27 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 9:48:26 AM	8	unit pH
SC PITUR DORU SNC	pH	2/15/2017 9:42:56 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 9:42:52 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 9:42:51 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 9:42:45 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 9:42:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 9:42:43 AM	22	gradCels
SC PITUR DORU SNC	Cianuri	2/15/2017 9:38:05 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 9:38:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 9:37:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 9:37:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 9:37:05 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 9:37:04 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 9:31:55 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 9:31:51 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 9:31:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 9:31:49 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 9:31:48 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 9:31:47 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 9:27:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 9:27:10 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/15/2017 9:27:06 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 9:27:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 9:26:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 9:26:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 9:26:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 9:26:09 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 9:26:08 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 9:26:07 AM	8	unit pH
SC PITUR DORU SNC	Temp	2/15/2017 9:25:50 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 9:25:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 9:20:57 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 9:20:54 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 9:20:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 9:20:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 9:20:41 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 9:20:40 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/15/2017 9:16:06 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/15/2017 9:16:01 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 9:15:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 9:15:09 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 9:15:08 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 9:15:07 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/15/2017 9:09:56 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	2/15/2017 9:09:55 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 9:09:51 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 9:09:50 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 9:09:49 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 9:09:48 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/15/2017 9:05:06 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/15/2017 9:05:01 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 9:04:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 9:04:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 9:04:05 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 9:04:04 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 9:03:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 9:03:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 9:02:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 9:02:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 9:02:20 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 9:02:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 8:58:57 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 8:58:56 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 8:58:47 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 8:58:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 8:58:45 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 8:58:44 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 8:54:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 8:54:01 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 8:53:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 8:53:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 8:53:01 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 8:53:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 8:48:04 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 8:48:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 8:47:27 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 8:47:26 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 8:47:25 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 8:47:24 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 8:43:04 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 8:43:03 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 8:42:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 8:42:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 8:42:01 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 8:42:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 8:38:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 8:38:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 8:37:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 8:37:20 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 8:37:10 AM	22	gradCels
SC PITUR DORU SNC	Substante organice	2/15/2017 8:37:03 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/15/2017 8:37:02 AM	0	mg/l
SC PITUR DORU SNC	pH	2/15/2017 8:36:40 AM	8	unit pH
SC PITUR DORU SNC	Clor	2/15/2017 8:36:27 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 8:36:26 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 8:36:25 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 8:36:24 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 8:32:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 8:32:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 8:31:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 8:31:09 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 8:31:08 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 8:31:07 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/15/2017 8:26:04 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/15/2017 8:26:03 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 8:25:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 8:25:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 8:25:21 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 8:25:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 8:21:06 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	2/15/2017 8:21:03 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 8:20:06 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 8:20:05 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 8:20:04 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 8:20:03 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 8:15:06 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 8:15:03 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 8:14:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 8:14:29 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 8:14:28 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 8:14:27 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 8:13:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 8:13:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 8:13:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 8:12:20 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 8:12:10 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 8:10:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 8:09:24 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 8:09:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 8:09:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 8:09:21 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 8:09:20 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 8:09:19 AM	8	unit pH
SC PITUR DORU SNC	Grasimi	2/15/2017 8:09:15 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 8:09:13 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 8:09:12 AM	22	gradCels
SC PITUR DORU SNC	Cianuri	2/15/2017 8:09:11 AM	0	mg/l
SC PITUR DORU SNC	pH	2/15/2017 8:09:10 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/15/2017 8:09:09 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/15/2017 8:04:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 8:04:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 8:03:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 8:03:29 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 8:03:28 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 8:03:27 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 7:58:18 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 7:58:14 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 7:58:06 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 7:58:05 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 7:58:04 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 7:58:03 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 7:53:06 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 7:53:03 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 7:52:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 7:52:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 7:52:21 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 7:52:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 7:50:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 7:50:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 7:49:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 7:49:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 7:48:40 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 7:48:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 7:46:55 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 7:46:54 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 7:46:46 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 7:46:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 7:46:44 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 7:46:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 7:42:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 7:42:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 7:41:26 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 7:41:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 7:41:24 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 7:41:23 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/15/2017 7:35:56 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	2/15/2017 7:35:53 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 7:35:51 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 7:35:45 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 7:35:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 7:35:43 AM	22	gradCels
SC PITUR DORU SNC	Cianuri	2/15/2017 7:31:04 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 7:31:03 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 7:30:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 7:30:29 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 7:30:28 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 7:30:27 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 7:25:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 7:25:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 7:24:57 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/15/2017 7:24:52 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 7:24:46 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 7:24:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 7:24:44 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 7:24:43 AM	8	unit pH
SC PITUR DORU SNC	Grasimi	2/15/2017 7:24:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 7:24:10 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 7:24:00 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 7:23:50 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/15/2017 7:20:06 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/15/2017 7:20:01 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 7:19:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 7:19:29 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 7:19:28 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 7:19:27 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/15/2017 7:13:57 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/15/2017 7:13:52 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 7:13:46 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 7:13:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 7:13:44 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 7:13:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 7:09:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 7:09:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 7:08:31 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 7:08:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 7:08:29 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 7:08:28 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 7:02:57 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 7:02:54 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 7:02:51 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 7:02:50 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 7:02:49 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 7:02:48 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 7:01:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 7:01:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 6:59:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 6:59:20 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 6:59:10 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 6:58:20 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/15/2017 6:58:06 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/15/2017 6:58:01 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 6:57:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 6:57:29 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 6:57:28 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 6:57:27 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/15/2017 6:51:56 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/15/2017 6:51:53 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 6:51:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 6:51:49 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 6:51:48 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 6:51:47 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 6:47:01 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	2/15/2017 6:47:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 6:46:12 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 6:46:11 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 6:46:10 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 6:46:09 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 6:40:54 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 6:40:53 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 6:40:52 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 6:40:51 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 6:40:50 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 6:40:49 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 6:36:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 6:36:10 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/15/2017 6:36:06 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 6:36:05 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 6:35:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 6:35:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 6:35:08 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 6:35:07 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 6:35:06 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 6:35:05 AM	8	unit pH
SC PITUR DORU SNC	Temp	2/15/2017 6:34:40 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 6:34:30 AM	8	unit pH
SC PITUR DORU SNC	pH	2/15/2017 6:29:55 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 6:29:54 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 6:29:52 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 6:29:45 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 6:29:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 6:29:43 AM	22	gradCels
SC PITUR DORU SNC	Cianuri	2/15/2017 6:25:06 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 6:25:05 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 6:24:12 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 6:24:11 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 6:24:10 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 6:24:09 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/15/2017 6:18:57 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/15/2017 6:18:52 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 6:18:47 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 6:18:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 6:18:45 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 6:18:44 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 6:14:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 6:14:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 6:13:13 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 6:13:12 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 6:13:11 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 6:13:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 6:10:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 6:10:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 6:09:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 6:09:10 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 6:08:40 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 6:08:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 6:07:57 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 6:07:53 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 6:07:51 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 6:07:50 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 6:07:49 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 6:07:48 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 6:03:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 6:03:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 6:02:12 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 6:02:11 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 6:02:10 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 6:02:09 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/15/2017 5:56:55 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	2/15/2017 5:56:53 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 5:56:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 5:56:49 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 5:56:48 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 5:56:47 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 5:52:04 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 5:52:03 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 5:51:12 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 5:51:11 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 5:51:10 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 5:51:09 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 5:46:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 5:46:20 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/15/2017 5:46:06 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 5:46:05 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 5:45:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 5:45:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 5:45:29 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 5:45:28 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 5:45:27 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/15/2017 5:45:10 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 5:44:40 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 5:44:30 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/15/2017 5:41:05 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/15/2017 5:41:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 5:40:13 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 5:40:12 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 5:40:11 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 5:40:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 5:35:05 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 5:35:03 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 5:34:27 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 5:34:26 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 5:34:25 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 5:34:24 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 5:30:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 5:30:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 5:29:09 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 5:29:08 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 5:29:07 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 5:29:06 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 5:24:04 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 5:24:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 5:23:27 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 5:23:26 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 5:23:25 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 5:23:24 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 5:21:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 5:21:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 5:20:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 5:20:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 5:20:10 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 5:19:30 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/15/2017 5:19:05 AM	0	mg/l
SC PITUR DORU SNC	pH	2/15/2017 5:19:03 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 5:19:01 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 5:18:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 5:18:09 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 5:18:08 AM	22	gradCels
SC PITUR DORU SNC	Cianuri	2/15/2017 5:13:05 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 5:13:03 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 5:12:28 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 5:12:27 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 5:12:26 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 5:12:25 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 5:08:03 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	2/15/2017 5:08:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 5:07:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 5:07:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 5:07:01 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 5:07:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 5:02:04 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 5:02:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 5:01:27 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 5:01:26 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 5:01:25 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 5:01:24 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/15/2017 4:57:04 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/15/2017 4:57:02 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/15/2017 4:56:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 4:56:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 4:56:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 4:56:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 4:56:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 4:56:01 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 4:56:00 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/15/2017 4:55:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 4:55:20 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 4:55:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 4:51:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 4:51:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 4:50:27 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 4:50:26 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 4:50:25 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 4:50:24 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 4:46:04 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 4:46:03 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 4:44:49 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 4:44:48 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 4:44:47 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 4:44:46 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 4:40:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 4:40:01 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 4:39:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 4:39:29 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 4:39:28 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 4:39:27 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/15/2017 4:35:03 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/15/2017 4:35:02 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/15/2017 4:34:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 4:34:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 4:33:49 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 4:33:48 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 4:33:47 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 4:33:46 AM	8	unit pH
SC PITUR DORU SNC	Grasimi	2/15/2017 4:33:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 4:33:10 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 4:33:00 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 4:32:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 4:29:04 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 4:29:03 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 4:28:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 4:28:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 4:28:21 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 4:28:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 4:24:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 4:24:01 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 4:22:49 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 4:22:48 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 4:22:47 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 4:22:46 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/15/2017 4:18:04 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	2/15/2017 4:18:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 4:17:26 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 4:17:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 4:17:24 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 4:17:23 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 4:12:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 4:12:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 4:12:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 4:12:00 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/15/2017 4:11:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 4:11:49 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 4:11:48 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 4:11:47 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 4:11:46 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 4:11:45 AM	8	unit pH
SC PITUR DORU SNC	Temp	2/15/2017 4:11:20 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 4:11:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 4:07:04 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 4:07:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 4:06:27 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 4:06:26 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 4:06:25 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 4:06:24 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 4:00:55 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 4:00:54 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 4:00:47 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 4:00:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 4:00:45 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 4:00:44 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 3:56:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 3:56:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 3:55:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 3:55:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 3:55:21 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 3:55:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 3:51:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 3:51:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 3:50:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 3:50:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 3:50:20 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 3:50:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 3:49:57 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 3:49:54 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 3:49:47 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 3:49:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 3:49:45 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 3:49:44 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 3:45:07 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 3:45:06 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 3:44:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 3:44:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 3:44:21 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 3:44:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 3:38:49 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 3:38:47 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 3:38:46 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 3:38:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 3:38:44 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 3:38:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 3:34:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 3:34:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 3:33:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 3:33:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 3:33:21 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 3:33:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 3:28:40 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	2/15/2017 3:28:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 3:28:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 3:28:00 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/15/2017 3:27:53 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 3:27:51 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 3:27:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 3:27:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 3:27:41 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 3:27:40 AM	8	unit pH
SC PITUR DORU SNC	Temp	2/15/2017 3:27:30 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 3:27:10 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/15/2017 3:23:04 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/15/2017 3:23:03 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 3:22:26 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 3:22:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 3:22:24 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 3:22:23 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/15/2017 3:16:51 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/15/2017 3:16:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 3:16:46 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 3:16:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 3:16:44 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 3:16:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 3:12:05 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 3:12:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 3:11:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 3:11:09 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 3:11:08 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 3:11:07 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 3:06:00 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/15/2017 3:05:53 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 3:05:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 3:05:47 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 3:05:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 3:05:45 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 3:05:44 AM	8	unit pH
SC PITUR DORU SNC	Clor	2/15/2017 3:05:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 3:04:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 3:04:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 3:03:40 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 3:03:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 3:01:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 3:01:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 3:00:11 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 3:00:10 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 3:00:09 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 3:00:08 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 2:54:51 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 2:54:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 2:54:46 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 2:54:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 2:54:42 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 2:54:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 2:50:04 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 2:50:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 2:49:26 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 2:49:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 2:49:24 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 2:49:23 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/15/2017 2:43:52 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/15/2017 2:43:49 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 2:43:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 2:43:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 2:43:41 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 2:43:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 2:42:00 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	2/15/2017 2:41:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 2:41:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 2:40:40 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 2:40:30 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 2:40:20 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/15/2017 2:39:03 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/15/2017 2:39:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 2:38:26 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 2:38:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 2:38:24 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 2:38:23 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 2:32:49 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 2:32:47 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 2:32:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 2:32:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 2:32:41 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 2:32:40 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/15/2017 2:28:03 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/15/2017 2:28:01 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 2:27:06 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 2:27:05 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 2:27:04 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 2:27:03 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 2:21:53 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 2:21:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 2:21:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 2:21:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 2:21:41 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 2:21:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 2:19:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 2:19:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 2:18:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 2:18:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 2:18:20 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 2:18:10 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/15/2017 2:17:01 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/15/2017 2:17:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 2:16:06 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 2:16:05 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 2:16:04 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 2:16:03 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/15/2017 2:10:52 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/15/2017 2:10:49 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 2:10:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 2:10:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 2:10:41 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 2:10:40 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/15/2017 2:06:03 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/15/2017 2:06:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 2:05:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 2:05:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 2:05:01 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 2:05:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 2:00:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 2:00:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 1:59:27 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 1:59:26 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 1:59:25 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 1:59:24 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 1:57:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 1:56:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 1:56:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 1:56:10 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 1:55:20 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 1:55:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 1:55:05 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	2/15/2017 1:55:03 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/15/2017 1:55:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 1:54:02 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 1:54:01 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 1:54:00 AM	22	gradCels
SC PITUR DORU SNC	Cianuri	2/15/2017 1:49:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 1:49:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 1:48:27 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 1:48:26 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 1:48:25 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 1:48:24 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 1:44:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 1:44:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 1:43:08 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 1:43:07 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 1:43:05 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 1:43:04 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 1:37:54 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 1:37:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 1:37:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 1:37:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 1:37:41 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 1:37:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 1:36:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 1:36:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 1:36:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 1:35:20 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 1:35:10 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 1:35:00 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/15/2017 1:33:04 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/15/2017 1:33:01 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 1:31:59 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 1:31:58 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 1:31:57 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 1:31:56 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 1:27:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 1:27:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 1:26:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 1:26:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 1:26:21 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 1:26:20 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/15/2017 1:22:03 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/15/2017 1:22:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 1:20:59 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 1:20:58 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 1:20:57 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 1:20:56 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 1:16:07 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 1:16:04 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/15/2017 1:15:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 1:15:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 1:15:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 1:15:21 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 1:15:20 AM	8	unit pH
SC PITUR DORU SNC	Clor	2/15/2017 1:15:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 1:14:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 1:14:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 1:14:20 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 1:14:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 1:11:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 1:11:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 1:09:56 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 1:09:55 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 1:09:54 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 1:09:53 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 1:05:03 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	2/15/2017 1:05:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 1:04:27 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 1:04:26 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 1:04:25 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 1:04:24 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/15/2017 1:00:01 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/15/2017 1:00:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 12:59:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 12:59:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 12:59:05 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 12:59:04 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/15/2017 12:54:04 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/15/2017 12:54:01 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/15/2017 12:53:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 12:53:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 12:53:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 12:53:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 12:53:21 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 12:53:20 AM	8	unit pH
SC PITUR DORU SNC	Grasimi	2/15/2017 12:52:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 12:52:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 12:52:20 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 12:52:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 12:49:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 12:49:01 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 12:48:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 12:48:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 12:48:05 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 12:48:04 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 12:43:06 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 12:43:03 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 12:42:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 12:42:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 12:42:21 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 12:42:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 12:36:54 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 12:36:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 12:36:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 12:36:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 12:36:41 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 12:36:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 12:32:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 12:32:10 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/15/2017 12:32:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 12:32:01 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 12:31:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 12:31:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 12:31:12 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 12:31:11 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 12:31:10 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 12:31:09 AM	8	unit pH
SC PITUR DORU SNC	Temp	2/15/2017 12:30:40 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 12:30:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 12:25:54 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 12:25:52 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 12:25:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 12:25:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 12:25:41 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 12:25:40 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/15/2017 12:21:04 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/15/2017 12:21:03 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 12:20:17 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 12:20:16 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 12:20:15 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 12:20:14 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 12:14:50 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	2/15/2017 12:14:49 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 12:14:46 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 12:14:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 12:14:44 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 12:14:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 12:11:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 12:10:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 12:10:10 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/15/2017 12:10:04 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 12:10:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 12:09:40 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 12:09:30 AM	22	gradCels
SC PITUR DORU SNC	Clor	2/15/2017 12:09:26 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 12:09:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 12:09:24 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 12:09:23 AM	8	unit pH
SC PITUR DORU SNC	pH	2/15/2017 12:09:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/15/2017 12:03:51 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/15/2017 12:03:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/15/2017 12:03:47 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/15/2017 12:03:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/15/2017 12:03:45 AM	22	gradCels
SC PITUR DORU SNC	pH	2/15/2017 12:03:44 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 11:59:04 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 11:59:02 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 11:58:26 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 11:58:25 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 11:58:24 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 11:58:23 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/14/2017 11:52:53 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/14/2017 11:52:48 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 11:52:46 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 11:52:45 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 11:52:44 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 11:52:43 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 11:48:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 11:48:10 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/14/2017 11:48:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 11:48:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 11:47:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 11:47:26 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 11:47:25 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 11:47:24 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 11:47:23 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/14/2017 11:47:00 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 11:46:30 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 11:46:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/14/2017 11:41:53 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/14/2017 11:41:48 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 11:41:46 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 11:41:45 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 11:41:44 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 11:41:43 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 11:37:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 11:37:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 11:36:07 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 11:36:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 11:36:05 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 11:36:04 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 11:30:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 11:30:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 11:30:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 11:30:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 11:30:41 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 11:30:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 11:27:20 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	2/14/2017 11:27:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 11:26:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 11:26:00 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 11:25:50 PM	22	gradCels
SC PITUR DORU SNC	Cianuri	2/14/2017 11:25:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 11:25:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 11:25:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 11:25:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 11:25:21 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 11:25:20 PM	8	unit pH
SC PITUR DORU SNC	pH	2/14/2017 11:25:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 11:19:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 11:19:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 11:19:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 11:19:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 11:19:41 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 11:19:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/14/2017 11:14:47 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/14/2017 11:14:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 11:14:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 11:14:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 11:14:01 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 11:14:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 11:08:47 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 11:08:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 11:08:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 11:08:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 11:08:41 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 11:08:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 11:03:47 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 11:03:45 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/14/2017 11:03:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 11:03:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 11:03:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 11:03:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 11:03:01 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 11:03:00 PM	8	unit pH
SC PITUR DORU SNC	Grasimi	2/14/2017 11:02:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 11:02:00 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 11:01:30 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 11:01:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 10:57:47 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 10:57:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 10:57:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 10:57:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 10:57:41 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 10:57:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/14/2017 10:53:04 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/14/2017 10:53:01 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 10:51:56 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 10:51:55 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 10:51:54 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 10:51:53 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 10:46:46 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 10:46:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 10:46:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 10:46:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 10:46:41 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 10:46:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 10:42:02 PM	0	mg/l
SC PITUR DORU SNC	pH	2/14/2017 10:42:01 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/14/2017 10:42:00 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/14/2017 10:41:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 10:41:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 10:40:59 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 10:40:58 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Temp	2/14/2017 10:40:57 PM	22	gradCels
SC PITUR DORU SNC	Grasimi	2/14/2017 10:40:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 10:39:40 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 10:39:30 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 10:39:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 10:35:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 10:35:42 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 10:35:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 10:35:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 10:35:21 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 10:35:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 10:31:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 10:31:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 10:29:56 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 10:29:55 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 10:29:54 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 10:29:53 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 10:24:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 10:24:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 10:24:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 10:24:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 10:24:21 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 10:24:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 10:20:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 10:19:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 10:19:41 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/14/2017 10:19:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 10:19:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 10:19:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 10:19:00 PM	22	gradCels
SC PITUR DORU SNC	Clor	2/14/2017 10:18:54 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 10:18:53 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 10:18:52 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 10:18:51 PM	8	unit pH
SC PITUR DORU SNC	pH	2/14/2017 10:18:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 10:14:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 10:14:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 10:13:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 10:13:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 10:13:21 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 10:13:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 10:08:46 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 10:08:45 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 10:07:54 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 10:07:53 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 10:07:52 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 10:07:51 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 10:03:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 10:03:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 10:02:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 10:02:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 10:02:21 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 10:02:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 9:58:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 9:58:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 9:57:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 9:57:20 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 9:57:10 PM	22	gradCels
SC PITUR DORU SNC	Cianuri	2/14/2017 9:56:55 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 9:56:51 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 9:56:48 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 9:56:47 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 9:56:46 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 9:56:45 PM	8	unit pH
SC PITUR DORU SNC	pH	2/14/2017 9:56:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 9:52:03 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	2/14/2017 9:52:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 9:51:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 9:51:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 9:51:21 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 9:51:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 9:45:51 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 9:45:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 9:45:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 9:45:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 9:45:41 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 9:45:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 9:40:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 9:40:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 9:40:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 9:40:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 9:40:21 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 9:40:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 9:36:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 9:36:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 9:35:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 9:35:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 9:35:20 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 9:35:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 9:34:48 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 9:34:45 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 9:34:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 9:34:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 9:34:41 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 9:34:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 9:29:46 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 9:29:41 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 9:29:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 9:29:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 9:29:21 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 9:29:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 9:23:48 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 9:23:45 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 9:23:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 9:23:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 9:23:41 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 9:23:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/14/2017 9:19:06 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/14/2017 9:19:01 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 9:18:11 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 9:18:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 9:18:09 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 9:18:08 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 9:15:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 9:15:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 9:14:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 9:14:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 9:14:00 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 9:13:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 9:12:49 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 9:12:45 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 9:12:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 9:12:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 9:12:41 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 9:12:40 PM	8	unit pH
SC PITUR DORU SNC	pH	2/14/2017 9:07:47 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/14/2017 9:07:43 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/14/2017 9:07:42 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 9:07:02 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 9:07:01 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 9:07:00 PM	22	gradCels
SC PITUR DORU SNC	Substante organice	2/14/2017 9:01:51 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	2/14/2017 9:01:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 9:01:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 9:01:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 9:01:41 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 9:01:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 8:56:46 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 8:56:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 8:56:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 8:56:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 8:56:01 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 8:56:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 8:54:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 8:54:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 8:54:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 8:53:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 8:53:00 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 8:52:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 8:50:53 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 8:50:49 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 8:50:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 8:50:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 8:50:41 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 8:50:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/14/2017 8:45:45 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/14/2017 8:45:43 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 8:45:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 8:45:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 8:45:01 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 8:45:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/14/2017 8:39:54 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/14/2017 8:39:52 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 8:39:27 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 8:39:26 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 8:39:25 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 8:39:24 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 8:35:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 8:35:00 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/14/2017 8:34:44 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 8:34:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 8:34:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 8:34:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 8:34:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 8:34:01 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 8:34:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/14/2017 8:33:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 8:33:30 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 8:33:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/14/2017 8:28:59 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/14/2017 8:28:56 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 8:28:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 8:28:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 8:28:21 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 8:28:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/14/2017 8:23:43 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/14/2017 8:23:42 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 8:23:32 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 8:23:31 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 8:23:30 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 8:23:29 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 8:18:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 8:18:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 8:18:02 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 8:18:01 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 8:18:00 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 8:17:59 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 8:13:20 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	2/14/2017 8:13:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 8:12:50 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/14/2017 8:12:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 8:12:41 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 8:12:37 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 8:12:36 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 8:12:35 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 8:12:34 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/14/2017 8:11:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 8:11:30 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 8:11:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 8:07:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 8:07:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 8:07:02 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 8:07:01 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 8:07:00 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 8:06:59 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 8:01:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 8:01:42 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 8:01:32 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 8:01:31 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 8:01:30 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 8:01:29 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 7:56:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 7:56:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 7:56:02 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 7:56:01 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 7:56:00 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 7:55:59 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 7:51:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 7:51:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 7:51:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 7:50:50 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/14/2017 7:50:46 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 7:50:41 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 7:50:32 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 7:50:31 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 7:50:30 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 7:50:29 PM	8	unit pH
SC PITUR DORU SNC	Temp	2/14/2017 7:49:30 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 7:49:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 7:45:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 7:45:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 7:44:58 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 7:44:57 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 7:44:56 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 7:44:55 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 7:39:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 7:39:42 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 7:39:31 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 7:39:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 7:39:29 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 7:39:28 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 7:33:59 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 7:33:54 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 7:33:52 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 7:33:51 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 7:33:50 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 7:33:49 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 7:29:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 7:29:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 7:29:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 7:28:50 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/14/2017 7:28:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 7:28:41 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 7:28:32 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	2/14/2017 7:28:31 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 7:28:30 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 7:28:29 PM	8	unit pH
SC PITUR DORU SNC	Temp	2/14/2017 7:27:30 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 7:27:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/14/2017 7:22:59 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/14/2017 7:22:57 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 7:22:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 7:22:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 7:22:45 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 7:22:44 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/14/2017 7:17:45 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/14/2017 7:17:43 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 7:17:32 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 7:17:31 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 7:17:30 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 7:17:29 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/14/2017 7:11:58 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/14/2017 7:11:56 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 7:11:52 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 7:11:51 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 7:11:50 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 7:11:49 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 7:08:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 7:08:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 7:07:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 7:07:20 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 7:07:10 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 7:07:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/14/2017 7:06:46 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/14/2017 7:06:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 7:06:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 7:06:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 7:06:21 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 7:06:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 7:01:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 7:00:56 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 7:00:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 7:00:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 7:00:41 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 7:00:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/14/2017 6:55:43 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/14/2017 6:55:42 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 6:55:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 6:55:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 6:55:21 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 6:55:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 6:50:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 6:49:58 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 6:49:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 6:49:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 6:49:41 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 6:49:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 6:46:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 6:46:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 6:46:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 6:45:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 6:45:20 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 6:45:10 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/14/2017 6:44:45 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/14/2017 6:44:44 PM	0	mg/l
SC PITUR DORU SNC	pH	2/14/2017 6:44:41 PM	8	unit pH
SC PITUR DORU SNC	Clor	2/14/2017 6:44:26 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 6:44:25 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 6:44:24 PM	22	gradCels
SC PITUR DORU SNC	Substante organice	2/14/2017 6:38:56 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	2/14/2017 6:38:55 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 6:38:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 6:38:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 6:38:45 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 6:38:44 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 6:33:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 6:33:42 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 6:33:19 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 6:33:17 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 6:33:15 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 6:33:13 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/14/2017 6:27:56 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/14/2017 6:27:55 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 6:27:52 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 6:27:51 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 6:27:50 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 6:27:49 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 6:24:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 6:24:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 6:24:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 6:23:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 6:23:30 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 6:23:10 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/14/2017 6:22:45 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/14/2017 6:22:43 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 6:22:12 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 6:22:11 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 6:22:10 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 6:22:09 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/14/2017 6:16:57 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/14/2017 6:16:55 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 6:16:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 6:16:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 6:16:41 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 6:16:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/14/2017 6:11:45 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/14/2017 6:11:43 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 6:11:08 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 6:11:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 6:11:06 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 6:11:05 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/14/2017 6:05:57 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/14/2017 6:05:55 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 6:05:48 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 6:05:47 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 6:05:46 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 6:05:45 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 6:04:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 6:04:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 6:04:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 6:03:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 6:03:20 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 6:03:10 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/14/2017 6:00:44 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/14/2017 6:00:43 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 6:00:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 6:00:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 6:00:01 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 6:00:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 5:54:56 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 5:54:54 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 5:54:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 5:54:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 5:54:41 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 5:54:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 5:49:45 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	2/14/2017 5:49:42 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 5:49:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 5:49:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 5:49:01 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 5:49:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 5:44:10 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/14/2017 5:43:58 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 5:43:54 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 5:43:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 5:43:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 5:43:45 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 5:43:44 PM	8	unit pH
SC PITUR DORU SNC	Clor	2/14/2017 5:43:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 5:42:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 5:42:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 5:42:20 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 5:41:30 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/14/2017 5:38:43 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/14/2017 5:38:42 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 5:38:12 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 5:38:11 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 5:38:10 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 5:38:09 PM	8	unit pH
SC PITUR DORU SNC	pH	2/14/2017 5:32:58 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/14/2017 5:32:56 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/14/2017 5:32:54 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 5:32:42 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 5:32:41 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 5:32:40 PM	22	gradCels
SC PITUR DORU SNC	Substante organice	2/14/2017 5:27:44 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/14/2017 5:27:42 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 5:27:07 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 5:27:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 5:27:05 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 5:27:04 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 5:22:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 5:22:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 5:22:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 5:22:00 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 5:21:50 PM	22	gradCels
SC PITUR DORU SNC	Cianuri	2/14/2017 5:21:46 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 5:21:42 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 5:21:32 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 5:21:31 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 5:21:30 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 5:21:29 PM	8	unit pH
SC PITUR DORU SNC	pH	2/14/2017 5:21:10 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/14/2017 5:16:44 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/14/2017 5:16:42 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 5:16:07 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 5:16:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 5:16:05 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 5:16:04 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/14/2017 5:10:45 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/14/2017 5:10:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 5:10:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 5:10:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 5:10:21 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 5:10:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/14/2017 5:05:44 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/14/2017 5:05:43 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 5:05:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 5:05:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 5:05:01 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 5:05:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 5:01:30 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	2/14/2017 5:01:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 5:00:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 5:00:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 5:00:20 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 5:00:10 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/14/2017 4:59:43 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/14/2017 4:59:42 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 4:59:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 4:59:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 4:59:21 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 4:59:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/14/2017 4:54:44 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/14/2017 4:54:42 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 4:54:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 4:54:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 4:54:01 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 4:54:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 4:48:44 PM	0	mg/l
SC PITUR DORU SNC	pH	2/14/2017 4:48:43 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/14/2017 4:48:42 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 4:48:22 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 4:48:21 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 4:48:20 PM	22	gradCels
SC PITUR DORU SNC	Cianuri	2/14/2017 4:43:44 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 4:43:41 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 4:42:45 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 4:42:44 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 4:42:43 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 4:42:42 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 4:41:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 4:41:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 4:40:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 4:39:20 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 4:39:10 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 4:39:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 4:37:46 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 4:37:43 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 4:37:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 4:37:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 4:37:21 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 4:37:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 4:31:49 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 4:31:48 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 4:31:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 4:31:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 4:31:45 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 4:31:44 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 4:26:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 4:26:42 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 4:26:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 4:26:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 4:26:21 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 4:26:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 4:22:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 4:22:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 4:21:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 4:21:20 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 4:21:10 PM	22	gradCels
SC PITUR DORU SNC	Cianuri	2/14/2017 4:20:49 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 4:20:48 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 4:20:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 4:20:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 4:20:41 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 4:20:40 PM	8	unit pH
SC PITUR DORU SNC	pH	2/14/2017 4:20:30 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/14/2017 4:15:47 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	2/14/2017 4:15:42 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 4:15:28 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 4:15:27 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 4:15:26 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 4:15:25 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 4:09:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 4:09:49 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 4:09:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 4:09:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 4:09:41 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 4:09:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/14/2017 4:04:44 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/14/2017 4:04:42 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 4:04:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 4:04:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 4:04:21 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 4:04:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 4:03:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 4:03:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 4:02:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 4:01:20 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 4:01:10 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 4:00:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 3:58:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 3:58:48 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 3:58:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 3:58:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 3:58:41 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 3:58:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/14/2017 3:53:43 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/14/2017 3:53:42 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 3:53:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 3:53:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 3:53:21 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 3:53:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 3:47:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 3:47:48 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 3:47:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 3:47:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 3:47:41 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 3:47:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 3:43:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 3:43:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 3:43:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 3:43:00 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 3:42:50 PM	22	gradCels
SC PITUR DORU SNC	Cianuri	2/14/2017 3:42:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 3:42:41 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 3:42:28 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 3:42:27 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 3:42:26 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 3:42:25 PM	8	unit pH
SC PITUR DORU SNC	pH	2/14/2017 3:42:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 3:36:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 3:36:48 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 3:36:47 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 3:36:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 3:36:45 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 3:36:44 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 3:31:46 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 3:31:41 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 3:31:07 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 3:31:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 3:31:05 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 3:31:04 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 3:25:49 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	2/14/2017 3:25:48 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 3:25:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 3:25:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 3:25:45 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 3:25:44 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 3:25:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 3:25:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 3:24:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 3:23:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 3:23:20 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 3:23:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 3:20:47 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 3:20:43 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 3:20:07 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 3:20:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 3:20:05 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 3:20:04 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 3:14:54 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 3:14:53 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 3:14:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 3:14:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 3:14:45 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 3:14:44 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 3:09:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 3:09:45 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 3:09:08 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 3:09:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 3:09:06 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 3:09:05 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 3:05:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 3:05:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 3:05:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 3:05:00 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 3:04:50 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 3:04:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 3:03:54 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 3:03:53 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 3:03:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 3:03:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 3:03:45 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 3:03:44 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 2:58:47 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 2:58:46 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 2:58:07 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 2:58:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 2:58:05 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 2:58:04 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 2:52:46 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 2:52:45 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 2:52:27 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 2:52:26 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 2:52:25 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 2:52:24 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 2:47:49 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 2:47:46 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 2:47:07 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 2:47:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 2:47:05 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 2:47:04 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 2:45:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 2:45:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 2:44:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 2:44:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 2:44:00 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 2:43:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 2:41:49 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	2/14/2017 2:41:45 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 2:41:27 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 2:41:26 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 2:41:25 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 2:41:24 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 2:36:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 2:36:45 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 2:36:27 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 2:36:26 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 2:36:25 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 2:36:24 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 2:31:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 2:31:41 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 2:30:54 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 2:30:53 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 2:30:52 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 2:30:51 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 2:25:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 2:25:45 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 2:25:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 2:25:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 2:25:21 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 2:25:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 2:24:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 2:23:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 2:23:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 2:22:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 2:22:00 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 2:21:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 2:20:44 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 2:20:41 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 2:19:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 2:19:49 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 2:19:48 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 2:19:47 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 2:14:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 2:14:47 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 2:14:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 2:14:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 2:14:21 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 2:14:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 2:09:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 2:09:41 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 2:08:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 2:08:49 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 2:08:48 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 2:08:47 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 2:03:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 2:03:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 2:03:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 2:03:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 2:03:21 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 2:03:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 2:02:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 2:02:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 2:01:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 2:01:20 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 2:01:10 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 2:01:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 1:57:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 1:57:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 1:57:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 1:57:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 1:57:41 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 1:57:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 1:52:41 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	2/14/2017 1:52:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 1:52:08 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 1:52:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 1:52:06 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 1:52:05 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 1:46:46 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 1:46:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 1:46:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 1:46:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 1:46:41 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 1:46:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 1:42:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 1:42:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 1:42:10 PM	0	mg/l
SC PITUR DORU SNC	pH	2/14/2017 1:41:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 1:41:47 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 1:41:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 1:41:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 1:41:20 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 1:41:10 PM	8	unit pH
SC PITUR DORU SNC	Clor	2/14/2017 1:41:07 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 1:41:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 1:41:05 PM	22	gradCels
SC PITUR DORU SNC	Cianuri	2/14/2017 1:35:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 1:35:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 1:35:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 1:35:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 1:35:41 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 1:35:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 1:30:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 1:30:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 1:30:08 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 1:30:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 1:30:06 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 1:30:05 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 1:24:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 1:24:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 1:24:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 1:24:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 1:24:41 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 1:24:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 1:23:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 1:23:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 1:22:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 1:21:20 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 1:21:10 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 1:21:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 1:19:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 1:19:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 1:19:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 1:19:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 1:19:01 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 1:19:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 1:13:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 1:13:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 1:13:28 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 1:13:27 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 1:13:26 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 1:13:25 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 1:08:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 1:08:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 1:08:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 1:08:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 1:08:01 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 1:08:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 1:02:41 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	2/14/2017 1:02:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 1:02:28 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 1:02:27 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 1:02:26 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 1:02:25 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 1:02:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 1:01:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 1:01:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 1:00:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 1:00:20 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 1:00:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 12:57:48 PM	0	mg/l
SC PITUR DORU SNC	pH	2/14/2017 12:57:47 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/14/2017 12:57:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 12:57:02 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 12:57:01 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 12:57:00 PM	22	gradCels
SC PITUR DORU SNC	Cianuri	2/14/2017 12:51:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 12:51:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 12:51:28 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 12:51:27 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 12:51:26 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 12:51:25 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 12:46:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 12:46:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 12:46:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 12:46:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 12:46:01 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 12:46:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 12:41:10 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/14/2017 12:40:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 12:40:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 12:40:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 12:40:27 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 12:40:26 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 12:40:25 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 12:40:24 PM	8	unit pH
SC PITUR DORU SNC	Grasimi	2/14/2017 12:39:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 12:39:20 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 12:38:30 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 12:38:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 12:35:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 12:35:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 12:34:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 12:34:49 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 12:34:48 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 12:34:47 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 12:29:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 12:29:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 12:29:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 12:29:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 12:29:21 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 12:29:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 12:24:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 12:24:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 12:23:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 12:23:49 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 12:23:48 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 12:23:47 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 12:19:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 12:19:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 12:18:50 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/14/2017 12:18:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 12:18:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 12:18:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 12:18:23 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	2/14/2017 12:18:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 12:18:21 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 12:18:20 PM	8	unit pH
SC PITUR DORU SNC	Temp	2/14/2017 12:18:10 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 12:17:50 PM	8	unit pH
SC PITUR DORU SNC	pH	2/14/2017 12:13:43 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 12:13:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 12:13:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 12:12:49 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 12:12:48 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 12:12:47 PM	22	gradCels
SC PITUR DORU SNC	Cianuri	2/14/2017 12:07:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 12:07:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 12:07:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 12:07:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 12:07:21 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 12:07:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 12:02:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 12:02:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 12:01:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 12:01:49 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 12:01:48 PM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 12:01:47 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 11:58:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 11:58:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 11:57:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 11:57:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 11:57:00 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 11:56:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 11:56:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 11:56:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 11:56:08 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 11:56:07 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 11:56:06 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 11:56:05 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 11:50:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 11:50:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 11:50:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 11:50:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 11:50:41 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 11:50:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 11:45:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 11:45:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 11:45:08 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 11:45:07 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 11:45:06 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 11:45:05 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 11:39:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 11:39:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 11:39:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 11:39:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 11:39:41 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 11:39:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 11:36:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 11:35:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 11:35:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 11:34:50 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/14/2017 11:34:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 11:34:40 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 11:34:30 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 11:34:20 AM	8	unit pH
SC PITUR DORU SNC	Clor	2/14/2017 11:34:08 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 11:34:07 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 11:34:06 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 11:34:05 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 11:28:45 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	2/14/2017 11:28:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 11:28:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 11:28:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 11:28:41 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 11:28:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 11:23:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 11:23:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 11:23:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 11:23:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 11:23:21 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 11:23:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 11:17:46 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 11:17:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 11:17:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 11:17:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 11:17:41 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 11:17:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 11:14:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 11:14:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 11:13:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 11:13:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 11:13:00 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 11:12:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 11:12:48 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 11:12:45 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 11:12:08 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 11:12:07 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 11:12:06 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 11:12:05 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 11:06:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 11:06:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 11:06:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 11:06:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 11:06:41 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 11:06:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 11:01:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 11:01:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 11:01:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 11:01:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 11:01:01 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 11:01:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 10:56:47 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 10:56:45 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 10:56:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 10:56:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 10:56:01 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 10:56:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 10:54:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 10:54:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 10:53:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 10:52:20 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 10:52:10 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 10:52:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 10:50:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 10:50:48 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 10:50:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 10:50:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 10:50:41 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 10:50:40 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/14/2017 10:45:48 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/14/2017 10:45:45 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 10:45:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 10:45:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 10:45:01 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 10:45:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 10:39:45 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	2/14/2017 10:39:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 10:39:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 10:39:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 10:39:41 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 10:39:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 10:34:53 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 10:34:51 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 10:34:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 10:34:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 10:34:01 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 10:34:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 10:32:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 10:32:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 10:30:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 10:30:10 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 10:30:00 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 10:29:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 10:28:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 10:28:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 10:28:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 10:28:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 10:28:41 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 10:28:40 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/14/2017 10:23:52 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/14/2017 10:23:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 10:23:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 10:23:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 10:23:01 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 10:23:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 10:17:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 10:17:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 10:17:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 10:17:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 10:17:21 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 10:17:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 10:12:51 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 10:12:49 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 10:12:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 10:12:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 10:12:01 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 10:12:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 10:10:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 10:09:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 10:08:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 10:08:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 10:08:10 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 10:08:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 10:06:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 10:06:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 10:06:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 10:06:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 10:06:21 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 10:06:20 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/14/2017 10:01:50 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/14/2017 10:01:49 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 10:01:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 10:01:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 10:01:01 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 10:01:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 9:55:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 9:55:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 9:55:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 9:55:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 9:55:21 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 9:55:20 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/14/2017 9:50:44 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	2/14/2017 9:50:43 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 9:49:46 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 9:49:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 9:49:44 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 9:49:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 9:48:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 9:47:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 9:46:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 9:46:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 9:46:10 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 9:46:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 9:44:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 9:44:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 9:44:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 9:44:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 9:44:21 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 9:44:20 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/14/2017 9:39:43 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/14/2017 9:39:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 9:38:47 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 9:38:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 9:38:45 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 9:38:44 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 9:33:42 AM	0	mg/l
SC PITUR DORU SNC	pH	2/14/2017 9:33:41 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/14/2017 9:33:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 9:33:22 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 9:33:21 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 9:33:20 AM	22	gradCels
SC PITUR DORU SNC	Substante organice	2/14/2017 9:28:44 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/14/2017 9:28:43 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 9:27:47 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 9:27:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 9:27:45 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 9:27:44 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 9:27:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 9:27:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 9:26:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 9:25:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 9:25:10 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 9:25:00 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/14/2017 9:22:41 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/14/2017 9:22:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 9:22:08 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 9:22:07 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 9:22:06 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 9:22:05 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 9:16:47 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 9:16:46 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 9:16:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 9:16:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 9:16:41 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 9:16:40 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/14/2017 9:11:44 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/14/2017 9:11:43 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 9:11:27 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 9:11:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 9:11:23 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 9:11:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 9:07:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 9:06:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 9:06:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 9:06:00 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 9:05:50 AM	22	gradCels
SC PITUR DORU SNC	Substante organice	2/14/2017 9:05:47 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/14/2017 9:05:46 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	2/14/2017 9:05:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 9:05:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 9:05:41 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 9:05:40 AM	8	unit pH
SC PITUR DORU SNC	pH	2/14/2017 9:05:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 9:00:43 AM	0	mg/l
SC PITUR DORU SNC	pH	2/14/2017 9:00:42 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/14/2017 9:00:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 9:00:22 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 9:00:21 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 9:00:20 AM	22	gradCels
SC PITUR DORU SNC	Cianuri	2/14/2017 8:54:47 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 8:54:45 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 8:54:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 8:54:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 8:54:41 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 8:54:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 8:49:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 8:49:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 8:49:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 8:49:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 8:49:01 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 8:49:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 8:45:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 8:45:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 8:44:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 8:44:10 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 8:44:00 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 8:43:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 8:43:49 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 8:43:46 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 8:43:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 8:43:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 8:43:41 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 8:43:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 8:38:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 8:38:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 8:38:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 8:38:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 8:38:01 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 8:38:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 8:32:49 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 8:32:46 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 8:32:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 8:32:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 8:32:41 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 8:32:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 8:27:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 8:27:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 8:27:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 8:27:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 8:27:01 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 8:27:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 8:23:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 8:23:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 8:22:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 8:22:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 8:22:00 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 8:21:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 8:21:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 8:21:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 8:21:32 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 8:21:31 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 8:21:30 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 8:21:29 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/14/2017 8:16:43 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	2/14/2017 8:16:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 8:16:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 8:16:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 8:16:05 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 8:16:04 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 8:10:44 AM	0	mg/l
SC PITUR DORU SNC	pH	2/14/2017 8:10:43 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/14/2017 8:10:41 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 8:10:27 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 8:10:26 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 8:10:25 AM	22	gradCels
SC PITUR DORU SNC	Cianuri	2/14/2017 8:05:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 8:05:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 8:05:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 8:05:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 8:05:01 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 8:05:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 8:02:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 8:02:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 8:01:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 8:01:10 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 8:01:00 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 8:00:50 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/14/2017 7:59:43 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/14/2017 7:59:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 7:59:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 7:59:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 7:59:21 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 7:59:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 7:54:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 7:54:41 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 7:53:56 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 7:53:55 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 7:53:54 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 7:53:53 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 7:48:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 7:48:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 7:48:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 7:48:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 7:48:21 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 7:48:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 7:43:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 7:43:41 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 7:42:52 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 7:42:51 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 7:42:50 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 7:42:49 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 7:39:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 7:39:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 7:39:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 7:38:50 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 7:38:20 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 7:38:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 7:37:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 7:37:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 7:37:27 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 7:37:26 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 7:37:25 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 7:37:24 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 7:32:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 7:32:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 7:31:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 7:31:49 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 7:31:48 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 7:31:47 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/14/2017 7:26:45 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	2/14/2017 7:26:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 7:26:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 7:26:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 7:26:21 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 7:26:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 7:21:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 7:21:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 7:20:49 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 7:20:48 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 7:20:47 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 7:20:46 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 7:17:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 7:17:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 7:16:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 7:16:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 7:16:20 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 7:16:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 7:15:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 7:15:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 7:15:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 7:15:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 7:15:21 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 7:15:20 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/14/2017 7:10:43 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/14/2017 7:10:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 7:09:45 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 7:09:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 7:09:43 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 7:09:42 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/14/2017 7:04:46 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/14/2017 7:04:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 7:04:31 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 7:04:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 7:04:29 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 7:04:28 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 6:59:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 6:59:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 6:58:53 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 6:58:52 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 6:58:51 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 6:58:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 6:55:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 6:55:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 6:54:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 6:54:20 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 6:54:10 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 6:54:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 6:53:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 6:53:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 6:53:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 6:53:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 6:53:21 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 6:53:20 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/14/2017 6:48:43 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/14/2017 6:48:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 6:47:45 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 6:47:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 6:47:43 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 6:47:42 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 6:42:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 6:42:41 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 6:42:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 6:42:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 6:42:21 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 6:42:20 AM	8	unit pH
SC PITUR DORU SNC	pH	2/14/2017 6:37:45 AM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	2/14/2017 6:37:43 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/14/2017 6:37:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 6:36:44 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 6:36:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 6:36:42 AM	22	gradCels
SC PITUR DORU SNC	Cianuri	2/14/2017 6:34:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 6:34:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 6:34:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 6:33:50 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 6:33:30 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 6:33:20 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/14/2017 6:31:43 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/14/2017 6:31:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 6:31:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 6:31:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 6:31:21 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 6:31:20 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/14/2017 6:26:44 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/14/2017 6:26:43 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 6:25:45 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 6:25:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 6:25:43 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 6:25:42 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 6:20:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 6:20:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 6:20:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 6:20:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 6:20:21 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 6:20:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 6:15:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 6:15:41 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 6:14:45 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 6:14:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 6:14:43 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 6:14:42 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 6:13:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 6:13:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 6:12:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 6:12:20 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 6:12:10 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 6:12:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 6:09:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 6:09:41 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 6:09:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 6:09:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 6:09:21 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 6:09:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 6:04:44 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 6:04:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 6:03:45 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 6:03:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 6:03:43 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 6:03:42 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/14/2017 5:58:45 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/14/2017 5:58:43 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 5:58:28 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 5:58:27 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 5:58:26 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 5:58:25 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 5:53:44 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 5:53:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 5:52:49 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 5:52:48 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 5:52:47 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 5:52:46 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 5:51:30 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	2/14/2017 5:51:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 5:50:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 5:50:00 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 5:49:50 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 5:49:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 5:47:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 5:47:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 5:47:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 5:47:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 5:47:21 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 5:47:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 5:42:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 5:42:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 5:41:45 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 5:41:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 5:41:43 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 5:41:42 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 5:36:46 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 5:36:45 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 5:36:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 5:36:29 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 5:36:28 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 5:36:27 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/14/2017 5:30:57 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/14/2017 5:30:55 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 5:30:52 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 5:30:51 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 5:30:50 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 5:30:49 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 5:29:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 5:29:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 5:28:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 5:28:10 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 5:27:50 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 5:27:20 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/14/2017 5:25:44 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/14/2017 5:25:43 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 5:25:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 5:25:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 5:25:21 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 5:25:20 AM	8	unit pH
SC PITUR DORU SNC	pH	2/14/2017 5:19:56 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/14/2017 5:19:54 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/14/2017 5:19:53 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 5:19:42 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 5:19:41 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 5:19:40 AM	22	gradCels
SC PITUR DORU SNC	Substante organice	2/14/2017 5:14:42 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/14/2017 5:14:41 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 5:14:32 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 5:14:31 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 5:14:30 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 5:14:29 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/14/2017 5:08:55 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/14/2017 5:08:54 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 5:08:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 5:08:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 5:08:41 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 5:08:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 5:07:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 5:07:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 5:06:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 5:05:50 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 5:05:20 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 5:05:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 5:03:43 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	2/14/2017 5:03:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 5:03:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 5:03:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 5:03:05 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 5:03:04 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 4:57:56 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 4:57:55 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 4:57:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 4:57:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 4:57:41 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 4:57:40 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/14/2017 4:52:44 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/14/2017 4:52:41 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 4:52:11 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 4:52:10 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 4:52:09 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 4:52:08 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 4:46:55 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 4:46:54 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 4:46:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 4:46:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 4:46:41 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 4:46:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 4:45:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 4:45:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 4:44:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 4:44:10 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 4:43:50 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 4:43:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 4:41:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 4:41:41 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 4:41:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 4:41:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 4:41:01 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 4:41:00 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/14/2017 4:35:58 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/14/2017 4:35:56 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 4:35:47 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 4:35:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 4:35:45 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 4:35:44 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 4:30:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 4:30:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 4:30:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 4:30:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 4:30:05 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 4:30:04 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/14/2017 4:24:58 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/14/2017 4:24:56 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 4:24:47 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 4:24:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 4:24:45 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 4:24:44 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 4:21:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 4:21:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 4:20:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 4:19:50 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/14/2017 4:19:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 4:19:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 4:19:30 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 4:19:20 AM	8	unit pH
SC PITUR DORU SNC	Clor	2/14/2017 4:19:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 4:19:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 4:19:01 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 4:19:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 4:13:35 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	2/14/2017 4:13:34 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 4:13:28 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 4:13:27 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 4:13:26 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 4:13:25 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 4:08:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 4:08:43 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 4:08:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 4:08:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 4:08:01 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 4:08:00 AM	8	unit pH
SC PITUR DORU SNC	pH	2/14/2017 4:02:47 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 4:02:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 4:02:41 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 4:02:22 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 4:02:21 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 4:02:20 AM	22	gradCels
SC PITUR DORU SNC	Cianuri	2/14/2017 3:57:50 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/14/2017 3:57:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 3:57:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 3:57:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 3:57:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 3:57:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 3:57:05 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 3:57:04 AM	8	unit pH
SC PITUR DORU SNC	Grasimi	2/14/2017 3:56:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 3:56:10 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 3:55:30 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 3:55:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 3:51:44 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 3:51:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 3:51:27 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 3:51:26 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 3:51:25 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 3:51:24 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/14/2017 3:46:44 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/14/2017 3:46:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 3:46:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 3:46:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 3:46:05 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 3:46:04 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 3:40:48 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 3:40:43 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 3:40:27 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 3:40:26 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 3:40:25 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 3:40:24 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 3:35:44 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 3:35:41 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/14/2017 3:35:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 3:35:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 3:34:49 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 3:34:48 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 3:34:47 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 3:34:46 AM	8	unit pH
SC PITUR DORU SNC	Grasimi	2/14/2017 3:34:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 3:34:10 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 3:33:30 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 3:33:00 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/14/2017 3:29:37 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/14/2017 3:29:35 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 3:29:27 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 3:29:26 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 3:29:25 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 3:29:24 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 3:24:43 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	2/14/2017 3:24:41 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 3:23:49 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 3:23:48 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 3:23:47 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 3:23:46 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 3:18:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 3:18:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 3:18:17 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 3:18:16 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 3:18:15 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 3:18:14 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 3:15:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 3:15:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 3:15:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 3:15:00 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 3:14:50 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 3:14:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 3:13:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 3:13:41 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 3:12:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 3:12:49 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 3:12:48 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 3:12:47 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 3:07:44 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 3:07:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 3:07:15 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 3:07:14 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 3:07:13 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 3:07:12 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 3:02:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 3:02:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 3:01:49 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 3:01:48 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 3:01:47 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 3:01:46 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 2:56:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 2:56:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 2:56:27 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 2:56:26 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 2:56:25 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 2:56:24 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 2:55:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 2:55:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 2:54:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 2:54:10 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 2:54:00 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 2:53:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 2:51:44 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 2:51:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 2:50:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 2:50:49 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 2:50:48 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 2:50:46 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 2:45:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 2:45:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 2:45:27 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 2:45:26 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 2:45:25 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 2:45:24 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 2:40:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 2:40:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 2:39:51 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 2:39:50 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 2:39:49 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 2:39:48 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 2:36:10 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	2/14/2017 2:36:00 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/14/2017 2:35:47 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 2:35:46 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 2:35:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 2:34:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 2:34:45 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 2:34:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 2:34:43 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 2:34:42 AM	8	unit pH
SC PITUR DORU SNC	Temp	2/14/2017 2:34:30 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 2:34:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 2:29:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 2:29:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 2:29:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 2:29:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 2:29:21 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 2:29:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 2:24:47 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 2:24:45 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 2:23:45 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 2:23:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 2:23:43 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 2:23:42 AM	8	unit pH
SC PITUR DORU SNC	pH	2/14/2017 2:18:42 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 2:18:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 2:18:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 2:18:22 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 2:18:21 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 2:18:20 AM	22	gradCels
SC PITUR DORU SNC	Cianuri	2/14/2017 2:14:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 2:14:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 2:14:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 2:14:00 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 2:13:50 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 2:13:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 2:12:49 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 2:12:47 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 2:12:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 2:12:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 2:12:41 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 2:12:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 2:07:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 2:07:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 2:07:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 2:07:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 2:07:21 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 2:07:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 2:01:47 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 2:01:46 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 2:01:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 2:01:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 2:01:41 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 2:01:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 1:56:46 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 1:56:45 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 1:56:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 1:56:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 1:56:01 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 1:56:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 1:54:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 1:54:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 1:53:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 1:52:50 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 1:52:40 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 1:52:30 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/14/2017 1:50:48 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	2/14/2017 1:50:46 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 1:50:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 1:50:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 1:50:41 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 1:50:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 1:45:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 1:45:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 1:45:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 1:45:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 1:45:01 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 1:45:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 1:39:47 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 1:39:46 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 1:39:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 1:39:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 1:39:41 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 1:39:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 1:34:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 1:34:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 1:34:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 1:34:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 1:34:01 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 1:34:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 1:33:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 1:33:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 1:32:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 1:32:00 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 1:31:10 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 1:31:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 1:28:48 AM	0	mg/l
SC PITUR DORU SNC	pH	2/14/2017 1:28:46 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/14/2017 1:28:45 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 1:28:42 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 1:28:41 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 1:28:40 AM	22	gradCels
SC PITUR DORU SNC	Substante organice	2/14/2017 1:23:41 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/14/2017 1:23:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 1:23:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 1:23:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 1:23:01 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 1:23:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 1:17:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 1:17:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 1:17:28 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 1:17:27 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 1:17:26 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 1:17:25 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 1:12:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 1:12:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 1:12:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 1:12:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 1:12:01 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 1:12:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 1:11:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 1:10:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 1:10:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 1:09:50 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 1:09:30 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 1:09:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 1:06:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 1:06:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 1:06:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 1:06:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 1:06:21 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 1:06:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 1:01:42 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	2/14/2017 1:01:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 1:00:48 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 1:00:47 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 1:00:46 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 1:00:45 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 12:55:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 12:55:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 12:55:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 12:55:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 12:55:21 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 12:55:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 12:51:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 12:51:00 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/14/2017 12:50:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 12:50:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 12:50:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 12:50:00 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 12:49:50 AM	22	gradCels
SC PITUR DORU SNC	Clor	2/14/2017 12:49:48 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 12:49:47 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 12:49:46 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 12:49:45 AM	8	unit pH
SC PITUR DORU SNC	pH	2/14/2017 12:49:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 12:44:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 12:44:41 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 12:44:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 12:44:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 12:44:21 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 12:44:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 12:39:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 12:39:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 12:38:47 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 12:38:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 12:38:45 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 12:38:44 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/14/2017 12:33:43 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/14/2017 12:33:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 12:33:12 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 12:33:11 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 12:33:10 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 12:33:09 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 12:30:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 12:29:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 12:29:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 12:28:50 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/14/2017 12:28:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 12:28:40 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 12:28:30 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 12:28:00 AM	8	unit pH
SC PITUR DORU SNC	Clor	2/14/2017 12:27:48 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 12:27:47 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 12:27:46 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 12:27:45 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 12:22:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 12:22:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 12:22:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 12:22:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 12:22:21 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 12:22:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 12:17:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 12:17:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 12:16:49 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 12:16:48 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 12:16:47 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 12:16:46 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 12:11:42 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	2/14/2017 12:11:41 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 12:11:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 12:11:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 12:11:21 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 12:11:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 12:06:45 AM	0	mg/l
SC PITUR DORU SNC	pH	2/14/2017 12:06:43 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/14/2017 12:06:42 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/14/2017 12:06:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 12:06:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 12:05:48 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 12:05:47 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 12:05:46 AM	22	gradCels
SC PITUR DORU SNC	Grasimi	2/14/2017 12:05:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 12:05:20 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 12:05:10 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 12:04:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/14/2017 12:00:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/14/2017 12:00:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/14/2017 12:00:12 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/14/2017 12:00:11 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/14/2017 12:00:10 AM	22	gradCels
SC PITUR DORU SNC	pH	2/14/2017 12:00:09 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 11:55:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 11:55:42 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 11:54:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 11:54:49 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 11:54:48 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 11:54:47 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 11:49:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 11:49:41 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 11:49:27 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 11:49:26 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 11:49:25 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 11:49:24 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 11:44:48 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 11:44:45 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 11:43:46 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 11:43:45 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 11:43:44 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 11:43:43 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 11:42:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 11:41:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 11:40:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 11:40:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 11:40:00 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 11:39:50 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/13/2017 11:38:51 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/13/2017 11:38:48 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 11:38:12 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 11:38:11 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 11:38:10 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 11:38:09 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 11:33:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 11:33:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 11:32:52 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 11:32:51 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 11:32:50 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 11:32:49 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/13/2017 11:27:48 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/13/2017 11:27:47 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 11:27:11 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 11:27:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 11:27:09 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 11:27:08 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 11:21:51 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	2/13/2017 11:21:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 11:21:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 11:21:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 11:21:45 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 11:21:44 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 11:18:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 11:18:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 11:17:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 11:17:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 11:17:20 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 11:17:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 11:16:49 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 11:16:47 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 11:16:07 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 11:16:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 11:16:05 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 11:16:04 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 11:10:51 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 11:10:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 11:10:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 11:10:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 11:10:41 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 11:10:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 11:05:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 11:05:42 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 11:05:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 11:05:09 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 11:05:08 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 11:05:07 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 10:59:52 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 10:59:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 10:59:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 10:59:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 10:59:45 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 10:59:44 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 10:56:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 10:55:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 10:55:10 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/13/2017 10:54:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 10:54:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 10:54:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 10:54:11 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 10:54:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 10:54:09 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 10:54:08 PM	8	unit pH
SC PITUR DORU SNC	Temp	2/13/2017 10:53:20 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 10:53:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 10:48:51 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 10:48:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 10:48:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 10:48:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 10:48:45 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 10:48:44 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 10:43:44 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 10:43:41 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 10:43:07 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 10:43:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 10:43:05 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 10:43:04 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/13/2017 10:37:53 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/13/2017 10:37:51 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 10:37:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 10:37:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 10:37:41 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 10:37:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 10:32:43 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	2/13/2017 10:32:42 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 10:32:09 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 10:32:08 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 10:32:07 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 10:32:06 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 10:31:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 10:31:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 10:30:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 10:30:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 10:30:20 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 10:30:10 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/13/2017 10:26:43 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/13/2017 10:26:41 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 10:26:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 10:26:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 10:26:21 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 10:26:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/13/2017 10:21:43 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/13/2017 10:21:41 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 10:20:49 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 10:20:48 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 10:20:47 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 10:20:46 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 10:15:44 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 10:15:42 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 10:15:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 10:15:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 10:15:21 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 10:15:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 10:10:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 10:10:41 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 10:10:08 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 10:10:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 10:10:06 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 10:10:05 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 10:09:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 10:09:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 10:08:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 10:08:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 10:08:20 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 10:08:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 10:04:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 10:04:42 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 10:04:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 10:04:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 10:04:21 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 10:04:20 PM	8	unit pH
SC PITUR DORU SNC	pH	2/13/2017 9:59:45 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 9:59:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 9:59:42 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 9:59:06 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 9:59:05 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 9:59:04 PM	22	gradCels
SC PITUR DORU SNC	Cianuri	2/13/2017 9:53:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 9:53:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 9:53:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 9:53:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 9:53:21 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 9:53:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 9:48:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 9:48:42 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 9:47:46 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 9:47:45 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 9:47:44 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 9:47:43 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 9:46:00 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	2/13/2017 9:45:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 9:44:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 9:44:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 9:44:20 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 9:44:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 9:42:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 9:42:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 9:42:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 9:42:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 9:42:21 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 9:42:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 9:37:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 9:37:42 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 9:36:45 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 9:36:44 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 9:36:43 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 9:36:42 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 9:31:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 9:31:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 9:31:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 9:31:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 9:31:21 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 9:31:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/13/2017 9:26:43 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/13/2017 9:26:42 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 9:25:46 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 9:25:45 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 9:25:44 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 9:25:43 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 9:22:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 9:22:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 9:21:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 9:21:00 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 9:20:50 PM	22	gradCels
SC PITUR DORU SNC	Cianuri	2/13/2017 9:20:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 9:20:40 PM	0	mg/l
SC PITUR DORU SNC	pH	2/13/2017 9:20:30 PM	8	unit pH
SC PITUR DORU SNC	Clor	2/13/2017 9:20:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 9:20:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 9:20:21 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 9:20:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/13/2017 9:15:49 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/13/2017 9:15:47 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 9:14:46 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 9:14:45 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 9:14:44 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 9:14:43 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 9:09:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 9:09:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 9:09:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 9:09:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 9:09:21 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 9:09:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 9:04:56 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 9:04:52 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 9:03:45 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 9:03:44 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 9:03:43 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 9:03:42 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 8:58:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 8:58:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 8:58:09 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 8:58:08 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 8:58:07 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 8:58:06 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 8:55:10 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	2/13/2017 8:55:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 8:53:50 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/13/2017 8:53:47 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 8:53:46 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 8:53:00 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 8:52:50 PM	22	gradCels
SC PITUR DORU SNC	Clor	2/13/2017 8:52:46 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 8:52:45 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 8:52:44 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 8:52:43 PM	8	unit pH
SC PITUR DORU SNC	pH	2/13/2017 8:52:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 8:47:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 8:47:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 8:47:09 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 8:47:08 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 8:47:07 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 8:47:06 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 8:42:46 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 8:42:45 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 8:41:46 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 8:41:45 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 8:41:44 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 8:41:43 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 8:36:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 8:36:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 8:36:08 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 8:36:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 8:36:06 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 8:36:05 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 8:31:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 8:31:42 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 8:30:46 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 8:30:45 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 8:30:44 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 8:30:43 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 8:28:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 8:28:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 8:27:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 8:26:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 8:26:40 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 8:26:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 8:25:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 8:25:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 8:25:09 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 8:25:08 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 8:25:07 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 8:25:06 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 8:20:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 8:20:42 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 8:19:46 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 8:19:45 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 8:19:44 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 8:19:43 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 8:14:47 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 8:14:46 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 8:14:16 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 8:14:14 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 8:14:13 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 8:14:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 8:08:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 8:08:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 8:08:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 8:08:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 8:08:41 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 8:08:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 8:03:47 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	2/13/2017 8:03:45 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 8:03:09 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 8:03:08 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 8:03:07 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 8:03:06 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 7:59:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 7:59:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 7:58:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 7:58:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 7:57:50 PM	22	gradCels
SC PITUR DORU SNC	Cianuri	2/13/2017 7:57:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 7:57:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 7:57:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 7:57:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 7:57:41 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 7:57:40 PM	8	unit pH
SC PITUR DORU SNC	pH	2/13/2017 7:57:20 PM	8	unit pH
SC PITUR DORU SNC	pH	2/13/2017 7:52:48 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/13/2017 7:52:47 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/13/2017 7:52:46 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 7:52:02 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 7:52:01 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 7:52:00 PM	22	gradCels
SC PITUR DORU SNC	Cianuri	2/13/2017 7:47:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 7:47:42 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 7:47:07 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 7:47:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 7:47:05 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 7:47:04 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 7:41:51 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 7:41:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 7:41:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 7:41:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 7:41:45 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 7:41:44 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 7:36:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 7:36:42 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 7:36:12 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 7:36:11 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 7:36:10 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 7:36:09 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 7:33:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 7:33:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 7:33:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 7:32:20 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 7:32:10 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 7:31:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 7:30:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 7:30:42 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 7:30:27 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 7:30:26 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 7:30:25 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 7:30:24 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 7:25:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 7:25:42 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 7:25:09 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 7:25:08 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 7:25:07 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 7:25:06 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 7:19:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 7:19:41 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 7:19:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 7:19:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 7:19:21 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 7:19:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 7:14:42 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	2/13/2017 7:14:41 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 7:14:08 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 7:14:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 7:14:06 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 7:14:05 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 7:10:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 7:10:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 7:09:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 7:09:00 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 7:08:50 PM	22	gradCels
SC PITUR DORU SNC	Cianuri	2/13/2017 7:08:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 7:08:41 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 7:08:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 7:08:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 7:08:21 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 7:08:20 PM	8	unit pH
SC PITUR DORU SNC	pH	2/13/2017 7:08:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 7:03:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 7:03:42 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 7:03:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 7:03:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 7:03:21 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 7:03:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 6:58:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 6:58:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 6:58:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 6:58:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 6:58:01 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 6:58:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 6:52:48 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 6:52:47 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 6:52:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 6:52:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 6:52:21 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 6:52:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 6:47:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 6:47:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 6:46:45 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 6:46:44 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 6:46:43 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 6:46:42 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 6:42:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 6:42:00 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/13/2017 6:41:49 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 6:41:46 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 6:41:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 6:41:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 6:41:21 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 6:41:20 PM	8	unit pH
SC PITUR DORU SNC	Grasimi	2/13/2017 6:40:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 6:40:20 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 6:40:11 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 6:39:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 6:36:44 PM	0	mg/l
SC PITUR DORU SNC	pH	2/13/2017 6:36:42 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/13/2017 6:36:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 6:35:46 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 6:35:45 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 6:35:44 PM	22	gradCels
SC PITUR DORU SNC	Cianuri	2/13/2017 6:30:34 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 6:30:31 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 6:30:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 6:30:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 6:30:21 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 6:30:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 6:25:42 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	2/13/2017 6:25:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 6:24:48 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 6:24:47 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 6:24:46 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 6:24:45 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/13/2017 6:20:41 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/13/2017 6:20:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 6:19:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 6:19:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 6:19:45 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 6:19:44 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 6:16:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 6:16:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 6:14:50 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/13/2017 6:14:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 6:14:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 6:14:20 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 6:14:10 PM	23	gradCels
SC PITUR DORU SNC	Clor	2/13/2017 6:14:08 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 6:14:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 6:14:06 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 6:14:05 PM	8	unit pH
SC PITUR DORU SNC	pH	2/13/2017 6:12:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 6:09:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 6:09:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 6:08:48 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 6:08:47 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 6:08:46 PM	23	gradCels
SC PITUR DORU SNC	pH	2/13/2017 6:08:45 PM	8	unit pH
SC PITUR DORU SNC	pH	2/13/2017 6:03:43 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 6:03:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 6:03:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 6:03:07 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 6:03:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 6:03:05 PM	23	gradCels
SC PITUR DORU SNC	Cianuri	2/13/2017 5:58:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 5:58:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 5:57:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 5:57:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 5:57:45 PM	23	gradCels
SC PITUR DORU SNC	pH	2/13/2017 5:57:44 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 5:52:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 5:52:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 5:52:08 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 5:52:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 5:52:06 PM	23	gradCels
SC PITUR DORU SNC	pH	2/13/2017 5:52:05 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 5:47:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 5:46:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 5:46:48 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/13/2017 5:46:46 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 5:46:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 5:46:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 5:46:41 PM	23	gradCels
SC PITUR DORU SNC	pH	2/13/2017 5:46:40 PM	8	unit pH
SC PITUR DORU SNC	Grasimi	2/13/2017 5:46:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 5:45:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 5:45:20 PM	23	gradCels
SC PITUR DORU SNC	pH	2/13/2017 5:45:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 5:41:47 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 5:41:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 5:41:08 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 5:41:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 5:41:06 PM	23	gradCels
SC PITUR DORU SNC	pH	2/13/2017 5:41:05 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 5:35:44 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	2/13/2017 5:35:43 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 5:35:42 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 5:35:41 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 5:35:40 PM	23	gradCels
SC PITUR DORU SNC	Cianuri	2/13/2017 5:30:47 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 5:30:46 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 5:30:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 5:30:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 5:30:01 PM	23	gradCels
SC PITUR DORU SNC	pH	2/13/2017 5:30:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 5:24:45 PM	0	mg/l
SC PITUR DORU SNC	pH	2/13/2017 5:24:44 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/13/2017 5:24:42 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 5:24:27 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 5:24:26 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 5:24:25 PM	23	gradCels
SC PITUR DORU SNC	Cianuri	2/13/2017 5:19:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 5:19:40 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/13/2017 5:19:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 5:19:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 5:19:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 5:19:01 PM	23	gradCels
SC PITUR DORU SNC	pH	2/13/2017 5:19:00 PM	8	unit pH
SC PITUR DORU SNC	Clor	2/13/2017 5:18:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 5:17:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 5:17:00 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 5:16:50 PM	23	gradCels
SC PITUR DORU SNC	pH	2/13/2017 5:16:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 5:13:32 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 5:13:31 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 5:13:28 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 5:13:27 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 5:13:26 PM	23	gradCels
SC PITUR DORU SNC	pH	2/13/2017 5:13:25 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 5:08:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 5:08:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 5:08:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 5:08:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 5:08:01 PM	23	gradCels
SC PITUR DORU SNC	pH	2/13/2017 5:08:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/13/2017 5:02:44 PM	0	mg/l
SC PITUR DORU SNC	pH	2/13/2017 5:02:43 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 5:02:41 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 5:02:22 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 5:02:21 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 5:02:20 PM	23	gradCels
SC PITUR DORU SNC	Cianuri	2/13/2017 4:57:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 4:57:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 4:57:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 4:57:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 4:57:01 PM	23	gradCels
SC PITUR DORU SNC	pH	2/13/2017 4:57:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/13/2017 4:51:32 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/13/2017 4:51:31 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 4:51:28 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 4:51:27 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 4:51:26 PM	23	gradCels
SC PITUR DORU SNC	pH	2/13/2017 4:51:25 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 4:47:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 4:47:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 4:46:50 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/13/2017 4:46:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 4:46:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 4:46:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 4:46:00 PM	23	gradCels
SC PITUR DORU SNC	Clor	2/13/2017 4:45:50 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	2/13/2017 4:45:49 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 4:45:48 PM	23	gradCels
SC PITUR DORU SNC	pH	2/13/2017 4:45:47 PM	8	unit pH
SC PITUR DORU SNC	pH	2/13/2017 4:45:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 4:40:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 4:40:42 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 4:40:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 4:40:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 4:40:21 PM	23	gradCels
SC PITUR DORU SNC	pH	2/13/2017 4:40:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 4:35:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 4:35:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 4:35:27 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 4:35:26 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 4:35:25 PM	23	gradCels
SC PITUR DORU SNC	pH	2/13/2017 4:35:24 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/13/2017 4:30:41 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/13/2017 4:30:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 4:29:52 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 4:29:51 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 4:29:50 PM	23	gradCels
SC PITUR DORU SNC	pH	2/13/2017 4:29:49 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 4:24:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 4:24:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 4:24:27 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 4:24:26 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 4:24:25 PM	23	gradCels
SC PITUR DORU SNC	pH	2/13/2017 4:24:24 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 4:19:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 4:19:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 4:18:51 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 4:18:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 4:18:49 PM	23	gradCels
SC PITUR DORU SNC	pH	2/13/2017 4:18:48 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 4:17:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 4:17:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 4:16:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 4:15:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 4:15:00 PM	23	gradCels
SC PITUR DORU SNC	pH	2/13/2017 4:14:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 4:13:29 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 4:13:28 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 4:13:27 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 4:13:26 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 4:13:25 PM	23	gradCels
SC PITUR DORU SNC	pH	2/13/2017 4:13:24 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 4:08:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 4:08:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 4:07:51 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 4:07:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 4:07:49 PM	23	gradCels
SC PITUR DORU SNC	pH	2/13/2017 4:07:48 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 4:02:43 PM	0	mg/l
SC PITUR DORU SNC	pH	2/13/2017 4:02:41 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/13/2017 4:02:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 4:02:26 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 4:02:25 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 4:02:24 PM	23	gradCels
SC PITUR DORU SNC	Cianuri	2/13/2017 3:57:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 3:57:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 3:56:51 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 3:56:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 3:56:49 PM	23	gradCels
SC PITUR DORU SNC	pH	2/13/2017 3:56:48 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 3:51:44 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 3:51:42 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	2/13/2017 3:51:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 3:51:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 3:51:21 PM	23	gradCels
SC PITUR DORU SNC	pH	2/13/2017 3:51:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 3:46:50 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/13/2017 3:46:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 3:46:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 3:46:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 3:46:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 3:45:51 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 3:45:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 3:45:49 PM	23	gradCels
SC PITUR DORU SNC	pH	2/13/2017 3:45:48 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/13/2017 3:45:00 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 3:44:50 PM	23	gradCels
SC PITUR DORU SNC	pH	2/13/2017 3:44:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 3:41:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 3:41:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 3:40:46 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 3:40:45 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 3:40:44 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 3:40:43 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 3:36:49 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 3:36:46 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 3:35:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 3:35:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 3:35:41 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 3:35:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/13/2017 3:30:29 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/13/2017 3:30:28 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 3:30:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 3:30:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 3:30:21 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 3:30:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/13/2017 3:25:48 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/13/2017 3:25:47 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 3:24:44 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 3:24:43 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 3:24:42 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 3:24:41 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 3:20:10 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/13/2017 3:19:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 3:19:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 3:19:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 3:19:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 3:19:01 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 3:19:00 PM	8	unit pH
SC PITUR DORU SNC	Clor	2/13/2017 3:18:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 3:18:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 3:17:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 3:17:40 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 3:17:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 3:14:48 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 3:14:47 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 3:13:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 3:13:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 3:13:41 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 3:13:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 3:08:48 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 3:08:46 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 3:08:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 3:08:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 3:08:01 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 3:08:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 3:02:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 3:02:44 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	2/13/2017 3:02:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 3:02:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 3:02:41 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 3:02:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 2:57:49 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 2:57:45 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 2:57:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 2:57:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 2:57:01 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 2:57:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 2:54:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 2:53:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 2:52:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 2:51:45 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/13/2017 2:51:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 2:51:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 2:51:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 2:51:41 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 2:51:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/13/2017 2:51:20 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 2:51:10 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 2:51:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 2:46:48 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 2:46:45 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 2:46:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 2:46:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 2:46:01 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 2:46:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 2:40:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 2:40:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 2:40:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 2:40:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 2:40:41 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 2:40:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/13/2017 2:35:44 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/13/2017 2:35:43 PM	0	mg/l
SC PITUR DORU SNC	pH	2/13/2017 2:35:41 PM	8	unit pH
SC PITUR DORU SNC	Clor	2/13/2017 2:35:02 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 2:35:01 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 2:35:00 PM	22	gradCels
SC PITUR DORU SNC	Cianuri	2/13/2017 2:29:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 2:29:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 2:29:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 2:29:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 2:29:21 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 2:29:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 2:26:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 2:26:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 2:25:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 2:25:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 2:25:00 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 2:24:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 2:24:44 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 2:24:42 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 2:24:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 2:24:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 2:24:01 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 2:24:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 2:18:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 2:18:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 2:18:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 2:18:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 2:18:21 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 2:18:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/13/2017 2:13:33 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/13/2017 2:13:31 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	2/13/2017 2:13:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 2:13:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 2:13:01 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 2:13:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 2:07:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 2:07:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 2:07:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 2:07:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 2:07:21 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 2:07:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/13/2017 2:02:33 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/13/2017 2:02:31 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 2:02:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 2:02:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 2:02:01 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 2:02:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 1:56:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 1:56:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 1:56:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 1:56:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 1:56:21 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 1:56:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 1:54:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 1:53:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 1:52:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 1:52:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 1:52:00 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 1:51:50 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/13/2017 1:51:32 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/13/2017 1:51:31 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 1:50:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 1:50:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 1:50:45 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 1:50:44 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 1:45:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 1:45:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 1:45:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 1:45:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 1:45:21 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 1:45:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 1:40:32 PM	0	mg/l
SC PITUR DORU SNC	pH	2/13/2017 1:40:31 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/13/2017 1:40:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 1:39:46 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 1:39:45 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 1:39:44 PM	22	gradCels
SC PITUR DORU SNC	Cianuri	2/13/2017 1:34:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 1:34:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 1:34:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 1:34:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 1:34:01 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 1:34:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/13/2017 1:28:48 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/13/2017 1:28:46 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 1:28:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 1:28:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 1:28:41 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 1:28:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 1:23:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 1:23:40 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/13/2017 1:23:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 1:23:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 1:23:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 1:23:01 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 1:23:00 PM	8	unit pH
SC PITUR DORU SNC	Clor	2/13/2017 1:22:50 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	2/13/2017 1:22:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 1:21:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 1:21:20 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 1:21:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 1:18:33 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 1:18:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 1:18:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 1:18:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 1:18:01 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 1:18:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 1:12:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 1:12:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 1:12:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 1:12:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 1:12:41 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 1:12:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 1:07:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 1:07:35 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 1:07:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 1:07:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 1:07:01 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 1:07:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 1:01:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 1:01:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 1:01:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 1:01:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 1:01:41 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 1:01:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 12:58:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 12:57:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 12:56:40 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/13/2017 12:56:37 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 12:56:33 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 12:56:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 12:56:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 12:56:01 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 12:56:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/13/2017 12:55:20 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 12:55:10 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 12:54:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 12:50:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 12:50:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 12:50:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 12:50:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 12:50:21 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 12:50:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 12:45:37 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 12:45:34 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 12:45:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 12:45:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 12:45:01 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 12:45:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 12:39:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 12:39:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 12:39:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 12:39:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 12:39:21 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 12:39:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/13/2017 12:34:36 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/13/2017 12:34:34 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 12:34:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 12:34:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 12:34:01 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 12:34:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 12:29:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 12:29:10 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	2/13/2017 12:28:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 12:28:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 12:28:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 12:28:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 12:28:21 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 12:28:20 PM	8	unit pH
SC PITUR DORU SNC	Grasimi	2/13/2017 12:28:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 12:28:00 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 12:27:50 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 12:27:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 12:23:38 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 12:23:33 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 12:23:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 12:23:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 12:23:01 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 12:23:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 12:17:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 12:17:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 12:17:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 12:17:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 12:17:21 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 12:17:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/13/2017 12:12:32 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/13/2017 12:12:31 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 12:11:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 12:11:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 12:11:45 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 12:11:44 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 12:06:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 12:06:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 12:06:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 12:06:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 12:06:21 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 12:06:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 12:02:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 12:01:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 12:01:32 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/13/2017 12:01:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 12:00:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 12:00:46 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 12:00:45 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 12:00:44 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 12:00:43 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/13/2017 12:00:20 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 12:00:10 PM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 12:00:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 11:55:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 11:55:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 11:55:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 11:55:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 11:55:21 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 11:55:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 11:50:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 11:50:41 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 11:49:47 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 11:49:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 11:49:45 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 11:49:44 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 11:44:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 11:44:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 11:44:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 11:44:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 11:44:21 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 11:44:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 11:39:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 11:39:42 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	2/13/2017 11:38:47 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 11:38:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 11:38:45 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 11:38:44 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/13/2017 11:33:29 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/13/2017 11:33:28 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 11:33:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 11:33:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 11:33:21 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 11:33:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 11:31:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 11:30:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 11:30:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 11:29:20 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 11:29:10 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 11:29:00 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/13/2017 11:28:43 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/13/2017 11:28:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 11:27:47 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 11:27:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 11:27:45 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 11:27:44 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 11:22:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 11:22:29 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 11:22:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 11:22:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 11:22:21 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 11:22:20 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/13/2017 11:17:43 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/13/2017 11:17:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 11:16:47 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 11:16:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 11:16:45 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 11:16:44 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 11:11:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 11:11:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 11:11:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 11:11:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 11:11:01 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 11:11:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 11:06:44 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 11:06:42 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/13/2017 11:06:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 11:05:47 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 11:05:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 11:05:45 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 11:05:44 AM	8	unit pH
SC PITUR DORU SNC	Clor	2/13/2017 11:05:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 11:05:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 11:04:50 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 11:04:00 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 11:03:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 11:00:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 11:00:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 11:00:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 11:00:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 11:00:01 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 11:00:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 10:54:47 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 10:54:46 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 10:54:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 10:54:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 10:54:41 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 10:54:40 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/13/2017 10:49:41 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/13/2017 10:49:40 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	2/13/2017 10:49:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 10:49:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 10:49:01 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 10:49:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 10:43:46 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 10:43:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 10:43:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 10:43:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 10:43:41 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 10:43:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 10:40:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 10:40:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 10:40:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 10:38:50 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/13/2017 10:38:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 10:38:40 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 10:38:10 AM	22	gradCels
SC PITUR DORU SNC	Clor	2/13/2017 10:38:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 10:38:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 10:38:01 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 10:38:00 AM	8	unit pH
SC PITUR DORU SNC	pH	2/13/2017 10:37:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 10:32:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 10:32:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 10:32:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 10:32:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 10:32:21 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 10:32:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 10:27:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 10:27:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 10:27:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 10:27:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 10:27:01 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 10:27:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 10:21:44 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 10:21:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 10:21:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 10:21:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 10:21:21 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 10:21:20 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/13/2017 10:16:32 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/13/2017 10:16:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 10:16:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 10:16:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 10:16:01 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 10:16:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 10:14:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 10:13:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 10:13:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 10:12:20 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 10:12:10 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 10:12:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 10:10:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 10:10:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 10:10:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 10:10:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 10:10:21 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 10:10:20 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/13/2017 10:05:32 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/13/2017 10:05:31 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 10:05:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 10:05:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 10:05:01 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 10:05:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 9:59:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 9:59:40 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	2/13/2017 9:59:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 9:59:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 9:59:21 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 9:59:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 9:54:33 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 9:54:31 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 9:53:47 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 9:53:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 9:53:45 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 9:53:44 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 9:50:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 9:49:00 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/13/2017 9:48:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 9:48:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 9:48:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 9:48:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 9:48:21 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 9:48:20 AM	8	unit pH
SC PITUR DORU SNC	Grasimi	2/13/2017 9:48:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 9:47:50 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 9:47:40 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 9:47:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 9:43:44 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 9:43:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 9:42:47 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 9:42:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 9:42:45 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 9:42:44 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 9:37:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 9:37:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 9:37:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 9:37:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 9:37:21 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 9:37:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 9:32:44 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 9:32:41 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 9:31:47 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 9:31:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 9:31:45 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 9:31:44 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 9:26:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 9:26:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 9:26:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 9:26:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 9:26:21 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 9:26:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 9:24:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 9:24:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 9:24:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 9:24:00 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 9:23:50 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 9:23:40 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/13/2017 9:21:43 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/13/2017 9:21:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 9:20:47 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 9:20:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 9:20:45 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 9:20:44 AM	8	unit pH
SC PITUR DORU SNC	pH	2/13/2017 9:15:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 9:15:28 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 9:15:27 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 9:15:22 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 9:15:21 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 9:15:20 AM	22	gradCels
SC PITUR DORU SNC	Cianuri	2/13/2017 9:10:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 9:10:42 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	2/13/2017 9:09:47 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 9:09:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 9:09:45 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 9:09:44 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 9:04:29 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 9:04:28 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 9:04:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 9:04:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 9:04:21 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 9:04:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 8:59:44 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 8:59:41 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 8:58:46 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 8:58:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 8:58:44 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 8:58:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 8:58:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 8:58:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 8:57:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 8:57:00 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 8:56:50 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 8:56:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 8:53:26 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 8:53:25 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 8:53:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 8:53:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 8:53:01 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 8:53:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 8:48:33 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 8:48:31 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 8:47:47 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 8:47:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 8:47:45 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 8:47:44 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 8:42:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 8:42:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 8:42:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 8:42:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 8:42:01 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 8:42:00 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/13/2017 8:37:33 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/13/2017 8:37:32 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 8:36:47 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 8:36:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 8:36:45 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 8:36:44 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 8:34:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 8:34:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 8:34:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 8:33:50 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 8:33:30 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 8:33:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 8:31:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 8:31:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 8:31:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 8:31:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 8:31:01 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 8:31:00 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/13/2017 8:26:35 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/13/2017 8:26:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 8:25:47 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 8:25:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 8:25:45 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 8:25:44 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 8:20:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 8:20:40 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	2/13/2017 8:20:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 8:20:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 8:20:01 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 8:20:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 8:14:47 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 8:14:45 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 8:14:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 8:14:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 8:14:41 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 8:14:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 8:11:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 8:11:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 8:09:43 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/13/2017 8:09:41 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 8:09:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 8:09:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 8:09:01 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 8:09:00 AM	8	unit pH
SC PITUR DORU SNC	Grasimi	2/13/2017 8:08:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 8:08:20 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 8:08:10 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 8:07:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 8:03:44 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 8:03:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 8:03:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 8:03:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 8:03:21 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 8:03:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 7:58:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 7:58:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 7:58:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 7:58:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 7:58:01 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 7:58:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 7:52:44 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 7:52:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 7:52:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 7:52:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 7:52:21 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 7:52:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 7:47:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 7:47:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 7:46:49 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 7:46:48 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 7:46:47 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 7:46:46 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 7:46:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 7:45:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 7:45:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 7:45:00 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 7:44:50 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 7:44:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 7:41:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 7:41:41 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 7:41:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 7:41:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 7:41:21 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 7:41:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 7:36:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 7:36:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 7:35:54 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 7:35:53 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 7:35:52 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 7:35:51 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/13/2017 7:30:27 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/13/2017 7:30:26 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	2/13/2017 7:30:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 7:30:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 7:30:21 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 7:30:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 7:25:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 7:25:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 7:24:49 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 7:24:48 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 7:24:47 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 7:24:46 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 7:23:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 7:22:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 7:22:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 7:22:00 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 7:21:50 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 7:21:40 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/13/2017 7:19:31 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/13/2017 7:19:29 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 7:19:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 7:19:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 7:19:21 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 7:19:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 7:14:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 7:14:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 7:13:45 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 7:13:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 7:13:41 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 7:13:40 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/13/2017 7:08:27 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/13/2017 7:08:26 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 7:08:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 7:08:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 7:08:21 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 7:08:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 7:03:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 7:03:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 7:02:49 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 7:02:48 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 7:02:47 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 7:02:46 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 7:01:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 7:01:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 7:01:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 7:00:50 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 7:00:40 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 7:00:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 6:57:27 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 6:57:26 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 6:57:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 6:57:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 6:57:21 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 6:57:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 6:52:26 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 6:52:24 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 6:51:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 6:51:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 6:51:41 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 6:51:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 6:46:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 6:46:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 6:46:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 6:46:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 6:46:21 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 6:46:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 6:41:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 6:41:40 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	2/13/2017 6:40:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 6:40:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 6:40:41 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 6:40:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 6:39:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 6:38:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 6:38:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 6:38:10 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 6:38:00 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 6:37:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 6:35:44 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 6:35:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 6:35:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 6:35:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 6:35:01 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 6:35:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 6:30:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 6:30:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 6:29:33 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 6:29:32 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 6:29:31 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 6:29:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 6:24:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 6:24:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 6:24:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 6:24:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 6:24:01 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 6:24:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 6:19:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 6:19:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 6:18:33 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 6:18:32 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 6:18:31 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 6:18:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 6:16:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 6:16:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 6:15:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 6:15:00 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 6:14:20 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 6:14:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 6:13:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 6:13:41 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 6:13:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 6:13:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 6:13:01 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 6:13:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 6:08:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 6:08:24 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 6:07:38 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 6:07:37 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 6:07:36 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 6:07:35 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 6:02:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 6:02:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 6:02:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 6:02:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 6:02:01 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 6:02:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 5:57:26 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 5:57:24 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 5:57:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 5:57:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 5:57:01 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 5:57:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 5:53:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 5:53:00 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	2/13/2017 5:52:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 5:52:10 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/13/2017 5:51:47 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 5:51:46 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 5:51:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 5:51:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 5:51:41 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 5:51:40 AM	8	unit pH
SC PITUR DORU SNC	Temp	2/13/2017 5:51:20 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 5:51:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 5:46:27 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 5:46:24 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 5:46:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 5:46:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 5:46:01 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 5:46:00 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/13/2017 5:40:26 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/13/2017 5:40:25 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 5:40:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 5:40:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 5:40:21 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 5:40:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 5:35:48 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 5:35:47 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 5:35:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 5:35:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 5:35:01 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 5:35:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 5:32:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 5:31:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 5:31:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 5:30:20 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 5:30:10 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 5:29:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 5:29:27 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 5:29:25 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 5:29:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 5:29:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 5:29:21 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 5:29:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 5:24:36 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 5:24:34 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 5:23:49 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 5:23:48 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 5:23:47 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 5:23:46 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/13/2017 5:18:25 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/13/2017 5:18:24 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 5:18:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 5:18:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 5:18:21 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 5:18:20 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/13/2017 5:13:35 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/13/2017 5:13:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 5:12:48 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 5:12:47 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 5:12:46 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 5:12:45 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 5:10:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 5:10:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 5:09:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 5:09:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 5:09:20 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 5:09:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 5:07:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 5:07:24 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	2/13/2017 5:07:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 5:07:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 5:07:21 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 5:07:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 5:02:32 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 5:02:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 5:01:48 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 5:01:47 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 5:01:46 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 5:01:45 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 4:56:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 4:56:24 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 4:56:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 4:56:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 4:56:21 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 4:56:20 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/13/2017 4:51:33 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/13/2017 4:51:31 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 4:50:49 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 4:50:48 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 4:50:47 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 4:50:46 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 4:50:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 4:49:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 4:48:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 4:48:40 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 4:48:31 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 4:48:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 4:45:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 4:45:24 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 4:45:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 4:45:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 4:45:21 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 4:45:20 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/13/2017 4:40:32 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/13/2017 4:40:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 4:39:49 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 4:39:48 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 4:39:47 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 4:39:46 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 4:34:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 4:34:24 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 4:34:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 4:34:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 4:34:21 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 4:34:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 4:30:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 4:30:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 4:29:30 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/13/2017 4:29:27 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 4:29:26 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 4:29:10 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 4:29:00 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 4:28:50 AM	8	unit pH
SC PITUR DORU SNC	Clor	2/13/2017 4:28:49 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 4:28:48 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 4:28:47 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 4:28:46 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 4:23:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 4:23:24 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 4:23:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 4:23:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 4:23:21 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 4:23:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 4:18:27 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 4:18:26 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	2/13/2017 4:17:49 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 4:17:48 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 4:17:47 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 4:17:46 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 4:12:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 4:12:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 4:12:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 4:12:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 4:12:01 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 4:12:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 4:10:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 4:10:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 4:10:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 4:09:50 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 4:09:40 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 4:09:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 4:07:27 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 4:07:26 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 4:06:49 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 4:06:48 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 4:06:47 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 4:06:46 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 4:01:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 4:01:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 4:01:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 4:01:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 4:01:01 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 4:01:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 3:56:27 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 3:56:25 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 3:55:36 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 3:55:35 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 3:55:34 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 3:55:33 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 3:52:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 3:52:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 3:51:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 3:50:50 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/13/2017 3:50:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 3:50:40 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 3:50:20 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 3:50:10 AM	8	unit pH
SC PITUR DORU SNC	Clor	2/13/2017 3:50:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 3:50:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 3:50:01 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 3:50:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 3:45:27 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 3:45:25 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 3:44:33 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 3:44:32 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 3:44:31 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 3:44:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 3:39:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 3:39:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 3:39:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 3:39:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 3:39:05 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 3:39:04 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 3:34:27 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 3:34:26 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 3:34:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 3:34:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 3:34:01 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 3:34:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 3:32:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 3:31:50 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	2/13/2017 3:31:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 3:31:20 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 3:31:10 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 3:31:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 3:28:47 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 3:28:46 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 3:28:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 3:28:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 3:28:41 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 3:28:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 3:23:27 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 3:23:26 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 3:23:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 3:23:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 3:23:01 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 3:23:00 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/13/2017 3:17:27 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/13/2017 3:17:26 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 3:17:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 3:17:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 3:17:21 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 3:17:20 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/13/2017 3:12:27 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/13/2017 3:12:26 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 3:12:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 3:12:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 3:12:01 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 3:12:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 3:11:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 3:11:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 3:10:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 3:09:50 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 3:09:40 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 3:09:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 3:06:27 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 3:06:26 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 3:06:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 3:06:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 3:06:21 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 3:06:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 3:01:27 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 3:01:25 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 3:01:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 3:01:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 3:01:01 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 3:01:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 2:55:27 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 2:55:26 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 2:55:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 2:55:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 2:55:21 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 2:55:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 2:51:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 2:51:40 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/13/2017 2:50:27 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 2:50:26 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 2:50:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 2:50:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 2:50:01 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 2:50:00 AM	8	unit pH
SC PITUR DORU SNC	Grasimi	2/13/2017 2:49:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 2:49:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 2:49:00 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 2:48:50 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/13/2017 2:44:27 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/13/2017 2:44:26 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	2/13/2017 2:44:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 2:44:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 2:44:21 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 2:44:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 2:39:27 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 2:39:26 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 2:38:49 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 2:38:48 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 2:38:47 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 2:38:46 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 2:33:27 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 2:33:26 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 2:33:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 2:33:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 2:33:21 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 2:33:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 2:30:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 2:29:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 2:28:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 2:28:40 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/13/2017 2:28:27 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 2:28:26 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 2:28:01 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 2:27:50 AM	8	unit pH
SC PITUR DORU SNC	Clor	2/13/2017 2:27:49 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 2:27:48 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 2:27:47 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 2:27:46 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/13/2017 2:22:27 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/13/2017 2:22:26 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 2:22:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 2:22:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 2:22:21 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 2:22:20 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/13/2017 2:17:28 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/13/2017 2:17:27 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 2:16:49 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 2:16:48 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 2:16:47 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 2:16:46 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 2:11:26 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 2:11:25 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 2:11:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 2:11:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 2:11:21 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 2:11:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 2:08:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 2:08:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 2:08:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 2:07:20 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 2:07:10 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 2:06:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 2:06:27 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 2:06:26 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 2:05:49 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 2:05:48 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 2:05:47 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 2:05:46 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 2:00:26 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 2:00:25 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 2:00:24 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 2:00:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 2:00:22 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 2:00:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 1:55:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 1:55:41 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	2/13/2017 1:54:49 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 1:54:48 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 1:54:47 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 1:54:46 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/13/2017 1:49:25 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/13/2017 1:49:24 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 1:49:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 1:49:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 1:49:21 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 1:49:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 1:47:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 1:47:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 1:46:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 1:46:40 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 1:46:30 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 1:46:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 1:44:44 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 1:44:43 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 1:43:48 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 1:43:47 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 1:43:46 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 1:43:45 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 1:38:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 1:38:24 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 1:38:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 1:38:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 1:38:21 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 1:38:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 1:33:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 1:33:34 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 1:32:49 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 1:32:48 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 1:32:47 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 1:32:46 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 1:29:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 1:29:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 1:29:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 1:28:50 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 1:28:10 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 1:27:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 1:27:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 1:27:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 1:27:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 1:27:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 1:27:01 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 1:27:00 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/13/2017 1:22:44 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/13/2017 1:22:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 1:21:49 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 1:21:48 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 1:21:47 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 1:21:46 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 1:16:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 1:16:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 1:16:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 1:16:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 1:16:01 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 1:16:00 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/13/2017 1:11:42 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/13/2017 1:11:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 1:10:48 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 1:10:47 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 1:10:46 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 1:10:45 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 1:10:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 1:09:40 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	2/13/2017 1:08:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 1:08:40 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 1:08:30 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 1:08:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 1:05:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 1:05:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 1:05:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 1:05:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 1:05:01 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 1:05:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 1:00:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 1:00:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 12:59:47 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 12:59:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 12:59:45 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 12:59:44 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 12:54:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 12:54:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 12:54:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 12:54:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 12:54:01 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 12:54:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 12:51:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 12:51:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 12:50:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 12:50:10 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 12:50:00 AM	22	gradCels
SC PITUR DORU SNC	Substante organice	2/13/2017 12:49:45 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/13/2017 12:49:44 AM	0	mg/l
SC PITUR DORU SNC	pH	2/13/2017 12:49:10 AM	8	unit pH
SC PITUR DORU SNC	Clor	2/13/2017 12:49:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 12:49:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 12:49:01 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 12:49:00 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/13/2017 12:43:51 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/13/2017 12:43:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 12:43:47 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 12:43:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 12:43:45 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 12:43:44 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/13/2017 12:38:40 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/13/2017 12:38:25 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 12:38:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 12:38:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 12:38:01 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 12:38:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 12:32:32 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 12:32:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 12:32:27 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 12:32:26 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 12:32:25 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 12:32:24 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 12:31:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 12:31:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 12:30:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 12:30:10 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 12:30:00 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 12:29:50 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/13/2017 12:28:02 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/13/2017 12:28:01 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 12:27:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 12:27:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 12:27:05 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 12:27:04 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 12:21:31 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 12:21:29 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	2/13/2017 12:21:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 12:21:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 12:21:21 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 12:21:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 12:17:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 12:17:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 12:16:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 12:16:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 12:16:05 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 12:16:04 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 12:11:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 12:10:50 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/13/2017 12:10:31 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 12:10:29 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 12:10:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 12:10:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 12:10:21 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 12:10:20 AM	8	unit pH
SC PITUR DORU SNC	Grasimi	2/13/2017 12:10:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 12:09:50 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 12:09:00 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 12:08:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/13/2017 12:05:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/13/2017 12:05:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/13/2017 12:04:57 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/13/2017 12:04:56 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/13/2017 12:04:55 AM	22	gradCels
SC PITUR DORU SNC	pH	2/13/2017 12:04:54 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 11:59:31 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 11:59:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 11:59:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 11:59:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 11:59:21 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 11:59:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 11:54:26 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 11:54:25 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 11:53:54 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 11:53:53 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 11:53:52 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 11:53:51 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 11:51:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 11:51:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 11:51:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 11:51:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 11:51:00 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 11:50:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 11:48:31 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 11:48:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 11:48:27 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 11:48:26 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 11:48:25 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 11:48:24 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 11:44:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 11:43:43 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 11:42:57 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 11:42:56 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 11:42:55 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 11:42:54 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/12/2017 11:37:31 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/12/2017 11:37:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 11:37:27 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 11:37:26 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 11:37:25 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 11:37:24 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 11:34:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 11:34:00 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	2/12/2017 11:33:20 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/12/2017 11:33:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 11:33:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 11:32:20 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 11:32:10 PM	22	gradCels
SC PITUR DORU SNC	Clor	2/12/2017 11:31:57 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 11:31:56 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 11:31:55 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 11:31:54 PM	8	unit pH
SC PITUR DORU SNC	pH	2/12/2017 11:31:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 11:26:31 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 11:26:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 11:26:27 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 11:26:26 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 11:26:25 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 11:26:24 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 11:21:44 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 11:21:43 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 11:20:54 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 11:20:53 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 11:20:52 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 11:20:51 PM	8	unit pH
SC PITUR DORU SNC	pH	2/12/2017 11:15:31 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 11:15:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 11:15:29 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 11:15:22 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 11:15:21 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 11:15:20 PM	22	gradCels
SC PITUR DORU SNC	Cianuri	2/12/2017 11:14:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 11:14:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 11:13:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 11:13:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 11:13:20 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 11:13:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 11:10:46 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 11:10:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 11:09:53 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 11:09:52 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 11:09:51 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 11:09:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 11:04:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 11:04:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 11:04:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 11:04:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 11:04:21 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 11:04:20 PM	8	unit pH
SC PITUR DORU SNC	pH	2/12/2017 10:59:42 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 10:59:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 10:59:31 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 10:58:48 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 10:58:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 10:58:45 PM	22	gradCels
SC PITUR DORU SNC	Cianuri	2/12/2017 10:57:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 10:56:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 10:56:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 10:56:20 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 10:56:10 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 10:56:00 PM	8	unit pH
SC PITUR DORU SNC	pH	2/12/2017 10:53:44 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/12/2017 10:53:43 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/12/2017 10:53:42 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 10:53:22 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 10:53:21 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 10:53:20 PM	22	gradCels
SC PITUR DORU SNC	Substante organice	2/12/2017 10:48:35 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/12/2017 10:48:33 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	2/12/2017 10:47:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 10:47:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 10:47:45 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 10:47:44 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 10:42:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 10:42:42 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 10:42:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 10:42:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 10:42:21 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 10:42:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 10:39:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 10:39:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 10:39:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 10:39:00 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 10:38:50 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 10:38:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 10:37:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 10:37:32 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 10:36:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 10:36:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 10:36:45 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 10:36:44 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 10:31:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 10:31:33 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 10:31:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 10:31:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 10:31:21 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 10:31:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 10:26:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 10:26:32 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 10:25:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 10:25:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 10:25:45 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 10:25:44 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 10:22:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 10:22:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 10:22:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 10:22:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 10:22:00 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 10:21:50 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/12/2017 10:20:45 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/12/2017 10:20:43 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 10:20:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 10:20:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 10:20:21 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 10:20:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 10:15:48 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 10:15:45 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 10:14:46 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 10:14:45 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 10:14:44 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 10:14:43 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 10:09:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 10:09:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 10:09:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 10:09:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 10:09:01 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 10:09:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 10:05:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 10:05:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 10:04:50 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/12/2017 10:04:44 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 10:04:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 10:04:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 10:04:00 PM	22	gradCels
SC PITUR DORU SNC	Clor	2/12/2017 10:03:47 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	2/12/2017 10:03:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 10:03:45 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 10:03:44 PM	8	unit pH
SC PITUR DORU SNC	pH	2/12/2017 10:03:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 9:58:44 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 9:58:42 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 9:58:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 9:58:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 9:58:01 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 9:58:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/12/2017 9:53:45 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/12/2017 9:53:41 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 9:52:45 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 9:52:44 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 9:52:43 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 9:52:42 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 9:47:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 9:47:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 9:47:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 9:47:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 9:47:01 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 9:47:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 9:46:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 9:45:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 9:45:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 9:45:00 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 9:44:50 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 9:44:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 9:42:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 9:42:34 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 9:41:44 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 9:41:43 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 9:41:42 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 9:41:41 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 9:36:27 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 9:36:25 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 9:36:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 9:36:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 9:36:01 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 9:36:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 9:30:27 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 9:30:26 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 9:30:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 9:30:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 9:30:21 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 9:30:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 9:28:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 9:28:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 9:27:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 9:27:40 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 9:27:30 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 9:27:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 9:25:27 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 9:25:25 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 9:25:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 9:25:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 9:25:01 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 9:25:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 9:19:28 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 9:19:26 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 9:19:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 9:19:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 9:19:21 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 9:19:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/12/2017 9:14:27 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/12/2017 9:14:26 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	2/12/2017 9:13:49 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 9:13:48 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 9:13:47 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 9:13:46 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 9:10:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 9:10:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 9:09:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 9:08:50 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/12/2017 9:08:34 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 9:08:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 9:08:27 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 9:08:26 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 9:08:25 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 9:08:24 PM	8	unit pH
SC PITUR DORU SNC	Temp	2/12/2017 9:08:10 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 9:08:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/12/2017 9:03:25 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/12/2017 9:03:24 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 9:03:07 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 9:03:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 9:03:05 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 9:03:04 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 8:57:33 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 8:57:31 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 8:57:28 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 8:57:27 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 8:57:26 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 8:57:25 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/12/2017 8:52:30 PM	0	mg/l
SC PITUR DORU SNC	pH	2/12/2017 8:52:29 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 8:52:27 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 8:51:46 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 8:51:45 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 8:51:44 PM	22	gradCels
SC PITUR DORU SNC	Cianuri	2/12/2017 8:50:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 8:50:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 8:50:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 8:50:00 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 8:49:50 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 8:49:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/12/2017 8:46:34 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/12/2017 8:46:32 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 8:46:27 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 8:46:26 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 8:46:25 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 8:46:24 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 8:41:29 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 8:41:25 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 8:40:45 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 8:40:44 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 8:40:43 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 8:40:42 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 8:35:34 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 8:35:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 8:35:27 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 8:35:26 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 8:35:25 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 8:35:24 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 8:32:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 8:32:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 8:32:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 8:32:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 8:32:00 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 8:31:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 8:30:25 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 8:30:24 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	2/12/2017 8:29:45 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 8:29:44 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 8:29:43 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 8:29:42 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/12/2017 8:24:31 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/12/2017 8:24:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 8:24:27 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 8:24:26 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 8:24:25 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 8:24:24 PM	8	unit pH
SC PITUR DORU SNC	pH	2/12/2017 8:19:26 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 8:19:25 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 8:19:24 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 8:18:44 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 8:18:43 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 8:18:42 PM	22	gradCels
SC PITUR DORU SNC	Cianuri	2/12/2017 8:15:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 8:15:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 8:15:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 8:15:00 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 8:14:50 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 8:14:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 8:13:31 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 8:13:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 8:13:28 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 8:13:27 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 8:13:26 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 8:13:25 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 8:08:25 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 8:08:21 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 8:07:51 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 8:07:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 8:07:49 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 8:07:48 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 8:02:24 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 8:02:22 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 8:02:11 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 8:02:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 8:02:09 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 8:02:08 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/12/2017 7:57:26 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/12/2017 7:57:24 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 7:56:57 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 7:56:56 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 7:56:55 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 7:56:54 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 7:55:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 7:55:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 7:55:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 7:54:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 7:54:40 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 7:54:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 7:52:27 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 7:52:25 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 7:51:38 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 7:51:37 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 7:51:36 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 7:51:35 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 7:46:26 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 7:46:24 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 7:46:07 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 7:46:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 7:46:05 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 7:46:04 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 7:41:44 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 7:41:40 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	2/12/2017 7:40:36 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 7:40:35 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 7:40:34 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 7:40:33 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 7:38:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 7:38:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 7:37:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 7:37:40 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 7:37:30 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 7:37:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/12/2017 7:35:32 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/12/2017 7:35:31 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 7:35:11 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 7:35:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 7:35:09 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 7:35:08 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 7:30:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 7:30:27 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 7:29:38 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 7:29:37 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 7:29:36 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 7:29:35 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/12/2017 7:24:38 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/12/2017 7:24:33 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 7:24:11 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 7:24:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 7:24:09 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 7:24:08 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 7:19:46 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 7:19:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 7:18:35 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 7:18:34 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 7:18:33 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 7:18:32 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 7:17:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 7:17:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 7:17:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 7:16:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 7:16:30 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 7:16:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 7:13:33 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 7:13:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 7:13:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 7:13:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 7:13:01 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 7:13:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 7:08:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 7:08:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 7:07:37 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 7:07:36 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 7:07:35 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 7:07:34 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 7:02:28 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 7:02:25 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 7:02:11 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 7:02:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 7:02:09 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 7:02:08 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 6:58:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 6:58:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 6:58:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 6:58:00 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 6:57:50 PM	22	gradCels
SC PITUR DORU SNC	Cianuri	2/12/2017 6:57:44 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 6:57:42 PM	0	mg/l
SC PITUR DORU SNC	pH	2/12/2017 6:57:10 PM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	2/12/2017 6:56:37 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 6:56:36 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 6:56:35 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 6:56:34 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 6:51:28 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 6:51:25 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 6:51:11 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 6:51:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 6:51:09 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 6:51:08 PM	8	unit pH
SC PITUR DORU SNC	pH	2/12/2017 6:46:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 6:46:28 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 6:46:26 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 6:45:36 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 6:45:35 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 6:45:34 PM	22	gradCels
SC PITUR DORU SNC	Cianuri	2/12/2017 6:40:29 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 6:40:25 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 6:40:12 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 6:40:11 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 6:40:10 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 6:40:09 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 6:39:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 6:38:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 6:38:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 6:37:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 6:37:40 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 6:37:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 6:35:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 6:35:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 6:34:37 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 6:34:36 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 6:34:35 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 6:34:34 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 6:29:33 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 6:29:30 PM	0	mg/l
SC PITUR DORU SNC	pH	2/12/2017 6:29:26 PM	8	unit pH
SC PITUR DORU SNC	Clor	2/12/2017 6:29:06 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 6:29:05 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 6:29:04 PM	22	gradCels
SC PITUR DORU SNC	Cianuri	2/12/2017 6:23:39 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 6:23:38 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 6:23:27 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 6:23:26 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 6:23:25 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 6:23:24 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 6:19:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 6:19:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 6:19:10 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/12/2017 6:18:26 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 6:18:25 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 6:18:11 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 6:18:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 6:18:09 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 6:18:08 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/12/2017 6:17:40 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 6:17:10 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 6:17:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 6:12:37 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 6:12:36 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 6:12:27 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 6:12:26 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 6:12:25 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 6:12:24 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 6:07:37 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 6:07:33 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	2/12/2017 6:06:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 6:06:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 6:06:45 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 6:06:44 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 6:01:32 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 6:01:29 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 6:01:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 6:01:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 6:01:21 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 6:01:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 5:59:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 5:58:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 5:58:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 5:58:20 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 5:58:10 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 5:58:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 5:56:34 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 5:56:25 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 5:55:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 5:55:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 5:55:41 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 5:55:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 5:50:32 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 5:50:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 5:50:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 5:50:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 5:50:21 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 5:50:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/12/2017 5:45:30 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/12/2017 5:45:28 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 5:44:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 5:44:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 5:44:41 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 5:44:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/12/2017 5:39:31 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/12/2017 5:39:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 5:39:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 5:39:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 5:39:21 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 5:39:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 5:39:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 5:38:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 5:37:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 5:37:40 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 5:37:30 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 5:37:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/12/2017 5:34:29 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/12/2017 5:34:28 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 5:33:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 5:33:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 5:33:41 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 5:33:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/12/2017 5:28:31 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/12/2017 5:28:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 5:28:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 5:28:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 5:28:21 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 5:28:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/12/2017 5:23:30 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/12/2017 5:23:29 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 5:22:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 5:22:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 5:22:41 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 5:22:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 5:19:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 5:19:10 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	2/12/2017 5:18:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 5:18:40 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/12/2017 5:18:27 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 5:18:25 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 5:17:39 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 5:17:38 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 5:17:37 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 5:17:36 PM	8	unit pH
SC PITUR DORU SNC	Temp	2/12/2017 5:17:00 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 5:16:50 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/12/2017 5:12:42 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/12/2017 5:12:28 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 5:12:09 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 5:12:08 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 5:12:07 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 5:12:06 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 5:07:25 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 5:07:23 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 5:06:39 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 5:06:38 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 5:06:37 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 5:06:36 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 5:01:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 5:01:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 5:01:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 5:01:09 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 5:01:08 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 5:01:07 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 4:59:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 4:59:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 4:58:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 4:58:20 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 4:58:10 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 4:58:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 4:56:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 4:56:41 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 4:55:38 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 4:55:37 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 4:55:36 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 4:55:35 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 4:50:28 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 4:50:27 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 4:50:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 4:50:09 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 4:50:08 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 4:50:07 PM	8	unit pH
SC PITUR DORU SNC	pH	2/12/2017 4:45:44 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 4:45:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 4:45:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 4:44:37 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 4:44:36 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 4:44:35 PM	22	gradCels
SC PITUR DORU SNC	Cianuri	2/12/2017 4:40:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 4:40:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 4:40:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 4:39:50 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/12/2017 4:39:44 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 4:39:42 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 4:39:09 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 4:39:08 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 4:39:07 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 4:39:06 PM	8	unit pH
SC PITUR DORU SNC	Temp	2/12/2017 4:38:10 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 4:37:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 4:34:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 4:34:21 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	2/12/2017 4:33:37 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 4:33:36 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 4:33:35 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 4:33:34 PM	8	unit pH
SC PITUR DORU SNC	pH	2/12/2017 4:28:45 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 4:28:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 4:28:41 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 4:28:08 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 4:28:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 4:28:06 PM	22	gradCels
SC PITUR DORU SNC	Cianuri	2/12/2017 4:23:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 4:23:41 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 4:22:37 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 4:22:36 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 4:22:35 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 4:22:34 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 4:19:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 4:19:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 4:19:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 4:18:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 4:18:40 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 4:18:30 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/12/2017 4:17:31 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/12/2017 4:17:27 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 4:17:09 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 4:17:08 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 4:17:07 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 4:17:06 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 4:11:32 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 4:11:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 4:11:29 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 4:11:28 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 4:11:27 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 4:11:26 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 4:06:24 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 4:06:23 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 4:06:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 4:06:09 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 4:06:08 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 4:06:07 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 4:01:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 4:00:50 PM	0	mg/l
SC PITUR DORU SNC	pH	2/12/2017 4:00:38 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/12/2017 4:00:35 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/12/2017 4:00:34 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 4:00:28 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 4:00:27 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 4:00:26 PM	22	gradCels
SC PITUR DORU SNC	Grasimi	2/12/2017 3:59:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 3:59:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 3:58:40 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 3:58:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 3:55:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 3:55:19 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 3:55:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 3:55:09 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 3:55:08 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 3:55:07 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/12/2017 3:49:38 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/12/2017 3:49:33 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 3:49:29 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 3:49:28 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 3:49:27 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 3:49:26 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/12/2017 3:44:43 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/12/2017 3:44:42 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	2/12/2017 3:43:49 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 3:43:48 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 3:43:47 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 3:43:46 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 3:41:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 3:41:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 3:41:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 3:41:00 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 3:40:50 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 3:40:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 3:38:37 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 3:38:35 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 3:38:29 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 3:38:28 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 3:38:27 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 3:38:26 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/12/2017 3:33:43 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/12/2017 3:33:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 3:32:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 3:32:49 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 3:32:48 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 3:32:47 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 3:27:39 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 3:27:33 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 3:27:29 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 3:27:28 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 3:27:27 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 3:27:26 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 3:22:44 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 3:22:42 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 3:21:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 3:21:49 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 3:21:48 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 3:21:47 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 3:21:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 3:21:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 3:20:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 3:20:40 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 3:20:00 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 3:19:50 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/12/2017 3:16:45 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/12/2017 3:16:37 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 3:16:33 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 3:16:32 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 3:16:31 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 3:16:30 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/12/2017 3:11:45 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/12/2017 3:11:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 3:10:54 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 3:10:53 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 3:10:52 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 3:10:51 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 3:05:38 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 3:05:37 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 3:05:34 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 3:05:33 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 3:05:32 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 3:05:31 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 3:01:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 3:01:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 3:01:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 3:00:50 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/12/2017 3:00:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 3:00:28 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 3:00:00 PM	22	gradCels
SC PITUR DORU SNC	Clor	2/12/2017 2:59:53 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	2/12/2017 2:59:52 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 2:59:51 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 2:59:50 PM	8	unit pH
SC PITUR DORU SNC	pH	2/12/2017 2:59:30 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/12/2017 2:54:40 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/12/2017 2:54:38 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 2:54:35 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 2:54:34 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 2:54:33 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 2:54:32 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 2:49:47 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 2:49:43 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 2:48:53 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 2:48:52 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 2:48:51 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 2:48:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 2:43:34 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 2:43:33 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 2:43:31 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 2:43:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 2:43:29 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 2:43:28 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 2:40:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 2:40:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 2:40:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 2:40:00 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 2:39:50 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 2:39:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/12/2017 2:38:42 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/12/2017 2:38:41 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 2:37:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 2:37:49 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 2:37:48 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 2:37:47 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 2:32:32 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 2:32:29 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 2:32:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 2:32:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 2:32:21 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 2:32:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 2:27:46 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 2:27:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 2:26:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 2:26:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 2:26:41 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 2:26:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 2:22:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 2:22:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 2:22:00 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/12/2017 2:21:31 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 2:21:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 2:21:27 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 2:21:26 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 2:21:25 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 2:21:24 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/12/2017 2:21:00 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 2:20:50 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 2:20:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 2:16:34 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 2:16:33 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 2:15:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 2:15:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 2:15:45 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 2:15:44 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 2:10:31 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 2:10:29 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	2/12/2017 2:10:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 2:10:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 2:10:21 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 2:10:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 2:06:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 2:05:50 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/12/2017 2:05:46 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 2:05:44 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 2:04:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 2:04:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 2:04:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 2:04:41 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 2:04:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/12/2017 2:04:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 2:04:10 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 2:03:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 1:59:31 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 1:59:29 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 1:59:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 1:59:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 1:59:21 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 1:59:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 1:54:46 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 1:54:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 1:53:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 1:53:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 1:53:41 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 1:53:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 1:48:31 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 1:48:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 1:48:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 1:48:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 1:48:21 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 1:48:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 1:48:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 1:47:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 1:47:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 1:47:00 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 1:46:50 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 1:46:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 1:43:46 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 1:43:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 1:42:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 1:42:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 1:42:45 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 1:42:44 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/12/2017 1:38:41 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/12/2017 1:38:22 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 1:37:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 1:37:39 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 1:37:38 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 1:37:37 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 1:32:27 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 1:32:24 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 1:32:13 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 1:32:12 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 1:32:11 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 1:32:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 1:29:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 1:29:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 1:29:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 1:28:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 1:28:40 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 1:28:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 1:27:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 1:27:23 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	2/12/2017 1:26:34 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 1:26:33 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 1:26:32 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 1:26:31 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 1:24:01 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 1:24:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 1:23:59 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 1:23:58 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 1:23:57 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 1:23:56 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 1:21:36 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 1:21:35 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 1:21:24 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 1:21:23 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 1:21:22 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 1:21:21 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/12/2017 1:16:45 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/12/2017 1:16:43 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 1:15:34 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 1:15:33 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 1:15:32 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 1:15:31 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/12/2017 1:10:42 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/12/2017 1:10:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 1:10:06 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 1:10:05 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 1:10:04 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 1:10:03 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 1:08:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 1:08:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 1:07:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 1:07:20 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 1:07:10 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 1:07:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/12/2017 1:05:44 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/12/2017 1:05:42 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 1:04:34 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 1:04:33 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 1:04:32 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 1:04:31 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/12/2017 12:59:47 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/12/2017 12:59:42 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 12:59:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 12:59:09 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 12:59:08 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 12:59:07 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 12:54:44 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 12:54:43 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 12:53:36 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 12:53:35 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 12:53:34 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 12:53:33 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 12:49:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 12:49:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 12:49:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 12:49:00 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 12:48:50 PM	22	gradCels
SC PITUR DORU SNC	Cianuri	2/12/2017 12:48:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 12:48:41 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 12:48:28 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 12:48:27 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 12:48:26 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 12:48:25 PM	8	unit pH
SC PITUR DORU SNC	pH	2/12/2017 12:47:30 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/12/2017 12:43:23 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/12/2017 12:43:22 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	2/12/2017 12:42:46 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 12:42:45 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 12:42:44 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 12:42:43 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/12/2017 12:37:26 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/12/2017 12:37:22 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 12:37:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 12:37:09 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 12:37:08 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 12:37:07 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 12:32:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 12:32:30 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/12/2017 12:32:24 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 12:32:21 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 12:32:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 12:31:46 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 12:31:45 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 12:31:44 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 12:31:43 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/12/2017 12:31:00 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 12:30:51 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 12:30:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/12/2017 12:26:46 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/12/2017 12:26:42 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 12:25:55 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 12:25:54 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 12:25:53 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 12:25:52 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 12:21:26 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 12:21:25 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 12:20:53 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 12:20:52 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 12:20:51 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 12:20:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 12:15:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 12:15:42 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 12:14:54 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 12:14:53 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 12:14:52 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 12:14:51 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 12:13:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 12:13:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 12:12:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 12:12:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 12:12:20 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 12:12:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 12:09:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 12:09:41 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 12:09:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 12:09:29 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 12:09:28 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 12:09:27 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 12:04:31 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 12:04:29 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 12:04:07 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 12:04:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 12:04:05 PM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 12:04:04 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 11:58:31 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 11:58:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 11:58:27 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 11:58:26 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 11:58:25 AM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 11:58:24 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 11:56:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 11:55:50 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	2/12/2017 11:55:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 11:55:20 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 11:55:10 AM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 11:55:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 11:53:44 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 11:53:43 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 11:52:47 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 11:52:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 11:52:45 AM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 11:52:44 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/12/2017 11:47:31 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/12/2017 11:47:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 11:47:27 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 11:47:26 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 11:47:25 AM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 11:47:24 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/12/2017 11:42:48 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/12/2017 11:42:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 11:41:47 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 11:41:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 11:41:45 AM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 11:41:44 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 11:39:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 11:39:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 11:38:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 11:38:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 11:38:20 AM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 11:38:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 11:36:31 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 11:36:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 11:36:27 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 11:36:26 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 11:36:25 AM	21	gradCels
SC PITUR DORU SNC	pH	2/12/2017 11:36:24 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 11:31:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 11:31:41 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 11:30:47 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 11:30:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 11:30:45 AM	21	gradCels
SC PITUR DORU SNC	pH	2/12/2017 11:30:44 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 11:25:31 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 11:25:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 11:25:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 11:25:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 11:25:21 AM	21	gradCels
SC PITUR DORU SNC	pH	2/12/2017 11:25:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 11:21:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 11:21:00 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/12/2017 11:20:53 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 11:20:51 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 11:19:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 11:19:44 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 11:19:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 11:19:42 AM	21	gradCels
SC PITUR DORU SNC	pH	2/12/2017 11:19:40 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/12/2017 11:19:10 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 11:19:00 AM	21	gradCels
SC PITUR DORU SNC	pH	2/12/2017 11:18:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 11:14:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 11:14:21 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 11:14:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 11:14:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 11:14:05 AM	21	gradCels
SC PITUR DORU SNC	pH	2/12/2017 11:14:04 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/12/2017 11:09:41 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/12/2017 11:09:26 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	2/12/2017 11:08:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 11:08:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 11:08:41 AM	21	gradCels
SC PITUR DORU SNC	pH	2/12/2017 11:08:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 11:03:31 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 11:03:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 11:03:27 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 11:03:26 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 11:03:25 AM	21	gradCels
SC PITUR DORU SNC	pH	2/12/2017 11:03:24 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 11:01:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 11:01:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 11:00:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 11:00:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 11:00:20 AM	21	gradCels
SC PITUR DORU SNC	pH	2/12/2017 11:00:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 10:58:46 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 10:58:43 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 10:57:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 10:57:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 10:57:41 AM	21	gradCels
SC PITUR DORU SNC	pH	2/12/2017 10:57:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 10:52:31 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 10:52:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 10:52:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 10:52:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 10:52:21 AM	21	gradCels
SC PITUR DORU SNC	pH	2/12/2017 10:52:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 10:47:27 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 10:47:26 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 10:46:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 10:46:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 10:46:41 AM	21	gradCels
SC PITUR DORU SNC	pH	2/12/2017 10:46:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 10:42:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 10:42:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 10:41:40 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/12/2017 10:41:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 10:41:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 10:41:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 10:41:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 10:41:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 10:41:01 AM	21	gradCels
SC PITUR DORU SNC	pH	2/12/2017 10:41:00 AM	8	unit pH
SC PITUR DORU SNC	Temp	2/12/2017 10:40:50 AM	21	gradCels
SC PITUR DORU SNC	pH	2/12/2017 10:40:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 10:36:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 10:36:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 10:35:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 10:35:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 10:35:41 AM	21	gradCels
SC PITUR DORU SNC	pH	2/12/2017 10:35:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 10:30:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 10:30:22 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 10:30:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 10:30:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 10:30:05 AM	21	gradCels
SC PITUR DORU SNC	pH	2/12/2017 10:30:04 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/12/2017 10:25:44 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/12/2017 10:25:41 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 10:24:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 10:24:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 10:24:41 AM	21	gradCels
SC PITUR DORU SNC	pH	2/12/2017 10:24:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 10:22:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 10:21:50 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	2/12/2017 10:21:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 10:21:20 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 10:21:10 AM	21	gradCels
SC PITUR DORU SNC	pH	2/12/2017 10:21:00 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/12/2017 10:19:23 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/12/2017 10:19:22 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 10:19:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 10:19:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 10:19:05 AM	21	gradCels
SC PITUR DORU SNC	pH	2/12/2017 10:19:04 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/12/2017 10:14:44 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/12/2017 10:14:43 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 10:13:29 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 10:13:28 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 10:13:27 AM	21	gradCels
SC PITUR DORU SNC	pH	2/12/2017 10:13:26 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 10:08:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 10:08:22 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 10:08:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 10:08:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 10:08:05 AM	21	gradCels
SC PITUR DORU SNC	pH	2/12/2017 10:08:04 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 10:04:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 10:03:50 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/12/2017 10:03:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 10:03:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 10:02:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 10:02:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 10:02:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 10:02:29 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 10:02:28 AM	21	gradCels
SC PITUR DORU SNC	pH	2/12/2017 10:02:27 AM	8	unit pH
SC PITUR DORU SNC	Temp	2/12/2017 10:02:10 AM	21	gradCels
SC PITUR DORU SNC	pH	2/12/2017 10:01:50 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/12/2017 9:57:27 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/12/2017 9:57:26 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 9:57:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 9:57:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 9:57:05 AM	21	gradCels
SC PITUR DORU SNC	pH	2/12/2017 9:57:04 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 9:52:26 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 9:52:24 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 9:51:33 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 9:51:32 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 9:51:31 AM	21	gradCels
SC PITUR DORU SNC	pH	2/12/2017 9:51:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 9:46:31 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 9:46:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 9:46:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 9:46:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 9:46:05 AM	21	gradCels
SC PITUR DORU SNC	pH	2/12/2017 9:46:04 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 9:43:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 9:43:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 9:43:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 9:43:00 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 9:42:50 AM	21	gradCels
SC PITUR DORU SNC	pH	2/12/2017 9:42:40 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/12/2017 9:41:47 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/12/2017 9:41:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 9:40:31 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 9:40:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 9:40:29 AM	21	gradCels
SC PITUR DORU SNC	pH	2/12/2017 9:40:28 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 9:35:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 9:35:19 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	2/12/2017 9:35:11 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 9:35:10 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 9:35:09 AM	21	gradCels
SC PITUR DORU SNC	pH	2/12/2017 9:35:08 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 9:30:26 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 9:30:25 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 9:29:37 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 9:29:36 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 9:29:35 AM	21	gradCels
SC PITUR DORU SNC	pH	2/12/2017 9:29:34 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 9:24:35 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 9:24:28 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 9:23:52 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 9:23:51 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 9:23:50 AM	21	gradCels
SC PITUR DORU SNC	pH	2/12/2017 9:23:49 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 9:21:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 9:21:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 9:20:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 9:20:40 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 9:20:30 AM	21	gradCels
SC PITUR DORU SNC	pH	2/12/2017 9:20:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 9:18:34 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 9:18:33 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 9:18:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 9:18:29 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 9:18:28 AM	21	gradCels
SC PITUR DORU SNC	pH	2/12/2017 9:18:27 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 9:13:37 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 9:13:35 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 9:12:51 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 9:12:50 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 9:12:49 AM	21	gradCels
SC PITUR DORU SNC	pH	2/12/2017 9:12:48 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 9:07:35 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 9:07:34 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 9:07:31 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 9:07:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 9:07:29 AM	21	gradCels
SC PITUR DORU SNC	pH	2/12/2017 9:07:28 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 9:02:35 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 9:02:31 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 9:01:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 9:01:49 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 9:01:48 AM	21	gradCels
SC PITUR DORU SNC	pH	2/12/2017 9:01:47 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 8:59:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 8:59:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 8:58:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 8:58:40 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 8:58:30 AM	21	gradCels
SC PITUR DORU SNC	pH	2/12/2017 8:58:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 8:56:35 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 8:56:34 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 8:56:31 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 8:56:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 8:56:29 AM	21	gradCels
SC PITUR DORU SNC	pH	2/12/2017 8:56:28 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/12/2017 8:51:33 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/12/2017 8:51:32 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 8:50:52 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 8:50:51 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 8:50:50 AM	21	gradCels
SC PITUR DORU SNC	pH	2/12/2017 8:50:49 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 8:45:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 8:45:29 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	2/12/2017 8:45:26 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 8:45:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 8:45:24 AM	21	gradCels
SC PITUR DORU SNC	pH	2/12/2017 8:45:23 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 8:40:32 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 8:40:31 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 8:39:51 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 8:39:50 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 8:39:49 AM	21	gradCels
SC PITUR DORU SNC	pH	2/12/2017 8:39:48 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 8:37:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 8:37:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 8:36:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 8:36:10 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 8:36:00 AM	21	gradCels
SC PITUR DORU SNC	pH	2/12/2017 8:35:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 8:34:28 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 8:34:27 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 8:34:26 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 8:34:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 8:34:24 AM	21	gradCels
SC PITUR DORU SNC	pH	2/12/2017 8:34:23 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/12/2017 8:29:34 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/12/2017 8:29:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 8:28:46 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 8:28:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 8:28:44 AM	21	gradCels
SC PITUR DORU SNC	pH	2/12/2017 8:28:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 8:23:29 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 8:23:28 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 8:23:27 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 8:23:26 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 8:23:25 AM	21	gradCels
SC PITUR DORU SNC	pH	2/12/2017 8:23:24 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 8:18:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 8:18:22 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 8:17:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 8:17:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 8:17:41 AM	21	gradCels
SC PITUR DORU SNC	pH	2/12/2017 8:17:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 8:15:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 8:15:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 8:15:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 8:14:50 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 8:14:00 AM	21	gradCels
SC PITUR DORU SNC	pH	2/12/2017 8:13:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 8:12:28 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 8:12:27 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 8:12:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 8:12:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 8:12:21 AM	21	gradCels
SC PITUR DORU SNC	pH	2/12/2017 8:12:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 8:07:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 8:07:24 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 8:06:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 8:06:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 8:06:41 AM	21	gradCels
SC PITUR DORU SNC	pH	2/12/2017 8:06:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 8:01:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 8:01:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 8:01:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 8:01:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 8:01:01 AM	21	gradCels
SC PITUR DORU SNC	pH	2/12/2017 8:01:00 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/12/2017 7:56:23 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/12/2017 7:56:22 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	2/12/2017 7:55:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 7:55:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 7:55:41 AM	21	gradCels
SC PITUR DORU SNC	pH	2/12/2017 7:55:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 7:54:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 7:54:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 7:54:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 7:53:50 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 7:53:40 AM	21	gradCels
SC PITUR DORU SNC	pH	2/12/2017 7:53:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 7:50:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 7:50:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 7:50:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 7:50:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 7:50:01 AM	21	gradCels
SC PITUR DORU SNC	pH	2/12/2017 7:50:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 7:45:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 7:45:22 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 7:44:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 7:44:29 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 7:44:28 AM	21	gradCels
SC PITUR DORU SNC	pH	2/12/2017 7:44:27 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 7:39:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 7:39:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 7:39:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 7:39:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 7:39:01 AM	21	gradCels
SC PITUR DORU SNC	pH	2/12/2017 7:39:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 7:35:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 7:34:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 7:34:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 7:34:23 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/12/2017 7:34:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 7:34:10 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 7:33:40 AM	21	gradCels
SC PITUR DORU SNC	Clor	2/12/2017 7:33:27 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 7:33:26 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 7:33:25 AM	21	gradCels
SC PITUR DORU SNC	pH	2/12/2017 7:33:24 AM	8	unit pH
SC PITUR DORU SNC	pH	2/12/2017 7:33:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 7:28:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 7:28:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 7:28:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 7:28:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 7:28:01 AM	21	gradCels
SC PITUR DORU SNC	pH	2/12/2017 7:28:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 7:23:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 7:23:22 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 7:22:28 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 7:22:27 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 7:22:26 AM	21	gradCels
SC PITUR DORU SNC	pH	2/12/2017 7:22:25 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 7:17:28 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 7:17:27 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 7:17:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 7:17:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 7:17:01 AM	21	gradCels
SC PITUR DORU SNC	pH	2/12/2017 7:17:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 7:15:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 7:14:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 7:13:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 7:13:20 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 7:13:10 AM	21	gradCels
SC PITUR DORU SNC	pH	2/12/2017 7:13:00 AM	8	unit pH
SC PITUR DORU SNC	pH	2/12/2017 7:12:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 7:12:27 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	2/12/2017 7:12:21 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 7:11:27 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 7:11:26 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 7:11:25 AM	21	gradCels
SC PITUR DORU SNC	Cianuri	2/12/2017 7:06:27 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 7:06:26 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 7:06:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 7:06:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 7:06:01 AM	21	gradCels
SC PITUR DORU SNC	pH	2/12/2017 7:06:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 7:00:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 7:00:24 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 7:00:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 7:00:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 7:00:21 AM	21	gradCels
SC PITUR DORU SNC	pH	2/12/2017 7:00:20 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/12/2017 6:55:34 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/12/2017 6:55:32 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 6:55:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 6:55:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 6:55:01 AM	21	gradCels
SC PITUR DORU SNC	pH	2/12/2017 6:55:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 6:53:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 6:53:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 6:52:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 6:52:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 6:52:10 AM	21	gradCels
SC PITUR DORU SNC	pH	2/12/2017 6:51:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 6:49:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 6:49:24 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 6:49:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 6:49:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 6:49:21 AM	21	gradCels
SC PITUR DORU SNC	pH	2/12/2017 6:49:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 6:44:34 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 6:44:32 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 6:44:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 6:44:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 6:44:01 AM	21	gradCels
SC PITUR DORU SNC	pH	2/12/2017 6:44:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 6:38:28 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 6:38:27 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 6:38:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 6:38:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 6:38:21 AM	21	gradCels
SC PITUR DORU SNC	pH	2/12/2017 6:38:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 6:33:37 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 6:33:35 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 6:33:27 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 6:33:26 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 6:33:25 AM	21	gradCels
SC PITUR DORU SNC	pH	2/12/2017 6:33:24 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 6:32:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 6:32:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 6:31:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 6:31:10 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 6:31:00 AM	21	gradCels
SC PITUR DORU SNC	pH	2/12/2017 6:30:50 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/12/2017 6:28:27 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/12/2017 6:28:24 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 6:27:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 6:27:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 6:27:41 AM	21	gradCels
SC PITUR DORU SNC	pH	2/12/2017 6:27:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 6:22:39 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 6:22:35 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	2/12/2017 6:22:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 6:22:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 6:22:21 AM	21	gradCels
SC PITUR DORU SNC	pH	2/12/2017 6:22:20 AM	8	unit pH
SC PITUR DORU SNC	pH	2/12/2017 6:17:24 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 6:17:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 6:17:22 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 6:16:42 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 6:16:41 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 6:16:40 AM	21	gradCels
SC PITUR DORU SNC	Cianuri	2/12/2017 6:12:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 6:12:00 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/12/2017 6:11:38 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 6:11:36 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 6:11:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 6:11:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 6:11:21 AM	21	gradCels
SC PITUR DORU SNC	pH	2/12/2017 6:11:20 AM	8	unit pH
SC PITUR DORU SNC	Grasimi	2/12/2017 6:11:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 6:10:50 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 6:10:30 AM	21	gradCels
SC PITUR DORU SNC	pH	2/12/2017 6:09:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 6:06:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 6:06:24 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 6:05:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 6:05:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 6:05:41 AM	21	gradCels
SC PITUR DORU SNC	pH	2/12/2017 6:05:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 6:00:37 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 6:00:36 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 6:00:27 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 6:00:26 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 6:00:25 AM	21	gradCels
SC PITUR DORU SNC	pH	2/12/2017 6:00:24 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 5:55:26 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 5:55:23 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 5:54:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 5:54:39 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 5:54:38 AM	21	gradCels
SC PITUR DORU SNC	pH	2/12/2017 5:54:37 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 5:51:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 5:50:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 5:50:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 5:50:20 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 5:50:10 AM	21	gradCels
SC PITUR DORU SNC	pH	2/12/2017 5:50:00 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/12/2017 5:49:37 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/12/2017 5:49:35 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 5:49:27 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 5:49:26 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 5:49:25 AM	21	gradCels
SC PITUR DORU SNC	pH	2/12/2017 5:49:24 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 5:44:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 5:44:24 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 5:43:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 5:43:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 5:43:41 AM	21	gradCels
SC PITUR DORU SNC	pH	2/12/2017 5:43:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 5:38:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 5:38:22 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 5:38:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 5:38:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 5:38:05 AM	21	gradCels
SC PITUR DORU SNC	pH	2/12/2017 5:38:04 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 5:33:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 5:33:24 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	2/12/2017 5:32:51 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 5:32:50 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 5:32:49 AM	21	gradCels
SC PITUR DORU SNC	pH	2/12/2017 5:32:48 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 5:30:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 5:30:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 5:29:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 5:29:10 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 5:29:00 AM	21	gradCels
SC PITUR DORU SNC	pH	2/12/2017 5:28:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 5:27:24 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 5:27:23 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 5:27:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 5:27:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 5:27:05 AM	21	gradCels
SC PITUR DORU SNC	pH	2/12/2017 5:27:04 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 5:22:26 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 5:22:25 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 5:21:34 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 5:21:33 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 5:21:32 AM	21	gradCels
SC PITUR DORU SNC	pH	2/12/2017 5:21:31 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 5:16:26 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 5:16:25 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 5:16:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 5:16:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 5:16:01 AM	21	gradCels
SC PITUR DORU SNC	pH	2/12/2017 5:16:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 5:12:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 5:11:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 5:11:30 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/12/2017 5:11:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 5:11:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 5:11:10 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 5:11:00 AM	22	gradCels
SC PITUR DORU SNC	Clor	2/12/2017 5:10:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 5:10:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 5:10:41 AM	21	gradCels
SC PITUR DORU SNC	pH	2/12/2017 5:10:40 AM	8	unit pH
SC PITUR DORU SNC	pH	2/12/2017 5:10:10 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/12/2017 5:05:25 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/12/2017 5:05:24 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 5:05:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 5:05:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 5:05:05 AM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 5:05:04 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/12/2017 5:00:26 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/12/2017 5:00:23 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 4:59:32 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 4:59:31 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 4:59:30 AM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 4:59:29 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 4:54:26 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 4:54:22 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 4:54:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 4:54:09 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 4:54:08 AM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 4:54:07 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 4:53:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 4:52:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 4:52:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 4:52:00 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 4:51:50 AM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 4:51:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 4:49:26 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 4:49:25 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	2/12/2017 4:48:35 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 4:48:34 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 4:48:33 AM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 4:48:32 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 4:43:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 4:43:24 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 4:43:11 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 4:43:10 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 4:43:09 AM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 4:43:08 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 4:38:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 4:38:24 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 4:37:36 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 4:37:35 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 4:37:34 AM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 4:37:33 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 4:33:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 4:33:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 4:32:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 4:32:40 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 4:32:30 AM	22	gradCels
SC PITUR DORU SNC	Cianuri	2/12/2017 4:32:24 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 4:32:22 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 4:32:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 4:32:09 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 4:32:08 AM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 4:32:07 AM	8	unit pH
SC PITUR DORU SNC	pH	2/12/2017 4:31:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 4:27:26 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 4:27:24 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 4:26:29 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 4:26:28 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 4:26:27 AM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 4:26:26 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 4:21:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 4:21:22 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 4:21:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 4:21:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 4:21:05 AM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 4:21:04 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 4:16:24 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 4:16:23 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 4:15:32 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 4:15:31 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 4:15:30 AM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 4:15:29 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 4:13:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 4:13:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 4:12:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 4:11:50 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 4:11:40 AM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 4:11:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 4:10:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 4:10:21 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 4:10:08 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 4:10:07 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 4:10:06 AM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 4:10:05 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 4:05:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 4:05:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 4:04:34 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 4:04:33 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 4:04:32 AM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 4:04:31 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 3:59:29 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 3:59:28 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	2/12/2017 3:59:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 3:59:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 3:59:05 AM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 3:59:04 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 3:54:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 3:54:20 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/12/2017 3:53:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 3:53:33 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 3:53:32 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 3:53:31 AM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 3:53:30 AM	8	unit pH
SC PITUR DORU SNC	Clor	2/12/2017 3:53:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 3:52:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 3:52:00 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 3:51:50 AM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 3:51:40 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/12/2017 3:48:26 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/12/2017 3:48:25 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 3:48:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 3:48:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 3:48:05 AM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 3:48:04 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 3:42:32 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 3:42:31 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 3:42:27 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 3:42:26 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 3:42:25 AM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 3:42:24 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 3:37:31 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 3:37:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 3:37:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 3:37:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 3:37:01 AM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 3:37:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 3:33:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 3:33:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 3:32:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 3:32:40 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 3:32:30 AM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 3:32:10 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/12/2017 3:31:25 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/12/2017 3:31:24 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 3:31:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 3:31:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 3:31:21 AM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 3:31:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 3:26:33 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 3:26:32 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 3:25:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 3:25:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 3:25:41 AM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 3:25:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 3:20:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 3:20:24 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 3:20:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 3:20:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 3:20:21 AM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 3:20:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 3:15:32 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 3:15:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 3:14:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 3:14:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 3:14:41 AM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 3:14:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 3:13:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 3:13:20 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	2/12/2017 3:13:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 3:12:50 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 3:12:00 AM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 3:11:50 AM	8	unit pH
SC PITUR DORU SNC	pH	2/12/2017 3:09:26 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 3:09:24 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 3:09:23 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 3:09:22 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 3:09:21 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 3:09:20 AM	22	gradCels
SC PITUR DORU SNC	Substante organice	2/12/2017 3:04:33 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/12/2017 3:04:31 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 3:03:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 3:03:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 3:03:41 AM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 3:03:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 2:58:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 2:58:24 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 2:58:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 2:58:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 2:58:21 AM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 2:58:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 2:53:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 2:53:40 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/12/2017 2:53:33 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 2:53:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 2:52:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 2:52:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 2:52:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 2:52:41 AM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 2:52:40 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/12/2017 2:52:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 2:52:10 AM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 2:51:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 2:47:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 2:47:24 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 2:47:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 2:47:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 2:47:21 AM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 2:47:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 2:42:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 2:42:21 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 2:41:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 2:41:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 2:41:41 AM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 2:41:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 2:36:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 2:36:22 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 2:36:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 2:36:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 2:36:01 AM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 2:36:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 2:33:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 2:33:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 2:32:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 2:32:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 2:32:20 AM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 2:32:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 2:31:26 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 2:31:22 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 2:30:32 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 2:30:31 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 2:30:30 AM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 2:30:29 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 2:25:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 2:25:20 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	2/12/2017 2:25:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 2:25:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 2:25:01 AM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 2:25:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 2:20:26 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 2:20:25 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 2:19:31 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 2:19:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 2:19:29 AM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 2:19:28 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 2:15:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 2:15:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 2:14:40 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/12/2017 2:14:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 2:14:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 2:14:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 2:14:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 2:14:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 2:14:01 AM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 2:14:00 AM	8	unit pH
SC PITUR DORU SNC	Temp	2/12/2017 2:13:50 AM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 2:13:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 2:09:26 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 2:09:25 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 2:08:29 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 2:08:28 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 2:08:27 AM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 2:08:26 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 2:03:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 2:03:22 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 2:03:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 2:03:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 2:03:01 AM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 2:03:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 1:58:26 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 1:58:25 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 1:57:28 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 1:57:27 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 1:57:26 AM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 1:57:25 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 1:55:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 1:55:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 1:54:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 1:54:00 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 1:53:50 AM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 1:53:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 1:52:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 1:52:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 1:52:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 1:52:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 1:52:01 AM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 1:52:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 1:47:26 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 1:47:25 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 1:46:28 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 1:46:27 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 1:46:26 AM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 1:46:25 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 1:41:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 1:41:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 1:41:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 1:41:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 1:41:01 AM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 1:41:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 1:36:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 1:36:24 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	2/12/2017 1:35:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 1:35:28 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 1:35:27 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 1:35:26 AM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 1:35:25 AM	8	unit pH
SC PITUR DORU SNC	Clor	2/12/2017 1:35:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 1:34:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 1:34:00 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 1:33:50 AM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 1:33:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 1:30:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 1:30:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 1:30:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 1:30:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 1:30:01 AM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 1:30:00 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/12/2017 1:24:25 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/12/2017 1:24:24 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 1:24:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 1:24:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 1:24:21 AM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 1:24:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 1:19:33 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 1:19:32 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 1:18:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 1:18:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 1:18:41 AM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 1:18:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 1:16:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 1:15:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 1:15:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 1:15:10 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 1:15:00 AM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 1:14:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 1:13:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 1:13:24 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 1:13:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 1:13:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 1:13:21 AM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 1:13:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 1:08:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 1:08:29 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 1:07:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 1:07:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 1:07:41 AM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 1:07:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 1:02:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 1:02:29 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 1:02:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 1:02:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 1:02:21 AM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 1:02:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 12:57:40 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/12/2017 12:57:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 12:57:29 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 12:57:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 12:56:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 12:56:39 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 12:56:38 AM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 12:56:37 AM	8	unit pH
SC PITUR DORU SNC	Grasimi	2/12/2017 12:56:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 12:55:50 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 12:55:20 AM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 12:55:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 12:51:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 12:51:24 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	2/12/2017 12:51:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 12:51:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 12:51:21 AM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 12:51:20 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/12/2017 12:46:29 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/12/2017 12:46:28 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 12:45:44 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 12:45:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 12:45:42 AM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 12:45:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 12:40:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 12:40:24 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 12:40:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 12:40:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 12:40:21 AM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 12:40:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 12:36:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 12:36:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 12:36:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 12:36:00 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 12:35:50 AM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 12:35:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 12:35:27 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 12:35:26 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 12:34:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 12:34:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 12:34:41 AM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 12:34:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 12:29:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 12:29:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 12:29:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 12:29:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 12:29:01 AM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 12:29:00 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/12/2017 12:24:27 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/12/2017 12:24:26 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 12:23:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 12:23:29 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 12:23:28 AM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 12:23:27 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 12:18:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 12:18:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 12:18:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 12:18:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 12:18:01 AM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 12:18:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 12:15:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 12:14:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 12:14:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 12:14:10 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 12:14:00 AM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 12:13:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 12:13:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 12:13:21 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 12:12:32 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 12:12:31 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 12:12:30 AM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 12:12:29 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 12:07:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 12:07:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/12/2017 12:07:06 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 12:07:05 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 12:07:04 AM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 12:07:03 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/12/2017 12:02:27 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/12/2017 12:02:25 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	2/12/2017 12:01:32 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/12/2017 12:01:31 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/12/2017 12:01:30 AM	22	gradCels
SC PITUR DORU SNC	pH	2/12/2017 12:01:29 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 11:56:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 11:56:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 11:56:06 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 11:56:05 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 11:56:04 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 11:56:03 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 11:55:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 11:54:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 11:53:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 11:52:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 11:52:40 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 11:52:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 11:51:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 11:51:22 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 11:50:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 11:50:29 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 11:50:28 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 11:50:27 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 11:45:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 11:45:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 11:45:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 11:45:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 11:45:01 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 11:45:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 11:40:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 11:40:22 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 11:39:27 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 11:39:26 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 11:39:25 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 11:39:24 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 11:34:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 11:34:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 11:33:53 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 11:33:52 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 11:33:51 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 11:33:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 11:32:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 11:32:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 11:31:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 11:31:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 11:31:10 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 11:30:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 11:29:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 11:29:22 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 11:28:31 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 11:28:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 11:28:29 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 11:28:28 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 11:23:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 11:23:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 11:23:07 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 11:23:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 11:23:05 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 11:23:04 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/11/2017 11:18:23 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/11/2017 11:18:22 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 11:17:35 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 11:17:34 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 11:17:33 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 11:17:32 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 11:12:27 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 11:12:26 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	2/11/2017 11:11:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 11:11:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 11:11:45 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 11:11:44 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 11:10:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 11:09:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 11:09:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 11:09:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 11:08:40 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 11:08:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 11:06:31 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 11:06:28 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 11:06:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 11:06:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 11:06:21 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 11:06:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 11:01:27 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 11:01:26 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 11:00:44 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 11:00:43 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 11:00:42 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 11:00:41 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 10:55:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 10:55:29 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 10:55:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 10:55:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 10:55:21 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 10:55:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 10:50:28 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 10:50:27 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 10:50:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 10:50:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 10:50:21 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 10:50:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 10:48:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 10:48:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 10:47:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 10:47:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 10:47:10 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 10:46:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 10:45:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 10:45:29 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 10:44:46 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 10:44:45 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 10:44:44 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 10:44:43 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 10:39:28 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 10:39:27 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 10:39:26 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 10:39:25 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 10:39:24 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 10:39:23 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 10:34:35 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 10:34:31 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 10:33:46 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 10:33:45 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 10:33:44 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 10:33:43 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 10:29:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 10:28:50 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/11/2017 10:28:28 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 10:28:27 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 10:28:26 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 10:28:25 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 10:28:24 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 10:28:23 PM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	2/11/2017 10:27:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 10:27:00 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 10:26:50 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 10:26:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 10:23:31 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 10:23:29 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 10:22:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 10:22:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 10:22:45 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 10:22:44 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 10:17:28 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 10:17:27 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 10:17:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 10:17:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 10:17:21 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 10:17:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/11/2017 10:12:35 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/11/2017 10:12:33 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 10:11:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 10:11:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 10:11:41 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 10:11:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 10:08:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 10:08:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 10:07:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 10:07:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 10:07:10 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 10:07:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 10:06:29 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 10:06:28 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 10:06:26 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 10:06:25 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 10:06:24 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 10:06:23 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 10:01:33 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 10:01:32 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 10:00:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 10:00:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 10:00:41 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 10:00:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 9:55:22 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 9:55:21 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 9:55:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 9:55:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 9:55:01 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 9:55:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 9:50:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 9:50:22 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 9:49:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 9:49:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 9:49:41 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 9:49:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 9:48:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 9:47:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 9:46:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 9:46:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 9:46:20 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 9:46:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 9:44:26 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 9:44:22 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 9:44:06 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 9:44:05 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 9:44:04 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 9:44:03 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/11/2017 9:39:29 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/11/2017 9:39:22 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	2/11/2017 9:38:46 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 9:38:45 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 9:38:44 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 9:38:43 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 9:33:22 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 9:33:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 9:33:06 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 9:33:05 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 9:33:04 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 9:33:03 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/11/2017 9:28:28 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/11/2017 9:28:26 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/11/2017 9:28:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 9:27:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 9:27:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 9:27:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 9:27:41 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 9:27:40 PM	8	unit pH
SC PITUR DORU SNC	Grasimi	2/11/2017 9:27:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 9:26:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 9:25:40 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 9:25:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 9:22:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 9:22:22 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 9:22:07 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 9:22:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 9:22:05 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 9:22:04 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 9:17:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 9:17:22 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 9:16:31 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 9:16:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 9:16:29 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 9:16:28 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 9:11:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 9:11:21 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 9:11:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 9:11:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 9:11:01 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 9:11:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 9:07:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 9:07:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 9:07:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 9:06:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 9:06:40 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 9:06:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 9:06:28 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 9:06:26 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 9:05:29 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 9:05:28 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 9:05:27 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 9:05:26 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 9:00:22 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 9:00:21 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 9:00:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 9:00:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 9:00:01 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 9:00:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 8:55:26 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 8:55:25 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 8:54:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 8:54:29 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 8:54:28 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 8:54:27 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 8:49:22 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 8:49:21 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	2/11/2017 8:49:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 8:49:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 8:49:01 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 8:49:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 8:45:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 8:45:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 8:45:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 8:44:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 8:44:40 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 8:44:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 8:44:28 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 8:44:25 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 8:43:26 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 8:43:25 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 8:43:24 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 8:43:23 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 8:38:24 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 8:38:22 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 8:38:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 8:38:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 8:38:01 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 8:38:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 8:33:25 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 8:33:23 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 8:32:26 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 8:32:25 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 8:32:24 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 8:32:23 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 8:27:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 8:27:22 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 8:27:06 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 8:27:05 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 8:27:04 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 8:27:03 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 8:24:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 8:24:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 8:23:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 8:23:20 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 8:23:10 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 8:23:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 8:22:28 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 8:22:26 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 8:21:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 8:21:29 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 8:21:28 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 8:21:27 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/11/2017 8:16:22 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/11/2017 8:16:21 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 8:15:46 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 8:15:45 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 8:15:44 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 8:15:43 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 8:10:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 8:10:29 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 8:10:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 8:10:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 8:10:21 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 8:10:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 8:05:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 8:05:29 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 8:04:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 8:04:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 8:04:41 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 8:04:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 8:02:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 8:02:00 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	2/11/2017 8:01:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 8:01:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 8:01:20 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 8:01:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 7:59:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 7:59:29 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 7:59:26 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 7:59:25 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 7:59:24 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 7:59:23 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/11/2017 7:54:36 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/11/2017 7:54:32 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 7:53:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 7:53:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 7:53:41 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 7:53:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 7:48:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 7:48:29 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 7:48:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 7:48:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 7:48:21 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 7:48:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 7:43:32 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 7:43:31 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 7:42:55 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 7:42:54 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 7:42:53 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 7:42:52 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 7:40:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 7:40:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 7:40:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 7:39:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 7:39:40 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 7:39:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 7:37:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 7:37:29 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 7:37:26 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 7:37:25 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 7:37:24 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 7:37:23 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 7:32:36 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 7:32:34 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 7:31:57 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 7:31:56 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 7:31:55 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 7:31:54 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 7:26:27 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 7:26:22 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 7:26:06 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 7:26:05 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 7:26:04 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 7:26:03 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 7:21:33 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 7:21:32 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/11/2017 7:21:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 7:20:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 7:20:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 7:20:39 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 7:20:38 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 7:20:37 PM	8	unit pH
SC PITUR DORU SNC	Grasimi	2/11/2017 7:19:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 7:19:00 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 7:18:50 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 7:18:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 7:15:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 7:15:22 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	2/11/2017 7:15:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 7:15:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 7:15:01 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 7:15:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 7:10:31 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 7:10:29 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 7:09:51 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 7:09:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 7:09:49 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 7:09:48 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 7:04:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 7:04:22 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 7:03:59 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 7:03:58 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 7:03:57 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 7:03:56 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 6:59:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 6:59:22 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 6:58:31 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 6:58:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 6:58:29 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 6:58:28 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 6:57:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 6:57:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 6:57:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 6:56:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 6:56:40 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 6:56:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 6:53:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 6:53:22 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 6:53:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 6:53:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 6:53:01 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 6:53:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 6:48:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 6:48:22 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 6:47:35 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 6:47:34 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 6:47:33 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 6:47:32 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 6:42:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 6:42:22 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 6:41:59 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 6:41:58 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 6:41:57 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 6:41:56 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 6:37:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 6:37:22 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 6:36:33 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 6:36:32 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 6:36:31 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 6:36:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 6:35:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 6:35:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 6:34:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 6:34:40 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 6:34:30 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 6:33:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/11/2017 6:31:23 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/11/2017 6:31:22 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 6:31:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 6:30:59 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 6:30:58 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 6:30:57 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 6:26:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 6:26:22 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	2/11/2017 6:25:32 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 6:25:31 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 6:25:30 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 6:25:29 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 6:20:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 6:20:22 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 6:20:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 6:20:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 6:20:01 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 6:20:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 6:15:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 6:15:22 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 6:14:32 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 6:14:31 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 6:14:30 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 6:14:29 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 6:10:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 6:09:50 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/11/2017 6:09:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 6:09:22 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 6:09:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 6:08:54 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 6:08:53 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 6:08:52 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 6:08:51 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/11/2017 6:07:40 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 6:07:30 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 6:07:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 6:04:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 6:04:22 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 6:03:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 6:03:49 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 6:03:48 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 6:03:47 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 5:58:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 5:58:22 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 5:57:54 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 5:57:53 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 5:57:52 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 5:57:51 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 5:52:25 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 5:52:21 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 5:52:15 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 5:52:14 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 5:52:13 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 5:52:12 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 5:47:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 5:47:21 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 5:46:55 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 5:46:54 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 5:46:53 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 5:46:52 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 5:45:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 5:45:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 5:44:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 5:44:40 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 5:44:30 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 5:44:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 5:41:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 5:41:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 5:41:26 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 5:41:25 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 5:41:24 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 5:41:23 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 5:36:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 5:36:22 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	2/11/2017 5:35:55 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 5:35:54 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 5:35:53 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 5:35:52 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 5:30:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 5:30:41 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 5:30:26 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 5:30:25 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 5:30:24 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 5:30:23 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 5:25:38 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 5:25:31 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 5:24:55 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 5:24:54 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 5:24:53 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 5:24:52 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 5:21:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 5:21:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 5:20:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 5:20:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 5:20:00 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 5:19:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 5:19:16 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 5:19:15 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 5:19:08 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 5:19:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 5:19:06 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 5:19:05 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 5:14:29 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 5:14:25 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 5:13:51 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 5:13:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 5:13:49 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 5:13:48 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 5:08:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 5:08:41 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 5:08:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 5:08:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 5:08:01 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 5:08:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/11/2017 5:03:29 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/11/2017 5:03:28 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 5:02:58 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 5:02:57 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 5:02:56 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 5:02:55 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 4:58:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 4:58:21 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 4:57:48 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 4:57:47 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 4:57:46 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 4:57:45 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 4:54:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 4:54:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 4:53:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 4:53:40 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 4:53:30 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 4:53:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 4:52:16 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 4:52:13 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 4:52:06 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 4:52:05 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 4:52:04 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 4:52:03 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 4:47:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 4:47:22 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	2/11/2017 4:46:49 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 4:46:48 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 4:46:47 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 4:46:46 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/11/2017 4:41:23 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/11/2017 4:41:22 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 4:41:06 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 4:41:05 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 4:41:04 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 4:41:03 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 4:36:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 4:36:22 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 4:35:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 4:35:49 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 4:35:48 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 4:35:47 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 4:30:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 4:30:22 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 4:29:58 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 4:29:57 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 4:29:56 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 4:29:55 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 4:27:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 4:27:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 4:26:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 4:26:40 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 4:26:30 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 4:26:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 4:25:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 4:25:22 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 4:24:48 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 4:24:47 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 4:24:46 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 4:24:45 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 4:19:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 4:19:22 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 4:19:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 4:19:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 4:19:01 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 4:19:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 4:14:22 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 4:14:21 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 4:13:46 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 4:13:45 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 4:13:44 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 4:13:43 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 4:08:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 4:08:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 4:07:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 4:07:49 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 4:07:48 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 4:07:47 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 4:03:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 4:03:22 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/11/2017 4:03:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 4:02:44 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 4:02:43 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 4:02:42 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 4:02:41 PM	8	unit pH
SC PITUR DORU SNC	Clor	2/11/2017 4:02:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 4:01:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 4:00:40 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 4:00:30 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 4:00:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 3:57:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 3:57:20 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	2/11/2017 3:56:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 3:56:49 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 3:56:48 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 3:56:47 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/11/2017 3:52:23 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/11/2017 3:52:22 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 3:51:27 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 3:51:26 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 3:51:25 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 3:51:24 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 3:46:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 3:46:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 3:45:49 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 3:45:48 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 3:45:47 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 3:45:46 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 3:41:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 3:41:09 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 3:40:27 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 3:40:26 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 3:40:25 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 3:40:24 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 3:38:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 3:38:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 3:37:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 3:37:40 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 3:37:30 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 3:37:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 3:35:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 3:35:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 3:34:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 3:34:49 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 3:34:48 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 3:34:47 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 3:30:24 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 3:30:23 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 3:29:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 3:29:29 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 3:29:28 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 3:29:27 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 3:24:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 3:24:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 3:23:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 3:23:49 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 3:23:48 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 3:23:47 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 3:19:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 3:19:22 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 3:18:33 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 3:18:32 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 3:18:31 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 3:18:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 3:15:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 3:15:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 3:14:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 3:14:40 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 3:14:30 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 3:14:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 3:13:33 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 3:13:32 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 3:12:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 3:12:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 3:12:41 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 3:12:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/11/2017 3:07:27 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/11/2017 3:07:26 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	2/11/2017 3:07:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 3:07:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 3:07:21 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 3:07:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 3:02:37 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 3:02:32 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 3:01:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 3:01:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 3:01:41 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 3:01:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 2:56:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 2:56:41 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 2:56:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 2:56:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 2:56:21 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 2:56:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 2:52:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 2:52:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 2:51:50 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/11/2017 2:51:34 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 2:51:33 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 2:51:00 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 2:50:50 PM	22	gradCels
SC PITUR DORU SNC	Clor	2/11/2017 2:50:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 2:50:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 2:50:41 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 2:50:40 PM	8	unit pH
SC PITUR DORU SNC	pH	2/11/2017 2:49:50 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/11/2017 2:45:40 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/11/2017 2:45:26 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 2:45:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 2:45:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 2:45:21 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 2:45:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 2:40:13 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 2:40:12 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 2:39:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 2:39:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 2:39:41 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 2:39:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 2:34:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 2:34:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 2:34:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 2:34:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 2:34:01 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 2:34:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 2:29:13 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 2:29:12 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 2:28:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 2:28:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 2:28:41 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 2:28:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 2:27:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 2:27:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 2:26:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 2:26:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 2:26:10 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 2:26:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 2:23:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 2:23:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 2:23:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 2:23:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 2:23:01 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 2:23:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 2:18:14 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 2:18:13 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	2/11/2017 2:17:33 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 2:17:32 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 2:17:31 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 2:17:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 2:12:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 2:12:21 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 2:12:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 2:12:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 2:12:01 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 2:12:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 2:07:14 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 2:07:13 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/11/2017 2:06:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 2:06:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 2:06:26 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 2:06:25 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 2:06:24 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 2:06:23 PM	8	unit pH
SC PITUR DORU SNC	Grasimi	2/11/2017 2:05:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 2:05:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 2:04:40 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 2:04:30 PM	8	unit pH
SC PITUR DORU SNC	pH	2/11/2017 2:01:43 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/11/2017 2:01:42 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/11/2017 2:01:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 2:01:02 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 2:01:01 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 2:01:00 PM	22	gradCels
SC PITUR DORU SNC	Cianuri	2/11/2017 1:56:14 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 1:56:13 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 1:55:26 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 1:55:25 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 1:55:24 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 1:55:23 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 1:50:24 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 1:50:23 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 1:49:52 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 1:49:51 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 1:49:50 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 1:49:49 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 1:45:13 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 1:45:12 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/11/2017 1:44:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 1:44:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 1:44:26 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 1:44:25 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 1:44:24 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 1:44:23 PM	8	unit pH
SC PITUR DORU SNC	Grasimi	2/11/2017 1:43:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 1:43:00 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 1:42:50 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 1:42:30 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/11/2017 1:39:44 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/11/2017 1:39:43 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 1:38:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 1:38:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 1:38:41 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 1:38:40 PM	8	unit pH
SC PITUR DORU SNC	pH	2/11/2017 1:33:45 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 1:33:44 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 1:33:43 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 1:33:22 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 1:33:21 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 1:33:20 PM	22	gradCels
SC PITUR DORU SNC	Substante organice	2/11/2017 1:28:23 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/11/2017 1:28:22 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	2/11/2017 1:27:49 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 1:27:48 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 1:27:47 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 1:27:46 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 1:22:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 1:22:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 1:22:20 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/11/2017 1:22:12 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 1:22:11 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 1:22:09 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 1:22:08 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 1:22:07 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 1:22:06 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/11/2017 1:21:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 1:21:00 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 1:20:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 1:17:27 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 1:17:26 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 1:17:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 1:17:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 1:17:21 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 1:17:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 1:12:24 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 1:12:23 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 1:11:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 1:11:49 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 1:11:48 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 1:11:47 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 1:06:27 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 1:06:26 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 1:06:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 1:06:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 1:06:21 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 1:06:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 1:01:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 1:01:25 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/11/2017 1:01:24 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 1:01:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 1:00:49 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 1:00:48 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 1:00:47 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 1:00:46 PM	8	unit pH
SC PITUR DORU SNC	Grasimi	2/11/2017 12:59:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 12:59:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 12:59:00 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 12:58:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 12:55:27 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 12:55:26 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 12:55:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 12:55:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 12:55:21 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 12:55:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 12:50:28 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 12:50:27 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 12:49:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 12:49:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 12:49:41 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 12:49:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 12:44:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 12:44:21 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 12:44:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 12:44:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 12:44:01 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 12:44:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 12:39:32 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 12:39:31 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	2/11/2017 12:38:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 12:38:49 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 12:38:48 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 12:38:47 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 12:35:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 12:34:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 12:34:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 12:34:00 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 12:33:50 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 12:33:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 12:33:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 12:33:21 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 12:33:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 12:33:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 12:33:01 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 12:33:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 12:28:34 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 12:28:31 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 12:27:49 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 12:27:48 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 12:27:47 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 12:27:46 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 12:22:13 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 12:22:12 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 12:22:08 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 12:22:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 12:22:06 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 12:22:05 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 12:17:25 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 12:17:23 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 12:16:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 12:16:49 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 12:16:48 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 12:16:47 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 12:12:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 12:12:00 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/11/2017 12:11:44 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 12:11:43 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 12:11:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 12:11:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 12:11:01 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 12:11:00 PM	8	unit pH
SC PITUR DORU SNC	Grasimi	2/11/2017 12:09:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 12:09:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 12:09:20 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 12:08:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 12:06:35 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 12:06:32 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 12:05:46 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 12:05:45 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 12:05:44 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 12:05:43 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 12:00:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 12:00:25 PM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 12:00:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 12:00:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 12:00:01 PM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 12:00:00 PM	8	unit pH
SC PITUR DORU SNC	pH	2/11/2017 11:55:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 11:55:38 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 11:55:37 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 11:54:45 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 11:54:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 11:54:43 AM	22	gradCels
SC PITUR DORU SNC	Cianuri	2/11/2017 11:49:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 11:49:21 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	2/11/2017 11:49:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 11:49:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 11:49:01 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 11:49:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 11:47:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 11:47:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 11:46:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 11:46:20 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 11:46:10 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 11:46:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 11:44:33 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 11:44:32 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 11:43:45 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 11:43:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 11:43:43 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 11:43:42 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 11:38:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 11:38:21 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 11:38:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 11:38:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 11:38:01 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 11:38:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 11:33:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 11:33:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 11:32:24 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 11:32:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 11:32:22 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 11:32:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 11:27:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 11:27:41 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 11:26:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 11:26:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 11:26:41 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 11:26:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 11:24:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 11:24:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 11:23:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 11:23:40 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 11:23:30 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 11:23:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 11:21:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 11:21:24 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 11:21:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 11:21:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 11:21:21 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 11:21:20 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/11/2017 11:16:42 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/11/2017 11:16:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 11:15:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 11:15:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 11:15:41 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 11:15:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 11:10:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 11:10:24 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 11:10:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 11:10:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 11:10:21 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 11:10:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 11:05:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 11:05:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 11:04:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 11:04:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 11:04:41 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 11:04:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 10:59:30 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/11/2017 10:59:25 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	2/11/2017 10:59:24 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 10:59:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 10:59:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 10:59:21 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 10:59:20 AM	8	unit pH
SC PITUR DORU SNC	Clor	2/11/2017 10:59:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 10:58:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 10:58:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 10:58:00 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 10:57:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 10:54:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 10:54:41 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 10:53:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 10:53:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 10:53:41 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 10:53:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 10:48:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 10:48:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 10:48:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 10:48:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 10:48:01 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 10:48:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 10:43:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 10:43:41 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 10:42:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 10:42:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 10:42:41 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 10:42:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 10:37:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 10:37:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 10:37:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 10:37:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 10:37:01 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 10:37:00 AM	8	unit pH
SC PITUR DORU SNC	Temp	2/11/2017 10:32:43 AM	22	gradCels
SC PITUR DORU SNC	Cianuri	2/11/2017 10:32:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 10:32:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 10:31:42 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 10:31:41 AM	0	mg/l
SC PITUR DORU SNC	pH	2/11/2017 10:31:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 10:30:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 10:30:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 10:29:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 10:29:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 10:29:10 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 10:29:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 10:26:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 10:26:41 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 10:26:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 10:26:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 10:26:01 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 10:26:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 10:21:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 10:21:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 10:20:25 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 10:20:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 10:20:23 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 10:20:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 10:15:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 10:15:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 10:15:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 10:15:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 10:15:01 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 10:15:00 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/11/2017 10:10:42 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/11/2017 10:10:41 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	2/11/2017 10:09:25 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 10:09:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 10:09:23 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 10:09:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 10:04:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 10:04:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 10:04:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 10:04:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 10:04:01 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 10:04:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 10:01:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 10:01:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 10:01:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 10:01:00 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 10:00:50 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 10:00:40 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/11/2017 9:59:41 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/11/2017 9:59:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 9:58:24 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 9:58:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 9:58:22 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 9:58:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 9:53:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 9:53:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 9:53:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 9:53:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 9:53:01 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 9:53:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 9:48:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 9:48:22 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 9:47:25 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 9:47:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 9:47:23 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 9:47:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 9:42:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 9:42:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 9:42:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 9:42:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 9:42:01 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 9:42:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 9:37:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 9:37:20 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/11/2017 9:36:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 9:36:25 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 9:36:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 9:36:23 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 9:36:22 AM	8	unit pH
SC PITUR DORU SNC	Clor	2/11/2017 9:36:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 9:35:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 9:35:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 9:34:40 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 9:34:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 9:31:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 9:31:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 9:30:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 9:30:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 9:30:41 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 9:30:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 9:25:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 9:25:24 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 9:25:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 9:25:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 9:25:21 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 9:25:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 9:20:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 9:20:24 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	2/11/2017 9:20:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 9:20:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 9:20:21 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 9:20:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 9:15:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 9:15:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 9:14:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 9:14:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 9:14:41 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 9:14:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 9:13:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 9:12:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 9:12:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 9:12:10 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 9:12:00 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 9:11:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 9:09:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 9:09:24 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 9:09:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 9:09:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 9:09:21 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 9:09:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 9:04:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 9:04:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 9:03:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 9:03:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 9:03:41 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 9:03:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 8:58:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 8:58:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 8:58:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 8:58:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 8:58:01 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 8:58:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 8:53:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 8:53:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 8:52:44 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 8:52:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 8:52:42 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 8:52:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 8:47:30 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/11/2017 8:47:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 8:47:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 8:47:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 8:47:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 8:47:01 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 8:47:00 AM	8	unit pH
SC PITUR DORU SNC	Clor	2/11/2017 8:46:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 8:46:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 8:46:00 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 8:45:50 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 8:45:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 8:42:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 8:42:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 8:41:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 8:41:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 8:41:41 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 8:41:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 8:36:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 8:36:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 8:36:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 8:36:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 8:36:01 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 8:36:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 8:31:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 8:31:20 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	2/11/2017 8:30:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 8:30:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 8:30:41 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 8:30:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 8:25:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 8:25:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 8:25:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 8:25:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 8:25:01 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 8:25:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 8:21:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 8:21:40 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/11/2017 8:20:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 8:20:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 8:20:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 8:19:50 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 8:19:40 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 8:19:30 AM	8	unit pH
SC PITUR DORU SNC	Clor	2/11/2017 8:19:25 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 8:19:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 8:19:23 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 8:19:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 8:14:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 8:14:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 8:14:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 8:14:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 8:14:01 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 8:14:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 8:09:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 8:09:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 8:08:25 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 8:08:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 8:08:23 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 8:08:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 8:03:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 8:03:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 8:03:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 8:03:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 8:03:01 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 8:03:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 7:58:24 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 7:58:23 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 7:57:25 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 7:57:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 7:57:23 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 7:57:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 7:54:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 7:54:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 7:52:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 7:52:30 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/11/2017 7:52:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 7:52:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 7:52:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 7:52:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 7:52:01 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 7:52:00 AM	8	unit pH
SC PITUR DORU SNC	Temp	2/11/2017 7:51:40 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 7:51:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 7:47:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 7:47:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 7:47:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 7:47:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 7:47:01 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 7:47:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 7:42:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 7:42:43 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	2/11/2017 7:42:41 AM	8	unit pH
SC PITUR DORU SNC	Clor	2/11/2017 7:41:22 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 7:41:21 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 7:41:20 AM	22	gradCels
SC PITUR DORU SNC	Cianuri	2/11/2017 7:36:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 7:36:21 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 7:36:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 7:36:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 7:36:01 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 7:36:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 7:31:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 7:31:41 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 7:30:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 7:30:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 7:30:21 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 7:30:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 7:27:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 7:27:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 7:25:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 7:25:40 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 7:25:30 AM	22	gradCels
SC PITUR DORU SNC	Cianuri	2/11/2017 7:25:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 7:25:21 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 7:25:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 7:25:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 7:25:01 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 7:25:00 AM	8	unit pH
SC PITUR DORU SNC	pH	2/11/2017 7:24:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 7:20:08 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 7:20:07 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 7:19:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 7:19:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 7:19:21 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 7:19:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 7:14:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 7:14:41 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 7:13:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 7:13:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 7:13:41 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 7:13:40 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/11/2017 7:09:42 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/11/2017 7:09:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 7:08:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 7:08:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 7:08:21 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 7:08:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 7:03:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 7:03:41 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 7:02:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 7:02:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 7:02:41 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 7:02:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 6:58:50 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/11/2017 6:58:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 6:58:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 6:57:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 6:57:25 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 6:57:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 6:57:23 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 6:57:22 AM	8	unit pH
SC PITUR DORU SNC	Grasimi	2/11/2017 6:57:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 6:56:50 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 6:56:40 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 6:56:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 6:52:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 6:52:22 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	2/11/2017 6:51:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 6:51:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 6:51:41 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 6:51:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 6:47:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 6:47:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 6:46:25 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 6:46:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 6:46:23 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 6:46:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 6:41:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 6:41:41 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 6:40:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 6:40:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 6:40:41 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 6:40:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 6:35:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 6:35:24 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 6:35:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 6:35:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 6:35:21 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 6:35:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 6:34:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 6:33:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 6:33:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 6:32:50 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 6:32:40 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 6:32:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 6:30:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 6:30:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 6:29:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 6:29:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 6:29:41 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 6:29:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 6:24:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 6:24:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 6:24:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 6:24:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 6:24:01 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 6:24:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 6:19:26 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 6:19:25 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 6:18:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 6:18:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 6:18:41 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 6:18:40 AM	8	unit pH
SC PITUR DORU SNC	pH	2/11/2017 6:13:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 6:13:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 6:13:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 6:13:02 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 6:13:01 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 6:13:00 AM	22	gradCels
SC PITUR DORU SNC	Cianuri	2/11/2017 6:09:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 6:09:00 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/11/2017 6:08:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 6:08:44 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 6:07:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 6:07:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 6:07:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 6:07:41 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 6:07:40 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/11/2017 6:07:00 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 6:06:50 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 6:06:30 AM	8	unit pH
SC PITUR DORU SNC	pH	2/11/2017 6:02:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 6:02:21 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	2/11/2017 6:02:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 6:02:02 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 6:02:01 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 6:02:00 AM	22	gradCels
SC PITUR DORU SNC	Substante organice	2/11/2017 5:57:45 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/11/2017 5:57:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 5:56:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 5:56:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 5:56:41 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 5:56:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 5:52:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 5:52:21 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 5:51:44 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 5:51:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 5:51:42 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 5:51:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 5:46:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 5:46:21 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 5:46:06 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 5:46:05 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 5:46:04 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 5:46:03 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 5:44:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 5:43:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 5:43:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 5:43:20 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 5:43:10 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 5:42:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 5:41:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 5:41:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 5:40:46 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 5:40:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 5:40:44 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 5:40:43 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/11/2017 5:35:24 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/11/2017 5:35:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 5:35:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 5:35:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 5:35:05 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 5:35:04 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 5:30:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 5:30:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 5:29:26 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 5:29:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 5:29:24 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 5:29:23 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 5:24:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 5:24:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 5:24:06 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 5:24:05 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 5:24:04 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 5:24:03 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 5:20:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 5:20:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 5:19:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 5:19:21 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/11/2017 5:19:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 5:19:00 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 5:18:50 AM	22	gradCels
SC PITUR DORU SNC	Clor	2/11/2017 5:18:48 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 5:18:47 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 5:18:46 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 5:18:45 AM	8	unit pH
SC PITUR DORU SNC	pH	2/11/2017 5:18:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 5:13:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 5:13:24 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	2/11/2017 5:13:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 5:13:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 5:13:01 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 5:13:00 AM	8	unit pH
SC PITUR DORU SNC	pH	2/11/2017 5:08:24 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 5:08:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 5:08:22 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 5:07:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 5:07:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 5:07:41 AM	22	gradCels
SC PITUR DORU SNC	Cianuri	2/11/2017 5:02:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 5:02:24 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 5:02:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 5:02:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 5:02:01 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 5:02:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 4:57:24 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 4:57:23 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 4:56:48 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 4:56:47 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 4:56:46 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 4:56:45 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 4:55:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 4:55:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 4:54:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 4:54:20 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 4:54:10 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 4:54:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 4:51:13 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 4:51:12 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 4:51:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 4:51:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 4:51:05 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 4:51:04 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/11/2017 4:46:21 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/11/2017 4:46:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 4:45:44 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 4:45:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 4:45:42 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 4:45:41 AM	8	unit pH
SC PITUR DORU SNC	pH	2/11/2017 4:40:42 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/11/2017 4:40:41 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/11/2017 4:40:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 4:40:02 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 4:40:01 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 4:40:00 AM	22	gradCels
SC PITUR DORU SNC	Cianuri	2/11/2017 4:35:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 4:35:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 4:34:44 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 4:34:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 4:34:42 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 4:34:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 4:32:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 4:32:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 4:31:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 4:31:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 4:31:20 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 4:30:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 4:29:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 4:29:21 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 4:29:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 4:29:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 4:29:01 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 4:29:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 4:24:24 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 4:24:23 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	2/11/2017 4:23:44 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 4:23:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 4:23:42 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 4:23:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 4:18:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 4:18:21 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 4:17:44 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 4:17:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 4:17:42 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 4:17:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 4:13:24 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 4:13:23 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 4:12:44 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 4:12:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 4:12:42 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 4:12:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 4:09:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 4:09:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 4:08:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 4:08:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 4:07:50 AM	22	gradCels
SC PITUR DORU SNC	Cianuri	2/11/2017 4:07:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 4:07:41 AM	0	mg/l
SC PITUR DORU SNC	pH	2/11/2017 4:07:00 AM	8	unit pH
SC PITUR DORU SNC	Clor	2/11/2017 4:06:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 4:06:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 4:06:41 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 4:06:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 4:02:27 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 4:02:26 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 4:01:44 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 4:01:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 4:01:42 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 4:01:41 AM	8	unit pH
SC PITUR DORU SNC	pH	2/11/2017 3:56:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 3:56:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 3:56:41 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 3:55:42 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 3:55:41 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 3:55:40 AM	22	gradCels
SC PITUR DORU SNC	Cianuri	2/11/2017 3:51:28 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 3:51:27 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 3:50:26 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 3:50:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 3:50:24 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 3:50:23 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 3:45:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 3:45:40 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/11/2017 3:45:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 3:44:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 3:44:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 3:44:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 3:44:41 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 3:44:40 AM	8	unit pH
SC PITUR DORU SNC	Grasimi	2/11/2017 3:43:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 3:43:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 3:43:00 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 3:42:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 3:39:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 3:39:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 3:39:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 3:39:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 3:39:21 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 3:39:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 3:34:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 3:34:41 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	2/11/2017 3:33:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 3:33:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 3:33:41 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 3:33:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 3:28:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 3:28:21 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 3:28:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 3:28:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 3:28:01 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 3:28:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 3:23:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 3:23:21 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 3:22:44 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 3:22:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 3:22:42 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 3:22:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 3:21:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 3:20:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 3:20:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 3:20:20 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 3:20:10 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 3:19:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 3:17:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 3:17:21 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 3:17:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 3:17:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 3:17:01 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 3:17:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 3:12:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 3:12:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 3:11:46 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 3:11:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 3:11:44 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 3:11:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 3:06:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 3:06:21 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 3:06:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 3:06:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 3:06:01 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 3:06:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 3:01:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 3:01:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 3:00:46 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 3:00:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 3:00:44 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 3:00:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 2:59:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 2:59:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 2:58:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 2:58:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 2:58:00 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 2:57:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 2:55:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 2:55:21 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 2:55:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 2:55:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 2:55:01 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 2:55:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 2:50:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 2:50:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 2:49:27 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 2:49:26 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 2:49:25 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 2:49:24 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 2:44:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 2:44:21 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	2/11/2017 2:44:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 2:44:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 2:44:01 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 2:44:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 2:39:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 2:39:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 2:38:26 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 2:38:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 2:38:24 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 2:38:23 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 2:35:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 2:35:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 2:34:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 2:34:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 2:34:00 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 2:33:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 2:33:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 2:33:41 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 2:32:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 2:32:49 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 2:32:48 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 2:32:47 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 2:28:05 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 2:28:04 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 2:28:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 2:28:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 2:28:01 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 2:28:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 2:23:05 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 2:23:03 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 2:22:26 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 2:22:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 2:22:24 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 2:22:23 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 2:17:05 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 2:17:04 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 2:17:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 2:17:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 2:17:01 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 2:17:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 2:12:24 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 2:12:23 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 2:11:46 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 2:11:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 2:11:44 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 2:11:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 2:10:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 2:10:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 2:09:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 2:09:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 2:09:10 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 2:09:00 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	2/11/2017 2:06:21 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	2/11/2017 2:06:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 2:05:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 2:05:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 2:05:41 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 2:05:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 2:01:34 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 2:01:33 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 2:00:46 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 2:00:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 2:00:44 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 2:00:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 1:55:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 1:55:20 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	2/11/2017 1:54:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 1:54:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 1:54:41 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 1:54:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 1:50:28 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 1:50:26 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 1:49:26 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 1:49:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 1:49:24 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 1:49:23 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 1:47:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 1:47:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 1:46:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 1:46:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 1:46:20 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 1:45:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 1:44:27 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 1:44:26 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 1:43:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 1:43:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 1:43:41 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 1:43:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 1:39:13 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 1:39:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 1:38:46 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 1:38:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 1:38:44 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 1:38:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 1:33:05 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 1:33:03 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 1:32:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 1:32:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 1:32:41 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 1:32:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 1:27:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 1:27:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 1:27:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 1:27:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 1:27:21 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 1:27:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 1:25:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 1:24:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 1:24:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 1:24:20 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 1:23:40 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 1:23:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 1:22:04 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 1:22:03 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 1:21:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 1:21:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 1:21:41 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 1:21:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 1:16:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 1:16:21 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 1:16:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 1:16:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 1:16:01 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 1:16:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 1:11:07 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 1:11:06 AM	0	mg/l
SC PITUR DORU SNC	Clor	2/11/2017 1:10:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	2/11/2017 1:10:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	2/11/2017 1:10:41 AM	22	gradCels
SC PITUR DORU SNC	pH	2/11/2017 1:10:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	2/11/2017 1:05:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	2/11/2017 1:05:21 AM	0	mg/l