

Analiza evolutie pe mai multi senzori

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	6/20/2016 1:56:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/20/2016 1:56:20 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/20/2016 1:55:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/20/2016 1:55:45 AM	29	gradCels
SC PITUR DORU SNC	pH	6/20/2016 1:55:44 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/20/2016 1:50:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/20/2016 1:50:40 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/20/2016 1:50:07 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/20/2016 1:50:06 AM	29	gradCels
SC PITUR DORU SNC	pH	6/20/2016 1:50:05 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/20/2016 1:45:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/20/2016 1:44:46 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/20/2016 1:44:45 AM	8	mg/l
SC PITUR DORU SNC	Temp	6/20/2016 1:44:44 AM	29	gradCels
SC PITUR DORU SNC	pH	6/20/2016 1:44:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/20/2016 1:39:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/20/2016 1:39:40 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/20/2016 1:39:03 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/20/2016 1:39:02 AM	29	gradCels
SC PITUR DORU SNC	pH	6/20/2016 1:39:01 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/20/2016 1:34:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/20/2016 1:34:20 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/20/2016 1:33:47 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/20/2016 1:33:46 AM	29	gradCels
SC PITUR DORU SNC	pH	6/20/2016 1:33:45 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/20/2016 1:28:41 AM	8	mg/l
SC PITUR DORU SNC	Cianuri	6/20/2016 1:28:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/20/2016 1:28:11 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/20/2016 1:28:10 AM	29	gradCels
SC PITUR DORU SNC	pH	6/20/2016 1:28:09 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/20/2016 1:23:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/20/2016 1:23:20 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/20/2016 1:22:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/20/2016 1:22:44 AM	29	gradCels
SC PITUR DORU SNC	pH	6/20/2016 1:22:43 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/20/2016 1:17:43 AM	8	mg/l
SC PITUR DORU SNC	Cianuri	6/20/2016 1:17:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/20/2016 1:17:08 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/20/2016 1:17:07 AM	29	gradCels
SC PITUR DORU SNC	pH	6/20/2016 1:17:06 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/20/2016 1:12:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/20/2016 1:11:47 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/20/2016 1:11:46 AM	8	mg/l
SC PITUR DORU SNC	Temp	6/20/2016 1:11:45 AM	29	gradCels
SC PITUR DORU SNC	pH	6/20/2016 1:11:44 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/20/2016 1:06:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/20/2016 1:06:41 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/20/2016 1:06:08 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/20/2016 1:06:07 AM	29	gradCels
SC PITUR DORU SNC	pH	6/20/2016 1:06:06 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/20/2016 1:01:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/20/2016 1:01:20 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/20/2016 1:00:47 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/20/2016 1:00:46 AM	29	gradCels
SC PITUR DORU SNC	pH	6/20/2016 1:00:45 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/20/2016 12:55:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/20/2016 12:55:20 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/20/2016 12:54:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/20/2016 12:54:42 AM	29	gradCels
SC PITUR DORU SNC	pH	6/20/2016 12:54:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/20/2016 12:50:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/20/2016 12:50:20 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/20/2016 12:49:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/20/2016 12:49:45 AM	29	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	6/20/2016 12:49:44 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/20/2016 12:44:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/20/2016 12:44:20 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/20/2016 12:43:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/20/2016 12:43:42 AM	29	gradCels
SC PITUR DORU SNC	pH	6/20/2016 12:43:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/20/2016 12:39:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/20/2016 12:39:20 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/20/2016 12:38:47 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/20/2016 12:38:46 AM	29	gradCels
SC PITUR DORU SNC	pH	6/20/2016 12:38:45 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/20/2016 12:33:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/20/2016 12:33:21 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/20/2016 12:32:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/20/2016 12:32:42 AM	29	gradCels
SC PITUR DORU SNC	pH	6/20/2016 12:32:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/20/2016 12:28:07 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/20/2016 12:28:06 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/20/2016 12:27:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/20/2016 12:27:44 AM	29	gradCels
SC PITUR DORU SNC	pH	6/20/2016 12:27:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/20/2016 12:22:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/20/2016 12:22:21 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/20/2016 12:21:48 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/20/2016 12:21:47 AM	29	gradCels
SC PITUR DORU SNC	pH	6/20/2016 12:21:46 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/20/2016 12:17:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/20/2016 12:17:01 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/20/2016 12:16:50 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/20/2016 12:16:49 AM	29	gradCels
SC PITUR DORU SNC	pH	6/20/2016 12:16:48 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/20/2016 12:11:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/20/2016 12:11:02 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/20/2016 12:10:48 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/20/2016 12:10:47 AM	29	gradCels
SC PITUR DORU SNC	pH	6/20/2016 12:10:46 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/20/2016 12:06:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/20/2016 12:06:01 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/20/2016 12:05:56 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/20/2016 12:05:55 AM	29	gradCels
SC PITUR DORU SNC	pH	6/20/2016 12:05:54 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/20/2016 12:00:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/20/2016 12:00:20 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 11:59:43 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 11:59:42 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 11:59:41 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 11:55:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 11:55:20 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 11:54:43 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 11:54:42 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 11:54:41 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 11:50:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 11:50:20 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 11:49:51 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 11:49:50 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 11:49:49 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 11:44:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 11:44:40 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 11:43:43 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 11:43:42 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 11:43:41 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 11:39:22 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 11:39:21 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 11:39:08 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 11:39:07 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 11:39:06 PM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	6/19/2016 11:33:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 11:33:43 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 11:32:43 PM	0	mg/l
SC PITUR DORU SNC	pH	6/19/2016 11:32:42 PM	8	unit pH
SC PITUR DORU SNC	Temp	6/19/2016 11:32:41 PM	29	gradCels
SC PITUR DORU SNC	Cianuri	6/19/2016 11:28:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 11:28:01 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 11:27:49 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 11:27:48 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 11:27:47 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 11:22:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 11:22:41 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 11:22:03 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 11:22:02 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 11:22:01 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 11:17:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 11:17:01 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 11:16:08 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 11:16:07 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 11:16:06 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 11:11:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 11:11:08 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 11:11:07 PM	8	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 11:11:06 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 11:11:05 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 11:06:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 11:06:00 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 11:05:03 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 11:05:02 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 11:05:01 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 11:00:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 11:00:41 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 10:59:48 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 10:59:47 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 10:59:46 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 10:55:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 10:55:01 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 10:54:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 10:54:29 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 10:54:28 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 10:49:22 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 10:49:21 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 10:48:24 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 10:48:23 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 10:48:22 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 10:44:01 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 10:43:08 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 10:43:07 PM	8	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 10:43:06 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 10:43:05 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 10:38:22 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 10:38:21 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 10:37:47 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 10:37:46 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 10:37:45 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 10:33:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 10:33:01 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 10:32:04 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 10:32:03 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 10:32:02 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/19/2016 10:27:23 PM	8	mg/l
SC PITUR DORU SNC	Cianuri	6/19/2016 10:27:21 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 10:26:28 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 10:26:27 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 10:26:26 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 10:22:02 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	6/19/2016 10:22:01 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 10:21:12 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 10:21:11 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 10:21:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 10:16:21 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 10:15:25 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 10:15:24 PM	8	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 10:15:23 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 10:15:22 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 10:11:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 10:11:21 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 10:10:25 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 10:10:24 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 10:10:23 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 10:06:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 10:06:01 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 10:05:03 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 10:05:02 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 10:05:01 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 10:00:22 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 10:00:20 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 9:59:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 9:59:21 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 9:59:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 9:55:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 9:55:01 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 9:54:08 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 9:54:07 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 9:54:06 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 9:49:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 9:49:20 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 9:48:23 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 9:48:22 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 9:48:21 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 9:43:21 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 9:43:04 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 9:43:03 PM	8	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 9:43:02 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 9:43:01 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 9:38:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 9:38:21 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 9:37:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 9:37:49 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 9:37:48 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/19/2016 9:32:43 PM	8	mg/l
SC PITUR DORU SNC	Cianuri	6/19/2016 9:32:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 9:32:05 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 9:32:04 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 9:32:03 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 9:27:22 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 9:27:21 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 9:26:47 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 9:26:46 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 9:26:45 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 9:21:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 9:21:41 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 9:21:08 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 9:21:07 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 9:21:06 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 9:16:22 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 9:16:20 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 9:15:47 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 9:15:46 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 9:15:45 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 9:10:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 9:10:41 PM	8	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	6/19/2016 9:10:12 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 9:10:11 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 9:10:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 9:05:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 9:05:00 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 9:04:23 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 9:04:22 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 9:04:21 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 8:59:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 8:59:41 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 8:59:04 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 8:59:03 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 8:59:02 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 8:54:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 8:54:01 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 8:53:23 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 8:53:22 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 8:53:21 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/19/2016 8:48:43 PM	8	mg/l
SC PITUR DORU SNC	Cianuri	6/19/2016 8:48:25 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 8:48:09 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 8:48:08 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 8:48:07 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 8:43:01 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 8:42:31 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 8:42:30 PM	8	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 8:42:29 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 8:42:28 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 8:37:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 8:37:41 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 8:37:12 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 8:37:11 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 8:37:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 8:32:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 8:32:01 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 8:31:23 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 8:31:22 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 8:31:21 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 8:26:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 8:26:41 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 8:26:05 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 8:26:04 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 8:26:03 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 8:21:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 8:21:00 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 8:20:27 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 8:20:26 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 8:20:25 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 8:15:21 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 8:14:54 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 8:14:52 PM	8	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 8:14:51 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 8:14:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 8:10:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 8:10:01 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 8:09:27 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 8:09:26 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 8:09:25 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 8:04:24 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 8:04:21 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 8:03:49 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 8:03:48 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 8:03:47 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 7:59:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 7:59:01 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 7:58:28 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Temp	6/19/2016 7:58:27 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 7:58:26 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/19/2016 7:53:22 PM	8	mg/l
SC PITUR DORU SNC	Cianuri	6/19/2016 7:53:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 7:52:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 7:52:49 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 7:52:48 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 7:48:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 7:48:01 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 7:47:12 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 7:47:11 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 7:47:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 7:42:21 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 7:41:53 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 7:41:52 PM	8	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 7:41:51 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 7:41:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 7:37:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 7:36:42 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 7:35:54 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 7:35:53 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 7:35:52 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 7:31:22 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 7:31:20 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 7:30:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 7:30:49 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 7:30:48 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 7:26:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 7:26:01 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 7:25:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 7:25:45 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 7:25:44 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 7:20:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 7:20:41 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 7:20:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 7:20:09 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 7:20:08 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 7:15:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 7:15:01 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 7:14:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 7:14:45 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 7:14:44 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 7:09:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 7:09:20 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 7:08:51 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 7:08:50 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 7:08:49 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 7:04:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 7:04:01 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 7:03:45 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 7:03:44 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 7:03:43 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/19/2016 6:58:23 PM	8	mg/l
SC PITUR DORU SNC	Cianuri	6/19/2016 6:58:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 6:57:52 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 6:57:51 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 6:57:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 6:53:22 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 6:53:21 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 6:53:08 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 6:53:07 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 6:53:06 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 6:47:22 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 6:47:21 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 6:46:55 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 6:46:54 PM	29	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	6/19/2016 6:46:53 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 6:42:01 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 6:41:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 6:41:44 PM	8	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 6:41:43 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 6:41:42 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 6:36:22 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 6:36:21 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 6:35:53 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 6:35:52 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 6:35:51 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 6:31:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 6:31:01 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 6:30:43 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 6:30:42 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 6:30:41 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 6:25:22 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 6:25:21 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 6:25:05 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 6:25:04 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 6:25:03 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 6:20:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 6:20:01 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 6:19:45 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 6:19:44 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 6:19:43 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/19/2016 6:15:02 PM	8	mg/l
SC PITUR DORU SNC	Cianuri	6/19/2016 6:15:01 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 6:14:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 6:14:41 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 6:14:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/19/2016 6:10:01 PM	8	mg/l
SC PITUR DORU SNC	Cianuri	6/19/2016 6:09:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 6:09:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 6:09:29 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 6:09:28 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 6:05:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 6:05:01 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 6:04:48 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 6:04:47 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 6:04:46 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/19/2016 5:59:41 PM	8	mg/l
SC PITUR DORU SNC	Cianuri	6/19/2016 5:59:21 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 5:58:55 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 5:58:54 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 5:58:53 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 5:55:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 5:54:42 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 5:53:53 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 5:53:52 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 5:53:51 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/19/2016 5:49:43 PM	8	mg/l
SC PITUR DORU SNC	Cianuri	6/19/2016 5:49:22 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 5:48:48 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 5:48:47 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 5:48:46 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/19/2016 5:44:46 PM	8	mg/l
SC PITUR DORU SNC	Cianuri	6/19/2016 5:44:42 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 5:42:23 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 5:42:22 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 5:42:21 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/19/2016 5:39:43 PM	8	mg/l
SC PITUR DORU SNC	Cianuri	6/19/2016 5:39:42 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 5:37:28 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 5:37:27 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 5:37:26 PM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	6/19/2016 5:34:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 5:34:22 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 5:32:27 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 5:32:26 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 5:32:25 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/19/2016 5:30:00 PM	8	mg/l
SC PITUR DORU SNC	Cianuri	6/19/2016 5:27:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 5:27:27 PM	0	mg/l
SC PITUR DORU SNC	pH	6/19/2016 5:27:26 PM	8	unit pH
SC PITUR DORU SNC	Temp	6/19/2016 5:27:25 PM	29	gradCels
SC PITUR DORU SNC	Substante organice	6/19/2016 5:24:44 PM	8	mg/l
SC PITUR DORU SNC	Cianuri	6/19/2016 5:22:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 5:22:28 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 5:22:27 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 5:22:26 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 5:19:25 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 5:19:20 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 5:17:09 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 5:17:08 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 5:17:07 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/19/2016 5:15:02 PM	8	mg/l
SC PITUR DORU SNC	Cianuri	6/19/2016 5:15:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 5:12:27 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 5:12:26 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 5:12:25 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/19/2016 5:09:44 PM	8	mg/l
SC PITUR DORU SNC	Cianuri	6/19/2016 5:09:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 5:07:27 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 5:07:26 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 5:07:25 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/19/2016 5:04:21 PM	8	mg/l
SC PITUR DORU SNC	Cianuri	6/19/2016 5:04:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 5:02:08 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 5:02:07 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 5:02:06 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/19/2016 4:59:44 PM	8	mg/l
SC PITUR DORU SNC	Cianuri	6/19/2016 4:59:21 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 4:57:28 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 4:57:27 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 4:57:26 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 4:54:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 4:54:04 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 4:52:03 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 4:52:02 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 4:52:01 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 4:47:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 4:47:41 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 4:45:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 4:45:45 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 4:45:44 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/19/2016 4:43:21 PM	8	mg/l
SC PITUR DORU SNC	Cianuri	6/19/2016 4:43:02 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 4:41:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 4:41:06 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 4:41:05 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/19/2016 4:39:01 PM	8	mg/l
SC PITUR DORU SNC	Cianuri	6/19/2016 4:38:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 4:36:47 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 4:36:46 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 4:36:45 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/19/2016 4:35:00 PM	8	mg/l
SC PITUR DORU SNC	Cianuri	6/19/2016 4:34:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 4:32:27 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 4:32:26 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 4:32:25 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/19/2016 4:30:26 PM	8	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	6/19/2016 4:30:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 4:28:08 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 4:28:07 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 4:28:06 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 4:26:04 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 4:26:02 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 4:23:28 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 4:23:27 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 4:23:26 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 4:21:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 4:21:21 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 4:18:49 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 4:18:48 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 4:18:47 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 4:16:42 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 4:14:28 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 4:14:27 PM	8	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 4:14:26 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 4:14:25 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/19/2016 4:11:42 PM	8	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 4:11:41 PM	29	gradCels
SC PITUR DORU SNC	Cianuri	6/19/2016 4:10:01 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 4:10:00 PM	0	mg/l
SC PITUR DORU SNC	pH	6/19/2016 4:09:42 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 4:08:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 4:08:05 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 4:05:39 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 4:05:38 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 4:05:37 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 4:04:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 4:03:45 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 4:00:43 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 4:00:42 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 4:00:41 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/19/2016 4:00:02 PM	8	mg/l
SC PITUR DORU SNC	Cianuri	6/19/2016 3:59:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 3:56:27 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 3:56:26 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 3:56:25 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/19/2016 3:55:25 PM	8	mg/l
SC PITUR DORU SNC	Cianuri	6/19/2016 3:54:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 3:54:26 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 3:54:25 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 3:54:24 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/19/2016 3:49:40 PM	8	mg/l
SC PITUR DORU SNC	Cianuri	6/19/2016 3:47:21 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 3:47:08 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 3:47:07 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 3:47:06 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/19/2016 3:45:22 PM	8	mg/l
SC PITUR DORU SNC	Cianuri	6/19/2016 3:45:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 3:42:47 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 3:42:46 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 3:42:45 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/19/2016 3:40:45 PM	8	mg/l
SC PITUR DORU SNC	Cianuri	6/19/2016 3:40:44 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 3:38:27 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 3:38:26 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 3:38:25 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/19/2016 3:36:46 PM	8	mg/l
SC PITUR DORU SNC	Cianuri	6/19/2016 3:36:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 3:34:09 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 3:34:08 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 3:34:07 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/19/2016 3:30:03 PM	8	mg/l
SC PITUR DORU SNC	Cianuri	6/19/2016 3:30:02 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	6/19/2016 3:27:48 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 3:27:47 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 3:27:46 PM	8	unit pH
SC PITUR DORU SNC	Temp	6/19/2016 3:26:26 PM	29	gradCels
SC PITUR DORU SNC	Cianuri	6/19/2016 3:26:22 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 3:26:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 3:25:48 PM	8	mg/l
SC PITUR DORU SNC	pH	6/19/2016 3:25:47 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 3:25:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 3:25:20 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 3:22:47 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 3:22:46 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 3:22:45 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 3:19:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 3:19:04 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 3:19:03 PM	8	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 3:19:02 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 3:19:01 PM	8	unit pH
SC PITUR DORU SNC	Grasimi	6/19/2016 3:12:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 3:12:44 PM	8	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 3:12:43 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 3:12:42 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/19/2016 3:09:22 PM	8	mg/l
SC PITUR DORU SNC	Cianuri	6/19/2016 3:06:01 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 3:05:44 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 3:05:43 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 3:05:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/19/2016 3:04:42 PM	8	mg/l
SC PITUR DORU SNC	Cianuri	6/19/2016 3:01:01 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 3:00:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 3:00:41 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 3:00:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 2:59:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 2:59:02 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 2:56:48 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 2:56:47 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 2:56:46 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 2:53:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 2:53:04 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 2:53:03 PM	8	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 2:53:02 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 2:53:01 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 2:46:22 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 2:46:21 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 2:45:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 2:45:21 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 2:45:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 2:43:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 2:40:04 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 2:40:03 PM	8	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 2:40:02 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 2:40:01 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/19/2016 2:35:21 PM	8	mg/l
SC PITUR DORU SNC	Cianuri	6/19/2016 2:35:01 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 2:34:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 2:34:21 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 2:34:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/19/2016 2:32:42 PM	8	mg/l
SC PITUR DORU SNC	Cianuri	6/19/2016 2:32:24 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 2:29:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 2:29:01 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 2:29:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/19/2016 2:24:21 PM	8	mg/l
SC PITUR DORU SNC	Cianuri	6/19/2016 2:24:01 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 2:23:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 2:23:21 PM	29	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	6/19/2016 2:23:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 2:21:24 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 2:21:22 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 2:18:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 2:18:01 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 2:18:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 2:13:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 2:12:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 2:12:22 PM	8	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 2:12:21 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 2:12:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 2:10:27 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 2:10:24 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 2:07:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 2:07:01 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 2:07:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 2:02:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 2:02:21 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 2:01:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 2:01:21 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 2:01:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 1:59:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 1:59:25 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 1:56:03 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 1:56:02 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 1:56:01 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/19/2016 1:51:01 PM	8	mg/l
SC PITUR DORU SNC	Cianuri	6/19/2016 1:51:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 1:50:08 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 1:50:07 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 1:50:06 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 1:48:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 1:48:00 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 1:44:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 1:44:41 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 1:44:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 1:41:01 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 1:40:17 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 1:40:16 PM	8	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 1:40:15 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 1:40:14 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 1:37:09 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 1:37:08 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 1:34:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 1:34:01 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 1:34:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 1:29:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 1:29:01 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 1:28:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 1:28:06 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 1:28:05 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 1:26:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 1:26:40 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 1:23:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 1:23:01 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 1:23:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 1:18:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 1:18:00 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 1:17:08 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 1:17:07 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 1:17:06 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 1:15:42 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 1:12:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 1:12:02 PM	8	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 1:12:01 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 1:12:00 PM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	6/19/2016 1:07:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 1:07:02 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 1:06:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 1:06:06 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 1:06:05 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 1:01:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 1:01:01 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 1:00:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 1:00:41 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 1:00:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 12:56:22 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 12:56:21 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 12:55:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 12:55:06 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 12:55:05 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 12:49:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 12:49:41 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 12:49:34 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 12:49:33 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 12:49:32 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 12:45:25 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 12:44:08 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 12:44:07 PM	8	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 12:44:06 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 12:44:05 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 12:39:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 12:39:01 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 12:38:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 12:38:41 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 12:38:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/19/2016 12:34:20 PM	8	mg/l
SC PITUR DORU SNC	Cianuri	6/19/2016 12:33:21 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 12:33:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 12:33:05 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 12:33:04 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/19/2016 12:27:42 PM	8	mg/l
SC PITUR DORU SNC	Cianuri	6/19/2016 12:27:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 12:27:26 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 12:27:25 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 12:27:24 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 12:23:22 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 12:23:21 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 12:22:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 12:22:06 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 12:22:05 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 12:16:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 12:16:41 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 12:16:27 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 12:16:26 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 12:16:25 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 12:12:21 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 12:11:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 12:11:02 PM	8	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 12:11:01 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 12:11:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 12:05:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 12:05:41 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 12:05:27 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 12:05:26 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 12:05:25 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 12:01:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 12:01:21 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 12:00:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 12:00:01 PM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 12:00:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 11:54:42 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	6/19/2016 11:54:41 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 11:54:28 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 11:54:27 AM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 11:54:26 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 11:50:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 11:50:01 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 11:49:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 11:49:01 AM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 11:49:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 11:43:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 11:43:41 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 11:43:27 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 11:43:26 AM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 11:43:25 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 11:39:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 11:39:01 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 11:38:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 11:38:01 AM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 11:38:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 11:32:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 11:32:41 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 11:32:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 11:32:21 AM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 11:32:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 11:28:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 11:28:06 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 11:27:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 11:27:01 AM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 11:27:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 11:21:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 11:21:41 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 11:21:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 11:21:21 AM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 11:21:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 11:17:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 11:17:20 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 11:16:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 11:16:01 AM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 11:16:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 11:10:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 11:10:41 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 11:10:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 11:10:21 AM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 11:10:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 11:06:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 11:06:01 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 11:05:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 11:05:01 AM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 11:05:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 10:59:47 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 10:59:46 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 10:59:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 10:59:21 AM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 10:59:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 10:55:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 10:55:21 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 10:54:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 10:54:01 AM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 10:54:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 10:53:04 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 10:53:00 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 10:49:03 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 10:49:02 AM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 10:49:01 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 10:47:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 10:44:49 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	6/19/2016 10:44:48 AM	8	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 10:44:47 AM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 10:44:46 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 10:42:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 10:42:00 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 10:38:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 10:38:41 AM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 10:38:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 10:37:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 10:37:01 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 10:33:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 10:33:43 AM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 10:33:42 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 10:30:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 10:30:40 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 10:27:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 10:27:21 AM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 10:27:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 10:26:05 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 10:26:04 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 10:22:47 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 10:22:46 AM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 10:22:45 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/19/2016 10:19:41 AM	8	mg/l
SC PITUR DORU SNC	Cianuri	6/19/2016 10:19:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 10:16:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 10:16:21 AM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 10:16:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 10:15:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 10:11:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 10:11:42 AM	8	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 10:11:41 AM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 10:11:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 10:08:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 10:08:40 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 10:05:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 10:05:21 AM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 10:05:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 10:04:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 10:04:01 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 10:00:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 10:00:42 AM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 10:00:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 9:56:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 9:56:40 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 9:54:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 9:54:21 AM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 9:54:20 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/19/2016 9:53:01 AM	8	mg/l
SC PITUR DORU SNC	Cianuri	6/19/2016 9:52:46 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 9:49:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 9:49:43 AM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 9:49:42 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 9:44:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 9:43:24 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 9:43:23 AM	8	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 9:43:22 AM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 9:43:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 9:41:49 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 9:41:48 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 9:38:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 9:38:24 AM	29	gradCels
SC PITUR DORU SNC	pH	6/19/2016 9:38:23 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 9:33:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 9:33:21 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 9:32:22 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Temp	6/19/2016 9:32:21 AM	30	gradCels
SC PITUR DORU SNC	pH	6/19/2016 9:32:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 9:30:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 9:30:41 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 9:27:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 9:27:21 AM	30	gradCels
SC PITUR DORU SNC	pH	6/19/2016 9:27:20 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/19/2016 9:22:21 AM	8	mg/l
SC PITUR DORU SNC	Cianuri	6/19/2016 9:22:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 9:21:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 9:21:22 AM	30	gradCels
SC PITUR DORU SNC	pH	6/19/2016 9:21:21 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/19/2016 9:19:41 AM	8	mg/l
SC PITUR DORU SNC	Cianuri	6/19/2016 9:19:28 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 9:16:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 9:16:21 AM	30	gradCels
SC PITUR DORU SNC	pH	6/19/2016 9:16:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 9:11:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 9:10:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 9:10:22 AM	8	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 9:10:21 AM	30	gradCels
SC PITUR DORU SNC	pH	6/19/2016 9:10:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 9:08:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 9:08:40 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 9:05:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 9:05:22 AM	30	gradCels
SC PITUR DORU SNC	pH	6/19/2016 9:05:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 9:00:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 9:00:01 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 8:59:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 8:59:21 AM	30	gradCels
SC PITUR DORU SNC	pH	6/19/2016 8:59:20 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/19/2016 8:57:42 AM	8	mg/l
SC PITUR DORU SNC	Cianuri	6/19/2016 8:57:41 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 8:54:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 8:54:22 AM	30	gradCels
SC PITUR DORU SNC	pH	6/19/2016 8:54:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 8:49:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 8:49:00 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 8:48:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 8:48:21 AM	30	gradCels
SC PITUR DORU SNC	pH	6/19/2016 8:48:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 8:46:21 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 8:43:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 8:43:24 AM	8	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 8:43:23 AM	30	gradCels
SC PITUR DORU SNC	pH	6/19/2016 8:43:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 8:38:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 8:38:03 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 8:37:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 8:37:21 AM	30	gradCels
SC PITUR DORU SNC	pH	6/19/2016 8:37:20 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/19/2016 8:35:46 AM	8	mg/l
SC PITUR DORU SNC	Cianuri	6/19/2016 8:35:44 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 8:32:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 8:32:21 AM	30	gradCels
SC PITUR DORU SNC	pH	6/19/2016 8:32:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 8:30:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 8:30:03 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 8:29:23 AM	0	mg/l
SC PITUR DORU SNC	pH	6/19/2016 8:29:22 AM	8	unit pH
SC PITUR DORU SNC	Temp	6/19/2016 8:29:21 AM	30	gradCels
SC PITUR DORU SNC	Substante organice	6/19/2016 8:25:01 AM	8	mg/l
SC PITUR DORU SNC	Cianuri	6/19/2016 8:24:41 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 8:22:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 8:22:22 AM	30	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	6/19/2016 8:22:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 8:19:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 8:19:23 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 8:17:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 8:17:42 AM	30	gradCels
SC PITUR DORU SNC	pH	6/19/2016 8:17:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 8:14:01 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 8:10:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 8:10:42 AM	8	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 8:10:41 AM	30	gradCels
SC PITUR DORU SNC	pH	6/19/2016 8:10:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 8:08:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 8:08:22 AM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 8:06:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 8:06:22 AM	30	gradCels
SC PITUR DORU SNC	pH	6/19/2016 8:06:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 8:03:04 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 8:03:01 AM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 8:01:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 8:01:22 AM	30	gradCels
SC PITUR DORU SNC	pH	6/19/2016 8:01:21 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/19/2016 7:57:24 AM	7	mg/l
SC PITUR DORU SNC	Cianuri	6/19/2016 7:57:22 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 7:56:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 7:56:43 AM	30	gradCels
SC PITUR DORU SNC	pH	6/19/2016 7:56:42 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 7:52:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 7:51:40 AM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 7:48:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 7:48:21 AM	30	gradCels
SC PITUR DORU SNC	pH	6/19/2016 7:48:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 7:46:41 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 7:44:24 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 7:44:23 AM	7	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 7:44:22 AM	30	gradCels
SC PITUR DORU SNC	pH	6/19/2016 7:44:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 7:40:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 7:40:00 AM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 7:39:03 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 7:39:02 AM	30	gradCels
SC PITUR DORU SNC	pH	6/19/2016 7:39:01 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/19/2016 7:35:20 AM	7	mg/l
SC PITUR DORU SNC	Cianuri	6/19/2016 7:35:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 7:34:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 7:34:42 AM	30	gradCels
SC PITUR DORU SNC	pH	6/19/2016 7:34:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 7:29:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 7:29:00 AM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 7:28:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 7:28:22 AM	30	gradCels
SC PITUR DORU SNC	pH	6/19/2016 7:28:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 7:24:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 7:24:21 AM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 7:23:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 7:23:42 AM	30	gradCels
SC PITUR DORU SNC	pH	6/19/2016 7:23:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 7:18:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 7:18:00 AM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 7:15:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 7:15:01 AM	30	gradCels
SC PITUR DORU SNC	pH	6/19/2016 7:15:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 7:13:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 7:11:44 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 7:11:43 AM	7	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 7:11:42 AM	30	gradCels
SC PITUR DORU SNC	pH	6/19/2016 7:11:41 AM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	6/19/2016 7:07:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 7:07:01 AM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 7:06:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 7:06:22 AM	30	gradCels
SC PITUR DORU SNC	pH	6/19/2016 7:06:21 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/19/2016 7:02:23 AM	7	mg/l
SC PITUR DORU SNC	Cianuri	6/19/2016 7:02:21 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 7:01:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 7:01:42 AM	30	gradCels
SC PITUR DORU SNC	pH	6/19/2016 7:01:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 6:56:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 6:56:20 AM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 6:55:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 6:55:22 AM	30	gradCels
SC PITUR DORU SNC	pH	6/19/2016 6:55:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 6:51:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 6:51:20 AM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 6:50:27 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 6:50:26 AM	30	gradCels
SC PITUR DORU SNC	pH	6/19/2016 6:50:25 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 6:45:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 6:44:44 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 6:44:43 AM	7	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 6:44:42 AM	30	gradCels
SC PITUR DORU SNC	pH	6/19/2016 6:44:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 6:40:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 6:40:23 AM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 6:40:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 6:40:05 AM	30	gradCels
SC PITUR DORU SNC	pH	6/19/2016 6:40:04 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 6:34:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 6:34:00 AM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 6:33:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 6:33:42 AM	30	gradCels
SC PITUR DORU SNC	pH	6/19/2016 6:33:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 6:29:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 6:29:23 AM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 6:29:07 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 6:29:06 AM	31	gradCels
SC PITUR DORU SNC	pH	6/19/2016 6:29:05 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 6:23:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 6:23:00 AM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 6:22:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 6:22:22 AM	31	gradCels
SC PITUR DORU SNC	pH	6/19/2016 6:22:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 6:18:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 6:18:40 AM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 6:18:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 6:18:01 AM	31	gradCels
SC PITUR DORU SNC	pH	6/19/2016 6:18:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 6:12:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 6:12:04 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 6:12:03 AM	7	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 6:12:02 AM	31	gradCels
SC PITUR DORU SNC	pH	6/19/2016 6:12:01 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 6:07:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 6:06:40 AM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 6:06:03 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 6:06:02 AM	31	gradCels
SC PITUR DORU SNC	pH	6/19/2016 6:06:01 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/19/2016 6:02:01 AM	7	mg/l
SC PITUR DORU SNC	Cianuri	6/19/2016 6:02:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 6:00:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 6:00:42 AM	31	gradCels
SC PITUR DORU SNC	pH	6/19/2016 6:00:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 5:55:42 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	6/19/2016 5:55:25 AM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 5:55:03 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 5:55:02 AM	31	gradCels
SC PITUR DORU SNC	pH	6/19/2016 5:55:01 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 5:50:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 5:50:21 AM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 5:49:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 5:49:42 AM	31	gradCels
SC PITUR DORU SNC	pH	6/19/2016 5:49:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 5:44:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 5:44:04 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 5:44:03 AM	7	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 5:44:02 AM	31	gradCels
SC PITUR DORU SNC	pH	6/19/2016 5:44:01 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 5:39:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 5:39:40 AM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 5:38:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 5:38:42 AM	31	gradCels
SC PITUR DORU SNC	pH	6/19/2016 5:38:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 5:33:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 5:33:21 AM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 5:32:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 5:32:42 AM	31	gradCels
SC PITUR DORU SNC	pH	6/19/2016 5:32:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 5:28:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 5:28:21 AM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 5:27:47 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 5:27:46 AM	31	gradCels
SC PITUR DORU SNC	pH	6/19/2016 5:27:45 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 5:22:47 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 5:22:41 AM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 5:21:47 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 5:21:46 AM	31	gradCels
SC PITUR DORU SNC	pH	6/19/2016 5:21:45 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 5:18:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 5:16:49 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 5:16:48 AM	7	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 5:16:47 AM	31	gradCels
SC PITUR DORU SNC	pH	6/19/2016 5:16:46 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 5:11:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 5:11:41 AM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 5:11:07 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 5:11:06 AM	31	gradCels
SC PITUR DORU SNC	pH	6/19/2016 5:11:05 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/19/2016 5:07:03 AM	7	mg/l
SC PITUR DORU SNC	Cianuri	6/19/2016 5:07:01 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 5:05:47 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 5:05:46 AM	31	gradCels
SC PITUR DORU SNC	pH	6/19/2016 5:05:45 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 5:00:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 5:00:02 AM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 4:59:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 4:59:42 AM	31	gradCels
SC PITUR DORU SNC	pH	6/19/2016 4:59:41 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/19/2016 4:56:03 AM	7	mg/l
SC PITUR DORU SNC	Cianuri	6/19/2016 4:56:01 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 4:54:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 4:54:42 AM	31	gradCels
SC PITUR DORU SNC	pH	6/19/2016 4:54:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 4:49:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 4:49:20 AM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 4:48:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 4:48:42 AM	31	gradCels
SC PITUR DORU SNC	pH	6/19/2016 4:48:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 4:45:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 4:44:04 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	6/19/2016 4:44:03 AM	7	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 4:44:02 AM	31	gradCels
SC PITUR DORU SNC	pH	6/19/2016 4:44:01 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 4:38:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 4:38:00 AM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 4:37:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 4:37:23 AM	31	gradCels
SC PITUR DORU SNC	pH	6/19/2016 4:37:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 4:33:24 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 4:33:01 AM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 4:30:03 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 4:30:02 AM	31	gradCels
SC PITUR DORU SNC	pH	6/19/2016 4:30:01 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 4:27:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 4:27:22 AM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 4:24:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 4:24:21 AM	31	gradCels
SC PITUR DORU SNC	pH	6/19/2016 4:24:20 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/19/2016 4:22:27 AM	7	mg/l
SC PITUR DORU SNC	Cianuri	6/19/2016 4:22:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 4:19:04 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 4:19:03 AM	31	gradCels
SC PITUR DORU SNC	pH	6/19/2016 4:19:02 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 4:17:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 4:16:44 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 4:16:43 AM	7	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 4:16:42 AM	31	gradCels
SC PITUR DORU SNC	pH	6/19/2016 4:16:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 4:11:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 4:11:20 AM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 4:10:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 4:10:42 AM	31	gradCels
SC PITUR DORU SNC	pH	6/19/2016 4:10:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 4:06:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 4:06:20 AM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 4:05:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 4:05:42 AM	31	gradCels
SC PITUR DORU SNC	pH	6/19/2016 4:05:41 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/19/2016 4:00:24 AM	7	mg/l
SC PITUR DORU SNC	Cianuri	6/19/2016 4:00:22 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 3:59:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 3:59:42 AM	31	gradCels
SC PITUR DORU SNC	pH	6/19/2016 3:59:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 3:55:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 3:55:40 AM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 3:55:04 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 3:55:03 AM	32	gradCels
SC PITUR DORU SNC	pH	6/19/2016 3:55:02 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 3:49:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 3:49:00 AM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 3:48:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 3:48:22 AM	32	gradCels
SC PITUR DORU SNC	pH	6/19/2016 3:48:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 3:44:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 3:44:04 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 3:44:03 AM	7	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 3:44:02 AM	32	gradCels
SC PITUR DORU SNC	pH	6/19/2016 3:44:01 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 3:38:48 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 3:38:43 AM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 3:37:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 3:37:42 AM	32	gradCels
SC PITUR DORU SNC	pH	6/19/2016 3:37:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 3:33:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 3:33:23 AM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 3:33:03 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Temp	6/19/2016 3:33:02 AM	32	gradCels
SC PITUR DORU SNC	pH	6/19/2016 3:33:01 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/19/2016 3:27:22 AM	7	mg/l
SC PITUR DORU SNC	Cianuri	6/19/2016 3:27:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 3:26:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 3:26:22 AM	32	gradCels
SC PITUR DORU SNC	pH	6/19/2016 3:26:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 3:22:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 3:22:23 AM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 3:22:03 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 3:22:02 AM	32	gradCels
SC PITUR DORU SNC	pH	6/19/2016 3:22:01 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 3:16:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 3:16:04 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 3:16:03 AM	7	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 3:16:02 AM	32	gradCels
SC PITUR DORU SNC	pH	6/19/2016 3:16:01 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 3:11:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 3:11:26 AM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 3:11:03 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 3:11:02 AM	32	gradCels
SC PITUR DORU SNC	pH	6/19/2016 3:11:01 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 3:05:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 3:05:24 AM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 3:04:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 3:04:42 AM	32	gradCels
SC PITUR DORU SNC	pH	6/19/2016 3:04:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 3:00:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 3:00:09 AM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 2:59:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 2:59:42 AM	32	gradCels
SC PITUR DORU SNC	pH	6/19/2016 2:59:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 2:54:28 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 2:54:26 AM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 2:53:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 2:53:42 AM	32	gradCels
SC PITUR DORU SNC	pH	6/19/2016 2:53:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 2:49:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 2:49:29 AM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 2:49:03 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 2:49:02 AM	32	gradCels
SC PITUR DORU SNC	pH	6/19/2016 2:49:01 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 2:43:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 2:43:04 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 2:43:03 AM	7	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 2:43:02 AM	32	gradCels
SC PITUR DORU SNC	pH	6/19/2016 2:43:01 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 2:38:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 2:38:09 AM	6	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 2:37:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 2:37:42 AM	32	gradCels
SC PITUR DORU SNC	pH	6/19/2016 2:37:41 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/19/2016 2:32:23 AM	6	mg/l
SC PITUR DORU SNC	Cianuri	6/19/2016 2:32:22 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 2:31:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 2:31:42 AM	32	gradCels
SC PITUR DORU SNC	pH	6/19/2016 2:31:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 2:27:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 2:27:25 AM	6	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 2:26:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 2:26:43 AM	32	gradCels
SC PITUR DORU SNC	pH	6/19/2016 2:26:42 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/19/2016 2:21:23 AM	6	mg/l
SC PITUR DORU SNC	Cianuri	6/19/2016 2:21:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 2:20:03 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 2:20:02 AM	32	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	6/19/2016 2:20:01 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 2:16:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 2:15:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 2:15:42 AM	6	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 2:15:41 AM	32	gradCels
SC PITUR DORU SNC	pH	6/19/2016 2:15:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 2:10:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 2:09:23 AM	6	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 2:09:12 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 2:09:11 AM	32	gradCels
SC PITUR DORU SNC	pH	6/19/2016 2:09:10 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/19/2016 2:05:42 AM	6	mg/l
SC PITUR DORU SNC	Cianuri	6/19/2016 2:05:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 2:04:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 2:04:45 AM	32	gradCels
SC PITUR DORU SNC	pH	6/19/2016 2:04:44 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 1:59:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 1:59:00 AM	6	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 1:58:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 1:58:22 AM	32	gradCels
SC PITUR DORU SNC	pH	6/19/2016 1:58:21 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/19/2016 1:54:28 AM	6	mg/l
SC PITUR DORU SNC	Cianuri	6/19/2016 1:54:27 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 1:53:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 1:53:43 AM	32	gradCels
SC PITUR DORU SNC	pH	6/19/2016 1:53:42 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 1:47:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 1:47:20 AM	6	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 1:46:53 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 1:46:52 AM	32	gradCels
SC PITUR DORU SNC	pH	6/19/2016 1:46:51 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 1:43:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 1:42:49 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 1:42:48 AM	6	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 1:42:47 AM	32	gradCels
SC PITUR DORU SNC	pH	6/19/2016 1:42:46 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/19/2016 1:37:21 AM	6	mg/l
SC PITUR DORU SNC	Cianuri	6/19/2016 1:36:45 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 1:36:31 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 1:36:30 AM	32	gradCels
SC PITUR DORU SNC	pH	6/19/2016 1:36:29 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 1:32:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 1:32:09 AM	6	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 1:32:03 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 1:32:02 AM	32	gradCels
SC PITUR DORU SNC	pH	6/19/2016 1:32:01 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/19/2016 1:26:01 AM	6	mg/l
SC PITUR DORU SNC	Cianuri	6/19/2016 1:26:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 1:25:03 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 1:25:02 AM	32	gradCels
SC PITUR DORU SNC	pH	6/19/2016 1:25:01 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 1:22:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 1:21:25 AM	6	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 1:20:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 1:20:45 AM	33	gradCels
SC PITUR DORU SNC	pH	6/19/2016 1:20:44 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 1:15:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 1:15:00 AM	6	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 1:14:38 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 1:14:37 AM	33	gradCels
SC PITUR DORU SNC	pH	6/19/2016 1:14:36 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 1:11:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 1:10:40 AM	6	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 1:10:12 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 1:10:11 AM	33	gradCels
SC PITUR DORU SNC	pH	6/19/2016 1:10:10 AM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	6/19/2016 1:04:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 1:03:42 AM	6	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 1:02:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 1:02:42 AM	33	gradCels
SC PITUR DORU SNC	pH	6/19/2016 1:02:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 12:59:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 12:59:21 AM	6	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 12:58:26 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 12:58:25 AM	33	gradCels
SC PITUR DORU SNC	pH	6/19/2016 12:58:24 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 12:53:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 12:52:24 AM	6	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 12:52:11 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 12:52:10 AM	33	gradCels
SC PITUR DORU SNC	pH	6/19/2016 12:52:09 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 12:48:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 12:48:21 AM	6	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 12:47:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 12:47:24 AM	33	gradCels
SC PITUR DORU SNC	pH	6/19/2016 12:47:23 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 12:42:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 12:41:28 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 12:41:27 AM	6	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 12:41:26 AM	33	gradCels
SC PITUR DORU SNC	pH	6/19/2016 12:41:25 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 12:37:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 12:37:06 AM	6	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 12:36:51 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 12:36:50 AM	33	gradCels
SC PITUR DORU SNC	pH	6/19/2016 12:36:49 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 12:31:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 12:31:01 AM	6	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 12:29:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 12:29:42 AM	33	gradCels
SC PITUR DORU SNC	pH	6/19/2016 12:29:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 12:26:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 12:26:05 AM	6	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 12:25:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 12:25:29 AM	33	gradCels
SC PITUR DORU SNC	pH	6/19/2016 12:25:28 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 12:20:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 12:19:43 AM	6	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 12:19:08 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 12:19:07 AM	33	gradCels
SC PITUR DORU SNC	pH	6/19/2016 12:19:06 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 12:15:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 12:14:09 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 12:14:08 AM	6	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 12:14:07 AM	33	gradCels
SC PITUR DORU SNC	pH	6/19/2016 12:14:06 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 12:09:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 12:09:21 AM	6	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 12:07:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 12:07:43 AM	33	gradCels
SC PITUR DORU SNC	pH	6/19/2016 12:07:42 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/19/2016 12:05:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/19/2016 12:05:01 AM	6	mg/l
SC PITUR DORU SNC	Grasimi	6/19/2016 12:01:31 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/19/2016 12:01:30 AM	33	gradCels
SC PITUR DORU SNC	pH	6/19/2016 12:01:29 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/18/2016 11:59:01 PM	6	mg/l
SC PITUR DORU SNC	Cianuri	6/18/2016 11:58:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 11:55:33 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 11:55:32 PM	33	gradCels
SC PITUR DORU SNC	pH	6/18/2016 11:55:31 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/18/2016 11:53:41 PM	6	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	6/18/2016 11:53:25 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 11:52:04 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 11:52:03 PM	33	gradCels
SC PITUR DORU SNC	pH	6/18/2016 11:52:02 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 11:46:01 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 11:45:49 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 11:45:48 PM	6	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 11:45:47 PM	33	gradCels
SC PITUR DORU SNC	pH	6/18/2016 11:45:46 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 11:43:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 11:42:52 PM	6	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 11:41:28 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 11:41:27 PM	33	gradCels
SC PITUR DORU SNC	pH	6/18/2016 11:41:26 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/18/2016 11:36:03 PM	6	mg/l
SC PITUR DORU SNC	Cianuri	6/18/2016 11:33:21 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 11:33:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 11:33:01 PM	33	gradCels
SC PITUR DORU SNC	pH	6/18/2016 11:33:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 11:29:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 11:29:00 PM	6	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 11:27:27 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 11:27:26 PM	33	gradCels
SC PITUR DORU SNC	pH	6/18/2016 11:27:25 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/18/2016 11:25:43 PM	6	mg/l
SC PITUR DORU SNC	Cianuri	6/18/2016 11:25:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 11:23:08 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 11:23:07 PM	33	gradCels
SC PITUR DORU SNC	pH	6/18/2016 11:23:06 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 11:19:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 11:19:20 PM	6	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 11:17:23 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 11:17:22 PM	33	gradCels
SC PITUR DORU SNC	pH	6/18/2016 11:17:21 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/18/2016 11:14:07 PM	6	mg/l
SC PITUR DORU SNC	Cianuri	6/18/2016 11:13:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 11:13:23 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 11:13:22 PM	33	gradCels
SC PITUR DORU SNC	pH	6/18/2016 11:13:21 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/18/2016 11:08:21 PM	6	mg/l
SC PITUR DORU SNC	Cianuri	6/18/2016 11:07:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 11:07:28 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 11:07:27 PM	33	gradCels
SC PITUR DORU SNC	pH	6/18/2016 11:07:26 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/18/2016 11:04:02 PM	6	mg/l
SC PITUR DORU SNC	Cianuri	6/18/2016 11:00:21 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 11:00:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 11:00:01 PM	33	gradCels
SC PITUR DORU SNC	pH	6/18/2016 11:00:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/18/2016 10:58:01 PM	6	mg/l
SC PITUR DORU SNC	Cianuri	6/18/2016 10:54:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 10:54:27 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 10:54:26 PM	33	gradCels
SC PITUR DORU SNC	pH	6/18/2016 10:54:25 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/18/2016 10:53:00 PM	6	mg/l
SC PITUR DORU SNC	Cianuri	6/18/2016 10:50:21 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 10:50:08 PM	0	mg/l
SC PITUR DORU SNC	pH	6/18/2016 10:50:07 PM	8	unit pH
SC PITUR DORU SNC	Temp	6/18/2016 10:50:06 PM	34	gradCels
SC PITUR DORU SNC	Cianuri	6/18/2016 10:43:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 10:43:28 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 10:43:27 PM	6	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 10:43:26 PM	34	gradCels
SC PITUR DORU SNC	pH	6/18/2016 10:43:25 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/18/2016 10:41:32 PM	6	mg/l
SC PITUR DORU SNC	Cianuri	6/18/2016 10:38:01 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	6/18/2016 10:37:47 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 10:37:46 PM	34	gradCels
SC PITUR DORU SNC	pH	6/18/2016 10:37:45 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/18/2016 10:34:41 PM	6	mg/l
SC PITUR DORU SNC	Cianuri	6/18/2016 10:32:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 10:32:29 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 10:32:28 PM	34	gradCels
SC PITUR DORU SNC	pH	6/18/2016 10:32:27 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/18/2016 10:30:24 PM	6	mg/l
SC PITUR DORU SNC	Cianuri	6/18/2016 10:30:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 10:26:47 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 10:26:46 PM	34	gradCels
SC PITUR DORU SNC	pH	6/18/2016 10:26:45 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/18/2016 10:22:07 PM	6	mg/l
SC PITUR DORU SNC	Cianuri	6/18/2016 10:21:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 10:21:27 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 10:21:26 PM	34	gradCels
SC PITUR DORU SNC	pH	6/18/2016 10:21:25 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/18/2016 10:19:45 PM	6	mg/l
SC PITUR DORU SNC	Cianuri	6/18/2016 10:16:01 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 10:15:47 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 10:15:46 PM	34	gradCels
SC PITUR DORU SNC	pH	6/18/2016 10:15:45 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 10:10:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 10:10:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 10:10:22 PM	6	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 10:10:21 PM	34	gradCels
SC PITUR DORU SNC	pH	6/18/2016 10:10:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/18/2016 10:08:23 PM	6	mg/l
SC PITUR DORU SNC	Cianuri	6/18/2016 10:05:01 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 10:04:47 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 10:04:46 PM	34	gradCels
SC PITUR DORU SNC	pH	6/18/2016 10:04:45 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/18/2016 9:59:48 PM	6	mg/l
SC PITUR DORU SNC	Cianuri	6/18/2016 9:59:21 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 9:59:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 9:59:06 PM	34	gradCels
SC PITUR DORU SNC	pH	6/18/2016 9:59:05 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/18/2016 9:57:23 PM	6	mg/l
SC PITUR DORU SNC	Cianuri	6/18/2016 9:54:01 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 9:53:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 9:53:45 PM	34	gradCels
SC PITUR DORU SNC	pH	6/18/2016 9:53:44 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 9:48:49 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 9:48:47 PM	6	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 9:48:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 9:48:05 PM	34	gradCels
SC PITUR DORU SNC	pH	6/18/2016 9:48:04 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 9:46:22 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 9:42:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 9:42:44 PM	6	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 9:42:43 PM	34	gradCels
SC PITUR DORU SNC	pH	6/18/2016 9:42:42 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 9:37:48 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 9:37:47 PM	6	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 9:37:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 9:37:06 PM	34	gradCels
SC PITUR DORU SNC	pH	6/18/2016 9:37:05 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 9:36:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 9:35:41 PM	6	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 9:31:45 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 9:31:44 PM	34	gradCels
SC PITUR DORU SNC	pH	6/18/2016 9:31:43 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 9:27:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 9:27:00 PM	6	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 9:26:22 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Temp	6/18/2016 9:26:21 PM	34	gradCels
SC PITUR DORU SNC	pH	6/18/2016 9:26:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/18/2016 9:24:04 PM	6	mg/l
SC PITUR DORU SNC	Cianuri	6/18/2016 9:24:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 9:20:45 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 9:20:44 PM	34	gradCels
SC PITUR DORU SNC	pH	6/18/2016 9:20:43 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 9:16:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 9:16:00 PM	6	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 9:15:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 9:15:21 PM	34	gradCels
SC PITUR DORU SNC	pH	6/18/2016 9:15:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 9:10:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 9:10:01 PM	6	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 9:09:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 9:09:41 PM	34	gradCels
SC PITUR DORU SNC	pH	6/18/2016 9:09:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 9:04:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 9:04:41 PM	6	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 9:04:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 9:04:01 PM	34	gradCels
SC PITUR DORU SNC	pH	6/18/2016 9:04:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 8:59:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 8:59:01 PM	6	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 8:58:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 8:58:41 PM	34	gradCels
SC PITUR DORU SNC	pH	6/18/2016 8:58:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 8:53:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 8:53:40 PM	6	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 8:53:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 8:53:01 PM	34	gradCels
SC PITUR DORU SNC	pH	6/18/2016 8:53:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 8:48:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 8:48:01 PM	6	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 8:47:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 8:47:41 PM	34	gradCels
SC PITUR DORU SNC	pH	6/18/2016 8:47:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 8:43:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 8:42:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 8:42:02 PM	6	mg/l
SC PITUR DORU SNC	pH	6/18/2016 8:42:01 PM	8	unit pH
SC PITUR DORU SNC	Temp	6/18/2016 8:42:00 PM	34	gradCels
SC PITUR DORU SNC	Cianuri	6/18/2016 8:36:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 8:36:41 PM	6	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 8:36:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 8:36:21 PM	34	gradCels
SC PITUR DORU SNC	pH	6/18/2016 8:36:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 8:31:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 8:31:40 PM	6	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 8:30:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 8:30:41 PM	34	gradCels
SC PITUR DORU SNC	pH	6/18/2016 8:30:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 8:25:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 8:25:41 PM	6	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 8:25:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 8:25:21 PM	33	gradCels
SC PITUR DORU SNC	pH	6/18/2016 8:25:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 8:20:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 8:20:40 PM	6	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 8:19:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 8:19:41 PM	33	gradCels
SC PITUR DORU SNC	pH	6/18/2016 8:19:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 8:14:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 8:14:20 PM	6	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 8:14:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 8:14:06 PM	33	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	6/18/2016 8:14:05 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 8:09:25 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 8:09:22 PM	6	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 8:08:35 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 8:08:34 PM	33	gradCels
SC PITUR DORU SNC	pH	6/18/2016 8:08:33 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 8:03:22 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 8:03:21 PM	6	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 8:03:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 8:03:06 PM	33	gradCels
SC PITUR DORU SNC	pH	6/18/2016 8:03:05 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 7:59:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 7:59:01 PM	6	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 7:58:26 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 7:58:25 PM	33	gradCels
SC PITUR DORU SNC	pH	6/18/2016 7:58:24 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 7:54:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 7:54:01 PM	6	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 7:53:45 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 7:53:44 PM	33	gradCels
SC PITUR DORU SNC	pH	6/18/2016 7:53:43 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 7:50:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 7:50:00 PM	6	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 7:49:08 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 7:49:06 PM	33	gradCels
SC PITUR DORU SNC	pH	6/18/2016 7:49:04 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 7:44:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 7:44:28 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 7:44:27 PM	6	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 7:44:26 PM	33	gradCels
SC PITUR DORU SNC	pH	6/18/2016 7:44:25 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 7:40:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 7:40:40 PM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 7:39:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 7:39:45 PM	33	gradCels
SC PITUR DORU SNC	pH	6/18/2016 7:39:44 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 7:39:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 7:39:01 PM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 7:35:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 7:35:05 PM	33	gradCels
SC PITUR DORU SNC	pH	6/18/2016 7:35:04 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 7:34:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 7:34:40 PM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 7:30:25 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 7:30:24 PM	33	gradCels
SC PITUR DORU SNC	pH	6/18/2016 7:30:23 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 7:29:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 7:29:23 PM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 7:25:49 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 7:25:48 PM	33	gradCels
SC PITUR DORU SNC	pH	6/18/2016 7:25:47 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 7:25:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 7:25:22 PM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 7:21:13 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 7:21:12 PM	33	gradCels
SC PITUR DORU SNC	pH	6/18/2016 7:21:11 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 7:20:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 7:17:52 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 7:17:51 PM	7	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 7:17:50 PM	33	gradCels
SC PITUR DORU SNC	pH	6/18/2016 7:17:49 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 7:16:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 7:15:42 PM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 7:13:11 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 7:13:10 PM	33	gradCels
SC PITUR DORU SNC	pH	6/18/2016 7:13:09 PM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Temp	6/18/2016 7:11:03 PM	33	gradCels
SC PITUR DORU SNC	Grasimi	6/18/2016 7:09:21 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	6/18/2016 7:09:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 7:09:02 PM	7	mg/l
SC PITUR DORU SNC	pH	6/18/2016 7:09:01 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 7:07:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 7:07:40 PM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 7:04:11 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 7:04:10 PM	33	gradCels
SC PITUR DORU SNC	pH	6/18/2016 7:04:09 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/18/2016 7:03:48 PM	7	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 7:03:47 PM	33	gradCels
SC PITUR DORU SNC	Cianuri	6/18/2016 7:02:01 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 7:02:00 PM	0	mg/l
SC PITUR DORU SNC	pH	6/18/2016 7:01:41 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 7:01:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 7:00:42 PM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 6:59:11 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 6:59:10 PM	33	gradCels
SC PITUR DORU SNC	pH	6/18/2016 6:59:09 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 6:54:21 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 6:54:04 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 6:54:03 PM	7	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 6:54:02 PM	33	gradCels
SC PITUR DORU SNC	pH	6/18/2016 6:54:01 PM	8	unit pH
SC PITUR DORU SNC	Grasimi	6/18/2016 6:50:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 6:49:00 PM	7	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 6:47:40 PM	33	gradCels
SC PITUR DORU SNC	pH	6/18/2016 6:47:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 6:44:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 6:44:25 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 6:44:24 PM	7	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 6:44:23 PM	33	gradCels
SC PITUR DORU SNC	pH	6/18/2016 6:44:21 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/18/2016 6:41:02 PM	7	mg/l
SC PITUR DORU SNC	Cianuri	6/18/2016 6:40:21 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 6:37:16 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 6:37:15 PM	33	gradCels
SC PITUR DORU SNC	pH	6/18/2016 6:37:14 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 6:37:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 6:36:59 PM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 6:36:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 6:36:41 PM	33	gradCels
SC PITUR DORU SNC	pH	6/18/2016 6:36:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 6:29:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 6:29:22 PM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 6:27:14 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 6:27:13 PM	33	gradCels
SC PITUR DORU SNC	pH	6/18/2016 6:27:12 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 6:24:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 6:24:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 6:22:25 PM	7	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 6:21:40 PM	33	gradCels
SC PITUR DORU SNC	pH	6/18/2016 6:21:01 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 6:18:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 6:17:44 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 6:17:43 PM	7	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 6:17:42 PM	32	gradCels
SC PITUR DORU SNC	pH	6/18/2016 6:17:41 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 6:14:42 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 6:11:48 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 6:11:47 PM	7	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 6:11:46 PM	32	gradCels
SC PITUR DORU SNC	pH	6/18/2016 6:11:45 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/18/2016 6:09:43 PM	7	mg/l
SC PITUR DORU SNC	Cianuri	6/18/2016 6:09:41 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	6/18/2016 6:07:12 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 6:07:11 PM	32	gradCels
SC PITUR DORU SNC	pH	6/18/2016 6:07:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 6:02:39 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 6:02:37 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 6:02:36 PM	7	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 6:02:35 PM	32	gradCels
SC PITUR DORU SNC	pH	6/18/2016 6:02:34 PM	8	unit pH
SC PITUR DORU SNC	Grasimi	6/18/2016 6:01:28 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	6/18/2016 6:01:24 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 6:00:10 PM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 5:28:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 5:28:01 PM	32	gradCels
SC PITUR DORU SNC	pH	6/18/2016 5:28:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 5:25:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 5:25:24 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 5:25:23 PM	7	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 5:25:22 PM	32	gradCels
SC PITUR DORU SNC	pH	6/18/2016 5:25:21 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 5:21:13 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 5:21:11 PM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 5:20:28 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 5:20:27 PM	32	gradCels
SC PITUR DORU SNC	pH	6/18/2016 5:20:26 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 5:16:12 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 5:16:11 PM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 5:15:28 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 5:15:27 PM	32	gradCels
SC PITUR DORU SNC	pH	6/18/2016 5:15:26 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 5:11:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 5:10:27 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 5:10:26 PM	7	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 5:10:25 PM	32	gradCels
SC PITUR DORU SNC	pH	6/18/2016 5:10:24 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 5:07:46 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 5:07:44 PM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 5:07:09 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 5:07:08 PM	32	gradCels
SC PITUR DORU SNC	pH	6/18/2016 5:07:07 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/18/2016 5:06:49 PM	7	mg/l
SC PITUR DORU SNC	Cianuri	6/18/2016 5:06:44 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 5:05:56 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 5:05:55 PM	32	gradCels
SC PITUR DORU SNC	pH	6/18/2016 5:05:54 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 5:05:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 5:05:41 PM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 5:04:47 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 5:04:46 PM	32	gradCels
SC PITUR DORU SNC	pH	6/18/2016 5:04:45 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 5:04:33 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 5:04:31 PM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 5:03:38 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 5:03:37 PM	32	gradCels
SC PITUR DORU SNC	pH	6/18/2016 5:03:36 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 5:03:22 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 5:03:21 PM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 5:02:29 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 5:02:28 PM	32	gradCels
SC PITUR DORU SNC	pH	6/18/2016 5:02:27 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 5:02:15 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 5:02:13 PM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 5:01:20 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 5:01:19 PM	32	gradCels
SC PITUR DORU SNC	pH	6/18/2016 5:01:18 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 5:01:04 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 5:01:02 PM	7	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	6/18/2016 5:00:11 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 5:00:10 PM	32	gradCels
SC PITUR DORU SNC	pH	6/18/2016 5:00:09 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 4:59:56 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 4:59:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 4:59:02 PM	7	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 4:59:01 PM	32	gradCels
SC PITUR DORU SNC	pH	6/18/2016 4:59:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 4:58:44 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 4:58:43 PM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 4:57:53 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 4:57:52 PM	32	gradCels
SC PITUR DORU SNC	pH	6/18/2016 4:57:51 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 4:57:37 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 4:57:35 PM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 4:56:44 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 4:56:43 PM	32	gradCels
SC PITUR DORU SNC	pH	6/18/2016 4:56:42 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 4:56:27 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 4:56:25 PM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 4:55:35 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 4:55:34 PM	32	gradCels
SC PITUR DORU SNC	pH	6/18/2016 4:55:33 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 4:55:18 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 4:55:17 PM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 4:54:26 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 4:54:25 PM	32	gradCels
SC PITUR DORU SNC	pH	6/18/2016 4:54:24 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 4:54:09 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 4:54:08 PM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 4:53:17 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 4:53:16 PM	32	gradCels
SC PITUR DORU SNC	pH	6/18/2016 4:53:15 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 4:52:49 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 4:52:47 PM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 4:52:05 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 4:52:04 PM	32	gradCels
SC PITUR DORU SNC	pH	6/18/2016 4:52:03 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/18/2016 4:51:42 PM	7	mg/l
SC PITUR DORU SNC	Cianuri	6/18/2016 4:51:36 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 4:50:57 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 4:50:56 PM	32	gradCels
SC PITUR DORU SNC	pH	6/18/2016 4:50:55 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/18/2016 4:50:33 PM	7	mg/l
SC PITUR DORU SNC	Cianuri	6/18/2016 4:50:28 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 4:49:48 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 4:49:47 PM	32	gradCels
SC PITUR DORU SNC	pH	6/18/2016 4:49:46 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 4:49:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 4:49:21 PM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 4:48:37 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 4:48:35 PM	32	gradCels
SC PITUR DORU SNC	pH	6/18/2016 4:48:33 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 4:48:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 4:48:00 PM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 4:47:18 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 4:47:17 PM	32	gradCels
SC PITUR DORU SNC	pH	6/18/2016 4:47:16 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 4:46:56 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 4:46:54 PM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 4:46:11 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 4:46:10 PM	32	gradCels
SC PITUR DORU SNC	pH	6/18/2016 4:46:09 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 4:46:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 4:45:51 PM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 4:45:02 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Temp	6/18/2016 4:45:01 PM	32	gradCels
SC PITUR DORU SNC	pH	6/18/2016 4:45:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/18/2016 4:44:48 PM	7	mg/l
SC PITUR DORU SNC	Cianuri	6/18/2016 4:44:45 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 4:43:53 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 4:43:52 PM	32	gradCels
SC PITUR DORU SNC	pH	6/18/2016 4:43:51 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 4:43:36 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 4:43:34 PM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 4:42:44 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 4:42:43 PM	32	gradCels
SC PITUR DORU SNC	pH	6/18/2016 4:42:42 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 4:42:28 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 4:42:27 PM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 4:41:35 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 4:41:34 PM	32	gradCels
SC PITUR DORU SNC	pH	6/18/2016 4:41:33 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 4:41:22 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 4:41:18 PM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 4:40:26 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 4:40:25 PM	32	gradCels
SC PITUR DORU SNC	pH	6/18/2016 4:40:24 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/18/2016 4:40:14 PM	7	mg/l
SC PITUR DORU SNC	Cianuri	6/18/2016 4:40:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 4:39:17 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 4:39:16 PM	32	gradCels
SC PITUR DORU SNC	pH	6/18/2016 4:39:15 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 4:39:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 4:38:58 PM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 4:38:08 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 4:38:07 PM	31	gradCels
SC PITUR DORU SNC	pH	6/18/2016 4:38:06 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 4:37:52 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 4:37:51 PM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 4:36:59 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 4:36:58 PM	31	gradCels
SC PITUR DORU SNC	pH	6/18/2016 4:36:57 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 4:36:46 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 4:36:44 PM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 4:35:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 4:35:49 PM	31	gradCels
SC PITUR DORU SNC	pH	6/18/2016 4:35:48 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 4:34:32 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 4:34:31 PM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 4:34:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 4:34:21 PM	31	gradCels
SC PITUR DORU SNC	pH	6/18/2016 4:34:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 4:32:52 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 4:32:50 PM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 4:32:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 4:32:41 PM	31	gradCels
SC PITUR DORU SNC	pH	6/18/2016 4:32:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 4:31:44 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 4:31:42 PM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 4:31:34 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 4:31:33 PM	31	gradCels
SC PITUR DORU SNC	pH	6/18/2016 4:31:32 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 4:30:34 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 4:30:32 PM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 4:30:24 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 4:30:23 PM	31	gradCels
SC PITUR DORU SNC	pH	6/18/2016 4:30:22 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 4:29:37 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 4:29:36 PM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 4:29:16 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 4:29:15 PM	31	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	6/18/2016 4:29:14 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 4:28:28 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 4:28:26 PM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 4:28:13 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 4:28:12 PM	31	gradCels
SC PITUR DORU SNC	pH	6/18/2016 4:28:11 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 4:27:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 4:27:22 PM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 4:26:51 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 4:26:50 PM	31	gradCels
SC PITUR DORU SNC	pH	6/18/2016 4:26:49 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 4:26:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 4:26:18 PM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 4:25:51 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 4:25:50 PM	31	gradCels
SC PITUR DORU SNC	pH	6/18/2016 4:25:49 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 4:25:24 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 4:24:44 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 4:24:43 PM	7	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 4:24:42 PM	31	gradCels
SC PITUR DORU SNC	pH	6/18/2016 4:24:41 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/18/2016 4:24:17 PM	7	mg/l
SC PITUR DORU SNC	Cianuri	6/18/2016 4:24:11 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 4:23:33 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 4:23:32 PM	31	gradCels
SC PITUR DORU SNC	pH	6/18/2016 4:23:31 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 4:23:08 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 4:23:03 PM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 4:22:14 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 4:22:13 PM	31	gradCels
SC PITUR DORU SNC	pH	6/18/2016 4:22:12 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 4:21:47 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 4:21:45 PM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 4:20:53 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 4:20:52 PM	31	gradCels
SC PITUR DORU SNC	pH	6/18/2016 4:20:51 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/18/2016 4:20:28 PM	7	mg/l
SC PITUR DORU SNC	Cianuri	6/18/2016 4:20:22 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 4:19:43 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 4:19:42 PM	31	gradCels
SC PITUR DORU SNC	pH	6/18/2016 4:19:41 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/18/2016 4:19:21 PM	7	mg/l
SC PITUR DORU SNC	Cianuri	6/18/2016 4:19:17 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 4:18:36 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 4:18:35 PM	31	gradCels
SC PITUR DORU SNC	pH	6/18/2016 4:18:34 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 4:18:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 4:18:09 PM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 4:17:29 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 4:17:28 PM	31	gradCels
SC PITUR DORU SNC	pH	6/18/2016 4:17:27 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/18/2016 4:17:18 PM	7	mg/l
SC PITUR DORU SNC	Cianuri	6/18/2016 4:17:12 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 4:16:20 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 4:16:19 PM	31	gradCels
SC PITUR DORU SNC	pH	6/18/2016 4:16:18 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 4:16:04 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 4:16:02 PM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 4:14:58 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 4:14:57 PM	31	gradCels
SC PITUR DORU SNC	pH	6/18/2016 4:14:56 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/18/2016 4:14:42 PM	7	mg/l
SC PITUR DORU SNC	Cianuri	6/18/2016 4:14:39 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 4:13:49 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 4:13:48 PM	31	gradCels
SC PITUR DORU SNC	pH	6/18/2016 4:13:47 PM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	6/18/2016 4:13:36 PM	7	mg/l
SC PITUR DORU SNC	Cianuri	6/18/2016 4:13:34 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 4:12:40 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 4:12:39 PM	31	gradCels
SC PITUR DORU SNC	pH	6/18/2016 4:12:38 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/18/2016 4:11:25 PM	7	mg/l
SC PITUR DORU SNC	Cianuri	6/18/2016 4:11:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 4:11:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 4:11:09 PM	31	gradCels
SC PITUR DORU SNC	pH	6/18/2016 4:11:08 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 4:10:14 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 4:10:13 PM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 4:10:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 4:10:01 PM	31	gradCels
SC PITUR DORU SNC	pH	6/18/2016 4:10:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 4:08:48 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 4:08:47 PM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 4:08:39 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 4:08:38 PM	31	gradCels
SC PITUR DORU SNC	pH	6/18/2016 4:08:37 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 4:07:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 4:07:38 PM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 4:07:26 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 4:07:25 PM	31	gradCels
SC PITUR DORU SNC	pH	6/18/2016 4:07:24 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 4:06:32 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 4:06:30 PM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 4:06:20 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 4:06:19 PM	31	gradCels
SC PITUR DORU SNC	pH	6/18/2016 4:06:18 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 4:05:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 4:05:21 PM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 4:05:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 4:05:09 PM	31	gradCels
SC PITUR DORU SNC	pH	6/18/2016 4:05:08 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 4:04:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 4:04:18 PM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 4:04:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 4:04:06 PM	31	gradCels
SC PITUR DORU SNC	pH	6/18/2016 4:04:05 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/18/2016 4:03:29 PM	7	mg/l
SC PITUR DORU SNC	Cianuri	6/18/2016 4:03:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 4:02:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 4:02:45 PM	31	gradCels
SC PITUR DORU SNC	pH	6/18/2016 4:02:44 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/18/2016 4:02:08 PM	7	mg/l
SC PITUR DORU SNC	Cianuri	6/18/2016 4:02:02 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 4:01:37 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 4:01:36 PM	31	gradCels
SC PITUR DORU SNC	pH	6/18/2016 4:01:35 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 4:00:54 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 4:00:53 PM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 4:00:27 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 4:00:26 PM	31	gradCels
SC PITUR DORU SNC	pH	6/18/2016 4:00:25 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 3:59:46 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 3:59:44 PM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 3:59:18 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 3:59:17 PM	31	gradCels
SC PITUR DORU SNC	pH	6/18/2016 3:59:16 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 3:58:36 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 3:58:34 PM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 3:58:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 3:58:09 PM	31	gradCels
SC PITUR DORU SNC	pH	6/18/2016 3:58:08 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 3:57:35 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	6/18/2016 3:57:34 PM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 3:56:58 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 3:56:57 PM	31	gradCels
SC PITUR DORU SNC	pH	6/18/2016 3:56:56 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 3:56:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 3:56:41 PM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 3:55:49 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 3:55:48 PM	31	gradCels
SC PITUR DORU SNC	pH	6/18/2016 3:55:47 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 3:55:35 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 3:55:33 PM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 3:54:40 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 3:54:39 PM	31	gradCels
SC PITUR DORU SNC	pH	6/18/2016 3:54:38 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 3:54:26 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 3:54:24 PM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 3:53:31 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 3:53:30 PM	31	gradCels
SC PITUR DORU SNC	pH	6/18/2016 3:53:29 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 3:52:14 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 3:52:12 PM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 3:52:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 3:52:01 PM	31	gradCels
SC PITUR DORU SNC	pH	6/18/2016 3:52:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 3:50:48 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 3:50:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 3:50:44 PM	7	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 3:50:43 PM	31	gradCels
SC PITUR DORU SNC	pH	6/18/2016 3:50:42 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 3:50:27 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 3:50:24 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 3:50:23 PM	31	gradCels
SC PITUR DORU SNC	pH	6/18/2016 3:50:22 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/18/2016 3:50:21 PM	7	mg/l
SC PITUR DORU SNC	Cianuri	6/18/2016 3:50:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 3:50:17 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 3:50:16 PM	31	gradCels
SC PITUR DORU SNC	pH	6/18/2016 3:50:15 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/18/2016 3:50:14 PM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 3:50:11 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 3:50:10 PM	31	gradCels
SC PITUR DORU SNC	pH	6/18/2016 3:50:09 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 3:49:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 3:49:40 PM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 3:48:49 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 3:48:48 PM	31	gradCels
SC PITUR DORU SNC	pH	6/18/2016 3:48:47 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/18/2016 3:48:36 PM	7	mg/l
SC PITUR DORU SNC	Cianuri	6/18/2016 3:48:31 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 3:47:43 PM	31	gradCels
SC PITUR DORU SNC	pH	6/18/2016 3:47:42 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 3:47:26 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 3:47:25 PM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 3:46:44 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 3:46:43 PM	31	gradCels
SC PITUR DORU SNC	pH	6/18/2016 3:46:42 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/18/2016 3:46:18 PM	7	mg/l
SC PITUR DORU SNC	Cianuri	6/18/2016 3:46:13 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 3:45:26 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 3:45:25 PM	31	gradCels
SC PITUR DORU SNC	pH	6/18/2016 3:45:24 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 3:45:06 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 3:45:04 PM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 3:43:43 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 3:43:42 PM	31	gradCels
SC PITUR DORU SNC	pH	6/18/2016 3:43:41 PM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	6/18/2016 3:43:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 3:43:01 PM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 3:42:23 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 3:42:22 PM	31	gradCels
SC PITUR DORU SNC	pH	6/18/2016 3:42:21 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 3:41:53 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 3:41:51 PM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 3:41:15 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 3:41:14 PM	31	gradCels
SC PITUR DORU SNC	pH	6/18/2016 3:41:13 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 3:40:44 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 3:40:42 PM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 3:40:04 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 3:40:03 PM	31	gradCels
SC PITUR DORU SNC	pH	6/18/2016 3:40:02 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/18/2016 3:39:31 PM	7	mg/l
SC PITUR DORU SNC	Cianuri	6/18/2016 3:39:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 3:38:04 PM	7	mg/l
SC PITUR DORU SNC	Cianuri	6/18/2016 3:38:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 3:37:28 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 3:37:27 PM	31	gradCels
SC PITUR DORU SNC	pH	6/18/2016 3:37:26 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 3:37:12 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 3:37:11 PM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 3:36:19 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 3:36:18 PM	31	gradCels
SC PITUR DORU SNC	pH	6/18/2016 3:36:17 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 3:36:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 3:36:02 PM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 3:35:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 3:35:09 PM	31	gradCels
SC PITUR DORU SNC	pH	6/18/2016 3:35:08 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 3:34:56 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 3:34:54 PM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 3:34:01 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 3:34:00 PM	31	gradCels
SC PITUR DORU SNC	pH	6/18/2016 3:33:59 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 3:32:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 3:32:47 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 3:32:46 PM	7	mg/l
SC PITUR DORU SNC	pH	6/18/2016 3:32:45 PM	8	unit pH
SC PITUR DORU SNC	Temp	6/18/2016 3:32:44 PM	31	gradCels
SC PITUR DORU SNC	Substante organice	6/18/2016 3:25:24 PM	7	mg/l
SC PITUR DORU SNC	pH	6/18/2016 3:25:23 PM	8	unit pH
SC PITUR DORU SNC	Temp	6/18/2016 3:25:22 PM	31	gradCels
SC PITUR DORU SNC	Grasimi	6/18/2016 3:25:21 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	6/18/2016 3:25:18 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 3:25:10 PM	7	mg/l
SC PITUR DORU SNC	pH	6/18/2016 3:25:09 PM	8	unit pH
SC PITUR DORU SNC	Temp	6/18/2016 3:25:08 PM	31	gradCels
SC PITUR DORU SNC	Grasimi	6/18/2016 3:25:07 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	6/18/2016 3:25:04 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 3:23:32 PM	7	mg/l
SC PITUR DORU SNC	Cianuri	6/18/2016 3:23:27 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 3:22:55 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 3:22:54 PM	31	gradCels
SC PITUR DORU SNC	pH	6/18/2016 3:22:53 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 3:22:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 3:22:19 PM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 3:21:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 3:21:49 PM	31	gradCels
SC PITUR DORU SNC	pH	6/18/2016 3:21:48 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/18/2016 3:15:45 PM	7	mg/l
SC PITUR DORU SNC	Cianuri	6/18/2016 3:15:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 3:15:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 3:15:09 PM	31	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	6/18/2016 3:15:08 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 3:14:44 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 3:14:43 PM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 3:14:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 3:14:09 PM	31	gradCels
SC PITUR DORU SNC	pH	6/18/2016 3:14:08 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/18/2016 3:13:51 PM	7	mg/l
SC PITUR DORU SNC	Cianuri	6/18/2016 3:13:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 3:13:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 3:13:05 PM	31	gradCels
SC PITUR DORU SNC	pH	6/18/2016 3:13:04 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 3:12:37 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 2:48:08 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 2:48:07 PM	7	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 2:48:06 PM	30	gradCels
SC PITUR DORU SNC	pH	6/18/2016 2:48:05 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 2:47:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 2:47:39 PM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 2:47:00 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 2:46:59 PM	30	gradCels
SC PITUR DORU SNC	pH	6/18/2016 2:46:58 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/18/2016 2:46:40 PM	7	mg/l
SC PITUR DORU SNC	Cianuri	6/18/2016 2:46:35 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 2:45:58 PM	0	mg/l
SC PITUR DORU SNC	pH	6/18/2016 2:45:57 PM	8	unit pH
SC PITUR DORU SNC	Temp	6/18/2016 2:45:56 PM	30	gradCels
SC PITUR DORU SNC	Substante organice	6/18/2016 2:45:31 PM	7	mg/l
SC PITUR DORU SNC	Cianuri	6/18/2016 2:45:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 2:44:49 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 2:44:48 PM	30	gradCels
SC PITUR DORU SNC	pH	6/18/2016 2:44:47 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 2:44:25 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 2:44:23 PM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 2:43:40 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 2:43:39 PM	30	gradCels
SC PITUR DORU SNC	pH	6/18/2016 2:43:38 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 2:43:16 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 2:43:15 PM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 2:32:59 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 2:32:58 PM	30	gradCels
SC PITUR DORU SNC	pH	6/18/2016 2:32:57 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 2:32:34 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 2:32:32 PM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 2:31:27 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 2:31:26 PM	30	gradCels
SC PITUR DORU SNC	pH	6/18/2016 2:31:25 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 2:31:11 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 2:31:09 PM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 2:30:18 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 2:30:17 PM	30	gradCels
SC PITUR DORU SNC	pH	6/18/2016 2:30:16 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 2:30:04 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 2:30:02 PM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 2:29:09 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 2:29:08 PM	30	gradCels
SC PITUR DORU SNC	pH	6/18/2016 2:29:07 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 2:28:02 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 2:27:59 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 2:27:58 PM	7	mg/l
SC PITUR DORU SNC	pH	6/18/2016 2:27:57 PM	8	unit pH
SC PITUR DORU SNC	Temp	6/18/2016 2:27:56 PM	30	gradCels
SC PITUR DORU SNC	Cianuri	6/18/2016 2:26:52 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 2:26:49 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 2:26:48 PM	7	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 2:26:47 PM	30	gradCels
SC PITUR DORU SNC	pH	6/18/2016 2:26:46 PM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	6/18/2016 2:26:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 2:25:27 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 2:25:26 PM	7	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 2:25:25 PM	30	gradCels
SC PITUR DORU SNC	pH	6/18/2016 2:25:24 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/18/2016 2:25:14 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/18/2016 2:25:11 PM	7	mg/l
SC PITUR DORU SNC	Grasimi	6/18/2016 2:24:14 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/18/2016 2:24:13 PM	30	gradCels
SC PITUR DORU SNC	pH	6/18/2016 2:24:12 PM	8	unit pH
SC PITUR DORU SNC	Grasimi	6/17/2016 5:10:08 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 5:10:07 PM	29	gradCels
SC PITUR DORU SNC	pH	6/17/2016 5:10:06 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/17/2016 5:09:03 PM	8	mg/l
SC PITUR DORU SNC	Cianuri	6/17/2016 5:09:02 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 5:07:03 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 5:07:02 PM	29	gradCels
SC PITUR DORU SNC	pH	6/17/2016 5:07:01 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 5:04:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 5:04:21 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 5:02:32 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 5:02:31 PM	29	gradCels
SC PITUR DORU SNC	pH	6/17/2016 5:02:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 4:59:51 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 4:59:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 4:57:43 PM	8	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 4:57:02 PM	29	gradCels
SC PITUR DORU SNC	pH	6/17/2016 4:56:17 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 4:56:04 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 4:55:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 4:53:43 PM	8	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 4:53:09 PM	29	gradCels
SC PITUR DORU SNC	pH	6/17/2016 4:53:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 4:49:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 4:48:44 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 4:48:43 PM	8	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 4:48:42 PM	29	gradCels
SC PITUR DORU SNC	pH	6/17/2016 4:48:41 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 4:44:42 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 4:41:53 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 4:41:52 PM	8	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 4:41:51 PM	29	gradCels
SC PITUR DORU SNC	pH	6/17/2016 4:41:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 4:40:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 4:40:00 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 4:37:12 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 4:37:11 PM	29	gradCels
SC PITUR DORU SNC	pH	6/17/2016 4:37:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 4:33:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 4:33:04 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 4:33:03 PM	8	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 4:33:02 PM	29	gradCels
SC PITUR DORU SNC	pH	6/17/2016 4:33:01 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 4:27:25 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 4:27:22 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 4:24:23 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 4:24:22 PM	29	gradCels
SC PITUR DORU SNC	pH	6/17/2016 4:24:21 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 4:24:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 4:24:08 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 4:19:05 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 4:19:04 PM	29	gradCels
SC PITUR DORU SNC	pH	6/17/2016 4:19:03 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 4:18:42 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 4:14:26 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 4:14:25 PM	8	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Temp	6/17/2016 4:14:24 PM	29	gradCels
SC PITUR DORU SNC	pH	6/17/2016 4:14:23 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 4:14:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 4:13:20 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 4:09:44 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 4:09:43 PM	29	gradCels
SC PITUR DORU SNC	pH	6/17/2016 4:09:42 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 4:09:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 4:09:00 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 4:05:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 4:05:06 PM	29	gradCels
SC PITUR DORU SNC	pH	6/17/2016 4:05:05 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/17/2016 4:04:02 PM	8	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 4:04:01 PM	29	gradCels
SC PITUR DORU SNC	Cianuri	6/17/2016 4:01:21 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 4:01:20 PM	0	mg/l
SC PITUR DORU SNC	pH	6/17/2016 4:01:02 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 3:58:21 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 3:58:05 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 3:58:04 PM	8	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 3:58:03 PM	29	gradCels
SC PITUR DORU SNC	pH	6/17/2016 3:58:02 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 3:08:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 3:08:24 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 3:08:23 PM	8	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 3:08:22 PM	28	gradCels
SC PITUR DORU SNC	pH	6/17/2016 3:08:21 PM	8	unit pH
SC PITUR DORU SNC	pH	6/17/2016 3:05:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 3:02:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 3:01:44 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 3:01:43 PM	8	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 3:01:42 PM	28	gradCels
SC PITUR DORU SNC	pH	6/17/2016 3:01:41 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 2:57:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 2:57:05 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 2:57:04 PM	8	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 2:57:03 PM	28	gradCels
SC PITUR DORU SNC	pH	6/17/2016 2:57:02 PM	8	unit pH
SC PITUR DORU SNC	Grasimi	6/17/2016 2:50:49 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 2:50:42 PM	28	gradCels
SC PITUR DORU SNC	pH	6/17/2016 2:50:41 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/17/2016 2:48:41 PM	8	mg/l
SC PITUR DORU SNC	Cianuri	6/17/2016 2:45:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 2:45:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 2:45:21 PM	28	gradCels
SC PITUR DORU SNC	pH	6/17/2016 2:45:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 2:40:01 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 2:39:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 2:39:42 PM	8	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 2:39:41 PM	28	gradCels
SC PITUR DORU SNC	pH	6/17/2016 2:39:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/17/2016 2:37:43 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/17/2016 2:37:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 2:35:23 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 2:35:22 PM	28	gradCels
SC PITUR DORU SNC	pH	6/17/2016 2:35:21 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 2:31:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 2:31:41 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 2:29:43 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 2:29:42 PM	28	gradCels
SC PITUR DORU SNC	pH	6/17/2016 2:29:41 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/17/2016 2:27:00 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/17/2016 2:23:01 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 2:22:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 2:22:41 PM	28	gradCels
SC PITUR DORU SNC	pH	6/17/2016 2:22:40 PM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	6/17/2016 2:21:00 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/17/2016 2:17:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 2:17:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 2:17:21 PM	28	gradCels
SC PITUR DORU SNC	pH	6/17/2016 2:17:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 2:12:01 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 2:11:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 2:11:42 PM	9	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 2:11:41 PM	28	gradCels
SC PITUR DORU SNC	pH	6/17/2016 2:11:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/17/2016 2:09:00 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/17/2016 2:06:11 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 2:06:08 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 2:06:07 PM	28	gradCels
SC PITUR DORU SNC	pH	6/17/2016 2:06:06 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/17/2016 2:05:00 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/17/2016 2:01:01 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 2:00:45 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 2:00:44 PM	28	gradCels
SC PITUR DORU SNC	pH	6/17/2016 2:00:43 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/17/2016 1:59:40 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/17/2016 1:57:21 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 1:57:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 1:57:06 PM	28	gradCels
SC PITUR DORU SNC	pH	6/17/2016 1:57:05 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/17/2016 1:55:20 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/17/2016 1:52:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 1:52:40 PM	28	gradCels
SC PITUR DORU SNC	Grasimi	6/17/2016 1:52:27 PM	0	mg/l
SC PITUR DORU SNC	pH	6/17/2016 1:52:26 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 1:50:22 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 1:50:19 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 1:50:18 PM	9	mg/l
SC PITUR DORU SNC	pH	6/17/2016 1:50:17 PM	8	unit pH
SC PITUR DORU SNC	Temp	6/17/2016 1:50:16 PM	28	gradCels
SC PITUR DORU SNC	Temp	6/17/2016 1:49:37 PM	28	gradCels
SC PITUR DORU SNC	Grasimi	6/17/2016 1:49:02 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	6/17/2016 1:49:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 1:48:58 PM	9	mg/l
SC PITUR DORU SNC	pH	6/17/2016 1:48:57 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 1:39:21 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 1:39:05 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 1:39:04 PM	27	gradCels
SC PITUR DORU SNC	Substante organice	6/17/2016 1:39:03 PM	9	mg/l
SC PITUR DORU SNC	pH	6/17/2016 1:39:02 PM	8	unit pH
SC PITUR DORU SNC	Grasimi	6/17/2016 1:36:06 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	6/17/2016 1:36:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 1:35:48 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/17/2016 1:23:21 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 1:23:04 PM	0	mg/l
SC PITUR DORU SNC	pH	6/17/2016 1:23:03 PM	8	unit pH
SC PITUR DORU SNC	Temp	6/17/2016 1:23:02 PM	27	gradCels
SC PITUR DORU SNC	Substante organice	6/17/2016 1:19:43 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/17/2016 1:16:01 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 1:15:44 PM	0	mg/l
SC PITUR DORU SNC	pH	6/17/2016 1:15:43 PM	8	unit pH
SC PITUR DORU SNC	Temp	6/17/2016 1:15:42 PM	27	gradCels
SC PITUR DORU SNC	Cianuri	6/17/2016 1:11:41 PM	0	mg/l
SC PITUR DORU SNC	pH	6/17/2016 1:11:25 PM	8	unit pH
SC PITUR DORU SNC	Grasimi	6/17/2016 1:11:24 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 1:11:23 PM	9	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 1:11:22 PM	27	gradCels
SC PITUR DORU SNC	Substante organice	6/17/2016 1:11:02 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/17/2016 1:07:01 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 1:06:47 PM	0	mg/l
SC PITUR DORU SNC	pH	6/17/2016 1:06:46 PM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Temp	6/17/2016 1:06:45 PM	27	gradCels
SC PITUR DORU SNC	Cianuri	6/17/2016 1:05:21 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 1:05:05 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 1:05:04 PM	9	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 1:05:03 PM	27	gradCels
SC PITUR DORU SNC	pH	6/17/2016 1:05:02 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/17/2016 1:01:21 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/17/2016 12:57:21 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 12:57:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 12:57:09 PM	27	gradCels
SC PITUR DORU SNC	pH	6/17/2016 12:57:08 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 12:57:01 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 12:56:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 12:56:44 PM	9	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 12:56:43 PM	27	gradCels
SC PITUR DORU SNC	pH	6/17/2016 12:56:42 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 12:51:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 12:51:22 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 12:48:23 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 12:48:22 PM	27	gradCels
SC PITUR DORU SNC	pH	6/17/2016 12:48:21 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/17/2016 12:47:01 PM	9	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 12:47:00 PM	27	gradCels
SC PITUR DORU SNC	Cianuri	6/17/2016 12:44:02 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 12:44:00 PM	0	mg/l
SC PITUR DORU SNC	pH	6/17/2016 12:43:42 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/17/2016 12:42:25 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/17/2016 12:41:21 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 12:41:03 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 12:41:02 PM	27	gradCels
SC PITUR DORU SNC	pH	6/17/2016 12:41:01 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 12:39:01 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 12:38:47 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 12:38:46 PM	27	gradCels
SC PITUR DORU SNC	pH	6/17/2016 12:38:45 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 12:38:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 12:38:17 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 12:37:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 12:36:03 PM	9	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 12:35:40 PM	27	gradCels
SC PITUR DORU SNC	pH	6/17/2016 12:35:21 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 12:32:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 12:32:04 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 12:32:03 PM	9	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 12:32:02 PM	27	gradCels
SC PITUR DORU SNC	pH	6/17/2016 12:32:01 PM	8	unit pH
SC PITUR DORU SNC	Grasimi	6/17/2016 12:27:29 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 12:27:28 PM	27	gradCels
SC PITUR DORU SNC	pH	6/17/2016 12:27:27 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 12:26:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 12:23:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 12:23:44 PM	9	mg/l
SC PITUR DORU SNC	pH	6/17/2016 12:23:43 PM	8	unit pH
SC PITUR DORU SNC	Temp	6/17/2016 12:23:42 PM	27	gradCels
SC PITUR DORU SNC	Cianuri	6/17/2016 12:21:24 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 12:21:23 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 12:19:04 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 12:19:02 PM	27	gradCels
SC PITUR DORU SNC	pH	6/17/2016 12:19:01 PM	8	unit pH
SC PITUR DORU SNC	Grasimi	6/17/2016 12:17:43 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	6/17/2016 12:17:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 12:15:00 PM	9	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 12:14:02 PM	27	gradCels
SC PITUR DORU SNC	pH	6/17/2016 12:13:03 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 12:10:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 12:10:24 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	6/17/2016 12:10:23 PM	9	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 12:10:22 PM	27	gradCels
SC PITUR DORU SNC	pH	6/17/2016 12:10:21 PM	8	unit pH
SC PITUR DORU SNC	Grasimi	6/17/2016 12:05:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 12:05:21 PM	27	gradCels
SC PITUR DORU SNC	pH	6/17/2016 12:05:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 12:03:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 12:02:44 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 12:02:43 PM	9	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 12:02:42 PM	27	gradCels
SC PITUR DORU SNC	pH	6/17/2016 12:02:41 PM	8	unit pH
SC PITUR DORU SNC	Grasimi	6/17/2016 11:56:29 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 11:56:28 AM	27	gradCels
SC PITUR DORU SNC	pH	6/17/2016 11:56:27 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/17/2016 11:54:01 AM	9	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 11:54:00 AM	27	gradCels
SC PITUR DORU SNC	Grasimi	6/17/2016 11:52:01 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	6/17/2016 11:52:00 AM	0	mg/l
SC PITUR DORU SNC	pH	6/17/2016 11:51:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 11:48:22 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 11:48:06 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 11:48:05 AM	9	mg/l
SC PITUR DORU SNC	pH	6/17/2016 11:48:03 AM	8	unit pH
SC PITUR DORU SNC	Temp	6/17/2016 11:48:02 AM	27	gradCels
SC PITUR DORU SNC	Cianuri	6/17/2016 11:46:01 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 11:45:59 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 11:45:30 AM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/17/2016 11:40:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 11:40:20 AM	9	mg/l
SC PITUR DORU SNC	pH	6/17/2016 11:36:21 AM	8	unit pH
SC PITUR DORU SNC	Grasimi	6/17/2016 11:36:18 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 11:36:16 AM	27	gradCels
SC PITUR DORU SNC	Cianuri	6/17/2016 11:34:22 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 11:34:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 11:32:47 AM	9	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 11:32:28 AM	27	gradCels
SC PITUR DORU SNC	pH	6/17/2016 11:32:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 11:29:22 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 11:28:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 11:27:21 AM	9	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 11:27:20 AM	27	gradCels
SC PITUR DORU SNC	pH	6/17/2016 11:26:42 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 11:24:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 11:24:04 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 11:24:03 AM	27	gradCels
SC PITUR DORU SNC	Substante organice	6/17/2016 11:24:02 AM	9	mg/l
SC PITUR DORU SNC	pH	6/17/2016 11:24:01 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/17/2016 11:17:02 AM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/17/2016 11:17:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 11:15:27 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 11:15:26 AM	27	gradCels
SC PITUR DORU SNC	pH	6/17/2016 11:15:25 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 11:11:07 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 11:11:05 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 11:10:47 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 11:10:46 AM	27	gradCels
SC PITUR DORU SNC	pH	6/17/2016 11:10:45 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/17/2016 11:07:42 AM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/17/2016 11:07:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 11:06:07 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 11:06:06 AM	27	gradCels
SC PITUR DORU SNC	pH	6/17/2016 11:06:05 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 11:02:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 11:02:01 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 11:01:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 11:01:23 AM	27	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	6/17/2016 11:01:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 10:59:41 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 10:59:31 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 10:59:30 AM	9	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 10:59:29 AM	27	gradCels
SC PITUR DORU SNC	pH	6/17/2016 10:59:28 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 10:53:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 10:53:00 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 10:51:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 10:51:24 AM	27	gradCels
SC PITUR DORU SNC	pH	6/17/2016 10:51:23 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 10:46:01 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 10:45:47 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 10:45:46 AM	9	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 10:45:45 AM	27	gradCels
SC PITUR DORU SNC	pH	6/17/2016 10:45:44 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/17/2016 10:42:00 AM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/17/2016 10:40:41 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 10:40:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 10:40:23 AM	27	gradCels
SC PITUR DORU SNC	pH	6/17/2016 10:40:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 10:35:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 10:35:21 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 10:34:47 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 10:34:46 AM	27	gradCels
SC PITUR DORU SNC	pH	6/17/2016 10:34:45 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 10:31:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 10:31:00 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 10:29:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 10:29:22 AM	27	gradCels
SC PITUR DORU SNC	pH	6/17/2016 10:29:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 10:24:08 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 10:24:06 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 10:23:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 10:23:45 AM	27	gradCels
SC PITUR DORU SNC	pH	6/17/2016 10:23:44 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 10:19:42 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 10:18:26 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 10:18:25 AM	9	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 10:18:24 AM	27	gradCels
SC PITUR DORU SNC	pH	6/17/2016 10:18:23 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 10:13:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 10:13:21 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 10:12:47 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 10:12:46 AM	27	gradCels
SC PITUR DORU SNC	pH	6/17/2016 10:12:45 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 10:07:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 10:07:21 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 10:07:03 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 10:07:02 AM	27	gradCels
SC PITUR DORU SNC	pH	6/17/2016 10:07:01 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 10:02:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 10:02:20 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 10:01:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 10:01:43 AM	27	gradCels
SC PITUR DORU SNC	pH	6/17/2016 10:01:42 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 9:56:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 9:56:21 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 9:56:04 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 9:56:03 AM	27	gradCels
SC PITUR DORU SNC	pH	6/17/2016 9:56:02 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 9:51:05 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 9:50:44 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 9:50:43 AM	9	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 9:50:42 AM	27	gradCels
SC PITUR DORU SNC	pH	6/17/2016 9:50:41 AM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	6/17/2016 9:45:26 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 9:45:25 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 9:45:04 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 9:45:03 AM	27	gradCels
SC PITUR DORU SNC	pH	6/17/2016 9:45:02 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 9:41:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 9:41:20 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 9:39:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 9:39:42 AM	27	gradCels
SC PITUR DORU SNC	pH	6/17/2016 9:39:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 9:34:27 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 9:34:26 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 9:34:04 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 9:34:03 AM	27	gradCels
SC PITUR DORU SNC	pH	6/17/2016 9:34:02 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 9:29:07 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 9:29:06 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 9:28:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 9:28:43 AM	27	gradCels
SC PITUR DORU SNC	pH	6/17/2016 9:28:42 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 9:24:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 9:24:01 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 9:23:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 9:23:23 AM	27	gradCels
SC PITUR DORU SNC	pH	6/17/2016 9:23:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 9:18:27 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 9:18:26 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 9:18:04 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 9:18:03 AM	27	gradCels
SC PITUR DORU SNC	pH	6/17/2016 9:18:02 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 9:13:04 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 9:13:02 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 9:12:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 9:12:23 AM	27	gradCels
SC PITUR DORU SNC	pH	6/17/2016 9:12:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 9:07:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 9:07:20 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 9:06:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 9:06:42 AM	27	gradCels
SC PITUR DORU SNC	pH	6/17/2016 9:06:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 9:01:46 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 9:01:45 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 9:01:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 9:01:22 AM	27	gradCels
SC PITUR DORU SNC	pH	6/17/2016 9:01:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 8:56:06 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 8:56:05 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 8:55:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 8:55:43 AM	27	gradCels
SC PITUR DORU SNC	pH	6/17/2016 8:55:42 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 8:51:01 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 8:50:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 8:50:24 AM	9	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 8:50:23 AM	27	gradCels
SC PITUR DORU SNC	pH	6/17/2016 8:50:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 8:45:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 8:45:21 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 8:44:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 8:44:44 AM	27	gradCels
SC PITUR DORU SNC	pH	6/17/2016 8:44:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 8:39:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 8:39:41 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 8:39:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 8:39:22 AM	27	gradCels
SC PITUR DORU SNC	pH	6/17/2016 8:39:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 8:34:06 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	6/17/2016 8:34:05 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 8:33:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 8:33:44 AM	27	gradCels
SC PITUR DORU SNC	pH	6/17/2016 8:33:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 8:28:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 8:28:21 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 8:28:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 8:28:01 AM	27	gradCels
SC PITUR DORU SNC	pH	6/17/2016 8:28:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 8:23:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 8:22:52 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 8:22:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 8:22:45 AM	27	gradCels
SC PITUR DORU SNC	pH	6/17/2016 8:22:44 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 8:17:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 8:17:05 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 8:17:03 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 8:17:02 AM	27	gradCels
SC PITUR DORU SNC	pH	6/17/2016 8:17:01 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 8:12:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 8:11:46 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 8:11:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 8:11:43 AM	27	gradCels
SC PITUR DORU SNC	pH	6/17/2016 8:11:42 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 8:06:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 8:06:06 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 8:06:04 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 8:06:03 AM	27	gradCels
SC PITUR DORU SNC	pH	6/17/2016 8:06:02 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 8:01:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 8:00:46 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 8:00:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 8:00:43 AM	27	gradCels
SC PITUR DORU SNC	pH	6/17/2016 8:00:42 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 7:55:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 7:55:05 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 7:55:03 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 7:55:02 AM	27	gradCels
SC PITUR DORU SNC	pH	6/17/2016 7:55:01 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 7:49:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 7:49:24 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 7:49:23 AM	9	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 7:49:22 AM	27	gradCels
SC PITUR DORU SNC	pH	6/17/2016 7:49:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 7:44:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 7:44:06 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 7:44:04 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 7:44:03 AM	27	gradCels
SC PITUR DORU SNC	pH	6/17/2016 7:44:02 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 7:38:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 7:38:26 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 7:38:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 7:38:23 AM	27	gradCels
SC PITUR DORU SNC	pH	6/17/2016 7:38:22 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/17/2016 7:33:07 AM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/17/2016 7:33:06 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 7:33:04 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 7:33:03 AM	27	gradCels
SC PITUR DORU SNC	pH	6/17/2016 7:33:02 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 7:27:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 7:27:25 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 7:27:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 7:27:22 AM	27	gradCels
SC PITUR DORU SNC	pH	6/17/2016 7:27:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 7:22:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 7:22:07 AM	9	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	6/17/2016 7:22:05 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 7:22:04 AM	27	gradCels
SC PITUR DORU SNC	pH	6/17/2016 7:22:03 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 7:16:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 7:16:05 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 7:16:03 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 7:16:02 AM	27	gradCels
SC PITUR DORU SNC	pH	6/17/2016 7:16:01 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 7:11:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 7:11:26 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 7:11:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 7:11:23 AM	27	gradCels
SC PITUR DORU SNC	pH	6/17/2016 7:11:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 7:06:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 7:06:20 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 7:06:03 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 7:06:02 AM	27	gradCels
SC PITUR DORU SNC	pH	6/17/2016 7:06:01 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 7:00:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 7:00:27 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 7:00:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 7:00:24 AM	27	gradCels
SC PITUR DORU SNC	pH	6/17/2016 7:00:23 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/17/2016 6:55:00 AM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/17/2016 6:54:47 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 6:54:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 6:54:42 AM	27	gradCels
SC PITUR DORU SNC	pH	6/17/2016 6:54:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 6:49:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 6:49:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 6:49:24 AM	9	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 6:49:23 AM	27	gradCels
SC PITUR DORU SNC	pH	6/17/2016 6:49:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 6:43:48 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 6:43:47 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 6:43:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 6:43:42 AM	27	gradCels
SC PITUR DORU SNC	pH	6/17/2016 6:43:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 6:38:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 6:38:25 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 6:38:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 6:38:22 AM	27	gradCels
SC PITUR DORU SNC	pH	6/17/2016 6:38:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 6:33:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 6:32:47 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 6:32:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 6:32:44 AM	27	gradCels
SC PITUR DORU SNC	pH	6/17/2016 6:32:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 6:27:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 6:27:30 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 6:27:28 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 6:27:27 AM	27	gradCels
SC PITUR DORU SNC	pH	6/17/2016 6:27:26 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 6:22:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 6:21:46 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 6:21:45 AM	9	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 6:21:44 AM	27	gradCels
SC PITUR DORU SNC	pH	6/17/2016 6:21:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 6:16:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 6:16:05 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 6:16:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 6:16:01 AM	27	gradCels
SC PITUR DORU SNC	pH	6/17/2016 6:16:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 6:11:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 6:10:45 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 6:10:43 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Temp	6/17/2016 6:10:42 AM	27	gradCels
SC PITUR DORU SNC	pH	6/17/2016 6:10:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 6:05:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 6:05:06 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 6:05:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 6:05:01 AM	27	gradCels
SC PITUR DORU SNC	pH	6/17/2016 6:05:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 6:00:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 5:59:44 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 5:59:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 5:59:41 AM	27	gradCels
SC PITUR DORU SNC	pH	6/17/2016 5:59:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 5:54:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 5:54:06 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 5:54:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 5:54:01 AM	27	gradCels
SC PITUR DORU SNC	pH	6/17/2016 5:54:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 5:49:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 5:48:46 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 5:48:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 5:48:43 AM	27	gradCels
SC PITUR DORU SNC	pH	6/17/2016 5:48:42 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 5:43:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 5:43:21 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 5:43:03 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 5:43:02 AM	27	gradCels
SC PITUR DORU SNC	pH	6/17/2016 5:43:01 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 5:37:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 5:37:24 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 5:37:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 5:37:21 AM	27	gradCels
SC PITUR DORU SNC	pH	6/17/2016 5:37:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 5:32:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 5:32:07 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 5:32:03 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 5:32:02 AM	27	gradCels
SC PITUR DORU SNC	pH	6/17/2016 5:32:01 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 5:26:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 5:26:24 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 5:26:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 5:26:21 AM	27	gradCels
SC PITUR DORU SNC	pH	6/17/2016 5:26:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 5:22:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 5:22:22 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 5:21:07 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 5:21:06 AM	27	gradCels
SC PITUR DORU SNC	pH	6/17/2016 5:21:05 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 5:15:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 5:15:24 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 5:15:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 5:15:21 AM	27	gradCels
SC PITUR DORU SNC	pH	6/17/2016 5:15:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 5:11:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 5:11:26 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 5:10:08 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 5:10:07 AM	27	gradCels
SC PITUR DORU SNC	pH	6/17/2016 5:10:06 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 5:04:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 5:04:27 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 5:04:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 5:04:22 AM	27	gradCels
SC PITUR DORU SNC	pH	6/17/2016 5:04:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 5:00:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 5:00:21 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 4:59:05 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 4:59:04 AM	27	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	6/17/2016 4:59:03 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 4:53:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 4:53:26 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 4:53:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 4:53:21 AM	27	gradCels
SC PITUR DORU SNC	pH	6/17/2016 4:53:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 4:49:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 4:49:23 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 4:48:08 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 4:48:07 AM	27	gradCels
SC PITUR DORU SNC	pH	6/17/2016 4:48:06 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 4:42:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 4:42:26 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 4:42:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 4:42:21 AM	27	gradCels
SC PITUR DORU SNC	pH	6/17/2016 4:42:20 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/17/2016 4:38:25 AM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/17/2016 4:38:24 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 4:37:07 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 4:37:06 AM	27	gradCels
SC PITUR DORU SNC	pH	6/17/2016 4:37:05 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 4:31:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 4:31:40 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 4:31:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 4:31:22 AM	27	gradCels
SC PITUR DORU SNC	pH	6/17/2016 4:31:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 4:26:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 4:26:08 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 4:26:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 4:26:05 AM	27	gradCels
SC PITUR DORU SNC	pH	6/17/2016 4:26:04 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 4:21:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 4:20:46 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 4:20:45 AM	9	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 4:20:44 AM	27	gradCels
SC PITUR DORU SNC	pH	6/17/2016 4:20:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 4:15:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 4:15:00 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 4:14:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 4:14:41 AM	27	gradCels
SC PITUR DORU SNC	pH	6/17/2016 4:14:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 4:09:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 4:09:24 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 4:09:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 4:09:21 AM	27	gradCels
SC PITUR DORU SNC	pH	6/17/2016 4:09:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 4:04:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 4:03:47 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 4:03:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 4:03:42 AM	27	gradCels
SC PITUR DORU SNC	pH	6/17/2016 4:03:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 3:58:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 3:58:25 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 3:58:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 3:58:22 AM	27	gradCels
SC PITUR DORU SNC	pH	6/17/2016 3:58:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 3:53:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 3:52:47 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 3:52:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 3:52:42 AM	28	gradCels
SC PITUR DORU SNC	pH	6/17/2016 3:52:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 3:47:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 3:47:26 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 3:47:25 AM	9	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 3:47:24 AM	28	gradCels
SC PITUR DORU SNC	pH	6/17/2016 3:47:23 AM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	6/17/2016 3:42:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 3:42:07 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 3:42:03 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 3:42:02 AM	28	gradCels
SC PITUR DORU SNC	pH	6/17/2016 3:42:01 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 3:36:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 3:36:06 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 3:36:04 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 3:36:03 AM	28	gradCels
SC PITUR DORU SNC	pH	6/17/2016 3:36:02 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 3:30:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 3:30:27 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 3:30:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 3:30:22 AM	28	gradCels
SC PITUR DORU SNC	pH	6/17/2016 3:30:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 3:25:07 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 3:25:06 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 3:25:04 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 3:25:03 AM	28	gradCels
SC PITUR DORU SNC	pH	6/17/2016 3:25:02 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 3:20:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 3:19:44 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 3:19:43 AM	8	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 3:19:42 AM	28	gradCels
SC PITUR DORU SNC	pH	6/17/2016 3:19:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 3:14:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 3:14:26 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 3:14:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 3:14:23 AM	28	gradCels
SC PITUR DORU SNC	pH	6/17/2016 3:14:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 3:08:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 3:08:20 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 3:08:03 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 3:08:02 AM	28	gradCels
SC PITUR DORU SNC	pH	6/17/2016 3:08:01 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 3:03:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 3:03:10 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 3:03:08 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 3:03:07 AM	28	gradCels
SC PITUR DORU SNC	pH	6/17/2016 3:03:06 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 2:57:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 2:57:06 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 2:57:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 2:57:01 AM	28	gradCels
SC PITUR DORU SNC	pH	6/17/2016 2:57:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 2:52:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 2:52:06 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 2:52:04 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 2:52:03 AM	28	gradCels
SC PITUR DORU SNC	pH	6/17/2016 2:52:02 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 2:46:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 2:46:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 2:46:22 AM	8	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 2:46:21 AM	28	gradCels
SC PITUR DORU SNC	pH	6/17/2016 2:46:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 2:41:07 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 2:41:06 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 2:41:04 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 2:41:03 AM	28	gradCels
SC PITUR DORU SNC	pH	6/17/2016 2:41:02 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 2:35:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 2:34:47 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 2:34:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 2:34:42 AM	28	gradCels
SC PITUR DORU SNC	pH	6/17/2016 2:34:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 2:30:25 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	6/17/2016 2:30:24 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 2:30:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 2:30:21 AM	28	gradCels
SC PITUR DORU SNC	pH	6/17/2016 2:30:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 2:24:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 2:24:44 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 2:24:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 2:24:41 AM	28	gradCels
SC PITUR DORU SNC	pH	6/17/2016 2:24:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 2:19:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 2:18:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 2:18:42 AM	8	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 2:18:41 AM	28	gradCels
SC PITUR DORU SNC	pH	6/17/2016 2:18:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 2:14:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 2:13:47 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 2:13:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 2:13:42 AM	28	gradCels
SC PITUR DORU SNC	pH	6/17/2016 2:13:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 2:08:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 2:08:01 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 2:07:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 2:07:42 AM	28	gradCels
SC PITUR DORU SNC	pH	6/17/2016 2:07:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 2:03:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 2:02:47 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 2:02:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 2:02:42 AM	28	gradCels
SC PITUR DORU SNC	pH	6/17/2016 2:02:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 1:57:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 1:57:01 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 1:56:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 1:56:42 AM	28	gradCels
SC PITUR DORU SNC	pH	6/17/2016 1:56:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 1:52:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 1:51:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 1:51:44 AM	8	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 1:51:43 AM	28	gradCels
SC PITUR DORU SNC	pH	6/17/2016 1:51:42 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 1:46:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 1:46:20 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 1:45:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 1:45:42 AM	28	gradCels
SC PITUR DORU SNC	pH	6/17/2016 1:45:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 1:41:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 1:40:47 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 1:40:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 1:40:42 AM	28	gradCels
SC PITUR DORU SNC	pH	6/17/2016 1:40:41 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/17/2016 1:35:01 AM	8	mg/l
SC PITUR DORU SNC	Cianuri	6/17/2016 1:35:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 1:34:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 1:34:42 AM	28	gradCels
SC PITUR DORU SNC	pH	6/17/2016 1:34:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 1:30:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 1:29:41 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 1:29:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 1:29:22 AM	28	gradCels
SC PITUR DORU SNC	pH	6/17/2016 1:29:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 1:25:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 1:25:21 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 1:24:04 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 1:24:03 AM	28	gradCels
SC PITUR DORU SNC	pH	6/17/2016 1:24:02 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 1:19:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 1:18:24 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	6/17/2016 1:18:23 AM	8	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 1:18:22 AM	28	gradCels
SC PITUR DORU SNC	pH	6/17/2016 1:18:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 1:14:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 1:14:40 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 1:13:03 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 1:13:02 AM	28	gradCels
SC PITUR DORU SNC	pH	6/17/2016 1:13:01 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 1:08:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 1:07:40 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 1:07:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 1:07:22 AM	28	gradCels
SC PITUR DORU SNC	pH	6/17/2016 1:07:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 1:03:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 1:03:20 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 1:02:05 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 1:02:04 AM	28	gradCels
SC PITUR DORU SNC	pH	6/17/2016 1:02:03 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 12:56:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 12:56:20 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 12:56:03 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 12:56:02 AM	28	gradCels
SC PITUR DORU SNC	pH	6/17/2016 12:56:01 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 12:53:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 12:52:40 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 12:51:28 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 12:51:27 AM	28	gradCels
SC PITUR DORU SNC	pH	6/17/2016 12:51:26 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 12:47:21 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 12:45:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 12:45:44 AM	8	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 12:45:42 AM	28	gradCels
SC PITUR DORU SNC	pH	6/17/2016 12:45:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 12:42:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 12:41:41 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 12:40:28 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 12:40:27 AM	28	gradCels
SC PITUR DORU SNC	pH	6/17/2016 12:40:26 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 12:36:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 12:35:50 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 12:34:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 12:34:42 AM	28	gradCels
SC PITUR DORU SNC	pH	6/17/2016 12:34:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 12:30:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 12:30:21 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 12:29:04 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 12:29:03 AM	28	gradCels
SC PITUR DORU SNC	pH	6/17/2016 12:29:02 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 12:25:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 12:25:01 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 12:23:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 12:23:24 AM	28	gradCels
SC PITUR DORU SNC	pH	6/17/2016 12:23:23 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 12:19:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 12:17:44 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 12:17:43 AM	8	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 12:17:42 AM	28	gradCels
SC PITUR DORU SNC	pH	6/17/2016 12:17:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 12:14:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 12:13:30 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 12:12:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 12:12:24 AM	28	gradCels
SC PITUR DORU SNC	pH	6/17/2016 12:12:23 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 12:08:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 12:08:21 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 12:07:02 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Temp	6/17/2016 12:07:01 AM	28	gradCels
SC PITUR DORU SNC	pH	6/17/2016 12:07:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/17/2016 12:02:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/17/2016 12:02:30 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/17/2016 12:01:28 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/17/2016 12:01:27 AM	28	gradCels
SC PITUR DORU SNC	pH	6/17/2016 12:01:26 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 11:57:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 11:57:09 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 11:56:03 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 11:56:02 PM	28	gradCels
SC PITUR DORU SNC	pH	6/16/2016 11:56:01 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 11:52:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 11:50:26 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 11:50:25 PM	8	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 11:50:24 PM	28	gradCels
SC PITUR DORU SNC	pH	6/16/2016 11:50:23 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 11:46:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 11:46:09 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 11:45:03 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 11:45:02 PM	28	gradCels
SC PITUR DORU SNC	pH	6/16/2016 11:45:01 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 11:41:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 11:40:41 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 11:39:23 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 11:39:22 PM	28	gradCels
SC PITUR DORU SNC	pH	6/16/2016 11:39:21 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 11:35:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 11:35:40 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 11:34:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 11:34:01 PM	28	gradCels
SC PITUR DORU SNC	pH	6/16/2016 11:34:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 11:29:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 11:29:40 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 11:28:03 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 11:28:02 PM	28	gradCels
SC PITUR DORU SNC	pH	6/16/2016 11:28:01 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 11:24:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 11:24:40 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 11:23:03 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 11:23:02 PM	28	gradCels
SC PITUR DORU SNC	pH	6/16/2016 11:23:01 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 11:19:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 11:19:00 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 11:17:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 11:17:21 PM	28	gradCels
SC PITUR DORU SNC	pH	6/16/2016 11:17:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 11:13:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 11:13:29 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 11:13:04 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 11:13:03 PM	28	gradCels
SC PITUR DORU SNC	pH	6/16/2016 11:13:02 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 11:08:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 11:08:00 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 11:06:24 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 11:06:23 PM	28	gradCels
SC PITUR DORU SNC	pH	6/16/2016 11:06:22 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 11:02:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 11:02:40 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 11:01:03 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 11:01:02 PM	28	gradCels
SC PITUR DORU SNC	pH	6/16/2016 11:01:01 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 10:56:51 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 10:56:50 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 10:56:24 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 10:56:23 PM	28	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	6/16/2016 10:56:22 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 10:51:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 10:50:04 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 10:50:03 PM	8	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 10:50:02 PM	28	gradCels
SC PITUR DORU SNC	pH	6/16/2016 10:50:01 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 10:46:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 10:46:00 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 10:45:32 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 10:45:31 PM	28	gradCels
SC PITUR DORU SNC	pH	6/16/2016 10:45:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 10:40:22 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 10:40:21 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 10:39:12 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 10:39:11 PM	28	gradCels
SC PITUR DORU SNC	pH	6/16/2016 10:39:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 10:35:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 10:34:41 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 10:33:11 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 10:33:10 PM	28	gradCels
SC PITUR DORU SNC	pH	6/16/2016 10:33:09 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 10:29:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 10:29:40 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 10:28:12 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 10:28:11 PM	28	gradCels
SC PITUR DORU SNC	pH	6/16/2016 10:28:10 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/16/2016 10:23:42 PM	8	mg/l
SC PITUR DORU SNC	Cianuri	6/16/2016 10:23:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 10:22:54 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 10:22:53 PM	28	gradCels
SC PITUR DORU SNC	pH	6/16/2016 10:22:52 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 10:18:21 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 10:18:14 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 10:18:13 PM	8	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 10:18:12 PM	28	gradCels
SC PITUR DORU SNC	pH	6/16/2016 10:18:11 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 10:12:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 10:12:42 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 10:10:53 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 10:10:52 PM	28	gradCels
SC PITUR DORU SNC	pH	6/16/2016 10:10:51 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 10:07:22 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 10:07:21 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 10:06:12 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 10:06:11 PM	28	gradCels
SC PITUR DORU SNC	pH	6/16/2016 10:06:10 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/16/2016 10:02:21 PM	8	mg/l
SC PITUR DORU SNC	Cianuri	6/16/2016 10:00:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 10:00:23 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 10:00:22 PM	28	gradCels
SC PITUR DORU SNC	pH	6/16/2016 10:00:21 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/16/2016 9:56:22 PM	8	mg/l
SC PITUR DORU SNC	Cianuri	6/16/2016 9:56:21 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 9:56:12 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 9:56:11 PM	28	gradCels
SC PITUR DORU SNC	pH	6/16/2016 9:56:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 9:51:01 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 9:50:44 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 9:50:43 PM	8	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 9:50:42 PM	28	gradCels
SC PITUR DORU SNC	pH	6/16/2016 9:50:41 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/16/2016 9:45:02 PM	8	mg/l
SC PITUR DORU SNC	Cianuri	6/16/2016 9:44:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 9:44:23 PM	0	mg/l
SC PITUR DORU SNC	pH	6/16/2016 9:44:22 PM	8	unit pH
SC PITUR DORU SNC	Temp	6/16/2016 9:44:21 PM	28	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	6/16/2016 9:40:20 PM	8	mg/l
SC PITUR DORU SNC	Cianuri	6/16/2016 9:40:01 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 9:39:49 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 9:39:48 PM	28	gradCels
SC PITUR DORU SNC	pH	6/16/2016 9:39:47 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 9:34:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 9:34:41 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 9:34:25 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 9:34:24 PM	28	gradCels
SC PITUR DORU SNC	pH	6/16/2016 9:34:23 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/16/2016 9:29:02 PM	8	mg/l
SC PITUR DORU SNC	Cianuri	6/16/2016 9:29:01 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 9:28:43 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 9:28:42 PM	28	gradCels
SC PITUR DORU SNC	pH	6/16/2016 9:28:41 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 9:23:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 9:23:41 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 9:23:24 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 9:23:23 PM	28	gradCels
SC PITUR DORU SNC	pH	6/16/2016 9:23:22 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 9:17:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 9:17:28 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 9:17:27 PM	8	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 9:17:26 PM	28	gradCels
SC PITUR DORU SNC	pH	6/16/2016 9:17:25 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/16/2016 9:12:42 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/16/2016 9:12:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 9:12:25 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 9:12:24 PM	28	gradCels
SC PITUR DORU SNC	pH	6/16/2016 9:12:23 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/16/2016 9:06:43 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/16/2016 9:06:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 9:06:33 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 9:06:32 PM	28	gradCels
SC PITUR DORU SNC	pH	6/16/2016 9:06:31 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/16/2016 9:01:42 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/16/2016 9:01:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 9:01:24 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 9:01:23 PM	28	gradCels
SC PITUR DORU SNC	pH	6/16/2016 9:01:22 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 8:56:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 8:56:00 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 8:55:33 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 8:55:32 PM	28	gradCels
SC PITUR DORU SNC	pH	6/16/2016 8:55:31 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 8:50:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 8:50:24 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 8:50:23 PM	9	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 8:50:22 PM	28	gradCels
SC PITUR DORU SNC	pH	6/16/2016 8:50:21 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/16/2016 8:45:00 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/16/2016 8:44:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 8:44:24 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 8:44:23 PM	28	gradCels
SC PITUR DORU SNC	pH	6/16/2016 8:44:22 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 8:39:22 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 8:39:21 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 8:39:04 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 8:39:03 PM	28	gradCels
SC PITUR DORU SNC	pH	6/16/2016 8:39:02 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/16/2016 8:33:42 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/16/2016 8:33:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 8:33:29 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 8:33:28 PM	28	gradCels
SC PITUR DORU SNC	pH	6/16/2016 8:33:27 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/16/2016 8:28:22 PM	9	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	6/16/2016 8:28:21 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 8:28:05 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 8:28:04 PM	28	gradCels
SC PITUR DORU SNC	pH	6/16/2016 8:28:03 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/16/2016 8:22:40 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/16/2016 8:22:21 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 8:22:15 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 8:22:14 PM	28	gradCels
SC PITUR DORU SNC	pH	6/16/2016 8:22:13 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 8:17:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 8:17:28 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 8:17:27 PM	9	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 8:17:26 PM	28	gradCels
SC PITUR DORU SNC	pH	6/16/2016 8:17:25 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/16/2016 8:09:05 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/16/2016 8:08:42 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 8:08:39 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 8:08:38 PM	28	gradCels
SC PITUR DORU SNC	pH	6/16/2016 8:08:37 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/16/2016 8:04:22 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/16/2016 8:04:21 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 8:04:05 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 8:04:04 PM	28	gradCels
SC PITUR DORU SNC	pH	6/16/2016 8:04:03 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/16/2016 7:59:04 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/16/2016 7:59:01 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 7:58:54 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 7:58:53 PM	28	gradCels
SC PITUR DORU SNC	pH	6/16/2016 7:58:52 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/16/2016 7:55:02 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/16/2016 7:55:01 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 7:54:44 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 7:54:43 PM	28	gradCels
SC PITUR DORU SNC	pH	6/16/2016 7:54:42 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 7:50:21 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 7:50:09 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 7:50:08 PM	9	mg/l
SC PITUR DORU SNC	pH	6/16/2016 7:50:07 PM	8	unit pH
SC PITUR DORU SNC	Temp	6/16/2016 7:50:06 PM	28	gradCels
SC PITUR DORU SNC	Substante organice	6/16/2016 7:44:44 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/16/2016 7:44:21 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 7:44:04 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 7:44:03 PM	28	gradCels
SC PITUR DORU SNC	pH	6/16/2016 7:44:02 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/16/2016 7:40:41 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/16/2016 7:39:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 7:39:34 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 7:39:33 PM	28	gradCels
SC PITUR DORU SNC	pH	6/16/2016 7:39:32 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 7:35:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 7:35:40 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 7:34:53 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 7:34:52 PM	28	gradCels
SC PITUR DORU SNC	pH	6/16/2016 7:34:51 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/16/2016 7:31:23 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/16/2016 7:30:21 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 7:30:04 PM	0	mg/l
SC PITUR DORU SNC	pH	6/16/2016 7:30:03 PM	8	unit pH
SC PITUR DORU SNC	Temp	6/16/2016 7:30:02 PM	28	gradCels
SC PITUR DORU SNC	Substante organice	6/16/2016 7:26:21 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/16/2016 7:25:49 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 7:25:44 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 7:25:42 PM	28	gradCels
SC PITUR DORU SNC	pH	6/16/2016 7:25:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 7:21:21 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 7:21:09 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	6/16/2016 7:21:08 PM	9	mg/l
SC PITUR DORU SNC	pH	6/16/2016 7:21:07 PM	8	unit pH
SC PITUR DORU SNC	Temp	6/16/2016 7:21:06 PM	28	gradCels
SC PITUR DORU SNC	Substante organice	6/16/2016 7:17:04 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/16/2016 7:16:22 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 7:16:08 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 7:16:07 PM	28	gradCels
SC PITUR DORU SNC	pH	6/16/2016 7:16:06 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/16/2016 7:12:41 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/16/2016 7:11:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 7:11:28 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 7:11:27 PM	28	gradCels
SC PITUR DORU SNC	pH	6/16/2016 7:11:26 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/16/2016 7:08:00 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/16/2016 7:07:01 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 7:06:48 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 7:06:47 PM	28	gradCels
SC PITUR DORU SNC	pH	6/16/2016 7:06:46 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 7:03:22 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 7:03:20 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 7:02:13 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 7:02:12 PM	28	gradCels
SC PITUR DORU SNC	pH	6/16/2016 7:02:11 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 6:58:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 6:58:02 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 6:57:09 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 6:57:08 PM	28	gradCels
SC PITUR DORU SNC	pH	6/16/2016 6:57:07 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 6:53:22 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 6:52:25 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 6:52:23 PM	9	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 6:52:22 PM	28	gradCels
SC PITUR DORU SNC	pH	6/16/2016 6:52:21 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 6:48:44 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 6:48:41 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 6:47:28 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 6:47:27 PM	27	gradCels
SC PITUR DORU SNC	pH	6/16/2016 6:47:26 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/16/2016 6:43:40 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/16/2016 6:43:01 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 6:42:47 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 6:42:46 PM	27	gradCels
SC PITUR DORU SNC	pH	6/16/2016 6:42:45 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/16/2016 6:39:20 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/16/2016 6:38:21 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 6:38:08 PM	0	mg/l
SC PITUR DORU SNC	pH	6/16/2016 6:38:07 PM	8	unit pH
SC PITUR DORU SNC	Temp	6/16/2016 6:38:06 PM	27	gradCels
SC PITUR DORU SNC	Substante organice	6/16/2016 6:34:23 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/16/2016 6:33:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 6:33:23 PM	0	mg/l
SC PITUR DORU SNC	pH	6/16/2016 6:33:22 PM	8	unit pH
SC PITUR DORU SNC	Temp	6/16/2016 6:33:21 PM	27	gradCels
SC PITUR DORU SNC	Substante organice	6/16/2016 6:30:01 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/16/2016 6:29:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 6:27:29 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 6:27:28 PM	27	gradCels
SC PITUR DORU SNC	pH	6/16/2016 6:27:27 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 6:25:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 6:24:34 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 6:24:33 PM	9	mg/l
SC PITUR DORU SNC	pH	6/16/2016 6:24:32 PM	8	unit pH
SC PITUR DORU SNC	Temp	6/16/2016 6:24:31 PM	27	gradCels
SC PITUR DORU SNC	Substante organice	6/16/2016 6:20:41 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/16/2016 6:19:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 6:19:28 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	6/16/2016 6:19:27 PM	8	unit pH
SC PITUR DORU SNC	Temp	6/16/2016 6:19:26 PM	27	gradCels
SC PITUR DORU SNC	Substante organice	6/16/2016 6:16:00 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/16/2016 6:15:01 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 6:14:52 PM	0	mg/l
SC PITUR DORU SNC	pH	6/16/2016 6:14:51 PM	8	unit pH
SC PITUR DORU SNC	Temp	6/16/2016 6:14:50 PM	27	gradCels
SC PITUR DORU SNC	Cianuri	6/16/2016 6:11:22 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 6:11:21 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 6:10:08 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 6:10:07 PM	27	gradCels
SC PITUR DORU SNC	pH	6/16/2016 6:10:06 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/16/2016 6:06:41 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/16/2016 6:04:21 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 6:04:13 PM	0	mg/l
SC PITUR DORU SNC	pH	6/16/2016 6:04:12 PM	8	unit pH
SC PITUR DORU SNC	Temp	6/16/2016 6:04:11 PM	27	gradCels
SC PITUR DORU SNC	Substante organice	6/16/2016 6:01:43 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/16/2016 6:01:01 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 6:00:55 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 6:00:54 PM	27	gradCels
SC PITUR DORU SNC	pH	6/16/2016 6:00:53 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 5:56:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 5:56:24 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 5:56:23 PM	9	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 5:56:22 PM	27	gradCels
SC PITUR DORU SNC	pH	6/16/2016 5:56:21 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/16/2016 5:52:41 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/16/2016 5:50:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 5:50:32 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 5:50:31 PM	27	gradCels
SC PITUR DORU SNC	pH	6/16/2016 5:50:30 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/16/2016 5:48:00 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/16/2016 5:45:21 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 5:45:03 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 5:45:02 PM	27	gradCels
SC PITUR DORU SNC	pH	6/16/2016 5:45:01 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/16/2016 5:43:00 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/16/2016 5:42:21 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 5:42:03 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 5:42:02 PM	27	gradCels
SC PITUR DORU SNC	pH	6/16/2016 5:42:01 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 5:38:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 5:38:02 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 5:37:32 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 5:37:31 PM	27	gradCels
SC PITUR DORU SNC	pH	6/16/2016 5:37:30 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/16/2016 5:33:26 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/16/2016 5:33:01 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 5:32:55 PM	0	mg/l
SC PITUR DORU SNC	pH	6/16/2016 5:32:54 PM	8	unit pH
SC PITUR DORU SNC	Temp	6/16/2016 5:32:53 PM	27	gradCels
SC PITUR DORU SNC	Cianuri	6/16/2016 5:28:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 5:28:24 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 5:28:23 PM	9	mg/l
SC PITUR DORU SNC	pH	6/16/2016 5:28:22 PM	8	unit pH
SC PITUR DORU SNC	Temp	6/16/2016 5:28:21 PM	27	gradCels
SC PITUR DORU SNC	Substante organice	6/16/2016 5:24:21 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/16/2016 5:23:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 5:23:23 PM	0	mg/l
SC PITUR DORU SNC	pH	6/16/2016 5:23:22 PM	8	unit pH
SC PITUR DORU SNC	Temp	6/16/2016 5:23:21 PM	27	gradCels
SC PITUR DORU SNC	Substante organice	6/16/2016 5:20:01 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/16/2016 5:19:01 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 5:18:52 PM	0	mg/l
SC PITUR DORU SNC	pH	6/16/2016 5:18:51 PM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Temp	6/16/2016 5:18:50 PM	27	gradCels
SC PITUR DORU SNC	Substante organice	6/16/2016 5:15:01 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/16/2016 5:14:21 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 5:14:13 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 5:14:12 PM	27	gradCels
SC PITUR DORU SNC	pH	6/16/2016 5:14:11 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/16/2016 5:10:40 PM	9	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 5:10:22 PM	27	gradCels
SC PITUR DORU SNC	Cianuri	6/16/2016 5:09:24 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 5:09:23 PM	0	mg/l
SC PITUR DORU SNC	pH	6/16/2016 5:09:22 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/16/2016 5:08:21 PM	9	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 5:08:20 PM	27	gradCels
SC PITUR DORU SNC	Cianuri	6/16/2016 5:05:21 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 5:05:20 PM	0	mg/l
SC PITUR DORU SNC	pH	6/16/2016 5:05:02 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/16/2016 5:04:00 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/16/2016 5:03:01 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 5:02:43 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 5:02:42 PM	27	gradCels
SC PITUR DORU SNC	pH	6/16/2016 5:02:41 PM	8	unit pH
SC PITUR DORU SNC	Grasimi	6/16/2016 4:57:22 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	6/16/2016 4:57:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 4:57:04 PM	9	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 4:57:03 PM	26	gradCels
SC PITUR DORU SNC	pH	6/16/2016 4:57:01 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 4:52:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 4:52:38 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 4:52:37 PM	26	gradCels
SC PITUR DORU SNC	pH	6/16/2016 4:52:36 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 4:48:01 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 4:47:49 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 4:47:48 PM	9	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 4:47:47 PM	26	gradCels
SC PITUR DORU SNC	pH	6/16/2016 4:47:46 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 4:44:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 4:44:24 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 4:44:23 PM	9	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 4:44:22 PM	26	gradCels
SC PITUR DORU SNC	pH	6/16/2016 4:44:21 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 4:40:01 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 4:39:43 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 4:39:42 PM	26	gradCels
SC PITUR DORU SNC	pH	6/16/2016 4:39:41 PM	8	unit pH
SC PITUR DORU SNC	Temp	6/16/2016 4:36:40 PM	26	gradCels
SC PITUR DORU SNC	Grasimi	6/16/2016 4:35:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 4:35:41 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/16/2016 4:35:23 PM	0	mg/l
SC PITUR DORU SNC	pH	6/16/2016 4:35:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/16/2016 4:33:48 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/16/2016 4:32:01 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 4:31:53 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 4:31:52 PM	26	gradCels
SC PITUR DORU SNC	pH	6/16/2016 4:31:51 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/16/2016 4:27:02 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/16/2016 4:24:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 4:24:28 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 4:24:27 PM	26	gradCels
SC PITUR DORU SNC	pH	6/16/2016 4:24:26 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 4:20:01 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 4:19:53 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 4:19:52 PM	9	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 4:19:51 PM	26	gradCels
SC PITUR DORU SNC	pH	6/16/2016 4:19:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 4:16:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 4:16:04 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	6/16/2016 4:16:03 PM	9	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 4:16:02 PM	26	gradCels
SC PITUR DORU SNC	pH	6/16/2016 4:16:01 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 4:11:45 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 4:11:28 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 4:11:27 PM	9	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 4:11:26 PM	26	gradCels
SC PITUR DORU SNC	pH	6/16/2016 4:11:25 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/16/2016 4:05:43 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/16/2016 4:05:42 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 4:05:28 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 4:05:27 PM	26	gradCels
SC PITUR DORU SNC	pH	6/16/2016 4:05:26 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/16/2016 4:00:22 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/16/2016 4:00:21 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 4:00:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 4:00:06 PM	26	gradCels
SC PITUR DORU SNC	pH	6/16/2016 4:00:05 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/16/2016 3:54:42 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/16/2016 3:54:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 3:54:27 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 3:54:26 PM	26	gradCels
SC PITUR DORU SNC	pH	6/16/2016 3:54:25 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 3:49:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 3:49:25 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 3:49:24 PM	9	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 3:49:23 PM	26	gradCels
SC PITUR DORU SNC	pH	6/16/2016 3:49:22 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/16/2016 3:44:02 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/16/2016 3:44:01 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 3:43:47 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 3:43:46 PM	26	gradCels
SC PITUR DORU SNC	pH	6/16/2016 3:43:45 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/16/2016 3:37:22 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/16/2016 3:37:21 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 3:37:04 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 3:37:03 PM	26	gradCels
SC PITUR DORU SNC	pH	6/16/2016 3:37:02 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/16/2016 3:32:22 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/16/2016 3:32:21 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 3:32:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 3:32:06 PM	26	gradCels
SC PITUR DORU SNC	pH	6/16/2016 3:32:05 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/16/2016 3:28:02 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/16/2016 3:28:01 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 3:27:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 3:27:45 PM	26	gradCels
SC PITUR DORU SNC	pH	6/16/2016 3:27:44 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 3:23:01 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 3:22:48 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 3:22:47 PM	9	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 3:22:46 PM	26	gradCels
SC PITUR DORU SNC	pH	6/16/2016 3:22:45 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/16/2016 3:18:42 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/16/2016 3:18:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 3:18:24 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 3:18:23 PM	26	gradCels
SC PITUR DORU SNC	pH	6/16/2016 3:18:22 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/16/2016 3:14:00 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/16/2016 3:13:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 3:13:27 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 3:13:26 PM	26	gradCels
SC PITUR DORU SNC	pH	6/16/2016 3:13:25 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/16/2016 3:09:22 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/16/2016 3:09:21 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 3:09:03 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Temp	6/16/2016 3:09:02 PM	26	gradCels
SC PITUR DORU SNC	pH	6/16/2016 3:09:01 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 3:02:01 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 3:01:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 3:01:44 PM	9	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 3:01:43 PM	25	gradCels
SC PITUR DORU SNC	pH	6/16/2016 3:01:42 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/16/2016 2:59:42 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/16/2016 2:59:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 2:59:26 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 2:59:25 PM	25	gradCels
SC PITUR DORU SNC	pH	6/16/2016 2:59:24 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/16/2016 2:54:22 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/16/2016 2:54:21 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 2:54:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 2:54:06 PM	25	gradCels
SC PITUR DORU SNC	pH	6/16/2016 2:54:05 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 2:49:01 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 2:48:27 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 2:48:26 PM	9	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 2:48:25 PM	25	gradCels
SC PITUR DORU SNC	pH	6/16/2016 2:48:24 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 2:43:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 2:43:03 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 2:42:26 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 2:42:25 PM	25	gradCels
SC PITUR DORU SNC	pH	6/16/2016 2:42:24 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 2:38:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 2:38:01 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 2:37:26 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 2:37:25 PM	25	gradCels
SC PITUR DORU SNC	pH	6/16/2016 2:37:24 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 2:32:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 2:32:02 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 2:31:26 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 2:31:25 PM	25	gradCels
SC PITUR DORU SNC	pH	6/16/2016 2:31:24 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 2:27:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 2:27:00 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 2:26:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 2:26:29 PM	25	gradCels
SC PITUR DORU SNC	pH	6/16/2016 2:26:28 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 2:20:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 2:20:28 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 2:20:27 PM	10	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 2:20:26 PM	25	gradCels
SC PITUR DORU SNC	pH	6/16/2016 2:20:25 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 2:15:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 2:15:41 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 2:15:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 2:15:06 PM	25	gradCels
SC PITUR DORU SNC	pH	6/16/2016 2:15:05 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 2:09:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 2:09:41 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 2:09:27 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 2:09:26 PM	25	gradCels
SC PITUR DORU SNC	pH	6/16/2016 2:09:25 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 2:04:22 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 2:04:21 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 2:04:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 2:04:06 PM	25	gradCels
SC PITUR DORU SNC	pH	6/16/2016 2:04:05 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 1:58:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 1:58:41 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 1:58:26 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 1:58:25 PM	25	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	6/16/2016 1:58:24 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 1:53:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 1:53:41 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 1:53:23 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 1:53:22 PM	25	gradCels
SC PITUR DORU SNC	pH	6/16/2016 1:53:21 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 1:48:21 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 1:47:47 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 1:47:46 PM	10	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 1:47:45 PM	25	gradCels
SC PITUR DORU SNC	pH	6/16/2016 1:47:44 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 1:42:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 1:42:41 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 1:42:23 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 1:42:22 PM	25	gradCels
SC PITUR DORU SNC	pH	6/16/2016 1:42:21 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 1:37:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 1:37:22 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 1:36:51 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 1:36:50 PM	25	gradCels
SC PITUR DORU SNC	pH	6/16/2016 1:36:49 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 1:31:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 1:31:41 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 1:31:25 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 1:31:24 PM	25	gradCels
SC PITUR DORU SNC	pH	6/16/2016 1:31:23 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 1:26:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 1:26:01 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 1:25:31 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 1:25:30 PM	25	gradCels
SC PITUR DORU SNC	pH	6/16/2016 1:25:29 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 1:20:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 1:20:28 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 1:20:27 PM	10	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 1:20:26 PM	25	gradCels
SC PITUR DORU SNC	pH	6/16/2016 1:20:25 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 1:14:44 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 1:14:42 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 1:14:31 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 1:14:30 PM	25	gradCels
SC PITUR DORU SNC	pH	6/16/2016 1:14:29 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 1:09:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 1:09:41 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 1:09:24 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 1:09:23 PM	25	gradCels
SC PITUR DORU SNC	pH	6/16/2016 1:09:22 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 1:04:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 1:04:02 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 1:03:26 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 1:03:25 PM	25	gradCels
SC PITUR DORU SNC	pH	6/16/2016 1:03:24 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 12:58:48 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 12:58:47 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 12:58:24 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 12:58:23 PM	25	gradCels
SC PITUR DORU SNC	pH	6/16/2016 12:58:22 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 12:52:48 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 12:52:47 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 12:52:28 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 12:52:27 PM	25	gradCels
SC PITUR DORU SNC	pH	6/16/2016 12:52:26 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 12:46:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 12:46:27 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 12:46:26 PM	10	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 12:46:25 PM	25	gradCels
SC PITUR DORU SNC	pH	6/16/2016 12:46:24 PM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	6/16/2016 12:41:48 PM	10	mg/l
SC PITUR DORU SNC	Cianuri	6/16/2016 12:41:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 12:41:28 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 12:41:27 PM	25	gradCels
SC PITUR DORU SNC	pH	6/16/2016 12:41:26 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 12:35:48 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 12:35:47 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 12:35:26 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 12:35:25 PM	25	gradCels
SC PITUR DORU SNC	pH	6/16/2016 12:35:24 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/16/2016 12:30:48 PM	10	mg/l
SC PITUR DORU SNC	Cianuri	6/16/2016 12:30:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 12:30:28 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 12:30:27 PM	25	gradCels
SC PITUR DORU SNC	pH	6/16/2016 12:30:26 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/16/2016 12:25:01 PM	10	mg/l
SC PITUR DORU SNC	Cianuri	6/16/2016 12:24:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 12:24:32 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 12:24:31 PM	25	gradCels
SC PITUR DORU SNC	pH	6/16/2016 12:24:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 12:19:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 12:19:15 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 12:19:14 PM	10	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 12:19:13 PM	24	gradCels
SC PITUR DORU SNC	pH	6/16/2016 12:19:12 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 12:14:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 12:14:02 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 12:13:27 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 12:13:26 PM	24	gradCels
SC PITUR DORU SNC	pH	6/16/2016 12:13:25 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 12:08:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 12:08:41 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 12:08:09 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 12:08:08 PM	24	gradCels
SC PITUR DORU SNC	pH	6/16/2016 12:08:07 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 12:02:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 12:02:49 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 12:02:26 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 12:02:25 PM	24	gradCels
SC PITUR DORU SNC	pH	6/16/2016 12:02:24 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 11:57:28 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 11:57:27 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 11:57:11 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 11:57:10 AM	24	gradCels
SC PITUR DORU SNC	pH	6/16/2016 11:57:09 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 11:52:21 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 11:51:47 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 11:51:46 AM	10	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 11:51:45 AM	24	gradCels
SC PITUR DORU SNC	pH	6/16/2016 11:51:44 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 11:46:48 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 11:46:47 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 11:46:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 11:46:24 AM	24	gradCels
SC PITUR DORU SNC	pH	6/16/2016 11:46:23 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 11:41:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 11:41:20 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 11:40:47 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 11:40:46 AM	24	gradCels
SC PITUR DORU SNC	pH	6/16/2016 11:40:45 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 11:35:48 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 11:35:47 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 11:35:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 11:35:23 AM	24	gradCels
SC PITUR DORU SNC	pH	6/16/2016 11:35:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 11:30:03 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	6/16/2016 11:30:02 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 11:29:31 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 11:29:30 AM	24	gradCels
SC PITUR DORU SNC	pH	6/16/2016 11:29:29 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 11:24:48 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 11:24:47 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 11:24:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 11:24:22 AM	24	gradCels
SC PITUR DORU SNC	pH	6/16/2016 11:24:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 11:19:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 11:19:01 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 11:18:27 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 11:18:26 AM	24	gradCels
SC PITUR DORU SNC	pH	6/16/2016 11:18:25 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 11:13:48 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 11:13:47 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 11:13:27 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 11:13:26 AM	24	gradCels
SC PITUR DORU SNC	pH	6/16/2016 11:13:25 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 11:08:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 11:08:00 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 11:07:28 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 11:07:27 AM	24	gradCels
SC PITUR DORU SNC	pH	6/16/2016 11:07:26 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 11:02:48 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 11:02:47 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 11:02:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 11:02:22 AM	24	gradCels
SC PITUR DORU SNC	pH	6/16/2016 11:02:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 10:57:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 10:57:00 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 10:56:28 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 10:56:27 AM	24	gradCels
SC PITUR DORU SNC	pH	6/16/2016 10:56:26 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 10:51:49 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 10:51:48 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 10:51:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 10:51:22 AM	24	gradCels
SC PITUR DORU SNC	pH	6/16/2016 10:51:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 10:46:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 10:46:00 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 10:45:31 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 10:45:30 AM	24	gradCels
SC PITUR DORU SNC	pH	6/16/2016 10:45:29 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 10:40:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 10:39:42 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 10:39:07 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 10:39:06 AM	24	gradCels
SC PITUR DORU SNC	pH	6/16/2016 10:39:05 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 10:34:48 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 10:34:47 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 10:34:27 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 10:34:26 AM	24	gradCels
SC PITUR DORU SNC	pH	6/16/2016 10:34:25 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 10:29:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 10:29:00 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 10:28:28 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 10:28:27 AM	24	gradCels
SC PITUR DORU SNC	pH	6/16/2016 10:28:26 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 10:24:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 10:24:00 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 10:23:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 10:23:21 AM	24	gradCels
SC PITUR DORU SNC	pH	6/16/2016 10:23:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 10:17:49 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 10:17:48 AM	10	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	6/16/2016 10:17:12 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 10:17:11 AM	24	gradCels
SC PITUR DORU SNC	pH	6/16/2016 10:17:10 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/16/2016 10:13:01 AM	10	mg/l
SC PITUR DORU SNC	Cianuri	6/16/2016 10:13:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 10:12:07 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 10:12:06 AM	24	gradCels
SC PITUR DORU SNC	pH	6/16/2016 10:12:05 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 10:07:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 10:07:00 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 10:06:12 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 10:06:11 AM	24	gradCels
SC PITUR DORU SNC	pH	6/16/2016 10:06:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 10:01:48 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 10:01:47 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 10:01:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 10:01:22 AM	24	gradCels
SC PITUR DORU SNC	pH	6/16/2016 10:01:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 9:55:49 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 9:55:47 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 9:55:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 9:55:21 AM	24	gradCels
SC PITUR DORU SNC	pH	6/16/2016 9:55:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 9:50:47 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 9:50:24 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 9:50:23 AM	10	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 9:50:22 AM	24	gradCels
SC PITUR DORU SNC	pH	6/16/2016 9:50:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 9:45:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 9:45:11 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 9:45:03 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 9:45:02 AM	24	gradCels
SC PITUR DORU SNC	pH	6/16/2016 9:45:01 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 9:39:26 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 9:39:24 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 9:38:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 9:38:42 AM	24	gradCels
SC PITUR DORU SNC	pH	6/16/2016 9:38:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 9:34:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 9:34:27 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 9:33:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 9:33:42 AM	24	gradCels
SC PITUR DORU SNC	pH	6/16/2016 9:33:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 9:29:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 9:29:06 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 9:28:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 9:28:22 AM	24	gradCels
SC PITUR DORU SNC	pH	6/16/2016 9:28:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 9:23:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 9:23:04 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 9:22:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 9:22:22 AM	24	gradCels
SC PITUR DORU SNC	pH	6/16/2016 9:22:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 9:18:01 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 9:17:04 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 9:17:03 AM	10	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 9:17:02 AM	24	gradCels
SC PITUR DORU SNC	pH	6/16/2016 9:17:01 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 9:12:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 9:12:20 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 9:11:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 9:11:22 AM	24	gradCels
SC PITUR DORU SNC	pH	6/16/2016 9:11:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 9:07:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 9:06:45 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 9:06:03 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Temp	6/16/2016 9:06:02 AM	24	gradCels
SC PITUR DORU SNC	pH	6/16/2016 9:06:01 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 9:01:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 9:01:03 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 9:00:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 9:00:22 AM	24	gradCels
SC PITUR DORU SNC	pH	6/16/2016 9:00:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 8:55:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 8:55:26 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 8:54:50 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 8:54:49 AM	24	gradCels
SC PITUR DORU SNC	pH	6/16/2016 8:54:48 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 8:50:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 8:49:42 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 8:49:17 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 8:49:16 AM	24	gradCels
SC PITUR DORU SNC	pH	6/16/2016 8:49:15 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 8:44:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 8:44:03 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 8:43:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 8:43:29 AM	24	gradCels
SC PITUR DORU SNC	pH	6/16/2016 8:43:28 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 8:39:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 8:39:03 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 8:38:36 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 8:38:35 AM	24	gradCels
SC PITUR DORU SNC	pH	6/16/2016 8:38:34 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 8:34:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 8:33:42 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 8:33:35 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 8:33:34 AM	24	gradCels
SC PITUR DORU SNC	pH	6/16/2016 8:33:33 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 8:27:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 8:27:25 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 8:26:56 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 8:26:55 AM	24	gradCels
SC PITUR DORU SNC	pH	6/16/2016 8:26:54 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 8:21:41 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 8:21:38 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 8:21:37 AM	10	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 8:21:36 AM	24	gradCels
SC PITUR DORU SNC	pH	6/16/2016 8:21:35 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 8:16:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 8:16:22 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 8:15:53 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 8:15:52 AM	24	gradCels
SC PITUR DORU SNC	pH	6/16/2016 8:15:51 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 8:10:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 8:10:35 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 8:10:29 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 8:10:28 AM	24	gradCels
SC PITUR DORU SNC	pH	6/16/2016 8:10:27 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 8:05:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 8:05:40 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 8:04:49 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 8:04:48 AM	24	gradCels
SC PITUR DORU SNC	pH	6/16/2016 8:04:47 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 7:59:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 7:59:34 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 7:59:32 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 7:59:31 AM	24	gradCels
SC PITUR DORU SNC	pH	6/16/2016 7:59:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 7:55:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 7:55:05 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 7:54:04 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 7:54:03 AM	24	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	6/16/2016 7:54:02 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 7:49:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 7:48:15 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 7:48:14 AM	10	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 7:48:13 AM	24	gradCels
SC PITUR DORU SNC	pH	6/16/2016 7:48:12 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 7:44:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 7:44:03 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 7:43:05 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 7:43:04 AM	25	gradCels
SC PITUR DORU SNC	pH	6/16/2016 7:43:03 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 7:38:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 7:37:45 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 7:37:12 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 7:37:11 AM	25	gradCels
SC PITUR DORU SNC	pH	6/16/2016 7:37:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 7:33:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 7:32:51 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 7:32:04 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 7:32:03 AM	25	gradCels
SC PITUR DORU SNC	pH	6/16/2016 7:32:02 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 7:27:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 7:27:00 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 7:26:09 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 7:26:08 AM	25	gradCels
SC PITUR DORU SNC	pH	6/16/2016 7:26:07 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 7:21:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 7:20:46 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 7:20:45 AM	10	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 7:20:44 AM	25	gradCels
SC PITUR DORU SNC	pH	6/16/2016 7:20:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 7:16:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 7:15:43 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 7:15:10 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 7:15:09 AM	25	gradCels
SC PITUR DORU SNC	pH	6/16/2016 7:15:08 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 7:10:31 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 7:10:30 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 7:09:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 7:09:43 AM	25	gradCels
SC PITUR DORU SNC	pH	6/16/2016 7:09:42 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 7:05:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 7:04:44 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 7:04:11 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 7:04:10 AM	25	gradCels
SC PITUR DORU SNC	pH	6/16/2016 7:04:09 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 6:59:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 6:59:30 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 6:58:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 6:58:44 AM	25	gradCels
SC PITUR DORU SNC	pH	6/16/2016 6:58:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 6:54:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 6:53:48 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 6:53:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 6:53:05 AM	25	gradCels
SC PITUR DORU SNC	pH	6/16/2016 6:53:04 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 6:48:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 6:48:15 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 6:47:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 6:47:24 AM	25	gradCels
SC PITUR DORU SNC	pH	6/16/2016 6:47:23 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 6:42:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 6:42:28 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 6:41:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 6:41:45 AM	25	gradCels
SC PITUR DORU SNC	pH	6/16/2016 6:41:44 AM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	6/16/2016 6:37:50 AM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/16/2016 6:37:48 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 6:37:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 6:37:01 AM	25	gradCels
SC PITUR DORU SNC	pH	6/16/2016 6:37:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 6:32:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 6:32:00 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 6:31:04 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 6:31:03 AM	25	gradCels
SC PITUR DORU SNC	pH	6/16/2016 6:31:02 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 6:26:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 6:26:00 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 6:25:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 6:25:43 AM	25	gradCels
SC PITUR DORU SNC	pH	6/16/2016 6:25:42 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 6:21:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 6:20:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 6:20:24 AM	9	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 6:20:23 AM	25	gradCels
SC PITUR DORU SNC	pH	6/16/2016 6:20:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 6:15:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 6:15:00 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 6:14:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 6:14:43 AM	25	gradCels
SC PITUR DORU SNC	pH	6/16/2016 6:14:42 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 6:10:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 6:10:03 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 6:09:28 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 6:09:27 AM	25	gradCels
SC PITUR DORU SNC	pH	6/16/2016 6:09:26 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 6:04:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 6:04:00 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 6:03:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 6:03:43 AM	25	gradCels
SC PITUR DORU SNC	pH	6/16/2016 6:03:42 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/16/2016 5:59:05 AM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/16/2016 5:59:04 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 5:58:28 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 5:58:27 AM	25	gradCels
SC PITUR DORU SNC	pH	6/16/2016 5:58:26 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 5:54:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 5:53:43 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 5:52:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 5:52:43 AM	25	gradCels
SC PITUR DORU SNC	pH	6/16/2016 5:52:42 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 5:48:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 5:47:29 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 5:47:28 AM	9	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 5:47:27 AM	25	gradCels
SC PITUR DORU SNC	pH	6/16/2016 5:47:26 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 5:42:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 5:42:22 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 5:41:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 5:41:23 AM	25	gradCels
SC PITUR DORU SNC	pH	6/16/2016 5:41:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 5:37:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 5:37:08 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 5:36:27 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 5:36:26 AM	25	gradCels
SC PITUR DORU SNC	pH	6/16/2016 5:36:25 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/16/2016 5:31:21 AM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/16/2016 5:31:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 5:30:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 5:30:23 AM	25	gradCels
SC PITUR DORU SNC	pH	6/16/2016 5:30:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 5:26:20 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	6/16/2016 5:26:07 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 5:25:29 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 5:25:28 AM	25	gradCels
SC PITUR DORU SNC	pH	6/16/2016 5:25:27 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 5:20:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 5:19:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 5:19:24 AM	9	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 5:19:23 AM	25	gradCels
SC PITUR DORU SNC	pH	6/16/2016 5:19:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 5:15:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 5:15:20 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 5:14:27 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 5:14:26 AM	25	gradCels
SC PITUR DORU SNC	pH	6/16/2016 5:14:25 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/16/2016 5:09:24 AM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/16/2016 5:09:22 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 5:08:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 5:08:23 AM	25	gradCels
SC PITUR DORU SNC	pH	6/16/2016 5:08:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 5:04:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 5:03:50 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 5:03:07 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 5:03:06 AM	25	gradCels
SC PITUR DORU SNC	pH	6/16/2016 5:03:05 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 4:58:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 4:58:39 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 4:58:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 4:58:24 AM	25	gradCels
SC PITUR DORU SNC	pH	6/16/2016 4:58:23 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 4:53:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 4:52:52 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 4:52:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 4:52:43 AM	25	gradCels
SC PITUR DORU SNC	pH	6/16/2016 4:52:42 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 4:47:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 4:47:39 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 4:47:27 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 4:47:26 AM	25	gradCels
SC PITUR DORU SNC	pH	6/16/2016 4:47:25 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/16/2016 4:42:02 AM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/16/2016 4:42:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 4:41:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 4:41:42 AM	25	gradCels
SC PITUR DORU SNC	pH	6/16/2016 4:41:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 4:36:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 4:36:40 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 4:36:03 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 4:36:02 AM	25	gradCels
SC PITUR DORU SNC	pH	6/16/2016 4:36:01 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 4:31:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 4:30:52 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 4:30:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 4:30:42 AM	25	gradCels
SC PITUR DORU SNC	pH	6/16/2016 4:30:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 4:25:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 4:25:03 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 4:24:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 4:24:42 AM	25	gradCels
SC PITUR DORU SNC	pH	6/16/2016 4:24:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 4:20:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 4:20:00 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 4:19:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 4:19:42 AM	25	gradCels
SC PITUR DORU SNC	pH	6/16/2016 4:19:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 4:14:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 4:14:10 AM	9	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	6/16/2016 4:14:08 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 4:14:07 AM	25	gradCels
SC PITUR DORU SNC	pH	6/16/2016 4:14:06 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 4:09:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 4:08:51 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 4:08:47 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 4:08:46 AM	25	gradCels
SC PITUR DORU SNC	pH	6/16/2016 4:08:45 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 4:03:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 4:03:19 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 4:03:11 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 4:03:10 AM	25	gradCels
SC PITUR DORU SNC	pH	6/16/2016 4:03:09 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 3:58:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 3:57:56 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 3:57:54 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 3:57:53 AM	25	gradCels
SC PITUR DORU SNC	pH	6/16/2016 3:57:51 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 3:52:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 3:52:31 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 3:52:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 3:52:22 AM	25	gradCels
SC PITUR DORU SNC	pH	6/16/2016 3:52:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 3:46:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 3:46:31 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 3:46:30 AM	9	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 3:46:29 AM	25	gradCels
SC PITUR DORU SNC	pH	6/16/2016 3:46:28 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 3:41:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 3:41:30 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 3:41:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 3:41:21 AM	25	gradCels
SC PITUR DORU SNC	pH	6/16/2016 3:41:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 3:35:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 3:35:34 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 3:35:32 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 3:35:31 AM	26	gradCels
SC PITUR DORU SNC	pH	6/16/2016 3:35:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 3:30:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 3:30:32 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 3:30:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 3:30:23 AM	26	gradCels
SC PITUR DORU SNC	pH	6/16/2016 3:30:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 3:24:35 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 3:24:34 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 3:24:32 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 3:24:31 AM	26	gradCels
SC PITUR DORU SNC	pH	6/16/2016 3:24:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 3:19:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 3:19:30 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 3:19:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 3:19:21 AM	26	gradCels
SC PITUR DORU SNC	pH	6/16/2016 3:19:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 3:13:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 3:13:29 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 3:13:27 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 3:13:26 AM	26	gradCels
SC PITUR DORU SNC	pH	6/16/2016 3:13:25 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 3:08:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 3:08:30 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 3:08:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 3:08:21 AM	26	gradCels
SC PITUR DORU SNC	pH	6/16/2016 3:08:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 3:02:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 3:02:35 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 3:02:33 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Temp	6/16/2016 3:02:32 AM	26	gradCels
SC PITUR DORU SNC	pH	6/16/2016 3:02:31 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 2:57:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 2:57:33 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 2:57:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 2:57:24 AM	26	gradCels
SC PITUR DORU SNC	pH	6/16/2016 2:57:23 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 2:52:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 2:51:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 2:51:42 AM	9	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 2:51:41 AM	26	gradCels
SC PITUR DORU SNC	pH	6/16/2016 2:51:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 2:46:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 2:46:10 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 2:46:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 2:46:01 AM	26	gradCels
SC PITUR DORU SNC	pH	6/16/2016 2:46:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 2:41:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 2:40:52 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 2:40:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 2:40:43 AM	26	gradCels
SC PITUR DORU SNC	pH	6/16/2016 2:40:42 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 2:35:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 2:35:11 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 2:35:03 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 2:35:02 AM	26	gradCels
SC PITUR DORU SNC	pH	6/16/2016 2:35:01 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 2:29:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 2:29:33 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 2:29:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 2:29:22 AM	26	gradCels
SC PITUR DORU SNC	pH	6/16/2016 2:29:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 2:24:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 2:24:13 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 2:24:05 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 2:24:04 AM	26	gradCels
SC PITUR DORU SNC	pH	6/16/2016 2:24:03 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 2:18:41 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 2:18:24 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 2:18:23 AM	9	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 2:18:22 AM	26	gradCels
SC PITUR DORU SNC	pH	6/16/2016 2:18:21 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/16/2016 2:13:16 AM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/16/2016 2:13:13 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 2:13:03 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 2:13:02 AM	26	gradCels
SC PITUR DORU SNC	pH	6/16/2016 2:13:01 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 2:07:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 2:07:13 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 2:07:03 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 2:07:02 AM	26	gradCels
SC PITUR DORU SNC	pH	6/16/2016 2:07:01 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 2:02:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 2:02:35 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 2:02:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 2:02:22 AM	26	gradCels
SC PITUR DORU SNC	pH	6/16/2016 2:02:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 1:57:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 1:56:53 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 1:56:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 1:56:42 AM	26	gradCels
SC PITUR DORU SNC	pH	6/16/2016 1:56:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 1:51:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 1:51:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 1:51:02 AM	9	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 1:51:01 AM	26	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	6/16/2016 1:51:00 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/16/2016 1:45:35 AM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/16/2016 1:45:33 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 1:45:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 1:45:22 AM	26	gradCels
SC PITUR DORU SNC	pH	6/16/2016 1:45:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 1:40:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 1:40:10 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 1:40:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 1:40:01 AM	26	gradCels
SC PITUR DORU SNC	pH	6/16/2016 1:40:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 1:34:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 1:34:35 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 1:34:27 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 1:34:26 AM	26	gradCels
SC PITUR DORU SNC	pH	6/16/2016 1:34:25 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 1:29:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 1:28:53 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 1:28:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 1:28:42 AM	26	gradCels
SC PITUR DORU SNC	pH	6/16/2016 1:28:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 1:23:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 1:23:33 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 1:23:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 1:23:22 AM	26	gradCels
SC PITUR DORU SNC	pH	6/16/2016 1:23:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 1:18:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 1:17:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 1:17:42 AM	9	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 1:17:41 AM	26	gradCels
SC PITUR DORU SNC	pH	6/16/2016 1:17:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 1:12:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 1:12:35 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 1:12:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 1:12:22 AM	26	gradCels
SC PITUR DORU SNC	pH	6/16/2016 1:12:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 1:07:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 1:06:50 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 1:06:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 1:06:41 AM	26	gradCels
SC PITUR DORU SNC	pH	6/16/2016 1:06:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 1:01:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 1:01:35 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 1:01:27 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 1:01:26 AM	26	gradCels
SC PITUR DORU SNC	pH	6/16/2016 1:01:25 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 12:56:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 12:55:50 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 12:55:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 12:55:45 AM	26	gradCels
SC PITUR DORU SNC	pH	6/16/2016 12:55:44 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 12:50:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 12:50:32 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 12:50:28 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 12:50:27 AM	26	gradCels
SC PITUR DORU SNC	pH	6/16/2016 12:50:26 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 12:45:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 12:44:51 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 12:44:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 12:44:42 AM	26	gradCels
SC PITUR DORU SNC	pH	6/16/2016 12:44:41 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/16/2016 12:39:40 AM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/16/2016 12:39:39 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 12:39:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 12:39:23 AM	26	gradCels
SC PITUR DORU SNC	pH	6/16/2016 12:39:21 AM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	6/16/2016 12:34:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 12:33:50 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 12:33:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 12:33:41 AM	26	gradCels
SC PITUR DORU SNC	pH	6/16/2016 12:33:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 12:28:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 12:28:35 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 12:28:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 12:28:22 AM	26	gradCels
SC PITUR DORU SNC	pH	6/16/2016 12:28:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 12:23:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 12:22:52 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 12:22:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 12:22:43 AM	26	gradCels
SC PITUR DORU SNC	pH	6/16/2016 12:22:42 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 12:17:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 12:17:24 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 12:17:23 AM	9	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 12:17:22 AM	26	gradCels
SC PITUR DORU SNC	pH	6/16/2016 12:17:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 12:11:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 12:11:20 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 12:10:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 12:10:22 AM	26	gradCels
SC PITUR DORU SNC	pH	6/16/2016 12:10:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/16/2016 12:07:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/16/2016 12:06:52 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 12:06:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 12:06:43 AM	26	gradCels
SC PITUR DORU SNC	pH	6/16/2016 12:06:42 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/16/2016 12:01:05 AM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/16/2016 12:01:02 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/16/2016 12:00:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/16/2016 12:00:22 AM	26	gradCels
SC PITUR DORU SNC	pH	6/16/2016 12:00:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 11:55:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 11:55:11 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 11:55:03 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 11:55:02 PM	26	gradCels
SC PITUR DORU SNC	pH	6/15/2016 11:55:01 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 11:50:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 11:49:44 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 11:49:43 PM	9	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 11:49:42 PM	26	gradCels
SC PITUR DORU SNC	pH	6/15/2016 11:49:41 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 11:44:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 11:44:12 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 11:44:04 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 11:44:03 PM	26	gradCels
SC PITUR DORU SNC	pH	6/15/2016 11:44:02 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/15/2016 11:38:42 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/15/2016 11:38:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 11:38:23 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 11:38:22 PM	26	gradCels
SC PITUR DORU SNC	pH	6/15/2016 11:38:21 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 11:33:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 11:33:12 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 11:33:04 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 11:33:03 PM	26	gradCels
SC PITUR DORU SNC	pH	6/15/2016 11:33:02 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 11:27:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 11:27:13 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 11:27:03 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 11:27:02 PM	26	gradCels
SC PITUR DORU SNC	pH	6/15/2016 11:27:01 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 11:22:20 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	6/15/2016 11:22:10 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 11:22:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 11:22:01 PM	26	gradCels
SC PITUR DORU SNC	pH	6/15/2016 11:22:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 11:16:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 11:16:08 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 11:16:07 PM	9	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 11:16:06 PM	26	gradCels
SC PITUR DORU SNC	pH	6/15/2016 11:16:05 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 11:11:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 11:11:11 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 11:11:03 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 11:11:02 PM	26	gradCels
SC PITUR DORU SNC	pH	6/15/2016 11:11:01 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 11:05:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 11:05:18 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 11:05:03 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 11:05:02 PM	26	gradCels
SC PITUR DORU SNC	pH	6/15/2016 11:05:01 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 11:00:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 10:59:55 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 10:59:47 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 10:59:46 PM	26	gradCels
SC PITUR DORU SNC	pH	6/15/2016 10:59:45 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 10:54:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 10:54:41 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 10:54:03 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 10:54:02 PM	26	gradCels
SC PITUR DORU SNC	pH	6/15/2016 10:54:01 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 10:49:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 10:48:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 10:48:22 PM	9	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 10:48:21 PM	26	gradCels
SC PITUR DORU SNC	pH	6/15/2016 10:48:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 10:43:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 10:43:17 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 10:43:03 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 10:43:02 PM	26	gradCels
SC PITUR DORU SNC	pH	6/15/2016 10:43:01 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 10:37:47 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 10:37:45 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 10:37:33 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 10:37:31 PM	26	gradCels
SC PITUR DORU SNC	pH	6/15/2016 10:37:29 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 10:32:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 10:32:20 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 10:32:08 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 10:32:07 PM	26	gradCels
SC PITUR DORU SNC	pH	6/15/2016 10:32:06 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 10:27:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 10:27:00 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 10:26:27 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 10:26:26 PM	26	gradCels
SC PITUR DORU SNC	pH	6/15/2016 10:26:25 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 10:21:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 10:20:49 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 10:20:48 PM	9	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 10:20:47 PM	26	gradCels
SC PITUR DORU SNC	pH	6/15/2016 10:20:46 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 10:16:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 10:16:01 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 10:15:26 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 10:15:25 PM	26	gradCels
SC PITUR DORU SNC	pH	6/15/2016 10:15:24 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 10:11:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 10:10:41 PM	9	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	6/15/2016 10:10:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 10:10:06 PM	26	gradCels
SC PITUR DORU SNC	pH	6/15/2016 10:10:05 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 10:05:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 10:04:43 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 10:04:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 10:04:21 PM	26	gradCels
SC PITUR DORU SNC	pH	6/15/2016 10:04:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/15/2016 9:59:41 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/15/2016 9:59:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 9:59:04 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 9:59:01 PM	26	gradCels
SC PITUR DORU SNC	pH	6/15/2016 9:59:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 9:54:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 9:54:00 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 9:53:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 9:53:21 PM	26	gradCels
SC PITUR DORU SNC	pH	6/15/2016 9:53:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 9:49:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 9:48:32 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 9:48:31 PM	9	mg/l
SC PITUR DORU SNC	pH	6/15/2016 9:48:30 PM	8	unit pH
SC PITUR DORU SNC	Temp	6/15/2016 9:48:29 PM	26	gradCels
SC PITUR DORU SNC	Substante organice	6/15/2016 9:43:40 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/15/2016 9:43:21 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 9:42:26 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 9:42:25 PM	26	gradCels
SC PITUR DORU SNC	pH	6/15/2016 9:42:24 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 9:38:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 9:38:01 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 9:37:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 9:37:29 PM	26	gradCels
SC PITUR DORU SNC	pH	6/15/2016 9:37:28 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/15/2016 9:32:40 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/15/2016 9:32:21 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 9:31:26 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 9:31:25 PM	26	gradCels
SC PITUR DORU SNC	pH	6/15/2016 9:31:24 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 9:26:52 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 9:26:51 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 9:26:26 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 9:26:25 PM	26	gradCels
SC PITUR DORU SNC	pH	6/15/2016 9:26:24 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 9:21:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 9:20:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 9:20:22 PM	9	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 9:20:21 PM	26	gradCels
SC PITUR DORU SNC	pH	6/15/2016 9:20:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 9:16:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 9:16:01 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 9:15:24 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 9:15:23 PM	26	gradCels
SC PITUR DORU SNC	pH	6/15/2016 9:15:22 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/15/2016 9:10:40 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/15/2016 9:10:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 9:09:23 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 9:09:22 PM	26	gradCels
SC PITUR DORU SNC	pH	6/15/2016 9:09:21 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/15/2016 9:05:01 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/15/2016 9:05:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 9:04:25 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 9:04:24 PM	26	gradCels
SC PITUR DORU SNC	pH	6/15/2016 9:04:23 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/15/2016 8:59:43 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/15/2016 8:58:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 8:58:32 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Temp	6/15/2016 8:58:31 PM	26	gradCels
SC PITUR DORU SNC	pH	6/15/2016 8:58:30 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/15/2016 8:54:00 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/15/2016 8:53:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 8:53:31 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 8:53:30 PM	26	gradCels
SC PITUR DORU SNC	pH	6/15/2016 8:53:29 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 8:48:22 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 8:47:44 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 8:47:43 PM	9	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 8:47:42 PM	26	gradCels
SC PITUR DORU SNC	pH	6/15/2016 8:47:41 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/15/2016 8:41:00 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/15/2016 8:40:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 8:40:35 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 8:40:34 PM	26	gradCels
SC PITUR DORU SNC	pH	6/15/2016 8:40:33 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/15/2016 8:36:20 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/15/2016 8:36:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 8:34:14 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 8:34:13 PM	26	gradCels
SC PITUR DORU SNC	pH	6/15/2016 8:34:12 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/15/2016 8:31:31 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/15/2016 8:30:01 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 8:29:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 8:29:49 PM	26	gradCels
SC PITUR DORU SNC	pH	6/15/2016 8:29:48 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/15/2016 8:27:22 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/15/2016 8:24:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 8:24:28 PM	0	mg/l
SC PITUR DORU SNC	pH	6/15/2016 8:24:27 PM	8	unit pH
SC PITUR DORU SNC	Temp	6/15/2016 8:24:26 PM	26	gradCels
SC PITUR DORU SNC	Cianuri	6/15/2016 8:22:01 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 8:21:44 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 8:21:43 PM	26	gradCels
SC PITUR DORU SNC	Substante organice	6/15/2016 8:21:42 PM	9	mg/l
SC PITUR DORU SNC	pH	6/15/2016 8:21:41 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/15/2016 8:18:00 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/15/2016 8:16:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 8:16:28 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 8:16:27 PM	26	gradCels
SC PITUR DORU SNC	pH	6/15/2016 8:16:26 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/15/2016 8:12:47 PM	10	mg/l
SC PITUR DORU SNC	Cianuri	6/15/2016 8:11:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 8:11:23 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 8:11:22 PM	26	gradCels
SC PITUR DORU SNC	pH	6/15/2016 8:11:21 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/15/2016 8:08:03 PM	10	mg/l
SC PITUR DORU SNC	Cianuri	6/15/2016 8:06:01 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 8:05:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 8:05:41 PM	26	gradCels
SC PITUR DORU SNC	pH	6/15/2016 8:05:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/15/2016 8:03:20 PM	10	mg/l
SC PITUR DORU SNC	Cianuri	6/15/2016 8:02:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 8:02:33 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 8:02:32 PM	26	gradCels
SC PITUR DORU SNC	pH	6/15/2016 8:02:31 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/15/2016 7:58:42 PM	10	mg/l
SC PITUR DORU SNC	Cianuri	6/15/2016 7:58:01 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 7:57:48 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 7:57:47 PM	26	gradCels
SC PITUR DORU SNC	pH	6/15/2016 7:57:46 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 7:53:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 7:53:27 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 7:53:26 PM	10	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 7:53:25 PM	26	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	6/15/2016 7:53:24 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/15/2016 7:49:41 PM	10	mg/l
SC PITUR DORU SNC	Cianuri	6/15/2016 7:48:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 7:48:32 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 7:48:31 PM	26	gradCels
SC PITUR DORU SNC	pH	6/15/2016 7:48:30 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/15/2016 7:45:20 PM	10	mg/l
SC PITUR DORU SNC	Cianuri	6/15/2016 7:44:01 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 7:43:49 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 7:43:48 PM	26	gradCels
SC PITUR DORU SNC	pH	6/15/2016 7:43:47 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/15/2016 7:40:40 PM	10	mg/l
SC PITUR DORU SNC	Cianuri	6/15/2016 7:39:21 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 7:39:09 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 7:39:08 PM	26	gradCels
SC PITUR DORU SNC	pH	6/15/2016 7:39:07 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/15/2016 7:35:40 PM	10	mg/l
SC PITUR DORU SNC	Cianuri	6/15/2016 7:34:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 7:34:23 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 7:34:22 PM	26	gradCels
SC PITUR DORU SNC	pH	6/15/2016 7:34:21 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/15/2016 7:31:22 PM	10	mg/l
SC PITUR DORU SNC	Cianuri	6/15/2016 7:31:21 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 7:31:09 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 7:31:08 PM	26	gradCels
SC PITUR DORU SNC	pH	6/15/2016 7:31:07 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 7:25:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 7:25:34 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 7:25:33 PM	25	gradCels
SC PITUR DORU SNC	Substante organice	6/15/2016 7:25:32 PM	10	mg/l
SC PITUR DORU SNC	pH	6/15/2016 7:25:31 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/15/2016 7:21:43 PM	10	mg/l
SC PITUR DORU SNC	Cianuri	6/15/2016 7:20:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 7:20:28 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 7:20:27 PM	25	gradCels
SC PITUR DORU SNC	pH	6/15/2016 7:20:26 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/15/2016 7:17:20 PM	10	mg/l
SC PITUR DORU SNC	Cianuri	6/15/2016 7:16:01 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 7:15:49 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 7:15:48 PM	25	gradCels
SC PITUR DORU SNC	pH	6/15/2016 7:15:47 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/15/2016 7:12:22 PM	10	mg/l
SC PITUR DORU SNC	Cianuri	6/15/2016 7:11:21 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 7:11:04 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 7:11:03 PM	25	gradCels
SC PITUR DORU SNC	pH	6/15/2016 7:11:02 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/15/2016 7:07:21 PM	10	mg/l
SC PITUR DORU SNC	Cianuri	6/15/2016 7:06:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 7:06:29 PM	0	mg/l
SC PITUR DORU SNC	pH	6/15/2016 7:06:28 PM	8	unit pH
SC PITUR DORU SNC	Temp	6/15/2016 7:06:27 PM	25	gradCels
SC PITUR DORU SNC	Substante organice	6/15/2016 7:03:02 PM	10	mg/l
SC PITUR DORU SNC	Cianuri	6/15/2016 7:02:01 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 7:01:55 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 7:01:54 PM	25	gradCels
SC PITUR DORU SNC	pH	6/15/2016 7:01:53 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 6:57:21 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 6:57:14 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 6:57:13 PM	10	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 6:57:12 PM	25	gradCels
SC PITUR DORU SNC	pH	6/15/2016 6:57:11 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/15/2016 6:53:20 PM	10	mg/l
SC PITUR DORU SNC	Cianuri	6/15/2016 6:52:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 6:52:33 PM	0	mg/l
SC PITUR DORU SNC	pH	6/15/2016 6:52:32 PM	8	unit pH
SC PITUR DORU SNC	Temp	6/15/2016 6:52:31 PM	25	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	6/15/2016 6:49:02 PM	10	mg/l
SC PITUR DORU SNC	Cianuri	6/15/2016 6:48:01 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 6:47:52 PM	0	mg/l
SC PITUR DORU SNC	pH	6/15/2016 6:47:51 PM	8	unit pH
SC PITUR DORU SNC	Temp	6/15/2016 6:47:50 PM	25	gradCels
SC PITUR DORU SNC	Substante organice	6/15/2016 6:44:20 PM	10	mg/l
SC PITUR DORU SNC	Cianuri	6/15/2016 6:43:21 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 6:43:03 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 6:43:02 PM	25	gradCels
SC PITUR DORU SNC	pH	6/15/2016 6:43:01 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/15/2016 6:39:40 PM	10	mg/l
SC PITUR DORU SNC	Cianuri	6/15/2016 6:38:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 6:38:33 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 6:38:32 PM	25	gradCels
SC PITUR DORU SNC	pH	6/15/2016 6:38:31 PM	8	unit pH
SC PITUR DORU SNC	Temp	6/15/2016 6:34:40 PM	25	gradCels
SC PITUR DORU SNC	Cianuri	6/15/2016 6:32:02 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 6:32:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 6:31:44 PM	10	mg/l
SC PITUR DORU SNC	pH	6/15/2016 6:31:43 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 6:29:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 6:29:37 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 6:29:36 PM	10	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 6:29:35 PM	25	gradCels
SC PITUR DORU SNC	pH	6/15/2016 6:29:34 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 6:24:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 6:24:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 6:22:40 PM	10	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 6:21:25 PM	25	gradCels
SC PITUR DORU SNC	pH	6/15/2016 6:21:24 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 6:19:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 6:18:44 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 6:18:43 PM	10	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 6:18:42 PM	25	gradCels
SC PITUR DORU SNC	pH	6/15/2016 6:18:41 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/15/2016 6:12:22 PM	10	mg/l
SC PITUR DORU SNC	Cianuri	6/15/2016 6:12:01 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 6:11:53 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 6:11:52 PM	25	gradCels
SC PITUR DORU SNC	pH	6/15/2016 6:11:51 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/15/2016 6:09:00 PM	10	mg/l
SC PITUR DORU SNC	Cianuri	6/15/2016 6:07:21 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 6:07:13 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 6:07:12 PM	25	gradCels
SC PITUR DORU SNC	pH	6/15/2016 6:07:11 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/15/2016 6:04:20 PM	10	mg/l
SC PITUR DORU SNC	Cianuri	6/15/2016 6:03:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 6:03:32 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 6:03:31 PM	25	gradCels
SC PITUR DORU SNC	pH	6/15/2016 6:03:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 5:59:21 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 5:59:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 5:59:09 PM	10	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 5:59:08 PM	25	gradCels
SC PITUR DORU SNC	pH	6/15/2016 5:59:07 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 5:54:01 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 5:54:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 5:52:20 PM	10	mg/l
SC PITUR DORU SNC	pH	6/15/2016 5:51:02 PM	8	unit pH
SC PITUR DORU SNC	Temp	6/15/2016 5:51:01 PM	25	gradCels
SC PITUR DORU SNC	Cianuri	6/15/2016 5:48:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 5:48:24 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 5:48:23 PM	10	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 5:48:22 PM	25	gradCels
SC PITUR DORU SNC	pH	6/15/2016 5:48:21 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 5:43:01 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	6/15/2016 5:42:43 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 5:42:42 PM	25	gradCels
SC PITUR DORU SNC	pH	6/15/2016 5:42:41 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/15/2016 5:40:41 PM	10	mg/l
SC PITUR DORU SNC	Cianuri	6/15/2016 5:38:21 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 5:38:12 PM	0	mg/l
SC PITUR DORU SNC	pH	6/15/2016 5:38:11 PM	8	unit pH
SC PITUR DORU SNC	Temp	6/15/2016 5:38:10 PM	25	gradCels
SC PITUR DORU SNC	Cianuri	6/15/2016 5:36:42 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 5:35:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 5:34:00 PM	10	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 5:33:03 PM	24	gradCels
SC PITUR DORU SNC	pH	6/15/2016 5:32:02 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 5:29:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 5:29:24 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 5:29:23 PM	10	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 5:29:22 PM	24	gradCels
SC PITUR DORU SNC	pH	6/15/2016 5:29:21 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 5:23:21 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 5:23:03 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 5:23:02 PM	24	gradCels
SC PITUR DORU SNC	pH	6/15/2016 5:23:01 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/15/2016 5:21:41 PM	10	mg/l
SC PITUR DORU SNC	Cianuri	6/15/2016 5:18:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 5:18:34 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 5:18:33 PM	24	gradCels
SC PITUR DORU SNC	pH	6/15/2016 5:18:32 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/15/2016 5:16:22 PM	10	mg/l
SC PITUR DORU SNC	Cianuri	6/15/2016 5:14:01 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 5:13:53 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 5:13:52 PM	24	gradCels
SC PITUR DORU SNC	pH	6/15/2016 5:13:51 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/15/2016 5:12:03 PM	10	mg/l
SC PITUR DORU SNC	Cianuri	6/15/2016 5:09:21 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 5:09:03 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 5:09:02 PM	24	gradCels
SC PITUR DORU SNC	pH	6/15/2016 5:09:01 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/15/2016 5:07:22 PM	10	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 5:07:21 PM	24	gradCels
SC PITUR DORU SNC	Cianuri	6/15/2016 5:05:04 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 5:05:03 PM	0	mg/l
SC PITUR DORU SNC	pH	6/15/2016 5:05:02 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/15/2016 5:03:21 PM	10	mg/l
SC PITUR DORU SNC	Cianuri	6/15/2016 5:00:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 5:00:28 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 5:00:27 PM	24	gradCels
SC PITUR DORU SNC	pH	6/15/2016 5:00:26 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 4:57:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 4:56:44 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 4:56:43 PM	10	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 4:56:42 PM	24	gradCels
SC PITUR DORU SNC	pH	6/15/2016 4:56:41 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 4:50:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 4:50:43 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 4:49:09 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 4:49:08 PM	24	gradCels
SC PITUR DORU SNC	pH	6/15/2016 4:49:07 PM	8	unit pH
SC PITUR DORU SNC	Temp	6/15/2016 4:46:40 PM	24	gradCels
SC PITUR DORU SNC	Cianuri	6/15/2016 4:43:21 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 4:43:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 4:43:03 PM	10	mg/l
SC PITUR DORU SNC	pH	6/15/2016 4:43:02 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 4:40:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 4:40:41 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 4:39:49 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 4:39:47 PM	24	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	6/15/2016 4:39:46 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 4:36:26 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 4:36:21 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 4:33:54 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 4:33:53 PM	24	gradCels
SC PITUR DORU SNC	pH	6/15/2016 4:33:52 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 4:30:01 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 4:29:51 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 4:29:50 PM	10	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 4:29:49 PM	24	gradCels
SC PITUR DORU SNC	pH	6/15/2016 4:29:48 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 4:26:25 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 4:26:15 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 4:26:01 PM	10	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 4:25:54 PM	24	gradCels
SC PITUR DORU SNC	Substante organice	6/15/2016 4:19:41 PM	10	mg/l
SC PITUR DORU SNC	Cianuri	6/15/2016 4:18:01 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 4:17:52 PM	0	mg/l
SC PITUR DORU SNC	pH	6/15/2016 4:17:51 PM	8	unit pH
SC PITUR DORU SNC	Temp	6/15/2016 4:17:50 PM	24	gradCels
SC PITUR DORU SNC	Substante organice	6/15/2016 4:14:24 PM	10	mg/l
SC PITUR DORU SNC	Cianuri	6/15/2016 4:13:21 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 4:13:13 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 4:13:12 PM	24	gradCels
SC PITUR DORU SNC	pH	6/15/2016 4:13:11 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 4:10:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 4:09:42 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 4:08:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 4:08:21 PM	24	gradCels
SC PITUR DORU SNC	pH	6/15/2016 4:08:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/15/2016 4:03:02 PM	10	mg/l
SC PITUR DORU SNC	Cianuri	6/15/2016 4:02:01 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 4:01:51 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 4:01:50 PM	24	gradCels
SC PITUR DORU SNC	pH	6/15/2016 4:01:49 PM	8	unit pH
SC PITUR DORU SNC	Temp	6/15/2016 3:58:23 PM	24	gradCels
SC PITUR DORU SNC	Cianuri	6/15/2016 3:56:01 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 3:56:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 3:55:43 PM	10	mg/l
SC PITUR DORU SNC	pH	6/15/2016 3:55:42 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/15/2016 3:53:22 PM	10	mg/l
SC PITUR DORU SNC	Cianuri	6/15/2016 3:53:01 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 3:52:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 3:52:49 PM	24	gradCels
SC PITUR DORU SNC	pH	6/15/2016 3:52:48 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 3:49:22 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 3:48:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 3:48:29 PM	10	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 3:48:28 PM	24	gradCels
SC PITUR DORU SNC	pH	6/15/2016 3:48:27 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 3:44:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 3:44:20 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 3:42:54 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 3:42:53 PM	23	gradCels
SC PITUR DORU SNC	pH	6/15/2016 3:42:52 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 3:37:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 3:37:24 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 3:37:23 PM	10	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 3:37:22 PM	23	gradCels
SC PITUR DORU SNC	pH	6/15/2016 3:37:21 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 3:33:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 3:33:33 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 3:33:32 PM	23	gradCels
SC PITUR DORU SNC	pH	6/15/2016 3:33:31 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 3:29:01 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 3:28:56 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	6/15/2016 3:28:55 PM	10	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 3:28:54 PM	23	gradCels
SC PITUR DORU SNC	pH	6/15/2016 3:28:53 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 3:26:05 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 3:26:04 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 3:23:05 PM	10	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 3:22:26 PM	23	gradCels
SC PITUR DORU SNC	pH	6/15/2016 3:21:23 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 3:19:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 3:18:44 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 3:18:43 PM	10	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 3:18:42 PM	23	gradCels
SC PITUR DORU SNC	pH	6/15/2016 3:18:41 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 3:12:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 3:12:41 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 3:11:44 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 3:11:43 PM	23	gradCels
SC PITUR DORU SNC	pH	6/15/2016 3:11:42 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 3:07:29 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 3:07:28 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 3:06:49 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 3:06:48 PM	23	gradCels
SC PITUR DORU SNC	pH	6/15/2016 3:06:47 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 3:03:22 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 3:03:21 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 3:02:25 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 3:02:24 PM	23	gradCels
SC PITUR DORU SNC	pH	6/15/2016 3:02:23 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 2:58:06 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 2:57:34 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 2:57:33 PM	10	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 2:57:32 PM	23	gradCels
SC PITUR DORU SNC	pH	6/15/2016 2:57:31 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 2:54:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 2:54:01 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 2:53:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 2:53:01 PM	23	gradCels
SC PITUR DORU SNC	pH	6/15/2016 2:53:00 PM	8	unit pH
SC PITUR DORU SNC	Temp	6/15/2016 2:52:26 PM	23	gradCels
SC PITUR DORU SNC	Cianuri	6/15/2016 2:51:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 2:51:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 2:51:29 PM	10	mg/l
SC PITUR DORU SNC	pH	6/15/2016 2:51:27 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 2:47:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 2:47:40 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 2:46:23 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 2:46:22 PM	23	gradCels
SC PITUR DORU SNC	pH	6/15/2016 2:46:21 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 2:42:44 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 2:42:43 PM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 2:42:27 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 2:42:26 PM	23	gradCels
SC PITUR DORU SNC	pH	6/15/2016 2:42:25 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 2:38:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 2:38:02 PM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 2:35:47 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 2:35:46 PM	23	gradCels
SC PITUR DORU SNC	pH	6/15/2016 2:35:45 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 2:33:21 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 2:31:44 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 2:31:43 PM	11	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 2:31:42 PM	23	gradCels
SC PITUR DORU SNC	pH	6/15/2016 2:31:41 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 2:28:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 2:28:23 PM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 2:26:03 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Temp	6/15/2016 2:26:02 PM	23	gradCels
SC PITUR DORU SNC	pH	6/15/2016 2:26:01 PM	8	unit pH
SC PITUR DORU SNC	Temp	6/15/2016 2:24:01 PM	23	gradCels
SC PITUR DORU SNC	Cianuri	6/15/2016 2:21:01 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 2:21:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 2:20:44 PM	11	mg/l
SC PITUR DORU SNC	pH	6/15/2016 2:20:43 PM	8	unit pH
SC PITUR DORU SNC	Grasimi	6/15/2016 2:18:32 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 2:18:31 PM	23	gradCels
SC PITUR DORU SNC	pH	6/15/2016 2:18:30 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/15/2016 2:15:01 PM	11	mg/l
SC PITUR DORU SNC	Cianuri	6/15/2016 2:14:21 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 2:14:12 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 2:14:11 PM	23	gradCels
SC PITUR DORU SNC	pH	6/15/2016 2:14:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 2:08:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 2:08:31 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 2:08:30 PM	11	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 2:08:29 PM	23	gradCels
SC PITUR DORU SNC	pH	6/15/2016 2:08:28 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/15/2016 2:05:45 PM	11	mg/l
SC PITUR DORU SNC	Cianuri	6/15/2016 2:05:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 2:05:33 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 2:05:32 PM	23	gradCels
SC PITUR DORU SNC	pH	6/15/2016 2:05:31 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 2:01:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 2:01:00 PM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 2:00:15 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 2:00:14 PM	23	gradCels
SC PITUR DORU SNC	pH	6/15/2016 2:00:13 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 1:56:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 1:55:46 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 1:55:45 PM	11	mg/l
SC PITUR DORU SNC	pH	6/15/2016 1:55:44 PM	8	unit pH
SC PITUR DORU SNC	Temp	6/15/2016 1:55:43 PM	23	gradCels
SC PITUR DORU SNC	Cianuri	6/15/2016 1:51:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 1:51:41 PM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 1:50:52 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 1:50:51 PM	23	gradCels
SC PITUR DORU SNC	pH	6/15/2016 1:50:50 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/15/2016 1:46:46 PM	11	mg/l
SC PITUR DORU SNC	Cianuri	6/15/2016 1:46:21 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 1:46:11 PM	23	gradCels
SC PITUR DORU SNC	Grasimi	6/15/2016 1:46:10 PM	0	mg/l
SC PITUR DORU SNC	pH	6/15/2016 1:46:09 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/15/2016 1:42:42 PM	11	mg/l
SC PITUR DORU SNC	Cianuri	6/15/2016 1:41:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 1:41:24 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 1:41:23 PM	23	gradCels
SC PITUR DORU SNC	pH	6/15/2016 1:41:22 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/15/2016 1:38:20 PM	11	mg/l
SC PITUR DORU SNC	Cianuri	6/15/2016 1:38:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 1:36:53 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 1:36:52 PM	23	gradCels
SC PITUR DORU SNC	pH	6/15/2016 1:36:51 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/15/2016 1:33:24 PM	11	mg/l
SC PITUR DORU SNC	Cianuri	6/15/2016 1:33:21 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 1:32:15 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 1:32:14 PM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 1:32:13 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 1:28:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 1:27:44 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 1:27:43 PM	11	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 1:27:42 PM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 1:27:41 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/15/2016 1:24:00 PM	11	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	6/15/2016 1:23:21 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 1:22:52 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 1:22:51 PM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 1:22:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 1:19:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 1:19:00 PM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 1:18:13 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 1:18:12 PM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 1:18:11 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 1:15:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 1:13:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 1:11:41 PM	11	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 1:10:42 PM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 1:10:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 1:08:25 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 1:07:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 1:07:00 PM	11	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 1:06:02 PM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 1:06:01 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 1:03:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 1:03:04 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 1:03:03 PM	11	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 1:03:02 PM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 1:03:01 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/15/2016 12:56:21 PM	11	mg/l
SC PITUR DORU SNC	Cianuri	6/15/2016 12:56:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 12:55:49 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 12:55:48 PM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 12:55:47 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 12:51:21 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 12:50:25 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 12:50:24 PM	11	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 12:50:23 PM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 12:50:22 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 12:45:22 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 12:45:21 PM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 12:44:45 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 12:44:44 PM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 12:44:43 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/15/2016 12:40:23 PM	11	mg/l
SC PITUR DORU SNC	Cianuri	6/15/2016 12:40:21 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 12:39:24 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 12:39:23 PM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 12:39:22 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 12:34:22 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 12:34:21 PM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 12:33:44 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 12:33:43 PM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 12:33:42 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 12:28:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 12:28:35 PM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 12:28:08 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 12:28:07 PM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 12:28:06 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 12:23:22 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 12:23:21 PM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 12:22:43 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 12:22:42 PM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 12:22:41 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 12:17:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 12:17:12 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 12:17:11 PM	11	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 12:17:10 PM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 12:17:09 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 12:12:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 12:12:22 PM	11	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	6/15/2016 12:11:48 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 12:11:47 PM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 12:11:46 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/15/2016 12:06:41 PM	11	mg/l
SC PITUR DORU SNC	Cianuri	6/15/2016 12:06:21 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 12:05:52 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 12:05:51 PM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 12:05:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 12:01:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 12:01:24 PM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 12:01:09 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 12:01:08 PM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 12:01:07 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/15/2016 11:57:03 AM	11	mg/l
SC PITUR DORU SNC	Cianuri	6/15/2016 11:57:02 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 11:55:48 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 11:55:47 AM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 11:55:46 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 11:50:41 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 11:50:09 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 11:50:08 AM	11	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 11:50:07 AM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 11:50:06 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 11:45:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 11:45:40 AM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 11:44:32 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 11:44:31 AM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 11:44:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 11:39:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 11:39:41 AM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 11:39:03 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 11:39:02 AM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 11:39:01 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 11:34:44 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 11:34:43 AM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 11:33:27 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 11:33:26 AM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 11:33:25 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 11:28:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 11:28:41 AM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 11:28:03 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 11:28:02 AM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 11:28:01 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 11:23:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 11:23:20 AM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 11:22:28 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 11:22:27 AM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 11:22:26 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/15/2016 11:18:02 AM	11	mg/l
SC PITUR DORU SNC	Cianuri	6/15/2016 11:17:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 11:17:04 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 11:17:03 AM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 11:17:02 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/15/2016 11:12:44 AM	11	mg/l
SC PITUR DORU SNC	Cianuri	6/15/2016 11:12:42 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 11:11:27 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 11:11:26 AM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 11:11:25 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/15/2016 11:07:03 AM	11	mg/l
SC PITUR DORU SNC	Cianuri	6/15/2016 11:07:01 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 11:06:04 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 11:06:03 AM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 11:06:02 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 11:01:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 11:01:02 AM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 11:00:26 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Temp	6/15/2016 11:00:25 AM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 11:00:24 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 10:55:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 10:55:21 AM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 10:54:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 10:54:43 AM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 10:54:42 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 10:50:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 10:49:27 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 10:49:26 AM	11	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 10:49:25 AM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 10:49:24 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 10:44:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 10:44:40 AM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 10:43:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 10:43:42 AM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 10:43:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 10:39:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 10:39:01 AM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 10:38:27 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 10:38:26 AM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 10:38:25 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/15/2016 10:33:41 AM	11	mg/l
SC PITUR DORU SNC	Cianuri	6/15/2016 10:33:21 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 10:32:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 10:32:42 AM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 10:32:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 10:27:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 10:27:26 AM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 10:27:03 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 10:27:02 AM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 10:27:01 AM	8	unit pH
SC PITUR DORU SNC	pH	6/15/2016 10:22:23 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 10:22:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 10:22:21 AM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 10:22:00 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 10:21:41 AM	22	gradCels
SC PITUR DORU SNC	Cianuri	6/15/2016 10:16:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 10:16:41 AM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 10:16:03 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 10:16:02 AM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 10:16:01 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 10:11:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 10:11:01 AM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 10:10:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 10:10:42 AM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 10:10:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 10:05:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 10:05:20 AM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 10:05:04 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 10:05:03 AM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 10:05:02 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/15/2016 10:00:01 AM	11	mg/l
SC PITUR DORU SNC	Cianuri	6/15/2016 9:59:55 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 9:59:47 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 9:59:46 AM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 9:59:45 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 9:54:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 9:54:21 AM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 9:54:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 9:54:05 AM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 9:54:04 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 9:49:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 9:47:24 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 9:47:23 AM	11	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 9:47:22 AM	22	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	6/15/2016 9:47:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 9:43:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 9:43:20 AM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 9:43:04 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 9:43:03 AM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 9:43:02 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 9:38:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 9:37:43 AM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 9:36:26 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 9:36:25 AM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 9:36:24 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 9:32:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 9:32:21 AM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 9:31:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 9:31:01 AM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 9:31:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 9:27:04 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 9:27:00 AM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 9:25:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 9:25:24 AM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 9:25:23 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 9:21:21 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 9:20:04 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 9:20:03 AM	11	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 9:20:02 AM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 9:20:01 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 9:16:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 9:16:01 AM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 9:14:27 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 9:14:26 AM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 9:14:25 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 9:10:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 9:10:00 AM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 9:08:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 9:08:45 AM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 9:08:44 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 9:05:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 9:05:01 AM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 9:03:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 9:03:24 AM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 9:03:23 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 8:59:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 8:59:01 AM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 8:57:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 8:57:43 AM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 8:57:42 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 8:54:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 8:54:02 AM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 8:52:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 8:52:24 AM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 8:52:23 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 8:48:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 8:48:01 AM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 8:46:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 8:46:45 AM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 8:46:44 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 8:43:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 8:43:02 AM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 8:42:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 8:42:22 AM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 8:42:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 8:37:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 8:37:02 AM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 8:36:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 8:36:42 AM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 8:36:41 AM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	6/15/2016 8:32:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 8:32:00 AM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 8:31:03 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 8:31:02 AM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 8:31:01 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 8:26:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 8:26:03 AM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 8:25:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 8:25:42 AM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 8:25:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 8:21:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 8:20:53 AM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 8:20:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 8:20:22 AM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 8:20:21 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/15/2016 8:15:09 AM	11	mg/l
SC PITUR DORU SNC	Cianuri	6/15/2016 8:15:08 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 8:15:04 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 8:15:03 AM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 8:15:02 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 8:10:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 8:09:51 AM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 8:09:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 8:09:23 AM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 8:09:22 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/15/2016 8:04:20 AM	11	mg/l
SC PITUR DORU SNC	Cianuri	6/15/2016 8:04:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 8:03:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 8:03:43 AM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 8:03:42 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 7:59:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 7:58:52 AM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 7:58:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 7:58:23 AM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 7:58:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 7:53:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 7:52:41 AM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 7:51:28 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 7:51:27 AM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 7:51:26 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 7:48:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 7:46:24 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 7:46:23 AM	11	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 7:46:22 AM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 7:46:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 7:42:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 7:41:41 AM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 7:41:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 7:41:22 AM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 7:41:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 7:37:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 7:36:41 AM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 7:36:03 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 7:36:02 AM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 7:36:01 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 7:31:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 7:30:40 AM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 7:30:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 7:30:22 AM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 7:30:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 7:26:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 7:25:53 AM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 7:25:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 7:25:22 AM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 7:25:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 7:20:20 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	6/15/2016 7:19:44 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 7:19:43 AM	11	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 7:19:42 AM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 7:19:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 7:14:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 7:14:21 AM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 7:13:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 7:13:42 AM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 7:13:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 7:09:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 7:08:40 AM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 7:08:03 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 7:08:02 AM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 7:08:01 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/15/2016 7:04:22 AM	11	mg/l
SC PITUR DORU SNC	Cianuri	6/15/2016 7:04:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 7:01:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 7:01:44 AM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 7:01:43 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/15/2016 6:57:42 AM	11	mg/l
SC PITUR DORU SNC	Cianuri	6/15/2016 6:57:41 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 6:56:08 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 6:56:07 AM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 6:56:06 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 6:53:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 6:52:42 AM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 6:50:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 6:50:45 AM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 6:50:44 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 6:47:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 6:45:06 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 6:45:05 AM	11	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 6:45:04 AM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 6:45:03 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 6:42:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 6:41:41 AM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 6:39:28 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 6:39:27 AM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 6:39:26 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/15/2016 6:36:22 AM	11	mg/l
SC PITUR DORU SNC	Cianuri	6/15/2016 6:35:41 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 6:34:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 6:34:01 AM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 6:34:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 6:30:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 6:30:28 AM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 6:28:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 6:28:24 AM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 6:28:23 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/15/2016 6:24:50 AM	11	mg/l
SC PITUR DORU SNC	Cianuri	6/15/2016 6:24:49 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 6:23:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 6:23:01 AM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 6:23:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 6:18:01 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 6:17:53 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 6:17:52 AM	11	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 6:17:51 AM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 6:17:50 AM	8	unit pH
SC PITUR DORU SNC	pH	6/15/2016 6:17:45 AM	8	unit pH
SC PITUR DORU SNC	Temp	6/15/2016 6:17:44 AM	22	gradCels
SC PITUR DORU SNC	Grasimi	6/15/2016 6:17:43 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	6/15/2016 6:17:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 6:17:40 AM	11	mg/l
SC PITUR DORU SNC	Cianuri	6/15/2016 6:14:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 6:13:49 AM	11	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	6/15/2016 6:12:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 6:12:01 AM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 6:12:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 6:07:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 6:06:45 AM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 6:06:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 6:06:22 AM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 6:06:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 6:02:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 6:02:21 AM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 6:00:48 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 6:00:47 AM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 6:00:46 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 5:57:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 5:56:41 AM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 5:55:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 5:55:24 AM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 5:55:23 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 5:51:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 5:51:01 AM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 5:49:47 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 5:49:46 AM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 5:49:45 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/15/2016 5:45:45 AM	11	mg/l
SC PITUR DORU SNC	Cianuri	6/15/2016 5:45:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 5:44:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 5:44:42 AM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 5:44:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 5:40:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 5:40:20 AM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 5:38:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 5:38:44 AM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 5:38:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 5:35:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 5:34:40 AM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 5:33:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 5:33:22 AM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 5:33:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 5:29:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 5:29:08 AM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 5:27:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 5:27:44 AM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 5:27:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 5:24:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 5:23:50 AM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 5:22:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 5:22:22 AM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 5:22:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 5:18:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 5:17:44 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 5:17:43 AM	11	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 5:17:42 AM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 5:17:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 5:13:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 5:12:41 AM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 5:12:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 5:12:22 AM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 5:12:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 5:07:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 5:07:01 AM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 5:06:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 5:06:43 AM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 5:06:42 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 5:01:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 5:01:21 AM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 5:00:05 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Temp	6/15/2016 5:00:04 AM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 5:00:03 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 4:56:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 4:56:12 AM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 4:54:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 4:54:44 AM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 4:54:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 4:50:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 4:49:04 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 4:49:03 AM	11	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 4:49:02 AM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 4:49:01 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 4:45:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 4:45:11 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 4:43:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 4:43:43 AM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 4:43:42 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 4:39:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 4:39:20 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 4:38:03 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 4:38:02 AM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 4:38:01 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/15/2016 4:34:25 AM	10	mg/l
SC PITUR DORU SNC	Cianuri	6/15/2016 4:34:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 4:33:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 4:33:42 AM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 4:33:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 4:28:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 4:28:11 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 4:28:03 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 4:28:02 AM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 4:28:01 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 4:23:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 4:23:00 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 4:22:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 4:22:22 AM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 4:22:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 4:17:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 4:17:10 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 4:17:03 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 4:17:02 AM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 4:17:01 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 4:12:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 4:12:01 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 4:11:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 4:11:22 AM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 4:11:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 4:06:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 4:06:20 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 4:06:03 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 4:06:02 AM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 4:06:01 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 4:01:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 4:00:40 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 3:59:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 3:59:24 AM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 3:59:23 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 3:55:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 3:55:25 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 3:54:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 3:54:01 AM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 3:54:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 3:49:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 3:48:24 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 3:48:23 AM	10	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 3:48:22 AM	22	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	6/15/2016 3:48:21 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/15/2016 3:44:05 AM	10	mg/l
SC PITUR DORU SNC	Cianuri	6/15/2016 3:44:02 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 3:42:47 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 3:42:46 AM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 3:42:45 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 3:38:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 3:38:23 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 3:37:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 3:37:22 AM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 3:37:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 3:33:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 3:33:00 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 3:31:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 3:31:43 AM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 3:31:42 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 3:27:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 3:27:40 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 3:26:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 3:26:24 AM	22	gradCels
SC PITUR DORU SNC	pH	6/15/2016 3:26:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 3:22:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 3:22:00 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 3:21:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 3:21:42 AM	23	gradCels
SC PITUR DORU SNC	pH	6/15/2016 3:21:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 3:16:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 3:16:24 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 3:16:23 AM	10	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 3:16:22 AM	23	gradCels
SC PITUR DORU SNC	pH	6/15/2016 3:16:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 3:11:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 3:11:03 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 3:10:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 3:10:42 AM	23	gradCels
SC PITUR DORU SNC	pH	6/15/2016 3:10:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 3:05:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 3:05:31 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 3:05:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 3:05:22 AM	23	gradCels
SC PITUR DORU SNC	pH	6/15/2016 3:05:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 3:00:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 3:00:00 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 2:58:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 2:58:41 AM	23	gradCels
SC PITUR DORU SNC	pH	6/15/2016 2:58:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 2:54:44 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 2:54:43 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 2:53:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 2:53:21 AM	23	gradCels
SC PITUR DORU SNC	pH	6/15/2016 2:53:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 2:49:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 2:47:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 2:47:42 AM	10	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 2:47:41 AM	23	gradCels
SC PITUR DORU SNC	pH	6/15/2016 2:47:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 2:43:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 2:43:40 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 2:42:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 2:42:01 AM	23	gradCels
SC PITUR DORU SNC	pH	6/15/2016 2:42:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 2:38:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 2:38:21 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 2:36:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 2:36:41 AM	23	gradCels
SC PITUR DORU SNC	pH	6/15/2016 2:36:40 AM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	6/15/2016 2:32:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 2:32:40 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 2:31:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 2:31:01 AM	23	gradCels
SC PITUR DORU SNC	pH	6/15/2016 2:31:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 2:27:24 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 2:27:21 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 2:25:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 2:25:41 AM	23	gradCels
SC PITUR DORU SNC	pH	6/15/2016 2:25:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 2:21:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 2:21:23 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 2:20:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 2:20:01 AM	23	gradCels
SC PITUR DORU SNC	pH	6/15/2016 2:20:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 2:16:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 2:14:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 2:14:42 AM	10	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 2:14:41 AM	23	gradCels
SC PITUR DORU SNC	pH	6/15/2016 2:14:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 2:10:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 2:10:01 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 2:09:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 2:09:01 AM	23	gradCels
SC PITUR DORU SNC	pH	6/15/2016 2:09:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 2:05:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 2:05:05 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 2:03:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 2:03:21 AM	23	gradCels
SC PITUR DORU SNC	pH	6/15/2016 2:03:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 1:59:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 1:59:02 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 1:58:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 1:58:01 AM	23	gradCels
SC PITUR DORU SNC	pH	6/15/2016 1:58:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 1:52:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 1:52:24 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 1:52:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 1:52:21 AM	23	gradCels
SC PITUR DORU SNC	pH	6/15/2016 1:52:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 1:48:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 1:47:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 1:47:02 AM	10	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 1:47:01 AM	23	gradCels
SC PITUR DORU SNC	pH	6/15/2016 1:47:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 1:42:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 1:42:22 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 1:41:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 1:41:21 AM	23	gradCels
SC PITUR DORU SNC	pH	6/15/2016 1:41:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 1:37:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 1:37:20 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 1:36:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 1:36:01 AM	23	gradCels
SC PITUR DORU SNC	pH	6/15/2016 1:36:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 1:31:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 1:31:21 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 1:30:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 1:30:21 AM	23	gradCels
SC PITUR DORU SNC	pH	6/15/2016 1:30:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 1:26:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 1:26:23 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 1:26:03 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 1:26:02 AM	23	gradCels
SC PITUR DORU SNC	pH	6/15/2016 1:26:01 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 1:21:20 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	6/15/2016 1:21:05 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 1:20:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 1:20:42 AM	23	gradCels
SC PITUR DORU SNC	pH	6/15/2016 1:20:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 1:15:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 1:15:24 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 1:15:12 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 1:15:11 AM	23	gradCels
SC PITUR DORU SNC	pH	6/15/2016 1:15:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 1:10:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 1:10:02 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 1:09:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 1:09:42 AM	23	gradCels
SC PITUR DORU SNC	pH	6/15/2016 1:09:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 1:04:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 1:04:21 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 1:04:09 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 1:04:08 AM	23	gradCels
SC PITUR DORU SNC	pH	6/15/2016 1:04:07 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 12:59:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 12:59:02 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 12:58:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 12:58:42 AM	23	gradCels
SC PITUR DORU SNC	pH	6/15/2016 12:58:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 12:54:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 12:53:22 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 12:53:08 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 12:53:07 AM	23	gradCels
SC PITUR DORU SNC	pH	6/15/2016 12:53:06 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 12:48:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 12:47:44 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 12:47:43 AM	10	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 12:47:42 AM	23	gradCels
SC PITUR DORU SNC	pH	6/15/2016 12:47:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 12:43:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 12:42:21 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 12:42:09 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 12:42:08 AM	23	gradCels
SC PITUR DORU SNC	pH	6/15/2016 12:42:07 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 12:37:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 12:36:42 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 12:36:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 12:36:22 AM	23	gradCels
SC PITUR DORU SNC	pH	6/15/2016 12:36:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 12:31:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 12:31:40 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 12:30:52 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 12:30:51 AM	23	gradCels
SC PITUR DORU SNC	pH	6/15/2016 12:30:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 12:25:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 12:25:40 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 12:25:27 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 12:25:26 AM	23	gradCels
SC PITUR DORU SNC	pH	6/15/2016 12:25:25 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 12:21:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 12:19:54 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 12:19:53 AM	10	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 12:19:52 AM	23	gradCels
SC PITUR DORU SNC	pH	6/15/2016 12:19:51 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 12:14:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 12:14:29 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 12:14:26 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 12:14:23 AM	23	gradCels
SC PITUR DORU SNC	pH	6/15/2016 12:14:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 12:10:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 12:09:21 AM	10	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	6/15/2016 12:08:49 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 12:08:48 AM	23	gradCels
SC PITUR DORU SNC	pH	6/15/2016 12:08:47 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/15/2016 12:03:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/15/2016 12:03:27 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/15/2016 12:03:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/15/2016 12:03:22 AM	23	gradCels
SC PITUR DORU SNC	pH	6/15/2016 12:03:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 11:58:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 11:57:47 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 11:57:43 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 11:57:42 PM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 11:57:41 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 11:52:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 11:52:40 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 11:52:23 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 11:52:22 PM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 11:52:21 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 11:47:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 11:46:46 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 11:46:43 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 11:46:42 PM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 11:46:41 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 11:41:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 11:41:22 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 11:41:03 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 11:41:02 PM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 11:41:01 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 11:36:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 11:35:47 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 11:35:43 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 11:35:42 PM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 11:35:41 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 11:31:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 11:30:31 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 11:30:23 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 11:30:22 PM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 11:30:21 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 11:24:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 11:24:27 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 11:24:23 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 11:24:22 PM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 11:24:21 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 11:20:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 11:19:04 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 11:19:03 PM	10	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 11:19:02 PM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 11:19:01 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 11:13:27 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 11:13:26 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 11:13:23 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 11:13:22 PM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 11:13:21 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 11:08:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 11:08:41 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 11:08:03 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 11:08:02 PM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 11:08:01 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 11:02:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 11:02:27 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 11:02:23 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 11:02:22 PM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 11:02:21 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 10:57:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 10:57:20 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 10:57:10 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Temp	6/14/2016 10:57:09 PM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 10:57:08 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 10:51:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 10:51:27 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 10:51:23 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 10:51:22 PM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 10:51:21 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 10:46:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 10:46:09 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 10:46:08 PM	10	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 10:46:07 PM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 10:46:06 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 10:40:28 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 10:40:27 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 10:40:23 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 10:40:22 PM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 10:40:21 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 10:35:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 10:35:20 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 10:35:09 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 10:35:08 PM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 10:35:07 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 10:30:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 10:29:47 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 10:29:43 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 10:29:42 PM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 10:29:41 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 10:24:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 10:24:40 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 10:24:04 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 10:24:03 PM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 10:24:02 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 10:19:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 10:18:46 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 10:18:43 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 10:18:42 PM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 10:18:41 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 10:13:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 10:13:20 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 10:13:12 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 10:13:10 PM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 10:13:09 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 10:08:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 10:07:47 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 10:07:43 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 10:07:42 PM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 10:07:41 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 10:02:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 10:02:07 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 10:02:03 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 10:02:02 PM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 10:02:01 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 9:57:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 9:56:51 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 9:56:47 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 9:56:46 PM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 9:56:45 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 9:51:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 9:51:12 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 9:51:08 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 9:51:07 PM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 9:51:06 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 9:45:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 9:45:28 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 9:45:27 PM	10	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 9:45:26 PM	23	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	6/14/2016 9:45:25 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 9:40:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 9:40:11 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 9:40:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 9:40:06 PM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 9:40:05 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 9:35:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 9:35:00 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 9:34:47 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 9:34:46 PM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 9:34:45 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 9:29:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 9:28:51 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 9:28:47 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 9:28:46 PM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 9:28:45 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 9:24:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 9:24:00 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 9:23:43 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 9:23:42 PM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 9:23:41 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 9:18:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 9:18:09 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 9:18:08 PM	10	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 9:18:07 PM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 9:18:06 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 9:13:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 9:12:40 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 9:12:29 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 9:12:28 PM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 9:12:27 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 9:07:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 9:07:11 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 9:07:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 9:07:06 PM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 9:07:05 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 9:02:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 9:01:40 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 9:01:33 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 9:01:32 PM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 9:01:31 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 8:56:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 8:56:11 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 8:56:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 8:56:06 PM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 8:56:05 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 8:50:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 8:50:40 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 8:50:12 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 8:50:11 PM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 8:50:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 8:45:24 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 8:45:23 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 8:45:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 8:45:06 PM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 8:45:05 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 8:39:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 8:39:40 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 8:39:13 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 8:39:12 PM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 8:39:11 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 8:34:24 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 8:34:23 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 8:34:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 8:34:06 PM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 8:34:05 PM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	6/14/2016 8:28:22 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 8:28:21 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 8:28:13 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 8:28:12 PM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 8:28:11 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 8:23:24 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 8:23:23 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 8:23:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 8:23:09 PM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 8:23:08 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 8:17:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 8:17:20 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 8:16:52 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 8:16:51 PM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 8:16:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 8:12:24 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 8:12:23 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 8:12:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 8:12:06 PM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 8:12:05 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/14/2016 8:06:24 PM	10	mg/l
SC PITUR DORU SNC	Cianuri	6/14/2016 8:06:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 8:06:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 8:06:06 PM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 8:06:05 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 8:01:04 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 8:01:03 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 8:00:47 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 8:00:46 PM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 8:00:45 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 7:55:04 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 7:55:03 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 7:54:47 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 7:54:46 PM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 7:54:45 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 7:50:24 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 7:50:23 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 7:50:03 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 7:50:02 PM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 7:50:01 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 7:44:04 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 7:44:03 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 7:43:43 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 7:43:42 PM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 7:43:41 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 7:39:24 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 7:39:23 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 7:39:03 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 7:39:02 PM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 7:39:01 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 7:33:24 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 7:33:23 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 7:33:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 7:33:06 PM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 7:33:05 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/14/2016 7:28:04 PM	10	mg/l
SC PITUR DORU SNC	Cianuri	6/14/2016 7:28:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 7:27:43 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 7:27:42 PM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 7:27:41 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 7:22:24 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 7:22:23 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 7:22:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 7:22:06 PM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 7:22:05 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 7:17:01 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	6/14/2016 7:16:48 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 7:16:47 PM	10	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 7:16:46 PM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 7:16:45 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 7:11:24 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 7:11:23 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 7:11:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 7:11:06 PM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 7:11:05 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 7:06:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 7:06:01 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 7:05:52 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 7:05:51 PM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 7:05:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 7:00:24 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 7:00:23 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 7:00:03 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 7:00:02 PM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 7:00:01 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 6:55:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 6:55:01 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 6:54:48 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 6:54:47 PM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 6:54:46 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 6:49:22 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 6:49:04 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 6:49:03 PM	10	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 6:49:02 PM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 6:49:01 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 6:43:44 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 6:43:42 PM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 6:43:29 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 6:43:28 PM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 6:43:27 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 6:38:24 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 6:38:23 PM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 6:38:03 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 6:38:02 PM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 6:38:01 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 6:32:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 6:32:41 PM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 6:32:27 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 6:32:26 PM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 6:32:25 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 6:27:24 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 6:27:23 PM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 6:27:03 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 6:27:02 PM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 6:27:01 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 6:21:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 6:21:41 PM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 6:21:33 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 6:21:32 PM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 6:21:31 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 6:16:22 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 6:16:04 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 6:16:03 PM	11	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 6:16:02 PM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 6:16:01 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 6:11:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 6:11:01 PM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 6:10:48 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 6:10:47 PM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 6:10:46 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 6:05:24 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 6:05:23 PM	11	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	6/14/2016 6:05:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 6:05:06 PM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 6:05:05 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 6:00:04 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 6:00:03 PM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 5:59:47 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 5:59:46 PM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 5:59:45 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 5:54:24 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 5:54:23 PM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 5:54:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 5:54:06 PM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 5:54:05 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 5:49:02 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 5:48:48 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 5:48:47 PM	11	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 5:48:46 PM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 5:48:45 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 5:43:24 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 5:43:23 PM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 5:43:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 5:43:06 PM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 5:43:05 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 5:37:44 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 5:37:43 PM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 5:37:27 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 5:37:26 PM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 5:37:25 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 5:32:04 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 5:32:03 PM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 5:31:47 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 5:31:46 PM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 5:31:45 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 5:26:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 5:26:41 PM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 5:26:27 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 5:26:26 PM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 5:26:25 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 5:21:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 5:21:20 PM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 5:20:51 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 5:20:50 PM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 5:20:49 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 5:16:01 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 5:15:47 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 5:15:46 PM	11	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 5:15:45 PM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 5:15:44 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/14/2016 5:10:27 PM	10	mg/l
SC PITUR DORU SNC	Cianuri	6/14/2016 5:10:26 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 5:10:08 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 5:10:07 PM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 5:10:06 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 5:05:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 5:05:01 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 5:04:51 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 5:04:50 PM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 5:04:49 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 4:59:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 4:59:40 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 4:59:13 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 4:59:12 PM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 4:59:11 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 4:54:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 4:54:01 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 4:53:46 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Temp	6/14/2016 4:53:45 PM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 4:53:44 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 4:48:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 4:48:40 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 4:48:11 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 4:48:10 PM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 4:48:09 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 4:42:22 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 4:42:21 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 4:42:11 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 4:42:10 PM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 4:42:09 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 4:37:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 4:37:30 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 4:37:08 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 4:37:07 PM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 4:37:06 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 4:31:22 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 4:31:21 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 4:31:11 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 4:31:10 PM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 4:31:09 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 4:26:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 4:26:20 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 4:25:53 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 4:25:52 PM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 4:25:51 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 4:20:22 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 4:20:21 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 4:20:11 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 4:20:10 PM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 4:20:09 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 4:15:21 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 4:14:49 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 4:14:48 PM	10	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 4:14:47 PM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 4:14:46 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 4:09:22 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 4:09:21 PM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 4:09:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 4:09:06 PM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 4:09:05 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 4:04:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 4:04:01 PM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 4:03:51 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 4:03:50 PM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 4:03:49 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 3:58:22 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 3:58:21 PM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 3:58:11 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 3:58:10 PM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 3:58:09 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 3:53:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 3:53:01 PM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 3:52:51 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 3:52:50 PM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 3:52:49 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 3:47:22 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 3:47:21 PM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 3:47:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 3:47:09 PM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 3:47:08 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 3:42:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 3:42:01 PM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 3:41:51 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 3:41:50 PM	22	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	6/14/2016 3:41:49 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 3:36:22 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 3:36:21 PM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 3:36:11 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 3:36:10 PM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 3:36:09 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 3:31:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 3:31:01 PM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 3:30:52 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 3:30:51 PM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 3:30:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 3:25:22 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 3:25:21 PM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 3:25:11 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 3:25:10 PM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 3:25:09 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 3:20:01 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 3:19:48 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 3:19:47 PM	11	mg/l
SC PITUR DORU SNC	pH	6/14/2016 3:19:46 PM	8	unit pH
SC PITUR DORU SNC	Temp	6/14/2016 3:19:45 PM	22	gradCels
SC PITUR DORU SNC	Cianuri	6/14/2016 3:14:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 3:14:40 PM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 3:14:13 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 3:14:12 PM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 3:14:11 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 3:09:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 3:09:01 PM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 3:08:48 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 3:08:47 PM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 3:08:46 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 3:03:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 3:03:40 PM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 3:03:12 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 3:03:11 PM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 3:03:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 2:58:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 2:58:20 PM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 2:57:48 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 2:57:47 PM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 2:57:46 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 2:52:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 2:52:40 PM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 2:52:13 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 2:52:12 PM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 2:52:11 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 2:47:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 2:46:48 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 2:46:47 PM	11	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 2:46:46 PM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 2:46:45 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 2:41:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 2:41:40 PM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 2:41:12 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 2:41:11 PM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 2:41:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 2:36:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 2:36:40 PM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 2:35:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 2:35:21 PM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 2:35:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 2:31:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 2:31:00 PM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 2:30:32 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 2:30:31 PM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 2:30:30 PM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	6/14/2016 2:25:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 2:25:41 PM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 2:24:18 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 2:24:17 PM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 2:24:16 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 2:20:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 2:20:01 PM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 2:19:28 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 2:19:27 PM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 2:19:26 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 2:14:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 2:14:21 PM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 2:13:16 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 2:13:15 PM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 2:13:14 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 2:09:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 2:09:00 PM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 2:08:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 2:08:29 PM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 2:08:28 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 2:02:22 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 2:02:21 PM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 2:02:12 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 2:02:11 PM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 2:02:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 1:58:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 1:58:01 PM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 1:57:29 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 1:57:28 PM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 1:57:27 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 1:51:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 1:51:41 PM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 1:51:26 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 1:51:25 PM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 1:51:24 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 1:46:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 1:46:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 1:46:09 PM	11	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 1:46:08 PM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 1:46:07 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 1:40:22 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 1:40:21 PM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 1:40:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 1:40:06 PM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 1:40:05 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 1:36:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 1:35:42 PM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 1:35:32 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 1:35:31 PM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 1:35:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 1:30:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 1:29:41 PM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 1:29:27 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 1:29:26 PM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 1:29:25 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 1:24:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 1:24:21 PM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 1:24:13 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 1:24:12 PM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 1:24:11 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 1:19:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 1:18:35 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 1:18:34 PM	11	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 1:18:33 PM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 1:18:32 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 1:13:40 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	6/14/2016 1:13:21 PM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 1:13:09 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 1:13:08 PM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 1:13:07 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 1:08:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 1:07:41 PM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 1:07:33 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 1:07:32 PM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 1:07:31 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 1:02:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 1:02:21 PM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 1:02:12 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 1:02:11 PM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 1:02:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 12:57:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 12:56:40 PM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 12:56:25 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 12:56:24 PM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 12:56:23 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 12:51:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 12:51:16 PM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 12:50:48 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 12:50:47 PM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 12:50:46 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 12:46:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 12:46:21 PM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 12:46:05 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 12:46:04 PM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 12:46:03 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 12:42:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 12:41:42 PM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 12:41:29 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 12:41:28 PM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 12:41:27 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 12:35:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 12:34:40 PM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 12:34:24 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 12:34:23 PM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 12:34:22 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 12:29:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 12:29:41 PM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 12:29:09 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 12:29:08 PM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 12:29:07 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 12:24:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 12:23:40 PM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 12:23:25 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 12:23:24 PM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 12:23:23 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 12:18:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 12:18:09 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 12:18:08 PM	11	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 12:18:07 PM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 12:18:06 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 12:13:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 12:12:40 PM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 12:12:25 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 12:12:24 PM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 12:12:23 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 12:07:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 12:07:11 PM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 12:07:09 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 12:07:08 PM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 12:07:07 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 12:01:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 12:01:21 PM	11	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	6/14/2016 12:01:08 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 12:01:07 PM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 12:01:06 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 11:56:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 11:56:31 AM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 11:56:29 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 11:56:28 AM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 11:56:27 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 11:51:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 11:50:40 AM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 11:50:31 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 11:50:30 AM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 11:50:29 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 11:45:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 11:45:11 AM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 11:45:09 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 11:45:08 AM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 11:45:07 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 11:39:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 11:39:31 AM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 11:39:29 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 11:39:28 AM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 11:39:27 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 11:34:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 11:34:10 AM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 11:34:08 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 11:34:07 AM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 11:34:06 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 11:29:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 11:28:41 AM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 11:28:29 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 11:28:28 AM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 11:28:27 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 11:23:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 11:23:10 AM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 11:23:08 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 11:23:07 AM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 11:23:06 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 11:18:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 11:17:29 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 11:17:28 AM	11	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 11:17:27 AM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 11:17:26 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 11:12:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 11:12:10 AM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 11:12:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 11:12:04 AM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 11:12:03 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 11:07:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 11:07:01 AM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 11:06:29 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 11:06:28 AM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 11:06:27 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 11:01:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 11:01:06 AM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 11:01:04 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 11:01:03 AM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 11:01:02 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 10:55:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 10:55:20 AM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 10:55:09 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 10:55:08 AM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 10:55:07 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 10:50:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 10:50:09 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 10:50:07 AM	11	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Temp	6/14/2016 10:50:05 AM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 10:50:03 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 10:45:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 10:44:42 AM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 10:44:28 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 10:44:27 AM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 10:44:26 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 10:39:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 10:39:00 AM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 10:38:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 10:38:44 AM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 10:38:43 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/14/2016 10:33:42 AM	11	mg/l
SC PITUR DORU SNC	Cianuri	6/14/2016 10:33:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 10:33:28 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 10:33:27 AM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 10:33:26 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 10:27:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 10:27:11 AM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 10:27:05 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 10:27:04 AM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 10:27:03 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 10:22:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 10:22:32 AM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 10:22:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 10:22:29 AM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 10:22:28 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 10:16:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 10:16:12 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 10:16:11 AM	11	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 10:16:10 AM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 10:16:09 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 10:11:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 10:11:31 AM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 10:11:29 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 10:11:28 AM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 10:11:27 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 10:05:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 10:05:12 AM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 10:05:10 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 10:05:09 AM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 10:05:08 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 10:00:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 10:00:31 AM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 10:00:29 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 10:00:28 AM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 10:00:27 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 9:54:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 9:54:21 AM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 9:54:19 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 9:54:18 AM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 9:54:16 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 9:50:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 9:48:49 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 9:48:48 AM	11	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 9:48:47 AM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 9:48:46 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 9:43:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 9:43:13 AM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 9:43:11 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 9:43:10 AM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 9:43:09 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 9:38:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 9:38:12 AM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 9:37:49 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 9:37:48 AM	22	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	6/14/2016 9:37:47 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 9:32:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 9:32:23 AM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 9:32:09 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 9:32:08 AM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 9:32:07 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 9:27:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 9:27:13 AM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 9:26:47 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 9:26:46 AM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 9:26:45 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 9:21:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 9:21:21 AM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 9:21:09 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 9:21:08 AM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 9:21:07 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 9:17:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 9:15:46 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 9:15:45 AM	11	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 9:15:44 AM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 9:15:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 9:11:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 9:11:20 AM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 9:10:26 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 9:10:25 AM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 9:10:24 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/14/2016 9:05:42 AM	11	mg/l
SC PITUR DORU SNC	Cianuri	6/14/2016 9:05:41 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 9:04:55 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 9:04:54 AM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 9:04:53 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 9:00:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 9:00:20 AM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 8:59:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 8:59:22 AM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 8:59:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 8:54:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 8:54:22 AM	11	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 8:54:08 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 8:54:07 AM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 8:54:06 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 8:49:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 8:48:44 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 8:48:43 AM	11	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 8:48:42 AM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 8:48:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 8:43:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 8:43:20 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 8:43:08 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 8:43:07 AM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 8:43:06 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/14/2016 8:38:41 AM	10	mg/l
SC PITUR DORU SNC	Cianuri	6/14/2016 8:38:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 8:37:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 8:37:24 AM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 8:37:23 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/14/2016 8:32:42 AM	10	mg/l
SC PITUR DORU SNC	Cianuri	6/14/2016 8:32:41 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 8:31:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 8:31:45 AM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 8:31:44 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/14/2016 8:27:23 AM	10	mg/l
SC PITUR DORU SNC	Cianuri	6/14/2016 8:27:21 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 8:26:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 8:26:24 AM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 8:26:23 AM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	6/14/2016 8:21:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 8:21:11 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 8:20:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 8:20:44 AM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 8:20:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 8:15:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 8:15:13 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 8:15:11 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 8:15:10 AM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 8:15:09 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 8:11:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 8:10:40 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 8:09:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 8:09:44 AM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 8:09:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 8:04:32 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 8:04:31 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 8:04:29 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 8:04:28 AM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 8:04:27 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 7:59:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 7:59:11 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 7:58:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 7:58:44 AM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 7:58:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 7:53:13 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 7:53:12 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 7:53:10 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 7:53:09 AM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 7:53:08 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 7:48:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 7:47:46 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 7:47:45 AM	10	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 7:47:44 AM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 7:47:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 7:42:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 7:42:23 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 7:42:11 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 7:42:10 AM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 7:42:09 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 7:37:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 7:37:21 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 7:36:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 7:36:44 AM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 7:36:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 7:31:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 7:31:20 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 7:31:09 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 7:31:08 AM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 7:31:07 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 7:27:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 7:26:40 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 7:25:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 7:25:44 AM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 7:25:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 7:20:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 7:20:20 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 7:20:09 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 7:20:08 AM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 7:20:07 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 7:16:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 7:15:41 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 7:14:26 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 7:14:25 AM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 7:14:24 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 7:09:20 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	6/14/2016 7:09:10 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 7:09:05 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 7:09:04 AM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 7:09:03 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 7:04:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 7:04:23 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 7:03:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 7:03:23 AM	22	gradCels
SC PITUR DORU SNC	pH	6/14/2016 7:03:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 6:59:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 6:58:47 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 6:58:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 6:58:44 AM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 6:58:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 6:54:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 6:53:40 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 6:52:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 6:52:44 AM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 6:52:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 6:47:11 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 6:46:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 6:46:49 AM	10	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 6:46:48 AM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 6:46:47 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 6:42:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 6:42:21 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 6:42:05 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 6:42:04 AM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 6:42:03 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 6:36:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 6:36:10 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 6:36:05 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 6:36:04 AM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 6:36:03 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 6:31:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 6:31:20 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 6:30:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 6:30:44 AM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 6:30:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 6:28:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 6:28:22 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 6:25:14 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 6:25:13 AM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 6:25:12 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/14/2016 6:20:41 AM	10	mg/l
SC PITUR DORU SNC	Cianuri	6/14/2016 6:20:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 6:19:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 6:19:41 AM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 6:19:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 6:14:13 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 6:14:12 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 6:14:10 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 6:14:09 AM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 6:14:08 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 6:09:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 6:09:20 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 6:08:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 6:08:41 AM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 6:08:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 6:03:11 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 6:03:10 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 6:03:08 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 6:03:07 AM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 6:03:06 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 5:58:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 5:58:20 AM	10	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	6/14/2016 5:57:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 5:57:44 AM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 5:57:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 5:52:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 5:52:24 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 5:52:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 5:52:21 AM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 5:52:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 5:47:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 5:47:25 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 5:47:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 5:47:22 AM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 5:47:21 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/14/2016 5:44:04 AM	10	mg/l
SC PITUR DORU SNC	Cianuri	6/14/2016 5:44:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 5:41:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 5:41:42 AM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 5:41:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 5:37:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 5:36:42 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 5:36:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 5:36:22 AM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 5:36:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 5:33:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 5:32:22 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 5:31:04 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 5:31:03 AM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 5:31:02 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 5:25:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 5:25:21 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 5:25:04 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 5:25:03 AM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 5:25:02 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 5:21:01 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 5:19:46 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 5:19:45 AM	10	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 5:19:44 AM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 5:19:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 5:14:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 5:14:23 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 5:14:03 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 5:14:02 AM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 5:14:01 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 5:10:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 5:10:23 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 5:08:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 5:08:44 AM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 5:08:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 5:04:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 5:03:41 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 5:03:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 5:03:01 AM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 5:03:00 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/14/2016 4:59:44 AM	10	mg/l
SC PITUR DORU SNC	Cianuri	6/14/2016 4:59:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 4:57:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 4:57:24 AM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 4:57:23 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 4:53:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 4:52:41 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 4:51:51 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 4:51:50 AM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 4:51:49 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 4:48:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 4:46:26 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 4:46:25 AM	10	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Temp	6/14/2016 4:46:24 AM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 4:46:23 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 4:41:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 4:41:22 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 4:41:04 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 4:41:03 AM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 4:41:02 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 4:37:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 4:37:40 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 4:35:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 4:35:24 AM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 4:35:23 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 4:32:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 4:32:00 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 4:30:04 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 4:30:03 AM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 4:30:02 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/14/2016 4:26:22 AM	10	mg/l
SC PITUR DORU SNC	Cianuri	6/14/2016 4:26:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 4:24:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 4:24:22 AM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 4:24:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 4:21:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 4:18:44 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 4:18:43 AM	10	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 4:18:42 AM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 4:18:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 4:13:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 4:13:25 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 4:13:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 4:13:22 AM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 4:13:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 4:10:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 4:09:42 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 4:07:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 4:07:41 AM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 4:07:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 4:02:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 4:02:24 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 4:02:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 4:02:21 AM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 4:02:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 3:57:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 3:57:23 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 3:56:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 3:56:41 AM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 3:56:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 3:52:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 3:51:41 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 3:51:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 3:51:21 AM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 3:51:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 3:46:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 3:46:27 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 3:46:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 3:46:22 AM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 3:46:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 3:43:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 3:42:43 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 3:41:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 3:41:05 AM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 3:41:04 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 3:35:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 3:35:21 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 3:35:07 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 3:35:06 AM	23	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	6/14/2016 3:35:05 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 3:32:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 3:32:01 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 3:30:05 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 3:30:04 AM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 3:30:03 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/14/2016 3:24:22 AM	10	mg/l
SC PITUR DORU SNC	Cianuri	6/14/2016 3:24:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 3:24:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 3:24:05 AM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 3:24:04 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 3:21:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 3:20:41 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 3:19:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 3:19:05 AM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 3:19:04 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/14/2016 3:13:28 AM	10	mg/l
SC PITUR DORU SNC	Cianuri	6/14/2016 3:13:26 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 3:13:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 3:13:22 AM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 3:13:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 3:09:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 3:09:21 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 3:07:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 3:07:43 AM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 3:07:42 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 3:02:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 3:02:27 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 3:02:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 3:02:23 AM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 3:02:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 2:58:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 2:58:41 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 2:56:47 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 2:56:46 AM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 2:56:45 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 2:51:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 2:51:21 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 2:51:08 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 2:51:07 AM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 2:51:06 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 2:47:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 2:47:21 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 2:45:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 2:45:44 AM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 2:45:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 2:40:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 2:40:21 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 2:40:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 2:40:05 AM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 2:40:04 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 2:36:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 2:36:22 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 2:34:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 2:34:45 AM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 2:34:44 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 2:31:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 2:30:40 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 2:29:07 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 2:29:06 AM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 2:29:05 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 2:25:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 2:25:41 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 2:23:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 2:23:42 AM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 2:23:41 AM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	6/14/2016 2:19:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 2:19:23 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 2:18:03 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 2:18:02 AM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 2:18:01 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 2:13:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 2:12:47 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 2:12:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 2:12:42 AM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 2:12:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 2:08:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 2:08:22 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 2:07:03 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 2:07:02 AM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 2:07:01 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 2:01:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 2:01:22 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 2:01:07 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 2:01:06 AM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 2:01:05 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 1:58:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 1:58:05 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 1:55:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 1:55:41 AM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 1:55:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 1:50:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 1:50:27 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 1:50:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 1:50:22 AM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 1:50:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 1:47:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 1:44:44 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 1:44:43 AM	10	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 1:44:42 AM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 1:44:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 1:39:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 1:39:27 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 1:39:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 1:39:22 AM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 1:39:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 1:36:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 1:36:00 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 1:33:28 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 1:33:27 AM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 1:33:26 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 1:29:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 1:28:41 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 1:28:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 1:28:01 AM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 1:28:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 1:25:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 1:24:42 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 1:22:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 1:22:24 AM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 1:22:23 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 1:18:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 1:17:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 1:17:02 AM	10	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 1:17:01 AM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 1:17:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 1:13:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 1:13:20 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 1:11:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 1:11:42 AM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 1:11:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 1:06:20 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	6/14/2016 1:06:11 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 1:05:56 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 1:05:54 AM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 1:05:52 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 1:02:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 1:02:21 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 1:00:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 1:00:42 AM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 1:00:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 12:55:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 12:55:20 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 12:55:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 12:55:01 AM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 12:55:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 12:52:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 12:49:16 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 12:49:15 AM	10	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 12:49:14 AM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 12:49:13 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 12:46:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 12:45:40 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 12:44:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 12:44:01 AM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 12:44:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 12:40:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 12:40:01 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 12:38:13 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 12:38:12 AM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 12:38:11 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 12:35:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 12:34:40 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 12:32:41 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 12:32:40 AM	23	gradCels
SC PITUR DORU SNC	pH	6/14/2016 12:32:39 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 12:29:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 12:29:20 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 12:27:10 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 12:27:09 AM	24	gradCels
SC PITUR DORU SNC	pH	6/14/2016 12:27:08 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 12:24:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 12:23:40 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 12:21:38 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 12:21:37 AM	24	gradCels
SC PITUR DORU SNC	pH	6/14/2016 12:21:36 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 12:16:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 12:16:24 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 12:16:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 12:16:21 AM	24	gradCels
SC PITUR DORU SNC	pH	6/14/2016 12:16:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 12:12:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 12:12:20 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 12:10:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 12:10:41 AM	24	gradCels
SC PITUR DORU SNC	pH	6/14/2016 12:10:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 12:05:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 12:05:25 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/14/2016 12:05:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/14/2016 12:05:22 AM	24	gradCels
SC PITUR DORU SNC	pH	6/14/2016 12:05:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/14/2016 12:01:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/14/2016 12:01:20 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 11:59:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 11:59:41 PM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 11:59:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 11:54:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 11:54:20 PM	10	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	6/13/2016 11:54:01 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 11:54:00 PM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 11:53:59 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 11:50:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 11:50:20 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 11:48:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 11:48:41 PM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 11:48:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 11:43:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 11:43:20 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 11:42:58 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 11:42:57 PM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 11:42:56 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 11:39:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 11:39:20 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 11:37:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 11:37:41 PM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 11:37:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 11:32:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 11:32:06 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 11:31:54 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 11:31:53 PM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 11:31:52 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 11:28:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 11:28:20 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 11:26:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 11:26:41 PM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 11:26:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 11:21:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 11:21:20 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 11:20:52 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 11:20:51 PM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 11:20:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 11:18:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 11:17:40 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 11:15:20 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 11:15:19 PM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 11:15:18 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 11:10:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 11:10:20 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 11:09:48 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 11:09:47 PM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 11:09:46 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 11:07:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 11:06:42 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 11:04:17 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 11:04:16 PM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 11:04:15 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 10:59:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 10:59:20 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 10:59:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 10:59:01 PM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 10:59:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 10:55:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 10:55:20 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 10:53:14 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 10:53:13 PM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 10:53:12 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 10:48:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 10:47:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 10:47:42 PM	10	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 10:47:41 PM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 10:47:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 10:44:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 10:44:02 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 10:43:43 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Temp	6/13/2016 10:43:42 PM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 10:43:41 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 10:39:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 10:38:50 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 10:38:43 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 10:38:42 PM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 10:38:41 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 10:33:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 10:33:23 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 10:32:43 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 10:32:42 PM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 10:32:41 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 10:28:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 10:28:00 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 10:27:43 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 10:27:42 PM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 10:27:41 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 10:23:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 10:22:40 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 10:22:03 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 10:22:02 PM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 10:22:01 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 10:17:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 10:15:24 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 10:15:23 PM	10	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 10:15:22 PM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 10:15:21 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 10:12:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 10:12:00 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 10:10:03 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 10:10:02 PM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 10:10:01 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 10:06:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 10:05:41 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 10:04:23 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 10:04:22 PM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 10:04:21 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 10:01:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 10:00:41 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 10:00:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 10:00:06 PM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 10:00:05 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 9:55:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 9:55:01 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 9:54:48 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 9:54:47 PM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 9:54:46 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 9:49:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 9:49:20 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 9:49:08 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 9:49:07 PM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 9:49:06 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 9:44:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 9:43:40 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 9:43:29 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 9:43:28 PM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 9:43:27 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 9:38:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 9:38:21 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 9:37:47 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 9:37:46 PM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 9:37:45 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 9:33:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 9:32:40 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 9:32:28 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 9:32:27 PM	24	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	6/13/2016 9:32:26 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 9:27:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 9:27:20 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 9:26:27 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 9:26:26 PM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 9:26:25 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 9:22:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 9:22:01 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 9:21:44 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 9:21:43 PM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 9:21:42 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/13/2016 9:16:00 PM	10	mg/l
SC PITUR DORU SNC	Cianuri	6/13/2016 9:15:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 9:15:47 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 9:15:46 PM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 9:15:45 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 9:11:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 9:11:01 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 9:10:44 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 9:10:43 PM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 9:10:42 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 9:05:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 9:05:00 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 9:04:27 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 9:04:26 PM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 9:04:25 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 9:00:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 8:59:30 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 8:59:24 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 8:59:23 PM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 8:59:22 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 8:54:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 8:54:00 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 8:53:27 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 8:53:26 PM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 8:53:25 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 8:49:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 8:49:01 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 8:48:24 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 8:48:23 PM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 8:48:22 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/13/2016 8:43:00 PM	10	mg/l
SC PITUR DORU SNC	Cianuri	6/13/2016 8:42:42 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 8:42:27 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 8:42:26 PM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 8:42:25 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 8:38:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 8:37:32 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 8:37:25 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 8:37:24 PM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 8:37:23 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 8:32:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 8:32:00 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 8:31:27 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 8:31:26 PM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 8:31:25 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 8:27:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 8:26:31 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 8:26:25 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 8:26:24 PM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 8:26:23 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/13/2016 8:20:32 PM	10	mg/l
SC PITUR DORU SNC	Cianuri	6/13/2016 8:20:31 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 8:20:28 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 8:20:27 PM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 8:20:26 PM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	6/13/2016 8:15:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 8:15:20 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 8:15:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 8:15:06 PM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 8:15:05 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 8:10:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 8:09:40 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 8:09:29 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 8:09:28 PM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 8:09:27 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 8:05:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 8:05:00 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 8:04:03 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 8:04:02 PM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 8:04:01 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 7:59:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 7:59:40 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 7:58:43 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 7:58:42 PM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 7:58:41 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 7:54:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 7:54:00 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 7:53:03 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 7:53:02 PM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 7:53:01 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 7:48:21 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 7:47:24 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 7:47:23 PM	10	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 7:47:22 PM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 7:47:21 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 7:43:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 7:43:00 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 7:42:03 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 7:42:02 PM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 7:42:01 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/13/2016 7:37:22 PM	10	mg/l
SC PITUR DORU SNC	Cianuri	6/13/2016 7:37:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 7:36:43 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 7:36:42 PM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 7:36:41 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/13/2016 7:32:00 PM	10	mg/l
SC PITUR DORU SNC	Cianuri	6/13/2016 7:31:42 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 7:31:03 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 7:31:02 PM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 7:31:01 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 7:26:22 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 7:26:21 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 7:25:43 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 7:25:42 PM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 7:25:41 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 7:21:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 7:21:01 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 7:19:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 7:19:01 PM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 7:19:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 7:15:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 7:15:02 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 7:13:24 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 7:13:23 PM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 7:13:22 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/13/2016 7:08:41 PM	10	mg/l
SC PITUR DORU SNC	Cianuri	6/13/2016 7:08:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 7:08:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 7:08:01 PM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 7:08:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 7:04:41 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	6/13/2016 7:04:40 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 7:02:24 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 7:02:23 PM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 7:02:22 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 6:57:22 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 6:57:21 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 6:57:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 6:57:01 PM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 6:57:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 6:53:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 6:53:20 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 6:51:24 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 6:51:23 PM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 6:51:22 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 6:46:21 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 6:46:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 6:46:02 PM	10	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 6:46:01 PM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 6:46:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 6:42:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 6:42:20 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 6:40:24 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 6:40:23 PM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 6:40:22 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 6:35:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 6:35:20 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 6:34:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 6:34:41 PM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 6:34:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 6:31:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 6:31:20 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 6:29:24 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 6:29:23 PM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 6:29:22 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 6:24:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 6:24:20 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 6:23:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 6:23:41 PM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 6:23:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 6:20:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 6:20:20 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 6:18:24 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 6:18:23 PM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 6:18:22 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 6:14:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 6:14:42 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 6:12:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 6:12:41 PM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 6:12:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 6:07:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 6:07:41 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 6:07:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 6:07:21 PM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 6:07:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 6:03:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 6:03:20 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 6:01:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 6:01:41 PM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 6:01:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 5:56:22 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 5:56:21 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 5:56:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 5:56:01 PM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 5:56:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 5:52:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 5:52:41 PM	10	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	6/13/2016 5:52:03 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 5:52:02 PM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 5:52:01 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 5:47:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 5:46:44 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 5:46:43 PM	10	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 5:46:42 PM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 5:46:41 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 5:41:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 5:41:41 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 5:41:03 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 5:41:02 PM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 5:41:01 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/13/2016 5:36:40 PM	10	mg/l
SC PITUR DORU SNC	Cianuri	6/13/2016 5:36:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 5:35:43 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 5:35:42 PM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 5:35:41 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 5:31:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 5:31:00 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 5:30:03 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 5:30:02 PM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 5:30:01 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 5:25:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 5:25:40 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 5:23:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 5:23:41 PM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 5:23:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 5:20:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 5:18:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 5:18:02 PM	10	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 5:18:01 PM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 5:18:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/13/2016 5:14:03 PM	10	mg/l
SC PITUR DORU SNC	Cianuri	6/13/2016 5:14:01 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 5:13:23 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 5:13:22 PM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 5:13:21 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 5:09:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 5:09:00 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 5:08:03 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 5:08:02 PM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 5:08:01 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 5:03:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 5:03:22 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 5:02:23 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 5:02:22 PM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 5:02:21 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 4:58:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 4:57:40 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 4:57:03 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 4:57:02 PM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 4:57:01 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 4:52:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 4:52:20 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 4:51:23 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 4:51:22 PM	23	gradCels
SC PITUR DORU SNC	pH	6/13/2016 4:51:21 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 4:47:01 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 4:46:24 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 4:46:23 PM	10	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 4:46:22 PM	23	gradCels
SC PITUR DORU SNC	pH	6/13/2016 4:46:21 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 4:41:22 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 4:41:21 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 4:40:23 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Temp	6/13/2016 4:40:22 PM	23	gradCels
SC PITUR DORU SNC	pH	6/13/2016 4:40:21 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 4:35:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 4:35:41 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 4:34:43 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 4:34:42 PM	23	gradCels
SC PITUR DORU SNC	pH	6/13/2016 4:34:41 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/13/2016 4:30:20 PM	10	mg/l
SC PITUR DORU SNC	Cianuri	6/13/2016 4:30:02 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 4:29:23 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 4:29:22 PM	23	gradCels
SC PITUR DORU SNC	pH	6/13/2016 4:29:21 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 4:24:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 4:24:20 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 4:23:23 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 4:23:22 PM	23	gradCels
SC PITUR DORU SNC	pH	6/13/2016 4:23:21 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 4:19:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 4:19:42 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 4:19:23 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 4:19:22 PM	23	gradCels
SC PITUR DORU SNC	pH	6/13/2016 4:19:21 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 4:13:47 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 4:13:46 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 4:13:23 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 4:13:22 PM	23	gradCels
SC PITUR DORU SNC	pH	6/13/2016 4:13:21 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 4:08:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 4:08:40 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 4:08:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 4:08:01 PM	23	gradCels
SC PITUR DORU SNC	pH	6/13/2016 4:08:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/13/2016 4:03:03 PM	10	mg/l
SC PITUR DORU SNC	Cianuri	6/13/2016 4:03:02 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 4:02:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 4:02:21 PM	23	gradCels
SC PITUR DORU SNC	pH	6/13/2016 4:02:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 3:57:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 3:57:01 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 3:56:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 3:56:41 PM	23	gradCels
SC PITUR DORU SNC	pH	6/13/2016 3:56:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 3:52:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 3:52:01 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 3:51:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 3:51:21 PM	23	gradCels
SC PITUR DORU SNC	pH	6/13/2016 3:51:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 3:46:21 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 3:45:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 3:45:42 PM	10	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 3:45:41 PM	23	gradCels
SC PITUR DORU SNC	pH	6/13/2016 3:45:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 3:41:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 3:41:00 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 3:40:23 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 3:40:22 PM	23	gradCels
SC PITUR DORU SNC	pH	6/13/2016 3:40:21 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 3:35:06 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 3:35:05 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 3:34:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 3:34:41 PM	23	gradCels
SC PITUR DORU SNC	pH	6/13/2016 3:34:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/13/2016 3:30:01 PM	10	mg/l
SC PITUR DORU SNC	Cianuri	6/13/2016 3:29:46 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 3:29:23 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 3:29:22 PM	23	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	6/13/2016 3:29:21 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 3:24:06 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 3:24:05 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 3:23:43 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 3:23:42 PM	23	gradCels
SC PITUR DORU SNC	pH	6/13/2016 3:23:41 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 3:18:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 3:18:04 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 3:18:03 PM	10	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 3:18:02 PM	23	gradCels
SC PITUR DORU SNC	pH	6/13/2016 3:18:01 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 3:13:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 3:13:00 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 3:12:43 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 3:12:42 PM	23	gradCels
SC PITUR DORU SNC	pH	6/13/2016 3:12:41 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 3:07:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 3:07:10 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 3:07:04 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 3:07:03 PM	23	gradCels
SC PITUR DORU SNC	pH	6/13/2016 3:07:02 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 3:02:22 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 3:02:21 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 3:01:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 3:01:41 PM	23	gradCels
SC PITUR DORU SNC	pH	6/13/2016 3:01:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 2:56:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 2:56:21 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 2:56:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 2:56:01 PM	23	gradCels
SC PITUR DORU SNC	pH	6/13/2016 2:56:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 2:51:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 2:51:01 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 2:50:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 2:50:21 PM	23	gradCels
SC PITUR DORU SNC	pH	6/13/2016 2:50:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 2:45:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 2:45:21 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 2:45:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 2:45:01 PM	23	gradCels
SC PITUR DORU SNC	pH	6/13/2016 2:45:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 2:40:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 2:40:01 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 2:39:23 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 2:39:22 PM	23	gradCels
SC PITUR DORU SNC	pH	6/13/2016 2:39:21 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 2:34:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 2:34:08 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 2:34:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 2:34:01 PM	23	gradCels
SC PITUR DORU SNC	pH	6/13/2016 2:34:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 2:29:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 2:28:41 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 2:28:23 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 2:28:22 PM	23	gradCels
SC PITUR DORU SNC	pH	6/13/2016 2:28:21 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 2:23:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 2:23:41 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 2:23:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 2:23:01 PM	23	gradCels
SC PITUR DORU SNC	pH	6/13/2016 2:23:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 2:17:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 2:17:29 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 2:17:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 2:17:21 PM	23	gradCels
SC PITUR DORU SNC	pH	6/13/2016 2:17:20 PM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	6/13/2016 2:12:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 2:12:21 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 2:12:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 2:12:01 PM	23	gradCels
SC PITUR DORU SNC	pH	6/13/2016 2:12:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 2:06:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 2:06:28 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 2:06:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 2:06:21 PM	23	gradCels
SC PITUR DORU SNC	pH	6/13/2016 2:06:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 2:01:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 2:00:44 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 2:00:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 2:00:41 PM	23	gradCels
SC PITUR DORU SNC	pH	6/13/2016 2:00:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 1:55:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 1:55:29 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 1:55:23 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 1:55:22 PM	23	gradCels
SC PITUR DORU SNC	pH	6/13/2016 1:55:21 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 1:50:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 1:49:44 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 1:49:43 PM	10	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 1:49:42 PM	23	gradCels
SC PITUR DORU SNC	pH	6/13/2016 1:49:41 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 1:44:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 1:44:20 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 1:44:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 1:44:01 PM	23	gradCels
SC PITUR DORU SNC	pH	6/13/2016 1:44:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 1:38:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 1:38:08 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 1:38:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 1:38:05 PM	23	gradCels
SC PITUR DORU SNC	pH	6/13/2016 1:38:04 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/13/2016 1:34:03 PM	10	mg/l
SC PITUR DORU SNC	Cianuri	6/13/2016 1:34:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 1:32:47 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 1:32:46 PM	23	gradCels
SC PITUR DORU SNC	pH	6/13/2016 1:32:45 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 1:27:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 1:27:26 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 1:27:24 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 1:27:23 PM	23	gradCels
SC PITUR DORU SNC	pH	6/13/2016 1:27:22 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 1:22:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 1:22:41 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 1:21:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 1:21:41 PM	23	gradCels
SC PITUR DORU SNC	pH	6/13/2016 1:21:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 1:16:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 1:16:24 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 1:16:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 1:16:21 PM	23	gradCels
SC PITUR DORU SNC	pH	6/13/2016 1:16:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 1:11:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 1:11:05 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 1:10:45 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 1:10:44 PM	23	gradCels
SC PITUR DORU SNC	pH	6/13/2016 1:10:43 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 1:05:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 1:05:25 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 1:05:23 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 1:05:22 PM	23	gradCels
SC PITUR DORU SNC	pH	6/13/2016 1:05:21 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 1:00:20 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	6/13/2016 1:00:05 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 12:59:44 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 12:59:43 PM	23	gradCels
SC PITUR DORU SNC	pH	6/13/2016 12:59:42 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 12:54:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 12:54:05 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 12:54:03 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 12:54:02 PM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 12:54:01 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 12:49:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 12:48:24 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 12:48:23 PM	10	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 12:48:22 PM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 12:48:21 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 12:43:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 12:43:06 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 12:43:04 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 12:43:03 PM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 12:43:02 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 12:38:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 12:38:05 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 12:37:24 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 12:37:23 PM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 12:37:22 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 12:32:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 12:32:05 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 12:32:03 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 12:32:02 PM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 12:32:01 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 12:27:06 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 12:27:05 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 12:26:23 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 12:26:22 PM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 12:26:21 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 12:21:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 12:21:20 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 12:20:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 12:20:41 PM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 12:20:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 12:16:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 12:15:44 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 12:15:43 PM	10	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 12:15:42 PM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 12:15:41 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 12:10:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 12:10:08 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 12:10:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 12:10:05 PM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 12:10:04 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 12:04:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 12:04:29 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 12:04:27 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 12:04:26 PM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 12:04:25 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 11:59:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 11:59:06 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 11:59:04 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 11:59:03 AM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 11:59:02 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 11:53:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 11:53:25 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 11:53:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 11:53:22 AM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 11:53:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 11:48:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 11:48:03 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	6/13/2016 11:48:02 AM	10	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 11:48:01 AM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 11:48:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 11:42:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 11:42:06 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 11:42:04 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 11:42:03 AM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 11:42:02 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 11:37:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 11:37:06 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 11:37:04 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 11:37:03 AM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 11:37:02 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 11:31:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 11:31:27 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 11:31:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 11:31:24 AM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 11:31:23 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 11:26:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 11:26:20 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 11:25:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 11:25:42 AM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 11:25:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 11:20:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 11:20:04 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 11:20:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 11:20:01 AM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 11:20:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 11:15:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 11:14:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 11:14:42 AM	10	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 11:14:41 AM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 11:14:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 11:09:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 11:09:41 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 11:09:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 11:09:23 AM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 11:09:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 11:05:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 11:05:01 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 11:04:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 11:04:23 AM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 11:04:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 10:59:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 10:58:26 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 10:58:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 10:58:22 AM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 10:58:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 10:54:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 10:53:41 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 10:53:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 10:53:21 AM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 10:53:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 10:48:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 10:47:40 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 10:47:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 10:47:23 AM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 10:47:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 10:42:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 10:42:09 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 10:42:03 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 10:42:02 AM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 10:42:01 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 10:36:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 10:36:20 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 10:36:04 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Temp	6/13/2016 10:36:03 AM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 10:36:02 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 10:31:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 10:31:06 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 10:31:04 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 10:31:03 AM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 10:31:02 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 10:26:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 10:26:20 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 10:25:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 10:25:43 AM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 10:25:42 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 10:20:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 10:20:04 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 10:20:03 AM	10	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 10:20:02 AM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 10:20:01 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 10:15:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 10:15:21 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 10:14:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 10:14:22 AM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 10:14:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 10:09:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 10:09:06 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 10:09:04 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 10:09:03 AM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 10:09:02 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 10:03:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 10:03:26 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 10:03:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 10:03:23 AM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 10:03:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 9:58:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 9:58:05 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 9:58:03 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 9:58:02 AM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 9:58:01 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 9:52:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 9:52:28 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 9:52:26 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 9:52:25 AM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 9:52:24 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 9:47:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 9:47:08 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 9:47:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 9:47:05 AM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 9:47:04 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 9:41:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 9:41:26 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 9:41:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 9:41:23 AM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 9:41:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 9:36:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 9:36:20 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 9:35:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 9:35:42 AM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 9:35:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 9:30:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 9:30:25 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 9:30:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 9:30:22 AM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 9:30:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 9:25:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 9:25:24 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 9:24:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 9:24:42 AM	24	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	6/13/2016 9:24:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 9:19:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 9:19:24 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 9:19:23 AM	10	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 9:19:22 AM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 9:19:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 9:14:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 9:14:23 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 9:13:47 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 9:13:46 AM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 9:13:45 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 9:08:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 9:08:29 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 9:08:27 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 9:08:26 AM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 9:08:25 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 9:03:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 9:03:23 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 9:02:47 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 9:02:46 AM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 9:02:45 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 8:57:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 8:57:29 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 8:57:27 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 8:57:26 AM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 8:57:25 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 8:52:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 8:52:02 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 8:51:47 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 8:51:46 AM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 8:51:45 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 8:46:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 8:46:08 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 8:46:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 8:46:05 AM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 8:46:04 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 8:41:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 8:41:03 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 8:40:47 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 8:40:46 AM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 8:40:45 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 8:35:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 8:35:05 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 8:35:03 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 8:35:02 AM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 8:35:01 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/13/2016 8:30:03 AM	10	mg/l
SC PITUR DORU SNC	Cianuri	6/13/2016 8:30:02 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 8:29:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 8:29:43 AM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 8:29:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 8:25:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 8:25:01 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 8:24:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 8:24:05 AM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 8:24:04 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 8:19:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 8:18:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 8:18:42 AM	10	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 8:18:41 AM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 8:18:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 8:14:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 8:14:01 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 8:13:03 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 8:13:02 AM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 8:13:01 AM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	6/13/2016 8:08:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 8:08:03 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 8:07:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 8:07:41 AM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 8:07:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 8:02:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 8:02:05 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 8:02:03 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 8:02:02 AM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 8:02:01 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 7:57:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 7:57:02 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 7:56:28 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 7:56:27 AM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 7:56:26 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 7:51:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 7:51:08 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 7:51:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 7:51:05 AM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 7:51:04 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 7:46:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 7:45:27 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 7:45:26 AM	10	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 7:45:25 AM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 7:45:24 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 7:40:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 7:40:09 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 7:40:07 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 7:40:06 AM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 7:40:05 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 7:35:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 7:35:00 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 7:34:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 7:34:24 AM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 7:34:23 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 7:29:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 7:29:09 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 7:29:07 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 7:29:06 AM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 7:29:05 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 7:24:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 7:24:23 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 7:23:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 7:23:24 AM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 7:23:23 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 7:18:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 7:18:06 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 7:18:05 AM	10	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 7:18:04 AM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 7:18:03 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 7:13:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 7:13:22 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 7:12:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 7:12:24 AM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 7:12:23 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 7:07:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 7:07:09 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 7:07:07 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 7:07:06 AM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 7:07:05 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 7:02:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 7:02:25 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 7:01:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 7:01:24 AM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 7:01:23 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 6:56:20 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	6/13/2016 6:56:09 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 6:56:07 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 6:56:06 AM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 6:56:05 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 6:51:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 6:51:40 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 6:50:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 6:50:24 AM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 6:50:23 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 6:45:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 6:45:04 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 6:45:03 AM	10	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 6:45:02 AM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 6:45:01 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/13/2016 6:40:24 AM	10	mg/l
SC PITUR DORU SNC	Cianuri	6/13/2016 6:40:22 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 6:39:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 6:39:24 AM	24	gradCels
SC PITUR DORU SNC	pH	6/13/2016 6:39:23 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 6:34:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 6:34:00 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 6:33:47 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 6:33:46 AM	25	gradCels
SC PITUR DORU SNC	pH	6/13/2016 6:33:45 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 6:29:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 6:29:24 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 6:28:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 6:28:24 AM	25	gradCels
SC PITUR DORU SNC	pH	6/13/2016 6:28:23 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 6:23:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 6:23:00 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 6:22:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 6:22:44 AM	25	gradCels
SC PITUR DORU SNC	pH	6/13/2016 6:22:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 6:18:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 6:17:26 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 6:17:25 AM	10	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 6:17:24 AM	25	gradCels
SC PITUR DORU SNC	pH	6/13/2016 6:17:23 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 6:12:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 6:12:00 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 6:11:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 6:11:44 AM	25	gradCels
SC PITUR DORU SNC	pH	6/13/2016 6:11:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 6:06:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 6:06:09 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 6:06:07 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 6:06:06 AM	25	gradCels
SC PITUR DORU SNC	pH	6/13/2016 6:06:05 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 6:01:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 6:01:00 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 6:00:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 6:00:44 AM	25	gradCels
SC PITUR DORU SNC	pH	6/13/2016 6:00:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 5:55:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 5:55:05 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 5:55:03 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 5:55:02 AM	25	gradCels
SC PITUR DORU SNC	pH	6/13/2016 5:55:01 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 5:50:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 5:49:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 5:49:44 AM	10	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 5:49:43 AM	25	gradCels
SC PITUR DORU SNC	pH	6/13/2016 5:49:42 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 5:44:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 5:44:20 AM	9	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	6/13/2016 5:44:07 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 5:44:06 AM	25	gradCels
SC PITUR DORU SNC	pH	6/13/2016 5:44:05 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 5:39:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 5:39:00 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 5:38:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 5:38:44 AM	25	gradCels
SC PITUR DORU SNC	pH	6/13/2016 5:38:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 5:33:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 5:33:09 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 5:33:07 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 5:33:06 AM	25	gradCels
SC PITUR DORU SNC	pH	6/13/2016 5:33:05 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 5:28:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 5:28:22 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 5:27:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 5:27:24 AM	25	gradCels
SC PITUR DORU SNC	pH	6/13/2016 5:27:23 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 5:22:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 5:22:00 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 5:21:48 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 5:21:47 AM	25	gradCels
SC PITUR DORU SNC	pH	6/13/2016 5:21:46 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 5:17:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 5:16:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 5:16:24 AM	9	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 5:16:23 AM	25	gradCels
SC PITUR DORU SNC	pH	6/13/2016 5:16:22 AM	8	unit pH
SC PITUR DORU SNC	pH	6/13/2016 5:11:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 5:11:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 5:11:00 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 5:10:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 5:10:45 AM	25	gradCels
SC PITUR DORU SNC	Cianuri	6/13/2016 5:06:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 5:06:00 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 5:05:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 5:05:21 AM	25	gradCels
SC PITUR DORU SNC	pH	6/13/2016 5:05:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 5:00:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 5:00:09 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 5:00:07 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 5:00:06 AM	25	gradCels
SC PITUR DORU SNC	pH	6/13/2016 5:00:05 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 4:55:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 4:55:00 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 4:54:11 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 4:54:10 AM	25	gradCels
SC PITUR DORU SNC	pH	6/13/2016 4:54:09 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 4:49:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 4:48:46 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 4:48:45 AM	9	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 4:48:44 AM	25	gradCels
SC PITUR DORU SNC	pH	6/13/2016 4:48:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 4:44:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 4:44:00 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 4:43:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 4:43:24 AM	25	gradCels
SC PITUR DORU SNC	pH	6/13/2016 4:43:23 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 4:38:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 4:38:05 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 4:38:03 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 4:38:02 AM	25	gradCels
SC PITUR DORU SNC	pH	6/13/2016 4:38:01 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 4:33:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 4:33:00 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 4:32:36 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Temp	6/13/2016 4:32:35 AM	25	gradCels
SC PITUR DORU SNC	pH	6/13/2016 4:32:34 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 4:28:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 4:28:23 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 4:27:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 4:27:21 AM	25	gradCels
SC PITUR DORU SNC	pH	6/13/2016 4:27:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 4:22:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 4:22:00 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 4:21:32 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 4:21:31 AM	25	gradCels
SC PITUR DORU SNC	pH	6/13/2016 4:21:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 4:17:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 4:16:04 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 4:16:03 AM	9	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 4:16:02 AM	25	gradCels
SC PITUR DORU SNC	pH	6/13/2016 4:16:01 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 4:11:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 4:11:26 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 4:11:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 4:11:23 AM	25	gradCels
SC PITUR DORU SNC	pH	6/13/2016 4:11:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 4:05:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 4:05:04 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 4:05:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 4:05:01 AM	25	gradCels
SC PITUR DORU SNC	pH	6/13/2016 4:05:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 4:00:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 4:00:00 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 3:59:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 3:59:41 AM	25	gradCels
SC PITUR DORU SNC	pH	6/13/2016 3:59:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 3:54:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 3:53:58 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 3:53:56 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 3:53:55 AM	25	gradCels
SC PITUR DORU SNC	pH	6/13/2016 3:53:54 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 3:49:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 3:48:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 3:48:42 AM	9	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 3:48:41 AM	25	gradCels
SC PITUR DORU SNC	pH	6/13/2016 3:48:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 3:43:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 3:42:58 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 3:42:53 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 3:42:52 AM	25	gradCels
SC PITUR DORU SNC	pH	6/13/2016 3:42:51 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 3:38:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 3:38:00 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 3:37:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 3:37:21 AM	25	gradCels
SC PITUR DORU SNC	pH	6/13/2016 3:37:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 3:32:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 3:32:04 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 3:32:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 3:32:01 AM	25	gradCels
SC PITUR DORU SNC	pH	6/13/2016 3:32:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 3:27:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 3:27:00 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 3:26:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 3:26:21 AM	25	gradCels
SC PITUR DORU SNC	pH	6/13/2016 3:26:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 3:21:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 3:21:04 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 3:21:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 3:21:01 AM	25	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	6/13/2016 3:21:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 3:16:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 3:15:24 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 3:15:23 AM	9	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 3:15:22 AM	25	gradCels
SC PITUR DORU SNC	pH	6/13/2016 3:15:21 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/13/2016 3:11:44 AM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/13/2016 3:11:42 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 3:10:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 3:10:21 AM	25	gradCels
SC PITUR DORU SNC	pH	6/13/2016 3:10:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 3:05:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 3:05:04 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 3:05:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 3:05:01 AM	25	gradCels
SC PITUR DORU SNC	pH	6/13/2016 3:05:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 3:01:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 3:01:00 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 2:59:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 2:59:21 AM	25	gradCels
SC PITUR DORU SNC	pH	6/13/2016 2:59:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 2:54:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 2:54:00 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 2:53:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 2:53:41 AM	25	gradCels
SC PITUR DORU SNC	pH	6/13/2016 2:53:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 2:49:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 2:48:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 2:48:22 AM	9	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 2:48:21 AM	25	gradCels
SC PITUR DORU SNC	pH	6/13/2016 2:48:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 2:43:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 2:43:00 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 2:42:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 2:42:41 AM	25	gradCels
SC PITUR DORU SNC	pH	6/13/2016 2:42:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 2:38:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 2:38:22 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 2:37:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 2:37:21 AM	25	gradCels
SC PITUR DORU SNC	pH	6/13/2016 2:37:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 2:32:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 2:32:00 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 2:31:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 2:31:41 AM	26	gradCels
SC PITUR DORU SNC	pH	6/13/2016 2:31:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 2:27:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 2:27:23 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 2:26:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 2:26:41 AM	26	gradCels
SC PITUR DORU SNC	pH	6/13/2016 2:26:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 2:22:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 2:22:23 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 2:21:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 2:21:21 AM	26	gradCels
SC PITUR DORU SNC	pH	6/13/2016 2:21:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 2:16:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 2:15:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 2:15:42 AM	9	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 2:15:41 AM	26	gradCels
SC PITUR DORU SNC	pH	6/13/2016 2:15:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 2:11:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 2:11:05 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 2:10:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 2:10:01 AM	26	gradCels
SC PITUR DORU SNC	pH	6/13/2016 2:10:00 AM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	6/13/2016 2:05:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 2:05:23 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 2:04:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 2:04:41 AM	26	gradCels
SC PITUR DORU SNC	pH	6/13/2016 2:04:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 1:59:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 1:59:20 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 1:59:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 1:59:01 AM	26	gradCels
SC PITUR DORU SNC	pH	6/13/2016 1:59:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 1:55:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 1:54:45 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 1:53:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 1:53:41 AM	26	gradCels
SC PITUR DORU SNC	pH	6/13/2016 1:53:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 1:48:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 1:48:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 1:48:02 AM	9	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 1:48:01 AM	26	gradCels
SC PITUR DORU SNC	pH	6/13/2016 1:48:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 1:44:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 1:43:44 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 1:43:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 1:43:01 AM	26	gradCels
SC PITUR DORU SNC	pH	6/13/2016 1:43:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 1:37:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 1:37:20 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 1:37:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 1:37:01 AM	26	gradCels
SC PITUR DORU SNC	pH	6/13/2016 1:37:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 1:32:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 1:32:23 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 1:32:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 1:32:01 AM	26	gradCels
SC PITUR DORU SNC	pH	6/13/2016 1:32:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 1:26:26 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 1:26:25 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 1:26:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 1:26:22 AM	26	gradCels
SC PITUR DORU SNC	pH	6/13/2016 1:26:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 1:21:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 1:21:01 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 1:20:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 1:20:42 AM	26	gradCels
SC PITUR DORU SNC	pH	6/13/2016 1:20:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 1:15:41 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 1:15:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 1:15:22 AM	9	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 1:15:21 AM	26	gradCels
SC PITUR DORU SNC	pH	6/13/2016 1:15:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 1:10:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 1:10:03 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 1:09:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 1:09:41 AM	26	gradCels
SC PITUR DORU SNC	pH	6/13/2016 1:09:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 1:05:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 1:04:41 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 1:04:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 1:04:21 AM	26	gradCels
SC PITUR DORU SNC	pH	6/13/2016 1:04:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 12:59:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 12:59:20 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 12:58:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 12:58:41 AM	26	gradCels
SC PITUR DORU SNC	pH	6/13/2016 12:58:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 12:53:40 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	6/13/2016 12:53:22 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 12:53:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 12:53:01 AM	26	gradCels
SC PITUR DORU SNC	pH	6/13/2016 12:53:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 12:48:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 12:47:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 12:47:22 AM	9	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 12:47:21 AM	26	gradCels
SC PITUR DORU SNC	pH	6/13/2016 12:47:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 12:42:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 12:42:23 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 12:41:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 12:41:41 AM	26	gradCels
SC PITUR DORU SNC	pH	6/13/2016 12:41:40 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/13/2016 12:37:05 AM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/13/2016 12:37:04 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 12:36:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 12:36:21 AM	26	gradCels
SC PITUR DORU SNC	pH	6/13/2016 12:36:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 12:31:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 12:31:21 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 12:30:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 12:30:41 AM	26	gradCels
SC PITUR DORU SNC	pH	6/13/2016 12:30:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 12:26:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 12:26:20 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 12:25:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 12:25:21 AM	26	gradCels
SC PITUR DORU SNC	pH	6/13/2016 12:25:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 12:20:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 12:19:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 12:19:42 AM	9	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 12:19:41 AM	26	gradCels
SC PITUR DORU SNC	pH	6/13/2016 12:19:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 12:15:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 12:15:02 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 12:14:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 12:14:21 AM	26	gradCels
SC PITUR DORU SNC	pH	6/13/2016 12:14:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/13/2016 12:09:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/13/2016 12:09:22 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 12:09:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 12:09:01 AM	26	gradCels
SC PITUR DORU SNC	pH	6/13/2016 12:09:00 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/13/2016 12:04:03 AM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/13/2016 12:04:01 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/13/2016 12:03:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/13/2016 12:03:01 AM	26	gradCels
SC PITUR DORU SNC	pH	6/13/2016 12:03:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 11:58:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 11:58:21 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 11:57:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 11:57:41 PM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 11:57:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 11:53:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 11:53:02 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 11:52:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 11:52:21 PM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 11:52:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 11:47:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 11:46:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 11:46:42 PM	9	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 11:46:41 PM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 11:46:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 11:41:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 11:41:24 PM	9	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	6/12/2016 11:41:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 11:41:21 PM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 11:41:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 11:36:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 11:36:08 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 11:36:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 11:36:01 PM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 11:36:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 11:30:25 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 11:30:24 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 11:30:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 11:30:21 PM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 11:30:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 11:26:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 11:25:40 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 11:24:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 11:24:41 PM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 11:24:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 11:19:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 11:19:04 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 11:19:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 11:19:01 PM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 11:19:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 11:14:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 11:14:20 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 11:13:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 11:13:21 PM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 11:13:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 11:08:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 11:08:04 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 11:08:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 11:08:01 PM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 11:08:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/12/2016 11:03:42 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/12/2016 11:03:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 11:02:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 11:02:21 PM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 11:02:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 10:57:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 10:57:22 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 10:57:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 10:57:01 PM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 10:57:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/12/2016 10:52:42 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/12/2016 10:52:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 10:51:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 10:51:21 PM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 10:51:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 10:46:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 10:45:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 10:45:42 PM	9	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 10:45:41 PM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 10:45:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 10:41:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 10:41:00 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 10:40:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 10:40:21 PM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 10:40:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 10:35:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 10:35:04 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 10:34:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 10:34:41 PM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 10:34:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 10:30:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 10:30:21 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 10:29:22 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Temp	6/12/2016 10:29:21 PM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 10:29:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 10:24:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 10:24:20 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 10:23:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 10:23:41 PM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 10:23:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 10:19:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 10:18:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 10:18:22 PM	9	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 10:18:21 PM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 10:18:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 10:13:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 10:13:41 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 10:12:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 10:12:41 PM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 10:12:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 10:08:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 10:08:21 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 10:08:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 10:08:01 PM	27	gradCels
SC PITUR DORU SNC	pH	6/12/2016 10:08:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 10:03:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 10:03:25 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 10:02:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 10:02:41 PM	27	gradCels
SC PITUR DORU SNC	pH	6/12/2016 10:02:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 9:57:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 9:57:22 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 9:57:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 9:57:01 PM	27	gradCels
SC PITUR DORU SNC	pH	6/12/2016 9:57:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 9:53:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 9:53:01 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 9:51:45 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 9:51:44 PM	27	gradCels
SC PITUR DORU SNC	pH	6/12/2016 9:51:43 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 9:46:01 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 9:45:27 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 9:45:26 PM	9	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 9:45:25 PM	27	gradCels
SC PITUR DORU SNC	pH	6/12/2016 9:45:24 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 9:40:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 9:40:20 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 9:40:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 9:40:01 PM	27	gradCels
SC PITUR DORU SNC	pH	6/12/2016 9:40:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 9:35:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 9:35:00 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 9:34:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 9:34:41 PM	27	gradCels
SC PITUR DORU SNC	pH	6/12/2016 9:34:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 9:29:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 9:29:20 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 9:29:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 9:29:01 PM	27	gradCels
SC PITUR DORU SNC	pH	6/12/2016 9:29:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 9:24:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 9:24:20 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 9:23:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 9:23:21 PM	27	gradCels
SC PITUR DORU SNC	pH	6/12/2016 9:23:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 9:18:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 9:18:40 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 9:17:48 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 9:17:47 PM	27	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	6/12/2016 9:17:46 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 9:13:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 9:13:01 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 9:12:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 9:12:41 PM	27	gradCels
SC PITUR DORU SNC	pH	6/12/2016 9:12:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/12/2016 9:07:41 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/12/2016 9:07:22 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 9:07:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 9:07:01 PM	27	gradCels
SC PITUR DORU SNC	pH	6/12/2016 9:07:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 9:02:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 9:02:01 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 9:01:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 9:01:41 PM	27	gradCels
SC PITUR DORU SNC	pH	6/12/2016 9:01:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 8:56:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 8:56:41 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 8:56:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 8:56:01 PM	27	gradCels
SC PITUR DORU SNC	pH	6/12/2016 8:56:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 8:51:07 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 8:51:05 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 8:50:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 8:50:21 PM	27	gradCels
SC PITUR DORU SNC	pH	6/12/2016 8:50:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 8:45:01 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 8:44:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 8:44:42 PM	9	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 8:44:41 PM	27	gradCels
SC PITUR DORU SNC	pH	6/12/2016 8:44:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 8:40:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 8:40:20 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 8:39:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 8:39:21 PM	27	gradCels
SC PITUR DORU SNC	pH	6/12/2016 8:39:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 8:34:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 8:34:01 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 8:33:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 8:33:41 PM	27	gradCels
SC PITUR DORU SNC	pH	6/12/2016 8:33:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/12/2016 8:29:45 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/12/2016 8:29:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 8:28:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 8:28:21 PM	27	gradCels
SC PITUR DORU SNC	pH	6/12/2016 8:28:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 8:23:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 8:23:01 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 8:22:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 8:22:41 PM	27	gradCels
SC PITUR DORU SNC	pH	6/12/2016 8:22:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 8:19:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 8:17:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 8:17:42 PM	9	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 8:17:41 PM	27	gradCels
SC PITUR DORU SNC	pH	6/12/2016 8:17:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/12/2016 8:14:22 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/12/2016 8:14:21 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 8:12:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 8:12:01 PM	27	gradCels
SC PITUR DORU SNC	pH	6/12/2016 8:12:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 8:08:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 8:08:01 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 8:06:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 8:06:41 PM	27	gradCels
SC PITUR DORU SNC	pH	6/12/2016 8:06:40 PM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	6/12/2016 8:03:06 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 8:03:05 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 8:01:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 8:01:01 PM	27	gradCels
SC PITUR DORU SNC	pH	6/12/2016 8:01:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 7:57:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 7:57:00 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 7:55:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 7:55:41 PM	27	gradCels
SC PITUR DORU SNC	pH	6/12/2016 7:55:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 7:51:01 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 7:50:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 7:50:49 PM	9	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 7:50:48 PM	27	gradCels
SC PITUR DORU SNC	pH	6/12/2016 7:50:47 PM	8	unit pH
SC PITUR DORU SNC	Temp	6/12/2016 7:50:46 PM	27	gradCels
SC PITUR DORU SNC	pH	6/12/2016 7:50:43 PM	8	unit pH
SC PITUR DORU SNC	Grasimi	6/12/2016 7:50:42 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	6/12/2016 7:50:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 7:50:20 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/12/2016 7:47:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 7:47:00 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 7:45:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 7:45:01 PM	27	gradCels
SC PITUR DORU SNC	pH	6/12/2016 7:45:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 7:39:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 7:39:41 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 7:39:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 7:39:21 PM	27	gradCels
SC PITUR DORU SNC	pH	6/12/2016 7:39:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 7:35:29 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 7:35:27 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 7:33:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 7:33:41 PM	27	gradCels
SC PITUR DORU SNC	pH	6/12/2016 7:33:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 7:28:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 7:28:41 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 7:28:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 7:28:21 PM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 7:28:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 7:23:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 7:23:40 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 7:22:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 7:22:41 PM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 7:22:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 7:17:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 7:17:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 7:17:22 PM	9	mg/l
SC PITUR DORU SNC	pH	6/12/2016 7:17:21 PM	8	unit pH
SC PITUR DORU SNC	Temp	6/12/2016 7:17:20 PM	26	gradCels
SC PITUR DORU SNC	Cianuri	6/12/2016 7:12:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 7:12:21 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 7:11:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 7:11:41 PM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 7:11:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 7:06:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 7:06:41 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 7:06:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 7:06:21 PM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 7:06:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 7:01:22 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 7:01:21 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 7:00:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 7:00:41 PM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 7:00:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 6:55:41 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	6/12/2016 6:55:40 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 6:54:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 6:54:41 PM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 6:54:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 6:50:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 6:49:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 6:49:22 PM	9	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 6:49:21 PM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 6:49:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 6:45:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 6:45:00 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 6:43:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 6:43:41 PM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 6:43:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 6:39:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 6:39:22 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 6:38:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 6:38:21 PM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 6:38:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 6:33:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 6:33:41 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 6:32:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 6:32:41 PM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 6:32:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 6:28:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 6:28:40 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 6:27:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 6:27:21 PM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 6:27:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 6:23:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 6:23:01 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 6:22:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 6:22:01 PM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 6:22:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 6:17:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 6:16:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 6:16:22 PM	9	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 6:16:21 PM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 6:16:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 6:11:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 6:11:42 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 6:11:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 6:11:01 PM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 6:11:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 6:06:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 6:06:20 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 6:05:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 6:05:01 PM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 6:05:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 6:00:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 6:00:42 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 5:59:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 5:59:41 PM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 5:59:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 5:55:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 5:55:02 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 5:54:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 5:54:01 PM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 5:54:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 5:49:01 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 5:48:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 5:48:42 PM	9	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 5:48:41 PM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 5:48:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/12/2016 5:43:40 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/12/2016 5:43:21 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	6/12/2016 5:43:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 5:43:01 PM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 5:43:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 5:39:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 5:39:00 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 5:38:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 5:38:01 PM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 5:38:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 5:32:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 5:32:40 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 5:32:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 5:32:01 PM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 5:32:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 5:27:22 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 5:27:21 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 5:27:03 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 5:27:02 PM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 5:27:01 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 5:23:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 5:23:02 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 5:21:44 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 5:21:43 PM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 5:21:42 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 5:16:21 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 5:16:05 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 5:16:04 PM	9	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 5:16:03 PM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 5:16:02 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/12/2016 5:12:06 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/12/2016 5:11:01 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 5:10:44 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 5:10:43 PM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 5:10:42 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 5:05:22 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 5:05:21 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 5:05:04 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 5:05:03 PM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 5:05:02 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/12/2016 5:01:11 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/12/2016 5:00:01 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 4:59:44 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 4:59:43 PM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 4:59:42 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 4:54:22 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 4:54:21 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 4:54:03 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 4:54:02 PM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 4:54:01 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 4:50:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 4:48:28 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 4:48:27 PM	9	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 4:48:26 PM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 4:48:25 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 4:43:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 4:43:21 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 4:43:04 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 4:43:03 PM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 4:43:02 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 4:39:08 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 4:39:07 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 4:37:25 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 4:37:24 PM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 4:37:23 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 4:32:44 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 4:32:42 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 4:31:42 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Temp	6/12/2016 4:31:41 PM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 4:31:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 4:28:27 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 4:28:26 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 4:26:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 4:26:41 PM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 4:26:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 4:21:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 4:21:42 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 4:21:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 4:21:01 PM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 4:21:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 4:17:26 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 4:15:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 4:15:42 PM	9	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 4:15:41 PM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 4:15:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 4:10:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 4:10:42 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 4:09:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 4:09:41 PM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 4:09:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 4:06:07 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 4:06:06 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 4:04:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 4:04:01 PM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 4:04:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 3:59:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 3:59:42 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 3:58:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 3:58:41 PM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 3:58:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 3:54:46 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 3:54:45 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 3:53:00 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 3:52:59 PM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 3:52:58 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 3:50:21 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 3:48:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 3:48:42 PM	9	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 3:48:41 PM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 3:48:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 3:46:06 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 3:46:05 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 3:44:23 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 3:44:22 PM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 3:44:21 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 3:41:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 3:41:42 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 3:39:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 3:39:41 PM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 3:39:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 3:38:21 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 3:38:05 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 3:38:04 PM	9	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 3:38:03 PM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 3:38:02 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 3:31:22 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 3:31:21 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 3:31:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 3:31:01 PM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 3:31:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 3:26:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 3:26:42 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 3:25:43 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 3:25:41 PM	26	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	6/12/2016 3:25:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 3:20:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 3:20:40 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 3:20:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 3:20:01 PM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 3:20:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 3:15:27 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 3:15:26 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 3:15:04 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 3:15:03 PM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 3:15:02 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 3:11:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 3:11:01 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 3:09:44 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 3:09:43 PM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 3:09:42 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 3:04:27 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 3:04:26 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 3:04:03 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 3:04:02 PM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 3:04:01 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 3:00:07 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 3:00:06 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 2:58:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 2:58:45 PM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 2:58:44 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 2:53:22 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 2:53:21 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 2:53:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 2:53:06 PM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 2:53:05 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 2:48:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 2:47:54 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 2:47:53 PM	9	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 2:47:52 PM	25	gradCels
SC PITUR DORU SNC	pH	6/12/2016 2:47:51 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 2:42:22 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 2:42:21 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 2:41:48 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 2:41:47 PM	25	gradCels
SC PITUR DORU SNC	pH	6/12/2016 2:41:46 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 2:37:22 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 2:37:21 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 2:36:48 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 2:36:47 PM	25	gradCels
SC PITUR DORU SNC	pH	6/12/2016 2:36:46 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 2:34:46 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 2:34:43 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 2:31:47 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 2:31:46 PM	25	gradCels
SC PITUR DORU SNC	pH	6/12/2016 2:31:45 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 2:29:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 2:29:01 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 2:27:24 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 2:27:23 PM	25	gradCels
SC PITUR DORU SNC	pH	6/12/2016 2:27:22 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 2:22:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 2:22:41 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 2:22:03 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 2:22:02 PM	25	gradCels
SC PITUR DORU SNC	pH	6/12/2016 2:22:01 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 2:17:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 2:16:24 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 2:16:23 PM	9	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 2:16:22 PM	25	gradCels
SC PITUR DORU SNC	pH	6/12/2016 2:16:21 PM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	6/12/2016 2:11:27 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 2:11:26 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 2:11:03 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 2:11:02 PM	25	gradCels
SC PITUR DORU SNC	pH	6/12/2016 2:11:01 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 2:06:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 2:06:00 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 2:05:23 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 2:05:22 PM	25	gradCels
SC PITUR DORU SNC	pH	6/12/2016 2:05:21 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 2:00:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 2:00:41 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 2:00:04 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 2:00:03 PM	25	gradCels
SC PITUR DORU SNC	pH	6/12/2016 2:00:02 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 1:56:05 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 1:56:04 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 1:54:04 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 1:54:03 PM	25	gradCels
SC PITUR DORU SNC	pH	6/12/2016 1:54:02 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 1:49:26 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 1:48:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 1:48:44 PM	9	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 1:48:43 PM	25	gradCels
SC PITUR DORU SNC	pH	6/12/2016 1:48:42 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/12/2016 1:45:06 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/12/2016 1:43:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 1:43:23 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 1:43:22 PM	25	gradCels
SC PITUR DORU SNC	pH	6/12/2016 1:43:21 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/12/2016 1:39:26 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/12/2016 1:38:21 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 1:38:08 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 1:38:07 PM	25	gradCels
SC PITUR DORU SNC	pH	6/12/2016 1:38:06 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/12/2016 1:34:02 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/12/2016 1:34:01 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 1:32:27 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 1:32:26 PM	25	gradCels
SC PITUR DORU SNC	pH	6/12/2016 1:32:25 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 1:28:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 1:28:40 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 1:27:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 1:27:06 PM	25	gradCels
SC PITUR DORU SNC	pH	6/12/2016 1:27:05 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/12/2016 1:23:01 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/12/2016 1:21:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 1:21:28 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 1:21:27 PM	25	gradCels
SC PITUR DORU SNC	pH	6/12/2016 1:21:26 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/12/2016 1:16:21 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/12/2016 1:16:01 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 1:15:43 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 1:15:42 PM	25	gradCels
SC PITUR DORU SNC	pH	6/12/2016 1:15:41 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 1:11:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 1:11:44 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 1:10:03 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 1:10:02 PM	25	gradCels
SC PITUR DORU SNC	pH	6/12/2016 1:10:01 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/12/2016 1:05:03 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/12/2016 1:05:01 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 1:04:43 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 1:04:42 PM	25	gradCels
SC PITUR DORU SNC	pH	6/12/2016 1:04:41 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/12/2016 1:00:42 PM	9	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	6/12/2016 12:59:21 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 12:59:03 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 12:59:02 PM	25	gradCels
SC PITUR DORU SNC	pH	6/12/2016 12:59:01 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/12/2016 12:54:21 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/12/2016 12:54:04 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 12:53:47 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 12:53:46 PM	25	gradCels
SC PITUR DORU SNC	pH	6/12/2016 12:53:45 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 12:49:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 12:48:04 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 12:48:03 PM	9	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 12:48:02 PM	25	gradCels
SC PITUR DORU SNC	pH	6/12/2016 12:48:01 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 12:43:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 12:43:02 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 12:42:43 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 12:42:42 PM	25	gradCels
SC PITUR DORU SNC	pH	6/12/2016 12:42:41 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 12:38:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 12:38:44 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 12:37:28 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 12:37:27 PM	25	gradCels
SC PITUR DORU SNC	pH	6/12/2016 12:37:26 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 12:31:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 12:31:41 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 12:31:23 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 12:31:22 PM	25	gradCels
SC PITUR DORU SNC	pH	6/12/2016 12:31:21 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 12:28:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 12:28:00 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 12:26:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 12:26:28 PM	25	gradCels
SC PITUR DORU SNC	pH	6/12/2016 12:26:27 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 12:21:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 12:21:01 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 12:20:08 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 12:20:07 PM	25	gradCels
SC PITUR DORU SNC	pH	6/12/2016 12:20:06 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 12:17:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 12:17:26 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 12:15:43 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 12:15:42 PM	25	gradCels
SC PITUR DORU SNC	pH	6/12/2016 12:15:41 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 12:09:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 12:09:41 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 12:09:23 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 12:09:22 PM	25	gradCels
SC PITUR DORU SNC	pH	6/12/2016 12:09:21 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 12:06:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 12:05:46 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 12:04:28 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 12:04:27 PM	25	gradCels
SC PITUR DORU SNC	pH	6/12/2016 12:04:26 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 12:00:06 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 12:00:04 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 11:58:27 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 11:58:26 AM	25	gradCels
SC PITUR DORU SNC	pH	6/12/2016 11:58:25 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 11:54:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 11:54:41 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 11:53:07 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 11:53:06 AM	25	gradCels
SC PITUR DORU SNC	pH	6/12/2016 11:53:05 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 11:49:01 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 11:47:24 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	6/12/2016 11:47:23 AM	10	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 11:47:22 AM	25	gradCels
SC PITUR DORU SNC	pH	6/12/2016 11:47:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 11:43:24 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 11:43:23 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 11:42:15 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 11:42:14 AM	25	gradCels
SC PITUR DORU SNC	pH	6/12/2016 11:42:13 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/12/2016 11:38:00 AM	10	mg/l
SC PITUR DORU SNC	Cianuri	6/12/2016 11:37:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 11:36:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 11:36:22 AM	25	gradCels
SC PITUR DORU SNC	pH	6/12/2016 11:36:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 11:31:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 11:31:20 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 11:30:47 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 11:30:46 AM	25	gradCels
SC PITUR DORU SNC	pH	6/12/2016 11:30:45 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 11:26:44 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 11:26:43 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 11:25:29 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 11:25:28 AM	25	gradCels
SC PITUR DORU SNC	pH	6/12/2016 11:25:27 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 11:20:21 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 11:19:53 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 11:19:52 AM	10	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 11:19:51 AM	25	gradCels
SC PITUR DORU SNC	pH	6/12/2016 11:19:49 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 11:15:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 11:15:43 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 11:14:27 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 11:14:26 AM	25	gradCels
SC PITUR DORU SNC	pH	6/12/2016 11:14:25 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 11:09:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 11:09:21 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 11:08:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 11:08:42 AM	25	gradCels
SC PITUR DORU SNC	pH	6/12/2016 11:08:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 11:04:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 11:04:41 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 11:03:03 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 11:03:02 AM	25	gradCels
SC PITUR DORU SNC	pH	6/12/2016 11:03:01 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 10:58:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 10:58:21 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 10:57:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 10:57:42 AM	25	gradCels
SC PITUR DORU SNC	pH	6/12/2016 10:57:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 10:53:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 10:53:22 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 10:52:04 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 10:52:03 AM	25	gradCels
SC PITUR DORU SNC	pH	6/12/2016 10:52:02 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 10:47:21 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 10:46:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 10:46:44 AM	10	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 10:46:43 AM	25	gradCels
SC PITUR DORU SNC	pH	6/12/2016 10:46:42 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 10:42:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 10:42:41 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 10:41:04 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 10:41:03 AM	25	gradCels
SC PITUR DORU SNC	pH	6/12/2016 10:41:02 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 10:36:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 10:36:01 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 10:35:43 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Temp	6/12/2016 10:35:42 AM	25	gradCels
SC PITUR DORU SNC	pH	6/12/2016 10:35:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 10:31:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 10:31:21 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 10:30:04 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 10:30:03 AM	25	gradCels
SC PITUR DORU SNC	pH	6/12/2016 10:30:02 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 10:24:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 10:24:40 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 10:24:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 10:24:23 AM	25	gradCels
SC PITUR DORU SNC	pH	6/12/2016 10:24:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 10:20:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 10:19:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 10:19:29 AM	10	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 10:19:28 AM	25	gradCels
SC PITUR DORU SNC	pH	6/12/2016 10:19:27 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 10:14:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 10:13:30 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 10:13:28 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 10:13:27 AM	25	gradCels
SC PITUR DORU SNC	pH	6/12/2016 10:13:26 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 10:09:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 10:09:23 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 10:08:31 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 10:08:30 AM	25	gradCels
SC PITUR DORU SNC	pH	6/12/2016 10:08:29 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 10:04:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 10:03:44 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 10:02:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 10:02:42 AM	25	gradCels
SC PITUR DORU SNC	pH	6/12/2016 10:02:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 9:58:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 9:58:03 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 9:57:10 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 9:57:09 AM	25	gradCels
SC PITUR DORU SNC	pH	6/12/2016 9:57:08 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 9:53:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 9:52:43 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 9:51:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 9:51:23 AM	25	gradCels
SC PITUR DORU SNC	pH	6/12/2016 9:51:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 9:47:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 9:45:51 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 9:45:50 AM	9	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 9:45:49 AM	25	gradCels
SC PITUR DORU SNC	pH	6/12/2016 9:45:48 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 9:42:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 9:41:43 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 9:40:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 9:40:23 AM	25	gradCels
SC PITUR DORU SNC	pH	6/12/2016 9:40:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 9:36:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 9:36:22 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 9:34:50 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 9:34:49 AM	25	gradCels
SC PITUR DORU SNC	pH	6/12/2016 9:34:48 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 9:31:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 9:30:45 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 9:29:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 9:29:23 AM	25	gradCels
SC PITUR DORU SNC	pH	6/12/2016 9:29:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 9:23:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 9:23:29 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 9:23:27 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 9:23:26 AM	25	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	6/12/2016 9:23:25 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 9:19:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 9:17:53 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 9:17:52 AM	9	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 9:17:51 AM	25	gradCels
SC PITUR DORU SNC	pH	6/12/2016 9:17:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 9:12:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 9:12:30 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 9:12:28 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 9:12:27 AM	25	gradCels
SC PITUR DORU SNC	pH	6/12/2016 9:12:26 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 9:08:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 9:08:05 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 9:06:53 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 9:06:52 AM	25	gradCels
SC PITUR DORU SNC	pH	6/12/2016 9:06:51 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 9:01:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 9:01:29 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 9:01:27 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 9:01:26 AM	25	gradCels
SC PITUR DORU SNC	pH	6/12/2016 9:01:25 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 8:57:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 8:57:03 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 8:55:52 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 8:55:51 AM	25	gradCels
SC PITUR DORU SNC	pH	6/12/2016 8:55:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 8:50:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 8:50:29 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 8:50:28 AM	9	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 8:50:27 AM	25	gradCels
SC PITUR DORU SNC	pH	6/12/2016 8:50:26 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 8:46:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 8:46:04 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 8:44:52 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 8:44:51 AM	25	gradCels
SC PITUR DORU SNC	pH	6/12/2016 8:44:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 8:39:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 8:39:10 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 8:39:08 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 8:39:07 AM	25	gradCels
SC PITUR DORU SNC	pH	6/12/2016 8:39:06 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 8:35:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 8:35:05 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 8:33:51 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 8:33:50 AM	25	gradCels
SC PITUR DORU SNC	pH	6/12/2016 8:33:49 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 8:28:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 8:28:20 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 8:28:07 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 8:28:06 AM	25	gradCels
SC PITUR DORU SNC	pH	6/12/2016 8:28:05 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 8:24:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 8:24:03 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 8:22:52 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 8:22:51 AM	25	gradCels
SC PITUR DORU SNC	pH	6/12/2016 8:22:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 8:17:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 8:17:08 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 8:17:07 AM	9	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 8:17:06 AM	25	gradCels
SC PITUR DORU SNC	pH	6/12/2016 8:17:05 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/12/2016 8:13:25 AM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/12/2016 8:13:24 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 8:11:53 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 8:11:52 AM	25	gradCels
SC PITUR DORU SNC	pH	6/12/2016 8:11:51 AM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	6/12/2016 8:06:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 8:06:09 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 8:06:07 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 8:06:06 AM	25	gradCels
SC PITUR DORU SNC	pH	6/12/2016 8:06:05 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/12/2016 8:02:06 AM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/12/2016 8:02:04 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 8:00:33 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 8:00:32 AM	25	gradCels
SC PITUR DORU SNC	pH	6/12/2016 8:00:31 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 7:55:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 7:55:23 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 7:55:11 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 7:55:10 AM	25	gradCels
SC PITUR DORU SNC	pH	6/12/2016 7:55:09 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 7:51:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 7:49:34 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 7:49:33 AM	9	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 7:49:32 AM	25	gradCels
SC PITUR DORU SNC	pH	6/12/2016 7:49:31 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 7:45:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 7:45:24 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 7:44:11 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 7:44:10 AM	25	gradCels
SC PITUR DORU SNC	pH	6/12/2016 7:44:09 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 7:40:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 7:40:07 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 7:38:33 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 7:38:32 AM	25	gradCels
SC PITUR DORU SNC	pH	6/12/2016 7:38:31 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 7:34:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 7:34:24 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 7:33:10 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 7:33:09 AM	25	gradCels
SC PITUR DORU SNC	pH	6/12/2016 7:33:08 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 7:27:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 7:27:29 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 7:27:27 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 7:27:26 AM	25	gradCels
SC PITUR DORU SNC	pH	6/12/2016 7:27:25 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 7:23:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 7:23:07 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 7:23:04 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 7:23:03 AM	25	gradCels
SC PITUR DORU SNC	pH	6/12/2016 7:23:02 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 7:18:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 7:17:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 7:17:44 AM	9	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 7:17:43 AM	25	gradCels
SC PITUR DORU SNC	pH	6/12/2016 7:17:42 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 7:12:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 7:12:07 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 7:12:04 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 7:12:03 AM	25	gradCels
SC PITUR DORU SNC	pH	6/12/2016 7:12:02 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 7:07:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 7:07:28 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 7:06:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 7:06:43 AM	25	gradCels
SC PITUR DORU SNC	pH	6/12/2016 7:06:42 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 7:01:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 7:01:27 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 7:01:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 7:01:22 AM	25	gradCels
SC PITUR DORU SNC	pH	6/12/2016 7:01:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 6:57:02 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	6/12/2016 6:56:28 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 6:56:04 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 6:56:03 AM	25	gradCels
SC PITUR DORU SNC	pH	6/12/2016 6:56:02 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 6:50:41 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 6:50:24 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 6:50:23 AM	9	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 6:50:22 AM	25	gradCels
SC PITUR DORU SNC	pH	6/12/2016 6:50:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 6:46:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 6:45:43 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 6:45:03 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 6:45:02 AM	25	gradCels
SC PITUR DORU SNC	pH	6/12/2016 6:45:01 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 6:40:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 6:40:03 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 6:39:47 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 6:39:46 AM	25	gradCels
SC PITUR DORU SNC	pH	6/12/2016 6:39:45 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 6:34:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 6:34:31 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 6:34:27 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 6:34:26 AM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 6:34:25 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/12/2016 6:29:46 AM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/12/2016 6:29:45 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 6:29:28 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 6:29:27 AM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 6:29:26 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 6:24:04 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 6:24:00 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 6:23:47 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 6:23:46 AM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 6:23:45 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 6:19:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 6:18:43 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 6:18:28 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 6:18:27 AM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 6:18:26 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 6:13:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 6:12:51 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 6:12:48 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 6:12:47 AM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 6:12:46 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 6:08:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 6:07:46 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 6:06:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 6:06:23 AM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 6:06:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 6:01:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 6:00:47 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 6:00:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 6:00:43 AM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 6:00:42 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 5:56:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 5:56:26 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 5:55:08 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 5:55:07 AM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 5:55:06 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 5:50:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 5:49:44 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 5:49:43 AM	9	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 5:49:42 AM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 5:49:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 5:46:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 5:45:10 AM	9	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	6/12/2016 5:44:12 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 5:44:11 AM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 5:44:10 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/12/2016 5:40:01 AM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/12/2016 5:39:41 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 5:38:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 5:38:42 AM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 5:38:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 5:35:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 5:34:25 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 5:33:11 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 5:33:10 AM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 5:33:09 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 5:29:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 5:28:27 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 5:27:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 5:27:22 AM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 5:27:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 5:22:07 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 5:22:06 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 5:22:03 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 5:22:02 AM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 5:22:01 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 5:16:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 5:16:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 5:16:24 AM	9	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 5:16:23 AM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 5:16:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 5:11:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 5:11:07 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 5:11:04 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 5:11:03 AM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 5:11:02 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 5:06:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 5:05:51 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 5:05:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 5:05:43 AM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 5:05:42 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 5:00:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 5:00:05 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 5:00:03 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 5:00:02 AM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 5:00:01 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 4:55:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 4:54:51 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 4:54:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 4:54:42 AM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 4:54:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 4:49:21 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 4:49:05 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 4:49:04 AM	9	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 4:49:03 AM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 4:49:02 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 4:44:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 4:44:04 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 4:43:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 4:43:43 AM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 4:43:42 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 4:38:07 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 4:38:05 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 4:38:03 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 4:38:02 AM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 4:38:01 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 4:33:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 4:33:05 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 4:32:43 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Temp	6/12/2016 4:32:42 AM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 4:32:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 4:27:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 4:27:07 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 4:27:03 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 4:27:02 AM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 4:27:01 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 4:21:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 4:21:42 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 4:21:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 4:21:22 AM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 4:21:21 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/12/2016 4:16:07 AM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/12/2016 4:16:06 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 4:16:03 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 4:16:02 AM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 4:16:01 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 4:11:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 4:10:45 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 4:10:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 4:10:22 AM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 4:10:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 4:05:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 4:05:07 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 4:05:03 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 4:05:02 AM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 4:05:01 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 4:00:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 3:59:43 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 3:59:31 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 3:59:30 AM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 3:59:29 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 3:55:29 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 3:55:27 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 3:55:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 3:55:22 AM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 3:55:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 3:50:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 3:49:44 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 3:49:43 AM	9	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 3:49:42 AM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 3:49:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 3:44:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 3:44:04 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 3:43:08 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 3:43:07 AM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 3:43:06 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 3:39:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 3:39:20 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 3:38:03 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 3:38:02 AM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 3:38:01 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 3:33:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 3:33:08 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 3:33:03 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 3:33:02 AM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 3:33:01 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 3:27:41 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 3:27:24 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 3:27:23 AM	9	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 3:27:22 AM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 3:27:21 AM	8	unit pH
SC PITUR DORU SNC	pH	6/12/2016 3:27:20 AM	8	unit pH
SC PITUR DORU SNC	Grasimi	6/12/2016 3:27:03 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 3:27:01 AM	26	gradCels
SC PITUR DORU SNC	Cianuri	6/12/2016 3:26:51 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	6/12/2016 3:26:50 AM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/12/2016 3:22:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 3:22:08 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 3:22:03 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 3:22:02 AM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 3:22:01 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 3:16:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 3:16:24 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 3:16:23 AM	9	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 3:16:22 AM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 3:16:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 3:11:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 3:11:03 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 3:10:08 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 3:10:07 AM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 3:10:06 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 3:06:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 3:05:25 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 3:04:27 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 3:04:26 AM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 3:04:25 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/12/2016 3:00:05 AM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/12/2016 3:00:02 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 2:59:08 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 2:59:07 AM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 2:59:06 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 2:54:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 2:54:44 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 2:53:28 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 2:53:27 AM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 2:53:26 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 2:49:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 2:48:09 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 2:48:08 AM	9	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 2:48:07 AM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 2:48:06 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 2:44:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 2:43:21 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 2:42:19 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 2:42:18 AM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 2:42:17 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/12/2016 2:37:44 AM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/12/2016 2:37:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 2:36:50 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 2:36:49 AM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 2:36:48 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/12/2016 2:32:40 AM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/12/2016 2:32:22 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 2:31:19 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 2:31:18 AM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 2:31:17 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 2:27:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 2:26:43 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 2:25:51 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 2:25:50 AM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 2:25:49 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	6/12/2016 2:21:24 AM	9	mg/l
SC PITUR DORU SNC	Cianuri	6/12/2016 2:21:22 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 2:20:17 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 2:20:16 AM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 2:20:15 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 2:16:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 2:15:42 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 2:14:53 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 2:14:52 AM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 2:14:51 AM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	6/12/2016 2:10:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 2:10:28 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 2:10:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 2:10:22 AM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 2:10:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 2:05:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 2:04:47 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 2:04:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 2:04:42 AM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 2:04:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 2:00:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 1:59:27 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 1:59:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 1:59:22 AM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 1:59:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 1:54:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 1:53:43 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 1:52:48 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 1:52:47 AM	26	gradCels
SC PITUR DORU SNC	pH	6/12/2016 1:52:46 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 1:48:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 1:48:03 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 1:47:08 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 1:47:07 AM	27	gradCels
SC PITUR DORU SNC	pH	6/12/2016 1:47:06 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 1:43:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 1:43:03 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 1:42:04 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 1:42:03 AM	27	gradCels
SC PITUR DORU SNC	pH	6/12/2016 1:42:02 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 1:37:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 1:37:11 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 1:36:03 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 1:36:02 AM	27	gradCels
SC PITUR DORU SNC	pH	6/12/2016 1:36:01 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 1:32:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 1:32:00 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 1:30:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 1:30:44 AM	27	gradCels
SC PITUR DORU SNC	pH	6/12/2016 1:30:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 1:26:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 1:26:14 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 1:26:03 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 1:26:02 AM	27	gradCels
SC PITUR DORU SNC	pH	6/12/2016 1:26:01 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 1:20:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 1:20:32 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 1:20:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 1:20:22 AM	27	gradCels
SC PITUR DORU SNC	pH	6/12/2016 1:20:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 1:15:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 1:15:00 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 1:14:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 1:14:42 AM	27	gradCels
SC PITUR DORU SNC	pH	6/12/2016 1:14:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 1:10:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 1:10:05 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 1:09:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 1:09:42 AM	27	gradCels
SC PITUR DORU SNC	pH	6/12/2016 1:09:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 1:04:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 1:04:08 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 1:03:04 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 1:03:03 AM	27	gradCels
SC PITUR DORU SNC	pH	6/12/2016 1:03:02 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 12:58:40 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	6/12/2016 12:58:24 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 12:57:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 12:57:23 AM	27	gradCels
SC PITUR DORU SNC	pH	6/12/2016 12:57:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 12:53:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 12:53:09 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 12:52:04 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 12:52:03 AM	27	gradCels
SC PITUR DORU SNC	pH	6/12/2016 12:52:02 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 12:47:24 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 12:46:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 12:46:24 AM	9	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 12:46:23 AM	27	gradCels
SC PITUR DORU SNC	pH	6/12/2016 12:46:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 12:42:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 12:42:20 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 12:41:09 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 12:41:08 AM	27	gradCels
SC PITUR DORU SNC	pH	6/12/2016 12:41:07 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 12:36:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 12:36:23 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 12:35:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 12:35:23 AM	27	gradCels
SC PITUR DORU SNC	pH	6/12/2016 12:35:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 12:31:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 12:31:09 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 12:30:07 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 12:30:06 AM	27	gradCels
SC PITUR DORU SNC	pH	6/12/2016 12:30:05 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 12:25:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 12:25:23 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 12:24:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 12:24:23 AM	27	gradCels
SC PITUR DORU SNC	pH	6/12/2016 12:24:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 12:20:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 12:20:07 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 12:19:08 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 12:19:07 AM	27	gradCels
SC PITUR DORU SNC	pH	6/12/2016 12:19:06 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 12:14:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 12:14:23 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 12:13:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 12:13:23 AM	27	gradCels
SC PITUR DORU SNC	pH	6/12/2016 12:13:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 12:09:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 12:08:48 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 12:07:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 12:07:41 AM	27	gradCels
SC PITUR DORU SNC	pH	6/12/2016 12:07:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/12/2016 12:03:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/12/2016 12:03:23 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/12/2016 12:02:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	6/12/2016 12:02:23 AM	27	gradCels
SC PITUR DORU SNC	pH	6/12/2016 12:02:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/11/2016 11:58:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/11/2016 11:57:49 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/11/2016 11:56:45 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/11/2016 11:56:44 PM	27	gradCels
SC PITUR DORU SNC	pH	6/11/2016 11:56:43 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/11/2016 11:52:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	6/11/2016 11:52:23 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	6/11/2016 11:51:24 PM	0	mg/l
SC PITUR DORU SNC	Temp	6/11/2016 11:51:23 PM	27	gradCels
SC PITUR DORU SNC	pH	6/11/2016 11:51:22 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	6/11/2016 11:47:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	6/11/2016 11:45:46 PM	0	mg/l