

Analiza evolutie pe mai multi senzori

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	7/19/2016 11:32:51 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	7/19/2016 11:32:43 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 11:32:42 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 11:32:41 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 11:32:40 PM	27	gradCels
SC PITUR DORU SNC	pH	7/19/2016 11:32:39 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/19/2016 11:32:00 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	7/19/2016 11:31:48 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 11:31:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 11:31:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 11:31:45 PM	27	gradCels
SC PITUR DORU SNC	pH	7/19/2016 11:31:44 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/19/2016 11:30:50 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	7/19/2016 11:30:42 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 11:30:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 11:30:40 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 11:30:39 PM	27	gradCels
SC PITUR DORU SNC	pH	7/19/2016 11:30:38 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/19/2016 11:30:01 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	7/19/2016 11:29:42 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 11:29:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 11:29:40 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 11:29:39 PM	27	gradCels
SC PITUR DORU SNC	pH	7/19/2016 11:29:38 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/19/2016 11:28:51 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	7/19/2016 11:28:42 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 11:28:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 11:28:40 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 11:28:39 PM	27	gradCels
SC PITUR DORU SNC	pH	7/19/2016 11:28:38 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/19/2016 11:28:01 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	7/19/2016 11:27:42 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 11:27:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 11:27:40 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 11:27:39 PM	27	gradCels
SC PITUR DORU SNC	pH	7/19/2016 11:27:38 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/19/2016 11:26:51 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/19/2016 11:26:50 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 11:26:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 11:26:40 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 11:26:39 PM	27	gradCels
SC PITUR DORU SNC	pH	7/19/2016 11:26:38 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/19/2016 11:26:01 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	7/19/2016 11:25:42 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 11:25:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 11:25:40 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 11:25:39 PM	27	gradCels
SC PITUR DORU SNC	pH	7/19/2016 11:25:38 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/19/2016 11:24:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 11:24:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 11:24:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/19/2016 11:24:41 PM	14	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 11:24:40 PM	27	gradCels
SC PITUR DORU SNC	pH	7/19/2016 11:24:39 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/19/2016 11:24:02 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	7/19/2016 11:24:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 11:23:42 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 11:23:41 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 11:23:40 PM	27	gradCels
SC PITUR DORU SNC	pH	7/19/2016 11:23:39 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/19/2016 11:22:51 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/19/2016 11:22:50 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 11:22:42 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 11:22:41 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Temp	7/19/2016 11:22:40 PM	27	gradCels
SC PITUR DORU SNC	pH	7/19/2016 11:22:39 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/19/2016 11:21:54 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/19/2016 11:21:51 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 11:21:35 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 11:21:34 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 11:21:33 PM	27	gradCels
SC PITUR DORU SNC	pH	7/19/2016 11:21:32 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/19/2016 11:20:44 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/19/2016 11:20:42 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 11:20:34 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 11:20:33 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 11:20:32 PM	27	gradCels
SC PITUR DORU SNC	pH	7/19/2016 11:20:31 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/19/2016 11:19:55 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/19/2016 11:19:53 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 11:19:35 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 11:19:34 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 11:19:33 PM	27	gradCels
SC PITUR DORU SNC	pH	7/19/2016 11:19:32 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/19/2016 11:18:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 11:18:35 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 11:18:34 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/19/2016 11:18:33 PM	14	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 11:18:32 PM	27	gradCels
SC PITUR DORU SNC	pH	7/19/2016 11:18:31 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/19/2016 11:17:56 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	7/19/2016 11:17:52 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 11:17:38 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 11:17:37 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 11:17:36 PM	27	gradCels
SC PITUR DORU SNC	pH	7/19/2016 11:17:35 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/19/2016 11:16:44 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/19/2016 11:16:42 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 11:16:38 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 11:16:37 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 11:16:36 PM	27	gradCels
SC PITUR DORU SNC	pH	7/19/2016 11:16:35 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/19/2016 11:15:56 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/19/2016 11:15:55 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 11:15:34 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 11:15:33 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 11:15:32 PM	27	gradCels
SC PITUR DORU SNC	pH	7/19/2016 11:15:31 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/19/2016 11:14:44 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	7/19/2016 11:14:43 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 11:14:35 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 11:14:34 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 11:14:33 PM	27	gradCels
SC PITUR DORU SNC	pH	7/19/2016 11:14:32 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/19/2016 11:13:54 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 11:13:36 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 11:13:35 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/19/2016 11:13:34 PM	14	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 11:13:33 PM	27	gradCels
SC PITUR DORU SNC	pH	7/19/2016 11:13:32 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/19/2016 11:12:44 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/19/2016 11:12:43 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 11:12:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 11:12:29 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 11:12:28 PM	27	gradCels
SC PITUR DORU SNC	pH	7/19/2016 11:12:27 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/19/2016 11:11:56 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/19/2016 11:11:52 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 11:11:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 11:11:29 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Temp	7/19/2016 11:11:28 PM	27	gradCels
SC PITUR DORU SNC	pH	7/19/2016 11:11:27 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/19/2016 11:10:44 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/19/2016 11:10:43 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 11:10:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 11:10:29 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 11:10:28 PM	27	gradCels
SC PITUR DORU SNC	pH	7/19/2016 11:10:27 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/19/2016 11:09:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/19/2016 11:09:20 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 11:09:17 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 11:09:16 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 11:09:15 PM	27	gradCels
SC PITUR DORU SNC	pH	7/19/2016 11:09:14 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/19/2016 11:08:27 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/19/2016 11:08:25 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 11:08:18 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 11:08:17 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 11:08:16 PM	27	gradCels
SC PITUR DORU SNC	pH	7/19/2016 11:08:15 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/19/2016 11:06:56 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 11:06:55 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 11:06:54 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/19/2016 11:06:53 PM	14	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 11:06:52 PM	27	gradCels
SC PITUR DORU SNC	pH	7/19/2016 11:06:51 PM	8	unit pH
SC PITUR DORU SNC	Clor	7/19/2016 11:06:17 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 11:06:16 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/19/2016 11:06:15 PM	14	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 11:06:14 PM	27	gradCels
SC PITUR DORU SNC	pH	7/19/2016 11:06:13 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/19/2016 11:05:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/19/2016 11:05:29 PM	14	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 11:05:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 11:05:19 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 11:05:18 PM	27	gradCels
SC PITUR DORU SNC	pH	7/19/2016 11:05:17 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/19/2016 11:04:55 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/19/2016 11:04:50 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 11:04:16 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 11:04:15 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 11:04:14 PM	27	gradCels
SC PITUR DORU SNC	pH	7/19/2016 11:04:13 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/19/2016 11:03:30 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	7/19/2016 11:03:29 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 11:03:16 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 11:03:15 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 11:03:14 PM	27	gradCels
SC PITUR DORU SNC	pH	7/19/2016 11:03:13 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/19/2016 11:02:51 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/19/2016 11:02:49 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 11:02:21 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 11:02:20 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 11:02:19 PM	27	gradCels
SC PITUR DORU SNC	pH	7/19/2016 11:02:18 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/19/2016 11:01:24 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 11:01:17 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 11:01:16 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/19/2016 11:01:15 PM	14	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 11:01:14 PM	27	gradCels
SC PITUR DORU SNC	pH	7/19/2016 11:01:13 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/19/2016 11:00:44 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/19/2016 11:00:42 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 11:00:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 11:00:19 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 11:00:18 PM	27	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	7/19/2016 11:00:17 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/19/2016 10:59:24 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/19/2016 10:59:23 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 10:59:16 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 10:59:15 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 10:59:14 PM	27	gradCels
SC PITUR DORU SNC	pH	7/19/2016 10:59:13 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/19/2016 10:58:44 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/19/2016 10:58:43 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 10:58:08 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 10:58:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 10:58:06 PM	27	gradCels
SC PITUR DORU SNC	pH	7/19/2016 10:58:05 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/19/2016 10:57:14 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	7/19/2016 10:57:12 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 10:57:06 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 10:57:05 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 10:57:04 PM	27	gradCels
SC PITUR DORU SNC	pH	7/19/2016 10:57:03 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/19/2016 10:56:26 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/19/2016 10:56:23 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 10:56:17 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 10:56:16 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 10:56:15 PM	27	gradCels
SC PITUR DORU SNC	pH	7/19/2016 10:56:14 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/19/2016 10:55:38 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 10:55:18 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 10:55:17 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/19/2016 10:55:16 PM	14	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 10:55:15 PM	27	gradCels
SC PITUR DORU SNC	pH	7/19/2016 10:55:14 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/19/2016 10:54:53 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/19/2016 10:54:51 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 10:54:25 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 10:54:24 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 10:54:23 PM	27	gradCels
SC PITUR DORU SNC	pH	7/19/2016 10:54:22 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/19/2016 10:53:35 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	7/19/2016 10:53:31 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 10:53:11 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 10:53:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 10:53:09 PM	27	gradCels
SC PITUR DORU SNC	pH	7/19/2016 10:53:08 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/19/2016 10:52:21 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	7/19/2016 10:52:17 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 10:52:06 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 10:52:05 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 10:52:04 PM	27	gradCels
SC PITUR DORU SNC	pH	7/19/2016 10:52:03 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/19/2016 10:51:37 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	7/19/2016 10:51:35 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 10:51:17 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 10:51:16 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 10:51:15 PM	27	gradCels
SC PITUR DORU SNC	pH	7/19/2016 10:51:14 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/19/2016 10:50:19 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 10:50:12 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 10:50:11 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/19/2016 10:50:10 PM	14	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 10:50:09 PM	27	gradCels
SC PITUR DORU SNC	pH	7/19/2016 10:50:08 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/19/2016 10:49:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/19/2016 10:49:29 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 10:49:11 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 10:49:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 10:49:09 PM	27	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	7/19/2016 10:49:08 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/19/2016 10:48:18 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/19/2016 10:48:17 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 10:48:06 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 10:48:05 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 10:48:04 PM	27	gradCels
SC PITUR DORU SNC	pH	7/19/2016 10:48:03 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/19/2016 10:47:33 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	7/19/2016 10:47:32 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 10:47:11 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 10:47:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 10:47:09 PM	27	gradCels
SC PITUR DORU SNC	pH	7/19/2016 10:47:08 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/19/2016 10:46:19 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/19/2016 10:46:17 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 10:46:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 10:46:09 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 10:46:08 PM	27	gradCels
SC PITUR DORU SNC	pH	7/19/2016 10:46:07 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/19/2016 10:45:35 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/19/2016 10:45:32 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 10:45:08 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 10:45:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 10:45:06 PM	27	gradCels
SC PITUR DORU SNC	pH	7/19/2016 10:45:05 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/19/2016 10:44:15 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 10:44:13 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 10:44:12 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/19/2016 10:44:11 PM	14	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 10:44:10 PM	27	gradCels
SC PITUR DORU SNC	pH	7/19/2016 10:44:09 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/19/2016 10:43:30 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	7/19/2016 10:43:29 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 10:43:03 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 10:43:02 PM	27	gradCels
SC PITUR DORU SNC	Grasimi	7/19/2016 10:43:01 PM	0	mg/l
SC PITUR DORU SNC	pH	7/19/2016 10:43:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/19/2016 10:42:14 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/19/2016 10:42:13 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 10:42:02 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 10:42:01 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 10:42:00 PM	27	gradCels
SC PITUR DORU SNC	pH	7/19/2016 10:41:59 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/19/2016 10:41:31 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/19/2016 10:41:29 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 10:41:07 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 10:41:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 10:41:05 PM	27	gradCels
SC PITUR DORU SNC	pH	7/19/2016 10:41:04 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/19/2016 10:40:26 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/19/2016 10:40:24 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 10:40:07 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 10:40:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 10:40:05 PM	27	gradCels
SC PITUR DORU SNC	pH	7/19/2016 10:40:04 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/19/2016 10:39:46 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 10:39:08 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 10:39:07 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/19/2016 10:39:06 PM	14	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 10:39:05 PM	27	gradCels
SC PITUR DORU SNC	pH	7/19/2016 10:39:04 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/19/2016 10:38:28 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	7/19/2016 10:38:24 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 10:38:06 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 10:38:05 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 10:38:04 PM	27	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	7/19/2016 10:38:03 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/19/2016 10:37:47 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/19/2016 10:37:41 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 10:37:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 10:37:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 10:37:01 PM	27	gradCels
SC PITUR DORU SNC	pH	7/19/2016 10:37:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/19/2016 10:36:32 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/19/2016 10:36:28 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 10:36:06 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 10:36:05 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 10:36:04 PM	27	gradCels
SC PITUR DORU SNC	pH	7/19/2016 10:36:03 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/19/2016 10:35:43 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	7/19/2016 10:35:41 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 10:35:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 10:35:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 10:35:01 PM	28	gradCels
SC PITUR DORU SNC	pH	7/19/2016 10:35:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/19/2016 10:34:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/19/2016 10:34:26 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 10:34:02 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 10:34:01 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 10:34:00 PM	28	gradCels
SC PITUR DORU SNC	pH	7/19/2016 10:33:59 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/19/2016 10:33:52 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 10:33:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 10:33:09 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/19/2016 10:33:08 PM	14	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 10:33:07 PM	28	gradCels
SC PITUR DORU SNC	pH	7/19/2016 10:33:06 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/19/2016 10:32:34 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	7/19/2016 10:32:28 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 10:32:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 10:32:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 10:32:01 PM	28	gradCels
SC PITUR DORU SNC	pH	7/19/2016 10:32:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/19/2016 10:31:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/19/2016 10:31:41 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 10:30:59 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 10:30:58 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 10:30:57 PM	28	gradCels
SC PITUR DORU SNC	pH	7/19/2016 10:30:56 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/19/2016 10:30:24 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/19/2016 10:30:22 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 10:29:58 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 10:29:57 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 10:29:56 PM	28	gradCels
SC PITUR DORU SNC	pH	7/19/2016 10:29:55 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/19/2016 10:29:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/19/2016 10:29:39 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 10:28:59 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 10:28:58 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 10:28:57 PM	28	gradCels
SC PITUR DORU SNC	pH	7/19/2016 10:28:56 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/19/2016 10:28:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 10:28:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 10:28:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/19/2016 10:28:01 PM	14	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 10:28:00 PM	28	gradCels
SC PITUR DORU SNC	pH	7/19/2016 10:27:59 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/19/2016 10:27:44 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	7/19/2016 10:27:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 10:27:08 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 10:27:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 10:27:06 PM	28	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	7/19/2016 10:27:05 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/19/2016 10:26:26 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	7/19/2016 10:26:21 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 10:26:02 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 10:26:01 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 10:26:00 PM	28	gradCels
SC PITUR DORU SNC	pH	7/19/2016 10:25:59 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/19/2016 10:25:46 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/19/2016 10:25:39 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 10:24:59 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 10:24:58 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 10:24:57 PM	28	gradCels
SC PITUR DORU SNC	pH	7/19/2016 10:24:56 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/19/2016 10:24:28 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	7/19/2016 10:24:26 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 10:23:56 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 10:23:55 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 10:23:54 PM	28	gradCels
SC PITUR DORU SNC	pH	7/19/2016 10:23:53 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/19/2016 10:23:43 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 10:22:58 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 10:22:57 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/19/2016 10:22:56 PM	14	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 10:22:55 PM	28	gradCels
SC PITUR DORU SNC	pH	7/19/2016 10:22:54 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/19/2016 10:22:29 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/19/2016 10:22:24 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 10:21:58 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 10:21:57 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 10:21:56 PM	28	gradCels
SC PITUR DORU SNC	pH	7/19/2016 10:21:55 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/19/2016 10:21:05 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/19/2016 10:21:04 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 10:20:52 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 10:20:51 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 10:20:50 PM	28	gradCels
SC PITUR DORU SNC	pH	7/19/2016 10:20:49 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/19/2016 10:20:29 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	7/19/2016 10:20:21 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 10:19:54 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 10:19:52 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 10:19:50 PM	28	gradCels
SC PITUR DORU SNC	pH	7/19/2016 10:19:48 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/19/2016 10:18:53 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/19/2016 10:18:52 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 10:18:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 10:18:40 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 10:18:39 PM	28	gradCels
SC PITUR DORU SNC	pH	7/19/2016 10:18:38 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/19/2016 10:18:15 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/19/2016 10:18:14 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 10:17:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 10:17:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 10:17:45 PM	28	gradCels
SC PITUR DORU SNC	pH	7/19/2016 10:17:44 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/19/2016 10:16:55 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 10:16:42 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 10:16:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/19/2016 10:16:40 PM	14	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 10:16:39 PM	28	gradCels
SC PITUR DORU SNC	pH	7/19/2016 10:16:38 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/19/2016 10:16:16 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/19/2016 10:16:12 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 10:15:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 10:15:40 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 10:15:39 PM	28	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	7/19/2016 10:15:38 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/19/2016 10:14:54 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	7/19/2016 10:14:53 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 10:14:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 10:14:49 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 10:14:48 PM	28	gradCels
SC PITUR DORU SNC	pH	7/19/2016 10:14:47 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/19/2016 10:14:13 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/19/2016 10:14:12 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 10:13:46 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 10:13:45 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 10:13:44 PM	28	gradCels
SC PITUR DORU SNC	pH	7/19/2016 10:13:43 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/19/2016 10:12:54 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/19/2016 10:12:53 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 10:12:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 10:12:40 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 10:12:39 PM	28	gradCels
SC PITUR DORU SNC	pH	7/19/2016 10:12:38 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/19/2016 10:12:15 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 10:11:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 10:11:46 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/19/2016 10:11:45 PM	14	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 10:11:44 PM	28	gradCels
SC PITUR DORU SNC	pH	7/19/2016 10:11:43 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/19/2016 10:10:54 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/19/2016 10:10:53 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 10:10:46 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 10:10:45 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 10:10:44 PM	28	gradCels
SC PITUR DORU SNC	pH	7/19/2016 10:10:43 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/19/2016 10:10:11 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/19/2016 10:10:08 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 10:09:37 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 10:09:36 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 10:09:35 PM	28	gradCels
SC PITUR DORU SNC	pH	7/19/2016 10:09:34 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/19/2016 10:08:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/19/2016 10:08:49 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 10:08:37 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 10:08:36 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 10:08:35 PM	28	gradCels
SC PITUR DORU SNC	pH	7/19/2016 10:08:34 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/19/2016 10:08:09 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/19/2016 10:08:06 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 10:07:42 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 10:07:41 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 10:07:40 PM	28	gradCels
SC PITUR DORU SNC	pH	7/19/2016 10:07:39 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/19/2016 10:06:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/19/2016 10:06:49 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 10:06:37 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 10:06:36 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 10:06:35 PM	28	gradCels
SC PITUR DORU SNC	pH	7/19/2016 10:06:34 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/19/2016 10:06:09 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 10:05:42 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 10:05:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/19/2016 10:05:40 PM	14	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 10:05:39 PM	28	gradCels
SC PITUR DORU SNC	pH	7/19/2016 10:05:38 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/19/2016 10:04:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/19/2016 10:04:49 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 10:04:42 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 10:04:41 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 10:04:40 PM	28	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	7/19/2016 10:04:39 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/19/2016 10:04:09 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/19/2016 10:04:04 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 10:03:37 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 10:03:36 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 10:03:35 PM	28	gradCels
SC PITUR DORU SNC	pH	7/19/2016 10:03:34 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/19/2016 10:02:49 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/19/2016 10:02:48 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 10:02:37 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 10:02:36 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 10:02:35 PM	28	gradCels
SC PITUR DORU SNC	pH	7/19/2016 10:02:34 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/19/2016 10:02:09 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/19/2016 10:02:05 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 10:01:37 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 10:01:36 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 10:01:35 PM	28	gradCels
SC PITUR DORU SNC	pH	7/19/2016 10:01:34 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/19/2016 10:00:51 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 10:00:38 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 10:00:37 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/19/2016 10:00:36 PM	14	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 10:00:35 PM	28	gradCels
SC PITUR DORU SNC	pH	7/19/2016 10:00:34 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/19/2016 10:00:06 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/19/2016 10:00:04 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 9:59:37 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 9:59:36 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 9:59:35 PM	28	gradCels
SC PITUR DORU SNC	pH	7/19/2016 9:59:34 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/19/2016 9:58:50 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	7/19/2016 9:58:48 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 9:58:37 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 9:58:36 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 9:58:35 PM	28	gradCels
SC PITUR DORU SNC	pH	7/19/2016 9:58:34 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/19/2016 9:58:14 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	7/19/2016 9:58:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 9:57:42 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 9:57:41 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 9:57:40 PM	28	gradCels
SC PITUR DORU SNC	pH	7/19/2016 9:57:39 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/19/2016 9:56:56 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	7/19/2016 9:56:53 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 9:56:37 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 9:56:36 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 9:56:35 PM	28	gradCels
SC PITUR DORU SNC	pH	7/19/2016 9:56:34 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/19/2016 9:56:12 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	7/19/2016 9:56:08 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 9:55:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 9:55:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 9:55:41 PM	28	gradCels
SC PITUR DORU SNC	pH	7/19/2016 9:55:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/19/2016 9:54:55 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 9:54:44 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 9:54:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/19/2016 9:54:42 PM	14	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 9:54:41 PM	28	gradCels
SC PITUR DORU SNC	pH	7/19/2016 9:54:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/19/2016 9:54:07 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	7/19/2016 9:54:03 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 9:53:35 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 9:53:34 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 9:53:33 PM	28	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	7/19/2016 9:53:32 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/19/2016 9:52:53 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/19/2016 9:52:52 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 9:52:39 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 9:52:38 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 9:52:37 PM	28	gradCels
SC PITUR DORU SNC	pH	7/19/2016 9:52:36 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/19/2016 9:52:11 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	7/19/2016 9:52:06 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 9:51:54 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 9:51:53 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 9:51:52 PM	28	gradCels
SC PITUR DORU SNC	pH	7/19/2016 9:51:51 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/19/2016 9:51:22 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/19/2016 9:51:18 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 9:50:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 9:50:40 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 9:50:39 PM	28	gradCels
SC PITUR DORU SNC	pH	7/19/2016 9:50:38 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/19/2016 9:50:23 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 9:49:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 9:49:49 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/19/2016 9:49:48 PM	14	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 9:49:47 PM	28	gradCels
SC PITUR DORU SNC	pH	7/19/2016 9:49:46 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/19/2016 9:48:49 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/19/2016 9:48:48 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 9:48:39 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 9:48:38 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 9:48:37 PM	28	gradCels
SC PITUR DORU SNC	pH	7/19/2016 9:48:36 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/19/2016 9:48:20 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	7/19/2016 9:48:15 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 9:47:44 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 9:47:43 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 9:47:42 PM	28	gradCels
SC PITUR DORU SNC	pH	7/19/2016 9:47:41 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/19/2016 9:47:01 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	7/19/2016 9:46:59 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 9:46:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 9:46:49 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 9:46:48 PM	28	gradCels
SC PITUR DORU SNC	pH	7/19/2016 9:46:47 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/19/2016 9:46:19 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	7/19/2016 9:45:45 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 9:45:44 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 9:45:43 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 9:45:42 PM	28	gradCels
SC PITUR DORU SNC	pH	7/19/2016 9:45:41 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/19/2016 9:44:58 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	7/19/2016 9:44:56 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 9:44:55 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 9:44:54 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 9:44:53 PM	28	gradCels
SC PITUR DORU SNC	pH	7/19/2016 9:44:52 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/19/2016 9:44:17 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 9:43:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 9:43:49 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/19/2016 9:43:48 PM	14	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 9:43:47 PM	28	gradCels
SC PITUR DORU SNC	pH	7/19/2016 9:43:46 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/19/2016 9:43:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/19/2016 9:42:58 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 9:42:54 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 9:42:53 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 9:42:52 PM	28	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	7/19/2016 9:42:51 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/19/2016 9:42:19 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	7/19/2016 9:42:16 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 9:41:54 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 9:41:53 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 9:41:52 PM	28	gradCels
SC PITUR DORU SNC	pH	7/19/2016 9:41:51 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/19/2016 9:40:58 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/19/2016 9:40:57 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 9:40:54 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 9:40:53 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 9:40:52 PM	28	gradCels
SC PITUR DORU SNC	pH	7/19/2016 9:40:51 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/19/2016 9:40:23 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	7/19/2016 9:39:49 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 9:39:48 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 9:39:47 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 9:39:46 PM	28	gradCels
SC PITUR DORU SNC	pH	7/19/2016 9:39:45 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/19/2016 9:38:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 9:38:49 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 9:38:48 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/19/2016 9:38:47 PM	14	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 9:38:46 PM	28	gradCels
SC PITUR DORU SNC	pH	7/19/2016 9:38:45 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/19/2016 9:38:18 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	7/19/2016 9:38:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 9:38:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 9:38:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 9:38:01 PM	28	gradCels
SC PITUR DORU SNC	pH	7/19/2016 9:38:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/19/2016 9:37:22 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	7/19/2016 9:37:06 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 9:37:05 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 9:37:04 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 9:37:03 PM	28	gradCels
SC PITUR DORU SNC	pH	7/19/2016 9:37:02 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/19/2016 9:36:15 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	7/19/2016 9:36:11 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 9:36:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 9:36:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 9:36:01 PM	28	gradCels
SC PITUR DORU SNC	pH	7/19/2016 9:36:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/19/2016 9:35:14 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	7/19/2016 9:35:06 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 9:35:05 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 9:35:04 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 9:35:03 PM	28	gradCels
SC PITUR DORU SNC	pH	7/19/2016 9:35:02 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/19/2016 9:34:14 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	7/19/2016 9:34:07 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 9:34:06 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 9:34:05 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 9:34:04 PM	28	gradCels
SC PITUR DORU SNC	pH	7/19/2016 9:34:03 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/19/2016 9:33:06 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 9:33:05 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 9:33:04 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/19/2016 9:33:03 PM	14	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 9:33:02 PM	28	gradCels
SC PITUR DORU SNC	pH	7/19/2016 9:33:01 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/19/2016 9:32:13 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	7/19/2016 9:32:06 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 9:32:05 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 9:32:04 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 9:32:03 PM	28	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	7/19/2016 9:32:02 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/19/2016 9:31:18 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	7/19/2016 9:31:06 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 9:31:05 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 9:31:04 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 9:31:03 PM	28	gradCels
SC PITUR DORU SNC	pH	7/19/2016 9:31:02 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/19/2016 9:30:12 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/19/2016 9:30:07 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 9:29:56 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 9:29:55 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 9:29:54 PM	28	gradCels
SC PITUR DORU SNC	pH	7/19/2016 9:29:53 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/19/2016 9:29:14 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	7/19/2016 9:29:11 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 9:29:04 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 9:29:03 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 9:29:02 PM	28	gradCels
SC PITUR DORU SNC	pH	7/19/2016 9:29:01 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/19/2016 9:28:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 9:28:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 9:27:59 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/19/2016 9:27:58 PM	14	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 9:27:57 PM	28	gradCels
SC PITUR DORU SNC	pH	7/19/2016 9:27:56 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/19/2016 9:27:19 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/19/2016 9:27:16 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 9:27:01 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 9:27:00 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 9:26:59 PM	28	gradCels
SC PITUR DORU SNC	pH	7/19/2016 9:26:58 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/19/2016 9:26:09 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/19/2016 9:26:08 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 9:26:04 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 9:26:03 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 9:26:02 PM	28	gradCels
SC PITUR DORU SNC	pH	7/19/2016 9:26:01 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/19/2016 9:25:19 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/19/2016 9:25:18 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 9:25:07 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 9:25:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 9:25:05 PM	28	gradCels
SC PITUR DORU SNC	pH	7/19/2016 9:25:04 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/19/2016 9:24:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/19/2016 9:24:09 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 9:24:06 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 9:24:05 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 9:24:04 PM	28	gradCels
SC PITUR DORU SNC	pH	7/19/2016 9:24:03 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/19/2016 9:23:19 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	7/19/2016 9:23:13 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 9:23:06 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 9:23:05 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 9:23:04 PM	28	gradCels
SC PITUR DORU SNC	pH	7/19/2016 9:23:03 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/19/2016 9:22:09 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 9:21:56 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 9:21:55 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/19/2016 9:21:52 PM	14	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 9:21:51 PM	28	gradCels
SC PITUR DORU SNC	pH	7/19/2016 9:21:49 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/19/2016 9:21:09 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/19/2016 9:21:07 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 9:20:36 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 9:20:35 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 9:20:34 PM	28	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	7/19/2016 9:20:33 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/19/2016 9:20:11 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/19/2016 9:20:09 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 9:19:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 9:19:49 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 9:19:48 PM	28	gradCels
SC PITUR DORU SNC	pH	7/19/2016 9:19:47 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/19/2016 9:19:07 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/19/2016 9:19:02 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 9:18:44 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 9:18:43 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 9:18:42 PM	28	gradCels
SC PITUR DORU SNC	pH	7/19/2016 9:18:41 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/19/2016 9:18:09 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/19/2016 9:18:07 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 9:17:42 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 9:17:41 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 9:17:40 PM	28	gradCels
SC PITUR DORU SNC	pH	7/19/2016 9:17:39 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/19/2016 9:17:08 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/19/2016 9:17:06 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 9:16:38 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 9:16:37 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 9:16:36 PM	28	gradCels
SC PITUR DORU SNC	pH	7/19/2016 9:16:35 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/19/2016 9:16:12 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/19/2016 9:16:05 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 9:15:52 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 9:15:51 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 9:15:50 PM	28	gradCels
SC PITUR DORU SNC	pH	7/19/2016 9:15:49 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/19/2016 9:15:07 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/19/2016 9:15:05 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 9:14:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 9:14:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 9:14:41 PM	28	gradCels
SC PITUR DORU SNC	pH	7/19/2016 9:14:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/19/2016 9:13:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 9:13:31 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 9:13:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/19/2016 9:13:29 PM	14	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 9:13:20 PM	28	gradCels
SC PITUR DORU SNC	pH	7/19/2016 9:13:19 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/19/2016 10:46:29 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 10:46:12 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 10:46:11 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/19/2016 10:46:10 AM	15	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 10:46:09 AM	25	gradCels
SC PITUR DORU SNC	pH	7/19/2016 10:46:08 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/19/2016 10:41:47 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 10:41:46 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 10:41:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/19/2016 10:41:44 AM	15	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 10:41:43 AM	25	gradCels
SC PITUR DORU SNC	pH	7/19/2016 10:41:42 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/19/2016 10:40:35 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/19/2016 10:40:34 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/19/2016 10:40:33 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/19/2016 10:40:32 AM	15	mg/l
SC PITUR DORU SNC	Temp	7/19/2016 10:40:31 AM	25	gradCels
SC PITUR DORU SNC	pH	7/19/2016 10:40:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/18/2016 10:46:04 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/18/2016 10:46:03 AM	15	mg/l
SC PITUR DORU SNC	Clor	7/18/2016 10:45:49 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/18/2016 10:45:48 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/18/2016 10:45:47 AM	24	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	7/18/2016 10:45:46 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/18/2016 10:45:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/18/2016 10:44:59 AM	15	mg/l
SC PITUR DORU SNC	Clor	7/18/2016 10:44:51 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/18/2016 10:44:50 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/18/2016 10:44:49 AM	24	gradCels
SC PITUR DORU SNC	pH	7/18/2016 10:44:48 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/18/2016 10:44:06 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/18/2016 10:43:51 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/18/2016 10:43:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/18/2016 10:43:49 AM	15	mg/l
SC PITUR DORU SNC	Temp	7/18/2016 10:43:48 AM	24	gradCels
SC PITUR DORU SNC	pH	7/18/2016 10:43:47 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/18/2016 10:43:04 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/18/2016 10:43:00 AM	15	mg/l
SC PITUR DORU SNC	Clor	7/18/2016 10:42:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/18/2016 10:42:49 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/18/2016 10:42:48 AM	24	gradCels
SC PITUR DORU SNC	pH	7/18/2016 10:42:47 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/18/2016 10:42:04 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/18/2016 10:42:02 AM	15	mg/l
SC PITUR DORU SNC	Clor	7/18/2016 10:41:51 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/18/2016 10:41:50 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/18/2016 10:41:49 AM	24	gradCels
SC PITUR DORU SNC	pH	7/18/2016 10:41:48 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/18/2016 10:41:05 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/18/2016 10:41:01 AM	15	mg/l
SC PITUR DORU SNC	Grasimi	7/18/2016 10:40:48 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/18/2016 10:40:47 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/18/2016 10:40:46 AM	24	gradCels
SC PITUR DORU SNC	pH	7/18/2016 10:40:45 AM	8	unit pH
SC PITUR DORU SNC	Temp	7/18/2016 10:39:39 AM	24	gradCels
SC PITUR DORU SNC	pH	7/18/2016 10:39:38 AM	8	unit pH
SC PITUR DORU SNC	Grasimi	7/18/2016 10:39:37 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	7/18/2016 10:39:36 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/18/2016 10:39:35 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/18/2016 10:39:34 AM	15	mg/l
SC PITUR DORU SNC	Cianuri	7/18/2016 10:39:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/18/2016 10:39:09 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/18/2016 10:39:08 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/18/2016 10:39:07 AM	15	mg/l
SC PITUR DORU SNC	Temp	7/18/2016 10:39:06 AM	24	gradCels
SC PITUR DORU SNC	pH	7/18/2016 10:39:05 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/18/2016 10:38:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/18/2016 10:38:01 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/18/2016 10:38:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/18/2016 10:37:59 AM	15	mg/l
SC PITUR DORU SNC	Temp	7/18/2016 10:37:58 AM	24	gradCels
SC PITUR DORU SNC	pH	7/18/2016 10:37:57 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/16/2016 1:01:33 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/16/2016 1:01:31 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/16/2016 1:00:53 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/16/2016 1:00:52 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/16/2016 1:00:51 PM	28	gradCels
SC PITUR DORU SNC	pH	7/16/2016 1:00:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/16/2016 12:56:31 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/16/2016 12:56:30 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/16/2016 12:56:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/16/2016 12:56:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/16/2016 12:56:01 PM	28	gradCels
SC PITUR DORU SNC	pH	7/16/2016 12:56:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/16/2016 12:54:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/16/2016 12:54:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/16/2016 12:54:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/16/2016 12:53:50 PM	14	mg/l
SC PITUR DORU SNC	Temp	7/16/2016 12:53:40 PM	28	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	7/16/2016 12:53:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/16/2016 12:51:36 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/16/2016 12:51:35 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/16/2016 12:51:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/16/2016 12:51:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/16/2016 12:51:21 PM	28	gradCels
SC PITUR DORU SNC	pH	7/16/2016 12:51:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/16/2016 12:46:35 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	7/16/2016 12:46:34 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/16/2016 12:46:22 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/16/2016 12:46:21 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/16/2016 12:46:20 PM	28	gradCels
SC PITUR DORU SNC	pH	7/16/2016 12:46:19 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/16/2016 12:41:36 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/16/2016 12:41:34 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/16/2016 12:41:22 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/16/2016 12:41:21 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/16/2016 12:41:20 PM	28	gradCels
SC PITUR DORU SNC	pH	7/16/2016 12:41:19 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/16/2016 12:38:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/16/2016 12:38:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/16/2016 12:38:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/16/2016 12:38:10 PM	14	mg/l
SC PITUR DORU SNC	Temp	7/16/2016 12:38:00 PM	28	gradCels
SC PITUR DORU SNC	pH	7/16/2016 12:37:50 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/16/2016 12:36:39 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	7/16/2016 12:36:38 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/16/2016 12:36:18 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/16/2016 12:36:17 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/16/2016 12:36:16 PM	28	gradCels
SC PITUR DORU SNC	pH	7/16/2016 12:36:15 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/16/2016 12:31:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/16/2016 12:31:39 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/16/2016 12:31:19 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/16/2016 12:31:18 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/16/2016 12:31:17 PM	28	gradCels
SC PITUR DORU SNC	pH	7/16/2016 12:31:16 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/16/2016 12:26:38 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/16/2016 12:26:37 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/16/2016 12:26:19 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/16/2016 12:26:18 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/16/2016 12:26:17 PM	28	gradCels
SC PITUR DORU SNC	pH	7/16/2016 12:26:16 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/16/2016 12:23:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/16/2016 12:23:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/16/2016 12:22:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/16/2016 12:22:30 PM	14	mg/l
SC PITUR DORU SNC	Temp	7/16/2016 12:22:20 PM	28	gradCels
SC PITUR DORU SNC	pH	7/16/2016 12:22:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/16/2016 12:21:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/16/2016 12:21:38 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/16/2016 12:21:34 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/16/2016 12:21:33 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/16/2016 12:21:32 PM	28	gradCels
SC PITUR DORU SNC	pH	7/16/2016 12:21:31 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/16/2016 12:16:27 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/16/2016 12:16:26 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/16/2016 12:16:25 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/16/2016 12:16:23 PM	14	mg/l
SC PITUR DORU SNC	Temp	7/16/2016 12:16:21 PM	28	gradCels
SC PITUR DORU SNC	pH	7/16/2016 12:16:19 PM	8	unit pH
SC PITUR DORU SNC	Clor	7/14/2016 12:43:25 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/14/2016 12:43:24 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/14/2016 12:43:23 PM	29	gradCels
SC PITUR DORU SNC	pH	7/14/2016 12:43:22 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/14/2016 12:42:55 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	7/14/2016 12:42:54 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/14/2016 12:42:18 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/14/2016 12:42:17 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/14/2016 12:42:16 PM	29	gradCels
SC PITUR DORU SNC	pH	7/14/2016 12:42:15 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/14/2016 12:41:03 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	7/14/2016 12:41:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/14/2016 12:41:01 PM	29	gradCels
SC PITUR DORU SNC	Clor	7/14/2016 12:41:00 PM	0	mg/l
SC PITUR DORU SNC	pH	7/14/2016 12:40:59 PM	8	unit pH
SC PITUR DORU SNC	Grasimi	7/14/2016 12:40:58 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	7/14/2016 12:39:48 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/14/2016 12:39:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/14/2016 12:39:46 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/14/2016 12:39:45 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	7/13/2016 2:36:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/13/2016 2:36:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/13/2016 2:36:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/13/2016 2:35:50 PM	14	mg/l
SC PITUR DORU SNC	Temp	7/13/2016 2:35:40 PM	29	gradCels
SC PITUR DORU SNC	pH	7/13/2016 2:35:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/13/2016 2:33:26 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/13/2016 2:33:25 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/13/2016 2:33:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/13/2016 2:33:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/13/2016 2:33:21 PM	29	gradCels
SC PITUR DORU SNC	pH	7/13/2016 2:33:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/13/2016 2:28:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/13/2016 2:28:40 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/13/2016 2:28:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/13/2016 2:28:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/13/2016 2:28:01 PM	29	gradCels
SC PITUR DORU SNC	pH	7/13/2016 2:28:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/13/2016 2:22:28 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	7/13/2016 2:22:26 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/13/2016 2:22:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/13/2016 2:22:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/13/2016 2:22:21 PM	29	gradCels
SC PITUR DORU SNC	pH	7/13/2016 2:22:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/13/2016 2:19:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/13/2016 2:19:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/13/2016 2:19:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/13/2016 2:19:10 PM	14	mg/l
SC PITUR DORU SNC	Temp	7/13/2016 2:19:00 PM	29	gradCels
SC PITUR DORU SNC	pH	7/13/2016 2:18:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/13/2016 2:17:42 PM	0	mg/l
SC PITUR DORU SNC	pH	7/13/2016 2:17:41 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/13/2016 2:17:40 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/13/2016 2:17:02 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/13/2016 2:17:01 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/13/2016 2:17:00 PM	29	gradCels
SC PITUR DORU SNC	Cianuri	7/13/2016 2:11:27 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/13/2016 2:11:26 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/13/2016 2:11:24 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/13/2016 2:11:23 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/13/2016 2:11:22 PM	29	gradCels
SC PITUR DORU SNC	pH	7/13/2016 2:11:21 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/13/2016 2:06:42 PM	0	mg/l
SC PITUR DORU SNC	pH	7/13/2016 2:06:41 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/13/2016 2:06:40 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/13/2016 2:05:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/13/2016 2:05:49 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/13/2016 2:05:48 PM	29	gradCels
SC PITUR DORU SNC	Cianuri	7/13/2016 2:03:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/13/2016 2:03:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/13/2016 2:03:00 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	7/13/2016 2:02:50 PM	14	mg/l
SC PITUR DORU SNC	Temp	7/13/2016 2:02:40 PM	29	gradCels
SC PITUR DORU SNC	pH	7/13/2016 2:02:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/13/2016 2:00:27 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/13/2016 2:00:25 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/13/2016 2:00:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/13/2016 2:00:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/13/2016 2:00:21 PM	29	gradCels
SC PITUR DORU SNC	pH	7/13/2016 2:00:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/13/2016 1:55:22 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/13/2016 1:55:21 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/13/2016 1:54:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/13/2016 1:54:49 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/13/2016 1:54:48 PM	29	gradCels
SC PITUR DORU SNC	pH	7/13/2016 1:54:47 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/13/2016 1:49:29 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/13/2016 1:49:24 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/13/2016 1:49:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/13/2016 1:49:22 PM	14	mg/l
SC PITUR DORU SNC	Temp	7/13/2016 1:49:21 PM	29	gradCels
SC PITUR DORU SNC	pH	7/13/2016 1:49:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/13/2016 1:47:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/13/2016 1:47:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/13/2016 1:47:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/13/2016 1:47:00 PM	14	mg/l
SC PITUR DORU SNC	Temp	7/13/2016 1:46:50 PM	29	gradCels
SC PITUR DORU SNC	pH	7/13/2016 1:46:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/13/2016 1:44:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/13/2016 1:44:40 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/13/2016 1:43:48 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/13/2016 1:43:47 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/13/2016 1:43:46 PM	29	gradCels
SC PITUR DORU SNC	pH	7/13/2016 1:43:45 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/13/2016 1:38:32 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/13/2016 1:38:30 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/13/2016 1:38:24 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/13/2016 1:38:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/13/2016 1:38:21 PM	29	gradCels
SC PITUR DORU SNC	pH	7/13/2016 1:38:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/13/2016 1:33:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/13/2016 1:33:40 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/13/2016 1:32:57 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/13/2016 1:32:56 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/13/2016 1:32:55 PM	29	gradCels
SC PITUR DORU SNC	pH	7/13/2016 1:32:54 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/13/2016 1:31:31 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/13/2016 1:31:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/13/2016 1:31:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/13/2016 1:30:50 PM	14	mg/l
SC PITUR DORU SNC	Temp	7/13/2016 1:30:40 PM	29	gradCels
SC PITUR DORU SNC	pH	7/13/2016 1:30:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/13/2016 1:27:44 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/13/2016 1:27:40 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/13/2016 1:27:07 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/13/2016 1:27:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/13/2016 1:27:05 PM	29	gradCels
SC PITUR DORU SNC	pH	7/13/2016 1:27:04 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/13/2016 1:22:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/13/2016 1:22:40 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/13/2016 1:21:55 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/13/2016 1:21:54 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/13/2016 1:21:53 PM	29	gradCels
SC PITUR DORU SNC	pH	7/13/2016 1:21:52 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/13/2016 1:17:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/13/2016 1:16:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/13/2016 1:16:30 PM	14	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	7/13/2016 1:16:25 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/13/2016 1:16:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/13/2016 1:16:18 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/13/2016 1:16:17 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/13/2016 1:16:16 PM	29	gradCels
SC PITUR DORU SNC	pH	7/13/2016 1:16:15 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/13/2016 1:15:20 PM	14	mg/l
SC PITUR DORU SNC	Temp	7/13/2016 1:15:10 PM	29	gradCels
SC PITUR DORU SNC	pH	7/13/2016 1:15:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/13/2016 1:11:28 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/13/2016 1:11:27 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/13/2016 1:11:17 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/13/2016 1:11:16 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/13/2016 1:11:15 PM	29	gradCels
SC PITUR DORU SNC	pH	7/13/2016 1:11:14 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/13/2016 1:06:31 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	7/13/2016 1:06:27 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/13/2016 1:06:12 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/13/2016 1:06:11 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/13/2016 1:06:10 PM	29	gradCels
SC PITUR DORU SNC	pH	7/13/2016 1:06:09 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/13/2016 1:02:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/13/2016 1:01:50 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	7/13/2016 1:01:29 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/13/2016 1:01:27 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/13/2016 1:01:06 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/13/2016 1:01:05 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/13/2016 1:01:04 PM	29	gradCels
SC PITUR DORU SNC	pH	7/13/2016 1:01:03 PM	8	unit pH
SC PITUR DORU SNC	Grasimi	7/13/2016 1:00:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/13/2016 1:00:10 PM	14	mg/l
SC PITUR DORU SNC	Temp	7/13/2016 1:00:00 PM	29	gradCels
SC PITUR DORU SNC	pH	7/13/2016 12:59:50 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/13/2016 12:56:48 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	7/13/2016 12:56:45 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/13/2016 12:56:01 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/13/2016 12:56:00 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/13/2016 12:55:59 PM	29	gradCels
SC PITUR DORU SNC	pH	7/13/2016 12:55:58 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/13/2016 12:51:32 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/13/2016 12:51:16 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/13/2016 12:51:15 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/13/2016 12:51:14 PM	14	mg/l
SC PITUR DORU SNC	Temp	7/13/2016 12:51:13 PM	29	gradCels
SC PITUR DORU SNC	pH	7/13/2016 12:51:12 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/13/2016 12:46:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/13/2016 12:46:40 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	7/13/2016 12:46:28 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/13/2016 12:46:26 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/13/2016 12:46:14 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/13/2016 12:46:13 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/13/2016 12:46:12 PM	29	gradCels
SC PITUR DORU SNC	pH	7/13/2016 12:46:11 PM	8	unit pH
SC PITUR DORU SNC	Grasimi	7/13/2016 12:45:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/13/2016 12:45:00 PM	14	mg/l
SC PITUR DORU SNC	Temp	7/13/2016 12:44:50 PM	29	gradCels
SC PITUR DORU SNC	pH	7/13/2016 12:44:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/13/2016 12:41:48 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/13/2016 12:41:46 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/13/2016 12:41:01 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/13/2016 12:41:00 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/13/2016 12:40:59 PM	29	gradCels
SC PITUR DORU SNC	pH	7/13/2016 12:40:58 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/13/2016 12:36:46 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/13/2016 12:36:44 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/13/2016 12:36:05 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	7/13/2016 12:36:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/13/2016 12:35:59 PM	29	gradCels
SC PITUR DORU SNC	pH	7/13/2016 12:35:57 PM	8	unit pH
SC PITUR DORU SNC	pH	7/13/2016 12:31:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/13/2016 12:31:27 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/13/2016 12:31:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/13/2016 12:31:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/13/2016 12:31:01 PM	14	mg/l
SC PITUR DORU SNC	Temp	7/13/2016 12:31:00 PM	29	gradCels
SC PITUR DORU SNC	Cianuri	7/13/2016 12:30:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/13/2016 12:30:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/13/2016 12:29:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/13/2016 12:29:40 PM	14	mg/l
SC PITUR DORU SNC	Temp	7/13/2016 12:29:30 PM	29	gradCels
SC PITUR DORU SNC	pH	7/13/2016 12:29:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/13/2016 12:26:28 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/13/2016 12:26:27 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/13/2016 12:26:26 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/13/2016 12:26:25 PM	14	mg/l
SC PITUR DORU SNC	Temp	7/13/2016 12:26:24 PM	29	gradCels
SC PITUR DORU SNC	pH	7/13/2016 12:26:23 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/13/2016 8:43:04 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/13/2016 8:43:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/13/2016 8:43:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/13/2016 8:43:01 AM	14	mg/l
SC PITUR DORU SNC	Temp	7/13/2016 8:43:00 AM	29	gradCels
SC PITUR DORU SNC	pH	7/13/2016 8:42:59 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 1:31:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 1:31:00 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 1:30:44 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 1:30:43 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 1:30:42 PM	28	gradCels
SC PITUR DORU SNC	pH	7/11/2016 1:30:41 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 1:30:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 1:30:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 1:29:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 1:29:30 PM	14	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 1:29:20 PM	28	gradCels
SC PITUR DORU SNC	pH	7/11/2016 1:29:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 1:25:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 1:25:40 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 1:25:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 1:25:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 1:25:21 PM	28	gradCels
SC PITUR DORU SNC	pH	7/11/2016 1:25:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 1:20:46 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 1:19:44 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 1:19:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 1:19:42 PM	14	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 1:19:41 PM	28	gradCels
SC PITUR DORU SNC	pH	7/11/2016 1:19:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 1:14:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 1:14:40 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 1:14:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 1:14:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 1:14:21 PM	28	gradCels
SC PITUR DORU SNC	pH	7/11/2016 1:14:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 1:09:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 1:09:40 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 1:08:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 1:08:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 1:08:41 PM	28	gradCels
SC PITUR DORU SNC	pH	7/11/2016 1:08:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 1:04:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 1:04:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 1:04:10 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	7/11/2016 1:04:00 PM	14	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 1:03:50 PM	28	gradCels
SC PITUR DORU SNC	Cianuri	7/11/2016 1:03:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 1:03:40 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 1:03:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 1:03:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 1:03:21 PM	28	gradCels
SC PITUR DORU SNC	pH	7/11/2016 1:03:20 PM	8	unit pH
SC PITUR DORU SNC	pH	7/11/2016 1:03:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 12:58:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 12:58:40 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 12:57:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 12:57:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 12:57:41 PM	28	gradCels
SC PITUR DORU SNC	pH	7/11/2016 12:57:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 12:52:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 12:52:40 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 12:52:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 12:52:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 12:52:21 PM	28	gradCels
SC PITUR DORU SNC	pH	7/11/2016 12:52:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 12:47:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 12:46:44 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 12:46:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 12:46:42 PM	14	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 12:46:41 PM	28	gradCels
SC PITUR DORU SNC	pH	7/11/2016 12:46:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 12:42:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 12:41:50 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	7/11/2016 12:41:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 12:41:40 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 12:41:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 12:41:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 12:41:21 PM	28	gradCels
SC PITUR DORU SNC	pH	7/11/2016 12:41:20 PM	8	unit pH
SC PITUR DORU SNC	Grasimi	7/11/2016 12:40:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 12:40:40 PM	14	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 12:40:30 PM	28	gradCels
SC PITUR DORU SNC	pH	7/11/2016 12:40:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 12:36:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 12:36:40 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 12:35:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 12:35:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 12:35:41 PM	28	gradCels
SC PITUR DORU SNC	pH	7/11/2016 12:35:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 12:30:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 12:30:40 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 12:30:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 12:30:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 12:30:21 PM	28	gradCels
SC PITUR DORU SNC	pH	7/11/2016 12:30:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 12:25:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 12:25:40 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 12:24:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 12:24:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 12:24:41 PM	28	gradCels
SC PITUR DORU SNC	pH	7/11/2016 12:24:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 12:19:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 12:19:24 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 12:19:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 12:19:22 PM	14	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 12:19:21 PM	28	gradCels
SC PITUR DORU SNC	pH	7/11/2016 12:19:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 12:18:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 12:18:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 12:18:10 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	7/11/2016 12:18:00 PM	14	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 12:17:50 PM	28	gradCels
SC PITUR DORU SNC	pH	7/11/2016 12:17:00 PM	8	unit pH
SC PITUR DORU SNC	pH	7/11/2016 12:14:42 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 12:14:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 12:14:40 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 12:13:42 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 12:13:41 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 12:13:40 PM	28	gradCels
SC PITUR DORU SNC	Cianuri	7/11/2016 12:08:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 12:08:40 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 12:08:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 12:08:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 12:08:01 PM	28	gradCels
SC PITUR DORU SNC	pH	7/11/2016 12:08:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 12:03:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 12:03:40 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 12:02:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 12:02:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 12:02:41 PM	28	gradCels
SC PITUR DORU SNC	pH	7/11/2016 12:02:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 11:57:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 11:57:44 AM	14	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 11:57:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 11:57:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 11:57:41 AM	28	gradCels
SC PITUR DORU SNC	pH	7/11/2016 11:57:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 11:54:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 11:53:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 11:52:50 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	7/11/2016 11:52:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 11:52:40 AM	14	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 11:52:20 AM	14	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 11:52:10 AM	28	gradCels
SC PITUR DORU SNC	Clor	7/11/2016 11:52:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 11:52:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 11:52:01 AM	28	gradCels
SC PITUR DORU SNC	pH	7/11/2016 11:52:00 AM	8	unit pH
SC PITUR DORU SNC	pH	7/11/2016 11:51:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 11:46:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 11:46:44 AM	14	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 11:46:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 11:46:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 11:46:41 AM	28	gradCels
SC PITUR DORU SNC	pH	7/11/2016 11:46:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 11:41:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 11:41:40 AM	14	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 11:41:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 11:41:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 11:41:01 AM	28	gradCels
SC PITUR DORU SNC	pH	7/11/2016 11:41:00 AM	8	unit pH
SC PITUR DORU SNC	pH	7/11/2016 11:35:45 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 11:35:44 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 11:35:43 AM	14	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 11:35:42 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 11:35:41 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 11:35:40 AM	28	gradCels
SC PITUR DORU SNC	Cianuri	7/11/2016 11:31:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 11:30:50 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	7/11/2016 11:30:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 11:30:40 AM	14	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 11:30:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 11:30:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 11:30:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 11:30:01 AM	28	gradCels
SC PITUR DORU SNC	pH	7/11/2016 11:30:00 AM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	7/11/2016 11:29:50 AM	14	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 11:29:40 AM	28	gradCels
SC PITUR DORU SNC	pH	7/11/2016 11:29:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 11:24:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 11:24:44 AM	14	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 11:24:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 11:24:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 11:24:41 AM	28	gradCels
SC PITUR DORU SNC	pH	7/11/2016 11:24:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 11:19:05 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 11:19:04 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 11:19:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 11:19:02 AM	14	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 11:19:01 AM	28	gradCels
SC PITUR DORU SNC	pH	7/11/2016 11:19:00 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/11/2016 11:13:45 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	7/11/2016 11:13:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 11:13:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 11:13:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 11:13:41 AM	28	gradCels
SC PITUR DORU SNC	pH	7/11/2016 11:13:40 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/11/2016 11:08:40 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	7/11/2016 11:08:04 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 11:08:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 11:08:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 11:08:01 AM	28	gradCels
SC PITUR DORU SNC	pH	7/11/2016 11:08:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 11:07:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 11:07:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 11:06:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 11:06:10 AM	14	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 11:06:00 AM	28	gradCels
SC PITUR DORU SNC	pH	7/11/2016 11:04:10 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/11/2016 11:02:45 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	7/11/2016 11:02:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 11:02:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 11:02:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 11:02:41 AM	28	gradCels
SC PITUR DORU SNC	pH	7/11/2016 11:02:40 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/11/2016 10:57:40 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	7/11/2016 10:57:04 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 10:57:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 10:57:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 10:57:01 AM	28	gradCels
SC PITUR DORU SNC	pH	7/11/2016 10:57:00 AM	8	unit pH
SC PITUR DORU SNC	pH	7/11/2016 10:52:42 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 10:52:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 10:52:40 AM	14	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 10:52:02 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 10:52:01 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 10:52:00 AM	28	gradCels
SC PITUR DORU SNC	Cianuri	7/11/2016 10:47:05 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 10:47:04 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 10:47:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 10:47:02 AM	14	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 10:47:01 AM	28	gradCels
SC PITUR DORU SNC	pH	7/11/2016 10:47:00 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/11/2016 10:41:40 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	7/11/2016 10:41:24 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 10:41:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 10:41:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 10:41:21 AM	28	gradCels
SC PITUR DORU SNC	pH	7/11/2016 10:41:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 10:40:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 10:40:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 10:40:00 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	7/11/2016 10:39:50 AM	14	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 10:39:20 AM	28	gradCels
SC PITUR DORU SNC	pH	7/11/2016 10:39:10 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/11/2016 10:36:42 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	7/11/2016 10:36:04 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 10:36:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 10:36:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 10:36:01 AM	28	gradCels
SC PITUR DORU SNC	pH	7/11/2016 10:36:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 10:30:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 10:30:40 AM	14	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 10:30:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 10:30:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 10:30:21 AM	28	gradCels
SC PITUR DORU SNC	pH	7/11/2016 10:30:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 10:25:42 AM	0	mg/l
SC PITUR DORU SNC	pH	7/11/2016 10:25:41 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/11/2016 10:25:40 AM	14	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 10:25:02 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 10:25:01 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 10:25:00 AM	28	gradCels
SC PITUR DORU SNC	Cianuri	7/11/2016 10:19:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 10:19:24 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 10:19:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 10:19:22 AM	14	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 10:19:21 AM	28	gradCels
SC PITUR DORU SNC	pH	7/11/2016 10:19:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 10:16:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 10:16:00 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	7/11/2016 10:14:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 10:14:40 AM	14	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 10:14:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 10:14:10 AM	14	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 10:14:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 10:14:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 10:14:01 AM	28	gradCels
SC PITUR DORU SNC	pH	7/11/2016 10:14:00 AM	8	unit pH
SC PITUR DORU SNC	Temp	7/11/2016 10:13:40 AM	28	gradCels
SC PITUR DORU SNC	pH	7/11/2016 10:13:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 10:08:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 10:08:40 AM	14	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 10:08:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 10:08:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 10:08:21 AM	28	gradCels
SC PITUR DORU SNC	pH	7/11/2016 10:08:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 10:03:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 10:03:40 AM	14	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 10:02:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 10:02:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 10:02:41 AM	28	gradCels
SC PITUR DORU SNC	pH	7/11/2016 10:02:40 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/11/2016 9:57:41 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	7/11/2016 9:57:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 9:57:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 9:57:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 9:57:21 AM	28	gradCels
SC PITUR DORU SNC	pH	7/11/2016 9:57:20 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/11/2016 9:52:41 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	7/11/2016 9:52:40 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	7/11/2016 9:52:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 9:52:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 9:51:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 9:51:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 9:51:41 AM	28	gradCels
SC PITUR DORU SNC	pH	7/11/2016 9:51:40 AM	8	unit pH
SC PITUR DORU SNC	Grasimi	7/11/2016 9:51:30 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	7/11/2016 9:51:20 AM	14	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 9:51:10 AM	28	gradCels
SC PITUR DORU SNC	pH	7/11/2016 9:51:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 9:46:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 9:46:40 AM	14	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 9:46:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 9:46:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 9:46:21 AM	28	gradCels
SC PITUR DORU SNC	pH	7/11/2016 9:46:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 9:41:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 9:41:40 AM	14	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 9:40:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 9:40:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 9:40:41 AM	28	gradCels
SC PITUR DORU SNC	pH	7/11/2016 9:40:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 9:35:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 9:35:40 AM	14	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 9:35:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 9:35:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 9:35:21 AM	28	gradCels
SC PITUR DORU SNC	pH	7/11/2016 9:35:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 9:30:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 9:30:40 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	7/11/2016 9:29:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 9:29:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 9:29:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 9:29:41 AM	28	gradCels
SC PITUR DORU SNC	pH	7/11/2016 9:29:40 AM	8	unit pH
SC PITUR DORU SNC	Clor	7/11/2016 9:29:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 9:29:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 9:29:00 AM	14	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 9:28:50 AM	28	gradCels
SC PITUR DORU SNC	pH	7/11/2016 9:28:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 9:24:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 9:24:40 AM	14	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 9:24:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 9:24:22 AM	0	mg/l
SC PITUR DORU SNC	pH	7/11/2016 9:24:21 AM	8	unit pH
SC PITUR DORU SNC	Temp	7/11/2016 9:24:20 AM	28	gradCels
SC PITUR DORU SNC	Cianuri	7/11/2016 9:19:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 9:18:44 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 9:18:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 9:18:42 AM	14	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 9:18:41 AM	28	gradCels
SC PITUR DORU SNC	pH	7/11/2016 9:18:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 9:13:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 9:13:40 AM	14	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 9:13:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 9:13:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 9:13:21 AM	28	gradCels
SC PITUR DORU SNC	pH	7/11/2016 9:13:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 9:08:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 9:08:40 AM	14	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 9:07:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 9:07:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 9:07:41 AM	28	gradCels
SC PITUR DORU SNC	pH	7/11/2016 9:07:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 9:07:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 9:07:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 9:07:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 9:06:50 AM	14	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 9:06:20 AM	28	gradCels
SC PITUR DORU SNC	pH	7/11/2016 9:06:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 9:02:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 9:02:40 AM	14	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 9:02:23 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	7/11/2016 9:02:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 9:02:21 AM	28	gradCels
SC PITUR DORU SNC	pH	7/11/2016 9:02:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 8:57:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 8:57:40 AM	14	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 8:56:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 8:56:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 8:56:41 AM	28	gradCels
SC PITUR DORU SNC	pH	7/11/2016 8:56:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 8:51:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 8:51:24 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 8:51:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 8:51:22 AM	14	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 8:51:21 AM	28	gradCels
SC PITUR DORU SNC	pH	7/11/2016 8:51:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 8:46:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 8:46:40 AM	14	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 8:45:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 8:45:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 8:45:41 AM	28	gradCels
SC PITUR DORU SNC	pH	7/11/2016 8:45:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 8:44:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 8:44:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 8:44:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 8:44:00 AM	14	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 8:43:50 AM	28	gradCels
SC PITUR DORU SNC	pH	7/11/2016 8:43:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 8:40:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 8:40:40 AM	14	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 8:40:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 8:40:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 8:40:21 AM	28	gradCels
SC PITUR DORU SNC	pH	7/11/2016 8:40:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 8:35:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 8:35:40 AM	14	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 8:34:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 8:34:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 8:34:41 AM	28	gradCels
SC PITUR DORU SNC	pH	7/11/2016 8:34:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 8:29:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 8:29:40 AM	14	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 8:29:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 8:29:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 8:29:01 AM	28	gradCels
SC PITUR DORU SNC	pH	7/11/2016 8:29:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 8:24:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 8:24:40 AM	14	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 8:23:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 8:23:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 8:23:41 AM	28	gradCels
SC PITUR DORU SNC	pH	7/11/2016 8:23:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 8:21:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 8:21:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 8:19:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 8:19:10 AM	14	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 8:19:00 AM	28	gradCels
SC PITUR DORU SNC	pH	7/11/2016 8:18:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 8:18:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 8:18:04 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 8:18:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 8:18:02 AM	14	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 8:18:01 AM	28	gradCels
SC PITUR DORU SNC	pH	7/11/2016 8:18:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 8:13:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 8:13:40 AM	14	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 8:12:43 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	7/11/2016 8:12:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 8:12:41 AM	28	gradCels
SC PITUR DORU SNC	pH	7/11/2016 8:12:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 8:07:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 8:07:40 AM	14	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 8:07:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 8:07:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 8:07:01 AM	28	gradCels
SC PITUR DORU SNC	pH	7/11/2016 8:07:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 8:01:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 8:01:44 AM	14	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 8:01:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 8:01:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 8:01:41 AM	28	gradCels
SC PITUR DORU SNC	pH	7/11/2016 8:01:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 8:00:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 7:59:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 7:57:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 7:57:10 AM	14	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 7:57:00 AM	28	gradCels
SC PITUR DORU SNC	pH	7/11/2016 7:56:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 7:56:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 7:56:40 AM	14	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 7:56:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 7:56:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 7:56:01 AM	28	gradCels
SC PITUR DORU SNC	pH	7/11/2016 7:56:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 7:50:45 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 7:50:44 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 7:50:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 7:50:42 AM	14	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 7:50:41 AM	28	gradCels
SC PITUR DORU SNC	pH	7/11/2016 7:50:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 7:45:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 7:45:40 AM	14	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 7:45:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 7:45:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 7:45:01 AM	28	gradCels
SC PITUR DORU SNC	pH	7/11/2016 7:45:00 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/11/2016 7:39:45 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	7/11/2016 7:39:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 7:39:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 7:39:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 7:39:41 AM	28	gradCels
SC PITUR DORU SNC	pH	7/11/2016 7:39:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 7:38:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 7:38:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 7:35:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 7:35:10 AM	14	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 7:35:00 AM	28	gradCels
SC PITUR DORU SNC	pH	7/11/2016 7:34:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 7:34:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 7:34:40 AM	14	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 7:34:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 7:34:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 7:34:01 AM	28	gradCels
SC PITUR DORU SNC	pH	7/11/2016 7:34:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 7:28:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 7:28:44 AM	14	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 7:28:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 7:28:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 7:28:41 AM	28	gradCels
SC PITUR DORU SNC	pH	7/11/2016 7:28:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 7:23:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 7:23:40 AM	14	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 7:23:03 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	7/11/2016 7:23:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 7:23:01 AM	28	gradCels
SC PITUR DORU SNC	pH	7/11/2016 7:23:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 7:17:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 7:17:24 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 7:17:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 7:17:22 AM	14	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 7:17:21 AM	28	gradCels
SC PITUR DORU SNC	pH	7/11/2016 7:17:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 7:15:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 7:15:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 7:15:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 7:14:50 AM	14	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 7:13:10 AM	28	gradCels
SC PITUR DORU SNC	pH	7/11/2016 7:13:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 7:12:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 7:12:40 AM	14	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 7:12:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 7:12:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 7:12:01 AM	28	gradCels
SC PITUR DORU SNC	pH	7/11/2016 7:12:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 7:06:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 7:06:40 AM	14	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 7:06:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 7:06:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 7:06:21 AM	28	gradCels
SC PITUR DORU SNC	pH	7/11/2016 7:06:20 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/11/2016 7:01:41 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	7/11/2016 7:01:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 7:01:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 7:01:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 7:01:01 AM	28	gradCels
SC PITUR DORU SNC	pH	7/11/2016 7:01:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 6:55:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 6:55:40 AM	14	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 6:55:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 6:55:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 6:55:21 AM	28	gradCels
SC PITUR DORU SNC	pH	7/11/2016 6:55:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 6:51:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 6:51:00 AM	0	mg/l
SC PITUR DORU SNC	pH	7/11/2016 6:50:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 6:50:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 6:50:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 6:50:10 AM	14	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 6:50:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 6:50:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 6:50:01 AM	14	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 6:50:00 AM	28	gradCels
SC PITUR DORU SNC	Temp	7/11/2016 6:49:40 AM	28	gradCels
SC PITUR DORU SNC	pH	7/11/2016 6:49:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 6:44:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 6:44:40 AM	14	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 6:44:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 6:44:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 6:44:21 AM	28	gradCels
SC PITUR DORU SNC	pH	7/11/2016 6:44:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 6:39:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 6:39:40 AM	14	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 6:39:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 6:39:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 6:39:01 AM	28	gradCels
SC PITUR DORU SNC	pH	7/11/2016 6:39:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 6:33:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 6:33:40 AM	14	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 6:33:23 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	7/11/2016 6:33:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 6:33:21 AM	28	gradCels
SC PITUR DORU SNC	pH	7/11/2016 6:33:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 6:28:50 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	7/11/2016 6:28:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 6:28:40 AM	14	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 6:28:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 6:28:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 6:27:50 AM	14	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 6:27:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 6:27:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 6:27:41 AM	28	gradCels
SC PITUR DORU SNC	pH	7/11/2016 6:27:40 AM	8	unit pH
SC PITUR DORU SNC	Temp	7/11/2016 6:27:30 AM	28	gradCels
SC PITUR DORU SNC	pH	7/11/2016 6:27:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 6:22:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 6:22:40 AM	14	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 6:22:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 6:22:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 6:22:21 AM	28	gradCels
SC PITUR DORU SNC	pH	7/11/2016 6:22:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 6:17:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 6:16:44 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 6:16:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 6:16:42 AM	14	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 6:16:41 AM	28	gradCels
SC PITUR DORU SNC	pH	7/11/2016 6:16:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 6:11:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 6:11:40 AM	14	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 6:11:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 6:11:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 6:11:21 AM	28	gradCels
SC PITUR DORU SNC	pH	7/11/2016 6:11:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 6:06:50 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	7/11/2016 6:06:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 6:06:40 AM	14	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 6:06:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 6:06:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 6:05:50 AM	14	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 6:05:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 6:05:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 6:05:41 AM	28	gradCels
SC PITUR DORU SNC	pH	7/11/2016 6:05:40 AM	8	unit pH
SC PITUR DORU SNC	Temp	7/11/2016 6:05:30 AM	28	gradCels
SC PITUR DORU SNC	pH	7/11/2016 6:05:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 6:00:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 6:00:40 AM	14	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 6:00:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 6:00:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 6:00:21 AM	28	gradCels
SC PITUR DORU SNC	pH	7/11/2016 6:00:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 5:55:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 5:55:40 AM	14	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 5:54:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 5:54:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 5:54:41 AM	29	gradCels
SC PITUR DORU SNC	pH	7/11/2016 5:54:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 5:49:25 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 5:49:24 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 5:49:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 5:49:22 AM	14	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 5:49:21 AM	29	gradCels
SC PITUR DORU SNC	pH	7/11/2016 5:49:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 5:45:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 5:44:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 5:44:40 AM	14	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	7/11/2016 5:44:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 5:44:00 AM	14	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 5:43:50 AM	29	gradCels
SC PITUR DORU SNC	Cianuri	7/11/2016 5:43:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 5:43:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 5:43:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 5:43:41 AM	29	gradCels
SC PITUR DORU SNC	pH	7/11/2016 5:43:40 AM	8	unit pH
SC PITUR DORU SNC	pH	7/11/2016 5:43:30 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/11/2016 5:38:41 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	7/11/2016 5:38:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 5:38:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 5:38:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 5:38:21 AM	29	gradCels
SC PITUR DORU SNC	pH	7/11/2016 5:38:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 5:33:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 5:33:40 AM	14	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 5:32:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 5:32:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 5:32:41 AM	29	gradCels
SC PITUR DORU SNC	pH	7/11/2016 5:32:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 5:27:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 5:27:40 AM	14	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 5:27:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 5:27:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 5:27:21 AM	29	gradCels
SC PITUR DORU SNC	pH	7/11/2016 5:27:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 5:24:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 5:23:00 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	7/11/2016 5:22:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 5:22:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 5:22:10 AM	14	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 5:22:00 AM	29	gradCels
SC PITUR DORU SNC	pH	7/11/2016 5:21:50 AM	8	unit pH
SC PITUR DORU SNC	Clor	7/11/2016 5:21:44 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 5:21:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 5:21:42 AM	14	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 5:21:41 AM	29	gradCels
SC PITUR DORU SNC	pH	7/11/2016 5:21:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 5:16:42 AM	0	mg/l
SC PITUR DORU SNC	pH	7/11/2016 5:16:41 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/11/2016 5:16:40 AM	14	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 5:16:22 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 5:16:21 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 5:16:20 AM	29	gradCels
SC PITUR DORU SNC	Cianuri	7/11/2016 5:11:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 5:11:40 AM	14	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 5:10:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 5:10:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 5:10:41 AM	29	gradCels
SC PITUR DORU SNC	pH	7/11/2016 5:10:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 5:05:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 5:05:40 AM	14	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 5:05:06 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 5:05:03 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 5:05:02 AM	29	gradCels
SC PITUR DORU SNC	pH	7/11/2016 5:05:01 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 5:03:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 5:03:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 5:01:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 5:00:50 AM	14	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 5:00:40 AM	14	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 5:00:20 AM	29	gradCels
SC PITUR DORU SNC	pH	7/11/2016 5:00:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 4:59:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 4:59:43 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	7/11/2016 4:59:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 4:59:41 AM	29	gradCels
SC PITUR DORU SNC	pH	7/11/2016 4:59:40 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/11/2016 4:54:40 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	7/11/2016 4:54:04 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 4:54:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 4:54:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 4:54:01 AM	29	gradCels
SC PITUR DORU SNC	pH	7/11/2016 4:54:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 4:48:45 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 4:48:44 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 4:48:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 4:48:42 AM	14	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 4:48:41 AM	29	gradCels
SC PITUR DORU SNC	pH	7/11/2016 4:48:40 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/11/2016 4:43:40 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	7/11/2016 4:43:04 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 4:43:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 4:43:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 4:43:01 AM	29	gradCels
SC PITUR DORU SNC	pH	7/11/2016 4:43:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 4:42:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 4:42:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 4:42:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 4:41:50 AM	13	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 4:41:40 AM	29	gradCels
SC PITUR DORU SNC	pH	7/11/2016 4:41:30 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/11/2016 4:38:40 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	7/11/2016 4:37:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 4:37:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 4:37:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 4:37:41 AM	29	gradCels
SC PITUR DORU SNC	pH	7/11/2016 4:37:40 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/11/2016 4:32:40 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	7/11/2016 4:32:04 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 4:32:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 4:32:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 4:32:01 AM	29	gradCels
SC PITUR DORU SNC	pH	7/11/2016 4:32:00 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/11/2016 4:27:40 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	7/11/2016 4:26:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 4:26:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 4:26:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 4:26:41 AM	29	gradCels
SC PITUR DORU SNC	pH	7/11/2016 4:26:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 4:21:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 4:21:10 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	7/11/2016 4:21:05 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 4:21:04 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 4:21:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 4:21:02 AM	13	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 4:21:01 AM	29	gradCels
SC PITUR DORU SNC	pH	7/11/2016 4:21:00 AM	8	unit pH
SC PITUR DORU SNC	Grasimi	7/11/2016 4:20:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 4:20:30 AM	13	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 4:20:20 AM	29	gradCels
SC PITUR DORU SNC	pH	7/11/2016 4:20:10 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/11/2016 4:15:45 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	7/11/2016 4:15:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 4:15:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 4:15:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 4:15:41 AM	29	gradCels
SC PITUR DORU SNC	pH	7/11/2016 4:15:40 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/11/2016 4:10:40 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	7/11/2016 4:10:04 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 4:10:03 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	7/11/2016 4:10:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 4:10:01 AM	29	gradCels
SC PITUR DORU SNC	pH	7/11/2016 4:10:00 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/11/2016 4:04:45 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	7/11/2016 4:04:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 4:04:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 4:04:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 4:04:41 AM	29	gradCels
SC PITUR DORU SNC	pH	7/11/2016 4:04:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 4:00:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 4:00:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 4:00:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 3:59:50 AM	13	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 3:59:40 AM	13	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 3:59:20 AM	29	gradCels
SC PITUR DORU SNC	pH	7/11/2016 3:59:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 3:59:04 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 3:59:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 3:59:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 3:59:01 AM	29	gradCels
SC PITUR DORU SNC	pH	7/11/2016 3:59:00 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/11/2016 3:53:44 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	7/11/2016 3:53:43 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 3:53:42 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 3:53:41 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 3:53:40 AM	29	gradCels
SC PITUR DORU SNC	Cianuri	7/11/2016 3:48:05 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 3:48:04 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 3:48:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 3:48:02 AM	13	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 3:48:01 AM	29	gradCels
SC PITUR DORU SNC	pH	7/11/2016 3:48:00 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/11/2016 3:42:25 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	7/11/2016 3:42:24 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 3:42:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 3:42:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 3:42:21 AM	29	gradCels
SC PITUR DORU SNC	pH	7/11/2016 3:42:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 3:41:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 3:41:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 3:41:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 3:40:50 AM	13	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 3:40:40 AM	29	gradCels
SC PITUR DORU SNC	pH	7/11/2016 3:40:30 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/11/2016 3:37:40 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	7/11/2016 3:37:04 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 3:37:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 3:37:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 3:37:01 AM	29	gradCels
SC PITUR DORU SNC	pH	7/11/2016 3:37:00 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/11/2016 3:31:25 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	7/11/2016 3:31:24 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 3:31:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 3:31:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 3:31:21 AM	29	gradCels
SC PITUR DORU SNC	pH	7/11/2016 3:31:20 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/11/2016 3:26:40 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	7/11/2016 3:26:04 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 3:26:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 3:26:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 3:26:01 AM	29	gradCels
SC PITUR DORU SNC	pH	7/11/2016 3:26:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 3:20:25 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 3:20:24 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 3:20:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 3:20:22 AM	13	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Temp	7/11/2016 3:20:21 AM	29	gradCels
SC PITUR DORU SNC	pH	7/11/2016 3:20:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 3:20:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 3:19:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 3:19:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 3:19:20 AM	13	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 3:19:10 AM	29	gradCels
SC PITUR DORU SNC	pH	7/11/2016 3:19:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 3:15:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 3:15:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 3:15:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 3:15:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 3:15:01 AM	29	gradCels
SC PITUR DORU SNC	pH	7/11/2016 3:15:00 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/11/2016 3:09:25 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	7/11/2016 3:09:24 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 3:09:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 3:09:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 3:09:21 AM	30	gradCels
SC PITUR DORU SNC	pH	7/11/2016 3:09:20 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/11/2016 3:04:40 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	7/11/2016 3:03:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 3:03:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 3:03:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 3:03:41 AM	30	gradCels
SC PITUR DORU SNC	pH	7/11/2016 3:03:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 2:59:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 2:59:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 2:58:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 2:58:40 AM	13	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 2:58:30 AM	30	gradCels
SC PITUR DORU SNC	Cianuri	7/11/2016 2:58:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 2:58:24 AM	13	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 2:58:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 2:58:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 2:58:21 AM	30	gradCels
SC PITUR DORU SNC	pH	7/11/2016 2:58:20 AM	8	unit pH
SC PITUR DORU SNC	pH	7/11/2016 2:58:00 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/11/2016 2:53:40 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	7/11/2016 2:52:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 2:52:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 2:52:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 2:52:41 AM	30	gradCels
SC PITUR DORU SNC	pH	7/11/2016 2:52:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 2:47:25 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 2:47:24 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 2:47:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 2:47:22 AM	13	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 2:47:21 AM	30	gradCels
SC PITUR DORU SNC	pH	7/11/2016 2:47:20 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/11/2016 2:42:40 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	7/11/2016 2:41:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 2:41:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 2:41:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 2:41:41 AM	30	gradCels
SC PITUR DORU SNC	pH	7/11/2016 2:41:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 2:39:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 2:37:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 2:37:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 2:37:20 AM	13	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 2:37:10 AM	30	gradCels
SC PITUR DORU SNC	pH	7/11/2016 2:37:00 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/11/2016 2:36:25 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	7/11/2016 2:36:24 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 2:36:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 2:36:22 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Temp	7/11/2016 2:36:21 AM	30	gradCels
SC PITUR DORU SNC	pH	7/11/2016 2:36:20 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/11/2016 2:31:40 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	7/11/2016 2:30:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 2:30:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 2:30:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 2:30:41 AM	30	gradCels
SC PITUR DORU SNC	pH	7/11/2016 2:30:40 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/11/2016 2:25:25 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	7/11/2016 2:25:24 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 2:25:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 2:25:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 2:25:21 AM	30	gradCels
SC PITUR DORU SNC	pH	7/11/2016 2:25:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 2:20:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 2:20:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 2:19:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 2:19:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 2:19:41 AM	30	gradCels
SC PITUR DORU SNC	pH	7/11/2016 2:19:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 2:18:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 2:18:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 2:17:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 2:17:20 AM	13	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 2:15:50 AM	30	gradCels
SC PITUR DORU SNC	pH	7/11/2016 2:15:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 2:14:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 2:14:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 2:14:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 2:14:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 2:14:21 AM	30	gradCels
SC PITUR DORU SNC	pH	7/11/2016 2:14:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 2:09:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 2:09:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 2:08:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 2:08:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 2:08:41 AM	30	gradCels
SC PITUR DORU SNC	pH	7/11/2016 2:08:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 2:03:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 2:03:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 2:03:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 2:03:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 2:03:01 AM	30	gradCels
SC PITUR DORU SNC	pH	7/11/2016 2:03:00 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/11/2016 1:58:40 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	7/11/2016 1:57:45 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 1:57:44 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 1:57:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 1:57:41 AM	30	gradCels
SC PITUR DORU SNC	pH	7/11/2016 1:57:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 1:56:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 1:55:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 1:53:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 1:53:40 AM	13	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 1:53:30 AM	30	gradCels
SC PITUR DORU SNC	pH	7/11/2016 1:53:20 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/11/2016 1:52:40 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	7/11/2016 1:52:04 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 1:52:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 1:52:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 1:52:01 AM	30	gradCels
SC PITUR DORU SNC	pH	7/11/2016 1:52:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 1:47:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 1:47:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 1:46:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 1:46:42 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Temp	7/11/2016 1:46:41 AM	30	gradCels
SC PITUR DORU SNC	pH	7/11/2016 1:46:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 1:41:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 1:41:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 1:41:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 1:41:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 1:41:01 AM	30	gradCels
SC PITUR DORU SNC	pH	7/11/2016 1:41:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 1:36:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 1:36:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 1:35:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 1:35:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 1:35:41 AM	30	gradCels
SC PITUR DORU SNC	pH	7/11/2016 1:35:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 1:31:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 1:31:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 1:31:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 1:31:00 AM	13	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 1:30:50 AM	30	gradCels
SC PITUR DORU SNC	Cianuri	7/11/2016 1:30:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 1:30:40 AM	13	mg/l
SC PITUR DORU SNC	pH	7/11/2016 1:30:20 AM	8	unit pH
SC PITUR DORU SNC	Clor	7/11/2016 1:30:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 1:30:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 1:30:01 AM	30	gradCels
SC PITUR DORU SNC	pH	7/11/2016 1:30:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 1:24:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 1:24:44 AM	13	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 1:24:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 1:24:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 1:24:41 AM	30	gradCels
SC PITUR DORU SNC	pH	7/11/2016 1:24:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 1:19:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 1:19:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 1:19:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 1:19:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 1:19:01 AM	30	gradCels
SC PITUR DORU SNC	pH	7/11/2016 1:19:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 1:13:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 1:13:44 AM	13	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 1:13:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 1:13:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 1:13:41 AM	30	gradCels
SC PITUR DORU SNC	pH	7/11/2016 1:13:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 1:12:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 1:12:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 1:09:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 1:09:30 AM	13	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 1:09:20 AM	30	gradCels
SC PITUR DORU SNC	pH	7/11/2016 1:09:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 1:08:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 1:08:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 1:08:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 1:08:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 1:08:01 AM	30	gradCels
SC PITUR DORU SNC	pH	7/11/2016 1:08:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 1:02:26 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 1:02:25 AM	13	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 1:02:24 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 1:02:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 1:02:22 AM	30	gradCels
SC PITUR DORU SNC	pH	7/11/2016 1:02:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 12:57:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 12:57:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 12:57:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 12:57:02 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Temp	7/11/2016 12:57:01 AM	30	gradCels
SC PITUR DORU SNC	pH	7/11/2016 12:57:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 12:51:25 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 12:51:24 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 12:51:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 12:51:22 AM	13	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 12:51:21 AM	30	gradCels
SC PITUR DORU SNC	pH	7/11/2016 12:51:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 12:51:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 12:50:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 12:50:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 12:50:20 AM	13	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 12:50:10 AM	30	gradCels
SC PITUR DORU SNC	pH	7/11/2016 12:50:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 12:46:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 12:46:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 12:46:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 12:46:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 12:46:01 AM	30	gradCels
SC PITUR DORU SNC	pH	7/11/2016 12:46:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 12:40:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 12:40:24 AM	13	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 12:40:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 12:40:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 12:40:21 AM	30	gradCels
SC PITUR DORU SNC	pH	7/11/2016 12:40:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 12:35:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 12:35:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 12:35:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 12:35:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 12:35:01 AM	30	gradCels
SC PITUR DORU SNC	pH	7/11/2016 12:35:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 12:29:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 12:29:24 AM	13	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 12:29:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 12:29:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 12:29:21 AM	30	gradCels
SC PITUR DORU SNC	pH	7/11/2016 12:29:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 12:29:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 12:28:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 12:28:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 12:27:40 AM	13	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 12:27:30 AM	31	gradCels
SC PITUR DORU SNC	pH	7/11/2016 12:27:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 12:24:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 12:24:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 12:24:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 12:24:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 12:24:01 AM	30	gradCels
SC PITUR DORU SNC	pH	7/11/2016 12:24:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 12:18:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 12:18:24 AM	13	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 12:18:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 12:18:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 12:18:21 AM	31	gradCels
SC PITUR DORU SNC	pH	7/11/2016 12:18:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 12:13:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 12:13:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 12:13:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 12:13:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 12:13:01 AM	31	gradCels
SC PITUR DORU SNC	pH	7/11/2016 12:13:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 12:07:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 12:07:24 AM	13	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 12:07:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 12:07:22 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Temp	7/11/2016 12:07:21 AM	31	gradCels
SC PITUR DORU SNC	pH	7/11/2016 12:07:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 12:07:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 12:06:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 12:06:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 12:06:00 AM	13	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 12:04:00 AM	31	gradCels
SC PITUR DORU SNC	pH	7/11/2016 12:03:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/11/2016 12:02:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/11/2016 12:02:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	7/11/2016 12:02:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/11/2016 12:02:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/11/2016 12:02:01 AM	31	gradCels
SC PITUR DORU SNC	pH	7/11/2016 12:02:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/10/2016 11:56:25 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/10/2016 11:56:24 PM	13	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 11:56:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 11:56:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 11:56:21 PM	31	gradCels
SC PITUR DORU SNC	pH	7/10/2016 11:56:20 PM	8	unit pH
SC PITUR DORU SNC	pH	7/10/2016 11:51:41 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/10/2016 11:51:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 11:51:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 11:51:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/10/2016 11:51:01 PM	13	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 11:51:00 PM	31	gradCels
SC PITUR DORU SNC	Cianuri	7/10/2016 11:45:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 11:45:30 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	7/10/2016 11:45:25 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/10/2016 11:45:24 PM	13	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 11:45:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 11:45:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 11:45:21 PM	31	gradCels
SC PITUR DORU SNC	pH	7/10/2016 11:45:20 PM	8	unit pH
SC PITUR DORU SNC	Grasimi	7/10/2016 11:45:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/10/2016 11:44:50 PM	13	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 11:44:20 PM	31	gradCels
SC PITUR DORU SNC	pH	7/10/2016 11:44:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/10/2016 11:40:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/10/2016 11:40:40 PM	13	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 11:40:02 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 11:40:01 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 11:40:00 PM	31	gradCels
SC PITUR DORU SNC	Cianuri	7/10/2016 11:34:25 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/10/2016 11:34:24 PM	13	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 11:34:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 11:34:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 11:34:21 PM	31	gradCels
SC PITUR DORU SNC	pH	7/10/2016 11:34:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/10/2016 11:29:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/10/2016 11:29:40 PM	13	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 11:28:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 11:28:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 11:28:41 PM	31	gradCels
SC PITUR DORU SNC	pH	7/10/2016 11:28:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/10/2016 11:24:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 11:24:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 11:23:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/10/2016 11:23:30 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	7/10/2016 11:23:25 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/10/2016 11:23:24 PM	13	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 11:23:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 11:23:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 11:23:21 PM	31	gradCels
SC PITUR DORU SNC	pH	7/10/2016 11:23:20 PM	8	unit pH
SC PITUR DORU SNC	Temp	7/10/2016 11:23:00 PM	31	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	7/10/2016 11:22:50 PM	8	unit pH
SC PITUR DORU SNC	pH	7/10/2016 11:18:25 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/10/2016 11:18:24 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 11:18:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 11:18:22 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/10/2016 11:18:21 PM	13	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 11:18:20 PM	31	gradCels
SC PITUR DORU SNC	Cianuri	7/10/2016 11:13:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/10/2016 11:13:40 PM	13	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 11:12:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 11:12:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 11:12:41 PM	31	gradCels
SC PITUR DORU SNC	pH	7/10/2016 11:12:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/10/2016 11:07:25 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/10/2016 11:07:24 PM	13	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 11:07:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 11:07:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 11:07:21 PM	31	gradCels
SC PITUR DORU SNC	pH	7/10/2016 11:07:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/10/2016 11:03:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 11:03:00 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	7/10/2016 11:02:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/10/2016 11:02:40 PM	13	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 11:02:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/10/2016 11:02:10 PM	13	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 11:02:00 PM	31	gradCels
SC PITUR DORU SNC	pH	7/10/2016 11:01:50 PM	8	unit pH
SC PITUR DORU SNC	Clor	7/10/2016 11:01:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 11:01:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 11:01:41 PM	31	gradCels
SC PITUR DORU SNC	pH	7/10/2016 11:01:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/10/2016 10:56:25 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/10/2016 10:56:24 PM	13	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 10:56:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 10:56:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 10:56:21 PM	31	gradCels
SC PITUR DORU SNC	pH	7/10/2016 10:56:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/10/2016 10:51:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 10:50:44 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 10:50:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/10/2016 10:50:42 PM	13	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 10:50:41 PM	31	gradCels
SC PITUR DORU SNC	pH	7/10/2016 10:50:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/10/2016 10:45:25 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/10/2016 10:45:24 PM	13	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 10:45:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 10:45:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 10:45:21 PM	31	gradCels
SC PITUR DORU SNC	pH	7/10/2016 10:45:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/10/2016 10:43:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 10:43:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 10:41:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/10/2016 10:41:10 PM	13	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 10:41:00 PM	31	gradCels
SC PITUR DORU SNC	pH	7/10/2016 10:40:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/10/2016 10:40:42 PM	0	mg/l
SC PITUR DORU SNC	pH	7/10/2016 10:40:41 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/10/2016 10:40:40 PM	13	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 10:39:42 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 10:39:41 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 10:39:40 PM	31	gradCels
SC PITUR DORU SNC	Substante organice	7/10/2016 10:34:25 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	7/10/2016 10:34:24 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 10:34:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 10:34:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 10:34:21 PM	31	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	7/10/2016 10:34:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/10/2016 10:29:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/10/2016 10:29:40 PM	13	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 10:28:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 10:28:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 10:28:41 PM	31	gradCels
SC PITUR DORU SNC	pH	7/10/2016 10:28:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/10/2016 10:23:25 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/10/2016 10:23:24 PM	13	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 10:23:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 10:23:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 10:23:21 PM	31	gradCels
SC PITUR DORU SNC	pH	7/10/2016 10:23:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/10/2016 10:22:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 10:22:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 10:21:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/10/2016 10:21:20 PM	13	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 10:21:10 PM	31	gradCels
SC PITUR DORU SNC	pH	7/10/2016 10:19:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/10/2016 10:18:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 10:17:44 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 10:17:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/10/2016 10:17:42 PM	13	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 10:17:41 PM	31	gradCels
SC PITUR DORU SNC	pH	7/10/2016 10:17:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/10/2016 10:12:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/10/2016 10:12:40 PM	13	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 10:12:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 10:12:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 10:12:01 PM	31	gradCels
SC PITUR DORU SNC	pH	7/10/2016 10:12:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/10/2016 10:07:40 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	7/10/2016 10:06:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 10:06:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 10:06:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 10:06:41 PM	31	gradCels
SC PITUR DORU SNC	pH	7/10/2016 10:06:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/10/2016 10:01:40 PM	13	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 10:01:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 10:01:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 10:01:01 PM	31	gradCels
SC PITUR DORU SNC	pH	7/10/2016 10:01:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/10/2016 10:00:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 10:00:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 9:59:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/10/2016 9:57:50 PM	13	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 9:57:20 PM	31	gradCels
SC PITUR DORU SNC	pH	7/10/2016 9:57:10 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/10/2016 9:56:40 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	7/10/2016 9:55:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 9:55:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 9:55:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 9:55:41 PM	31	gradCels
SC PITUR DORU SNC	pH	7/10/2016 9:55:40 PM	8	unit pH
SC PITUR DORU SNC	Clor	7/10/2016 9:50:04 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 9:50:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/10/2016 9:50:02 PM	13	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 9:50:01 PM	31	gradCels
SC PITUR DORU SNC	pH	7/10/2016 9:50:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/10/2016 9:45:40 PM	13	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 9:44:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 9:44:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 9:44:41 PM	31	gradCels
SC PITUR DORU SNC	pH	7/10/2016 9:44:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/10/2016 9:39:40 PM	13	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 9:39:03 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	7/10/2016 9:39:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 9:39:01 PM	31	gradCels
SC PITUR DORU SNC	pH	7/10/2016 9:39:00 PM	8	unit pH
SC PITUR DORU SNC	Clor	7/10/2016 9:38:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 9:38:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/10/2016 9:37:50 PM	13	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 9:37:40 PM	31	gradCels
SC PITUR DORU SNC	pH	7/10/2016 9:35:50 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/10/2016 9:34:40 PM	13	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 9:33:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 9:33:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 9:33:41 PM	31	gradCels
SC PITUR DORU SNC	pH	7/10/2016 9:33:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/10/2016 9:28:40 PM	13	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 9:28:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 9:28:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 9:28:01 PM	31	gradCels
SC PITUR DORU SNC	pH	7/10/2016 9:28:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/10/2016 9:23:40 PM	13	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 9:22:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 9:22:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 9:22:41 PM	31	gradCels
SC PITUR DORU SNC	pH	7/10/2016 9:22:40 PM	8	unit pH
SC PITUR DORU SNC	Clor	7/10/2016 9:17:04 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 9:17:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/10/2016 9:17:02 PM	13	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 9:17:01 PM	31	gradCels
SC PITUR DORU SNC	pH	7/10/2016 9:17:00 PM	8	unit pH
SC PITUR DORU SNC	Clor	7/10/2016 9:16:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 9:16:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/10/2016 9:16:10 PM	13	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 9:16:00 PM	31	gradCels
SC PITUR DORU SNC	pH	7/10/2016 9:15:50 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/10/2016 9:11:45 PM	13	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 9:11:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 9:11:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 9:11:41 PM	31	gradCels
SC PITUR DORU SNC	pH	7/10/2016 9:11:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/10/2016 9:06:40 PM	13	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 9:06:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 9:06:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 9:06:01 PM	31	gradCels
SC PITUR DORU SNC	pH	7/10/2016 9:06:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/10/2016 9:00:29 PM	13	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 9:00:26 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 9:00:24 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 9:00:22 PM	31	gradCels
SC PITUR DORU SNC	pH	7/10/2016 9:00:21 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/10/2016 8:55:40 PM	13	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 8:55:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 8:55:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 8:55:01 PM	31	gradCels
SC PITUR DORU SNC	pH	7/10/2016 8:55:00 PM	8	unit pH
SC PITUR DORU SNC	Clor	7/10/2016 8:54:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 8:54:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/10/2016 8:54:10 PM	13	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 8:54:00 PM	31	gradCels
SC PITUR DORU SNC	pH	7/10/2016 8:53:50 PM	8	unit pH
SC PITUR DORU SNC	Clor	7/10/2016 8:49:24 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 8:49:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/10/2016 8:49:22 PM	13	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 8:49:21 PM	31	gradCels
SC PITUR DORU SNC	pH	7/10/2016 8:49:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/10/2016 8:44:40 PM	13	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 8:44:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 8:44:02 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Temp	7/10/2016 8:44:01 PM	31	gradCels
SC PITUR DORU SNC	pH	7/10/2016 8:44:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/10/2016 8:38:25 PM	13	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 8:38:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 8:38:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 8:38:21 PM	31	gradCels
SC PITUR DORU SNC	pH	7/10/2016 8:38:20 PM	8	unit pH
SC PITUR DORU SNC	Clor	7/10/2016 8:33:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/10/2016 8:33:40 PM	13	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 8:33:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 8:33:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 8:33:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 8:33:01 PM	31	gradCels
SC PITUR DORU SNC	pH	7/10/2016 8:33:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/10/2016 8:32:40 PM	13	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 8:32:30 PM	31	gradCels
SC PITUR DORU SNC	pH	7/10/2016 8:32:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/10/2016 8:27:25 PM	13	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 8:27:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 8:27:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 8:27:21 PM	31	gradCels
SC PITUR DORU SNC	pH	7/10/2016 8:27:20 PM	8	unit pH
SC PITUR DORU SNC	Clor	7/10/2016 8:22:04 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 8:22:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/10/2016 8:22:02 PM	13	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 8:22:01 PM	31	gradCels
SC PITUR DORU SNC	pH	7/10/2016 8:22:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/10/2016 8:16:25 PM	13	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 8:16:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 8:16:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 8:16:21 PM	31	gradCels
SC PITUR DORU SNC	pH	7/10/2016 8:16:20 PM	8	unit pH
SC PITUR DORU SNC	Clor	7/10/2016 8:15:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 8:15:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/10/2016 8:15:00 PM	13	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 8:13:10 PM	31	gradCels
SC PITUR DORU SNC	pH	7/10/2016 8:13:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/10/2016 8:11:40 PM	13	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 8:11:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 8:11:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 8:11:01 PM	31	gradCels
SC PITUR DORU SNC	pH	7/10/2016 8:11:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/10/2016 8:05:25 PM	13	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 8:05:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 8:05:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 8:05:21 PM	31	gradCels
SC PITUR DORU SNC	pH	7/10/2016 8:05:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/10/2016 8:00:40 PM	13	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 7:59:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 7:59:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 7:59:41 PM	31	gradCels
SC PITUR DORU SNC	pH	7/10/2016 7:59:40 PM	8	unit pH
SC PITUR DORU SNC	Clor	7/10/2016 7:55:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 7:54:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/10/2016 7:54:40 PM	13	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 7:54:30 PM	31	gradCels
SC PITUR DORU SNC	Substante organice	7/10/2016 7:54:25 PM	13	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 7:54:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 7:54:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 7:54:21 PM	31	gradCels
SC PITUR DORU SNC	pH	7/10/2016 7:54:20 PM	8	unit pH
SC PITUR DORU SNC	pH	7/10/2016 7:54:00 PM	8	unit pH
SC PITUR DORU SNC	Clor	7/10/2016 7:48:44 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 7:48:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/10/2016 7:48:42 PM	13	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 7:48:41 PM	31	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	7/10/2016 7:48:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/10/2016 7:43:25 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 7:43:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 7:43:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 7:43:21 PM	31	gradCels
SC PITUR DORU SNC	pH	7/10/2016 7:43:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/10/2016 7:38:25 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 7:38:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 7:38:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 7:38:21 PM	31	gradCels
SC PITUR DORU SNC	pH	7/10/2016 7:38:20 PM	8	unit pH
SC PITUR DORU SNC	Clor	7/10/2016 7:36:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 7:36:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/10/2016 7:34:30 PM	14	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 7:34:20 PM	31	gradCels
SC PITUR DORU SNC	pH	7/10/2016 7:34:10 PM	8	unit pH
SC PITUR DORU SNC	pH	7/10/2016 7:33:25 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/10/2016 7:33:24 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 7:33:22 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 7:33:21 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 7:33:20 PM	31	gradCels
SC PITUR DORU SNC	Substante organice	7/10/2016 7:28:40 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 7:27:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 7:27:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 7:27:41 PM	31	gradCels
SC PITUR DORU SNC	pH	7/10/2016 7:27:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/10/2016 7:22:25 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 7:22:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 7:22:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 7:22:21 PM	31	gradCels
SC PITUR DORU SNC	pH	7/10/2016 7:22:20 PM	8	unit pH
SC PITUR DORU SNC	Clor	7/10/2016 7:16:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 7:16:44 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 7:16:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/10/2016 7:16:42 PM	14	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 7:16:41 PM	31	gradCels
SC PITUR DORU SNC	pH	7/10/2016 7:16:40 PM	8	unit pH
SC PITUR DORU SNC	Grasimi	7/10/2016 7:16:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/10/2016 7:16:10 PM	14	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 7:16:00 PM	30	gradCels
SC PITUR DORU SNC	pH	7/10/2016 7:15:50 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/10/2016 7:11:25 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 7:11:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 7:11:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 7:11:21 PM	30	gradCels
SC PITUR DORU SNC	pH	7/10/2016 7:11:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/10/2016 7:06:40 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 7:05:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 7:05:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 7:05:41 PM	30	gradCels
SC PITUR DORU SNC	pH	7/10/2016 7:05:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/10/2016 7:00:25 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 7:00:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 7:00:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 7:00:21 PM	30	gradCels
SC PITUR DORU SNC	pH	7/10/2016 7:00:20 PM	8	unit pH
SC PITUR DORU SNC	Clor	7/10/2016 6:58:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 6:56:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/10/2016 6:56:10 PM	14	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 6:56:00 PM	30	gradCels
SC PITUR DORU SNC	pH	7/10/2016 6:55:50 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/10/2016 6:55:40 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 6:54:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 6:54:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 6:54:41 PM	30	gradCels
SC PITUR DORU SNC	pH	7/10/2016 6:54:40 PM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	7/10/2016 6:49:24 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 6:49:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/10/2016 6:49:22 PM	14	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 6:49:21 PM	30	gradCels
SC PITUR DORU SNC	pH	7/10/2016 6:49:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/10/2016 6:44:40 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 6:43:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 6:43:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 6:43:41 PM	30	gradCels
SC PITUR DORU SNC	pH	7/10/2016 6:43:40 PM	8	unit pH
SC PITUR DORU SNC	Clor	7/10/2016 6:38:30 PM	0	mg/l
SC PITUR DORU SNC	pH	7/10/2016 6:38:25 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/10/2016 6:38:24 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 6:38:22 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 6:38:21 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 6:38:20 PM	30	gradCels
SC PITUR DORU SNC	Grasimi	7/10/2016 6:37:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/10/2016 6:37:40 PM	14	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 6:37:30 PM	30	gradCels
SC PITUR DORU SNC	pH	7/10/2016 6:37:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/10/2016 6:33:40 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 6:32:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 6:32:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 6:32:41 PM	30	gradCels
SC PITUR DORU SNC	pH	7/10/2016 6:32:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/10/2016 6:27:24 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 6:27:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 6:27:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 6:27:21 PM	30	gradCels
SC PITUR DORU SNC	pH	7/10/2016 6:27:20 PM	8	unit pH
SC PITUR DORU SNC	Clor	7/10/2016 6:21:44 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 6:21:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/10/2016 6:21:42 PM	14	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 6:21:41 PM	30	gradCels
SC PITUR DORU SNC	pH	7/10/2016 6:21:40 PM	8	unit pH
SC PITUR DORU SNC	Clor	7/10/2016 6:20:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 6:20:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/10/2016 6:20:20 PM	14	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 6:20:10 PM	30	gradCels
SC PITUR DORU SNC	pH	7/10/2016 6:20:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/10/2016 6:16:40 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 6:16:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 6:16:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 6:16:01 PM	30	gradCels
SC PITUR DORU SNC	pH	7/10/2016 6:16:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/10/2016 6:11:40 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 6:10:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 6:10:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 6:10:41 PM	30	gradCels
SC PITUR DORU SNC	pH	7/10/2016 6:10:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/10/2016 6:05:40 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 6:05:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 6:05:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 6:05:01 PM	30	gradCels
SC PITUR DORU SNC	pH	7/10/2016 6:05:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/10/2016 6:00:40 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 6:00:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 6:00:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/10/2016 5:59:50 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 5:59:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 5:59:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 5:59:41 PM	30	gradCels
SC PITUR DORU SNC	pH	7/10/2016 5:59:40 PM	8	unit pH
SC PITUR DORU SNC	Temp	7/10/2016 5:59:20 PM	30	gradCels
SC PITUR DORU SNC	pH	7/10/2016 5:59:10 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/10/2016 5:54:40 PM	14	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	7/10/2016 5:54:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 5:54:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 5:54:01 PM	30	gradCels
SC PITUR DORU SNC	pH	7/10/2016 5:54:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/10/2016 5:49:40 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 5:48:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 5:48:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 5:48:41 PM	30	gradCels
SC PITUR DORU SNC	pH	7/10/2016 5:48:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/10/2016 5:43:40 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	7/10/2016 5:43:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 5:43:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 5:43:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 5:43:01 PM	30	gradCels
SC PITUR DORU SNC	pH	7/10/2016 5:43:00 PM	8	unit pH
SC PITUR DORU SNC	Clor	7/10/2016 5:41:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 5:41:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/10/2016 5:39:20 PM	14	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 5:39:10 PM	30	gradCels
SC PITUR DORU SNC	pH	7/10/2016 5:39:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/10/2016 5:38:40 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 5:37:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 5:37:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 5:37:41 PM	30	gradCels
SC PITUR DORU SNC	pH	7/10/2016 5:37:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/10/2016 5:32:40 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	7/10/2016 5:32:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 5:32:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 5:32:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 5:32:01 PM	30	gradCels
SC PITUR DORU SNC	pH	7/10/2016 5:32:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/10/2016 5:27:40 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 5:26:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 5:26:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 5:26:41 PM	30	gradCels
SC PITUR DORU SNC	pH	7/10/2016 5:26:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/10/2016 5:21:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 5:21:20 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	7/10/2016 5:21:05 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 5:21:04 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 5:21:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/10/2016 5:21:02 PM	14	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 5:21:01 PM	30	gradCels
SC PITUR DORU SNC	pH	7/10/2016 5:21:00 PM	8	unit pH
SC PITUR DORU SNC	Grasimi	7/10/2016 5:20:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/10/2016 5:20:40 PM	14	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 5:20:30 PM	30	gradCels
SC PITUR DORU SNC	pH	7/10/2016 5:20:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/10/2016 5:16:40 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 5:15:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 5:15:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 5:15:41 PM	30	gradCels
SC PITUR DORU SNC	pH	7/10/2016 5:15:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/10/2016 5:11:40 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 5:10:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 5:10:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 5:10:41 PM	30	gradCels
SC PITUR DORU SNC	pH	7/10/2016 5:10:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/10/2016 5:06:40 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	7/10/2016 5:05:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 5:05:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 5:05:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 5:05:41 PM	29	gradCels
SC PITUR DORU SNC	pH	7/10/2016 5:05:40 PM	8	unit pH
SC PITUR DORU SNC	Clor	7/10/2016 5:02:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/10/2016 5:02:01 PM	14	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	7/10/2016 5:00:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 5:00:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 5:00:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 5:00:41 PM	29	gradCels
SC PITUR DORU SNC	pH	7/10/2016 5:00:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/10/2016 5:00:20 PM	14	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 5:00:10 PM	29	gradCels
SC PITUR DORU SNC	pH	7/10/2016 5:00:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/10/2016 4:57:12 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	7/10/2016 4:55:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 4:55:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 4:55:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 4:55:41 PM	29	gradCels
SC PITUR DORU SNC	pH	7/10/2016 4:55:40 PM	8	unit pH
SC PITUR DORU SNC	Clor	7/10/2016 4:50:44 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 4:50:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/10/2016 4:50:42 PM	14	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 4:50:41 PM	29	gradCels
SC PITUR DORU SNC	pH	7/10/2016 4:50:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/10/2016 4:46:56 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/10/2016 4:46:55 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 4:45:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 4:45:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 4:45:41 PM	29	gradCels
SC PITUR DORU SNC	pH	7/10/2016 4:45:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/10/2016 4:44:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 4:43:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 4:43:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/10/2016 4:43:20 PM	14	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 4:43:10 PM	29	gradCels
SC PITUR DORU SNC	pH	7/10/2016 4:43:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/10/2016 4:41:54 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/10/2016 4:41:52 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 4:40:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 4:40:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 4:40:41 PM	29	gradCels
SC PITUR DORU SNC	pH	7/10/2016 4:40:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/10/2016 4:37:22 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/10/2016 4:37:21 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 4:35:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 4:35:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 4:35:41 PM	29	gradCels
SC PITUR DORU SNC	pH	7/10/2016 4:35:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/10/2016 4:31:59 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/10/2016 4:31:56 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 4:30:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 4:30:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 4:30:41 PM	29	gradCels
SC PITUR DORU SNC	pH	7/10/2016 4:30:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/10/2016 4:27:18 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	7/10/2016 4:27:16 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 4:25:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 4:25:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 4:25:41 PM	29	gradCels
SC PITUR DORU SNC	pH	7/10/2016 4:25:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/10/2016 4:24:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 4:24:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 4:24:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/10/2016 4:24:10 PM	14	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 4:24:00 PM	29	gradCels
SC PITUR DORU SNC	pH	7/10/2016 4:23:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/10/2016 4:21:59 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 4:20:44 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 4:20:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/10/2016 4:20:42 PM	14	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 4:20:41 PM	29	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	7/10/2016 4:20:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/10/2016 4:16:43 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	7/10/2016 4:16:41 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 4:15:25 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 4:15:24 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 4:15:23 PM	29	gradCels
SC PITUR DORU SNC	pH	7/10/2016 4:15:22 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/10/2016 4:14:37 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 4:14:36 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 4:14:35 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/10/2016 4:14:34 PM	14	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 4:14:33 PM	29	gradCels
SC PITUR DORU SNC	pH	7/10/2016 4:14:32 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/10/2016 4:11:40 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	7/10/2016 4:10:58 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 4:10:57 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 4:10:56 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 4:10:55 PM	29	gradCels
SC PITUR DORU SNC	pH	7/10/2016 4:10:54 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/10/2016 4:06:42 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 4:06:02 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 4:06:01 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 4:06:00 PM	29	gradCels
SC PITUR DORU SNC	pH	7/10/2016 4:05:59 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/10/2016 4:02:09 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	7/10/2016 4:01:34 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 4:01:33 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 4:01:32 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 4:01:31 PM	29	gradCels
SC PITUR DORU SNC	pH	7/10/2016 4:01:30 PM	8	unit pH
SC PITUR DORU SNC	Clor	7/10/2016 3:59:38 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 3:59:37 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/10/2016 3:59:36 PM	14	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 3:59:35 PM	29	gradCels
SC PITUR DORU SNC	pH	7/10/2016 3:59:34 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/10/2016 3:56:59 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 3:55:48 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 3:55:47 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 3:55:46 PM	29	gradCels
SC PITUR DORU SNC	pH	7/10/2016 3:55:45 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/10/2016 3:51:48 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 3:50:44 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 3:50:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/10/2016 3:50:42 PM	14	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 3:50:41 PM	29	gradCels
SC PITUR DORU SNC	pH	7/10/2016 3:50:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/10/2016 3:47:25 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/10/2016 3:47:23 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 3:45:48 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 3:45:47 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 3:45:46 PM	29	gradCels
SC PITUR DORU SNC	pH	7/10/2016 3:45:45 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/10/2016 3:44:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 3:43:00 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	7/10/2016 3:42:06 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/10/2016 3:42:04 PM	14	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 3:41:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 3:40:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 3:40:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 3:40:21 PM	29	gradCels
SC PITUR DORU SNC	pH	7/10/2016 3:40:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/10/2016 3:40:00 PM	14	mg/l
SC PITUR DORU SNC	pH	7/10/2016 3:39:49 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/10/2016 3:39:48 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	7/10/2016 3:39:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 3:39:09 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	7/10/2016 3:39:08 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 3:39:07 PM	29	gradCels
SC PITUR DORU SNC	Temp	7/10/2016 3:39:00 PM	29	gradCels
SC PITUR DORU SNC	Substante organice	7/10/2016 3:38:56 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	7/10/2016 3:38:19 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 3:38:18 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 3:38:17 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 3:38:16 PM	29	gradCels
SC PITUR DORU SNC	pH	7/10/2016 3:38:15 PM	8	unit pH
SC PITUR DORU SNC	pH	7/10/2016 3:38:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/10/2016 3:37:59 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	7/10/2016 3:37:57 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 3:37:12 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 3:37:11 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 3:37:10 PM	29	gradCels
SC PITUR DORU SNC	pH	7/10/2016 3:37:09 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/10/2016 3:37:02 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 3:20:24 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 3:20:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/10/2016 3:20:22 PM	14	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 3:20:21 PM	29	gradCels
SC PITUR DORU SNC	pH	7/10/2016 3:20:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/10/2016 3:16:11 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/10/2016 3:16:09 PM	14	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 3:15:23 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 3:15:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 3:15:21 PM	29	gradCels
SC PITUR DORU SNC	pH	7/10/2016 3:15:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/10/2016 3:14:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/10/2016 3:14:21 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 3:10:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 3:10:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 3:10:21 PM	29	gradCels
SC PITUR DORU SNC	pH	7/10/2016 3:10:20 PM	8	unit pH
SC PITUR DORU SNC	pH	7/10/2016 3:06:31 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/10/2016 3:06:27 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	7/10/2016 3:06:25 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 3:05:22 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 3:05:21 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 3:05:20 PM	29	gradCels
SC PITUR DORU SNC	Cianuri	7/10/2016 3:03:16 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 3:03:15 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 3:03:14 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/10/2016 3:03:13 PM	14	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 3:03:12 PM	29	gradCels
SC PITUR DORU SNC	pH	7/10/2016 3:03:11 PM	8	unit pH
SC PITUR DORU SNC	Clor	7/10/2016 3:01:07 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 3:01:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 3:01:05 PM	29	gradCels
SC PITUR DORU SNC	pH	7/10/2016 3:01:04 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/10/2016 2:56:56 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	7/10/2016 2:56:51 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 2:56:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 2:56:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 2:56:01 PM	28	gradCels
SC PITUR DORU SNC	pH	7/10/2016 2:56:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/10/2016 2:51:07 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 2:50:26 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 2:50:24 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/10/2016 2:50:23 PM	14	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 2:50:21 PM	28	gradCels
SC PITUR DORU SNC	pH	7/10/2016 2:50:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/10/2016 2:46:27 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	7/10/2016 2:46:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 2:45:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 2:45:42 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Temp	7/10/2016 2:45:41 PM	28	gradCels
SC PITUR DORU SNC	pH	7/10/2016 2:45:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/10/2016 2:41:16 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 2:41:14 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 2:41:13 PM	0	mg/l
SC PITUR DORU SNC	pH	7/10/2016 2:41:12 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/10/2016 2:41:11 PM	14	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 2:41:10 PM	28	gradCels
SC PITUR DORU SNC	Clor	7/10/2016 2:35:44 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 2:35:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/10/2016 2:35:42 PM	14	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 2:35:41 PM	28	gradCels
SC PITUR DORU SNC	pH	7/10/2016 2:35:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/10/2016 2:30:45 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 2:30:44 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 2:30:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/10/2016 2:30:42 PM	14	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 2:30:41 PM	28	gradCels
SC PITUR DORU SNC	pH	7/10/2016 2:30:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/10/2016 2:12:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/10/2016 2:12:39 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 2:12:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 2:12:19 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 2:12:18 PM	28	gradCels
SC PITUR DORU SNC	pH	7/10/2016 2:12:17 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/10/2016 2:11:44 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	7/10/2016 2:11:21 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 2:11:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 2:11:19 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 2:11:18 PM	28	gradCels
SC PITUR DORU SNC	pH	7/10/2016 2:11:17 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/10/2016 2:10:48 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	7/10/2016 2:10:33 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 2:10:32 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 2:10:31 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 2:10:30 PM	28	gradCels
SC PITUR DORU SNC	pH	7/10/2016 2:10:29 PM	8	unit pH
SC PITUR DORU SNC	pH	7/10/2016 2:09:54 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/10/2016 2:09:53 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	7/10/2016 2:09:34 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 2:09:33 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 2:09:32 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 2:09:31 PM	28	gradCels
SC PITUR DORU SNC	Cianuri	7/10/2016 2:08:37 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 2:08:36 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 2:08:35 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 2:08:34 PM	28	gradCels
SC PITUR DORU SNC	Substante organice	7/10/2016 2:08:33 PM	14	mg/l
SC PITUR DORU SNC	pH	7/10/2016 2:08:32 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/10/2016 2:07:53 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/10/2016 2:07:52 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 2:07:39 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 2:07:37 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 2:07:36 PM	28	gradCels
SC PITUR DORU SNC	pH	7/10/2016 2:07:35 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/10/2016 2:06:59 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/10/2016 2:06:58 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 2:06:42 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 2:06:41 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 2:06:40 PM	28	gradCels
SC PITUR DORU SNC	pH	7/10/2016 2:06:39 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/10/2016 2:06:08 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/10/2016 2:06:04 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 2:05:45 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 2:05:44 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 2:05:43 PM	28	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	7/10/2016 2:05:42 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/10/2016 2:05:14 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/10/2016 2:05:06 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 2:04:42 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 2:04:41 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 2:04:40 PM	28	gradCels
SC PITUR DORU SNC	pH	7/10/2016 2:04:39 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/10/2016 2:04:15 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/10/2016 2:04:14 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 2:03:53 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 2:03:52 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 2:03:51 PM	28	gradCels
SC PITUR DORU SNC	pH	7/10/2016 2:03:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/10/2016 2:03:22 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 2:02:55 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 2:02:54 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/10/2016 2:02:52 PM	14	mg/l
SC PITUR DORU SNC	pH	7/10/2016 2:02:51 PM	8	unit pH
SC PITUR DORU SNC	Temp	7/10/2016 2:02:50 PM	28	gradCels
SC PITUR DORU SNC	Substante organice	7/10/2016 2:02:26 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	7/10/2016 2:01:55 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/10/2016 2:01:54 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/10/2016 2:01:53 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/10/2016 2:01:52 PM	28	gradCels
SC PITUR DORU SNC	pH	7/10/2016 2:01:51 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 7:12:00 PM	25	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 7:11:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 7:09:00 PM	33	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 7:08:00 PM	8	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 6:41:59 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 6:41:02 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 6:41:01 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 6:41:00 PM	29	gradCels
SC PITUR DORU SNC	pH	7/9/2016 6:40:59 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 6:40:15 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 6:40:14 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 6:40:13 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 6:40:12 PM	14	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 6:40:11 PM	29	gradCels
SC PITUR DORU SNC	pH	7/9/2016 6:40:10 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/9/2016 6:36:48 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	7/9/2016 6:36:31 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 6:36:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 6:36:29 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 6:36:28 PM	29	gradCels
SC PITUR DORU SNC	pH	7/9/2016 6:36:27 PM	8	unit pH
SC PITUR DORU SNC	Clor	7/9/2016 6:35:14 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 6:35:13 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 6:35:12 PM	14	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 6:35:11 PM	29	gradCels
SC PITUR DORU SNC	pH	7/9/2016 6:35:10 PM	8	unit pH
SC PITUR DORU SNC	Clor	7/9/2016 6:30:54 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 6:30:53 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 6:30:52 PM	14	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 6:30:51 PM	29	gradCels
SC PITUR DORU SNC	pH	7/9/2016 6:30:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 6:25:58 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 6:25:57 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 6:25:56 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 6:25:55 PM	14	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 6:25:54 PM	29	gradCels
SC PITUR DORU SNC	pH	7/9/2016 6:25:53 PM	8	unit pH
SC PITUR DORU SNC	Clor	7/9/2016 6:24:34 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 6:24:33 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 6:24:32 PM	14	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 6:24:31 PM	29	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	7/9/2016 6:24:30 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/9/2016 6:17:03 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 6:15:49 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 6:15:48 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 6:15:47 PM	29	gradCels
SC PITUR DORU SNC	pH	7/9/2016 6:15:46 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 6:12:18 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 6:12:17 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 6:12:16 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 6:12:15 PM	14	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 6:12:14 PM	29	gradCels
SC PITUR DORU SNC	pH	7/9/2016 6:12:13 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 6:06:48 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 6:06:46 PM	14	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 6:06:28 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 6:06:27 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 6:06:26 PM	29	gradCels
SC PITUR DORU SNC	pH	7/9/2016 6:06:25 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 6:01:56 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 6:01:55 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 6:01:54 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 6:01:53 PM	29	gradCels
SC PITUR DORU SNC	Substante organice	7/9/2016 6:01:52 PM	14	mg/l
SC PITUR DORU SNC	pH	7/9/2016 6:01:51 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 5:56:35 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 5:56:34 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 5:56:33 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 5:56:32 PM	9	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 5:56:31 PM	28	gradCels
SC PITUR DORU SNC	pH	7/9/2016 5:56:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 5:49:49 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 5:49:48 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 5:49:47 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 5:49:46 PM	9	mg/l
SC PITUR DORU SNC	pH	7/9/2016 5:49:45 PM	8	unit pH
SC PITUR DORU SNC	Temp	7/9/2016 5:49:44 PM	28	gradCels
SC PITUR DORU SNC	Substante organice	7/9/2016 5:44:33 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/9/2016 5:44:29 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 5:44:28 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 5:44:27 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 5:44:26 PM	28	gradCels
SC PITUR DORU SNC	pH	7/9/2016 5:44:25 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/9/2016 5:39:43 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/9/2016 5:38:48 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 5:38:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 5:38:46 PM	0	mg/l
SC PITUR DORU SNC	pH	7/9/2016 5:38:45 PM	8	unit pH
SC PITUR DORU SNC	Temp	7/9/2016 5:38:44 PM	28	gradCels
SC PITUR DORU SNC	Cianuri	7/9/2016 5:33:33 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 5:33:32 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 5:33:28 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 5:33:27 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 5:33:26 PM	28	gradCels
SC PITUR DORU SNC	pH	7/9/2016 5:33:25 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/9/2016 5:28:40 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/9/2016 5:27:49 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 5:27:48 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 5:27:47 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 5:27:46 PM	28	gradCels
SC PITUR DORU SNC	pH	7/9/2016 5:27:45 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 5:22:05 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 5:22:04 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 5:22:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 5:22:02 PM	9	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 5:22:01 PM	28	gradCels
SC PITUR DORU SNC	pH	7/9/2016 5:22:00 PM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	7/9/2016 5:17:40 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/9/2016 5:16:48 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 5:16:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 5:16:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 5:16:45 PM	28	gradCels
SC PITUR DORU SNC	pH	7/9/2016 5:16:44 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 5:11:24 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 5:11:23 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 5:11:08 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 5:11:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 5:11:06 PM	28	gradCels
SC PITUR DORU SNC	pH	7/9/2016 5:11:05 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/9/2016 5:06:40 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/9/2016 5:05:48 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 5:05:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 5:05:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 5:05:45 PM	28	gradCels
SC PITUR DORU SNC	pH	7/9/2016 5:05:44 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/9/2016 5:00:23 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/9/2016 5:00:08 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 5:00:07 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 5:00:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 5:00:05 PM	28	gradCels
SC PITUR DORU SNC	pH	7/9/2016 5:00:04 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 4:54:36 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 4:54:35 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 4:54:34 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 4:54:33 PM	9	mg/l
SC PITUR DORU SNC	pH	7/9/2016 4:54:32 PM	8	unit pH
SC PITUR DORU SNC	Temp	7/9/2016 4:54:31 PM	28	gradCels
SC PITUR DORU SNC	Substante organice	7/9/2016 4:49:25 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/9/2016 4:49:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 4:49:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 4:49:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 4:49:01 PM	28	gradCels
SC PITUR DORU SNC	pH	7/9/2016 4:49:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/9/2016 4:44:40 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/9/2016 4:43:33 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 4:43:32 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 4:43:31 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 4:43:30 PM	28	gradCels
SC PITUR DORU SNC	pH	7/9/2016 4:43:29 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/9/2016 4:38:40 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/9/2016 4:38:08 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 4:38:07 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 4:38:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 4:38:05 PM	28	gradCels
SC PITUR DORU SNC	pH	7/9/2016 4:38:04 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/9/2016 4:32:32 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/9/2016 4:32:26 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 4:32:25 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 4:32:24 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 4:32:23 PM	27	gradCels
SC PITUR DORU SNC	pH	7/9/2016 4:32:22 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/9/2016 4:27:40 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/9/2016 4:27:09 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 4:27:08 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 4:27:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 4:27:06 PM	27	gradCels
SC PITUR DORU SNC	pH	7/9/2016 4:27:05 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 4:21:26 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 4:21:25 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 4:21:24 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 4:21:23 PM	9	mg/l
SC PITUR DORU SNC	pH	7/9/2016 4:21:22 PM	8	unit pH
SC PITUR DORU SNC	Temp	7/9/2016 4:21:21 PM	27	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	7/9/2016 4:16:40 PM	10	mg/l
SC PITUR DORU SNC	Cianuri	7/9/2016 4:16:08 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 4:16:07 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 4:16:06 PM	0	mg/l
SC PITUR DORU SNC	pH	7/9/2016 4:16:05 PM	8	unit pH
SC PITUR DORU SNC	Temp	7/9/2016 4:16:04 PM	27	gradCels
SC PITUR DORU SNC	Substante organice	7/9/2016 4:10:43 PM	10	mg/l
SC PITUR DORU SNC	Cianuri	7/9/2016 4:10:42 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 4:10:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 4:10:40 PM	0	mg/l
SC PITUR DORU SNC	pH	7/9/2016 4:10:39 PM	8	unit pH
SC PITUR DORU SNC	Temp	7/9/2016 4:10:38 PM	27	gradCels
SC PITUR DORU SNC	Substante organice	7/9/2016 4:05:24 PM	10	mg/l
SC PITUR DORU SNC	Cianuri	7/9/2016 4:04:48 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 4:04:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 4:04:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 4:04:45 PM	27	gradCels
SC PITUR DORU SNC	pH	7/9/2016 4:04:44 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/9/2016 3:59:38 PM	10	mg/l
SC PITUR DORU SNC	Cianuri	7/9/2016 3:59:33 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 3:59:32 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 3:59:31 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 3:59:30 PM	27	gradCels
SC PITUR DORU SNC	pH	7/9/2016 3:59:29 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/9/2016 3:54:23 PM	10	mg/l
SC PITUR DORU SNC	Cianuri	7/9/2016 3:53:47 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 3:53:46 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 3:53:45 PM	0	mg/l
SC PITUR DORU SNC	pH	7/9/2016 3:53:44 PM	8	unit pH
SC PITUR DORU SNC	Temp	7/9/2016 3:53:43 PM	27	gradCels
SC PITUR DORU SNC	Substante organice	7/9/2016 3:48:30 PM	10	mg/l
SC PITUR DORU SNC	Cianuri	7/9/2016 3:48:25 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 3:48:24 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 3:48:23 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 3:48:22 PM	27	gradCels
SC PITUR DORU SNC	pH	7/9/2016 3:48:21 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/9/2016 3:43:24 PM	10	mg/l
SC PITUR DORU SNC	Cianuri	7/9/2016 3:42:47 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 3:42:46 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 3:42:45 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 3:42:44 PM	27	gradCels
SC PITUR DORU SNC	pH	7/9/2016 3:42:43 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/9/2016 3:37:30 PM	10	mg/l
SC PITUR DORU SNC	Cianuri	7/9/2016 3:37:24 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 3:37:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 3:37:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 3:37:21 PM	27	gradCels
SC PITUR DORU SNC	pH	7/9/2016 3:37:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/9/2016 3:32:23 PM	10	mg/l
SC PITUR DORU SNC	Cianuri	7/9/2016 3:31:46 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 3:31:45 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 3:31:44 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 3:31:43 PM	27	gradCels
SC PITUR DORU SNC	pH	7/9/2016 3:31:42 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/9/2016 3:26:21 PM	10	mg/l
SC PITUR DORU SNC	Cianuri	7/9/2016 3:26:16 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 3:26:15 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 3:26:14 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 3:26:13 PM	27	gradCels
SC PITUR DORU SNC	pH	7/9/2016 3:26:12 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 3:21:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 3:21:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 3:21:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 3:21:01 PM	10	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 3:21:00 PM	27	gradCels
SC PITUR DORU SNC	Substante organice	7/9/2016 3:15:30 PM	10	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	7/9/2016 3:15:24 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 3:15:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 3:15:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 3:15:21 PM	27	gradCels
SC PITUR DORU SNC	pH	7/9/2016 3:15:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/9/2016 3:10:23 PM	10	mg/l
SC PITUR DORU SNC	Cianuri	7/9/2016 3:09:47 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 3:09:46 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 3:09:45 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 3:09:44 PM	27	gradCels
SC PITUR DORU SNC	pH	7/9/2016 3:09:43 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/9/2016 3:04:30 PM	10	mg/l
SC PITUR DORU SNC	Cianuri	7/9/2016 3:04:24 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 3:04:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 3:04:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 3:04:21 PM	27	gradCels
SC PITUR DORU SNC	pH	7/9/2016 3:04:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/9/2016 2:59:40 PM	10	mg/l
SC PITUR DORU SNC	Cianuri	7/9/2016 2:58:49 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 2:58:48 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 2:58:47 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 2:58:46 PM	27	gradCels
SC PITUR DORU SNC	pH	7/9/2016 2:58:45 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 2:53:25 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 2:53:24 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 2:53:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 2:53:22 PM	10	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 2:53:21 PM	27	gradCels
SC PITUR DORU SNC	pH	7/9/2016 2:53:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/9/2016 2:48:40 PM	10	mg/l
SC PITUR DORU SNC	Cianuri	7/9/2016 2:47:45 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 2:47:44 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 2:47:43 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 2:47:42 PM	27	gradCels
SC PITUR DORU SNC	pH	7/9/2016 2:47:41 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 2:42:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 2:42:29 PM	10	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 2:42:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 2:42:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 2:42:21 PM	27	gradCels
SC PITUR DORU SNC	pH	7/9/2016 2:42:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 2:37:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 2:37:40 PM	10	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 2:36:45 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 2:36:44 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 2:36:43 PM	27	gradCels
SC PITUR DORU SNC	pH	7/9/2016 2:36:42 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 2:31:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 2:31:40 PM	10	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 2:31:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 2:31:09 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 2:31:08 PM	27	gradCels
SC PITUR DORU SNC	pH	7/9/2016 2:31:07 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 2:26:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 2:26:40 PM	10	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 2:25:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 2:25:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 2:25:41 PM	26	gradCels
SC PITUR DORU SNC	pH	7/9/2016 2:25:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 2:20:29 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 2:20:24 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 2:20:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 2:20:22 PM	10	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 2:20:21 PM	26	gradCels
SC PITUR DORU SNC	pH	7/9/2016 2:20:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 2:15:41 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	7/9/2016 2:15:40 PM	10	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 2:14:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 2:14:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 2:14:41 PM	26	gradCels
SC PITUR DORU SNC	pH	7/9/2016 2:14:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 2:09:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 2:09:40 PM	10	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 2:09:08 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 2:09:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 2:09:06 PM	26	gradCels
SC PITUR DORU SNC	pH	7/9/2016 2:09:05 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/9/2016 2:04:40 PM	10	mg/l
SC PITUR DORU SNC	Cianuri	7/9/2016 2:03:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 2:03:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 2:03:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 2:03:41 PM	26	gradCels
SC PITUR DORU SNC	pH	7/9/2016 2:03:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/9/2016 1:58:30 PM	10	mg/l
SC PITUR DORU SNC	Cianuri	7/9/2016 1:58:24 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 1:58:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 1:58:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 1:58:21 PM	26	gradCels
SC PITUR DORU SNC	pH	7/9/2016 1:58:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 1:53:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 1:53:40 PM	10	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 1:52:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 1:52:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 1:52:41 PM	26	gradCels
SC PITUR DORU SNC	pH	7/9/2016 1:52:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 1:47:34 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 1:47:33 PM	10	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 1:47:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 1:47:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 1:47:21 PM	26	gradCels
SC PITUR DORU SNC	pH	7/9/2016 1:47:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 1:42:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 1:42:40 PM	10	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 1:41:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 1:41:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 1:41:41 PM	26	gradCels
SC PITUR DORU SNC	pH	7/9/2016 1:41:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 1:36:34 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 1:36:33 PM	10	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 1:36:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 1:36:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 1:36:21 PM	26	gradCels
SC PITUR DORU SNC	pH	7/9/2016 1:36:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 1:31:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 1:31:40 PM	10	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 1:30:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 1:30:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 1:30:41 PM	26	gradCels
SC PITUR DORU SNC	pH	7/9/2016 1:30:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 1:25:33 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 1:25:32 PM	10	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 1:25:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 1:25:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 1:25:21 PM	26	gradCels
SC PITUR DORU SNC	pH	7/9/2016 1:25:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 1:20:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 1:19:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 1:19:46 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 1:19:43 PM	10	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 1:19:41 PM	26	gradCels
SC PITUR DORU SNC	pH	7/9/2016 1:19:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 1:14:35 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	7/9/2016 1:14:34 PM	10	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 1:14:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 1:14:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 1:14:21 PM	26	gradCels
SC PITUR DORU SNC	pH	7/9/2016 1:14:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 1:09:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 1:09:40 PM	10	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 1:08:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 1:08:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 1:08:41 PM	26	gradCels
SC PITUR DORU SNC	pH	7/9/2016 1:08:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 1:03:28 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 1:03:27 PM	10	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 1:03:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 1:03:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 1:03:21 PM	26	gradCels
SC PITUR DORU SNC	pH	7/9/2016 1:03:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 12:58:26 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 12:58:25 PM	10	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 12:57:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 12:57:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 12:57:41 PM	26	gradCels
SC PITUR DORU SNC	pH	7/9/2016 12:57:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 12:52:23 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 12:52:04 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 12:52:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 12:52:02 PM	10	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 12:52:01 PM	26	gradCels
SC PITUR DORU SNC	pH	7/9/2016 12:52:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 12:47:26 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 12:47:25 PM	10	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 12:46:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 12:46:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 12:46:41 PM	26	gradCels
SC PITUR DORU SNC	pH	7/9/2016 12:46:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 12:41:24 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 12:41:23 PM	10	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 12:41:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 12:41:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 12:41:01 PM	26	gradCels
SC PITUR DORU SNC	pH	7/9/2016 12:41:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 12:36:26 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 12:36:25 PM	10	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 12:35:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 12:35:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 12:35:41 PM	26	gradCels
SC PITUR DORU SNC	pH	7/9/2016 12:35:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 12:30:24 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 12:30:23 PM	10	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 12:30:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 12:30:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 12:30:01 PM	26	gradCels
SC PITUR DORU SNC	pH	7/9/2016 12:30:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 12:24:31 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 12:24:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 12:24:29 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 12:24:28 PM	10	mg/l
SC PITUR DORU SNC	pH	7/9/2016 12:24:27 PM	8	unit pH
SC PITUR DORU SNC	Temp	7/9/2016 12:24:26 PM	26	gradCels
SC PITUR DORU SNC	Substante organice	7/9/2016 12:19:24 PM	10	mg/l
SC PITUR DORU SNC	Cianuri	7/9/2016 12:19:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 12:19:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 12:19:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 12:19:01 PM	26	gradCels
SC PITUR DORU SNC	pH	7/9/2016 12:19:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 12:14:27 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	7/9/2016 12:14:26 PM	10	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 12:13:44 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 12:13:43 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 12:13:42 PM	26	gradCels
SC PITUR DORU SNC	pH	7/9/2016 12:13:41 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 12:08:31 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 12:08:30 PM	10	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 12:08:26 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 12:08:25 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 12:08:24 PM	26	gradCels
SC PITUR DORU SNC	pH	7/9/2016 12:08:23 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/9/2016 12:02:42 PM	10	mg/l
SC PITUR DORU SNC	Cianuri	7/9/2016 12:02:41 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 12:02:25 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 12:02:24 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 12:02:23 PM	26	gradCels
SC PITUR DORU SNC	pH	7/9/2016 12:02:22 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 11:57:33 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 11:57:32 AM	10	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 11:57:28 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 11:57:27 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 11:57:26 AM	26	gradCels
SC PITUR DORU SNC	pH	7/9/2016 11:57:25 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 11:51:41 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 11:51:26 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 11:51:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 11:51:24 AM	10	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 11:51:23 AM	26	gradCels
SC PITUR DORU SNC	pH	7/9/2016 11:51:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 11:46:28 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 11:46:27 AM	10	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 11:46:26 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 11:46:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 11:46:24 AM	26	gradCels
SC PITUR DORU SNC	pH	7/9/2016 11:46:23 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 11:40:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 11:40:41 AM	10	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 11:40:25 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 11:40:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 11:40:23 AM	26	gradCels
SC PITUR DORU SNC	pH	7/9/2016 11:40:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 11:35:27 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 11:35:26 AM	10	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 11:35:25 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 11:35:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 11:35:23 AM	26	gradCels
SC PITUR DORU SNC	pH	7/9/2016 11:35:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 11:29:51 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 11:29:49 AM	10	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 11:29:46 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 11:29:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 11:29:44 AM	26	gradCels
SC PITUR DORU SNC	pH	7/9/2016 11:29:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 11:24:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 11:24:06 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 11:24:05 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 11:24:04 AM	10	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 11:24:03 AM	26	gradCels
SC PITUR DORU SNC	pH	7/9/2016 11:24:02 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 11:18:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 11:18:41 AM	10	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 11:18:25 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 11:18:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 11:18:23 AM	26	gradCels
SC PITUR DORU SNC	pH	7/9/2016 11:18:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 11:13:21 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	7/9/2016 11:13:20 AM	10	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 11:13:05 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 11:13:04 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 11:13:03 AM	26	gradCels
SC PITUR DORU SNC	pH	7/9/2016 11:13:02 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 11:07:43 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 11:07:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 11:07:41 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 11:07:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 11:07:23 AM	26	gradCels
SC PITUR DORU SNC	pH	7/9/2016 11:07:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 11:02:22 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 11:02:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 11:02:20 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 11:02:05 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 11:02:04 AM	26	gradCels
SC PITUR DORU SNC	pH	7/9/2016 11:02:03 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 10:56:48 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 10:56:47 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 10:56:46 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 10:56:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 10:56:43 AM	26	gradCels
SC PITUR DORU SNC	pH	7/9/2016 10:56:42 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 10:51:21 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 10:51:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 10:51:04 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 10:51:03 AM	10	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 10:51:02 AM	26	gradCels
SC PITUR DORU SNC	pH	7/9/2016 10:51:01 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 10:45:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 10:45:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 10:45:40 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 10:45:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 10:45:23 AM	26	gradCels
SC PITUR DORU SNC	pH	7/9/2016 10:45:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 10:40:27 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 10:40:26 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 10:40:25 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 10:40:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 10:40:23 AM	26	gradCels
SC PITUR DORU SNC	pH	7/9/2016 10:40:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 10:34:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 10:34:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 10:34:40 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 10:34:29 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 10:34:28 AM	26	gradCels
SC PITUR DORU SNC	pH	7/9/2016 10:34:27 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 10:29:22 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 10:29:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 10:29:20 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 10:29:11 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 10:29:10 AM	26	gradCels
SC PITUR DORU SNC	pH	7/9/2016 10:29:09 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 10:23:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 10:23:41 AM	10	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 10:23:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 10:23:29 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 10:23:28 AM	26	gradCels
SC PITUR DORU SNC	pH	7/9/2016 10:23:27 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 10:18:22 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 10:18:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 10:18:20 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 10:18:03 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 10:18:02 AM	26	gradCels
SC PITUR DORU SNC	pH	7/9/2016 10:18:01 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 10:12:42 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	7/9/2016 10:12:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 10:12:40 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 10:12:29 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 10:12:28 AM	26	gradCels
SC PITUR DORU SNC	pH	7/9/2016 10:12:27 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 10:07:22 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 10:07:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 10:07:20 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 10:07:04 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 10:07:03 AM	26	gradCels
SC PITUR DORU SNC	pH	7/9/2016 10:07:02 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 10:01:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 10:01:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 10:01:40 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 10:01:29 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 10:01:28 AM	26	gradCels
SC PITUR DORU SNC	pH	7/9/2016 10:01:27 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 9:56:22 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 9:56:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 9:56:20 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 9:56:11 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 9:56:10 AM	26	gradCels
SC PITUR DORU SNC	pH	7/9/2016 9:56:09 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 9:50:41 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 9:50:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 9:50:31 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 9:50:30 AM	10	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 9:50:29 AM	26	gradCels
SC PITUR DORU SNC	pH	7/9/2016 9:50:28 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 9:45:22 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 9:45:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 9:45:20 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 9:45:04 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 9:45:03 AM	26	gradCels
SC PITUR DORU SNC	pH	7/9/2016 9:45:02 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 9:39:43 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 9:39:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 9:39:41 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 9:39:28 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 9:39:27 AM	26	gradCels
SC PITUR DORU SNC	pH	7/9/2016 9:39:26 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 9:34:22 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 9:34:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 9:34:20 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 9:34:04 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 9:34:03 AM	26	gradCels
SC PITUR DORU SNC	pH	7/9/2016 9:34:02 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 9:28:52 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 9:28:51 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 9:28:50 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 9:28:49 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 9:28:48 AM	26	gradCels
SC PITUR DORU SNC	pH	7/9/2016 9:28:47 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 9:23:22 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 9:23:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 9:23:20 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 9:23:08 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 9:23:07 AM	26	gradCels
SC PITUR DORU SNC	pH	7/9/2016 9:23:06 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 9:18:26 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 9:18:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 9:18:24 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 9:17:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 9:17:42 AM	26	gradCels
SC PITUR DORU SNC	pH	7/9/2016 9:17:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 9:12:22 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	7/9/2016 9:12:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 9:12:20 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 9:12:08 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 9:12:07 AM	26	gradCels
SC PITUR DORU SNC	pH	7/9/2016 9:12:06 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 9:07:26 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 9:07:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 9:07:24 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 9:06:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 9:06:41 AM	26	gradCels
SC PITUR DORU SNC	pH	7/9/2016 9:06:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 9:01:22 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 9:01:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 9:01:20 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 9:01:09 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 9:01:08 AM	26	gradCels
SC PITUR DORU SNC	pH	7/9/2016 9:01:07 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 8:56:26 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 8:56:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 8:56:24 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 8:55:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 8:55:41 AM	26	gradCels
SC PITUR DORU SNC	pH	7/9/2016 8:55:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 8:50:21 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 8:50:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 8:50:08 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 8:50:07 AM	10	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 8:50:06 AM	26	gradCels
SC PITUR DORU SNC	pH	7/9/2016 8:50:05 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 8:45:27 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 8:45:26 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 8:45:25 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 8:44:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 8:44:41 AM	26	gradCels
SC PITUR DORU SNC	pH	7/9/2016 8:44:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 8:39:22 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 8:39:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 8:39:20 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 8:39:07 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 8:39:06 AM	26	gradCels
SC PITUR DORU SNC	pH	7/9/2016 8:39:05 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 8:34:26 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 8:34:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 8:34:24 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 8:33:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 8:33:41 AM	26	gradCels
SC PITUR DORU SNC	pH	7/9/2016 8:33:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 8:28:25 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 8:28:24 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 8:28:23 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 8:28:09 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 8:28:08 AM	26	gradCels
SC PITUR DORU SNC	pH	7/9/2016 8:28:07 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 8:23:25 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 8:23:24 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 8:22:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 8:22:42 AM	10	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 8:22:41 AM	26	gradCels
SC PITUR DORU SNC	pH	7/9/2016 8:22:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 8:17:28 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 8:17:27 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 8:17:26 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 8:17:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 8:17:21 AM	26	gradCels
SC PITUR DORU SNC	pH	7/9/2016 8:17:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 8:12:28 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	7/9/2016 8:12:26 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 8:12:25 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 8:11:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 8:11:41 AM	26	gradCels
SC PITUR DORU SNC	pH	7/9/2016 8:11:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 8:06:28 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 8:06:27 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 8:06:26 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 8:06:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 8:06:21 AM	26	gradCels
SC PITUR DORU SNC	pH	7/9/2016 8:06:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 8:01:27 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 8:01:26 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 8:01:24 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 8:00:34 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 8:00:33 AM	26	gradCels
SC PITUR DORU SNC	pH	7/9/2016 8:00:32 AM	8	unit pH
SC PITUR DORU SNC	Clor	7/9/2016 7:55:28 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	7/9/2016 7:55:27 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 7:55:26 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 7:55:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 7:55:21 AM	26	gradCels
SC PITUR DORU SNC	pH	7/9/2016 7:55:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 7:50:25 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 7:50:24 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 7:49:33 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 7:49:32 AM	10	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 7:49:31 AM	26	gradCels
SC PITUR DORU SNC	pH	7/9/2016 7:49:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 7:44:24 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 7:44:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 7:44:22 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 7:44:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 7:44:01 AM	26	gradCels
SC PITUR DORU SNC	pH	7/9/2016 7:44:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 7:39:26 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 7:39:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 7:39:24 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 7:38:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 7:38:43 AM	26	gradCels
SC PITUR DORU SNC	pH	7/9/2016 7:38:42 AM	8	unit pH
SC PITUR DORU SNC	Clor	7/9/2016 7:33:33 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	7/9/2016 7:33:32 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 7:33:31 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 7:33:27 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 7:33:26 AM	26	gradCels
SC PITUR DORU SNC	pH	7/9/2016 7:33:25 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 7:28:26 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 7:28:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 7:28:24 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 7:27:51 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 7:27:50 AM	26	gradCels
SC PITUR DORU SNC	pH	7/9/2016 7:27:49 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 7:22:34 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 7:22:33 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 7:22:28 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 7:22:27 AM	10	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 7:22:26 AM	26	gradCels
SC PITUR DORU SNC	pH	7/9/2016 7:22:25 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 7:17:26 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 7:17:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 7:17:24 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 7:16:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 7:16:45 AM	26	gradCels
SC PITUR DORU SNC	pH	7/9/2016 7:16:44 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 7:11:34 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	7/9/2016 7:11:33 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 7:11:32 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 7:11:28 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 7:11:27 AM	26	gradCels
SC PITUR DORU SNC	pH	7/9/2016 7:11:26 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 7:06:26 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 7:06:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 7:06:24 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 7:05:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 7:05:44 AM	26	gradCels
SC PITUR DORU SNC	pH	7/9/2016 7:05:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 7:00:36 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 7:00:35 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 7:00:34 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 7:00:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 7:00:29 AM	26	gradCels
SC PITUR DORU SNC	pH	7/9/2016 7:00:28 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 6:55:26 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 6:55:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 6:55:24 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 6:54:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 6:54:43 AM	26	gradCels
SC PITUR DORU SNC	pH	7/9/2016 6:54:42 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 6:49:36 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 6:49:35 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 6:49:34 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 6:49:29 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 6:49:28 AM	26	gradCels
SC PITUR DORU SNC	pH	7/9/2016 6:49:27 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 6:44:27 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 6:44:26 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 6:44:25 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 6:43:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 6:43:44 AM	26	gradCels
SC PITUR DORU SNC	pH	7/9/2016 6:43:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 6:38:33 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 6:38:32 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 6:38:31 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 6:38:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 6:38:29 AM	27	gradCels
SC PITUR DORU SNC	pH	7/9/2016 6:38:28 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 6:33:29 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 6:33:28 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 6:33:27 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 6:32:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 6:32:44 AM	27	gradCels
SC PITUR DORU SNC	pH	7/9/2016 6:32:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 6:27:37 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 6:27:36 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 6:27:35 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 6:27:34 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 6:27:33 AM	27	gradCels
SC PITUR DORU SNC	pH	7/9/2016 6:27:32 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 6:22:26 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 6:22:25 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 6:21:44 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 6:21:43 AM	9	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 6:21:42 AM	27	gradCels
SC PITUR DORU SNC	pH	7/9/2016 6:21:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 6:16:31 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 6:16:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 6:16:29 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 6:16:28 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 6:16:27 AM	27	gradCels
SC PITUR DORU SNC	pH	7/9/2016 6:16:26 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 6:11:22 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	7/9/2016 6:11:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 6:11:20 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 6:10:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 6:10:44 AM	27	gradCels
SC PITUR DORU SNC	pH	7/9/2016 6:10:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 6:05:33 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 6:05:32 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 6:05:31 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 6:05:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 6:05:29 AM	27	gradCels
SC PITUR DORU SNC	pH	7/9/2016 6:05:28 AM	8	unit pH
SC PITUR DORU SNC	Clor	7/9/2016 6:00:22 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	7/9/2016 6:00:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 6:00:20 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 5:59:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 5:59:43 AM	27	gradCels
SC PITUR DORU SNC	pH	7/9/2016 5:59:42 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 5:54:33 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 5:54:32 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 5:54:31 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 5:54:30 AM	9	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 5:54:29 AM	27	gradCels
SC PITUR DORU SNC	pH	7/9/2016 5:54:28 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 5:48:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 5:48:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 5:48:40 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 5:48:27 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 5:48:26 AM	27	gradCels
SC PITUR DORU SNC	pH	7/9/2016 5:48:25 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 5:43:25 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 5:43:24 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 5:43:23 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 5:43:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 5:43:21 AM	27	gradCels
SC PITUR DORU SNC	pH	7/9/2016 5:43:20 AM	8	unit pH
SC PITUR DORU SNC	Clor	7/9/2016 5:38:22 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	7/9/2016 5:38:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 5:38:20 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 5:38:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 5:38:01 AM	27	gradCels
SC PITUR DORU SNC	pH	7/9/2016 5:38:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 5:32:25 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 5:32:24 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 5:32:23 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 5:32:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 5:32:21 AM	27	gradCels
SC PITUR DORU SNC	pH	7/9/2016 5:32:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 5:27:22 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 5:27:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 5:27:20 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 5:27:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 5:27:01 AM	27	gradCels
SC PITUR DORU SNC	pH	7/9/2016 5:27:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 5:21:21 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 5:21:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 5:21:14 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 5:21:13 AM	9	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 5:21:12 AM	27	gradCels
SC PITUR DORU SNC	pH	7/9/2016 5:21:11 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 5:16:25 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 5:16:24 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 5:16:23 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 5:15:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 5:15:43 AM	27	gradCels
SC PITUR DORU SNC	pH	7/9/2016 5:15:42 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 5:10:22 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	7/9/2016 5:10:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 5:10:20 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 5:10:11 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 5:10:10 AM	27	gradCels
SC PITUR DORU SNC	pH	7/9/2016 5:10:09 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 5:05:27 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 5:05:26 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 5:05:25 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 5:04:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 5:04:44 AM	27	gradCels
SC PITUR DORU SNC	pH	7/9/2016 5:04:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 4:59:22 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 4:59:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 4:59:20 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 4:59:12 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 4:59:11 AM	27	gradCels
SC PITUR DORU SNC	pH	7/9/2016 4:59:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 4:54:25 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 4:54:24 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 4:53:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 4:53:44 AM	9	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 4:53:43 AM	27	gradCels
SC PITUR DORU SNC	pH	7/9/2016 4:53:42 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 4:48:22 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 4:48:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 4:48:20 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 4:48:09 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 4:48:08 AM	27	gradCels
SC PITUR DORU SNC	pH	7/9/2016 4:48:07 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 4:43:27 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 4:43:26 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 4:43:25 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 4:42:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 4:42:43 AM	27	gradCels
SC PITUR DORU SNC	pH	7/9/2016 4:42:42 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 4:37:22 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 4:37:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 4:37:20 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 4:37:10 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 4:37:09 AM	27	gradCels
SC PITUR DORU SNC	pH	7/9/2016 4:37:08 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 4:32:26 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 4:32:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 4:32:24 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 4:31:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 4:31:44 AM	27	gradCels
SC PITUR DORU SNC	pH	7/9/2016 4:31:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 4:26:22 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 4:26:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 4:26:20 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 4:26:13 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 4:26:12 AM	27	gradCels
SC PITUR DORU SNC	pH	7/9/2016 4:26:11 AM	8	unit pH
SC PITUR DORU SNC	Clor	7/9/2016 4:21:25 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	7/9/2016 4:21:24 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 4:20:44 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 4:20:43 AM	9	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 4:20:42 AM	27	gradCels
SC PITUR DORU SNC	pH	7/9/2016 4:20:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 4:15:22 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 4:15:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 4:15:20 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 4:15:11 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 4:15:10 AM	27	gradCels
SC PITUR DORU SNC	pH	7/9/2016 4:15:09 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 4:10:26 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	7/9/2016 4:10:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 4:10:24 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 4:09:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 4:09:44 AM	27	gradCels
SC PITUR DORU SNC	pH	7/9/2016 4:09:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 4:04:22 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 4:04:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 4:04:20 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 4:04:09 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 4:04:08 AM	27	gradCels
SC PITUR DORU SNC	pH	7/9/2016 4:04:07 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 3:59:26 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 3:59:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 3:59:24 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 3:58:34 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 3:58:33 AM	27	gradCels
SC PITUR DORU SNC	pH	7/9/2016 3:58:32 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 3:53:25 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 3:53:24 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 3:53:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 3:53:22 AM	9	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 3:53:21 AM	27	gradCels
SC PITUR DORU SNC	pH	7/9/2016 3:53:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 3:48:26 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 3:48:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 3:48:24 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 3:47:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 3:47:43 AM	27	gradCels
SC PITUR DORU SNC	pH	7/9/2016 3:47:42 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 3:42:25 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 3:42:24 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 3:42:23 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 3:42:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 3:42:21 AM	27	gradCels
SC PITUR DORU SNC	pH	7/9/2016 3:42:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 3:37:26 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 3:37:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 3:37:24 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 3:36:33 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 3:36:32 AM	27	gradCels
SC PITUR DORU SNC	pH	7/9/2016 3:36:31 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 3:31:19 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 3:31:18 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 3:31:17 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 3:31:13 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 3:31:12 AM	28	gradCels
SC PITUR DORU SNC	pH	7/9/2016 3:31:11 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 3:26:26 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 3:26:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 3:26:24 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 3:25:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 3:25:41 AM	28	gradCels
SC PITUR DORU SNC	pH	7/9/2016 3:25:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 3:20:22 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 3:20:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 3:20:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 3:20:02 AM	9	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 3:20:01 AM	28	gradCels
SC PITUR DORU SNC	pH	7/9/2016 3:20:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 3:15:27 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 3:15:26 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 3:15:25 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 3:14:32 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 3:14:31 AM	28	gradCels
SC PITUR DORU SNC	pH	7/9/2016 3:14:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 3:09:22 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	7/9/2016 3:09:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 3:09:20 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 3:09:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 3:09:01 AM	28	gradCels
SC PITUR DORU SNC	pH	7/9/2016 3:09:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 3:04:26 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 3:04:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 3:04:24 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 3:03:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 3:03:41 AM	28	gradCels
SC PITUR DORU SNC	pH	7/9/2016 3:03:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 2:58:22 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 2:58:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 2:58:20 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 2:58:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 2:58:01 AM	28	gradCels
SC PITUR DORU SNC	pH	7/9/2016 2:58:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 2:53:21 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 2:53:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 2:52:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 2:52:42 AM	9	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 2:52:41 AM	28	gradCels
SC PITUR DORU SNC	pH	7/9/2016 2:52:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 2:47:26 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 2:47:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 2:47:24 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 2:47:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 2:47:01 AM	28	gradCels
SC PITUR DORU SNC	pH	7/9/2016 2:47:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 2:42:22 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 2:42:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 2:42:20 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 2:41:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 2:41:41 AM	28	gradCels
SC PITUR DORU SNC	pH	7/9/2016 2:41:40 AM	8	unit pH
SC PITUR DORU SNC	Clor	7/9/2016 2:36:25 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	7/9/2016 2:36:24 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 2:36:23 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 2:36:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 2:36:01 AM	28	gradCels
SC PITUR DORU SNC	pH	7/9/2016 2:36:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 2:31:26 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 2:31:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 2:31:24 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 2:30:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 2:30:41 AM	28	gradCels
SC PITUR DORU SNC	pH	7/9/2016 2:30:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 2:25:26 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 2:25:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 2:25:24 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 2:25:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 2:25:01 AM	28	gradCels
SC PITUR DORU SNC	pH	7/9/2016 2:25:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 2:20:22 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 2:20:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 2:20:20 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 2:19:32 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 2:19:31 AM	28	gradCels
SC PITUR DORU SNC	pH	7/9/2016 2:19:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 2:14:26 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 2:14:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 2:14:24 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 2:14:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 2:14:01 AM	28	gradCels
SC PITUR DORU SNC	pH	7/9/2016 2:14:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 2:09:22 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	7/9/2016 2:09:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 2:09:20 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 2:08:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 2:08:43 AM	28	gradCels
SC PITUR DORU SNC	pH	7/9/2016 2:08:42 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 2:03:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 2:03:29 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 2:03:28 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 2:03:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 2:03:23 AM	28	gradCels
SC PITUR DORU SNC	pH	7/9/2016 2:03:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 1:58:22 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 1:58:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 1:58:20 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 1:57:51 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 1:57:50 AM	28	gradCels
SC PITUR DORU SNC	pH	7/9/2016 1:57:49 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 1:52:31 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 1:52:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 1:52:29 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 1:52:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 1:52:22 AM	28	gradCels
SC PITUR DORU SNC	pH	7/9/2016 1:52:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 1:46:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 1:46:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 1:46:40 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 1:46:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 1:46:23 AM	28	gradCels
SC PITUR DORU SNC	pH	7/9/2016 1:46:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 1:41:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 1:41:29 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 1:41:28 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 1:41:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 1:41:23 AM	28	gradCels
SC PITUR DORU SNC	pH	7/9/2016 1:41:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 1:35:43 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 1:35:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 1:35:41 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 1:35:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 1:35:23 AM	28	gradCels
SC PITUR DORU SNC	pH	7/9/2016 1:35:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 1:30:22 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 1:30:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 1:30:20 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 1:30:07 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 1:30:06 AM	28	gradCels
SC PITUR DORU SNC	pH	7/9/2016 1:30:05 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 1:24:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 1:24:41 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 1:24:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 1:24:24 AM	9	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 1:24:23 AM	28	gradCels
SC PITUR DORU SNC	pH	7/9/2016 1:24:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 1:19:22 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 1:19:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 1:19:20 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 1:19:03 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 1:19:02 AM	28	gradCels
SC PITUR DORU SNC	pH	7/9/2016 1:19:01 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 1:13:43 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 1:13:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 1:13:41 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 1:13:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 1:13:23 AM	28	gradCels
SC PITUR DORU SNC	pH	7/9/2016 1:13:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 1:08:22 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	7/9/2016 1:08:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 1:08:20 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 1:08:04 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 1:08:03 AM	28	gradCels
SC PITUR DORU SNC	pH	7/9/2016 1:08:02 AM	8	unit pH
SC PITUR DORU SNC	Clor	7/9/2016 1:02:43 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	7/9/2016 1:02:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 1:02:41 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 1:02:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 1:02:23 AM	28	gradCels
SC PITUR DORU SNC	pH	7/9/2016 1:02:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 12:57:22 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 12:57:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 12:57:20 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 12:57:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 12:57:05 AM	28	gradCels
SC PITUR DORU SNC	pH	7/9/2016 12:57:04 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 12:51:43 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 12:51:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 12:51:41 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 12:51:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 12:51:23 AM	28	gradCels
SC PITUR DORU SNC	pH	7/9/2016 12:51:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 12:46:22 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 12:46:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 12:46:20 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 12:46:04 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 12:46:03 AM	28	gradCels
SC PITUR DORU SNC	pH	7/9/2016 12:46:02 AM	8	unit pH
SC PITUR DORU SNC	Clor	7/9/2016 12:40:43 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	7/9/2016 12:40:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 12:40:41 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 12:40:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 12:40:23 AM	28	gradCels
SC PITUR DORU SNC	pH	7/9/2016 12:40:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 12:35:22 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 12:35:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 12:35:20 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 12:35:04 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 12:35:03 AM	28	gradCels
SC PITUR DORU SNC	pH	7/9/2016 12:35:02 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 12:29:48 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 12:29:47 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 12:29:46 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 12:29:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 12:29:43 AM	28	gradCels
SC PITUR DORU SNC	pH	7/9/2016 12:29:42 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 12:24:21 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 12:24:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 12:24:05 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 12:24:04 AM	9	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 12:24:03 AM	29	gradCels
SC PITUR DORU SNC	pH	7/9/2016 12:24:02 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 12:18:43 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 12:18:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 12:18:41 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 12:18:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 12:18:23 AM	29	gradCels
SC PITUR DORU SNC	pH	7/9/2016 12:18:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 12:13:22 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 12:13:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 12:13:20 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 12:13:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 12:13:05 AM	29	gradCels
SC PITUR DORU SNC	pH	7/9/2016 12:13:04 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 12:07:42 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	7/9/2016 12:07:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 12:07:40 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 12:07:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 12:07:23 AM	29	gradCels
SC PITUR DORU SNC	pH	7/9/2016 12:07:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/9/2016 12:02:22 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/9/2016 12:02:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/9/2016 12:02:20 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/9/2016 12:02:05 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/9/2016 12:02:04 AM	29	gradCels
SC PITUR DORU SNC	pH	7/9/2016 12:02:03 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 11:56:48 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 11:56:47 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 11:56:46 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 11:56:44 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 11:56:43 PM	29	gradCels
SC PITUR DORU SNC	pH	7/8/2016 11:56:42 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 11:51:21 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 11:51:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 11:51:04 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 11:51:03 PM	9	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 11:51:02 PM	29	gradCels
SC PITUR DORU SNC	pH	7/8/2016 11:51:01 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 11:45:42 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 11:45:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 11:45:40 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 11:45:04 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 11:45:03 PM	29	gradCels
SC PITUR DORU SNC	pH	7/8/2016 11:45:02 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 11:40:22 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 11:40:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 11:40:20 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 11:40:05 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 11:40:04 PM	29	gradCels
SC PITUR DORU SNC	pH	7/8/2016 11:40:03 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 11:34:42 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 11:34:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 11:34:40 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 11:34:04 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 11:34:03 PM	29	gradCels
SC PITUR DORU SNC	pH	7/8/2016 11:34:02 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 11:29:17 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 11:29:16 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 11:29:15 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 11:29:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 11:29:06 PM	29	gradCels
SC PITUR DORU SNC	pH	7/8/2016 11:29:05 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 11:23:42 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 11:23:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 11:23:05 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 11:23:04 PM	9	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 11:23:03 PM	29	gradCels
SC PITUR DORU SNC	pH	7/8/2016 11:23:02 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 11:18:22 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 11:18:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 11:18:20 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 11:18:04 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 11:18:03 PM	29	gradCels
SC PITUR DORU SNC	pH	7/8/2016 11:18:02 PM	8	unit pH
SC PITUR DORU SNC	Clor	7/8/2016 11:12:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 11:12:42 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/8/2016 11:12:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 11:12:04 PM	0	mg/l
SC PITUR DORU SNC	pH	7/8/2016 11:12:03 PM	8	unit pH
SC PITUR DORU SNC	Temp	7/8/2016 11:12:02 PM	29	gradCels
SC PITUR DORU SNC	Cianuri	7/8/2016 11:07:23 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	7/8/2016 11:07:22 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 11:07:20 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 11:07:04 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 11:07:03 PM	29	gradCels
SC PITUR DORU SNC	pH	7/8/2016 11:07:02 PM	8	unit pH
SC PITUR DORU SNC	Clor	7/8/2016 11:01:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 11:01:41 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/8/2016 11:01:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 11:01:04 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 11:01:03 PM	29	gradCels
SC PITUR DORU SNC	pH	7/8/2016 11:01:02 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 10:56:22 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 10:56:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 10:56:20 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 10:56:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 10:56:06 PM	29	gradCels
SC PITUR DORU SNC	pH	7/8/2016 10:56:05 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 10:50:43 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 10:50:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 10:50:41 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 10:50:04 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 10:50:03 PM	29	gradCels
SC PITUR DORU SNC	pH	7/8/2016 10:50:02 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 10:45:22 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 10:45:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 10:45:20 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 10:44:45 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 10:44:44 PM	29	gradCels
SC PITUR DORU SNC	pH	7/8/2016 10:44:43 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 10:39:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 10:39:29 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 10:39:28 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 10:39:27 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 10:39:26 PM	29	gradCels
SC PITUR DORU SNC	pH	7/8/2016 10:39:25 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 10:34:22 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 10:34:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 10:34:20 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 10:33:45 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 10:33:44 PM	29	gradCels
SC PITUR DORU SNC	pH	7/8/2016 10:33:43 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 10:28:34 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 10:28:33 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 10:28:32 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 10:28:28 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 10:28:27 PM	29	gradCels
SC PITUR DORU SNC	pH	7/8/2016 10:28:26 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 10:23:21 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 10:23:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 10:22:47 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 10:22:46 PM	9	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 10:22:45 PM	29	gradCels
SC PITUR DORU SNC	pH	7/8/2016 10:22:44 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 10:17:35 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 10:17:34 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 10:17:33 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 10:17:29 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 10:17:28 PM	29	gradCels
SC PITUR DORU SNC	pH	7/8/2016 10:17:27 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 10:12:22 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 10:12:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 10:12:20 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 10:11:48 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 10:11:47 PM	29	gradCels
SC PITUR DORU SNC	pH	7/8/2016 10:11:46 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 10:06:37 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	7/8/2016 10:06:36 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 10:06:35 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 10:06:31 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 10:06:30 PM	29	gradCels
SC PITUR DORU SNC	pH	7/8/2016 10:06:29 PM	8	unit pH
SC PITUR DORU SNC	Clor	7/8/2016 10:01:22 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	7/8/2016 10:01:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 10:01:20 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 10:00:53 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 10:00:52 PM	29	gradCels
SC PITUR DORU SNC	pH	7/8/2016 10:00:51 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 9:55:37 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 9:55:36 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 9:55:32 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 9:55:31 PM	9	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 9:55:30 PM	29	gradCels
SC PITUR DORU SNC	pH	7/8/2016 9:55:29 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 9:49:45 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 9:49:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 9:49:42 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 9:49:29 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 9:49:28 PM	29	gradCels
SC PITUR DORU SNC	pH	7/8/2016 9:49:27 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 9:44:17 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 9:44:16 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 9:44:15 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 9:44:08 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 9:44:07 PM	29	gradCels
SC PITUR DORU SNC	pH	7/8/2016 9:44:06 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 9:38:43 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 9:38:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 9:38:41 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 9:38:28 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 9:38:27 PM	29	gradCels
SC PITUR DORU SNC	pH	7/8/2016 9:38:26 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 9:33:17 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 9:33:16 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 9:33:15 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 9:33:11 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 9:33:10 PM	29	gradCels
SC PITUR DORU SNC	pH	7/8/2016 9:33:09 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 9:27:43 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 9:27:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 9:27:41 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 9:27:28 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 9:27:27 PM	29	gradCels
SC PITUR DORU SNC	pH	7/8/2016 9:27:26 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 9:22:19 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 9:22:18 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 9:22:13 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 9:22:12 PM	9	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 9:22:11 PM	29	gradCels
SC PITUR DORU SNC	pH	7/8/2016 9:22:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 9:16:43 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 9:16:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 9:16:41 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 9:16:28 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 9:16:27 PM	29	gradCels
SC PITUR DORU SNC	pH	7/8/2016 9:16:26 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 9:11:36 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 9:11:35 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 9:11:34 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 9:11:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 9:11:29 PM	29	gradCels
SC PITUR DORU SNC	pH	7/8/2016 9:11:28 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 9:05:45 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	7/8/2016 9:05:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 9:05:41 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 9:05:28 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 9:05:27 PM	29	gradCels
SC PITUR DORU SNC	pH	7/8/2016 9:05:26 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 9:00:38 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 9:00:37 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 9:00:36 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 9:00:32 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 9:00:31 PM	29	gradCels
SC PITUR DORU SNC	pH	7/8/2016 9:00:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 8:54:42 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 8:54:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 8:54:40 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 8:54:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 8:54:29 PM	29	gradCels
SC PITUR DORU SNC	pH	7/8/2016 8:54:28 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 8:49:37 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 8:49:36 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 8:49:35 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 8:49:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 8:49:29 PM	29	gradCels
SC PITUR DORU SNC	pH	7/8/2016 8:49:28 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 8:43:42 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 8:43:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 8:43:40 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 8:43:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 8:43:29 PM	29	gradCels
SC PITUR DORU SNC	pH	7/8/2016 8:43:28 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 8:38:42 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 8:38:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 8:38:40 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 8:38:25 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 8:38:24 PM	29	gradCels
SC PITUR DORU SNC	pH	7/8/2016 8:38:23 PM	8	unit pH
SC PITUR DORU SNC	Clor	7/8/2016 8:33:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 8:33:20 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/8/2016 8:33:07 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 8:33:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 8:33:05 PM	29	gradCels
SC PITUR DORU SNC	pH	7/8/2016 8:33:04 PM	8	unit pH
SC PITUR DORU SNC	Clor	7/8/2016 8:27:52 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 8:27:51 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/8/2016 8:27:49 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 8:27:48 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 8:27:47 PM	29	gradCels
SC PITUR DORU SNC	pH	7/8/2016 8:27:46 PM	8	unit pH
SC PITUR DORU SNC	Clor	7/8/2016 8:22:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 8:22:20 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/8/2016 8:22:08 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 8:22:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 8:22:06 PM	29	gradCels
SC PITUR DORU SNC	pH	7/8/2016 8:22:05 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/8/2016 8:16:41 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/8/2016 8:16:29 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 8:16:28 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 8:16:27 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 8:16:26 PM	29	gradCels
SC PITUR DORU SNC	pH	7/8/2016 8:16:25 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/8/2016 8:11:20 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/8/2016 8:11:09 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 8:11:08 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 8:11:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 8:11:06 PM	29	gradCels
SC PITUR DORU SNC	pH	7/8/2016 8:11:05 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/8/2016 8:05:40 PM	9	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	7/8/2016 8:05:29 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 8:05:28 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 8:05:27 PM	0	mg/l
SC PITUR DORU SNC	pH	7/8/2016 8:05:26 PM	8	unit pH
SC PITUR DORU SNC	Temp	7/8/2016 8:05:25 PM	29	gradCels
SC PITUR DORU SNC	Substante organice	7/8/2016 8:00:14 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/8/2016 8:00:08 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 8:00:07 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 8:00:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 8:00:05 PM	29	gradCels
SC PITUR DORU SNC	pH	7/8/2016 8:00:04 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/8/2016 7:54:41 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/8/2016 7:54:26 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 7:54:25 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 7:54:24 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 7:54:23 PM	29	gradCels
SC PITUR DORU SNC	pH	7/8/2016 7:54:22 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/8/2016 7:49:14 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/8/2016 7:49:08 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 7:49:07 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 7:49:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 7:49:05 PM	29	gradCels
SC PITUR DORU SNC	pH	7/8/2016 7:49:04 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/8/2016 7:43:41 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/8/2016 7:43:06 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 7:43:05 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 7:43:04 PM	0	mg/l
SC PITUR DORU SNC	pH	7/8/2016 7:43:03 PM	8	unit pH
SC PITUR DORU SNC	Temp	7/8/2016 7:43:02 PM	29	gradCels
SC PITUR DORU SNC	Substante organice	7/8/2016 7:38:32 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/8/2016 7:38:28 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 7:38:27 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 7:38:26 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 7:38:25 PM	29	gradCels
SC PITUR DORU SNC	pH	7/8/2016 7:38:24 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/8/2016 7:32:41 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/8/2016 7:32:06 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 7:32:05 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 7:32:04 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 7:32:03 PM	29	gradCels
SC PITUR DORU SNC	pH	7/8/2016 7:32:02 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/8/2016 7:27:19 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/8/2016 7:27:14 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 7:27:13 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 7:27:12 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 7:27:11 PM	29	gradCels
SC PITUR DORU SNC	pH	7/8/2016 7:27:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 7:21:07 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 7:21:06 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 7:21:05 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 7:21:04 PM	9	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 7:21:03 PM	29	gradCels
SC PITUR DORU SNC	pH	7/8/2016 7:21:02 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/8/2016 7:16:20 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/8/2016 7:16:08 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 7:16:07 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 7:16:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 7:16:05 PM	29	gradCels
SC PITUR DORU SNC	pH	7/8/2016 7:16:04 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/8/2016 7:10:41 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/8/2016 7:10:06 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 7:10:05 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 7:10:04 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 7:10:03 PM	29	gradCels
SC PITUR DORU SNC	pH	7/8/2016 7:10:02 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/8/2016 7:05:15 PM	9	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	7/8/2016 7:05:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 7:05:09 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 7:05:08 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 7:05:07 PM	29	gradCels
SC PITUR DORU SNC	pH	7/8/2016 7:05:06 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/8/2016 6:59:41 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/8/2016 6:59:06 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 6:59:05 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 6:59:04 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 6:59:03 PM	29	gradCels
SC PITUR DORU SNC	pH	7/8/2016 6:59:02 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 6:54:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 6:54:09 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 6:54:08 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 6:54:07 PM	9	mg/l
SC PITUR DORU SNC	pH	7/8/2016 6:54:06 PM	8	unit pH
SC PITUR DORU SNC	Temp	7/8/2016 6:54:05 PM	28	gradCels
SC PITUR DORU SNC	Substante organice	7/8/2016 6:48:40 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/8/2016 6:48:06 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 6:48:05 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 6:48:04 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 6:48:03 PM	28	gradCels
SC PITUR DORU SNC	pH	7/8/2016 6:48:02 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 6:43:28 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 6:43:26 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 6:42:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 6:42:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 6:42:45 PM	28	gradCels
SC PITUR DORU SNC	pH	7/8/2016 6:42:44 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/8/2016 6:37:41 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/8/2016 6:37:26 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 6:37:25 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 6:37:24 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 6:37:23 PM	28	gradCels
SC PITUR DORU SNC	pH	7/8/2016 6:37:22 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/8/2016 6:32:15 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/8/2016 6:32:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 6:32:09 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 6:32:08 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 6:32:07 PM	28	gradCels
SC PITUR DORU SNC	pH	7/8/2016 6:32:06 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/8/2016 6:26:48 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/8/2016 6:26:46 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 6:26:45 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 6:26:44 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 6:26:43 PM	28	gradCels
SC PITUR DORU SNC	pH	7/8/2016 6:26:42 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 6:20:49 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 6:20:48 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 6:20:47 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 6:20:46 PM	9	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 6:20:45 PM	28	gradCels
SC PITUR DORU SNC	pH	7/8/2016 6:20:44 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/8/2016 6:15:41 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/8/2016 6:15:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 6:15:29 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 6:15:28 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 6:15:27 PM	28	gradCels
SC PITUR DORU SNC	pH	7/8/2016 6:15:26 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/8/2016 6:10:15 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/8/2016 6:10:07 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 6:10:06 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 6:10:05 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 6:10:04 PM	28	gradCels
SC PITUR DORU SNC	pH	7/8/2016 6:10:03 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/8/2016 6:04:41 PM	9	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	7/8/2016 6:04:26 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 6:04:25 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 6:04:24 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 6:04:23 PM	28	gradCels
SC PITUR DORU SNC	pH	7/8/2016 6:04:22 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/8/2016 5:59:17 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/8/2016 5:59:08 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 5:59:07 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 5:59:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 5:59:05 PM	28	gradCels
SC PITUR DORU SNC	pH	7/8/2016 5:59:04 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 5:53:05 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 5:53:04 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 5:53:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 5:53:02 PM	9	mg/l
SC PITUR DORU SNC	pH	7/8/2016 5:53:01 PM	8	unit pH
SC PITUR DORU SNC	Temp	7/8/2016 5:53:00 PM	28	gradCels
SC PITUR DORU SNC	Substante organice	7/8/2016 5:48:41 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/8/2016 5:48:26 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 5:48:25 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 5:48:24 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 5:48:23 PM	28	gradCels
SC PITUR DORU SNC	pH	7/8/2016 5:48:22 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/8/2016 5:43:00 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/8/2016 5:42:46 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 5:42:45 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 5:42:44 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 5:42:43 PM	28	gradCels
SC PITUR DORU SNC	pH	7/8/2016 5:42:42 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/8/2016 5:37:21 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/8/2016 5:37:06 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 5:37:05 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 5:37:04 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 5:37:03 PM	28	gradCels
SC PITUR DORU SNC	pH	7/8/2016 5:37:02 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/8/2016 5:32:01 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/8/2016 5:31:46 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 5:31:45 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 5:31:44 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 5:31:43 PM	28	gradCels
SC PITUR DORU SNC	pH	7/8/2016 5:31:42 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/8/2016 5:26:30 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/8/2016 5:25:27 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 5:25:26 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 5:25:25 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 5:25:24 PM	28	gradCels
SC PITUR DORU SNC	pH	7/8/2016 5:25:23 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 5:20:47 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 5:20:46 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 5:20:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 5:20:44 PM	9	mg/l
SC PITUR DORU SNC	pH	7/8/2016 5:20:43 PM	8	unit pH
SC PITUR DORU SNC	Temp	7/8/2016 5:20:42 PM	28	gradCels
SC PITUR DORU SNC	Substante organice	7/8/2016 5:15:21 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/8/2016 5:15:06 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 5:15:05 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 5:15:04 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 5:15:03 PM	28	gradCels
SC PITUR DORU SNC	pH	7/8/2016 5:15:02 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/8/2016 5:10:01 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/8/2016 5:09:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 5:09:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 5:09:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 5:09:01 PM	28	gradCels
SC PITUR DORU SNC	pH	7/8/2016 5:09:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/8/2016 5:04:21 PM	9	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	7/8/2016 5:04:06 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 5:04:05 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 5:04:04 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 5:04:03 PM	28	gradCels
SC PITUR DORU SNC	pH	7/8/2016 5:04:02 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/8/2016 4:59:03 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/8/2016 4:58:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 4:58:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 4:58:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 4:58:01 PM	28	gradCels
SC PITUR DORU SNC	pH	7/8/2016 4:58:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 4:53:07 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 4:53:06 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 4:53:05 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 4:53:04 PM	9	mg/l
SC PITUR DORU SNC	pH	7/8/2016 4:53:03 PM	8	unit pH
SC PITUR DORU SNC	Temp	7/8/2016 4:53:02 PM	28	gradCels
SC PITUR DORU SNC	Substante organice	7/8/2016 4:48:02 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/8/2016 4:47:05 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 4:47:04 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 4:47:03 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 4:47:02 PM	27	gradCels
SC PITUR DORU SNC	pH	7/8/2016 4:47:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/8/2016 4:42:21 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/8/2016 4:42:06 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 4:42:05 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 4:42:04 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 4:42:03 PM	27	gradCels
SC PITUR DORU SNC	pH	7/8/2016 4:42:02 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/8/2016 4:37:01 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/8/2016 4:36:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 4:36:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 4:36:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 4:36:01 PM	27	gradCels
SC PITUR DORU SNC	pH	7/8/2016 4:36:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 4:30:34 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 4:30:33 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 4:30:32 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 4:30:31 PM	9	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 4:30:30 PM	27	gradCels
SC PITUR DORU SNC	pH	7/8/2016 4:30:29 PM	8	unit pH
SC PITUR DORU SNC	pH	7/8/2016 4:30:25 PM	8	unit pH
SC PITUR DORU SNC	Temp	7/8/2016 4:30:24 PM	27	gradCels
SC PITUR DORU SNC	Grasimi	7/8/2016 4:30:23 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	7/8/2016 4:30:22 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 4:30:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 4:30:20 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/8/2016 4:25:05 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 4:25:04 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 4:25:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 4:25:02 PM	9	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 4:25:01 PM	27	gradCels
SC PITUR DORU SNC	pH	7/8/2016 4:25:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/8/2016 4:20:21 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/8/2016 4:20:06 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 4:20:05 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 4:20:04 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 4:20:03 PM	27	gradCels
SC PITUR DORU SNC	pH	7/8/2016 4:20:02 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/8/2016 4:14:40 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/8/2016 4:13:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 4:13:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 4:13:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 4:13:41 PM	27	gradCels
SC PITUR DORU SNC	pH	7/8/2016 4:13:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/8/2016 4:09:21 PM	9	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	7/8/2016 4:08:24 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 4:08:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 4:08:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 4:08:21 PM	27	gradCels
SC PITUR DORU SNC	pH	7/8/2016 4:08:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/8/2016 4:03:40 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/8/2016 4:02:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 4:02:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 4:02:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 4:02:41 PM	27	gradCels
SC PITUR DORU SNC	pH	7/8/2016 4:02:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/8/2016 3:58:23 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/8/2016 3:57:24 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 3:57:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 3:57:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 3:57:21 PM	27	gradCels
SC PITUR DORU SNC	pH	7/8/2016 3:57:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 3:51:45 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 3:51:44 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 3:51:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 3:51:42 PM	9	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 3:51:41 PM	27	gradCels
SC PITUR DORU SNC	pH	7/8/2016 3:51:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/8/2016 3:47:20 PM	10	mg/l
SC PITUR DORU SNC	Cianuri	7/8/2016 3:46:24 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 3:46:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 3:46:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 3:46:21 PM	27	gradCels
SC PITUR DORU SNC	pH	7/8/2016 3:46:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 3:41:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 3:41:40 PM	10	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 3:40:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 3:40:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 3:40:41 PM	27	gradCels
SC PITUR DORU SNC	pH	7/8/2016 3:40:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 3:36:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 3:36:20 PM	10	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 3:35:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 3:35:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 3:35:21 PM	27	gradCels
SC PITUR DORU SNC	pH	7/8/2016 3:35:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/8/2016 3:30:43 PM	10	mg/l
SC PITUR DORU SNC	Cianuri	7/8/2016 3:29:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 3:29:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 3:29:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 3:29:41 PM	27	gradCels
SC PITUR DORU SNC	pH	7/8/2016 3:29:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 3:24:25 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 3:24:24 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 3:24:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 3:24:22 PM	10	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 3:24:21 PM	27	gradCels
SC PITUR DORU SNC	pH	7/8/2016 3:24:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 3:19:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 3:19:40 PM	10	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 3:18:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 3:18:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 3:18:41 PM	27	gradCels
SC PITUR DORU SNC	pH	7/8/2016 3:18:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 3:14:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 3:14:20 PM	10	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 3:13:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 3:13:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 3:13:21 PM	27	gradCels
SC PITUR DORU SNC	pH	7/8/2016 3:13:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 3:08:41 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	7/8/2016 3:08:40 PM	10	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 3:07:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 3:07:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 3:07:41 PM	27	gradCels
SC PITUR DORU SNC	pH	7/8/2016 3:07:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 3:03:22 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 3:03:20 PM	10	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 3:02:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 3:02:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 3:02:21 PM	27	gradCels
SC PITUR DORU SNC	pH	7/8/2016 3:02:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 2:57:44 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 2:57:43 PM	10	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 2:56:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 2:56:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 2:56:41 PM	27	gradCels
SC PITUR DORU SNC	pH	7/8/2016 2:56:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 2:52:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 2:51:24 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 2:51:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 2:51:22 PM	10	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 2:51:21 PM	27	gradCels
SC PITUR DORU SNC	pH	7/8/2016 2:51:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/8/2016 2:46:42 PM	10	mg/l
SC PITUR DORU SNC	Cianuri	7/8/2016 2:46:41 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 2:45:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 2:45:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 2:45:41 PM	27	gradCels
SC PITUR DORU SNC	pH	7/8/2016 2:45:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 2:41:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 2:41:20 PM	10	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 2:40:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 2:40:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 2:40:21 PM	27	gradCels
SC PITUR DORU SNC	pH	7/8/2016 2:40:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 2:35:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 2:35:40 PM	10	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 2:35:25 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 2:35:24 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 2:35:23 PM	27	gradCels
SC PITUR DORU SNC	pH	7/8/2016 2:35:22 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 2:30:28 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 2:30:27 PM	10	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 2:30:25 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 2:30:24 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 2:30:23 PM	27	gradCels
SC PITUR DORU SNC	pH	7/8/2016 2:30:22 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 2:24:41 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 2:24:26 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 2:24:25 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 2:24:24 PM	10	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 2:24:23 PM	27	gradCels
SC PITUR DORU SNC	pH	7/8/2016 2:24:22 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 2:19:22 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 2:19:21 PM	10	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 2:19:05 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 2:19:04 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 2:19:03 PM	26	gradCels
SC PITUR DORU SNC	pH	7/8/2016 2:19:02 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 2:13:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 2:13:40 PM	10	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 2:13:25 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 2:13:24 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 2:13:23 PM	26	gradCels
SC PITUR DORU SNC	pH	7/8/2016 2:13:22 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/8/2016 2:08:02 PM	10	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	7/8/2016 2:08:01 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 2:07:45 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 2:07:44 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 2:07:43 PM	26	gradCels
SC PITUR DORU SNC	pH	7/8/2016 2:07:42 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 2:02:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 2:02:41 PM	10	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 2:02:25 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 2:02:24 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 2:02:23 PM	26	gradCels
SC PITUR DORU SNC	pH	7/8/2016 2:02:22 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 1:57:08 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 1:57:07 PM	10	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 1:57:05 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 1:57:04 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 1:57:03 PM	26	gradCels
SC PITUR DORU SNC	pH	7/8/2016 1:57:02 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 1:51:21 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 1:51:06 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 1:51:05 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 1:51:04 PM	10	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 1:51:03 PM	26	gradCels
SC PITUR DORU SNC	pH	7/8/2016 1:51:02 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 1:46:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 1:46:00 PM	10	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 1:45:45 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 1:45:44 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 1:45:43 PM	26	gradCels
SC PITUR DORU SNC	pH	7/8/2016 1:45:42 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 1:40:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 1:40:41 PM	10	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 1:39:36 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 1:39:35 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 1:39:34 PM	26	gradCels
SC PITUR DORU SNC	pH	7/8/2016 1:39:33 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 1:35:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 1:35:01 PM	10	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 1:34:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 1:34:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 1:34:01 PM	26	gradCels
SC PITUR DORU SNC	pH	7/8/2016 1:34:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 1:29:27 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 1:29:26 PM	10	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 1:28:36 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 1:28:35 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 1:28:34 PM	26	gradCels
SC PITUR DORU SNC	pH	7/8/2016 1:28:33 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 1:24:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 1:23:04 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 1:23:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 1:23:02 PM	10	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 1:23:01 PM	26	gradCels
SC PITUR DORU SNC	pH	7/8/2016 1:23:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 1:18:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 1:18:41 PM	10	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 1:17:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 1:17:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 1:17:41 PM	26	gradCels
SC PITUR DORU SNC	pH	7/8/2016 1:17:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 1:13:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 1:13:01 PM	10	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 1:12:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 1:12:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 1:12:01 PM	26	gradCels
SC PITUR DORU SNC	pH	7/8/2016 1:12:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 1:07:42 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	7/8/2016 1:07:41 PM	10	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 1:06:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 1:06:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 1:06:41 PM	26	gradCels
SC PITUR DORU SNC	pH	7/8/2016 1:06:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/8/2016 1:02:02 PM	10	mg/l
SC PITUR DORU SNC	Cianuri	7/8/2016 1:02:01 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 1:01:45 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 1:01:44 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 1:01:43 PM	26	gradCels
SC PITUR DORU SNC	pH	7/8/2016 1:01:42 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 12:56:48 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 12:56:47 PM	10	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 12:56:45 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 12:56:44 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 12:56:43 PM	26	gradCels
SC PITUR DORU SNC	pH	7/8/2016 12:56:42 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 12:51:01 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 12:50:46 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 12:50:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 12:50:44 PM	10	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 12:50:43 PM	26	gradCels
SC PITUR DORU SNC	pH	7/8/2016 12:50:42 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 12:45:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 12:45:41 PM	10	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 12:45:25 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 12:45:24 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 12:45:23 PM	26	gradCels
SC PITUR DORU SNC	pH	7/8/2016 12:45:22 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 12:40:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 12:40:01 PM	10	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 12:39:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 12:39:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 12:39:01 PM	26	gradCels
SC PITUR DORU SNC	pH	7/8/2016 12:39:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 12:34:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 12:34:41 PM	10	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 12:33:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 12:33:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 12:33:41 PM	26	gradCels
SC PITUR DORU SNC	pH	7/8/2016 12:33:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 12:29:04 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 12:29:03 PM	10	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 12:28:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 12:28:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 12:28:01 PM	26	gradCels
SC PITUR DORU SNC	pH	7/8/2016 12:28:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 12:23:41 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 12:23:26 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 12:23:25 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 12:23:24 PM	10	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 12:23:23 PM	26	gradCels
SC PITUR DORU SNC	pH	7/8/2016 12:23:22 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 12:18:12 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 12:18:11 PM	10	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 12:18:06 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 12:18:05 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 12:18:04 PM	26	gradCels
SC PITUR DORU SNC	pH	7/8/2016 12:18:03 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 12:13:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 12:13:01 PM	10	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 12:12:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 12:12:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 12:12:01 PM	26	gradCels
SC PITUR DORU SNC	pH	7/8/2016 12:12:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 12:07:42 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	7/8/2016 12:07:41 PM	10	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 12:06:27 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 12:06:26 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 12:06:25 PM	26	gradCels
SC PITUR DORU SNC	pH	7/8/2016 12:06:24 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 12:02:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 12:02:01 PM	10	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 12:01:45 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 12:01:44 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 12:01:43 PM	26	gradCels
SC PITUR DORU SNC	pH	7/8/2016 12:01:42 PM	8	unit pH
SC PITUR DORU SNC	Clor	7/8/2016 11:56:28 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	7/8/2016 11:56:27 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 11:56:26 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 11:55:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 11:55:24 AM	26	gradCels
SC PITUR DORU SNC	pH	7/8/2016 11:55:23 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 11:51:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 11:51:01 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 11:50:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 11:50:44 AM	10	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 11:50:43 AM	26	gradCels
SC PITUR DORU SNC	pH	7/8/2016 11:50:42 AM	8	unit pH
SC PITUR DORU SNC	Clor	7/8/2016 11:45:43 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	7/8/2016 11:45:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 11:45:41 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 11:44:26 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 11:44:25 AM	26	gradCels
SC PITUR DORU SNC	pH	7/8/2016 11:44:24 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 11:40:03 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 11:40:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 11:40:01 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 11:39:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 11:39:43 AM	26	gradCels
SC PITUR DORU SNC	pH	7/8/2016 11:39:42 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 11:34:43 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 11:34:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 11:34:41 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 11:33:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 11:33:24 AM	26	gradCels
SC PITUR DORU SNC	pH	7/8/2016 11:33:23 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 11:29:03 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 11:29:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 11:29:01 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 11:28:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 11:28:43 AM	26	gradCels
SC PITUR DORU SNC	pH	7/8/2016 11:28:42 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 11:23:41 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 11:23:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 11:22:27 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 11:22:26 AM	10	mg/l
SC PITUR DORU SNC	pH	7/8/2016 11:22:25 AM	8	unit pH
SC PITUR DORU SNC	Temp	7/8/2016 11:22:24 AM	26	gradCels
SC PITUR DORU SNC	Cianuri	7/8/2016 11:18:03 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 11:18:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 11:18:01 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 11:17:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 11:17:43 AM	26	gradCels
SC PITUR DORU SNC	pH	7/8/2016 11:17:42 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 11:12:44 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 11:12:42 AM	10	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 11:12:41 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 11:11:26 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 11:11:25 AM	26	gradCels
SC PITUR DORU SNC	pH	7/8/2016 11:11:24 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 11:07:03 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	7/8/2016 11:07:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 11:07:01 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 11:06:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 11:06:43 AM	26	gradCels
SC PITUR DORU SNC	pH	7/8/2016 11:06:42 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 11:01:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 11:01:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 11:01:40 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 11:00:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 11:00:24 AM	26	gradCels
SC PITUR DORU SNC	pH	7/8/2016 11:00:23 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 10:55:48 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 10:55:47 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 10:55:46 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 10:55:45 AM	10	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 10:55:44 AM	26	gradCels
SC PITUR DORU SNC	pH	7/8/2016 10:55:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 10:50:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 10:50:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 10:50:40 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 10:49:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 10:49:22 AM	26	gradCels
SC PITUR DORU SNC	pH	7/8/2016 10:49:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 10:44:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 10:44:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 10:44:40 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 10:44:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 10:44:24 AM	26	gradCels
SC PITUR DORU SNC	pH	7/8/2016 10:44:23 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 10:39:22 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 10:39:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 10:39:20 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 10:38:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 10:38:21 AM	26	gradCels
SC PITUR DORU SNC	pH	7/8/2016 10:38:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 10:33:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 10:33:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 10:33:40 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 10:33:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 10:33:24 AM	26	gradCels
SC PITUR DORU SNC	pH	7/8/2016 10:33:23 AM	8	unit pH
SC PITUR DORU SNC	Clor	7/8/2016 10:28:25 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	7/8/2016 10:28:24 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 10:28:23 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 10:27:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 10:27:21 AM	26	gradCels
SC PITUR DORU SNC	pH	7/8/2016 10:27:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 10:22:43 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 10:22:42 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 10:21:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 10:21:42 AM	10	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 10:21:41 AM	26	gradCels
SC PITUR DORU SNC	pH	7/8/2016 10:21:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 10:17:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 10:17:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 10:17:00 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 10:16:08 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 10:16:07 AM	26	gradCels
SC PITUR DORU SNC	pH	7/8/2016 10:16:06 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 10:11:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 10:11:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 10:11:40 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 10:10:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 10:10:41 AM	26	gradCels
SC PITUR DORU SNC	pH	7/8/2016 10:10:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 10:06:22 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	7/8/2016 10:06:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 10:06:20 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 10:05:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 10:05:21 AM	26	gradCels
SC PITUR DORU SNC	pH	7/8/2016 10:05:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 10:00:45 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 10:00:44 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 10:00:43 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 9:59:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 9:59:45 AM	26	gradCels
SC PITUR DORU SNC	pH	7/8/2016 9:59:44 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 9:55:01 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 9:55:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 9:54:08 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 9:54:07 AM	10	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 9:54:06 AM	26	gradCels
SC PITUR DORU SNC	pH	7/8/2016 9:54:05 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 9:49:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 9:49:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 9:49:40 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 9:48:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 9:48:41 AM	26	gradCels
SC PITUR DORU SNC	pH	7/8/2016 9:48:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 9:44:32 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 9:44:31 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 9:44:30 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 9:44:29 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 9:44:28 AM	26	gradCels
SC PITUR DORU SNC	pH	7/8/2016 9:44:27 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 9:38:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 9:38:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 9:38:40 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 9:38:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 9:38:29 AM	26	gradCels
SC PITUR DORU SNC	pH	7/8/2016 9:38:28 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 9:33:32 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 9:33:31 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 9:33:30 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 9:33:29 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 9:33:28 AM	26	gradCels
SC PITUR DORU SNC	pH	7/8/2016 9:33:27 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 9:27:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 9:27:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 9:27:40 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 9:27:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 9:27:29 AM	26	gradCels
SC PITUR DORU SNC	pH	7/8/2016 9:27:28 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 9:22:32 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 9:22:31 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 9:22:30 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 9:22:29 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 9:22:28 AM	26	gradCels
SC PITUR DORU SNC	pH	7/8/2016 9:22:27 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/8/2016 9:16:42 AM	10	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 9:16:41 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	7/8/2016 9:16:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 9:16:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 9:16:29 AM	26	gradCels
SC PITUR DORU SNC	pH	7/8/2016 9:16:28 AM	8	unit pH
SC PITUR DORU SNC	Clor	7/8/2016 9:11:43 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	7/8/2016 9:11:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 9:11:41 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 9:10:47 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 9:10:46 AM	26	gradCels
SC PITUR DORU SNC	pH	7/8/2016 9:10:45 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 9:06:22 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	7/8/2016 9:06:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 9:06:20 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 9:05:27 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 9:05:26 AM	26	gradCels
SC PITUR DORU SNC	pH	7/8/2016 9:05:25 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 9:00:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 9:00:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 9:00:40 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 8:59:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 8:59:41 AM	26	gradCels
SC PITUR DORU SNC	pH	7/8/2016 8:59:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 8:55:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 8:55:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 8:54:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 8:54:02 AM	10	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 8:54:01 AM	26	gradCels
SC PITUR DORU SNC	pH	7/8/2016 8:54:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 8:49:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 8:49:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 8:49:40 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 8:48:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 8:48:41 AM	26	gradCels
SC PITUR DORU SNC	pH	7/8/2016 8:48:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 8:44:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 8:44:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 8:44:00 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 8:43:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 8:43:01 AM	26	gradCels
SC PITUR DORU SNC	pH	7/8/2016 8:43:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 8:38:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 8:38:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 8:38:40 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 8:37:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 8:37:41 AM	26	gradCels
SC PITUR DORU SNC	pH	7/8/2016 8:37:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 8:33:03 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 8:33:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 8:33:00 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 8:32:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 8:32:01 AM	26	gradCels
SC PITUR DORU SNC	pH	7/8/2016 8:32:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 8:27:45 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 8:27:44 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 8:27:43 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 8:26:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 8:26:41 AM	26	gradCels
SC PITUR DORU SNC	pH	7/8/2016 8:26:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 8:22:01 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 8:22:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 8:21:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 8:21:02 AM	10	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 8:21:01 AM	26	gradCels
SC PITUR DORU SNC	pH	7/8/2016 8:21:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 8:16:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 8:16:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 8:16:40 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 8:15:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 8:15:41 AM	26	gradCels
SC PITUR DORU SNC	pH	7/8/2016 8:15:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 8:11:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 8:11:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 8:11:00 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 8:10:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 8:10:01 AM	26	gradCels
SC PITUR DORU SNC	pH	7/8/2016 8:10:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 8:05:42 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	7/8/2016 8:05:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 8:05:40 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 8:04:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 8:04:41 AM	27	gradCels
SC PITUR DORU SNC	pH	7/8/2016 8:04:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 8:00:05 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 8:00:04 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 8:00:03 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 7:59:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 7:59:01 AM	27	gradCels
SC PITUR DORU SNC	pH	7/8/2016 7:59:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 7:54:41 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 7:54:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 7:53:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 7:53:42 AM	10	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 7:53:41 AM	27	gradCels
SC PITUR DORU SNC	pH	7/8/2016 7:53:40 AM	8	unit pH
SC PITUR DORU SNC	Clor	7/8/2016 7:49:02 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	7/8/2016 7:49:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 7:49:00 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 7:48:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 7:48:01 AM	27	gradCels
SC PITUR DORU SNC	pH	7/8/2016 7:48:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 7:43:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 7:43:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 7:43:40 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 7:42:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 7:42:41 AM	27	gradCels
SC PITUR DORU SNC	pH	7/8/2016 7:42:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 7:38:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 7:38:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 7:38:00 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 7:37:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 7:37:01 AM	27	gradCels
SC PITUR DORU SNC	pH	7/8/2016 7:37:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 7:32:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 7:32:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 7:32:40 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 7:31:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 7:31:41 AM	27	gradCels
SC PITUR DORU SNC	pH	7/8/2016 7:31:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 7:27:05 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 7:27:04 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 7:27:03 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 7:26:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 7:26:01 AM	27	gradCels
SC PITUR DORU SNC	pH	7/8/2016 7:26:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 7:21:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 7:21:41 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 7:20:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 7:20:42 AM	9	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 7:20:41 AM	27	gradCels
SC PITUR DORU SNC	pH	7/8/2016 7:20:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 7:16:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 7:16:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 7:16:00 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 7:15:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 7:15:01 AM	27	gradCels
SC PITUR DORU SNC	pH	7/8/2016 7:15:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 7:10:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 7:10:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 7:10:40 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 7:09:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 7:09:41 AM	27	gradCels
SC PITUR DORU SNC	pH	7/8/2016 7:09:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 7:05:02 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	7/8/2016 7:05:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 7:05:00 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 7:04:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 7:04:01 AM	27	gradCels
SC PITUR DORU SNC	pH	7/8/2016 7:04:00 AM	8	unit pH
SC PITUR DORU SNC	Clor	7/8/2016 6:59:49 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	7/8/2016 6:59:48 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 6:59:47 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 6:58:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 6:58:41 AM	27	gradCels
SC PITUR DORU SNC	pH	7/8/2016 6:58:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 6:54:01 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 6:54:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 6:53:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 6:53:02 AM	9	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 6:53:01 AM	27	gradCels
SC PITUR DORU SNC	pH	7/8/2016 6:53:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 6:48:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 6:48:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 6:48:40 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 6:47:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 6:47:41 AM	27	gradCels
SC PITUR DORU SNC	pH	7/8/2016 6:47:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 6:43:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 6:43:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 6:43:00 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 6:42:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 6:42:01 AM	27	gradCels
SC PITUR DORU SNC	pH	7/8/2016 6:42:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 6:37:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 6:37:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 6:37:40 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 6:36:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 6:36:41 AM	27	gradCels
SC PITUR DORU SNC	pH	7/8/2016 6:36:40 AM	8	unit pH
SC PITUR DORU SNC	Clor	7/8/2016 6:32:02 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	7/8/2016 6:32:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 6:32:00 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 6:31:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 6:31:01 AM	27	gradCels
SC PITUR DORU SNC	pH	7/8/2016 6:31:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 6:26:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 6:26:49 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 6:26:48 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 6:25:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 6:25:41 AM	27	gradCels
SC PITUR DORU SNC	pH	7/8/2016 6:25:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 6:21:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 6:21:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 6:20:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 6:20:02 AM	9	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 6:20:01 AM	27	gradCels
SC PITUR DORU SNC	pH	7/8/2016 6:20:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 6:15:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 6:15:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 6:15:40 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 6:14:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 6:14:41 AM	27	gradCels
SC PITUR DORU SNC	pH	7/8/2016 6:14:40 AM	8	unit pH
SC PITUR DORU SNC	Clor	7/8/2016 6:10:02 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	7/8/2016 6:10:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 6:10:00 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 6:09:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 6:09:01 AM	27	gradCels
SC PITUR DORU SNC	pH	7/8/2016 6:09:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 6:04:42 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	7/8/2016 6:04:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 6:04:40 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 6:03:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 6:03:41 AM	27	gradCels
SC PITUR DORU SNC	pH	7/8/2016 6:03:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 5:59:09 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 5:59:08 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 5:59:07 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 5:58:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 5:58:01 AM	27	gradCels
SC PITUR DORU SNC	pH	7/8/2016 5:58:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 5:53:41 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 5:53:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 5:52:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 5:52:42 AM	9	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 5:52:41 AM	27	gradCels
SC PITUR DORU SNC	pH	7/8/2016 5:52:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 5:48:03 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 5:48:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 5:48:00 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 5:47:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 5:47:01 AM	27	gradCels
SC PITUR DORU SNC	pH	7/8/2016 5:47:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 5:42:22 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 5:42:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 5:42:20 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 5:41:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 5:41:23 AM	27	gradCels
SC PITUR DORU SNC	pH	7/8/2016 5:41:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 5:37:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 5:37:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 5:37:00 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 5:36:07 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 5:36:06 AM	27	gradCels
SC PITUR DORU SNC	pH	7/8/2016 5:36:05 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 5:31:22 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 5:31:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 5:31:20 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 5:31:10 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 5:31:09 AM	27	gradCels
SC PITUR DORU SNC	pH	7/8/2016 5:31:08 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 5:26:09 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 5:26:08 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 5:25:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 5:25:02 AM	9	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 5:25:01 AM	27	gradCels
SC PITUR DORU SNC	pH	7/8/2016 5:25:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 5:20:22 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 5:20:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 5:20:20 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 5:20:11 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 5:20:10 AM	27	gradCels
SC PITUR DORU SNC	pH	7/8/2016 5:20:09 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 5:15:03 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 5:15:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 5:15:00 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 5:14:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 5:14:01 AM	27	gradCels
SC PITUR DORU SNC	pH	7/8/2016 5:14:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 5:09:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 5:09:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 5:09:40 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 5:08:28 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 5:08:27 AM	27	gradCels
SC PITUR DORU SNC	pH	7/8/2016 5:08:26 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 5:04:05 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	7/8/2016 5:04:03 AM	9	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 5:04:02 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 5:03:49 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 5:03:48 AM	27	gradCels
SC PITUR DORU SNC	pH	7/8/2016 5:03:47 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 4:58:32 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 4:58:31 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 4:58:30 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 4:58:28 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 4:58:27 AM	27	gradCels
SC PITUR DORU SNC	pH	7/8/2016 4:58:26 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 4:53:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 4:53:01 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 4:52:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 4:52:02 AM	9	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 4:52:01 AM	27	gradCels
SC PITUR DORU SNC	pH	7/8/2016 4:52:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 4:47:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 4:47:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 4:47:40 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 4:46:29 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 4:46:28 AM	28	gradCels
SC PITUR DORU SNC	pH	7/8/2016 4:46:27 AM	8	unit pH
SC PITUR DORU SNC	Clor	7/8/2016 4:42:03 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	7/8/2016 4:42:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 4:42:00 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 4:41:49 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 4:41:48 AM	28	gradCels
SC PITUR DORU SNC	pH	7/8/2016 4:41:47 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 4:36:43 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 4:36:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 4:36:41 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 4:36:04 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 4:36:03 AM	28	gradCels
SC PITUR DORU SNC	pH	7/8/2016 4:36:02 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 4:31:17 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 4:31:16 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 4:31:15 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 4:31:13 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 4:31:12 AM	28	gradCels
SC PITUR DORU SNC	pH	7/8/2016 4:31:11 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 4:25:22 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 4:25:21 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 4:24:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 4:24:22 AM	9	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 4:24:21 AM	28	gradCels
SC PITUR DORU SNC	pH	7/8/2016 4:24:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 4:20:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 4:20:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 4:20:00 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 4:19:08 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 4:19:07 AM	28	gradCels
SC PITUR DORU SNC	pH	7/8/2016 4:19:06 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 4:14:43 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 4:14:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 4:14:41 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 4:13:32 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 4:13:31 AM	28	gradCels
SC PITUR DORU SNC	pH	7/8/2016 4:13:30 AM	8	unit pH
SC PITUR DORU SNC	Clor	7/8/2016 4:08:43 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	7/8/2016 4:08:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 4:08:40 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 4:08:34 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 4:08:33 AM	28	gradCels
SC PITUR DORU SNC	pH	7/8/2016 4:08:32 AM	8	unit pH
SC PITUR DORU SNC	Clor	7/8/2016 4:03:22 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	7/8/2016 4:03:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 4:03:20 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 4:02:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 4:02:21 AM	28	gradCels
SC PITUR DORU SNC	pH	7/8/2016 4:02:20 AM	8	unit pH
SC PITUR DORU SNC	Clor	7/8/2016 3:57:50 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	7/8/2016 3:57:49 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 3:57:48 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 3:56:47 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 3:56:46 AM	28	gradCels
SC PITUR DORU SNC	pH	7/8/2016 3:56:45 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 3:52:43 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 3:52:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 3:52:41 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 3:51:31 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 3:51:30 AM	28	gradCels
SC PITUR DORU SNC	pH	7/8/2016 3:51:29 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 3:46:43 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 3:46:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 3:46:41 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 3:46:34 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 3:46:33 AM	28	gradCels
SC PITUR DORU SNC	pH	7/8/2016 3:46:32 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 3:41:23 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 3:41:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 3:41:21 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 3:41:09 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 3:41:08 AM	28	gradCels
SC PITUR DORU SNC	pH	7/8/2016 3:41:07 AM	8	unit pH
SC PITUR DORU SNC	Clor	7/8/2016 3:35:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 3:35:41 AM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/8/2016 3:35:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 3:35:29 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 3:35:28 AM	28	gradCels
SC PITUR DORU SNC	pH	7/8/2016 3:35:27 AM	8	unit pH
SC PITUR DORU SNC	Clor	7/8/2016 3:30:38 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	7/8/2016 3:30:37 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 3:30:36 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 3:30:32 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 3:30:31 AM	28	gradCels
SC PITUR DORU SNC	pH	7/8/2016 3:30:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 3:24:43 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 3:24:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 3:24:41 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 3:24:29 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 3:24:28 AM	28	gradCels
SC PITUR DORU SNC	pH	7/8/2016 3:24:27 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 3:19:56 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 3:19:55 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 3:19:54 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 3:19:48 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 3:19:45 AM	28	gradCels
SC PITUR DORU SNC	pH	7/8/2016 3:19:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 3:13:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 3:13:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 3:13:41 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 3:13:29 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 3:13:28 AM	28	gradCels
SC PITUR DORU SNC	pH	7/8/2016 3:13:27 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 3:08:22 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 3:08:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 3:08:20 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 3:08:04 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 3:08:03 AM	28	gradCels
SC PITUR DORU SNC	pH	7/8/2016 3:08:02 AM	8	unit pH
SC PITUR DORU SNC	Clor	7/8/2016 3:02:43 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	7/8/2016 3:02:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 3:02:41 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 3:02:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 3:02:23 AM	28	gradCels
SC PITUR DORU SNC	pH	7/8/2016 3:02:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 2:57:33 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 2:57:32 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 2:57:31 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 2:57:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 2:57:23 AM	28	gradCels
SC PITUR DORU SNC	pH	7/8/2016 2:57:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 2:51:41 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 2:51:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 2:51:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 2:51:24 AM	9	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 2:51:23 AM	28	gradCels
SC PITUR DORU SNC	pH	7/8/2016 2:51:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 2:46:23 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 2:46:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 2:46:21 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 2:46:04 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 2:46:03 AM	28	gradCels
SC PITUR DORU SNC	pH	7/8/2016 2:46:02 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 2:40:43 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 2:40:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 2:40:41 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 2:40:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 2:40:23 AM	28	gradCels
SC PITUR DORU SNC	pH	7/8/2016 2:40:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 2:34:29 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 2:34:28 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 2:34:27 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 2:34:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 2:34:21 AM	28	gradCels
SC PITUR DORU SNC	pH	7/8/2016 2:34:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 2:30:09 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 2:30:08 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 2:30:05 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 2:28:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 2:28:41 AM	28	gradCels
SC PITUR DORU SNC	pH	7/8/2016 2:28:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 2:23:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 2:23:29 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 2:23:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 2:23:22 AM	9	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 2:23:21 AM	28	gradCels
SC PITUR DORU SNC	pH	7/8/2016 2:23:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 2:19:04 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 2:19:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 2:19:01 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 2:17:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 2:17:41 AM	28	gradCels
SC PITUR DORU SNC	pH	7/8/2016 2:17:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 2:13:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 2:13:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 2:13:42 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 2:13:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 2:13:23 AM	28	gradCels
SC PITUR DORU SNC	pH	7/8/2016 2:13:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 2:08:03 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 2:08:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 2:08:01 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 2:07:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 2:07:43 AM	28	gradCels
SC PITUR DORU SNC	pH	7/8/2016 2:07:42 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 2:02:44 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	7/8/2016 2:02:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 2:02:41 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 2:02:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 2:02:23 AM	28	gradCels
SC PITUR DORU SNC	pH	7/8/2016 2:02:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 1:57:08 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 1:57:07 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 1:57:06 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 1:57:04 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 1:57:03 AM	28	gradCels
SC PITUR DORU SNC	pH	7/8/2016 1:57:02 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 1:51:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 1:51:41 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 1:51:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 1:51:24 AM	9	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 1:51:23 AM	28	gradCels
SC PITUR DORU SNC	pH	7/8/2016 1:51:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 1:46:04 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 1:46:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 1:46:01 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 1:45:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 1:45:43 AM	28	gradCels
SC PITUR DORU SNC	pH	7/8/2016 1:45:42 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 1:40:23 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 1:40:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 1:40:21 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 1:40:04 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 1:40:03 AM	28	gradCels
SC PITUR DORU SNC	pH	7/8/2016 1:40:02 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 1:35:03 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 1:35:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 1:35:00 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 1:34:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 1:34:43 AM	28	gradCels
SC PITUR DORU SNC	pH	7/8/2016 1:34:42 AM	8	unit pH
SC PITUR DORU SNC	Clor	7/8/2016 1:29:52 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	7/8/2016 1:29:51 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 1:29:50 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 1:29:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 1:29:43 AM	28	gradCels
SC PITUR DORU SNC	pH	7/8/2016 1:29:42 AM	8	unit pH
SC PITUR DORU SNC	Clor	7/8/2016 1:24:03 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	7/8/2016 1:24:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 1:24:01 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 1:23:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 1:23:43 AM	28	gradCels
SC PITUR DORU SNC	pH	7/8/2016 1:23:42 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 1:18:43 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 1:18:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 1:18:41 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 1:18:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 1:18:23 AM	28	gradCels
SC PITUR DORU SNC	pH	7/8/2016 1:18:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 1:13:05 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 1:13:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 1:13:01 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 1:12:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 1:12:43 AM	28	gradCels
SC PITUR DORU SNC	pH	7/8/2016 1:12:42 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 1:07:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 1:07:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 1:07:41 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 1:07:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 1:07:23 AM	29	gradCels
SC PITUR DORU SNC	pH	7/8/2016 1:07:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 1:02:03 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	7/8/2016 1:02:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 1:02:00 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 1:01:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 1:01:43 AM	29	gradCels
SC PITUR DORU SNC	pH	7/8/2016 1:01:42 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 12:56:58 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 12:56:57 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 12:56:55 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 12:56:44 AM	0	mg/l
SC PITUR DORU SNC	pH	7/8/2016 12:56:43 AM	8	unit pH
SC PITUR DORU SNC	Temp	7/8/2016 12:56:42 AM	29	gradCels
SC PITUR DORU SNC	Cianuri	7/8/2016 12:51:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 12:51:01 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 12:50:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 12:50:44 AM	9	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 12:50:43 AM	29	gradCels
SC PITUR DORU SNC	pH	7/8/2016 12:50:42 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 12:45:43 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 12:45:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 12:45:41 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 12:45:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 12:45:23 AM	29	gradCels
SC PITUR DORU SNC	pH	7/8/2016 12:45:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 12:40:03 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 12:40:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 12:40:01 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 12:39:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 12:39:43 AM	29	gradCels
SC PITUR DORU SNC	pH	7/8/2016 12:39:42 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 12:34:43 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 12:34:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 12:34:41 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 12:34:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 12:34:23 AM	29	gradCels
SC PITUR DORU SNC	pH	7/8/2016 12:34:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 12:29:08 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 12:29:07 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 12:29:06 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 12:29:04 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 12:29:03 AM	29	gradCels
SC PITUR DORU SNC	pH	7/8/2016 12:29:02 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 12:23:41 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 12:23:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 12:23:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 12:23:24 AM	9	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 12:23:23 AM	29	gradCels
SC PITUR DORU SNC	pH	7/8/2016 12:23:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 12:18:03 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 12:18:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 12:18:01 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 12:17:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 12:17:43 AM	29	gradCels
SC PITUR DORU SNC	pH	7/8/2016 12:17:42 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 12:12:43 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 12:12:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 12:12:41 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 12:12:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 12:12:23 AM	29	gradCels
SC PITUR DORU SNC	pH	7/8/2016 12:12:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 12:07:03 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/8/2016 12:07:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 12:07:01 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 12:06:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 12:06:43 AM	29	gradCels
SC PITUR DORU SNC	pH	7/8/2016 12:06:42 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/8/2016 12:01:42 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	7/8/2016 12:01:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/8/2016 12:01:40 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/8/2016 12:01:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/8/2016 12:01:23 AM	29	gradCels
SC PITUR DORU SNC	pH	7/8/2016 12:01:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 11:56:08 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 11:56:07 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 11:56:06 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 11:56:04 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 11:56:03 PM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 11:56:02 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 11:51:02 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 11:51:01 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 11:50:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 11:50:44 PM	9	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 11:50:43 PM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 11:50:42 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 11:45:24 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 11:45:23 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 11:45:21 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 11:45:12 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 11:45:11 PM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 11:45:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 11:40:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 11:40:18 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 11:40:17 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 11:40:16 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 11:40:15 PM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 11:40:14 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 11:34:24 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 11:34:22 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 11:34:21 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 11:34:17 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 11:34:16 PM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 11:34:15 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 11:29:26 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 11:29:24 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 11:29:23 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 11:29:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 11:29:21 PM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 11:29:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 11:23:24 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 11:23:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 11:23:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 11:23:19 PM	9	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 11:23:18 PM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 11:23:17 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 11:18:18 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 11:18:17 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 11:18:16 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 11:18:15 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 11:18:14 PM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 11:18:13 PM	8	unit pH
SC PITUR DORU SNC	Clor	7/7/2016 11:12:23 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	7/7/2016 11:12:22 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 11:12:21 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 11:12:17 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 11:12:16 PM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 11:12:15 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 11:07:17 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 11:07:16 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 11:07:15 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 11:07:14 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 11:07:13 PM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 11:07:12 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 11:02:22 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	7/7/2016 11:02:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 11:02:20 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 11:01:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 11:01:29 PM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 11:01:28 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 10:56:28 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 10:56:27 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 10:56:26 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 10:56:25 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 10:56:24 PM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 10:56:23 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 10:51:21 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 10:51:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 10:50:29 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 10:50:28 PM	9	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 10:50:27 PM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 10:50:26 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 10:45:16 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 10:45:15 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 10:45:14 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 10:45:13 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 10:45:12 PM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 10:45:11 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 10:40:22 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 10:40:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 10:40:20 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 10:39:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 10:39:29 PM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 10:39:28 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 10:34:17 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 10:34:16 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 10:34:15 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 10:34:14 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 10:34:13 PM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 10:34:12 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 10:28:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 10:28:39 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 10:28:38 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 10:28:36 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 10:28:35 PM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 10:28:34 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 10:23:18 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 10:23:15 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 10:23:14 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 10:23:13 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 10:23:12 PM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 10:23:11 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 10:17:24 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 10:17:22 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 10:17:21 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 10:17:18 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 10:17:17 PM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 10:17:16 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 10:12:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 10:12:19 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 10:12:18 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 10:12:17 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 10:12:16 PM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 10:12:15 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 10:06:23 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 10:06:22 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 10:06:21 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 10:06:18 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 10:06:17 PM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 10:06:16 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 10:01:23 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	7/7/2016 10:01:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 10:01:20 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 10:00:59 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 10:00:58 PM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 10:00:57 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/7/2016 9:55:26 PM	8	mg/l
SC PITUR DORU SNC	Cianuri	7/7/2016 9:55:25 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 9:55:24 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 9:55:21 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 9:55:20 PM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 9:55:19 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 9:50:21 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 9:50:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 9:50:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 9:49:59 PM	8	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 9:49:58 PM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 9:49:57 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 9:44:27 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 9:44:26 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 9:44:25 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 9:44:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 9:44:21 PM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 9:44:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 9:39:22 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 9:39:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 9:39:20 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 9:38:58 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 9:38:57 PM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 9:38:56 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 9:33:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 9:33:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 9:33:42 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 9:33:41 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 9:33:40 PM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 9:33:39 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 9:28:08 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 9:28:07 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 9:28:06 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 9:28:04 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 9:28:03 PM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 9:28:02 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 9:22:57 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 9:22:56 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 9:22:55 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 9:22:54 PM	8	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 9:22:53 PM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 9:22:52 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 9:17:22 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 9:17:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 9:17:20 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 9:16:56 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 9:16:55 PM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 9:16:54 PM	8	unit pH
SC PITUR DORU SNC	Clor	7/7/2016 9:11:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 9:11:42 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/7/2016 9:11:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 9:11:37 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 9:11:36 PM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 9:11:35 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 9:06:38 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 9:06:36 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 9:06:35 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 9:06:34 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 9:06:33 PM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 9:06:32 PM	8	unit pH
SC PITUR DORU SNC	Clor	7/7/2016 9:01:04 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	7/7/2016 9:01:03 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/7/2016 9:01:02 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 9:01:01 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 9:01:00 PM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 9:00:59 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 8:55:39 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 8:55:38 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 8:55:37 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 8:55:36 PM	9	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 8:55:35 PM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 8:55:34 PM	8	unit pH
SC PITUR DORU SNC	Clor	7/7/2016 8:49:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 8:49:42 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/7/2016 8:49:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 8:49:39 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 8:49:38 PM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 8:49:37 PM	8	unit pH
SC PITUR DORU SNC	Clor	7/7/2016 8:44:38 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 8:44:37 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/7/2016 8:44:36 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 8:44:35 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 8:44:34 PM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 8:44:33 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/7/2016 8:38:42 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/7/2016 8:38:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 8:38:39 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 8:38:38 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 8:38:37 PM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 8:38:36 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 8:33:17 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 8:33:16 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 8:33:15 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 8:33:14 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 8:33:13 PM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 8:33:12 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/7/2016 8:27:40 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/7/2016 8:27:36 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 8:27:35 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 8:27:34 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 8:27:33 PM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 8:27:32 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 8:22:18 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 8:22:17 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 8:22:16 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 8:22:15 PM	9	mg/l
SC PITUR DORU SNC	pH	7/7/2016 8:22:14 PM	8	unit pH
SC PITUR DORU SNC	Temp	7/7/2016 8:22:13 PM	29	gradCels
SC PITUR DORU SNC	Substante organice	7/7/2016 8:16:41 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/7/2016 8:16:35 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 8:16:34 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 8:16:33 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 8:16:32 PM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 8:16:31 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/7/2016 8:11:20 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/7/2016 8:11:19 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 8:11:18 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 8:11:17 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 8:11:16 PM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 8:11:15 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/7/2016 8:05:40 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/7/2016 8:05:36 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 8:05:35 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 8:05:34 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 8:05:33 PM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 8:05:32 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/7/2016 8:00:21 PM	9	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	7/7/2016 8:00:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 8:00:19 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 8:00:18 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 8:00:17 PM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 8:00:16 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/7/2016 7:54:40 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/7/2016 7:54:36 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 7:54:35 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 7:54:34 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 7:54:33 PM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 7:54:32 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 7:49:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 7:49:19 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 7:49:15 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 7:49:14 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 7:49:13 PM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 7:49:12 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/7/2016 7:43:41 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/7/2016 7:43:38 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 7:43:37 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 7:43:36 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 7:43:35 PM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 7:43:34 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/7/2016 7:38:19 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/7/2016 7:38:18 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 7:38:17 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 7:38:16 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 7:38:15 PM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 7:38:14 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/7/2016 7:32:40 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/7/2016 7:32:37 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 7:32:36 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 7:32:35 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 7:32:34 PM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 7:32:33 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 7:27:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 7:27:20 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 7:27:19 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 7:27:18 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 7:27:17 PM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 7:27:16 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 7:21:38 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 7:21:37 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 7:21:36 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 7:21:35 PM	9	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 7:21:34 PM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 7:21:33 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/7/2016 7:16:17 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/7/2016 7:16:16 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 7:16:15 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 7:16:14 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 7:16:13 PM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 7:16:12 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/7/2016 7:10:41 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/7/2016 7:10:37 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 7:10:36 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 7:10:35 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 7:10:34 PM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 7:10:33 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/7/2016 7:05:18 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/7/2016 7:05:17 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 7:05:16 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 7:05:15 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 7:05:14 PM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 7:05:13 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/7/2016 6:59:58 PM	9	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	7/7/2016 6:59:56 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 6:59:55 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 6:59:54 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 6:59:53 PM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 6:59:52 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 6:54:17 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 6:54:16 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 6:54:15 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 6:54:14 PM	9	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 6:54:13 PM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 6:54:12 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/7/2016 6:48:41 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/7/2016 6:48:38 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 6:48:37 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 6:48:36 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 6:48:35 PM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 6:48:34 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/7/2016 6:43:17 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/7/2016 6:43:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 6:43:09 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 6:43:08 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 6:43:07 PM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 6:43:06 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/7/2016 6:38:01 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/7/2016 6:37:46 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 6:37:45 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 6:37:44 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 6:37:43 PM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 6:37:42 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/7/2016 6:32:40 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/7/2016 6:32:32 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 6:32:31 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 6:32:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 6:32:29 PM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 6:32:28 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/7/2016 6:27:22 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/7/2016 6:27:14 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 6:27:13 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 6:27:12 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 6:27:11 PM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 6:27:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 6:21:41 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 6:21:26 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 6:21:25 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 6:21:24 PM	9	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 6:21:23 PM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 6:21:22 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/7/2016 6:16:19 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/7/2016 6:16:05 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 6:16:04 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 6:16:03 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 6:16:02 PM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 6:16:01 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/7/2016 6:10:40 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/7/2016 6:10:26 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 6:10:25 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 6:10:24 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 6:10:23 PM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 6:10:22 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/7/2016 6:05:21 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/7/2016 6:05:06 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 6:05:05 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 6:05:04 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 6:05:03 PM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 6:05:02 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/7/2016 5:59:41 PM	9	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	7/7/2016 5:59:26 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 5:59:25 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 5:59:24 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 5:59:23 PM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 5:59:22 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 5:54:07 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 5:54:06 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 5:54:05 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 5:54:04 PM	9	mg/l
SC PITUR DORU SNC	pH	7/7/2016 5:54:03 PM	8	unit pH
SC PITUR DORU SNC	Temp	7/7/2016 5:54:02 PM	29	gradCels
SC PITUR DORU SNC	Substante organice	7/7/2016 5:48:21 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/7/2016 5:48:06 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 5:48:05 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 5:48:04 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 5:48:03 PM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 5:48:02 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/7/2016 5:43:21 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/7/2016 5:43:06 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 5:43:05 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 5:43:04 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 5:43:03 PM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 5:43:02 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/7/2016 5:37:23 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/7/2016 5:37:06 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 5:37:05 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 5:37:04 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 5:37:03 PM	28	gradCels
SC PITUR DORU SNC	pH	7/7/2016 5:37:02 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/7/2016 5:32:22 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/7/2016 5:32:14 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 5:32:13 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 5:32:12 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 5:32:11 PM	28	gradCels
SC PITUR DORU SNC	pH	7/7/2016 5:32:10 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/7/2016 5:26:41 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/7/2016 5:26:26 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 5:26:25 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 5:26:24 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 5:26:23 PM	28	gradCels
SC PITUR DORU SNC	pH	7/7/2016 5:26:22 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 5:21:13 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 5:21:12 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 5:21:11 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 5:21:10 PM	9	mg/l
SC PITUR DORU SNC	pH	7/7/2016 5:21:09 PM	8	unit pH
SC PITUR DORU SNC	Temp	7/7/2016 5:21:08 PM	28	gradCels
SC PITUR DORU SNC	Substante organice	7/7/2016 5:15:27 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/7/2016 5:15:18 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 5:15:17 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 5:15:16 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 5:15:15 PM	28	gradCels
SC PITUR DORU SNC	pH	7/7/2016 5:15:14 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/7/2016 5:10:20 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/7/2016 5:10:06 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 5:10:05 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 5:10:04 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 5:10:03 PM	28	gradCels
SC PITUR DORU SNC	pH	7/7/2016 5:10:02 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/7/2016 5:04:22 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/7/2016 5:04:12 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 5:04:11 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 5:04:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 5:04:09 PM	28	gradCels
SC PITUR DORU SNC	pH	7/7/2016 5:04:08 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/7/2016 4:59:22 PM	9	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	7/7/2016 4:59:08 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 4:59:07 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 4:59:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 4:59:05 PM	28	gradCels
SC PITUR DORU SNC	pH	7/7/2016 4:59:04 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 4:53:28 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 4:53:11 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 4:53:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 4:53:09 PM	9	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 4:53:08 PM	28	gradCels
SC PITUR DORU SNC	pH	7/7/2016 4:53:07 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/7/2016 4:48:20 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/7/2016 4:48:11 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 4:48:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 4:48:09 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 4:48:08 PM	28	gradCels
SC PITUR DORU SNC	pH	7/7/2016 4:48:07 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/7/2016 4:42:27 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/7/2016 4:42:11 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 4:42:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 4:42:09 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 4:42:08 PM	28	gradCels
SC PITUR DORU SNC	pH	7/7/2016 4:42:07 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/7/2016 4:37:19 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/7/2016 4:37:11 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 4:37:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 4:37:09 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 4:37:08 PM	28	gradCels
SC PITUR DORU SNC	pH	7/7/2016 4:37:07 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/7/2016 4:31:22 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/7/2016 4:31:07 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 4:31:06 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 4:31:05 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 4:31:04 PM	28	gradCels
SC PITUR DORU SNC	pH	7/7/2016 4:31:03 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 4:26:08 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 4:26:07 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 4:25:58 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 4:25:57 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 4:25:56 PM	28	gradCels
SC PITUR DORU SNC	pH	7/7/2016 4:25:55 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 4:20:25 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 4:20:07 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 4:20:06 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 4:20:05 PM	9	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 4:20:04 PM	28	gradCels
SC PITUR DORU SNC	pH	7/7/2016 4:20:03 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 4:15:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 4:15:20 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 4:14:45 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 4:14:44 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 4:14:43 PM	28	gradCels
SC PITUR DORU SNC	pH	7/7/2016 4:14:42 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/7/2016 4:09:26 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/7/2016 4:09:24 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 4:09:12 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 4:09:11 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 4:09:10 PM	28	gradCels
SC PITUR DORU SNC	pH	7/7/2016 4:09:09 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 4:04:22 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 4:04:20 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 4:03:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 4:03:49 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 4:03:48 PM	28	gradCels
SC PITUR DORU SNC	pH	7/7/2016 4:03:47 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 3:58:40 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	7/7/2016 3:58:38 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 3:58:26 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 3:58:25 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 3:58:24 PM	28	gradCels
SC PITUR DORU SNC	pH	7/7/2016 3:58:23 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 3:52:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 3:52:31 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 3:52:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 3:52:29 PM	9	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 3:52:28 PM	28	gradCels
SC PITUR DORU SNC	pH	7/7/2016 3:52:27 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 3:47:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 3:47:22 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 3:47:06 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 3:47:05 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 3:47:04 PM	28	gradCels
SC PITUR DORU SNC	pH	7/7/2016 3:47:03 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 3:42:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 3:42:20 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 3:41:53 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 3:41:52 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 3:41:51 PM	28	gradCels
SC PITUR DORU SNC	pH	7/7/2016 3:41:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 3:36:26 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 3:36:25 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 3:36:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 3:36:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 3:36:21 PM	28	gradCels
SC PITUR DORU SNC	pH	7/7/2016 3:36:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 3:31:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 3:31:20 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 3:30:55 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 3:30:54 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 3:30:53 PM	28	gradCels
SC PITUR DORU SNC	pH	7/7/2016 3:30:52 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/7/2016 3:25:55 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/7/2016 3:25:54 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 3:25:53 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 3:25:52 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 3:25:51 PM	28	gradCels
SC PITUR DORU SNC	pH	7/7/2016 3:25:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 3:20:38 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 3:20:37 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 3:20:36 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 3:20:35 PM	9	mg/l
SC PITUR DORU SNC	pH	7/7/2016 3:20:34 PM	8	unit pH
SC PITUR DORU SNC	Temp	7/7/2016 3:20:33 PM	28	gradCels
SC PITUR DORU SNC	Cianuri	7/7/2016 3:14:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 3:14:40 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 3:14:34 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 3:14:33 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 3:14:32 PM	28	gradCels
SC PITUR DORU SNC	pH	7/7/2016 3:14:31 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 3:09:37 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 3:09:36 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 3:09:35 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 3:09:34 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 3:09:33 PM	28	gradCels
SC PITUR DORU SNC	pH	7/7/2016 3:09:32 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 3:03:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 3:03:40 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 3:03:34 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 3:03:33 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 3:03:32 PM	28	gradCels
SC PITUR DORU SNC	pH	7/7/2016 3:03:31 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 2:58:18 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	7/7/2016 2:58:17 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 2:58:16 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 2:58:15 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 2:58:14 PM	28	gradCels
SC PITUR DORU SNC	pH	7/7/2016 2:58:13 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/7/2016 2:52:42 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/7/2016 2:52:41 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 2:52:35 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 2:52:34 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 2:52:33 PM	28	gradCels
SC PITUR DORU SNC	pH	7/7/2016 2:52:32 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 2:47:17 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 2:47:16 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 2:47:15 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 2:47:14 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 2:47:13 PM	28	gradCels
SC PITUR DORU SNC	pH	7/7/2016 2:47:12 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/7/2016 2:41:42 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/7/2016 2:41:41 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 2:41:32 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 2:41:31 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 2:41:30 PM	28	gradCels
SC PITUR DORU SNC	pH	7/7/2016 2:41:29 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 2:36:18 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 2:36:17 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 2:36:16 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 2:36:15 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 2:36:14 PM	28	gradCels
SC PITUR DORU SNC	pH	7/7/2016 2:36:13 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 2:30:56 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 2:30:55 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 2:30:53 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 2:30:52 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 2:30:51 PM	28	gradCels
SC PITUR DORU SNC	pH	7/7/2016 2:30:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 2:25:17 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 2:25:16 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 2:25:15 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 2:25:14 PM	9	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 2:25:13 PM	28	gradCels
SC PITUR DORU SNC	pH	7/7/2016 2:25:12 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 2:19:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 2:19:41 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 2:19:35 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 2:19:34 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 2:19:33 PM	28	gradCels
SC PITUR DORU SNC	pH	7/7/2016 2:19:32 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 2:14:16 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 2:14:15 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 2:14:14 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 2:14:13 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 2:14:12 PM	28	gradCels
SC PITUR DORU SNC	pH	7/7/2016 2:14:11 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 2:08:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 2:08:40 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 2:08:33 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 2:08:32 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 2:08:31 PM	28	gradCels
SC PITUR DORU SNC	pH	7/7/2016 2:08:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 2:03:18 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 2:03:17 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 2:03:16 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 2:03:15 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 2:03:14 PM	28	gradCels
SC PITUR DORU SNC	pH	7/7/2016 2:03:13 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 1:57:55 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	7/7/2016 1:57:54 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 1:57:52 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 1:57:51 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 1:57:50 PM	28	gradCels
SC PITUR DORU SNC	pH	7/7/2016 1:57:49 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 1:52:18 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 1:52:17 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 1:52:16 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 1:52:15 PM	9	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 1:52:14 PM	28	gradCels
SC PITUR DORU SNC	pH	7/7/2016 1:52:13 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 1:46:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 1:46:41 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 1:46:33 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 1:46:32 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 1:46:31 PM	27	gradCels
SC PITUR DORU SNC	pH	7/7/2016 1:46:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 1:41:18 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 1:41:17 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 1:41:16 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 1:41:15 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 1:41:14 PM	27	gradCels
SC PITUR DORU SNC	pH	7/7/2016 1:41:13 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 1:35:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 1:35:41 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 1:35:32 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 1:35:31 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 1:35:30 PM	27	gradCels
SC PITUR DORU SNC	pH	7/7/2016 1:35:29 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 1:30:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 1:30:20 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 1:30:19 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 1:30:18 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 1:30:17 PM	27	gradCels
SC PITUR DORU SNC	pH	7/7/2016 1:30:16 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 1:24:41 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 1:24:34 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 1:24:33 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 1:24:32 PM	9	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 1:24:31 PM	27	gradCels
SC PITUR DORU SNC	pH	7/7/2016 1:24:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 1:19:14 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 1:19:13 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 1:19:12 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 1:19:11 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 1:19:10 PM	27	gradCels
SC PITUR DORU SNC	pH	7/7/2016 1:19:09 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 1:13:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 1:13:40 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 1:13:32 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 1:13:31 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 1:13:30 PM	27	gradCels
SC PITUR DORU SNC	pH	7/7/2016 1:13:29 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 1:08:15 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 1:08:14 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 1:08:13 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 1:08:12 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 1:08:11 PM	27	gradCels
SC PITUR DORU SNC	pH	7/7/2016 1:08:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 1:03:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 1:03:02 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 1:02:52 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 1:02:51 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 1:02:50 PM	27	gradCels
SC PITUR DORU SNC	pH	7/7/2016 1:02:49 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 12:57:21 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	7/7/2016 12:57:20 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 12:57:19 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 12:57:18 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 12:57:17 PM	27	gradCels
SC PITUR DORU SNC	pH	7/7/2016 12:57:16 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 12:52:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 12:52:20 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 12:51:51 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 12:51:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 12:51:49 PM	27	gradCels
SC PITUR DORU SNC	pH	7/7/2016 12:51:48 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 12:46:14 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 12:46:13 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 12:46:12 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 12:46:11 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 12:46:10 PM	27	gradCels
SC PITUR DORU SNC	pH	7/7/2016 12:46:09 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 12:41:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 12:41:02 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 12:40:53 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 12:40:52 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 12:40:51 PM	27	gradCels
SC PITUR DORU SNC	pH	7/7/2016 12:40:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 12:35:18 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 12:35:17 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 12:35:16 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 12:35:15 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 12:35:14 PM	27	gradCels
SC PITUR DORU SNC	pH	7/7/2016 12:35:13 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 12:30:17 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 12:30:16 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 12:30:11 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 12:30:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 12:30:09 PM	27	gradCels
SC PITUR DORU SNC	pH	7/7/2016 12:30:08 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 12:24:22 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 12:24:21 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 12:24:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 12:24:19 PM	9	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 12:24:18 PM	27	gradCels
SC PITUR DORU SNC	pH	7/7/2016 12:24:17 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 12:19:17 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 12:19:16 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 12:19:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 12:19:09 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 12:19:08 PM	27	gradCels
SC PITUR DORU SNC	pH	7/7/2016 12:19:07 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 12:13:28 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 12:13:25 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 12:13:05 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 12:13:04 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 12:13:03 PM	27	gradCels
SC PITUR DORU SNC	pH	7/7/2016 12:13:02 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 12:08:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 12:08:19 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 12:08:13 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 12:08:12 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 12:08:11 PM	27	gradCels
SC PITUR DORU SNC	pH	7/7/2016 12:08:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 12:02:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 12:02:20 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 12:02:05 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 12:02:04 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 12:02:03 PM	27	gradCels
SC PITUR DORU SNC	pH	7/7/2016 12:02:02 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 11:57:18 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	7/7/2016 11:57:17 AM	9	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 11:57:11 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 11:57:10 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 11:57:09 AM	27	gradCels
SC PITUR DORU SNC	pH	7/7/2016 11:57:08 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 11:51:21 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 11:51:06 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 11:51:05 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 11:51:04 AM	9	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 11:51:03 AM	27	gradCels
SC PITUR DORU SNC	pH	7/7/2016 11:51:02 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 11:46:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 11:46:19 AM	9	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 11:46:12 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 11:46:11 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 11:46:10 AM	27	gradCels
SC PITUR DORU SNC	pH	7/7/2016 11:46:09 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/7/2016 11:40:22 AM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/7/2016 11:40:21 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 11:40:15 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 11:40:14 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 11:40:13 AM	27	gradCels
SC PITUR DORU SNC	pH	7/7/2016 11:40:12 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 11:35:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 11:35:19 AM	9	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 11:35:13 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 11:35:12 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 11:35:11 AM	27	gradCels
SC PITUR DORU SNC	pH	7/7/2016 11:35:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 11:29:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 11:29:21 AM	9	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 11:29:13 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 11:29:12 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 11:29:11 AM	27	gradCels
SC PITUR DORU SNC	pH	7/7/2016 11:29:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 11:24:19 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 11:24:13 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 11:24:12 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 11:24:11 AM	9	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 11:24:10 AM	27	gradCels
SC PITUR DORU SNC	pH	7/7/2016 11:24:09 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 11:18:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 11:18:21 AM	9	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 11:18:14 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 11:18:13 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 11:18:12 AM	27	gradCels
SC PITUR DORU SNC	pH	7/7/2016 11:18:11 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 11:13:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 11:13:20 AM	9	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 11:13:13 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 11:13:12 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 11:13:11 AM	27	gradCels
SC PITUR DORU SNC	pH	7/7/2016 11:13:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 11:07:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 11:07:21 AM	9	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 11:07:05 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 11:07:04 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 11:07:03 AM	27	gradCels
SC PITUR DORU SNC	pH	7/7/2016 11:07:02 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 11:02:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 11:02:19 AM	9	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 11:02:18 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 11:02:17 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 11:02:16 AM	27	gradCels
SC PITUR DORU SNC	pH	7/7/2016 11:02:15 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 10:57:21 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	7/7/2016 10:57:20 AM	9	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 10:56:32 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 10:56:31 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 10:56:30 AM	27	gradCels
SC PITUR DORU SNC	pH	7/7/2016 10:56:29 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 10:51:18 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 10:51:17 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 10:51:16 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 10:51:15 AM	9	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 10:51:14 AM	27	gradCels
SC PITUR DORU SNC	pH	7/7/2016 10:51:13 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 10:46:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 10:46:20 AM	9	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 10:45:31 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 10:45:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 10:45:29 AM	27	gradCels
SC PITUR DORU SNC	pH	7/7/2016 10:45:28 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 10:40:19 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 10:40:18 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 10:40:17 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 10:40:16 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 10:40:15 AM	27	gradCels
SC PITUR DORU SNC	pH	7/7/2016 10:40:14 AM	8	unit pH
SC PITUR DORU SNC	Clor	7/7/2016 10:34:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 10:34:22 AM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/7/2016 10:34:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 10:34:12 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 10:34:11 AM	27	gradCels
SC PITUR DORU SNC	pH	7/7/2016 10:34:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 10:29:14 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 10:29:13 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 10:29:12 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 10:29:11 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 10:29:10 AM	27	gradCels
SC PITUR DORU SNC	pH	7/7/2016 10:29:09 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 10:23:27 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 10:23:25 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 10:23:24 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 10:23:23 AM	9	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 10:23:22 AM	27	gradCels
SC PITUR DORU SNC	pH	7/7/2016 10:23:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 10:18:22 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 10:18:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 10:18:20 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 10:17:49 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 10:17:48 AM	27	gradCels
SC PITUR DORU SNC	pH	7/7/2016 10:17:47 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 10:12:24 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 10:12:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 10:12:22 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 10:12:13 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 10:12:12 AM	27	gradCels
SC PITUR DORU SNC	pH	7/7/2016 10:12:11 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 10:07:03 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 10:07:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 10:07:01 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 10:06:52 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 10:06:51 AM	27	gradCels
SC PITUR DORU SNC	pH	7/7/2016 10:06:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 10:01:26 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 10:01:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 10:01:24 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 10:01:17 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 10:01:16 AM	27	gradCels
SC PITUR DORU SNC	pH	7/7/2016 10:01:15 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 9:56:09 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	7/7/2016 9:56:08 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 9:56:07 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 9:56:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 9:56:01 AM	27	gradCels
SC PITUR DORU SNC	pH	7/7/2016 9:56:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 9:50:26 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 9:50:25 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 9:50:19 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 9:50:18 AM	9	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 9:50:17 AM	27	gradCels
SC PITUR DORU SNC	pH	7/7/2016 9:50:16 AM	8	unit pH
SC PITUR DORU SNC	Clor	7/7/2016 9:45:02 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	7/7/2016 9:45:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 9:45:00 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 9:44:51 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 9:44:50 AM	27	gradCels
SC PITUR DORU SNC	pH	7/7/2016 9:44:49 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 9:39:23 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 9:39:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 9:39:21 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 9:39:08 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 9:39:07 AM	27	gradCels
SC PITUR DORU SNC	pH	7/7/2016 9:39:06 AM	8	unit pH
SC PITUR DORU SNC	Clor	7/7/2016 9:34:03 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	7/7/2016 9:34:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 9:34:01 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 9:33:53 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 9:33:52 AM	27	gradCels
SC PITUR DORU SNC	pH	7/7/2016 9:33:51 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 9:28:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 9:28:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 9:28:40 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 9:28:34 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 9:28:33 AM	28	gradCels
SC PITUR DORU SNC	pH	7/7/2016 9:28:32 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 9:23:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 9:23:01 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 9:22:58 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 9:22:57 AM	9	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 9:22:56 AM	28	gradCels
SC PITUR DORU SNC	pH	7/7/2016 9:22:55 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 9:18:23 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 9:18:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 9:18:20 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 9:17:29 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 9:17:28 AM	28	gradCels
SC PITUR DORU SNC	pH	7/7/2016 9:17:27 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 9:12:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 9:12:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 9:12:00 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 9:11:56 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 9:11:55 AM	28	gradCels
SC PITUR DORU SNC	pH	7/7/2016 9:11:54 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 9:07:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 9:07:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 9:07:00 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 9:06:29 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 9:06:28 AM	28	gradCels
SC PITUR DORU SNC	pH	7/7/2016 9:06:27 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 9:01:11 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 9:01:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 9:01:09 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 9:01:08 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 9:01:07 AM	28	gradCels
SC PITUR DORU SNC	pH	7/7/2016 9:01:06 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 8:56:02 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	7/7/2016 8:56:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 8:56:00 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 8:55:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 8:55:21 AM	28	gradCels
SC PITUR DORU SNC	pH	7/7/2016 8:55:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 8:50:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 8:50:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 8:50:00 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 8:49:53 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 8:49:52 AM	28	gradCels
SC PITUR DORU SNC	pH	7/7/2016 8:49:51 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 8:45:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 8:45:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 8:45:00 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 8:44:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 8:44:21 AM	28	gradCels
SC PITUR DORU SNC	pH	7/7/2016 8:44:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 8:39:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 8:39:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 8:39:00 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 8:38:54 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 8:38:53 AM	28	gradCels
SC PITUR DORU SNC	pH	7/7/2016 8:38:52 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 8:34:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 8:34:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 8:34:00 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 8:33:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 8:33:21 AM	28	gradCels
SC PITUR DORU SNC	pH	7/7/2016 8:33:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 8:28:14 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 8:28:13 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 8:28:12 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 8:28:07 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 8:28:06 AM	28	gradCels
SC PITUR DORU SNC	pH	7/7/2016 8:28:05 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 8:23:01 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 8:23:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 8:22:24 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 8:22:23 AM	9	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 8:22:22 AM	28	gradCels
SC PITUR DORU SNC	pH	7/7/2016 8:22:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 8:18:22 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 8:18:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 8:18:20 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 8:17:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 8:17:23 AM	28	gradCels
SC PITUR DORU SNC	pH	7/7/2016 8:17:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 8:12:05 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 8:12:04 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 8:12:03 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 8:12:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 8:12:01 AM	28	gradCels
SC PITUR DORU SNC	pH	7/7/2016 8:12:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 8:07:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 8:07:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 8:07:00 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 8:06:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 8:06:21 AM	28	gradCels
SC PITUR DORU SNC	pH	7/7/2016 8:06:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 8:01:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 8:01:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 8:01:00 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 8:00:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 8:00:41 AM	28	gradCels
SC PITUR DORU SNC	pH	7/7/2016 8:00:40 AM	8	unit pH
SC PITUR DORU SNC	Clor	7/7/2016 7:56:02 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	7/7/2016 7:56:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 7:56:00 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 7:55:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 7:55:21 AM	28	gradCels
SC PITUR DORU SNC	pH	7/7/2016 7:55:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 7:50:01 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 7:50:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 7:49:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 7:49:42 AM	9	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 7:49:41 AM	28	gradCels
SC PITUR DORU SNC	pH	7/7/2016 7:49:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 7:45:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 7:45:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 7:45:00 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 7:44:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 7:44:21 AM	28	gradCels
SC PITUR DORU SNC	pH	7/7/2016 7:44:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 7:39:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 7:39:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 7:39:00 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 7:38:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 7:38:41 AM	28	gradCels
SC PITUR DORU SNC	pH	7/7/2016 7:38:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 7:34:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 7:34:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 7:34:00 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 7:33:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 7:33:41 AM	28	gradCels
SC PITUR DORU SNC	pH	7/7/2016 7:33:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 7:29:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 7:29:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 7:29:00 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 7:28:04 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 7:28:03 AM	28	gradCels
SC PITUR DORU SNC	pH	7/7/2016 7:28:02 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 7:23:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 7:23:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 7:23:00 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 7:22:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 7:22:41 AM	28	gradCels
SC PITUR DORU SNC	pH	7/7/2016 7:22:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 7:18:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 7:18:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 7:18:00 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 7:17:04 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 7:17:03 AM	28	gradCels
SC PITUR DORU SNC	pH	7/7/2016 7:17:02 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 7:12:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 7:12:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 7:12:00 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 7:11:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 7:11:41 AM	28	gradCels
SC PITUR DORU SNC	pH	7/7/2016 7:11:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 7:06:05 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 7:06:04 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 7:06:03 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 7:06:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 7:06:01 AM	28	gradCels
SC PITUR DORU SNC	pH	7/7/2016 7:06:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 7:01:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 7:01:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 7:01:00 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 7:00:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 7:00:41 AM	28	gradCels
SC PITUR DORU SNC	pH	7/7/2016 7:00:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 6:55:05 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	7/7/2016 6:55:04 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 6:55:03 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 6:55:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 6:55:01 AM	28	gradCels
SC PITUR DORU SNC	pH	7/7/2016 6:55:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 6:50:01 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 6:50:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 6:49:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 6:49:42 AM	9	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 6:49:41 AM	28	gradCels
SC PITUR DORU SNC	pH	7/7/2016 6:49:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 6:44:05 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 6:44:04 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 6:44:03 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 6:44:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 6:44:01 AM	28	gradCels
SC PITUR DORU SNC	pH	7/7/2016 6:44:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 6:39:03 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 6:39:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 6:39:00 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 6:38:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 6:38:41 AM	28	gradCels
SC PITUR DORU SNC	pH	7/7/2016 6:38:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 6:33:05 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 6:33:04 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 6:33:03 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 6:33:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 6:33:01 AM	28	gradCels
SC PITUR DORU SNC	pH	7/7/2016 6:33:00 AM	8	unit pH
SC PITUR DORU SNC	Clor	7/7/2016 6:28:02 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	7/7/2016 6:28:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 6:28:00 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 6:27:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 6:27:29 AM	28	gradCels
SC PITUR DORU SNC	pH	7/7/2016 6:27:28 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 6:22:15 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 6:22:14 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 6:22:13 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 6:22:12 AM	9	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 6:22:11 AM	28	gradCels
SC PITUR DORU SNC	pH	7/7/2016 6:22:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 6:17:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 6:17:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 6:17:00 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 6:16:29 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 6:16:28 AM	28	gradCels
SC PITUR DORU SNC	pH	7/7/2016 6:16:27 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 6:11:13 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 6:11:12 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 6:11:11 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 6:11:10 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 6:11:09 AM	28	gradCels
SC PITUR DORU SNC	pH	7/7/2016 6:11:08 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 6:06:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 6:06:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 6:06:00 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 6:05:29 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 6:05:28 AM	28	gradCels
SC PITUR DORU SNC	pH	7/7/2016 6:05:27 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 6:00:13 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 6:00:12 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 6:00:11 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 6:00:10 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 6:00:09 AM	28	gradCels
SC PITUR DORU SNC	pH	7/7/2016 6:00:08 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 5:55:01 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	7/7/2016 5:55:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 5:54:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 5:54:41 AM	9	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 5:54:40 AM	28	gradCels
SC PITUR DORU SNC	pH	7/7/2016 5:49:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 5:49:09 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 5:49:08 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 5:49:07 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 5:49:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 5:49:05 AM	28	gradCels
SC PITUR DORU SNC	Cianuri	7/7/2016 5:44:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 5:44:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 5:44:00 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 5:43:28 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 5:43:27 AM	28	gradCels
SC PITUR DORU SNC	pH	7/7/2016 5:43:26 AM	8	unit pH
SC PITUR DORU SNC	Clor	7/7/2016 5:38:13 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	7/7/2016 5:38:12 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 5:38:11 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 5:38:10 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 5:38:09 AM	28	gradCels
SC PITUR DORU SNC	pH	7/7/2016 5:38:08 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 5:33:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 5:33:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 5:33:00 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 5:32:29 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 5:32:28 AM	28	gradCels
SC PITUR DORU SNC	pH	7/7/2016 5:32:27 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 5:27:13 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 5:27:12 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 5:27:11 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 5:27:10 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 5:27:09 AM	28	gradCels
SC PITUR DORU SNC	pH	7/7/2016 5:27:08 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 5:22:01 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 5:22:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 5:21:29 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 5:21:28 AM	9	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 5:21:27 AM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 5:21:26 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 5:16:13 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 5:16:12 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 5:16:11 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 5:16:10 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 5:16:09 AM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 5:16:08 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 5:11:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 5:11:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 5:11:00 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 5:10:29 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 5:10:28 AM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 5:10:27 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 5:05:13 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 5:05:12 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 5:05:11 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 5:05:10 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 5:05:09 AM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 5:05:08 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 5:00:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 5:00:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 5:00:00 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 4:59:27 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 4:59:26 AM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 4:59:25 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 4:54:05 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 4:54:04 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	7/7/2016 4:54:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 4:54:02 AM	9	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 4:54:01 AM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 4:54:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 4:49:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 4:49:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 4:49:00 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 4:48:28 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 4:48:27 AM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 4:48:26 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 4:43:05 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 4:43:04 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 4:43:03 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 4:43:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 4:43:01 AM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 4:43:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 4:38:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 4:38:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 4:38:00 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 4:37:27 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 4:37:26 AM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 4:37:25 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 4:32:13 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 4:32:12 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 4:32:11 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 4:32:10 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 4:32:09 AM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 4:32:08 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 4:27:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 4:27:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 4:27:00 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 4:26:40 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 4:26:39 AM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 4:26:38 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 4:21:11 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 4:21:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 4:21:09 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 4:21:08 AM	9	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 4:21:07 AM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 4:21:06 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 4:16:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 4:16:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 4:16:00 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 4:15:27 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 4:15:26 AM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 4:15:25 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 4:10:05 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 4:10:04 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 4:10:03 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 4:10:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 4:10:01 AM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 4:10:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 4:05:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 4:05:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 4:05:00 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 4:04:29 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 4:04:28 AM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 4:04:27 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 3:59:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 3:59:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 3:59:00 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 3:58:52 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 3:58:51 AM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 3:58:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 3:54:01 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 3:54:00 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	7/7/2016 3:53:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 3:53:29 AM	9	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 3:53:28 AM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 3:53:27 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 3:48:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 3:48:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 3:48:00 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 3:47:51 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 3:47:50 AM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 3:47:49 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 3:43:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 3:43:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 3:43:00 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 3:42:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 3:42:21 AM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 3:42:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 3:37:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 3:37:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 3:37:00 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 3:36:51 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 3:36:50 AM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 3:36:49 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 3:32:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 3:32:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 3:32:00 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 3:31:29 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 3:31:28 AM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 3:31:27 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 3:26:04 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 3:26:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 3:26:02 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 3:26:01 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 3:26:00 AM	29	gradCels
SC PITUR DORU SNC	Cianuri	7/7/2016 3:21:01 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 3:21:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 3:20:28 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 3:20:27 AM	9	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 3:20:26 AM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 3:20:25 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 3:15:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 3:15:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 3:15:00 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 3:14:50 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 3:14:49 AM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 3:14:48 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 3:10:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 3:10:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 3:10:00 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 3:09:28 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 3:09:27 AM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 3:09:26 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 3:04:01 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 3:04:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 3:03:59 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 3:03:55 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 3:03:54 AM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 3:03:53 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 2:59:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 2:59:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 2:59:00 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 2:58:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 2:58:23 AM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 2:58:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 2:53:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 2:53:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 2:53:00 AM	8	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	7/7/2016 2:52:53 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 2:52:52 AM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 2:52:51 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 2:48:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 2:48:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 2:48:00 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 2:47:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 2:47:21 AM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 2:47:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 2:42:01 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 2:41:59 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 2:41:58 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 2:41:56 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 2:41:55 AM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 2:41:54 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 2:37:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 2:37:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 2:37:00 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 2:36:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 2:36:21 AM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 2:36:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 2:31:05 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 2:31:04 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 2:31:03 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 2:31:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 2:31:01 AM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 2:31:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 2:26:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 2:26:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 2:26:00 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 2:25:29 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 2:25:28 AM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 2:25:27 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 2:20:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 2:20:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 2:20:00 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 2:19:50 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 2:19:49 AM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 2:19:48 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 2:15:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 2:15:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 2:15:00 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 2:14:28 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 2:14:27 AM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 2:14:26 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 2:09:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 2:09:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 2:09:00 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 2:08:50 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 2:08:49 AM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 2:08:48 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 2:04:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 2:04:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 2:04:00 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 2:03:26 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 2:03:25 AM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 2:03:24 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 1:58:03 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 1:58:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 1:58:01 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 1:58:00 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 1:57:59 AM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 1:57:58 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 1:53:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 1:53:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 1:53:00 AM	8	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	7/7/2016 1:52:27 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 1:52:26 AM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 1:52:25 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 1:47:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 1:47:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 1:47:00 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 1:46:51 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 1:46:50 AM	29	gradCels
SC PITUR DORU SNC	pH	7/7/2016 1:46:49 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 1:42:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 1:42:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 1:42:00 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 1:41:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 1:41:21 AM	30	gradCels
SC PITUR DORU SNC	pH	7/7/2016 1:41:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 1:36:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 1:36:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 1:36:00 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 1:35:51 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 1:35:50 AM	30	gradCels
SC PITUR DORU SNC	pH	7/7/2016 1:35:49 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 1:31:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 1:31:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 1:31:00 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 1:30:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 1:30:23 AM	30	gradCels
SC PITUR DORU SNC	pH	7/7/2016 1:30:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 1:25:01 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 1:25:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 1:24:51 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 1:24:50 AM	8	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 1:24:49 AM	30	gradCels
SC PITUR DORU SNC	pH	7/7/2016 1:24:48 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 1:19:22 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 1:19:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 1:19:20 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 1:19:19 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 1:19:18 AM	30	gradCels
SC PITUR DORU SNC	pH	7/7/2016 1:19:17 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 1:14:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 1:14:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 1:14:00 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 1:13:51 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 1:13:50 AM	30	gradCels
SC PITUR DORU SNC	pH	7/7/2016 1:13:49 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 1:08:21 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 1:08:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 1:08:19 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 1:08:18 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 1:08:17 AM	30	gradCels
SC PITUR DORU SNC	pH	7/7/2016 1:08:16 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 1:03:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 1:03:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 1:03:00 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 1:02:49 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 1:02:48 AM	30	gradCels
SC PITUR DORU SNC	pH	7/7/2016 1:02:47 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 12:57:23 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 12:57:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 12:57:21 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 12:57:20 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 12:57:19 AM	30	gradCels
SC PITUR DORU SNC	pH	7/7/2016 12:57:18 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 12:51:58 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 12:51:57 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 12:51:53 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	7/7/2016 12:51:52 AM	8	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 12:51:51 AM	30	gradCels
SC PITUR DORU SNC	pH	7/7/2016 12:51:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 12:46:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 12:46:19 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 12:46:18 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 12:46:17 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 12:46:16 AM	30	gradCels
SC PITUR DORU SNC	pH	7/7/2016 12:46:15 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 12:40:59 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 12:40:58 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 12:40:57 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 12:40:53 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 12:40:52 AM	30	gradCels
SC PITUR DORU SNC	pH	7/7/2016 12:40:51 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 12:35:21 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 12:35:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 12:35:19 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 12:35:18 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 12:35:17 AM	30	gradCels
SC PITUR DORU SNC	pH	7/7/2016 12:35:16 AM	8	unit pH
SC PITUR DORU SNC	Clor	7/7/2016 12:30:05 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	7/7/2016 12:30:04 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 12:30:03 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 12:30:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 12:30:01 AM	30	gradCels
SC PITUR DORU SNC	pH	7/7/2016 12:30:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 12:24:19 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 12:24:18 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 12:24:17 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 12:24:16 AM	8	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 12:24:15 AM	30	gradCels
SC PITUR DORU SNC	pH	7/7/2016 12:24:14 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 12:19:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 12:19:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 12:19:00 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 12:18:32 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 12:18:31 AM	30	gradCels
SC PITUR DORU SNC	pH	7/7/2016 12:18:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 12:13:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 12:13:19 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 12:13:18 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 12:13:17 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 12:13:16 AM	30	gradCels
SC PITUR DORU SNC	pH	7/7/2016 12:13:15 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 12:08:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 12:08:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 12:08:00 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 12:07:32 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 12:07:31 AM	30	gradCels
SC PITUR DORU SNC	pH	7/7/2016 12:07:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/7/2016 12:02:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/7/2016 12:02:19 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/7/2016 12:02:18 AM	8	mg/l
SC PITUR DORU SNC	Grasimi	7/7/2016 12:02:17 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/7/2016 12:02:16 AM	30	gradCels
SC PITUR DORU SNC	pH	7/7/2016 12:02:15 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 11:57:02 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 11:57:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 11:57:00 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 11:56:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 11:56:41 PM	30	gradCels
SC PITUR DORU SNC	pH	7/6/2016 11:56:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 11:51:18 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 11:51:16 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 11:51:15 PM	8	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	7/6/2016 11:51:14 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 11:51:13 PM	30	gradCels
SC PITUR DORU SNC	pH	7/6/2016 11:51:12 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 11:46:02 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 11:46:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 11:46:00 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 11:45:31 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 11:45:30 PM	30	gradCels
SC PITUR DORU SNC	pH	7/6/2016 11:45:29 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 11:40:21 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 11:40:19 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 11:40:18 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 11:40:17 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 11:40:16 PM	30	gradCels
SC PITUR DORU SNC	pH	7/6/2016 11:40:15 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 11:35:03 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 11:35:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 11:35:00 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 11:34:31 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 11:34:30 PM	30	gradCels
SC PITUR DORU SNC	pH	7/6/2016 11:34:29 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 11:29:21 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 11:29:18 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 11:29:17 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 11:29:16 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 11:29:15 PM	30	gradCels
SC PITUR DORU SNC	pH	7/6/2016 11:29:14 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 11:24:02 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 11:24:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 11:24:00 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 11:23:33 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 11:23:32 PM	30	gradCels
SC PITUR DORU SNC	pH	7/6/2016 11:23:31 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 11:18:19 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 11:18:18 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 11:18:17 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 11:18:16 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 11:18:15 PM	30	gradCels
SC PITUR DORU SNC	pH	7/6/2016 11:18:14 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 11:13:02 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 11:13:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 11:13:00 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 11:12:32 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 11:12:31 PM	30	gradCels
SC PITUR DORU SNC	pH	7/6/2016 11:12:30 PM	8	unit pH
SC PITUR DORU SNC	Clor	7/6/2016 11:07:19 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	7/6/2016 11:07:18 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 11:07:17 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 11:07:16 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 11:07:15 PM	30	gradCels
SC PITUR DORU SNC	pH	7/6/2016 11:07:14 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 11:02:02 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 11:02:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 11:02:00 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 11:01:34 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 11:01:33 PM	30	gradCels
SC PITUR DORU SNC	pH	7/6/2016 11:01:32 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 10:56:25 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 10:56:24 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 10:56:23 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 10:56:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 10:56:21 PM	30	gradCels
SC PITUR DORU SNC	pH	7/6/2016 10:56:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 10:51:01 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 10:51:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 10:50:34 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	7/6/2016 10:50:33 PM	8	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 10:50:32 PM	30	gradCels
SC PITUR DORU SNC	pH	7/6/2016 10:50:31 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 10:45:19 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 10:45:18 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 10:45:17 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 10:45:16 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 10:45:15 PM	30	gradCels
SC PITUR DORU SNC	pH	7/6/2016 10:45:14 PM	8	unit pH
SC PITUR DORU SNC	Clor	7/6/2016 10:40:02 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	7/6/2016 10:40:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 10:40:00 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 10:39:31 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 10:39:30 PM	30	gradCels
SC PITUR DORU SNC	pH	7/6/2016 10:39:29 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 10:34:19 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 10:34:18 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 10:34:17 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 10:34:16 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 10:34:15 PM	30	gradCels
SC PITUR DORU SNC	pH	7/6/2016 10:34:14 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 10:29:02 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 10:29:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 10:29:00 PM	8	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 10:28:38 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 10:28:37 PM	30	gradCels
SC PITUR DORU SNC	pH	7/6/2016 10:28:36 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 10:22:59 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 10:22:58 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 10:22:57 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 10:22:56 PM	8	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 10:22:55 PM	30	gradCels
SC PITUR DORU SNC	pH	7/6/2016 10:22:54 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 10:18:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 10:18:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 10:18:02 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 10:17:25 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 10:17:24 PM	30	gradCels
SC PITUR DORU SNC	pH	7/6/2016 10:17:23 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 10:12:14 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 10:12:13 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 10:12:12 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 10:12:11 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 10:12:10 PM	30	gradCels
SC PITUR DORU SNC	pH	7/6/2016 10:12:09 PM	8	unit pH
SC PITUR DORU SNC	Clor	7/6/2016 10:07:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 10:07:00 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/6/2016 10:06:28 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 10:06:27 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 10:06:26 PM	30	gradCels
SC PITUR DORU SNC	pH	7/6/2016 10:06:25 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 10:01:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 10:00:59 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 10:00:58 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 10:00:57 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 10:00:56 PM	30	gradCels
SC PITUR DORU SNC	pH	7/6/2016 10:00:55 PM	8	unit pH
SC PITUR DORU SNC	Clor	7/6/2016 9:56:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 9:56:00 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/6/2016 9:55:29 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 9:55:28 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 9:55:27 PM	30	gradCels
SC PITUR DORU SNC	pH	7/6/2016 9:55:26 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 9:50:02 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 9:50:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 9:49:50 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	7/6/2016 9:49:49 PM	9	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 9:49:48 PM	30	gradCels
SC PITUR DORU SNC	pH	7/6/2016 9:49:47 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 9:45:03 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 9:45:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 9:45:00 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 9:44:27 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 9:44:26 PM	30	gradCels
SC PITUR DORU SNC	pH	7/6/2016 9:44:25 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 9:39:02 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 9:39:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 9:39:00 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 9:38:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 9:38:49 PM	30	gradCels
SC PITUR DORU SNC	pH	7/6/2016 9:38:48 PM	8	unit pH
SC PITUR DORU SNC	Clor	7/6/2016 9:33:22 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 9:33:21 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/6/2016 9:33:18 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 9:33:17 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 9:33:16 PM	30	gradCels
SC PITUR DORU SNC	pH	7/6/2016 9:33:15 PM	8	unit pH
SC PITUR DORU SNC	Clor	7/6/2016 9:28:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 9:28:01 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/6/2016 9:27:51 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 9:27:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 9:27:49 PM	30	gradCels
SC PITUR DORU SNC	pH	7/6/2016 9:27:48 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 9:22:17 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 9:22:16 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 9:22:15 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 9:22:14 PM	9	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 9:22:13 PM	30	gradCels
SC PITUR DORU SNC	pH	7/6/2016 9:22:12 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/6/2016 9:16:59 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/6/2016 9:16:51 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 9:16:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 9:16:49 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 9:16:48 PM	30	gradCels
SC PITUR DORU SNC	pH	7/6/2016 9:16:47 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/6/2016 9:11:41 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/6/2016 9:11:26 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 9:11:25 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 9:11:24 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 9:11:23 PM	30	gradCels
SC PITUR DORU SNC	pH	7/6/2016 9:11:22 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/6/2016 9:06:23 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/6/2016 9:05:46 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 9:05:45 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 9:05:44 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 9:05:43 PM	30	gradCels
SC PITUR DORU SNC	pH	7/6/2016 9:05:42 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/6/2016 9:00:48 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/6/2016 9:00:46 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 9:00:45 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 9:00:44 PM	0	mg/l
SC PITUR DORU SNC	pH	7/6/2016 9:00:43 PM	8	unit pH
SC PITUR DORU SNC	Temp	7/6/2016 9:00:42 PM	30	gradCels
SC PITUR DORU SNC	Cianuri	7/6/2016 8:54:47 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 8:54:46 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 8:54:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 8:54:44 PM	9	mg/l
SC PITUR DORU SNC	pH	7/6/2016 8:54:43 PM	8	unit pH
SC PITUR DORU SNC	Temp	7/6/2016 8:54:42 PM	30	gradCels
SC PITUR DORU SNC	Substante organice	7/6/2016 8:49:21 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/6/2016 8:49:06 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 8:49:05 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	7/6/2016 8:49:04 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 8:49:03 PM	30	gradCels
SC PITUR DORU SNC	pH	7/6/2016 8:49:02 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/6/2016 8:44:21 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/6/2016 8:44:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 8:44:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 8:44:02 PM	0	mg/l
SC PITUR DORU SNC	pH	7/6/2016 8:44:01 PM	8	unit pH
SC PITUR DORU SNC	Temp	7/6/2016 8:44:00 PM	30	gradCels
SC PITUR DORU SNC	Substante organice	7/6/2016 8:38:56 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/6/2016 8:38:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 8:38:49 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 8:38:48 PM	0	mg/l
SC PITUR DORU SNC	pH	7/6/2016 8:38:47 PM	8	unit pH
SC PITUR DORU SNC	Temp	7/6/2016 8:38:46 PM	30	gradCels
SC PITUR DORU SNC	Substante organice	7/6/2016 8:33:21 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/6/2016 8:33:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 8:33:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 8:33:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 8:33:01 PM	30	gradCels
SC PITUR DORU SNC	pH	7/6/2016 8:33:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/6/2016 8:27:58 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/6/2016 8:27:52 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 8:27:51 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 8:27:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 8:27:49 PM	30	gradCels
SC PITUR DORU SNC	pH	7/6/2016 8:27:48 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/6/2016 8:22:21 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/6/2016 8:22:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 8:22:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 8:22:02 PM	0	mg/l
SC PITUR DORU SNC	pH	7/6/2016 8:22:01 PM	8	unit pH
SC PITUR DORU SNC	Temp	7/6/2016 8:22:00 PM	30	gradCels
SC PITUR DORU SNC	Substante organice	7/6/2016 8:16:56 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/6/2016 8:16:48 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 8:16:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 8:16:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 8:16:45 PM	30	gradCels
SC PITUR DORU SNC	pH	7/6/2016 8:16:44 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/6/2016 8:11:13 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/6/2016 8:11:12 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 8:11:11 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 8:11:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 8:11:09 PM	30	gradCels
SC PITUR DORU SNC	pH	7/6/2016 8:11:08 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/6/2016 8:05:56 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/6/2016 8:05:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 8:05:49 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 8:05:48 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 8:05:47 PM	30	gradCels
SC PITUR DORU SNC	pH	7/6/2016 8:05:46 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/6/2016 8:00:15 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/6/2016 8:00:14 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 8:00:13 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 8:00:12 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 8:00:11 PM	30	gradCels
SC PITUR DORU SNC	pH	7/6/2016 8:00:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 7:54:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 7:54:29 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 7:54:28 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 7:54:27 PM	9	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 7:54:26 PM	30	gradCels
SC PITUR DORU SNC	pH	7/6/2016 7:54:25 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 7:49:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 7:49:00 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 7:48:51 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	7/6/2016 7:48:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 7:48:49 PM	30	gradCels
SC PITUR DORU SNC	pH	7/6/2016 7:48:48 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 7:44:06 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 7:44:05 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 7:43:28 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 7:43:27 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 7:43:26 PM	30	gradCels
SC PITUR DORU SNC	pH	7/6/2016 7:43:25 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 7:38:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 7:38:00 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 7:37:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 7:37:49 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 7:37:48 PM	30	gradCels
SC PITUR DORU SNC	pH	7/6/2016 7:37:47 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 7:33:06 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 7:33:05 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 7:32:29 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 7:32:28 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 7:32:27 PM	30	gradCels
SC PITUR DORU SNC	pH	7/6/2016 7:32:26 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 7:26:56 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 7:26:55 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 7:26:54 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 7:26:53 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 7:26:52 PM	30	gradCels
SC PITUR DORU SNC	pH	7/6/2016 7:26:51 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 7:22:05 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 7:21:27 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 7:21:26 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 7:21:25 PM	9	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 7:21:24 PM	29	gradCels
SC PITUR DORU SNC	pH	7/6/2016 7:21:23 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 7:16:09 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 7:16:08 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 7:16:07 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 7:16:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 7:16:05 PM	29	gradCels
SC PITUR DORU SNC	pH	7/6/2016 7:16:04 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 7:11:06 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 7:11:05 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 7:10:27 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 7:10:26 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 7:10:25 PM	29	gradCels
SC PITUR DORU SNC	pH	7/6/2016 7:10:24 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 7:05:11 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 7:05:10 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 7:05:09 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 7:05:08 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 7:05:07 PM	29	gradCels
SC PITUR DORU SNC	pH	7/6/2016 7:05:06 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 7:00:06 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 7:00:05 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 6:59:29 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 6:59:28 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 6:59:27 PM	29	gradCels
SC PITUR DORU SNC	pH	7/6/2016 6:59:26 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 6:54:12 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 6:54:11 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 6:54:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 6:54:09 PM	9	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 6:54:08 PM	29	gradCels
SC PITUR DORU SNC	pH	7/6/2016 6:54:07 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 6:49:15 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 6:49:14 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 6:49:07 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	7/6/2016 6:49:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 6:49:05 PM	29	gradCels
SC PITUR DORU SNC	pH	7/6/2016 6:49:04 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 6:43:22 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 6:43:21 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 6:43:05 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 6:43:04 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 6:43:03 PM	29	gradCels
SC PITUR DORU SNC	pH	7/6/2016 6:43:02 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 6:38:14 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 6:38:13 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 6:38:07 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 6:38:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 6:38:05 PM	29	gradCels
SC PITUR DORU SNC	pH	7/6/2016 6:38:04 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 6:32:22 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 6:32:21 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 6:32:05 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 6:32:04 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 6:32:03 PM	29	gradCels
SC PITUR DORU SNC	pH	7/6/2016 6:32:02 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 6:27:16 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 6:27:15 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 6:27:09 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 6:27:08 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 6:27:07 PM	29	gradCels
SC PITUR DORU SNC	pH	7/6/2016 6:27:06 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 6:21:21 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 6:20:46 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 6:20:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 6:20:44 PM	9	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 6:20:43 PM	29	gradCels
SC PITUR DORU SNC	pH	7/6/2016 6:20:42 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 6:16:15 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 6:16:14 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 6:16:08 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 6:16:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 6:16:06 PM	29	gradCels
SC PITUR DORU SNC	pH	7/6/2016 6:16:05 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/6/2016 6:10:22 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/6/2016 6:10:21 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 6:09:45 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 6:09:44 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 6:09:43 PM	29	gradCels
SC PITUR DORU SNC	pH	7/6/2016 6:09:42 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 6:05:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 6:05:09 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 6:05:08 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 6:05:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 6:05:06 PM	29	gradCels
SC PITUR DORU SNC	pH	7/6/2016 6:05:05 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 6:00:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 6:00:00 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 5:59:06 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 5:59:05 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 5:59:04 PM	29	gradCels
SC PITUR DORU SNC	pH	7/6/2016 5:59:03 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 5:54:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 5:54:09 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 5:54:08 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 5:54:07 PM	9	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 5:54:06 PM	29	gradCels
SC PITUR DORU SNC	pH	7/6/2016 5:54:05 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 5:49:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 5:49:00 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 5:48:24 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	7/6/2016 5:48:23 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 5:48:22 PM	29	gradCels
SC PITUR DORU SNC	pH	7/6/2016 5:48:21 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 5:43:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 5:43:09 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 5:43:08 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 5:43:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 5:43:06 PM	29	gradCels
SC PITUR DORU SNC	pH	7/6/2016 5:43:05 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 5:38:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 5:38:00 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 5:37:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 5:37:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 5:37:21 PM	29	gradCels
SC PITUR DORU SNC	pH	7/6/2016 5:37:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 5:32:11 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 5:32:10 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 5:32:09 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 5:32:08 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 5:32:07 PM	28	gradCels
SC PITUR DORU SNC	pH	7/6/2016 5:32:06 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 5:27:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 5:27:00 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 5:26:06 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 5:26:05 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 5:26:04 PM	28	gradCels
SC PITUR DORU SNC	pH	7/6/2016 5:26:03 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 5:21:08 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 5:21:07 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 5:21:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 5:21:05 PM	28	gradCels
SC PITUR DORU SNC	Substante organice	7/6/2016 5:21:04 PM	9	mg/l
SC PITUR DORU SNC	pH	7/6/2016 5:21:03 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/6/2016 5:15:21 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/6/2016 5:15:06 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 5:15:05 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 5:15:04 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 5:15:03 PM	28	gradCels
SC PITUR DORU SNC	pH	7/6/2016 5:15:02 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 5:10:11 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 5:10:10 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 5:10:09 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 5:10:08 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 5:10:07 PM	28	gradCels
SC PITUR DORU SNC	pH	7/6/2016 5:10:06 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 5:04:22 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 5:04:21 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 5:04:05 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 5:04:04 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 5:04:03 PM	28	gradCels
SC PITUR DORU SNC	pH	7/6/2016 5:04:02 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 4:59:13 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 4:59:12 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 4:59:11 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 4:59:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 4:59:09 PM	28	gradCels
SC PITUR DORU SNC	pH	7/6/2016 4:59:08 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/6/2016 4:53:20 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/6/2016 4:53:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 4:53:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 4:53:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 4:53:01 PM	28	gradCels
SC PITUR DORU SNC	pH	7/6/2016 4:53:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/6/2016 4:48:11 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/6/2016 4:48:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 4:48:09 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	7/6/2016 4:48:08 PM	0	mg/l
SC PITUR DORU SNC	pH	7/6/2016 4:48:07 PM	8	unit pH
SC PITUR DORU SNC	Temp	7/6/2016 4:48:06 PM	28	gradCels
SC PITUR DORU SNC	Cianuri	7/6/2016 4:42:22 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 4:42:21 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 4:42:05 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 4:42:04 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 4:42:03 PM	28	gradCels
SC PITUR DORU SNC	pH	7/6/2016 4:42:02 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 4:37:09 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 4:37:08 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 4:37:07 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 4:37:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 4:37:05 PM	28	gradCels
SC PITUR DORU SNC	pH	7/6/2016 4:37:04 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 4:31:22 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 4:31:21 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 4:31:05 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 4:31:04 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 4:31:03 PM	28	gradCels
SC PITUR DORU SNC	pH	7/6/2016 4:31:02 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 4:26:11 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 4:26:10 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 4:26:09 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 4:26:08 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 4:26:07 PM	28	gradCels
SC PITUR DORU SNC	pH	7/6/2016 4:26:06 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 4:20:07 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 4:20:06 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 4:20:05 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 4:20:04 PM	9	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 4:20:03 PM	28	gradCels
SC PITUR DORU SNC	pH	7/6/2016 4:20:02 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/6/2016 4:15:06 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/6/2016 4:14:46 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 4:14:45 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 4:14:44 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 4:14:43 PM	28	gradCels
SC PITUR DORU SNC	pH	7/6/2016 4:14:42 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/6/2016 4:09:20 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/6/2016 4:09:06 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 4:09:05 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 4:09:04 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 4:09:03 PM	28	gradCels
SC PITUR DORU SNC	pH	7/6/2016 4:09:02 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/6/2016 4:03:56 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/6/2016 4:03:48 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 4:03:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 4:03:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 4:03:45 PM	28	gradCels
SC PITUR DORU SNC	pH	7/6/2016 4:03:44 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/6/2016 3:58:08 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/6/2016 3:58:06 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 3:58:05 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 3:58:04 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 3:58:03 PM	27	gradCels
SC PITUR DORU SNC	pH	7/6/2016 3:58:02 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 3:52:48 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 3:52:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 3:52:46 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 3:52:45 PM	9	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 3:52:44 PM	27	gradCels
SC PITUR DORU SNC	pH	7/6/2016 3:52:43 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/6/2016 3:47:21 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/6/2016 3:47:06 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 3:47:05 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	7/6/2016 3:47:04 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 3:47:03 PM	27	gradCels
SC PITUR DORU SNC	pH	7/6/2016 3:47:02 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/6/2016 3:41:55 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/6/2016 3:41:48 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 3:41:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 3:41:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 3:41:45 PM	27	gradCels
SC PITUR DORU SNC	pH	7/6/2016 3:41:44 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/6/2016 3:36:41 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/6/2016 3:36:26 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 3:36:25 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 3:36:24 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 3:36:23 PM	27	gradCels
SC PITUR DORU SNC	pH	7/6/2016 3:36:22 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/6/2016 3:31:14 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/6/2016 3:31:06 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 3:31:05 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 3:31:04 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 3:31:03 PM	27	gradCels
SC PITUR DORU SNC	pH	7/6/2016 3:31:02 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 3:25:28 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 3:25:27 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 3:25:26 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 3:25:25 PM	9	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 3:25:24 PM	27	gradCels
SC PITUR DORU SNC	pH	7/6/2016 3:25:23 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/6/2016 3:20:00 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/6/2016 3:19:47 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 3:19:46 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 3:19:45 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 3:19:44 PM	27	gradCels
SC PITUR DORU SNC	pH	7/6/2016 3:19:43 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/6/2016 3:14:41 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/6/2016 3:14:26 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 3:14:25 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 3:14:24 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 3:14:23 PM	27	gradCels
SC PITUR DORU SNC	pH	7/6/2016 3:14:22 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/6/2016 3:09:00 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/6/2016 3:08:48 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 3:08:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 3:08:46 PM	0	mg/l
SC PITUR DORU SNC	pH	7/6/2016 3:08:45 PM	8	unit pH
SC PITUR DORU SNC	Temp	7/6/2016 3:08:44 PM	27	gradCels
SC PITUR DORU SNC	Cianuri	7/6/2016 3:08:08 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 3:08:07 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 3:08:06 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 3:08:05 PM	9	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 3:08:04 PM	27	gradCels
SC PITUR DORU SNC	pH	7/6/2016 3:08:03 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/6/2016 3:03:40 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/6/2016 3:03:27 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 3:03:26 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 3:03:25 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 3:03:24 PM	27	gradCels
SC PITUR DORU SNC	pH	7/6/2016 3:03:23 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/6/2016 2:58:13 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/6/2016 2:58:07 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 2:58:06 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 2:58:05 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 2:58:04 PM	27	gradCels
SC PITUR DORU SNC	pH	7/6/2016 2:58:03 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 2:52:28 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 2:52:27 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 2:52:26 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Temp	7/6/2016 2:52:25 PM	27	gradCels
SC PITUR DORU SNC	Substante organice	7/6/2016 2:52:24 PM	9	mg/l
SC PITUR DORU SNC	pH	7/6/2016 2:52:23 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/6/2016 2:47:00 PM	10	mg/l
SC PITUR DORU SNC	Cianuri	7/6/2016 2:46:47 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 2:46:46 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 2:46:45 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 2:46:44 PM	27	gradCels
SC PITUR DORU SNC	pH	7/6/2016 2:46:43 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 2:41:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 2:41:40 PM	10	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 2:41:26 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 2:41:25 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 2:41:24 PM	27	gradCels
SC PITUR DORU SNC	pH	7/6/2016 2:41:23 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/6/2016 2:36:11 PM	10	mg/l
SC PITUR DORU SNC	Cianuri	7/6/2016 2:36:05 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 2:36:04 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 2:36:03 PM	0	mg/l
SC PITUR DORU SNC	pH	7/6/2016 2:36:02 PM	8	unit pH
SC PITUR DORU SNC	Temp	7/6/2016 2:36:01 PM	27	gradCels
SC PITUR DORU SNC	Substante organice	7/6/2016 2:30:48 PM	10	mg/l
SC PITUR DORU SNC	Cianuri	7/6/2016 2:30:47 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 2:30:46 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 2:30:45 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 2:30:44 PM	27	gradCels
SC PITUR DORU SNC	pH	7/6/2016 2:30:43 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 2:25:06 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 2:25:05 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 2:25:04 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 2:25:03 PM	10	mg/l
SC PITUR DORU SNC	pH	7/6/2016 2:25:02 PM	8	unit pH
SC PITUR DORU SNC	Temp	7/6/2016 2:25:01 PM	27	gradCels
SC PITUR DORU SNC	Substante organice	7/6/2016 2:19:40 PM	10	mg/l
SC PITUR DORU SNC	Cianuri	7/6/2016 2:19:27 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 2:19:26 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 2:19:25 PM	0	mg/l
SC PITUR DORU SNC	pH	7/6/2016 2:19:24 PM	8	unit pH
SC PITUR DORU SNC	Temp	7/6/2016 2:19:23 PM	27	gradCels
SC PITUR DORU SNC	Cianuri	7/6/2016 2:14:12 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 2:14:11 PM	10	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 2:14:05 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 2:14:04 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 2:14:03 PM	27	gradCels
SC PITUR DORU SNC	pH	7/6/2016 2:14:02 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 2:08:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 2:08:41 PM	10	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 2:08:25 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 2:08:24 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 2:08:23 PM	27	gradCels
SC PITUR DORU SNC	pH	7/6/2016 2:08:22 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 2:03:13 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 2:03:12 PM	10	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 2:03:05 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 2:03:04 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 2:03:03 PM	27	gradCels
SC PITUR DORU SNC	pH	7/6/2016 2:03:02 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/6/2016 1:57:40 PM	10	mg/l
SC PITUR DORU SNC	Cianuri	7/6/2016 1:57:26 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 1:57:25 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 1:57:24 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 1:57:23 PM	27	gradCels
SC PITUR DORU SNC	pH	7/6/2016 1:57:22 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/6/2016 1:52:12 PM	10	mg/l
SC PITUR DORU SNC	Cianuri	7/6/2016 1:52:05 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 1:52:04 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	7/6/2016 1:52:03 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 1:52:02 PM	26	gradCels
SC PITUR DORU SNC	pH	7/6/2016 1:52:01 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 1:46:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 1:46:41 PM	10	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 1:46:25 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 1:46:24 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 1:46:23 PM	26	gradCels
SC PITUR DORU SNC	pH	7/6/2016 1:46:22 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 1:41:13 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 1:41:12 PM	10	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 1:41:05 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 1:41:04 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 1:41:03 PM	26	gradCels
SC PITUR DORU SNC	pH	7/6/2016 1:41:02 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 1:35:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 1:35:40 PM	10	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 1:35:25 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 1:35:24 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 1:35:23 PM	26	gradCels
SC PITUR DORU SNC	pH	7/6/2016 1:35:22 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 1:30:14 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 1:30:13 PM	10	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 1:30:07 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 1:30:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 1:30:05 PM	26	gradCels
SC PITUR DORU SNC	pH	7/6/2016 1:30:04 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 1:24:21 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 1:24:06 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 1:24:05 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 1:24:04 PM	10	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 1:24:03 PM	26	gradCels
SC PITUR DORU SNC	pH	7/6/2016 1:24:02 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 1:19:12 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 1:19:11 PM	10	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 1:19:05 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 1:19:04 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 1:19:03 PM	26	gradCels
SC PITUR DORU SNC	pH	7/6/2016 1:19:02 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 1:13:22 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 1:13:21 PM	10	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 1:13:05 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 1:13:04 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 1:13:03 PM	26	gradCels
SC PITUR DORU SNC	pH	7/6/2016 1:13:02 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 1:08:13 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 1:08:12 PM	10	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 1:08:05 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 1:08:04 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 1:08:03 PM	26	gradCels
SC PITUR DORU SNC	pH	7/6/2016 1:08:02 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 1:02:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 1:02:20 PM	10	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 1:02:05 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 1:02:04 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 1:02:03 PM	26	gradCels
SC PITUR DORU SNC	pH	7/6/2016 1:02:02 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 12:57:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 12:57:01 PM	10	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 12:56:45 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 12:56:44 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 12:56:43 PM	26	gradCels
SC PITUR DORU SNC	pH	7/6/2016 12:56:42 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 12:51:21 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 12:51:06 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 12:51:05 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	7/6/2016 12:51:04 PM	10	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 12:51:03 PM	26	gradCels
SC PITUR DORU SNC	pH	7/6/2016 12:51:02 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 12:46:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 12:46:01 PM	10	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 12:45:45 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 12:45:44 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 12:45:43 PM	26	gradCels
SC PITUR DORU SNC	pH	7/6/2016 12:45:42 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 12:40:22 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 12:40:21 PM	10	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 12:40:05 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 12:40:04 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 12:40:03 PM	26	gradCels
SC PITUR DORU SNC	pH	7/6/2016 12:40:02 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 12:35:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 12:35:01 PM	10	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 12:34:45 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 12:34:44 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 12:34:43 PM	26	gradCels
SC PITUR DORU SNC	pH	7/6/2016 12:34:42 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 12:29:34 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 12:29:33 PM	10	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 12:29:25 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 12:29:24 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 12:29:23 PM	26	gradCels
SC PITUR DORU SNC	pH	7/6/2016 12:29:22 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 12:24:01 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 12:23:46 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 12:23:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 12:23:44 PM	10	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 12:23:43 PM	26	gradCels
SC PITUR DORU SNC	pH	7/6/2016 12:23:42 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 12:18:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 12:18:21 PM	10	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 12:18:05 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 12:18:04 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 12:18:03 PM	26	gradCels
SC PITUR DORU SNC	pH	7/6/2016 12:18:02 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 12:13:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 12:13:01 PM	10	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 12:12:45 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 12:12:44 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 12:12:43 PM	26	gradCels
SC PITUR DORU SNC	pH	7/6/2016 12:12:42 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 12:07:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 12:07:20 PM	10	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 12:07:05 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 12:07:04 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 12:07:03 PM	26	gradCels
SC PITUR DORU SNC	pH	7/6/2016 12:07:02 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/6/2016 12:02:02 PM	10	mg/l
SC PITUR DORU SNC	Cianuri	7/6/2016 12:02:01 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 12:01:45 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 12:01:44 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 12:01:43 PM	26	gradCels
SC PITUR DORU SNC	pH	7/6/2016 12:01:42 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/6/2016 11:56:22 AM	10	mg/l
SC PITUR DORU SNC	Cianuri	7/6/2016 11:56:21 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 11:56:05 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 11:56:04 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 11:56:03 AM	26	gradCels
SC PITUR DORU SNC	pH	7/6/2016 11:56:02 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 11:51:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 11:51:01 AM	10	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 11:50:46 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	7/6/2016 11:50:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 11:50:44 AM	26	gradCels
SC PITUR DORU SNC	pH	7/6/2016 11:50:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 11:45:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 11:45:21 AM	10	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 11:45:05 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 11:45:04 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 11:45:03 AM	26	gradCels
SC PITUR DORU SNC	pH	7/6/2016 11:45:02 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 11:40:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 11:40:01 AM	10	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 11:39:45 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 11:39:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 11:39:43 AM	26	gradCels
SC PITUR DORU SNC	pH	7/6/2016 11:39:42 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 11:34:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 11:34:20 AM	10	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 11:34:05 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 11:34:04 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 11:34:03 AM	26	gradCels
SC PITUR DORU SNC	pH	7/6/2016 11:34:02 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 11:28:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 11:28:41 AM	10	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 11:28:25 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 11:28:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 11:28:23 AM	26	gradCels
SC PITUR DORU SNC	pH	7/6/2016 11:28:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 11:23:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 11:22:46 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 11:22:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 11:22:44 AM	10	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 11:22:43 AM	26	gradCels
SC PITUR DORU SNC	pH	7/6/2016 11:22:42 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 11:17:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 11:17:41 AM	10	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 11:17:25 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 11:17:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 11:17:23 AM	26	gradCels
SC PITUR DORU SNC	pH	7/6/2016 11:17:22 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/6/2016 11:12:02 AM	10	mg/l
SC PITUR DORU SNC	Cianuri	7/6/2016 11:12:01 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 11:11:45 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 11:11:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 11:11:43 AM	26	gradCels
SC PITUR DORU SNC	pH	7/6/2016 11:11:42 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/6/2016 11:06:42 AM	10	mg/l
SC PITUR DORU SNC	Cianuri	7/6/2016 11:06:41 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 11:06:25 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 11:06:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 11:06:23 AM	26	gradCels
SC PITUR DORU SNC	pH	7/6/2016 11:06:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 11:01:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 11:01:01 AM	10	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 11:00:45 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 11:00:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 11:00:43 AM	26	gradCels
SC PITUR DORU SNC	pH	7/6/2016 11:00:42 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 10:55:48 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 10:55:46 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 10:55:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 10:55:44 AM	10	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 10:55:43 AM	26	gradCels
SC PITUR DORU SNC	pH	7/6/2016 10:55:42 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 10:50:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 10:50:00 AM	10	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 10:49:45 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	7/6/2016 10:49:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 10:49:43 AM	26	gradCels
SC PITUR DORU SNC	pH	7/6/2016 10:49:42 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 10:44:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 10:44:40 AM	10	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 10:44:25 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 10:44:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 10:44:23 AM	26	gradCels
SC PITUR DORU SNC	pH	7/6/2016 10:44:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 10:39:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 10:39:01 AM	10	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 10:38:45 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 10:38:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 10:38:43 AM	26	gradCels
SC PITUR DORU SNC	pH	7/6/2016 10:38:42 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 10:33:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 10:33:41 AM	10	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 10:33:25 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 10:33:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 10:33:23 AM	26	gradCels
SC PITUR DORU SNC	pH	7/6/2016 10:33:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 10:28:03 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 10:28:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 10:28:01 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 10:27:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 10:27:43 AM	26	gradCels
SC PITUR DORU SNC	pH	7/6/2016 10:27:42 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 10:22:43 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 10:22:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 10:22:41 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 10:22:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 10:22:23 AM	26	gradCels
SC PITUR DORU SNC	pH	7/6/2016 10:22:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 10:17:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 10:17:01 AM	10	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 10:17:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 10:16:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 10:16:43 AM	26	gradCels
SC PITUR DORU SNC	pH	7/6/2016 10:16:42 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/6/2016 10:11:43 AM	10	mg/l
SC PITUR DORU SNC	Cianuri	7/6/2016 10:11:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 10:11:41 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 10:11:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 10:11:23 AM	26	gradCels
SC PITUR DORU SNC	pH	7/6/2016 10:11:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 10:06:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 10:06:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 10:06:00 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 10:05:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 10:05:44 AM	26	gradCels
SC PITUR DORU SNC	pH	7/6/2016 10:05:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 10:00:48 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 10:00:47 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 10:00:46 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 10:00:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 10:00:44 AM	26	gradCels
SC PITUR DORU SNC	pH	7/6/2016 10:00:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 9:55:03 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 9:55:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 9:55:00 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 9:54:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 9:54:44 AM	26	gradCels
SC PITUR DORU SNC	pH	7/6/2016 9:54:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 9:49:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 9:49:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 9:49:40 AM	10	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	7/6/2016 9:49:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 9:49:24 AM	26	gradCels
SC PITUR DORU SNC	pH	7/6/2016 9:49:23 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 9:44:15 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 9:44:14 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 9:44:13 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 9:44:07 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 9:44:06 AM	26	gradCels
SC PITUR DORU SNC	pH	7/6/2016 9:44:05 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 9:38:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 9:38:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 9:38:40 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 9:38:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 9:38:24 AM	26	gradCels
SC PITUR DORU SNC	pH	7/6/2016 9:38:23 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 9:33:17 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 9:33:16 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 9:33:15 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 9:33:08 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 9:33:07 AM	26	gradCels
SC PITUR DORU SNC	pH	7/6/2016 9:33:06 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 9:27:28 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 9:27:27 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 9:27:26 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 9:27:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 9:27:24 AM	26	gradCels
SC PITUR DORU SNC	pH	7/6/2016 9:27:23 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 9:22:15 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 9:22:14 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 9:22:08 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 9:22:07 AM	10	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 9:22:06 AM	26	gradCels
SC PITUR DORU SNC	pH	7/6/2016 9:22:05 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 9:16:22 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 9:16:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 9:16:20 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 9:16:05 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 9:16:04 AM	26	gradCels
SC PITUR DORU SNC	pH	7/6/2016 9:16:03 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 9:11:17 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 9:11:16 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 9:11:15 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 9:11:08 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 9:11:07 AM	26	gradCels
SC PITUR DORU SNC	pH	7/6/2016 9:11:06 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 9:05:22 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 9:05:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 9:05:20 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 9:05:05 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 9:05:04 AM	26	gradCels
SC PITUR DORU SNC	pH	7/6/2016 9:05:03 AM	8	unit pH
SC PITUR DORU SNC	Clor	7/6/2016 9:00:20 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	7/6/2016 9:00:19 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 9:00:18 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 9:00:11 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 9:00:10 AM	26	gradCels
SC PITUR DORU SNC	pH	7/6/2016 9:00:09 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 8:54:21 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 8:54:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 8:54:06 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 8:54:05 AM	10	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 8:54:04 AM	26	gradCels
SC PITUR DORU SNC	pH	7/6/2016 8:54:03 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 8:49:16 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 8:49:15 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 8:49:14 AM	10	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	7/6/2016 8:49:07 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 8:49:06 AM	26	gradCels
SC PITUR DORU SNC	pH	7/6/2016 8:49:05 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 8:43:22 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 8:43:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 8:43:20 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 8:43:09 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 8:43:08 AM	26	gradCels
SC PITUR DORU SNC	pH	7/6/2016 8:43:07 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 8:38:17 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 8:38:16 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 8:38:15 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 8:38:09 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 8:38:08 AM	26	gradCels
SC PITUR DORU SNC	pH	7/6/2016 8:38:07 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 8:32:22 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 8:32:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 8:32:20 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 8:32:09 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 8:32:08 AM	26	gradCels
SC PITUR DORU SNC	pH	7/6/2016 8:32:07 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 8:27:24 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 8:27:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 8:27:22 AM	10	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 8:27:15 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 8:27:14 AM	26	gradCels
SC PITUR DORU SNC	pH	7/6/2016 8:27:13 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 8:21:21 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 8:21:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 8:21:11 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 8:21:10 AM	10	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 8:21:09 AM	26	gradCels
SC PITUR DORU SNC	pH	7/6/2016 8:21:08 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 8:16:15 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 8:16:14 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 8:16:13 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 8:16:07 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 8:16:06 AM	26	gradCels
SC PITUR DORU SNC	pH	7/6/2016 8:16:05 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 8:10:22 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 8:10:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 8:10:20 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 8:10:10 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 8:10:09 AM	26	gradCels
SC PITUR DORU SNC	pH	7/6/2016 8:10:08 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 8:05:15 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 8:05:14 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 8:05:13 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 8:05:07 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 8:05:06 AM	26	gradCels
SC PITUR DORU SNC	pH	7/6/2016 8:05:05 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 7:59:37 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 7:59:36 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 7:59:35 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 7:59:34 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 7:59:33 AM	26	gradCels
SC PITUR DORU SNC	pH	7/6/2016 7:59:32 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 7:54:16 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 7:54:15 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 7:54:14 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 7:54:07 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 7:54:06 AM	26	gradCels
SC PITUR DORU SNC	pH	7/6/2016 7:54:05 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 7:48:22 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 7:48:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 7:48:20 AM	9	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	7/6/2016 7:48:15 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 7:48:14 AM	26	gradCels
SC PITUR DORU SNC	pH	7/6/2016 7:48:13 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 7:43:11 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 7:43:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 7:43:09 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 7:43:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 7:43:01 AM	26	gradCels
SC PITUR DORU SNC	pH	7/6/2016 7:43:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 7:37:22 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 7:37:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 7:37:20 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 7:37:08 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 7:37:07 AM	26	gradCels
SC PITUR DORU SNC	pH	7/6/2016 7:37:06 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 7:32:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 7:32:01 AM	9	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 7:32:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 7:31:49 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 7:31:48 AM	26	gradCels
SC PITUR DORU SNC	pH	7/6/2016 7:31:47 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 7:26:32 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 7:26:31 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 7:26:30 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 7:26:28 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 7:26:27 AM	26	gradCels
SC PITUR DORU SNC	pH	7/6/2016 7:26:26 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 7:21:01 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 7:21:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 7:20:51 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 7:20:50 AM	9	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 7:20:49 AM	26	gradCels
SC PITUR DORU SNC	pH	7/6/2016 7:20:48 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 7:15:22 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 7:15:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 7:15:20 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 7:15:09 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 7:15:08 AM	26	gradCels
SC PITUR DORU SNC	pH	7/6/2016 7:15:07 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 7:10:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 7:10:01 AM	9	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 7:10:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 7:09:48 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 7:09:47 AM	26	gradCels
SC PITUR DORU SNC	pH	7/6/2016 7:09:46 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 7:04:22 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 7:04:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 7:04:20 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 7:04:14 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 7:04:13 AM	26	gradCels
SC PITUR DORU SNC	pH	7/6/2016 7:04:12 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 6:59:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 6:59:01 AM	9	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 6:59:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 6:58:49 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 6:58:48 AM	26	gradCels
SC PITUR DORU SNC	pH	7/6/2016 6:58:47 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 6:53:24 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 6:53:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 6:53:16 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 6:53:15 AM	9	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 6:53:14 AM	26	gradCels
SC PITUR DORU SNC	pH	7/6/2016 6:53:13 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 6:47:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 6:47:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 6:47:40 AM	9	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	7/6/2016 6:47:34 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 6:47:33 AM	26	gradCels
SC PITUR DORU SNC	pH	7/6/2016 6:47:32 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 6:42:07 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 6:42:06 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 6:42:05 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 6:41:56 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 6:41:55 AM	26	gradCels
SC PITUR DORU SNC	pH	7/6/2016 6:41:54 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 6:36:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 6:36:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 6:36:40 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 6:36:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 6:36:24 AM	26	gradCels
SC PITUR DORU SNC	pH	7/6/2016 6:36:23 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 6:31:04 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 6:31:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 6:31:02 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 6:30:50 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 6:30:49 AM	26	gradCels
SC PITUR DORU SNC	pH	7/6/2016 6:30:48 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 6:25:48 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 6:25:47 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 6:25:46 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 6:25:45 AM	9	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 6:25:44 AM	27	gradCels
SC PITUR DORU SNC	pH	7/6/2016 6:25:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 6:20:03 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 6:20:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 6:20:00 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 6:19:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 6:19:44 AM	27	gradCels
SC PITUR DORU SNC	pH	7/6/2016 6:19:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 6:14:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 6:14:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 6:14:40 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 6:14:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 6:14:24 AM	27	gradCels
SC PITUR DORU SNC	pH	7/6/2016 6:14:23 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 6:09:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 6:09:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 6:09:00 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 6:08:50 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 6:08:49 AM	27	gradCels
SC PITUR DORU SNC	pH	7/6/2016 6:08:48 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 6:03:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 6:03:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 6:03:40 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 6:03:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 6:03:24 AM	27	gradCels
SC PITUR DORU SNC	pH	7/6/2016 6:03:23 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 5:58:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 5:58:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 5:58:00 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 5:57:49 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 5:57:48 AM	27	gradCels
SC PITUR DORU SNC	pH	7/6/2016 5:57:47 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 5:52:41 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 5:52:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 5:52:31 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 5:52:30 AM	9	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 5:52:29 AM	27	gradCels
SC PITUR DORU SNC	pH	7/6/2016 5:52:28 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 5:47:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 5:47:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 5:47:00 AM	9	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	7/6/2016 5:46:51 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 5:46:50 AM	27	gradCels
SC PITUR DORU SNC	pH	7/6/2016 5:46:49 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 5:41:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 5:41:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 5:41:40 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 5:41:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 5:41:24 AM	27	gradCels
SC PITUR DORU SNC	pH	7/6/2016 5:41:23 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 5:36:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 5:36:01 AM	9	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 5:36:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 5:35:50 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 5:35:49 AM	27	gradCels
SC PITUR DORU SNC	pH	7/6/2016 5:35:48 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 5:30:52 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 5:30:51 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 5:30:50 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 5:30:49 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 5:30:48 AM	27	gradCels
SC PITUR DORU SNC	pH	7/6/2016 5:30:47 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 5:25:03 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 5:25:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 5:25:00 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 5:24:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 5:24:44 AM	27	gradCels
SC PITUR DORU SNC	pH	7/6/2016 5:24:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 5:19:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 5:19:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 5:19:40 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 5:19:31 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 5:19:30 AM	27	gradCels
SC PITUR DORU SNC	pH	7/6/2016 5:19:29 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 5:14:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 5:14:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 5:14:00 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 5:13:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 5:13:44 AM	27	gradCels
SC PITUR DORU SNC	pH	7/6/2016 5:13:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 5:08:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 5:08:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 5:08:40 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 5:08:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 5:08:29 AM	27	gradCels
SC PITUR DORU SNC	pH	7/6/2016 5:08:28 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 5:03:03 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 5:03:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 5:03:00 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 5:02:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 5:02:44 AM	27	gradCels
SC PITUR DORU SNC	pH	7/6/2016 5:02:43 AM	8	unit pH
SC PITUR DORU SNC	Clor	7/6/2016 4:57:42 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	7/6/2016 4:57:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 4:57:40 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 4:57:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 4:57:29 AM	27	gradCels
SC PITUR DORU SNC	pH	7/6/2016 4:57:28 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 4:52:03 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 4:52:02 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 4:51:46 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 4:51:45 AM	9	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 4:51:44 AM	27	gradCels
SC PITUR DORU SNC	pH	7/6/2016 4:51:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 4:46:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 4:46:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 4:46:40 AM	9	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	7/6/2016 4:46:31 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 4:46:30 AM	27	gradCels
SC PITUR DORU SNC	pH	7/6/2016 4:46:29 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 4:41:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 4:41:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 4:41:00 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 4:40:50 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 4:40:49 AM	27	gradCels
SC PITUR DORU SNC	pH	7/6/2016 4:40:48 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 4:35:26 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 4:35:24 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 4:35:22 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 4:35:19 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 4:35:17 AM	27	gradCels
SC PITUR DORU SNC	pH	7/6/2016 4:35:15 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 4:30:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 4:30:19 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 4:30:18 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 4:30:09 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 4:30:08 AM	27	gradCels
SC PITUR DORU SNC	pH	7/6/2016 4:30:07 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 4:24:41 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 4:24:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 4:24:26 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 4:24:25 AM	9	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 4:24:24 AM	27	gradCels
SC PITUR DORU SNC	pH	7/6/2016 4:24:23 AM	8	unit pH
SC PITUR DORU SNC	Clor	7/6/2016 4:19:03 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	7/6/2016 4:19:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 4:19:00 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 4:18:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 4:18:44 AM	27	gradCels
SC PITUR DORU SNC	pH	7/6/2016 4:18:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 4:13:43 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 4:13:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 4:13:41 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 4:13:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 4:13:23 AM	27	gradCels
SC PITUR DORU SNC	pH	7/6/2016 4:13:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 4:08:03 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 4:08:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 4:08:00 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 4:07:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 4:07:43 AM	27	gradCels
SC PITUR DORU SNC	pH	7/6/2016 4:07:42 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 4:02:43 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 4:02:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 4:02:41 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 4:02:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 4:02:23 AM	27	gradCels
SC PITUR DORU SNC	pH	7/6/2016 4:02:22 AM	8	unit pH
SC PITUR DORU SNC	Clor	7/6/2016 3:57:13 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	7/6/2016 3:57:12 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 3:57:11 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 3:57:04 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 3:57:03 AM	27	gradCels
SC PITUR DORU SNC	pH	7/6/2016 3:57:02 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 3:51:22 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 3:51:21 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 3:51:05 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 3:51:04 AM	9	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 3:51:03 AM	27	gradCels
SC PITUR DORU SNC	pH	7/6/2016 3:51:02 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 3:46:04 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 3:46:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 3:46:02 AM	9	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	7/6/2016 3:45:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 3:45:43 AM	27	gradCels
SC PITUR DORU SNC	pH	7/6/2016 3:45:42 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 3:40:23 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 3:40:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 3:40:21 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 3:40:04 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 3:40:03 AM	27	gradCels
SC PITUR DORU SNC	pH	7/6/2016 3:40:02 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 3:35:03 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 3:35:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 3:35:01 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 3:34:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 3:34:43 AM	27	gradCels
SC PITUR DORU SNC	pH	7/6/2016 3:34:42 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 3:29:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 3:29:27 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 3:29:26 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 3:29:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 3:29:23 AM	27	gradCels
SC PITUR DORU SNC	pH	7/6/2016 3:29:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 3:24:01 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 3:24:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 3:23:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 3:23:44 AM	9	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 3:23:43 AM	27	gradCels
SC PITUR DORU SNC	pH	7/6/2016 3:23:42 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 3:19:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 3:19:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 3:19:00 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 3:17:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 3:17:41 AM	27	gradCels
SC PITUR DORU SNC	pH	7/6/2016 3:17:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 3:13:23 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 3:13:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 3:13:21 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 3:12:12 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 3:12:11 AM	27	gradCels
SC PITUR DORU SNC	pH	7/6/2016 3:12:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 3:08:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 3:08:02 AM	9	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 3:08:01 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 3:06:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 3:06:41 AM	27	gradCels
SC PITUR DORU SNC	pH	7/6/2016 3:06:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 3:02:24 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 3:02:23 AM	9	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 3:02:21 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 3:01:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 3:01:21 AM	27	gradCels
SC PITUR DORU SNC	pH	7/6/2016 3:01:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 2:57:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 2:57:02 AM	9	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 2:57:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 2:55:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 2:55:41 AM	27	gradCels
SC PITUR DORU SNC	pH	7/6/2016 2:55:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 2:51:22 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 2:51:21 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 2:50:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 2:50:22 AM	9	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 2:50:21 AM	27	gradCels
SC PITUR DORU SNC	pH	7/6/2016 2:50:20 AM	8	unit pH
SC PITUR DORU SNC	Clor	7/6/2016 2:46:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 2:46:02 AM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/6/2016 2:46:00 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	7/6/2016 2:44:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 2:44:41 AM	27	gradCels
SC PITUR DORU SNC	pH	7/6/2016 2:44:40 AM	8	unit pH
SC PITUR DORU SNC	Clor	7/6/2016 2:40:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 2:40:02 AM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/6/2016 2:40:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 2:39:13 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 2:39:12 AM	27	gradCels
SC PITUR DORU SNC	pH	7/6/2016 2:39:11 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 2:35:04 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 2:35:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 2:35:01 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 2:33:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 2:33:41 AM	28	gradCels
SC PITUR DORU SNC	pH	7/6/2016 2:33:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 2:29:31 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 2:29:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 2:29:28 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 2:28:12 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 2:28:11 AM	28	gradCels
SC PITUR DORU SNC	pH	7/6/2016 2:28:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 2:23:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 2:23:41 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 2:22:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 2:22:42 AM	9	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 2:22:41 AM	28	gradCels
SC PITUR DORU SNC	pH	7/6/2016 2:22:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 2:18:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 2:18:21 AM	9	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 2:18:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 2:17:11 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 2:17:10 AM	28	gradCels
SC PITUR DORU SNC	pH	7/6/2016 2:17:09 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 2:12:43 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 2:12:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 2:12:41 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 2:11:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 2:11:41 AM	28	gradCels
SC PITUR DORU SNC	pH	7/6/2016 2:11:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 2:07:03 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 2:07:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 2:07:01 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 2:06:12 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 2:06:11 AM	28	gradCels
SC PITUR DORU SNC	pH	7/6/2016 2:06:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 2:02:03 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 2:02:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 2:02:01 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 2:00:26 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 2:00:25 AM	28	gradCels
SC PITUR DORU SNC	pH	7/6/2016 2:00:24 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 1:56:03 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 1:56:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 1:56:01 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 1:55:12 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 1:55:11 AM	28	gradCels
SC PITUR DORU SNC	pH	7/6/2016 1:55:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 1:51:13 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 1:51:11 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 1:51:10 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 1:51:04 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 1:51:03 AM	28	gradCels
SC PITUR DORU SNC	pH	7/6/2016 1:51:02 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 1:45:23 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 1:45:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 1:45:21 AM	9	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	7/6/2016 1:45:04 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 1:45:03 AM	28	gradCels
SC PITUR DORU SNC	pH	7/6/2016 1:45:02 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 1:40:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 1:40:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 1:40:00 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 1:39:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 1:39:43 AM	28	gradCels
SC PITUR DORU SNC	pH	7/6/2016 1:39:42 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/6/2016 1:34:24 AM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/6/2016 1:34:22 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 1:34:21 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 1:34:05 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 1:34:04 AM	28	gradCels
SC PITUR DORU SNC	pH	7/6/2016 1:34:02 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 1:29:03 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 1:29:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 1:29:01 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 1:28:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 1:28:43 AM	28	gradCels
SC PITUR DORU SNC	pH	7/6/2016 1:28:42 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 1:23:21 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 1:23:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 1:23:05 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 1:23:04 AM	9	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 1:23:03 AM	28	gradCels
SC PITUR DORU SNC	pH	7/6/2016 1:23:02 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 1:18:03 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 1:18:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 1:18:01 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 1:17:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 1:17:43 AM	28	gradCels
SC PITUR DORU SNC	pH	7/6/2016 1:17:42 AM	8	unit pH
SC PITUR DORU SNC	Clor	7/6/2016 1:12:23 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	7/6/2016 1:12:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 1:12:20 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 1:12:04 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 1:12:03 AM	28	gradCels
SC PITUR DORU SNC	pH	7/6/2016 1:12:02 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 1:06:43 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 1:06:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 1:06:41 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 1:06:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 1:06:23 AM	28	gradCels
SC PITUR DORU SNC	pH	7/6/2016 1:06:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 1:01:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 1:01:22 AM	9	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 1:01:21 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 1:01:04 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 1:01:03 AM	28	gradCels
SC PITUR DORU SNC	pH	7/6/2016 1:01:02 AM	8	unit pH
SC PITUR DORU SNC	Clor	7/6/2016 12:55:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 12:55:42 AM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/6/2016 12:55:41 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 12:55:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 12:55:23 AM	28	gradCels
SC PITUR DORU SNC	pH	7/6/2016 12:55:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 12:50:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 12:50:21 AM	9	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 12:50:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 12:50:04 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 12:50:03 AM	28	gradCels
SC PITUR DORU SNC	pH	7/6/2016 12:50:02 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 12:44:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 12:44:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 12:44:40 AM	9	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	7/6/2016 12:44:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 12:44:23 AM	28	gradCels
SC PITUR DORU SNC	pH	7/6/2016 12:44:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 12:39:23 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 12:39:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 12:39:21 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 12:39:04 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 12:39:03 AM	28	gradCels
SC PITUR DORU SNC	pH	7/6/2016 12:39:02 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 12:32:51 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 12:32:49 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 12:32:47 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 12:32:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 12:32:45 AM	28	gradCels
SC PITUR DORU SNC	pH	7/6/2016 12:32:44 AM	8	unit pH
SC PITUR DORU SNC	Clor	7/6/2016 12:28:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 12:28:42 AM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/6/2016 12:28:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 12:27:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 12:27:21 AM	28	gradCels
SC PITUR DORU SNC	pH	7/6/2016 12:27:20 AM	8	unit pH
SC PITUR DORU SNC	Clor	7/6/2016 12:21:49 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	7/6/2016 12:21:48 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 12:21:47 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 12:21:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 12:21:45 AM	28	gradCels
SC PITUR DORU SNC	pH	7/6/2016 12:21:44 AM	8	unit pH
SC PITUR DORU SNC	Clor	7/6/2016 12:17:44 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 12:17:43 AM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/6/2016 12:17:42 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 12:16:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 12:16:21 AM	28	gradCels
SC PITUR DORU SNC	pH	7/6/2016 12:16:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 12:11:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 12:11:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 12:11:00 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 12:10:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 12:10:45 AM	28	gradCels
SC PITUR DORU SNC	pH	7/6/2016 12:10:44 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 12:06:43 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 12:06:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 12:06:41 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/6/2016 12:05:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	7/6/2016 12:05:21 AM	28	gradCels
SC PITUR DORU SNC	pH	7/6/2016 12:05:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/6/2016 12:00:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	7/6/2016 12:00:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/6/2016 12:00:00 AM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 11:59:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 11:59:45 PM	28	gradCels
SC PITUR DORU SNC	pH	7/5/2016 11:59:44 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 11:55:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 11:55:49 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 11:54:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 11:54:22 PM	9	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 11:54:21 PM	28	gradCels
SC PITUR DORU SNC	pH	7/5/2016 11:54:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 11:48:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 11:48:49 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 11:48:48 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 11:48:47 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 11:48:46 PM	28	gradCels
SC PITUR DORU SNC	pH	7/5/2016 11:48:45 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 11:44:43 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 11:44:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 11:44:41 PM	9	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	7/5/2016 11:43:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 11:43:21 PM	28	gradCels
SC PITUR DORU SNC	pH	7/5/2016 11:43:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 11:37:49 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 11:37:48 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 11:37:47 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 11:37:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 11:37:45 PM	28	gradCels
SC PITUR DORU SNC	pH	7/5/2016 11:37:44 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 11:33:43 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 11:33:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 11:33:41 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 11:32:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 11:32:21 PM	28	gradCels
SC PITUR DORU SNC	pH	7/5/2016 11:32:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 11:26:49 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 11:26:48 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 11:26:47 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 11:26:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 11:26:45 PM	28	gradCels
SC PITUR DORU SNC	pH	7/5/2016 11:26:44 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 11:22:42 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 11:22:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 11:21:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 11:21:22 PM	9	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 11:21:21 PM	28	gradCels
SC PITUR DORU SNC	pH	7/5/2016 11:21:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 11:17:03 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 11:17:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 11:17:01 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 11:16:44 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 11:16:43 PM	28	gradCels
SC PITUR DORU SNC	pH	7/5/2016 11:16:42 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 11:11:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 11:11:42 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 11:11:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 11:11:24 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 11:11:23 PM	28	gradCels
SC PITUR DORU SNC	pH	7/5/2016 11:11:22 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 11:06:02 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 11:06:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 11:06:00 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 11:05:44 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 11:05:43 PM	28	gradCels
SC PITUR DORU SNC	pH	7/5/2016 11:05:42 PM	8	unit pH
SC PITUR DORU SNC	Clor	7/5/2016 11:00:53 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	7/5/2016 11:00:52 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 11:00:51 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 11:00:44 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 11:00:43 PM	28	gradCels
SC PITUR DORU SNC	pH	7/5/2016 11:00:42 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 10:55:03 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 10:55:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 10:55:01 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 10:54:44 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 10:54:43 PM	28	gradCels
SC PITUR DORU SNC	pH	7/5/2016 10:54:42 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 10:49:24 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 10:49:22 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 10:49:21 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 10:49:04 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 10:49:03 PM	28	gradCels
SC PITUR DORU SNC	pH	7/5/2016 10:49:02 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 10:44:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 10:44:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 10:44:02 PM	9	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	7/5/2016 10:43:44 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 10:43:43 PM	28	gradCels
SC PITUR DORU SNC	pH	7/5/2016 10:43:42 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 10:38:25 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 10:38:22 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 10:38:21 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 10:38:04 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 10:38:03 PM	28	gradCels
SC PITUR DORU SNC	pH	7/5/2016 10:38:02 PM	8	unit pH
SC PITUR DORU SNC	Clor	7/5/2016 10:33:04 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 10:33:03 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/5/2016 10:33:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 10:32:49 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 10:32:48 PM	28	gradCels
SC PITUR DORU SNC	pH	7/5/2016 10:32:47 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 10:28:02 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 10:28:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 10:28:00 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 10:27:36 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 10:27:35 PM	28	gradCels
SC PITUR DORU SNC	pH	7/5/2016 10:27:34 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 10:22:03 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 10:22:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 10:22:01 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 10:21:49 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 10:21:48 PM	28	gradCels
SC PITUR DORU SNC	pH	7/5/2016 10:21:47 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 10:17:02 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 10:17:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 10:17:00 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 10:16:25 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 10:16:24 PM	28	gradCels
SC PITUR DORU SNC	pH	7/5/2016 10:16:23 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 10:11:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 10:11:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 10:11:02 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 10:10:49 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 10:10:48 PM	28	gradCels
SC PITUR DORU SNC	pH	7/5/2016 10:10:47 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 10:06:02 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 10:06:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 10:06:00 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 10:05:29 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 10:05:28 PM	28	gradCels
SC PITUR DORU SNC	pH	7/5/2016 10:05:27 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 10:00:24 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 10:00:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 10:00:22 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 10:00:21 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 10:00:20 PM	28	gradCels
SC PITUR DORU SNC	pH	7/5/2016 10:00:19 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 9:55:02 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 9:55:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 9:55:00 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 9:54:28 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 9:54:27 PM	28	gradCels
SC PITUR DORU SNC	pH	7/5/2016 9:54:26 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 9:50:02 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 9:50:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 9:50:00 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 9:49:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 9:49:20 PM	28	gradCels
SC PITUR DORU SNC	pH	7/5/2016 9:49:18 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 9:44:02 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 9:44:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 9:44:00 PM	9	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	7/5/2016 9:43:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 9:43:29 PM	28	gradCels
SC PITUR DORU SNC	pH	7/5/2016 9:43:28 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 9:39:02 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 9:39:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 9:39:00 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 9:38:18 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 9:38:17 PM	28	gradCels
SC PITUR DORU SNC	pH	7/5/2016 9:38:16 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 9:33:03 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 9:33:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 9:33:00 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 9:32:32 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 9:32:31 PM	28	gradCels
SC PITUR DORU SNC	pH	7/5/2016 9:32:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 9:28:02 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 9:28:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 9:28:00 PM	9	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 9:27:18 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 9:27:17 PM	28	gradCels
SC PITUR DORU SNC	pH	7/5/2016 9:27:16 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 9:22:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 9:22:00 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 9:21:32 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 9:21:31 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 9:21:30 PM	28	gradCels
SC PITUR DORU SNC	pH	7/5/2016 9:21:29 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 9:16:17 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 9:16:16 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 9:16:15 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 9:16:14 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 9:16:13 PM	28	gradCels
SC PITUR DORU SNC	pH	7/5/2016 9:16:12 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 9:11:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 9:11:00 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 9:10:32 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 9:10:31 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 9:10:30 PM	28	gradCels
SC PITUR DORU SNC	pH	7/5/2016 9:10:29 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 9:05:19 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 9:05:18 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 9:05:17 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 9:05:16 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 9:05:15 PM	28	gradCels
SC PITUR DORU SNC	pH	7/5/2016 9:05:14 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 8:59:48 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 8:59:47 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 8:59:45 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 8:59:44 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 8:59:43 PM	28	gradCels
SC PITUR DORU SNC	pH	7/5/2016 8:59:42 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 8:54:18 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 8:54:17 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 8:54:16 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 8:54:15 PM	9	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 8:54:14 PM	28	gradCels
SC PITUR DORU SNC	pH	7/5/2016 8:54:13 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 8:49:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 8:49:00 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 8:48:34 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 8:48:33 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 8:48:32 PM	28	gradCels
SC PITUR DORU SNC	pH	7/5/2016 8:48:31 PM	8	unit pH
SC PITUR DORU SNC	pH	7/5/2016 8:43:17 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/5/2016 8:43:16 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/5/2016 8:43:15 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	7/5/2016 8:43:14 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 8:43:13 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 8:43:12 PM	28	gradCels
SC PITUR DORU SNC	Substante organice	7/5/2016 8:38:00 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/5/2016 8:37:33 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 8:37:32 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 8:37:31 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 8:37:30 PM	28	gradCels
SC PITUR DORU SNC	pH	7/5/2016 8:37:29 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 8:32:19 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 8:32:18 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 8:32:17 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 8:32:16 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 8:32:15 PM	28	gradCels
SC PITUR DORU SNC	pH	7/5/2016 8:32:14 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 8:26:47 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 8:26:46 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 8:26:42 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 8:26:41 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 8:26:40 PM	28	gradCels
SC PITUR DORU SNC	pH	7/5/2016 8:26:39 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 8:21:15 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 8:21:14 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 8:21:13 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 8:21:12 PM	9	mg/l
SC PITUR DORU SNC	pH	7/5/2016 8:21:11 PM	8	unit pH
SC PITUR DORU SNC	Temp	7/5/2016 8:21:10 PM	28	gradCels
SC PITUR DORU SNC	Substante organice	7/5/2016 8:16:00 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/5/2016 8:15:33 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 8:15:32 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 8:15:31 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 8:15:30 PM	28	gradCels
SC PITUR DORU SNC	pH	7/5/2016 8:15:29 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 8:10:14 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 8:10:13 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 8:10:12 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 8:10:11 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 8:10:10 PM	28	gradCels
SC PITUR DORU SNC	pH	7/5/2016 8:10:09 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 8:05:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 8:05:00 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 8:04:33 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 8:04:32 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 8:04:31 PM	28	gradCels
SC PITUR DORU SNC	pH	7/5/2016 8:04:30 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/5/2016 7:58:55 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/5/2016 7:58:54 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 7:58:53 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 7:58:52 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 7:58:51 PM	28	gradCels
SC PITUR DORU SNC	pH	7/5/2016 7:58:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 7:53:35 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 7:53:34 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 7:53:33 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 7:53:32 PM	9	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 7:53:31 PM	28	gradCels
SC PITUR DORU SNC	pH	7/5/2016 7:53:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 7:47:54 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 7:47:53 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 7:47:52 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 7:47:51 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 7:47:50 PM	28	gradCels
SC PITUR DORU SNC	pH	7/5/2016 7:47:49 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 7:43:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 7:43:00 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 7:42:32 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	7/5/2016 7:42:31 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 7:42:30 PM	28	gradCels
SC PITUR DORU SNC	pH	7/5/2016 7:42:29 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 7:36:56 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 7:36:55 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 7:36:54 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 7:36:53 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 7:36:52 PM	28	gradCels
SC PITUR DORU SNC	pH	7/5/2016 7:36:51 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 7:32:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 7:32:00 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 7:31:35 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 7:31:34 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 7:31:33 PM	28	gradCels
SC PITUR DORU SNC	pH	7/5/2016 7:31:32 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 7:26:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 7:26:00 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 7:25:59 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 7:25:58 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 7:25:57 PM	28	gradCels
SC PITUR DORU SNC	pH	7/5/2016 7:25:56 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 7:21:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 7:21:00 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 7:20:33 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 7:20:32 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 7:20:31 PM	28	gradCels
SC PITUR DORU SNC	pH	7/5/2016 7:20:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 7:15:05 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 7:15:03 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 7:15:01 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 7:14:59 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 7:14:57 PM	28	gradCels
SC PITUR DORU SNC	pH	7/5/2016 7:14:55 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 7:10:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 7:10:00 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 7:09:28 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 7:09:27 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 7:09:26 PM	28	gradCels
SC PITUR DORU SNC	pH	7/5/2016 7:09:25 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 7:03:54 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 7:03:53 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 7:03:52 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 7:03:51 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 7:03:50 PM	28	gradCels
SC PITUR DORU SNC	pH	7/5/2016 7:03:49 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 6:59:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 6:59:00 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 6:58:29 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 6:58:28 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 6:58:27 PM	28	gradCels
SC PITUR DORU SNC	pH	7/5/2016 6:58:26 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 6:52:53 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 6:52:52 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 6:52:51 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 6:52:50 PM	9	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 6:52:49 PM	28	gradCels
SC PITUR DORU SNC	pH	7/5/2016 6:52:48 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 6:48:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 6:48:00 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 6:47:25 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 6:47:24 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 6:47:23 PM	28	gradCels
SC PITUR DORU SNC	pH	7/5/2016 6:47:22 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 6:41:54 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 6:41:53 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 6:41:52 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	7/5/2016 6:41:51 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 6:41:50 PM	28	gradCels
SC PITUR DORU SNC	pH	7/5/2016 6:41:49 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/5/2016 6:37:00 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/5/2016 6:36:09 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 6:36:08 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 6:36:07 PM	0	mg/l
SC PITUR DORU SNC	pH	7/5/2016 6:36:06 PM	8	unit pH
SC PITUR DORU SNC	Temp	7/5/2016 6:36:05 PM	28	gradCels
SC PITUR DORU SNC	Substante organice	7/5/2016 6:31:05 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/5/2016 6:31:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 6:31:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 6:31:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 6:31:01 PM	28	gradCels
SC PITUR DORU SNC	pH	7/5/2016 6:31:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 6:26:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 6:26:00 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 6:25:07 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 6:25:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 6:25:05 PM	28	gradCels
SC PITUR DORU SNC	pH	7/5/2016 6:25:04 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 6:19:55 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 6:19:54 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 6:19:53 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 6:19:52 PM	28	gradCels
SC PITUR DORU SNC	Substante organice	7/5/2016 6:19:51 PM	9	mg/l
SC PITUR DORU SNC	pH	7/5/2016 6:19:50 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/5/2016 6:15:00 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/5/2016 6:14:08 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 6:14:07 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 6:14:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 6:14:05 PM	28	gradCels
SC PITUR DORU SNC	pH	7/5/2016 6:14:04 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 6:08:55 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 6:08:54 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 6:08:53 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 6:08:52 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 6:08:51 PM	28	gradCels
SC PITUR DORU SNC	pH	7/5/2016 6:08:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 6:04:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 6:04:00 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 6:03:08 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 6:03:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 6:03:06 PM	28	gradCels
SC PITUR DORU SNC	pH	7/5/2016 6:03:05 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 5:57:59 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 5:57:58 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 5:57:57 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 5:57:56 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 5:57:55 PM	28	gradCels
SC PITUR DORU SNC	pH	7/5/2016 5:57:54 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 5:53:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 5:52:09 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 5:52:08 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 5:52:07 PM	9	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 5:52:06 PM	28	gradCels
SC PITUR DORU SNC	pH	7/5/2016 5:52:05 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 5:46:54 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 5:46:53 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 5:46:52 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 5:46:51 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 5:46:50 PM	28	gradCels
SC PITUR DORU SNC	pH	7/5/2016 5:46:49 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 5:42:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 5:42:00 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 5:41:09 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	7/5/2016 5:41:08 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 5:41:07 PM	28	gradCels
SC PITUR DORU SNC	pH	7/5/2016 5:41:06 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 5:35:56 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 5:35:54 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 5:35:53 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 5:35:52 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 5:35:51 PM	28	gradCels
SC PITUR DORU SNC	pH	7/5/2016 5:35:50 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/5/2016 5:31:00 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/5/2016 5:30:26 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 5:30:25 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 5:30:24 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 5:30:23 PM	28	gradCels
SC PITUR DORU SNC	pH	7/5/2016 5:30:22 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/5/2016 5:24:56 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/5/2016 5:24:55 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 5:24:54 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 5:24:53 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 5:24:52 PM	27	gradCels
SC PITUR DORU SNC	pH	7/5/2016 5:24:51 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/5/2016 5:20:00 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/5/2016 5:19:08 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 5:19:07 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 5:19:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 5:19:05 PM	27	gradCels
SC PITUR DORU SNC	pH	7/5/2016 5:19:04 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 5:15:06 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 5:15:05 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 5:13:56 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 5:13:55 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 5:13:54 PM	27	gradCels
SC PITUR DORU SNC	pH	7/5/2016 5:13:53 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 5:08:34 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 5:08:33 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 5:08:32 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 5:08:31 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 5:08:30 PM	27	gradCels
SC PITUR DORU SNC	pH	7/5/2016 5:08:29 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 5:04:09 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 5:04:08 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 5:04:07 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 5:04:06 PM	9	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 5:04:05 PM	27	gradCels
SC PITUR DORU SNC	pH	7/5/2016 5:04:04 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/5/2016 5:02:50 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/5/2016 5:02:49 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 5:02:48 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 5:02:47 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 5:02:46 PM	27	gradCels
SC PITUR DORU SNC	pH	7/5/2016 5:02:45 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/5/2016 4:58:00 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/5/2016 4:57:33 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 4:57:32 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 4:57:31 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 4:57:30 PM	27	gradCels
SC PITUR DORU SNC	pH	7/5/2016 4:57:29 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 4:51:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 4:51:49 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 4:51:48 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 4:51:47 PM	9	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 4:51:46 PM	27	gradCels
SC PITUR DORU SNC	pH	7/5/2016 4:51:45 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 4:47:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 4:47:00 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 4:46:28 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	7/5/2016 4:46:27 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 4:46:26 PM	27	gradCels
SC PITUR DORU SNC	pH	7/5/2016 4:46:25 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 4:40:51 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 4:40:50 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 4:40:49 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 4:40:48 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 4:40:47 PM	27	gradCels
SC PITUR DORU SNC	pH	7/5/2016 4:40:46 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 4:36:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 4:36:00 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 4:35:31 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 4:35:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 4:35:29 PM	27	gradCels
SC PITUR DORU SNC	pH	7/5/2016 4:35:28 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 4:29:51 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 4:29:50 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 4:29:49 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 4:29:48 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 4:29:47 PM	27	gradCels
SC PITUR DORU SNC	pH	7/5/2016 4:29:46 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 4:25:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 4:24:24 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 4:24:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 4:24:22 PM	9	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 4:24:21 PM	27	gradCels
SC PITUR DORU SNC	pH	7/5/2016 4:24:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 4:19:05 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 4:19:04 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 4:19:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 4:19:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 4:19:01 PM	27	gradCels
SC PITUR DORU SNC	pH	7/5/2016 4:19:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 4:14:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 4:14:00 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 4:13:14 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 4:13:13 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 4:13:12 PM	27	gradCels
SC PITUR DORU SNC	pH	7/5/2016 4:13:11 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 4:08:05 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 4:08:04 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 4:08:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 4:08:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 4:08:01 PM	27	gradCels
SC PITUR DORU SNC	pH	7/5/2016 4:08:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 4:03:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 4:03:00 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 4:02:34 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 4:02:33 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 4:02:32 PM	27	gradCels
SC PITUR DORU SNC	pH	7/5/2016 4:02:31 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 3:57:05 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 3:57:04 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 3:57:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 3:57:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 3:57:01 PM	27	gradCels
SC PITUR DORU SNC	pH	7/5/2016 3:57:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 3:52:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 3:51:13 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 3:51:12 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 3:51:11 PM	9	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 3:51:10 PM	27	gradCels
SC PITUR DORU SNC	pH	7/5/2016 3:51:09 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 3:46:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 3:46:00 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 3:45:43 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	7/5/2016 3:45:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 3:45:41 PM	27	gradCels
SC PITUR DORU SNC	pH	7/5/2016 3:45:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 3:41:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 3:41:00 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 3:40:12 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 3:40:11 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 3:40:10 PM	27	gradCels
SC PITUR DORU SNC	pH	7/5/2016 3:40:09 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 3:36:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 3:36:00 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 3:35:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 3:35:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 3:35:21 PM	27	gradCels
SC PITUR DORU SNC	pH	7/5/2016 3:35:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 3:29:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 3:29:44 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 3:29:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 3:29:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 3:29:41 PM	27	gradCels
SC PITUR DORU SNC	pH	7/5/2016 3:29:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 3:25:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 3:24:24 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 3:24:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 3:24:22 PM	9	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 3:24:21 PM	27	gradCels
SC PITUR DORU SNC	pH	7/5/2016 3:24:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 3:18:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 3:18:44 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 3:18:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 3:18:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 3:18:41 PM	27	gradCels
SC PITUR DORU SNC	pH	7/5/2016 3:18:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 3:14:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 3:14:00 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 3:13:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 3:13:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 3:13:21 PM	27	gradCels
SC PITUR DORU SNC	pH	7/5/2016 3:13:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 3:08:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 3:08:00 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 3:07:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 3:07:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 3:07:41 PM	27	gradCels
SC PITUR DORU SNC	pH	7/5/2016 3:07:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 3:03:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 3:03:00 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 3:02:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 3:02:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 3:02:21 PM	27	gradCels
SC PITUR DORU SNC	pH	7/5/2016 3:02:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 2:56:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 2:56:44 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 2:56:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 2:56:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 2:56:41 PM	27	gradCels
SC PITUR DORU SNC	pH	7/5/2016 2:56:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 2:52:01 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 2:52:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 2:51:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 2:51:22 PM	9	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 2:51:21 PM	27	gradCels
SC PITUR DORU SNC	pH	7/5/2016 2:51:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 2:46:03 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 2:46:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 2:46:00 PM	10	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	7/5/2016 2:45:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 2:45:41 PM	27	gradCels
SC PITUR DORU SNC	pH	7/5/2016 2:45:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 2:41:02 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 2:41:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 2:41:00 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 2:40:08 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 2:40:07 PM	27	gradCels
SC PITUR DORU SNC	pH	7/5/2016 2:40:06 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 2:35:02 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 2:35:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 2:35:00 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 2:34:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 2:34:41 PM	27	gradCels
SC PITUR DORU SNC	pH	7/5/2016 2:34:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 2:30:03 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 2:30:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 2:30:00 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 2:29:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 2:29:06 PM	27	gradCels
SC PITUR DORU SNC	pH	7/5/2016 2:29:05 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 2:23:45 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 2:23:44 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 2:23:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 2:23:42 PM	10	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 2:23:41 PM	27	gradCels
SC PITUR DORU SNC	pH	7/5/2016 2:23:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 2:19:02 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 2:19:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 2:19:00 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 2:18:08 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 2:18:07 PM	27	gradCels
SC PITUR DORU SNC	pH	7/5/2016 2:18:06 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 2:12:45 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 2:12:44 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 2:12:43 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 2:12:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 2:12:41 PM	27	gradCels
SC PITUR DORU SNC	pH	7/5/2016 2:12:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 2:08:03 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 2:08:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 2:08:00 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 2:07:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 2:07:06 PM	27	gradCels
SC PITUR DORU SNC	pH	7/5/2016 2:07:05 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 2:02:02 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 2:02:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 2:02:00 PM	10	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 2:01:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 2:01:41 PM	27	gradCels
SC PITUR DORU SNC	pH	7/5/2016 2:01:40 PM	8	unit pH
SC PITUR DORU SNC	Clor	7/5/2016 1:57:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 1:57:00 PM	10	mg/l
SC PITUR DORU SNC	Cianuri	7/5/2016 1:56:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 1:56:09 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 1:56:08 PM	27	gradCels
SC PITUR DORU SNC	pH	7/5/2016 1:56:07 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 1:50:45 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 1:50:44 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 1:50:43 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 1:50:42 PM	24	gradCels
SC PITUR DORU SNC	Substante organice	7/5/2016 1:50:41 PM	10	mg/l
SC PITUR DORU SNC	pH	7/5/2016 1:50:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 1:45:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 1:45:44 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 1:45:43 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	7/5/2016 1:45:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 1:45:41 PM	27	gradCels
SC PITUR DORU SNC	pH	7/5/2016 1:45:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 1:40:45 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 1:40:44 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 1:40:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 1:40:42 PM	9	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 1:40:41 PM	27	gradCels
SC PITUR DORU SNC	pH	7/5/2016 1:40:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 1:35:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 1:35:44 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 1:35:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 1:35:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 1:35:41 PM	27	gradCels
SC PITUR DORU SNC	pH	7/5/2016 1:35:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 1:30:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 1:30:44 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 1:30:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 1:30:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 1:30:41 PM	27	gradCels
SC PITUR DORU SNC	pH	7/5/2016 1:30:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/5/2016 1:26:03 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/5/2016 1:26:01 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 1:25:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 1:25:29 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 1:25:28 PM	27	gradCels
SC PITUR DORU SNC	pH	7/5/2016 1:25:27 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 1:20:49 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 1:20:46 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 1:20:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 1:20:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 1:20:41 PM	27	gradCels
SC PITUR DORU SNC	pH	7/5/2016 1:20:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 1:16:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 1:16:00 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 1:15:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 1:15:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 1:15:21 PM	27	gradCels
SC PITUR DORU SNC	pH	7/5/2016 1:15:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 1:11:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 1:10:24 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 1:10:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 1:10:22 PM	9	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 1:10:21 PM	27	gradCels
SC PITUR DORU SNC	pH	7/5/2016 1:10:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 1:06:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 1:06:20 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 1:06:05 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 1:06:04 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 1:06:03 PM	27	gradCels
SC PITUR DORU SNC	pH	7/5/2016 1:06:02 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 1:00:57 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 1:00:56 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 1:00:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 1:00:49 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 1:00:48 PM	27	gradCels
SC PITUR DORU SNC	pH	7/5/2016 1:00:47 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 12:56:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 12:56:00 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 12:55:35 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 12:55:34 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 12:55:33 PM	27	gradCels
SC PITUR DORU SNC	pH	7/5/2016 12:55:32 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 12:51:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 12:51:00 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 12:50:28 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	7/5/2016 12:50:27 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 12:50:26 PM	27	gradCels
SC PITUR DORU SNC	pH	7/5/2016 12:50:25 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 12:46:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 12:46:00 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 12:45:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 12:45:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 12:45:21 PM	27	gradCels
SC PITUR DORU SNC	pH	7/5/2016 12:45:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 12:41:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 12:40:24 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 12:40:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 12:40:22 PM	9	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 12:40:21 PM	27	gradCels
SC PITUR DORU SNC	pH	7/5/2016 12:40:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 12:35:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 12:35:49 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 12:35:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 12:35:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 12:35:21 PM	27	gradCels
SC PITUR DORU SNC	pH	7/5/2016 12:35:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	7/5/2016 12:31:04 PM	9	mg/l
SC PITUR DORU SNC	Cianuri	7/5/2016 12:31:02 PM	0	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 12:30:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 12:30:29 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 12:30:28 PM	27	gradCels
SC PITUR DORU SNC	pH	7/5/2016 12:30:27 PM	8	unit pH
SC PITUR DORU SNC	Clor	7/5/2016 12:28:01 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 12:27:59 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	7/5/2016 12:27:56 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 12:27:55 PM	9	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 12:27:54 PM	26	gradCels
SC PITUR DORU SNC	pH	7/5/2016 12:27:53 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 12:26:05 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 12:26:04 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 12:25:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 12:25:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 12:25:21 PM	26	gradCels
SC PITUR DORU SNC	pH	7/5/2016 12:25:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 12:21:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 12:21:00 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 12:20:29 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 12:20:28 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 12:20:27 PM	26	gradCels
SC PITUR DORU SNC	pH	7/5/2016 12:20:26 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 12:16:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 12:16:41 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 12:15:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 12:15:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 12:15:21 PM	26	gradCels
SC PITUR DORU SNC	pH	7/5/2016 12:15:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 12:11:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 12:11:01 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 12:10:53 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 12:10:52 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 12:10:51 PM	26	gradCels
SC PITUR DORU SNC	pH	7/5/2016 12:10:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 12:05:52 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 12:05:51 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 12:05:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	7/5/2016 12:05:49 PM	0	mg/l
SC PITUR DORU SNC	Temp	7/5/2016 12:05:48 PM	26	gradCels
SC PITUR DORU SNC	pH	7/5/2016 12:05:47 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	7/5/2016 12:00:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	7/5/2016 12:00:49 PM	9	mg/l
SC PITUR DORU SNC	Clor	7/5/2016 12:00:48 PM	0	mg/l