

Analiza evolutie pe mai multi senzori

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Temp	8/20/2016 2:00:30 AM	28	gradCels
SC PITUR DORU SNC	pH	8/20/2016 2:00:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/20/2016 1:55:07 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/20/2016 1:55:06 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/20/2016 1:55:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/20/2016 1:55:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/20/2016 1:55:01 AM	28	gradCels
SC PITUR DORU SNC	pH	8/20/2016 1:55:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/20/2016 1:50:05 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/20/2016 1:50:04 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/20/2016 1:49:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/20/2016 1:49:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/20/2016 1:49:41 AM	28	gradCels
SC PITUR DORU SNC	pH	8/20/2016 1:49:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/20/2016 1:44:06 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/20/2016 1:44:05 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/20/2016 1:44:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/20/2016 1:44:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/20/2016 1:44:01 AM	28	gradCels
SC PITUR DORU SNC	pH	8/20/2016 1:44:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/20/2016 1:39:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/20/2016 1:39:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/20/2016 1:39:10 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	8/20/2016 1:39:04 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/20/2016 1:38:50 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/20/2016 1:38:44 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/20/2016 1:38:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/20/2016 1:38:42 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/20/2016 1:38:41 AM	28	gradCels
SC PITUR DORU SNC	pH	8/20/2016 1:38:40 AM	8	unit pH
SC PITUR DORU SNC	Temp	8/20/2016 1:38:00 AM	28	gradCels
SC PITUR DORU SNC	pH	8/20/2016 1:37:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/20/2016 1:33:07 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/20/2016 1:33:06 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/20/2016 1:33:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/20/2016 1:33:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/20/2016 1:33:01 AM	28	gradCels
SC PITUR DORU SNC	pH	8/20/2016 1:33:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/20/2016 1:28:05 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/20/2016 1:28:04 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/20/2016 1:27:28 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/20/2016 1:27:27 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/20/2016 1:27:26 AM	28	gradCels
SC PITUR DORU SNC	pH	8/20/2016 1:27:25 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/20/2016 1:22:05 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/20/2016 1:22:04 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/20/2016 1:22:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/20/2016 1:22:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/20/2016 1:22:01 AM	28	gradCels
SC PITUR DORU SNC	pH	8/20/2016 1:22:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/20/2016 1:18:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/20/2016 1:18:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/20/2016 1:17:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/20/2016 1:17:40 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/20/2016 1:17:30 AM	28	gradCels
SC PITUR DORU SNC	pH	8/20/2016 1:17:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/20/2016 1:17:05 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/20/2016 1:17:04 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/20/2016 1:16:27 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/20/2016 1:16:26 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/20/2016 1:16:25 AM	28	gradCels
SC PITUR DORU SNC	pH	8/20/2016 1:16:24 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/20/2016 1:11:05 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/20/2016 1:11:04 AM	13	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	8/20/2016 1:11:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/20/2016 1:11:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/20/2016 1:11:01 AM	28	gradCels
SC PITUR DORU SNC	pH	8/20/2016 1:11:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/20/2016 1:06:04 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/20/2016 1:05:29 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/20/2016 1:05:28 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/20/2016 1:05:27 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/20/2016 1:05:26 AM	28	gradCels
SC PITUR DORU SNC	pH	8/20/2016 1:05:25 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/20/2016 1:00:10 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	8/20/2016 1:00:05 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/20/2016 1:00:04 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/20/2016 1:00:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/20/2016 1:00:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/20/2016 1:00:01 AM	28	gradCels
SC PITUR DORU SNC	pH	8/20/2016 1:00:00 AM	8	unit pH
SC PITUR DORU SNC	Clor	8/20/2016 12:59:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/20/2016 12:59:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/20/2016 12:58:00 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/20/2016 12:57:50 AM	28	gradCels
SC PITUR DORU SNC	pH	8/20/2016 12:57:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/20/2016 12:55:05 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/20/2016 12:55:04 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/20/2016 12:54:25 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/20/2016 12:54:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/20/2016 12:54:23 AM	28	gradCels
SC PITUR DORU SNC	pH	8/20/2016 12:54:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/20/2016 12:49:05 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/20/2016 12:49:04 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/20/2016 12:49:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/20/2016 12:49:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/20/2016 12:49:01 AM	28	gradCels
SC PITUR DORU SNC	pH	8/20/2016 12:49:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/20/2016 12:44:05 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/20/2016 12:44:04 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/20/2016 12:43:25 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/20/2016 12:43:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/20/2016 12:43:23 AM	28	gradCels
SC PITUR DORU SNC	pH	8/20/2016 12:43:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/20/2016 12:39:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/20/2016 12:39:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/20/2016 12:38:30 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	8/20/2016 12:38:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/20/2016 12:38:20 AM	13	mg/l
SC PITUR DORU SNC	Substante organice	8/20/2016 12:38:00 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/20/2016 12:37:50 AM	28	gradCels
SC PITUR DORU SNC	Clor	8/20/2016 12:37:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/20/2016 12:37:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/20/2016 12:37:41 AM	28	gradCels
SC PITUR DORU SNC	pH	8/20/2016 12:37:40 AM	8	unit pH
SC PITUR DORU SNC	pH	8/20/2016 12:37:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/20/2016 12:33:05 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/20/2016 12:33:04 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/20/2016 12:32:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/20/2016 12:32:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/20/2016 12:32:21 AM	28	gradCels
SC PITUR DORU SNC	pH	8/20/2016 12:32:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/20/2016 12:27:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/20/2016 12:27:20 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/20/2016 12:26:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/20/2016 12:26:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/20/2016 12:26:41 AM	28	gradCels
SC PITUR DORU SNC	pH	8/20/2016 12:26:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/20/2016 12:22:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/20/2016 12:22:20 AM	13	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	8/20/2016 12:21:24 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/20/2016 12:21:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/20/2016 12:21:22 AM	28	gradCels
SC PITUR DORU SNC	pH	8/20/2016 12:21:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/20/2016 12:17:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/20/2016 12:17:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/20/2016 12:17:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/20/2016 12:16:30 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/20/2016 12:16:20 AM	29	gradCels
SC PITUR DORU SNC	pH	8/20/2016 12:16:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/20/2016 12:16:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/20/2016 12:16:00 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/20/2016 12:15:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/20/2016 12:15:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/20/2016 12:15:41 AM	29	gradCels
SC PITUR DORU SNC	pH	8/20/2016 12:15:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/20/2016 12:11:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/20/2016 12:11:00 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/20/2016 12:10:25 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/20/2016 12:10:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/20/2016 12:10:23 AM	29	gradCels
SC PITUR DORU SNC	pH	8/20/2016 12:10:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/20/2016 12:05:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/20/2016 12:05:20 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/20/2016 12:04:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/20/2016 12:04:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/20/2016 12:04:41 AM	29	gradCels
SC PITUR DORU SNC	pH	8/20/2016 12:04:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 11:59:07 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 11:59:06 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 11:59:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 11:59:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 11:59:01 PM	29	gradCels
SC PITUR DORU SNC	pH	8/19/2016 11:59:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 11:57:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 11:56:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 11:56:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 11:56:10 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 11:55:50 PM	29	gradCels
SC PITUR DORU SNC	pH	8/19/2016 11:55:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 11:54:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 11:54:20 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 11:53:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 11:53:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 11:53:41 PM	29	gradCels
SC PITUR DORU SNC	pH	8/19/2016 11:53:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 11:48:05 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 11:48:04 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 11:48:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 11:48:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 11:48:01 PM	29	gradCels
SC PITUR DORU SNC	pH	8/19/2016 11:48:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 11:43:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 11:43:00 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 11:42:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 11:42:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 11:42:41 PM	29	gradCels
SC PITUR DORU SNC	pH	8/19/2016 11:42:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 11:37:10 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	8/19/2016 11:37:06 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 11:37:05 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 11:37:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 11:37:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 11:37:01 PM	29	gradCels
SC PITUR DORU SNC	pH	8/19/2016 11:37:00 PM	8	unit pH
SC PITUR DORU SNC	Clor	8/19/2016 11:36:50 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	8/19/2016 11:36:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 11:35:40 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 11:35:30 PM	29	gradCels
SC PITUR DORU SNC	pH	8/19/2016 11:35:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 11:32:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 11:32:20 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 11:31:26 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 11:31:25 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 11:31:24 PM	29	gradCels
SC PITUR DORU SNC	pH	8/19/2016 11:31:23 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 11:26:07 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 11:26:06 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 11:26:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 11:26:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 11:26:01 PM	29	gradCels
SC PITUR DORU SNC	pH	8/19/2016 11:26:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 11:21:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 11:21:00 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 11:20:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 11:20:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 11:20:21 PM	29	gradCels
SC PITUR DORU SNC	pH	8/19/2016 11:20:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 11:17:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 11:16:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 11:16:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 11:15:50 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 11:15:40 PM	29	gradCels
SC PITUR DORU SNC	pH	8/19/2016 11:15:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 11:15:07 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 11:15:06 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 11:15:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 11:15:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 11:15:01 PM	29	gradCels
SC PITUR DORU SNC	pH	8/19/2016 11:15:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 11:10:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 11:09:24 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 11:09:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 11:09:22 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 11:09:21 PM	29	gradCels
SC PITUR DORU SNC	pH	8/19/2016 11:09:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 11:04:06 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 11:04:05 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 11:04:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 11:04:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 11:04:01 PM	29	gradCels
SC PITUR DORU SNC	pH	8/19/2016 11:04:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 10:59:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 10:59:00 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 10:58:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 10:58:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 10:58:21 PM	29	gradCels
SC PITUR DORU SNC	pH	8/19/2016 10:58:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 10:57:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 10:56:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 10:56:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 10:56:20 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 10:56:10 PM	29	gradCels
SC PITUR DORU SNC	pH	8/19/2016 10:55:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 10:53:05 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 10:53:04 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 10:53:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 10:53:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 10:53:01 PM	29	gradCels
SC PITUR DORU SNC	pH	8/19/2016 10:53:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 10:48:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 10:48:20 PM	13	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	8/19/2016 10:47:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 10:47:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 10:47:21 PM	29	gradCels
SC PITUR DORU SNC	pH	8/19/2016 10:47:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/19/2016 10:43:17 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	8/19/2016 10:42:24 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 10:42:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 10:42:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 10:42:21 PM	29	gradCels
SC PITUR DORU SNC	pH	8/19/2016 10:42:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 10:38:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 10:37:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 10:37:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 10:36:50 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	8/19/2016 10:36:45 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 10:36:44 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 10:36:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 10:36:42 PM	13	mg/l
SC PITUR DORU SNC	pH	8/19/2016 10:36:41 PM	8	unit pH
SC PITUR DORU SNC	Temp	8/19/2016 10:36:40 PM	29	gradCels
SC PITUR DORU SNC	Temp	8/19/2016 10:36:30 PM	29	gradCels
SC PITUR DORU SNC	pH	8/19/2016 10:36:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 10:32:17 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 10:32:16 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 10:31:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 10:31:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 10:31:21 PM	29	gradCels
SC PITUR DORU SNC	pH	8/19/2016 10:31:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 10:26:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 10:26:00 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 10:25:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 10:25:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 10:25:41 PM	29	gradCels
SC PITUR DORU SNC	pH	8/19/2016 10:25:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/19/2016 10:21:15 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	8/19/2016 10:21:13 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 10:20:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 10:20:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 10:20:21 PM	29	gradCels
SC PITUR DORU SNC	pH	8/19/2016 10:20:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 10:18:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 10:18:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 10:18:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 10:17:50 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 10:17:40 PM	29	gradCels
SC PITUR DORU SNC	pH	8/19/2016 10:17:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 10:15:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 10:15:00 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 10:14:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 10:14:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 10:14:41 PM	29	gradCels
SC PITUR DORU SNC	pH	8/19/2016 10:14:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 10:10:16 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 10:09:24 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 10:09:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 10:09:22 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 10:09:21 PM	29	gradCels
SC PITUR DORU SNC	pH	8/19/2016 10:09:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 10:04:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 10:04:00 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 10:03:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 10:03:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 10:03:41 PM	29	gradCels
SC PITUR DORU SNC	pH	8/19/2016 10:03:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 9:58:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 9:58:30 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	8/19/2016 9:58:10 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	8/19/2016 9:58:05 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 9:58:04 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 9:58:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 9:58:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 9:58:01 PM	29	gradCels
SC PITUR DORU SNC	pH	8/19/2016 9:58:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/19/2016 9:57:50 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 9:57:40 PM	29	gradCels
SC PITUR DORU SNC	pH	8/19/2016 9:57:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 9:53:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 9:53:00 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 9:52:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 9:52:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 9:52:41 PM	29	gradCels
SC PITUR DORU SNC	pH	8/19/2016 9:52:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 9:47:05 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 9:47:04 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 9:47:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 9:47:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 9:47:01 PM	29	gradCels
SC PITUR DORU SNC	pH	8/19/2016 9:47:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 9:42:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 9:42:00 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 9:41:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 9:41:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 9:41:41 PM	29	gradCels
SC PITUR DORU SNC	pH	8/19/2016 9:41:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 9:39:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 9:39:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 9:38:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 9:38:30 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 9:38:20 PM	29	gradCels
SC PITUR DORU SNC	pH	8/19/2016 9:38:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 9:36:05 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 9:36:04 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 9:36:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 9:36:02 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 9:36:01 PM	29	gradCels
SC PITUR DORU SNC	pH	8/19/2016 9:36:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 9:31:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 9:31:00 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 9:30:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 9:30:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 9:30:41 PM	29	gradCels
SC PITUR DORU SNC	pH	8/19/2016 9:30:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 9:25:05 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 9:25:04 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 9:25:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 9:25:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 9:25:01 PM	29	gradCels
SC PITUR DORU SNC	pH	8/19/2016 9:25:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 9:20:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 9:20:00 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	8/19/2016 9:19:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 9:19:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 9:19:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 9:19:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 9:19:21 PM	29	gradCels
SC PITUR DORU SNC	pH	8/19/2016 9:19:20 PM	8	unit pH
SC PITUR DORU SNC	Grasimi	8/19/2016 9:19:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 9:18:40 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 9:18:30 PM	29	gradCels
SC PITUR DORU SNC	pH	8/19/2016 9:18:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 9:14:05 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 9:14:04 PM	13	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	8/19/2016 9:14:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 9:14:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 9:14:01 PM	29	gradCels
SC PITUR DORU SNC	pH	8/19/2016 9:14:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 9:09:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 9:08:24 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 9:08:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 9:08:22 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 9:08:21 PM	29	gradCels
SC PITUR DORU SNC	pH	8/19/2016 9:08:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 9:03:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 9:03:00 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 9:02:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 9:02:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 9:02:41 PM	29	gradCels
SC PITUR DORU SNC	pH	8/19/2016 9:02:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 8:59:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 8:59:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 8:58:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 8:58:20 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 8:58:10 PM	30	gradCels
SC PITUR DORU SNC	Cianuri	8/19/2016 8:58:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 8:58:00 PM	13	mg/l
SC PITUR DORU SNC	pH	8/19/2016 8:57:50 PM	8	unit pH
SC PITUR DORU SNC	Clor	8/19/2016 8:57:14 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 8:57:13 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 8:57:12 PM	29	gradCels
SC PITUR DORU SNC	pH	8/19/2016 8:57:11 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 8:52:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 8:52:00 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 8:51:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 8:51:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 8:51:41 PM	30	gradCels
SC PITUR DORU SNC	pH	8/19/2016 8:51:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 8:47:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 8:47:00 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 8:46:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 8:46:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 8:46:21 PM	30	gradCels
SC PITUR DORU SNC	pH	8/19/2016 8:46:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 8:41:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 8:40:44 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 8:40:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 8:40:42 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 8:40:41 PM	30	gradCels
SC PITUR DORU SNC	pH	8/19/2016 8:40:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 8:38:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 8:38:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 8:38:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 8:38:10 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 8:37:40 PM	30	gradCels
SC PITUR DORU SNC	pH	8/19/2016 8:37:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 8:36:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 8:36:00 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 8:35:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 8:35:09 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 8:35:08 PM	30	gradCels
SC PITUR DORU SNC	pH	8/19/2016 8:35:07 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 8:30:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 8:30:00 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 8:29:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 8:29:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 8:29:41 PM	30	gradCels
SC PITUR DORU SNC	pH	8/19/2016 8:29:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 8:25:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 8:25:00 PM	13	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	8/19/2016 8:24:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 8:24:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 8:24:41 PM	30	gradCels
SC PITUR DORU SNC	pH	8/19/2016 8:24:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 8:19:10 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	8/19/2016 8:19:05 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 8:19:04 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 8:19:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 8:19:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 8:19:01 PM	29	gradCels
SC PITUR DORU SNC	pH	8/19/2016 8:19:00 PM	8	unit pH
SC PITUR DORU SNC	Clor	8/19/2016 8:18:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 8:18:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 8:18:20 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 8:17:30 PM	29	gradCels
SC PITUR DORU SNC	pH	8/19/2016 8:17:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 8:14:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 8:14:00 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 8:13:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 8:13:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 8:13:41 PM	29	gradCels
SC PITUR DORU SNC	pH	8/19/2016 8:13:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 8:08:05 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 8:08:04 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 8:08:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 8:08:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 8:08:01 PM	29	gradCels
SC PITUR DORU SNC	pH	8/19/2016 8:08:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 8:03:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 8:03:00 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 8:02:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 8:02:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 8:02:41 PM	29	gradCels
SC PITUR DORU SNC	pH	8/19/2016 8:02:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 7:58:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 7:58:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 7:57:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 7:57:30 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 7:57:20 PM	29	gradCels
SC PITUR DORU SNC	pH	8/19/2016 7:57:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 7:57:05 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 7:57:04 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 7:57:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 7:57:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 7:57:01 PM	29	gradCels
SC PITUR DORU SNC	pH	8/19/2016 7:57:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 7:52:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 7:52:00 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 7:51:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 7:51:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 7:51:41 PM	29	gradCels
SC PITUR DORU SNC	pH	8/19/2016 7:51:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 7:46:05 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 7:46:04 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 7:46:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 7:46:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 7:46:01 PM	29	gradCels
SC PITUR DORU SNC	pH	8/19/2016 7:46:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 7:41:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 7:41:00 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 7:40:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 7:40:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 7:40:41 PM	29	gradCels
SC PITUR DORU SNC	pH	8/19/2016 7:40:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 7:38:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 7:38:20 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	8/19/2016 7:37:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 7:37:20 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 7:37:10 PM	29	gradCels
SC PITUR DORU SNC	pH	8/19/2016 7:36:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 7:35:05 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 7:35:04 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 7:35:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 7:35:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 7:35:01 PM	29	gradCels
SC PITUR DORU SNC	pH	8/19/2016 7:35:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 7:30:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 7:30:00 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 7:29:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 7:29:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 7:29:21 PM	29	gradCels
SC PITUR DORU SNC	pH	8/19/2016 7:29:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 7:24:05 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 7:24:04 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 7:24:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 7:24:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 7:24:01 PM	29	gradCels
SC PITUR DORU SNC	pH	8/19/2016 7:24:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 7:19:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 7:19:00 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	8/19/2016 7:18:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 7:18:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 7:18:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 7:18:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 7:18:21 PM	29	gradCels
SC PITUR DORU SNC	pH	8/19/2016 7:18:20 PM	8	unit pH
SC PITUR DORU SNC	Grasimi	8/19/2016 7:18:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 7:17:50 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 7:17:40 PM	29	gradCels
SC PITUR DORU SNC	pH	8/19/2016 7:17:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 7:13:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 7:13:00 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 7:12:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 7:12:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 7:12:41 PM	29	gradCels
SC PITUR DORU SNC	pH	8/19/2016 7:12:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 7:08:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 7:07:24 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 7:07:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 7:07:22 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 7:07:21 PM	29	gradCels
SC PITUR DORU SNC	pH	8/19/2016 7:07:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 7:02:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 7:02:00 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 7:01:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 7:01:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 7:01:41 PM	29	gradCels
SC PITUR DORU SNC	pH	8/19/2016 7:01:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 6:59:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 6:59:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 6:58:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 6:58:40 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 6:58:30 PM	29	gradCels
SC PITUR DORU SNC	pH	8/19/2016 6:58:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 6:57:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 6:57:00 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 6:56:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 6:56:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 6:56:21 PM	29	gradCels
SC PITUR DORU SNC	pH	8/19/2016 6:56:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 6:51:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 6:51:00 PM	13	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	8/19/2016 6:50:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 6:50:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 6:50:41 PM	29	gradCels
SC PITUR DORU SNC	pH	8/19/2016 6:50:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 6:46:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 6:46:00 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 6:45:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 6:45:09 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 6:45:08 PM	29	gradCels
SC PITUR DORU SNC	pH	8/19/2016 6:45:07 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 6:40:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 6:40:00 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 6:39:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 6:39:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 6:39:41 PM	29	gradCels
SC PITUR DORU SNC	pH	8/19/2016 6:39:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 6:38:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 6:38:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 6:38:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 6:37:50 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 6:37:40 PM	29	gradCels
SC PITUR DORU SNC	pH	8/19/2016 6:37:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 6:34:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 6:34:09 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 6:34:08 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 6:34:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 6:34:06 PM	29	gradCels
SC PITUR DORU SNC	pH	8/19/2016 6:34:05 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 6:29:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 6:29:00 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 6:28:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 6:28:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 6:28:21 PM	29	gradCels
SC PITUR DORU SNC	pH	8/19/2016 6:28:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 6:23:09 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 6:23:08 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 6:23:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 6:23:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 6:23:01 PM	29	gradCels
SC PITUR DORU SNC	pH	8/19/2016 6:23:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 6:20:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 6:19:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 6:19:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 6:18:50 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 6:18:20 PM	29	gradCels
SC PITUR DORU SNC	pH	8/19/2016 6:18:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 6:18:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 6:18:00 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 6:17:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 6:17:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 6:17:21 PM	29	gradCels
SC PITUR DORU SNC	pH	8/19/2016 6:17:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 6:12:09 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 6:12:08 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 6:12:07 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 6:12:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 6:12:05 PM	29	gradCels
SC PITUR DORU SNC	pH	8/19/2016 6:12:04 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 6:07:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 6:06:24 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 6:06:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 6:06:22 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 6:06:21 PM	29	gradCels
SC PITUR DORU SNC	pH	8/19/2016 6:06:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 6:01:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 6:01:09 PM	13	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	8/19/2016 6:01:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 6:01:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 6:01:01 PM	29	gradCels
SC PITUR DORU SNC	pH	8/19/2016 6:01:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 5:59:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 5:59:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 5:58:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 5:58:40 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 5:58:30 PM	29	gradCels
SC PITUR DORU SNC	pH	8/19/2016 5:57:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 5:56:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 5:56:00 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 5:55:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 5:55:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 5:55:21 PM	29	gradCels
SC PITUR DORU SNC	pH	8/19/2016 5:55:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 5:49:45 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 5:49:44 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 5:49:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 5:49:42 PM	13	mg/l
SC PITUR DORU SNC	pH	8/19/2016 5:49:41 PM	8	unit pH
SC PITUR DORU SNC	Temp	8/19/2016 5:49:40 PM	29	gradCels
SC PITUR DORU SNC	Cianuri	8/19/2016 5:44:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 5:44:01 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 5:43:12 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 5:43:11 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 5:43:10 PM	29	gradCels
SC PITUR DORU SNC	pH	8/19/2016 5:43:09 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 5:39:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 5:39:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 5:38:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 5:38:30 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 5:38:20 PM	29	gradCels
SC PITUR DORU SNC	pH	8/19/2016 5:38:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 5:38:01 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 5:37:53 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 5:37:52 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 5:37:51 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 5:37:50 PM	29	gradCels
SC PITUR DORU SNC	pH	8/19/2016 5:37:49 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 5:33:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 5:33:01 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 5:32:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 5:32:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 5:32:21 PM	29	gradCels
SC PITUR DORU SNC	pH	8/19/2016 5:32:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 5:27:17 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 5:27:15 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 5:26:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 5:26:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 5:26:41 PM	29	gradCels
SC PITUR DORU SNC	pH	8/19/2016 5:26:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 5:21:05 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 5:21:04 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 5:21:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 5:21:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 5:21:01 PM	29	gradCels
SC PITUR DORU SNC	pH	8/19/2016 5:21:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 5:19:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 5:19:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 5:18:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 5:18:20 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 5:18:10 PM	29	gradCels
SC PITUR DORU SNC	pH	8/19/2016 5:17:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 5:16:18 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 5:16:17 PM	13	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	8/19/2016 5:15:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 5:15:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 5:15:41 PM	29	gradCels
SC PITUR DORU SNC	pH	8/19/2016 5:15:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 5:10:05 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 5:10:04 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 5:10:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 5:10:02 PM	13	mg/l
SC PITUR DORU SNC	pH	8/19/2016 5:10:01 PM	8	unit pH
SC PITUR DORU SNC	Temp	8/19/2016 5:10:00 PM	29	gradCels
SC PITUR DORU SNC	Cianuri	8/19/2016 5:05:18 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 5:05:16 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 5:04:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 5:04:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 5:04:21 PM	29	gradCels
SC PITUR DORU SNC	pH	8/19/2016 5:04:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 4:59:05 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 4:59:04 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 4:59:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 4:59:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 4:59:01 PM	29	gradCels
SC PITUR DORU SNC	pH	8/19/2016 4:59:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 4:57:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 4:56:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 4:56:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 4:56:10 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 4:55:50 PM	29	gradCels
SC PITUR DORU SNC	pH	8/19/2016 4:55:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 4:54:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 4:54:19 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 4:53:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 4:53:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 4:53:21 PM	29	gradCels
SC PITUR DORU SNC	pH	8/19/2016 4:53:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 4:48:05 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 4:48:04 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 4:48:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 4:48:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 4:48:01 PM	28	gradCels
SC PITUR DORU SNC	pH	8/19/2016 4:48:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 4:43:16 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 4:43:14 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 4:42:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 4:42:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 4:42:21 PM	28	gradCels
SC PITUR DORU SNC	pH	8/19/2016 4:42:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 4:37:10 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	8/19/2016 4:37:05 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 4:37:04 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 4:37:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 4:37:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 4:37:01 PM	28	gradCels
SC PITUR DORU SNC	pH	8/19/2016 4:37:00 PM	8	unit pH
SC PITUR DORU SNC	Clor	8/19/2016 4:36:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 4:36:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 4:36:10 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 4:35:50 PM	28	gradCels
SC PITUR DORU SNC	pH	8/19/2016 4:35:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/19/2016 4:32:17 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	8/19/2016 4:32:15 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 4:31:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 4:31:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 4:31:21 PM	28	gradCels
SC PITUR DORU SNC	pH	8/19/2016 4:31:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 4:26:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 4:26:00 PM	14	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	8/19/2016 4:25:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 4:25:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 4:25:41 PM	28	gradCels
SC PITUR DORU SNC	pH	8/19/2016 4:25:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 4:21:17 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 4:21:16 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 4:20:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 4:20:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 4:20:21 PM	28	gradCels
SC PITUR DORU SNC	pH	8/19/2016 4:20:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 4:16:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 4:16:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 4:16:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 4:15:40 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 4:15:10 PM	28	gradCels
SC PITUR DORU SNC	Cianuri	8/19/2016 4:15:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 4:15:00 PM	14	mg/l
SC PITUR DORU SNC	pH	8/19/2016 4:14:50 PM	8	unit pH
SC PITUR DORU SNC	Clor	8/19/2016 4:14:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 4:14:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 4:14:41 PM	28	gradCels
SC PITUR DORU SNC	pH	8/19/2016 4:14:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 4:10:19 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 4:09:24 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 4:09:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 4:09:22 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 4:09:21 PM	28	gradCels
SC PITUR DORU SNC	pH	8/19/2016 4:09:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 4:04:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 4:04:00 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 4:03:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 4:03:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 4:03:41 PM	28	gradCels
SC PITUR DORU SNC	pH	8/19/2016 4:03:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 3:59:16 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 3:59:15 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 3:58:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 3:58:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 3:58:21 PM	28	gradCels
SC PITUR DORU SNC	pH	8/19/2016 3:58:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 3:54:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 3:54:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 3:54:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 3:53:50 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 3:53:40 PM	28	gradCels
SC PITUR DORU SNC	pH	8/19/2016 3:53:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 3:53:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 3:53:00 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 3:52:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 3:52:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 3:52:41 PM	28	gradCels
SC PITUR DORU SNC	pH	8/19/2016 3:52:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 3:48:17 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 3:48:16 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 3:47:05 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 3:47:04 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 3:47:03 PM	28	gradCels
SC PITUR DORU SNC	pH	8/19/2016 3:47:02 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 3:42:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 3:42:00 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 3:41:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 3:41:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 3:41:41 PM	28	gradCels
SC PITUR DORU SNC	pH	8/19/2016 3:41:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 3:36:07 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 3:36:04 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	8/19/2016 3:36:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 3:36:02 PM	14	mg/l
SC PITUR DORU SNC	pH	8/19/2016 3:36:01 PM	8	unit pH
SC PITUR DORU SNC	Temp	8/19/2016 3:36:00 PM	28	gradCels
SC PITUR DORU SNC	Cianuri	8/19/2016 3:34:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 3:34:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 3:33:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 3:33:20 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 3:33:10 PM	28	gradCels
SC PITUR DORU SNC	pH	8/19/2016 3:32:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 3:31:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 3:31:00 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 3:30:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 3:30:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 3:30:41 PM	28	gradCels
SC PITUR DORU SNC	pH	8/19/2016 3:30:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/19/2016 3:25:07 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	8/19/2016 3:25:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 3:25:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 3:25:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 3:25:01 PM	28	gradCels
SC PITUR DORU SNC	pH	8/19/2016 3:25:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/19/2016 3:20:00 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	8/19/2016 3:19:24 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 3:19:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 3:19:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 3:19:21 PM	28	gradCels
SC PITUR DORU SNC	pH	8/19/2016 3:19:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 3:14:07 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 3:14:06 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 3:14:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 3:14:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 3:14:01 PM	28	gradCels
SC PITUR DORU SNC	pH	8/19/2016 3:14:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 3:13:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 3:13:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 3:13:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 3:12:40 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 3:12:30 PM	28	gradCels
SC PITUR DORU SNC	pH	8/19/2016 3:12:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 3:09:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 3:08:24 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 3:08:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 3:08:22 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 3:08:21 PM	28	gradCels
SC PITUR DORU SNC	pH	8/19/2016 3:08:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/19/2016 3:03:06 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	8/19/2016 3:03:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 3:03:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 3:03:02 PM	0	mg/l
SC PITUR DORU SNC	pH	8/19/2016 3:03:01 PM	8	unit pH
SC PITUR DORU SNC	Temp	8/19/2016 3:03:00 PM	28	gradCels
SC PITUR DORU SNC	Substante organice	8/19/2016 2:58:00 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	8/19/2016 2:57:24 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 2:57:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 2:57:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 2:57:21 PM	27	gradCels
SC PITUR DORU SNC	pH	8/19/2016 2:57:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 2:53:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 2:52:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 2:52:10 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	8/19/2016 2:52:07 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 2:52:06 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 2:52:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 2:52:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 2:52:01 PM	27	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	8/19/2016 2:52:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/19/2016 2:51:40 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 2:51:30 PM	27	gradCels
SC PITUR DORU SNC	pH	8/19/2016 2:51:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/19/2016 2:47:07 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	8/19/2016 2:46:24 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 2:46:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 2:46:22 PM	0	mg/l
SC PITUR DORU SNC	pH	8/19/2016 2:46:21 PM	8	unit pH
SC PITUR DORU SNC	Temp	8/19/2016 2:46:20 PM	27	gradCels
SC PITUR DORU SNC	Cianuri	8/19/2016 2:41:05 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 2:41:04 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 2:41:03 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 2:41:02 PM	27	gradCels
SC PITUR DORU SNC	Substante organice	8/19/2016 2:41:01 PM	14	mg/l
SC PITUR DORU SNC	pH	8/19/2016 2:41:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/19/2016 2:36:06 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	8/19/2016 2:35:24 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 2:35:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 2:35:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 2:35:21 PM	27	gradCels
SC PITUR DORU SNC	pH	8/19/2016 2:35:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 2:33:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 2:33:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 2:32:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 2:32:30 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 2:32:20 PM	27	gradCels
SC PITUR DORU SNC	pH	8/19/2016 2:32:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 2:30:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 2:30:00 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 2:29:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 2:29:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 2:29:41 PM	27	gradCels
SC PITUR DORU SNC	pH	8/19/2016 2:29:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/19/2016 2:25:06 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	8/19/2016 2:24:24 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 2:24:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 2:24:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 2:24:21 PM	27	gradCels
SC PITUR DORU SNC	pH	8/19/2016 2:24:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/19/2016 2:19:00 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	8/19/2016 2:18:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 2:18:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 2:18:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 2:18:41 PM	27	gradCels
SC PITUR DORU SNC	pH	8/19/2016 2:18:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/19/2016 2:14:06 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	8/19/2016 2:13:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 2:13:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 2:13:10 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	8/19/2016 2:13:07 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 2:13:06 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 2:13:05 PM	0	mg/l
SC PITUR DORU SNC	pH	8/19/2016 2:13:04 PM	8	unit pH
SC PITUR DORU SNC	Temp	8/19/2016 2:13:03 PM	27	gradCels
SC PITUR DORU SNC	Substante organice	8/19/2016 2:12:50 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 2:12:40 PM	27	gradCels
SC PITUR DORU SNC	pH	8/19/2016 2:12:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 2:07:45 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 2:07:44 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 2:07:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 2:07:42 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 2:07:41 PM	27	gradCels
SC PITUR DORU SNC	pH	8/19/2016 2:07:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/19/2016 2:03:06 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	8/19/2016 2:02:07 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	8/19/2016 2:02:06 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 2:02:05 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 2:02:04 PM	27	gradCels
SC PITUR DORU SNC	pH	8/19/2016 2:02:03 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/19/2016 1:57:00 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	8/19/2016 1:56:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 1:56:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 1:56:42 PM	0	mg/l
SC PITUR DORU SNC	pH	8/19/2016 1:56:41 PM	8	unit pH
SC PITUR DORU SNC	Temp	8/19/2016 1:56:40 PM	27	gradCels
SC PITUR DORU SNC	Cianuri	8/19/2016 1:54:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 1:54:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 1:53:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 1:53:30 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 1:53:20 PM	27	gradCels
SC PITUR DORU SNC	pH	8/19/2016 1:52:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/19/2016 1:51:09 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	8/19/2016 1:51:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 1:51:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 1:51:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 1:51:01 PM	27	gradCels
SC PITUR DORU SNC	pH	8/19/2016 1:51:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/19/2016 1:46:00 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	8/19/2016 1:45:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 1:45:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 1:45:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 1:45:41 PM	27	gradCels
SC PITUR DORU SNC	pH	8/19/2016 1:45:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 1:40:05 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 1:40:04 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 1:40:03 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 1:40:02 PM	27	gradCels
SC PITUR DORU SNC	Substante organice	8/19/2016 1:40:01 PM	14	mg/l
SC PITUR DORU SNC	pH	8/19/2016 1:40:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/19/2016 1:35:00 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	8/19/2016 1:34:50 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	8/19/2016 1:34:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 1:34:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 1:34:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 1:34:41 PM	27	gradCels
SC PITUR DORU SNC	pH	8/19/2016 1:34:40 PM	8	unit pH
SC PITUR DORU SNC	Clor	8/19/2016 1:34:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 1:33:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 1:32:50 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 1:32:40 PM	27	gradCels
SC PITUR DORU SNC	pH	8/19/2016 1:32:30 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/19/2016 1:29:07 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	8/19/2016 1:29:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 1:29:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 1:29:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 1:29:01 PM	27	gradCels
SC PITUR DORU SNC	pH	8/19/2016 1:29:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/19/2016 1:24:02 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	8/19/2016 1:23:24 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 1:23:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 1:23:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 1:23:21 PM	27	gradCels
SC PITUR DORU SNC	pH	8/19/2016 1:23:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/19/2016 1:18:09 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	8/19/2016 1:18:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 1:18:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 1:18:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 1:18:01 PM	27	gradCels
SC PITUR DORU SNC	pH	8/19/2016 1:18:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 1:15:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 1:15:10 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	8/19/2016 1:14:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 1:14:10 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 1:13:50 PM	27	gradCels
SC PITUR DORU SNC	pH	8/19/2016 1:13:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/19/2016 1:13:00 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	8/19/2016 1:12:24 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 1:12:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 1:12:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 1:12:21 PM	27	gradCels
SC PITUR DORU SNC	pH	8/19/2016 1:12:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 1:07:05 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 1:07:04 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 1:07:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 1:07:02 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 1:07:01 PM	27	gradCels
SC PITUR DORU SNC	pH	8/19/2016 1:07:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/19/2016 1:02:00 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	8/19/2016 1:01:24 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 1:01:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 1:01:22 PM	0	mg/l
SC PITUR DORU SNC	pH	8/19/2016 1:01:21 PM	8	unit pH
SC PITUR DORU SNC	Temp	8/19/2016 1:01:20 PM	27	gradCels
SC PITUR DORU SNC	Cianuri	8/19/2016 12:56:09 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 12:56:06 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 12:56:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 12:56:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 12:56:01 PM	27	gradCels
SC PITUR DORU SNC	pH	8/19/2016 12:56:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 12:54:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 12:54:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 12:54:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 12:54:00 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 12:53:50 PM	27	gradCels
SC PITUR DORU SNC	pH	8/19/2016 12:53:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 12:51:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 12:51:00 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 12:50:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 12:50:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 12:50:21 PM	27	gradCels
SC PITUR DORU SNC	pH	8/19/2016 12:50:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 12:45:05 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 12:45:02 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 12:44:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 12:44:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 12:44:45 PM	27	gradCels
SC PITUR DORU SNC	pH	8/19/2016 12:44:44 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 12:40:06 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 12:39:13 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 12:39:12 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 12:39:11 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 12:39:10 PM	26	gradCels
SC PITUR DORU SNC	pH	8/19/2016 12:39:09 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 12:37:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 12:37:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 12:36:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 12:36:30 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 12:36:20 PM	26	gradCels
SC PITUR DORU SNC	pH	8/19/2016 12:36:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 12:34:05 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 12:34:04 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 12:33:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 12:33:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 12:33:45 PM	26	gradCels
SC PITUR DORU SNC	pH	8/19/2016 12:33:44 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 12:29:07 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 12:29:05 PM	14	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	8/19/2016 12:28:11 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 12:28:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 12:28:09 PM	26	gradCels
SC PITUR DORU SNC	pH	8/19/2016 12:28:08 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 12:23:05 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 12:23:04 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 12:22:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 12:22:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 12:22:41 PM	26	gradCels
SC PITUR DORU SNC	pH	8/19/2016 12:22:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 12:19:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 12:19:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 12:18:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 12:18:40 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 12:18:30 PM	26	gradCels
SC PITUR DORU SNC	pH	8/19/2016 12:18:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 12:18:07 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 12:18:06 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 12:17:12 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 12:17:11 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 12:17:10 PM	26	gradCels
SC PITUR DORU SNC	pH	8/19/2016 12:17:09 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 12:12:05 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 12:12:04 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 12:11:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 12:11:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 12:11:41 PM	26	gradCels
SC PITUR DORU SNC	pH	8/19/2016 12:11:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 12:07:06 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 12:06:13 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 12:06:12 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 12:06:11 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 12:06:10 PM	26	gradCels
SC PITUR DORU SNC	pH	8/19/2016 12:06:09 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 12:01:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 12:01:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 12:01:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 12:01:03 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	8/19/2016 12:01:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 12:00:50 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 12:00:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 12:00:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 12:00:41 PM	26	gradCels
SC PITUR DORU SNC	pH	8/19/2016 12:00:40 PM	8	unit pH
SC PITUR DORU SNC	Temp	8/19/2016 11:59:50 AM	26	gradCels
SC PITUR DORU SNC	pH	8/19/2016 11:59:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 11:56:08 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 11:56:07 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 11:55:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 11:55:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 11:55:41 AM	26	gradCels
SC PITUR DORU SNC	pH	8/19/2016 11:55:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 11:51:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 11:51:00 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 11:50:05 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 11:50:04 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 11:50:03 AM	26	gradCels
SC PITUR DORU SNC	pH	8/19/2016 11:50:02 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 11:45:08 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 11:45:07 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 11:44:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 11:44:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 11:44:41 AM	26	gradCels
SC PITUR DORU SNC	pH	8/19/2016 11:44:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 11:41:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 11:41:20 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	8/19/2016 11:40:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 11:40:20 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 11:40:10 AM	26	gradCels
SC PITUR DORU SNC	pH	8/19/2016 11:40:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 11:39:07 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 11:39:06 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 11:39:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 11:39:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 11:39:01 AM	26	gradCels
SC PITUR DORU SNC	pH	8/19/2016 11:39:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 11:34:07 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 11:34:06 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 11:33:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 11:33:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 11:33:41 AM	26	gradCels
SC PITUR DORU SNC	pH	8/19/2016 11:33:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 11:28:06 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 11:28:05 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 11:28:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 11:28:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 11:28:01 AM	26	gradCels
SC PITUR DORU SNC	pH	8/19/2016 11:28:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 11:23:08 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 11:23:07 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 11:22:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 11:22:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 11:22:21 AM	26	gradCels
SC PITUR DORU SNC	pH	8/19/2016 11:22:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 11:21:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 11:20:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 11:20:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 11:20:00 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 11:19:50 AM	26	gradCels
SC PITUR DORU SNC	pH	8/19/2016 11:19:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 11:17:07 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 11:17:06 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 11:17:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 11:17:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 11:17:01 AM	26	gradCels
SC PITUR DORU SNC	pH	8/19/2016 11:17:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 11:12:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 11:12:00 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 11:11:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 11:11:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 11:11:21 AM	26	gradCels
SC PITUR DORU SNC	pH	8/19/2016 11:11:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 11:06:07 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 11:06:04 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 11:06:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 11:06:02 AM	14	mg/l
SC PITUR DORU SNC	pH	8/19/2016 11:06:01 AM	8	unit pH
SC PITUR DORU SNC	Temp	8/19/2016 11:06:00 AM	26	gradCels
SC PITUR DORU SNC	Cianuri	8/19/2016 11:01:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 11:01:10 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	8/19/2016 11:01:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 11:01:00 AM	14	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 11:00:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 11:00:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 11:00:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 11:00:21 AM	26	gradCels
SC PITUR DORU SNC	pH	8/19/2016 11:00:20 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/19/2016 11:00:10 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 10:59:30 AM	26	gradCels
SC PITUR DORU SNC	pH	8/19/2016 10:59:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 10:55:06 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 10:55:05 AM	14	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	8/19/2016 10:55:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 10:55:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 10:55:01 AM	26	gradCels
SC PITUR DORU SNC	pH	8/19/2016 10:55:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 10:50:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 10:50:00 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 10:49:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 10:49:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 10:49:21 AM	26	gradCels
SC PITUR DORU SNC	pH	8/19/2016 10:49:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 10:44:07 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 10:44:06 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 10:44:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 10:44:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 10:44:01 AM	26	gradCels
SC PITUR DORU SNC	pH	8/19/2016 10:44:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 10:41:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 10:41:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 10:40:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 10:40:40 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 10:40:30 AM	26	gradCels
SC PITUR DORU SNC	pH	8/19/2016 10:40:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 10:39:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 10:38:24 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 10:38:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 10:38:22 AM	14	mg/l
SC PITUR DORU SNC	pH	8/19/2016 10:38:21 AM	8	unit pH
SC PITUR DORU SNC	Temp	8/19/2016 10:38:20 AM	26	gradCels
SC PITUR DORU SNC	Cianuri	8/19/2016 10:33:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 10:33:00 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 10:32:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 10:32:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 10:32:41 AM	26	gradCels
SC PITUR DORU SNC	pH	8/19/2016 10:32:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 10:28:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 10:28:00 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 10:27:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 10:27:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 10:27:21 AM	26	gradCels
SC PITUR DORU SNC	pH	8/19/2016 10:27:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 10:22:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 10:22:01 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 10:21:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 10:21:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 10:21:41 AM	26	gradCels
SC PITUR DORU SNC	pH	8/19/2016 10:21:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 10:21:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 10:21:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 10:20:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 10:20:10 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 10:19:40 AM	26	gradCels
SC PITUR DORU SNC	pH	8/19/2016 10:19:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 10:17:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 10:17:00 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 10:16:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 10:16:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 10:16:21 AM	26	gradCels
SC PITUR DORU SNC	pH	8/19/2016 10:16:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 10:11:07 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 10:10:48 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 10:10:47 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 10:10:46 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 10:10:45 AM	26	gradCels
SC PITUR DORU SNC	pH	8/19/2016 10:10:44 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 10:06:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 10:06:00 AM	14	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	8/19/2016 10:05:06 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 10:05:05 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 10:05:04 AM	26	gradCels
SC PITUR DORU SNC	pH	8/19/2016 10:05:03 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 10:02:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 10:02:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 10:01:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 10:01:10 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 10:01:00 AM	26	gradCels
SC PITUR DORU SNC	pH	8/19/2016 10:00:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 10:00:07 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 10:00:06 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 9:59:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 9:59:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 9:59:41 AM	26	gradCels
SC PITUR DORU SNC	pH	8/19/2016 9:59:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 9:55:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 9:55:00 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 9:54:06 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 9:54:05 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 9:54:04 AM	26	gradCels
SC PITUR DORU SNC	pH	8/19/2016 9:54:03 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 9:49:08 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 9:49:07 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 9:48:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 9:48:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 9:48:41 AM	26	gradCels
SC PITUR DORU SNC	pH	8/19/2016 9:48:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 9:44:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 9:44:00 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 9:43:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 9:43:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 9:43:05 AM	26	gradCels
SC PITUR DORU SNC	pH	8/19/2016 9:43:04 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 9:41:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 9:41:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 9:41:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 9:40:50 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 9:40:40 AM	26	gradCels
SC PITUR DORU SNC	pH	8/19/2016 9:40:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 9:38:01 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 9:37:44 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 9:37:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 9:37:42 AM	14	mg/l
SC PITUR DORU SNC	pH	8/19/2016 9:37:41 AM	8	unit pH
SC PITUR DORU SNC	Temp	8/19/2016 9:37:40 AM	26	gradCels
SC PITUR DORU SNC	Cianuri	8/19/2016 9:33:07 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 9:33:06 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 9:32:09 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 9:32:08 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 9:32:07 AM	26	gradCels
SC PITUR DORU SNC	pH	8/19/2016 9:32:06 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 9:27:05 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 9:27:04 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 9:26:46 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 9:26:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 9:26:42 AM	26	gradCels
SC PITUR DORU SNC	pH	8/19/2016 9:26:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 9:22:07 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 9:22:06 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	8/19/2016 9:21:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 9:21:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 9:21:11 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 9:21:10 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 9:21:09 AM	26	gradCels
SC PITUR DORU SNC	pH	8/19/2016 9:21:08 AM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	8/19/2016 9:20:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 9:20:40 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 9:20:30 AM	26	gradCels
SC PITUR DORU SNC	pH	8/19/2016 9:19:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 9:16:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 9:16:01 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 9:15:52 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 9:15:51 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 9:15:50 AM	26	gradCels
SC PITUR DORU SNC	pH	8/19/2016 9:15:49 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 9:10:17 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 9:10:08 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 9:10:07 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 9:10:06 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 9:10:05 AM	26	gradCels
SC PITUR DORU SNC	pH	8/19/2016 9:10:04 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 9:05:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 9:05:01 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 9:04:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 9:04:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 9:04:41 AM	26	gradCels
SC PITUR DORU SNC	pH	8/19/2016 9:04:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 9:01:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 9:01:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 9:00:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 9:00:40 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 9:00:30 AM	26	gradCels
SC PITUR DORU SNC	pH	8/19/2016 9:00:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 8:59:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 8:59:20 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 8:59:08 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 8:59:07 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 8:59:06 AM	26	gradCels
SC PITUR DORU SNC	pH	8/19/2016 8:59:05 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 8:54:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 8:54:02 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 8:53:32 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 8:53:31 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 8:53:30 AM	26	gradCels
SC PITUR DORU SNC	pH	8/19/2016 8:53:29 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 8:48:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 8:48:19 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 8:48:12 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 8:48:11 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 8:48:10 AM	26	gradCels
SC PITUR DORU SNC	pH	8/19/2016 8:48:09 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 8:44:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 8:43:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 8:43:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 8:43:20 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	8/19/2016 8:43:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 8:43:02 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 8:42:50 AM	26	gradCels
SC PITUR DORU SNC	pH	8/19/2016 8:42:40 AM	8	unit pH
SC PITUR DORU SNC	Clor	8/19/2016 8:42:33 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 8:42:32 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 8:42:31 AM	26	gradCels
SC PITUR DORU SNC	pH	8/19/2016 8:42:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 8:37:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 8:37:16 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 8:37:15 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 8:37:14 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 8:37:13 AM	26	gradCels
SC PITUR DORU SNC	pH	8/19/2016 8:37:12 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 8:32:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 8:32:00 AM	14	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	8/19/2016 8:31:33 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 8:31:32 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 8:31:31 AM	26	gradCels
SC PITUR DORU SNC	pH	8/19/2016 8:31:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 8:26:18 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 8:26:16 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 8:26:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 8:26:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 8:26:01 AM	26	gradCels
SC PITUR DORU SNC	pH	8/19/2016 8:26:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 8:25:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 8:25:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 8:24:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 8:24:20 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 8:24:10 AM	26	gradCels
SC PITUR DORU SNC	pH	8/19/2016 8:24:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 8:21:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 8:21:02 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 8:20:28 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 8:20:27 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 8:20:26 AM	26	gradCels
SC PITUR DORU SNC	pH	8/19/2016 8:20:25 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 8:15:16 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 8:15:15 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 8:15:08 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 8:15:07 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 8:15:06 AM	26	gradCels
SC PITUR DORU SNC	pH	8/19/2016 8:15:05 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 8:10:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 8:09:29 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 8:09:28 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 8:09:27 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 8:09:26 AM	26	gradCels
SC PITUR DORU SNC	pH	8/19/2016 8:09:25 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 8:07:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 8:07:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 8:06:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 8:06:40 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 8:06:30 AM	26	gradCels
SC PITUR DORU SNC	pH	8/19/2016 8:05:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 8:04:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 8:03:59 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 8:03:52 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 8:03:51 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 8:03:50 AM	26	gradCels
SC PITUR DORU SNC	pH	8/19/2016 8:03:49 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 7:59:08 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 7:59:07 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 7:58:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 7:58:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 7:58:21 AM	26	gradCels
SC PITUR DORU SNC	pH	8/19/2016 7:58:20 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/19/2016 7:53:00 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	8/19/2016 7:52:59 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 7:52:48 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 7:52:47 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 7:52:46 AM	26	gradCels
SC PITUR DORU SNC	pH	8/19/2016 7:52:45 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 7:49:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 7:49:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 7:49:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 7:48:50 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 7:48:40 AM	26	gradCels
SC PITUR DORU SNC	pH	8/19/2016 7:48:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 7:48:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 7:48:09 AM	14	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	8/19/2016 7:47:27 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 7:47:26 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 7:47:25 AM	26	gradCels
SC PITUR DORU SNC	pH	8/19/2016 7:47:24 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 7:42:06 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 7:42:05 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 7:41:48 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 7:41:47 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 7:41:46 AM	26	gradCels
SC PITUR DORU SNC	pH	8/19/2016 7:41:45 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 7:37:08 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 7:36:28 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 7:36:27 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 7:36:26 AM	14	mg/l
SC PITUR DORU SNC	pH	8/19/2016 7:36:25 AM	8	unit pH
SC PITUR DORU SNC	Temp	8/19/2016 7:36:24 AM	26	gradCels
SC PITUR DORU SNC	Cianuri	8/19/2016 7:32:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 7:31:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 7:31:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 7:31:10 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	8/19/2016 7:31:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 7:30:59 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 7:30:49 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 7:30:48 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 7:30:47 AM	26	gradCels
SC PITUR DORU SNC	pH	8/19/2016 7:30:46 AM	8	unit pH
SC PITUR DORU SNC	Temp	8/19/2016 7:30:20 AM	26	gradCels
SC PITUR DORU SNC	pH	8/19/2016 7:29:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 7:26:09 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 7:26:08 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 7:25:12 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 7:25:11 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 7:25:10 AM	26	gradCels
SC PITUR DORU SNC	pH	8/19/2016 7:25:09 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 7:20:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 7:20:01 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 7:19:52 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 7:19:51 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 7:19:50 AM	26	gradCels
SC PITUR DORU SNC	pH	8/19/2016 7:19:49 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 7:15:09 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 7:15:08 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 7:14:18 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 7:14:17 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 7:14:16 AM	26	gradCels
SC PITUR DORU SNC	pH	8/19/2016 7:14:15 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 7:12:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 7:12:41 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 7:12:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 7:12:10 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 7:11:50 AM	26	gradCels
SC PITUR DORU SNC	pH	8/19/2016 7:11:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 7:09:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 7:08:48 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 7:08:47 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 7:08:46 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 7:08:45 AM	26	gradCels
SC PITUR DORU SNC	pH	8/19/2016 7:08:44 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 7:04:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 7:04:01 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 7:03:12 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 7:03:11 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 7:03:10 AM	26	gradCels
SC PITUR DORU SNC	pH	8/19/2016 7:03:09 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 6:57:55 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 6:57:54 AM	14	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	8/19/2016 6:57:49 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 6:57:48 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 6:57:47 AM	26	gradCels
SC PITUR DORU SNC	pH	8/19/2016 6:57:46 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 6:55:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 6:55:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 6:54:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 6:54:00 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 6:53:50 AM	26	gradCels
SC PITUR DORU SNC	pH	8/19/2016 6:53:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 6:52:14 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 6:52:13 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 6:52:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 6:52:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 6:52:05 AM	26	gradCels
SC PITUR DORU SNC	pH	8/19/2016 6:52:04 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 6:47:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 6:47:02 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 6:46:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 6:46:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 6:46:41 AM	26	gradCels
SC PITUR DORU SNC	pH	8/19/2016 6:46:40 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/19/2016 6:41:15 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	8/19/2016 6:41:12 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 6:41:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 6:41:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 6:41:01 AM	26	gradCels
SC PITUR DORU SNC	pH	8/19/2016 6:41:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 6:37:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 6:36:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 6:36:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 6:36:20 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	8/19/2016 6:36:01 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 6:35:50 AM	27	gradCels
SC PITUR DORU SNC	pH	8/19/2016 6:35:40 AM	8	unit pH
SC PITUR DORU SNC	Clor	8/19/2016 6:35:24 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 6:35:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 6:35:22 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 6:35:21 AM	27	gradCels
SC PITUR DORU SNC	pH	8/19/2016 6:35:20 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/19/2016 6:30:14 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	8/19/2016 6:30:11 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 6:30:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 6:30:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 6:30:01 AM	27	gradCels
SC PITUR DORU SNC	pH	8/19/2016 6:30:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 6:25:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 6:25:02 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 6:24:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 6:24:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 6:24:21 AM	27	gradCels
SC PITUR DORU SNC	pH	8/19/2016 6:24:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 6:19:12 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 6:19:09 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 6:19:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 6:19:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 6:19:01 AM	27	gradCels
SC PITUR DORU SNC	pH	8/19/2016 6:19:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 6:18:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 6:18:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 6:17:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 6:17:40 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 6:17:30 AM	27	gradCels
SC PITUR DORU SNC	pH	8/19/2016 6:17:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 6:14:07 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 6:14:06 AM	14	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	8/19/2016 6:13:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 6:13:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 6:13:21 AM	27	gradCels
SC PITUR DORU SNC	pH	8/19/2016 6:13:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 6:08:18 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 6:08:04 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 6:08:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 6:08:02 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 6:08:01 AM	27	gradCels
SC PITUR DORU SNC	pH	8/19/2016 6:08:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 6:03:08 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 6:03:07 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 6:02:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 6:02:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 6:02:21 AM	27	gradCels
SC PITUR DORU SNC	pH	8/19/2016 6:02:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 6:00:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 6:00:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 5:59:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 5:59:40 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 5:59:30 AM	27	gradCels
SC PITUR DORU SNC	pH	8/19/2016 5:59:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 5:57:14 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 5:57:12 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 5:56:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 5:56:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 5:56:41 AM	27	gradCels
SC PITUR DORU SNC	pH	8/19/2016 5:56:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 5:52:07 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 5:52:06 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 5:51:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 5:51:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 5:51:21 AM	27	gradCels
SC PITUR DORU SNC	pH	8/19/2016 5:51:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 5:46:16 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 5:46:14 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 5:45:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 5:45:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 5:45:41 AM	27	gradCels
SC PITUR DORU SNC	pH	8/19/2016 5:45:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 5:41:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 5:41:20 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	8/19/2016 5:41:07 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 5:41:06 AM	14	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 5:40:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 5:40:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 5:40:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 5:40:21 AM	27	gradCels
SC PITUR DORU SNC	pH	8/19/2016 5:40:20 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/19/2016 5:39:50 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 5:39:20 AM	27	gradCels
SC PITUR DORU SNC	pH	8/19/2016 5:39:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 5:35:07 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 5:35:06 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 5:34:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 5:34:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 5:34:41 AM	27	gradCels
SC PITUR DORU SNC	pH	8/19/2016 5:34:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 5:30:06 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 5:30:05 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 5:29:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 5:29:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 5:29:05 AM	27	gradCels
SC PITUR DORU SNC	pH	8/19/2016 5:29:04 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 5:24:06 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 5:24:05 AM	14	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	8/19/2016 5:23:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 5:23:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 5:23:41 AM	27	gradCels
SC PITUR DORU SNC	pH	8/19/2016 5:23:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 5:22:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 5:22:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 5:21:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 5:21:30 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 5:21:20 AM	27	gradCels
SC PITUR DORU SNC	pH	8/19/2016 5:21:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 5:19:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 5:19:02 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 5:18:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 5:18:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 5:18:05 AM	27	gradCels
SC PITUR DORU SNC	pH	8/19/2016 5:18:04 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 5:13:06 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 5:13:05 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 5:12:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 5:12:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 5:12:41 AM	27	gradCels
SC PITUR DORU SNC	pH	8/19/2016 5:12:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 5:08:03 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 5:07:08 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 5:07:07 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 5:07:06 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 5:07:04 AM	27	gradCels
SC PITUR DORU SNC	pH	8/19/2016 5:07:03 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 5:03:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 5:02:40 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	8/19/2016 5:02:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 5:02:00 AM	13	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 5:01:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 5:01:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 5:01:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 5:01:41 AM	27	gradCels
SC PITUR DORU SNC	pH	8/19/2016 5:01:40 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/19/2016 5:01:20 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 5:00:40 AM	27	gradCels
SC PITUR DORU SNC	pH	8/19/2016 5:00:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 4:57:05 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 4:57:04 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 4:56:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 4:56:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 4:56:05 AM	27	gradCels
SC PITUR DORU SNC	pH	8/19/2016 4:56:04 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 4:51:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 4:51:00 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 4:50:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 4:50:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 4:50:41 AM	27	gradCels
SC PITUR DORU SNC	pH	8/19/2016 4:50:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 4:45:05 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 4:45:04 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 4:45:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 4:45:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 4:45:01 AM	27	gradCels
SC PITUR DORU SNC	pH	8/19/2016 4:45:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 4:43:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 4:43:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 4:43:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 4:43:10 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 4:42:50 AM	27	gradCels
SC PITUR DORU SNC	pH	8/19/2016 4:42:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 4:40:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 4:39:44 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	8/19/2016 4:39:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 4:39:42 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 4:39:41 AM	27	gradCels
SC PITUR DORU SNC	pH	8/19/2016 4:39:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 4:34:08 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 4:34:07 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 4:34:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 4:34:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 4:34:01 AM	27	gradCels
SC PITUR DORU SNC	pH	8/19/2016 4:34:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 4:29:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 4:29:00 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 4:28:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 4:28:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 4:28:21 AM	27	gradCels
SC PITUR DORU SNC	pH	8/19/2016 4:28:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 4:24:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 4:24:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 4:23:20 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	8/19/2016 4:23:08 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 4:23:07 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 4:23:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 4:23:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 4:23:01 AM	27	gradCels
SC PITUR DORU SNC	pH	8/19/2016 4:23:00 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/19/2016 4:22:40 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 4:22:30 AM	27	gradCels
SC PITUR DORU SNC	pH	8/19/2016 4:22:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 4:18:05 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 4:18:04 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 4:18:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 4:18:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 4:18:01 AM	27	gradCels
SC PITUR DORU SNC	pH	8/19/2016 4:18:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 4:13:04 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 4:13:03 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 4:12:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 4:12:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 4:12:21 AM	27	gradCels
SC PITUR DORU SNC	pH	8/19/2016 4:12:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 4:07:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 4:06:48 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 4:06:47 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 4:06:46 AM	13	mg/l
SC PITUR DORU SNC	pH	8/19/2016 4:06:45 AM	8	unit pH
SC PITUR DORU SNC	Temp	8/19/2016 4:06:44 AM	27	gradCels
SC PITUR DORU SNC	Cianuri	8/19/2016 4:04:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 4:04:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 4:04:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 4:03:50 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 4:03:20 AM	27	gradCels
SC PITUR DORU SNC	pH	8/19/2016 4:03:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 4:02:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 4:02:02 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 4:01:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 4:01:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 4:01:21 AM	27	gradCels
SC PITUR DORU SNC	pH	8/19/2016 4:01:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 3:56:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 3:56:01 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 3:55:47 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 3:55:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 3:55:45 AM	27	gradCels
SC PITUR DORU SNC	pH	8/19/2016 3:55:44 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 3:51:04 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 3:51:03 AM	13	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	8/19/2016 3:50:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 3:50:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 3:50:21 AM	27	gradCels
SC PITUR DORU SNC	pH	8/19/2016 3:50:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 3:45:04 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 3:45:03 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 3:44:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 3:44:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 3:44:41 AM	27	gradCels
SC PITUR DORU SNC	pH	8/19/2016 3:44:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 3:43:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 3:43:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 3:43:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 3:42:50 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 3:42:40 AM	27	gradCels
SC PITUR DORU SNC	pH	8/19/2016 3:42:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 3:40:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 3:39:24 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 3:39:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 3:39:22 AM	13	mg/l
SC PITUR DORU SNC	pH	8/19/2016 3:39:21 AM	8	unit pH
SC PITUR DORU SNC	Temp	8/19/2016 3:39:20 AM	27	gradCels
SC PITUR DORU SNC	Cianuri	8/19/2016 3:34:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 3:34:09 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 3:33:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 3:33:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 3:33:41 AM	27	gradCels
SC PITUR DORU SNC	pH	8/19/2016 3:33:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 3:29:07 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 3:29:06 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 3:28:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 3:28:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 3:28:21 AM	27	gradCels
SC PITUR DORU SNC	pH	8/19/2016 3:28:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 3:23:30 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	8/19/2016 3:23:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 3:23:09 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 3:22:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 3:22:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 3:22:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 3:22:41 AM	27	gradCels
SC PITUR DORU SNC	pH	8/19/2016 3:22:40 AM	8	unit pH
SC PITUR DORU SNC	Grasimi	8/19/2016 3:21:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 3:21:20 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 3:21:10 AM	27	gradCels
SC PITUR DORU SNC	pH	8/19/2016 3:21:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 3:18:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 3:18:02 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 3:17:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 3:17:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 3:17:05 AM	27	gradCels
SC PITUR DORU SNC	pH	8/19/2016 3:17:04 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/19/2016 3:12:10 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	8/19/2016 3:12:07 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 3:11:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 3:11:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 3:11:41 AM	27	gradCels
SC PITUR DORU SNC	pH	8/19/2016 3:11:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 3:07:04 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 3:06:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 3:06:06 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 3:06:05 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 3:06:04 AM	27	gradCels
SC PITUR DORU SNC	pH	8/19/2016 3:06:03 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 3:02:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 3:01:50 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	8/19/2016 3:01:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 3:01:09 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 3:00:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 3:00:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 3:00:41 AM	27	gradCels
SC PITUR DORU SNC	pH	8/19/2016 3:00:40 AM	8	unit pH
SC PITUR DORU SNC	Grasimi	8/19/2016 3:00:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 3:00:10 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 2:59:50 AM	27	gradCels
SC PITUR DORU SNC	pH	8/19/2016 2:59:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 2:56:11 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 2:56:08 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 2:55:06 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 2:55:05 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 2:55:04 AM	27	gradCels
SC PITUR DORU SNC	pH	8/19/2016 2:55:03 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 2:50:15 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 2:50:12 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 2:49:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 2:49:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 2:49:41 AM	27	gradCels
SC PITUR DORU SNC	pH	8/19/2016 2:49:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 2:44:08 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 2:44:05 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 2:44:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 2:44:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 2:44:01 AM	28	gradCels
SC PITUR DORU SNC	pH	8/19/2016 2:44:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 2:41:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 2:40:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 2:39:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 2:39:40 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 2:39:30 AM	28	gradCels
SC PITUR DORU SNC	Cianuri	8/19/2016 2:39:15 AM	0	mg/l
SC PITUR DORU SNC	pH	8/19/2016 2:38:40 AM	8	unit pH
SC PITUR DORU SNC	Clor	8/19/2016 2:38:24 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 2:38:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 2:38:22 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 2:38:21 AM	28	gradCels
SC PITUR DORU SNC	pH	8/19/2016 2:38:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 2:33:05 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 2:33:04 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 2:33:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 2:33:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 2:33:01 AM	28	gradCels
SC PITUR DORU SNC	pH	8/19/2016 2:33:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 2:28:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 2:28:09 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 2:27:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 2:27:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 2:27:21 AM	28	gradCels
SC PITUR DORU SNC	pH	8/19/2016 2:27:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 2:22:05 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 2:22:04 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 2:22:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 2:22:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 2:22:01 AM	28	gradCels
SC PITUR DORU SNC	pH	8/19/2016 2:22:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 2:20:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 2:19:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 2:19:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 2:18:50 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 2:18:40 AM	28	gradCels
SC PITUR DORU SNC	pH	8/19/2016 2:18:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 2:17:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 2:17:09 AM	13	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	8/19/2016 2:16:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 2:16:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 2:16:21 AM	28	gradCels
SC PITUR DORU SNC	pH	8/19/2016 2:16:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 2:11:08 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 2:11:07 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 2:11:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 2:11:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 2:11:01 AM	28	gradCels
SC PITUR DORU SNC	pH	8/19/2016 2:11:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 2:06:15 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 2:06:13 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 2:05:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 2:05:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 2:05:21 AM	28	gradCels
SC PITUR DORU SNC	pH	8/19/2016 2:05:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 2:00:09 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 2:00:08 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 2:00:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 2:00:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 2:00:05 AM	28	gradCels
SC PITUR DORU SNC	pH	8/19/2016 2:00:04 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 1:59:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 1:59:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 1:58:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 1:58:30 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 1:58:20 AM	28	gradCels
SC PITUR DORU SNC	pH	8/19/2016 1:58:10 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/19/2016 1:55:13 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	8/19/2016 1:55:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 1:54:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 1:54:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 1:54:21 AM	28	gradCels
SC PITUR DORU SNC	pH	8/19/2016 1:54:20 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/19/2016 1:49:11 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	8/19/2016 1:49:09 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 1:49:06 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 1:49:05 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 1:49:04 AM	28	gradCels
SC PITUR DORU SNC	pH	8/19/2016 1:49:03 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 1:44:15 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 1:44:14 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 1:43:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 1:43:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 1:43:21 AM	28	gradCels
SC PITUR DORU SNC	pH	8/19/2016 1:43:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 1:39:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 1:39:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 1:38:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 1:38:30 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	8/19/2016 1:38:11 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 1:38:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 1:38:06 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 1:38:05 AM	13	mg/l
SC PITUR DORU SNC	pH	8/19/2016 1:38:04 AM	8	unit pH
SC PITUR DORU SNC	Temp	8/19/2016 1:38:03 AM	28	gradCels
SC PITUR DORU SNC	Temp	8/19/2016 1:37:40 AM	28	gradCels
SC PITUR DORU SNC	pH	8/19/2016 1:37:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 1:33:12 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 1:33:09 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 1:32:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 1:32:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 1:32:21 AM	28	gradCels
SC PITUR DORU SNC	pH	8/19/2016 1:32:20 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/19/2016 1:27:01 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	8/19/2016 1:27:00 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	8/19/2016 1:26:46 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 1:26:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 1:26:44 AM	28	gradCels
SC PITUR DORU SNC	pH	8/19/2016 1:26:43 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/19/2016 1:22:03 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	8/19/2016 1:22:01 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 1:21:26 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 1:21:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 1:21:24 AM	28	gradCels
SC PITUR DORU SNC	pH	8/19/2016 1:21:23 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 1:19:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 1:19:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 1:18:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 1:18:20 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 1:18:10 AM	28	gradCels
SC PITUR DORU SNC	pH	8/19/2016 1:17:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 1:16:04 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 1:16:03 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 1:15:46 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 1:15:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 1:15:44 AM	28	gradCels
SC PITUR DORU SNC	pH	8/19/2016 1:15:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 1:11:05 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 1:10:27 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 1:10:26 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 1:10:25 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 1:10:24 AM	28	gradCels
SC PITUR DORU SNC	pH	8/19/2016 1:10:23 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 1:05:04 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 1:05:03 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 1:04:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 1:04:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 1:04:41 AM	28	gradCels
SC PITUR DORU SNC	pH	8/19/2016 1:04:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 1:00:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 1:00:01 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 12:59:27 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 12:59:26 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 12:59:25 AM	28	gradCels
SC PITUR DORU SNC	pH	8/19/2016 12:59:24 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 12:58:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 12:58:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 12:58:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 12:58:10 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 12:57:50 AM	28	gradCels
SC PITUR DORU SNC	pH	8/19/2016 12:57:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 12:54:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 12:54:00 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 12:53:46 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 12:53:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 12:53:44 AM	28	gradCels
SC PITUR DORU SNC	pH	8/19/2016 12:53:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 12:49:12 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 12:49:11 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 12:48:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 12:48:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 12:48:01 AM	28	gradCels
SC PITUR DORU SNC	pH	8/19/2016 12:48:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 12:43:04 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 12:43:03 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 12:42:46 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 12:42:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 12:42:44 AM	28	gradCels
SC PITUR DORU SNC	pH	8/19/2016 12:42:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 12:40:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 12:40:00 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	8/19/2016 12:39:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 12:39:30 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 12:39:20 AM	28	gradCels
SC PITUR DORU SNC	pH	8/19/2016 12:39:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 12:38:08 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 12:37:04 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 12:37:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 12:37:02 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 12:37:01 AM	28	gradCels
SC PITUR DORU SNC	pH	8/19/2016 12:37:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 12:32:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 12:32:02 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 12:31:47 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 12:31:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 12:31:45 AM	28	gradCels
SC PITUR DORU SNC	pH	8/19/2016 12:31:44 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 12:27:12 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 12:27:11 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 12:26:06 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 12:26:05 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 12:26:04 AM	28	gradCels
SC PITUR DORU SNC	pH	8/19/2016 12:26:03 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 12:21:10 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	8/19/2016 12:21:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 12:21:00 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 12:20:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 12:20:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 12:20:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 12:20:41 AM	28	gradCels
SC PITUR DORU SNC	pH	8/19/2016 12:20:40 AM	8	unit pH
SC PITUR DORU SNC	Grasimi	8/19/2016 12:20:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 12:19:50 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 12:19:40 AM	28	gradCels
SC PITUR DORU SNC	pH	8/19/2016 12:19:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 12:16:11 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 12:16:10 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 12:15:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 12:15:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 12:15:05 AM	28	gradCels
SC PITUR DORU SNC	pH	8/19/2016 12:15:04 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 12:10:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 12:09:48 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 12:09:47 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 12:09:46 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 12:09:45 AM	28	gradCels
SC PITUR DORU SNC	pH	8/19/2016 12:09:44 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 12:05:11 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 12:05:10 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 12:04:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 12:04:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 12:04:05 AM	28	gradCels
SC PITUR DORU SNC	pH	8/19/2016 12:04:04 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/19/2016 12:02:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/19/2016 12:01:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/19/2016 12:01:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/19/2016 12:01:20 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/19/2016 12:01:10 AM	28	gradCels
SC PITUR DORU SNC	pH	8/19/2016 12:00:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 11:59:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 11:59:00 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 11:58:48 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 11:58:47 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 11:58:46 PM	28	gradCels
SC PITUR DORU SNC	pH	8/18/2016 11:58:45 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 11:54:11 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 11:54:10 PM	13	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	8/18/2016 11:53:07 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 11:53:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 11:53:05 PM	28	gradCels
SC PITUR DORU SNC	pH	8/18/2016 11:53:04 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 11:48:08 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 11:48:05 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 11:47:27 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 11:47:26 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 11:47:25 PM	28	gradCels
SC PITUR DORU SNC	pH	8/18/2016 11:47:24 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 11:43:09 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 11:43:05 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	8/18/2016 11:42:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 11:42:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 11:42:09 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 11:42:08 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 11:42:07 PM	28	gradCels
SC PITUR DORU SNC	pH	8/18/2016 11:42:06 PM	8	unit pH
SC PITUR DORU SNC	Grasimi	8/18/2016 11:41:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 11:41:30 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 11:41:20 PM	28	gradCels
SC PITUR DORU SNC	pH	8/18/2016 11:41:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 11:37:06 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 11:37:05 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 11:36:27 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 11:36:26 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 11:36:25 PM	28	gradCels
SC PITUR DORU SNC	pH	8/18/2016 11:36:24 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 11:32:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 11:32:02 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 11:31:09 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 11:31:08 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 11:31:07 PM	28	gradCels
SC PITUR DORU SNC	pH	8/18/2016 11:31:06 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 11:26:12 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 11:26:11 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 11:25:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 11:25:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 11:25:41 PM	28	gradCels
SC PITUR DORU SNC	pH	8/18/2016 11:25:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 11:23:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 11:23:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 11:22:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 11:22:30 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 11:22:20 PM	28	gradCels
SC PITUR DORU SNC	pH	8/18/2016 11:22:10 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/18/2016 11:21:07 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	8/18/2016 11:21:06 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 11:20:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 11:20:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 11:20:01 PM	28	gradCels
SC PITUR DORU SNC	pH	8/18/2016 11:20:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 11:15:12 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 11:15:11 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 11:14:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 11:14:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 11:14:21 PM	28	gradCels
SC PITUR DORU SNC	pH	8/18/2016 11:14:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 11:09:05 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 11:09:04 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 11:09:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 11:09:02 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 11:09:01 PM	28	gradCels
SC PITUR DORU SNC	pH	8/18/2016 11:09:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 11:05:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 11:04:40 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	8/18/2016 11:04:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 11:04:09 PM	13	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 11:03:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 11:03:30 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 11:03:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 11:03:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 11:03:21 PM	28	gradCels
SC PITUR DORU SNC	pH	8/18/2016 11:03:20 PM	8	unit pH
SC PITUR DORU SNC	Temp	8/18/2016 11:03:10 PM	28	gradCels
SC PITUR DORU SNC	pH	8/18/2016 11:02:50 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/18/2016 10:58:05 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	8/18/2016 10:58:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 10:58:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 10:58:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 10:58:01 PM	28	gradCels
SC PITUR DORU SNC	pH	8/18/2016 10:58:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/18/2016 10:53:04 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	8/18/2016 10:52:24 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 10:52:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 10:52:22 PM	0	mg/l
SC PITUR DORU SNC	pH	8/18/2016 10:52:21 PM	8	unit pH
SC PITUR DORU SNC	Temp	8/18/2016 10:52:20 PM	28	gradCels
SC PITUR DORU SNC	Substante organice	8/18/2016 10:47:05 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	8/18/2016 10:47:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 10:47:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 10:47:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 10:47:01 PM	29	gradCels
SC PITUR DORU SNC	pH	8/18/2016 10:47:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 10:45:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 10:45:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 10:44:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 10:44:30 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 10:44:20 PM	29	gradCels
SC PITUR DORU SNC	pH	8/18/2016 10:44:10 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/18/2016 10:42:04 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	8/18/2016 10:41:24 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 10:41:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 10:41:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 10:41:21 PM	29	gradCels
SC PITUR DORU SNC	pH	8/18/2016 10:41:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 10:36:05 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 10:36:04 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 10:36:03 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 10:36:02 PM	29	gradCels
SC PITUR DORU SNC	Substante organice	8/18/2016 10:36:01 PM	13	mg/l
SC PITUR DORU SNC	pH	8/18/2016 10:36:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 10:31:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 10:31:01 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 10:30:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 10:30:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 10:30:21 PM	29	gradCels
SC PITUR DORU SNC	pH	8/18/2016 10:30:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 10:27:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 10:27:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 10:26:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 10:26:30 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 10:26:00 PM	29	gradCels
SC PITUR DORU SNC	pH	8/18/2016 10:25:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/18/2016 10:25:05 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	8/18/2016 10:25:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 10:25:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 10:25:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 10:25:01 PM	29	gradCels
SC PITUR DORU SNC	pH	8/18/2016 10:25:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/18/2016 10:20:02 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	8/18/2016 10:19:24 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	8/18/2016 10:19:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 10:19:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 10:19:21 PM	29	gradCels
SC PITUR DORU SNC	pH	8/18/2016 10:19:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/18/2016 10:14:00 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	8/18/2016 10:13:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 10:13:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 10:13:42 PM	0	mg/l
SC PITUR DORU SNC	pH	8/18/2016 10:13:41 PM	8	unit pH
SC PITUR DORU SNC	Temp	8/18/2016 10:13:40 PM	29	gradCels
SC PITUR DORU SNC	Cianuri	8/18/2016 10:09:05 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 10:09:04 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 10:08:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 10:08:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 10:08:21 PM	29	gradCels
SC PITUR DORU SNC	pH	8/18/2016 10:08:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 10:08:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 10:07:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 10:07:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 10:07:20 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 10:06:40 PM	29	gradCels
SC PITUR DORU SNC	pH	8/18/2016 10:06:30 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/18/2016 10:03:00 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	8/18/2016 10:02:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 10:02:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 10:02:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 10:02:41 PM	29	gradCels
SC PITUR DORU SNC	pH	8/18/2016 10:02:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 9:58:04 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 9:58:03 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 9:57:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 9:57:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 9:57:21 PM	29	gradCels
SC PITUR DORU SNC	pH	8/18/2016 9:57:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 9:52:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 9:52:00 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 9:51:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 9:51:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 9:51:41 PM	29	gradCels
SC PITUR DORU SNC	pH	8/18/2016 9:51:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 9:48:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 9:48:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 9:48:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 9:47:20 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	8/18/2016 9:47:05 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 9:47:01 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 9:46:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 9:46:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 9:46:21 PM	29	gradCels
SC PITUR DORU SNC	pH	8/18/2016 9:46:20 PM	8	unit pH
SC PITUR DORU SNC	Temp	8/18/2016 9:45:40 PM	29	gradCels
SC PITUR DORU SNC	pH	8/18/2016 9:45:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 9:41:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 9:40:44 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 9:40:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 9:40:42 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 9:40:41 PM	29	gradCels
SC PITUR DORU SNC	pH	8/18/2016 9:40:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/18/2016 9:36:03 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	8/18/2016 9:36:02 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 9:35:06 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 9:35:05 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 9:35:04 PM	29	gradCels
SC PITUR DORU SNC	pH	8/18/2016 9:35:03 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 9:30:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 9:30:00 PM	13	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	8/18/2016 9:29:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 9:29:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 9:29:41 PM	29	gradCels
SC PITUR DORU SNC	pH	8/18/2016 9:29:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 9:27:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 9:27:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 9:26:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 9:26:30 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 9:26:20 PM	29	gradCels
SC PITUR DORU SNC	pH	8/18/2016 9:26:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 9:25:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 9:25:00 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 9:24:46 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 9:24:45 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 9:24:44 PM	29	gradCels
SC PITUR DORU SNC	pH	8/18/2016 9:24:43 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 9:20:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 9:19:59 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 9:19:06 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 9:19:05 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 9:19:04 PM	29	gradCels
SC PITUR DORU SNC	pH	8/18/2016 9:19:03 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 9:14:09 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 9:14:08 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 9:13:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 9:13:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 9:13:41 PM	29	gradCels
SC PITUR DORU SNC	pH	8/18/2016 9:13:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/18/2016 9:09:04 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	8/18/2016 9:09:02 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 9:08:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 9:08:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 9:08:01 PM	29	gradCels
SC PITUR DORU SNC	pH	8/18/2016 9:08:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 9:07:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 9:06:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 9:05:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 9:05:40 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 9:05:30 PM	29	gradCels
SC PITUR DORU SNC	pH	8/18/2016 9:05:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 9:03:08 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 9:03:07 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 9:02:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 9:02:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 9:02:41 PM	29	gradCels
SC PITUR DORU SNC	pH	8/18/2016 9:02:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/18/2016 8:58:14 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	8/18/2016 8:58:12 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 8:57:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 8:57:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 8:57:01 PM	29	gradCels
SC PITUR DORU SNC	pH	8/18/2016 8:57:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 8:52:09 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 8:52:08 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 8:51:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 8:51:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 8:51:41 PM	29	gradCels
SC PITUR DORU SNC	pH	8/18/2016 8:51:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 8:48:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 8:48:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 8:47:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 8:47:40 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 8:47:30 PM	29	gradCels
SC PITUR DORU SNC	pH	8/18/2016 8:47:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 8:46:11 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 8:46:10 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	8/18/2016 8:46:09 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 8:46:08 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 8:46:07 PM	29	gradCels
SC PITUR DORU SNC	pH	8/18/2016 8:46:06 PM	8	unit pH
SC PITUR DORU SNC	Temp	8/18/2016 8:46:05 PM	29	gradCels
SC PITUR DORU SNC	Grasimi	8/18/2016 8:46:04 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	8/18/2016 8:46:03 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 8:46:02 PM	0	mg/l
SC PITUR DORU SNC	pH	8/18/2016 8:46:01 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/18/2016 8:46:00 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	8/18/2016 8:41:08 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 8:40:24 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 8:40:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 8:40:22 PM	13	mg/l
SC PITUR DORU SNC	pH	8/18/2016 8:40:21 PM	8	unit pH
SC PITUR DORU SNC	Temp	8/18/2016 8:40:20 PM	29	gradCels
SC PITUR DORU SNC	Cianuri	8/18/2016 8:35:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 8:35:09 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 8:35:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 8:35:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 8:35:01 PM	29	gradCels
SC PITUR DORU SNC	pH	8/18/2016 8:35:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 8:30:14 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 8:30:13 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 8:29:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 8:29:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 8:29:21 PM	29	gradCels
SC PITUR DORU SNC	pH	8/18/2016 8:29:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 8:29:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 8:28:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 8:28:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 8:28:20 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 8:27:40 PM	29	gradCels
SC PITUR DORU SNC	pH	8/18/2016 8:27:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 8:24:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 8:24:09 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 8:24:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 8:24:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 8:24:01 PM	29	gradCels
SC PITUR DORU SNC	pH	8/18/2016 8:24:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 8:19:16 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 8:19:15 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 8:18:26 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 8:18:25 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 8:18:24 PM	29	gradCels
SC PITUR DORU SNC	pH	8/18/2016 8:18:23 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 8:13:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 8:13:09 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 8:13:07 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 8:13:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 8:13:05 PM	29	gradCels
SC PITUR DORU SNC	pH	8/18/2016 8:13:04 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 8:10:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 8:10:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 8:09:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 8:09:40 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 8:09:30 PM	29	gradCels
SC PITUR DORU SNC	pH	8/18/2016 8:09:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 8:08:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 8:07:24 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 8:07:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 8:07:22 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 8:07:21 PM	29	gradCels
SC PITUR DORU SNC	pH	8/18/2016 8:07:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 8:02:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 8:02:09 PM	13	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	8/18/2016 8:02:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 8:02:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 8:02:01 PM	29	gradCels
SC PITUR DORU SNC	pH	8/18/2016 8:02:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 7:57:11 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 7:57:10 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 7:56:27 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 7:56:26 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 7:56:25 PM	29	gradCels
SC PITUR DORU SNC	pH	8/18/2016 7:56:24 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 7:52:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 7:52:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 7:52:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 7:52:10 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 7:51:30 PM	29	gradCels
SC PITUR DORU SNC	Cianuri	8/18/2016 7:51:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 7:51:09 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 7:51:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 7:51:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 7:51:01 PM	29	gradCels
SC PITUR DORU SNC	pH	8/18/2016 7:51:00 PM	8	unit pH
SC PITUR DORU SNC	pH	8/18/2016 7:50:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 7:45:53 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 7:45:52 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 7:45:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 7:45:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 7:45:21 PM	29	gradCels
SC PITUR DORU SNC	pH	8/18/2016 7:45:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 7:40:01 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 7:39:48 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 7:39:47 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 7:39:46 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 7:39:45 PM	29	gradCels
SC PITUR DORU SNC	pH	8/18/2016 7:39:44 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 7:35:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 7:35:01 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 7:34:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 7:34:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 7:34:21 PM	29	gradCels
SC PITUR DORU SNC	pH	8/18/2016 7:34:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 7:32:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 7:31:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 7:31:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 7:31:20 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 7:31:10 PM	29	gradCels
SC PITUR DORU SNC	pH	8/18/2016 7:31:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 7:29:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 7:29:01 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 7:28:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 7:28:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 7:28:41 PM	29	gradCels
SC PITUR DORU SNC	pH	8/18/2016 7:28:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 7:24:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 7:24:01 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 7:23:27 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 7:23:26 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 7:23:25 PM	29	gradCels
SC PITUR DORU SNC	pH	8/18/2016 7:23:24 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 7:18:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 7:18:01 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 7:17:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 7:17:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 7:17:41 PM	29	gradCels
SC PITUR DORU SNC	pH	8/18/2016 7:17:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 7:13:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 7:13:01 PM	13	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	8/18/2016 7:12:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 7:12:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 7:12:21 PM	29	gradCels
SC PITUR DORU SNC	pH	8/18/2016 7:12:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 7:10:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 7:10:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 7:09:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 7:09:30 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 7:09:20 PM	28	gradCels
SC PITUR DORU SNC	pH	8/18/2016 7:09:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 7:08:03 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 7:07:24 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 7:07:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 7:07:22 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 7:07:21 PM	28	gradCels
SC PITUR DORU SNC	pH	8/18/2016 7:07:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 7:01:54 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 7:01:53 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 7:01:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 7:01:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 7:01:45 PM	28	gradCels
SC PITUR DORU SNC	pH	8/18/2016 7:01:44 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 6:57:05 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 6:57:04 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 6:56:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 6:56:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 6:56:21 PM	28	gradCels
SC PITUR DORU SNC	pH	8/18/2016 6:56:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 6:50:55 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 6:50:54 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 6:50:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 6:50:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 6:50:41 PM	28	gradCels
SC PITUR DORU SNC	pH	8/18/2016 6:50:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 6:50:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 6:50:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 6:49:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 6:49:30 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 6:49:20 PM	28	gradCels
SC PITUR DORU SNC	pH	8/18/2016 6:49:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 6:46:08 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 6:46:04 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 6:45:28 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 6:45:27 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 6:45:26 PM	28	gradCels
SC PITUR DORU SNC	pH	8/18/2016 6:45:25 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 6:39:55 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 6:39:52 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 6:39:51 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 6:39:50 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 6:39:49 PM	28	gradCels
SC PITUR DORU SNC	pH	8/18/2016 6:39:48 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/18/2016 6:35:04 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	8/18/2016 6:35:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 6:34:08 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 6:34:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 6:34:06 PM	28	gradCels
SC PITUR DORU SNC	pH	8/18/2016 6:34:05 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 6:30:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 6:30:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 6:30:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 6:30:10 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 6:29:20 PM	28	gradCels
SC PITUR DORU SNC	Cianuri	8/18/2016 6:28:55 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 6:28:54 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 6:28:52 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	8/18/2016 6:28:51 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 6:28:50 PM	28	gradCels
SC PITUR DORU SNC	pH	8/18/2016 6:28:49 PM	8	unit pH
SC PITUR DORU SNC	pH	8/18/2016 6:28:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 6:24:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 6:24:01 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 6:23:12 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 6:23:11 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 6:23:10 PM	28	gradCels
SC PITUR DORU SNC	pH	8/18/2016 6:23:09 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/18/2016 6:17:56 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	8/18/2016 6:17:55 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 6:17:46 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 6:17:45 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 6:17:44 PM	28	gradCels
SC PITUR DORU SNC	pH	8/18/2016 6:17:43 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 6:13:07 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 6:13:06 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 6:12:06 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 6:12:05 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 6:12:04 PM	28	gradCels
SC PITUR DORU SNC	pH	8/18/2016 6:12:03 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 6:10:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 6:10:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 6:09:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 6:09:10 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 6:09:00 PM	28	gradCels
SC PITUR DORU SNC	pH	8/18/2016 6:08:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 6:06:58 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 6:06:48 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 6:06:47 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 6:06:44 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 6:06:42 PM	28	gradCels
SC PITUR DORU SNC	pH	8/18/2016 6:06:41 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 6:02:09 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 6:02:08 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 6:01:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 6:01:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 6:01:01 PM	28	gradCels
SC PITUR DORU SNC	pH	8/18/2016 6:01:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 5:56:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 5:56:02 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 5:55:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 5:55:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 5:55:41 PM	28	gradCels
SC PITUR DORU SNC	pH	8/18/2016 5:55:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 5:52:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 5:52:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 5:51:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 5:51:30 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 5:51:20 PM	28	gradCels
SC PITUR DORU SNC	Cianuri	8/18/2016 5:51:08 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 5:51:07 PM	14	mg/l
SC PITUR DORU SNC	pH	8/18/2016 5:50:20 PM	8	unit pH
SC PITUR DORU SNC	Clor	8/18/2016 5:50:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 5:50:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 5:50:01 PM	28	gradCels
SC PITUR DORU SNC	pH	8/18/2016 5:50:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 5:45:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 5:45:02 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 5:44:46 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 5:44:45 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 5:44:44 PM	28	gradCels
SC PITUR DORU SNC	pH	8/18/2016 5:44:43 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 5:39:05 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 5:39:04 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	8/18/2016 5:39:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 5:39:02 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 5:39:01 PM	28	gradCels
SC PITUR DORU SNC	pH	8/18/2016 5:39:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/18/2016 5:34:02 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	8/18/2016 5:33:24 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 5:33:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 5:33:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 5:33:21 PM	28	gradCels
SC PITUR DORU SNC	pH	8/18/2016 5:33:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 5:33:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 5:33:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 5:32:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 5:32:30 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 5:32:20 PM	28	gradCels
SC PITUR DORU SNC	pH	8/18/2016 5:32:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 5:29:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 5:29:02 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 5:28:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 5:28:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 5:28:01 PM	28	gradCels
SC PITUR DORU SNC	pH	8/18/2016 5:28:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 5:23:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 5:23:01 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 5:22:27 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 5:22:26 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 5:22:25 PM	28	gradCels
SC PITUR DORU SNC	pH	8/18/2016 5:22:24 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/18/2016 5:17:10 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	8/18/2016 5:17:09 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 5:17:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 5:17:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 5:17:01 PM	28	gradCels
SC PITUR DORU SNC	pH	8/18/2016 5:17:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 5:13:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 5:13:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 5:13:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 5:13:10 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 5:12:30 PM	28	gradCels
SC PITUR DORU SNC	Substante organice	8/18/2016 5:12:13 PM	14	mg/l
SC PITUR DORU SNC	pH	8/18/2016 5:11:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 5:11:28 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 5:11:27 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 5:11:26 PM	0	mg/l
SC PITUR DORU SNC	pH	8/18/2016 5:11:25 PM	8	unit pH
SC PITUR DORU SNC	Temp	8/18/2016 5:11:24 PM	28	gradCels
SC PITUR DORU SNC	Cianuri	8/18/2016 5:06:09 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 5:06:08 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 5:06:07 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 5:06:06 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 5:06:05 PM	28	gradCels
SC PITUR DORU SNC	pH	8/18/2016 5:06:04 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/18/2016 5:01:17 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	8/18/2016 5:00:29 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 5:00:28 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 5:00:27 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 5:00:26 PM	28	gradCels
SC PITUR DORU SNC	pH	8/18/2016 5:00:25 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/18/2016 4:55:10 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	8/18/2016 4:55:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 4:55:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 4:55:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 4:55:01 PM	27	gradCels
SC PITUR DORU SNC	pH	8/18/2016 4:55:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 4:53:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 4:53:10 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	8/18/2016 4:52:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 4:52:20 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 4:52:10 PM	27	gradCels
SC PITUR DORU SNC	pH	8/18/2016 4:52:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/18/2016 4:50:15 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	8/18/2016 4:50:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 4:50:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 4:50:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 4:50:01 PM	27	gradCels
SC PITUR DORU SNC	pH	8/18/2016 4:50:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 4:45:25 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 4:45:24 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 4:44:27 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 4:44:26 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 4:44:25 PM	27	gradCels
SC PITUR DORU SNC	pH	8/18/2016 4:44:24 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 4:39:05 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 4:39:04 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 4:39:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 4:39:02 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 4:39:01 PM	27	gradCels
SC PITUR DORU SNC	pH	8/18/2016 4:39:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 4:35:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 4:35:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 4:35:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 4:34:40 PM	14	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 4:34:27 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 4:33:40 PM	27	gradCels
SC PITUR DORU SNC	pH	8/18/2016 4:33:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 4:33:24 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 4:33:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 4:33:22 PM	0	mg/l
SC PITUR DORU SNC	pH	8/18/2016 4:33:21 PM	8	unit pH
SC PITUR DORU SNC	Temp	8/18/2016 4:33:20 PM	27	gradCels
SC PITUR DORU SNC	Substante organice	8/18/2016 4:27:50 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	8/18/2016 4:27:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 4:27:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 4:27:42 PM	0	mg/l
SC PITUR DORU SNC	pH	8/18/2016 4:27:41 PM	8	unit pH
SC PITUR DORU SNC	Temp	8/18/2016 4:27:40 PM	27	gradCels
SC PITUR DORU SNC	Substante organice	8/18/2016 4:23:05 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	8/18/2016 4:22:27 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 4:22:26 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 4:22:25 PM	0	mg/l
SC PITUR DORU SNC	pH	8/18/2016 4:22:24 PM	8	unit pH
SC PITUR DORU SNC	Temp	8/18/2016 4:22:23 PM	27	gradCels
SC PITUR DORU SNC	Cianuri	8/18/2016 4:18:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 4:18:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 4:17:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 4:16:50 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	8/18/2016 4:16:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 4:16:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 4:16:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 4:16:41 PM	27	gradCels
SC PITUR DORU SNC	pH	8/18/2016 4:16:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/18/2016 4:16:30 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 4:16:20 PM	27	gradCels
SC PITUR DORU SNC	pH	8/18/2016 4:16:10 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/18/2016 4:12:03 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	8/18/2016 4:11:27 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 4:11:26 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 4:11:25 PM	0	mg/l
SC PITUR DORU SNC	pH	8/18/2016 4:11:24 PM	8	unit pH
SC PITUR DORU SNC	Temp	8/18/2016 4:11:23 PM	27	gradCels
SC PITUR DORU SNC	Cianuri	8/18/2016 4:05:45 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 4:05:44 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	8/18/2016 4:05:43 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 4:05:42 PM	27	gradCels
SC PITUR DORU SNC	Substante organice	8/18/2016 4:05:41 PM	14	mg/l
SC PITUR DORU SNC	pH	8/18/2016 4:05:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 4:01:04 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 4:01:03 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 4:00:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 4:00:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 4:00:21 PM	27	gradCels
SC PITUR DORU SNC	pH	8/18/2016 4:00:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 3:59:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 3:59:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 3:59:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 3:59:00 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 3:58:50 PM	27	gradCels
SC PITUR DORU SNC	pH	8/18/2016 3:58:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/18/2016 3:55:54 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	8/18/2016 3:55:24 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 3:55:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 3:55:22 PM	0	mg/l
SC PITUR DORU SNC	pH	8/18/2016 3:55:21 PM	8	unit pH
SC PITUR DORU SNC	Temp	8/18/2016 3:55:20 PM	27	gradCels
SC PITUR DORU SNC	Substante organice	8/18/2016 3:50:16 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	8/18/2016 3:49:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 3:49:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 3:49:42 PM	0	mg/l
SC PITUR DORU SNC	pH	8/18/2016 3:49:41 PM	8	unit pH
SC PITUR DORU SNC	Temp	8/18/2016 3:49:40 PM	27	gradCels
SC PITUR DORU SNC	Cianuri	8/18/2016 3:45:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 3:45:02 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 3:44:05 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 3:44:04 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 3:44:03 PM	27	gradCels
SC PITUR DORU SNC	pH	8/18/2016 3:44:02 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 3:42:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 3:42:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 3:42:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 3:41:40 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 3:41:30 PM	27	gradCels
SC PITUR DORU SNC	pH	8/18/2016 3:41:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 3:39:09 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 3:38:44 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 3:38:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 3:38:42 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 3:38:41 PM	27	gradCels
SC PITUR DORU SNC	pH	8/18/2016 3:38:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 3:34:06 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 3:34:03 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 3:33:05 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 3:33:04 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 3:33:03 PM	27	gradCels
SC PITUR DORU SNC	pH	8/18/2016 3:33:02 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 3:28:15 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 3:28:14 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 3:27:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 3:27:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 3:27:41 PM	27	gradCels
SC PITUR DORU SNC	pH	8/18/2016 3:27:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 3:25:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 3:25:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 3:24:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 3:24:10 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 3:24:00 PM	27	gradCels
SC PITUR DORU SNC	pH	8/18/2016 3:23:50 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/18/2016 3:23:03 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	8/18/2016 3:23:02 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	8/18/2016 3:22:05 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 3:22:04 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 3:22:03 PM	27	gradCels
SC PITUR DORU SNC	pH	8/18/2016 3:22:02 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 3:17:18 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 3:17:14 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 3:16:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 3:16:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 3:16:41 PM	27	gradCels
SC PITUR DORU SNC	pH	8/18/2016 3:16:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 3:12:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 3:12:01 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 3:11:05 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 3:11:04 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 3:11:03 PM	27	gradCels
SC PITUR DORU SNC	pH	8/18/2016 3:11:02 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 3:06:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 3:06:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 3:06:20 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	8/18/2016 3:06:15 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 3:05:44 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 3:05:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 3:05:42 PM	14	mg/l
SC PITUR DORU SNC	pH	8/18/2016 3:05:41 PM	8	unit pH
SC PITUR DORU SNC	Temp	8/18/2016 3:05:40 PM	27	gradCels
SC PITUR DORU SNC	Substante organice	8/18/2016 3:05:20 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 3:05:10 PM	27	gradCels
SC PITUR DORU SNC	pH	8/18/2016 3:04:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 3:01:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 3:01:01 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 3:00:05 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 3:00:04 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 3:00:03 PM	27	gradCels
SC PITUR DORU SNC	pH	8/18/2016 3:00:02 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 2:55:16 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 2:55:12 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 2:54:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 2:54:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 2:54:41 PM	27	gradCels
SC PITUR DORU SNC	pH	8/18/2016 2:54:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 2:50:11 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 2:50:05 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 2:49:05 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 2:49:04 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 2:49:03 PM	27	gradCels
SC PITUR DORU SNC	pH	8/18/2016 2:49:02 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 2:48:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 2:47:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 2:47:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 2:47:20 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 2:47:10 PM	27	gradCels
SC PITUR DORU SNC	pH	8/18/2016 2:46:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 2:44:13 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 2:44:12 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 2:43:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 2:43:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 2:43:21 PM	27	gradCels
SC PITUR DORU SNC	pH	8/18/2016 2:43:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 2:39:05 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 2:39:04 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 2:38:05 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 2:38:04 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 2:38:03 PM	27	gradCels
SC PITUR DORU SNC	pH	8/18/2016 2:38:02 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 2:33:13 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 2:33:12 PM	14	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	8/18/2016 2:32:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 2:32:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 2:32:21 PM	26	gradCels
SC PITUR DORU SNC	pH	8/18/2016 2:32:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 2:28:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 2:28:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 2:28:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 2:28:10 PM	14	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 2:28:02 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	8/18/2016 2:28:01 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 2:27:40 PM	26	gradCels
SC PITUR DORU SNC	pH	8/18/2016 2:27:30 PM	8	unit pH
SC PITUR DORU SNC	Clor	8/18/2016 2:27:05 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 2:27:04 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 2:27:03 PM	26	gradCels
SC PITUR DORU SNC	pH	8/18/2016 2:27:02 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 2:22:06 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 2:22:05 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 2:21:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 2:21:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 2:21:21 PM	26	gradCels
SC PITUR DORU SNC	pH	8/18/2016 2:21:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/18/2016 2:16:10 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	8/18/2016 2:16:08 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 2:16:06 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 2:16:05 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 2:16:04 PM	26	gradCels
SC PITUR DORU SNC	pH	8/18/2016 2:16:03 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 2:11:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 2:11:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 2:11:10 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	8/18/2016 2:11:01 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 2:10:27 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 2:10:26 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 2:10:25 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 2:10:24 PM	26	gradCels
SC PITUR DORU SNC	pH	8/18/2016 2:10:23 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/18/2016 2:10:10 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 2:10:00 PM	26	gradCels
SC PITUR DORU SNC	pH	8/18/2016 2:09:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 2:05:11 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 2:05:10 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 2:05:04 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 2:05:03 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 2:05:02 PM	26	gradCels
SC PITUR DORU SNC	pH	8/18/2016 2:05:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/18/2016 2:00:01 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	8/18/2016 1:59:56 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 1:59:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 1:59:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 1:59:21 PM	26	gradCels
SC PITUR DORU SNC	pH	8/18/2016 1:59:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 1:55:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 1:54:40 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	8/18/2016 1:54:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 1:54:02 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 1:53:46 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 1:53:45 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 1:53:44 PM	26	gradCels
SC PITUR DORU SNC	pH	8/18/2016 1:53:43 PM	8	unit pH
SC PITUR DORU SNC	Grasimi	8/18/2016 1:53:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 1:53:20 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 1:53:10 PM	26	gradCels
SC PITUR DORU SNC	pH	8/18/2016 1:53:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 1:48:56 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 1:48:53 PM	14	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	8/18/2016 1:48:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 1:48:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 1:48:21 PM	26	gradCels
SC PITUR DORU SNC	pH	8/18/2016 1:48:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 1:42:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 1:42:49 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 1:42:46 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 1:42:45 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 1:42:44 PM	26	gradCels
SC PITUR DORU SNC	pH	8/18/2016 1:42:43 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 1:38:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 1:38:10 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	8/18/2016 1:37:58 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 1:37:56 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 1:37:26 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 1:37:25 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 1:37:24 PM	26	gradCels
SC PITUR DORU SNC	pH	8/18/2016 1:37:23 PM	8	unit pH
SC PITUR DORU SNC	Grasimi	8/18/2016 1:36:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 1:36:40 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 1:36:30 PM	26	gradCels
SC PITUR DORU SNC	pH	8/18/2016 1:36:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 1:31:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 1:31:49 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 1:31:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 1:31:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 1:31:41 PM	26	gradCels
SC PITUR DORU SNC	pH	8/18/2016 1:31:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 1:26:55 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 1:26:54 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 1:26:26 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 1:26:25 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 1:26:24 PM	26	gradCels
SC PITUR DORU SNC	pH	8/18/2016 1:26:23 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 1:20:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 1:20:49 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 1:20:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 1:20:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 1:20:41 PM	26	gradCels
SC PITUR DORU SNC	pH	8/18/2016 1:20:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 1:20:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 1:20:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 1:19:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 1:19:30 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 1:19:20 PM	26	gradCels
SC PITUR DORU SNC	pH	8/18/2016 1:19:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 1:15:55 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 1:15:54 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 1:15:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 1:15:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 1:15:21 PM	26	gradCels
SC PITUR DORU SNC	pH	8/18/2016 1:15:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 1:09:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 1:09:49 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 1:09:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 1:09:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 1:09:41 PM	26	gradCels
SC PITUR DORU SNC	pH	8/18/2016 1:09:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 1:05:08 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 1:05:06 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 1:04:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 1:04:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 1:04:01 PM	26	gradCels
SC PITUR DORU SNC	pH	8/18/2016 1:04:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 1:03:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 1:03:10 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	8/18/2016 1:02:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 1:02:40 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 1:02:30 PM	26	gradCels
SC PITUR DORU SNC	pH	8/18/2016 1:02:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 12:59:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 12:58:59 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 12:58:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 12:58:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 12:58:41 PM	26	gradCels
SC PITUR DORU SNC	pH	8/18/2016 12:58:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 12:54:06 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 12:54:05 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 12:53:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 12:53:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 12:53:01 PM	26	gradCels
SC PITUR DORU SNC	pH	8/18/2016 12:53:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/18/2016 12:48:06 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	8/18/2016 12:48:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 12:47:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 12:47:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 12:47:41 PM	26	gradCels
SC PITUR DORU SNC	pH	8/18/2016 12:47:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 12:46:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 12:46:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 12:45:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 12:45:30 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 12:45:20 PM	26	gradCels
SC PITUR DORU SNC	pH	8/18/2016 12:45:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 12:43:06 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 12:43:04 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 12:42:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 12:42:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 12:42:01 PM	26	gradCels
SC PITUR DORU SNC	pH	8/18/2016 12:42:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 12:37:08 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 12:36:44 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 12:36:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 12:36:42 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 12:36:41 PM	26	gradCels
SC PITUR DORU SNC	pH	8/18/2016 12:36:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 12:32:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 12:32:02 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 12:31:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 12:31:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 12:31:01 PM	26	gradCels
SC PITUR DORU SNC	pH	8/18/2016 12:31:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 12:28:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 12:28:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 12:27:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 12:27:10 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 12:27:00 PM	26	gradCels
SC PITUR DORU SNC	pH	8/18/2016 12:26:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 12:26:16 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 12:26:15 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 12:25:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 12:25:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 12:25:41 PM	26	gradCels
SC PITUR DORU SNC	pH	8/18/2016 12:25:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/18/2016 12:21:06 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	8/18/2016 12:21:05 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 12:20:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 12:20:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 12:20:01 PM	26	gradCels
SC PITUR DORU SNC	pH	8/18/2016 12:20:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/18/2016 12:15:14 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	8/18/2016 12:15:10 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	8/18/2016 12:14:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 12:14:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 12:14:21 PM	26	gradCels
SC PITUR DORU SNC	pH	8/18/2016 12:14:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 12:09:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 12:09:30 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	8/18/2016 12:09:05 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 12:09:04 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 12:09:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 12:09:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 12:09:01 PM	26	gradCels
SC PITUR DORU SNC	pH	8/18/2016 12:09:00 PM	8	unit pH
SC PITUR DORU SNC	Grasimi	8/18/2016 12:08:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 12:08:20 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 12:08:10 PM	26	gradCels
SC PITUR DORU SNC	pH	8/18/2016 12:08:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 12:04:09 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 12:04:08 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 12:03:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 12:03:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 12:03:21 PM	26	gradCels
SC PITUR DORU SNC	pH	8/18/2016 12:03:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 11:58:05 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 11:58:04 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 11:58:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 11:58:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 11:58:01 AM	26	gradCels
SC PITUR DORU SNC	pH	8/18/2016 11:58:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 11:53:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 11:53:00 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 11:52:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 11:52:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 11:52:21 AM	26	gradCels
SC PITUR DORU SNC	pH	8/18/2016 11:52:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 11:51:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 11:51:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 11:51:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 11:50:50 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 11:50:40 AM	26	gradCels
SC PITUR DORU SNC	pH	8/18/2016 11:50:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 11:47:05 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 11:47:04 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 11:47:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 11:47:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 11:47:01 AM	26	gradCels
SC PITUR DORU SNC	pH	8/18/2016 11:47:00 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/18/2016 11:42:01 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	8/18/2016 11:42:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 11:41:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 11:41:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 11:41:21 AM	26	gradCels
SC PITUR DORU SNC	pH	8/18/2016 11:41:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 11:36:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 11:35:44 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 11:35:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 11:35:42 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 11:35:41 AM	26	gradCels
SC PITUR DORU SNC	pH	8/18/2016 11:35:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 11:31:20 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	8/18/2016 11:31:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 11:31:02 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 11:30:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 11:30:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 11:30:21 AM	26	gradCels
SC PITUR DORU SNC	pH	8/18/2016 11:30:20 AM	8	unit pH
SC PITUR DORU SNC	Clor	8/18/2016 11:30:00 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	8/18/2016 11:29:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 11:29:30 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 11:29:20 AM	26	gradCels
SC PITUR DORU SNC	pH	8/18/2016 11:29:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 11:25:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 11:25:00 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 11:24:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 11:24:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 11:24:41 AM	26	gradCels
SC PITUR DORU SNC	pH	8/18/2016 11:24:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 11:19:52 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 11:19:51 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 11:19:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 11:19:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 11:19:21 AM	26	gradCels
SC PITUR DORU SNC	pH	8/18/2016 11:19:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 11:14:51 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 11:14:50 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 11:14:14 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 11:14:13 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 11:14:12 AM	26	gradCels
SC PITUR DORU SNC	pH	8/18/2016 11:14:11 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 11:10:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 11:10:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 11:09:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 11:09:00 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	8/18/2016 11:08:58 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 11:08:49 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 11:08:48 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 11:08:47 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 11:08:46 AM	26	gradCels
SC PITUR DORU SNC	pH	8/18/2016 11:08:45 AM	8	unit pH
SC PITUR DORU SNC	Temp	8/18/2016 11:08:20 AM	26	gradCels
SC PITUR DORU SNC	pH	8/18/2016 11:08:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 11:04:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 11:03:58 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 11:03:13 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 11:03:12 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 11:03:11 AM	26	gradCels
SC PITUR DORU SNC	pH	8/18/2016 11:03:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 10:57:58 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 10:57:57 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 10:57:48 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 10:57:47 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 10:57:46 AM	26	gradCels
SC PITUR DORU SNC	pH	8/18/2016 10:57:45 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 10:52:51 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 10:52:49 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 10:52:13 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 10:52:12 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 10:52:11 AM	26	gradCels
SC PITUR DORU SNC	pH	8/18/2016 10:52:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 10:51:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 10:51:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 10:51:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 10:50:50 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 10:50:40 AM	26	gradCels
SC PITUR DORU SNC	pH	8/18/2016 10:50:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 10:46:58 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 10:46:56 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 10:46:54 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 10:46:53 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 10:46:52 AM	26	gradCels
SC PITUR DORU SNC	pH	8/18/2016 10:46:51 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 10:41:49 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 10:41:48 AM	14	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	8/18/2016 10:41:14 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 10:41:13 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 10:41:12 AM	26	gradCels
SC PITUR DORU SNC	pH	8/18/2016 10:41:11 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 10:35:56 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 10:35:54 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 10:35:53 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 10:35:52 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 10:35:51 AM	26	gradCels
SC PITUR DORU SNC	pH	8/18/2016 10:35:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 10:34:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 10:33:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 10:33:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 10:33:20 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 10:33:10 AM	27	gradCels
SC PITUR DORU SNC	pH	8/18/2016 10:32:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 10:30:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 10:30:49 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 10:30:16 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 10:30:15 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 10:30:14 AM	26	gradCels
SC PITUR DORU SNC	pH	8/18/2016 10:30:13 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 10:24:58 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 10:24:57 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 10:24:55 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 10:24:54 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 10:24:53 AM	27	gradCels
SC PITUR DORU SNC	pH	8/18/2016 10:24:52 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 10:20:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 10:20:01 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 10:19:14 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 10:19:13 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 10:19:12 AM	27	gradCels
SC PITUR DORU SNC	pH	8/18/2016 10:19:11 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 10:14:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 10:14:10 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	8/18/2016 10:13:57 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 10:13:56 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 10:13:54 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 10:13:53 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 10:13:52 AM	27	gradCels
SC PITUR DORU SNC	pH	8/18/2016 10:13:51 AM	8	unit pH
SC PITUR DORU SNC	Grasimi	8/18/2016 10:13:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 10:13:00 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 10:12:50 AM	27	gradCels
SC PITUR DORU SNC	pH	8/18/2016 10:12:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 10:09:01 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 10:08:15 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 10:08:14 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 10:08:13 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 10:08:12 AM	27	gradCels
SC PITUR DORU SNC	pH	8/18/2016 10:08:11 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 10:03:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 10:03:01 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 10:02:28 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 10:02:27 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 10:02:26 AM	27	gradCels
SC PITUR DORU SNC	pH	8/18/2016 10:02:25 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 9:57:49 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 9:57:48 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 9:57:47 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 9:57:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 9:57:45 AM	27	gradCels
SC PITUR DORU SNC	pH	8/18/2016 9:57:44 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 9:55:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 9:54:40 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	8/18/2016 9:54:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 9:53:20 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	8/18/2016 9:53:04 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 9:53:03 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 9:52:40 AM	27	gradCels
SC PITUR DORU SNC	pH	8/18/2016 9:52:30 AM	8	unit pH
SC PITUR DORU SNC	Clor	8/18/2016 9:52:08 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 9:52:07 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 9:52:06 AM	27	gradCels
SC PITUR DORU SNC	pH	8/18/2016 9:52:05 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 9:47:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 9:47:02 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 9:46:26 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 9:46:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 9:46:24 AM	27	gradCels
SC PITUR DORU SNC	pH	8/18/2016 9:46:23 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 9:42:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 9:42:00 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 9:41:08 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 9:41:07 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 9:41:06 AM	27	gradCels
SC PITUR DORU SNC	pH	8/18/2016 9:41:05 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 9:36:04 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 9:35:27 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 9:35:26 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 9:35:25 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 9:35:24 AM	27	gradCels
SC PITUR DORU SNC	pH	8/18/2016 9:35:23 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 9:34:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 9:34:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 9:33:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 9:33:40 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 9:33:30 AM	27	gradCels
SC PITUR DORU SNC	pH	8/18/2016 9:33:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 9:30:12 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 9:30:11 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 9:30:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 9:30:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 9:30:01 AM	27	gradCels
SC PITUR DORU SNC	pH	8/18/2016 9:30:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 9:25:11 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 9:25:09 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 9:24:26 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 9:24:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 9:24:24 AM	27	gradCels
SC PITUR DORU SNC	pH	8/18/2016 9:24:23 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 9:19:14 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 9:19:12 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 9:19:06 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 9:19:05 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 9:19:04 AM	27	gradCels
SC PITUR DORU SNC	pH	8/18/2016 9:19:03 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 9:16:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 9:16:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 9:15:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 9:15:20 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 9:14:50 AM	27	gradCels
SC PITUR DORU SNC	pH	8/18/2016 9:14:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 9:14:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 9:14:20 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 9:14:14 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 9:14:13 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 9:14:12 AM	27	gradCels
SC PITUR DORU SNC	pH	8/18/2016 9:14:11 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 9:09:01 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 9:08:34 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	8/18/2016 9:08:33 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 9:08:32 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 9:08:31 AM	27	gradCels
SC PITUR DORU SNC	pH	8/18/2016 9:08:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 9:03:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 9:03:19 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 9:03:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 9:03:09 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 9:03:08 AM	27	gradCels
SC PITUR DORU SNC	pH	8/18/2016 9:03:07 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 8:58:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 8:58:00 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 8:57:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 8:57:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 8:57:21 AM	27	gradCels
SC PITUR DORU SNC	pH	8/18/2016 8:57:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 8:56:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 8:55:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 8:55:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 8:55:20 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 8:55:10 AM	27	gradCels
SC PITUR DORU SNC	pH	8/18/2016 8:55:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 8:51:59 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 8:51:58 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 8:51:47 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 8:51:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 8:51:45 AM	27	gradCels
SC PITUR DORU SNC	pH	8/18/2016 8:51:44 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 8:47:04 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 8:47:01 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 8:46:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 8:46:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 8:46:21 AM	27	gradCels
SC PITUR DORU SNC	pH	8/18/2016 8:46:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 8:40:57 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 8:40:51 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 8:40:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 8:40:49 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 8:40:48 AM	27	gradCels
SC PITUR DORU SNC	pH	8/18/2016 8:40:47 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 8:38:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 8:38:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 8:37:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 8:37:20 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 8:37:10 AM	27	gradCels
SC PITUR DORU SNC	pH	8/18/2016 8:36:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 8:36:04 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 8:36:03 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 8:35:26 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 8:35:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 8:35:24 AM	27	gradCels
SC PITUR DORU SNC	pH	8/18/2016 8:35:23 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 8:29:58 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 8:29:57 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 8:29:47 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 8:29:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 8:29:45 AM	27	gradCels
SC PITUR DORU SNC	pH	8/18/2016 8:29:44 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 8:25:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 8:25:00 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 8:24:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 8:24:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 8:24:05 AM	27	gradCels
SC PITUR DORU SNC	pH	8/18/2016 8:24:04 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 8:19:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 8:19:10 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	8/18/2016 8:19:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 8:18:58 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 8:18:47 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 8:18:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 8:18:45 AM	27	gradCels
SC PITUR DORU SNC	pH	8/18/2016 8:18:44 AM	8	unit pH
SC PITUR DORU SNC	Grasimi	8/18/2016 8:18:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 8:18:10 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 8:18:00 AM	27	gradCels
SC PITUR DORU SNC	pH	8/18/2016 8:17:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 8:14:04 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 8:14:03 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 8:13:19 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 8:13:18 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 8:13:17 AM	27	gradCels
SC PITUR DORU SNC	pH	8/18/2016 8:13:16 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 8:09:11 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 8:08:28 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 8:08:27 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 8:08:26 AM	14	mg/l
SC PITUR DORU SNC	pH	8/18/2016 8:08:25 AM	8	unit pH
SC PITUR DORU SNC	Temp	8/18/2016 8:08:24 AM	27	gradCels
SC PITUR DORU SNC	Cianuri	8/18/2016 8:02:49 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 8:02:48 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 8:02:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 8:02:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 8:02:41 AM	27	gradCels
SC PITUR DORU SNC	pH	8/18/2016 8:02:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 8:01:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 8:00:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 8:00:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 8:00:20 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 8:00:10 AM	27	gradCels
SC PITUR DORU SNC	pH	8/18/2016 8:00:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 7:57:51 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 7:57:50 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 7:57:27 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 7:57:26 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 7:57:25 AM	27	gradCels
SC PITUR DORU SNC	pH	8/18/2016 7:57:24 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 7:51:52 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 7:51:51 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 7:51:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 7:51:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 7:51:41 AM	27	gradCels
SC PITUR DORU SNC	pH	8/18/2016 7:51:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 7:46:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 7:46:49 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 7:46:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 7:46:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 7:46:01 AM	27	gradCels
SC PITUR DORU SNC	pH	8/18/2016 7:46:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 7:43:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 7:42:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 7:42:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 7:42:20 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 7:42:10 AM	27	gradCels
SC PITUR DORU SNC	pH	8/18/2016 7:42:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 7:40:49 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 7:40:44 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 7:40:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 7:40:42 AM	13	mg/l
SC PITUR DORU SNC	pH	8/18/2016 7:40:41 AM	8	unit pH
SC PITUR DORU SNC	Temp	8/18/2016 7:40:40 AM	27	gradCels
SC PITUR DORU SNC	Cianuri	8/18/2016 7:35:52 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 7:35:51 AM	14	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	8/18/2016 7:35:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 7:35:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 7:35:01 AM	27	gradCels
SC PITUR DORU SNC	pH	8/18/2016 7:35:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 7:29:55 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 7:29:54 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 7:29:47 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 7:29:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 7:29:45 AM	27	gradCels
SC PITUR DORU SNC	pH	8/18/2016 7:29:44 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 7:25:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 7:25:00 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 7:24:06 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 7:24:05 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 7:24:04 AM	27	gradCels
SC PITUR DORU SNC	pH	8/18/2016 7:24:03 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 7:23:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 7:23:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 7:22:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 7:22:10 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 7:22:00 AM	27	gradCels
SC PITUR DORU SNC	pH	8/18/2016 7:21:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 7:18:52 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 7:18:51 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 7:18:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 7:18:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 7:18:41 AM	27	gradCels
SC PITUR DORU SNC	pH	8/18/2016 7:18:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 7:14:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 7:14:00 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 7:13:06 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 7:13:05 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 7:13:04 AM	27	gradCels
SC PITUR DORU SNC	pH	8/18/2016 7:13:03 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 7:08:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 7:07:24 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 7:07:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 7:07:22 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 7:07:21 AM	27	gradCels
SC PITUR DORU SNC	pH	8/18/2016 7:07:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 7:05:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 7:05:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 7:04:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 7:04:40 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 7:04:30 AM	28	gradCels
SC PITUR DORU SNC	pH	8/18/2016 7:04:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 7:03:04 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 7:03:02 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 7:02:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 7:02:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 7:02:01 AM	27	gradCels
SC PITUR DORU SNC	pH	8/18/2016 7:02:00 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/18/2016 6:57:04 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	8/18/2016 6:57:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 6:56:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 6:56:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 6:56:21 AM	28	gradCels
SC PITUR DORU SNC	pH	8/18/2016 6:56:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 6:52:04 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 6:52:03 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 6:51:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 6:51:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 6:51:01 AM	28	gradCels
SC PITUR DORU SNC	pH	8/18/2016 6:51:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 6:47:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 6:47:40 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	8/18/2016 6:47:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 6:47:10 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 6:46:20 AM	28	gradCels
SC PITUR DORU SNC	Cianuri	8/18/2016 6:46:04 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 6:46:03 AM	13	mg/l
SC PITUR DORU SNC	pH	8/18/2016 6:45:40 AM	8	unit pH
SC PITUR DORU SNC	Clor	8/18/2016 6:45:26 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 6:45:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 6:45:24 AM	28	gradCels
SC PITUR DORU SNC	pH	8/18/2016 6:45:23 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 6:41:03 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 6:40:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 6:40:06 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 6:40:05 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 6:40:04 AM	28	gradCels
SC PITUR DORU SNC	pH	8/18/2016 6:40:03 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 6:35:08 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 6:35:07 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 6:34:26 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 6:34:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 6:34:24 AM	28	gradCels
SC PITUR DORU SNC	pH	8/18/2016 6:34:23 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 6:30:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 6:30:02 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	8/18/2016 6:29:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 6:29:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 6:29:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 6:29:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 6:29:01 AM	28	gradCels
SC PITUR DORU SNC	pH	8/18/2016 6:29:00 AM	8	unit pH
SC PITUR DORU SNC	Grasimi	8/18/2016 6:28:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 6:28:20 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 6:28:10 AM	28	gradCels
SC PITUR DORU SNC	pH	8/18/2016 6:28:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 6:23:53 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 6:23:51 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 6:23:26 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 6:23:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 6:23:24 AM	28	gradCels
SC PITUR DORU SNC	pH	8/18/2016 6:23:23 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 6:18:05 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 6:18:04 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 6:18:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 6:18:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 6:18:01 AM	28	gradCels
SC PITUR DORU SNC	pH	8/18/2016 6:18:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 6:13:05 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 6:13:04 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 6:12:26 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 6:12:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 6:12:24 AM	28	gradCels
SC PITUR DORU SNC	pH	8/18/2016 6:12:23 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 6:10:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 6:10:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 6:10:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 6:10:10 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 6:10:00 AM	28	gradCels
SC PITUR DORU SNC	pH	8/18/2016 6:09:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 6:07:11 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 6:07:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 6:07:06 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 6:07:05 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 6:07:04 AM	28	gradCels
SC PITUR DORU SNC	pH	8/18/2016 6:07:03 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 6:01:48 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 6:01:47 AM	13	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	8/18/2016 6:01:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 6:01:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 6:01:21 AM	28	gradCels
SC PITUR DORU SNC	pH	8/18/2016 6:01:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 5:56:08 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 5:56:07 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 5:56:06 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 5:56:05 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 5:56:04 AM	28	gradCels
SC PITUR DORU SNC	pH	8/18/2016 5:56:03 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 5:53:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 5:53:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 5:53:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 5:52:50 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 5:52:40 AM	28	gradCels
SC PITUR DORU SNC	pH	8/18/2016 5:52:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 5:50:52 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 5:50:48 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 5:50:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 5:50:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 5:50:21 AM	28	gradCels
SC PITUR DORU SNC	pH	8/18/2016 5:50:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 5:44:51 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 5:44:50 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 5:44:46 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 5:44:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 5:44:44 AM	28	gradCels
SC PITUR DORU SNC	pH	8/18/2016 5:44:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 5:39:49 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 5:39:24 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 5:39:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 5:39:22 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 5:39:21 AM	28	gradCels
SC PITUR DORU SNC	pH	8/18/2016 5:39:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 5:34:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 5:34:30 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	8/18/2016 5:33:51 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 5:33:50 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 5:33:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 5:33:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 5:33:41 AM	28	gradCels
SC PITUR DORU SNC	pH	8/18/2016 5:33:40 AM	8	unit pH
SC PITUR DORU SNC	Grasimi	8/18/2016 5:33:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 5:33:10 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 5:32:40 AM	28	gradCels
SC PITUR DORU SNC	pH	8/18/2016 5:32:30 AM	8	unit pH
SC PITUR DORU SNC	pH	8/18/2016 5:28:48 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 5:28:47 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 5:28:46 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 5:28:26 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 5:28:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 5:28:24 AM	28	gradCels
SC PITUR DORU SNC	Cianuri	8/18/2016 5:22:48 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 5:22:47 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 5:22:46 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 5:22:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 5:22:44 AM	28	gradCels
SC PITUR DORU SNC	pH	8/18/2016 5:22:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 5:17:48 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 5:17:47 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 5:17:26 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 5:17:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 5:17:24 AM	28	gradCels
SC PITUR DORU SNC	pH	8/18/2016 5:17:23 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 5:13:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 5:13:10 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	8/18/2016 5:12:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 5:12:00 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	8/18/2016 5:11:51 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 5:11:50 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 5:11:46 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 5:11:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 5:11:44 AM	28	gradCels
SC PITUR DORU SNC	pH	8/18/2016 5:11:43 AM	8	unit pH
SC PITUR DORU SNC	Temp	8/18/2016 5:11:30 AM	28	gradCels
SC PITUR DORU SNC	pH	8/18/2016 5:11:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 5:06:48 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 5:06:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 5:06:09 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 5:06:08 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 5:06:07 AM	28	gradCels
SC PITUR DORU SNC	pH	8/18/2016 5:06:06 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 5:00:51 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 5:00:50 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 5:00:47 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 5:00:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 5:00:45 AM	28	gradCels
SC PITUR DORU SNC	pH	8/18/2016 5:00:44 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 4:56:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 4:56:00 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 4:55:08 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 4:55:07 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 4:55:06 AM	28	gradCels
SC PITUR DORU SNC	pH	8/18/2016 4:55:05 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 4:53:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 4:53:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 4:53:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 4:52:50 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 4:52:40 AM	28	gradCels
SC PITUR DORU SNC	pH	8/18/2016 4:52:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 4:49:51 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 4:49:49 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 4:49:46 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 4:49:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 4:49:44 AM	28	gradCels
SC PITUR DORU SNC	pH	8/18/2016 4:49:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 4:45:04 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 4:45:03 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 4:44:06 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 4:44:05 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 4:44:04 AM	28	gradCels
SC PITUR DORU SNC	pH	8/18/2016 4:44:03 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 4:38:52 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 4:38:46 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 4:38:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 4:38:44 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 4:38:43 AM	28	gradCels
SC PITUR DORU SNC	pH	8/18/2016 4:38:42 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 4:35:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 4:35:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 4:35:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 4:34:40 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 4:34:30 AM	28	gradCels
SC PITUR DORU SNC	pH	8/18/2016 4:34:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 4:34:04 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 4:34:03 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 4:33:08 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 4:33:07 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 4:33:06 AM	28	gradCels
SC PITUR DORU SNC	pH	8/18/2016 4:33:05 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 4:27:56 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 4:27:55 AM	13	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	8/18/2016 4:27:47 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 4:27:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 4:27:45 AM	28	gradCels
SC PITUR DORU SNC	pH	8/18/2016 4:27:44 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 4:23:04 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 4:23:03 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 4:22:05 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 4:22:04 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 4:22:03 AM	28	gradCels
SC PITUR DORU SNC	pH	8/18/2016 4:22:02 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 4:16:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 4:16:49 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 4:16:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 4:16:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 4:16:41 AM	28	gradCels
SC PITUR DORU SNC	pH	8/18/2016 4:16:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 4:16:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 4:16:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 4:15:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 4:15:00 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 4:14:50 AM	29	gradCels
SC PITUR DORU SNC	pH	8/18/2016 4:14:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 4:12:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 4:12:00 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 4:11:06 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 4:11:05 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 4:11:04 AM	29	gradCels
SC PITUR DORU SNC	pH	8/18/2016 4:11:03 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 4:05:49 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 4:05:44 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 4:05:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 4:05:42 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 4:05:41 AM	29	gradCels
SC PITUR DORU SNC	pH	8/18/2016 4:05:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 4:01:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 4:01:02 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 4:00:05 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 4:00:04 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 4:00:03 AM	29	gradCels
SC PITUR DORU SNC	pH	8/18/2016 4:00:02 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 3:58:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 3:58:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 3:57:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 3:57:30 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 3:57:20 AM	29	gradCels
SC PITUR DORU SNC	pH	8/18/2016 3:57:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 3:54:48 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 3:54:47 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 3:54:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 3:54:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 3:54:41 AM	29	gradCels
SC PITUR DORU SNC	pH	8/18/2016 3:54:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 3:50:04 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 3:50:01 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 3:49:26 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 3:49:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 3:49:24 AM	29	gradCels
SC PITUR DORU SNC	pH	8/18/2016 3:49:23 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 3:45:05 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 3:45:04 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 3:44:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 3:44:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 3:44:01 AM	29	gradCels
SC PITUR DORU SNC	pH	8/18/2016 3:44:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 3:40:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 3:39:20 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	8/18/2016 3:39:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 3:38:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 3:38:27 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 3:38:26 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 3:38:25 AM	13	mg/l
SC PITUR DORU SNC	pH	8/18/2016 3:38:24 AM	8	unit pH
SC PITUR DORU SNC	Temp	8/18/2016 3:38:23 AM	29	gradCels
SC PITUR DORU SNC	Substante organice	8/18/2016 3:38:10 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 3:37:40 AM	29	gradCels
SC PITUR DORU SNC	pH	8/18/2016 3:37:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 3:34:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 3:34:00 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 3:32:55 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 3:32:54 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 3:32:53 AM	29	gradCels
SC PITUR DORU SNC	pH	8/18/2016 3:32:52 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 3:28:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 3:28:02 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 3:27:27 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 3:27:26 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 3:27:25 AM	29	gradCels
SC PITUR DORU SNC	pH	8/18/2016 3:27:24 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 3:21:56 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 3:21:55 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 3:21:51 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 3:21:50 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 3:21:49 AM	29	gradCels
SC PITUR DORU SNC	pH	8/18/2016 3:21:48 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 3:19:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 3:19:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 3:19:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 3:19:00 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 3:18:50 AM	29	gradCels
SC PITUR DORU SNC	pH	8/18/2016 3:18:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 3:17:14 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 3:17:13 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 3:17:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 3:17:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 3:17:01 AM	29	gradCels
SC PITUR DORU SNC	pH	8/18/2016 3:17:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 3:12:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 3:12:00 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 3:11:33 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 3:11:32 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 3:11:31 AM	29	gradCels
SC PITUR DORU SNC	pH	8/18/2016 3:11:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 3:06:17 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 3:06:04 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 3:06:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 3:06:02 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 3:06:01 AM	29	gradCels
SC PITUR DORU SNC	pH	8/18/2016 3:06:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 3:01:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 3:01:00 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 3:00:32 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 3:00:31 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 3:00:30 AM	29	gradCels
SC PITUR DORU SNC	pH	8/18/2016 3:00:29 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 2:58:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 2:58:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 2:57:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 2:57:30 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 2:57:20 AM	29	gradCels
SC PITUR DORU SNC	pH	8/18/2016 2:57:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 2:54:54 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 2:54:53 AM	13	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	8/18/2016 2:54:52 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 2:54:51 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 2:54:50 AM	29	gradCels
SC PITUR DORU SNC	pH	8/18/2016 2:54:49 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 2:50:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 2:50:00 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 2:49:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 2:49:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 2:49:21 AM	29	gradCels
SC PITUR DORU SNC	pH	8/18/2016 2:49:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 2:43:56 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 2:43:54 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 2:43:53 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 2:43:52 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 2:43:51 AM	29	gradCels
SC PITUR DORU SNC	pH	8/18/2016 2:43:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 2:39:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 2:38:24 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 2:38:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 2:38:22 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 2:38:21 AM	29	gradCels
SC PITUR DORU SNC	pH	8/18/2016 2:38:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 2:36:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 2:36:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 2:35:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 2:35:40 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 2:35:30 AM	29	gradCels
SC PITUR DORU SNC	pH	8/18/2016 2:35:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 2:32:56 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 2:32:55 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 2:32:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 2:32:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 2:32:41 AM	29	gradCels
SC PITUR DORU SNC	pH	8/18/2016 2:32:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 2:28:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 2:28:00 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 2:27:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 2:27:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 2:27:21 AM	29	gradCels
SC PITUR DORU SNC	pH	8/18/2016 2:27:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 2:21:57 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 2:21:55 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 2:21:47 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 2:21:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 2:21:45 AM	29	gradCels
SC PITUR DORU SNC	pH	8/18/2016 2:21:44 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 2:17:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 2:17:00 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 2:16:08 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 2:16:07 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 2:16:06 AM	29	gradCels
SC PITUR DORU SNC	pH	8/18/2016 2:16:05 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 2:15:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 2:14:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 2:14:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 2:13:50 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 2:13:40 AM	29	gradCels
SC PITUR DORU SNC	pH	8/18/2016 2:13:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 2:10:59 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 2:10:48 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 2:10:47 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 2:10:46 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 2:10:45 AM	29	gradCels
SC PITUR DORU SNC	pH	8/18/2016 2:10:44 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 2:06:07 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 2:06:06 AM	13	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	8/18/2016 2:05:08 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 2:05:07 AM	0	mg/l
SC PITUR DORU SNC	pH	8/18/2016 2:05:06 AM	8	unit pH
SC PITUR DORU SNC	Temp	8/18/2016 2:05:05 AM	29	gradCels
SC PITUR DORU SNC	Cianuri	8/18/2016 1:59:54 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 1:59:53 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 1:59:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 1:59:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 1:59:41 AM	29	gradCels
SC PITUR DORU SNC	pH	8/18/2016 1:59:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 1:55:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 1:55:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 1:55:00 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	8/18/2016 1:54:48 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 1:54:46 AM	13	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 1:54:30 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 1:54:20 AM	29	gradCels
SC PITUR DORU SNC	Clor	8/18/2016 1:54:08 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 1:54:07 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 1:54:06 AM	29	gradCels
SC PITUR DORU SNC	pH	8/18/2016 1:54:05 AM	8	unit pH
SC PITUR DORU SNC	pH	8/18/2016 1:53:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 1:48:55 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 1:48:54 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 1:48:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 1:48:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 1:48:41 AM	29	gradCels
SC PITUR DORU SNC	pH	8/18/2016 1:48:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 1:43:47 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 1:43:46 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 1:43:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 1:43:09 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 1:43:08 AM	29	gradCels
SC PITUR DORU SNC	pH	8/18/2016 1:43:07 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 1:37:49 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 1:37:44 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 1:37:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 1:37:42 AM	13	mg/l
SC PITUR DORU SNC	pH	8/18/2016 1:37:41 AM	8	unit pH
SC PITUR DORU SNC	Temp	8/18/2016 1:37:40 AM	29	gradCels
SC PITUR DORU SNC	Cianuri	8/18/2016 1:35:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 1:35:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 1:34:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 1:34:40 AM	12	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 1:34:30 AM	29	gradCels
SC PITUR DORU SNC	pH	8/18/2016 1:34:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 1:32:56 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 1:32:55 AM	12	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 1:32:05 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 1:32:04 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 1:32:03 AM	29	gradCels
SC PITUR DORU SNC	pH	8/18/2016 1:32:02 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 1:26:46 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 1:26:45 AM	12	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 1:26:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 1:26:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 1:26:41 AM	29	gradCels
SC PITUR DORU SNC	pH	8/18/2016 1:26:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 1:21:57 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 1:21:56 AM	12	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 1:21:08 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 1:21:07 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 1:21:06 AM	29	gradCels
SC PITUR DORU SNC	pH	8/18/2016 1:21:05 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 1:17:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 1:17:10 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	8/18/2016 1:16:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 1:16:20 AM	12	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 1:15:50 AM	30	gradCels
SC PITUR DORU SNC	Substante organice	8/18/2016 1:15:46 AM	12	mg/l
SC PITUR DORU SNC	Cianuri	8/18/2016 1:15:45 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 1:15:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 1:15:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 1:15:41 AM	30	gradCels
SC PITUR DORU SNC	pH	8/18/2016 1:15:40 AM	8	unit pH
SC PITUR DORU SNC	pH	8/18/2016 1:15:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 1:10:55 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 1:10:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 1:10:09 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 1:10:08 AM	12	mg/l
SC PITUR DORU SNC	pH	8/18/2016 1:10:07 AM	8	unit pH
SC PITUR DORU SNC	Temp	8/18/2016 1:10:06 AM	30	gradCels
SC PITUR DORU SNC	Cianuri	8/18/2016 1:05:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 1:05:00 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 1:04:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 1:04:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 1:04:21 AM	30	gradCels
SC PITUR DORU SNC	pH	8/18/2016 1:04:20 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/18/2016 12:59:56 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	8/18/2016 12:59:55 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 12:59:05 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 12:59:04 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 12:59:03 AM	30	gradCels
SC PITUR DORU SNC	pH	8/18/2016 12:59:02 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 12:57:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 12:57:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 12:57:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 12:56:50 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 12:56:40 AM	30	gradCels
SC PITUR DORU SNC	pH	8/18/2016 12:56:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 12:54:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 12:54:00 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 12:53:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 12:53:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 12:53:21 AM	30	gradCels
SC PITUR DORU SNC	pH	8/18/2016 12:53:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 12:48:56 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 12:48:55 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 12:48:08 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 12:48:07 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 12:48:06 AM	30	gradCels
SC PITUR DORU SNC	pH	8/18/2016 12:48:05 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 12:43:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 12:43:00 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 12:42:24 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 12:42:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 12:42:21 AM	30	gradCels
SC PITUR DORU SNC	pH	8/18/2016 12:42:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 12:39:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 12:38:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 12:38:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 12:37:20 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	8/18/2016 12:37:09 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 12:37:08 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 12:37:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 12:37:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 12:37:01 AM	30	gradCels
SC PITUR DORU SNC	pH	8/18/2016 12:37:00 AM	8	unit pH
SC PITUR DORU SNC	Temp	8/18/2016 12:36:40 AM	30	gradCels
SC PITUR DORU SNC	pH	8/18/2016 12:36:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 12:32:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 12:32:00 AM	13	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	8/18/2016 12:31:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 12:31:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 12:31:21 AM	30	gradCels
SC PITUR DORU SNC	pH	8/18/2016 12:31:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 12:25:46 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 12:25:45 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 12:25:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 12:25:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 12:25:41 AM	30	gradCels
SC PITUR DORU SNC	pH	8/18/2016 12:25:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 12:21:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 12:21:00 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 12:20:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 12:20:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 12:20:21 AM	30	gradCels
SC PITUR DORU SNC	pH	8/18/2016 12:20:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 12:18:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 12:18:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 12:18:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 12:18:00 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 12:17:50 AM	30	gradCels
SC PITUR DORU SNC	pH	8/18/2016 12:17:40 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/18/2016 12:14:49 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	8/18/2016 12:14:46 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 12:14:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 12:14:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 12:14:41 AM	30	gradCels
SC PITUR DORU SNC	pH	8/18/2016 12:14:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 12:10:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 12:09:24 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 12:09:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 12:09:22 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 12:09:21 AM	30	gradCels
SC PITUR DORU SNC	pH	8/18/2016 12:09:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/18/2016 12:03:49 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/18/2016 12:03:48 AM	12	mg/l
SC PITUR DORU SNC	Clor	8/18/2016 12:03:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/18/2016 12:03:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/18/2016 12:03:41 AM	30	gradCels
SC PITUR DORU SNC	pH	8/18/2016 12:03:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 11:59:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 11:59:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 11:59:00 PM	12	mg/l
SC PITUR DORU SNC	Cianuri	8/17/2016 11:58:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 11:58:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 11:58:29 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 11:58:28 PM	0	mg/l
SC PITUR DORU SNC	pH	8/17/2016 11:58:27 PM	8	unit pH
SC PITUR DORU SNC	Temp	8/17/2016 11:58:26 PM	30	gradCels
SC PITUR DORU SNC	Substante organice	8/17/2016 11:58:00 PM	12	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 11:57:50 PM	30	gradCels
SC PITUR DORU SNC	pH	8/17/2016 11:57:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 11:54:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 11:54:01 PM	12	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 11:53:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 11:53:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 11:53:21 PM	30	gradCels
SC PITUR DORU SNC	pH	8/17/2016 11:53:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/17/2016 11:47:46 PM	12	mg/l
SC PITUR DORU SNC	Cianuri	8/17/2016 11:47:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 11:47:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 11:47:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 11:47:41 PM	30	gradCels
SC PITUR DORU SNC	pH	8/17/2016 11:47:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 11:43:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 11:43:02 PM	12	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	8/17/2016 11:42:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 11:42:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 11:42:01 PM	30	gradCels
SC PITUR DORU SNC	pH	8/17/2016 11:42:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 11:38:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 11:38:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 11:37:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 11:37:30 PM	12	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 11:37:20 PM	30	gradCels
SC PITUR DORU SNC	pH	8/17/2016 11:37:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 11:36:45 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 11:36:44 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 11:36:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 11:36:42 PM	12	mg/l
SC PITUR DORU SNC	pH	8/17/2016 11:36:41 PM	8	unit pH
SC PITUR DORU SNC	Temp	8/17/2016 11:36:40 PM	30	gradCels
SC PITUR DORU SNC	Substante organice	8/17/2016 11:32:03 PM	12	mg/l
SC PITUR DORU SNC	Cianuri	8/17/2016 11:31:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 11:31:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 11:31:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 11:31:01 PM	30	gradCels
SC PITUR DORU SNC	pH	8/17/2016 11:31:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/17/2016 11:25:58 PM	12	mg/l
SC PITUR DORU SNC	Cianuri	8/17/2016 11:25:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 11:25:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 11:25:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 11:25:41 PM	30	gradCels
SC PITUR DORU SNC	pH	8/17/2016 11:25:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/17/2016 11:21:06 PM	12	mg/l
SC PITUR DORU SNC	Cianuri	8/17/2016 11:20:34 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 11:20:33 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 11:20:32 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 11:20:31 PM	30	gradCels
SC PITUR DORU SNC	pH	8/17/2016 11:20:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 11:18:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 11:18:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 11:17:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 11:17:30 PM	12	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 11:17:20 PM	30	gradCels
SC PITUR DORU SNC	pH	8/17/2016 11:17:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 11:15:46 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 11:15:45 PM	12	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 11:14:56 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 11:14:55 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 11:14:54 PM	30	gradCels
SC PITUR DORU SNC	pH	8/17/2016 11:14:53 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 11:09:45 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 11:09:34 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 11:09:33 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 11:09:32 PM	12	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 11:09:31 PM	30	gradCels
SC PITUR DORU SNC	pH	8/17/2016 11:09:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 11:04:51 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 11:04:50 PM	12	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 11:03:56 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 11:03:55 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 11:03:54 PM	30	gradCels
SC PITUR DORU SNC	pH	8/17/2016 11:03:53 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 10:58:50 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	8/17/2016 10:58:47 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 10:58:45 PM	12	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 10:58:32 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 10:58:31 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 10:58:30 PM	30	gradCels
SC PITUR DORU SNC	pH	8/17/2016 10:58:29 PM	8	unit pH
SC PITUR DORU SNC	Clor	8/17/2016 10:58:00 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	8/17/2016 10:57:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 10:57:10 PM	12	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 10:56:40 PM	31	gradCels
SC PITUR DORU SNC	pH	8/17/2016 10:56:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 10:53:51 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 10:53:50 PM	12	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 10:52:56 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 10:52:55 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 10:52:54 PM	31	gradCels
SC PITUR DORU SNC	pH	8/17/2016 10:52:53 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 10:47:46 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 10:47:45 PM	12	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 10:47:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 10:47:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 10:47:21 PM	31	gradCels
SC PITUR DORU SNC	pH	8/17/2016 10:47:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 10:42:51 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 10:42:49 PM	12	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 10:41:56 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 10:41:55 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 10:41:54 PM	31	gradCels
SC PITUR DORU SNC	pH	8/17/2016 10:41:53 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 10:38:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 10:38:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 10:38:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 10:38:10 PM	12	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 10:37:40 PM	31	gradCels
SC PITUR DORU SNC	pH	8/17/2016 10:37:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 10:36:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 10:36:48 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 10:36:47 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 10:36:46 PM	12	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 10:36:45 PM	31	gradCels
SC PITUR DORU SNC	pH	8/17/2016 10:36:44 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 10:31:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 10:31:49 PM	12	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 10:31:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 10:31:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 10:31:21 PM	31	gradCels
SC PITUR DORU SNC	pH	8/17/2016 10:31:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 10:25:51 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 10:25:50 PM	12	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 10:25:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 10:25:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 10:25:45 PM	31	gradCels
SC PITUR DORU SNC	pH	8/17/2016 10:25:44 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 10:20:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 10:20:49 PM	12	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 10:20:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 10:20:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 10:20:21 PM	31	gradCels
SC PITUR DORU SNC	pH	8/17/2016 10:20:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 10:17:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 10:17:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 10:17:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 10:16:50 PM	12	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 10:16:40 PM	31	gradCels
SC PITUR DORU SNC	pH	8/17/2016 10:16:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 10:14:49 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 10:14:48 PM	12	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 10:14:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 10:14:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 10:14:45 PM	31	gradCels
SC PITUR DORU SNC	pH	8/17/2016 10:14:44 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 10:09:49 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 10:09:24 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	8/17/2016 10:09:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 10:09:22 PM	12	mg/l
SC PITUR DORU SNC	pH	8/17/2016 10:09:21 PM	8	unit pH
SC PITUR DORU SNC	Temp	8/17/2016 10:09:20 PM	31	gradCels
SC PITUR DORU SNC	Cianuri	8/17/2016 10:03:57 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 10:03:56 PM	12	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 10:03:51 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 10:03:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 10:03:49 PM	31	gradCels
SC PITUR DORU SNC	pH	8/17/2016 10:03:48 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/17/2016 9:58:52 PM	12	mg/l
SC PITUR DORU SNC	Cianuri	8/17/2016 9:58:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 9:58:04 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 9:58:03 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 9:58:02 PM	31	gradCels
SC PITUR DORU SNC	pH	8/17/2016 9:58:01 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 9:57:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 9:57:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 9:56:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 9:56:20 PM	12	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 9:56:10 PM	31	gradCels
SC PITUR DORU SNC	pH	8/17/2016 9:56:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 9:54:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 9:54:01 PM	12	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 9:53:17 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 9:53:16 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 9:53:15 PM	31	gradCels
SC PITUR DORU SNC	pH	8/17/2016 9:53:14 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 9:47:56 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 9:47:55 PM	12	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 9:47:51 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 9:47:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 9:47:49 PM	31	gradCels
SC PITUR DORU SNC	pH	8/17/2016 9:47:48 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 9:43:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 9:43:01 PM	12	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 9:42:16 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 9:42:15 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 9:42:14 PM	31	gradCels
SC PITUR DORU SNC	pH	8/17/2016 9:42:13 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 9:38:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 9:38:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 9:37:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 9:37:40 PM	12	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 9:37:30 PM	31	gradCels
SC PITUR DORU SNC	pH	8/17/2016 9:37:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 9:36:57 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 9:36:54 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 9:36:53 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 9:36:52 PM	12	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 9:36:51 PM	31	gradCels
SC PITUR DORU SNC	pH	8/17/2016 9:36:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 9:32:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 9:32:00 PM	12	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 9:31:13 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 9:31:12 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 9:31:11 PM	31	gradCels
SC PITUR DORU SNC	pH	8/17/2016 9:31:10 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/17/2016 9:25:59 PM	12	mg/l
SC PITUR DORU SNC	Cianuri	8/17/2016 9:25:55 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 9:25:52 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 9:25:51 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 9:25:50 PM	31	gradCels
SC PITUR DORU SNC	pH	8/17/2016 9:25:49 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 9:21:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 9:21:01 PM	12	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	8/17/2016 9:20:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 9:20:16 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 9:20:15 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 9:20:14 PM	31	gradCels
SC PITUR DORU SNC	pH	8/17/2016 9:20:13 PM	8	unit pH
SC PITUR DORU SNC	Clor	8/17/2016 9:19:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 9:18:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 9:18:30 PM	12	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 9:18:20 PM	31	gradCels
SC PITUR DORU SNC	pH	8/17/2016 9:18:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 9:14:56 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 9:14:55 PM	12	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 9:14:51 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 9:14:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 9:14:49 PM	31	gradCels
SC PITUR DORU SNC	pH	8/17/2016 9:14:48 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 9:09:41 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 9:09:09 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 9:09:08 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 9:09:07 PM	12	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 9:09:06 PM	31	gradCels
SC PITUR DORU SNC	pH	8/17/2016 9:09:05 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 9:03:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 9:03:44 PM	12	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 9:03:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 9:03:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 9:03:41 PM	31	gradCels
SC PITUR DORU SNC	pH	8/17/2016 9:03:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 8:59:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 8:59:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 8:59:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 8:59:10 PM	12	mg/l
SC PITUR DORU SNC	Cianuri	8/17/2016 8:59:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 8:59:00 PM	12	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 8:58:40 PM	31	gradCels
SC PITUR DORU SNC	pH	8/17/2016 8:58:30 PM	8	unit pH
SC PITUR DORU SNC	Clor	8/17/2016 8:58:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 8:58:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 8:58:01 PM	31	gradCels
SC PITUR DORU SNC	pH	8/17/2016 8:58:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 8:52:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 8:52:44 PM	12	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 8:52:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 8:52:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 8:52:41 PM	31	gradCels
SC PITUR DORU SNC	pH	8/17/2016 8:52:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 8:48:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 8:48:02 PM	12	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 8:47:31 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 8:47:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 8:47:29 PM	31	gradCels
SC PITUR DORU SNC	pH	8/17/2016 8:47:28 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 8:42:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 8:42:41 PM	12	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 8:42:11 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 8:42:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 8:42:09 PM	31	gradCels
SC PITUR DORU SNC	pH	8/17/2016 8:42:08 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 8:39:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 8:39:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 8:38:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 8:38:30 PM	12	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 8:38:10 PM	31	gradCels
SC PITUR DORU SNC	pH	8/17/2016 8:37:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 8:36:42 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 8:36:30 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	8/17/2016 8:36:29 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 8:36:28 PM	12	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 8:36:27 PM	31	gradCels
SC PITUR DORU SNC	pH	8/17/2016 8:36:26 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 8:32:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 8:32:01 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 8:31:07 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 8:31:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 8:31:05 PM	31	gradCels
SC PITUR DORU SNC	pH	8/17/2016 8:31:04 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 8:25:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 8:25:42 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 8:25:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 8:25:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 8:25:21 PM	31	gradCels
SC PITUR DORU SNC	pH	8/17/2016 8:25:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 8:21:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 8:21:01 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	8/17/2016 8:20:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 8:20:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 8:20:07 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 8:20:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 8:20:05 PM	31	gradCels
SC PITUR DORU SNC	pH	8/17/2016 8:20:04 PM	8	unit pH
SC PITUR DORU SNC	Grasimi	8/17/2016 8:19:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 8:19:30 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 8:19:20 PM	31	gradCels
SC PITUR DORU SNC	pH	8/17/2016 8:19:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 8:14:44 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 8:14:43 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 8:14:28 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 8:14:27 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 8:14:26 PM	31	gradCels
SC PITUR DORU SNC	pH	8/17/2016 8:14:25 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 8:09:42 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 8:09:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 8:09:09 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 8:09:08 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 8:09:07 PM	31	gradCels
SC PITUR DORU SNC	pH	8/17/2016 8:09:06 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 8:04:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 8:04:00 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 8:03:27 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 8:03:26 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 8:03:25 PM	31	gradCels
SC PITUR DORU SNC	pH	8/17/2016 8:03:24 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 8:00:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 8:00:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 8:00:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 8:00:00 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 7:59:50 PM	31	gradCels
SC PITUR DORU SNC	pH	8/17/2016 7:59:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 7:57:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 7:57:49 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 7:57:48 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 7:57:47 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 7:57:46 PM	31	gradCels
SC PITUR DORU SNC	pH	8/17/2016 7:57:45 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 7:52:46 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 7:52:45 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 7:52:28 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 7:52:27 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 7:52:26 PM	31	gradCels
SC PITUR DORU SNC	pH	8/17/2016 7:52:25 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 7:46:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 7:46:49 PM	13	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	8/17/2016 7:46:48 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 7:46:47 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 7:46:46 PM	31	gradCels
SC PITUR DORU SNC	pH	8/17/2016 7:46:45 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 7:42:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 7:42:00 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	8/17/2016 7:41:46 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 7:41:45 PM	13	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 7:41:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 7:41:28 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 7:41:27 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 7:41:26 PM	31	gradCels
SC PITUR DORU SNC	pH	8/17/2016 7:41:25 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/17/2016 7:41:00 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 7:40:50 PM	31	gradCels
SC PITUR DORU SNC	pH	8/17/2016 7:40:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 7:35:51 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 7:35:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 7:35:49 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 7:35:48 PM	13	mg/l
SC PITUR DORU SNC	pH	8/17/2016 7:35:47 PM	8	unit pH
SC PITUR DORU SNC	Temp	8/17/2016 7:35:46 PM	31	gradCels
SC PITUR DORU SNC	Cianuri	8/17/2016 7:30:46 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 7:30:45 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 7:30:08 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 7:30:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 7:30:06 PM	31	gradCels
SC PITUR DORU SNC	pH	8/17/2016 7:30:05 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 7:24:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 7:24:44 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 7:24:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 7:24:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 7:24:41 PM	31	gradCels
SC PITUR DORU SNC	pH	8/17/2016 7:24:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 7:23:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 7:23:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 7:22:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 7:22:10 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 7:22:00 PM	31	gradCels
SC PITUR DORU SNC	pH	8/17/2016 7:21:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 7:19:51 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 7:19:50 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 7:19:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 7:19:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 7:19:21 PM	31	gradCels
SC PITUR DORU SNC	pH	8/17/2016 7:19:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 7:13:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 7:13:44 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 7:13:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 7:13:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 7:13:41 PM	31	gradCels
SC PITUR DORU SNC	pH	8/17/2016 7:13:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 7:08:51 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 7:08:04 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 7:08:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 7:08:02 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 7:08:01 PM	31	gradCels
SC PITUR DORU SNC	pH	8/17/2016 7:08:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 7:04:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 7:04:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 7:03:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 7:03:30 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 7:03:20 PM	31	gradCels
SC PITUR DORU SNC	pH	8/17/2016 7:03:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 7:02:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 7:02:44 PM	13	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	8/17/2016 7:02:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 7:02:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 7:02:41 PM	31	gradCels
SC PITUR DORU SNC	pH	8/17/2016 7:02:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 6:57:51 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 6:57:50 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 6:57:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 6:57:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 6:57:01 PM	31	gradCels
SC PITUR DORU SNC	pH	8/17/2016 6:57:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 6:51:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 6:51:44 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 6:51:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 6:51:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 6:51:41 PM	31	gradCels
SC PITUR DORU SNC	pH	8/17/2016 6:51:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 6:46:51 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 6:46:50 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 6:46:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 6:46:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 6:46:01 PM	31	gradCels
SC PITUR DORU SNC	pH	8/17/2016 6:46:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 6:45:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 6:44:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 6:44:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 6:43:40 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 6:43:30 PM	31	gradCels
SC PITUR DORU SNC	pH	8/17/2016 6:43:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 6:40:45 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 6:40:44 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 6:40:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 6:40:42 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 6:40:41 PM	31	gradCels
SC PITUR DORU SNC	pH	8/17/2016 6:40:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 6:35:53 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 6:35:51 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 6:35:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 6:35:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 6:35:01 PM	31	gradCels
SC PITUR DORU SNC	pH	8/17/2016 6:35:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 6:29:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 6:29:44 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 6:29:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 6:29:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 6:29:41 PM	31	gradCels
SC PITUR DORU SNC	pH	8/17/2016 6:29:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 6:25:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 6:25:00 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	8/17/2016 6:24:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 6:24:40 PM	13	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 6:24:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 6:24:10 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 6:24:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 6:24:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 6:24:01 PM	31	gradCels
SC PITUR DORU SNC	pH	8/17/2016 6:24:00 PM	8	unit pH
SC PITUR DORU SNC	Temp	8/17/2016 6:23:50 PM	30	gradCels
SC PITUR DORU SNC	pH	8/17/2016 6:23:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 6:18:46 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 6:18:45 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 6:18:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 6:18:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 6:18:41 PM	30	gradCels
SC PITUR DORU SNC	pH	8/17/2016 6:18:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 6:13:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 6:13:41 PM	13	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	8/17/2016 6:13:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 6:13:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 6:13:01 PM	30	gradCels
SC PITUR DORU SNC	pH	8/17/2016 6:13:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 6:07:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 6:07:24 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 6:07:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 6:07:22 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 6:07:21 PM	30	gradCels
SC PITUR DORU SNC	pH	8/17/2016 6:07:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 6:04:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 6:04:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 6:04:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 6:04:00 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 6:03:50 PM	30	gradCels
SC PITUR DORU SNC	pH	8/17/2016 6:03:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 6:02:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 6:02:41 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 6:01:52 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 6:01:51 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 6:01:50 PM	30	gradCels
SC PITUR DORU SNC	pH	8/17/2016 6:01:49 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 5:56:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 5:56:40 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 5:56:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 5:56:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 5:56:21 PM	30	gradCels
SC PITUR DORU SNC	pH	8/17/2016 5:56:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 5:51:44 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 5:51:42 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 5:50:51 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 5:50:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 5:50:49 PM	30	gradCels
SC PITUR DORU SNC	pH	8/17/2016 5:50:48 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 5:45:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 5:45:40 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	8/17/2016 5:45:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 5:45:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 5:45:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 5:45:21 PM	30	gradCels
SC PITUR DORU SNC	pH	8/17/2016 5:45:20 PM	8	unit pH
SC PITUR DORU SNC	Clor	8/17/2016 5:45:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 5:44:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 5:44:00 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 5:43:50 PM	30	gradCels
SC PITUR DORU SNC	pH	8/17/2016 5:43:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 5:40:42 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 5:39:52 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 5:39:51 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 5:39:50 PM	13	mg/l
SC PITUR DORU SNC	pH	8/17/2016 5:39:49 PM	8	unit pH
SC PITUR DORU SNC	Temp	8/17/2016 5:39:48 PM	30	gradCels
SC PITUR DORU SNC	Cianuri	8/17/2016 5:34:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 5:34:40 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 5:34:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 5:34:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 5:34:21 PM	30	gradCels
SC PITUR DORU SNC	pH	8/17/2016 5:34:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 5:29:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 5:29:41 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 5:28:49 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 5:28:48 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 5:28:47 PM	30	gradCels
SC PITUR DORU SNC	pH	8/17/2016 5:28:46 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 5:27:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 5:26:50 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	8/17/2016 5:26:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 5:26:20 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 5:26:10 PM	30	gradCels
SC PITUR DORU SNC	pH	8/17/2016 5:26:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 5:23:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 5:23:40 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 5:23:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 5:23:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 5:23:21 PM	30	gradCels
SC PITUR DORU SNC	pH	8/17/2016 5:23:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 5:17:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 5:17:44 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 5:17:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 5:17:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 5:17:41 PM	30	gradCels
SC PITUR DORU SNC	pH	8/17/2016 5:17:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 5:12:51 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 5:12:50 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 5:12:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 5:12:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 5:12:21 PM	30	gradCels
SC PITUR DORU SNC	pH	8/17/2016 5:12:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 5:09:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 5:08:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 5:08:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 5:07:50 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 5:07:30 PM	30	gradCels
SC PITUR DORU SNC	pH	8/17/2016 5:07:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 5:06:46 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 5:06:44 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 5:06:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 5:06:42 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 5:06:41 PM	30	gradCels
SC PITUR DORU SNC	pH	8/17/2016 5:06:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 5:01:51 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 5:01:50 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 5:01:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 5:01:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 5:01:21 PM	30	gradCels
SC PITUR DORU SNC	pH	8/17/2016 5:01:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 4:55:46 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 4:55:45 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 4:55:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 4:55:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 4:55:41 PM	30	gradCels
SC PITUR DORU SNC	pH	8/17/2016 4:55:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 4:51:00 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	8/17/2016 4:50:51 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 4:50:50 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 4:50:30 PM	0	mg/l
SC PITUR DORU SNC		8/17/2016 4:50:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 4:50:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 4:50:21 PM	30	gradCels
SC PITUR DORU SNC	pH	8/17/2016 4:50:20 PM	8	unit pH
SC PITUR DORU SNC	Grasimi	8/17/2016 4:49:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 4:48:40 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 4:48:30 PM	29	gradCels
SC PITUR DORU SNC	pH	8/17/2016 4:48:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 4:44:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 4:44:44 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 4:44:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 4:44:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 4:44:41 PM	29	gradCels
SC PITUR DORU SNC	pH	8/17/2016 4:44:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 4:39:51 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 4:39:49 PM	13	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	8/17/2016 4:39:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 4:39:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 4:39:01 PM	29	gradCels
SC PITUR DORU SNC	pH	8/17/2016 4:39:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 4:34:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 4:34:42 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 4:34:06 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 4:34:05 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 4:34:04 PM	29	gradCels
SC PITUR DORU SNC	pH	8/17/2016 4:34:03 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 4:31:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 4:31:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 4:31:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 4:30:50 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 4:30:30 PM	29	gradCels
SC PITUR DORU SNC	pH	8/17/2016 4:30:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 4:28:54 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 4:28:53 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 4:28:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 4:28:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 4:28:45 PM	29	gradCels
SC PITUR DORU SNC	pH	8/17/2016 4:28:44 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 4:23:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 4:23:42 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 4:23:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 4:23:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 4:23:01 PM	29	gradCels
SC PITUR DORU SNC	pH	8/17/2016 4:23:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 4:17:55 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 4:17:53 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 4:17:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 4:17:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 4:17:41 PM	29	gradCels
SC PITUR DORU SNC	pH	8/17/2016 4:17:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 4:14:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 4:14:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 4:13:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 4:13:10 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 4:13:00 PM	29	gradCels
SC PITUR DORU SNC	pH	8/17/2016 4:12:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 4:12:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 4:12:41 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 4:12:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 4:12:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 4:12:01 PM	29	gradCels
SC PITUR DORU SNC	pH	8/17/2016 4:12:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 4:06:55 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 4:06:54 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 4:06:46 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 4:06:45 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 4:06:44 PM	29	gradCels
SC PITUR DORU SNC	pH	8/17/2016 4:06:43 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 4:01:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 4:01:41 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 4:01:07 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 4:01:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 4:01:05 PM	29	gradCels
SC PITUR DORU SNC	pH	8/17/2016 4:01:04 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 3:56:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 3:56:00 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	8/17/2016 3:55:54 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 3:55:53 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 3:55:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 3:55:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 3:55:41 PM	29	gradCels
SC PITUR DORU SNC	pH	8/17/2016 3:55:40 PM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	8/17/2016 3:55:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 3:55:00 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 3:54:50 PM	29	gradCels
SC PITUR DORU SNC	pH	8/17/2016 3:54:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 3:50:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 3:50:42 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 3:50:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 3:50:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 3:50:01 PM	29	gradCels
SC PITUR DORU SNC	pH	8/17/2016 3:50:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/17/2016 3:44:55 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	8/17/2016 3:44:52 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 3:44:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 3:44:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 3:44:41 PM	29	gradCels
SC PITUR DORU SNC	pH	8/17/2016 3:44:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 3:39:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 3:39:42 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 3:39:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 3:39:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 3:39:01 PM	29	gradCels
SC PITUR DORU SNC	pH	8/17/2016 3:39:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 3:36:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 3:36:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 3:36:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 3:36:00 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 3:35:50 PM	29	gradCels
SC PITUR DORU SNC	pH	8/17/2016 3:35:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 3:33:55 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 3:33:54 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 3:33:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 3:33:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 3:33:41 PM	29	gradCels
SC PITUR DORU SNC	pH	8/17/2016 3:33:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 3:28:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 3:28:41 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 3:28:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 3:28:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 3:28:21 PM	29	gradCels
SC PITUR DORU SNC	pH	8/17/2016 3:28:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 3:23:49 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 3:23:48 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 3:23:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 3:23:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 3:23:01 PM	29	gradCels
SC PITUR DORU SNC	pH	8/17/2016 3:23:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 3:17:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 3:17:42 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 3:17:24 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 3:17:23 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 3:17:22 PM	29	gradCels
SC PITUR DORU SNC	pH	8/17/2016 3:17:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 3:17:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 3:16:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 3:15:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 3:15:30 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 3:15:20 PM	29	gradCels
SC PITUR DORU SNC	pH	8/17/2016 3:15:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 3:12:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 3:12:49 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 3:11:51 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 3:11:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 3:11:49 PM	29	gradCels
SC PITUR DORU SNC	pH	8/17/2016 3:11:48 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 3:06:42 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 3:06:24 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	8/17/2016 3:06:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 3:06:22 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 3:06:21 PM	28	gradCels
SC PITUR DORU SNC	pH	8/17/2016 3:06:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 3:01:49 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 3:01:48 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 3:00:46 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 3:00:45 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 3:00:44 PM	28	gradCels
SC PITUR DORU SNC	pH	8/17/2016 3:00:43 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 2:58:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 2:58:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 2:57:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 2:57:30 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 2:57:00 PM	28	gradCels
SC PITUR DORU SNC	pH	8/17/2016 2:56:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 2:55:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 2:55:42 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 2:55:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 2:55:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 2:55:21 PM	28	gradCels
SC PITUR DORU SNC	pH	8/17/2016 2:55:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 2:50:49 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 2:50:48 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 2:49:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 2:49:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 2:49:45 PM	28	gradCels
SC PITUR DORU SNC	pH	8/17/2016 2:49:44 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/17/2016 2:45:40 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	8/17/2016 2:44:47 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 2:44:46 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 2:44:45 PM	0	mg/l
SC PITUR DORU SNC	pH	8/17/2016 2:44:44 PM	8	unit pH
SC PITUR DORU SNC	Temp	8/17/2016 2:44:43 PM	28	gradCels
SC PITUR DORU SNC	Cianuri	8/17/2016 2:39:25 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 2:39:24 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 2:39:23 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 2:39:22 PM	28	gradCels
SC PITUR DORU SNC	Substante organice	8/17/2016 2:39:21 PM	13	mg/l
SC PITUR DORU SNC	pH	8/17/2016 2:39:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 2:39:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 2:38:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 2:38:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 2:37:20 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 2:37:10 PM	28	gradCels
SC PITUR DORU SNC	pH	8/17/2016 2:37:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 2:33:47 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 2:33:46 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 2:33:44 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 2:33:43 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 2:33:42 PM	28	gradCels
SC PITUR DORU SNC	pH	8/17/2016 2:33:41 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/17/2016 2:28:41 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	8/17/2016 2:28:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 2:28:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 2:28:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 2:28:21 PM	28	gradCels
SC PITUR DORU SNC	pH	8/17/2016 2:28:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/17/2016 2:22:46 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	8/17/2016 2:22:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 2:22:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 2:22:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 2:22:41 PM	28	gradCels
SC PITUR DORU SNC	pH	8/17/2016 2:22:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 2:19:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 2:19:00 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	8/17/2016 2:18:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 2:18:10 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 2:18:00 PM	28	gradCels
SC PITUR DORU SNC	pH	8/17/2016 2:17:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 2:17:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 2:17:40 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 2:17:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 2:17:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 2:17:21 PM	28	gradCels
SC PITUR DORU SNC	pH	8/17/2016 2:17:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/17/2016 2:11:46 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	8/17/2016 2:11:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 2:11:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 2:11:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 2:11:41 PM	28	gradCels
SC PITUR DORU SNC	pH	8/17/2016 2:11:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 2:06:25 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 2:06:24 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 2:06:23 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 2:06:22 PM	28	gradCels
SC PITUR DORU SNC	Substante organice	8/17/2016 2:06:21 PM	14	mg/l
SC PITUR DORU SNC	pH	8/17/2016 2:06:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/17/2016 2:01:40 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	8/17/2016 2:01:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 2:01:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 2:01:02 PM	0	mg/l
SC PITUR DORU SNC	pH	8/17/2016 2:01:01 PM	8	unit pH
SC PITUR DORU SNC	Temp	8/17/2016 2:01:00 PM	28	gradCels
SC PITUR DORU SNC	Cianuri	8/17/2016 1:58:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 1:57:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 1:57:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 1:57:10 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 1:57:00 PM	28	gradCels
SC PITUR DORU SNC	pH	8/17/2016 1:56:50 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/17/2016 1:55:47 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	8/17/2016 1:55:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 1:55:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 1:55:42 PM	0	mg/l
SC PITUR DORU SNC	pH	8/17/2016 1:55:41 PM	8	unit pH
SC PITUR DORU SNC	Temp	8/17/2016 1:55:40 PM	28	gradCels
SC PITUR DORU SNC	Substante organice	8/17/2016 1:50:40 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	8/17/2016 1:50:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 1:50:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 1:50:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 1:50:01 PM	28	gradCels
SC PITUR DORU SNC	pH	8/17/2016 1:50:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/17/2016 1:44:47 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	8/17/2016 1:44:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 1:44:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 1:44:42 PM	0	mg/l
SC PITUR DORU SNC	pH	8/17/2016 1:44:41 PM	8	unit pH
SC PITUR DORU SNC	Temp	8/17/2016 1:44:40 PM	28	gradCels
SC PITUR DORU SNC	Cianuri	8/17/2016 1:39:05 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 1:39:04 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 1:39:03 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 1:39:02 PM	28	gradCels
SC PITUR DORU SNC	Substante organice	8/17/2016 1:39:01 PM	14	mg/l
SC PITUR DORU SNC	pH	8/17/2016 1:39:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 1:37:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 1:36:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 1:36:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 1:36:10 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 1:36:00 PM	28	gradCels
SC PITUR DORU SNC	pH	8/17/2016 1:35:50 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/17/2016 1:33:47 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	8/17/2016 1:33:44 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	8/17/2016 1:33:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 1:33:42 PM	0	mg/l
SC PITUR DORU SNC	pH	8/17/2016 1:33:41 PM	8	unit pH
SC PITUR DORU SNC	Temp	8/17/2016 1:33:40 PM	28	gradCels
SC PITUR DORU SNC	Substante organice	8/17/2016 1:28:40 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	8/17/2016 1:28:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 1:28:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 1:28:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 1:28:01 PM	28	gradCels
SC PITUR DORU SNC	pH	8/17/2016 1:28:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/17/2016 1:22:54 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	8/17/2016 1:22:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 1:22:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 1:22:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 1:22:41 PM	28	gradCels
SC PITUR DORU SNC	pH	8/17/2016 1:22:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 1:18:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 1:18:00 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	8/17/2016 1:17:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 1:17:40 PM	14	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 1:17:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 1:17:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 1:17:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 1:17:01 PM	28	gradCels
SC PITUR DORU SNC	pH	8/17/2016 1:17:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/17/2016 1:16:50 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 1:16:20 PM	27	gradCels
SC PITUR DORU SNC	pH	8/17/2016 1:16:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 1:11:53 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 1:11:52 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 1:11:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 1:11:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 1:11:41 PM	27	gradCels
SC PITUR DORU SNC	pH	8/17/2016 1:11:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 1:06:45 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 1:06:04 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 1:06:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 1:06:02 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 1:06:01 PM	27	gradCels
SC PITUR DORU SNC	pH	8/17/2016 1:06:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 1:00:48 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 1:00:47 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 1:00:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 1:00:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 1:00:21 PM	27	gradCels
SC PITUR DORU SNC	pH	8/17/2016 1:00:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 12:57:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 12:57:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 12:56:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 12:56:40 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 12:56:30 PM	27	gradCels
SC PITUR DORU SNC	pH	8/17/2016 12:56:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 12:55:46 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 12:55:45 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 12:55:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 12:55:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 12:55:01 PM	27	gradCels
SC PITUR DORU SNC	pH	8/17/2016 12:55:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 12:49:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 12:49:49 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 12:49:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 12:49:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 12:49:21 PM	27	gradCels
SC PITUR DORU SNC	pH	8/17/2016 12:49:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 12:44:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 12:44:44 PM	14	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	8/17/2016 12:44:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 12:44:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 12:44:01 PM	27	gradCels
SC PITUR DORU SNC	pH	8/17/2016 12:44:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 12:38:49 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 12:38:48 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 12:38:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 12:38:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 12:38:21 PM	27	gradCels
SC PITUR DORU SNC	pH	8/17/2016 12:38:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 12:37:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 12:36:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 12:35:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 12:35:30 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 12:35:20 PM	27	gradCels
SC PITUR DORU SNC	pH	8/17/2016 12:35:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 12:33:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 12:33:44 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 12:32:46 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 12:32:45 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 12:32:44 PM	27	gradCels
SC PITUR DORU SNC	pH	8/17/2016 12:32:43 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 12:27:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 12:27:41 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 12:27:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 12:27:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 12:27:21 PM	27	gradCels
SC PITUR DORU SNC	pH	8/17/2016 12:27:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 12:22:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 12:22:44 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 12:21:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 12:21:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 12:21:45 PM	27	gradCels
SC PITUR DORU SNC	pH	8/17/2016 12:21:44 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 12:17:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 12:17:40 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	8/17/2016 12:17:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 12:17:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 12:16:54 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 12:16:53 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 12:16:52 PM	27	gradCels
SC PITUR DORU SNC	pH	8/17/2016 12:16:51 PM	8	unit pH
SC PITUR DORU SNC	Grasimi	8/17/2016 12:16:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 12:16:10 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 12:15:30 PM	27	gradCels
SC PITUR DORU SNC	pH	8/17/2016 12:15:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 12:11:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 12:11:40 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 12:11:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 12:11:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 12:11:21 PM	27	gradCels
SC PITUR DORU SNC	pH	8/17/2016 12:11:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 12:05:47 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 12:05:44 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 12:05:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 12:05:42 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 12:05:41 PM	27	gradCels
SC PITUR DORU SNC	pH	8/17/2016 12:05:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 12:00:46 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 12:00:45 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 12:00:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 12:00:09 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 12:00:08 PM	27	gradCels
SC PITUR DORU SNC	pH	8/17/2016 12:00:07 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 11:57:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 11:57:10 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	8/17/2016 11:56:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 11:56:30 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 11:56:00 AM	27	gradCels
SC PITUR DORU SNC	pH	8/17/2016 11:55:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 11:54:47 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 11:54:46 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 11:54:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 11:54:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 11:54:41 AM	27	gradCels
SC PITUR DORU SNC	pH	8/17/2016 11:54:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 11:49:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 11:49:40 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 11:49:09 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 11:49:08 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 11:49:07 AM	27	gradCels
SC PITUR DORU SNC	pH	8/17/2016 11:49:06 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 11:43:48 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 11:43:46 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 11:43:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 11:43:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 11:43:41 AM	27	gradCels
SC PITUR DORU SNC	pH	8/17/2016 11:43:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 11:39:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 11:39:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 11:38:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 11:38:41 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	8/17/2016 11:38:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 11:38:30 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 11:38:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 11:38:09 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 11:38:08 AM	27	gradCels
SC PITUR DORU SNC	pH	8/17/2016 11:38:07 AM	8	unit pH
SC PITUR DORU SNC	Temp	8/17/2016 11:37:30 AM	27	gradCels
SC PITUR DORU SNC	pH	8/17/2016 11:37:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 11:32:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 11:32:44 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 11:32:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 11:32:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 11:32:41 AM	27	gradCels
SC PITUR DORU SNC	pH	8/17/2016 11:32:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 11:27:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 11:27:40 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 11:27:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 11:27:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 11:27:01 AM	27	gradCels
SC PITUR DORU SNC	pH	8/17/2016 11:27:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 11:21:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 11:21:40 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 11:21:28 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 11:21:27 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 11:21:26 AM	27	gradCels
SC PITUR DORU SNC	pH	8/17/2016 11:21:25 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 11:18:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 11:18:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 11:17:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 11:17:20 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 11:17:10 AM	27	gradCels
SC PITUR DORU SNC	pH	8/17/2016 11:17:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 11:16:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 11:16:40 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 11:16:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 11:16:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 11:16:01 AM	27	gradCels
SC PITUR DORU SNC	pH	8/17/2016 11:16:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 11:10:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 11:10:40 AM	14	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	8/17/2016 11:10:28 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 11:10:27 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 11:10:26 AM	27	gradCels
SC PITUR DORU SNC	pH	8/17/2016 11:10:25 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 11:05:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 11:05:40 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 11:04:54 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 11:04:53 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 11:04:52 AM	27	gradCels
SC PITUR DORU SNC	pH	8/17/2016 11:04:51 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 11:00:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 10:59:50 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	8/17/2016 10:59:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 10:59:40 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 10:59:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 10:59:29 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 10:59:28 AM	27	gradCels
SC PITUR DORU SNC	pH	8/17/2016 10:59:27 AM	8	unit pH
SC PITUR DORU SNC	Grasimi	8/17/2016 10:59:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 10:58:50 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 10:58:20 AM	27	gradCels
SC PITUR DORU SNC	pH	8/17/2016 10:58:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 10:54:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 10:54:40 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 10:53:53 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 10:53:52 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 10:53:51 AM	27	gradCels
SC PITUR DORU SNC	pH	8/17/2016 10:53:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 10:48:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 10:48:44 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 10:48:29 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 10:48:28 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 10:48:27 AM	27	gradCels
SC PITUR DORU SNC	pH	8/17/2016 10:48:26 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 10:43:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 10:43:40 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 10:43:26 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 10:43:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 10:43:24 AM	27	gradCels
SC PITUR DORU SNC	pH	8/17/2016 10:43:23 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 10:40:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 10:40:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 10:39:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 10:39:30 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 10:39:20 AM	27	gradCels
SC PITUR DORU SNC	pH	8/17/2016 10:39:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 10:38:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 10:38:04 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 10:38:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 10:38:02 AM	14	mg/l
SC PITUR DORU SNC	pH	8/17/2016 10:38:01 AM	8	unit pH
SC PITUR DORU SNC	Temp	8/17/2016 10:38:00 AM	27	gradCels
SC PITUR DORU SNC	Cianuri	8/17/2016 10:32:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 10:32:40 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 10:32:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 10:32:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 10:32:21 AM	27	gradCels
SC PITUR DORU SNC	pH	8/17/2016 10:32:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 10:27:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 10:27:40 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 10:26:53 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 10:26:52 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 10:26:51 AM	27	gradCels
SC PITUR DORU SNC	pH	8/17/2016 10:26:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 10:21:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 10:21:40 AM	14	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	8/17/2016 10:21:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 10:21:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 10:21:21 AM	27	gradCels
SC PITUR DORU SNC	pH	8/17/2016 10:21:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 10:20:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 10:20:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 10:19:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 10:19:10 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 10:18:30 AM	27	gradCels
SC PITUR DORU SNC	pH	8/17/2016 10:18:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 10:16:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 10:16:40 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 10:15:52 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 10:15:51 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 10:15:50 AM	27	gradCels
SC PITUR DORU SNC	pH	8/17/2016 10:15:49 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 10:10:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 10:10:40 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 10:10:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 10:10:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 10:10:21 AM	27	gradCels
SC PITUR DORU SNC	pH	8/17/2016 10:10:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 10:05:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 10:05:40 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 10:04:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 10:04:49 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 10:04:48 AM	27	gradCels
SC PITUR DORU SNC	pH	8/17/2016 10:04:47 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 10:00:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 10:00:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 9:59:50 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	8/17/2016 9:59:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 9:59:40 AM	14	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 9:59:30 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 9:59:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 9:59:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 9:59:21 AM	27	gradCels
SC PITUR DORU SNC	pH	8/17/2016 9:59:20 AM	8	unit pH
SC PITUR DORU SNC	Temp	8/17/2016 9:59:00 AM	27	gradCels
SC PITUR DORU SNC	pH	8/17/2016 9:58:20 AM	8	unit pH
SC PITUR DORU SNC	pH	8/17/2016 9:54:42 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 9:54:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 9:54:40 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 9:53:51 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 9:53:50 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 9:53:49 AM	27	gradCels
SC PITUR DORU SNC	Cianuri	8/17/2016 9:48:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 9:48:40 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 9:48:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 9:48:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 9:48:21 AM	27	gradCels
SC PITUR DORU SNC	pH	8/17/2016 9:48:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 9:42:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 9:42:44 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 9:42:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 9:42:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 9:42:41 AM	27	gradCels
SC PITUR DORU SNC	pH	8/17/2016 9:42:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 9:40:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 9:40:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 9:39:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 9:39:30 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 9:39:20 AM	27	gradCels
SC PITUR DORU SNC	pH	8/17/2016 9:39:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 9:37:41 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 9:37:14 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	8/17/2016 9:37:13 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 9:37:12 AM	14	mg/l
SC PITUR DORU SNC	pH	8/17/2016 9:37:11 AM	8	unit pH
SC PITUR DORU SNC	Temp	8/17/2016 9:37:10 AM	27	gradCels
SC PITUR DORU SNC	Cianuri	8/17/2016 9:31:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 9:31:44 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 9:31:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 9:31:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 9:31:41 AM	27	gradCels
SC PITUR DORU SNC	pH	8/17/2016 9:31:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 9:26:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 9:26:40 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 9:26:13 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 9:26:12 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 9:26:11 AM	27	gradCels
SC PITUR DORU SNC	pH	8/17/2016 9:26:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 9:21:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 9:21:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 9:21:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 9:21:00 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	8/17/2016 9:20:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 9:20:44 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 9:20:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 9:20:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 9:20:41 AM	27	gradCels
SC PITUR DORU SNC	pH	8/17/2016 9:20:40 AM	8	unit pH
SC PITUR DORU SNC	Temp	8/17/2016 9:20:30 AM	27	gradCels
SC PITUR DORU SNC	pH	8/17/2016 9:20:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 9:15:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 9:15:40 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 9:15:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 9:15:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 9:15:01 AM	27	gradCels
SC PITUR DORU SNC	pH	8/17/2016 9:15:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 9:09:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 9:09:34 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 9:09:33 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 9:09:32 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 9:09:31 AM	27	gradCels
SC PITUR DORU SNC	pH	8/17/2016 9:09:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 9:04:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 9:04:40 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 9:04:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 9:04:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 9:04:01 AM	27	gradCels
SC PITUR DORU SNC	pH	8/17/2016 9:04:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 9:02:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 9:02:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 9:01:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 9:01:00 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 9:00:50 AM	27	gradCels
SC PITUR DORU SNC	pH	8/17/2016 9:00:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 8:58:37 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 8:58:36 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 8:58:35 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 8:58:34 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 8:58:33 AM	27	gradCels
SC PITUR DORU SNC	pH	8/17/2016 8:58:32 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 8:53:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 8:53:40 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 8:53:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 8:53:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 8:53:01 AM	27	gradCels
SC PITUR DORU SNC	pH	8/17/2016 8:53:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 8:47:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 8:47:40 AM	14	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	8/17/2016 8:47:32 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 8:47:31 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 8:47:30 AM	27	gradCels
SC PITUR DORU SNC	pH	8/17/2016 8:47:29 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 8:43:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 8:43:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 8:43:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 8:42:50 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	8/17/2016 8:42:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 8:42:40 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 8:42:30 AM	27	gradCels
SC PITUR DORU SNC	pH	8/17/2016 8:42:20 AM	8	unit pH
SC PITUR DORU SNC	Clor	8/17/2016 8:42:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 8:42:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 8:42:01 AM	27	gradCels
SC PITUR DORU SNC	pH	8/17/2016 8:42:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 8:36:36 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 8:36:35 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 8:36:34 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 8:36:33 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 8:36:32 AM	27	gradCels
SC PITUR DORU SNC	pH	8/17/2016 8:36:31 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 8:31:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 8:31:40 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 8:30:57 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 8:30:56 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 8:30:55 AM	27	gradCels
SC PITUR DORU SNC	pH	8/17/2016 8:30:54 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 8:26:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 8:25:50 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	8/17/2016 8:25:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 8:25:40 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 8:25:32 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 8:25:31 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 8:25:30 AM	27	gradCels
SC PITUR DORU SNC	pH	8/17/2016 8:25:29 AM	8	unit pH
SC PITUR DORU SNC	Grasimi	8/17/2016 8:24:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 8:24:30 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 8:24:20 AM	27	gradCels
SC PITUR DORU SNC	pH	8/17/2016 8:24:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 8:20:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 8:20:40 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 8:19:58 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 8:19:57 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 8:19:56 AM	27	gradCels
SC PITUR DORU SNC	pH	8/17/2016 8:19:55 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 8:14:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 8:14:40 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 8:14:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 8:14:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 8:14:21 AM	27	gradCels
SC PITUR DORU SNC	pH	8/17/2016 8:14:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 8:09:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 8:09:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 8:09:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 8:09:01 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 8:09:00 AM	27	gradCels
SC PITUR DORU SNC	pH	8/17/2016 8:08:59 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 8:07:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 8:07:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 8:07:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 8:06:30 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 8:06:20 AM	27	gradCels
SC PITUR DORU SNC	pH	8/17/2016 8:06:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 8:03:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 8:03:40 AM	14	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	8/17/2016 8:03:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 8:03:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 8:03:21 AM	27	gradCels
SC PITUR DORU SNC	pH	8/17/2016 8:03:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 7:58:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 7:58:40 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 7:58:02 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 7:58:01 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 7:58:00 AM	27	gradCels
SC PITUR DORU SNC	pH	8/17/2016 7:57:59 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 7:52:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 7:52:40 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 7:52:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 7:52:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 7:52:21 AM	27	gradCels
SC PITUR DORU SNC	pH	8/17/2016 7:52:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 7:49:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 7:49:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 7:49:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 7:48:50 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 7:48:30 AM	28	gradCels
SC PITUR DORU SNC	pH	8/17/2016 7:48:10 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/17/2016 7:47:41 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	8/17/2016 7:47:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 7:47:02 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 7:47:01 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 7:47:00 AM	28	gradCels
SC PITUR DORU SNC	pH	8/17/2016 7:46:59 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 7:41:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 7:41:40 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 7:41:17 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 7:41:16 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 7:41:15 AM	28	gradCels
SC PITUR DORU SNC	pH	8/17/2016 7:41:14 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 7:36:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 7:36:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 7:36:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 7:36:01 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 7:36:00 AM	28	gradCels
SC PITUR DORU SNC	pH	8/17/2016 7:35:59 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 7:31:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 7:31:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 7:31:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 7:31:00 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 7:30:50 AM	28	gradCels
SC PITUR DORU SNC	Cianuri	8/17/2016 7:30:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 7:30:40 AM	13	mg/l
SC PITUR DORU SNC	pH	8/17/2016 7:30:30 AM	8	unit pH
SC PITUR DORU SNC	Clor	8/17/2016 7:30:16 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 7:30:15 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 7:30:14 AM	28	gradCels
SC PITUR DORU SNC	pH	8/17/2016 7:30:13 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 7:25:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 7:25:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 7:25:02 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 7:25:01 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 7:25:00 AM	28	gradCels
SC PITUR DORU SNC	pH	8/17/2016 7:24:59 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 7:19:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 7:19:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 7:19:18 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 7:19:17 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 7:19:16 AM	28	gradCels
SC PITUR DORU SNC	pH	8/17/2016 7:19:15 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 7:14:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 7:14:40 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	8/17/2016 7:14:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 7:14:10 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	8/17/2016 7:13:58 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 7:13:57 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 7:13:56 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 7:13:55 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 7:13:54 AM	28	gradCels
SC PITUR DORU SNC	pH	8/17/2016 7:13:53 AM	8	unit pH
SC PITUR DORU SNC	Temp	8/17/2016 7:13:20 AM	28	gradCels
SC PITUR DORU SNC	pH	8/17/2016 7:13:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 7:08:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 7:08:17 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 7:08:16 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 7:08:15 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 7:08:14 AM	28	gradCels
SC PITUR DORU SNC	pH	8/17/2016 7:08:13 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 7:02:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 7:02:39 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 7:02:38 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 7:02:37 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 7:02:36 AM	28	gradCels
SC PITUR DORU SNC	pH	8/17/2016 7:02:35 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 6:58:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 6:57:50 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	8/17/2016 6:57:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 6:57:40 AM	13	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 6:57:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 6:57:19 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 6:57:18 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 6:57:17 AM	28	gradCels
SC PITUR DORU SNC	pH	8/17/2016 6:57:16 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/17/2016 6:56:40 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 6:56:30 AM	28	gradCels
SC PITUR DORU SNC	pH	8/17/2016 6:56:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 6:51:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 6:51:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 6:51:39 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 6:51:38 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 6:51:37 AM	28	gradCels
SC PITUR DORU SNC	pH	8/17/2016 6:51:36 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 6:46:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 6:46:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 6:46:09 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 6:46:08 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 6:46:07 AM	28	gradCels
SC PITUR DORU SNC	pH	8/17/2016 6:46:06 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 6:41:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 6:40:50 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	8/17/2016 6:40:39 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 6:40:33 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 6:40:32 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 6:40:31 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 6:40:30 AM	28	gradCels
SC PITUR DORU SNC	pH	8/17/2016 6:40:29 AM	8	unit pH
SC PITUR DORU SNC	Grasimi	8/17/2016 6:40:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 6:39:50 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 6:39:30 AM	28	gradCels
SC PITUR DORU SNC	pH	8/17/2016 6:39:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 6:35:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 6:35:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 6:35:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 6:35:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 6:35:05 AM	28	gradCels
SC PITUR DORU SNC	pH	8/17/2016 6:35:04 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 6:29:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 6:29:39 AM	13	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	8/17/2016 6:29:33 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 6:29:32 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 6:29:31 AM	28	gradCels
SC PITUR DORU SNC	pH	8/17/2016 6:29:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 6:24:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 6:24:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 6:24:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 6:24:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 6:24:01 AM	28	gradCels
SC PITUR DORU SNC	pH	8/17/2016 6:24:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 6:23:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 6:23:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 6:21:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 6:21:40 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 6:21:30 AM	28	gradCels
SC PITUR DORU SNC	pH	8/17/2016 6:21:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 6:18:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 6:18:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 6:18:27 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 6:18:26 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 6:18:25 AM	28	gradCels
SC PITUR DORU SNC	pH	8/17/2016 6:18:24 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 6:13:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 6:13:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 6:13:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 6:13:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 6:13:05 AM	28	gradCels
SC PITUR DORU SNC	pH	8/17/2016 6:13:04 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 6:07:37 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 6:07:34 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 6:07:33 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 6:07:32 AM	28	gradCels
SC PITUR DORU SNC	Substante organice	8/17/2016 6:07:31 AM	13	mg/l
SC PITUR DORU SNC	pH	8/17/2016 6:07:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 6:04:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 6:04:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 6:03:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 6:03:40 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 6:03:30 AM	28	gradCels
SC PITUR DORU SNC	pH	8/17/2016 6:03:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 6:02:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 6:02:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 6:01:46 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 6:01:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 6:01:44 AM	28	gradCels
SC PITUR DORU SNC	pH	8/17/2016 6:01:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 5:56:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 5:56:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 5:56:31 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 5:56:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 5:56:29 AM	28	gradCels
SC PITUR DORU SNC	pH	8/17/2016 5:56:28 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 5:51:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 5:51:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 5:50:46 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 5:50:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 5:50:44 AM	28	gradCels
SC PITUR DORU SNC	pH	8/17/2016 5:50:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 5:46:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 5:46:40 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	8/17/2016 5:46:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 5:46:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 5:46:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 5:45:54 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 5:45:53 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 5:45:52 AM	28	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	8/17/2016 5:45:51 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/17/2016 5:45:30 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 5:45:00 AM	28	gradCels
SC PITUR DORU SNC	pH	8/17/2016 5:44:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 5:40:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 5:40:29 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 5:40:28 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 5:40:27 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 5:40:26 AM	28	gradCels
SC PITUR DORU SNC	pH	8/17/2016 5:40:25 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 5:35:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 5:35:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 5:34:51 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 5:34:50 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 5:34:49 AM	28	gradCels
SC PITUR DORU SNC	pH	8/17/2016 5:34:48 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 5:29:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 5:29:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 5:29:28 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 5:29:27 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 5:29:26 AM	28	gradCels
SC PITUR DORU SNC	pH	8/17/2016 5:29:25 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 5:28:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 5:27:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 5:26:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 5:26:30 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 5:26:20 AM	28	gradCels
SC PITUR DORU SNC	pH	8/17/2016 5:26:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 5:23:49 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 5:23:48 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 5:23:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 5:23:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 5:23:41 AM	28	gradCels
SC PITUR DORU SNC	pH	8/17/2016 5:23:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 5:18:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 5:18:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 5:18:08 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 5:18:07 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 5:18:06 AM	28	gradCels
SC PITUR DORU SNC	pH	8/17/2016 5:18:05 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 5:12:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 5:12:49 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 5:12:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 5:12:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 5:12:41 AM	28	gradCels
SC PITUR DORU SNC	pH	8/17/2016 5:12:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 5:09:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 5:09:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 5:09:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 5:08:50 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 5:08:30 AM	28	gradCels
SC PITUR DORU SNC	pH	8/17/2016 5:08:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 5:07:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 5:07:04 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 5:07:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 5:07:02 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 5:07:01 AM	28	gradCels
SC PITUR DORU SNC	pH	8/17/2016 5:07:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 5:01:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 5:01:49 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 5:01:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 5:01:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 5:01:41 AM	28	gradCels
SC PITUR DORU SNC	pH	8/17/2016 5:01:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 4:56:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 4:56:40 AM	13	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	8/17/2016 4:56:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 4:56:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 4:56:01 AM	28	gradCels
SC PITUR DORU SNC	pH	8/17/2016 4:56:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 4:51:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 4:51:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 4:51:00 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	8/17/2016 4:50:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 4:50:49 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 4:50:48 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 4:50:47 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 4:50:46 AM	28	gradCels
SC PITUR DORU SNC	pH	8/17/2016 4:50:45 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/17/2016 4:50:20 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 4:50:10 AM	28	gradCels
SC PITUR DORU SNC	pH	8/17/2016 4:49:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 4:45:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 4:45:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 4:45:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 4:45:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 4:45:01 AM	28	gradCels
SC PITUR DORU SNC	pH	8/17/2016 4:45:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 4:39:54 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 4:39:44 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 4:39:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 4:39:42 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 4:39:41 AM	28	gradCels
SC PITUR DORU SNC	pH	8/17/2016 4:39:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 4:34:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 4:34:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 4:34:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 4:34:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 4:34:01 AM	28	gradCels
SC PITUR DORU SNC	pH	8/17/2016 4:34:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 4:33:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 4:32:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 4:31:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 4:31:20 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 4:31:10 AM	29	gradCels
SC PITUR DORU SNC	pH	8/17/2016 4:31:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 4:28:54 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 4:28:53 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 4:28:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 4:28:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 4:28:41 AM	29	gradCels
SC PITUR DORU SNC	pH	8/17/2016 4:28:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 4:23:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 4:23:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 4:23:08 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 4:23:07 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 4:23:06 AM	29	gradCels
SC PITUR DORU SNC	pH	8/17/2016 4:23:05 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 4:17:54 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 4:17:53 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 4:17:47 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 4:17:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 4:17:45 AM	29	gradCels
SC PITUR DORU SNC	pH	8/17/2016 4:17:44 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 4:14:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 4:14:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 4:14:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 4:13:50 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 4:13:20 AM	29	gradCels
SC PITUR DORU SNC	pH	8/17/2016 4:13:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 4:12:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 4:12:40 AM	13	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	8/17/2016 4:12:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 4:12:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 4:12:05 AM	29	gradCels
SC PITUR DORU SNC	pH	8/17/2016 4:12:04 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 4:06:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 4:06:28 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 4:06:27 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 4:06:26 AM	13	mg/l
SC PITUR DORU SNC	pH	8/17/2016 4:06:25 AM	8	unit pH
SC PITUR DORU SNC	Temp	8/17/2016 4:06:24 AM	29	gradCels
SC PITUR DORU SNC	Cianuri	8/17/2016 4:01:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 4:01:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 4:01:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 4:01:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 4:01:05 AM	29	gradCels
SC PITUR DORU SNC	pH	8/17/2016 4:01:04 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 3:55:50 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	8/17/2016 3:55:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 3:55:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 3:55:27 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 3:55:26 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 3:55:25 AM	29	gradCels
SC PITUR DORU SNC	pH	8/17/2016 3:55:24 AM	8	unit pH
SC PITUR DORU SNC	Clor	8/17/2016 3:55:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 3:54:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 3:54:10 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 3:54:00 AM	29	gradCels
SC PITUR DORU SNC	pH	8/17/2016 3:53:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 3:50:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 3:50:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 3:50:11 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 3:50:10 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 3:50:09 AM	29	gradCels
SC PITUR DORU SNC	pH	8/17/2016 3:50:08 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 3:44:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 3:44:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 3:44:26 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 3:44:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 3:44:24 AM	29	gradCels
SC PITUR DORU SNC	pH	8/17/2016 3:44:23 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 3:39:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 3:39:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 3:39:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 3:39:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 3:39:01 AM	29	gradCels
SC PITUR DORU SNC	pH	8/17/2016 3:39:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 3:35:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 3:35:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 3:34:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 3:34:30 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 3:34:20 AM	29	gradCels
SC PITUR DORU SNC	pH	8/17/2016 3:34:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 3:33:34 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 3:33:33 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 3:33:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 3:33:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 3:33:21 AM	29	gradCels
SC PITUR DORU SNC	pH	8/17/2016 3:33:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 3:28:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 3:28:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 3:27:51 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 3:27:50 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 3:27:49 AM	29	gradCels
SC PITUR DORU SNC	pH	8/17/2016 3:27:48 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 3:22:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 3:22:40 AM	13	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	8/17/2016 3:22:28 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 3:22:27 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 3:22:26 AM	29	gradCels
SC PITUR DORU SNC	pH	8/17/2016 3:22:25 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 3:17:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 3:17:40 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	8/17/2016 3:17:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 3:17:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 3:16:45 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 3:16:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 3:16:43 AM	29	gradCels
SC PITUR DORU SNC	pH	8/17/2016 3:16:42 AM	8	unit pH
SC PITUR DORU SNC	Grasimi	8/17/2016 3:16:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 3:15:50 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 3:15:30 AM	29	gradCels
SC PITUR DORU SNC	pH	8/17/2016 3:15:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 3:11:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 3:11:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 3:11:28 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 3:11:27 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 3:11:26 AM	29	gradCels
SC PITUR DORU SNC	pH	8/17/2016 3:11:25 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 3:06:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 3:06:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 3:05:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 3:05:49 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 3:05:48 AM	29	gradCels
SC PITUR DORU SNC	pH	8/17/2016 3:05:47 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 3:00:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 3:00:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 3:00:32 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 3:00:31 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 3:00:30 AM	29	gradCels
SC PITUR DORU SNC	pH	8/17/2016 3:00:29 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 2:57:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 2:56:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 2:56:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 2:56:10 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 2:56:00 AM	29	gradCels
SC PITUR DORU SNC	pH	8/17/2016 2:55:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 2:55:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 2:55:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 2:54:56 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 2:54:55 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 2:54:54 AM	29	gradCels
SC PITUR DORU SNC	pH	8/17/2016 2:54:53 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 2:50:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 2:50:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 2:49:44 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 2:49:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 2:49:42 AM	29	gradCels
SC PITUR DORU SNC	pH	8/17/2016 2:49:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 2:44:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 2:44:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 2:44:26 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 2:44:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 2:44:24 AM	29	gradCels
SC PITUR DORU SNC	pH	8/17/2016 2:44:23 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 2:39:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 2:39:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 2:38:48 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 2:38:47 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 2:38:46 AM	29	gradCels
SC PITUR DORU SNC	pH	8/17/2016 2:38:45 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 2:38:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 2:38:00 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	8/17/2016 2:37:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 2:36:50 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 2:36:30 AM	29	gradCels
SC PITUR DORU SNC	pH	8/17/2016 2:36:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 2:33:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 2:33:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 2:33:26 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 2:33:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 2:33:24 AM	29	gradCels
SC PITUR DORU SNC	pH	8/17/2016 2:33:23 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 2:27:48 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 2:27:47 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 2:27:46 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 2:27:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 2:27:44 AM	29	gradCels
SC PITUR DORU SNC	pH	8/17/2016 2:27:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 2:22:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 2:22:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 2:22:26 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 2:22:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 2:22:24 AM	29	gradCels
SC PITUR DORU SNC	pH	8/17/2016 2:22:23 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 2:19:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 2:18:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 2:18:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 2:18:10 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 2:17:50 AM	29	gradCels
SC PITUR DORU SNC	pH	8/17/2016 2:17:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 2:16:49 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 2:16:48 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 2:16:47 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 2:16:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 2:16:45 AM	29	gradCels
SC PITUR DORU SNC	pH	8/17/2016 2:16:44 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 2:11:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 2:11:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 2:11:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 2:11:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 2:11:01 AM	29	gradCels
SC PITUR DORU SNC	pH	8/17/2016 2:11:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 2:05:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 2:05:44 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 2:05:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 2:05:42 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 2:05:41 AM	29	gradCels
SC PITUR DORU SNC	pH	8/17/2016 2:05:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 2:00:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 2:00:40 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	8/17/2016 2:00:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 2:00:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 2:00:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 2:00:01 AM	29	gradCels
SC PITUR DORU SNC	pH	8/17/2016 2:00:00 AM	8	unit pH
SC PITUR DORU SNC	Clor	8/17/2016 1:59:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 1:59:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 1:58:30 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 1:58:10 AM	29	gradCels
SC PITUR DORU SNC	pH	8/17/2016 1:58:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 1:54:48 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 1:54:47 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 1:54:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 1:54:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 1:54:41 AM	29	gradCels
SC PITUR DORU SNC	pH	8/17/2016 1:54:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 1:49:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 1:49:40 AM	13	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	8/17/2016 1:49:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 1:49:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 1:49:01 AM	29	gradCels
SC PITUR DORU SNC	pH	8/17/2016 1:49:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 1:43:48 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 1:43:47 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 1:43:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 1:43:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 1:43:41 AM	29	gradCels
SC PITUR DORU SNC	pH	8/17/2016 1:43:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 1:40:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 1:40:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 1:40:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 1:39:50 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 1:39:30 AM	29	gradCels
SC PITUR DORU SNC	pH	8/17/2016 1:39:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 1:38:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 1:38:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 1:38:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 1:38:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 1:38:01 AM	29	gradCels
SC PITUR DORU SNC	pH	8/17/2016 1:38:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 1:32:48 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 1:32:47 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 1:32:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 1:32:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 1:32:41 AM	29	gradCels
SC PITUR DORU SNC	pH	8/17/2016 1:32:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 1:27:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 1:27:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 1:27:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 1:27:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 1:27:01 AM	29	gradCels
SC PITUR DORU SNC	pH	8/17/2016 1:27:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 1:22:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 1:22:00 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	8/17/2016 1:21:49 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 1:21:48 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 1:21:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 1:21:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 1:21:41 AM	29	gradCels
SC PITUR DORU SNC	pH	8/17/2016 1:21:40 AM	8	unit pH
SC PITUR DORU SNC	Grasimi	8/17/2016 1:21:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 1:20:30 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 1:20:00 AM	30	gradCels
SC PITUR DORU SNC	pH	8/17/2016 1:19:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 1:16:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 1:16:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 1:16:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 1:16:08 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 1:16:07 AM	30	gradCels
SC PITUR DORU SNC	pH	8/17/2016 1:16:06 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 1:10:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 1:10:28 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 1:10:27 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 1:10:26 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 1:10:25 AM	30	gradCels
SC PITUR DORU SNC	pH	8/17/2016 1:10:24 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 1:05:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 1:05:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 1:05:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 1:05:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 1:05:01 AM	30	gradCels
SC PITUR DORU SNC	pH	8/17/2016 1:05:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 1:02:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 1:01:50 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	8/17/2016 1:01:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 1:01:10 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 1:01:00 AM	30	gradCels
SC PITUR DORU SNC	pH	8/17/2016 1:00:50 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/17/2016 12:59:41 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	8/17/2016 12:59:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 12:59:27 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 12:59:26 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 12:59:25 AM	30	gradCels
SC PITUR DORU SNC	pH	8/17/2016 12:59:24 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 12:54:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 12:54:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 12:54:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 12:54:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 12:54:05 AM	30	gradCels
SC PITUR DORU SNC	pH	8/17/2016 12:54:04 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/17/2016 12:48:40 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	8/17/2016 12:48:27 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 12:48:26 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 12:48:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 12:48:24 AM	30	gradCels
SC PITUR DORU SNC	pH	8/17/2016 12:48:23 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/17/2016 12:43:40 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	8/17/2016 12:43:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 12:43:10 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	8/17/2016 12:43:04 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 12:43:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 12:43:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 12:43:01 AM	30	gradCels
SC PITUR DORU SNC	pH	8/17/2016 12:43:00 AM	8	unit pH
SC PITUR DORU SNC	Grasimi	8/17/2016 12:42:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 12:41:00 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 12:40:50 AM	30	gradCels
SC PITUR DORU SNC	pH	8/17/2016 12:40:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 12:37:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 12:37:24 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 12:37:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 12:37:22 AM	13	mg/l
SC PITUR DORU SNC	pH	8/17/2016 12:37:21 AM	8	unit pH
SC PITUR DORU SNC	Temp	8/17/2016 12:37:20 AM	30	gradCels
SC PITUR DORU SNC	Cianuri	8/17/2016 12:32:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 12:32:40 AM	12	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 12:31:44 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 12:31:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 12:31:42 AM	30	gradCels
SC PITUR DORU SNC	pH	8/17/2016 12:31:41 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/17/2016 12:26:41 AM	12	mg/l
SC PITUR DORU SNC	Cianuri	8/17/2016 12:26:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 12:26:27 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 12:26:26 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 12:26:25 AM	30	gradCels
SC PITUR DORU SNC	pH	8/17/2016 12:26:24 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 12:23:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 12:23:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 12:22:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 12:22:30 AM	12	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 12:22:20 AM	30	gradCels
SC PITUR DORU SNC	pH	8/17/2016 12:22:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 12:21:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 12:21:40 AM	12	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 12:20:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 12:20:49 AM	0	mg/l
SC PITUR DORU SNC	pH	8/17/2016 12:20:48 AM	8	unit pH
SC PITUR DORU SNC	Temp	8/17/2016 12:20:47 AM	30	gradCels
SC PITUR DORU SNC	Substante organice	8/17/2016 12:15:40 AM	12	mg/l
SC PITUR DORU SNC	Cianuri	8/17/2016 12:15:29 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	8/17/2016 12:15:28 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 12:15:27 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 12:15:26 AM	30	gradCels
SC PITUR DORU SNC	pH	8/17/2016 12:15:25 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 12:09:49 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 12:09:48 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 12:09:47 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 12:09:46 AM	12	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 12:09:45 AM	30	gradCels
SC PITUR DORU SNC	pH	8/17/2016 12:09:44 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/17/2016 12:04:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 12:04:40 AM	12	mg/l
SC PITUR DORU SNC	Cianuri	8/17/2016 12:04:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/17/2016 12:04:29 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 12:04:28 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 12:04:27 AM	30	gradCels
SC PITUR DORU SNC	pH	8/17/2016 12:04:26 AM	8	unit pH
SC PITUR DORU SNC	Clor	8/17/2016 12:04:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/17/2016 12:03:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/17/2016 12:02:50 AM	12	mg/l
SC PITUR DORU SNC	Temp	8/17/2016 12:02:20 AM	30	gradCels
SC PITUR DORU SNC	pH	8/17/2016 12:02:10 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/16/2016 11:58:50 PM	12	mg/l
SC PITUR DORU SNC	Cianuri	8/16/2016 11:58:48 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 11:58:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 11:58:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 11:58:45 PM	30	gradCels
SC PITUR DORU SNC	pH	8/16/2016 11:58:44 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 11:53:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 11:53:40 PM	12	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 11:53:08 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 11:53:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 11:53:06 PM	30	gradCels
SC PITUR DORU SNC	pH	8/16/2016 11:53:05 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 11:47:52 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 11:47:51 PM	12	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 11:47:48 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 11:47:47 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 11:47:46 PM	30	gradCels
SC PITUR DORU SNC	pH	8/16/2016 11:47:45 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 11:44:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 11:44:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 11:43:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 11:43:40 PM	12	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 11:43:30 PM	30	gradCels
SC PITUR DORU SNC	pH	8/16/2016 11:43:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 11:42:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 11:42:40 PM	12	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 11:42:07 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 11:42:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 11:42:05 PM	30	gradCels
SC PITUR DORU SNC	pH	8/16/2016 11:42:04 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 11:36:52 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 11:36:49 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 11:36:48 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 11:36:47 PM	12	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 11:36:46 PM	30	gradCels
SC PITUR DORU SNC	pH	8/16/2016 11:36:45 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 11:31:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 11:31:40 PM	12	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 11:31:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 11:31:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 11:31:01 PM	30	gradCels
SC PITUR DORU SNC	pH	8/16/2016 11:31:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 11:25:52 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 11:25:51 PM	12	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	8/16/2016 11:25:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 11:25:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 11:25:41 PM	30	gradCels
SC PITUR DORU SNC	pH	8/16/2016 11:25:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 11:25:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 11:24:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 11:24:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 11:23:30 PM	12	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 11:22:30 PM	30	gradCels
SC PITUR DORU SNC	pH	8/16/2016 11:22:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 11:20:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 11:20:40 PM	12	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 11:20:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 11:20:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 11:20:01 PM	30	gradCels
SC PITUR DORU SNC	pH	8/16/2016 11:20:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 11:14:51 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 11:14:50 PM	12	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 11:14:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 11:14:46 PM	0	mg/l
SC PITUR DORU SNC	pH	8/16/2016 11:14:45 PM	8	unit pH
SC PITUR DORU SNC	Temp	8/16/2016 11:14:44 PM	30	gradCels
SC PITUR DORU SNC	Cianuri	8/16/2016 11:09:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 11:09:09 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 11:09:08 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 11:09:07 PM	12	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 11:09:06 PM	30	gradCels
SC PITUR DORU SNC	pH	8/16/2016 11:09:05 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 11:05:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 11:04:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 11:04:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 11:04:20 PM	12	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 11:04:10 PM	30	gradCels
SC PITUR DORU SNC	pH	8/16/2016 11:04:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 11:03:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 11:03:42 PM	12	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 11:03:27 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 11:03:26 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 11:03:25 PM	30	gradCels
SC PITUR DORU SNC	pH	8/16/2016 11:03:24 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 10:58:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 10:58:40 PM	12	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 10:58:07 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 10:58:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 10:58:05 PM	30	gradCels
SC PITUR DORU SNC	pH	8/16/2016 10:58:04 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 10:52:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 10:52:42 PM	12	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 10:52:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 10:52:29 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 10:52:28 PM	30	gradCels
SC PITUR DORU SNC	pH	8/16/2016 10:52:27 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 10:47:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 10:47:42 PM	12	mg/l
SC PITUR DORU SNC	Cianuri	8/16/2016 10:47:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 10:47:07 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 10:47:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 10:47:05 PM	30	gradCels
SC PITUR DORU SNC	pH	8/16/2016 10:47:04 PM	8	unit pH
SC PITUR DORU SNC	Clor	8/16/2016 10:46:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 10:46:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 10:45:50 PM	12	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 10:45:30 PM	30	gradCels
SC PITUR DORU SNC	pH	8/16/2016 10:45:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 10:41:36 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 10:41:35 PM	12	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	8/16/2016 10:41:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 10:41:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 10:41:21 PM	30	gradCels
SC PITUR DORU SNC	pH	8/16/2016 10:41:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 10:36:42 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 10:36:04 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 10:36:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 10:36:02 PM	12	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 10:36:01 PM	30	gradCels
SC PITUR DORU SNC	pH	8/16/2016 10:36:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 10:30:35 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 10:30:34 PM	12	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 10:30:32 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 10:30:31 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 10:30:30 PM	31	gradCels
SC PITUR DORU SNC	pH	8/16/2016 10:30:29 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 10:28:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 10:27:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 10:27:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 10:27:10 PM	12	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 10:27:00 PM	31	gradCels
SC PITUR DORU SNC	pH	8/16/2016 10:26:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 10:25:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 10:25:41 PM	12	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 10:25:08 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 10:25:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 10:25:06 PM	31	gradCels
SC PITUR DORU SNC	pH	8/16/2016 10:25:05 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 10:19:35 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 10:19:34 PM	12	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 10:19:32 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 10:19:31 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 10:19:30 PM	31	gradCels
SC PITUR DORU SNC	pH	8/16/2016 10:19:29 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 10:14:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 10:14:41 PM	12	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 10:13:55 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 10:13:53 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 10:13:51 PM	31	gradCels
SC PITUR DORU SNC	pH	8/16/2016 10:13:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 10:09:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 10:09:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 10:09:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 10:09:00 PM	12	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 10:08:50 PM	31	gradCels
SC PITUR DORU SNC	Cianuri	8/16/2016 10:08:39 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 10:08:33 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 10:08:32 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 10:08:31 PM	12	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 10:08:30 PM	31	gradCels
SC PITUR DORU SNC	pH	8/16/2016 10:08:29 PM	8	unit pH
SC PITUR DORU SNC	pH	8/16/2016 10:08:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 10:03:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 10:03:42 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 10:02:48 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 10:02:47 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 10:02:46 PM	31	gradCels
SC PITUR DORU SNC	pH	8/16/2016 10:02:45 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 9:57:39 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 9:57:38 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 9:57:32 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 9:57:31 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 9:57:30 PM	31	gradCels
SC PITUR DORU SNC	pH	8/16/2016 9:57:29 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 9:52:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 9:52:41 PM	13	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	8/16/2016 9:52:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 9:51:56 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 9:51:55 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 9:51:54 PM	31	gradCels
SC PITUR DORU SNC	pH	8/16/2016 9:51:53 PM	8	unit pH
SC PITUR DORU SNC	Clor	8/16/2016 9:51:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 9:51:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 9:50:50 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 9:50:20 PM	31	gradCels
SC PITUR DORU SNC	pH	8/16/2016 9:50:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 9:46:34 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 9:46:33 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 9:46:31 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 9:46:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 9:46:29 PM	31	gradCels
SC PITUR DORU SNC	pH	8/16/2016 9:46:28 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 9:41:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 9:41:41 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 9:40:59 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 9:40:58 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 9:40:57 PM	31	gradCels
SC PITUR DORU SNC	pH	8/16/2016 9:40:56 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 9:35:35 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 9:35:34 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 9:35:32 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 9:35:31 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 9:35:30 PM	31	gradCels
SC PITUR DORU SNC	pH	8/16/2016 9:35:29 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 9:33:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 9:33:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 9:32:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 9:32:10 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 9:32:00 PM	31	gradCels
SC PITUR DORU SNC	pH	8/16/2016 9:31:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 9:30:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 9:30:40 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 9:29:55 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 9:29:54 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 9:29:53 PM	31	gradCels
SC PITUR DORU SNC	pH	8/16/2016 9:29:52 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 9:24:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 9:24:41 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 9:24:11 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 9:24:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 9:24:09 PM	31	gradCels
SC PITUR DORU SNC	pH	8/16/2016 9:24:08 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 9:19:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 9:19:42 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 9:18:55 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 9:18:54 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 9:18:53 PM	31	gradCels
SC PITUR DORU SNC	pH	8/16/2016 9:18:52 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 9:15:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 9:15:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 9:14:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 9:14:40 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 9:14:30 PM	31	gradCels
SC PITUR DORU SNC	pH	8/16/2016 9:14:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 9:13:44 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 9:13:41 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 9:13:11 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 9:13:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 9:13:09 PM	31	gradCels
SC PITUR DORU SNC	pH	8/16/2016 9:13:08 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 9:08:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 9:08:40 PM	13	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	8/16/2016 9:07:56 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 9:07:55 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 9:07:54 PM	31	gradCels
SC PITUR DORU SNC	pH	8/16/2016 9:07:53 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 9:02:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 9:02:41 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 9:02:17 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 9:02:16 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 9:02:15 PM	31	gradCels
SC PITUR DORU SNC	pH	8/16/2016 9:02:14 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 8:58:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 8:58:00 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	8/16/2016 8:57:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 8:57:40 PM	13	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 8:57:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 8:57:20 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 8:57:10 PM	31	gradCels
SC PITUR DORU SNC	pH	8/16/2016 8:57:00 PM	8	unit pH
SC PITUR DORU SNC	Clor	8/16/2016 8:56:56 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 8:56:55 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 8:56:54 PM	31	gradCels
SC PITUR DORU SNC	pH	8/16/2016 8:56:53 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 8:51:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 8:51:42 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 8:51:08 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 8:51:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 8:51:06 PM	31	gradCels
SC PITUR DORU SNC	pH	8/16/2016 8:51:05 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 8:45:55 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 8:45:54 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 8:45:48 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 8:45:47 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 8:45:46 PM	31	gradCels
SC PITUR DORU SNC	pH	8/16/2016 8:45:45 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 8:40:42 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	8/16/2016 8:40:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 8:40:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 8:40:12 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 8:40:11 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 8:40:10 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 8:40:09 PM	31	gradCels
SC PITUR DORU SNC	pH	8/16/2016 8:40:08 PM	8	unit pH
SC PITUR DORU SNC	Grasimi	8/16/2016 8:39:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 8:39:00 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 8:38:50 PM	31	gradCels
SC PITUR DORU SNC	pH	8/16/2016 8:38:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 8:35:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 8:35:40 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 8:35:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 8:35:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 8:35:01 PM	31	gradCels
SC PITUR DORU SNC	pH	8/16/2016 8:35:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 8:29:53 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 8:29:52 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 8:29:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 8:29:49 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 8:29:48 PM	31	gradCels
SC PITUR DORU SNC	pH	8/16/2016 8:29:47 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 8:24:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 8:24:40 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 8:24:08 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 8:24:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 8:24:06 PM	31	gradCels
SC PITUR DORU SNC	pH	8/16/2016 8:24:05 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 8:20:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 8:20:20 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	8/16/2016 8:20:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 8:19:50 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 8:19:40 PM	31	gradCels
SC PITUR DORU SNC	pH	8/16/2016 8:19:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 8:18:52 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 8:18:51 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 8:18:48 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 8:18:47 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 8:18:46 PM	31	gradCels
SC PITUR DORU SNC	pH	8/16/2016 8:18:45 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 8:13:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 8:13:40 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 8:13:08 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 8:13:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 8:13:06 PM	31	gradCels
SC PITUR DORU SNC	pH	8/16/2016 8:13:05 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 8:07:53 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 8:07:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 8:07:49 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 8:07:48 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 8:07:47 PM	31	gradCels
SC PITUR DORU SNC	pH	8/16/2016 8:07:46 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 8:02:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 8:02:40 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 8:02:08 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 8:02:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 8:02:06 PM	31	gradCels
SC PITUR DORU SNC	pH	8/16/2016 8:02:05 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 8:01:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 8:01:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 8:00:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 8:00:20 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 8:00:10 PM	31	gradCels
SC PITUR DORU SNC	pH	8/16/2016 7:59:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 7:56:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 7:56:40 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 7:56:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 7:56:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 7:56:21 PM	31	gradCels
SC PITUR DORU SNC	pH	8/16/2016 7:56:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 7:51:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 7:51:40 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 7:51:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 7:51:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 7:51:01 PM	31	gradCels
SC PITUR DORU SNC	pH	8/16/2016 7:51:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 7:45:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 7:45:42 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 7:45:28 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 7:45:27 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 7:45:26 PM	31	gradCels
SC PITUR DORU SNC	pH	8/16/2016 7:45:25 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 7:42:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 7:42:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 7:41:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 7:41:30 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 7:41:20 PM	31	gradCels
SC PITUR DORU SNC	pH	8/16/2016 7:41:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 7:40:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 7:40:09 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 7:40:08 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 7:40:07 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 7:40:06 PM	31	gradCels
SC PITUR DORU SNC	pH	8/16/2016 7:40:05 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 7:34:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 7:34:42 PM	13	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	8/16/2016 7:34:29 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 7:34:28 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 7:34:27 PM	31	gradCels
SC PITUR DORU SNC	pH	8/16/2016 7:34:26 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 7:29:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 7:29:40 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 7:29:08 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 7:29:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 7:29:06 PM	31	gradCels
SC PITUR DORU SNC	pH	8/16/2016 7:29:05 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 7:24:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 7:24:00 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	8/16/2016 7:23:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 7:23:42 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 7:23:28 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 7:23:27 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 7:23:26 PM	31	gradCels
SC PITUR DORU SNC	pH	8/16/2016 7:23:25 PM	8	unit pH
SC PITUR DORU SNC	Grasimi	8/16/2016 7:23:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 7:22:20 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 7:22:10 PM	30	gradCels
SC PITUR DORU SNC	pH	8/16/2016 7:21:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 7:18:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 7:18:40 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 7:17:52 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 7:17:51 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 7:17:50 PM	30	gradCels
SC PITUR DORU SNC	pH	8/16/2016 7:17:49 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/16/2016 7:12:43 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	8/16/2016 7:12:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 7:12:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 7:12:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 7:12:21 PM	30	gradCels
SC PITUR DORU SNC	pH	8/16/2016 7:12:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 7:07:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 7:06:53 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 7:06:52 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 7:06:51 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 7:06:50 PM	30	gradCels
SC PITUR DORU SNC	pH	8/16/2016 7:06:49 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 7:03:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 7:02:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 7:02:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 7:02:20 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 7:02:10 PM	30	gradCels
SC PITUR DORU SNC	pH	8/16/2016 7:02:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 7:01:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 7:01:41 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 7:01:28 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 7:01:27 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 7:01:26 PM	30	gradCels
SC PITUR DORU SNC	pH	8/16/2016 7:01:25 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 6:56:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 6:56:40 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 6:55:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 6:55:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 6:55:45 PM	30	gradCels
SC PITUR DORU SNC	pH	8/16/2016 6:55:44 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 6:50:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 6:50:42 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 6:50:28 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 6:50:27 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 6:50:26 PM	30	gradCels
SC PITUR DORU SNC	pH	8/16/2016 6:50:25 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 6:45:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 6:45:40 PM	13	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	8/16/2016 6:44:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 6:44:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 6:44:45 PM	30	gradCels
SC PITUR DORU SNC	pH	8/16/2016 6:44:44 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 6:43:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 6:42:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 6:41:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 6:41:40 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 6:41:30 PM	30	gradCels
SC PITUR DORU SNC	pH	8/16/2016 6:41:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 6:39:31 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 6:39:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 6:39:29 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 6:39:28 PM	30	gradCels
SC PITUR DORU SNC	Substante organice	8/16/2016 6:39:27 PM	13	mg/l
SC PITUR DORU SNC	pH	8/16/2016 6:39:26 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 6:33:52 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 6:33:51 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 6:33:48 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 6:33:47 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 6:33:46 PM	30	gradCels
SC PITUR DORU SNC	pH	8/16/2016 6:33:45 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 6:28:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 6:28:40 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 6:28:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 6:28:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 6:28:01 PM	30	gradCels
SC PITUR DORU SNC	pH	8/16/2016 6:28:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 6:24:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 6:24:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 6:24:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 6:24:00 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 6:23:50 PM	30	gradCels
SC PITUR DORU SNC	pH	8/16/2016 6:23:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 6:22:52 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 6:22:51 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 6:22:48 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 6:22:47 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 6:22:46 PM	30	gradCels
SC PITUR DORU SNC	pH	8/16/2016 6:22:45 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/16/2016 6:17:43 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	8/16/2016 6:17:41 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 6:17:11 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 6:17:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 6:17:09 PM	30	gradCels
SC PITUR DORU SNC	pH	8/16/2016 6:17:08 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 6:11:55 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 6:11:54 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 6:11:51 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 6:11:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 6:11:49 PM	30	gradCels
SC PITUR DORU SNC	pH	8/16/2016 6:11:48 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 6:07:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 6:06:50 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	8/16/2016 6:06:42 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 6:06:13 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 6:06:12 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 6:06:11 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 6:06:10 PM	30	gradCels
SC PITUR DORU SNC	pH	8/16/2016 6:06:09 PM	8	unit pH
SC PITUR DORU SNC	Grasimi	8/16/2016 6:05:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 6:05:40 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 6:05:00 PM	30	gradCels
SC PITUR DORU SNC	pH	8/16/2016 6:04:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 6:00:55 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 6:00:54 PM	13	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	8/16/2016 6:00:52 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 6:00:51 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 6:00:50 PM	30	gradCels
SC PITUR DORU SNC	pH	8/16/2016 6:00:49 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 5:55:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 5:55:41 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 5:55:11 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 5:55:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 5:55:09 PM	30	gradCels
SC PITUR DORU SNC	pH	8/16/2016 5:55:08 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 5:49:55 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 5:49:53 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 5:49:51 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 5:49:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 5:49:49 PM	30	gradCels
SC PITUR DORU SNC	pH	8/16/2016 5:49:48 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 5:48:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 5:48:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 5:47:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 5:47:00 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 5:46:50 PM	30	gradCels
SC PITUR DORU SNC	pH	8/16/2016 5:46:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 5:44:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 5:44:42 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 5:44:08 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 5:44:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 5:44:06 PM	30	gradCels
SC PITUR DORU SNC	pH	8/16/2016 5:44:05 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 5:38:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 5:38:38 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 5:38:37 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 5:38:36 PM	30	gradCels
SC PITUR DORU SNC	Substante organice	8/16/2016 5:38:35 PM	13	mg/l
SC PITUR DORU SNC	pH	8/16/2016 5:38:34 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 5:33:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 5:33:42 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 5:33:11 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 5:33:10 PM	0	mg/l
SC PITUR DORU SNC	pH	8/16/2016 5:33:09 PM	8	unit pH
SC PITUR DORU SNC	Temp	8/16/2016 5:33:08 PM	30	gradCels
SC PITUR DORU SNC	Cianuri	8/16/2016 5:29:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 5:29:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 5:29:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 5:29:10 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 5:29:00 PM	30	gradCels
SC PITUR DORU SNC	pH	8/16/2016 5:28:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 5:27:39 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 5:27:38 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 5:27:32 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 5:27:31 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 5:27:30 PM	30	gradCels
SC PITUR DORU SNC	pH	8/16/2016 5:27:29 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 5:22:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 5:22:42 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 5:21:53 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 5:21:52 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 5:21:51 PM	29	gradCels
SC PITUR DORU SNC	pH	8/16/2016 5:21:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 5:16:35 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 5:16:34 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 5:16:28 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 5:16:27 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 5:16:26 PM	29	gradCels
SC PITUR DORU SNC	pH	8/16/2016 5:16:25 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 5:12:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 5:12:40 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	8/16/2016 5:12:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 5:12:10 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 5:12:00 PM	29	gradCels
SC PITUR DORU SNC	pH	8/16/2016 5:11:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 5:11:42 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 5:11:01 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 5:11:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 5:10:59 PM	13	mg/l
SC PITUR DORU SNC	pH	8/16/2016 5:10:58 PM	8	unit pH
SC PITUR DORU SNC	Temp	8/16/2016 5:10:57 PM	29	gradCels
SC PITUR DORU SNC	Cianuri	8/16/2016 5:05:36 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 5:05:35 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 5:05:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 5:05:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 5:05:21 PM	29	gradCels
SC PITUR DORU SNC	pH	8/16/2016 5:05:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 5:00:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 5:00:41 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 5:00:02 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 5:00:01 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 5:00:00 PM	29	gradCels
SC PITUR DORU SNC	pH	8/16/2016 4:59:59 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 4:55:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 4:55:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 4:54:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 4:54:40 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	8/16/2016 4:54:34 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 4:54:33 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 4:54:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 4:54:29 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 4:54:28 PM	29	gradCels
SC PITUR DORU SNC	pH	8/16/2016 4:54:27 PM	8	unit pH
SC PITUR DORU SNC	Temp	8/16/2016 4:54:10 PM	29	gradCels
SC PITUR DORU SNC	pH	8/16/2016 4:53:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 4:49:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 4:49:41 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 4:49:01 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 4:49:00 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 4:48:59 PM	29	gradCels
SC PITUR DORU SNC	pH	8/16/2016 4:48:58 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 4:43:35 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 4:43:34 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 4:43:28 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 4:43:27 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 4:43:26 PM	29	gradCels
SC PITUR DORU SNC	pH	8/16/2016 4:43:25 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 4:38:42 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	8/16/2016 4:38:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 4:38:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 4:37:59 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 4:37:58 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 4:37:57 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 4:37:56 PM	29	gradCels
SC PITUR DORU SNC	pH	8/16/2016 4:37:55 PM	8	unit pH
SC PITUR DORU SNC	Grasimi	8/16/2016 4:36:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 4:36:00 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 4:35:50 PM	29	gradCels
SC PITUR DORU SNC	pH	8/16/2016 4:35:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 4:32:35 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 4:32:34 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 4:32:28 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 4:32:27 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 4:32:26 PM	29	gradCels
SC PITUR DORU SNC	pH	8/16/2016 4:32:25 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 4:27:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 4:27:42 PM	14	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	8/16/2016 4:26:55 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 4:26:54 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 4:26:53 PM	29	gradCels
SC PITUR DORU SNC	pH	8/16/2016 4:26:52 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 4:21:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 4:21:40 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	8/16/2016 4:21:35 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 4:21:34 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 4:21:31 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 4:21:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 4:21:29 PM	29	gradCels
SC PITUR DORU SNC	pH	8/16/2016 4:21:28 PM	8	unit pH
SC PITUR DORU SNC	Grasimi	8/16/2016 4:20:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 4:20:00 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 4:19:30 PM	29	gradCels
SC PITUR DORU SNC	pH	8/16/2016 4:19:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 4:16:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 4:16:42 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 4:15:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 4:15:49 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 4:15:48 PM	29	gradCels
SC PITUR DORU SNC	pH	8/16/2016 4:15:47 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 4:10:35 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 4:10:34 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 4:10:26 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 4:10:25 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 4:10:24 PM	29	gradCels
SC PITUR DORU SNC	pH	8/16/2016 4:10:23 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 4:05:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 4:05:42 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 4:04:57 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 4:04:56 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 4:04:55 PM	29	gradCels
SC PITUR DORU SNC	pH	8/16/2016 4:04:54 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 4:04:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 4:04:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 4:03:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 4:02:50 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 4:02:40 PM	29	gradCels
SC PITUR DORU SNC	pH	8/16/2016 4:02:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 3:59:35 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 3:59:34 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 3:59:32 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 3:59:31 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 3:59:30 PM	29	gradCels
SC PITUR DORU SNC	pH	8/16/2016 3:59:29 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 3:54:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 3:54:42 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 3:53:57 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 3:53:56 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 3:53:55 PM	29	gradCels
SC PITUR DORU SNC	pH	8/16/2016 3:53:54 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 3:48:35 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 3:48:34 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 3:48:31 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 3:48:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 3:48:29 PM	29	gradCels
SC PITUR DORU SNC	pH	8/16/2016 3:48:28 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 3:46:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 3:46:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 3:46:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 3:45:50 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 3:45:40 PM	28	gradCels
SC PITUR DORU SNC	pH	8/16/2016 3:45:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 3:43:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 3:43:42 PM	14	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	8/16/2016 3:42:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 3:42:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 3:42:41 PM	28	gradCels
SC PITUR DORU SNC	pH	8/16/2016 3:42:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 3:37:42 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 3:37:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 3:37:09 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 3:37:08 PM	28	gradCels
SC PITUR DORU SNC	Substante organice	8/16/2016 3:37:07 PM	14	mg/l
SC PITUR DORU SNC	pH	8/16/2016 3:37:06 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 3:32:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 3:32:41 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 3:31:36 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 3:31:35 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 3:31:34 PM	28	gradCels
SC PITUR DORU SNC	pH	8/16/2016 3:31:33 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 3:29:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 3:29:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 3:28:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 3:28:40 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 3:28:30 PM	28	gradCels
SC PITUR DORU SNC	pH	8/16/2016 3:28:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 3:26:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 3:26:41 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 3:26:08 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 3:26:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 3:26:06 PM	28	gradCels
SC PITUR DORU SNC	pH	8/16/2016 3:26:05 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 3:20:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 3:20:42 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 3:20:39 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 3:20:38 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 3:20:37 PM	28	gradCels
SC PITUR DORU SNC	pH	8/16/2016 3:20:36 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 3:15:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 3:15:42 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 3:15:11 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 3:15:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 3:15:09 PM	28	gradCels
SC PITUR DORU SNC	pH	8/16/2016 3:15:08 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 3:12:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 3:12:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 3:12:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 3:11:50 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 3:11:40 PM	28	gradCels
SC PITUR DORU SNC	pH	8/16/2016 3:11:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 3:09:55 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 3:09:54 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 3:09:51 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 3:09:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 3:09:49 PM	28	gradCels
SC PITUR DORU SNC	pH	8/16/2016 3:09:48 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 3:04:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 3:04:42 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 3:04:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 3:04:09 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 3:04:08 PM	28	gradCels
SC PITUR DORU SNC	pH	8/16/2016 3:04:07 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 2:58:55 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 2:58:54 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 2:58:52 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 2:58:51 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 2:58:50 PM	28	gradCels
SC PITUR DORU SNC	pH	8/16/2016 2:58:49 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 2:56:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 2:55:50 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	8/16/2016 2:55:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 2:55:20 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 2:55:10 PM	28	gradCels
SC PITUR DORU SNC	pH	8/16/2016 2:55:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 2:53:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 2:53:42 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 2:53:05 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 2:53:04 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 2:53:03 PM	28	gradCels
SC PITUR DORU SNC	pH	8/16/2016 2:53:02 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 2:47:55 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 2:47:54 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 2:47:51 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 2:47:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 2:47:49 PM	28	gradCels
SC PITUR DORU SNC	pH	8/16/2016 2:47:48 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 2:42:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 2:42:42 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 2:42:04 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 2:42:03 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 2:42:02 PM	28	gradCels
SC PITUR DORU SNC	pH	8/16/2016 2:42:01 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 2:39:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 2:39:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 2:39:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 2:38:50 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 2:38:40 PM	28	gradCels
SC PITUR DORU SNC	pH	8/16/2016 2:38:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 2:36:56 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 2:36:55 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 2:36:52 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 2:36:51 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 2:36:50 PM	28	gradCels
SC PITUR DORU SNC	pH	8/16/2016 2:36:49 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 2:31:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 2:31:41 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 2:31:04 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 2:31:03 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 2:31:02 PM	28	gradCels
SC PITUR DORU SNC	pH	8/16/2016 2:31:01 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 2:25:55 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 2:25:54 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 2:25:51 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 2:25:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 2:25:49 PM	28	gradCels
SC PITUR DORU SNC	pH	8/16/2016 2:25:48 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 2:23:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 2:23:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 2:22:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 2:22:30 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 2:22:20 PM	28	gradCels
SC PITUR DORU SNC	pH	8/16/2016 2:22:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 2:20:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 2:20:41 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 2:20:05 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 2:20:04 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 2:20:03 PM	28	gradCels
SC PITUR DORU SNC	pH	8/16/2016 2:20:02 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 2:14:35 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 2:14:34 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 2:14:32 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 2:14:31 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 2:14:30 PM	28	gradCels
SC PITUR DORU SNC	pH	8/16/2016 2:14:29 PM	8	unit pH
SC PITUR DORU SNC	pH	8/16/2016 2:09:42 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 2:09:41 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	8/16/2016 2:09:15 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 2:09:12 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 2:09:11 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 2:09:10 PM	27	gradCels
SC PITUR DORU SNC	Cianuri	8/16/2016 2:06:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 2:06:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 2:06:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 2:06:10 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 2:06:00 PM	27	gradCels
SC PITUR DORU SNC	pH	8/16/2016 2:05:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 2:03:35 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 2:03:34 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 2:03:27 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 2:03:26 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 2:03:25 PM	27	gradCels
SC PITUR DORU SNC	pH	8/16/2016 2:03:24 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 1:58:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 1:58:40 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 1:58:13 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 1:58:12 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 1:58:11 PM	27	gradCels
SC PITUR DORU SNC	pH	8/16/2016 1:58:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 1:52:34 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 1:52:33 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 1:52:31 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 1:52:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 1:52:29 PM	27	gradCels
SC PITUR DORU SNC	pH	8/16/2016 1:52:28 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 1:50:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 1:50:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 1:49:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 1:49:40 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 1:49:30 PM	27	gradCels
SC PITUR DORU SNC	pH	8/16/2016 1:49:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 1:47:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 1:47:42 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 1:47:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 1:47:09 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 1:47:08 PM	27	gradCels
SC PITUR DORU SNC	pH	8/16/2016 1:47:07 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/16/2016 1:41:34 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	8/16/2016 1:41:32 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 1:41:31 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 1:41:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 1:41:29 PM	27	gradCels
SC PITUR DORU SNC	pH	8/16/2016 1:41:28 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 1:36:11 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 1:36:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 1:36:09 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 1:36:08 PM	27	gradCels
SC PITUR DORU SNC	Substante organice	8/16/2016 1:36:07 PM	14	mg/l
SC PITUR DORU SNC	pH	8/16/2016 1:36:06 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 1:33:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 1:33:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 1:33:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 1:33:00 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 1:32:50 PM	27	gradCels
SC PITUR DORU SNC	pH	8/16/2016 1:32:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 1:30:35 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 1:30:34 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 1:30:33 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 1:30:32 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 1:30:31 PM	27	gradCels
SC PITUR DORU SNC	pH	8/16/2016 1:30:30 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/16/2016 1:25:42 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	8/16/2016 1:25:09 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	8/16/2016 1:25:08 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 1:25:07 PM	0	mg/l
SC PITUR DORU SNC	pH	8/16/2016 1:25:06 PM	8	unit pH
SC PITUR DORU SNC	Temp	8/16/2016 1:25:05 PM	27	gradCels
SC PITUR DORU SNC	Substante organice	8/16/2016 1:19:35 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	8/16/2016 1:19:24 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 1:19:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 1:19:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 1:19:21 PM	27	gradCels
SC PITUR DORU SNC	pH	8/16/2016 1:19:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 1:17:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 1:17:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 1:16:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 1:16:30 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 1:16:20 PM	27	gradCels
SC PITUR DORU SNC	pH	8/16/2016 1:16:10 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/16/2016 1:14:42 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	8/16/2016 1:13:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 1:13:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 1:13:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 1:13:41 PM	27	gradCels
SC PITUR DORU SNC	pH	8/16/2016 1:13:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 1:08:25 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 1:08:24 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 1:08:23 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 1:08:22 PM	27	gradCels
SC PITUR DORU SNC	Substante organice	8/16/2016 1:08:21 PM	14	mg/l
SC PITUR DORU SNC	pH	8/16/2016 1:08:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/16/2016 1:03:42 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	8/16/2016 1:02:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 1:02:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 1:02:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 1:02:41 PM	27	gradCels
SC PITUR DORU SNC	pH	8/16/2016 1:02:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 1:00:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 1:00:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 1:00:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 12:59:50 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 12:59:40 PM	27	gradCels
SC PITUR DORU SNC	pH	8/16/2016 12:59:30 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/16/2016 12:57:34 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	8/16/2016 12:57:28 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 12:57:27 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 12:57:26 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 12:57:25 PM	27	gradCels
SC PITUR DORU SNC	pH	8/16/2016 12:57:24 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/16/2016 12:52:42 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	8/16/2016 12:51:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 12:51:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 12:51:42 PM	0	mg/l
SC PITUR DORU SNC	pH	8/16/2016 12:51:41 PM	8	unit pH
SC PITUR DORU SNC	Temp	8/16/2016 12:51:40 PM	27	gradCels
SC PITUR DORU SNC	Substante organice	8/16/2016 12:46:38 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	8/16/2016 12:46:18 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 12:46:17 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 12:46:16 PM	0	mg/l
SC PITUR DORU SNC	pH	8/16/2016 12:46:15 PM	8	unit pH
SC PITUR DORU SNC	Temp	8/16/2016 12:46:14 PM	27	gradCels
SC PITUR DORU SNC	Cianuri	8/16/2016 12:44:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 12:44:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 12:44:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 12:43:50 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 12:43:40 PM	27	gradCels
SC PITUR DORU SNC	pH	8/16/2016 12:43:30 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/16/2016 12:41:46 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	8/16/2016 12:41:20 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	8/16/2016 12:41:19 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 12:41:18 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 12:41:17 PM	27	gradCels
SC PITUR DORU SNC	pH	8/16/2016 12:41:16 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 12:36:18 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 12:36:17 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 12:36:16 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 12:36:15 PM	27	gradCels
SC PITUR DORU SNC	Substante organice	8/16/2016 12:36:14 PM	14	mg/l
SC PITUR DORU SNC	pH	8/16/2016 12:36:13 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/16/2016 12:31:35 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	8/16/2016 12:31:25 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 12:31:24 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 12:31:23 PM	0	mg/l
SC PITUR DORU SNC	pH	8/16/2016 12:31:22 PM	8	unit pH
SC PITUR DORU SNC	Temp	8/16/2016 12:31:21 PM	27	gradCels
SC PITUR DORU SNC	Cianuri	8/16/2016 12:29:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 12:29:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 12:29:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 12:28:50 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 12:28:40 PM	27	gradCels
SC PITUR DORU SNC	pH	8/16/2016 12:28:30 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/16/2016 12:26:45 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	8/16/2016 12:26:11 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 12:26:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 12:26:09 PM	0	mg/l
SC PITUR DORU SNC	pH	8/16/2016 12:26:08 PM	8	unit pH
SC PITUR DORU SNC	Temp	8/16/2016 12:26:07 PM	27	gradCels
SC PITUR DORU SNC	Cianuri	8/16/2016 12:21:46 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 12:21:45 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 12:21:16 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 12:21:15 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 12:21:14 PM	27	gradCels
SC PITUR DORU SNC	pH	8/16/2016 12:21:13 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 12:16:38 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 12:16:35 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 12:16:12 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 12:16:11 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 12:16:10 PM	26	gradCels
SC PITUR DORU SNC	pH	8/16/2016 12:16:09 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 12:13:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 12:13:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 12:13:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 12:12:50 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 12:12:40 PM	26	gradCels
SC PITUR DORU SNC	pH	8/16/2016 12:12:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 12:11:48 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 12:11:46 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 12:11:19 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 12:11:18 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 12:11:17 PM	26	gradCels
SC PITUR DORU SNC	pH	8/16/2016 12:11:16 PM	8	unit pH
SC PITUR DORU SNC	Clor	8/16/2016 12:06:09 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	8/16/2016 12:06:08 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 12:06:07 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 12:06:06 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 12:06:05 PM	26	gradCels
SC PITUR DORU SNC	pH	8/16/2016 12:06:04 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 12:03:42 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 12:03:41 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 12:03:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 12:03:39 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 12:03:38 PM	26	gradCels
SC PITUR DORU SNC	pH	8/16/2016 12:03:37 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/16/2016 12:02:02 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	8/16/2016 12:01:11 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	8/16/2016 12:01:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 12:01:09 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 12:01:08 PM	26	gradCels
SC PITUR DORU SNC	pH	8/16/2016 12:01:07 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 11:56:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 11:55:58 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 11:55:56 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 11:55:54 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 11:55:52 AM	26	gradCels
SC PITUR DORU SNC	pH	8/16/2016 11:55:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 11:51:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 11:51:02 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 11:50:46 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 11:50:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 11:50:44 AM	26	gradCels
SC PITUR DORU SNC	pH	8/16/2016 11:50:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 11:48:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 11:48:49 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 11:48:48 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 11:48:47 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 11:48:46 AM	26	gradCels
SC PITUR DORU SNC	pH	8/16/2016 11:48:45 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 11:46:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 11:46:02 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 11:45:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 11:45:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 11:45:05 AM	26	gradCels
SC PITUR DORU SNC	pH	8/16/2016 11:45:04 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 11:43:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 11:42:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 11:42:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 11:41:50 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 11:41:20 AM	26	gradCels
SC PITUR DORU SNC	pH	8/16/2016 11:41:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 11:40:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 11:39:47 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 11:39:46 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 11:39:45 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 11:39:44 AM	26	gradCels
SC PITUR DORU SNC	pH	8/16/2016 11:39:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 11:35:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 11:35:01 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 11:34:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 11:34:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 11:34:05 AM	26	gradCels
SC PITUR DORU SNC	pH	8/16/2016 11:34:04 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 11:29:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 11:29:01 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 11:28:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 11:28:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 11:28:41 AM	26	gradCels
SC PITUR DORU SNC	pH	8/16/2016 11:28:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 11:25:04 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 11:25:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 11:25:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 11:25:01 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 11:25:00 AM	26	gradCels
SC PITUR DORU SNC	pH	8/16/2016 11:24:59 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/16/2016 11:24:03 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	8/16/2016 11:24:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 11:23:04 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 11:23:03 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 11:23:02 AM	26	gradCels
SC PITUR DORU SNC	pH	8/16/2016 11:23:01 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 11:22:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 11:22:10 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	8/16/2016 11:21:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 11:21:10 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 11:20:50 AM	26	gradCels
SC PITUR DORU SNC	pH	8/16/2016 11:20:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 11:18:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 11:18:02 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 11:17:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 11:17:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 11:17:41 AM	26	gradCels
SC PITUR DORU SNC	pH	8/16/2016 11:17:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 11:12:05 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 11:12:04 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 11:12:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 11:12:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 11:12:01 AM	26	gradCels
SC PITUR DORU SNC	pH	8/16/2016 11:12:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 11:07:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 11:06:24 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 11:06:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 11:06:22 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 11:06:21 AM	26	gradCels
SC PITUR DORU SNC	pH	8/16/2016 11:06:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 11:01:06 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 11:01:04 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 11:01:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 11:01:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 11:01:01 AM	26	gradCels
SC PITUR DORU SNC	pH	8/16/2016 11:01:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 11:00:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 11:00:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 10:59:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 10:59:40 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 10:59:30 AM	26	gradCels
SC PITUR DORU SNC	pH	8/16/2016 10:59:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 10:56:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 10:56:02 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 10:55:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 10:55:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 10:55:21 AM	26	gradCels
SC PITUR DORU SNC	pH	8/16/2016 10:55:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 10:50:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 10:50:00 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 10:49:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 10:49:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 10:49:41 AM	26	gradCels
SC PITUR DORU SNC	pH	8/16/2016 10:49:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 10:45:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 10:45:01 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 10:44:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 10:44:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 10:44:21 AM	26	gradCels
SC PITUR DORU SNC	pH	8/16/2016 10:44:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 10:39:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 10:39:10 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	8/16/2016 10:39:06 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 10:39:05 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 10:38:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 10:38:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 10:38:41 AM	26	gradCels
SC PITUR DORU SNC	pH	8/16/2016 10:38:40 AM	8	unit pH
SC PITUR DORU SNC	Grasimi	8/16/2016 10:38:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 10:37:50 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 10:37:40 AM	26	gradCels
SC PITUR DORU SNC	pH	8/16/2016 10:37:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 10:34:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 10:34:01 AM	14	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	8/16/2016 10:33:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 10:33:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 10:33:21 AM	26	gradCels
SC PITUR DORU SNC	pH	8/16/2016 10:33:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 10:28:06 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 10:28:05 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 10:27:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 10:27:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 10:27:41 AM	26	gradCels
SC PITUR DORU SNC	pH	8/16/2016 10:27:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 10:23:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 10:23:02 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 10:22:05 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 10:22:04 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 10:22:03 AM	26	gradCels
SC PITUR DORU SNC	pH	8/16/2016 10:22:02 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 10:17:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 10:17:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 10:17:06 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	8/16/2016 10:17:05 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 10:16:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 10:16:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 10:16:41 AM	26	gradCels
SC PITUR DORU SNC	pH	8/16/2016 10:16:40 AM	8	unit pH
SC PITUR DORU SNC	Grasimi	8/16/2016 10:16:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 10:16:10 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 10:15:50 AM	26	gradCels
SC PITUR DORU SNC	pH	8/16/2016 10:15:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 10:12:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 10:12:02 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 10:11:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 10:11:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 10:11:01 AM	26	gradCels
SC PITUR DORU SNC	pH	8/16/2016 10:11:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 10:06:06 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 10:05:44 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 10:05:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 10:05:42 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 10:05:41 AM	26	gradCels
SC PITUR DORU SNC	pH	8/16/2016 10:05:40 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/16/2016 10:01:02 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	8/16/2016 10:01:01 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 10:00:05 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 10:00:04 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 10:00:03 AM	26	gradCels
SC PITUR DORU SNC	pH	8/16/2016 10:00:02 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 9:55:10 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	8/16/2016 9:55:06 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 9:55:04 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 9:54:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 9:54:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 9:54:41 AM	26	gradCels
SC PITUR DORU SNC	pH	8/16/2016 9:54:40 AM	8	unit pH
SC PITUR DORU SNC	Clor	8/16/2016 9:54:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 9:53:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 9:53:40 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 9:53:30 AM	26	gradCels
SC PITUR DORU SNC	pH	8/16/2016 9:52:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 9:49:05 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 9:49:04 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 9:49:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 9:49:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 9:49:01 AM	26	gradCels
SC PITUR DORU SNC	pH	8/16/2016 9:49:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 9:44:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 9:44:01 AM	14	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	8/16/2016 9:43:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 9:43:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 9:43:41 AM	26	gradCels
SC PITUR DORU SNC	pH	8/16/2016 9:43:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 9:38:05 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 9:38:04 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 9:38:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 9:38:02 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 9:38:01 AM	26	gradCels
SC PITUR DORU SNC	pH	8/16/2016 9:38:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 9:33:06 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 9:33:05 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 9:32:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 9:32:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 9:32:21 AM	26	gradCels
SC PITUR DORU SNC	pH	8/16/2016 9:32:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 9:32:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 9:31:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 9:31:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 9:31:20 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 9:31:10 AM	26	gradCels
SC PITUR DORU SNC	pH	8/16/2016 9:30:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 9:27:05 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 9:27:04 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 9:27:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 9:27:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 9:27:01 AM	26	gradCels
SC PITUR DORU SNC	pH	8/16/2016 9:27:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 9:22:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 9:22:01 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 9:21:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 9:21:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 9:21:21 AM	26	gradCels
SC PITUR DORU SNC	pH	8/16/2016 9:21:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 9:16:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 9:16:00 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 9:15:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 9:15:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 9:15:41 AM	26	gradCels
SC PITUR DORU SNC	pH	8/16/2016 9:15:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 9:11:10 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	8/16/2016 9:11:01 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 9:10:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 9:10:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 9:10:14 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 9:10:13 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 9:10:12 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 9:10:11 AM	26	gradCels
SC PITUR DORU SNC	pH	8/16/2016 9:10:10 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/16/2016 9:09:40 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 9:09:30 AM	26	gradCels
SC PITUR DORU SNC	pH	8/16/2016 9:09:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 9:05:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 9:05:00 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 9:04:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 9:04:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 9:04:41 AM	26	gradCels
SC PITUR DORU SNC	pH	8/16/2016 9:04:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 9:00:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 9:00:01 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 8:59:12 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 8:59:11 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 8:59:10 AM	26	gradCels
SC PITUR DORU SNC	pH	8/16/2016 8:59:09 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 8:54:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 8:54:00 AM	14	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	8/16/2016 8:53:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 8:53:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 8:53:41 AM	26	gradCels
SC PITUR DORU SNC	pH	8/16/2016 8:53:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 8:50:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 8:50:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 8:49:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 8:49:10 AM	14	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 8:49:02 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	8/16/2016 8:49:01 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 8:48:50 AM	26	gradCels
SC PITUR DORU SNC	pH	8/16/2016 8:48:20 AM	8	unit pH
SC PITUR DORU SNC	Clor	8/16/2016 8:48:08 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 8:48:07 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 8:48:06 AM	26	gradCels
SC PITUR DORU SNC	pH	8/16/2016 8:48:05 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 8:43:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 8:43:00 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 8:42:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 8:42:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 8:42:41 AM	26	gradCels
SC PITUR DORU SNC	pH	8/16/2016 8:42:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 8:38:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 8:38:01 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 8:37:05 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 8:37:04 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 8:37:03 AM	26	gradCels
SC PITUR DORU SNC	pH	8/16/2016 8:37:02 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 8:32:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 8:32:00 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 8:31:42 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 8:31:41 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 8:31:40 AM	26	gradCels
SC PITUR DORU SNC	Cianuri	8/16/2016 8:28:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 8:28:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 8:27:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 8:27:40 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 8:27:30 AM	26	gradCels
SC PITUR DORU SNC	pH	8/16/2016 8:27:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 8:27:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 8:27:01 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 8:26:04 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 8:26:03 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 8:26:02 AM	26	gradCels
SC PITUR DORU SNC	pH	8/16/2016 8:26:01 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 8:21:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 8:21:00 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 8:20:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 8:20:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 8:20:41 AM	26	gradCels
SC PITUR DORU SNC	pH	8/16/2016 8:20:40 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/16/2016 8:16:02 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	8/16/2016 8:16:01 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 8:15:04 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 8:15:03 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 8:15:02 AM	26	gradCels
SC PITUR DORU SNC	pH	8/16/2016 8:15:01 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 8:11:04 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 8:10:09 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 8:10:08 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 8:10:07 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 8:10:06 AM	26	gradCels
SC PITUR DORU SNC	pH	8/16/2016 8:10:05 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 8:09:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 8:08:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 8:08:30 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	8/16/2016 8:08:10 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 8:07:50 AM	26	gradCels
SC PITUR DORU SNC	pH	8/16/2016 8:07:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 8:05:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 8:05:01 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 8:04:47 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 8:04:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 8:04:45 AM	26	gradCels
SC PITUR DORU SNC	pH	8/16/2016 8:04:44 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 7:59:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 7:59:09 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 7:59:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 7:59:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 7:59:01 AM	26	gradCels
SC PITUR DORU SNC	pH	8/16/2016 7:59:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 7:54:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 7:54:01 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 7:53:27 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 7:53:26 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 7:53:25 AM	26	gradCels
SC PITUR DORU SNC	pH	8/16/2016 7:53:24 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 7:49:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 7:49:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 7:48:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 7:48:20 AM	14	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 7:48:11 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	8/16/2016 7:48:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 7:48:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 7:48:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 7:48:01 AM	26	gradCels
SC PITUR DORU SNC	pH	8/16/2016 7:48:00 AM	8	unit pH
SC PITUR DORU SNC	Temp	8/16/2016 7:47:40 AM	26	gradCels
SC PITUR DORU SNC	pH	8/16/2016 7:47:30 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/16/2016 7:43:02 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	8/16/2016 7:43:01 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 7:42:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 7:42:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 7:42:21 AM	26	gradCels
SC PITUR DORU SNC	pH	8/16/2016 7:42:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 7:37:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 7:37:04 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 7:37:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 7:37:02 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 7:37:01 AM	26	gradCels
SC PITUR DORU SNC	pH	8/16/2016 7:37:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 7:32:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 7:32:00 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 7:31:28 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 7:31:27 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 7:31:26 AM	26	gradCels
SC PITUR DORU SNC	pH	8/16/2016 7:31:25 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 7:28:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 7:28:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 7:27:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 7:27:30 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 7:27:20 AM	26	gradCels
SC PITUR DORU SNC	pH	8/16/2016 7:27:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 7:26:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 7:26:09 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 7:26:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 7:26:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 7:26:05 AM	26	gradCels
SC PITUR DORU SNC	pH	8/16/2016 7:26:04 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 7:21:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 7:21:01 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 7:20:23 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	8/16/2016 7:20:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 7:20:21 AM	26	gradCels
SC PITUR DORU SNC	pH	8/16/2016 7:20:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 7:15:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 7:15:09 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 7:15:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 7:15:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 7:15:05 AM	26	gradCels
SC PITUR DORU SNC	pH	8/16/2016 7:15:04 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 7:10:10 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	8/16/2016 7:10:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 7:09:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 7:09:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 7:09:24 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 7:09:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 7:09:22 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 7:09:21 AM	26	gradCels
SC PITUR DORU SNC	pH	8/16/2016 7:09:20 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/16/2016 7:09:10 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 7:08:50 AM	27	gradCels
SC PITUR DORU SNC	pH	8/16/2016 7:08:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 7:04:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 7:04:02 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 7:03:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 7:03:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 7:03:41 AM	27	gradCels
SC PITUR DORU SNC	pH	8/16/2016 7:03:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 6:59:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 6:59:01 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 6:58:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 6:58:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 6:58:21 AM	27	gradCels
SC PITUR DORU SNC	pH	8/16/2016 6:58:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 6:53:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 6:53:02 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 6:52:46 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 6:52:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 6:52:44 AM	27	gradCels
SC PITUR DORU SNC	pH	8/16/2016 6:52:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 6:50:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 6:49:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 6:49:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 6:48:50 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 6:48:40 AM	27	gradCels
SC PITUR DORU SNC	pH	8/16/2016 6:48:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 6:48:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 6:48:01 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 6:47:28 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 6:47:27 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 6:47:26 AM	27	gradCels
SC PITUR DORU SNC	pH	8/16/2016 6:47:25 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 6:42:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 6:42:01 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 6:41:47 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 6:41:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 6:41:45 AM	27	gradCels
SC PITUR DORU SNC	pH	8/16/2016 6:41:44 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 6:37:01 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 6:36:28 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 6:36:27 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 6:36:26 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 6:36:25 AM	27	gradCels
SC PITUR DORU SNC	pH	8/16/2016 6:36:24 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/16/2016 6:31:01 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	8/16/2016 6:31:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 6:30:43 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	8/16/2016 6:30:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 6:30:41 AM	27	gradCels
SC PITUR DORU SNC	pH	8/16/2016 6:30:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 6:30:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 6:30:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 6:29:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 6:29:30 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 6:29:20 AM	27	gradCels
SC PITUR DORU SNC	pH	8/16/2016 6:29:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 6:26:07 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 6:26:06 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 6:25:09 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 6:25:08 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 6:25:07 AM	27	gradCels
SC PITUR DORU SNC	pH	8/16/2016 6:25:06 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 6:20:04 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 6:20:02 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 6:19:46 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 6:19:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 6:19:44 AM	27	gradCels
SC PITUR DORU SNC	pH	8/16/2016 6:19:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 6:15:08 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 6:15:06 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 6:14:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 6:14:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 6:14:05 AM	27	gradCels
SC PITUR DORU SNC	pH	8/16/2016 6:14:04 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 6:12:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 6:12:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 6:11:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 6:11:20 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 6:11:10 AM	27	gradCels
SC PITUR DORU SNC	pH	8/16/2016 6:10:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 6:09:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 6:08:47 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 6:08:46 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 6:08:45 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 6:08:44 AM	27	gradCels
SC PITUR DORU SNC	pH	8/16/2016 6:08:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 6:04:09 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 6:04:07 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 6:03:09 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 6:03:08 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 6:03:07 AM	27	gradCels
SC PITUR DORU SNC	pH	8/16/2016 6:03:06 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 5:58:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 5:58:00 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 5:57:47 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 5:57:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 5:57:45 AM	27	gradCels
SC PITUR DORU SNC	pH	8/16/2016 5:57:44 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 5:53:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 5:53:20 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	8/16/2016 5:53:05 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 5:53:01 AM	14	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 5:52:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 5:52:30 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 5:52:20 AM	27	gradCels
SC PITUR DORU SNC	pH	8/16/2016 5:52:10 AM	8	unit pH
SC PITUR DORU SNC	Clor	8/16/2016 5:52:08 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 5:52:07 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 5:52:06 AM	27	gradCels
SC PITUR DORU SNC	pH	8/16/2016 5:52:05 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 5:47:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 5:47:00 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 5:46:43 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	8/16/2016 5:46:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 5:46:41 AM	27	gradCels
SC PITUR DORU SNC	pH	8/16/2016 5:46:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 5:42:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 5:42:00 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 5:41:08 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 5:41:07 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 5:41:06 AM	27	gradCels
SC PITUR DORU SNC	pH	8/16/2016 5:41:05 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 5:35:52 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 5:35:51 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 5:35:49 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 5:35:48 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 5:35:47 AM	27	gradCels
SC PITUR DORU SNC	pH	8/16/2016 5:35:45 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 5:32:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 5:32:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 5:31:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 5:31:40 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 5:31:30 AM	27	gradCels
SC PITUR DORU SNC	pH	8/16/2016 5:31:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 5:31:06 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 5:31:05 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 5:30:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 5:30:09 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 5:30:08 AM	27	gradCels
SC PITUR DORU SNC	pH	8/16/2016 5:30:07 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 5:25:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 5:25:00 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 5:24:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 5:24:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 5:24:21 AM	27	gradCels
SC PITUR DORU SNC	pH	8/16/2016 5:24:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 5:19:12 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 5:19:10 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 5:19:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 5:19:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 5:19:01 AM	27	gradCels
SC PITUR DORU SNC	pH	8/16/2016 5:19:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 5:14:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 5:14:00 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 5:13:29 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 5:13:28 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 5:13:27 AM	27	gradCels
SC PITUR DORU SNC	pH	8/16/2016 5:13:26 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 5:12:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 5:12:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 5:12:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 5:11:50 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 5:11:30 AM	27	gradCels
SC PITUR DORU SNC	pH	8/16/2016 5:11:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 5:08:11 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 5:08:04 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 5:08:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 5:08:02 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 5:08:01 AM	27	gradCels
SC PITUR DORU SNC	pH	8/16/2016 5:08:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 5:03:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 5:03:00 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 5:02:29 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 5:02:28 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 5:02:27 AM	27	gradCels
SC PITUR DORU SNC	pH	8/16/2016 5:02:26 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 4:57:11 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 4:57:10 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 4:57:03 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	8/16/2016 4:57:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 4:57:01 AM	27	gradCels
SC PITUR DORU SNC	pH	8/16/2016 4:57:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 4:52:10 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	8/16/2016 4:52:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 4:52:00 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 4:51:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 4:51:29 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 4:51:28 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 4:51:27 AM	27	gradCels
SC PITUR DORU SNC	pH	8/16/2016 4:51:26 AM	8	unit pH
SC PITUR DORU SNC	Grasimi	8/16/2016 4:51:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 4:50:40 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 4:50:30 AM	27	gradCels
SC PITUR DORU SNC	pH	8/16/2016 4:50:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 4:46:11 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 4:46:10 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 4:46:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 4:46:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 4:46:01 AM	27	gradCels
SC PITUR DORU SNC	pH	8/16/2016 4:46:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 4:41:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 4:40:24 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 4:40:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 4:40:22 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 4:40:21 AM	27	gradCels
SC PITUR DORU SNC	pH	8/16/2016 4:40:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 4:36:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 4:36:00 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 4:35:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 4:35:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 4:35:21 AM	27	gradCels
SC PITUR DORU SNC	pH	8/16/2016 4:35:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 4:31:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 4:30:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 4:30:10 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	8/16/2016 4:30:06 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 4:30:04 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 4:30:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 4:30:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 4:30:01 AM	27	gradCels
SC PITUR DORU SNC	pH	8/16/2016 4:30:00 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/16/2016 4:29:40 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 4:29:30 AM	27	gradCels
SC PITUR DORU SNC	pH	8/16/2016 4:29:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 4:25:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 4:25:00 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 4:24:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 4:24:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 4:24:21 AM	27	gradCels
SC PITUR DORU SNC	pH	8/16/2016 4:24:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 4:19:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 4:19:00 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 4:18:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 4:18:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 4:18:41 AM	27	gradCels
SC PITUR DORU SNC	pH	8/16/2016 4:18:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 4:14:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 4:14:00 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 4:13:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 4:13:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 4:13:21 AM	27	gradCels
SC PITUR DORU SNC	pH	8/16/2016 4:13:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 4:08:00 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	8/16/2016 4:07:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 4:07:44 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	8/16/2016 4:07:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 4:07:42 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 4:07:41 AM	27	gradCels
SC PITUR DORU SNC	pH	8/16/2016 4:07:40 AM	8	unit pH
SC PITUR DORU SNC	Clor	8/16/2016 4:07:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 4:06:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 4:06:30 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 4:06:20 AM	28	gradCels
SC PITUR DORU SNC	pH	8/16/2016 4:06:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 4:03:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 4:03:00 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 4:02:06 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 4:02:05 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 4:02:04 AM	28	gradCels
SC PITUR DORU SNC	pH	8/16/2016 4:02:03 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 3:57:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 3:57:00 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 3:56:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 3:56:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 3:56:41 AM	28	gradCels
SC PITUR DORU SNC	pH	8/16/2016 3:56:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 3:52:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 3:52:00 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 3:51:04 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 3:51:03 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 3:51:02 AM	28	gradCels
SC PITUR DORU SNC	pH	8/16/2016 3:51:01 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 3:46:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 3:46:10 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	8/16/2016 3:46:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 3:46:00 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 3:45:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 3:45:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 3:45:41 AM	28	gradCels
SC PITUR DORU SNC	pH	8/16/2016 3:45:40 AM	8	unit pH
SC PITUR DORU SNC	Grasimi	8/16/2016 3:45:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 3:44:50 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 3:44:40 AM	28	gradCels
SC PITUR DORU SNC	pH	8/16/2016 3:44:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 3:41:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 3:40:06 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 3:40:05 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 3:40:04 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 3:40:03 AM	28	gradCels
SC PITUR DORU SNC	pH	8/16/2016 3:40:02 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 3:35:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 3:35:00 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 3:34:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 3:34:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 3:34:41 AM	28	gradCels
SC PITUR DORU SNC	pH	8/16/2016 3:34:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 3:30:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 3:30:00 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 3:29:05 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 3:29:04 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 3:29:03 AM	28	gradCels
SC PITUR DORU SNC	pH	8/16/2016 3:29:02 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 3:24:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 3:24:00 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 3:23:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 3:23:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 3:23:41 AM	28	gradCels
SC PITUR DORU SNC	pH	8/16/2016 3:23:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 3:22:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 3:22:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 3:22:10 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	8/16/2016 3:21:30 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 3:20:40 AM	28	gradCels
SC PITUR DORU SNC	pH	8/16/2016 3:20:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 3:19:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 3:19:00 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 3:18:04 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 3:18:03 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 3:18:02 AM	28	gradCels
SC PITUR DORU SNC	pH	8/16/2016 3:18:01 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 3:13:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 3:13:00 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 3:12:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 3:12:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 3:12:41 AM	28	gradCels
SC PITUR DORU SNC	pH	8/16/2016 3:12:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 3:08:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 3:07:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 3:07:06 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 3:07:05 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 3:07:04 AM	28	gradCels
SC PITUR DORU SNC	pH	8/16/2016 3:07:03 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 3:02:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 3:02:00 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 3:01:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 3:01:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 3:01:41 AM	28	gradCels
SC PITUR DORU SNC	pH	8/16/2016 3:01:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 2:58:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 2:58:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 2:57:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 2:57:30 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 2:57:10 AM	28	gradCels
SC PITUR DORU SNC	Cianuri	8/16/2016 2:57:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 2:57:00 AM	13	mg/l
SC PITUR DORU SNC	pH	8/16/2016 2:56:40 AM	8	unit pH
SC PITUR DORU SNC	Clor	8/16/2016 2:56:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 2:56:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 2:56:01 AM	28	gradCels
SC PITUR DORU SNC	pH	8/16/2016 2:56:00 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/16/2016 2:50:52 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	8/16/2016 2:50:51 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 2:50:49 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 2:50:48 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 2:50:47 AM	28	gradCels
SC PITUR DORU SNC	pH	8/16/2016 2:50:46 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 2:45:05 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 2:45:04 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 2:45:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 2:45:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 2:45:01 AM	28	gradCels
SC PITUR DORU SNC	pH	8/16/2016 2:45:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 2:40:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 2:39:29 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 2:39:28 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 2:39:27 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 2:39:26 AM	28	gradCels
SC PITUR DORU SNC	pH	8/16/2016 2:39:25 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 2:34:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 2:34:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 2:34:10 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	8/16/2016 2:34:09 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 2:34:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 2:34:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 2:34:01 AM	28	gradCels
SC PITUR DORU SNC	pH	8/16/2016 2:34:00 AM	8	unit pH
SC PITUR DORU SNC	Grasimi	8/16/2016 2:33:30 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	8/16/2016 2:33:20 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 2:33:10 AM	28	gradCels
SC PITUR DORU SNC	pH	8/16/2016 2:32:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 2:29:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 2:29:00 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 2:28:28 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 2:28:27 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 2:28:26 AM	28	gradCels
SC PITUR DORU SNC	pH	8/16/2016 2:28:25 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 2:23:11 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 2:23:10 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 2:23:09 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 2:23:08 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 2:23:07 AM	28	gradCels
SC PITUR DORU SNC	pH	8/16/2016 2:23:06 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 2:18:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 2:18:00 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 2:17:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 2:17:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 2:17:21 AM	28	gradCels
SC PITUR DORU SNC	pH	8/16/2016 2:17:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 2:12:12 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 2:12:10 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 2:12:09 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 2:12:08 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 2:12:07 AM	28	gradCels
SC PITUR DORU SNC	pH	8/16/2016 2:12:06 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 2:10:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 2:10:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 2:08:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 2:08:30 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 2:07:40 AM	28	gradCels
SC PITUR DORU SNC	pH	8/16/2016 2:07:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 2:07:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 2:07:00 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 2:06:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 2:06:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 2:06:21 AM	28	gradCels
SC PITUR DORU SNC	pH	8/16/2016 2:06:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 2:01:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 2:01:09 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 2:01:08 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 2:01:07 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 2:01:06 AM	28	gradCels
SC PITUR DORU SNC	pH	8/16/2016 2:01:05 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 1:56:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 1:56:00 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 1:55:29 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 1:55:28 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 1:55:27 AM	28	gradCels
SC PITUR DORU SNC	pH	8/16/2016 1:55:26 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 1:50:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 1:50:00 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 1:49:48 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 1:49:47 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 1:49:46 AM	28	gradCels
SC PITUR DORU SNC	pH	8/16/2016 1:49:45 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 1:47:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 1:46:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 1:46:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 1:45:40 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 1:45:30 AM	28	gradCels
SC PITUR DORU SNC	Cianuri	8/16/2016 1:45:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 1:45:00 AM	13	mg/l
SC PITUR DORU SNC	pH	8/16/2016 1:44:40 AM	8	unit pH
SC PITUR DORU SNC	Clor	8/16/2016 1:44:23 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	8/16/2016 1:44:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 1:44:21 AM	28	gradCels
SC PITUR DORU SNC	pH	8/16/2016 1:44:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 1:38:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 1:38:49 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 1:38:48 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 1:38:47 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 1:38:46 AM	28	gradCels
SC PITUR DORU SNC	pH	8/16/2016 1:38:45 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 1:34:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 1:34:00 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 1:33:25 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 1:33:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 1:33:22 AM	28	gradCels
SC PITUR DORU SNC	pH	8/16/2016 1:33:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 1:27:51 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 1:27:50 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 1:27:49 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 1:27:48 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 1:27:47 AM	28	gradCels
SC PITUR DORU SNC	pH	8/16/2016 1:27:46 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/16/2016 1:23:02 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	8/16/2016 1:23:01 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 1:22:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 1:22:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 1:22:21 AM	28	gradCels
SC PITUR DORU SNC	pH	8/16/2016 1:22:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 1:21:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 1:21:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 1:20:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 1:20:30 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 1:20:20 AM	28	gradCels
SC PITUR DORU SNC	pH	8/16/2016 1:20:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 1:16:51 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 1:16:50 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 1:16:49 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 1:16:48 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 1:16:47 AM	28	gradCels
SC PITUR DORU SNC	pH	8/16/2016 1:16:46 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 1:12:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 1:12:00 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 1:11:29 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 1:11:28 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 1:11:27 AM	28	gradCels
SC PITUR DORU SNC	pH	8/16/2016 1:11:26 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 1:05:51 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 1:05:44 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 1:05:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 1:05:42 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 1:05:41 AM	29	gradCels
SC PITUR DORU SNC	pH	8/16/2016 1:05:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 1:01:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 1:01:00 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 1:00:29 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 1:00:28 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 1:00:27 AM	29	gradCels
SC PITUR DORU SNC	pH	8/16/2016 1:00:26 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 12:59:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 12:59:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 12:58:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 12:58:30 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 12:58:20 AM	29	gradCels
SC PITUR DORU SNC	pH	8/16/2016 12:58:10 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/16/2016 12:54:50 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	8/16/2016 12:54:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 12:54:43 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	8/16/2016 12:54:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 12:54:41 AM	29	gradCels
SC PITUR DORU SNC	pH	8/16/2016 12:54:40 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/16/2016 12:50:00 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	8/16/2016 12:49:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 12:49:09 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 12:49:08 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 12:49:07 AM	29	gradCels
SC PITUR DORU SNC	pH	8/16/2016 12:49:06 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/16/2016 12:43:52 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	8/16/2016 12:43:51 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 12:43:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 12:43:49 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 12:43:48 AM	29	gradCels
SC PITUR DORU SNC	pH	8/16/2016 12:43:47 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 12:39:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 12:39:00 AM	13	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 12:38:08 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 12:38:07 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 12:38:06 AM	29	gradCels
SC PITUR DORU SNC	pH	8/16/2016 12:38:05 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 12:37:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 12:37:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 12:37:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 12:36:30 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 12:36:00 AM	29	gradCels
SC PITUR DORU SNC	pH	8/16/2016 12:35:20 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/16/2016 12:32:51 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	8/16/2016 12:32:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 12:32:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 12:32:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 12:32:41 AM	29	gradCels
SC PITUR DORU SNC	pH	8/16/2016 12:32:40 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/16/2016 12:28:00 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	8/16/2016 12:27:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 12:27:09 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 12:27:08 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 12:27:07 AM	29	gradCels
SC PITUR DORU SNC	pH	8/16/2016 12:27:06 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/16/2016 12:21:51 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	8/16/2016 12:21:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 12:21:49 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 12:21:48 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 12:21:47 AM	29	gradCels
SC PITUR DORU SNC	pH	8/16/2016 12:21:46 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/16/2016 12:17:00 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	8/16/2016 12:16:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 12:16:09 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 12:16:08 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 12:16:07 AM	29	gradCels
SC PITUR DORU SNC	pH	8/16/2016 12:16:06 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 12:14:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 12:14:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 12:13:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 12:13:10 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 12:12:40 AM	29	gradCels
SC PITUR DORU SNC	pH	8/16/2016 12:12:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/16/2016 12:10:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 12:10:49 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/16/2016 12:10:48 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/16/2016 12:10:47 AM	13	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 12:10:46 AM	29	gradCels
SC PITUR DORU SNC	pH	8/16/2016 12:10:45 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/16/2016 12:06:00 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	8/16/2016 12:05:09 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/16/2016 12:05:08 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	8/16/2016 12:05:07 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/16/2016 12:05:06 AM	29	gradCels
SC PITUR DORU SNC	pH	8/16/2016 12:05:05 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/15/2016 11:59:50 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	8/15/2016 11:59:49 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 11:59:48 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 11:59:47 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 11:59:46 PM	29	gradCels
SC PITUR DORU SNC	pH	8/15/2016 11:59:45 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/15/2016 11:55:00 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	8/15/2016 11:54:09 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 11:54:08 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 11:54:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 11:54:06 PM	29	gradCels
SC PITUR DORU SNC	pH	8/15/2016 11:54:05 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 11:52:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 11:52:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 11:51:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 11:51:10 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 11:50:40 PM	29	gradCels
SC PITUR DORU SNC	pH	8/15/2016 11:50:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 11:49:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 11:49:00 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 11:48:29 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 11:48:28 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 11:48:27 PM	29	gradCels
SC PITUR DORU SNC	pH	8/15/2016 11:48:26 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 11:44:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 11:44:00 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 11:43:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 11:43:09 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 11:43:08 PM	29	gradCels
SC PITUR DORU SNC	pH	8/15/2016 11:43:07 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 11:38:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 11:38:00 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 11:37:28 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 11:37:27 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 11:37:26 PM	29	gradCels
SC PITUR DORU SNC	pH	8/15/2016 11:37:25 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 11:33:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 11:33:00 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 11:32:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 11:32:09 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 11:32:08 PM	29	gradCels
SC PITUR DORU SNC	pH	8/15/2016 11:32:07 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 11:29:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 11:27:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 11:27:10 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	8/15/2016 11:27:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 11:27:00 PM	13	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 11:26:40 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 11:26:30 PM	29	gradCels
SC PITUR DORU SNC	Clor	8/15/2016 11:26:29 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 11:26:28 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 11:26:27 PM	29	gradCels
SC PITUR DORU SNC	pH	8/15/2016 11:26:26 PM	8	unit pH
SC PITUR DORU SNC	pH	8/15/2016 11:26:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 11:22:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 11:22:00 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 11:21:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 11:21:09 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 11:21:08 PM	29	gradCels
SC PITUR DORU SNC	pH	8/15/2016 11:21:07 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 11:16:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 11:16:00 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 11:15:29 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	8/15/2016 11:15:28 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 11:15:27 PM	29	gradCels
SC PITUR DORU SNC	pH	8/15/2016 11:15:26 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 11:11:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 11:10:05 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 11:10:04 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 11:10:03 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 11:10:02 PM	29	gradCels
SC PITUR DORU SNC	pH	8/15/2016 11:10:01 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 11:05:04 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 11:05:00 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 11:04:28 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 11:04:27 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 11:04:26 PM	29	gradCels
SC PITUR DORU SNC	pH	8/15/2016 11:04:25 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 11:01:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 11:01:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 11:01:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 11:00:30 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 11:00:20 PM	29	gradCels
SC PITUR DORU SNC	pH	8/15/2016 11:00:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 10:59:05 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 10:59:04 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 10:59:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 10:59:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 10:59:01 PM	29	gradCels
SC PITUR DORU SNC	pH	8/15/2016 10:59:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 10:54:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 10:54:00 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 10:53:29 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 10:53:28 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 10:53:27 PM	29	gradCels
SC PITUR DORU SNC	pH	8/15/2016 10:53:26 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 10:47:52 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 10:47:50 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 10:47:49 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 10:47:48 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 10:47:47 PM	29	gradCels
SC PITUR DORU SNC	pH	8/15/2016 10:47:46 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 10:43:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 10:43:00 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 10:42:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 10:42:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 10:42:21 PM	29	gradCels
SC PITUR DORU SNC	pH	8/15/2016 10:42:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 10:41:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 10:41:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 10:41:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 10:40:20 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 10:40:10 PM	29	gradCels
SC PITUR DORU SNC	pH	8/15/2016 10:39:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 10:36:51 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 10:36:49 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 10:36:48 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 10:36:47 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 10:36:46 PM	29	gradCels
SC PITUR DORU SNC	pH	8/15/2016 10:36:45 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 10:32:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 10:32:00 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 10:31:18 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 10:31:17 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 10:31:16 PM	29	gradCels
SC PITUR DORU SNC	pH	8/15/2016 10:31:15 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 10:25:51 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 10:25:49 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 10:25:48 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	8/15/2016 10:25:47 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 10:25:46 PM	29	gradCels
SC PITUR DORU SNC	pH	8/15/2016 10:25:45 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 10:21:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 10:21:00 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	8/15/2016 10:20:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 10:20:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 10:20:13 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 10:20:12 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 10:20:11 PM	29	gradCels
SC PITUR DORU SNC	pH	8/15/2016 10:20:10 PM	8	unit pH
SC PITUR DORU SNC	Grasimi	8/15/2016 10:19:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 10:19:20 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 10:19:10 PM	29	gradCels
SC PITUR DORU SNC	pH	8/15/2016 10:18:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 10:14:52 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 10:14:51 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 10:14:49 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 10:14:48 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 10:14:47 PM	29	gradCels
SC PITUR DORU SNC	pH	8/15/2016 10:14:46 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 10:10:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 10:09:14 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 10:09:13 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 10:09:12 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 10:09:11 PM	29	gradCels
SC PITUR DORU SNC	pH	8/15/2016 10:09:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 10:03:51 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 10:03:49 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 10:03:48 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 10:03:47 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 10:03:46 PM	29	gradCels
SC PITUR DORU SNC	pH	8/15/2016 10:03:45 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 9:59:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 9:59:10 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	8/15/2016 9:59:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 9:59:00 PM	13	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 9:58:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 9:58:20 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 9:58:10 PM	29	gradCels
SC PITUR DORU SNC	Clor	8/15/2016 9:58:09 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 9:58:08 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 9:58:07 PM	29	gradCels
SC PITUR DORU SNC	pH	8/15/2016 9:58:06 PM	8	unit pH
SC PITUR DORU SNC	pH	8/15/2016 9:57:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/15/2016 9:52:51 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	8/15/2016 9:52:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 9:52:49 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 9:52:48 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 9:52:47 PM	29	gradCels
SC PITUR DORU SNC	pH	8/15/2016 9:52:46 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 9:48:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 9:48:00 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 9:47:11 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 9:47:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 9:47:09 PM	29	gradCels
SC PITUR DORU SNC	pH	8/15/2016 9:47:08 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 9:41:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 9:41:49 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 9:41:48 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 9:41:47 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 9:41:46 PM	29	gradCels
SC PITUR DORU SNC	pH	8/15/2016 9:41:45 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 9:37:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 9:37:10 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	8/15/2016 9:37:00 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	8/15/2016 9:36:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 9:36:20 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 9:36:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 9:36:09 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 9:36:08 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 9:36:07 PM	29	gradCels
SC PITUR DORU SNC	pH	8/15/2016 9:36:06 PM	8	unit pH
SC PITUR DORU SNC	Temp	8/15/2016 9:35:50 PM	29	gradCels
SC PITUR DORU SNC	pH	8/15/2016 9:35:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 9:31:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 9:31:00 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 9:30:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 9:30:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 9:30:41 PM	29	gradCels
SC PITUR DORU SNC	pH	8/15/2016 9:30:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 9:26:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 9:26:00 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 9:25:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 9:25:09 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 9:25:08 PM	29	gradCels
SC PITUR DORU SNC	pH	8/15/2016 9:25:07 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 9:20:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 9:20:00 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 9:19:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 9:19:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 9:19:41 PM	29	gradCels
SC PITUR DORU SNC	pH	8/15/2016 9:19:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/15/2016 9:15:01 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	8/15/2016 9:15:00 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	8/15/2016 9:14:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 9:14:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 9:14:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 9:14:09 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 9:14:08 PM	29	gradCels
SC PITUR DORU SNC	pH	8/15/2016 9:14:07 PM	8	unit pH
SC PITUR DORU SNC	Grasimi	8/15/2016 9:13:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 9:13:30 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 9:13:20 PM	29	gradCels
SC PITUR DORU SNC	pH	8/15/2016 9:12:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 9:09:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 9:08:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 9:08:29 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 9:08:28 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 9:08:27 PM	29	gradCels
SC PITUR DORU SNC	pH	8/15/2016 9:08:26 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 9:04:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 9:04:00 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 9:03:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 9:03:09 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 9:03:08 PM	29	gradCels
SC PITUR DORU SNC	pH	8/15/2016 9:03:07 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 8:58:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 8:58:00 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 8:57:29 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 8:57:28 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 8:57:27 PM	29	gradCels
SC PITUR DORU SNC	pH	8/15/2016 8:57:26 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 8:53:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 8:53:00 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	8/15/2016 8:52:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 8:52:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 8:52:05 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 8:52:04 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 8:52:03 PM	29	gradCels
SC PITUR DORU SNC	pH	8/15/2016 8:52:02 PM	8	unit pH
SC PITUR DORU SNC	Grasimi	8/15/2016 8:51:20 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	8/15/2016 8:51:10 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 8:51:00 PM	29	gradCels
SC PITUR DORU SNC	pH	8/15/2016 8:50:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 8:47:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 8:47:00 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 8:46:29 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 8:46:28 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 8:46:27 PM	29	gradCels
SC PITUR DORU SNC	pH	8/15/2016 8:46:26 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 8:42:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 8:42:00 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 8:41:04 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 8:41:03 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 8:41:02 PM	29	gradCels
SC PITUR DORU SNC	pH	8/15/2016 8:41:01 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 8:37:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 8:36:06 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 8:36:05 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 8:36:04 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 8:36:03 PM	29	gradCels
SC PITUR DORU SNC	pH	8/15/2016 8:36:02 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 8:31:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 8:31:00 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 8:30:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 8:30:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 8:30:41 PM	29	gradCels
SC PITUR DORU SNC	pH	8/15/2016 8:30:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 8:29:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 8:28:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 8:27:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 8:27:10 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 8:26:40 PM	29	gradCels
SC PITUR DORU SNC	pH	8/15/2016 8:26:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 8:26:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 8:26:00 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 8:25:05 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 8:25:04 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 8:25:03 PM	29	gradCels
SC PITUR DORU SNC	pH	8/15/2016 8:25:02 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 8:20:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 8:20:00 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 8:19:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 8:19:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 8:19:21 PM	29	gradCels
SC PITUR DORU SNC	pH	8/15/2016 8:19:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 8:14:05 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 8:14:04 PM	13	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 8:14:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 8:14:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 8:14:01 PM	29	gradCels
SC PITUR DORU SNC	pH	8/15/2016 8:14:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 8:09:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 8:08:24 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 8:08:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 8:08:22 PM	13	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 8:08:21 PM	29	gradCels
SC PITUR DORU SNC	pH	8/15/2016 8:08:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 8:04:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 8:04:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 8:04:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 8:03:50 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 8:03:40 PM	29	gradCels
SC PITUR DORU SNC	pH	8/15/2016 8:03:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 8:03:05 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 8:03:04 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 8:03:03 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	8/15/2016 8:03:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 8:03:01 PM	29	gradCels
SC PITUR DORU SNC	pH	8/15/2016 8:03:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/15/2016 7:58:01 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	8/15/2016 7:58:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 7:57:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 7:57:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 7:57:21 PM	29	gradCels
SC PITUR DORU SNC	pH	8/15/2016 7:57:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 7:53:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 7:53:00 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 7:52:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 7:52:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 7:52:21 PM	29	gradCels
SC PITUR DORU SNC	pH	8/15/2016 7:52:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 7:47:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 7:47:00 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 7:46:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 7:46:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 7:46:41 PM	29	gradCels
SC PITUR DORU SNC	pH	8/15/2016 7:46:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 7:42:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 7:42:00 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 7:41:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 7:41:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 7:41:21 PM	29	gradCels
SC PITUR DORU SNC	pH	8/15/2016 7:41:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 7:40:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 7:40:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 7:39:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 7:39:20 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 7:39:10 PM	29	gradCels
SC PITUR DORU SNC	pH	8/15/2016 7:38:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 7:36:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 7:35:44 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 7:35:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 7:35:42 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 7:35:41 PM	29	gradCels
SC PITUR DORU SNC	pH	8/15/2016 7:35:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 7:31:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 7:31:00 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 7:30:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 7:30:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 7:30:21 PM	29	gradCels
SC PITUR DORU SNC	pH	8/15/2016 7:30:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 7:25:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 7:25:00 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 7:24:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 7:24:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 7:24:41 PM	29	gradCels
SC PITUR DORU SNC	pH	8/15/2016 7:24:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 7:20:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 7:20:00 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 7:19:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 7:19:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 7:19:21 PM	29	gradCels
SC PITUR DORU SNC	pH	8/15/2016 7:19:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 7:14:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 7:14:10 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	8/15/2016 7:14:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 7:14:00 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 7:13:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 7:13:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 7:13:41 PM	29	gradCels
SC PITUR DORU SNC	pH	8/15/2016 7:13:40 PM	8	unit pH
SC PITUR DORU SNC	Grasimi	8/15/2016 7:13:20 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	8/15/2016 7:13:10 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 7:12:40 PM	29	gradCels
SC PITUR DORU SNC	pH	8/15/2016 7:12:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 7:09:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 7:08:44 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 7:08:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 7:08:42 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 7:08:41 PM	29	gradCels
SC PITUR DORU SNC	pH	8/15/2016 7:08:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 7:04:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 7:04:00 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 7:03:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 7:03:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 7:03:01 PM	29	gradCels
SC PITUR DORU SNC	pH	8/15/2016 7:03:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/15/2016 6:58:08 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	8/15/2016 6:58:07 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 6:57:45 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 6:57:43 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 6:57:41 PM	29	gradCels
SC PITUR DORU SNC	pH	8/15/2016 6:57:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 6:53:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 6:53:00 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 6:52:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 6:52:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 6:52:01 PM	29	gradCels
SC PITUR DORU SNC	pH	8/15/2016 6:52:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 6:51:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 6:51:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 6:50:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 6:50:10 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 6:50:00 PM	29	gradCels
SC PITUR DORU SNC	pH	8/15/2016 6:49:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 6:46:54 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 6:46:53 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 6:46:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 6:46:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 6:46:41 PM	29	gradCels
SC PITUR DORU SNC	pH	8/15/2016 6:46:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 6:42:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 6:42:00 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 6:41:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 6:41:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 6:41:01 PM	29	gradCels
SC PITUR DORU SNC	pH	8/15/2016 6:41:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 6:35:55 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 6:35:44 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 6:35:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 6:35:42 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 6:35:41 PM	28	gradCels
SC PITUR DORU SNC	pH	8/15/2016 6:35:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 6:31:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 6:31:00 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 6:30:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 6:30:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 6:30:01 PM	28	gradCels
SC PITUR DORU SNC	pH	8/15/2016 6:30:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 6:29:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 6:29:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 6:29:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 6:28:40 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 6:28:30 PM	28	gradCels
SC PITUR DORU SNC	pH	8/15/2016 6:28:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 6:24:54 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 6:24:53 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 6:24:43 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	8/15/2016 6:24:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 6:24:41 PM	28	gradCels
SC PITUR DORU SNC	pH	8/15/2016 6:24:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 6:20:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 6:20:00 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 6:19:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 6:19:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 6:19:01 PM	28	gradCels
SC PITUR DORU SNC	pH	8/15/2016 6:19:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 6:13:52 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 6:13:51 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 6:13:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 6:13:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 6:13:21 PM	28	gradCels
SC PITUR DORU SNC	pH	8/15/2016 6:13:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 6:09:00 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	8/15/2016 6:08:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 6:08:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 6:08:04 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 6:08:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 6:08:02 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 6:08:01 PM	28	gradCels
SC PITUR DORU SNC	pH	8/15/2016 6:08:00 PM	8	unit pH
SC PITUR DORU SNC	Grasimi	8/15/2016 6:07:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 6:07:20 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 6:07:10 PM	28	gradCels
SC PITUR DORU SNC	pH	8/15/2016 6:07:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/15/2016 6:02:49 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	8/15/2016 6:02:48 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 6:02:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 6:02:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 6:02:21 PM	28	gradCels
SC PITUR DORU SNC	pH	8/15/2016 6:02:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 5:57:05 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 5:57:04 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 5:57:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 5:57:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 5:57:01 PM	28	gradCels
SC PITUR DORU SNC	pH	8/15/2016 5:57:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 5:51:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 5:51:49 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 5:51:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 5:51:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 5:51:21 PM	28	gradCels
SC PITUR DORU SNC	pH	8/15/2016 5:51:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 5:47:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 5:46:40 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	8/15/2016 5:46:08 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 5:46:05 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 5:46:04 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 5:46:03 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 5:46:01 PM	28	gradCels
SC PITUR DORU SNC	pH	8/15/2016 5:46:00 PM	8	unit pH
SC PITUR DORU SNC	Grasimi	8/15/2016 5:45:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 5:45:30 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 5:45:20 PM	28	gradCels
SC PITUR DORU SNC	pH	8/15/2016 5:45:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 5:40:49 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 5:40:24 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 5:40:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 5:40:22 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 5:40:21 PM	28	gradCels
SC PITUR DORU SNC	pH	8/15/2016 5:40:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 5:35:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 5:35:00 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 5:34:43 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	8/15/2016 5:34:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 5:34:41 PM	28	gradCels
SC PITUR DORU SNC	pH	8/15/2016 5:34:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 5:29:52 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 5:29:51 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 5:29:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 5:29:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 5:29:21 PM	28	gradCels
SC PITUR DORU SNC	pH	8/15/2016 5:29:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 5:24:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 5:24:00 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 5:23:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 5:23:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 5:23:41 PM	28	gradCels
SC PITUR DORU SNC	pH	8/15/2016 5:23:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 5:23:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 5:23:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 5:22:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 5:22:30 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 5:21:40 PM	28	gradCels
SC PITUR DORU SNC	pH	8/15/2016 5:21:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 5:18:49 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 5:18:48 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 5:18:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 5:18:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 5:18:01 PM	28	gradCels
SC PITUR DORU SNC	pH	8/15/2016 5:18:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 5:13:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 5:13:00 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 5:12:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 5:12:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 5:12:41 PM	28	gradCels
SC PITUR DORU SNC	pH	8/15/2016 5:12:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 5:07:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 5:07:04 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 5:07:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 5:07:02 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 5:07:01 PM	27	gradCels
SC PITUR DORU SNC	pH	8/15/2016 5:07:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/15/2016 5:02:01 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	8/15/2016 5:02:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 5:01:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 5:01:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 5:01:41 PM	27	gradCels
SC PITUR DORU SNC	pH	8/15/2016 5:01:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 5:00:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 5:00:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 4:59:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 4:59:20 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 4:59:10 PM	27	gradCels
SC PITUR DORU SNC	pH	8/15/2016 4:58:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 4:56:51 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 4:56:49 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 4:56:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 4:56:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 4:56:01 PM	27	gradCels
SC PITUR DORU SNC	pH	8/15/2016 4:56:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 4:51:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 4:51:00 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 4:50:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 4:50:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 4:50:41 PM	27	gradCels
SC PITUR DORU SNC	pH	8/15/2016 4:50:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 4:45:05 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 4:45:04 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 4:45:03 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	8/15/2016 4:45:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 4:45:01 PM	27	gradCels
SC PITUR DORU SNC	pH	8/15/2016 4:45:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 4:40:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 4:39:24 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 4:39:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 4:39:22 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 4:39:21 PM	27	gradCels
SC PITUR DORU SNC	pH	8/15/2016 4:39:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 4:38:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 4:38:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 4:37:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 4:37:20 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 4:36:40 PM	27	gradCels
SC PITUR DORU SNC	pH	8/15/2016 4:36:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 4:34:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 4:34:00 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 4:33:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 4:33:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 4:33:41 PM	27	gradCels
SC PITUR DORU SNC	pH	8/15/2016 4:33:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 4:29:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 4:29:00 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 4:28:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 4:28:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 4:28:21 PM	27	gradCels
SC PITUR DORU SNC	pH	8/15/2016 4:28:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 4:23:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 4:23:00 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 4:22:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 4:22:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 4:22:41 PM	27	gradCels
SC PITUR DORU SNC	pH	8/15/2016 4:22:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/15/2016 4:18:01 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	8/15/2016 4:18:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 4:17:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 4:17:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 4:17:21 PM	27	gradCels
SC PITUR DORU SNC	pH	8/15/2016 4:17:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 4:15:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 4:15:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 4:14:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 4:14:20 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 4:14:10 PM	27	gradCels
SC PITUR DORU SNC	pH	8/15/2016 4:13:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 4:12:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 4:12:00 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 4:11:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 4:11:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 4:11:41 PM	27	gradCels
SC PITUR DORU SNC	pH	8/15/2016 4:11:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 4:07:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 4:06:24 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 4:06:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 4:06:22 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 4:06:21 PM	27	gradCels
SC PITUR DORU SNC	pH	8/15/2016 4:06:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 4:01:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 4:01:00 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 4:00:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 4:00:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 4:00:41 PM	27	gradCels
SC PITUR DORU SNC	pH	8/15/2016 4:00:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 3:56:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 3:56:09 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 3:55:03 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	8/15/2016 3:55:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 3:55:01 PM	27	gradCels
SC PITUR DORU SNC	pH	8/15/2016 3:55:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 3:53:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 3:53:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 3:52:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 3:52:30 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 3:52:20 PM	27	gradCels
SC PITUR DORU SNC	pH	8/15/2016 3:52:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 3:50:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 3:50:00 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 3:49:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 3:49:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 3:49:41 PM	27	gradCels
SC PITUR DORU SNC	pH	8/15/2016 3:49:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 3:45:09 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 3:45:08 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 3:44:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 3:44:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 3:44:01 PM	26	gradCels
SC PITUR DORU SNC	pH	8/15/2016 3:44:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 3:38:45 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 3:38:44 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 3:38:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 3:38:42 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 3:38:41 PM	26	gradCels
SC PITUR DORU SNC	pH	8/15/2016 3:38:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 3:33:49 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 3:33:48 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	8/15/2016 3:33:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 3:33:04 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 3:33:03 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 3:33:02 PM	26	gradCels
SC PITUR DORU SNC	pH	8/15/2016 3:33:01 PM	8	unit pH
SC PITUR DORU SNC	Clor	8/15/2016 3:32:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 3:32:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 3:31:30 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 3:31:20 PM	26	gradCels
SC PITUR DORU SNC	pH	8/15/2016 3:31:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 3:28:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 3:28:00 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 3:27:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 3:27:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 3:27:41 PM	26	gradCels
SC PITUR DORU SNC	pH	8/15/2016 3:27:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 3:22:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 3:22:49 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 3:22:05 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 3:22:04 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 3:22:03 PM	26	gradCels
SC PITUR DORU SNC	pH	8/15/2016 3:22:02 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 3:17:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 3:17:00 PM	14	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 3:16:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 3:16:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 3:16:21 PM	26	gradCels
SC PITUR DORU SNC	pH	8/15/2016 3:16:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 3:11:51 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 3:11:06 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 3:11:05 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 3:11:04 PM	14	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 3:11:03 PM	26	gradCels
SC PITUR DORU SNC	pH	8/15/2016 3:11:02 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 3:09:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 3:09:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 3:08:50 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	8/15/2016 3:08:20 PM	15	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 3:08:10 PM	26	gradCels
SC PITUR DORU SNC	pH	8/15/2016 3:07:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 3:06:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 3:06:00 PM	15	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 3:05:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 3:05:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 3:05:21 PM	26	gradCels
SC PITUR DORU SNC	pH	8/15/2016 3:05:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 3:00:51 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 3:00:50 PM	15	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 3:00:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 3:00:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 3:00:01 PM	26	gradCels
SC PITUR DORU SNC	pH	8/15/2016 3:00:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 2:55:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 2:55:00 PM	15	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 2:54:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 2:54:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 2:54:21 PM	26	gradCels
SC PITUR DORU SNC	pH	8/15/2016 2:54:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 2:48:51 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 2:48:50 PM	15	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 2:48:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 2:48:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 2:48:45 PM	26	gradCels
SC PITUR DORU SNC	pH	8/15/2016 2:48:44 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 2:48:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 2:48:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 2:47:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 2:47:10 PM	15	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 2:46:40 PM	26	gradCels
SC PITUR DORU SNC	pH	8/15/2016 2:45:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 2:44:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 2:44:01 PM	15	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 2:43:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 2:43:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 2:43:21 PM	26	gradCels
SC PITUR DORU SNC	pH	8/15/2016 2:43:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 2:37:51 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 2:37:48 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 2:37:47 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 2:37:46 PM	15	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 2:37:45 PM	26	gradCels
SC PITUR DORU SNC	pH	8/15/2016 2:37:44 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 2:33:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 2:33:01 PM	15	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 2:32:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 2:32:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 2:32:21 PM	26	gradCels
SC PITUR DORU SNC	pH	8/15/2016 2:32:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 2:26:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 2:26:48 PM	15	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 2:26:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 2:26:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 2:26:45 PM	26	gradCels
SC PITUR DORU SNC	pH	8/15/2016 2:26:44 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 2:26:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 2:25:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 2:24:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 2:24:30 PM	15	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 2:23:20 PM	26	gradCels
SC PITUR DORU SNC	pH	8/15/2016 2:23:10 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/15/2016 2:22:00 PM	15	mg/l
SC PITUR DORU SNC	Cianuri	8/15/2016 2:21:12 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 2:21:11 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	8/15/2016 2:21:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 2:21:09 PM	26	gradCels
SC PITUR DORU SNC	pH	8/15/2016 2:21:08 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/15/2016 2:15:49 PM	15	mg/l
SC PITUR DORU SNC	Cianuri	8/15/2016 2:15:48 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 2:15:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 2:15:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 2:15:45 PM	26	gradCels
SC PITUR DORU SNC	pH	8/15/2016 2:15:44 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 2:11:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 2:11:01 PM	15	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 2:10:11 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 2:10:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 2:10:09 PM	25	gradCels
SC PITUR DORU SNC	pH	8/15/2016 2:10:08 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/15/2016 2:04:51 PM	15	mg/l
SC PITUR DORU SNC	Cianuri	8/15/2016 2:04:48 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 2:04:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 2:04:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 2:04:45 PM	25	gradCels
SC PITUR DORU SNC	pH	8/15/2016 2:04:44 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 2:02:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 2:01:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 2:01:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 2:00:40 PM	15	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 2:00:30 PM	25	gradCels
SC PITUR DORU SNC	pH	8/15/2016 2:00:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/15/2016 2:00:02 PM	15	mg/l
SC PITUR DORU SNC	Cianuri	8/15/2016 1:59:12 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 1:59:11 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 1:59:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 1:59:09 PM	25	gradCels
SC PITUR DORU SNC	pH	8/15/2016 1:59:08 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/15/2016 1:53:51 PM	15	mg/l
SC PITUR DORU SNC	Cianuri	8/15/2016 1:53:48 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 1:53:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 1:53:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 1:53:45 PM	25	gradCels
SC PITUR DORU SNC	pH	8/15/2016 1:53:44 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/15/2016 1:49:02 PM	15	mg/l
SC PITUR DORU SNC	Cianuri	8/15/2016 1:48:11 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 1:48:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 1:48:09 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 1:48:08 PM	25	gradCels
SC PITUR DORU SNC	pH	8/15/2016 1:48:07 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/15/2016 1:42:45 PM	15	mg/l
SC PITUR DORU SNC	Cianuri	8/15/2016 1:42:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 1:42:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 1:42:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 1:42:41 PM	25	gradCels
SC PITUR DORU SNC	pH	8/15/2016 1:42:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 1:39:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 1:38:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 1:38:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 1:37:40 PM	15	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 1:37:30 PM	25	gradCels
SC PITUR DORU SNC	pH	8/15/2016 1:37:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 1:37:12 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 1:37:11 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 1:37:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 1:37:09 PM	15	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 1:37:08 PM	25	gradCels
SC PITUR DORU SNC	pH	8/15/2016 1:37:07 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/15/2016 1:31:47 PM	15	mg/l
SC PITUR DORU SNC	Cianuri	8/15/2016 1:31:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 1:31:43 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	8/15/2016 1:31:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 1:31:41 PM	25	gradCels
SC PITUR DORU SNC	pH	8/15/2016 1:31:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/15/2016 1:27:00 PM	15	mg/l
SC PITUR DORU SNC	Cianuri	8/15/2016 1:26:11 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 1:26:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 1:26:09 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 1:26:08 PM	25	gradCels
SC PITUR DORU SNC	pH	8/15/2016 1:26:07 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/15/2016 1:20:45 PM	15	mg/l
SC PITUR DORU SNC	Cianuri	8/15/2016 1:20:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 1:20:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 1:20:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 1:20:41 PM	25	gradCels
SC PITUR DORU SNC	pH	8/15/2016 1:20:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/15/2016 1:16:10 PM	15	mg/l
SC PITUR DORU SNC	Cianuri	8/15/2016 1:15:20 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	8/15/2016 1:15:13 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 1:15:12 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 1:15:11 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 1:15:10 PM	25	gradCels
SC PITUR DORU SNC	pH	8/15/2016 1:15:09 PM	8	unit pH
SC PITUR DORU SNC	Clor	8/15/2016 1:14:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 1:14:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 1:14:10 PM	15	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 1:13:50 PM	25	gradCels
SC PITUR DORU SNC	pH	8/15/2016 1:13:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 1:09:29 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 1:09:28 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 1:09:27 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 1:09:26 PM	15	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 1:09:25 PM	25	gradCels
SC PITUR DORU SNC	pH	8/15/2016 1:09:24 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/15/2016 1:05:09 PM	15	mg/l
SC PITUR DORU SNC	Cianuri	8/15/2016 1:03:53 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 1:03:52 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 1:03:51 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 1:03:50 PM	25	gradCels
SC PITUR DORU SNC	pH	8/15/2016 1:03:49 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/15/2016 12:59:01 PM	15	mg/l
SC PITUR DORU SNC	Cianuri	8/15/2016 12:58:29 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 12:58:28 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 12:58:27 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 12:58:26 PM	25	gradCels
SC PITUR DORU SNC	pH	8/15/2016 12:58:25 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/15/2016 12:54:10 PM	15	mg/l
SC PITUR DORU SNC	Cianuri	8/15/2016 12:54:09 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	8/15/2016 12:53:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 12:53:07 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 12:53:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 12:53:05 PM	25	gradCels
SC PITUR DORU SNC	pH	8/15/2016 12:53:04 PM	8	unit pH
SC PITUR DORU SNC	Clor	8/15/2016 12:52:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 12:52:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 12:51:50 PM	15	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 12:51:20 PM	25	gradCels
SC PITUR DORU SNC	pH	8/15/2016 12:51:10 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/15/2016 12:48:04 PM	15	mg/l
SC PITUR DORU SNC	Cianuri	8/15/2016 12:47:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 12:47:19 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 12:47:18 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 12:47:17 PM	25	gradCels
SC PITUR DORU SNC	pH	8/15/2016 12:47:16 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/15/2016 12:41:52 PM	15	mg/l
SC PITUR DORU SNC	Cianuri	8/15/2016 12:41:48 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 12:41:47 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	8/15/2016 12:41:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 12:41:45 PM	25	gradCels
SC PITUR DORU SNC	pH	8/15/2016 12:41:44 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 12:37:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 12:36:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 12:36:19 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 12:36:18 PM	15	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 12:36:17 PM	25	gradCels
SC PITUR DORU SNC	pH	8/15/2016 12:36:16 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 12:31:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 12:31:10 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	8/15/2016 12:31:07 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 12:31:05 PM	15	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 12:31:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 12:31:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 12:31:01 PM	25	gradCels
SC PITUR DORU SNC	pH	8/15/2016 12:31:00 PM	8	unit pH
SC PITUR DORU SNC	Grasimi	8/15/2016 12:30:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 12:30:00 PM	15	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 12:29:50 PM	25	gradCels
SC PITUR DORU SNC	pH	8/15/2016 12:29:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 12:25:48 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 12:25:47 PM	15	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 12:25:14 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 12:25:13 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 12:25:12 PM	25	gradCels
SC PITUR DORU SNC	pH	8/15/2016 12:25:11 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 12:20:54 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 12:20:50 PM	15	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 12:20:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 12:20:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 12:20:21 PM	25	gradCels
SC PITUR DORU SNC	pH	8/15/2016 12:20:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 12:14:51 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 12:14:49 PM	15	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 12:14:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 12:14:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 12:14:45 PM	24	gradCels
SC PITUR DORU SNC	pH	8/15/2016 12:14:44 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 12:09:52 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	8/15/2016 12:09:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 12:09:24 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 12:09:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 12:09:22 PM	15	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 12:09:21 PM	24	gradCels
SC PITUR DORU SNC	pH	8/15/2016 12:09:20 PM	8	unit pH
SC PITUR DORU SNC	Clor	8/15/2016 12:08:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 12:07:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 12:07:10 PM	15	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 12:06:40 PM	24	gradCels
SC PITUR DORU SNC	pH	8/15/2016 12:06:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 12:03:51 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 12:03:49 PM	15	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 12:03:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 12:03:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 12:03:45 PM	24	gradCels
SC PITUR DORU SNC	pH	8/15/2016 12:03:44 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 11:58:51 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 11:58:49 AM	15	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 11:58:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 11:58:09 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 11:58:08 AM	24	gradCels
SC PITUR DORU SNC	pH	8/15/2016 11:58:07 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 11:52:49 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 11:52:48 AM	15	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 11:52:47 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	8/15/2016 11:52:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 11:52:45 AM	24	gradCels
SC PITUR DORU SNC	pH	8/15/2016 11:52:44 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 11:48:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 11:48:01 AM	15	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 11:47:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 11:47:09 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 11:47:08 AM	24	gradCels
SC PITUR DORU SNC	pH	8/15/2016 11:47:07 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 11:44:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 11:44:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 11:44:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 11:43:40 AM	15	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 11:43:30 AM	24	gradCels
SC PITUR DORU SNC	pH	8/15/2016 11:43:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 11:41:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 11:41:48 AM	15	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 11:41:47 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 11:41:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 11:41:45 AM	24	gradCels
SC PITUR DORU SNC	pH	8/15/2016 11:41:44 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 11:37:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 11:36:12 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 11:36:11 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 11:36:10 AM	15	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 11:36:09 AM	24	gradCels
SC PITUR DORU SNC	pH	8/15/2016 11:36:08 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/15/2016 11:30:46 AM	15	mg/l
SC PITUR DORU SNC	Cianuri	8/15/2016 11:30:45 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 11:30:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 11:30:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 11:30:41 AM	24	gradCels
SC PITUR DORU SNC	pH	8/15/2016 11:30:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 11:26:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 11:26:00 AM	15	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 11:25:09 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 11:25:08 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 11:25:07 AM	24	gradCels
SC PITUR DORU SNC	pH	8/15/2016 11:25:06 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 11:22:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 11:21:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 11:21:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 11:21:00 AM	15	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 11:20:20 AM	24	gradCels
SC PITUR DORU SNC	pH	8/15/2016 11:20:10 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/15/2016 11:19:47 AM	15	mg/l
SC PITUR DORU SNC	Cianuri	8/15/2016 11:19:46 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 11:19:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 11:19:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 11:19:41 AM	24	gradCels
SC PITUR DORU SNC	pH	8/15/2016 11:19:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 11:15:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 11:15:00 AM	15	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 11:14:13 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 11:14:12 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 11:14:11 AM	24	gradCels
SC PITUR DORU SNC	pH	8/15/2016 11:14:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 11:09:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 11:08:28 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 11:08:27 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 11:08:26 AM	15	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 11:08:25 AM	24	gradCels
SC PITUR DORU SNC	pH	8/15/2016 11:08:24 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 11:04:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 11:04:00 AM	15	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 11:03:12 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	8/15/2016 11:03:11 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 11:03:10 AM	24	gradCels
SC PITUR DORU SNC	pH	8/15/2016 11:03:09 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 10:59:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 10:59:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 10:59:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 10:58:20 AM	15	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 10:58:10 AM	24	gradCels
SC PITUR DORU SNC	Cianuri	8/15/2016 10:58:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 10:58:00 AM	15	mg/l
SC PITUR DORU SNC	pH	8/15/2016 10:57:40 AM	8	unit pH
SC PITUR DORU SNC	Clor	8/15/2016 10:57:27 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 10:57:26 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 10:57:25 AM	24	gradCels
SC PITUR DORU SNC	pH	8/15/2016 10:57:24 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/15/2016 10:52:07 AM	15	mg/l
SC PITUR DORU SNC	Cianuri	8/15/2016 10:52:06 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 10:52:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 10:52:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 10:52:01 AM	24	gradCels
SC PITUR DORU SNC	pH	8/15/2016 10:52:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 10:47:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 10:47:01 AM	15	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 10:46:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 10:46:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 10:46:21 AM	24	gradCels
SC PITUR DORU SNC	pH	8/15/2016 10:46:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 10:42:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 10:42:01 AM	15	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 10:41:27 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 10:41:26 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 10:41:25 AM	24	gradCels
SC PITUR DORU SNC	pH	8/15/2016 10:41:24 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 10:37:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 10:36:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 10:36:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 10:36:10 AM	15	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 10:36:00 AM	24	gradCels
SC PITUR DORU SNC	Cianuri	8/15/2016 10:35:49 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 10:35:48 AM	15	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 10:35:47 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 10:35:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 10:35:45 AM	24	gradCels
SC PITUR DORU SNC	pH	8/15/2016 10:35:44 AM	8	unit pH
SC PITUR DORU SNC	pH	8/15/2016 10:35:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 10:31:05 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 10:31:02 AM	15	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 10:30:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 10:30:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 10:30:21 AM	24	gradCels
SC PITUR DORU SNC	pH	8/15/2016 10:30:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 10:24:49 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 10:24:48 AM	15	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 10:24:47 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 10:24:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 10:24:45 AM	24	gradCels
SC PITUR DORU SNC	pH	8/15/2016 10:24:44 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 10:20:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 10:20:02 AM	15	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 10:19:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 10:19:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 10:19:21 AM	24	gradCels
SC PITUR DORU SNC	pH	8/15/2016 10:19:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 10:15:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 10:15:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 10:14:30 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	8/15/2016 10:14:20 AM	15	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 10:14:10 AM	24	gradCels
SC PITUR DORU SNC	pH	8/15/2016 10:14:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 10:13:51 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 10:13:49 AM	15	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 10:13:47 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 10:13:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 10:13:45 AM	24	gradCels
SC PITUR DORU SNC	pH	8/15/2016 10:13:44 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 10:09:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 10:08:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 10:08:06 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 10:08:05 AM	15	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 10:08:04 AM	24	gradCels
SC PITUR DORU SNC	pH	8/15/2016 10:08:03 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 10:02:51 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 10:02:49 AM	15	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 10:02:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 10:02:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 10:02:41 AM	24	gradCels
SC PITUR DORU SNC	pH	8/15/2016 10:02:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 9:58:04 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 9:58:00 AM	15	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 9:57:06 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 9:57:05 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 9:57:04 AM	24	gradCels
SC PITUR DORU SNC	pH	8/15/2016 9:57:03 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 9:53:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 9:53:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 9:53:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 9:53:00 AM	15	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 9:52:30 AM	24	gradCels
SC PITUR DORU SNC	pH	8/15/2016 9:52:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 9:51:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 9:51:47 AM	15	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 9:51:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 9:51:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 9:51:41 AM	24	gradCels
SC PITUR DORU SNC	pH	8/15/2016 9:51:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 9:47:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 9:47:00 AM	15	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 9:46:06 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 9:46:05 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 9:46:04 AM	24	gradCels
SC PITUR DORU SNC	pH	8/15/2016 9:46:03 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 9:40:48 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 9:40:44 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 9:40:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 9:40:42 AM	15	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 9:40:41 AM	24	gradCels
SC PITUR DORU SNC	pH	8/15/2016 9:40:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 9:36:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 9:36:00 AM	15	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 9:35:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 9:35:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 9:35:01 AM	24	gradCels
SC PITUR DORU SNC	pH	8/15/2016 9:35:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 9:32:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 9:32:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 9:31:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 9:31:20 AM	15	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 9:31:10 AM	24	gradCels
SC PITUR DORU SNC	pH	8/15/2016 9:31:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 9:29:51 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 9:29:49 AM	15	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 9:29:47 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	8/15/2016 9:29:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 9:29:45 AM	24	gradCels
SC PITUR DORU SNC	pH	8/15/2016 9:29:44 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 9:25:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 9:25:01 AM	15	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 9:24:06 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 9:24:05 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 9:24:04 AM	24	gradCels
SC PITUR DORU SNC	pH	8/15/2016 9:24:03 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 9:18:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 9:18:47 AM	15	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 9:18:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 9:18:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 9:18:41 AM	24	gradCels
SC PITUR DORU SNC	pH	8/15/2016 9:18:40 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/15/2016 9:14:04 AM	15	mg/l
SC PITUR DORU SNC	Cianuri	8/15/2016 9:14:01 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	8/15/2016 9:13:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 9:13:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 9:13:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 9:13:01 AM	24	gradCels
SC PITUR DORU SNC	pH	8/15/2016 9:13:00 AM	8	unit pH
SC PITUR DORU SNC	Clor	8/15/2016 9:12:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 9:12:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 9:12:20 AM	15	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 9:12:10 AM	24	gradCels
SC PITUR DORU SNC	pH	8/15/2016 9:12:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 9:08:03 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 9:07:28 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 9:07:27 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 9:07:26 AM	15	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 9:07:25 AM	24	gradCels
SC PITUR DORU SNC	pH	8/15/2016 9:07:24 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 9:03:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 9:03:01 AM	15	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 9:02:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 9:02:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 9:02:01 AM	24	gradCels
SC PITUR DORU SNC	pH	8/15/2016 9:02:00 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/15/2016 8:57:04 AM	15	mg/l
SC PITUR DORU SNC	Cianuri	8/15/2016 8:57:03 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 8:56:26 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 8:56:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 8:56:24 AM	24	gradCels
SC PITUR DORU SNC	pH	8/15/2016 8:56:23 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 8:53:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 8:53:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 8:52:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 8:52:20 AM	15	mg/l
SC PITUR DORU SNC	Cianuri	8/15/2016 8:52:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 8:52:00 AM	15	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 8:51:40 AM	24	gradCels
SC PITUR DORU SNC	pH	8/15/2016 8:51:30 AM	8	unit pH
SC PITUR DORU SNC	Clor	8/15/2016 8:51:06 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 8:51:05 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 8:51:04 AM	24	gradCels
SC PITUR DORU SNC	pH	8/15/2016 8:51:03 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/15/2016 8:46:04 AM	15	mg/l
SC PITUR DORU SNC	Cianuri	8/15/2016 8:46:01 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 8:45:26 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 8:45:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 8:45:24 AM	24	gradCels
SC PITUR DORU SNC	pH	8/15/2016 8:45:23 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 8:41:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 8:40:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 8:40:06 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	8/15/2016 8:40:05 AM	15	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 8:40:04 AM	24	gradCels
SC PITUR DORU SNC	pH	8/15/2016 8:40:03 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/15/2016 8:35:04 AM	15	mg/l
SC PITUR DORU SNC	Cianuri	8/15/2016 8:35:03 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 8:34:26 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 8:34:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 8:34:24 AM	24	gradCels
SC PITUR DORU SNC	pH	8/15/2016 8:34:23 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 8:33:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 8:33:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 8:32:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 8:32:10 AM	15	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 8:32:00 AM	24	gradCels
SC PITUR DORU SNC	pH	8/15/2016 8:31:50 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/15/2016 8:29:10 AM	15	mg/l
SC PITUR DORU SNC	Cianuri	8/15/2016 8:29:09 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 8:29:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 8:29:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 8:29:01 AM	24	gradCels
SC PITUR DORU SNC	pH	8/15/2016 8:29:00 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/15/2016 8:24:04 AM	15	mg/l
SC PITUR DORU SNC	Cianuri	8/15/2016 8:24:03 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 8:23:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 8:23:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 8:23:21 AM	24	gradCels
SC PITUR DORU SNC	pH	8/15/2016 8:23:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 8:18:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 8:18:09 AM	15	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 8:18:06 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 8:18:05 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 8:18:04 AM	24	gradCels
SC PITUR DORU SNC	pH	8/15/2016 8:18:03 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/15/2016 8:13:06 AM	15	mg/l
SC PITUR DORU SNC	Cianuri	8/15/2016 8:13:02 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	8/15/2016 8:12:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 8:12:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 8:12:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 8:12:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 8:12:21 AM	24	gradCels
SC PITUR DORU SNC	pH	8/15/2016 8:12:20 AM	8	unit pH
SC PITUR DORU SNC	Grasimi	8/15/2016 8:11:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 8:11:20 AM	15	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 8:11:10 AM	24	gradCels
SC PITUR DORU SNC	pH	8/15/2016 8:10:30 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/15/2016 8:06:50 AM	15	mg/l
SC PITUR DORU SNC	Cianuri	8/15/2016 8:06:49 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 8:06:46 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 8:06:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 8:06:44 AM	24	gradCels
SC PITUR DORU SNC	pH	8/15/2016 8:06:43 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/15/2016 8:02:02 AM	15	mg/l
SC PITUR DORU SNC	Cianuri	8/15/2016 8:02:01 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 8:01:27 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 8:01:26 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 8:01:25 AM	24	gradCels
SC PITUR DORU SNC	pH	8/15/2016 8:01:24 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 7:55:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 7:55:47 AM	15	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 7:55:46 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 7:55:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 7:55:44 AM	24	gradCels
SC PITUR DORU SNC	pH	8/15/2016 7:55:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 7:52:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 7:52:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 7:51:10 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	8/15/2016 7:51:04 AM	15	mg/l
SC PITUR DORU SNC	Cianuri	8/15/2016 7:51:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 7:50:40 AM	15	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 7:50:30 AM	24	gradCels
SC PITUR DORU SNC	Clor	8/15/2016 7:50:26 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 7:50:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 7:50:24 AM	24	gradCels
SC PITUR DORU SNC	pH	8/15/2016 7:50:23 AM	8	unit pH
SC PITUR DORU SNC	pH	8/15/2016 7:49:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 7:44:51 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 7:44:47 AM	15	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 7:44:46 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 7:44:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 7:44:44 AM	24	gradCels
SC PITUR DORU SNC	pH	8/15/2016 7:44:43 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/15/2016 7:40:03 AM	15	mg/l
SC PITUR DORU SNC	Cianuri	8/15/2016 7:40:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 7:39:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 7:39:09 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 7:39:08 AM	24	gradCels
SC PITUR DORU SNC	pH	8/15/2016 7:39:07 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 7:33:49 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 7:33:47 AM	15	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 7:33:46 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 7:33:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 7:33:44 AM	24	gradCels
SC PITUR DORU SNC	pH	8/15/2016 7:33:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 7:30:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 7:30:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 7:30:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 7:29:40 AM	15	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 7:29:30 AM	24	gradCels
SC PITUR DORU SNC	pH	8/15/2016 7:29:10 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/15/2016 7:29:04 AM	15	mg/l
SC PITUR DORU SNC	Cianuri	8/15/2016 7:29:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 7:28:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 7:28:09 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 7:28:08 AM	24	gradCels
SC PITUR DORU SNC	pH	8/15/2016 7:28:07 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 7:22:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 7:22:47 AM	15	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 7:22:46 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 7:22:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 7:22:44 AM	24	gradCels
SC PITUR DORU SNC	pH	8/15/2016 7:22:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 7:18:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 7:18:00 AM	15	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 7:17:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 7:17:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 7:17:05 AM	24	gradCels
SC PITUR DORU SNC	pH	8/15/2016 7:17:04 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 7:11:51 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 7:11:50 AM	15	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 7:11:46 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 7:11:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 7:11:44 AM	24	gradCels
SC PITUR DORU SNC	pH	8/15/2016 7:11:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 7:08:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 7:08:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 7:08:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 7:07:40 AM	15	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 7:07:30 AM	24	gradCels
SC PITUR DORU SNC	pH	8/15/2016 7:07:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 7:07:03 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 7:06:11 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 7:06:10 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	8/15/2016 7:06:09 AM	15	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 7:06:08 AM	24	gradCels
SC PITUR DORU SNC	pH	8/15/2016 7:06:07 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 7:00:51 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 7:00:50 AM	15	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 7:00:47 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 7:00:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 7:00:45 AM	24	gradCels
SC PITUR DORU SNC	pH	8/15/2016 7:00:44 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/15/2016 6:56:04 AM	15	mg/l
SC PITUR DORU SNC	Cianuri	8/15/2016 6:56:03 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 6:55:06 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 6:55:05 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 6:55:04 AM	25	gradCels
SC PITUR DORU SNC	pH	8/15/2016 6:55:03 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 6:49:51 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 6:49:47 AM	15	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 6:49:46 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 6:49:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 6:49:44 AM	25	gradCels
SC PITUR DORU SNC	pH	8/15/2016 6:49:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 6:47:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 6:47:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 6:46:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 6:46:30 AM	15	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 6:46:20 AM	25	gradCels
SC PITUR DORU SNC	pH	8/15/2016 6:46:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 6:45:04 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 6:45:02 AM	15	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 6:44:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 6:44:09 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 6:44:08 AM	25	gradCels
SC PITUR DORU SNC	pH	8/15/2016 6:44:07 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 6:38:48 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 6:38:44 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 6:38:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 6:38:42 AM	15	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 6:38:41 AM	25	gradCels
SC PITUR DORU SNC	pH	8/15/2016 6:38:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 6:34:04 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 6:34:02 AM	15	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 6:33:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 6:33:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 6:33:05 AM	25	gradCels
SC PITUR DORU SNC	pH	8/15/2016 6:33:04 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/15/2016 6:27:51 AM	15	mg/l
SC PITUR DORU SNC	Cianuri	8/15/2016 6:27:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 6:27:47 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 6:27:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 6:27:45 AM	25	gradCels
SC PITUR DORU SNC	pH	8/15/2016 6:27:44 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 6:26:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 6:26:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 6:25:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 6:25:30 AM	15	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 6:25:20 AM	25	gradCels
SC PITUR DORU SNC	pH	8/15/2016 6:25:10 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/15/2016 6:23:04 AM	15	mg/l
SC PITUR DORU SNC	Cianuri	8/15/2016 6:23:03 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 6:22:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 6:22:09 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 6:22:08 AM	25	gradCels
SC PITUR DORU SNC	pH	8/15/2016 6:22:07 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 6:16:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 6:16:49 AM	15	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 6:16:46 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	8/15/2016 6:16:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 6:16:44 AM	25	gradCels
SC PITUR DORU SNC	pH	8/15/2016 6:16:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 6:12:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 6:11:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 6:11:09 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 6:11:08 AM	15	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 6:11:07 AM	25	gradCels
SC PITUR DORU SNC	pH	8/15/2016 6:11:06 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 6:06:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 6:06:01 AM	15	mg/l
SC PITUR DORU SNC	Cianuri	8/15/2016 6:05:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 6:05:26 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 6:05:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 6:05:24 AM	25	gradCels
SC PITUR DORU SNC	pH	8/15/2016 6:05:23 AM	8	unit pH
SC PITUR DORU SNC	Clor	8/15/2016 6:05:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 6:04:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 6:03:40 AM	15	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 6:03:30 AM	25	gradCels
SC PITUR DORU SNC	pH	8/15/2016 6:03:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 6:01:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 6:01:00 AM	15	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 6:00:12 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 6:00:11 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 6:00:10 AM	25	gradCels
SC PITUR DORU SNC	pH	8/15/2016 6:00:09 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 5:55:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 5:55:00 AM	15	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 5:54:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 5:54:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 5:54:21 AM	25	gradCels
SC PITUR DORU SNC	pH	8/15/2016 5:54:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 5:50:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 5:50:00 AM	15	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 5:49:12 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 5:49:11 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 5:49:10 AM	25	gradCels
SC PITUR DORU SNC	pH	8/15/2016 5:49:09 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/15/2016 5:44:04 AM	15	mg/l
SC PITUR DORU SNC	Cianuri	8/15/2016 5:44:02 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	8/15/2016 5:43:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 5:43:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 5:43:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 5:43:21 AM	25	gradCels
SC PITUR DORU SNC	pH	8/15/2016 5:43:20 AM	8	unit pH
SC PITUR DORU SNC	Clor	8/15/2016 5:43:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 5:42:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 5:42:10 AM	15	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 5:42:00 AM	25	gradCels
SC PITUR DORU SNC	pH	8/15/2016 5:41:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 5:39:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 5:38:13 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 5:38:12 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 5:38:11 AM	15	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 5:38:10 AM	25	gradCels
SC PITUR DORU SNC	pH	8/15/2016 5:38:09 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 5:33:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 5:33:01 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 5:32:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 5:32:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 5:32:21 AM	25	gradCels
SC PITUR DORU SNC	pH	8/15/2016 5:32:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 5:28:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 5:28:00 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 5:27:07 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	8/15/2016 5:27:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 5:27:05 AM	25	gradCels
SC PITUR DORU SNC	pH	8/15/2016 5:27:04 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 5:23:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 5:22:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 5:22:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 5:22:06 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	8/15/2016 5:22:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 5:21:40 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 5:21:30 AM	25	gradCels
SC PITUR DORU SNC	Clor	8/15/2016 5:21:26 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 5:21:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 5:21:24 AM	25	gradCels
SC PITUR DORU SNC	pH	8/15/2016 5:21:23 AM	8	unit pH
SC PITUR DORU SNC	pH	8/15/2016 5:21:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 5:16:12 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 5:16:11 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 5:16:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 5:16:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 5:16:01 AM	25	gradCels
SC PITUR DORU SNC	pH	8/15/2016 5:16:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 5:11:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 5:11:01 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 5:10:26 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 5:10:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 5:10:22 AM	25	gradCels
SC PITUR DORU SNC	pH	8/15/2016 5:10:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 5:06:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 5:06:00 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 5:05:11 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 5:05:10 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 5:05:09 AM	25	gradCels
SC PITUR DORU SNC	pH	8/15/2016 5:05:08 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 5:00:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 4:59:50 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	8/15/2016 4:59:47 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 4:59:45 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 4:59:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 4:59:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 4:59:41 AM	25	gradCels
SC PITUR DORU SNC	pH	8/15/2016 4:59:40 AM	8	unit pH
SC PITUR DORU SNC	Grasimi	8/15/2016 4:59:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 4:59:00 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 4:58:30 AM	25	gradCels
SC PITUR DORU SNC	pH	8/15/2016 4:57:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 4:55:05 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 4:55:04 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 4:54:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 4:54:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 4:54:21 AM	25	gradCels
SC PITUR DORU SNC	pH	8/15/2016 4:54:20 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/15/2016 4:48:48 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	8/15/2016 4:48:45 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 4:48:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 4:48:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 4:48:41 AM	25	gradCels
SC PITUR DORU SNC	pH	8/15/2016 4:48:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 4:44:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 4:44:00 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 4:43:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 4:43:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 4:43:21 AM	25	gradCels
SC PITUR DORU SNC	pH	8/15/2016 4:43:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 4:37:48 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 4:37:44 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 4:37:43 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	8/15/2016 4:37:42 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 4:37:41 AM	25	gradCels
SC PITUR DORU SNC	pH	8/15/2016 4:37:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 4:37:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 4:37:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 4:36:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 4:36:20 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 4:35:50 AM	25	gradCels
SC PITUR DORU SNC	pH	8/15/2016 4:35:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 4:33:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 4:33:00 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 4:32:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 4:32:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 4:32:21 AM	25	gradCels
SC PITUR DORU SNC	pH	8/15/2016 4:32:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 4:26:48 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 4:26:46 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 4:26:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 4:26:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 4:26:41 AM	25	gradCels
SC PITUR DORU SNC	pH	8/15/2016 4:26:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 4:22:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 4:22:00 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 4:21:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 4:21:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 4:21:01 AM	25	gradCels
SC PITUR DORU SNC	pH	8/15/2016 4:21:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 4:17:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 4:17:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 4:16:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 4:16:20 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 4:16:10 AM	25	gradCels
SC PITUR DORU SNC	pH	8/15/2016 4:16:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 4:15:52 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 4:15:50 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 4:15:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 4:15:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 4:15:41 AM	25	gradCels
SC PITUR DORU SNC	pH	8/15/2016 4:15:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 4:10:46 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 4:10:04 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 4:10:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 4:10:02 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 4:10:01 AM	25	gradCels
SC PITUR DORU SNC	pH	8/15/2016 4:10:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 4:04:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 4:04:44 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 4:04:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 4:04:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 4:04:41 AM	25	gradCels
SC PITUR DORU SNC	pH	8/15/2016 4:04:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 3:59:47 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 3:59:46 AM	14	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 3:59:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 3:59:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 3:59:01 AM	25	gradCels
SC PITUR DORU SNC	pH	8/15/2016 3:59:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	8/15/2016 3:56:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 3:56:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	8/15/2016 3:56:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	8/15/2016 3:55:50 AM	14	mg/l
SC PITUR DORU SNC	Temp	8/15/2016 3:55:10 AM	25	gradCels
SC PITUR DORU SNC	pH	8/15/2016 3:55:00 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	8/15/2016 3:53:48 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	8/15/2016 3:53:46 AM	0	mg/l
SC PITUR DORU SNC	Clor	8/15/2016 3:53:43 AM	0	mg/l