

Analiza evolutie pe mai multi senzori

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	9/20/2016 1:59:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/20/2016 1:59:44 AM	15	mg/l
SC PITUR DORU SNC	Clor	9/20/2016 1:59:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/20/2016 1:59:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/20/2016 1:59:41 AM	24	gradCels
SC PITUR DORU SNC	pH	9/20/2016 1:59:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/20/2016 1:54:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/20/2016 1:54:40 AM	15	mg/l
SC PITUR DORU SNC	Clor	9/20/2016 1:54:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/20/2016 1:54:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/20/2016 1:54:21 AM	24	gradCels
SC PITUR DORU SNC	pH	9/20/2016 1:54:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/20/2016 1:53:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/20/2016 1:53:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/20/2016 1:53:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/20/2016 1:52:20 AM	15	mg/l
SC PITUR DORU SNC	Temp	9/20/2016 1:51:20 AM	24	gradCels
SC PITUR DORU SNC	pH	9/20/2016 1:51:10 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/20/2016 1:48:45 AM	15	mg/l
SC PITUR DORU SNC	Cianuri	9/20/2016 1:48:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/20/2016 1:48:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/20/2016 1:48:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/20/2016 1:48:41 AM	24	gradCels
SC PITUR DORU SNC	pH	9/20/2016 1:48:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/20/2016 1:43:25 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/20/2016 1:43:24 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/20/2016 1:43:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/20/2016 1:43:22 AM	15	mg/l
SC PITUR DORU SNC	pH	9/20/2016 1:43:21 AM	8	unit pH
SC PITUR DORU SNC	Temp	9/20/2016 1:43:20 AM	24	gradCels
SC PITUR DORU SNC	Cianuri	9/20/2016 1:33:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/20/2016 1:33:20 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	9/20/2016 1:33:05 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/20/2016 1:33:04 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/20/2016 1:33:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/20/2016 1:33:02 AM	15	mg/l
SC PITUR DORU SNC	pH	9/20/2016 1:33:01 AM	8	unit pH
SC PITUR DORU SNC	Temp	9/20/2016 1:33:00 AM	24	gradCels
SC PITUR DORU SNC	Cianuri	9/20/2016 1:18:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/20/2016 1:18:44 AM	15	mg/l
SC PITUR DORU SNC	Clor	9/20/2016 1:18:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/20/2016 1:18:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/20/2016 1:18:41 AM	24	gradCels
SC PITUR DORU SNC	pH	9/20/2016 1:18:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/20/2016 1:15:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/20/2016 1:15:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/20/2016 1:15:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/20/2016 1:14:50 AM	15	mg/l
SC PITUR DORU SNC	Temp	9/20/2016 1:14:10 AM	24	gradCels
SC PITUR DORU SNC	pH	9/20/2016 1:14:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/20/2016 1:13:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/20/2016 1:13:44 AM	15	mg/l
SC PITUR DORU SNC	Clor	9/20/2016 1:13:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/20/2016 1:13:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/20/2016 1:13:01 AM	24	gradCels
SC PITUR DORU SNC	pH	9/20/2016 1:13:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/20/2016 1:07:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/20/2016 1:07:40 AM	15	mg/l
SC PITUR DORU SNC	Clor	9/20/2016 1:07:28 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/20/2016 1:07:27 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/20/2016 1:07:26 AM	24	gradCels
SC PITUR DORU SNC	pH	9/20/2016 1:07:25 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/20/2016 1:02:46 AM	15	mg/l
SC PITUR DORU SNC	Cianuri	9/20/2016 1:02:04 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	9/20/2016 1:02:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/20/2016 1:02:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/20/2016 1:02:01 AM	24	gradCels
SC PITUR DORU SNC	pH	9/20/2016 1:02:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/20/2016 12:56:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/20/2016 12:56:40 AM	15	mg/l
SC PITUR DORU SNC	Clor	9/20/2016 12:56:26 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/20/2016 12:56:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/20/2016 12:56:24 AM	24	gradCels
SC PITUR DORU SNC	pH	9/20/2016 12:56:23 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/20/2016 12:55:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/20/2016 12:54:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/20/2016 12:54:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/20/2016 12:54:20 AM	15	mg/l
SC PITUR DORU SNC	Temp	9/20/2016 12:54:10 AM	24	gradCels
SC PITUR DORU SNC	pH	9/20/2016 12:54:00 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/20/2016 12:51:44 AM	15	mg/l
SC PITUR DORU SNC	Cianuri	9/20/2016 12:51:04 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/20/2016 12:51:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/20/2016 12:51:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/20/2016 12:51:01 AM	24	gradCels
SC PITUR DORU SNC	pH	9/20/2016 12:51:00 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/20/2016 12:45:40 AM	15	mg/l
SC PITUR DORU SNC	Cianuri	9/20/2016 12:45:24 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/20/2016 12:45:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/20/2016 12:45:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/20/2016 12:45:21 AM	24	gradCels
SC PITUR DORU SNC	pH	9/20/2016 12:45:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/20/2016 12:39:55 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/20/2016 12:39:54 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/20/2016 12:39:53 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/20/2016 12:39:52 AM	15	mg/l
SC PITUR DORU SNC	Temp	9/20/2016 12:39:51 AM	24	gradCels
SC PITUR DORU SNC	pH	9/20/2016 12:39:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/20/2016 12:36:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/20/2016 12:36:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/20/2016 12:36:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/20/2016 12:35:30 AM	15	mg/l
SC PITUR DORU SNC	Temp	9/20/2016 12:35:20 AM	24	gradCels
SC PITUR DORU SNC	pH	9/20/2016 12:35:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/20/2016 12:34:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/20/2016 12:34:40 AM	15	mg/l
SC PITUR DORU SNC	Clor	9/20/2016 12:34:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/20/2016 12:34:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/20/2016 12:34:21 AM	24	gradCels
SC PITUR DORU SNC	pH	9/20/2016 12:34:20 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/20/2016 12:29:40 AM	15	mg/l
SC PITUR DORU SNC	Cianuri	9/20/2016 12:28:54 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/20/2016 12:28:53 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/20/2016 12:28:52 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/20/2016 12:28:51 AM	24	gradCels
SC PITUR DORU SNC	pH	9/20/2016 12:28:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/20/2016 12:23:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/20/2016 12:23:40 AM	15	mg/l
SC PITUR DORU SNC	Clor	9/20/2016 12:23:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/20/2016 12:23:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/20/2016 12:23:21 AM	24	gradCels
SC PITUR DORU SNC	pH	9/20/2016 12:23:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/20/2016 12:18:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/20/2016 12:18:42 AM	15	mg/l
SC PITUR DORU SNC	Clor	9/20/2016 12:17:52 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/20/2016 12:17:51 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/20/2016 12:17:50 AM	24	gradCels
SC PITUR DORU SNC	pH	9/20/2016 12:17:49 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/20/2016 12:16:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/20/2016 12:16:20 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	9/20/2016 12:16:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/20/2016 12:15:50 AM	15	mg/l
SC PITUR DORU SNC	Temp	9/20/2016 12:15:40 AM	24	gradCels
SC PITUR DORU SNC	pH	9/20/2016 12:15:30 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/20/2016 12:12:40 AM	15	mg/l
SC PITUR DORU SNC	Cianuri	9/20/2016 12:12:24 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/20/2016 12:12:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/20/2016 12:12:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/20/2016 12:12:21 AM	24	gradCels
SC PITUR DORU SNC	pH	9/20/2016 12:12:20 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/20/2016 12:07:43 AM	15	mg/l
SC PITUR DORU SNC	Cianuri	9/20/2016 12:06:54 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/20/2016 12:06:53 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/20/2016 12:06:52 AM	0	mg/l
SC PITUR DORU SNC	pH	9/20/2016 12:06:51 AM	8	unit pH
SC PITUR DORU SNC	Temp	9/20/2016 12:06:50 AM	24	gradCels
SC PITUR DORU SNC	Substante organice	9/20/2016 12:01:40 AM	15	mg/l
SC PITUR DORU SNC	Cianuri	9/20/2016 12:01:15 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/20/2016 12:01:14 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/20/2016 12:01:13 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/20/2016 12:01:12 AM	24	gradCels
SC PITUR DORU SNC	pH	9/20/2016 12:01:11 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 11:57:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 11:57:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 11:56:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 11:56:10 PM	15	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 11:56:00 PM	24	gradCels
SC PITUR DORU SNC	Substante organice	9/19/2016 11:55:45 PM	15	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 11:55:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 11:55:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 11:55:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 11:55:41 PM	24	gradCels
SC PITUR DORU SNC	pH	9/19/2016 11:55:40 PM	8	unit pH
SC PITUR DORU SNC	pH	9/19/2016 11:55:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 11:50:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 11:50:40 PM	15	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 11:50:15 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 11:50:14 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 11:50:13 PM	24	gradCels
SC PITUR DORU SNC	pH	9/19/2016 11:50:12 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/19/2016 11:44:45 PM	15	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 11:44:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 11:44:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 11:44:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 11:44:41 PM	24	gradCels
SC PITUR DORU SNC	pH	9/19/2016 11:44:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 11:39:17 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 11:39:16 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 11:39:15 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 11:39:14 PM	15	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 11:39:13 PM	24	gradCels
SC PITUR DORU SNC	pH	9/19/2016 11:39:12 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 11:37:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 11:37:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 11:37:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 11:37:00 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 11:36:50 PM	24	gradCels
SC PITUR DORU SNC	pH	9/19/2016 11:36:30 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/19/2016 11:33:45 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 11:33:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 11:33:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 11:33:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 11:33:41 PM	24	gradCels
SC PITUR DORU SNC	pH	9/19/2016 11:33:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/19/2016 11:28:46 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 11:28:17 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	9/19/2016 11:28:16 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 11:28:15 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 11:28:14 PM	24	gradCels
SC PITUR DORU SNC	pH	9/19/2016 11:28:13 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/19/2016 11:22:40 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 11:22:34 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 11:22:33 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 11:22:32 PM	0	mg/l
SC PITUR DORU SNC	pH	9/19/2016 11:22:31 PM	8	unit pH
SC PITUR DORU SNC	Temp	9/19/2016 11:22:30 PM	24	gradCels
SC PITUR DORU SNC	Cianuri	9/19/2016 11:18:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 11:18:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 11:17:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 11:17:46 PM	14	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 11:17:30 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 11:17:20 PM	24	gradCels
SC PITUR DORU SNC	pH	9/19/2016 11:17:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 11:17:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 11:17:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 11:17:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 11:17:01 PM	24	gradCels
SC PITUR DORU SNC	pH	9/19/2016 11:17:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/19/2016 11:11:40 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 11:11:32 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 11:11:31 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 11:11:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 11:11:29 PM	24	gradCels
SC PITUR DORU SNC	pH	9/19/2016 11:11:28 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 11:06:05 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 11:06:04 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 11:06:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 11:06:02 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 11:06:01 PM	24	gradCels
SC PITUR DORU SNC	pH	9/19/2016 11:06:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/19/2016 11:00:40 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 11:00:33 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 11:00:32 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 11:00:31 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 11:00:30 PM	24	gradCels
SC PITUR DORU SNC	pH	9/19/2016 11:00:29 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 10:58:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 10:58:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 10:57:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 10:57:10 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 10:57:00 PM	24	gradCels
SC PITUR DORU SNC	pH	9/19/2016 10:56:50 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/19/2016 10:55:46 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 10:55:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 10:55:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 10:55:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 10:55:01 PM	24	gradCels
SC PITUR DORU SNC	pH	9/19/2016 10:55:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/19/2016 10:49:40 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 10:49:29 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 10:49:28 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 10:49:27 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 10:49:26 PM	24	gradCels
SC PITUR DORU SNC	pH	9/19/2016 10:49:25 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/19/2016 10:44:47 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 10:44:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 10:44:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 10:44:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 10:44:01 PM	24	gradCels
SC PITUR DORU SNC	pH	9/19/2016 10:44:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 10:38:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 10:38:24 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	9/19/2016 10:38:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 10:38:22 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 10:38:21 PM	24	gradCels
SC PITUR DORU SNC	pH	9/19/2016 10:38:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 10:38:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 10:37:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 10:36:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 10:36:40 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 10:36:30 PM	24	gradCels
SC PITUR DORU SNC	pH	9/19/2016 10:36:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/19/2016 10:33:43 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 10:32:52 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 10:32:51 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 10:32:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 10:32:49 PM	24	gradCels
SC PITUR DORU SNC	pH	9/19/2016 10:32:48 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/19/2016 10:27:40 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 10:27:24 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 10:27:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 10:27:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 10:27:21 PM	24	gradCels
SC PITUR DORU SNC	pH	9/19/2016 10:27:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/19/2016 10:22:43 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 10:21:52 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 10:21:51 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 10:21:50 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 10:21:49 PM	24	gradCels
SC PITUR DORU SNC	pH	9/19/2016 10:21:48 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 10:19:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 10:18:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 10:18:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 10:18:10 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 10:18:00 PM	24	gradCels
SC PITUR DORU SNC	pH	9/19/2016 10:17:30 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/19/2016 10:16:43 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 10:16:24 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 10:16:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 10:16:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 10:16:21 PM	24	gradCels
SC PITUR DORU SNC	pH	9/19/2016 10:16:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/19/2016 10:11:40 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 10:10:53 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 10:10:52 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 10:10:51 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 10:10:50 PM	24	gradCels
SC PITUR DORU SNC	pH	9/19/2016 10:10:49 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 10:05:25 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 10:05:24 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 10:05:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 10:05:22 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 10:05:21 PM	24	gradCels
SC PITUR DORU SNC	pH	9/19/2016 10:05:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/19/2016 10:00:40 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 9:59:47 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 9:59:46 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 9:59:45 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 9:59:44 PM	24	gradCels
SC PITUR DORU SNC	pH	9/19/2016 9:59:43 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 9:58:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 9:58:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 9:58:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 9:57:50 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 9:57:30 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 9:57:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/19/2016 9:54:43 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 9:54:13 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	9/19/2016 9:54:12 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 9:54:11 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 9:54:10 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 9:54:09 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/19/2016 9:48:45 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 9:48:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 9:48:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 9:48:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 9:48:41 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 9:48:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/19/2016 9:43:43 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 9:43:14 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 9:43:13 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 9:43:12 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 9:43:11 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 9:43:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 9:39:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 9:39:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 9:38:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 9:37:50 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 9:37:45 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 9:37:44 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 9:37:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 9:37:42 PM	14	mg/l
SC PITUR DORU SNC	pH	9/19/2016 9:37:41 PM	8	unit pH
SC PITUR DORU SNC	Temp	9/19/2016 9:37:40 PM	25	gradCels
SC PITUR DORU SNC	Temp	9/19/2016 9:37:30 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 9:36:50 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/19/2016 9:32:48 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 9:32:13 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 9:32:12 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 9:32:11 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 9:32:10 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 9:32:09 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/19/2016 9:26:45 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 9:26:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 9:26:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 9:26:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 9:26:41 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 9:26:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/19/2016 9:21:43 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 9:21:24 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 9:21:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 9:21:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 9:21:21 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 9:21:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 9:18:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 9:18:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 9:17:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 9:17:20 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 9:17:10 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 9:16:50 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/19/2016 9:15:45 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 9:15:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 9:15:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 9:15:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 9:15:41 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 9:15:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/19/2016 9:10:40 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 9:10:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 9:10:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 9:10:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 9:10:01 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 9:10:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 9:05:05 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 9:05:04 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	9/19/2016 9:05:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 9:05:02 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 9:05:01 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 9:05:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/19/2016 8:59:45 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 8:59:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 8:59:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 8:59:42 PM	0	mg/l
SC PITUR DORU SNC	pH	9/19/2016 8:59:41 PM	8	unit pH
SC PITUR DORU SNC	Temp	9/19/2016 8:59:40 PM	25	gradCels
SC PITUR DORU SNC	Cianuri	9/19/2016 8:58:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 8:58:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 8:57:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 8:57:20 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 8:57:10 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 8:57:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 8:54:49 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 8:54:48 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 8:54:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 8:54:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 8:54:01 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 8:54:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 8:48:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 8:48:44 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 8:48:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 8:48:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 8:48:41 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 8:48:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/19/2016 8:43:47 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 8:43:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 8:43:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 8:43:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 8:43:01 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 8:43:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 8:39:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 8:39:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 8:39:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 8:39:10 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 8:39:00 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 8:38:50 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/19/2016 8:37:45 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 8:37:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 8:37:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 8:37:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 8:37:41 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 8:37:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/19/2016 8:32:50 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 8:32:05 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 8:32:04 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 8:32:03 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 8:32:02 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 8:32:01 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/19/2016 8:26:40 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 8:26:24 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 8:26:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 8:26:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 8:26:21 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 8:26:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 8:21:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 8:21:40 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 8:21:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 8:21:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 8:21:01 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 8:21:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 8:18:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 8:18:10 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	9/19/2016 8:17:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 8:17:40 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 8:17:30 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 8:17:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 8:15:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 8:15:40 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 8:15:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 8:15:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 8:15:21 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 8:15:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 8:10:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 8:10:28 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 8:10:27 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 8:10:26 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 8:10:25 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 8:10:24 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/19/2016 8:05:43 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 8:05:08 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 8:05:07 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 8:05:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 8:05:05 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 8:05:04 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/19/2016 7:59:47 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 7:59:29 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 7:59:28 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 7:59:27 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 7:59:26 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 7:59:25 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 7:59:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 7:58:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 7:57:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 7:57:30 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 7:57:00 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 7:56:50 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/19/2016 7:54:41 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 7:54:08 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 7:54:07 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 7:54:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 7:54:05 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 7:54:04 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/19/2016 7:48:48 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 7:48:28 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 7:48:27 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 7:48:26 PM	0	mg/l
SC PITUR DORU SNC	pH	9/19/2016 7:48:25 PM	8	unit pH
SC PITUR DORU SNC	Temp	9/19/2016 7:48:24 PM	25	gradCels
SC PITUR DORU SNC	Substante organice	9/19/2016 7:43:43 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 7:42:48 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 7:42:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 7:42:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 7:42:45 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 7:42:44 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 7:39:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 7:39:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 7:39:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 7:38:50 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 7:38:30 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 7:38:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/19/2016 7:37:48 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 7:37:28 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 7:37:27 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 7:37:26 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 7:37:25 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 7:37:24 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/19/2016 7:32:40 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 7:31:50 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	9/19/2016 7:31:49 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 7:31:48 PM	0	mg/l
SC PITUR DORU SNC	pH	9/19/2016 7:31:47 PM	8	unit pH
SC PITUR DORU SNC	Temp	9/19/2016 7:31:46 PM	25	gradCels
SC PITUR DORU SNC	Substante organice	9/19/2016 7:26:50 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 7:26:28 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 7:26:27 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 7:26:26 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 7:26:25 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 7:26:24 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/19/2016 7:21:41 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 7:20:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 7:20:49 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 7:20:48 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 7:20:47 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 7:20:46 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 7:19:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 7:18:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 7:18:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 7:18:10 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 7:17:50 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 7:17:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/19/2016 7:15:50 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 7:15:24 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 7:15:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 7:15:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 7:15:21 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 7:15:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 7:09:49 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 7:09:48 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 7:09:47 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 7:09:46 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 7:09:45 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 7:09:44 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/19/2016 7:04:56 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 7:04:08 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 7:04:07 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 7:04:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 7:04:05 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 7:04:04 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 7:00:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 7:00:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 6:59:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 6:59:30 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 6:59:20 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 6:59:10 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/19/2016 6:58:51 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 6:58:49 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 6:58:48 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 6:58:47 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 6:58:46 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 6:58:45 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/19/2016 6:53:49 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 6:53:08 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 6:53:07 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 6:53:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 6:53:05 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 6:53:04 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/19/2016 6:47:51 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 6:47:48 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 6:47:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 6:47:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 6:47:45 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 6:47:44 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/19/2016 6:42:52 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 6:42:50 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	9/19/2016 6:42:07 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 6:42:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 6:42:05 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 6:42:04 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 6:41:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 6:41:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 6:40:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 6:40:10 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 6:39:50 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 6:39:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/19/2016 6:36:49 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 6:36:48 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 6:36:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 6:36:46 PM	0	mg/l
SC PITUR DORU SNC	pH	9/19/2016 6:36:45 PM	8	unit pH
SC PITUR DORU SNC	Temp	9/19/2016 6:36:44 PM	25	gradCels
SC PITUR DORU SNC	Substante organice	9/19/2016 6:31:40 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 6:31:09 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 6:31:08 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 6:31:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 6:31:06 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 6:31:05 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 6:25:45 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 6:25:44 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 6:25:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 6:25:42 PM	14	mg/l
SC PITUR DORU SNC	pH	9/19/2016 6:25:41 PM	8	unit pH
SC PITUR DORU SNC	Temp	9/19/2016 6:25:40 PM	25	gradCels
SC PITUR DORU SNC	Cianuri	9/19/2016 6:22:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 6:22:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 6:22:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 6:21:50 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 6:21:40 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 6:21:30 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/19/2016 6:19:01 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 6:18:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 6:18:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 6:18:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 6:18:01 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 6:18:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/19/2016 6:12:42 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 6:12:24 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 6:12:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 6:12:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 6:12:21 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 6:12:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 6:06:49 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 6:06:48 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 6:06:47 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 6:06:46 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 6:06:45 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 6:06:44 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 6:03:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 6:03:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 6:02:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 6:02:30 PM	14	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 6:01:41 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 6:01:30 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 6:01:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 6:01:09 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 6:01:08 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 6:01:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 6:01:06 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 6:01:05 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 5:55:42 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 5:55:41 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	9/19/2016 5:55:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 5:55:39 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 5:55:38 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 5:55:37 PM	8	unit pH
SC PITUR DORU SNC	Temp	9/19/2016 5:55:31 PM	25	gradCels
SC PITUR DORU SNC	Substante organice	9/19/2016 5:55:30 PM	14	mg/l
SC PITUR DORU SNC	pH	9/19/2016 5:55:29 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/19/2016 5:55:28 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 5:55:27 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 5:55:26 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 5:55:25 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 5:49:45 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 5:49:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 5:49:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 5:49:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 5:49:41 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 5:49:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/19/2016 5:44:42 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 5:44:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 5:44:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 5:44:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 5:44:01 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 5:44:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 5:42:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 5:42:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 5:41:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 5:40:50 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 5:40:30 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 5:39:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 5:38:25 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 5:38:24 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 5:38:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 5:38:22 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 5:38:21 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 5:38:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/19/2016 5:33:42 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 5:33:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 5:33:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 5:33:02 PM	0	mg/l
SC PITUR DORU SNC	pH	9/19/2016 5:33:01 PM	8	unit pH
SC PITUR DORU SNC	Temp	9/19/2016 5:33:00 PM	25	gradCels
SC PITUR DORU SNC	Cianuri	9/19/2016 5:27:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 5:27:40 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 5:27:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 5:27:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 5:27:21 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 5:27:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/19/2016 5:22:42 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 5:22:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 5:22:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 5:22:02 PM	0	mg/l
SC PITUR DORU SNC	pH	9/19/2016 5:22:01 PM	8	unit pH
SC PITUR DORU SNC	Temp	9/19/2016 5:22:00 PM	25	gradCels
SC PITUR DORU SNC	Cianuri	9/19/2016 5:21:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 5:21:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 5:20:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 5:20:20 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 5:20:10 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 5:20:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/19/2016 5:16:40 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 5:16:24 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 5:16:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 5:16:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 5:16:21 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 5:16:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 5:10:45 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	9/19/2016 5:10:44 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 5:10:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 5:10:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 5:10:41 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 5:10:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 5:05:17 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 5:05:16 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 5:05:15 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 5:05:14 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 5:05:13 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 5:05:12 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 5:05:11 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 5:05:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 5:05:09 PM	0	mg/l
SC PITUR DORU SNC	pH	9/19/2016 5:05:08 PM	8	unit pH
SC PITUR DORU SNC	Temp	9/19/2016 5:05:07 PM	25	gradCels
SC PITUR DORU SNC	Cianuri	9/19/2016 5:05:06 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 5:05:05 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 5:00:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 5:00:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 4:59:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 4:59:40 PM	14	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 4:59:30 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 4:59:24 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 4:59:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 4:59:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 4:59:21 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 4:59:20 PM	8	unit pH
SC PITUR DORU SNC	Temp	9/19/2016 4:59:00 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 4:58:50 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/19/2016 4:53:45 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 4:53:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 4:53:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 4:53:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 4:53:41 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 4:53:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/19/2016 4:48:40 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 4:48:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 4:48:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 4:48:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 4:48:01 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 4:48:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 4:42:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 4:42:44 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 4:42:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 4:42:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 4:42:41 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 4:42:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 4:40:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 4:40:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 4:40:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 4:39:50 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 4:39:30 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 4:38:30 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/19/2016 4:37:40 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 4:37:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 4:37:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 4:37:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 4:37:01 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 4:37:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/19/2016 4:31:45 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 4:31:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 4:31:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 4:31:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 4:31:41 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 4:31:40 PM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	9/19/2016 4:26:40 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 4:26:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 4:26:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 4:26:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 4:26:01 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 4:26:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/19/2016 4:20:45 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 4:20:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 4:20:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 4:20:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 4:20:41 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 4:20:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 4:20:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 4:20:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 4:19:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 4:19:20 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 4:19:10 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 4:18:50 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/19/2016 4:15:40 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 4:15:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 4:15:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 4:15:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 4:15:01 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 4:15:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 4:09:25 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 4:09:24 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 4:09:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 4:09:22 PM	14	mg/l
SC PITUR DORU SNC	pH	9/19/2016 4:09:21 PM	8	unit pH
SC PITUR DORU SNC	Temp	9/19/2016 4:09:20 PM	25	gradCels
SC PITUR DORU SNC	Substante organice	9/19/2016 4:04:40 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 4:04:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 4:04:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 4:04:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 4:04:01 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 4:04:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 3:59:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 3:59:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 3:58:40 PM	14	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 3:58:30 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 3:58:24 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 3:58:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 3:58:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 3:58:21 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 3:58:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/19/2016 3:58:10 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 3:58:00 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 3:57:50 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/19/2016 3:53:40 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 3:53:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 3:53:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 3:53:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 3:53:01 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 3:53:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 3:47:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 3:47:40 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 3:47:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 3:47:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 3:47:21 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 3:47:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/19/2016 3:42:40 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 3:41:45 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 3:41:44 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 3:41:43 PM	0	mg/l
SC PITUR DORU SNC	pH	9/19/2016 3:41:42 PM	8	unit pH
SC PITUR DORU SNC	Temp	9/19/2016 3:41:41 PM	25	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	9/19/2016 3:39:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 3:38:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 3:37:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 3:37:30 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 3:37:20 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 3:37:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 3:36:25 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 3:36:24 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 3:36:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 3:36:22 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 3:36:21 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 3:36:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/19/2016 3:31:40 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 3:30:55 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 3:30:54 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 3:30:53 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 3:30:52 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 3:30:50 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/19/2016 3:25:40 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 3:25:24 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 3:25:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 3:25:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 3:25:21 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 3:25:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/19/2016 3:19:46 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 3:19:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 3:19:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 3:19:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 3:19:41 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 3:19:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 3:18:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 3:17:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 3:17:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 3:17:20 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 3:17:10 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 3:17:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/19/2016 3:14:40 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 3:14:24 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 3:14:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 3:14:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 3:14:21 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 3:14:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 3:08:45 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 3:08:44 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 3:08:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 3:08:42 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 3:08:41 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 3:08:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/19/2016 3:03:40 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 3:03:24 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 3:03:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 3:03:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 3:03:21 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 3:03:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 3:00:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 3:00:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 2:59:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 2:58:50 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 2:58:40 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 2:58:30 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/19/2016 2:57:46 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 2:57:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 2:57:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 2:57:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 2:57:41 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 2:57:40 PM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	9/19/2016 2:52:40 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 2:52:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 2:52:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 2:52:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 2:52:01 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 2:52:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/19/2016 2:47:40 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 2:47:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 2:47:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 2:47:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 2:47:01 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 2:47:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/19/2016 2:41:45 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 2:41:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 2:41:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 2:41:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 2:41:41 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 2:41:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 2:41:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 2:41:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 2:40:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 2:40:30 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 2:40:10 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 2:39:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 2:36:07 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 2:36:06 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 2:36:05 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 2:36:04 PM	14	mg/l
SC PITUR DORU SNC	pH	9/19/2016 2:36:03 PM	8	unit pH
SC PITUR DORU SNC	Temp	9/19/2016 2:36:00 PM	25	gradCels
SC PITUR DORU SNC	Substante organice	9/19/2016 2:30:45 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 2:30:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 2:30:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 2:30:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 2:30:41 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 2:30:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/19/2016 2:25:40 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 2:25:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 2:25:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 2:25:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 2:25:01 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 2:25:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 2:22:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 2:22:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 2:22:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 2:22:10 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 2:22:00 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 2:21:50 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/19/2016 2:19:45 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 2:19:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 2:19:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 2:19:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 2:19:41 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 2:19:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/19/2016 2:14:40 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 2:14:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 2:14:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 2:14:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 2:14:01 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 2:14:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 2:08:25 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 2:08:24 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 2:08:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 2:08:22 PM	14	mg/l
SC PITUR DORU SNC	pH	9/19/2016 2:08:21 PM	8	unit pH
SC PITUR DORU SNC	Temp	9/19/2016 2:08:20 PM	25	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	9/19/2016 2:03:40 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 2:03:10 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 2:03:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 2:03:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 2:03:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 2:03:01 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 2:03:00 PM	8	unit pH
SC PITUR DORU SNC	Clor	9/19/2016 2:02:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 2:02:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 2:01:50 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 2:01:30 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 2:01:10 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/19/2016 1:57:40 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 1:57:25 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 1:57:24 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 1:57:23 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 1:57:22 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 1:57:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/19/2016 1:52:40 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 1:52:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 1:52:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 1:52:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 1:52:01 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 1:52:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 1:46:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 1:46:40 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 1:46:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 1:46:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 1:46:21 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 1:46:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 1:43:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 1:43:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 1:42:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 1:41:50 PM	14	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 1:41:40 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 1:41:30 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 1:41:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 1:41:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 1:41:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 1:41:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 1:41:01 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 1:41:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 1:35:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 1:35:40 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 1:35:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 1:35:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 1:35:21 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 1:35:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/19/2016 1:30:40 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 1:29:47 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 1:29:46 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 1:29:45 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 1:29:44 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 1:29:43 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/19/2016 1:24:40 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 1:24:24 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 1:24:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 1:24:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 1:24:21 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 1:24:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 1:22:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 1:22:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 1:22:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 1:22:00 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 1:21:50 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 1:21:30 PM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	9/19/2016 1:19:40 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 1:18:47 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 1:18:46 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 1:18:45 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 1:18:44 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 1:18:43 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/19/2016 1:13:40 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 1:13:24 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 1:13:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 1:13:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 1:13:21 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 1:13:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 1:07:48 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 1:07:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 1:07:46 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 1:07:45 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 1:07:44 PM	25	gradCels
SC PITUR DORU SNC	pH	9/19/2016 1:07:43 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 1:05:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 1:05:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 1:04:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 1:04:10 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 1:03:30 PM	26	gradCels
SC PITUR DORU SNC	pH	9/19/2016 1:03:10 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/19/2016 1:02:40 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 1:02:24 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 1:02:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 1:02:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 1:02:21 PM	26	gradCels
SC PITUR DORU SNC	pH	9/19/2016 1:02:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/19/2016 12:56:45 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 12:56:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 12:56:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 12:56:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 12:56:41 PM	26	gradCels
SC PITUR DORU SNC	pH	9/19/2016 12:56:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/19/2016 12:51:40 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 12:51:24 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 12:51:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 12:51:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 12:51:21 PM	26	gradCels
SC PITUR DORU SNC	pH	9/19/2016 12:51:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/19/2016 12:45:45 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 12:45:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 12:45:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 12:45:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 12:45:41 PM	26	gradCels
SC PITUR DORU SNC	pH	9/19/2016 12:45:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 12:45:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 12:44:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 12:44:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 12:43:50 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 12:43:40 PM	26	gradCels
SC PITUR DORU SNC	pH	9/19/2016 12:43:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 12:40:05 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 12:40:04 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 12:40:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 12:40:02 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 12:40:01 PM	26	gradCels
SC PITUR DORU SNC	pH	9/19/2016 12:40:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/19/2016 12:34:45 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 12:34:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 12:34:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 12:34:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 12:34:41 PM	26	gradCels
SC PITUR DORU SNC	pH	9/19/2016 12:34:40 PM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	9/19/2016 12:29:40 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 12:29:05 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 12:29:04 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 12:29:03 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 12:29:02 PM	26	gradCels
SC PITUR DORU SNC	pH	9/19/2016 12:29:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 12:27:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 12:27:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 12:26:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 12:26:30 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 12:26:20 PM	26	gradCels
SC PITUR DORU SNC	pH	9/19/2016 12:26:10 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/19/2016 12:23:45 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 12:23:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 12:23:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 12:23:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 12:23:41 PM	26	gradCels
SC PITUR DORU SNC	pH	9/19/2016 12:23:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/19/2016 12:18:40 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 12:18:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 12:18:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 12:18:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 12:18:01 PM	26	gradCels
SC PITUR DORU SNC	pH	9/19/2016 12:18:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/19/2016 12:12:45 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 12:12:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 12:12:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 12:12:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 12:12:41 PM	26	gradCels
SC PITUR DORU SNC	pH	9/19/2016 12:12:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 12:08:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 12:07:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 12:07:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 12:07:20 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 12:07:10 PM	26	gradCels
SC PITUR DORU SNC	Cianuri	9/19/2016 12:07:05 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 12:07:04 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 12:07:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 12:07:02 PM	14	mg/l
SC PITUR DORU SNC	pH	9/19/2016 12:07:01 PM	8	unit pH
SC PITUR DORU SNC	Temp	9/19/2016 12:07:00 PM	26	gradCels
SC PITUR DORU SNC	pH	9/19/2016 12:06:50 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/19/2016 12:01:45 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 12:01:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 12:01:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 12:01:42 PM	0	mg/l
SC PITUR DORU SNC	pH	9/19/2016 12:01:41 PM	8	unit pH
SC PITUR DORU SNC	Temp	9/19/2016 12:01:40 PM	26	gradCels
SC PITUR DORU SNC	Substante organice	9/19/2016 11:56:40 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 11:56:04 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 11:56:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 11:56:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 11:56:01 AM	26	gradCels
SC PITUR DORU SNC	pH	9/19/2016 11:56:00 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/19/2016 11:50:40 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 11:50:24 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 11:50:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 11:50:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 11:50:21 AM	26	gradCels
SC PITUR DORU SNC	pH	9/19/2016 11:50:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 11:50:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 11:50:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 11:49:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 11:48:50 AM	14	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 11:48:40 AM	26	gradCels
SC PITUR DORU SNC	pH	9/19/2016 11:48:30 AM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	9/19/2016 11:45:40 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 11:45:04 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 11:45:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 11:45:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 11:45:01 AM	26	gradCels
SC PITUR DORU SNC	pH	9/19/2016 11:45:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 11:39:25 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 11:39:24 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 11:39:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 11:39:22 AM	14	mg/l
SC PITUR DORU SNC	pH	9/19/2016 11:39:21 AM	8	unit pH
SC PITUR DORU SNC	Temp	9/19/2016 11:39:20 AM	26	gradCels
SC PITUR DORU SNC	Substante organice	9/19/2016 11:34:40 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 11:34:24 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 11:34:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 11:34:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 11:34:21 AM	26	gradCels
SC PITUR DORU SNC	pH	9/19/2016 11:34:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 11:32:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 11:32:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 11:31:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 11:31:40 AM	14	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 11:31:30 AM	26	gradCels
SC PITUR DORU SNC	pH	9/19/2016 11:31:21 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/19/2016 11:29:40 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 11:29:04 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 11:29:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 11:29:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 11:29:01 AM	26	gradCels
SC PITUR DORU SNC	pH	9/19/2016 11:29:00 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/19/2016 11:23:40 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 11:23:24 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 11:23:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 11:23:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 11:23:21 AM	26	gradCels
SC PITUR DORU SNC	pH	9/19/2016 11:23:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 11:18:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 11:18:40 AM	14	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 11:18:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 11:18:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 11:18:01 AM	26	gradCels
SC PITUR DORU SNC	pH	9/19/2016 11:18:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 11:14:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 11:14:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 11:13:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 11:12:50 AM	14	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 11:12:40 AM	14	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 11:12:30 AM	26	gradCels
SC PITUR DORU SNC	Cianuri	9/19/2016 11:12:24 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 11:12:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 11:12:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 11:12:21 AM	26	gradCels
SC PITUR DORU SNC	pH	9/19/2016 11:12:20 AM	8	unit pH
SC PITUR DORU SNC	pH	9/19/2016 11:12:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 11:07:05 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 11:07:04 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 11:07:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 11:07:02 AM	14	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 11:07:01 AM	26	gradCels
SC PITUR DORU SNC	pH	9/19/2016 11:07:00 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/19/2016 11:01:40 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 11:01:24 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 11:01:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 11:01:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 11:01:21 AM	26	gradCels
SC PITUR DORU SNC	pH	9/19/2016 11:01:20 AM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	9/19/2016 10:56:40 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 10:55:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 10:55:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 10:55:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 10:55:41 AM	26	gradCels
SC PITUR DORU SNC	pH	9/19/2016 10:55:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 10:55:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 10:55:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 10:55:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 10:54:50 AM	14	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 10:54:30 AM	26	gradCels
SC PITUR DORU SNC	pH	9/19/2016 10:54:10 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/19/2016 10:50:40 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 10:50:24 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 10:50:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 10:50:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 10:50:21 AM	26	gradCels
SC PITUR DORU SNC	pH	9/19/2016 10:50:20 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/19/2016 10:44:46 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 10:44:45 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 10:44:44 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 10:44:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 10:44:41 AM	26	gradCels
SC PITUR DORU SNC	pH	9/19/2016 10:44:40 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/19/2016 10:39:40 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 10:39:04 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 10:39:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 10:39:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 10:39:01 AM	26	gradCels
SC PITUR DORU SNC	pH	9/19/2016 10:39:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 10:37:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 10:37:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 10:36:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 10:36:30 AM	14	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 10:36:20 AM	26	gradCels
SC PITUR DORU SNC	pH	9/19/2016 10:36:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 10:33:37 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 10:33:36 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 10:33:35 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 10:33:34 AM	14	mg/l
SC PITUR DORU SNC	pH	9/19/2016 10:33:33 AM	8	unit pH
SC PITUR DORU SNC	Temp	9/19/2016 10:33:32 AM	26	gradCels
SC PITUR DORU SNC	Grasimi	9/19/2016 10:33:31 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 10:33:30 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 10:33:29 AM	0	mg/l
SC PITUR DORU SNC	pH	9/19/2016 10:33:28 AM	8	unit pH
SC PITUR DORU SNC	Clor	9/19/2016 10:33:27 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 10:33:26 AM	26	gradCels
SC PITUR DORU SNC	Substante organice	9/19/2016 10:33:25 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 10:27:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 10:27:44 AM	14	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 10:27:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 10:27:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 10:27:41 AM	26	gradCels
SC PITUR DORU SNC	pH	9/19/2016 10:27:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 10:22:05 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 10:22:04 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 10:22:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 10:22:02 AM	14	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 10:22:01 AM	26	gradCels
SC PITUR DORU SNC	pH	9/19/2016 10:22:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 10:19:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 10:19:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 10:19:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 10:19:10 AM	14	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 10:18:00 AM	26	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	9/19/2016 10:17:50 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/19/2016 10:15:40 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 10:15:24 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 10:15:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 10:15:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 10:15:21 AM	26	gradCels
SC PITUR DORU SNC	pH	9/19/2016 10:15:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 10:10:05 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 10:10:04 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 10:10:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 10:10:02 AM	14	mg/l
SC PITUR DORU SNC	pH	9/19/2016 10:10:01 AM	8	unit pH
SC PITUR DORU SNC	Temp	9/19/2016 10:10:00 AM	26	gradCels
SC PITUR DORU SNC	Substante organice	9/19/2016 10:04:35 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 10:04:24 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 10:04:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 10:04:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 10:04:21 AM	26	gradCels
SC PITUR DORU SNC	pH	9/19/2016 10:04:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 10:02:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 10:02:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 10:01:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 10:01:00 AM	14	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 10:00:50 AM	26	gradCels
SC PITUR DORU SNC	pH	9/19/2016 10:00:40 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/19/2016 9:59:40 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 9:59:04 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 9:59:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 9:59:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 9:59:01 AM	26	gradCels
SC PITUR DORU SNC	pH	9/19/2016 9:59:00 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/19/2016 9:53:41 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 9:53:24 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 9:53:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 9:53:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 9:53:21 AM	26	gradCels
SC PITUR DORU SNC	pH	9/19/2016 9:53:20 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/19/2016 9:48:43 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 9:48:04 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 9:48:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 9:48:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 9:48:01 AM	26	gradCels
SC PITUR DORU SNC	pH	9/19/2016 9:48:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 9:45:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 9:45:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 9:44:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 9:44:30 AM	14	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 9:44:20 AM	26	gradCels
SC PITUR DORU SNC	pH	9/19/2016 9:44:10 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/19/2016 9:42:42 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 9:42:24 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 9:42:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 9:42:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 9:42:21 AM	26	gradCels
SC PITUR DORU SNC	pH	9/19/2016 9:42:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 9:36:46 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 9:36:45 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 9:36:44 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 9:36:43 AM	14	mg/l
SC PITUR DORU SNC	pH	9/19/2016 9:36:42 AM	8	unit pH
SC PITUR DORU SNC	Temp	9/19/2016 9:36:40 AM	26	gradCels
SC PITUR DORU SNC	Cianuri	9/19/2016 9:31:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 9:31:40 AM	14	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 9:31:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 9:31:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 9:31:21 AM	26	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	9/19/2016 9:31:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 9:28:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 9:28:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 9:27:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 9:27:30 AM	14	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 9:27:20 AM	26	gradCels
SC PITUR DORU SNC	pH	9/19/2016 9:27:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 9:25:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 9:25:44 AM	14	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 9:25:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 9:25:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 9:25:41 AM	26	gradCels
SC PITUR DORU SNC	pH	9/19/2016 9:25:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 9:20:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 9:20:40 AM	14	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 9:20:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 9:20:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 9:20:21 AM	26	gradCels
SC PITUR DORU SNC	pH	9/19/2016 9:20:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 9:14:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 9:14:44 AM	14	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 9:14:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 9:14:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 9:14:41 AM	26	gradCels
SC PITUR DORU SNC	pH	9/19/2016 9:14:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 9:10:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 9:10:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 9:09:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 9:09:30 AM	14	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 9:09:20 AM	26	gradCels
SC PITUR DORU SNC	pH	9/19/2016 9:09:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 9:09:05 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 9:09:04 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 9:09:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 9:09:02 AM	14	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 9:09:01 AM	26	gradCels
SC PITUR DORU SNC	pH	9/19/2016 9:09:00 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/19/2016 9:03:45 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 9:03:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 9:03:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 9:03:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 9:03:41 AM	26	gradCels
SC PITUR DORU SNC	pH	9/19/2016 9:03:40 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/19/2016 8:58:46 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 8:58:04 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 8:58:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 8:58:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 8:58:01 AM	26	gradCels
SC PITUR DORU SNC	pH	9/19/2016 8:58:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 8:53:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 8:52:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 8:52:45 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 8:52:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 8:52:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 8:52:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 8:52:41 AM	26	gradCels
SC PITUR DORU SNC	pH	9/19/2016 8:52:40 AM	8	unit pH
SC PITUR DORU SNC	Grasimi	9/19/2016 8:52:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 8:52:00 AM	14	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 8:51:50 AM	26	gradCels
SC PITUR DORU SNC	pH	9/19/2016 8:51:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 8:47:47 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 8:47:46 AM	14	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 8:47:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 8:47:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 8:47:01 AM	26	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	9/19/2016 8:47:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 8:41:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 8:41:40 AM	14	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 8:41:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 8:41:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 8:41:21 AM	26	gradCels
SC PITUR DORU SNC	pH	9/19/2016 8:41:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 8:36:46 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 8:36:05 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 8:36:04 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 8:36:03 AM	14	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 8:36:02 AM	26	gradCels
SC PITUR DORU SNC	pH	9/19/2016 8:36:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 8:34:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 8:34:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 8:33:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 8:33:10 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 8:33:00 AM	26	gradCels
SC PITUR DORU SNC	pH	9/19/2016 8:32:50 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/19/2016 8:30:40 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 8:30:24 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 8:30:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 8:30:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 8:30:21 AM	26	gradCels
SC PITUR DORU SNC	pH	9/19/2016 8:30:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 8:25:47 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 8:25:46 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 8:25:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 8:25:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 8:25:01 AM	26	gradCels
SC PITUR DORU SNC	pH	9/19/2016 8:25:00 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/19/2016 8:19:40 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 8:19:24 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 8:19:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 8:19:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 8:19:21 AM	27	gradCels
SC PITUR DORU SNC	pH	9/19/2016 8:19:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 8:16:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 8:16:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 8:15:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 8:15:20 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 8:15:10 AM	27	gradCels
SC PITUR DORU SNC	Cianuri	9/19/2016 8:14:49 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 8:14:48 AM	13	mg/l
SC PITUR DORU SNC	pH	9/19/2016 8:14:10 AM	8	unit pH
SC PITUR DORU SNC	Clor	9/19/2016 8:14:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 8:14:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 8:14:01 AM	27	gradCels
SC PITUR DORU SNC	pH	9/19/2016 8:14:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 8:08:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 8:08:25 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 8:08:24 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 8:08:23 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 8:08:22 AM	27	gradCels
SC PITUR DORU SNC	pH	9/19/2016 8:08:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 8:02:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 8:02:44 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 8:02:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 8:02:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 8:02:41 AM	27	gradCels
SC PITUR DORU SNC	pH	9/19/2016 8:02:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 7:57:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 7:57:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 7:57:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 7:57:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 7:57:01 AM	27	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	9/19/2016 7:57:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 7:56:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 7:56:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 7:56:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 7:55:30 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 7:54:40 AM	27	gradCels
SC PITUR DORU SNC	pH	9/19/2016 7:54:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 7:51:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 7:51:44 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 7:51:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 7:51:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 7:51:41 AM	27	gradCels
SC PITUR DORU SNC	pH	9/19/2016 7:51:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 7:46:05 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 7:46:04 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 7:46:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 7:46:02 AM	13	mg/l
SC PITUR DORU SNC	pH	9/19/2016 7:46:01 AM	8	unit pH
SC PITUR DORU SNC	Temp	9/19/2016 7:46:00 AM	27	gradCels
SC PITUR DORU SNC	Cianuri	9/19/2016 7:38:50 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 7:38:41 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 7:38:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 7:38:04 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 7:38:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 7:38:02 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 7:38:01 AM	27	gradCels
SC PITUR DORU SNC	pH	9/19/2016 7:38:00 AM	8	unit pH
SC PITUR DORU SNC	Grasimi	9/19/2016 7:37:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 7:37:30 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 7:37:20 AM	27	gradCels
SC PITUR DORU SNC	pH	9/19/2016 7:37:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 7:32:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 7:32:44 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 7:32:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 7:32:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 7:32:41 AM	27	gradCels
SC PITUR DORU SNC	pH	9/19/2016 7:32:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 7:27:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 7:27:41 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 7:27:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 7:27:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 7:27:01 AM	27	gradCels
SC PITUR DORU SNC	pH	9/19/2016 7:27:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 7:21:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 7:21:44 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 7:21:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 7:21:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 7:21:41 AM	27	gradCels
SC PITUR DORU SNC	pH	9/19/2016 7:21:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 7:20:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 7:20:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 7:19:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 7:19:00 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 7:18:50 AM	27	gradCels
SC PITUR DORU SNC	pH	9/19/2016 7:18:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 7:16:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 7:16:41 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 7:16:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 7:16:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 7:16:01 AM	27	gradCels
SC PITUR DORU SNC	pH	9/19/2016 7:16:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 7:10:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 7:10:24 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 7:10:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 7:10:22 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 7:10:21 AM	27	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	9/19/2016 7:10:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 7:05:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 7:05:41 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 7:05:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 7:05:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 7:05:01 AM	27	gradCels
SC PITUR DORU SNC	pH	9/19/2016 7:05:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 7:01:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 7:01:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 7:01:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 7:00:30 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 6:59:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 6:59:40 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 6:59:30 AM	27	gradCels
SC PITUR DORU SNC	Clor	9/19/2016 6:59:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 6:59:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 6:59:21 AM	27	gradCels
SC PITUR DORU SNC	pH	9/19/2016 6:59:20 AM	8	unit pH
SC PITUR DORU SNC	pH	9/19/2016 6:59:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 6:54:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 6:54:41 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 6:54:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 6:54:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 6:54:01 AM	27	gradCels
SC PITUR DORU SNC	pH	9/19/2016 6:54:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 6:48:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 6:48:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 6:48:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 6:48:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 6:48:21 AM	27	gradCels
SC PITUR DORU SNC	pH	9/19/2016 6:48:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 6:43:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 6:43:41 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 6:43:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 6:43:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 6:43:01 AM	27	gradCels
SC PITUR DORU SNC	pH	9/19/2016 6:43:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 6:41:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 6:41:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 6:40:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 6:40:30 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 6:40:20 AM	27	gradCels
SC PITUR DORU SNC	pH	9/19/2016 6:40:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 6:37:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 6:37:24 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 6:37:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 6:37:22 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 6:37:21 AM	27	gradCels
SC PITUR DORU SNC	pH	9/19/2016 6:37:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 6:32:46 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 6:32:45 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 6:32:44 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 6:32:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 6:32:42 AM	27	gradCels
SC PITUR DORU SNC	pH	9/19/2016 6:32:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 6:27:46 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 6:27:45 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 6:27:04 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 6:27:03 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 6:27:02 AM	27	gradCels
SC PITUR DORU SNC	pH	9/19/2016 6:27:01 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 6:22:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 6:22:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 6:21:50 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 6:21:46 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 6:21:45 AM	13	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	9/19/2016 6:21:44 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 6:21:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 6:21:42 AM	27	gradCels
SC PITUR DORU SNC	pH	9/19/2016 6:21:41 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/19/2016 6:21:00 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 6:20:50 AM	27	gradCels
SC PITUR DORU SNC	pH	9/19/2016 6:20:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 6:16:46 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 6:16:45 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 6:16:04 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 6:16:03 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 6:16:02 AM	27	gradCels
SC PITUR DORU SNC	pH	9/19/2016 6:16:01 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 6:10:46 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 6:10:45 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 6:10:44 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 6:10:43 AM	13	mg/l
SC PITUR DORU SNC	pH	9/19/2016 6:10:42 AM	8	unit pH
SC PITUR DORU SNC	Temp	9/19/2016 6:10:41 AM	27	gradCels
SC PITUR DORU SNC	Cianuri	9/19/2016 6:05:46 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 6:05:45 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 6:05:06 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 6:05:05 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 6:05:04 AM	27	gradCels
SC PITUR DORU SNC	pH	9/19/2016 6:05:03 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 6:02:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 6:02:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 6:01:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 6:01:30 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 6:01:20 AM	27	gradCels
SC PITUR DORU SNC	pH	9/19/2016 6:01:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 5:59:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 5:59:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 5:59:24 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 5:59:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 5:59:22 AM	27	gradCels
SC PITUR DORU SNC	pH	9/19/2016 5:59:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 5:54:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 5:54:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 5:54:05 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 5:54:04 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 5:54:03 AM	27	gradCels
SC PITUR DORU SNC	pH	9/19/2016 5:54:02 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 5:48:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 5:48:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 5:48:24 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 5:48:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 5:48:22 AM	27	gradCels
SC PITUR DORU SNC	pH	9/19/2016 5:48:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 5:43:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 5:43:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 5:42:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 5:42:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 5:42:41 AM	27	gradCels
SC PITUR DORU SNC	pH	9/19/2016 5:42:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 5:42:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 5:41:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 5:41:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 5:40:50 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 5:40:30 AM	27	gradCels
SC PITUR DORU SNC	pH	9/19/2016 5:40:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 5:37:41 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 5:37:24 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 5:37:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 5:37:22 AM	13	mg/l
SC PITUR DORU SNC	pH	9/19/2016 5:37:21 AM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Temp	9/19/2016 5:37:20 AM	27	gradCels
SC PITUR DORU SNC	Cianuri	9/19/2016 5:32:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 5:32:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 5:31:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 5:31:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 5:31:41 AM	27	gradCels
SC PITUR DORU SNC	pH	9/19/2016 5:31:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 5:26:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 5:26:41 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 5:26:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 5:26:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 5:26:21 AM	27	gradCels
SC PITUR DORU SNC	pH	9/19/2016 5:26:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 5:23:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 5:23:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 5:22:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 5:21:50 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 5:21:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 5:21:40 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 5:21:30 AM	27	gradCels
SC PITUR DORU SNC	Clor	9/19/2016 5:20:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 5:20:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 5:20:41 AM	27	gradCels
SC PITUR DORU SNC	pH	9/19/2016 5:20:40 AM	8	unit pH
SC PITUR DORU SNC	pH	9/19/2016 5:20:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 5:15:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 5:15:42 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 5:15:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 5:15:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 5:15:21 AM	27	gradCels
SC PITUR DORU SNC	pH	9/19/2016 5:15:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 5:09:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 5:09:44 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 5:09:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 5:09:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 5:09:41 AM	27	gradCels
SC PITUR DORU SNC	pH	9/19/2016 5:09:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 5:04:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 5:04:41 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 5:04:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 5:04:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 5:04:01 AM	27	gradCels
SC PITUR DORU SNC	pH	9/19/2016 5:04:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 5:03:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 5:03:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 5:02:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 5:02:10 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 5:01:40 AM	27	gradCels
SC PITUR DORU SNC	pH	9/19/2016 5:01:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 4:58:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 4:58:44 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 4:58:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 4:58:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 4:58:41 AM	27	gradCels
SC PITUR DORU SNC	pH	9/19/2016 4:58:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 4:53:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 4:53:41 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 4:53:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 4:53:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 4:53:01 AM	27	gradCels
SC PITUR DORU SNC	pH	9/19/2016 4:53:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 4:48:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 4:48:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 4:48:24 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 4:48:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 4:48:22 AM	27	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	9/19/2016 4:48:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 4:42:50 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 4:42:46 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 4:42:45 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 4:42:44 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 4:42:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 4:42:42 AM	27	gradCels
SC PITUR DORU SNC	pH	9/19/2016 4:42:41 AM	8	unit pH
SC PITUR DORU SNC	Clor	9/19/2016 4:42:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 4:41:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 4:41:30 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 4:41:20 AM	27	gradCels
SC PITUR DORU SNC	pH	9/19/2016 4:41:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 4:37:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 4:37:05 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 4:37:04 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 4:37:03 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 4:37:02 AM	27	gradCels
SC PITUR DORU SNC	pH	9/19/2016 4:37:01 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 4:31:46 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 4:31:45 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 4:31:44 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 4:31:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 4:31:42 AM	27	gradCels
SC PITUR DORU SNC	pH	9/19/2016 4:31:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 4:26:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 4:26:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 4:26:04 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 4:26:03 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 4:26:02 AM	27	gradCels
SC PITUR DORU SNC	pH	9/19/2016 4:26:01 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 4:24:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 4:23:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 4:23:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 4:22:50 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 4:22:30 AM	27	gradCels
SC PITUR DORU SNC	pH	9/19/2016 4:22:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 4:20:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 4:20:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 4:20:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 4:20:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 4:20:21 AM	27	gradCels
SC PITUR DORU SNC	pH	9/19/2016 4:20:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 4:15:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 4:15:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 4:15:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 4:15:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 4:15:01 AM	27	gradCels
SC PITUR DORU SNC	pH	9/19/2016 4:15:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 4:09:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 4:09:24 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 4:09:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 4:09:22 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 4:09:21 AM	27	gradCels
SC PITUR DORU SNC	pH	9/19/2016 4:09:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 4:04:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 4:04:40 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 4:04:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 4:04:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 4:04:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 4:04:01 AM	27	gradCels
SC PITUR DORU SNC	pH	9/19/2016 4:04:00 AM	8	unit pH
SC PITUR DORU SNC	Clor	9/19/2016 4:03:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 4:03:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 4:03:10 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 4:03:00 AM	28	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	9/19/2016 4:02:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 3:59:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 3:59:02 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 3:58:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 3:58:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 3:58:21 AM	28	gradCels
SC PITUR DORU SNC	pH	9/19/2016 3:58:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 3:53:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 3:53:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 3:53:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 3:53:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 3:53:01 AM	28	gradCels
SC PITUR DORU SNC	pH	9/19/2016 3:53:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 3:47:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 3:47:41 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 3:47:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 3:47:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 3:47:21 AM	28	gradCels
SC PITUR DORU SNC	pH	9/19/2016 3:47:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 3:44:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 3:44:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 3:43:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 3:43:30 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 3:43:10 AM	28	gradCels
SC PITUR DORU SNC	pH	9/19/2016 3:43:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 3:42:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 3:42:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 3:42:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 3:42:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 3:42:01 AM	28	gradCels
SC PITUR DORU SNC	pH	9/19/2016 3:42:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 3:36:41 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 3:36:24 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 3:36:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 3:36:22 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 3:36:21 AM	28	gradCels
SC PITUR DORU SNC	pH	9/19/2016 3:36:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 3:31:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 3:31:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 3:31:05 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 3:31:03 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 3:31:01 AM	28	gradCels
SC PITUR DORU SNC	pH	9/19/2016 3:31:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 3:25:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 3:25:41 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 3:25:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 3:25:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 3:25:21 AM	28	gradCels
SC PITUR DORU SNC	pH	9/19/2016 3:25:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 3:24:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 3:24:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 3:23:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 3:23:20 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 3:23:10 AM	28	gradCels
SC PITUR DORU SNC	pH	9/19/2016 3:22:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 3:20:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 3:20:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 3:19:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 3:19:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 3:19:41 AM	28	gradCels
SC PITUR DORU SNC	pH	9/19/2016 3:19:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 3:14:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 3:14:41 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 3:14:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 3:14:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 3:14:21 AM	28	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	9/19/2016 3:14:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 3:09:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 3:08:44 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 3:08:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 3:08:42 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 3:08:41 AM	28	gradCels
SC PITUR DORU SNC	pH	9/19/2016 3:08:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 3:04:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 3:03:50 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 3:03:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 3:03:41 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 3:03:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 3:03:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 3:03:21 AM	28	gradCels
SC PITUR DORU SNC	pH	9/19/2016 3:03:20 AM	8	unit pH
SC PITUR DORU SNC	Grasimi	9/19/2016 3:02:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 3:02:40 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 3:02:30 AM	28	gradCels
SC PITUR DORU SNC	pH	9/19/2016 3:02:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 2:58:46 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 2:58:45 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 2:57:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 2:57:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 2:57:41 AM	28	gradCels
SC PITUR DORU SNC	pH	9/19/2016 2:57:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 2:52:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 2:52:42 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 2:52:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 2:52:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 2:52:21 AM	28	gradCels
SC PITUR DORU SNC	pH	9/19/2016 2:52:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 2:46:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 2:46:44 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 2:46:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 2:46:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 2:46:41 AM	28	gradCels
SC PITUR DORU SNC	pH	9/19/2016 2:46:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 2:45:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 2:45:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 2:44:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 2:44:10 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 2:43:30 AM	28	gradCels
SC PITUR DORU SNC	pH	9/19/2016 2:43:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 2:41:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 2:41:41 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 2:41:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 2:41:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 2:41:01 AM	28	gradCels
SC PITUR DORU SNC	pH	9/19/2016 2:41:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 2:35:45 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 2:35:44 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 2:35:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 2:35:42 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 2:35:41 AM	28	gradCels
SC PITUR DORU SNC	pH	9/19/2016 2:35:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 2:30:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 2:30:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 2:30:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 2:30:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 2:30:01 AM	28	gradCels
SC PITUR DORU SNC	pH	9/19/2016 2:30:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 2:25:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 2:25:01 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 2:24:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 2:24:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 2:24:41 AM	28	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	9/19/2016 2:24:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 2:24:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 2:24:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 2:23:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 2:23:30 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 2:23:20 AM	28	gradCels
SC PITUR DORU SNC	pH	9/19/2016 2:23:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 2:19:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 2:19:41 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 2:19:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 2:19:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 2:19:01 AM	28	gradCels
SC PITUR DORU SNC	pH	9/19/2016 2:19:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 2:14:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 2:14:01 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 2:13:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 2:13:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 2:13:41 AM	28	gradCels
SC PITUR DORU SNC	pH	9/19/2016 2:13:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 2:08:41 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 2:08:04 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 2:08:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 2:08:02 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 2:08:01 AM	28	gradCels
SC PITUR DORU SNC	pH	9/19/2016 2:08:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 2:03:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 2:03:30 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 2:03:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 2:03:01 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 2:02:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 2:02:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 2:02:41 AM	28	gradCels
SC PITUR DORU SNC	pH	9/19/2016 2:02:40 AM	8	unit pH
SC PITUR DORU SNC	Grasimi	9/19/2016 2:02:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 2:02:10 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 2:02:00 AM	28	gradCels
SC PITUR DORU SNC	pH	9/19/2016 2:01:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 1:57:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 1:57:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 1:57:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 1:57:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 1:57:01 AM	28	gradCels
SC PITUR DORU SNC	pH	9/19/2016 1:57:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 1:51:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 1:51:42 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 1:51:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 1:51:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 1:51:21 AM	28	gradCels
SC PITUR DORU SNC	pH	9/19/2016 1:51:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 1:46:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 1:46:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 1:46:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 1:46:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 1:46:01 AM	28	gradCels
SC PITUR DORU SNC	pH	9/19/2016 1:46:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 1:40:50 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 1:40:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 1:40:41 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 1:40:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 1:40:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 1:40:21 AM	28	gradCels
SC PITUR DORU SNC	pH	9/19/2016 1:40:20 AM	8	unit pH
SC PITUR DORU SNC	Clor	9/19/2016 1:40:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 1:39:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 1:39:30 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 1:39:20 AM	28	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	9/19/2016 1:39:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 1:35:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 1:35:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 1:35:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 1:35:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 1:35:01 AM	28	gradCels
SC PITUR DORU SNC	pH	9/19/2016 1:35:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 1:29:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 1:29:41 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 1:29:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 1:29:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 1:29:21 AM	28	gradCels
SC PITUR DORU SNC	pH	9/19/2016 1:29:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 1:24:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 1:24:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 1:24:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 1:24:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 1:24:01 AM	28	gradCels
SC PITUR DORU SNC	pH	9/19/2016 1:24:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 1:20:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 1:20:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 1:19:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 1:18:50 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 1:18:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 1:18:41 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 1:18:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 1:18:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 1:18:21 AM	28	gradCels
SC PITUR DORU SNC	pH	9/19/2016 1:18:20 AM	8	unit pH
SC PITUR DORU SNC	Temp	9/19/2016 1:18:10 AM	28	gradCels
SC PITUR DORU SNC	pH	9/19/2016 1:18:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 1:13:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 1:13:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 1:13:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 1:13:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 1:13:01 AM	28	gradCels
SC PITUR DORU SNC	pH	9/19/2016 1:13:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 1:07:41 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 1:07:24 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 1:07:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 1:07:22 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 1:07:21 AM	28	gradCels
SC PITUR DORU SNC	pH	9/19/2016 1:07:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 1:02:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 1:02:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 1:01:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 1:01:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 1:01:41 AM	28	gradCels
SC PITUR DORU SNC	pH	9/19/2016 1:01:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 12:58:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 12:58:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 12:57:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 12:56:50 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/19/2016 12:56:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 12:56:41 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 12:56:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 12:56:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 12:56:21 AM	28	gradCels
SC PITUR DORU SNC	pH	9/19/2016 12:56:20 AM	8	unit pH
SC PITUR DORU SNC	Temp	9/19/2016 12:56:00 AM	28	gradCels
SC PITUR DORU SNC	pH	9/19/2016 12:55:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 12:51:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 12:51:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 12:50:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 12:50:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 12:50:41 AM	28	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	9/19/2016 12:50:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 12:45:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 12:45:41 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 12:45:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 12:45:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 12:45:21 AM	28	gradCels
SC PITUR DORU SNC	pH	9/19/2016 12:45:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 12:40:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 12:39:44 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 12:39:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 12:39:42 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 12:39:41 AM	28	gradCels
SC PITUR DORU SNC	pH	9/19/2016 12:39:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 12:38:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 12:37:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 12:37:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 12:36:40 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 12:36:30 AM	28	gradCels
SC PITUR DORU SNC	pH	9/19/2016 12:36:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 12:34:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 12:34:41 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 12:34:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 12:34:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 12:34:21 AM	28	gradCels
SC PITUR DORU SNC	pH	9/19/2016 12:34:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 12:29:46 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 12:29:45 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 12:28:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 12:28:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 12:28:41 AM	28	gradCels
SC PITUR DORU SNC	pH	9/19/2016 12:28:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 12:23:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 12:23:42 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 12:23:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 12:23:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 12:23:21 AM	28	gradCels
SC PITUR DORU SNC	pH	9/19/2016 12:23:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 12:18:45 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 12:18:44 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 12:17:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 12:17:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 12:17:41 AM	28	gradCels
SC PITUR DORU SNC	pH	9/19/2016 12:17:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 12:17:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 12:17:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 12:16:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 12:15:20 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 12:15:10 AM	28	gradCels
SC PITUR DORU SNC	pH	9/19/2016 12:14:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 12:12:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 12:12:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 12:12:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 12:12:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 12:12:01 AM	28	gradCels
SC PITUR DORU SNC	pH	9/19/2016 12:12:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 12:07:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 12:07:01 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 12:06:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 12:06:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 12:06:41 AM	28	gradCels
SC PITUR DORU SNC	pH	9/19/2016 12:06:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/19/2016 12:01:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/19/2016 12:01:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/19/2016 12:01:24 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/19/2016 12:01:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/19/2016 12:01:22 AM	28	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	9/19/2016 12:01:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 11:56:06 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 11:56:05 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 11:56:04 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 11:56:03 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 11:56:02 PM	28	gradCels
SC PITUR DORU SNC	pH	9/18/2016 11:56:01 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 11:52:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 11:52:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 11:51:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 11:51:20 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 11:51:10 PM	28	gradCels
SC PITUR DORU SNC	pH	9/18/2016 11:50:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 11:50:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 11:50:40 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 11:50:24 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 11:50:23 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 11:50:22 PM	28	gradCels
SC PITUR DORU SNC	pH	9/18/2016 11:50:21 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 11:45:06 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 11:45:05 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 11:45:04 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 11:45:03 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 11:45:02 PM	28	gradCels
SC PITUR DORU SNC	pH	9/18/2016 11:45:01 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 11:39:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 11:39:25 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 11:39:24 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 11:39:23 PM	13	mg/l
SC PITUR DORU SNC	pH	9/18/2016 11:39:22 PM	8	unit pH
SC PITUR DORU SNC	Temp	9/18/2016 11:39:21 PM	28	gradCels
SC PITUR DORU SNC	Cianuri	9/18/2016 11:34:06 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 11:34:05 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 11:34:04 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 11:34:03 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 11:34:02 PM	28	gradCels
SC PITUR DORU SNC	pH	9/18/2016 11:34:01 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 11:28:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 11:28:40 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 11:28:24 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 11:28:23 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 11:28:22 PM	28	gradCels
SC PITUR DORU SNC	pH	9/18/2016 11:28:21 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 11:27:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 11:26:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 11:25:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 11:25:00 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 11:24:50 PM	28	gradCels
SC PITUR DORU SNC	pH	9/18/2016 11:24:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 11:22:46 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 11:22:45 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 11:22:44 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 11:22:43 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 11:22:42 PM	28	gradCels
SC PITUR DORU SNC	pH	9/18/2016 11:22:41 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 11:17:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 11:17:40 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 11:17:24 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 11:17:23 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 11:17:22 PM	28	gradCels
SC PITUR DORU SNC	pH	9/18/2016 11:17:21 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 11:11:46 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 11:11:45 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 11:11:44 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 11:11:43 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 11:11:42 PM	28	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	9/18/2016 11:11:41 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 11:06:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 11:06:25 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 11:06:24 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 11:06:23 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 11:06:22 PM	28	gradCels
SC PITUR DORU SNC	pH	9/18/2016 11:06:21 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 11:04:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 11:03:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 11:02:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 11:02:40 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 11:02:30 PM	28	gradCels
SC PITUR DORU SNC	pH	9/18/2016 11:02:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 11:00:48 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 11:00:47 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 11:00:44 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 11:00:43 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 11:00:42 PM	28	gradCels
SC PITUR DORU SNC	pH	9/18/2016 11:00:41 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 10:55:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 10:55:40 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 10:55:04 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 10:55:03 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 10:55:02 PM	29	gradCels
SC PITUR DORU SNC	pH	9/18/2016 10:55:01 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 10:49:48 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 10:49:47 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 10:49:44 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 10:49:43 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 10:49:42 PM	29	gradCels
SC PITUR DORU SNC	pH	9/18/2016 10:49:41 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 10:44:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 10:44:40 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 10:44:04 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 10:44:03 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 10:44:02 PM	29	gradCels
SC PITUR DORU SNC	pH	9/18/2016 10:44:01 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 10:41:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 10:41:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 10:40:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 10:40:30 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 10:40:20 PM	29	gradCels
SC PITUR DORU SNC	pH	9/18/2016 10:40:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 10:38:46 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 10:38:45 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 10:38:44 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 10:38:43 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 10:38:42 PM	29	gradCels
SC PITUR DORU SNC	pH	9/18/2016 10:38:41 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 10:33:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 10:33:40 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 10:33:04 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 10:33:03 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 10:33:02 PM	29	gradCels
SC PITUR DORU SNC	pH	9/18/2016 10:33:01 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 10:27:46 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 10:27:45 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 10:27:44 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 10:27:43 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 10:27:42 PM	29	gradCels
SC PITUR DORU SNC	pH	9/18/2016 10:27:41 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/18/2016 10:22:40 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/18/2016 10:22:05 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 10:22:04 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 10:22:03 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 10:22:02 PM	29	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	9/18/2016 10:22:01 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 10:20:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 10:19:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 10:18:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 10:18:41 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 10:18:30 PM	29	gradCels
SC PITUR DORU SNC	pH	9/18/2016 10:18:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/18/2016 10:16:46 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/18/2016 10:16:45 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 10:16:44 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 10:16:43 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 10:16:42 PM	29	gradCels
SC PITUR DORU SNC	pH	9/18/2016 10:16:41 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/18/2016 10:11:45 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/18/2016 10:11:05 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 10:11:04 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 10:11:03 PM	0	mg/l
SC PITUR DORU SNC	pH	9/18/2016 10:11:02 PM	8	unit pH
SC PITUR DORU SNC	Temp	9/18/2016 10:11:01 PM	29	gradCels
SC PITUR DORU SNC	Cianuri	9/18/2016 10:05:46 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 10:05:45 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 10:05:44 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 10:05:43 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 10:05:42 PM	29	gradCels
SC PITUR DORU SNC	pH	9/18/2016 10:05:41 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/18/2016 10:00:32 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/18/2016 10:00:26 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 10:00:25 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 10:00:24 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 10:00:23 PM	29	gradCels
SC PITUR DORU SNC	pH	9/18/2016 10:00:22 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 9:58:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 9:58:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 9:57:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 9:56:40 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 9:56:30 PM	29	gradCels
SC PITUR DORU SNC	pH	9/18/2016 9:56:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/18/2016 9:54:40 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/18/2016 9:54:25 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 9:54:24 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 9:54:23 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 9:54:22 PM	29	gradCels
SC PITUR DORU SNC	pH	9/18/2016 9:54:21 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/18/2016 9:49:45 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/18/2016 9:49:09 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 9:49:08 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 9:49:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 9:49:06 PM	29	gradCels
SC PITUR DORU SNC	pH	9/18/2016 9:49:05 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/18/2016 9:43:40 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/18/2016 9:43:25 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 9:43:24 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 9:43:23 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 9:43:22 PM	29	gradCels
SC PITUR DORU SNC	pH	9/18/2016 9:43:21 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 9:37:47 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 9:37:46 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 9:37:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 9:37:44 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 9:37:43 PM	29	gradCels
SC PITUR DORU SNC	pH	9/18/2016 9:37:42 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 9:34:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 9:34:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 9:33:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 9:32:40 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/18/2016 9:32:24 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	9/18/2016 9:32:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 9:32:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 9:32:21 PM	29	gradCels
SC PITUR DORU SNC	pH	9/18/2016 9:32:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/18/2016 9:32:00 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 9:31:50 PM	29	gradCels
SC PITUR DORU SNC	pH	9/18/2016 9:31:10 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/18/2016 9:27:41 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/18/2016 9:26:46 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 9:26:45 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 9:26:44 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 9:26:43 PM	29	gradCels
SC PITUR DORU SNC	pH	9/18/2016 9:26:42 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/18/2016 9:21:40 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/18/2016 9:21:24 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 9:21:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 9:21:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 9:21:21 PM	29	gradCels
SC PITUR DORU SNC	pH	9/18/2016 9:21:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/18/2016 9:16:41 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/18/2016 9:15:46 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 9:15:45 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 9:15:44 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 9:15:43 PM	29	gradCels
SC PITUR DORU SNC	pH	9/18/2016 9:15:42 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 9:12:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 9:11:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 9:10:30 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	9/18/2016 9:10:25 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 9:10:24 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 9:10:23 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 9:10:22 PM	29	gradCels
SC PITUR DORU SNC	Substante organice	9/18/2016 9:10:21 PM	13	mg/l
SC PITUR DORU SNC	pH	9/18/2016 9:10:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/18/2016 9:10:00 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 9:09:50 PM	29	gradCels
SC PITUR DORU SNC	pH	9/18/2016 9:09:10 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/18/2016 9:05:46 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/18/2016 9:04:46 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 9:04:45 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 9:04:44 PM	0	mg/l
SC PITUR DORU SNC	pH	9/18/2016 9:04:43 PM	8	unit pH
SC PITUR DORU SNC	Temp	9/18/2016 9:04:42 PM	29	gradCels
SC PITUR DORU SNC	Substante organice	9/18/2016 8:59:40 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/18/2016 8:59:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 8:59:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 8:59:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 8:59:01 PM	29	gradCels
SC PITUR DORU SNC	pH	9/18/2016 8:59:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/18/2016 8:53:47 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/18/2016 8:53:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 8:53:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 8:53:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 8:53:41 PM	29	gradCels
SC PITUR DORU SNC	pH	9/18/2016 8:53:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 8:50:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 8:50:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 8:49:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 8:49:10 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/18/2016 8:48:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 8:48:40 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 8:48:20 PM	29	gradCels
SC PITUR DORU SNC	pH	9/18/2016 8:48:10 PM	8	unit pH
SC PITUR DORU SNC	Clor	9/18/2016 8:48:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 8:48:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 8:48:01 PM	29	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	9/18/2016 8:48:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 8:42:47 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 8:42:46 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 8:42:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 8:42:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 8:42:41 PM	29	gradCels
SC PITUR DORU SNC	pH	9/18/2016 8:42:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 8:37:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 8:37:04 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 8:37:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 8:37:02 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 8:37:01 PM	29	gradCels
SC PITUR DORU SNC	pH	9/18/2016 8:37:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 8:31:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 8:31:44 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 8:31:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 8:31:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 8:31:41 PM	29	gradCels
SC PITUR DORU SNC	pH	9/18/2016 8:31:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 8:29:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 8:28:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 8:28:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 8:28:20 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 8:28:10 PM	29	gradCels
SC PITUR DORU SNC	pH	9/18/2016 8:28:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 8:26:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 8:26:40 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 8:26:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 8:26:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 8:26:01 PM	29	gradCels
SC PITUR DORU SNC	pH	9/18/2016 8:26:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 8:20:46 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 8:20:45 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 8:20:42 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 8:20:41 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 8:20:40 PM	29	gradCels
SC PITUR DORU SNC	Cianuri	9/18/2016 8:15:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 8:15:40 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 8:15:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 8:15:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 8:15:01 PM	29	gradCels
SC PITUR DORU SNC	pH	9/18/2016 8:15:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 8:09:42 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 8:09:24 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 8:09:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 8:09:22 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 8:09:21 PM	29	gradCels
SC PITUR DORU SNC	pH	9/18/2016 8:09:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 8:06:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 8:06:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 8:05:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 8:05:20 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 8:05:10 PM	29	gradCels
SC PITUR DORU SNC	Cianuri	9/18/2016 8:04:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 8:04:40 PM	13	mg/l
SC PITUR DORU SNC	pH	9/18/2016 8:04:20 PM	8	unit pH
SC PITUR DORU SNC	Clor	9/18/2016 8:04:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 8:04:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 8:04:01 PM	29	gradCels
SC PITUR DORU SNC	pH	9/18/2016 8:04:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 7:58:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 7:58:40 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 7:58:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 7:58:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 7:58:21 PM	29	gradCels
SC PITUR DORU SNC	pH	9/18/2016 7:58:20 PM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	9/18/2016 7:53:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 7:53:40 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 7:53:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 7:53:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 7:53:01 PM	29	gradCels
SC PITUR DORU SNC	pH	9/18/2016 7:53:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 7:47:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 7:47:40 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 7:47:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 7:47:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 7:47:21 PM	29	gradCels
SC PITUR DORU SNC	pH	9/18/2016 7:47:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 7:42:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 7:42:40 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 7:42:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 7:42:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 7:42:01 PM	29	gradCels
SC PITUR DORU SNC	pH	9/18/2016 7:42:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 7:40:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 7:40:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 7:39:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 7:39:20 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 7:39:10 PM	29	gradCels
SC PITUR DORU SNC	pH	9/18/2016 7:39:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 7:36:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 7:36:24 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 7:36:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 7:36:22 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 7:36:21 PM	29	gradCels
SC PITUR DORU SNC	pH	9/18/2016 7:36:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 7:31:46 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 7:31:45 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 7:30:46 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 7:30:45 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 7:30:44 PM	29	gradCels
SC PITUR DORU SNC	pH	9/18/2016 7:30:43 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 7:25:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 7:25:40 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 7:25:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 7:25:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 7:25:21 PM	29	gradCels
SC PITUR DORU SNC	pH	9/18/2016 7:25:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 7:20:49 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 7:20:48 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 7:19:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 7:19:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 7:19:44 PM	29	gradCels
SC PITUR DORU SNC	pH	9/18/2016 7:19:43 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 7:19:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 7:19:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 7:18:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 7:18:10 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 7:17:50 PM	29	gradCels
SC PITUR DORU SNC	pH	9/18/2016 7:17:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 7:14:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 7:14:40 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 7:14:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 7:14:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 7:14:21 PM	29	gradCels
SC PITUR DORU SNC	pH	9/18/2016 7:14:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 7:09:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 7:08:48 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 7:08:47 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 7:08:46 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 7:08:45 PM	29	gradCels
SC PITUR DORU SNC	pH	9/18/2016 7:08:44 PM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	9/18/2016 7:03:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 7:03:40 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 7:03:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 7:03:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 7:03:21 PM	29	gradCels
SC PITUR DORU SNC	pH	9/18/2016 7:03:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 6:58:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 6:58:40 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 6:57:46 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 6:57:45 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 6:57:44 PM	29	gradCels
SC PITUR DORU SNC	pH	9/18/2016 6:57:43 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 6:56:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 6:56:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 6:55:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 6:55:20 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 6:55:10 PM	28	gradCels
SC PITUR DORU SNC	pH	9/18/2016 6:55:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 6:52:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 6:52:42 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 6:52:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 6:52:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 6:52:21 PM	28	gradCels
SC PITUR DORU SNC	pH	9/18/2016 6:52:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 6:47:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 6:47:40 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 6:46:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 6:46:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 6:46:45 PM	28	gradCels
SC PITUR DORU SNC	pH	9/18/2016 6:46:44 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 6:41:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 6:41:41 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 6:41:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 6:41:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 6:41:21 PM	28	gradCels
SC PITUR DORU SNC	pH	9/18/2016 6:41:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 6:36:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 6:35:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 6:35:46 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 6:35:45 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 6:35:44 PM	28	gradCels
SC PITUR DORU SNC	pH	9/18/2016 6:35:43 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 6:32:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 6:32:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 6:32:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 6:32:10 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 6:32:00 PM	28	gradCels
SC PITUR DORU SNC	pH	9/18/2016 6:31:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 6:30:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 6:30:40 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 6:30:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 6:30:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 6:30:01 PM	28	gradCels
SC PITUR DORU SNC	pH	9/18/2016 6:30:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 6:25:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 6:25:40 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 6:24:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 6:24:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 6:24:45 PM	28	gradCels
SC PITUR DORU SNC	pH	9/18/2016 6:24:44 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 6:19:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 6:19:41 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 6:19:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 6:19:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 6:19:01 PM	28	gradCels
SC PITUR DORU SNC	pH	9/18/2016 6:19:00 PM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	9/18/2016 6:13:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 6:13:49 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 6:13:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 6:13:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 6:13:41 PM	28	gradCels
SC PITUR DORU SNC	pH	9/18/2016 6:13:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 6:11:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 6:11:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 6:10:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 6:10:10 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 6:10:00 PM	28	gradCels
SC PITUR DORU SNC	pH	9/18/2016 6:09:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 6:08:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 6:08:04 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 6:08:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 6:08:02 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 6:08:01 PM	28	gradCels
SC PITUR DORU SNC	pH	9/18/2016 6:08:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 6:02:34 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 6:02:33 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 6:02:28 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 6:02:27 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 6:02:26 PM	28	gradCels
SC PITUR DORU SNC	pH	9/18/2016 6:02:25 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 5:57:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 5:57:41 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 5:57:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 5:57:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 5:57:01 PM	28	gradCels
SC PITUR DORU SNC	pH	9/18/2016 5:57:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 5:51:33 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 5:51:32 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 5:51:28 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 5:51:27 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 5:51:26 PM	28	gradCels
SC PITUR DORU SNC	pH	9/18/2016 5:51:25 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 5:49:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 5:49:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 5:49:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 5:48:50 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 5:48:20 PM	28	gradCels
SC PITUR DORU SNC	pH	9/18/2016 5:48:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 5:46:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 5:46:42 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 5:46:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 5:46:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 5:46:01 PM	28	gradCels
SC PITUR DORU SNC	pH	9/18/2016 5:46:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 5:40:43 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 5:40:24 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 5:40:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 5:40:22 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 5:40:21 PM	28	gradCels
SC PITUR DORU SNC	pH	9/18/2016 5:40:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 5:35:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 5:35:40 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 5:35:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 5:35:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 5:35:01 PM	28	gradCels
SC PITUR DORU SNC	pH	9/18/2016 5:35:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 5:29:44 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 5:29:43 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 5:29:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 5:29:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 5:29:21 PM	28	gradCels
SC PITUR DORU SNC	pH	9/18/2016 5:29:20 PM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	9/18/2016 5:27:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 5:27:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 5:27:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 5:26:50 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 5:26:20 PM	28	gradCels
SC PITUR DORU SNC	pH	9/18/2016 5:26:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 5:24:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 5:24:40 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 5:24:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 5:24:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 5:24:01 PM	28	gradCels
SC PITUR DORU SNC	pH	9/18/2016 5:24:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 5:18:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 5:18:42 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 5:18:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 5:18:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 5:18:21 PM	28	gradCels
SC PITUR DORU SNC	pH	9/18/2016 5:18:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 5:13:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 5:13:40 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 5:12:52 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 5:12:51 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 5:12:50 PM	28	gradCels
SC PITUR DORU SNC	pH	9/18/2016 5:12:49 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 5:07:43 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 5:07:24 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 5:07:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 5:07:22 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 5:07:21 PM	28	gradCels
SC PITUR DORU SNC	pH	9/18/2016 5:07:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 5:06:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 5:06:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 5:05:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 5:05:20 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 5:05:10 PM	28	gradCels
SC PITUR DORU SNC	pH	9/18/2016 5:05:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 5:02:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 5:02:40 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 5:02:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 5:02:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 5:02:21 PM	28	gradCels
SC PITUR DORU SNC	pH	9/18/2016 5:02:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 4:58:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 4:58:01 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 4:56:45 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 4:56:44 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 4:56:43 PM	28	gradCels
SC PITUR DORU SNC	pH	9/18/2016 4:56:42 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 4:51:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 4:51:40 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 4:51:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 4:51:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 4:51:21 PM	28	gradCels
SC PITUR DORU SNC	pH	9/18/2016 4:51:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 4:47:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 4:47:01 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/18/2016 4:46:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 4:46:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 4:45:45 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 4:45:44 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 4:45:43 PM	28	gradCels
SC PITUR DORU SNC	pH	9/18/2016 4:45:42 PM	8	unit pH
SC PITUR DORU SNC	Grasimi	9/18/2016 4:45:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 4:45:10 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 4:45:00 PM	28	gradCels
SC PITUR DORU SNC	pH	9/18/2016 4:44:20 PM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	9/18/2016 4:40:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 4:40:24 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 4:40:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 4:40:22 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 4:40:21 PM	28	gradCels
SC PITUR DORU SNC	pH	9/18/2016 4:40:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 4:35:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 4:35:41 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 4:34:44 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 4:34:43 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 4:34:42 PM	27	gradCels
SC PITUR DORU SNC	pH	9/18/2016 4:34:41 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 4:29:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 4:29:40 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 4:29:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 4:29:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 4:29:21 PM	27	gradCels
SC PITUR DORU SNC	pH	9/18/2016 4:29:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 4:24:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 4:24:42 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/18/2016 4:23:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 4:23:45 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 4:23:44 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 4:23:43 PM	27	gradCels
SC PITUR DORU SNC	pH	9/18/2016 4:23:42 PM	8	unit pH
SC PITUR DORU SNC	Clor	9/18/2016 4:23:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 4:22:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 4:22:10 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 4:22:00 PM	27	gradCels
SC PITUR DORU SNC	pH	9/18/2016 4:21:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 4:18:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 4:18:40 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 4:18:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 4:18:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 4:18:21 PM	27	gradCels
SC PITUR DORU SNC	pH	9/18/2016 4:18:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/18/2016 4:13:41 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/18/2016 4:12:46 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 4:12:45 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 4:12:44 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 4:12:43 PM	27	gradCels
SC PITUR DORU SNC	pH	9/18/2016 4:12:42 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 4:07:25 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 4:07:24 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 4:07:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 4:07:22 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 4:07:21 PM	27	gradCels
SC PITUR DORU SNC	pH	9/18/2016 4:07:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/18/2016 4:02:41 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/18/2016 4:01:45 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 4:01:44 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 4:01:43 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 4:01:42 PM	27	gradCels
SC PITUR DORU SNC	pH	9/18/2016 4:01:41 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 4:01:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 4:01:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 4:00:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 4:00:10 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 4:00:00 PM	27	gradCels
SC PITUR DORU SNC	pH	9/18/2016 3:59:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 3:56:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 3:56:40 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 3:56:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 3:56:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 3:56:21 PM	27	gradCels
SC PITUR DORU SNC	pH	9/18/2016 3:56:20 PM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	9/18/2016 3:51:43 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/18/2016 3:51:42 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 3:50:45 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 3:50:44 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 3:50:43 PM	27	gradCels
SC PITUR DORU SNC	pH	9/18/2016 3:50:42 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 3:45:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 3:45:40 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 3:45:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 3:45:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 3:45:21 PM	27	gradCels
SC PITUR DORU SNC	pH	9/18/2016 3:45:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 3:39:47 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 3:39:46 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 3:39:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 3:39:44 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 3:39:43 PM	27	gradCels
SC PITUR DORU SNC	pH	9/18/2016 3:39:42 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 3:39:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 3:38:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 3:38:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 3:37:50 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 3:37:40 PM	27	gradCels
SC PITUR DORU SNC	pH	9/18/2016 3:37:10 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/18/2016 3:34:40 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/18/2016 3:34:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 3:34:03 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 3:34:02 PM	27	gradCels
SC PITUR DORU SNC	Grasimi	9/18/2016 3:34:01 PM	0	mg/l
SC PITUR DORU SNC	pH	9/18/2016 3:34:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/18/2016 3:29:44 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/18/2016 3:28:45 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 3:28:44 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 3:28:43 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 3:28:42 PM	27	gradCels
SC PITUR DORU SNC	pH	9/18/2016 3:28:41 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/18/2016 3:23:40 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/18/2016 3:23:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 3:23:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 3:23:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 3:23:01 PM	27	gradCels
SC PITUR DORU SNC	pH	9/18/2016 3:23:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/18/2016 3:17:47 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/18/2016 3:17:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 3:17:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 3:17:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 3:17:41 PM	27	gradCels
SC PITUR DORU SNC	pH	9/18/2016 3:17:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 3:17:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 3:17:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 3:16:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 3:16:00 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 3:15:50 PM	27	gradCels
SC PITUR DORU SNC	pH	9/18/2016 3:15:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/18/2016 3:12:40 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/18/2016 3:12:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 3:12:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 3:12:02 PM	0	mg/l
SC PITUR DORU SNC	pH	9/18/2016 3:12:01 PM	8	unit pH
SC PITUR DORU SNC	Temp	9/18/2016 3:12:00 PM	27	gradCels
SC PITUR DORU SNC	Cianuri	9/18/2016 3:06:45 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 3:06:44 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 3:06:43 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 3:06:42 PM	27	gradCels
SC PITUR DORU SNC	Substante organice	9/18/2016 3:06:41 PM	14	mg/l
SC PITUR DORU SNC	pH	9/18/2016 3:06:40 PM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	9/18/2016 3:01:40 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/18/2016 3:01:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 3:01:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 3:01:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 3:01:01 PM	27	gradCels
SC PITUR DORU SNC	pH	9/18/2016 3:01:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 2:57:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 2:57:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 2:56:40 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/18/2016 2:56:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 2:56:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 2:56:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 2:56:01 PM	27	gradCels
SC PITUR DORU SNC	pH	9/18/2016 2:56:00 PM	8	unit pH
SC PITUR DORU SNC	Grasimi	9/18/2016 2:55:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 2:55:20 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 2:55:10 PM	26	gradCels
SC PITUR DORU SNC	pH	9/18/2016 2:54:50 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/18/2016 2:51:01 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/18/2016 2:50:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 2:50:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 2:50:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 2:50:41 PM	26	gradCels
SC PITUR DORU SNC	pH	9/18/2016 2:50:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 2:45:44 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 2:45:43 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 2:45:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 2:45:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 2:45:01 PM	26	gradCels
SC PITUR DORU SNC	pH	9/18/2016 2:45:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 2:39:41 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 2:39:24 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 2:39:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 2:39:22 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 2:39:21 PM	26	gradCels
SC PITUR DORU SNC	pH	9/18/2016 2:39:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 2:36:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 2:35:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 2:35:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 2:35:20 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 2:35:10 PM	26	gradCels
SC PITUR DORU SNC	pH	9/18/2016 2:35:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 2:34:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 2:34:40 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 2:34:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 2:34:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 2:34:01 PM	26	gradCels
SC PITUR DORU SNC	pH	9/18/2016 2:34:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 2:28:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 2:28:42 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 2:28:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 2:28:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 2:28:21 PM	26	gradCels
SC PITUR DORU SNC	pH	9/18/2016 2:28:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 2:23:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 2:23:40 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 2:23:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 2:23:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 2:23:01 PM	26	gradCels
SC PITUR DORU SNC	pH	9/18/2016 2:23:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 2:17:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 2:17:41 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 2:17:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 2:17:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 2:17:21 PM	26	gradCels
SC PITUR DORU SNC	pH	9/18/2016 2:17:20 PM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	9/18/2016 2:14:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 2:14:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 2:14:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 2:13:50 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 2:13:40 PM	26	gradCels
SC PITUR DORU SNC	pH	9/18/2016 2:13:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 2:12:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 2:12:29 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 2:12:24 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 2:12:23 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 2:12:22 PM	26	gradCels
SC PITUR DORU SNC	pH	9/18/2016 2:12:21 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 2:07:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 2:06:46 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 2:06:45 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 2:06:44 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 2:06:43 PM	26	gradCels
SC PITUR DORU SNC	pH	9/18/2016 2:06:42 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 2:01:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 2:01:29 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 2:01:24 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 2:01:23 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 2:01:22 PM	26	gradCels
SC PITUR DORU SNC	pH	9/18/2016 2:01:21 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 1:56:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 1:56:40 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 1:55:45 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 1:55:44 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 1:55:43 PM	26	gradCels
SC PITUR DORU SNC	pH	9/18/2016 1:55:42 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 1:54:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 1:54:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 1:53:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 1:53:10 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 1:53:00 PM	26	gradCels
SC PITUR DORU SNC	pH	9/18/2016 1:52:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 1:50:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 1:50:29 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 1:50:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 1:50:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 1:50:21 PM	26	gradCels
SC PITUR DORU SNC	pH	9/18/2016 1:50:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 1:45:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 1:45:40 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 1:44:45 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 1:44:44 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 1:44:43 PM	26	gradCels
SC PITUR DORU SNC	pH	9/18/2016 1:44:42 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 1:39:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 1:39:24 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 1:39:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 1:39:22 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 1:39:21 PM	26	gradCels
SC PITUR DORU SNC	pH	9/18/2016 1:39:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 1:34:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 1:34:40 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 1:33:45 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 1:33:44 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 1:33:43 PM	26	gradCels
SC PITUR DORU SNC	pH	9/18/2016 1:33:42 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 1:31:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 1:30:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 1:30:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 1:29:50 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 1:29:20 PM	26	gradCels
SC PITUR DORU SNC	pH	9/18/2016 1:29:10 PM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	9/18/2016 1:28:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 1:28:40 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 1:28:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 1:28:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 1:28:21 PM	26	gradCels
SC PITUR DORU SNC	pH	9/18/2016 1:28:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 1:23:26 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 1:23:25 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 1:22:48 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 1:22:47 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 1:22:46 PM	26	gradCels
SC PITUR DORU SNC	pH	9/18/2016 1:22:45 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 1:17:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 1:17:40 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 1:17:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 1:17:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 1:17:21 PM	26	gradCels
SC PITUR DORU SNC	pH	9/18/2016 1:17:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 1:12:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 1:12:40 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 1:11:49 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 1:11:48 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 1:11:47 PM	26	gradCels
SC PITUR DORU SNC	pH	9/18/2016 1:11:46 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 1:07:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 1:07:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 1:06:50 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	9/18/2016 1:06:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 1:06:40 PM	14	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 1:06:20 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 1:06:10 PM	26	gradCels
SC PITUR DORU SNC	Clor	9/18/2016 1:06:05 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 1:06:04 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 1:06:03 PM	26	gradCels
SC PITUR DORU SNC	pH	9/18/2016 1:06:02 PM	8	unit pH
SC PITUR DORU SNC	pH	9/18/2016 1:04:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 1:01:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 1:01:40 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 1:00:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 1:00:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 1:00:45 PM	26	gradCels
SC PITUR DORU SNC	pH	9/18/2016 1:00:44 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 12:55:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 12:55:40 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 12:55:05 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 12:55:04 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 12:55:03 PM	26	gradCels
SC PITUR DORU SNC	pH	9/18/2016 12:55:02 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 12:50:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 12:50:40 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 12:49:46 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 12:49:45 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 12:49:44 PM	26	gradCels
SC PITUR DORU SNC	pH	9/18/2016 12:49:43 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 12:44:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 12:44:41 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/18/2016 12:44:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 12:44:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 12:44:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 12:44:01 PM	26	gradCels
SC PITUR DORU SNC	pH	9/18/2016 12:44:00 PM	8	unit pH
SC PITUR DORU SNC	Clor	9/18/2016 12:43:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 12:43:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 12:42:50 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 12:42:20 PM	26	gradCels
SC PITUR DORU SNC	pH	9/18/2016 12:42:10 PM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	9/18/2016 12:39:26 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 12:38:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 12:38:46 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 12:38:45 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 12:38:44 PM	26	gradCels
SC PITUR DORU SNC	pH	9/18/2016 12:38:43 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 12:33:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 12:33:40 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 12:33:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 12:33:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 12:33:01 PM	25	gradCels
SC PITUR DORU SNC	pH	9/18/2016 12:33:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 12:28:26 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 12:28:25 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 12:27:44 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 12:27:43 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 12:27:42 PM	25	gradCels
SC PITUR DORU SNC	pH	9/18/2016 12:27:41 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 12:22:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 12:22:40 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 12:22:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 12:22:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 12:22:01 PM	25	gradCels
SC PITUR DORU SNC	pH	9/18/2016 12:22:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 12:20:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 12:19:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 12:19:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 12:18:50 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 12:18:20 PM	25	gradCels
SC PITUR DORU SNC	pH	9/18/2016 12:18:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 12:16:46 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 12:16:45 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 12:16:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 12:16:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 12:16:41 PM	25	gradCels
SC PITUR DORU SNC	pH	9/18/2016 12:16:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 12:12:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 12:12:01 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 12:11:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 12:11:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 12:11:01 PM	25	gradCels
SC PITUR DORU SNC	pH	9/18/2016 12:11:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 12:05:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 12:05:41 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 12:05:24 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 12:05:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 12:05:21 PM	25	gradCels
SC PITUR DORU SNC	pH	9/18/2016 12:05:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 12:01:02 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 12:01:01 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 12:00:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 12:00:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 12:00:01 PM	25	gradCels
SC PITUR DORU SNC	pH	9/18/2016 12:00:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 11:56:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 11:56:00 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	9/18/2016 11:54:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 11:54:41 AM	14	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 11:54:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 11:54:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 11:54:21 AM	25	gradCels
SC PITUR DORU SNC	pH	9/18/2016 11:54:20 AM	8	unit pH
SC PITUR DORU SNC	Grasimi	9/18/2016 11:54:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 11:53:10 AM	14	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 11:53:00 AM	25	gradCels
SC PITUR DORU SNC	pH	9/18/2016 11:52:50 AM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	9/18/2016 11:49:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 11:49:41 AM	14	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 11:49:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 11:49:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 11:49:01 AM	25	gradCels
SC PITUR DORU SNC	pH	9/18/2016 11:49:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 11:43:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 11:43:41 AM	14	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 11:43:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 11:43:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 11:43:21 AM	25	gradCels
SC PITUR DORU SNC	pH	9/18/2016 11:43:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 11:38:41 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 11:37:48 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 11:37:47 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 11:37:46 AM	14	mg/l
SC PITUR DORU SNC	pH	9/18/2016 11:37:45 AM	8	unit pH
SC PITUR DORU SNC	Temp	9/18/2016 11:37:44 AM	25	gradCels
SC PITUR DORU SNC	Cianuri	9/18/2016 11:32:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 11:32:40 AM	14	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 11:32:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 11:32:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 11:32:21 AM	25	gradCels
SC PITUR DORU SNC	pH	9/18/2016 11:32:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 11:31:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 11:31:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 11:30:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 11:29:50 AM	14	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 11:29:10 AM	25	gradCels
SC PITUR DORU SNC	pH	9/18/2016 11:29:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 11:27:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 11:27:41 AM	14	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 11:26:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 11:26:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 11:26:41 AM	25	gradCels
SC PITUR DORU SNC	pH	9/18/2016 11:26:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 11:21:26 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 11:21:25 AM	14	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 11:21:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 11:21:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 11:21:21 AM	25	gradCels
SC PITUR DORU SNC	pH	9/18/2016 11:21:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 11:16:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 11:16:41 AM	14	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 11:15:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 11:15:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 11:15:41 AM	25	gradCels
SC PITUR DORU SNC	pH	9/18/2016 11:15:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 11:10:26 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 11:10:24 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 11:10:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 11:10:22 AM	14	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 11:10:21 AM	25	gradCels
SC PITUR DORU SNC	pH	9/18/2016 11:10:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 11:09:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 11:08:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 11:08:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 11:07:50 AM	14	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 11:07:10 AM	25	gradCels
SC PITUR DORU SNC	pH	9/18/2016 11:07:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 11:05:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 11:05:41 AM	14	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 11:04:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 11:04:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 11:04:41 AM	25	gradCels
SC PITUR DORU SNC	pH	9/18/2016 11:04:40 AM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	9/18/2016 10:59:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 10:59:41 AM	14	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 10:59:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 10:59:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 10:59:21 AM	25	gradCels
SC PITUR DORU SNC	pH	9/18/2016 10:59:20 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/18/2016 10:54:25 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/18/2016 10:53:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 10:53:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 10:53:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 10:53:41 AM	25	gradCels
SC PITUR DORU SNC	pH	9/18/2016 10:53:40 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/18/2016 10:49:41 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/18/2016 10:48:46 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 10:48:45 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 10:48:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 10:48:43 AM	25	gradCels
SC PITUR DORU SNC	pH	9/18/2016 10:48:42 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 10:46:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 10:46:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 10:45:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 10:44:50 AM	14	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 10:44:40 AM	14	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 10:44:20 AM	25	gradCels
SC PITUR DORU SNC	pH	9/18/2016 10:44:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 10:43:46 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 10:43:45 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 10:43:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 10:43:43 AM	25	gradCels
SC PITUR DORU SNC	pH	9/18/2016 10:43:42 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 10:38:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 10:38:09 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 10:38:06 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 10:38:05 AM	14	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 10:38:03 AM	25	gradCels
SC PITUR DORU SNC	pH	9/18/2016 10:38:00 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/18/2016 10:33:40 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/18/2016 10:32:47 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 10:32:46 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 10:32:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 10:32:44 AM	25	gradCels
SC PITUR DORU SNC	pH	9/18/2016 10:32:43 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/18/2016 10:27:40 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/18/2016 10:27:04 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 10:27:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 10:27:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 10:27:01 AM	25	gradCels
SC PITUR DORU SNC	pH	9/18/2016 10:27:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 10:23:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 10:22:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 10:22:40 AM	14	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 10:22:10 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	9/18/2016 10:21:45 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 10:21:44 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 10:21:43 AM	0	mg/l
SC PITUR DORU SNC	pH	9/18/2016 10:21:42 AM	8	unit pH
SC PITUR DORU SNC	Temp	9/18/2016 10:21:41 AM	25	gradCels
SC PITUR DORU SNC	Substante organice	9/18/2016 10:21:20 AM	14	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 10:21:10 AM	25	gradCels
SC PITUR DORU SNC	pH	9/18/2016 10:21:00 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/18/2016 10:16:40 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/18/2016 10:16:04 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 10:16:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 10:16:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 10:16:01 AM	25	gradCels
SC PITUR DORU SNC	pH	9/18/2016 10:16:00 AM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	9/18/2016 10:10:46 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 10:10:45 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 10:10:44 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 10:10:43 AM	14	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 10:10:42 AM	25	gradCels
SC PITUR DORU SNC	pH	9/18/2016 10:10:41 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/18/2016 10:05:40 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/18/2016 10:05:04 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 10:05:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 10:05:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 10:05:01 AM	25	gradCels
SC PITUR DORU SNC	pH	9/18/2016 10:05:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 9:59:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 9:59:45 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/18/2016 9:59:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 9:59:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 9:59:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 9:59:41 AM	25	gradCels
SC PITUR DORU SNC	pH	9/18/2016 9:59:40 AM	8	unit pH
SC PITUR DORU SNC	Clor	9/18/2016 9:59:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 9:59:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 9:58:50 AM	14	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 9:58:20 AM	25	gradCels
SC PITUR DORU SNC	pH	9/18/2016 9:58:10 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/18/2016 9:54:40 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/18/2016 9:54:05 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 9:54:04 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 9:54:03 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 9:54:01 AM	25	gradCels
SC PITUR DORU SNC	pH	9/18/2016 9:54:00 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/18/2016 9:48:50 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/18/2016 9:48:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 9:48:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 9:48:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 9:48:41 AM	25	gradCels
SC PITUR DORU SNC	pH	9/18/2016 9:48:40 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/18/2016 9:44:01 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/18/2016 9:43:08 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 9:43:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 9:43:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 9:43:05 AM	25	gradCels
SC PITUR DORU SNC	pH	9/18/2016 9:43:04 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 9:37:49 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 9:37:48 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 9:37:47 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 9:37:46 AM	14	mg/l
SC PITUR DORU SNC	pH	9/18/2016 9:37:45 AM	8	unit pH
SC PITUR DORU SNC	Temp	9/18/2016 9:37:44 AM	25	gradCels
SC PITUR DORU SNC	Cianuri	9/18/2016 9:36:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 9:36:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 9:35:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 9:35:20 AM	14	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 9:34:50 AM	25	gradCels
SC PITUR DORU SNC	pH	9/18/2016 9:34:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 9:33:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 9:33:01 AM	14	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 9:32:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 9:32:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 9:32:05 AM	25	gradCels
SC PITUR DORU SNC	pH	9/18/2016 9:32:04 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/18/2016 9:26:30 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/18/2016 9:26:28 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 9:26:27 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 9:26:26 AM	0	mg/l
SC PITUR DORU SNC	pH	9/18/2016 9:26:25 AM	8	unit pH
SC PITUR DORU SNC	Temp	9/18/2016 9:26:24 AM	25	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	9/18/2016 9:21:41 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/18/2016 9:21:09 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 9:21:08 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 9:21:07 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 9:21:06 AM	25	gradCels
SC PITUR DORU SNC	pH	9/18/2016 9:21:05 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/18/2016 9:15:30 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/18/2016 9:15:24 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 9:15:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 9:15:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 9:15:21 AM	25	gradCels
SC PITUR DORU SNC	pH	9/18/2016 9:15:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 9:13:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 9:13:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 9:12:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 9:12:20 AM	14	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 9:12:10 AM	25	gradCels
SC PITUR DORU SNC	pH	9/18/2016 9:12:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 9:10:41 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 9:10:08 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 9:10:07 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 9:10:06 AM	14	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 9:10:05 AM	25	gradCels
SC PITUR DORU SNC	pH	9/18/2016 9:10:04 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/18/2016 9:04:29 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/18/2016 9:04:28 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 9:04:27 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 9:04:26 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 9:04:25 AM	25	gradCels
SC PITUR DORU SNC	pH	9/18/2016 9:04:24 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/18/2016 8:59:41 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/18/2016 8:59:08 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 8:59:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 8:59:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 8:59:05 AM	26	gradCels
SC PITUR DORU SNC	pH	9/18/2016 8:59:04 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/18/2016 8:53:31 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/18/2016 8:53:29 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 8:53:28 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 8:53:27 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 8:53:26 AM	26	gradCels
SC PITUR DORU SNC	pH	9/18/2016 8:53:25 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 8:52:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 8:51:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 8:50:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 8:50:30 AM	14	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 8:50:20 AM	26	gradCels
SC PITUR DORU SNC	pH	9/18/2016 8:50:10 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/18/2016 8:48:41 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/18/2016 8:47:48 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 8:47:47 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 8:47:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 8:47:45 AM	26	gradCels
SC PITUR DORU SNC	pH	9/18/2016 8:47:44 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/18/2016 8:42:30 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/18/2016 8:42:28 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 8:42:27 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 8:42:26 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 8:42:25 AM	26	gradCels
SC PITUR DORU SNC	pH	9/18/2016 8:42:24 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 8:36:49 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 8:36:48 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 8:36:47 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 8:36:46 AM	14	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 8:36:45 AM	26	gradCels
SC PITUR DORU SNC	pH	9/18/2016 8:36:44 AM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	9/18/2016 8:31:29 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/18/2016 8:31:28 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 8:31:27 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 8:31:26 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 8:31:25 AM	26	gradCels
SC PITUR DORU SNC	pH	9/18/2016 8:31:24 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 8:30:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 8:30:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 8:29:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 8:29:20 AM	14	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 8:28:40 AM	26	gradCels
SC PITUR DORU SNC	pH	9/18/2016 8:28:30 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/18/2016 8:26:42 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/18/2016 8:25:56 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 8:25:54 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 8:25:52 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 8:25:51 AM	26	gradCels
SC PITUR DORU SNC	pH	9/18/2016 8:25:50 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/18/2016 8:20:41 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/18/2016 8:20:13 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 8:20:12 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 8:20:11 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 8:20:10 AM	26	gradCels
SC PITUR DORU SNC	pH	9/18/2016 8:20:09 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/18/2016 8:15:42 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/18/2016 8:14:53 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 8:14:52 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 8:14:51 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 8:14:50 AM	26	gradCels
SC PITUR DORU SNC	pH	9/18/2016 8:14:49 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/18/2016 8:09:41 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/18/2016 8:09:09 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 8:09:08 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 8:09:07 AM	0	mg/l
SC PITUR DORU SNC	pH	9/18/2016 8:09:06 AM	8	unit pH
SC PITUR DORU SNC	Temp	9/18/2016 8:09:05 AM	26	gradCels
SC PITUR DORU SNC	Cianuri	9/18/2016 8:08:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 8:08:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 8:08:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 8:08:00 AM	14	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 8:07:50 AM	26	gradCels
SC PITUR DORU SNC	pH	9/18/2016 8:07:00 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/18/2016 8:04:40 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/18/2016 8:03:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 8:03:49 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 8:03:48 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 8:03:47 AM	26	gradCels
SC PITUR DORU SNC	pH	9/18/2016 8:03:46 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/18/2016 7:58:41 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/18/2016 7:58:11 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 7:58:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 7:58:09 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 7:58:07 AM	26	gradCels
SC PITUR DORU SNC	pH	9/18/2016 7:58:06 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/18/2016 7:53:40 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/18/2016 7:52:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 7:52:49 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 7:52:48 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 7:52:47 AM	26	gradCels
SC PITUR DORU SNC	pH	9/18/2016 7:52:46 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/18/2016 7:47:41 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/18/2016 7:47:09 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 7:47:08 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 7:47:07 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 7:47:06 AM	26	gradCels
SC PITUR DORU SNC	pH	9/18/2016 7:47:05 AM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	9/18/2016 7:46:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 7:46:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 7:45:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 7:45:30 AM	14	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 7:45:00 AM	26	gradCels
SC PITUR DORU SNC	pH	9/18/2016 7:44:50 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/18/2016 7:42:40 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/18/2016 7:41:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 7:41:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 7:41:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 7:41:41 AM	26	gradCels
SC PITUR DORU SNC	pH	9/18/2016 7:41:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 7:37:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 7:36:09 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 7:36:08 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 7:36:07 AM	14	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 7:36:06 AM	26	gradCels
SC PITUR DORU SNC	pH	9/18/2016 7:36:05 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/18/2016 7:31:40 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/18/2016 7:30:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 7:30:29 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 7:30:28 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 7:30:27 AM	26	gradCels
SC PITUR DORU SNC	pH	9/18/2016 7:30:26 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/18/2016 7:26:02 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/18/2016 7:25:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 7:25:10 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	9/18/2016 7:25:09 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 7:25:08 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 7:25:07 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 7:25:06 AM	26	gradCels
SC PITUR DORU SNC	pH	9/18/2016 7:25:05 AM	8	unit pH
SC PITUR DORU SNC	Grasimi	9/18/2016 7:24:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 7:24:20 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 7:24:10 AM	26	gradCels
SC PITUR DORU SNC	pH	9/18/2016 7:24:00 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/18/2016 7:19:31 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/18/2016 7:19:29 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 7:19:28 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 7:19:27 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 7:19:26 AM	26	gradCels
SC PITUR DORU SNC	pH	9/18/2016 7:19:25 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/18/2016 7:14:42 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/18/2016 7:14:09 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 7:14:08 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 7:14:07 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 7:14:06 AM	26	gradCels
SC PITUR DORU SNC	pH	9/18/2016 7:14:05 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 7:09:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 7:09:25 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 7:09:24 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 7:09:23 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 7:09:22 AM	26	gradCels
SC PITUR DORU SNC	pH	9/18/2016 7:09:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 7:05:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 7:05:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 7:05:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 7:04:50 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 7:04:20 AM	26	gradCels
SC PITUR DORU SNC	pH	9/18/2016 7:04:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 7:03:46 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 7:03:45 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 7:03:44 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 7:03:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 7:03:42 AM	26	gradCels
SC PITUR DORU SNC	pH	9/18/2016 7:03:41 AM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	9/18/2016 6:58:30 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/18/2016 6:58:25 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 6:58:24 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 6:58:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 6:58:22 AM	26	gradCels
SC PITUR DORU SNC	pH	9/18/2016 6:58:21 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/18/2016 6:52:48 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/18/2016 6:52:45 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 6:52:44 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 6:52:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 6:52:42 AM	26	gradCels
SC PITUR DORU SNC	pH	9/18/2016 6:52:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 6:47:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 6:47:24 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 6:47:04 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 6:47:03 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 6:47:02 AM	26	gradCels
SC PITUR DORU SNC	pH	9/18/2016 6:47:01 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 6:45:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 6:45:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 6:44:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 6:44:10 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 6:43:50 AM	26	gradCels
SC PITUR DORU SNC	pH	9/18/2016 6:43:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 6:41:48 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 6:41:47 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 6:41:44 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 6:41:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 6:41:42 AM	26	gradCels
SC PITUR DORU SNC	pH	9/18/2016 6:41:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 6:36:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 6:36:05 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 6:36:04 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 6:36:03 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 6:36:02 AM	26	gradCels
SC PITUR DORU SNC	pH	9/18/2016 6:36:01 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 6:30:46 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 6:30:45 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 6:30:44 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 6:30:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 6:30:42 AM	26	gradCels
SC PITUR DORU SNC	pH	9/18/2016 6:30:41 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/18/2016 6:25:25 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/18/2016 6:25:24 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 6:25:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 6:25:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 6:25:21 AM	26	gradCels
SC PITUR DORU SNC	pH	9/18/2016 6:25:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 6:23:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 6:23:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 6:22:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 6:22:20 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 6:22:10 AM	26	gradCels
SC PITUR DORU SNC	pH	9/18/2016 6:21:50 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/18/2016 6:20:26 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/18/2016 6:19:47 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 6:19:46 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 6:19:45 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 6:19:44 AM	26	gradCels
SC PITUR DORU SNC	pH	9/18/2016 6:19:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 6:14:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 6:14:24 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 6:14:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 6:14:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 6:14:21 AM	26	gradCels
SC PITUR DORU SNC	pH	9/18/2016 6:14:20 AM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	9/18/2016 6:09:24 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 6:08:47 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 6:08:46 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 6:08:45 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 6:08:44 AM	26	gradCels
SC PITUR DORU SNC	pH	9/18/2016 6:08:43 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 6:03:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 6:03:24 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 6:03:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 6:03:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 6:03:21 AM	26	gradCels
SC PITUR DORU SNC	pH	9/18/2016 6:03:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 6:02:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 6:02:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 6:01:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 6:01:30 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 6:01:20 AM	26	gradCels
SC PITUR DORU SNC	pH	9/18/2016 6:01:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 5:58:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 5:58:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 5:57:45 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 5:57:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 5:57:43 AM	26	gradCels
SC PITUR DORU SNC	pH	9/18/2016 5:57:42 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 5:52:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 5:52:24 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 5:52:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 5:52:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 5:52:21 AM	26	gradCels
SC PITUR DORU SNC	pH	9/18/2016 5:52:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 5:47:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 5:47:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 5:46:45 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 5:46:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 5:46:43 AM	26	gradCels
SC PITUR DORU SNC	pH	9/18/2016 5:46:42 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 5:41:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 5:41:24 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 5:41:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 5:41:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 5:41:21 AM	27	gradCels
SC PITUR DORU SNC	pH	9/18/2016 5:41:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 5:40:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 5:39:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 5:39:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 5:38:40 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 5:38:10 AM	27	gradCels
SC PITUR DORU SNC	pH	9/18/2016 5:38:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 5:36:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 5:35:45 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 5:35:44 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 5:35:43 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 5:35:42 AM	27	gradCels
SC PITUR DORU SNC	pH	9/18/2016 5:35:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 5:30:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 5:30:24 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 5:30:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 5:30:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 5:30:21 AM	27	gradCels
SC PITUR DORU SNC	pH	9/18/2016 5:30:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 5:25:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 5:25:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 5:24:44 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 5:24:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 5:24:42 AM	27	gradCels
SC PITUR DORU SNC	pH	9/18/2016 5:24:41 AM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	9/18/2016 5:19:29 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 5:19:28 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 5:19:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 5:19:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 5:19:21 AM	27	gradCels
SC PITUR DORU SNC	pH	9/18/2016 5:19:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 5:16:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 5:16:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 5:15:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 5:15:10 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 5:14:50 AM	27	gradCels
SC PITUR DORU SNC	Cianuri	9/18/2016 5:14:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 5:14:40 AM	13	mg/l
SC PITUR DORU SNC	pH	9/18/2016 5:14:20 AM	8	unit pH
SC PITUR DORU SNC	Clor	9/18/2016 5:13:45 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 5:13:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 5:13:43 AM	27	gradCels
SC PITUR DORU SNC	pH	9/18/2016 5:13:42 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 5:09:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 5:08:44 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 5:08:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 5:08:42 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 5:08:41 AM	27	gradCels
SC PITUR DORU SNC	pH	9/18/2016 5:08:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 5:03:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 5:03:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 5:03:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 5:03:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 5:03:05 AM	27	gradCels
SC PITUR DORU SNC	pH	9/18/2016 5:03:04 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 4:58:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 4:58:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 4:57:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 4:57:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 4:57:41 AM	27	gradCels
SC PITUR DORU SNC	pH	9/18/2016 4:57:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 4:53:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 4:53:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 4:52:50 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	9/18/2016 4:52:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 4:52:40 AM	13	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 4:52:20 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 4:52:10 AM	27	gradCels
SC PITUR DORU SNC	Clor	9/18/2016 4:52:09 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 4:52:08 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 4:52:07 AM	27	gradCels
SC PITUR DORU SNC	pH	9/18/2016 4:52:06 AM	8	unit pH
SC PITUR DORU SNC	pH	9/18/2016 4:51:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 4:47:44 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 4:47:43 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 4:46:29 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 4:46:28 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 4:46:27 AM	27	gradCels
SC PITUR DORU SNC	pH	9/18/2016 4:46:26 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 4:41:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 4:41:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 4:41:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 4:41:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 4:41:01 AM	27	gradCels
SC PITUR DORU SNC	pH	9/18/2016 4:41:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 4:36:24 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 4:35:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 4:35:29 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 4:35:28 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 4:35:27 AM	27	gradCels
SC PITUR DORU SNC	pH	9/18/2016 4:35:26 AM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	9/18/2016 4:32:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 4:32:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 4:31:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 4:31:20 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 4:31:10 AM	27	gradCels
SC PITUR DORU SNC	Cianuri	9/18/2016 4:30:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 4:30:40 AM	13	mg/l
SC PITUR DORU SNC	pH	9/18/2016 4:30:20 AM	8	unit pH
SC PITUR DORU SNC	Clor	9/18/2016 4:30:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 4:30:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 4:30:01 AM	27	gradCels
SC PITUR DORU SNC	pH	9/18/2016 4:30:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 4:25:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 4:25:24 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 4:24:29 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 4:24:28 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 4:24:27 AM	27	gradCels
SC PITUR DORU SNC	pH	9/18/2016 4:24:26 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 4:19:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 4:19:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 4:19:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 4:19:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 4:19:01 AM	27	gradCels
SC PITUR DORU SNC	pH	9/18/2016 4:19:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 4:13:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 4:13:29 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 4:13:28 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 4:13:27 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 4:13:26 AM	27	gradCels
SC PITUR DORU SNC	pH	9/18/2016 4:13:25 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 4:10:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 4:10:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 4:10:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 4:09:50 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 4:09:20 AM	27	gradCels
SC PITUR DORU SNC	pH	9/18/2016 4:09:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 4:08:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 4:08:04 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 4:08:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 4:08:02 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 4:08:01 AM	27	gradCels
SC PITUR DORU SNC	pH	9/18/2016 4:08:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 4:02:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 4:02:29 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 4:02:28 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 4:02:27 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 4:02:26 AM	27	gradCels
SC PITUR DORU SNC	pH	9/18/2016 4:02:25 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 3:57:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 3:57:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 3:57:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 3:57:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 3:57:01 AM	27	gradCels
SC PITUR DORU SNC	pH	9/18/2016 3:57:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 3:51:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 3:51:24 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 3:51:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 3:51:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 3:51:21 AM	27	gradCels
SC PITUR DORU SNC	pH	9/18/2016 3:51:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 3:50:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 3:49:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 3:49:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 3:48:50 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 3:48:20 AM	27	gradCels
SC PITUR DORU SNC	pH	9/18/2016 3:48:10 AM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	9/18/2016 3:46:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 3:46:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 3:45:49 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 3:45:48 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 3:45:47 AM	27	gradCels
SC PITUR DORU SNC	pH	9/18/2016 3:45:46 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 3:40:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 3:40:24 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 3:40:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 3:40:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 3:40:21 AM	27	gradCels
SC PITUR DORU SNC	pH	9/18/2016 3:40:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 3:35:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 3:35:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 3:34:49 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 3:34:48 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 3:34:47 AM	27	gradCels
SC PITUR DORU SNC	pH	9/18/2016 3:34:46 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 3:30:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 3:30:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 3:30:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 3:29:50 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 3:29:40 AM	27	gradCels
SC PITUR DORU SNC	pH	9/18/2016 3:29:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 3:29:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 3:29:24 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 3:29:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 3:29:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 3:29:21 AM	27	gradCels
SC PITUR DORU SNC	pH	9/18/2016 3:29:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 3:24:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 3:24:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 3:23:49 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 3:23:48 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 3:23:47 AM	27	gradCels
SC PITUR DORU SNC	pH	9/18/2016 3:23:46 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 3:18:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 3:18:24 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 3:18:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 3:18:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 3:18:21 AM	27	gradCels
SC PITUR DORU SNC	pH	9/18/2016 3:18:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 3:13:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 3:13:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 3:12:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 3:12:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 3:12:41 AM	27	gradCels
SC PITUR DORU SNC	pH	9/18/2016 3:12:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 3:09:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 3:09:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 3:09:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 3:09:00 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 3:08:50 AM	27	gradCels
SC PITUR DORU SNC	pH	9/18/2016 3:08:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 3:07:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 3:07:08 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 3:07:07 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 3:07:06 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 3:07:05 AM	27	gradCels
SC PITUR DORU SNC	pH	9/18/2016 3:07:04 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 3:02:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 3:02:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 3:01:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 3:01:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 3:01:41 AM	27	gradCels
SC PITUR DORU SNC	pH	9/18/2016 3:01:40 AM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	9/18/2016 2:56:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 2:56:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 2:56:08 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 2:56:07 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 2:56:06 AM	27	gradCels
SC PITUR DORU SNC	pH	9/18/2016 2:56:05 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 2:51:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 2:51:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 2:50:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 2:50:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 2:50:41 AM	27	gradCels
SC PITUR DORU SNC	pH	9/18/2016 2:50:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 2:47:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 2:47:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 2:47:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 2:46:50 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 2:46:20 AM	27	gradCels
SC PITUR DORU SNC	pH	9/18/2016 2:46:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 2:45:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 2:45:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 2:45:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 2:45:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 2:45:01 AM	27	gradCels
SC PITUR DORU SNC	pH	9/18/2016 2:45:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 2:40:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 2:40:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 2:39:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 2:39:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 2:39:41 AM	27	gradCels
SC PITUR DORU SNC	pH	9/18/2016 2:39:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 2:34:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 2:34:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 2:34:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 2:34:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 2:34:01 AM	27	gradCels
SC PITUR DORU SNC	pH	9/18/2016 2:34:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 2:29:46 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 2:29:45 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 2:28:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 2:28:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 2:28:41 AM	27	gradCels
SC PITUR DORU SNC	pH	9/18/2016 2:28:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 2:25:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 2:25:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 2:25:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 2:25:00 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 2:24:50 AM	27	gradCels
SC PITUR DORU SNC	pH	9/18/2016 2:24:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 2:23:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 2:23:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 2:23:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 2:23:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 2:23:01 AM	27	gradCels
SC PITUR DORU SNC	pH	9/18/2016 2:23:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 2:18:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 2:18:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 2:17:29 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 2:17:28 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 2:17:27 AM	27	gradCels
SC PITUR DORU SNC	pH	9/18/2016 2:17:26 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 2:12:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 2:12:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 2:12:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 2:12:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 2:12:01 AM	27	gradCels
SC PITUR DORU SNC	pH	9/18/2016 2:12:00 AM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	9/18/2016 2:07:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 2:06:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 2:06:29 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 2:06:28 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 2:06:27 AM	28	gradCels
SC PITUR DORU SNC	pH	9/18/2016 2:06:26 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 2:03:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 2:02:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 2:02:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 2:02:10 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 2:02:00 AM	28	gradCels
SC PITUR DORU SNC	pH	9/18/2016 2:01:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 2:01:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 2:01:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 2:01:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 2:01:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 2:01:01 AM	28	gradCels
SC PITUR DORU SNC	pH	9/18/2016 2:01:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 1:56:42 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 1:56:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 1:55:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 1:55:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 1:55:41 AM	28	gradCels
SC PITUR DORU SNC	pH	9/18/2016 1:55:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 1:50:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 1:50:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 1:50:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 1:50:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 1:50:01 AM	28	gradCels
SC PITUR DORU SNC	pH	9/18/2016 1:50:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 1:44:51 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 1:44:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 1:44:49 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 1:44:48 AM	28	gradCels
SC PITUR DORU SNC	Substante organice	9/18/2016 1:44:47 AM	13	mg/l
SC PITUR DORU SNC	pH	9/18/2016 1:44:46 AM	8	unit pH
SC PITUR DORU SNC	Temp	9/18/2016 1:44:45 AM	28	gradCels
SC PITUR DORU SNC	pH	9/18/2016 1:44:44 AM	8	unit pH
SC PITUR DORU SNC	Grasimi	9/18/2016 1:44:43 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	9/18/2016 1:44:42 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 1:44:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 1:44:40 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/18/2016 1:41:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 1:41:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 1:41:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 1:41:00 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 1:40:50 AM	28	gradCels
SC PITUR DORU SNC	pH	9/18/2016 1:40:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 1:39:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 1:39:04 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 1:39:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 1:39:02 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 1:39:01 AM	28	gradCels
SC PITUR DORU SNC	pH	9/18/2016 1:39:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 1:33:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 1:33:24 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 1:33:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 1:33:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 1:33:21 AM	28	gradCels
SC PITUR DORU SNC	pH	9/18/2016 1:33:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 1:28:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 1:28:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 1:28:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 1:28:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 1:28:01 AM	28	gradCels
SC PITUR DORU SNC	pH	9/18/2016 1:28:00 AM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	9/18/2016 1:22:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 1:22:24 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 1:22:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 1:22:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 1:22:21 AM	28	gradCels
SC PITUR DORU SNC	pH	9/18/2016 1:22:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 1:21:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 1:21:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 1:20:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 1:20:10 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 1:19:50 AM	28	gradCels
SC PITUR DORU SNC	pH	9/18/2016 1:19:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 1:17:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 1:17:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 1:17:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 1:17:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 1:17:01 AM	28	gradCels
SC PITUR DORU SNC	pH	9/18/2016 1:17:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 1:11:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 1:11:29 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 1:11:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 1:11:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 1:11:21 AM	28	gradCels
SC PITUR DORU SNC	pH	9/18/2016 1:11:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 1:06:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 1:06:04 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 1:06:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 1:06:02 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 1:06:01 AM	28	gradCels
SC PITUR DORU SNC	pH	9/18/2016 1:06:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 1:01:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 1:01:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 1:00:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 1:00:30 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/18/2016 1:00:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 1:00:24 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 1:00:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 1:00:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 1:00:21 AM	28	gradCels
SC PITUR DORU SNC	pH	9/18/2016 1:00:20 AM	8	unit pH
SC PITUR DORU SNC	Temp	9/18/2016 1:00:00 AM	28	gradCels
SC PITUR DORU SNC	pH	9/18/2016 12:59:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 12:55:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 12:55:24 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 12:54:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 12:54:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 12:54:41 AM	28	gradCels
SC PITUR DORU SNC	pH	9/18/2016 12:54:40 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/18/2016 12:49:25 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/18/2016 12:49:24 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 12:49:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 12:49:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 12:49:21 AM	28	gradCels
SC PITUR DORU SNC	pH	9/18/2016 12:49:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 12:44:26 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 12:44:25 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 12:43:44 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 12:43:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 12:43:42 AM	28	gradCels
SC PITUR DORU SNC	pH	9/18/2016 12:43:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 12:39:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 12:39:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 12:38:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 12:38:30 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/18/2016 12:38:25 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 12:38:24 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	9/18/2016 12:38:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 12:38:22 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 12:38:21 AM	28	gradCels
SC PITUR DORU SNC	pH	9/18/2016 12:38:20 AM	8	unit pH
SC PITUR DORU SNC	Temp	9/18/2016 12:38:00 AM	28	gradCels
SC PITUR DORU SNC	pH	9/18/2016 12:37:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 12:33:26 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 12:33:25 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 12:32:44 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 12:32:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 12:32:42 AM	28	gradCels
SC PITUR DORU SNC	pH	9/18/2016 12:32:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 12:27:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 12:27:24 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 12:27:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 12:27:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 12:27:21 AM	28	gradCels
SC PITUR DORU SNC	pH	9/18/2016 12:27:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 12:22:27 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 12:22:26 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 12:21:44 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 12:21:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 12:21:42 AM	28	gradCels
SC PITUR DORU SNC	pH	9/18/2016 12:21:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 12:17:41 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 12:17:40 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/18/2016 12:17:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 12:17:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 12:16:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 12:16:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 12:16:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 12:16:41 AM	28	gradCels
SC PITUR DORU SNC	pH	9/18/2016 12:16:40 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/18/2016 12:16:20 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 12:16:10 AM	28	gradCels
SC PITUR DORU SNC	pH	9/18/2016 12:16:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 12:12:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 12:12:24 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 12:11:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 12:11:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 12:11:41 AM	28	gradCels
SC PITUR DORU SNC	pH	9/18/2016 12:11:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 12:06:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 12:06:04 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 12:06:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 12:06:02 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 12:06:01 AM	28	gradCels
SC PITUR DORU SNC	pH	9/18/2016 12:06:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/18/2016 12:01:27 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/18/2016 12:01:26 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/18/2016 12:00:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/18/2016 12:00:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/18/2016 12:00:41 AM	28	gradCels
SC PITUR DORU SNC	pH	9/18/2016 12:00:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 11:56:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 11:56:20 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	9/17/2016 11:55:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 11:55:40 PM	13	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 11:55:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 11:55:10 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 11:55:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 11:55:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 11:55:01 PM	28	gradCels
SC PITUR DORU SNC	pH	9/17/2016 11:55:00 PM	8	unit pH
SC PITUR DORU SNC	Temp	9/17/2016 11:54:50 PM	28	gradCels
SC PITUR DORU SNC	pH	9/17/2016 11:54:30 PM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	9/17/2016 11:50:25 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 11:50:24 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 11:49:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 11:49:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 11:49:41 PM	28	gradCels
SC PITUR DORU SNC	pH	9/17/2016 11:49:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 11:44:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 11:44:20 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 11:44:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 11:44:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 11:44:01 PM	28	gradCels
SC PITUR DORU SNC	pH	9/17/2016 11:44:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 11:39:24 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 11:38:45 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 11:38:44 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 11:38:43 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 11:38:42 PM	28	gradCels
SC PITUR DORU SNC	pH	9/17/2016 11:38:41 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 11:37:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 11:37:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 11:36:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 11:35:20 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 11:35:10 PM	28	gradCels
SC PITUR DORU SNC	pH	9/17/2016 11:35:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 11:33:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 11:33:20 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 11:33:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 11:33:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 11:33:01 PM	28	gradCels
SC PITUR DORU SNC	pH	9/17/2016 11:33:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 11:28:24 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 11:28:23 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 11:27:44 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 11:27:43 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 11:27:42 PM	28	gradCels
SC PITUR DORU SNC	pH	9/17/2016 11:27:41 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 11:22:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 11:22:20 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 11:22:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 11:22:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 11:22:01 PM	28	gradCels
SC PITUR DORU SNC	pH	9/17/2016 11:22:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 11:18:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 11:17:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 11:17:30 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	9/17/2016 11:17:25 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 11:17:24 PM	13	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 11:17:00 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 11:16:50 PM	28	gradCels
SC PITUR DORU SNC	Clor	9/17/2016 11:16:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 11:16:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 11:16:41 PM	28	gradCels
SC PITUR DORU SNC	pH	9/17/2016 11:16:40 PM	8	unit pH
SC PITUR DORU SNC	pH	9/17/2016 11:16:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 11:11:41 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 11:11:40 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 11:11:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 11:11:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 11:11:01 PM	28	gradCels
SC PITUR DORU SNC	pH	9/17/2016 11:11:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 11:06:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 11:05:44 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 11:05:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 11:05:42 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 11:05:41 PM	28	gradCels
SC PITUR DORU SNC	pH	9/17/2016 11:05:40 PM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	9/17/2016 11:00:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 11:00:20 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 11:00:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 11:00:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 11:00:01 PM	28	gradCels
SC PITUR DORU SNC	pH	9/17/2016 11:00:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 10:58:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 10:58:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 10:57:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 10:56:50 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 10:56:40 PM	28	gradCels
SC PITUR DORU SNC	pH	9/17/2016 10:56:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 10:54:25 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 10:54:24 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 10:54:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 10:54:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 10:54:21 PM	28	gradCels
SC PITUR DORU SNC	pH	9/17/2016 10:54:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 10:49:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 10:49:20 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 10:49:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 10:49:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 10:49:01 PM	28	gradCels
SC PITUR DORU SNC	pH	9/17/2016 10:49:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 10:43:25 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 10:43:24 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 10:43:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 10:43:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 10:43:21 PM	28	gradCels
SC PITUR DORU SNC	pH	9/17/2016 10:43:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 10:39:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 10:39:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 10:38:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 10:38:10 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/17/2016 10:38:05 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 10:38:04 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 10:38:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 10:38:02 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 10:38:01 PM	28	gradCels
SC PITUR DORU SNC	pH	9/17/2016 10:38:00 PM	8	unit pH
SC PITUR DORU SNC	Temp	9/17/2016 10:37:40 PM	28	gradCels
SC PITUR DORU SNC	pH	9/17/2016 10:37:30 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/17/2016 10:32:25 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/17/2016 10:32:24 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 10:32:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 10:32:22 PM	0	mg/l
SC PITUR DORU SNC	pH	9/17/2016 10:32:21 PM	8	unit pH
SC PITUR DORU SNC	Temp	9/17/2016 10:32:20 PM	28	gradCels
SC PITUR DORU SNC	Substante organice	9/17/2016 10:27:20 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/17/2016 10:27:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 10:27:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 10:27:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 10:27:01 PM	28	gradCels
SC PITUR DORU SNC	pH	9/17/2016 10:27:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/17/2016 10:21:25 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/17/2016 10:21:24 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 10:21:23 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 10:21:22 PM	28	gradCels
SC PITUR DORU SNC	Grasimi	9/17/2016 10:21:21 PM	0	mg/l
SC PITUR DORU SNC	pH	9/17/2016 10:21:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 10:21:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 10:20:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 10:20:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 10:20:10 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 10:20:00 PM	29	gradCels
SC PITUR DORU SNC	pH	9/17/2016 10:19:50 PM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	9/17/2016 10:16:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 10:16:20 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 10:15:44 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 10:15:43 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 10:15:42 PM	29	gradCels
SC PITUR DORU SNC	pH	9/17/2016 10:15:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 10:10:25 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 10:10:24 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 10:10:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 10:10:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 10:10:21 PM	29	gradCels
SC PITUR DORU SNC	pH	9/17/2016 10:10:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/17/2016 10:05:25 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/17/2016 10:04:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 10:04:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 10:04:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 10:04:41 PM	29	gradCels
SC PITUR DORU SNC	pH	9/17/2016 10:04:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 10:03:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 10:03:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 10:01:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 10:01:30 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 10:01:20 PM	29	gradCels
SC PITUR DORU SNC	pH	9/17/2016 10:01:10 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/17/2016 9:59:30 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/17/2016 9:59:24 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 9:59:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 9:59:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 9:59:21 PM	29	gradCels
SC PITUR DORU SNC	pH	9/17/2016 9:59:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/17/2016 9:54:24 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/17/2016 9:53:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 9:53:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 9:53:42 PM	0	mg/l
SC PITUR DORU SNC	pH	9/17/2016 9:53:41 PM	8	unit pH
SC PITUR DORU SNC	Temp	9/17/2016 9:53:40 PM	29	gradCels
SC PITUR DORU SNC	Substante organice	9/17/2016 9:48:29 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/17/2016 9:48:24 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 9:48:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 9:48:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 9:48:21 PM	29	gradCels
SC PITUR DORU SNC	pH	9/17/2016 9:48:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 9:44:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 9:44:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 9:44:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 9:44:00 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 9:43:50 PM	29	gradCels
SC PITUR DORU SNC	pH	9/17/2016 9:43:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 9:43:25 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 9:43:24 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 9:42:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 9:42:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 9:42:41 PM	29	gradCels
SC PITUR DORU SNC	pH	9/17/2016 9:42:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 9:37:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 9:37:20 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 9:37:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 9:37:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 9:37:01 PM	29	gradCels
SC PITUR DORU SNC	pH	9/17/2016 9:37:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/17/2016 9:32:25 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/17/2016 9:31:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 9:31:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 9:31:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 9:31:41 PM	29	gradCels
SC PITUR DORU SNC	pH	9/17/2016 9:31:40 PM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	9/17/2016 9:27:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 9:27:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 9:26:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 9:26:30 PM	13	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 9:26:20 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 9:26:10 PM	29	gradCels
SC PITUR DORU SNC	Cianuri	9/17/2016 9:26:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 9:26:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 9:26:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 9:26:01 PM	29	gradCels
SC PITUR DORU SNC	pH	9/17/2016 9:26:00 PM	8	unit pH
SC PITUR DORU SNC	pH	9/17/2016 9:25:50 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/17/2016 9:21:24 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/17/2016 9:20:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 9:20:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 9:20:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 9:20:41 PM	29	gradCels
SC PITUR DORU SNC	pH	9/17/2016 9:20:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/17/2016 9:15:20 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/17/2016 9:15:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 9:15:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 9:15:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 9:15:01 PM	29	gradCels
SC PITUR DORU SNC	pH	9/17/2016 9:15:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 9:10:30 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	9/17/2016 9:10:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 9:10:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 9:09:44 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 9:09:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 9:09:42 PM	13	mg/l
SC PITUR DORU SNC	pH	9/17/2016 9:09:41 PM	8	unit pH
SC PITUR DORU SNC	Temp	9/17/2016 9:09:40 PM	29	gradCels
SC PITUR DORU SNC	Grasimi	9/17/2016 9:09:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 9:09:10 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 9:09:00 PM	29	gradCels
SC PITUR DORU SNC	pH	9/17/2016 9:08:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 9:04:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 9:04:20 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 9:04:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 9:04:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 9:04:01 PM	29	gradCels
SC PITUR DORU SNC	pH	9/17/2016 9:04:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 8:58:25 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 8:58:24 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 8:58:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 8:58:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 8:58:21 PM	29	gradCels
SC PITUR DORU SNC	pH	9/17/2016 8:58:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 8:53:50 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	9/17/2016 8:53:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 8:53:20 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 8:53:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 8:53:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 8:53:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 8:53:01 PM	29	gradCels
SC PITUR DORU SNC	pH	9/17/2016 8:53:00 PM	8	unit pH
SC PITUR DORU SNC	Grasimi	9/17/2016 8:52:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 8:52:20 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 8:52:10 PM	29	gradCels
SC PITUR DORU SNC	pH	9/17/2016 8:52:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 8:47:29 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 8:47:28 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 8:47:26 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 8:47:24 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 8:47:22 PM	29	gradCels
SC PITUR DORU SNC	pH	9/17/2016 8:47:20 PM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	9/17/2016 8:42:25 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 8:42:24 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 8:42:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 8:42:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 8:42:01 PM	29	gradCels
SC PITUR DORU SNC	pH	9/17/2016 8:42:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 8:36:25 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 8:36:24 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 8:36:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 8:36:22 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 8:36:21 PM	29	gradCels
SC PITUR DORU SNC	pH	9/17/2016 8:36:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 8:35:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 8:35:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 8:34:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 8:33:40 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 8:33:30 PM	29	gradCels
SC PITUR DORU SNC	pH	9/17/2016 8:33:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 8:31:26 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 8:31:25 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 8:31:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 8:31:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 8:31:01 PM	29	gradCels
SC PITUR DORU SNC	pH	9/17/2016 8:31:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 8:25:25 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 8:25:24 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 8:25:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 8:25:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 8:25:21 PM	29	gradCels
SC PITUR DORU SNC	pH	9/17/2016 8:25:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 8:20:26 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 8:20:25 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 8:20:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 8:20:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 8:20:01 PM	29	gradCels
SC PITUR DORU SNC	pH	9/17/2016 8:20:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 8:16:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 8:16:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 8:15:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 8:15:10 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 8:14:40 PM	29	gradCels
SC PITUR DORU SNC	pH	9/17/2016 8:14:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 8:14:25 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 8:14:24 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 8:14:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 8:14:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 8:14:21 PM	29	gradCels
SC PITUR DORU SNC	pH	9/17/2016 8:14:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 8:09:26 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 8:09:25 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 8:09:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 8:09:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 8:09:01 PM	29	gradCels
SC PITUR DORU SNC	pH	9/17/2016 8:09:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 8:03:25 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 8:03:24 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 8:03:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 8:03:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 8:03:21 PM	29	gradCels
SC PITUR DORU SNC	pH	9/17/2016 8:03:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 7:58:25 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 7:58:24 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 7:57:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 7:57:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 7:57:41 PM	29	gradCels
SC PITUR DORU SNC	pH	9/17/2016 7:57:40 PM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	9/17/2016 7:57:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 7:56:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 7:56:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 7:56:00 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 7:55:50 PM	29	gradCels
SC PITUR DORU SNC	pH	9/17/2016 7:55:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 7:52:25 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 7:52:24 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 7:52:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 7:52:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 7:52:21 PM	29	gradCels
SC PITUR DORU SNC	pH	9/17/2016 7:52:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 7:47:25 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 7:47:24 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 7:46:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 7:46:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 7:46:41 PM	29	gradCels
SC PITUR DORU SNC	pH	9/17/2016 7:46:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 7:41:25 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 7:41:24 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 7:41:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 7:41:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 7:41:21 PM	28	gradCels
SC PITUR DORU SNC	pH	9/17/2016 7:41:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 7:38:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 7:38:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 7:37:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 7:37:40 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 7:37:30 PM	28	gradCels
SC PITUR DORU SNC	pH	9/17/2016 7:37:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 7:36:25 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 7:36:24 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 7:35:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 7:35:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 7:35:41 PM	28	gradCels
SC PITUR DORU SNC	pH	9/17/2016 7:35:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 7:30:25 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 7:30:24 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 7:30:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 7:30:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 7:30:21 PM	28	gradCels
SC PITUR DORU SNC	pH	9/17/2016 7:30:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 7:25:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 7:25:20 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 7:24:43 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 7:24:42 PM	28	gradCels
SC PITUR DORU SNC	Grasimi	9/17/2016 7:24:41 PM	0	mg/l
SC PITUR DORU SNC	pH	9/17/2016 7:24:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 7:19:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 7:19:20 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 7:19:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 7:19:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 7:19:01 PM	28	gradCels
SC PITUR DORU SNC	pH	9/17/2016 7:19:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 7:18:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 7:18:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 7:17:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 7:17:40 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 7:17:30 PM	28	gradCels
SC PITUR DORU SNC	pH	9/17/2016 7:16:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 7:14:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 7:14:20 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 7:13:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 7:13:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 7:13:41 PM	28	gradCels
SC PITUR DORU SNC	pH	9/17/2016 7:13:40 PM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	9/17/2016 7:08:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 7:08:04 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 7:08:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 7:08:02 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 7:08:01 PM	28	gradCels
SC PITUR DORU SNC	pH	9/17/2016 7:08:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 7:03:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 7:03:20 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 7:02:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 7:02:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 7:02:41 PM	28	gradCels
SC PITUR DORU SNC	pH	9/17/2016 7:02:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 6:57:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 6:57:20 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 6:57:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 6:57:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 6:57:01 PM	28	gradCels
SC PITUR DORU SNC	pH	9/17/2016 6:57:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 6:56:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 6:56:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 6:55:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 6:54:10 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 6:54:00 PM	28	gradCels
SC PITUR DORU SNC	pH	9/17/2016 6:53:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 6:52:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 6:52:20 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 6:51:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 6:51:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 6:51:41 PM	28	gradCels
SC PITUR DORU SNC	pH	9/17/2016 6:51:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 6:46:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 6:46:20 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 6:46:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 6:46:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 6:46:01 PM	28	gradCels
SC PITUR DORU SNC	pH	9/17/2016 6:46:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 6:41:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 6:40:44 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 6:40:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 6:40:42 PM	13	mg/l
SC PITUR DORU SNC	pH	9/17/2016 6:40:41 PM	8	unit pH
SC PITUR DORU SNC	Temp	9/17/2016 6:40:40 PM	28	gradCels
SC PITUR DORU SNC	Cianuri	9/17/2016 6:35:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 6:35:20 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 6:35:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 6:35:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 6:35:01 PM	28	gradCels
SC PITUR DORU SNC	pH	9/17/2016 6:35:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 6:33:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 6:33:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 6:33:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 6:32:30 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 6:32:10 PM	28	gradCels
SC PITUR DORU SNC	pH	9/17/2016 6:32:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 6:30:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 6:30:20 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 6:29:25 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 6:29:24 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 6:29:23 PM	28	gradCels
SC PITUR DORU SNC	pH	9/17/2016 6:29:22 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 6:24:26 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 6:24:25 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 6:24:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 6:24:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 6:24:01 PM	28	gradCels
SC PITUR DORU SNC	pH	9/17/2016 6:24:00 PM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	9/17/2016 6:19:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 6:19:20 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 6:18:42 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 6:18:41 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 6:18:40 PM	28	gradCels
SC PITUR DORU SNC	Cianuri	9/17/2016 6:14:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 6:13:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 6:13:30 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	9/17/2016 6:13:25 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 6:13:24 PM	13	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 6:13:10 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 6:13:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 6:13:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 6:13:01 PM	28	gradCels
SC PITUR DORU SNC	pH	9/17/2016 6:13:00 PM	8	unit pH
SC PITUR DORU SNC	Temp	9/17/2016 6:12:50 PM	28	gradCels
SC PITUR DORU SNC	pH	9/17/2016 6:12:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 6:08:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 6:07:26 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 6:07:25 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 6:07:24 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 6:07:23 PM	28	gradCels
SC PITUR DORU SNC	pH	9/17/2016 6:07:22 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 6:02:25 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 6:02:24 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 6:02:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 6:02:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 6:02:01 PM	28	gradCels
SC PITUR DORU SNC	pH	9/17/2016 6:02:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 5:57:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 5:57:20 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 5:56:25 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 5:56:24 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 5:56:23 PM	28	gradCels
SC PITUR DORU SNC	pH	9/17/2016 5:56:22 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 5:54:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 5:53:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 5:53:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 5:53:00 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 5:52:50 PM	28	gradCels
SC PITUR DORU SNC	pH	9/17/2016 5:52:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 5:51:26 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 5:51:25 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 5:51:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 5:51:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 5:51:01 PM	28	gradCels
SC PITUR DORU SNC	pH	9/17/2016 5:51:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/17/2016 5:45:27 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/17/2016 5:45:24 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 5:45:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 5:45:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 5:45:21 PM	28	gradCels
SC PITUR DORU SNC	pH	9/17/2016 5:45:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 5:40:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 5:40:20 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 5:40:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 5:40:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 5:40:01 PM	28	gradCels
SC PITUR DORU SNC	pH	9/17/2016 5:40:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/17/2016 5:34:28 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/17/2016 5:34:25 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 5:34:24 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 5:34:23 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 5:34:22 PM	28	gradCels
SC PITUR DORU SNC	pH	9/17/2016 5:34:21 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 5:33:50 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	9/17/2016 5:33:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 5:33:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 5:32:10 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 5:32:00 PM	28	gradCels
SC PITUR DORU SNC	pH	9/17/2016 5:31:50 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/17/2016 5:29:20 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/17/2016 5:29:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 5:29:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 5:29:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 5:29:01 PM	28	gradCels
SC PITUR DORU SNC	pH	9/17/2016 5:29:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/17/2016 5:23:27 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/17/2016 5:23:24 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 5:23:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 5:23:22 PM	0	mg/l
SC PITUR DORU SNC	pH	9/17/2016 5:23:21 PM	8	unit pH
SC PITUR DORU SNC	Temp	9/17/2016 5:23:20 PM	28	gradCels
SC PITUR DORU SNC	Substante organice	9/17/2016 5:18:20 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/17/2016 5:18:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 5:18:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 5:18:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 5:18:01 PM	28	gradCels
SC PITUR DORU SNC	pH	9/17/2016 5:18:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 5:12:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 5:12:30 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	9/17/2016 5:12:27 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 5:12:26 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 5:12:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 5:12:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 5:12:21 PM	28	gradCels
SC PITUR DORU SNC	pH	9/17/2016 5:12:20 PM	8	unit pH
SC PITUR DORU SNC	Grasimi	9/17/2016 5:11:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 5:11:40 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 5:10:30 PM	28	gradCels
SC PITUR DORU SNC	pH	9/17/2016 5:10:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 5:06:45 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 5:06:44 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 5:06:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 5:06:42 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 5:06:41 PM	27	gradCels
SC PITUR DORU SNC	pH	9/17/2016 5:06:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/17/2016 5:01:25 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/17/2016 5:01:24 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 5:01:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 5:01:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 5:01:21 PM	27	gradCels
SC PITUR DORU SNC	pH	9/17/2016 5:01:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/17/2016 4:56:20 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/17/2016 4:55:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 4:55:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 4:55:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 4:55:41 PM	27	gradCels
SC PITUR DORU SNC	pH	9/17/2016 4:55:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 4:52:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 4:52:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 4:52:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 4:51:50 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 4:51:30 PM	27	gradCels
SC PITUR DORU SNC	pH	9/17/2016 4:51:10 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/17/2016 4:50:25 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/17/2016 4:50:24 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 4:50:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 4:50:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 4:50:21 PM	27	gradCels
SC PITUR DORU SNC	pH	9/17/2016 4:50:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/17/2016 4:45:20 PM	13	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	9/17/2016 4:44:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 4:44:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 4:44:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 4:44:41 PM	27	gradCels
SC PITUR DORU SNC	pH	9/17/2016 4:44:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 4:39:25 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 4:39:24 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 4:39:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 4:39:22 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 4:39:21 PM	27	gradCels
SC PITUR DORU SNC	pH	9/17/2016 4:39:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/17/2016 4:34:20 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/17/2016 4:33:50 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	9/17/2016 4:33:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 4:33:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 4:33:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 4:33:41 PM	27	gradCels
SC PITUR DORU SNC	pH	9/17/2016 4:33:40 PM	8	unit pH
SC PITUR DORU SNC	Clor	9/17/2016 4:33:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 4:31:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 4:31:40 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 4:31:30 PM	27	gradCels
SC PITUR DORU SNC	pH	9/17/2016 4:31:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/17/2016 4:29:20 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/17/2016 4:28:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 4:28:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 4:28:42 PM	0	mg/l
SC PITUR DORU SNC	pH	9/17/2016 4:28:41 PM	8	unit pH
SC PITUR DORU SNC	Temp	9/17/2016 4:28:40 PM	27	gradCels
SC PITUR DORU SNC	Substante organice	9/17/2016 4:23:20 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/17/2016 4:23:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 4:23:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 4:23:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 4:23:01 PM	27	gradCels
SC PITUR DORU SNC	pH	9/17/2016 4:23:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 4:18:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 4:18:20 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 4:17:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 4:17:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 4:17:41 PM	27	gradCels
SC PITUR DORU SNC	pH	9/17/2016 4:17:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 4:12:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 4:12:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 4:12:20 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/17/2016 4:12:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 4:12:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 4:12:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 4:12:01 PM	27	gradCels
SC PITUR DORU SNC	pH	9/17/2016 4:12:00 PM	8	unit pH
SC PITUR DORU SNC	Grasimi	9/17/2016 4:11:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 4:11:40 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 4:11:30 PM	27	gradCels
SC PITUR DORU SNC	pH	9/17/2016 4:11:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 4:06:45 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 4:06:44 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 4:06:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 4:06:42 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 4:06:41 PM	27	gradCels
SC PITUR DORU SNC	pH	9/17/2016 4:06:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/17/2016 4:01:20 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/17/2016 4:01:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 4:01:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 4:01:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 4:01:01 PM	27	gradCels
SC PITUR DORU SNC	pH	9/17/2016 4:01:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/17/2016 3:56:25 PM	14	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	9/17/2016 3:55:24 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 3:55:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 3:55:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 3:55:21 PM	27	gradCels
SC PITUR DORU SNC	pH	9/17/2016 3:55:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 3:55:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 3:54:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 3:54:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 3:54:10 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 3:53:20 PM	27	gradCels
SC PITUR DORU SNC	pH	9/17/2016 3:53:10 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/17/2016 3:50:20 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/17/2016 3:50:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 3:50:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 3:50:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 3:50:01 PM	27	gradCels
SC PITUR DORU SNC	pH	9/17/2016 3:50:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/17/2016 3:45:28 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/17/2016 3:44:24 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 3:44:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 3:44:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 3:44:21 PM	27	gradCels
SC PITUR DORU SNC	pH	9/17/2016 3:44:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 3:39:05 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 3:39:04 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 3:39:03 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 3:39:02 PM	27	gradCels
SC PITUR DORU SNC	Substante organice	9/17/2016 3:39:01 PM	14	mg/l
SC PITUR DORU SNC	pH	9/17/2016 3:39:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 3:36:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 3:35:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 3:35:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 3:35:10 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 3:35:00 PM	27	gradCels
SC PITUR DORU SNC	pH	9/17/2016 3:34:50 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/17/2016 3:33:25 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/17/2016 3:33:24 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 3:33:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 3:33:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 3:33:21 PM	27	gradCels
SC PITUR DORU SNC	pH	9/17/2016 3:33:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/17/2016 3:28:20 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/17/2016 3:28:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 3:28:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 3:28:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 3:28:01 PM	27	gradCels
SC PITUR DORU SNC	pH	9/17/2016 3:28:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/17/2016 3:22:25 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/17/2016 3:22:24 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 3:22:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 3:22:22 PM	0	mg/l
SC PITUR DORU SNC	pH	9/17/2016 3:22:21 PM	8	unit pH
SC PITUR DORU SNC	Temp	9/17/2016 3:22:20 PM	27	gradCels
SC PITUR DORU SNC	Substante organice	9/17/2016 3:17:20 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/17/2016 3:17:10 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	9/17/2016 3:17:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 3:17:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 3:17:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 3:17:01 PM	27	gradCels
SC PITUR DORU SNC	pH	9/17/2016 3:17:00 PM	8	unit pH
SC PITUR DORU SNC	Clor	9/17/2016 3:16:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 3:16:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 3:16:00 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 3:15:50 PM	27	gradCels
SC PITUR DORU SNC	pH	9/17/2016 3:15:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/17/2016 3:11:25 PM	14	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	9/17/2016 3:11:24 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 3:11:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 3:11:22 PM	0	mg/l
SC PITUR DORU SNC	pH	9/17/2016 3:11:21 PM	8	unit pH
SC PITUR DORU SNC	Temp	9/17/2016 3:11:20 PM	27	gradCels
SC PITUR DORU SNC	Substante organice	9/17/2016 3:06:20 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/17/2016 3:05:45 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 3:05:44 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 3:05:43 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 3:05:42 PM	27	gradCels
SC PITUR DORU SNC	pH	9/17/2016 3:05:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/17/2016 3:00:25 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/17/2016 3:00:24 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 3:00:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 3:00:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 3:00:21 PM	27	gradCels
SC PITUR DORU SNC	pH	9/17/2016 3:00:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 2:56:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 2:56:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 2:55:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 2:55:20 PM	14	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 2:55:10 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 2:55:00 PM	26	gradCels
SC PITUR DORU SNC	pH	9/17/2016 2:54:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 2:54:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 2:54:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 2:54:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 2:54:41 PM	26	gradCels
SC PITUR DORU SNC	pH	9/17/2016 2:54:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 2:49:25 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 2:49:24 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 2:49:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 2:49:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 2:49:21 PM	26	gradCels
SC PITUR DORU SNC	pH	9/17/2016 2:49:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 2:44:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 2:44:20 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 2:43:45 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 2:43:43 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 2:43:41 PM	26	gradCels
SC PITUR DORU SNC	pH	9/17/2016 2:43:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 2:38:25 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 2:38:24 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 2:38:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 2:38:22 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 2:38:21 PM	26	gradCels
SC PITUR DORU SNC	pH	9/17/2016 2:38:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 2:35:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 2:35:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 2:35:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 2:35:00 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 2:34:50 PM	26	gradCels
SC PITUR DORU SNC	pH	9/17/2016 2:34:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 2:33:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 2:33:20 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 2:32:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 2:32:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 2:32:41 PM	26	gradCels
SC PITUR DORU SNC	pH	9/17/2016 2:32:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 2:27:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 2:27:20 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 2:27:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 2:27:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 2:27:01 PM	26	gradCels
SC PITUR DORU SNC	pH	9/17/2016 2:27:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 2:22:21 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	9/17/2016 2:22:20 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 2:21:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 2:21:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 2:21:41 PM	26	gradCels
SC PITUR DORU SNC	pH	9/17/2016 2:21:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 2:16:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 2:16:20 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 2:16:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 2:16:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 2:16:01 PM	26	gradCels
SC PITUR DORU SNC	pH	9/17/2016 2:16:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 2:15:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 2:15:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 2:15:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 2:14:40 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 2:14:30 PM	26	gradCels
SC PITUR DORU SNC	pH	9/17/2016 2:13:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 2:11:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 2:10:44 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 2:10:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 2:10:42 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 2:10:41 PM	26	gradCels
SC PITUR DORU SNC	pH	9/17/2016 2:10:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 2:05:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 2:05:20 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 2:05:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 2:05:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 2:05:01 PM	26	gradCels
SC PITUR DORU SNC	pH	9/17/2016 2:05:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 2:00:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 2:00:20 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 1:59:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 1:59:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 1:59:41 PM	26	gradCels
SC PITUR DORU SNC	pH	9/17/2016 1:59:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 1:55:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 1:55:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 1:54:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 1:54:30 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/17/2016 1:54:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 1:54:20 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 1:54:10 PM	26	gradCels
SC PITUR DORU SNC	Clor	9/17/2016 1:54:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 1:54:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 1:54:01 PM	26	gradCels
SC PITUR DORU SNC	pH	9/17/2016 1:54:00 PM	8	unit pH
SC PITUR DORU SNC	pH	9/17/2016 1:53:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 1:49:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 1:49:20 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 1:48:42 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 1:48:41 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 1:48:40 PM	26	gradCels
SC PITUR DORU SNC	Cianuri	9/17/2016 1:43:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 1:43:20 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 1:43:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 1:43:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 1:43:01 PM	26	gradCels
SC PITUR DORU SNC	pH	9/17/2016 1:43:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 1:38:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 1:37:24 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 1:37:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 1:37:22 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 1:37:21 PM	26	gradCels
SC PITUR DORU SNC	pH	9/17/2016 1:37:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 1:35:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 1:35:00 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	9/17/2016 1:34:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 1:34:30 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 1:34:10 PM	26	gradCels
SC PITUR DORU SNC	pH	9/17/2016 1:33:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 1:32:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 1:32:20 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 1:32:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 1:32:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 1:32:01 PM	26	gradCels
SC PITUR DORU SNC	pH	9/17/2016 1:32:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 1:26:25 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 1:26:24 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 1:26:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 1:26:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 1:26:21 PM	26	gradCels
SC PITUR DORU SNC	pH	9/17/2016 1:26:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 1:21:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 1:21:20 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 1:21:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 1:21:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 1:21:01 PM	26	gradCels
SC PITUR DORU SNC	pH	9/17/2016 1:21:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 1:15:25 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 1:15:24 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 1:15:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 1:15:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 1:15:21 PM	26	gradCels
SC PITUR DORU SNC	pH	9/17/2016 1:15:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 1:15:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 1:15:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 1:14:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 1:14:00 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 1:13:50 PM	26	gradCels
SC PITUR DORU SNC	pH	9/17/2016 1:13:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 1:10:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 1:10:04 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 1:10:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 1:10:02 PM	14	mg/l
SC PITUR DORU SNC	pH	9/17/2016 1:10:01 PM	8	unit pH
SC PITUR DORU SNC	Temp	9/17/2016 1:10:00 PM	26	gradCels
SC PITUR DORU SNC	Cianuri	9/17/2016 1:04:25 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 1:04:24 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 1:04:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 1:04:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 1:04:21 PM	26	gradCels
SC PITUR DORU SNC	pH	9/17/2016 1:04:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 12:59:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 12:59:20 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 12:58:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 12:58:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 12:58:41 PM	26	gradCels
SC PITUR DORU SNC	pH	9/17/2016 12:58:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 12:53:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 12:53:40 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	9/17/2016 12:53:25 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 12:53:24 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 12:53:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 12:53:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 12:53:21 PM	26	gradCels
SC PITUR DORU SNC	pH	9/17/2016 12:53:20 PM	8	unit pH
SC PITUR DORU SNC	Grasimi	9/17/2016 12:53:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 12:52:50 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 12:52:40 PM	26	gradCels
SC PITUR DORU SNC	pH	9/17/2016 12:52:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 12:48:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 12:48:20 PM	14	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	9/17/2016 12:47:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 12:47:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 12:47:41 PM	26	gradCels
SC PITUR DORU SNC	pH	9/17/2016 12:47:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 12:42:25 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 12:42:24 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 12:42:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 12:42:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 12:42:21 PM	25	gradCels
SC PITUR DORU SNC	pH	9/17/2016 12:42:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 12:37:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 12:36:44 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 12:36:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 12:36:42 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 12:36:41 PM	25	gradCels
SC PITUR DORU SNC	pH	9/17/2016 12:36:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 12:34:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 12:34:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 12:33:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 12:33:30 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 12:33:10 PM	25	gradCels
SC PITUR DORU SNC	pH	9/17/2016 12:32:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 12:31:25 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 12:31:24 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 12:31:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 12:31:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 12:31:21 PM	25	gradCels
SC PITUR DORU SNC	pH	9/17/2016 12:31:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 12:26:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 12:26:20 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 12:25:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 12:25:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 12:25:41 PM	25	gradCels
SC PITUR DORU SNC	pH	9/17/2016 12:25:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 12:20:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 12:20:20 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 12:20:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 12:20:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 12:20:01 PM	25	gradCels
SC PITUR DORU SNC	pH	9/17/2016 12:20:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 12:15:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 12:15:20 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 12:14:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 12:14:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 12:14:41 PM	25	gradCels
SC PITUR DORU SNC	pH	9/17/2016 12:14:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 12:14:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 12:14:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 12:13:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 12:13:10 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 12:12:20 PM	25	gradCels
SC PITUR DORU SNC	pH	9/17/2016 12:12:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 12:09:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 12:09:04 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 12:09:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 12:09:02 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 12:09:01 PM	25	gradCels
SC PITUR DORU SNC	pH	9/17/2016 12:09:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 12:04:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 12:04:20 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 12:03:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 12:03:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 12:03:41 PM	25	gradCels
SC PITUR DORU SNC	pH	9/17/2016 12:03:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 11:58:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 11:58:20 AM	14	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	9/17/2016 11:58:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 11:58:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 11:58:01 AM	25	gradCels
SC PITUR DORU SNC	pH	9/17/2016 11:58:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 11:53:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 11:53:30 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	9/17/2016 11:53:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 11:53:20 AM	14	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 11:53:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 11:52:50 AM	14	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 11:52:40 AM	25	gradCels
SC PITUR DORU SNC	pH	9/17/2016 11:52:30 AM	8	unit pH
SC PITUR DORU SNC	Clor	9/17/2016 11:52:25 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 11:52:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 11:52:23 AM	25	gradCels
SC PITUR DORU SNC	pH	9/17/2016 11:52:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 11:47:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 11:47:20 AM	14	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 11:47:05 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 11:47:03 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 11:47:01 AM	25	gradCels
SC PITUR DORU SNC	pH	9/17/2016 11:47:00 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/17/2016 11:42:20 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/17/2016 11:41:27 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 11:41:26 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 11:41:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 11:41:24 AM	25	gradCels
SC PITUR DORU SNC	pH	9/17/2016 11:41:23 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 11:36:05 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 11:36:04 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 11:36:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 11:36:02 AM	14	mg/l
SC PITUR DORU SNC	pH	9/17/2016 11:36:01 AM	8	unit pH
SC PITUR DORU SNC	Temp	9/17/2016 11:36:00 AM	25	gradCels
SC PITUR DORU SNC	Cianuri	9/17/2016 11:35:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 11:34:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 11:34:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 11:33:40 AM	14	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 11:33:30 AM	25	gradCels
SC PITUR DORU SNC	pH	9/17/2016 11:33:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 11:31:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 11:31:20 AM	14	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 11:30:26 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 11:30:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 11:30:24 AM	25	gradCels
SC PITUR DORU SNC	pH	9/17/2016 11:30:23 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/17/2016 11:25:20 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/17/2016 11:25:04 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 11:25:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 11:25:02 AM	0	mg/l
SC PITUR DORU SNC	pH	9/17/2016 11:25:01 AM	8	unit pH
SC PITUR DORU SNC	Temp	9/17/2016 11:25:00 AM	25	gradCels
SC PITUR DORU SNC	Substante organice	9/17/2016 11:20:24 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/17/2016 11:19:27 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 11:19:26 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 11:19:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 11:19:24 AM	25	gradCels
SC PITUR DORU SNC	pH	9/17/2016 11:19:23 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 11:16:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 11:16:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 11:15:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 11:15:10 AM	14	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 11:14:40 AM	25	gradCels
SC PITUR DORU SNC	pH	9/17/2016 11:14:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 11:14:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 11:14:20 AM	14	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	9/17/2016 11:14:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 11:14:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 11:14:01 AM	25	gradCels
SC PITUR DORU SNC	pH	9/17/2016 11:14:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 11:08:25 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 11:08:24 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 11:08:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 11:08:22 AM	14	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 11:08:21 AM	25	gradCels
SC PITUR DORU SNC	pH	9/17/2016 11:08:20 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/17/2016 11:03:20 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/17/2016 11:03:04 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 11:03:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 11:03:02 AM	0	mg/l
SC PITUR DORU SNC	pH	9/17/2016 11:03:01 AM	8	unit pH
SC PITUR DORU SNC	Temp	9/17/2016 11:03:00 AM	25	gradCels
SC PITUR DORU SNC	Cianuri	9/17/2016 10:57:27 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 10:57:26 AM	14	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 10:57:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 10:57:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 10:57:21 AM	25	gradCels
SC PITUR DORU SNC	pH	9/17/2016 10:57:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 10:56:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 10:56:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 10:56:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 10:56:00 AM	14	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 10:55:50 AM	25	gradCels
SC PITUR DORU SNC	pH	9/17/2016 10:55:00 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/17/2016 10:52:20 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/17/2016 10:51:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 10:51:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 10:51:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 10:51:41 AM	25	gradCels
SC PITUR DORU SNC	pH	9/17/2016 10:51:40 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/17/2016 10:46:27 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/17/2016 10:46:24 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 10:46:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 10:46:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 10:46:21 AM	25	gradCels
SC PITUR DORU SNC	pH	9/17/2016 10:46:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 10:41:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 10:41:20 AM	14	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 10:40:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 10:40:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 10:40:41 AM	25	gradCels
SC PITUR DORU SNC	pH	9/17/2016 10:40:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 10:37:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 10:37:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 10:36:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 10:36:40 AM	14	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 10:36:30 AM	25	gradCels
SC PITUR DORU SNC	pH	9/17/2016 10:36:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 10:35:25 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 10:35:24 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 10:35:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 10:35:22 AM	14	mg/l
SC PITUR DORU SNC	pH	9/17/2016 10:35:21 AM	8	unit pH
SC PITUR DORU SNC	Temp	9/17/2016 10:35:20 AM	25	gradCels
SC PITUR DORU SNC	Substante organice	9/17/2016 10:30:20 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/17/2016 10:29:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 10:29:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 10:29:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 10:29:41 AM	25	gradCels
SC PITUR DORU SNC	pH	9/17/2016 10:29:40 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/17/2016 10:24:25 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/17/2016 10:24:24 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	9/17/2016 10:24:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 10:24:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 10:24:21 AM	25	gradCels
SC PITUR DORU SNC	pH	9/17/2016 10:24:20 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/17/2016 10:19:20 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/17/2016 10:18:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 10:18:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 10:18:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 10:18:41 AM	25	gradCels
SC PITUR DORU SNC	pH	9/17/2016 10:18:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 10:18:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 10:17:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 10:17:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 10:16:10 AM	14	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 10:15:50 AM	25	gradCels
SC PITUR DORU SNC	pH	9/17/2016 10:15:30 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/17/2016 10:13:25 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/17/2016 10:13:24 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 10:13:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 10:13:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 10:13:21 AM	25	gradCels
SC PITUR DORU SNC	pH	9/17/2016 10:13:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 10:07:45 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 10:07:44 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 10:07:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 10:07:42 AM	14	mg/l
SC PITUR DORU SNC	pH	9/17/2016 10:07:41 AM	8	unit pH
SC PITUR DORU SNC	Temp	9/17/2016 10:07:40 AM	25	gradCels
SC PITUR DORU SNC	Substante organice	9/17/2016 10:02:20 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/17/2016 10:02:04 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 10:02:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 10:02:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 10:02:01 AM	25	gradCels
SC PITUR DORU SNC	pH	9/17/2016 10:02:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 9:57:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 9:57:20 AM	14	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 9:57:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 9:56:50 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	9/17/2016 9:56:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 9:56:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 9:56:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 9:56:41 AM	25	gradCels
SC PITUR DORU SNC	pH	9/17/2016 9:56:40 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/17/2016 9:56:10 AM	14	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 9:56:00 AM	25	gradCels
SC PITUR DORU SNC	pH	9/17/2016 9:55:50 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/17/2016 9:51:20 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/17/2016 9:51:04 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 9:51:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 9:51:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 9:51:01 AM	25	gradCels
SC PITUR DORU SNC	pH	9/17/2016 9:51:00 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/17/2016 9:46:20 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/17/2016 9:45:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 9:45:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 9:45:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 9:45:41 AM	25	gradCels
SC PITUR DORU SNC	pH	9/17/2016 9:45:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 9:40:05 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 9:40:04 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 9:40:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 9:40:02 AM	14	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 9:40:01 AM	25	gradCels
SC PITUR DORU SNC	pH	9/17/2016 9:40:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 9:38:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 9:37:40 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	9/17/2016 9:37:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 9:36:50 AM	14	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 9:36:40 AM	25	gradCels
SC PITUR DORU SNC	pH	9/17/2016 9:36:30 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/17/2016 9:35:20 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/17/2016 9:34:26 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 9:34:25 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 9:34:24 AM	0	mg/l
SC PITUR DORU SNC	pH	9/17/2016 9:34:23 AM	8	unit pH
SC PITUR DORU SNC	Temp	9/17/2016 9:34:22 AM	25	gradCels
SC PITUR DORU SNC	Cianuri	9/17/2016 9:29:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 9:29:20 AM	14	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 9:29:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 9:29:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 9:29:01 AM	25	gradCels
SC PITUR DORU SNC	pH	9/17/2016 9:29:00 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/17/2016 9:24:20 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/17/2016 9:23:27 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 9:23:26 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 9:23:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 9:23:24 AM	25	gradCels
SC PITUR DORU SNC	pH	9/17/2016 9:23:23 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 9:19:11 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 9:19:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 9:18:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 9:18:30 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/17/2016 9:18:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 9:18:20 AM	14	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 9:18:10 AM	25	gradCels
SC PITUR DORU SNC	Clor	9/17/2016 9:18:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 9:18:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 9:18:01 AM	25	gradCels
SC PITUR DORU SNC	pH	9/17/2016 9:18:00 AM	8	unit pH
SC PITUR DORU SNC	pH	9/17/2016 9:17:40 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/17/2016 9:13:20 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/17/2016 9:12:26 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 9:12:25 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 9:12:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 9:12:23 AM	25	gradCels
SC PITUR DORU SNC	pH	9/17/2016 9:12:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 9:07:05 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 9:07:04 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 9:07:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 9:07:02 AM	14	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 9:07:01 AM	25	gradCels
SC PITUR DORU SNC	pH	9/17/2016 9:07:00 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/17/2016 9:02:20 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/17/2016 9:01:32 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 9:01:31 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 9:01:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 9:01:29 AM	25	gradCels
SC PITUR DORU SNC	pH	9/17/2016 9:01:28 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 8:58:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 8:58:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 8:58:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 8:57:50 AM	14	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 8:57:40 AM	26	gradCels
SC PITUR DORU SNC	pH	9/17/2016 8:57:30 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/17/2016 8:56:20 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/17/2016 8:56:04 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 8:56:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 8:56:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 8:56:01 AM	26	gradCels
SC PITUR DORU SNC	pH	9/17/2016 8:56:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 8:51:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 8:51:20 AM	14	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	9/17/2016 8:51:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 8:51:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 8:51:01 AM	26	gradCels
SC PITUR DORU SNC	pH	9/17/2016 8:51:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 8:46:24 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 8:46:23 AM	14	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 8:45:26 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 8:45:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 8:45:24 AM	26	gradCels
SC PITUR DORU SNC	pH	9/17/2016 8:45:23 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 8:40:05 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 8:40:04 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 8:40:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 8:40:02 AM	14	mg/l
SC PITUR DORU SNC	pH	9/17/2016 8:40:01 AM	8	unit pH
SC PITUR DORU SNC	Temp	9/17/2016 8:40:00 AM	26	gradCels
SC PITUR DORU SNC	Cianuri	9/17/2016 8:39:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 8:38:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 8:38:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 8:38:00 AM	14	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 8:37:50 AM	26	gradCels
SC PITUR DORU SNC	pH	9/17/2016 8:37:40 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/17/2016 8:34:25 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/17/2016 8:34:24 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 8:34:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 8:34:22 AM	0	mg/l
SC PITUR DORU SNC	pH	9/17/2016 8:34:21 AM	8	unit pH
SC PITUR DORU SNC	Temp	9/17/2016 8:34:20 AM	26	gradCels
SC PITUR DORU SNC	Substante organice	9/17/2016 8:29:20 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/17/2016 8:29:04 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 8:29:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 8:29:02 AM	0	mg/l
SC PITUR DORU SNC	pH	9/17/2016 8:29:01 AM	8	unit pH
SC PITUR DORU SNC	Temp	9/17/2016 8:29:00 AM	26	gradCels
SC PITUR DORU SNC	Substante organice	9/17/2016 8:23:25 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/17/2016 8:23:24 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 8:23:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 8:23:22 AM	0	mg/l
SC PITUR DORU SNC	pH	9/17/2016 8:23:21 AM	8	unit pH
SC PITUR DORU SNC	Temp	9/17/2016 8:23:20 AM	26	gradCels
SC PITUR DORU SNC	Cianuri	9/17/2016 8:19:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 8:19:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 8:19:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 8:19:00 AM	14	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 8:18:50 AM	26	gradCels
SC PITUR DORU SNC	Substante organice	9/17/2016 8:18:20 AM	14	mg/l
SC PITUR DORU SNC	pH	9/17/2016 8:18:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 8:17:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 8:17:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 8:17:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 8:17:41 AM	26	gradCels
SC PITUR DORU SNC	pH	9/17/2016 8:17:40 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/17/2016 8:12:25 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/17/2016 8:12:24 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 8:12:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 8:12:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 8:12:21 AM	26	gradCels
SC PITUR DORU SNC	pH	9/17/2016 8:12:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 8:06:45 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 8:06:44 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 8:06:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 8:06:42 AM	14	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 8:06:41 AM	26	gradCels
SC PITUR DORU SNC	pH	9/17/2016 8:06:40 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/17/2016 8:01:25 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/17/2016 8:01:24 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	9/17/2016 8:01:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 8:01:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 8:01:21 AM	26	gradCels
SC PITUR DORU SNC	pH	9/17/2016 8:01:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 8:00:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 8:00:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 7:59:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 7:59:30 AM	14	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 7:59:10 AM	26	gradCels
SC PITUR DORU SNC	pH	9/17/2016 7:59:00 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/17/2016 7:56:20 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/17/2016 7:55:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 7:55:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 7:55:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 7:55:41 AM	26	gradCels
SC PITUR DORU SNC	pH	9/17/2016 7:55:40 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/17/2016 7:50:25 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/17/2016 7:50:24 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 7:50:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 7:50:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 7:50:21 AM	26	gradCels
SC PITUR DORU SNC	pH	9/17/2016 7:50:20 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/17/2016 7:45:20 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/17/2016 7:44:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 7:44:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 7:44:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 7:44:41 AM	26	gradCels
SC PITUR DORU SNC	pH	9/17/2016 7:44:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 7:41:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 7:40:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 7:40:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 7:40:10 AM	14	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 7:39:40 AM	26	gradCels
SC PITUR DORU SNC	pH	9/17/2016 7:39:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 7:39:25 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 7:39:24 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 7:39:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 7:39:22 AM	14	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 7:39:21 AM	26	gradCels
SC PITUR DORU SNC	pH	9/17/2016 7:39:20 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/17/2016 7:34:20 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/17/2016 7:33:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 7:33:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 7:33:42 AM	0	mg/l
SC PITUR DORU SNC	pH	9/17/2016 7:33:41 AM	8	unit pH
SC PITUR DORU SNC	Temp	9/17/2016 7:33:40 AM	26	gradCels
SC PITUR DORU SNC	Cianuri	9/17/2016 7:28:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 7:28:20 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 7:28:05 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 7:28:03 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 7:28:01 AM	26	gradCels
SC PITUR DORU SNC	pH	9/17/2016 7:28:00 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/17/2016 7:23:20 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/17/2016 7:22:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 7:22:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 7:22:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 7:22:41 AM	26	gradCels
SC PITUR DORU SNC	pH	9/17/2016 7:22:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 7:21:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 7:21:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 7:21:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 7:20:50 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 7:20:40 AM	26	gradCels
SC PITUR DORU SNC	pH	9/17/2016 7:19:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 7:17:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 7:17:20 AM	13	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	9/17/2016 7:17:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 7:17:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 7:17:01 AM	26	gradCels
SC PITUR DORU SNC	pH	9/17/2016 7:17:00 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/17/2016 7:12:20 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/17/2016 7:11:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 7:11:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 7:11:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 7:11:41 AM	26	gradCels
SC PITUR DORU SNC	pH	9/17/2016 7:11:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 7:06:05 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 7:06:04 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 7:06:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 7:06:02 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 7:06:01 AM	26	gradCels
SC PITUR DORU SNC	pH	9/17/2016 7:06:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 7:01:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 7:01:20 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 7:01:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 7:00:50 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	9/17/2016 7:00:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 7:00:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 7:00:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 7:00:41 AM	26	gradCels
SC PITUR DORU SNC	pH	9/17/2016 7:00:40 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/17/2016 7:00:10 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 6:59:40 AM	26	gradCels
SC PITUR DORU SNC	pH	9/17/2016 6:59:30 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/17/2016 6:55:20 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/17/2016 6:55:04 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 6:55:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 6:55:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 6:55:01 AM	26	gradCels
SC PITUR DORU SNC	pH	9/17/2016 6:55:00 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/17/2016 6:50:20 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/17/2016 6:49:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 6:49:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 6:49:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 6:49:41 AM	26	gradCels
SC PITUR DORU SNC	pH	9/17/2016 6:49:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 6:44:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 6:44:20 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 6:44:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 6:44:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 6:44:01 AM	26	gradCels
SC PITUR DORU SNC	pH	9/17/2016 6:44:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 6:42:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 6:40:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 6:40:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 6:40:00 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 6:39:50 AM	26	gradCels
SC PITUR DORU SNC	pH	9/17/2016 6:39:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 6:38:28 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 6:38:27 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 6:38:26 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 6:38:25 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 6:38:24 AM	26	gradCels
SC PITUR DORU SNC	pH	9/17/2016 6:38:23 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/17/2016 6:33:20 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/17/2016 6:33:04 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 6:33:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 6:33:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 6:33:01 AM	26	gradCels
SC PITUR DORU SNC	pH	9/17/2016 6:33:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 6:28:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 6:28:20 AM	13	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	9/17/2016 6:27:25 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 6:27:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 6:27:23 AM	26	gradCels
SC PITUR DORU SNC	pH	9/17/2016 6:27:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 6:23:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 6:22:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 6:22:30 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	9/17/2016 6:22:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 6:22:20 AM	13	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 6:22:10 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 6:22:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 6:22:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 6:22:01 AM	26	gradCels
SC PITUR DORU SNC	pH	9/17/2016 6:22:00 AM	8	unit pH
SC PITUR DORU SNC	Temp	9/17/2016 6:21:40 AM	26	gradCels
SC PITUR DORU SNC	pH	9/17/2016 6:21:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 6:16:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 6:16:24 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 6:16:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 6:16:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 6:16:21 AM	26	gradCels
SC PITUR DORU SNC	pH	9/17/2016 6:16:20 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/17/2016 6:11:20 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/17/2016 6:11:04 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 6:11:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 6:11:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 6:11:01 AM	26	gradCels
SC PITUR DORU SNC	pH	9/17/2016 6:11:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 6:05:25 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 6:05:24 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 6:05:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 6:05:22 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 6:05:21 AM	26	gradCels
SC PITUR DORU SNC	pH	9/17/2016 6:05:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 6:03:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 6:03:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 6:01:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 6:01:40 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 6:01:30 AM	26	gradCels
SC PITUR DORU SNC	pH	9/17/2016 6:01:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 6:00:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 6:00:20 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 5:59:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 5:59:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 5:59:41 AM	26	gradCels
SC PITUR DORU SNC	pH	9/17/2016 5:59:40 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/17/2016 5:54:25 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/17/2016 5:54:24 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 5:54:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 5:54:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 5:54:21 AM	26	gradCels
SC PITUR DORU SNC	pH	9/17/2016 5:54:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 5:49:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 5:49:20 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 5:48:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 5:48:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 5:48:41 AM	27	gradCels
SC PITUR DORU SNC	pH	9/17/2016 5:48:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 5:44:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 5:43:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 5:43:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 5:43:25 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/17/2016 5:43:24 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 5:43:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 5:43:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 5:43:21 AM	27	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	9/17/2016 5:43:20 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/17/2016 5:43:00 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 5:42:50 AM	27	gradCels
SC PITUR DORU SNC	pH	9/17/2016 5:42:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 5:38:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 5:37:44 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 5:37:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 5:37:42 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 5:37:41 AM	27	gradCels
SC PITUR DORU SNC	pH	9/17/2016 5:37:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 5:32:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 5:32:24 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 5:32:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 5:32:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 5:32:21 AM	27	gradCels
SC PITUR DORU SNC	pH	9/17/2016 5:32:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 5:27:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 5:27:20 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 5:26:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 5:26:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 5:26:41 AM	27	gradCels
SC PITUR DORU SNC	pH	9/17/2016 5:26:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 5:25:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 5:24:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 5:23:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 5:23:00 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 5:22:50 AM	27	gradCels
SC PITUR DORU SNC	pH	9/17/2016 5:22:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 5:21:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 5:21:24 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 5:21:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 5:21:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 5:21:21 AM	27	gradCels
SC PITUR DORU SNC	pH	9/17/2016 5:21:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 5:16:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 5:16:20 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 5:15:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 5:15:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 5:15:41 AM	27	gradCels
SC PITUR DORU SNC	pH	9/17/2016 5:15:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 5:10:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 5:10:04 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 5:10:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 5:10:02 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 5:10:01 AM	27	gradCels
SC PITUR DORU SNC	pH	9/17/2016 5:10:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 5:05:30 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	9/17/2016 5:05:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 5:05:20 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 5:05:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 5:04:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 5:04:48 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 5:04:47 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 5:04:46 AM	27	gradCels
SC PITUR DORU SNC	pH	9/17/2016 5:04:45 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/17/2016 5:04:10 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 5:04:00 AM	27	gradCels
SC PITUR DORU SNC	pH	9/17/2016 5:03:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 4:59:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 4:59:20 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 4:59:06 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 4:59:05 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 4:59:04 AM	27	gradCels
SC PITUR DORU SNC	pH	9/17/2016 4:59:03 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 4:54:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 4:54:20 AM	13	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	9/17/2016 4:53:47 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 4:53:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 4:53:45 AM	27	gradCels
SC PITUR DORU SNC	pH	9/17/2016 4:53:44 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 4:49:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 4:49:20 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 4:48:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 4:48:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 4:48:41 AM	27	gradCels
SC PITUR DORU SNC	pH	9/17/2016 4:48:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 4:44:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 4:44:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 4:43:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 4:43:30 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/17/2016 4:43:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 4:43:21 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 4:43:10 AM	27	gradCels
SC PITUR DORU SNC	Clor	9/17/2016 4:43:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 4:43:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 4:43:01 AM	27	gradCels
SC PITUR DORU SNC	pH	9/17/2016 4:43:00 AM	8	unit pH
SC PITUR DORU SNC	pH	9/17/2016 4:42:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 4:38:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 4:37:44 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 4:37:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 4:37:42 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 4:37:41 AM	27	gradCels
SC PITUR DORU SNC	pH	9/17/2016 4:37:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 4:32:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 4:32:20 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 4:32:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 4:32:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 4:32:01 AM	27	gradCels
SC PITUR DORU SNC	pH	9/17/2016 4:32:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 4:27:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 4:27:20 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 4:26:26 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 4:26:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 4:26:24 AM	27	gradCels
SC PITUR DORU SNC	pH	9/17/2016 4:26:23 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 4:24:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 4:24:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 4:23:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 4:23:30 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 4:22:40 AM	27	gradCels
SC PITUR DORU SNC	pH	9/17/2016 4:22:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 4:21:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 4:21:20 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 4:21:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 4:21:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 4:21:01 AM	27	gradCels
SC PITUR DORU SNC	pH	9/17/2016 4:21:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 4:16:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 4:16:20 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 4:15:26 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 4:15:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 4:15:24 AM	27	gradCels
SC PITUR DORU SNC	pH	9/17/2016 4:15:23 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 4:10:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 4:10:04 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 4:10:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 4:10:02 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 4:10:01 AM	27	gradCels
SC PITUR DORU SNC	pH	9/17/2016 4:10:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 4:05:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 4:05:20 AM	13	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	9/17/2016 4:05:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 4:05:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 4:05:01 AM	27	gradCels
SC PITUR DORU SNC	pH	9/17/2016 4:05:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 4:03:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 4:03:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 4:03:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 4:02:50 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 4:02:40 AM	27	gradCels
SC PITUR DORU SNC	pH	9/17/2016 4:02:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 4:00:24 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 4:00:23 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 3:59:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 3:59:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 3:59:21 AM	27	gradCels
SC PITUR DORU SNC	pH	9/17/2016 3:59:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 3:54:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 3:54:20 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 3:54:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 3:54:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 3:54:01 AM	27	gradCels
SC PITUR DORU SNC	pH	9/17/2016 3:54:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 3:48:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 3:48:24 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 3:48:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 3:48:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 3:48:21 AM	27	gradCels
SC PITUR DORU SNC	pH	9/17/2016 3:48:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 3:45:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 3:45:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 3:44:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 3:43:50 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/17/2016 3:43:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 3:43:20 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 3:43:10 AM	27	gradCels
SC PITUR DORU SNC	Clor	9/17/2016 3:43:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 3:43:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 3:43:01 AM	27	gradCels
SC PITUR DORU SNC	pH	9/17/2016 3:43:00 AM	8	unit pH
SC PITUR DORU SNC	pH	9/17/2016 3:42:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 3:37:25 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 3:37:24 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 3:37:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 3:37:22 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 3:37:21 AM	27	gradCels
SC PITUR DORU SNC	pH	9/17/2016 3:37:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 3:32:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 3:32:20 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 3:31:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 3:31:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 3:31:41 AM	27	gradCels
SC PITUR DORU SNC	pH	9/17/2016 3:31:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 3:26:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 3:26:24 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 3:26:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 3:26:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 3:26:21 AM	27	gradCels
SC PITUR DORU SNC	pH	9/17/2016 3:26:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 3:24:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 3:24:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 3:23:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 3:23:40 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 3:23:30 AM	27	gradCels
SC PITUR DORU SNC	pH	9/17/2016 3:23:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 3:21:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 3:21:20 AM	13	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	9/17/2016 3:20:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 3:20:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 3:20:41 AM	27	gradCels
SC PITUR DORU SNC	pH	9/17/2016 3:20:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 3:15:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 3:15:24 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 3:15:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 3:15:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 3:15:21 AM	27	gradCels
SC PITUR DORU SNC	pH	9/17/2016 3:15:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 3:10:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 3:09:44 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 3:09:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 3:09:42 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 3:09:41 AM	27	gradCels
SC PITUR DORU SNC	pH	9/17/2016 3:09:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 3:05:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 3:04:40 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	9/17/2016 3:04:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 3:04:24 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 3:04:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 3:04:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 3:04:21 AM	27	gradCels
SC PITUR DORU SNC	pH	9/17/2016 3:04:20 AM	8	unit pH
SC PITUR DORU SNC	Grasimi	9/17/2016 3:04:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 3:03:50 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 3:03:40 AM	27	gradCels
SC PITUR DORU SNC	pH	9/17/2016 3:03:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 2:59:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 2:59:20 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 2:58:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 2:58:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 2:58:41 AM	27	gradCels
SC PITUR DORU SNC	pH	9/17/2016 2:58:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 2:53:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 2:53:20 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 2:53:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 2:53:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 2:53:01 AM	27	gradCels
SC PITUR DORU SNC	pH	9/17/2016 2:53:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 2:48:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 2:48:20 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 2:47:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 2:47:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 2:47:41 AM	27	gradCels
SC PITUR DORU SNC	pH	9/17/2016 2:47:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 2:46:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 2:45:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 2:45:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 2:45:10 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 2:45:00 AM	27	gradCels
SC PITUR DORU SNC	pH	9/17/2016 2:44:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 2:42:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 2:42:20 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 2:42:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 2:42:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 2:42:01 AM	27	gradCels
SC PITUR DORU SNC	pH	9/17/2016 2:42:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 2:37:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 2:36:44 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 2:36:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 2:36:42 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 2:36:41 AM	27	gradCels
SC PITUR DORU SNC	pH	9/17/2016 2:36:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 2:32:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 2:32:20 AM	13	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	9/17/2016 2:31:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 2:31:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 2:31:41 AM	28	gradCels
SC PITUR DORU SNC	pH	9/17/2016 2:31:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 2:26:30 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	9/17/2016 2:26:26 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 2:26:25 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 2:26:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 2:26:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 2:26:01 AM	28	gradCels
SC PITUR DORU SNC	pH	9/17/2016 2:26:00 AM	8	unit pH
SC PITUR DORU SNC	Clor	9/17/2016 2:25:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 2:25:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 2:25:10 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 2:25:00 AM	28	gradCels
SC PITUR DORU SNC	pH	9/17/2016 2:24:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 2:21:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 2:21:20 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 2:20:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 2:20:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 2:20:41 AM	28	gradCels
SC PITUR DORU SNC	pH	9/17/2016 2:20:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 2:15:26 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 2:15:25 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 2:15:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 2:15:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 2:15:01 AM	28	gradCels
SC PITUR DORU SNC	pH	9/17/2016 2:15:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 2:10:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 2:10:20 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 2:09:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 2:09:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 2:09:21 AM	28	gradCels
SC PITUR DORU SNC	pH	9/17/2016 2:09:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 2:08:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 2:08:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 2:07:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 2:07:10 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 2:07:00 AM	28	gradCels
SC PITUR DORU SNC	pH	9/17/2016 2:06:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 2:04:26 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 2:04:25 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 2:04:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 2:04:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 2:04:01 AM	28	gradCels
SC PITUR DORU SNC	pH	9/17/2016 2:04:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 1:59:26 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 1:59:25 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 1:58:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 1:58:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 1:58:21 AM	28	gradCels
SC PITUR DORU SNC	pH	9/17/2016 1:58:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 1:53:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 1:53:20 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 1:53:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 1:53:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 1:53:01 AM	28	gradCels
SC PITUR DORU SNC	pH	9/17/2016 1:53:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 1:49:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 1:48:50 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	9/17/2016 1:48:26 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 1:48:25 AM	13	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 1:47:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 1:47:40 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 1:47:30 AM	28	gradCels
SC PITUR DORU SNC	Clor	9/17/2016 1:47:23 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	9/17/2016 1:47:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 1:47:21 AM	28	gradCels
SC PITUR DORU SNC	pH	9/17/2016 1:47:20 AM	8	unit pH
SC PITUR DORU SNC	pH	9/17/2016 1:47:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 1:42:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 1:42:20 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 1:42:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 1:42:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 1:42:01 AM	28	gradCels
SC PITUR DORU SNC	pH	9/17/2016 1:42:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 1:37:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 1:36:26 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 1:36:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 1:36:24 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 1:36:23 AM	28	gradCels
SC PITUR DORU SNC	pH	9/17/2016 1:36:22 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 1:31:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 1:31:20 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 1:31:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 1:31:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 1:31:01 AM	28	gradCels
SC PITUR DORU SNC	pH	9/17/2016 1:31:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 1:30:01 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 1:29:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 1:29:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 1:29:10 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 1:29:00 AM	28	gradCels
SC PITUR DORU SNC	pH	9/17/2016 1:28:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 1:25:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 1:25:24 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 1:25:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 1:25:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 1:25:21 AM	28	gradCels
SC PITUR DORU SNC	pH	9/17/2016 1:25:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 1:20:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 1:20:20 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 1:20:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 1:20:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 1:20:01 AM	28	gradCels
SC PITUR DORU SNC	pH	9/17/2016 1:20:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 1:14:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 1:14:24 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 1:14:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 1:14:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 1:14:21 AM	28	gradCels
SC PITUR DORU SNC	pH	9/17/2016 1:14:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 1:12:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 1:12:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 1:12:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 1:11:50 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 1:11:40 AM	28	gradCels
SC PITUR DORU SNC	pH	9/17/2016 1:11:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 1:09:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 1:08:44 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 1:08:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 1:08:42 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 1:08:41 AM	28	gradCels
SC PITUR DORU SNC	pH	9/17/2016 1:08:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 1:03:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 1:03:24 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 1:03:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 1:03:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 1:03:21 AM	28	gradCels
SC PITUR DORU SNC	pH	9/17/2016 1:03:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 12:58:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 12:58:20 AM	13	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	9/17/2016 12:57:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 12:57:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 12:57:41 AM	28	gradCels
SC PITUR DORU SNC	pH	9/17/2016 12:57:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 12:54:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 12:54:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 12:53:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 12:52:50 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 12:52:40 AM	28	gradCels
SC PITUR DORU SNC	pH	9/17/2016 12:52:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 12:52:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 12:52:24 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 12:52:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 12:52:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 12:52:21 AM	28	gradCels
SC PITUR DORU SNC	pH	9/17/2016 12:52:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 12:47:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 12:47:20 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 12:46:47 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 12:46:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 12:46:42 AM	28	gradCels
SC PITUR DORU SNC	pH	9/17/2016 12:46:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 12:41:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 12:41:24 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 12:41:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 12:41:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 12:41:21 AM	28	gradCels
SC PITUR DORU SNC	pH	9/17/2016 12:41:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 12:36:20 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	9/17/2016 12:35:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 12:35:44 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 12:35:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 12:35:42 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 12:35:41 AM	28	gradCels
SC PITUR DORU SNC	pH	9/17/2016 12:35:40 AM	8	unit pH
SC PITUR DORU SNC	Clor	9/17/2016 12:35:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 12:35:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 12:34:50 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 12:34:20 AM	28	gradCels
SC PITUR DORU SNC	pH	9/17/2016 12:34:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 12:30:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 12:30:24 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 12:30:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 12:30:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 12:30:21 AM	28	gradCels
SC PITUR DORU SNC	pH	9/17/2016 12:30:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 12:25:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 12:25:20 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 12:24:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 12:24:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 12:24:41 AM	28	gradCels
SC PITUR DORU SNC	pH	9/17/2016 12:24:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 12:19:26 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 12:19:25 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 12:19:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 12:19:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 12:19:21 AM	28	gradCels
SC PITUR DORU SNC	pH	9/17/2016 12:19:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 12:17:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 12:17:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 12:17:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 12:16:50 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 12:16:40 AM	28	gradCels
SC PITUR DORU SNC	pH	9/17/2016 12:16:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 12:14:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 12:14:20 AM	13	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	9/17/2016 12:13:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 12:13:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 12:13:41 AM	28	gradCels
SC PITUR DORU SNC	pH	9/17/2016 12:13:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/17/2016 12:08:27 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 12:08:24 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 12:08:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 12:08:22 AM	13	mg/l
SC PITUR DORU SNC	pH	9/17/2016 12:08:21 AM	8	unit pH
SC PITUR DORU SNC	Temp	9/17/2016 12:08:20 AM	28	gradCels
SC PITUR DORU SNC	Cianuri	9/17/2016 12:03:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/17/2016 12:03:20 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/17/2016 12:02:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/17/2016 12:02:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/17/2016 12:02:41 AM	28	gradCels
SC PITUR DORU SNC	pH	9/17/2016 12:02:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 11:57:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 11:57:30 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	9/16/2016 11:57:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 11:57:22 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 11:57:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 11:57:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 11:57:01 PM	28	gradCels
SC PITUR DORU SNC	pH	9/16/2016 11:57:00 PM	8	unit pH
SC PITUR DORU SNC	Grasimi	9/16/2016 11:56:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 11:56:40 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 11:56:30 PM	28	gradCels
SC PITUR DORU SNC	pH	9/16/2016 11:56:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 11:52:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 11:52:20 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 11:51:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 11:51:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 11:51:41 PM	28	gradCels
SC PITUR DORU SNC	pH	9/16/2016 11:51:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 11:46:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 11:46:21 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 11:46:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 11:46:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 11:46:01 PM	28	gradCels
SC PITUR DORU SNC	pH	9/16/2016 11:46:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 11:41:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 11:40:44 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 11:40:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 11:40:42 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 11:40:41 PM	28	gradCels
SC PITUR DORU SNC	pH	9/16/2016 11:40:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 11:37:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 11:37:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 11:37:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 11:37:00 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 11:36:50 PM	28	gradCels
SC PITUR DORU SNC	pH	9/16/2016 11:36:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 11:35:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 11:35:22 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 11:35:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 11:35:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 11:35:01 PM	28	gradCels
SC PITUR DORU SNC	pH	9/16/2016 11:35:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 11:30:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 11:30:20 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 11:29:27 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 11:29:26 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 11:29:25 PM	28	gradCels
SC PITUR DORU SNC	pH	9/16/2016 11:29:24 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 11:24:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 11:24:22 PM	13	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	9/16/2016 11:24:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 11:24:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 11:24:01 PM	28	gradCels
SC PITUR DORU SNC	pH	9/16/2016 11:24:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 11:19:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 11:19:20 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/16/2016 11:18:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 11:18:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 11:18:25 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 11:18:24 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 11:18:23 PM	28	gradCels
SC PITUR DORU SNC	pH	9/16/2016 11:18:22 PM	8	unit pH
SC PITUR DORU SNC	Grasimi	9/16/2016 11:18:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 11:17:50 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 11:17:20 PM	29	gradCels
SC PITUR DORU SNC	pH	9/16/2016 11:17:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 11:13:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 11:13:20 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 11:13:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 11:13:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 11:13:01 PM	29	gradCels
SC PITUR DORU SNC	pH	9/16/2016 11:13:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 11:08:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 11:08:20 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 11:07:27 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 11:07:26 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 11:07:25 PM	29	gradCels
SC PITUR DORU SNC	pH	9/16/2016 11:07:24 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 11:02:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 11:02:20 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 11:02:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 11:02:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 11:02:01 PM	29	gradCels
SC PITUR DORU SNC	pH	9/16/2016 11:02:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 10:59:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 10:59:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 10:58:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 10:58:30 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 10:58:10 PM	29	gradCels
SC PITUR DORU SNC	pH	9/16/2016 10:57:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 10:57:22 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 10:57:21 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 10:56:25 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 10:56:24 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 10:56:23 PM	29	gradCels
SC PITUR DORU SNC	pH	9/16/2016 10:56:22 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 10:51:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 10:51:20 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 10:51:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 10:51:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 10:51:01 PM	29	gradCels
SC PITUR DORU SNC	pH	9/16/2016 10:51:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/16/2016 10:46:41 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/16/2016 10:45:27 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 10:45:26 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 10:45:25 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 10:45:24 PM	29	gradCels
SC PITUR DORU SNC	pH	9/16/2016 10:45:23 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 10:40:05 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 10:40:04 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 10:40:03 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 10:40:02 PM	29	gradCels
SC PITUR DORU SNC	Substante organice	9/16/2016 10:40:01 PM	13	mg/l
SC PITUR DORU SNC	pH	9/16/2016 10:40:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 10:39:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 10:39:30 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	9/16/2016 10:38:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 10:38:20 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 10:38:10 PM	29	gradCels
SC PITUR DORU SNC	pH	9/16/2016 10:38:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 10:35:42 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 10:35:41 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 10:34:26 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 10:34:25 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 10:34:24 PM	29	gradCels
SC PITUR DORU SNC	pH	9/16/2016 10:34:23 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 10:29:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 10:29:20 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 10:29:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 10:29:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 10:29:01 PM	29	gradCels
SC PITUR DORU SNC	pH	9/16/2016 10:29:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/16/2016 10:23:26 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/16/2016 10:23:24 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 10:23:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 10:23:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 10:23:21 PM	29	gradCels
SC PITUR DORU SNC	pH	9/16/2016 10:23:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 10:19:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 10:18:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 10:18:20 PM	13	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 10:17:50 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	9/16/2016 10:17:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 10:17:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 10:17:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 10:17:41 PM	29	gradCels
SC PITUR DORU SNC	pH	9/16/2016 10:17:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/16/2016 10:17:30 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 10:16:40 PM	29	gradCels
SC PITUR DORU SNC	pH	9/16/2016 10:16:30 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/16/2016 10:12:26 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/16/2016 10:12:24 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 10:12:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 10:12:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 10:12:21 PM	29	gradCels
SC PITUR DORU SNC	pH	9/16/2016 10:12:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 10:06:45 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 10:06:44 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 10:06:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 10:06:42 PM	13	mg/l
SC PITUR DORU SNC	pH	9/16/2016 10:06:41 PM	8	unit pH
SC PITUR DORU SNC	Temp	9/16/2016 10:06:40 PM	29	gradCels
SC PITUR DORU SNC	Substante organice	9/16/2016 10:01:26 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/16/2016 10:01:24 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 10:01:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 10:01:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 10:01:21 PM	29	gradCels
SC PITUR DORU SNC	pH	9/16/2016 10:01:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 9:59:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 9:58:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 9:58:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 9:57:50 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 9:57:40 PM	29	gradCels
SC PITUR DORU SNC	Substante organice	9/16/2016 9:56:20 PM	13	mg/l
SC PITUR DORU SNC	pH	9/16/2016 9:56:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 9:55:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 9:55:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 9:55:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 9:55:41 PM	29	gradCels
SC PITUR DORU SNC	pH	9/16/2016 9:55:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/16/2016 9:50:26 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/16/2016 9:50:24 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	9/16/2016 9:50:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 9:50:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 9:50:21 PM	29	gradCels
SC PITUR DORU SNC	pH	9/16/2016 9:50:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/16/2016 9:45:20 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/16/2016 9:44:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 9:44:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 9:44:42 PM	0	mg/l
SC PITUR DORU SNC	pH	9/16/2016 9:44:41 PM	8	unit pH
SC PITUR DORU SNC	Temp	9/16/2016 9:44:40 PM	29	gradCels
SC PITUR DORU SNC	Cianuri	9/16/2016 9:39:05 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 9:39:04 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 9:39:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 9:39:02 PM	13	mg/l
SC PITUR DORU SNC	pH	9/16/2016 9:39:01 PM	8	unit pH
SC PITUR DORU SNC	Temp	9/16/2016 9:39:00 PM	29	gradCels
SC PITUR DORU SNC	Cianuri	9/16/2016 9:36:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 9:36:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 9:35:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 9:35:30 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 9:35:20 PM	29	gradCels
SC PITUR DORU SNC	Substante organice	9/16/2016 9:34:20 PM	13	mg/l
SC PITUR DORU SNC	pH	9/16/2016 9:34:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 9:33:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 9:33:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 9:33:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 9:33:41 PM	29	gradCels
SC PITUR DORU SNC	pH	9/16/2016 9:33:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/16/2016 9:28:22 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/16/2016 9:28:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 9:28:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 9:28:02 PM	0	mg/l
SC PITUR DORU SNC	pH	9/16/2016 9:28:01 PM	8	unit pH
SC PITUR DORU SNC	Temp	9/16/2016 9:28:00 PM	29	gradCels
SC PITUR DORU SNC	Substante organice	9/16/2016 9:23:20 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/16/2016 9:22:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 9:22:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 9:22:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 9:22:41 PM	29	gradCels
SC PITUR DORU SNC	pH	9/16/2016 9:22:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/16/2016 9:17:21 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/16/2016 9:17:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 9:17:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 9:17:02 PM	0	mg/l
SC PITUR DORU SNC	pH	9/16/2016 9:17:01 PM	8	unit pH
SC PITUR DORU SNC	Temp	9/16/2016 9:17:00 PM	29	gradCels
SC PITUR DORU SNC	Cianuri	9/16/2016 9:14:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 9:13:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 9:12:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 9:12:20 PM	13	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 9:12:00 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 9:11:50 PM	29	gradCels
SC PITUR DORU SNC	Cianuri	9/16/2016 9:11:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 9:11:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 9:11:42 PM	0	mg/l
SC PITUR DORU SNC	pH	9/16/2016 9:11:41 PM	8	unit pH
SC PITUR DORU SNC	Temp	9/16/2016 9:11:40 PM	29	gradCels
SC PITUR DORU SNC	pH	9/16/2016 9:10:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 9:06:45 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 9:06:44 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 9:06:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 9:06:42 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 9:06:41 PM	29	gradCels
SC PITUR DORU SNC	pH	9/16/2016 9:06:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/16/2016 9:01:20 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/16/2016 9:01:04 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Clor	9/16/2016 9:01:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 9:01:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 9:01:01 PM	29	gradCels
SC PITUR DORU SNC	pH	9/16/2016 9:01:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/16/2016 8:56:20 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/16/2016 8:55:26 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 8:55:25 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 8:55:24 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 8:55:23 PM	29	gradCels
SC PITUR DORU SNC	pH	9/16/2016 8:55:22 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 8:50:30 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	9/16/2016 8:50:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 8:50:20 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 8:50:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 8:50:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 8:50:01 PM	29	gradCels
SC PITUR DORU SNC	pH	9/16/2016 8:50:00 PM	8	unit pH
SC PITUR DORU SNC	Clor	9/16/2016 8:49:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 8:48:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 8:48:20 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 8:48:10 PM	29	gradCels
SC PITUR DORU SNC	pH	9/16/2016 8:48:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 8:45:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 8:45:20 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 8:44:25 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 8:44:24 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 8:44:23 PM	29	gradCels
SC PITUR DORU SNC	pH	9/16/2016 8:44:22 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 8:39:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 8:39:04 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 8:39:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 8:39:02 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 8:39:01 PM	29	gradCels
SC PITUR DORU SNC	pH	9/16/2016 8:39:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 8:34:27 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 8:34:26 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 8:33:25 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 8:33:24 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 8:33:23 PM	29	gradCels
SC PITUR DORU SNC	pH	9/16/2016 8:33:22 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 8:28:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 8:28:22 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 8:27:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 8:27:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 8:27:45 PM	29	gradCels
SC PITUR DORU SNC	pH	9/16/2016 8:27:44 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 8:25:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 8:25:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 8:24:30 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	9/16/2016 8:23:27 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 8:23:26 PM	13	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 8:23:00 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 8:22:50 PM	29	gradCels
SC PITUR DORU SNC	pH	9/16/2016 8:22:40 PM	8	unit pH
SC PITUR DORU SNC	Clor	9/16/2016 8:22:25 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 8:22:24 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 8:22:23 PM	29	gradCels
SC PITUR DORU SNC	pH	9/16/2016 8:22:22 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 8:17:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 8:17:22 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 8:17:02 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 8:17:01 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 8:17:00 PM	29	gradCels
SC PITUR DORU SNC	Cianuri	9/16/2016 8:11:27 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 8:11:26 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 8:11:23 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	9/16/2016 8:11:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 8:11:21 PM	29	gradCels
SC PITUR DORU SNC	pH	9/16/2016 8:11:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 8:06:22 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 8:05:44 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 8:05:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 8:05:42 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 8:05:41 PM	29	gradCels
SC PITUR DORU SNC	pH	9/16/2016 8:05:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 8:02:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 8:01:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 8:01:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 8:01:00 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 8:00:50 PM	29	gradCels
SC PITUR DORU SNC	pH	9/16/2016 8:00:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 8:00:27 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 8:00:26 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 8:00:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 8:00:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 8:00:21 PM	29	gradCels
SC PITUR DORU SNC	pH	9/16/2016 8:00:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 7:55:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 7:55:22 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 7:54:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 7:54:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 7:54:41 PM	29	gradCels
SC PITUR DORU SNC	pH	9/16/2016 7:54:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 7:49:26 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 7:49:25 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 7:49:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 7:49:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 7:49:21 PM	29	gradCels
SC PITUR DORU SNC	pH	9/16/2016 7:49:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 7:44:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 7:44:22 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 7:43:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 7:43:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 7:43:41 PM	29	gradCels
SC PITUR DORU SNC	pH	9/16/2016 7:43:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 7:41:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 7:41:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 7:40:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 7:40:40 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 7:39:50 PM	29	gradCels
SC PITUR DORU SNC	pH	9/16/2016 7:39:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 7:38:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 7:38:28 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 7:38:26 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 7:38:23 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 7:38:22 PM	29	gradCels
SC PITUR DORU SNC	pH	9/16/2016 7:38:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 7:33:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 7:33:22 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 7:32:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 7:32:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 7:32:41 PM	29	gradCels
SC PITUR DORU SNC	pH	9/16/2016 7:32:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 7:27:25 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 7:27:24 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 7:27:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 7:27:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 7:27:21 PM	29	gradCels
SC PITUR DORU SNC	pH	9/16/2016 7:27:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 7:22:22 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 7:22:21 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 7:21:43 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	9/16/2016 7:21:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 7:21:41 PM	29	gradCels
SC PITUR DORU SNC	pH	9/16/2016 7:21:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 7:20:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 7:19:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 7:19:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 7:18:50 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 7:18:40 PM	29	gradCels
SC PITUR DORU SNC	pH	9/16/2016 7:18:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 7:16:25 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 7:16:24 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 7:16:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 7:16:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 7:16:21 PM	29	gradCels
SC PITUR DORU SNC	pH	9/16/2016 7:16:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 7:11:22 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 7:10:44 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 7:10:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 7:10:42 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 7:10:41 PM	29	gradCels
SC PITUR DORU SNC	pH	9/16/2016 7:10:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 7:05:27 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 7:05:26 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 7:05:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 7:05:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 7:05:01 PM	29	gradCels
SC PITUR DORU SNC	pH	9/16/2016 7:05:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 7:00:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 7:00:22 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 6:59:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 6:59:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 6:59:41 PM	29	gradCels
SC PITUR DORU SNC	pH	9/16/2016 6:59:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 6:57:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 6:57:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 6:56:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 6:56:30 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 6:55:10 PM	29	gradCels
SC PITUR DORU SNC	pH	9/16/2016 6:55:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 6:54:27 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 6:54:26 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 6:54:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 6:54:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 6:54:01 PM	29	gradCels
SC PITUR DORU SNC	pH	9/16/2016 6:54:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 6:49:22 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 6:49:21 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 6:48:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 6:48:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 6:48:41 PM	28	gradCels
SC PITUR DORU SNC	pH	9/16/2016 6:48:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 6:43:11 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 6:43:10 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 6:43:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 6:43:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 6:43:01 PM	28	gradCels
SC PITUR DORU SNC	pH	9/16/2016 6:43:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 6:38:22 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 6:37:44 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 6:37:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 6:37:42 PM	13	mg/l
SC PITUR DORU SNC	pH	9/16/2016 6:37:41 PM	8	unit pH
SC PITUR DORU SNC	Temp	9/16/2016 6:37:40 PM	28	gradCels
SC PITUR DORU SNC	Cianuri	9/16/2016 6:36:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 6:35:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 6:35:30 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	9/16/2016 6:34:40 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 6:33:40 PM	28	gradCels
SC PITUR DORU SNC	pH	9/16/2016 6:33:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 6:32:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 6:32:22 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 6:32:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 6:32:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 6:32:01 PM	28	gradCels
SC PITUR DORU SNC	pH	9/16/2016 6:32:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 6:27:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 6:27:22 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 6:26:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 6:26:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 6:26:21 PM	28	gradCels
SC PITUR DORU SNC	pH	9/16/2016 6:26:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 6:21:11 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 6:21:10 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 6:21:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 6:21:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 6:21:01 PM	28	gradCels
SC PITUR DORU SNC	pH	9/16/2016 6:21:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 6:16:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 6:16:22 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 6:15:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 6:15:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 6:15:21 PM	28	gradCels
SC PITUR DORU SNC	pH	9/16/2016 6:15:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 6:13:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 6:12:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 6:11:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 6:11:00 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 6:10:50 PM	28	gradCels
SC PITUR DORU SNC	pH	9/16/2016 6:10:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 6:10:11 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 6:10:04 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 6:10:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 6:10:02 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 6:10:01 PM	28	gradCels
SC PITUR DORU SNC	pH	9/16/2016 6:10:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 6:05:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 6:05:21 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 6:04:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 6:04:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 6:04:21 PM	28	gradCels
SC PITUR DORU SNC	pH	9/16/2016 6:04:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 5:59:11 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 5:59:10 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 5:59:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 5:59:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 5:59:01 PM	28	gradCels
SC PITUR DORU SNC	pH	9/16/2016 5:59:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 5:54:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 5:54:22 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 5:53:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 5:53:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 5:53:21 PM	28	gradCels
SC PITUR DORU SNC	pH	9/16/2016 5:53:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 5:49:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 5:49:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 5:48:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 5:48:30 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 5:48:20 PM	28	gradCels
SC PITUR DORU SNC	Cianuri	9/16/2016 5:48:11 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 5:48:10 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 5:48:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 5:48:02 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Temp	9/16/2016 5:48:01 PM	28	gradCels
SC PITUR DORU SNC	pH	9/16/2016 5:48:00 PM	8	unit pH
SC PITUR DORU SNC	pH	9/16/2016 5:47:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 5:43:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 5:43:22 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 5:42:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 5:42:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 5:42:21 PM	28	gradCels
SC PITUR DORU SNC	pH	9/16/2016 5:42:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 5:36:45 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 5:36:44 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 5:36:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 5:36:42 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 5:36:41 PM	28	gradCels
SC PITUR DORU SNC	pH	9/16/2016 5:36:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/16/2016 5:31:25 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/16/2016 5:31:24 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 5:31:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 5:31:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 5:31:21 PM	28	gradCels
SC PITUR DORU SNC	pH	9/16/2016 5:31:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/16/2016 5:26:22 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/16/2016 5:25:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 5:25:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 5:25:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 5:25:41 PM	28	gradCels
SC PITUR DORU SNC	pH	9/16/2016 5:25:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 5:24:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 5:24:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 5:23:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 5:23:40 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 5:23:30 PM	28	gradCels
SC PITUR DORU SNC	pH	9/16/2016 5:22:50 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/16/2016 5:20:29 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/16/2016 5:20:28 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 5:20:27 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 5:20:25 PM	0	mg/l
SC PITUR DORU SNC	pH	9/16/2016 5:20:22 PM	8	unit pH
SC PITUR DORU SNC	Temp	9/16/2016 5:20:21 PM	28	gradCels
SC PITUR DORU SNC	Cianuri	9/16/2016 5:15:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 5:15:22 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 5:14:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 5:14:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 5:14:41 PM	28	gradCels
SC PITUR DORU SNC	pH	9/16/2016 5:14:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 5:09:25 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 5:09:24 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 5:09:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 5:09:22 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 5:09:21 PM	28	gradCels
SC PITUR DORU SNC	pH	9/16/2016 5:09:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/16/2016 5:04:10 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/16/2016 5:03:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 5:03:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 5:03:42 PM	0	mg/l
SC PITUR DORU SNC	pH	9/16/2016 5:03:41 PM	8	unit pH
SC PITUR DORU SNC	Temp	9/16/2016 5:03:40 PM	28	gradCels
SC PITUR DORU SNC	Cianuri	9/16/2016 5:00:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 5:00:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 4:59:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 4:59:00 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 4:58:50 PM	28	gradCels
SC PITUR DORU SNC	Substante organice	9/16/2016 4:58:20 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/16/2016 4:58:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 4:58:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 4:58:02 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	9/16/2016 4:58:01 PM	8	unit pH
SC PITUR DORU SNC	Temp	9/16/2016 4:58:00 PM	28	gradCels
SC PITUR DORU SNC	pH	9/16/2016 4:57:50 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/16/2016 4:53:10 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/16/2016 4:52:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 4:52:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 4:52:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 4:52:41 PM	28	gradCels
SC PITUR DORU SNC	pH	9/16/2016 4:52:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/16/2016 4:47:20 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/16/2016 4:47:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 4:47:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 4:47:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 4:47:01 PM	27	gradCels
SC PITUR DORU SNC	pH	9/16/2016 4:47:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/16/2016 4:42:10 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/16/2016 4:41:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 4:41:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 4:41:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 4:41:41 PM	27	gradCels
SC PITUR DORU SNC	pH	9/16/2016 4:41:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 4:36:05 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 4:36:04 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 4:36:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 4:36:02 PM	13	mg/l
SC PITUR DORU SNC	pH	9/16/2016 4:36:01 PM	8	unit pH
SC PITUR DORU SNC	Temp	9/16/2016 4:36:00 PM	27	gradCels
SC PITUR DORU SNC	Cianuri	9/16/2016 4:35:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 4:34:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 4:34:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 4:33:50 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 4:33:40 PM	27	gradCels
SC PITUR DORU SNC	pH	9/16/2016 4:33:30 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/16/2016 4:31:10 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/16/2016 4:30:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 4:30:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 4:30:42 PM	0	mg/l
SC PITUR DORU SNC	pH	9/16/2016 4:30:41 PM	8	unit pH
SC PITUR DORU SNC	Temp	9/16/2016 4:30:40 PM	27	gradCels
SC PITUR DORU SNC	Substante organice	9/16/2016 4:25:20 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/16/2016 4:25:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 4:25:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 4:25:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 4:25:01 PM	27	gradCels
SC PITUR DORU SNC	pH	9/16/2016 4:25:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/16/2016 4:20:11 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/16/2016 4:19:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 4:19:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 4:19:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 4:19:41 PM	27	gradCels
SC PITUR DORU SNC	pH	9/16/2016 4:19:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/16/2016 4:14:20 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/16/2016 4:14:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 4:14:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 4:14:02 PM	0	mg/l
SC PITUR DORU SNC	pH	9/16/2016 4:14:01 PM	8	unit pH
SC PITUR DORU SNC	Temp	9/16/2016 4:14:00 PM	27	gradCels
SC PITUR DORU SNC	Cianuri	9/16/2016 4:10:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 4:09:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 4:09:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 4:08:40 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 4:08:30 PM	27	gradCels
SC PITUR DORU SNC	Cianuri	9/16/2016 4:08:25 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 4:08:24 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 4:08:23 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 4:08:22 PM	27	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	9/16/2016 4:08:21 PM	13	mg/l
SC PITUR DORU SNC	pH	9/16/2016 4:08:20 PM	8	unit pH
SC PITUR DORU SNC	pH	9/16/2016 4:08:10 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/16/2016 4:03:20 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/16/2016 4:03:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 4:03:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 4:03:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 4:03:01 PM	27	gradCels
SC PITUR DORU SNC	pH	9/16/2016 4:03:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/16/2016 3:58:22 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/16/2016 3:57:24 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 3:57:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 3:57:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 3:57:21 PM	27	gradCels
SC PITUR DORU SNC	pH	9/16/2016 3:57:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/16/2016 3:52:20 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/16/2016 3:52:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 3:52:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 3:52:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 3:52:01 PM	27	gradCels
SC PITUR DORU SNC	pH	9/16/2016 3:52:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/16/2016 3:47:22 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/16/2016 3:46:24 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 3:46:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 3:46:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 3:46:21 PM	27	gradCels
SC PITUR DORU SNC	pH	9/16/2016 3:46:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 3:44:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 3:44:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 3:44:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 3:43:50 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 3:43:00 PM	27	gradCels
SC PITUR DORU SNC	pH	9/16/2016 3:42:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 3:41:27 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 3:41:26 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 3:41:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 3:41:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 3:41:01 PM	27	gradCels
SC PITUR DORU SNC	pH	9/16/2016 3:41:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 3:36:22 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 3:35:53 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 3:35:52 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 3:35:51 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 3:35:50 PM	27	gradCels
SC PITUR DORU SNC	pH	9/16/2016 3:35:49 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/16/2016 3:31:26 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/16/2016 3:30:36 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 3:30:35 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 3:30:34 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 3:30:33 PM	27	gradCels
SC PITUR DORU SNC	pH	9/16/2016 3:30:32 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/16/2016 3:25:22 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/16/2016 3:24:53 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 3:24:52 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 3:24:51 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 3:24:50 PM	27	gradCels
SC PITUR DORU SNC	pH	9/16/2016 3:24:49 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/16/2016 3:19:36 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/16/2016 3:19:34 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 3:19:33 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 3:19:32 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 3:19:31 PM	27	gradCels
SC PITUR DORU SNC	pH	9/16/2016 3:19:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 3:19:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 3:18:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 3:18:30 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	9/16/2016 3:18:00 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 3:17:50 PM	27	gradCels
SC PITUR DORU SNC	pH	9/16/2016 3:17:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 3:14:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 3:14:21 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 3:13:52 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 3:13:51 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 3:13:50 PM	27	gradCels
SC PITUR DORU SNC	pH	9/16/2016 3:13:49 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 3:08:37 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 3:08:34 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 3:08:33 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 3:08:32 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 3:08:31 PM	27	gradCels
SC PITUR DORU SNC	pH	9/16/2016 3:08:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 3:03:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 3:03:22 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 3:02:52 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 3:02:51 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 3:02:50 PM	26	gradCels
SC PITUR DORU SNC	pH	9/16/2016 3:02:49 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 2:57:36 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 2:57:35 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 2:57:32 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 2:57:31 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 2:57:30 PM	26	gradCels
SC PITUR DORU SNC	pH	9/16/2016 2:57:29 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 2:52:26 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 2:52:25 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 2:52:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 2:52:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 2:52:21 PM	26	gradCels
SC PITUR DORU SNC	pH	9/16/2016 2:52:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 2:52:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 2:51:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 2:50:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 2:50:20 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 2:50:10 PM	26	gradCels
SC PITUR DORU SNC	pH	9/16/2016 2:50:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 2:47:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 2:47:20 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 2:46:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 2:46:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 2:46:41 PM	26	gradCels
SC PITUR DORU SNC	pH	9/16/2016 2:46:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 2:41:27 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 2:41:26 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 2:41:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 2:41:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 2:41:21 PM	26	gradCels
SC PITUR DORU SNC	pH	9/16/2016 2:41:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 2:36:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 2:35:44 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 2:35:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 2:35:42 PM	14	mg/l
SC PITUR DORU SNC	pH	9/16/2016 2:35:41 PM	8	unit pH
SC PITUR DORU SNC	Temp	9/16/2016 2:35:40 PM	26	gradCels
SC PITUR DORU SNC	Cianuri	9/16/2016 2:30:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 2:30:22 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 2:30:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 2:30:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 2:30:01 PM	26	gradCels
SC PITUR DORU SNC	pH	9/16/2016 2:30:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 2:28:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 2:27:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 2:27:30 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	9/16/2016 2:26:40 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 2:26:30 PM	26	gradCels
SC PITUR DORU SNC	pH	9/16/2016 2:25:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 2:25:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 2:25:20 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 2:24:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 2:24:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 2:24:41 PM	26	gradCels
SC PITUR DORU SNC	pH	9/16/2016 2:24:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 2:19:22 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 2:19:21 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 2:19:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 2:19:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 2:19:01 PM	26	gradCels
SC PITUR DORU SNC	pH	9/16/2016 2:19:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 2:14:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 2:14:20 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 2:13:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 2:13:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 2:13:41 PM	26	gradCels
SC PITUR DORU SNC	pH	9/16/2016 2:13:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 2:08:22 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 2:08:04 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 2:08:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 2:08:02 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 2:08:01 PM	26	gradCels
SC PITUR DORU SNC	pH	9/16/2016 2:08:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 2:03:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 2:03:20 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/16/2016 2:03:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 2:02:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 2:02:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 2:02:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 2:02:41 PM	26	gradCels
SC PITUR DORU SNC	pH	9/16/2016 2:02:40 PM	8	unit pH
SC PITUR DORU SNC	Grasimi	9/16/2016 2:01:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 2:01:40 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 2:01:30 PM	26	gradCels
SC PITUR DORU SNC	pH	9/16/2016 2:01:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 1:57:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 1:57:22 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 1:57:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 1:57:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 1:57:01 PM	26	gradCels
SC PITUR DORU SNC	pH	9/16/2016 1:57:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 1:52:22 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 1:52:21 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 1:51:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 1:51:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 1:51:41 PM	26	gradCels
SC PITUR DORU SNC	pH	9/16/2016 1:51:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 1:46:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 1:46:22 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 1:46:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 1:46:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 1:46:01 PM	26	gradCels
SC PITUR DORU SNC	pH	9/16/2016 1:46:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 1:41:26 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 1:41:25 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 1:40:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 1:40:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 1:40:41 PM	26	gradCels
SC PITUR DORU SNC	pH	9/16/2016 1:40:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 1:37:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 1:37:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 1:37:00 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	9/16/2016 1:36:50 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 1:36:00 PM	26	gradCels
SC PITUR DORU SNC	pH	9/16/2016 1:35:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 1:35:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 1:35:22 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 1:35:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 1:35:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 1:35:01 PM	26	gradCels
SC PITUR DORU SNC	pH	9/16/2016 1:35:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 1:30:26 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 1:30:25 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 1:29:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 1:29:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 1:29:21 PM	26	gradCels
SC PITUR DORU SNC	pH	9/16/2016 1:29:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 1:24:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 1:24:22 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 1:24:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 1:24:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 1:24:01 PM	26	gradCels
SC PITUR DORU SNC	pH	9/16/2016 1:24:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 1:19:26 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 1:19:25 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 1:18:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 1:18:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 1:18:21 PM	26	gradCels
SC PITUR DORU SNC	pH	9/16/2016 1:18:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 1:15:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 1:15:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 1:14:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 1:13:50 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/16/2016 1:13:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 1:13:22 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 1:13:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 1:13:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 1:13:01 PM	26	gradCels
SC PITUR DORU SNC	pH	9/16/2016 1:13:00 PM	8	unit pH
SC PITUR DORU SNC	Temp	9/16/2016 1:12:40 PM	26	gradCels
SC PITUR DORU SNC	pH	9/16/2016 1:12:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 1:08:25 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 1:07:24 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 1:07:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 1:07:22 PM	14	mg/l
SC PITUR DORU SNC	pH	9/16/2016 1:07:21 PM	8	unit pH
SC PITUR DORU SNC	Temp	9/16/2016 1:07:20 PM	26	gradCels
SC PITUR DORU SNC	Cianuri	9/16/2016 1:02:12 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 1:02:11 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 1:02:08 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 1:02:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 1:02:06 PM	26	gradCels
SC PITUR DORU SNC	pH	9/16/2016 1:02:05 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 12:57:09 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 12:57:08 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 12:56:25 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 12:56:24 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 12:56:23 PM	26	gradCels
SC PITUR DORU SNC	pH	9/16/2016 12:56:22 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 12:51:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 12:51:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 12:51:22 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/16/2016 12:51:21 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 12:50:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 12:50:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 12:50:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 12:50:41 PM	26	gradCels
SC PITUR DORU SNC	pH	9/16/2016 12:50:40 PM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	9/16/2016 12:50:30 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 12:50:00 PM	26	gradCels
SC PITUR DORU SNC	pH	9/16/2016 12:49:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 12:46:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 12:46:09 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 12:45:25 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 12:45:24 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 12:45:23 PM	26	gradCels
SC PITUR DORU SNC	pH	9/16/2016 12:45:22 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 12:40:22 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 12:39:44 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 12:39:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 12:39:42 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 12:39:41 PM	25	gradCels
SC PITUR DORU SNC	pH	9/16/2016 12:39:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 12:34:32 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 12:34:31 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 12:34:28 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 12:34:27 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 12:34:26 PM	25	gradCels
SC PITUR DORU SNC	pH	9/16/2016 12:34:25 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 12:29:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 12:29:22 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/16/2016 12:29:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 12:28:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 12:28:48 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 12:28:47 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 12:28:46 PM	25	gradCels
SC PITUR DORU SNC	pH	9/16/2016 12:28:45 PM	8	unit pH
SC PITUR DORU SNC	Grasimi	9/16/2016 12:28:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 12:27:50 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 12:27:20 PM	25	gradCels
SC PITUR DORU SNC	pH	9/16/2016 12:27:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 12:23:32 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 12:23:31 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 12:23:28 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 12:23:27 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 12:23:26 PM	25	gradCels
SC PITUR DORU SNC	pH	9/16/2016 12:23:25 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 12:18:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 12:18:22 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 12:17:48 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 12:17:47 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 12:17:46 PM	25	gradCels
SC PITUR DORU SNC	pH	9/16/2016 12:17:45 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 12:12:12 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 12:12:11 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 12:12:08 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 12:12:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 12:12:06 PM	25	gradCels
SC PITUR DORU SNC	pH	9/16/2016 12:12:05 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 12:07:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 12:06:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 12:06:49 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 12:06:48 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 12:06:47 PM	25	gradCels
SC PITUR DORU SNC	pH	9/16/2016 12:06:46 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 12:05:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 12:05:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 12:05:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 12:04:50 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 12:04:40 PM	25	gradCels
SC PITUR DORU SNC	pH	9/16/2016 12:04:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 12:01:12 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 12:01:11 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 12:01:08 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	9/16/2016 12:01:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 12:01:06 PM	25	gradCels
SC PITUR DORU SNC	pH	9/16/2016 12:01:05 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 11:56:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 11:56:20 AM	14	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 11:55:34 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 11:55:33 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 11:55:32 AM	25	gradCels
SC PITUR DORU SNC	pH	9/16/2016 11:55:31 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 11:50:11 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 11:50:10 AM	14	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 11:50:08 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 11:50:07 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 11:50:06 AM	25	gradCels
SC PITUR DORU SNC	pH	9/16/2016 11:50:05 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 11:45:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 11:45:20 AM	14	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 11:44:35 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 11:44:34 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 11:44:33 AM	25	gradCels
SC PITUR DORU SNC	pH	9/16/2016 11:44:32 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 11:43:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 11:43:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 11:43:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 11:42:50 AM	14	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 11:42:40 AM	25	gradCels
SC PITUR DORU SNC	pH	9/16/2016 11:42:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 11:39:13 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 11:39:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 11:39:09 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 11:39:08 AM	14	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 11:39:07 AM	25	gradCels
SC PITUR DORU SNC	pH	9/16/2016 11:39:06 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/16/2016 11:34:20 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/16/2016 11:33:32 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 11:33:31 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 11:33:30 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 11:33:29 AM	25	gradCels
SC PITUR DORU SNC	pH	9/16/2016 11:33:28 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 11:28:12 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 11:28:11 AM	14	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 11:28:08 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 11:28:07 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 11:28:06 AM	25	gradCels
SC PITUR DORU SNC	pH	9/16/2016 11:28:05 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 11:23:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 11:23:20 AM	14	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 11:22:32 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 11:22:31 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 11:22:30 AM	25	gradCels
SC PITUR DORU SNC	pH	9/16/2016 11:22:29 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 11:20:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 11:20:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 11:20:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 11:20:10 AM	14	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 11:20:00 AM	25	gradCels
SC PITUR DORU SNC	pH	9/16/2016 11:19:50 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/16/2016 11:18:11 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/16/2016 11:17:28 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 11:17:27 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 11:17:26 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 11:17:25 AM	25	gradCels
SC PITUR DORU SNC	pH	9/16/2016 11:17:24 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/16/2016 11:12:20 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/16/2016 11:12:04 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 11:12:03 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	9/16/2016 11:12:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 11:12:01 AM	25	gradCels
SC PITUR DORU SNC	pH	9/16/2016 11:12:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 11:06:25 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 11:06:24 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 11:06:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 11:06:22 AM	14	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 11:06:21 AM	25	gradCels
SC PITUR DORU SNC	pH	9/16/2016 11:06:20 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/16/2016 11:01:08 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/16/2016 11:01:04 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 11:01:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 11:01:02 AM	0	mg/l
SC PITUR DORU SNC	pH	9/16/2016 11:01:01 AM	8	unit pH
SC PITUR DORU SNC	Temp	9/16/2016 11:01:00 AM	25	gradCels
SC PITUR DORU SNC	Cianuri	9/16/2016 10:58:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 10:58:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 10:58:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 10:57:50 AM	14	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 10:57:40 AM	25	gradCels
SC PITUR DORU SNC	pH	9/16/2016 10:57:30 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/16/2016 10:56:10 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/16/2016 10:55:28 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 10:55:27 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 10:55:26 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 10:55:25 AM	25	gradCels
SC PITUR DORU SNC	pH	9/16/2016 10:55:24 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/16/2016 10:50:08 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/16/2016 10:50:04 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 10:50:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 10:50:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 10:50:01 AM	25	gradCels
SC PITUR DORU SNC	pH	9/16/2016 10:50:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 10:45:11 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 10:45:10 AM	14	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 10:44:27 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 10:44:26 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 10:44:25 AM	25	gradCels
SC PITUR DORU SNC	pH	9/16/2016 10:44:24 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 10:39:04 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 10:39:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 10:39:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 10:39:01 AM	14	mg/l
SC PITUR DORU SNC	pH	9/16/2016 10:39:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 10:37:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 10:36:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 10:36:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 10:36:20 AM	14	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 10:36:10 AM	25	gradCels
SC PITUR DORU SNC	pH	9/16/2016 10:36:00 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/16/2016 10:34:10 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/16/2016 10:33:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 10:33:29 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 10:33:28 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 10:33:27 AM	25	gradCels
SC PITUR DORU SNC	pH	9/16/2016 10:33:26 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/16/2016 10:28:20 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/16/2016 10:27:49 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 10:27:48 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 10:27:47 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 10:27:46 AM	25	gradCels
SC PITUR DORU SNC	pH	9/16/2016 10:27:44 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/16/2016 10:23:12 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/16/2016 10:23:11 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 10:22:27 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 10:22:26 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Temp	9/16/2016 10:22:25 AM	25	gradCels
SC PITUR DORU SNC	pH	9/16/2016 10:22:24 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/16/2016 10:17:20 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/16/2016 10:16:45 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 10:16:44 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 10:16:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 10:16:41 AM	25	gradCels
SC PITUR DORU SNC	pH	9/16/2016 10:16:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 10:15:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 10:15:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 10:14:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 10:14:40 AM	14	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 10:14:30 AM	25	gradCels
SC PITUR DORU SNC	pH	9/16/2016 10:14:20 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/16/2016 10:11:27 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/16/2016 10:11:24 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 10:11:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 10:11:22 AM	0	mg/l
SC PITUR DORU SNC	pH	9/16/2016 10:11:21 AM	8	unit pH
SC PITUR DORU SNC	Temp	9/16/2016 10:11:20 AM	25	gradCels
SC PITUR DORU SNC	Cianuri	9/16/2016 10:05:45 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 10:05:44 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 10:05:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 10:05:42 AM	14	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 10:05:41 AM	25	gradCels
SC PITUR DORU SNC	pH	9/16/2016 10:05:40 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/16/2016 10:00:38 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/16/2016 10:00:27 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 10:00:25 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 10:00:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 10:00:21 AM	25	gradCels
SC PITUR DORU SNC	pH	9/16/2016 10:00:20 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/16/2016 9:55:20 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/16/2016 9:54:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 9:54:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 9:54:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 9:54:41 AM	25	gradCels
SC PITUR DORU SNC	pH	9/16/2016 9:54:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 9:52:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 9:52:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 9:52:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 9:52:00 AM	14	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 9:51:50 AM	25	gradCels
SC PITUR DORU SNC	pH	9/16/2016 9:51:40 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/16/2016 9:49:09 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/16/2016 9:49:04 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 9:49:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 9:49:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 9:49:01 AM	25	gradCels
SC PITUR DORU SNC	pH	9/16/2016 9:49:00 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/16/2016 9:44:20 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/16/2016 9:43:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 9:43:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 9:43:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 9:43:41 AM	25	gradCels
SC PITUR DORU SNC	pH	9/16/2016 9:43:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 9:38:05 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 9:38:04 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 9:38:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 9:38:02 AM	14	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 9:38:01 AM	25	gradCels
SC PITUR DORU SNC	pH	9/16/2016 9:38:00 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/16/2016 9:33:30 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/16/2016 9:32:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 9:32:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 9:32:42 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Temp	9/16/2016 9:32:41 AM	25	gradCels
SC PITUR DORU SNC	pH	9/16/2016 9:32:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 9:30:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 9:29:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 9:29:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 9:29:00 AM	14	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 9:28:50 AM	25	gradCels
SC PITUR DORU SNC	pH	9/16/2016 9:28:00 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/16/2016 9:27:10 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/16/2016 9:27:04 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 9:27:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 9:27:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 9:27:01 AM	25	gradCels
SC PITUR DORU SNC	pH	9/16/2016 9:27:00 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/16/2016 9:22:11 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/16/2016 9:21:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 9:21:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 9:21:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 9:21:41 AM	25	gradCels
SC PITUR DORU SNC	pH	9/16/2016 9:21:40 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/16/2016 9:16:11 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/16/2016 9:16:04 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 9:16:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 9:16:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 9:16:01 AM	25	gradCels
SC PITUR DORU SNC	pH	9/16/2016 9:16:00 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/16/2016 9:11:10 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/16/2016 9:10:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 9:10:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 9:10:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 9:10:41 AM	26	gradCels
SC PITUR DORU SNC	pH	9/16/2016 9:10:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 9:09:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 9:08:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 9:08:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 9:08:10 AM	14	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 9:08:00 AM	26	gradCels
SC PITUR DORU SNC	pH	9/16/2016 9:07:50 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/16/2016 9:05:10 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/16/2016 9:05:04 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 9:05:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 9:05:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 9:05:01 AM	26	gradCels
SC PITUR DORU SNC	pH	9/16/2016 9:05:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 9:00:11 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 9:00:10 AM	14	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 8:59:25 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 8:59:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 8:59:23 AM	26	gradCels
SC PITUR DORU SNC	pH	9/16/2016 8:59:22 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/16/2016 8:54:10 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/16/2016 8:54:04 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 8:54:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 8:54:02 AM	0	mg/l
SC PITUR DORU SNC	pH	9/16/2016 8:54:01 AM	8	unit pH
SC PITUR DORU SNC	Temp	9/16/2016 8:54:00 AM	26	gradCels
SC PITUR DORU SNC	Substante organice	9/16/2016 8:49:10 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/16/2016 8:48:24 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 8:48:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 8:48:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 8:48:21 AM	26	gradCels
SC PITUR DORU SNC	pH	9/16/2016 8:48:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 8:45:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 8:45:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 8:44:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 8:44:30 AM	14	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Temp	9/16/2016 8:43:50 AM	26	gradCels
SC PITUR DORU SNC	pH	9/16/2016 8:43:40 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/16/2016 8:43:20 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/16/2016 8:42:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 8:42:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 8:42:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 8:42:41 AM	26	gradCels
SC PITUR DORU SNC	pH	9/16/2016 8:42:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 8:37:29 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 8:37:26 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 8:37:24 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 8:37:23 AM	14	mg/l
SC PITUR DORU SNC	pH	9/16/2016 8:37:22 AM	8	unit pH
SC PITUR DORU SNC	Temp	9/16/2016 8:37:21 AM	26	gradCels
SC PITUR DORU SNC	Substante organice	9/16/2016 8:32:08 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/16/2016 8:31:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 8:31:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 8:31:42 AM	0	mg/l
SC PITUR DORU SNC	pH	9/16/2016 8:31:41 AM	8	unit pH
SC PITUR DORU SNC	Temp	9/16/2016 8:31:40 AM	26	gradCels
SC PITUR DORU SNC	Substante organice	9/16/2016 8:26:26 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/16/2016 8:26:24 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 8:26:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 8:26:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 8:26:21 AM	26	gradCels
SC PITUR DORU SNC	pH	9/16/2016 8:26:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 8:23:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 8:22:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 8:21:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 8:21:30 AM	14	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 8:21:07 AM	14	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 8:20:50 AM	26	gradCels
SC PITUR DORU SNC	Cianuri	9/16/2016 8:20:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 8:20:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 8:20:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 8:20:41 AM	26	gradCels
SC PITUR DORU SNC	pH	9/16/2016 8:20:40 AM	8	unit pH
SC PITUR DORU SNC	pH	9/16/2016 8:20:30 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/16/2016 8:15:26 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/16/2016 8:15:24 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 8:15:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 8:15:22 AM	0	mg/l
SC PITUR DORU SNC	pH	9/16/2016 8:15:21 AM	8	unit pH
SC PITUR DORU SNC	Temp	9/16/2016 8:15:20 AM	26	gradCels
SC PITUR DORU SNC	Cianuri	9/16/2016 8:10:13 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 8:10:12 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 8:10:11 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 8:10:10 AM	14	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 8:10:09 AM	26	gradCels
SC PITUR DORU SNC	pH	9/16/2016 8:10:08 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 8:05:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 8:05:20 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 8:04:51 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 8:04:50 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 8:04:49 AM	26	gradCels
SC PITUR DORU SNC	pH	9/16/2016 8:04:48 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 7:59:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 7:59:30 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	9/16/2016 7:59:12 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 7:59:11 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 7:59:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 7:59:09 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 7:59:08 AM	26	gradCels
SC PITUR DORU SNC	pH	9/16/2016 7:59:07 AM	8	unit pH
SC PITUR DORU SNC	Grasimi	9/16/2016 7:58:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 7:58:30 AM	13	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Temp	9/16/2016 7:58:20 AM	26	gradCels
SC PITUR DORU SNC	pH	9/16/2016 7:58:10 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/16/2016 7:54:21 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/16/2016 7:53:51 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 7:53:50 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 7:53:49 AM	26	gradCels
SC PITUR DORU SNC	Grasimi	9/16/2016 7:53:48 AM	0	mg/l
SC PITUR DORU SNC	pH	9/16/2016 7:53:47 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 7:48:12 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 7:48:11 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 7:48:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 7:48:09 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 7:48:08 AM	26	gradCels
SC PITUR DORU SNC	pH	9/16/2016 7:48:07 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/16/2016 7:43:21 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/16/2016 7:42:48 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 7:42:47 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 7:42:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 7:42:45 AM	26	gradCels
SC PITUR DORU SNC	pH	9/16/2016 7:42:44 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 7:37:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 7:37:09 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 7:37:08 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 7:37:07 AM	13	mg/l
SC PITUR DORU SNC	pH	9/16/2016 7:37:06 AM	8	unit pH
SC PITUR DORU SNC	Temp	9/16/2016 7:37:05 AM	26	gradCels
SC PITUR DORU SNC	Cianuri	9/16/2016 7:36:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 7:36:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 7:35:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 7:35:30 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 7:35:10 AM	26	gradCels
SC PITUR DORU SNC	pH	9/16/2016 7:35:00 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/16/2016 7:32:20 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/16/2016 7:31:29 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 7:31:28 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 7:31:27 AM	0	mg/l
SC PITUR DORU SNC	pH	9/16/2016 7:31:26 AM	8	unit pH
SC PITUR DORU SNC	Temp	9/16/2016 7:31:25 AM	26	gradCels
SC PITUR DORU SNC	Substante organice	9/16/2016 7:26:23 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/16/2016 7:26:09 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 7:26:08 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 7:26:07 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 7:26:06 AM	26	gradCels
SC PITUR DORU SNC	pH	9/16/2016 7:26:05 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/16/2016 7:21:21 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/16/2016 7:20:28 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 7:20:27 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 7:20:26 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 7:20:25 AM	26	gradCels
SC PITUR DORU SNC	pH	9/16/2016 7:20:24 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 7:17:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 7:17:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 7:16:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 7:16:00 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 7:15:50 AM	26	gradCels
SC PITUR DORU SNC	pH	9/16/2016 7:15:40 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/16/2016 7:15:23 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/16/2016 7:15:08 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 7:15:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 7:15:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 7:15:05 AM	26	gradCels
SC PITUR DORU SNC	pH	9/16/2016 7:15:04 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/16/2016 7:10:06 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/16/2016 7:09:25 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 7:09:24 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 7:09:23 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Temp	9/16/2016 7:09:22 AM	26	gradCels
SC PITUR DORU SNC	pH	9/16/2016 7:09:21 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/16/2016 7:04:17 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/16/2016 7:04:08 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 7:04:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 7:04:06 AM	0	mg/l
SC PITUR DORU SNC	pH	9/16/2016 7:04:05 AM	8	unit pH
SC PITUR DORU SNC	Temp	9/16/2016 7:04:04 AM	26	gradCels
SC PITUR DORU SNC	Substante organice	9/16/2016 6:59:06 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/16/2016 6:58:25 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 6:58:24 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 6:58:23 AM	0	mg/l
SC PITUR DORU SNC	pH	9/16/2016 6:58:22 AM	8	unit pH
SC PITUR DORU SNC	Temp	9/16/2016 6:58:21 AM	26	gradCels
SC PITUR DORU SNC	Cianuri	9/16/2016 6:56:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 6:56:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 6:56:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 6:56:00 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 6:55:50 AM	26	gradCels
SC PITUR DORU SNC	pH	9/16/2016 6:55:40 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/16/2016 6:53:17 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/16/2016 6:53:08 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 6:53:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 6:53:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 6:53:05 AM	26	gradCels
SC PITUR DORU SNC	pH	9/16/2016 6:53:04 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 6:48:07 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 6:48:06 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 6:47:24 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 6:47:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 6:47:22 AM	26	gradCels
SC PITUR DORU SNC	pH	9/16/2016 6:47:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 6:42:06 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 6:42:05 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 6:41:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 6:41:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 6:41:41 AM	26	gradCels
SC PITUR DORU SNC	pH	9/16/2016 6:41:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 6:37:06 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	9/16/2016 6:36:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 6:36:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 6:36:25 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 6:36:24 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 6:36:23 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 6:36:22 AM	26	gradCels
SC PITUR DORU SNC	pH	9/16/2016 6:36:21 AM	8	unit pH
SC PITUR DORU SNC	Grasimi	9/16/2016 6:35:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 6:35:00 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 6:34:50 AM	26	gradCels
SC PITUR DORU SNC	pH	9/16/2016 6:34:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 6:31:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 6:31:20 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 6:30:47 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 6:30:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 6:30:45 AM	26	gradCels
SC PITUR DORU SNC	pH	9/16/2016 6:30:44 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 6:26:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 6:26:20 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 6:25:28 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 6:25:27 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 6:25:26 AM	26	gradCels
SC PITUR DORU SNC	pH	9/16/2016 6:25:25 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 6:20:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 6:20:20 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 6:19:48 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 6:19:47 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Temp	9/16/2016 6:19:46 AM	26	gradCels
SC PITUR DORU SNC	pH	9/16/2016 6:19:45 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 6:17:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 6:16:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 6:16:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 6:15:00 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 6:14:50 AM	26	gradCels
SC PITUR DORU SNC	pH	9/16/2016 6:14:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 6:14:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 6:14:29 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 6:14:27 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 6:14:26 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 6:14:25 AM	26	gradCels
SC PITUR DORU SNC	pH	9/16/2016 6:14:24 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 6:09:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 6:08:49 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 6:08:48 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 6:08:47 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 6:08:46 AM	26	gradCels
SC PITUR DORU SNC	pH	9/16/2016 6:08:45 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/16/2016 6:03:30 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/16/2016 6:03:28 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 6:03:27 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 6:03:26 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 6:03:25 AM	26	gradCels
SC PITUR DORU SNC	pH	9/16/2016 6:03:24 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/16/2016 5:58:20 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/16/2016 5:57:48 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 5:57:47 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 5:57:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 5:57:45 AM	27	gradCels
SC PITUR DORU SNC	pH	9/16/2016 5:57:44 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 5:55:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 5:55:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 5:55:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 5:55:00 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 5:54:50 AM	27	gradCels
SC PITUR DORU SNC	pH	9/16/2016 5:54:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 5:52:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 5:52:09 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 5:52:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 5:52:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 5:52:05 AM	27	gradCels
SC PITUR DORU SNC	pH	9/16/2016 5:52:04 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 5:47:05 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 5:47:04 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 5:47:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 5:47:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 5:47:01 AM	27	gradCels
SC PITUR DORU SNC	pH	9/16/2016 5:47:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 5:42:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 5:42:20 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 5:41:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 5:41:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 5:41:41 AM	27	gradCels
SC PITUR DORU SNC	pH	9/16/2016 5:41:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 5:36:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 5:36:20 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	9/16/2016 5:36:05 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 5:36:04 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 5:36:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 5:36:02 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 5:36:01 AM	27	gradCels
SC PITUR DORU SNC	pH	9/16/2016 5:36:00 AM	8	unit pH
SC PITUR DORU SNC	Grasimi	9/16/2016 5:35:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 5:35:10 AM	13	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Temp	9/16/2016 5:35:00 AM	27	gradCels
SC PITUR DORU SNC	pH	9/16/2016 5:34:50 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/16/2016 5:31:20 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/16/2016 5:30:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 5:30:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 5:30:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 5:30:41 AM	27	gradCels
SC PITUR DORU SNC	pH	9/16/2016 5:30:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 5:25:06 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 5:25:05 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 5:25:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 5:25:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 5:25:01 AM	27	gradCels
SC PITUR DORU SNC	pH	9/16/2016 5:25:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 5:20:12 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 5:20:11 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 5:19:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 5:19:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 5:19:41 AM	27	gradCels
SC PITUR DORU SNC	pH	9/16/2016 5:19:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 5:17:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 5:17:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 5:17:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 5:16:50 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 5:16:40 AM	27	gradCels
SC PITUR DORU SNC	pH	9/16/2016 5:16:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 5:14:06 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 5:14:05 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 5:14:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 5:14:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 5:14:01 AM	27	gradCels
SC PITUR DORU SNC	pH	9/16/2016 5:14:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 5:09:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 5:09:42 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 5:08:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 5:08:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 5:08:41 AM	27	gradCels
SC PITUR DORU SNC	pH	9/16/2016 5:08:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 5:03:07 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 5:03:06 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 5:03:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 5:03:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 5:03:01 AM	27	gradCels
SC PITUR DORU SNC	pH	9/16/2016 5:03:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 4:58:28 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 4:58:27 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/16/2016 4:57:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 4:57:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 4:57:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 4:57:41 AM	27	gradCels
SC PITUR DORU SNC	pH	9/16/2016 4:57:40 AM	8	unit pH
SC PITUR DORU SNC	Clor	9/16/2016 4:57:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 4:56:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 4:55:50 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 4:55:40 AM	27	gradCels
SC PITUR DORU SNC	pH	9/16/2016 4:55:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 4:52:06 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 4:52:05 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 4:52:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 4:52:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 4:52:01 AM	27	gradCels
SC PITUR DORU SNC	pH	9/16/2016 4:52:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 4:47:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 4:47:29 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 4:46:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 4:46:22 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Temp	9/16/2016 4:46:21 AM	27	gradCels
SC PITUR DORU SNC	pH	9/16/2016 4:46:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 4:41:06 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 4:41:05 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 4:41:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 4:41:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 4:41:01 AM	27	gradCels
SC PITUR DORU SNC	pH	9/16/2016 4:41:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 4:36:40 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	9/16/2016 4:36:27 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 4:35:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 4:35:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 4:35:29 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 4:35:28 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 4:35:27 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 4:35:26 AM	27	gradCels
SC PITUR DORU SNC	pH	9/16/2016 4:35:25 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/16/2016 4:35:00 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 4:34:30 AM	27	gradCels
SC PITUR DORU SNC	pH	9/16/2016 4:34:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 4:30:05 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 4:30:04 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 4:30:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 4:30:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 4:30:01 AM	27	gradCels
SC PITUR DORU SNC	pH	9/16/2016 4:30:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 4:25:28 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 4:25:27 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 4:24:29 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 4:24:28 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 4:24:27 AM	27	gradCels
SC PITUR DORU SNC	pH	9/16/2016 4:24:26 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 4:19:05 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 4:19:04 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 4:19:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 4:19:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 4:19:01 AM	27	gradCels
SC PITUR DORU SNC	pH	9/16/2016 4:19:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 4:14:40 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	9/16/2016 4:14:29 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 4:14:27 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 4:13:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 4:13:28 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 4:13:27 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 4:13:26 AM	27	gradCels
SC PITUR DORU SNC	pH	9/16/2016 4:13:25 AM	8	unit pH
SC PITUR DORU SNC	Grasimi	9/16/2016 4:13:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 4:12:00 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 4:11:50 AM	27	gradCels
SC PITUR DORU SNC	pH	9/16/2016 4:11:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 4:08:05 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 4:08:04 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 4:08:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 4:08:02 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 4:08:01 AM	27	gradCels
SC PITUR DORU SNC	pH	9/16/2016 4:08:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 4:03:28 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 4:03:27 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 4:02:29 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 4:02:28 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 4:02:27 AM	27	gradCels
SC PITUR DORU SNC	pH	9/16/2016 4:02:26 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 3:57:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 3:57:20 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 3:56:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 3:56:42 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Temp	9/16/2016 3:56:41 AM	27	gradCels
SC PITUR DORU SNC	pH	9/16/2016 3:56:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 3:53:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 3:52:40 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	9/16/2016 3:52:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 3:52:22 AM	13	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 3:51:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 3:51:28 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 3:51:27 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 3:51:26 AM	27	gradCels
SC PITUR DORU SNC	pH	9/16/2016 3:51:25 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/16/2016 3:51:00 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 3:50:20 AM	27	gradCels
SC PITUR DORU SNC	pH	9/16/2016 3:50:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 3:46:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 3:46:20 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 3:45:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 3:45:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 3:45:41 AM	27	gradCels
SC PITUR DORU SNC	pH	9/16/2016 3:45:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 3:40:26 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 3:40:24 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 3:40:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 3:40:22 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 3:40:21 AM	27	gradCels
SC PITUR DORU SNC	pH	9/16/2016 3:40:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 3:35:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 3:35:20 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 3:34:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 3:34:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 3:34:41 AM	27	gradCels
SC PITUR DORU SNC	pH	9/16/2016 3:34:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 3:32:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 3:32:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 3:31:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 3:31:40 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 3:31:30 AM	27	gradCels
SC PITUR DORU SNC	pH	9/16/2016 3:31:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 3:29:06 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 3:29:05 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 3:29:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 3:29:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 3:29:01 AM	27	gradCels
SC PITUR DORU SNC	pH	9/16/2016 3:29:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 3:24:05 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 3:24:04 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 3:24:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 3:24:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 3:24:01 AM	27	gradCels
SC PITUR DORU SNC	pH	9/16/2016 3:24:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 3:19:08 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 3:19:07 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 3:18:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 3:18:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 3:18:41 AM	27	gradCels
SC PITUR DORU SNC	pH	9/16/2016 3:18:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 3:13:05 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 3:13:04 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 3:13:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 3:13:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 3:13:01 AM	27	gradCels
SC PITUR DORU SNC	pH	9/16/2016 3:13:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 3:11:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 3:11:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 3:11:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 3:11:10 AM	13	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Temp	9/16/2016 3:10:50 AM	27	gradCels
SC PITUR DORU SNC	pH	9/16/2016 3:10:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 3:08:07 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 3:07:44 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 3:07:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 3:07:42 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 3:07:41 AM	27	gradCels
SC PITUR DORU SNC	pH	9/16/2016 3:07:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 3:02:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 3:02:21 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 3:02:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 3:02:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 3:02:01 AM	27	gradCels
SC PITUR DORU SNC	pH	9/16/2016 3:02:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 2:57:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 2:57:21 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 2:56:28 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 2:56:27 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 2:56:26 AM	27	gradCels
SC PITUR DORU SNC	pH	9/16/2016 2:56:25 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 2:53:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 2:53:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 2:52:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 2:52:40 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 2:52:30 AM	27	gradCels
SC PITUR DORU SNC	pH	9/16/2016 2:52:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 2:51:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 2:51:24 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 2:51:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 2:51:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 2:51:01 AM	27	gradCels
SC PITUR DORU SNC	pH	9/16/2016 2:51:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 2:46:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 2:46:21 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 2:45:27 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 2:45:26 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 2:45:25 AM	27	gradCels
SC PITUR DORU SNC	pH	9/16/2016 2:45:24 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 2:40:22 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 2:40:05 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 2:40:04 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 2:40:03 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 2:40:02 AM	27	gradCels
SC PITUR DORU SNC	pH	9/16/2016 2:40:01 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 2:35:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 2:35:40 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	9/16/2016 2:35:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 2:35:21 AM	13	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 2:35:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 2:34:50 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 2:34:27 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 2:34:26 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 2:34:25 AM	28	gradCels
SC PITUR DORU SNC	pH	9/16/2016 2:34:24 AM	8	unit pH
SC PITUR DORU SNC	Temp	9/16/2016 2:34:00 AM	28	gradCels
SC PITUR DORU SNC	pH	9/16/2016 2:33:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 2:29:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 2:29:24 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 2:29:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 2:29:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 2:29:01 AM	28	gradCels
SC PITUR DORU SNC	pH	9/16/2016 2:29:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 2:24:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 2:24:22 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 2:23:28 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 2:23:27 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Temp	9/16/2016 2:23:26 AM	28	gradCels
SC PITUR DORU SNC	pH	9/16/2016 2:23:25 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 2:19:07 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 2:19:06 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 2:18:26 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 2:18:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 2:18:24 AM	28	gradCels
SC PITUR DORU SNC	pH	9/16/2016 2:18:23 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 2:15:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 2:15:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 2:15:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 2:15:10 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 2:15:00 AM	28	gradCels
SC PITUR DORU SNC	pH	9/16/2016 2:14:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 2:13:08 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 2:13:06 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 2:13:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 2:13:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 2:13:01 AM	28	gradCels
SC PITUR DORU SNC	pH	9/16/2016 2:13:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 2:08:06 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 2:07:24 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 2:07:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 2:07:22 AM	13	mg/l
SC PITUR DORU SNC	pH	9/16/2016 2:07:21 AM	8	unit pH
SC PITUR DORU SNC	Temp	9/16/2016 2:07:20 AM	28	gradCels
SC PITUR DORU SNC	Cianuri	9/16/2016 2:02:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 2:02:21 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 2:02:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 2:02:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 2:02:01 AM	28	gradCels
SC PITUR DORU SNC	pH	9/16/2016 2:02:00 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/16/2016 1:57:05 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/16/2016 1:57:04 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 1:56:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 1:56:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 1:56:21 AM	28	gradCels
SC PITUR DORU SNC	pH	9/16/2016 1:56:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 1:55:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 1:55:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 1:54:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 1:54:10 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 1:54:00 AM	28	gradCels
SC PITUR DORU SNC	pH	9/16/2016 1:53:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 1:51:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 1:51:22 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 1:51:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 1:51:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 1:51:01 AM	28	gradCels
SC PITUR DORU SNC	pH	9/16/2016 1:51:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 1:46:07 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 1:46:06 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 1:45:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 1:45:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 1:45:21 AM	28	gradCels
SC PITUR DORU SNC	pH	9/16/2016 1:45:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 1:40:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 1:40:21 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 1:39:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 1:39:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 1:39:41 AM	28	gradCels
SC PITUR DORU SNC	pH	9/16/2016 1:39:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 1:35:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 1:35:40 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	9/16/2016 1:35:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 1:35:20 AM	13	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Grasimi	9/16/2016 1:35:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 1:34:45 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 1:34:44 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 1:34:43 AM	28	gradCels
SC PITUR DORU SNC	pH	9/16/2016 1:34:42 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/16/2016 1:34:00 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 1:33:50 AM	28	gradCels
SC PITUR DORU SNC	pH	9/16/2016 1:33:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 1:30:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 1:30:21 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 1:29:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 1:29:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 1:29:21 AM	28	gradCels
SC PITUR DORU SNC	pH	9/16/2016 1:29:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 1:24:25 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 1:24:23 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 1:23:48 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 1:23:47 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 1:23:46 AM	28	gradCels
SC PITUR DORU SNC	pH	9/16/2016 1:23:45 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 1:19:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 1:19:22 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 1:18:12 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 1:18:11 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 1:18:10 AM	28	gradCels
SC PITUR DORU SNC	pH	9/16/2016 1:18:09 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 1:15:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 1:15:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 1:14:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 1:14:30 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 1:14:00 AM	28	gradCels
SC PITUR DORU SNC	pH	9/16/2016 1:13:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 1:13:24 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 1:13:22 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 1:12:48 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 1:12:47 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 1:12:46 AM	28	gradCels
SC PITUR DORU SNC	pH	9/16/2016 1:12:45 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 1:08:21 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 1:08:20 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 1:07:07 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 1:07:06 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 1:07:05 AM	28	gradCels
SC PITUR DORU SNC	pH	9/16/2016 1:07:04 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 1:02:24 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 1:02:23 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 1:01:44 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 1:01:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 1:01:42 AM	28	gradCels
SC PITUR DORU SNC	pH	9/16/2016 1:01:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 12:56:20 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	9/16/2016 12:56:13 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 12:56:12 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 12:56:04 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 12:56:03 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 12:56:02 AM	28	gradCels
SC PITUR DORU SNC	pH	9/16/2016 12:56:01 AM	8	unit pH
SC PITUR DORU SNC	Clor	9/16/2016 12:55:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 12:54:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 12:54:40 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 12:54:30 AM	28	gradCels
SC PITUR DORU SNC	pH	9/16/2016 12:54:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 12:51:08 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 12:51:07 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 12:50:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 12:50:42 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Temp	9/16/2016 12:50:41 AM	28	gradCels
SC PITUR DORU SNC	pH	9/16/2016 12:50:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 12:45:16 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 12:45:15 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 12:45:04 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 12:45:03 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 12:45:02 AM	28	gradCels
SC PITUR DORU SNC	pH	9/16/2016 12:45:01 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 12:40:23 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 12:39:49 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 12:39:48 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 12:39:47 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 12:39:46 AM	28	gradCels
SC PITUR DORU SNC	pH	9/16/2016 12:39:45 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 12:37:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 12:36:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 12:36:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 12:36:20 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 12:36:10 AM	28	gradCels
SC PITUR DORU SNC	pH	9/16/2016 12:36:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 12:34:29 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 12:34:28 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 12:34:08 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 12:34:07 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 12:34:06 AM	28	gradCels
SC PITUR DORU SNC	pH	9/16/2016 12:34:05 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 12:29:09 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 12:29:08 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 12:28:48 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 12:28:47 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 12:28:46 AM	28	gradCels
SC PITUR DORU SNC	pH	9/16/2016 12:28:45 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 12:23:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 12:23:22 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 12:23:08 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 12:23:07 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 12:23:06 AM	28	gradCels
SC PITUR DORU SNC	pH	9/16/2016 12:23:05 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 12:19:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 12:18:50 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	9/16/2016 12:18:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 12:18:09 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 12:17:47 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 12:17:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 12:17:45 AM	28	gradCels
SC PITUR DORU SNC	pH	9/16/2016 12:17:44 AM	8	unit pH
SC PITUR DORU SNC	Grasimi	9/16/2016 12:17:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 12:17:00 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 12:16:50 AM	28	gradCels
SC PITUR DORU SNC	pH	9/16/2016 12:16:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 12:12:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 12:12:22 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 12:12:08 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 12:12:07 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 12:12:06 AM	28	gradCels
SC PITUR DORU SNC	pH	9/16/2016 12:12:05 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 12:07:06 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 12:06:29 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 12:06:28 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 12:06:27 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/16/2016 12:06:26 AM	28	gradCels
SC PITUR DORU SNC	pH	9/16/2016 12:06:25 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 12:01:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/16/2016 12:01:21 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/16/2016 12:01:09 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/16/2016 12:01:08 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Temp	9/16/2016 12:01:07 AM	28	gradCels
SC PITUR DORU SNC	pH	9/16/2016 12:01:06 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/16/2016 12:00:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 11:59:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 11:59:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 11:58:40 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 11:58:30 PM	28	gradCels
SC PITUR DORU SNC	pH	9/15/2016 11:58:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 11:56:08 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 11:56:07 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 11:55:28 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 11:55:27 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 11:55:26 PM	28	gradCels
SC PITUR DORU SNC	pH	9/15/2016 11:55:25 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 11:50:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 11:50:22 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 11:50:08 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 11:50:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 11:50:06 PM	28	gradCels
SC PITUR DORU SNC	pH	9/15/2016 11:50:05 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 11:45:09 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 11:45:08 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 11:44:28 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 11:44:27 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 11:44:26 PM	28	gradCels
SC PITUR DORU SNC	pH	9/15/2016 11:44:25 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 11:41:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 11:41:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 11:41:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 11:40:50 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 11:40:40 PM	28	gradCels
SC PITUR DORU SNC	pH	9/15/2016 11:40:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 11:39:27 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 11:39:25 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 11:39:24 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 11:39:23 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 11:39:22 PM	28	gradCels
SC PITUR DORU SNC	pH	9/15/2016 11:39:21 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 11:34:05 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 11:34:04 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 11:33:44 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 11:33:43 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 11:33:42 PM	28	gradCels
SC PITUR DORU SNC	pH	9/15/2016 11:33:41 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/15/2016 11:28:07 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/15/2016 11:28:06 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 11:28:04 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 11:28:03 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 11:28:02 PM	28	gradCels
SC PITUR DORU SNC	pH	9/15/2016 11:28:01 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 11:23:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 11:23:30 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	9/15/2016 11:23:07 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 11:23:05 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 11:22:44 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 11:22:43 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 11:22:42 PM	28	gradCels
SC PITUR DORU SNC	pH	9/15/2016 11:22:41 PM	8	unit pH
SC PITUR DORU SNC	Grasimi	9/15/2016 11:22:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 11:21:50 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 11:21:40 PM	28	gradCels
SC PITUR DORU SNC	pH	9/15/2016 11:21:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 11:17:07 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 11:17:06 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 11:17:04 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 11:17:03 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Temp	9/15/2016 11:17:02 PM	28	gradCels
SC PITUR DORU SNC	pH	9/15/2016 11:17:01 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 11:12:24 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 11:12:23 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 11:11:44 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 11:11:43 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 11:11:42 PM	28	gradCels
SC PITUR DORU SNC	pH	9/15/2016 11:11:41 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 11:06:07 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 11:06:05 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 11:06:04 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 11:06:03 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 11:06:02 PM	28	gradCels
SC PITUR DORU SNC	pH	9/15/2016 11:06:01 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 11:05:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 11:04:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 11:04:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 11:04:20 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 11:03:30 PM	29	gradCels
SC PITUR DORU SNC	pH	9/15/2016 11:03:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 11:01:22 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 11:01:21 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 11:00:44 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 11:00:43 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 11:00:42 PM	29	gradCels
SC PITUR DORU SNC	pH	9/15/2016 11:00:41 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 10:55:07 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 10:55:06 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 10:55:04 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 10:55:03 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 10:55:02 PM	29	gradCels
SC PITUR DORU SNC	pH	9/15/2016 10:55:01 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 10:50:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 10:50:22 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 10:49:44 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 10:49:43 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 10:49:42 PM	29	gradCels
SC PITUR DORU SNC	pH	9/15/2016 10:49:41 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 10:46:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 10:46:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 10:45:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 10:45:40 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 10:45:30 PM	29	gradCels
SC PITUR DORU SNC	Substante organice	9/15/2016 10:45:23 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/15/2016 10:45:22 PM	0	mg/l
SC PITUR DORU SNC	pH	9/15/2016 10:45:00 PM	8	unit pH
SC PITUR DORU SNC	Clor	9/15/2016 10:44:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 10:44:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 10:44:21 PM	29	gradCels
SC PITUR DORU SNC	pH	9/15/2016 10:44:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 10:39:21 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 10:38:44 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 10:38:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 10:38:42 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 10:38:41 PM	29	gradCels
SC PITUR DORU SNC	pH	9/15/2016 10:38:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 10:34:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 10:34:22 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 10:33:11 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 10:33:10 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 10:33:09 PM	29	gradCels
SC PITUR DORU SNC	pH	9/15/2016 10:33:08 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/15/2016 10:28:06 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/15/2016 10:27:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 10:27:49 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 10:27:48 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Temp	9/15/2016 10:27:47 PM	29	gradCels
SC PITUR DORU SNC	pH	9/15/2016 10:27:46 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 10:26:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 10:26:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 10:25:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 10:25:10 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 10:24:50 PM	29	gradCels
SC PITUR DORU SNC	pH	9/15/2016 10:24:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/15/2016 10:22:12 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/15/2016 10:22:09 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 10:22:08 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 10:22:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 10:22:06 PM	29	gradCels
SC PITUR DORU SNC	pH	9/15/2016 10:22:05 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/15/2016 10:17:08 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/15/2016 10:16:48 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 10:16:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 10:16:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 10:16:45 PM	29	gradCels
SC PITUR DORU SNC	pH	9/15/2016 10:16:44 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/15/2016 10:11:28 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/15/2016 10:11:25 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 10:11:24 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 10:11:23 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 10:11:22 PM	29	gradCels
SC PITUR DORU SNC	pH	9/15/2016 10:11:21 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 10:07:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 10:07:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 10:06:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 10:06:40 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 10:06:30 PM	29	gradCels
SC PITUR DORU SNC	Cianuri	9/15/2016 10:06:06 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 10:06:05 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 10:06:04 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 10:06:03 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 10:06:02 PM	29	gradCels
SC PITUR DORU SNC	pH	9/15/2016 10:06:01 PM	8	unit pH
SC PITUR DORU SNC	pH	9/15/2016 10:05:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/15/2016 10:00:32 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/15/2016 10:00:31 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 10:00:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 10:00:29 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 10:00:28 PM	29	gradCels
SC PITUR DORU SNC	pH	9/15/2016 10:00:27 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/15/2016 9:55:24 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/15/2016 9:55:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 9:55:09 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 9:55:08 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 9:55:07 PM	29	gradCels
SC PITUR DORU SNC	pH	9/15/2016 9:55:06 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/15/2016 9:49:38 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/15/2016 9:49:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 9:49:29 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 9:49:28 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 9:49:27 PM	29	gradCels
SC PITUR DORU SNC	pH	9/15/2016 9:49:26 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 9:48:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 9:48:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 9:47:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 9:47:10 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 9:46:40 PM	29	gradCels
SC PITUR DORU SNC	pH	9/15/2016 9:46:30 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/15/2016 9:44:04 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/15/2016 9:43:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 9:43:49 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 9:43:48 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Temp	9/15/2016 9:43:47 PM	29	gradCels
SC PITUR DORU SNC	pH	9/15/2016 9:43:46 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 9:38:31 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 9:38:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 9:38:29 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 9:38:28 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 9:38:27 PM	29	gradCels
SC PITUR DORU SNC	pH	9/15/2016 9:38:26 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 9:33:04 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 9:33:03 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 9:32:49 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 9:32:48 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 9:32:47 PM	29	gradCels
SC PITUR DORU SNC	pH	9/15/2016 9:32:46 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 9:28:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 9:28:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 9:28:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 9:27:50 PM	13	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 9:27:36 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/15/2016 9:27:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 9:27:29 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 9:27:28 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 9:27:27 PM	29	gradCels
SC PITUR DORU SNC	pH	9/15/2016 9:27:26 PM	8	unit pH
SC PITUR DORU SNC	Temp	9/15/2016 9:26:40 PM	29	gradCels
SC PITUR DORU SNC	pH	9/15/2016 9:26:30 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/15/2016 9:22:05 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/15/2016 9:21:51 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 9:21:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 9:21:49 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 9:21:48 PM	29	gradCels
SC PITUR DORU SNC	pH	9/15/2016 9:21:46 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/15/2016 9:16:38 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/15/2016 9:16:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 9:16:29 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 9:16:28 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 9:16:27 PM	29	gradCels
SC PITUR DORU SNC	pH	9/15/2016 9:16:26 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/15/2016 9:11:23 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/15/2016 9:10:45 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 9:10:44 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 9:10:43 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 9:10:42 PM	29	gradCels
SC PITUR DORU SNC	pH	9/15/2016 9:10:41 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 9:09:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 9:08:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 9:08:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 9:08:10 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 9:07:50 PM	29	gradCels
SC PITUR DORU SNC	pH	9/15/2016 9:07:30 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/15/2016 9:05:33 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/15/2016 9:05:25 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 9:05:24 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 9:05:23 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 9:05:22 PM	29	gradCels
SC PITUR DORU SNC	pH	9/15/2016 9:05:21 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/15/2016 9:00:21 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/15/2016 8:59:45 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 8:59:44 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 8:59:43 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 8:59:42 PM	29	gradCels
SC PITUR DORU SNC	pH	9/15/2016 8:59:41 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 8:54:38 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 8:54:37 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 8:54:29 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 8:54:28 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Temp	9/15/2016 8:54:27 PM	29	gradCels
SC PITUR DORU SNC	pH	9/15/2016 8:54:26 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 8:50:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 8:50:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 8:50:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 8:50:00 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 8:49:50 PM	29	gradCels
SC PITUR DORU SNC	pH	9/15/2016 8:49:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 8:49:05 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 8:49:03 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 8:48:49 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 8:48:48 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 8:48:47 PM	29	gradCels
SC PITUR DORU SNC	pH	9/15/2016 8:48:46 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 8:43:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 8:43:19 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 8:43:16 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 8:43:13 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 8:43:12 PM	29	gradCels
SC PITUR DORU SNC	pH	9/15/2016 8:43:11 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 8:38:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 8:37:49 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 8:37:48 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 8:37:47 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 8:37:46 PM	29	gradCels
SC PITUR DORU SNC	pH	9/15/2016 8:37:45 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 8:32:17 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 8:32:15 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 8:32:09 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 8:32:08 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 8:32:07 PM	29	gradCels
SC PITUR DORU SNC	pH	9/15/2016 8:32:06 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 8:31:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 8:31:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 8:30:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 8:30:10 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 8:29:50 PM	29	gradCels
SC PITUR DORU SNC	pH	9/15/2016 8:29:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/15/2016 8:27:04 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/15/2016 8:27:02 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 8:26:48 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 8:26:47 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 8:26:46 PM	29	gradCels
SC PITUR DORU SNC	pH	9/15/2016 8:26:45 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 8:21:18 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 8:21:17 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 8:21:08 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 8:21:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 8:21:06 PM	29	gradCels
SC PITUR DORU SNC	pH	9/15/2016 8:21:05 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/15/2016 8:16:24 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/15/2016 8:16:23 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 8:15:53 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 8:15:52 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 8:15:51 PM	29	gradCels
SC PITUR DORU SNC	pH	9/15/2016 8:15:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 8:12:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 8:12:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 8:12:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 8:11:50 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 8:11:40 PM	29	gradCels
SC PITUR DORU SNC	pH	9/15/2016 8:11:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 8:11:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 8:10:19 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 8:10:18 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 8:10:17 PM	13	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Temp	9/15/2016 8:10:16 PM	29	gradCels
SC PITUR DORU SNC	pH	9/15/2016 8:10:15 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 8:05:05 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 8:05:03 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 8:04:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 8:04:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 8:04:41 PM	29	gradCels
SC PITUR DORU SNC	pH	9/15/2016 8:04:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 8:00:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 8:00:00 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 7:59:29 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 7:59:28 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 7:59:27 PM	29	gradCels
SC PITUR DORU SNC	pH	9/15/2016 7:59:26 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 7:55:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 7:55:00 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 7:54:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 7:54:30 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 7:54:20 PM	29	gradCels
SC PITUR DORU SNC	pH	9/15/2016 7:54:10 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/15/2016 7:54:08 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/15/2016 7:54:03 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 7:53:42 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 7:53:41 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 7:53:40 PM	29	gradCels
SC PITUR DORU SNC	pH	9/15/2016 7:53:39 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 7:49:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 7:49:00 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 7:48:31 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 7:48:30 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 7:48:29 PM	29	gradCels
SC PITUR DORU SNC	pH	9/15/2016 7:48:28 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 7:43:26 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 7:43:22 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 7:42:39 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 7:42:38 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 7:42:37 PM	29	gradCels
SC PITUR DORU SNC	pH	9/15/2016 7:42:36 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 7:38:01 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 7:37:24 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 7:37:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 7:37:22 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 7:37:21 PM	29	gradCels
SC PITUR DORU SNC	pH	9/15/2016 7:37:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 7:36:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 7:35:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 7:35:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 7:35:10 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 7:34:40 PM	29	gradCels
SC PITUR DORU SNC	pH	9/15/2016 7:34:30 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 7:32:26 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 7:32:24 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 7:31:36 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 7:31:35 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 7:31:34 PM	29	gradCels
SC PITUR DORU SNC	pH	9/15/2016 7:31:33 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 7:26:25 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 7:26:24 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 7:26:15 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 7:26:14 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 7:26:13 PM	29	gradCels
SC PITUR DORU SNC	pH	9/15/2016 7:26:12 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 7:21:24 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 7:21:23 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 7:20:39 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 7:20:38 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Temp	9/15/2016 7:20:37 PM	29	gradCels
SC PITUR DORU SNC	pH	9/15/2016 7:20:36 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 7:17:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 7:17:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 7:16:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 7:16:40 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 7:16:30 PM	29	gradCels
SC PITUR DORU SNC	pH	9/15/2016 7:16:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/15/2016 7:15:22 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/15/2016 7:15:18 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 7:15:16 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 7:15:15 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 7:15:14 PM	29	gradCels
SC PITUR DORU SNC	pH	9/15/2016 7:15:13 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 7:10:25 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 7:10:24 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 7:09:36 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 7:09:35 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 7:09:34 PM	29	gradCels
SC PITUR DORU SNC	pH	9/15/2016 7:09:33 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 7:04:19 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 7:04:18 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 7:04:13 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 7:04:12 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 7:04:11 PM	29	gradCels
SC PITUR DORU SNC	pH	9/15/2016 7:04:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 6:59:29 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 6:59:28 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 6:58:32 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 6:58:31 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 6:58:30 PM	29	gradCels
SC PITUR DORU SNC	pH	9/15/2016 6:58:29 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 6:57:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 6:57:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 6:57:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 6:56:50 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 6:56:30 PM	29	gradCels
SC PITUR DORU SNC	pH	9/15/2016 6:55:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 6:53:18 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 6:53:17 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 6:53:12 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 6:53:11 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 6:53:10 PM	29	gradCels
SC PITUR DORU SNC	pH	9/15/2016 6:53:09 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 6:48:29 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 6:48:28 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 6:47:28 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 6:47:27 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 6:47:26 PM	29	gradCels
SC PITUR DORU SNC	pH	9/15/2016 6:47:25 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 6:42:15 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 6:42:14 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 6:42:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 6:42:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 6:42:01 PM	29	gradCels
SC PITUR DORU SNC	pH	9/15/2016 6:42:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 6:39:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 6:38:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 6:38:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 6:38:20 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 6:38:10 PM	28	gradCels
SC PITUR DORU SNC	pH	9/15/2016 6:38:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 6:37:24 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 6:36:29 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 6:36:28 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 6:36:27 PM	13	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	9/15/2016 6:36:26 PM	8	unit pH
SC PITUR DORU SNC	Temp	9/15/2016 6:36:25 PM	28	gradCels
SC PITUR DORU SNC	Substante organice	9/15/2016 6:31:13 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/15/2016 6:31:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 6:31:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 6:31:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 6:31:01 PM	28	gradCels
SC PITUR DORU SNC	pH	9/15/2016 6:31:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 6:26:09 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 6:26:05 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 6:25:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 6:25:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 6:25:21 PM	28	gradCels
SC PITUR DORU SNC	pH	9/15/2016 6:25:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 6:21:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 6:20:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 6:20:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 6:20:13 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/15/2016 6:20:12 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 6:20:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 6:20:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 6:20:01 PM	28	gradCels
SC PITUR DORU SNC	pH	9/15/2016 6:20:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/15/2016 6:19:30 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 6:18:50 PM	28	gradCels
SC PITUR DORU SNC	pH	9/15/2016 6:18:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/15/2016 6:15:09 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/15/2016 6:15:08 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 6:14:28 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 6:14:27 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 6:14:26 PM	28	gradCels
SC PITUR DORU SNC	pH	9/15/2016 6:14:25 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 6:09:06 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 6:08:48 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 6:08:47 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 6:08:46 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 6:08:45 PM	28	gradCels
SC PITUR DORU SNC	pH	9/15/2016 6:08:44 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 6:04:09 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 6:04:07 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 6:03:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 6:03:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 6:03:21 PM	28	gradCels
SC PITUR DORU SNC	pH	9/15/2016 6:03:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 6:02:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 6:01:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 6:01:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 6:00:50 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 6:00:40 PM	28	gradCels
SC PITUR DORU SNC	pH	9/15/2016 6:00:30 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/15/2016 5:58:06 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/15/2016 5:58:05 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 5:57:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 5:57:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 5:57:45 PM	28	gradCels
SC PITUR DORU SNC	pH	9/15/2016 5:57:44 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 5:53:08 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 5:53:07 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 5:52:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 5:52:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 5:52:21 PM	28	gradCels
SC PITUR DORU SNC	pH	9/15/2016 5:52:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/15/2016 5:47:26 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/15/2016 5:47:22 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 5:46:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 5:46:42 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Temp	9/15/2016 5:46:41 PM	28	gradCels
SC PITUR DORU SNC	pH	9/15/2016 5:46:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 5:43:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 5:43:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 5:42:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 5:42:40 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 5:42:30 PM	28	gradCels
SC PITUR DORU SNC	pH	9/15/2016 5:42:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/15/2016 5:42:05 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/15/2016 5:42:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 5:41:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 5:41:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 5:41:21 PM	28	gradCels
SC PITUR DORU SNC	pH	9/15/2016 5:41:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 5:36:29 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 5:35:44 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 5:35:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 5:35:42 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 5:35:41 PM	28	gradCels
SC PITUR DORU SNC	pH	9/15/2016 5:35:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/15/2016 5:31:07 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/15/2016 5:30:24 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 5:30:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 5:30:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 5:30:21 PM	28	gradCels
SC PITUR DORU SNC	pH	9/15/2016 5:30:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/15/2016 5:25:24 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/15/2016 5:24:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 5:24:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 5:24:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 5:24:41 PM	28	gradCels
SC PITUR DORU SNC	pH	9/15/2016 5:24:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 5:24:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 5:24:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 5:23:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 5:23:20 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 5:23:10 PM	28	gradCels
SC PITUR DORU SNC	pH	9/15/2016 5:22:50 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/15/2016 5:19:07 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/15/2016 5:19:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 5:19:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 5:19:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 5:19:01 PM	28	gradCels
SC PITUR DORU SNC	pH	9/15/2016 5:19:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/15/2016 5:14:24 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/15/2016 5:13:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 5:13:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 5:13:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 5:13:41 PM	28	gradCels
SC PITUR DORU SNC	pH	9/15/2016 5:13:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 5:08:07 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 5:08:06 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 5:08:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 5:08:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 5:08:01 PM	28	gradCels
SC PITUR DORU SNC	pH	9/15/2016 5:08:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 5:05:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 5:05:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 5:05:00 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 5:04:50 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 5:04:40 PM	28	gradCels
SC PITUR DORU SNC	pH	9/15/2016 5:04:30 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/15/2016 5:03:03 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/15/2016 5:02:44 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 5:02:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 5:02:42 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Temp	9/15/2016 5:02:41 PM	28	gradCels
SC PITUR DORU SNC	pH	9/15/2016 5:02:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/15/2016 4:57:07 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/15/2016 4:57:04 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 4:57:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 4:57:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 4:57:01 PM	28	gradCels
SC PITUR DORU SNC	pH	9/15/2016 4:57:00 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/15/2016 4:52:09 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/15/2016 4:51:28 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 4:51:27 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 4:51:26 PM	0	mg/l
SC PITUR DORU SNC	pH	9/15/2016 4:51:25 PM	8	unit pH
SC PITUR DORU SNC	Temp	9/15/2016 4:51:24 PM	28	gradCels
SC PITUR DORU SNC	Substante organice	9/15/2016 4:46:12 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/15/2016 4:46:09 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 4:46:08 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 4:46:07 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 4:46:06 PM	28	gradCels
SC PITUR DORU SNC	pH	9/15/2016 4:46:05 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 4:44:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 4:44:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 4:43:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 4:43:30 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 4:43:00 PM	28	gradCels
SC PITUR DORU SNC	pH	9/15/2016 4:42:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 4:41:03 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 4:40:28 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 4:40:27 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 4:40:26 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 4:40:25 PM	28	gradCels
SC PITUR DORU SNC	pH	9/15/2016 4:40:24 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/15/2016 4:35:11 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/15/2016 4:35:08 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 4:35:07 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 4:35:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 4:35:05 PM	28	gradCels
SC PITUR DORU SNC	pH	9/15/2016 4:35:04 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/15/2016 4:30:10 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/15/2016 4:29:29 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 4:29:28 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 4:29:27 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 4:29:26 PM	27	gradCels
SC PITUR DORU SNC	pH	9/15/2016 4:29:25 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 4:24:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 4:24:15 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/15/2016 4:24:08 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 4:24:07 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 4:24:06 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 4:24:05 PM	27	gradCels
SC PITUR DORU SNC	pH	9/15/2016 4:24:04 PM	8	unit pH
SC PITUR DORU SNC	Clor	9/15/2016 4:23:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 4:23:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 4:23:10 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 4:22:40 PM	27	gradCels
SC PITUR DORU SNC	pH	9/15/2016 4:22:30 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/15/2016 4:19:08 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/15/2016 4:18:28 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 4:18:27 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 4:18:26 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 4:18:25 PM	27	gradCels
SC PITUR DORU SNC	pH	9/15/2016 4:18:24 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/15/2016 4:13:06 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/15/2016 4:12:48 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 4:12:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 4:12:46 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	9/15/2016 4:12:45 PM	8	unit pH
SC PITUR DORU SNC	Temp	9/15/2016 4:12:44 PM	27	gradCels
SC PITUR DORU SNC	Cianuri	9/15/2016 4:07:29 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 4:07:28 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 4:07:27 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 4:07:26 PM	27	gradCels
SC PITUR DORU SNC	Substante organice	9/15/2016 4:07:25 PM	13	mg/l
SC PITUR DORU SNC	pH	9/15/2016 4:07:24 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 4:04:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 4:04:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 4:03:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 4:03:40 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 4:03:30 PM	27	gradCels
SC PITUR DORU SNC	pH	9/15/2016 4:03:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/15/2016 4:02:07 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/15/2016 4:01:49 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 4:01:48 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 4:01:47 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 4:01:46 PM	27	gradCels
SC PITUR DORU SNC	pH	9/15/2016 4:01:45 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/15/2016 3:57:05 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/15/2016 3:56:24 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 3:56:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 3:56:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 3:56:21 PM	27	gradCels
SC PITUR DORU SNC	pH	9/15/2016 3:56:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/15/2016 3:51:07 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/15/2016 3:51:06 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 3:50:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 3:50:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 3:50:41 PM	27	gradCels
SC PITUR DORU SNC	pH	9/15/2016 3:50:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/15/2016 3:46:03 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/15/2016 3:45:57 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 3:45:56 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 3:45:55 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 3:45:54 PM	27	gradCels
SC PITUR DORU SNC	pH	9/15/2016 3:45:53 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 3:43:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 3:42:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 3:42:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 3:42:10 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 3:41:50 PM	27	gradCels
SC PITUR DORU SNC	pH	9/15/2016 3:41:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 3:40:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 3:40:19 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 3:40:18 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 3:40:17 PM	27	gradCels
SC PITUR DORU SNC	Substante organice	9/15/2016 3:40:16 PM	13	mg/l
SC PITUR DORU SNC	pH	9/15/2016 3:40:15 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/15/2016 3:35:10 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/15/2016 3:34:57 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 3:34:56 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 3:34:55 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 3:34:54 PM	27	gradCels
SC PITUR DORU SNC	pH	9/15/2016 3:34:53 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/15/2016 3:30:03 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/15/2016 3:29:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 3:29:19 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 3:29:18 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 3:29:17 PM	27	gradCels
SC PITUR DORU SNC	pH	9/15/2016 3:29:16 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/15/2016 3:24:06 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/15/2016 3:23:57 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 3:23:56 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 3:23:55 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Temp	9/15/2016 3:23:54 PM	27	gradCels
SC PITUR DORU SNC	pH	9/15/2016 3:23:53 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 3:23:20 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 3:23:10 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 3:22:40 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 3:22:30 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 3:22:20 PM	27	gradCels
SC PITUR DORU SNC	pH	9/15/2016 3:22:10 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/15/2016 3:19:07 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/15/2016 3:18:21 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 3:18:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 3:18:19 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 3:18:18 PM	27	gradCels
SC PITUR DORU SNC	pH	9/15/2016 3:18:17 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/15/2016 3:13:09 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/15/2016 3:12:57 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 3:12:56 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 3:12:55 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 3:12:54 PM	27	gradCels
SC PITUR DORU SNC	pH	9/15/2016 3:12:53 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 3:08:05 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 3:07:22 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 3:07:21 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 3:07:20 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 3:07:19 PM	27	gradCels
SC PITUR DORU SNC	pH	9/15/2016 3:07:18 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 3:05:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 3:04:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 3:04:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 3:04:20 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 3:04:10 PM	27	gradCels
SC PITUR DORU SNC	pH	9/15/2016 3:04:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 3:02:25 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 3:02:24 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 3:01:37 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 3:01:36 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 3:01:35 PM	27	gradCels
SC PITUR DORU SNC	pH	9/15/2016 3:01:34 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/15/2016 2:56:23 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/15/2016 2:56:21 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 2:56:16 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 2:56:15 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 2:56:14 PM	27	gradCels
SC PITUR DORU SNC	pH	9/15/2016 2:56:13 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 2:51:27 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 2:51:26 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 2:50:36 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 2:50:35 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 2:50:34 PM	27	gradCels
SC PITUR DORU SNC	pH	9/15/2016 2:50:33 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 2:46:50 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 2:46:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 2:46:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 2:46:10 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 2:45:50 PM	27	gradCels
SC PITUR DORU SNC	pH	9/15/2016 2:45:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 2:45:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 2:45:22 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 2:45:16 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 2:45:15 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 2:45:14 PM	27	gradCels
SC PITUR DORU SNC	pH	9/15/2016 2:45:13 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 2:40:25 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 2:39:36 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 2:39:35 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 2:39:34 PM	13	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Temp	9/15/2016 2:39:33 PM	27	gradCels
SC PITUR DORU SNC	pH	9/15/2016 2:39:32 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/15/2016 2:34:18 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/15/2016 2:34:14 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 2:34:12 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 2:34:11 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 2:34:10 PM	26	gradCels
SC PITUR DORU SNC	pH	9/15/2016 2:34:09 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 2:29:31 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 2:29:30 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 2:28:32 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 2:28:31 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 2:28:30 PM	26	gradCels
SC PITUR DORU SNC	pH	9/15/2016 2:28:29 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 2:27:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 2:27:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 2:27:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 2:26:40 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 2:26:30 PM	26	gradCels
SC PITUR DORU SNC	pH	9/15/2016 2:26:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 2:23:09 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 2:23:08 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 2:22:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 2:22:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 2:22:45 PM	26	gradCels
SC PITUR DORU SNC	pH	9/15/2016 2:22:44 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/15/2016 2:18:12 PM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/15/2016 2:18:09 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 2:17:28 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 2:17:27 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 2:17:26 PM	26	gradCels
SC PITUR DORU SNC	pH	9/15/2016 2:17:25 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 2:12:04 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 2:12:02 PM	13	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 2:11:47 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 2:11:46 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 2:11:45 PM	26	gradCels
SC PITUR DORU SNC	pH	9/15/2016 2:11:44 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 2:07:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 2:07:30 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	9/15/2016 2:07:11 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 2:06:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 2:06:24 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 2:06:23 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 2:06:22 PM	13	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 2:06:21 PM	26	gradCels
SC PITUR DORU SNC	pH	9/15/2016 2:06:20 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/15/2016 2:06:00 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 2:05:50 PM	26	gradCels
SC PITUR DORU SNC	pH	9/15/2016 2:05:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 2:01:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 2:01:00 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 2:00:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 2:00:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 2:00:41 PM	26	gradCels
SC PITUR DORU SNC	pH	9/15/2016 2:00:40 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/15/2016 1:56:18 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/15/2016 1:56:14 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 1:55:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 1:55:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 1:55:21 PM	26	gradCels
SC PITUR DORU SNC	pH	9/15/2016 1:55:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 1:50:01 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 1:50:00 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 1:49:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 1:49:42 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Temp	9/15/2016 1:49:41 PM	26	gradCels
SC PITUR DORU SNC	pH	9/15/2016 1:49:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 1:48:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 1:47:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 1:47:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 1:46:50 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 1:46:20 PM	26	gradCels
SC PITUR DORU SNC	pH	9/15/2016 1:46:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 1:45:15 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 1:45:13 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 1:44:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 1:44:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 1:44:21 PM	26	gradCels
SC PITUR DORU SNC	pH	9/15/2016 1:44:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 1:39:00 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 1:38:44 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 1:38:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 1:38:42 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 1:38:41 PM	26	gradCels
SC PITUR DORU SNC	pH	9/15/2016 1:38:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 1:34:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 1:34:19 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 1:33:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 1:33:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 1:33:21 PM	26	gradCels
SC PITUR DORU SNC	pH	9/15/2016 1:33:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 1:28:22 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 1:28:21 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 1:27:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 1:27:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 1:27:41 PM	26	gradCels
SC PITUR DORU SNC	pH	9/15/2016 1:27:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 1:27:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 1:27:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 1:26:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 1:26:40 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 1:26:30 PM	26	gradCels
SC PITUR DORU SNC	pH	9/15/2016 1:25:50 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 1:23:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 1:23:19 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 1:22:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 1:22:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 1:22:01 PM	26	gradCels
SC PITUR DORU SNC	pH	9/15/2016 1:22:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 1:17:28 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 1:17:27 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 1:16:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 1:16:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 1:16:41 PM	26	gradCels
SC PITUR DORU SNC	pH	9/15/2016 1:16:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 1:11:05 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 1:11:04 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 1:11:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 1:11:02 PM	0	mg/l
SC PITUR DORU SNC	pH	9/15/2016 1:11:01 PM	8	unit pH
SC PITUR DORU SNC	Temp	9/15/2016 1:11:00 PM	26	gradCels
SC PITUR DORU SNC	Cianuri	9/15/2016 1:07:40 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 1:07:30 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 1:07:10 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 1:06:50 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/15/2016 1:06:27 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 1:05:50 PM	26	gradCels
SC PITUR DORU SNC	Clor	9/15/2016 1:05:44 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 1:05:43 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 1:05:42 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 1:05:41 PM	26	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	9/15/2016 1:05:40 PM	8	unit pH
SC PITUR DORU SNC	pH	9/15/2016 1:05:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 1:00:05 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 1:00:04 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 1:00:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 1:00:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 1:00:01 PM	26	gradCels
SC PITUR DORU SNC	pH	9/15/2016 1:00:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 12:55:34 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 12:55:33 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 12:54:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 12:54:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 12:54:41 PM	26	gradCels
SC PITUR DORU SNC	pH	9/15/2016 12:54:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 12:49:05 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 12:49:04 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 12:49:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 12:49:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 12:49:01 PM	26	gradCels
SC PITUR DORU SNC	pH	9/15/2016 12:49:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 12:46:30 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 12:46:20 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 12:45:50 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 12:45:30 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 12:45:20 PM	26	gradCels
SC PITUR DORU SNC	pH	9/15/2016 12:45:10 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 12:44:08 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 12:44:07 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 12:43:43 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 12:43:42 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 12:43:41 PM	26	gradCels
SC PITUR DORU SNC	pH	9/15/2016 12:43:40 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 12:38:05 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 12:38:04 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 12:38:03 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 12:38:02 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 12:38:01 PM	26	gradCels
SC PITUR DORU SNC	pH	9/15/2016 12:38:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 12:33:08 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 12:33:07 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 12:32:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 12:32:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 12:32:21 PM	26	gradCels
SC PITUR DORU SNC	pH	9/15/2016 12:32:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 12:27:05 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 12:27:04 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 12:27:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 12:27:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 12:27:01 PM	26	gradCels
SC PITUR DORU SNC	pH	9/15/2016 12:27:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 12:25:10 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 12:24:50 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 12:24:30 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 12:24:20 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 12:24:10 PM	26	gradCels
SC PITUR DORU SNC	pH	9/15/2016 12:23:50 PM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/15/2016 12:22:08 PM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/15/2016 12:22:07 PM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 12:21:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 12:21:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 12:21:21 PM	26	gradCels
SC PITUR DORU SNC	pH	9/15/2016 12:21:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 12:16:05 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 12:16:04 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 12:16:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 12:16:02 PM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Temp	9/15/2016 12:16:01 PM	26	gradCels
SC PITUR DORU SNC	pH	9/15/2016 12:16:00 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 12:11:07 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 12:11:06 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 12:10:23 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 12:10:22 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 12:10:21 PM	26	gradCels
SC PITUR DORU SNC	pH	9/15/2016 12:10:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 12:05:10 PM	0	mg/l
SC PITUR DORU SNC	Cianuri	9/15/2016 12:05:05 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 12:05:04 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 12:05:03 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 12:05:02 PM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 12:05:01 PM	26	gradCels
SC PITUR DORU SNC	pH	9/15/2016 12:05:00 PM	8	unit pH
SC PITUR DORU SNC	Clor	9/15/2016 12:04:40 PM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 12:04:20 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 12:04:10 PM	14	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 12:03:50 PM	26	gradCels
SC PITUR DORU SNC	pH	9/15/2016 12:03:20 PM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 12:00:07 PM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 12:00:06 PM	14	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 11:59:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 11:59:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 11:59:21 AM	26	gradCels
SC PITUR DORU SNC	pH	9/15/2016 11:59:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 11:54:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 11:54:00 AM	14	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 11:53:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 11:53:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 11:53:41 AM	26	gradCels
SC PITUR DORU SNC	pH	9/15/2016 11:53:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 11:49:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 11:49:01 AM	14	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 11:48:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 11:48:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 11:48:21 AM	26	gradCels
SC PITUR DORU SNC	pH	9/15/2016 11:48:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 11:46:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 11:45:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 11:45:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 11:45:20 AM	14	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 11:45:10 AM	26	gradCels
SC PITUR DORU SNC	pH	9/15/2016 11:44:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 11:43:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 11:43:00 AM	14	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 11:42:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 11:42:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 11:42:41 AM	26	gradCels
SC PITUR DORU SNC	pH	9/15/2016 11:42:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 11:38:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 11:38:01 AM	14	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 11:37:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 11:37:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 11:37:21 AM	26	gradCels
SC PITUR DORU SNC	pH	9/15/2016 11:37:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 11:32:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 11:32:00 AM	14	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 11:31:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 11:31:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 11:31:41 AM	26	gradCels
SC PITUR DORU SNC	pH	9/15/2016 11:31:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 11:27:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 11:27:22 AM	14	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 11:26:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 11:26:22 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Temp	9/15/2016 11:26:21 AM	26	gradCels
SC PITUR DORU SNC	pH	9/15/2016 11:26:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 11:25:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 11:24:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 11:24:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 11:24:00 AM	14	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 11:23:50 AM	26	gradCels
SC PITUR DORU SNC	pH	9/15/2016 11:23:40 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/15/2016 11:21:00 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/15/2016 11:20:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 11:20:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 11:20:42 AM	0	mg/l
SC PITUR DORU SNC	pH	9/15/2016 11:20:41 AM	8	unit pH
SC PITUR DORU SNC	Temp	9/15/2016 11:20:40 AM	26	gradCels
SC PITUR DORU SNC	Cianuri	9/15/2016 11:16:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 11:16:22 AM	14	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 11:15:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 11:15:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 11:15:01 AM	26	gradCels
SC PITUR DORU SNC	pH	9/15/2016 11:15:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 11:09:45 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 11:09:44 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 11:09:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 11:09:42 AM	14	mg/l
SC PITUR DORU SNC	pH	9/15/2016 11:09:41 AM	8	unit pH
SC PITUR DORU SNC	Temp	9/15/2016 11:09:40 AM	26	gradCels
SC PITUR DORU SNC	Cianuri	9/15/2016 11:06:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 11:05:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 11:04:51 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/15/2016 11:04:50 AM	0	mg/l
SC PITUR DORU SNC	pH	9/15/2016 11:04:49 AM	8	unit pH
SC PITUR DORU SNC	Clor	9/15/2016 11:04:48 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 11:04:47 AM	26	gradCels
SC PITUR DORU SNC	Grasimi	9/15/2016 11:04:46 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 11:04:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 11:04:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 11:04:01 AM	26	gradCels
SC PITUR DORU SNC	pH	9/15/2016 11:04:00 AM	8	unit pH
SC PITUR DORU SNC	Grasimi	9/15/2016 11:03:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 11:03:40 AM	14	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 11:03:30 AM	26	gradCels
SC PITUR DORU SNC	pH	9/15/2016 11:03:20 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/15/2016 10:59:05 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/15/2016 10:59:04 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 10:59:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 10:59:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 10:59:01 AM	26	gradCels
SC PITUR DORU SNC	pH	9/15/2016 10:59:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 10:54:27 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 10:54:26 AM	14	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 10:54:24 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 10:54:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 10:54:22 AM	26	gradCels
SC PITUR DORU SNC	pH	9/15/2016 10:54:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 10:49:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 10:49:00 AM	14	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 10:48:44 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 10:48:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 10:48:42 AM	26	gradCels
SC PITUR DORU SNC	pH	9/15/2016 10:48:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 10:47:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 10:46:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 10:46:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 10:46:00 AM	14	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 10:45:50 AM	26	gradCels
SC PITUR DORU SNC	pH	9/15/2016 10:45:40 AM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	9/15/2016 10:43:07 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/15/2016 10:43:05 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 10:43:04 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 10:43:03 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 10:43:02 AM	26	gradCels
SC PITUR DORU SNC	pH	9/15/2016 10:43:01 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/15/2016 10:38:01 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/15/2016 10:37:45 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 10:37:44 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 10:37:43 AM	0	mg/l
SC PITUR DORU SNC	pH	9/15/2016 10:37:42 AM	8	unit pH
SC PITUR DORU SNC	Temp	9/15/2016 10:37:41 AM	26	gradCels
SC PITUR DORU SNC	Substante organice	9/15/2016 10:32:30 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/15/2016 10:32:27 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 10:32:25 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 10:32:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 10:32:23 AM	26	gradCels
SC PITUR DORU SNC	pH	9/15/2016 10:32:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 10:28:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 10:28:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 10:28:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 10:28:10 AM	14	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 10:27:50 AM	26	gradCels
SC PITUR DORU SNC	pH	9/15/2016 10:27:30 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/15/2016 10:27:06 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/15/2016 10:26:45 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 10:26:44 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 10:26:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 10:26:42 AM	26	gradCels
SC PITUR DORU SNC	pH	9/15/2016 10:26:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 10:21:08 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 10:21:07 AM	14	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 10:21:04 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 10:21:03 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 10:21:02 AM	26	gradCels
SC PITUR DORU SNC	pH	9/15/2016 10:21:01 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 10:16:07 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 10:16:06 AM	14	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 10:15:24 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 10:15:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 10:15:22 AM	26	gradCels
SC PITUR DORU SNC	pH	9/15/2016 10:15:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 10:10:06 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 10:10:05 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 10:10:04 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 10:10:03 AM	14	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 10:10:02 AM	26	gradCels
SC PITUR DORU SNC	pH	9/15/2016 10:10:01 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 10:09:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 10:09:00 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 10:08:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 10:08:30 AM	14	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 10:08:20 AM	26	gradCels
SC PITUR DORU SNC	pH	9/15/2016 10:08:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 10:05:05 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 10:05:04 AM	14	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 10:04:24 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 10:04:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 10:04:22 AM	26	gradCels
SC PITUR DORU SNC	pH	9/15/2016 10:04:21 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/15/2016 9:59:11 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/15/2016 9:59:05 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 9:59:04 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 9:59:03 AM	0	mg/l
SC PITUR DORU SNC	pH	9/15/2016 9:59:02 AM	8	unit pH
SC PITUR DORU SNC	Temp	9/15/2016 9:59:01 AM	26	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Substante organice	9/15/2016 9:54:04 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/15/2016 9:53:25 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 9:53:24 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 9:53:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 9:53:22 AM	26	gradCels
SC PITUR DORU SNC	pH	9/15/2016 9:53:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 9:51:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 9:51:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 9:50:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 9:50:40 AM	14	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 9:50:30 AM	26	gradCels
SC PITUR DORU SNC	pH	9/15/2016 9:50:20 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/15/2016 9:48:12 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/15/2016 9:48:05 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 9:48:04 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 9:48:03 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 9:48:02 AM	26	gradCels
SC PITUR DORU SNC	pH	9/15/2016 9:48:01 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/15/2016 9:43:04 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/15/2016 9:42:25 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 9:42:24 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 9:42:23 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 9:42:22 AM	26	gradCels
SC PITUR DORU SNC	pH	9/15/2016 9:42:21 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 9:36:46 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 9:36:45 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 9:36:44 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 9:36:43 AM	14	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 9:36:42 AM	26	gradCels
SC PITUR DORU SNC	pH	9/15/2016 9:36:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 9:33:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 9:33:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 9:32:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 9:32:10 AM	14	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 9:32:06 AM	14	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 9:31:40 AM	26	gradCels
SC PITUR DORU SNC	Cianuri	9/15/2016 9:31:26 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 9:31:25 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 9:31:24 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 9:31:23 AM	26	gradCels
SC PITUR DORU SNC	pH	9/15/2016 9:31:22 AM	8	unit pH
SC PITUR DORU SNC	pH	9/15/2016 9:30:50 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/15/2016 9:26:01 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/15/2016 9:25:45 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 9:25:44 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 9:25:43 AM	0	mg/l
SC PITUR DORU SNC	pH	9/15/2016 9:25:42 AM	8	unit pH
SC PITUR DORU SNC	Temp	9/15/2016 9:25:41 AM	26	gradCels
SC PITUR DORU SNC	Substante organice	9/15/2016 9:21:02 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/15/2016 9:20:27 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 9:20:26 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 9:20:25 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 9:20:24 AM	26	gradCels
SC PITUR DORU SNC	pH	9/15/2016 9:20:23 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/15/2016 9:15:01 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/15/2016 9:14:45 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 9:14:44 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 9:14:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 9:14:42 AM	26	gradCels
SC PITUR DORU SNC	pH	9/15/2016 9:14:41 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 9:13:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 9:13:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 9:13:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 9:13:10 AM	14	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 9:12:50 AM	26	gradCels
SC PITUR DORU SNC	pH	9/15/2016 9:12:20 AM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	9/15/2016 9:09:29 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 9:09:28 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 9:09:27 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 9:09:26 AM	14	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 9:09:25 AM	26	gradCels
SC PITUR DORU SNC	pH	9/15/2016 9:09:24 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/15/2016 9:04:00 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/15/2016 9:03:45 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 9:03:44 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 9:03:43 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 9:03:42 AM	26	gradCels
SC PITUR DORU SNC	pH	9/15/2016 9:03:41 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/15/2016 8:59:03 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/15/2016 8:58:05 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 8:58:04 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 8:58:03 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 8:58:02 AM	26	gradCels
SC PITUR DORU SNC	pH	9/15/2016 8:58:01 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 8:55:00 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 8:54:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 8:54:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 8:54:20 AM	14	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 8:53:40 AM	26	gradCels
SC PITUR DORU SNC	pH	9/15/2016 8:53:30 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/15/2016 8:53:01 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/15/2016 8:52:44 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 8:52:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 8:52:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 8:52:41 AM	26	gradCels
SC PITUR DORU SNC	pH	9/15/2016 8:52:40 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/15/2016 8:48:03 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/15/2016 8:47:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 8:47:09 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 8:47:08 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 8:47:07 AM	26	gradCels
SC PITUR DORU SNC	pH	9/15/2016 8:47:06 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/15/2016 8:42:02 AM	14	mg/l
SC PITUR DORU SNC	Cianuri	9/15/2016 8:41:49 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 8:41:48 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 8:41:47 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 8:41:46 AM	26	gradCels
SC PITUR DORU SNC	pH	9/15/2016 8:41:45 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 8:38:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 8:38:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 8:37:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 8:37:30 AM	14	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 8:37:10 AM	26	gradCels
SC PITUR DORU SNC	pH	9/15/2016 8:36:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 8:36:11 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 8:36:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 8:36:09 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 8:36:08 AM	14	mg/l
SC PITUR DORU SNC	pH	9/15/2016 8:36:07 AM	8	unit pH
SC PITUR DORU SNC	Temp	9/15/2016 8:36:06 AM	26	gradCels
SC PITUR DORU SNC	Substante organice	9/15/2016 8:31:01 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/15/2016 8:30:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 8:30:49 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 8:30:48 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 8:30:47 AM	26	gradCels
SC PITUR DORU SNC	pH	9/15/2016 8:30:46 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/15/2016 8:26:00 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/15/2016 8:25:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 8:25:09 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 8:25:08 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 8:25:07 AM	26	gradCels
SC PITUR DORU SNC	pH	9/15/2016 8:25:06 AM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	9/15/2016 8:21:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 8:21:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 8:21:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 8:20:30 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 8:20:20 AM	26	gradCels
SC PITUR DORU SNC	Substante organice	9/15/2016 8:20:08 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/15/2016 8:19:48 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 8:19:47 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 8:19:46 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 8:19:45 AM	26	gradCels
SC PITUR DORU SNC	pH	9/15/2016 8:19:44 AM	8	unit pH
SC PITUR DORU SNC	pH	9/15/2016 8:19:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 8:14:11 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 8:14:10 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 8:14:08 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 8:14:07 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 8:14:06 AM	26	gradCels
SC PITUR DORU SNC	pH	9/15/2016 8:14:05 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 8:09:07 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 8:08:29 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 8:08:28 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 8:08:27 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 8:08:26 AM	26	gradCels
SC PITUR DORU SNC	pH	9/15/2016 8:08:25 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 8:03:20 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	9/15/2016 8:03:11 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 8:03:10 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 8:03:09 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 8:03:08 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 8:03:07 AM	26	gradCels
SC PITUR DORU SNC	pH	9/15/2016 8:03:06 AM	8	unit pH
SC PITUR DORU SNC	Clor	9/15/2016 8:02:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 8:02:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 8:02:10 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 8:02:00 AM	26	gradCels
SC PITUR DORU SNC	pH	9/15/2016 8:01:50 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/15/2016 7:58:05 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/15/2016 7:57:29 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 7:57:28 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 7:57:27 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 7:57:26 AM	26	gradCels
SC PITUR DORU SNC	pH	9/15/2016 7:57:25 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/15/2016 7:52:16 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/15/2016 7:52:09 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 7:52:08 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 7:52:07 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 7:52:06 AM	26	gradCels
SC PITUR DORU SNC	pH	9/15/2016 7:52:05 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/15/2016 7:47:07 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/15/2016 7:46:31 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 7:46:29 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 7:46:28 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 7:46:27 AM	26	gradCels
SC PITUR DORU SNC	pH	9/15/2016 7:46:25 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 7:45:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 7:45:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 7:44:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 7:44:30 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 7:44:00 AM	26	gradCels
SC PITUR DORU SNC	pH	9/15/2016 7:43:50 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/15/2016 7:41:15 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/15/2016 7:41:09 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 7:41:08 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 7:41:07 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 7:41:06 AM	26	gradCels
SC PITUR DORU SNC	pH	9/15/2016 7:41:05 AM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	9/15/2016 7:36:04 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 7:35:29 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 7:35:28 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 7:35:27 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 7:35:26 AM	26	gradCels
SC PITUR DORU SNC	pH	9/15/2016 7:35:25 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 7:30:15 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 7:30:14 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 7:30:09 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 7:30:08 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 7:30:07 AM	26	gradCels
SC PITUR DORU SNC	pH	9/15/2016 7:30:06 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 7:26:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 7:26:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 7:25:30 AM	0	mg/l
SC PITUR DORU SNC	Cianuri	9/15/2016 7:25:26 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 7:25:25 AM	13	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 7:24:40 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 7:24:28 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 7:24:27 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 7:24:26 AM	26	gradCels
SC PITUR DORU SNC	pH	9/15/2016 7:24:25 AM	8	unit pH
SC PITUR DORU SNC	Temp	9/15/2016 7:24:10 AM	26	gradCels
SC PITUR DORU SNC	pH	9/15/2016 7:24:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 7:19:15 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 7:19:14 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 7:19:08 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 7:19:07 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 7:19:06 AM	26	gradCels
SC PITUR DORU SNC	pH	9/15/2016 7:19:05 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 7:14:26 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 7:14:25 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 7:13:28 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 7:13:27 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 7:13:26 AM	26	gradCels
SC PITUR DORU SNC	pH	9/15/2016 7:13:25 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 7:08:01 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 7:07:49 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 7:07:48 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 7:07:47 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 7:07:46 AM	26	gradCels
SC PITUR DORU SNC	pH	9/15/2016 7:07:45 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 7:07:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 7:07:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 7:06:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 7:06:40 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 7:06:30 AM	26	gradCels
SC PITUR DORU SNC	pH	9/15/2016 7:06:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 7:03:22 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 7:03:21 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 7:02:29 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 7:02:28 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 7:02:27 AM	26	gradCels
SC PITUR DORU SNC	pH	9/15/2016 7:02:26 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 6:57:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 6:57:01 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 6:56:48 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 6:56:47 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 6:56:46 AM	26	gradCels
SC PITUR DORU SNC	pH	9/15/2016 6:56:45 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 6:52:26 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 6:52:25 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 6:51:28 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 6:51:27 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 6:51:26 AM	26	gradCels
SC PITUR DORU SNC	pH	9/15/2016 6:51:25 AM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	9/15/2016 6:48:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 6:48:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 6:48:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 6:47:50 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 6:47:40 AM	27	gradCels
SC PITUR DORU SNC	pH	9/15/2016 6:47:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 6:46:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 6:46:01 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 6:45:52 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 6:45:51 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 6:45:50 AM	27	gradCels
SC PITUR DORU SNC	pH	9/15/2016 6:45:49 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 6:41:22 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 6:40:33 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 6:40:32 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 6:40:31 AM	13	mg/l
SC PITUR DORU SNC	pH	9/15/2016 6:40:30 AM	8	unit pH
SC PITUR DORU SNC	Temp	9/15/2016 6:40:29 AM	27	gradCels
SC PITUR DORU SNC	Cianuri	9/15/2016 6:35:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 6:35:00 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 6:34:53 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 6:34:52 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 6:34:51 AM	27	gradCels
SC PITUR DORU SNC	pH	9/15/2016 6:34:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 6:30:30 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 6:30:26 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/15/2016 6:30:23 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 6:29:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 6:29:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 6:29:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 6:29:21 AM	27	gradCels
SC PITUR DORU SNC	pH	9/15/2016 6:29:20 AM	8	unit pH
SC PITUR DORU SNC	Grasimi	9/15/2016 6:28:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 6:28:30 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 6:28:20 AM	27	gradCels
SC PITUR DORU SNC	pH	9/15/2016 6:28:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 6:24:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 6:24:01 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 6:23:52 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 6:23:51 AM	0	mg/l
SC PITUR DORU SNC	pH	9/15/2016 6:23:50 AM	8	unit pH
SC PITUR DORU SNC	Temp	9/15/2016 6:23:49 AM	27	gradCels
SC PITUR DORU SNC	Cianuri	9/15/2016 6:19:04 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 6:19:02 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 6:18:12 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 6:18:11 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 6:18:10 AM	27	gradCels
SC PITUR DORU SNC	pH	9/15/2016 6:18:09 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 6:13:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 6:13:01 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 6:12:52 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 6:12:51 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 6:12:50 AM	27	gradCels
SC PITUR DORU SNC	pH	9/15/2016 6:12:49 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 6:11:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 6:11:30 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 6:11:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 6:10:50 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 6:10:40 AM	27	gradCels
SC PITUR DORU SNC	pH	9/15/2016 6:10:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 6:08:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 6:07:15 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 6:07:14 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 6:07:13 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 6:07:12 AM	27	gradCels
SC PITUR DORU SNC	pH	9/15/2016 6:07:11 AM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	9/15/2016 6:02:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 6:02:02 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 6:01:55 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 6:01:54 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 6:01:53 AM	27	gradCels
SC PITUR DORU SNC	pH	9/15/2016 6:01:52 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 5:57:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 5:57:00 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 5:56:14 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 5:56:13 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 5:56:12 AM	27	gradCels
SC PITUR DORU SNC	pH	9/15/2016 5:56:11 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 5:54:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 5:53:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 5:53:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 5:53:10 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 5:52:50 AM	27	gradCels
SC PITUR DORU SNC	pH	9/15/2016 5:52:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 5:51:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 5:51:00 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 5:50:54 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 5:50:53 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 5:50:52 AM	27	gradCels
SC PITUR DORU SNC	pH	9/15/2016 5:50:51 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/15/2016 5:46:03 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/15/2016 5:46:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 5:45:13 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 5:45:12 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 5:45:11 AM	27	gradCels
SC PITUR DORU SNC	pH	9/15/2016 5:45:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 5:40:06 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 5:39:32 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 5:39:31 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 5:39:30 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 5:39:29 AM	27	gradCels
SC PITUR DORU SNC	pH	9/15/2016 5:39:28 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 5:35:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 5:35:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 5:34:40 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 5:34:30 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/15/2016 5:34:16 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 5:34:15 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 5:34:13 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 5:34:12 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 5:34:11 AM	27	gradCels
SC PITUR DORU SNC	pH	9/15/2016 5:34:10 AM	8	unit pH
SC PITUR DORU SNC	Temp	9/15/2016 5:33:40 AM	27	gradCels
SC PITUR DORU SNC	pH	9/15/2016 5:33:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 5:29:08 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 5:29:07 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 5:28:33 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 5:28:32 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 5:28:31 AM	27	gradCels
SC PITUR DORU SNC	pH	9/15/2016 5:28:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 5:23:17 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 5:23:16 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 5:23:13 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 5:23:12 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 5:23:11 AM	27	gradCels
SC PITUR DORU SNC	pH	9/15/2016 5:23:10 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 5:18:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 5:18:02 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/15/2016 5:17:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 5:17:40 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 5:17:32 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 5:17:31 AM	0	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Temp	9/15/2016 5:17:30 AM	27	gradCels
SC PITUR DORU SNC	pH	9/15/2016 5:17:29 AM	8	unit pH
SC PITUR DORU SNC	Grasimi	9/15/2016 5:17:00 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 5:16:50 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 5:16:40 AM	27	gradCels
SC PITUR DORU SNC	pH	9/15/2016 5:16:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 5:12:15 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 5:12:14 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 5:12:11 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 5:12:10 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 5:12:09 AM	27	gradCels
SC PITUR DORU SNC	pH	9/15/2016 5:12:08 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 5:07:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 5:06:35 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 5:06:34 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 5:06:33 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 5:06:32 AM	27	gradCels
SC PITUR DORU SNC	pH	9/15/2016 5:06:31 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 5:01:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 5:01:01 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 5:00:52 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 5:00:51 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 5:00:50 AM	27	gradCels
SC PITUR DORU SNC	pH	9/15/2016 5:00:49 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 4:59:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 4:59:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 4:59:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 4:59:10 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 4:58:50 AM	27	gradCels
SC PITUR DORU SNC	pH	9/15/2016 4:58:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 4:56:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 4:56:01 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 4:55:34 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 4:55:33 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 4:55:32 AM	27	gradCels
SC PITUR DORU SNC	pH	9/15/2016 4:55:31 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 4:49:56 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 4:49:55 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 4:49:53 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 4:49:52 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 4:49:51 AM	27	gradCels
SC PITUR DORU SNC	pH	9/15/2016 4:49:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 4:45:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 4:45:01 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 4:44:28 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 4:44:27 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 4:44:26 AM	27	gradCels
SC PITUR DORU SNC	pH	9/15/2016 4:44:25 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 4:41:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 4:41:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 4:41:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 4:40:20 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 4:40:10 AM	27	gradCels
SC PITUR DORU SNC	pH	9/15/2016 4:39:50 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 4:39:05 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 4:39:04 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 4:39:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 4:39:02 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 4:39:01 AM	27	gradCels
SC PITUR DORU SNC	pH	9/15/2016 4:39:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 4:34:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 4:34:01 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 4:33:28 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 4:33:27 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 4:33:26 AM	27	gradCels
SC PITUR DORU SNC	pH	9/15/2016 4:33:25 AM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	Cianuri	9/15/2016 4:29:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 4:29:01 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 4:28:28 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 4:28:27 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 4:28:26 AM	27	gradCels
SC PITUR DORU SNC	pH	9/15/2016 4:28:25 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 4:23:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 4:23:01 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 4:22:48 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 4:22:47 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 4:22:46 AM	27	gradCels
SC PITUR DORU SNC	pH	9/15/2016 4:22:45 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 4:21:30 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 4:21:20 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 4:20:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 4:20:40 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 4:20:30 AM	27	gradCels
SC PITUR DORU SNC	pH	9/15/2016 4:20:20 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/15/2016 4:18:05 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/15/2016 4:18:03 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 4:17:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 4:17:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 4:17:21 AM	27	gradCels
SC PITUR DORU SNC	pH	9/15/2016 4:17:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 4:12:06 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 4:12:05 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 4:12:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 4:12:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 4:12:01 AM	27	gradCels
SC PITUR DORU SNC	pH	9/15/2016 4:12:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 4:07:03 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 4:06:24 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 4:06:23 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 4:06:22 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 4:06:21 AM	27	gradCels
SC PITUR DORU SNC	pH	9/15/2016 4:06:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 4:03:20 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 4:03:10 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 4:02:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 4:01:50 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 4:01:40 AM	27	gradCels
SC PITUR DORU SNC	pH	9/15/2016 4:01:30 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 4:01:06 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 4:01:05 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 4:01:03 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 4:01:02 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 4:01:01 AM	27	gradCels
SC PITUR DORU SNC	pH	9/15/2016 4:01:00 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 3:56:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 3:56:02 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 3:55:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 3:55:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 3:55:21 AM	27	gradCels
SC PITUR DORU SNC	pH	9/15/2016 3:55:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 3:50:02 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 3:50:01 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 3:49:48 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 3:49:47 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 3:49:46 AM	27	gradCels
SC PITUR DORU SNC	pH	9/15/2016 3:49:45 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 3:45:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 3:45:02 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/15/2016 3:44:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 3:44:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 3:44:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 3:44:21 AM	27	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
SC PITUR DORU SNC	pH	9/15/2016 3:44:20 AM	8	unit pH
SC PITUR DORU SNC	Clor	9/15/2016 3:43:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 3:43:10 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 3:43:00 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 3:42:51 AM	27	gradCels
SC PITUR DORU SNC	pH	9/15/2016 3:42:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 3:39:01 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 3:38:44 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 3:38:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 3:38:42 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 3:38:41 AM	27	gradCels
SC PITUR DORU SNC	pH	9/15/2016 3:38:40 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/15/2016 3:34:03 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/15/2016 3:34:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 3:33:14 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 3:33:13 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 3:33:12 AM	27	gradCels
SC PITUR DORU SNC	pH	9/15/2016 3:33:11 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 3:28:08 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 3:28:07 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 3:27:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 3:27:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 3:27:41 AM	27	gradCels
SC PITUR DORU SNC	pH	9/15/2016 3:27:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 3:25:50 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 3:25:40 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 3:25:20 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 3:24:40 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 3:24:30 AM	27	gradCels
SC PITUR DORU SNC	pH	9/15/2016 3:24:20 AM	8	unit pH
SC PITUR DORU SNC	Substante organice	9/15/2016 3:23:03 AM	13	mg/l
SC PITUR DORU SNC	Cianuri	9/15/2016 3:23:02 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 3:22:23 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 3:22:22 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 3:22:21 AM	27	gradCels
SC PITUR DORU SNC	pH	9/15/2016 3:22:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 3:17:11 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 3:17:10 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 3:16:43 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 3:16:42 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 3:16:41 AM	27	gradCels
SC PITUR DORU SNC	pH	9/15/2016 3:16:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 3:12:01 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 3:12:00 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 3:11:09 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 3:11:08 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 3:11:07 AM	27	gradCels
SC PITUR DORU SNC	pH	9/15/2016 3:11:06 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 3:08:10 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 3:07:50 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 3:06:50 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 3:06:40 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 3:06:30 AM	28	gradCels
SC PITUR DORU SNC	pH	9/15/2016 3:06:20 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 3:06:12 AM	0	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 3:05:44 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 3:05:43 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 3:05:42 AM	13	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 3:05:41 AM	28	gradCels
SC PITUR DORU SNC	pH	9/15/2016 3:05:40 AM	8	unit pH
SC PITUR DORU SNC	Cianuri	9/15/2016 3:01:03 AM	0	mg/l
SC PITUR DORU SNC	Substante organice	9/15/2016 3:01:02 AM	13	mg/l
SC PITUR DORU SNC	Clor	9/15/2016 3:00:09 AM	0	mg/l
SC PITUR DORU SNC	Grasimi	9/15/2016 3:00:08 AM	0	mg/l
SC PITUR DORU SNC	Temp	9/15/2016 3:00:07 AM	28	gradCels
SC PITUR DORU SNC	pH	9/15/2016 3:00:06 AM	8	unit pH