

## Analiza evolutie pe mai multi senzori

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Substante organice	3/20/2016 1:57:20 AM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/20/2016 1:56:40 AM	52	mg/l
ZONA SOVECORD SRL	Temp	3/20/2016 1:56:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/20/2016 1:56:40 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/20/2016 1:51:00 AM	54	mg/l
ZONA SOVECORD SRL	Substante organice	3/20/2016 1:51:00 AM	40	mg/l
ZONA SOVECORD SRL	Temp	3/20/2016 1:51:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/20/2016 1:51:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/20/2016 1:46:20 AM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/20/2016 1:45:40 AM	55	mg/l
ZONA SOVECORD SRL	Temp	3/20/2016 1:45:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/20/2016 1:45:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/20/2016 1:40:20 AM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/20/2016 1:40:00 AM	55	mg/l
ZONA SOVECORD SRL	Temp	3/20/2016 1:40:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/20/2016 1:40:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/20/2016 1:35:20 AM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/20/2016 1:34:40 AM	55	mg/l
ZONA SOVECORD SRL	Temp	3/20/2016 1:34:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/20/2016 1:34:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/20/2016 1:29:20 AM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/20/2016 1:29:00 AM	55	mg/l
ZONA SOVECORD SRL	Temp	3/20/2016 1:29:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/20/2016 1:29:00 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/20/2016 1:23:20 AM	55	mg/l
ZONA SOVECORD SRL	Substante organice	3/20/2016 1:23:20 AM	40	mg/l
ZONA SOVECORD SRL	Temp	3/20/2016 1:23:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/20/2016 1:23:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/20/2016 1:18:20 AM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/20/2016 1:18:00 AM	56	mg/l
ZONA SOVECORD SRL	Temp	3/20/2016 1:18:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/20/2016 1:18:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/20/2016 1:13:20 AM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/20/2016 1:12:20 AM	55	mg/l
ZONA SOVECORD SRL	Temp	3/20/2016 1:12:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/20/2016 1:12:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/20/2016 1:07:20 AM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/20/2016 1:07:00 AM	56	mg/l
ZONA SOVECORD SRL	Temp	3/20/2016 1:07:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/20/2016 1:07:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/20/2016 1:02:20 AM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/20/2016 1:02:00 AM	55	mg/l
ZONA SOVECORD SRL	Temp	3/20/2016 1:02:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/20/2016 1:02:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/20/2016 12:57:40 AM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/20/2016 12:56:20 AM	56	mg/l
ZONA SOVECORD SRL	Temp	3/20/2016 12:56:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/20/2016 12:56:20 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/20/2016 12:51:00 AM	56	mg/l
ZONA SOVECORD SRL	Substante organice	3/20/2016 12:51:00 AM	40	mg/l
ZONA SOVECORD SRL	Temp	3/20/2016 12:51:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/20/2016 12:51:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/20/2016 12:46:20 AM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/20/2016 12:45:21 AM	55	mg/l
ZONA SOVECORD SRL	Temp	3/20/2016 12:45:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/20/2016 12:45:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/20/2016 12:40:20 AM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/20/2016 12:39:40 AM	55	mg/l
ZONA SOVECORD SRL	Temp	3/20/2016 12:39:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/20/2016 12:39:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/20/2016 12:35:20 AM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/20/2016 12:34:20 AM	55	mg/l
ZONA SOVECORD SRL	Temp	3/20/2016 12:34:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/20/2016 12:34:20 AM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Substante organice	3/20/2016 12:29:20 AM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/20/2016 12:28:40 AM	55	mg/l
ZONA SOVECORD SRL	Temp	3/20/2016 12:28:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/20/2016 12:28:40 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/20/2016 12:23:20 AM	55	mg/l
ZONA SOVECORD SRL	Substante organice	3/20/2016 12:23:20 AM	40	mg/l
ZONA SOVECORD SRL	Temp	3/20/2016 12:23:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/20/2016 12:23:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/20/2016 12:18:20 AM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/20/2016 12:17:40 AM	55	mg/l
ZONA SOVECORD SRL	Temp	3/20/2016 12:17:40 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/20/2016 12:17:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/20/2016 12:13:20 AM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/20/2016 12:12:20 AM	55	mg/l
ZONA SOVECORD SRL	Temp	3/20/2016 12:12:20 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/20/2016 12:12:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/20/2016 12:07:20 AM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/20/2016 12:06:40 AM	55	mg/l
ZONA SOVECORD SRL	Temp	3/20/2016 12:06:40 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/20/2016 12:06:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/20/2016 12:01:20 AM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/20/2016 12:01:00 AM	55	mg/l
ZONA SOVECORD SRL	Temp	3/20/2016 12:01:00 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/20/2016 12:01:00 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/19/2016 11:55:40 PM	55	mg/l
ZONA SOVECORD SRL	Substante organice	3/19/2016 11:55:40 PM	40	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 11:55:40 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 11:55:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 11:50:20 PM	39	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 11:50:00 PM	56	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 11:50:00 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 11:50:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 11:45:40 PM	39	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 11:44:40 PM	55	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 11:44:40 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 11:44:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 11:39:20 PM	39	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 11:39:00 PM	55	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 11:39:00 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 11:39:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 11:34:20 PM	39	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 11:33:20 PM	55	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 11:33:20 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 11:33:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 11:28:20 PM	39	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 11:28:00 PM	55	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 11:28:00 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 11:28:00 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/19/2016 11:22:20 PM	55	mg/l
ZONA SOVECORD SRL	Substante organice	3/19/2016 11:22:20 PM	39	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 11:22:20 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 11:22:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 11:17:20 PM	39	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 11:17:00 PM	55	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 11:17:00 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 11:17:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 11:12:20 PM	39	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 11:11:20 PM	55	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 11:11:20 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 11:11:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 11:06:20 PM	39	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 11:06:00 PM	55	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 11:06:00 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 11:06:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 11:01:00 PM	39	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 11:00:20 PM	55	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Temp	3/19/2016 11:00:20 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 11:00:20 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/19/2016 10:54:40 PM	55	mg/l
ZONA SOVECORD SRL	Substante organice	3/19/2016 10:54:40 PM	39	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 10:54:40 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 10:54:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 10:50:00 PM	39	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 10:49:20 PM	54	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 10:49:20 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 10:49:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 10:44:20 PM	39	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 10:43:40 PM	55	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 10:43:40 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 10:43:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 10:39:00 PM	39	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 10:38:20 PM	54	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 10:38:20 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 10:38:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 10:34:20 PM	39	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 10:33:20 PM	54	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 10:33:20 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 10:33:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 10:30:20 PM	39	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 10:29:00 PM	54	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 10:29:00 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 10:29:00 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/19/2016 10:23:00 PM	55	mg/l
ZONA SOVECORD SRL	Substante organice	3/19/2016 10:23:00 PM	39	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 10:23:00 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 10:23:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 10:19:00 PM	38	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 10:17:40 PM	54	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 10:17:40 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 10:17:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 10:12:20 PM	38	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 10:11:40 PM	54	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 10:11:40 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 10:11:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 10:06:40 PM	38	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 10:06:00 PM	55	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 10:06:00 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 10:06:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 10:01:20 PM	38	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 10:01:00 PM	54	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 10:01:00 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 10:01:00 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/19/2016 9:55:00 PM	55	mg/l
ZONA SOVECORD SRL	Substante organice	3/19/2016 9:55:00 PM	38	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 9:55:00 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 9:55:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 9:51:00 PM	38	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 9:49:40 PM	54	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 9:49:40 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 9:49:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 9:45:20 PM	38	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 9:44:40 PM	54	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 9:44:40 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 9:44:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 9:40:00 PM	38	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 9:39:00 PM	54	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 9:39:00 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 9:39:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 9:34:20 PM	38	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 9:33:20 PM	54	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 9:33:20 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 9:33:20 PM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Substante organice	3/19/2016 9:28:20 PM	38	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 9:28:00 PM	55	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 9:28:00 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 9:28:00 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/19/2016 9:22:40 PM	54	mg/l
ZONA SOVECORD SRL	Substante organice	3/19/2016 9:22:40 PM	38	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 9:22:40 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 9:22:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 9:17:40 PM	36	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 9:17:00 PM	54	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 9:17:00 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 9:17:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 9:12:40 PM	36	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 9:12:00 PM	54	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 9:12:00 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 9:12:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 9:07:00 PM	36	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 9:06:00 PM	54	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 9:06:00 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 9:06:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 9:02:20 PM	36	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 9:01:00 PM	53	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 9:01:00 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 9:01:00 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/19/2016 8:55:00 PM	53	mg/l
ZONA SOVECORD SRL	Substante organice	3/19/2016 8:55:00 PM	36	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 8:55:00 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 8:55:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 8:51:00 PM	35	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 8:49:40 PM	54	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 8:49:40 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 8:49:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 8:44:40 PM	35	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 8:44:00 PM	54	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 8:44:00 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 8:44:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 8:40:00 PM	35	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 8:38:40 PM	53	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 8:38:40 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 8:38:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 8:34:01 PM	35	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 8:32:40 PM	52	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 8:32:40 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 8:32:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 8:29:20 PM	35	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 8:27:20 PM	52	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 8:27:20 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 8:27:20 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/19/2016 8:21:40 PM	51	mg/l
ZONA SOVECORD SRL	Substante organice	3/19/2016 8:21:40 PM	35	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 8:21:40 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 8:21:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 8:18:20 PM	34	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 8:16:20 PM	50	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 8:16:20 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 8:16:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 8:12:00 PM	34	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 8:10:40 PM	50	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 8:10:40 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 8:10:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 8:05:40 PM	34	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 8:05:00 PM	50	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 8:05:00 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 8:05:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 8:01:20 PM	34	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 7:59:40 PM	51	mg/l



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Temp	3/19/2016 7:59:40 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 7:59:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 7:54:40 PM	34	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 7:54:20 PM	51	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 7:54:20 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 7:54:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 7:50:00 PM	34	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 7:49:00 PM	51	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 7:49:00 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 7:49:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 7:45:20 PM	34	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 7:44:00 PM	51	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 7:44:00 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 7:44:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 7:39:00 PM	34	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 7:38:00 PM	51	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 7:38:00 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 7:38:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 7:34:20 PM	34	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 7:33:00 PM	51	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 7:33:00 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 7:33:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 7:27:40 PM	34	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 7:27:20 PM	51	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 7:27:20 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 7:27:20 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/19/2016 7:22:21 PM	52	mg/l
ZONA SOVECORD SRL	Substante organice	3/19/2016 7:22:20 PM	34	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 7:22:20 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 7:22:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 7:17:00 PM	34	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 7:16:20 PM	52	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 7:16:20 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 7:16:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 7:12:20 PM	34	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 7:11:20 PM	52	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 7:11:20 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 7:11:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 7:06:40 PM	34	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 7:05:00 PM	52	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 7:05:00 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 7:05:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 7:01:20 PM	34	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 7:00:00 PM	52	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 7:00:00 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 7:00:00 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/19/2016 6:53:41 PM	52	mg/l
ZONA SOVECORD SRL	Substante organice	3/19/2016 6:53:41 PM	34	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 6:53:41 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 6:53:41 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 6:50:20 PM	35	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 6:49:00 PM	52	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 6:49:00 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 6:49:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 6:44:20 PM	35	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 6:42:40 PM	51	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 6:42:40 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 6:42:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 6:39:20 PM	35	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 6:38:00 PM	51	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 6:38:00 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 6:38:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 6:33:40 PM	35	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 6:31:40 PM	50	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 6:31:40 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 6:31:40 PM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Substante organice	3/19/2016 6:28:20 PM	35	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 6:27:00 PM	50	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 6:27:00 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 6:27:00 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/19/2016 6:20:40 PM	50	mg/l
ZONA SOVECORD SRL	Substante organice	3/19/2016 6:20:40 PM	35	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 6:20:40 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 6:20:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 6:17:20 PM	34	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 6:16:00 PM	50	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 6:16:00 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 6:16:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 6:11:40 PM	34	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 6:09:40 PM	50	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 6:09:40 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 6:09:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 6:06:00 PM	34	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 6:04:40 PM	50	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 6:04:40 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 6:04:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 6:00:00 PM	34	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 5:58:40 PM	50	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 5:58:40 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 5:58:40 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/19/2016 5:53:00 PM	50	mg/l
ZONA SOVECORD SRL	Substante organice	3/19/2016 5:53:00 PM	34	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 5:53:00 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 5:53:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 5:49:40 PM	34	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 5:47:41 PM	50	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 5:47:41 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 5:47:41 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 5:42:40 PM	34	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 5:42:00 PM	50	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 5:42:00 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 5:42:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 5:38:40 PM	34	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 5:36:40 PM	50	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 5:36:40 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 5:36:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 5:31:40 PM	34	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 5:31:00 PM	50	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 5:31:00 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 5:31:00 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/19/2016 5:26:00 PM	50	mg/l
ZONA SOVECORD SRL	Substante organice	3/19/2016 5:26:00 PM	34	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 5:26:00 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 5:26:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 5:21:00 PM	34	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 5:20:20 PM	50	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 5:20:20 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 5:20:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 5:15:40 PM	34	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 5:14:20 PM	50	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 5:14:20 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 5:14:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 5:10:01 PM	34	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 5:09:00 PM	50	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 5:09:00 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 5:09:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 5:05:20 PM	34	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 5:03:20 PM	50	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 5:03:20 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 5:03:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 4:59:00 PM	34	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 4:58:20 PM	51	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Temp	3/19/2016 4:58:20 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 4:58:20 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/19/2016 4:52:40 PM	52	mg/l
ZONA SOVECORD SRL	Substante organice	3/19/2016 4:52:40 PM	34	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 4:52:40 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 4:52:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 4:48:01 PM	34	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 4:47:20 PM	50	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 4:47:20 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 4:47:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 4:43:20 PM	34	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 4:41:40 PM	50	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 4:41:40 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 4:41:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 4:37:20 PM	34	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 4:36:00 PM	53	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 4:36:00 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 4:36:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 4:32:20 PM	34	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 4:30:40 PM	54	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 4:30:40 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 4:30:40 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/19/2016 4:24:40 PM	53	mg/l
ZONA SOVECORD SRL	Substante organice	3/19/2016 4:24:40 PM	34	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 4:24:40 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 4:24:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 4:21:00 PM	34	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 4:19:20 PM	50	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 4:19:20 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 4:19:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 4:16:00 PM	34	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 4:15:00 PM	49	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 4:15:00 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 4:15:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 4:11:01 PM	34	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 4:10:00 PM	50	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 4:10:00 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 4:10:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 4:08:40 PM	34	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 4:07:40 PM	52	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 4:07:40 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 4:07:40 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/19/2016 4:07:00 PM	52	mg/l
ZONA SOVECORD SRL	Substante organice	3/19/2016 4:06:40 PM	34	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 4:06:40 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 4:06:40 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/19/2016 4:02:00 PM	53	mg/l
ZONA SOVECORD SRL	Substante organice	3/19/2016 4:02:00 PM	34	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 4:02:00 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 4:02:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 3:59:40 PM	34	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 3:58:00 PM	53	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 3:58:00 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 3:58:00 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/19/2016 3:52:20 PM	51	mg/l
ZONA SOVECORD SRL	Substante organice	3/19/2016 3:52:20 PM	34	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 3:52:20 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 3:52:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 3:48:21 PM	35	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 3:47:00 PM	49	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 3:47:00 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 3:47:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 3:41:20 PM	35	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 3:41:00 PM	49	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 3:41:00 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 3:41:00 PM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Substante organice	3/19/2016 3:37:20 PM	35	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 3:35:40 PM	49	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 3:35:40 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 3:35:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 3:32:00 PM	35	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 3:31:40 PM	52	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 3:31:40 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 3:31:40 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/19/2016 3:26:00 PM	52	mg/l
ZONA SOVECORD SRL	Substante organice	3/19/2016 3:26:00 PM	35	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 3:26:00 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 3:26:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 3:21:20 PM	35	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 3:20:40 PM	49	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 3:20:40 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 3:20:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 3:15:00 PM	35	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 3:14:40 PM	49	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 3:14:40 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 3:14:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 3:10:00 PM	35	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 3:09:00 PM	49	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 3:09:00 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 3:09:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 3:04:00 PM	35	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 3:03:40 PM	49	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 3:03:40 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 3:03:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 2:59:00 PM	35	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 2:58:00 PM	50	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 2:58:00 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 2:58:00 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/19/2016 2:52:40 PM	50	mg/l
ZONA SOVECORD SRL	Substante organice	3/19/2016 2:52:40 PM	35	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 2:52:40 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 2:52:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 2:48:20 PM	36	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 2:47:20 PM	50	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 2:47:20 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 2:47:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 2:42:20 PM	36	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 2:41:40 PM	51	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 2:41:40 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 2:41:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 2:37:00 PM	36	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 2:36:20 PM	52	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 2:36:20 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 2:36:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 2:31:00 PM	36	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 2:30:20 PM	50	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 2:30:20 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 2:30:20 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/19/2016 2:25:20 PM	50	mg/l
ZONA SOVECORD SRL	Substante organice	3/19/2016 2:25:20 PM	36	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 2:25:20 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 2:25:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 2:20:00 PM	36	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 2:19:20 PM	52	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 2:19:20 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 2:19:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 2:15:20 PM	36	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 2:14:20 PM	52	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 2:14:20 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 2:14:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 2:09:40 PM	36	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 2:08:20 PM	51	mg/l



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Temp	3/19/2016 2:08:20 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 2:08:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 2:04:20 PM	36	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 2:03:20 PM	52	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 2:03:20 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 2:03:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 1:58:20 PM	36	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 1:57:20 PM	52	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 1:57:20 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 1:57:20 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/19/2016 1:52:00 PM	53	mg/l
ZONA SOVECORD SRL	Substante organice	3/19/2016 1:52:00 PM	36	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 1:52:00 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 1:52:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 1:47:20 PM	37	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 1:46:20 PM	53	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 1:46:20 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 1:46:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 1:41:40 PM	37	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 1:41:00 PM	53	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 1:41:00 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 1:41:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 1:36:40 PM	37	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 1:35:20 PM	54	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 1:35:20 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 1:35:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 1:31:00 PM	37	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 1:30:00 PM	54	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 1:30:00 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 1:30:00 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/19/2016 1:24:20 PM	55	mg/l
ZONA SOVECORD SRL	Substante organice	3/19/2016 1:24:20 PM	37	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 1:24:20 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 1:24:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 1:19:00 PM	38	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 1:18:40 PM	55	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 1:18:40 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 1:18:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 1:14:20 PM	38	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 1:13:01 PM	54	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 1:13:01 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 1:13:01 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 1:08:00 PM	38	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 1:07:40 PM	55	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 1:07:40 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 1:07:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 1:02:40 PM	38	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 1:02:00 PM	55	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 1:02:00 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 1:02:00 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/19/2016 12:56:20 PM	55	mg/l
ZONA SOVECORD SRL	Substante organice	3/19/2016 12:56:20 PM	38	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 12:56:20 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 12:56:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 12:51:40 PM	38	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 12:51:00 PM	56	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 12:51:00 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 12:51:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 12:45:40 PM	38	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 12:45:20 PM	56	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 12:45:20 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 12:45:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 12:40:40 PM	38	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 12:40:00 PM	56	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 12:40:00 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 12:40:00 PM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Substante organice	3/19/2016 12:34:20 PM	38	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 12:34:00 PM	54	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 12:34:00 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 12:34:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 12:29:40 PM	38	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 12:29:00 PM	51	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 12:29:00 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 12:29:00 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/19/2016 12:23:00 PM	53	mg/l
ZONA SOVECORD SRL	Substante organice	3/19/2016 12:23:00 PM	38	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 12:23:00 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 12:23:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 12:19:00 PM	38	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 12:18:00 PM	56	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 12:18:00 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 12:18:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 12:12:40 PM	38	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 12:12:00 PM	54	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 12:12:00 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 12:12:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 12:08:01 PM	38	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 12:07:00 PM	52	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 12:07:00 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 12:07:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 12:01:40 PM	38	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 12:01:00 PM	52	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 12:01:00 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 12:01:00 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/19/2016 11:56:00 AM	52	mg/l
ZONA SOVECORD SRL	Substante organice	3/19/2016 11:56:00 AM	38	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 11:56:00 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 11:56:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 11:50:40 AM	38	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 11:50:00 AM	53	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 11:50:00 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 11:50:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 11:46:00 AM	38	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 11:44:40 AM	52	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 11:44:40 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 11:44:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 11:39:40 AM	38	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 11:39:00 AM	51	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 11:39:00 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 11:39:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 11:35:01 AM	38	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 11:33:40 AM	53	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 11:33:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 11:33:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 11:28:40 AM	38	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 11:28:00 AM	54	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 11:28:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 11:28:00 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/19/2016 11:22:40 AM	55	mg/l
ZONA SOVECORD SRL	Substante organice	3/19/2016 11:22:40 AM	38	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 11:22:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 11:22:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 11:18:00 AM	38	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 11:17:00 AM	55	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 11:17:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 11:17:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 11:13:00 AM	38	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 11:11:40 AM	54	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 11:11:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 11:11:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 11:06:40 AM	38	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 11:06:00 AM	53	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Temp	3/19/2016 11:06:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 11:06:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 11:00:40 AM	38	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 11:00:20 AM	55	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 11:00:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 11:00:20 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/19/2016 10:54:40 AM	54	mg/l
ZONA SOVECORD SRL	Substante organice	3/19/2016 10:54:40 AM	38	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 10:54:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 10:54:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 10:51:00 AM	38	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 10:50:00 AM	54	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 10:50:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 10:50:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 10:44:20 AM	38	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 10:44:00 AM	55	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 10:44:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 10:44:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 10:39:20 AM	38	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 10:39:00 AM	56	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 10:39:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 10:39:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 10:33:20 AM	38	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 10:33:00 AM	56	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 10:33:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 10:33:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 10:28:00 AM	38	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 10:27:40 AM	56	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 10:27:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 10:27:40 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/19/2016 10:22:20 AM	56	mg/l
ZONA SOVECORD SRL	Substante organice	3/19/2016 10:22:20 AM	38	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 10:22:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 10:22:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 10:17:00 AM	38	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 10:16:40 AM	57	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 10:16:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 10:16:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 10:11:40 AM	38	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 10:11:21 AM	57	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 10:11:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 10:11:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 10:06:40 AM	38	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 10:05:40 AM	58	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 10:05:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 10:05:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 10:01:20 AM	38	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 10:00:20 AM	58	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 10:00:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 10:00:20 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/19/2016 9:55:00 AM	58	mg/l
ZONA SOVECORD SRL	Substante organice	3/19/2016 9:55:00 AM	38	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 9:55:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 9:55:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 9:50:20 AM	38	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 9:49:20 AM	58	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 9:49:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 9:49:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 9:44:20 AM	38	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 9:44:00 AM	58	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 9:44:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 9:44:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 9:39:40 AM	38	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 9:38:20 AM	58	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 9:38:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 9:38:20 AM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Substante organice	3/19/2016 9:33:00 AM	38	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 9:32:40 AM	57	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 9:32:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 9:32:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 9:28:40 AM	38	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 9:27:20 AM	58	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 9:27:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 9:27:20 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/19/2016 9:21:40 AM	57	mg/l
ZONA SOVECORD SRL	Substante organice	3/19/2016 9:21:40 AM	38	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 9:21:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 9:21:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 9:17:40 AM	39	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 9:16:20 AM	57	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 9:16:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 9:16:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 9:11:00 AM	39	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 9:10:40 AM	57	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 9:10:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 9:10:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 9:06:20 AM	39	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 9:05:20 AM	57	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 9:05:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 9:05:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 9:00:00 AM	39	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 8:59:40 AM	57	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 8:59:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 8:59:40 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/19/2016 8:54:00 AM	57	mg/l
ZONA SOVECORD SRL	Substante organice	3/19/2016 8:54:00 AM	39	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 8:54:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 8:54:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 8:49:00 AM	39	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 8:48:40 AM	57	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 8:48:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 8:48:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 8:43:20 AM	39	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 8:43:00 AM	57	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 8:43:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 8:43:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 8:38:00 AM	39	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 8:37:40 AM	57	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 8:37:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 8:37:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 8:32:20 AM	39	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 8:32:00 AM	57	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 8:32:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 8:32:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 8:27:00 AM	39	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 8:26:40 AM	57	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 8:26:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 8:26:40 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/19/2016 8:21:00 AM	57	mg/l
ZONA SOVECORD SRL	Substante organice	3/19/2016 8:21:00 AM	39	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 8:21:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 8:21:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 8:16:00 AM	39	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 8:15:20 AM	57	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 8:15:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 8:15:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 8:10:20 AM	39	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 8:10:00 AM	57	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 8:10:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 8:10:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 8:05:00 AM	39	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 8:04:20 AM	57	mg/l



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Temp	3/19/2016 8:04:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 8:04:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 7:59:20 AM	39	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 7:59:00 AM	57	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 7:59:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 7:59:00 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/19/2016 7:53:20 AM	57	mg/l
ZONA SOVECORD SRL	Substante organice	3/19/2016 7:53:20 AM	39	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 7:53:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 7:53:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 7:48:20 AM	39	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 7:48:00 AM	57	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 7:48:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 7:48:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 7:43:20 AM	39	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 7:42:20 AM	57	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 7:42:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 7:42:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 7:37:20 AM	39	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 7:37:00 AM	57	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 7:37:00 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 7:37:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 7:32:20 AM	39	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 7:31:20 AM	57	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 7:31:20 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 7:31:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 7:27:00 AM	39	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 7:26:00 AM	57	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 7:26:00 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 7:26:00 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/19/2016 7:20:40 AM	57	mg/l
ZONA SOVECORD SRL	Substante organice	3/19/2016 7:20:40 AM	39	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 7:20:40 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 7:20:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 7:16:00 AM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 7:15:00 AM	57	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 7:15:00 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 7:15:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 7:10:20 AM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 7:09:40 AM	57	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 7:09:40 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 7:09:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 7:05:00 AM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 7:04:00 AM	57	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 7:04:00 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 7:04:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 6:59:20 AM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 6:58:41 AM	57	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 6:58:41 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 6:58:40 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/19/2016 6:53:00 AM	57	mg/l
ZONA SOVECORD SRL	Substante organice	3/19/2016 6:53:00 AM	40	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 6:53:00 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 6:53:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 6:48:00 AM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 6:47:20 AM	57	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 6:47:20 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 6:47:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 6:42:20 AM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 6:42:00 AM	57	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 6:42:00 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 6:42:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 6:37:00 AM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 6:36:20 AM	57	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 6:36:20 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 6:36:20 AM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Substante organice	3/19/2016 6:31:20 AM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 6:31:00 AM	57	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 6:31:00 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 6:31:00 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/19/2016 6:25:20 AM	57	mg/l
ZONA SOVECORD SRL	Substante organice	3/19/2016 6:25:20 AM	40	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 6:25:20 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 6:25:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 6:20:20 AM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 6:20:00 AM	57	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 6:20:00 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 6:20:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 6:15:00 AM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 6:14:20 AM	57	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 6:14:20 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 6:14:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 6:09:00 AM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 6:08:40 AM	57	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 6:08:40 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 6:08:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 6:04:00 AM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 6:03:20 AM	56	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 6:03:20 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 6:03:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 5:58:00 AM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 5:57:40 AM	56	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 5:57:40 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 5:57:40 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/19/2016 5:52:20 AM	56	mg/l
ZONA SOVECORD SRL	Substante organice	3/19/2016 5:52:20 AM	40	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 5:52:20 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 5:52:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 5:47:00 AM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 5:46:40 AM	56	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 5:46:40 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 5:46:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 5:42:00 AM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 5:41:20 AM	56	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 5:41:20 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 5:41:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 5:36:21 AM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 5:35:40 AM	56	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 5:35:40 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 5:35:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 5:31:00 AM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 5:30:20 AM	56	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 5:30:20 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 5:30:20 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/19/2016 5:25:00 AM	57	mg/l
ZONA SOVECORD SRL	Substante organice	3/19/2016 5:25:00 AM	40	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 5:25:00 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 5:25:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 5:20:00 AM	39	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 5:19:20 AM	56	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 5:19:20 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 5:19:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 5:14:40 AM	39	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 5:14:00 AM	56	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 5:14:00 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 5:14:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 5:09:00 AM	39	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 5:08:00 AM	56	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 5:08:00 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 5:08:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 5:03:20 AM	39	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 5:02:40 AM	56	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Temp	3/19/2016 5:02:40 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 5:02:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 4:57:20 AM	39	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 4:57:00 AM	56	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 4:57:00 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 4:57:00 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/19/2016 4:51:40 AM	56	mg/l
ZONA SOVECORD SRL	Substante organice	3/19/2016 4:51:40 AM	39	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 4:51:40 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 4:51:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 4:46:20 AM	38	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 4:46:00 AM	56	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 4:46:00 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 4:46:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 4:41:20 AM	38	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 4:40:40 AM	56	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 4:40:40 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 4:40:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 4:35:40 AM	38	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 4:35:20 AM	56	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 4:35:20 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 4:35:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 4:30:41 AM	38	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 4:30:00 AM	56	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 4:30:00 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 4:30:00 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/19/2016 4:24:20 AM	56	mg/l
ZONA SOVECORD SRL	Substante organice	3/19/2016 4:24:20 AM	38	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 4:24:20 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 4:24:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 4:19:20 AM	38	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 4:18:40 AM	56	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 4:18:40 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 4:18:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 4:13:40 AM	38	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 4:13:20 AM	56	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 4:13:20 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 4:13:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 4:08:21 AM	38	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 4:07:40 AM	55	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 4:07:40 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 4:07:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 4:02:40 AM	38	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 4:02:20 AM	55	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 4:02:20 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 4:02:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 3:57:20 AM	38	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 3:56:40 AM	56	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 3:56:40 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 3:56:40 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/19/2016 3:51:20 AM	56	mg/l
ZONA SOVECORD SRL	Substante organice	3/19/2016 3:51:20 AM	38	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 3:51:20 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 3:51:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 3:46:20 AM	37	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 3:45:40 AM	55	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 3:45:40 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 3:45:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 3:41:00 AM	37	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 3:40:20 AM	56	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 3:40:20 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 3:40:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 3:35:20 AM	37	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 3:34:00 AM	56	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 3:34:00 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 3:34:00 AM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Substante organice	3/19/2016 3:30:00 AM	37	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 3:28:40 AM	56	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 3:28:40 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 3:28:40 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/19/2016 3:23:00 AM	56	mg/l
ZONA SOVECORD SRL	Substante organice	3/19/2016 3:23:00 AM	37	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 3:23:00 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 3:23:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 3:19:00 AM	37	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 3:17:40 AM	56	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 3:17:40 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 3:17:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 3:13:21 AM	37	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 3:12:00 AM	56	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 3:12:00 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 3:12:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 3:08:00 AM	37	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 3:06:40 AM	56	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 3:06:40 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 3:06:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 3:02:20 AM	37	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 3:01:00 AM	56	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 3:01:00 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 3:01:00 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/19/2016 2:55:20 AM	56	mg/l
ZONA SOVECORD SRL	Substante organice	3/19/2016 2:55:20 AM	37	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 2:55:20 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 2:55:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 2:50:20 AM	36	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 2:50:00 AM	56	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 2:50:00 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 2:50:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 2:45:40 AM	36	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 2:44:20 AM	56	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 2:44:20 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 2:44:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 2:39:20 AM	36	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 2:39:00 AM	56	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 2:39:00 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 2:39:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 2:34:40 AM	36	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 2:33:20 AM	56	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 2:33:20 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 2:33:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 2:28:20 AM	36	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 2:28:00 AM	56	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 2:28:00 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 2:28:00 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/19/2016 2:22:20 AM	57	mg/l
ZONA SOVECORD SRL	Substante organice	3/19/2016 2:22:20 AM	36	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 2:22:20 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 2:22:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 2:17:00 AM	36	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 2:16:40 AM	56	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 2:16:40 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 2:16:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 2:12:40 AM	36	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 2:11:20 AM	56	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 2:11:20 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 2:11:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 2:06:00 AM	36	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 2:05:40 AM	56	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 2:05:40 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 2:05:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 2:01:40 AM	36	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 2:00:20 AM	56	mg/l



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Temp	3/19/2016 2:00:20 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 2:00:20 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/19/2016 1:54:40 AM	57	mg/l
ZONA SOVECORD SRL	Substante organice	3/19/2016 1:54:40 AM	36	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 1:54:40 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 1:54:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 1:50:40 AM	35	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 1:49:20 AM	57	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 1:49:20 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 1:49:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 1:44:00 AM	35	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 1:43:40 AM	56	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 1:43:40 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 1:43:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 1:39:40 AM	35	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 1:38:20 AM	56	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 1:38:20 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 1:38:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 1:33:00 AM	35	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 1:32:40 AM	56	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 1:32:40 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 1:32:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 1:28:20 AM	35	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 1:27:00 AM	55	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 1:27:00 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 1:27:00 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/19/2016 1:21:40 AM	55	mg/l
ZONA SOVECORD SRL	Substante organice	3/19/2016 1:21:40 AM	35	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 1:21:40 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 1:21:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 1:17:20 AM	34	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 1:16:00 AM	55	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 1:16:00 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 1:16:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 1:12:00 AM	34	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 1:10:40 AM	55	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 1:10:40 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 1:10:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 1:05:20 AM	34	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 1:05:00 AM	55	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 1:05:00 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 1:05:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 1:01:00 AM	34	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 12:59:40 AM	55	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 12:59:40 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 12:59:40 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/19/2016 12:54:00 AM	55	mg/l
ZONA SOVECORD SRL	Substante organice	3/19/2016 12:54:00 AM	34	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 12:54:00 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 12:54:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 12:50:00 AM	34	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 12:48:40 AM	55	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 12:48:40 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 12:48:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 12:43:40 AM	34	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 12:43:00 AM	55	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 12:43:00 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 12:43:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 12:39:00 AM	34	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 12:37:40 AM	55	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 12:37:40 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 12:37:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 12:32:20 AM	34	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 12:32:00 AM	55	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 12:32:00 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 12:32:00 AM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Substante organice	3/19/2016 12:28:00 AM	34	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 12:26:40 AM	54	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 12:26:40 AM	17	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 12:26:40 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/19/2016 12:21:00 AM	54	mg/l
ZONA SOVECORD SRL	Substante organice	3/19/2016 12:21:00 AM	34	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 12:21:00 AM	17	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 12:21:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 12:17:00 AM	34	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 12:15:40 AM	54	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 12:15:40 AM	17	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 12:15:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 12:10:20 AM	34	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 12:10:00 AM	54	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 12:10:00 AM	17	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 12:10:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/19/2016 12:06:00 AM	34	mg/l
ZONA SOVECORD SRL	Grasimi	3/19/2016 12:04:40 AM	54	mg/l
ZONA SOVECORD SRL	Temp	3/19/2016 12:04:40 AM	17	gradCels
ZONA SOVECORD SRL	pH	3/19/2016 12:04:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 11:59:20 PM	34	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 11:59:00 PM	54	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 11:59:00 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 11:59:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 11:55:20 PM	34	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 11:54:00 PM	54	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 11:54:00 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 11:54:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 11:48:20 PM	34	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 11:48:01 PM	54	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 11:48:01 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 11:48:01 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 11:44:20 PM	34	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 11:43:00 PM	54	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 11:43:00 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 11:43:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 11:37:20 PM	34	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 11:37:00 PM	54	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 11:37:00 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 11:37:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 11:33:01 PM	34	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 11:31:40 PM	54	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 11:31:40 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 11:31:40 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/18/2016 11:26:00 PM	54	mg/l
ZONA SOVECORD SRL	Substante organice	3/18/2016 11:26:00 PM	34	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 11:26:00 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 11:26:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 11:22:00 PM	34	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 11:20:40 PM	54	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 11:20:40 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 11:20:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 11:15:20 PM	34	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 11:15:00 PM	54	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 11:15:00 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 11:15:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 11:09:40 PM	34	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 11:09:20 PM	54	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 11:09:20 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 11:09:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 11:04:40 PM	34	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 11:04:00 PM	54	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 11:04:00 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 11:04:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 10:58:40 PM	34	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 10:58:20 PM	54	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Temp	3/18/2016 10:58:20 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 10:58:20 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/18/2016 10:53:00 PM	54	mg/l
ZONA SOVECORD SRL	Substante organice	3/18/2016 10:53:00 PM	34	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 10:53:00 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 10:53:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 10:47:40 PM	34	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 10:47:20 PM	54	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 10:47:20 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 10:47:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 10:43:00 PM	34	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 10:42:00 PM	54	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 10:42:00 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 10:42:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 10:36:40 PM	34	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 10:36:20 PM	55	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 10:36:20 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 10:36:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 10:32:00 PM	34	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 10:31:00 PM	54	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 10:31:00 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 10:31:00 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/18/2016 10:25:00 PM	54	mg/l
ZONA SOVECORD SRL	Substante organice	3/18/2016 10:25:00 PM	34	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 10:25:00 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 10:25:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 10:20:40 PM	34	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 10:19:40 PM	54	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 10:19:40 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 10:19:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 10:14:20 PM	34	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 10:14:00 PM	55	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 10:14:00 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 10:14:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 10:10:00 PM	34	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 10:08:40 PM	54	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 10:08:40 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 10:08:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 10:03:20 PM	34	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 10:03:00 PM	54	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 10:03:00 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 10:03:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 9:58:40 PM	34	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 9:57:40 PM	54	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 9:57:40 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 9:57:40 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/18/2016 9:52:00 PM	54	mg/l
ZONA SOVECORD SRL	Substante organice	3/18/2016 9:52:00 PM	34	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 9:52:00 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 9:52:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 9:47:20 PM	35	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 9:46:21 PM	54	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 9:46:21 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 9:46:21 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 9:41:20 PM	35	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 9:41:00 PM	54	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 9:41:00 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 9:41:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 9:36:20 PM	35	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 9:35:20 PM	54	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 9:35:20 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 9:35:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 9:30:20 PM	35	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 9:30:00 PM	54	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 9:30:00 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 9:30:00 PM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Grasimi	3/18/2016 9:24:20 PM	54	mg/l
ZONA SOVECORD SRL	Substante organice	3/18/2016 9:24:20 PM	35	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 9:24:20 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 9:24:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 9:19:40 PM	36	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 9:19:00 PM	53	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 9:19:00 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 9:19:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 9:13:40 PM	36	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 9:13:20 PM	53	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 9:13:20 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 9:13:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 9:08:20 PM	36	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 9:07:40 PM	54	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 9:07:40 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 9:07:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 9:02:40 PM	36	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 9:02:20 PM	53	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 9:02:20 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 9:02:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 8:57:20 PM	36	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 8:56:40 PM	53	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 8:56:40 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 8:56:40 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/18/2016 8:51:00 PM	53	mg/l
ZONA SOVECORD SRL	Substante organice	3/18/2016 8:51:00 PM	36	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 8:51:00 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 8:51:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 8:46:40 PM	37	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 8:45:20 PM	51	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 8:45:20 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 8:45:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 8:40:20 PM	37	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 8:40:00 PM	52	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 8:40:00 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 8:40:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 8:35:40 PM	37	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 8:34:20 PM	53	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 8:34:20 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 8:34:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 8:29:00 PM	37	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 8:28:40 PM	52	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 8:28:40 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 8:28:40 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/18/2016 8:23:40 PM	52	mg/l
ZONA SOVECORD SRL	Substante organice	3/18/2016 8:23:40 PM	37	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 8:23:40 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 8:23:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 8:19:40 PM	37	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 8:18:40 PM	53	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 8:18:40 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 8:18:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 8:13:40 PM	37	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 8:12:40 PM	53	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 8:12:40 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 8:12:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 8:08:40 PM	37	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 8:08:00 PM	51	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 8:08:00 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 8:08:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 8:02:40 PM	37	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 8:02:00 PM	54	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 8:02:00 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 8:02:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 7:57:40 PM	37	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 7:57:00 PM	53	mg/l



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Temp	3/18/2016 7:57:00 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 7:57:00 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/18/2016 7:51:00 PM	51	mg/l
ZONA SOVECORD SRL	Substante organice	3/18/2016 7:51:00 PM	37	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 7:51:00 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 7:51:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 7:46:20 PM	37	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 7:45:20 PM	52	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 7:45:20 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 7:45:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 7:40:40 PM	37	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 7:40:00 PM	54	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 7:40:00 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 7:40:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 7:35:20 PM	37	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 7:34:40 PM	54	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 7:34:40 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 7:34:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 7:30:00 PM	37	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 7:29:00 PM	52	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 7:29:00 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 7:29:00 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/18/2016 7:23:20 PM	51	mg/l
ZONA SOVECORD SRL	Substante organice	3/18/2016 7:23:20 PM	37	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 7:23:20 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 7:23:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 7:18:40 PM	37	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 7:17:41 PM	51	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 7:17:40 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 7:17:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 7:13:40 PM	37	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 7:12:40 PM	52	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 7:12:40 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 7:12:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 7:07:40 PM	37	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 7:07:00 PM	51	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 7:07:00 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 7:07:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 7:02:40 PM	37	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 7:01:41 PM	51	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 7:01:41 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 7:01:41 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/18/2016 6:55:40 PM	52	mg/l
ZONA SOVECORD SRL	Substante organice	3/18/2016 6:55:40 PM	37	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 6:55:40 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 6:55:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 6:51:40 PM	37	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 6:50:20 PM	51	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 6:50:20 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 6:50:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 6:45:40 PM	37	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 6:44:40 PM	50	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 6:44:40 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 6:44:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 6:40:00 PM	37	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 6:39:40 PM	51	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 6:39:40 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 6:39:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 6:35:00 PM	37	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 6:34:20 PM	51	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 6:34:20 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 6:34:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 6:29:20 PM	37	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 6:28:20 PM	52	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 6:28:20 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 6:28:20 PM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Grasimi	3/18/2016 6:23:00 PM	53	mg/l
ZONA SOVECORD SRL	Substante organice	3/18/2016 6:23:00 PM	37	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 6:23:00 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 6:23:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 6:18:00 PM	37	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 6:17:20 PM	53	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 6:17:20 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 6:17:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 6:12:40 PM	37	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 6:11:40 PM	51	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 6:11:40 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 6:11:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 6:07:20 PM	37	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 6:06:20 PM	50	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 6:06:20 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 6:06:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 6:01:20 PM	37	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 6:00:40 PM	50	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 6:00:40 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 6:00:40 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/18/2016 5:55:20 PM	52	mg/l
ZONA SOVECORD SRL	Substante organice	3/18/2016 5:55:20 PM	37	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 5:55:20 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 5:55:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 5:50:20 PM	36	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 5:49:40 PM	52	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 5:49:40 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 5:49:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 5:45:00 PM	36	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 5:44:20 PM	51	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 5:44:20 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 5:44:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 5:39:20 PM	36	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 5:38:20 PM	51	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 5:38:20 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 5:38:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 5:34:21 PM	36	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 5:33:40 PM	50	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 5:33:40 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 5:33:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 5:29:00 PM	36	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 5:27:40 PM	50	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 5:27:40 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 5:27:40 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/18/2016 5:22:00 PM	51	mg/l
ZONA SOVECORD SRL	Substante organice	3/18/2016 5:22:00 PM	36	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 5:22:00 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 5:22:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 5:17:40 PM	36	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 5:16:40 PM	50	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 5:16:40 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 5:16:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 5:12:00 PM	36	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 5:11:00 PM	50	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 5:11:00 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 5:11:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 5:06:40 PM	36	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 5:05:20 PM	50	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 5:05:20 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 5:05:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 5:01:00 PM	36	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 5:00:00 PM	50	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 5:00:00 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 5:00:00 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/18/2016 4:55:00 PM	50	mg/l
ZONA SOVECORD SRL	Substante organice	3/18/2016 4:55:00 PM	36	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Temp	3/18/2016 4:55:00 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 4:55:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 4:51:00 PM	36	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 4:50:20 PM	51	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 4:50:20 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 4:50:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 4:45:00 PM	36	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 4:44:40 PM	51	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 4:44:40 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 4:44:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 4:39:40 PM	36	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 4:39:00 PM	50	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 4:39:00 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 4:39:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 4:34:00 PM	36	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 4:33:40 PM	52	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 4:33:40 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 4:33:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 4:29:20 PM	36	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 4:28:20 PM	53	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 4:28:20 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 4:28:20 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/18/2016 4:22:40 PM	52	mg/l
ZONA SOVECORD SRL	Substante organice	3/18/2016 4:22:40 PM	36	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 4:22:40 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 4:22:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 4:18:00 PM	35	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 4:17:20 PM	51	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 4:17:20 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 4:17:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 4:12:00 PM	35	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 4:11:40 PM	51	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 4:11:40 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 4:11:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 4:06:20 PM	35	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 4:06:00 PM	52	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 4:06:00 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 4:06:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 4:01:00 PM	35	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 4:00:40 PM	54	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 4:00:40 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 4:00:40 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/18/2016 3:55:00 PM	55	mg/l
ZONA SOVECORD SRL	Substante organice	3/18/2016 3:55:00 PM	35	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 3:55:00 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 3:55:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 3:49:40 PM	35	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 3:49:20 PM	53	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 3:49:20 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 3:49:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 3:44:20 PM	35	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 3:44:00 PM	49	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 3:44:00 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 3:44:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 3:39:00 PM	35	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 3:38:20 PM	50	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 3:38:20 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 3:38:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 3:33:20 PM	35	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 3:33:00 PM	53	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 3:33:00 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 3:33:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 3:28:00 PM	35	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 3:27:20 PM	55	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 3:27:20 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 3:27:20 PM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Grasimi	3/18/2016 3:22:00 PM	53	mg/l
ZONA SOVECORD SRL	Substante organice	3/18/2016 3:22:00 PM	35	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 3:22:00 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 3:22:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 3:17:00 PM	35	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 3:16:00 PM	47	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 3:16:00 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 3:16:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 3:11:20 PM	35	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 3:11:00 PM	48	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 3:11:00 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 3:11:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 3:06:00 PM	35	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 3:05:20 PM	48	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 3:05:20 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 3:05:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 3:00:00 PM	35	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 2:59:40 PM	50	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 2:59:40 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 2:59:40 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/18/2016 2:54:20 PM	50	mg/l
ZONA SOVECORD SRL	Substante organice	3/18/2016 2:54:20 PM	35	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 2:54:20 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 2:54:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 2:49:00 PM	36	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 2:48:40 PM	47	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 2:48:40 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 2:48:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 2:44:00 PM	36	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 2:43:20 PM	47	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 2:43:20 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 2:43:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 2:40:20 PM	36	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 2:40:00 PM	47	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 2:40:00 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 2:40:00 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/18/2016 2:37:20 PM	47	mg/l
ZONA SOVECORD SRL	Substante organice	3/18/2016 2:37:20 PM	36	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 2:37:20 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 2:37:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 2:33:00 PM	36	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 2:32:00 PM	47	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 2:32:00 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 2:32:00 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/18/2016 2:26:20 PM	49	mg/l
ZONA SOVECORD SRL	Substante organice	3/18/2016 2:26:20 PM	36	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 2:26:20 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 2:26:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 2:22:00 PM	36	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 2:20:40 PM	47	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 2:20:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 2:20:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 2:16:00 PM	36	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 2:15:00 PM	47	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 2:15:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 2:15:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 2:10:40 PM	36	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 2:09:20 PM	48	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 2:09:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 2:09:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 2:05:00 PM	36	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 2:04:20 PM	49	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 2:04:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 2:04:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 1:59:20 PM	36	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 1:58:40 PM	50	mg/l



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Temp	3/18/2016 1:58:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 1:58:40 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/18/2016 1:54:20 PM	49	mg/l
ZONA SOVECORD SRL	Substante organice	3/18/2016 1:54:20 PM	36	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 1:54:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 1:54:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 1:48:20 PM	37	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 1:48:00 PM	49	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 1:48:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 1:48:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 1:43:00 PM	37	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 1:42:40 PM	50	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 1:42:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 1:42:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 1:37:20 PM	37	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 1:37:00 PM	50	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 1:37:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 1:37:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 1:32:40 PM	37	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 1:31:40 PM	52	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 1:31:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 1:31:40 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/18/2016 1:26:00 PM	52	mg/l
ZONA SOVECORD SRL	Substante organice	3/18/2016 1:26:00 PM	37	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 1:26:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 1:26:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 1:21:40 PM	37	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 1:20:20 PM	52	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 1:20:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 1:20:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 1:15:20 PM	37	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 1:14:00 PM	52	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 1:14:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 1:14:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 1:10:40 PM	37	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 1:08:20 PM	53	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 1:08:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 1:08:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 1:04:00 PM	37	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 1:02:40 PM	55	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 1:02:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 1:02:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 12:59:40 PM	37	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 12:57:40 PM	54	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 12:57:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 12:57:40 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/18/2016 12:52:00 PM	54	mg/l
ZONA SOVECORD SRL	Substante organice	3/18/2016 12:52:00 PM	37	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 12:52:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 12:52:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 12:48:40 PM	38	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 12:46:20 PM	56	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 12:46:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 12:46:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 12:42:40 PM	38	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 12:41:00 PM	58	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 12:41:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 12:41:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 12:38:20 PM	38	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 12:36:00 PM	58	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 12:36:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 12:36:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 12:33:20 PM	38	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 12:31:01 PM	58	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 12:31:01 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 12:31:01 PM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Substante organice	3/18/2016 12:28:20 PM	38	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 12:26:00 PM	57	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 12:26:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 12:26:00 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/18/2016 12:21:00 PM	58	mg/l
ZONA SOVECORD SRL	Substante organice	3/18/2016 12:21:00 PM	38	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 12:21:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 12:21:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 12:18:20 PM	38	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 12:16:00 PM	58	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 12:16:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 12:16:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 12:13:20 PM	38	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 12:11:00 PM	56	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 12:11:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 12:11:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 12:08:20 PM	38	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 12:06:00 PM	56	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 12:06:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 12:06:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 12:03:20 PM	38	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 12:01:00 PM	58	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 12:01:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 12:01:00 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/18/2016 11:56:00 AM	58	mg/l
ZONA SOVECORD SRL	Substante organice	3/18/2016 11:56:00 AM	38	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 11:56:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 11:56:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 11:53:40 AM	39	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 11:51:00 AM	55	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 11:51:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 11:51:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 11:48:20 AM	39	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 11:46:00 AM	53	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 11:46:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 11:46:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 11:43:00 AM	39	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 11:40:40 AM	54	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 11:40:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 11:40:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 11:38:20 AM	39	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 11:36:02 AM	57	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 11:36:02 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 11:36:02 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 11:33:00 AM	39	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 11:30:40 AM	56	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 11:30:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 11:30:40 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/18/2016 11:25:40 AM	54	mg/l
ZONA SOVECORD SRL	Substante organice	3/18/2016 11:25:40 AM	39	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 11:25:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 11:25:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 11:23:20 AM	39	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 11:20:40 AM	53	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 11:20:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 11:20:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 11:18:00 AM	39	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 11:15:40 AM	53	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 11:15:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 11:15:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 11:13:00 AM	39	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 11:10:40 AM	55	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 11:10:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 11:10:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 11:08:40 AM	39	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 11:06:20 AM	55	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Temp	3/18/2016 11:06:20 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 11:06:20 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/18/2016 11:06:00 AM	55	mg/l
ZONA SOVECORD SRL	Substante organice	3/18/2016 11:05:40 AM	39	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 11:05:40 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 11:05:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 11:03:00 AM	39	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 11:00:40 AM	54	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 11:00:40 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 11:00:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/18/2016 11:00:00 AM	39	mg/l
ZONA SOVECORD SRL	Grasimi	3/18/2016 10:57:40 AM	54	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 10:57:40 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 10:57:40 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/18/2016 10:57:20 AM	54	mg/l
ZONA SOVECORD SRL	Substante organice	3/18/2016 10:55:20 AM	39	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 10:54:40 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 10:54:20 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/18/2016 10:52:20 AM	55	mg/l
ZONA SOVECORD SRL	Substante organice	3/18/2016 10:52:20 AM	39	mg/l
ZONA SOVECORD SRL	Temp	3/18/2016 10:52:20 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/18/2016 10:52:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/16/2016 8:17:20 AM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/16/2016 8:17:00 AM	61	mg/l
ZONA SOVECORD SRL	Temp	3/16/2016 8:17:00 AM	13	gradCels
ZONA SOVECORD SRL	pH	3/16/2016 8:17:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/16/2016 8:11:40 AM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/16/2016 8:11:20 AM	61	mg/l
ZONA SOVECORD SRL	Temp	3/16/2016 8:11:20 AM	13	gradCels
ZONA SOVECORD SRL	pH	3/16/2016 8:11:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/16/2016 8:06:20 AM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/16/2016 8:06:00 AM	61	mg/l
ZONA SOVECORD SRL	Temp	3/16/2016 8:06:00 AM	13	gradCels
ZONA SOVECORD SRL	pH	3/16/2016 8:06:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/16/2016 8:00:40 AM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/16/2016 8:00:20 AM	61	mg/l
ZONA SOVECORD SRL	Temp	3/16/2016 8:00:20 AM	13	gradCels
ZONA SOVECORD SRL	pH	3/16/2016 8:00:20 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/16/2016 7:54:40 AM	61	mg/l
ZONA SOVECORD SRL	Substante organice	3/16/2016 7:54:40 AM	41	mg/l
ZONA SOVECORD SRL	Temp	3/16/2016 7:54:40 AM	13	gradCels
ZONA SOVECORD SRL	pH	3/16/2016 7:54:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/16/2016 7:49:40 AM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/16/2016 7:49:00 AM	62	mg/l
ZONA SOVECORD SRL	Temp	3/16/2016 7:49:00 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/16/2016 7:49:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/16/2016 7:44:00 AM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/16/2016 7:43:21 AM	62	mg/l
ZONA SOVECORD SRL	Temp	3/16/2016 7:43:21 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/16/2016 7:43:21 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/16/2016 7:38:20 AM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/16/2016 7:38:00 AM	62	mg/l
ZONA SOVECORD SRL	Temp	3/16/2016 7:38:00 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/16/2016 7:38:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/16/2016 7:33:00 AM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/16/2016 7:32:40 AM	62	mg/l
ZONA SOVECORD SRL	Temp	3/16/2016 7:32:40 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/16/2016 7:32:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/16/2016 7:27:40 AM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/16/2016 7:27:20 AM	62	mg/l
ZONA SOVECORD SRL	Temp	3/16/2016 7:27:20 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/16/2016 7:27:20 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/16/2016 7:21:40 AM	62	mg/l
ZONA SOVECORD SRL	Substante organice	3/16/2016 7:21:40 AM	41	mg/l
ZONA SOVECORD SRL	Temp	3/16/2016 7:21:40 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/16/2016 7:21:40 AM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Substante organice	3/16/2016 7:16:20 AM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/16/2016 7:16:00 AM	62	mg/l
ZONA SOVECORD SRL	Temp	3/16/2016 7:16:00 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/16/2016 7:16:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/16/2016 7:11:00 AM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/16/2016 7:10:40 AM	62	mg/l
ZONA SOVECORD SRL	Temp	3/16/2016 7:10:40 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/16/2016 7:10:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/16/2016 7:05:20 AM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/16/2016 7:04:40 AM	62	mg/l
ZONA SOVECORD SRL	Temp	3/16/2016 7:04:40 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/16/2016 7:04:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/16/2016 7:00:00 AM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/16/2016 6:59:20 AM	62	mg/l
ZONA SOVECORD SRL	Temp	3/16/2016 6:59:20 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/16/2016 6:59:20 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/16/2016 6:53:40 AM	61	mg/l
ZONA SOVECORD SRL	Substante organice	3/16/2016 6:53:40 AM	41	mg/l
ZONA SOVECORD SRL	Temp	3/16/2016 6:53:40 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/16/2016 6:53:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/16/2016 6:49:00 AM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/16/2016 6:48:20 AM	62	mg/l
ZONA SOVECORD SRL	Temp	3/16/2016 6:48:20 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/16/2016 6:48:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/16/2016 6:43:20 AM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/16/2016 6:42:40 AM	61	mg/l
ZONA SOVECORD SRL	Temp	3/16/2016 6:42:40 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/16/2016 6:42:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/16/2016 6:37:40 AM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/16/2016 6:37:00 AM	62	mg/l
ZONA SOVECORD SRL	Temp	3/16/2016 6:37:00 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/16/2016 6:37:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/16/2016 6:32:20 AM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/16/2016 6:31:40 AM	62	mg/l
ZONA SOVECORD SRL	Temp	3/16/2016 6:31:40 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/16/2016 6:31:40 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/16/2016 6:26:00 AM	61	mg/l
ZONA SOVECORD SRL	Substante organice	3/16/2016 6:26:00 AM	41	mg/l
ZONA SOVECORD SRL	Temp	3/16/2016 6:26:00 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/16/2016 6:26:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/16/2016 6:21:00 AM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/16/2016 6:20:40 AM	61	mg/l
ZONA SOVECORD SRL	Temp	3/16/2016 6:20:40 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/16/2016 6:20:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/16/2016 6:15:40 AM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/16/2016 6:15:00 AM	61	mg/l
ZONA SOVECORD SRL	Temp	3/16/2016 6:15:00 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/16/2016 6:15:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/16/2016 6:10:00 AM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/16/2016 6:09:40 AM	61	mg/l
ZONA SOVECORD SRL	Temp	3/16/2016 6:09:40 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/16/2016 6:09:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/16/2016 6:04:40 AM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/16/2016 6:04:00 AM	61	mg/l
ZONA SOVECORD SRL	Temp	3/16/2016 6:04:00 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/16/2016 6:04:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/16/2016 5:58:40 AM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/16/2016 5:58:20 AM	61	mg/l
ZONA SOVECORD SRL	Temp	3/16/2016 5:58:20 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/16/2016 5:58:20 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/16/2016 5:52:40 AM	61	mg/l
ZONA SOVECORD SRL	Substante organice	3/16/2016 5:52:40 AM	40	mg/l
ZONA SOVECORD SRL	Temp	3/16/2016 5:52:40 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/16/2016 5:52:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/16/2016 5:47:40 AM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/16/2016 5:47:20 AM	61	mg/l



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Temp	3/16/2016 5:47:20 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/16/2016 5:47:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/16/2016 5:43:00 AM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/16/2016 5:41:40 AM	61	mg/l
ZONA SOVECORD SRL	Temp	3/16/2016 5:41:40 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/16/2016 5:41:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/16/2016 5:36:40 AM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/16/2016 5:36:00 AM	61	mg/l
ZONA SOVECORD SRL	Temp	3/16/2016 5:36:00 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/16/2016 5:36:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/16/2016 5:31:01 AM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/16/2016 5:30:40 AM	61	mg/l
ZONA SOVECORD SRL	Temp	3/16/2016 5:30:40 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/16/2016 5:30:40 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/16/2016 5:25:00 AM	61	mg/l
ZONA SOVECORD SRL	Substante organice	3/16/2016 5:25:00 AM	40	mg/l
ZONA SOVECORD SRL	Temp	3/16/2016 5:25:00 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/16/2016 5:25:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/16/2016 5:20:00 AM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/16/2016 5:19:40 AM	61	mg/l
ZONA SOVECORD SRL	Temp	3/16/2016 5:19:40 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/16/2016 5:19:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/16/2016 5:15:00 AM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/16/2016 5:14:00 AM	61	mg/l
ZONA SOVECORD SRL	Temp	3/16/2016 5:14:00 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/16/2016 5:14:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/16/2016 5:09:00 AM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/16/2016 5:08:40 AM	61	mg/l
ZONA SOVECORD SRL	Temp	3/16/2016 5:08:40 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/16/2016 5:08:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/16/2016 5:04:00 AM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/16/2016 5:03:00 AM	61	mg/l
ZONA SOVECORD SRL	Temp	3/16/2016 5:03:00 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/16/2016 5:03:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/16/2016 4:57:40 AM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/16/2016 4:57:21 AM	61	mg/l
ZONA SOVECORD SRL	Temp	3/16/2016 4:57:21 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/16/2016 4:57:21 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/16/2016 4:52:00 AM	61	mg/l
ZONA SOVECORD SRL	Substante organice	3/16/2016 4:52:00 AM	40	mg/l
ZONA SOVECORD SRL	Temp	3/16/2016 4:52:00 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/16/2016 4:52:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/16/2016 4:46:40 AM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/16/2016 4:46:20 AM	61	mg/l
ZONA SOVECORD SRL	Temp	3/16/2016 4:46:20 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/16/2016 4:46:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/16/2016 4:41:40 AM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/16/2016 4:41:01 AM	61	mg/l
ZONA SOVECORD SRL	Temp	3/16/2016 4:41:01 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/16/2016 4:41:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/16/2016 4:36:00 AM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/16/2016 4:35:20 AM	61	mg/l
ZONA SOVECORD SRL	Temp	3/16/2016 4:35:20 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/16/2016 4:35:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/16/2016 4:31:00 AM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/16/2016 4:30:20 AM	61	mg/l
ZONA SOVECORD SRL	Temp	3/16/2016 4:30:20 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/16/2016 4:30:20 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/16/2016 4:24:21 AM	61	mg/l
ZONA SOVECORD SRL	Substante organice	3/16/2016 4:24:21 AM	40	mg/l
ZONA SOVECORD SRL	Temp	3/16/2016 4:24:20 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/16/2016 4:24:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/16/2016 4:20:00 AM	39	mg/l
ZONA SOVECORD SRL	Grasimi	3/16/2016 4:19:00 AM	61	mg/l
ZONA SOVECORD SRL	Temp	3/16/2016 4:19:00 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/16/2016 4:19:00 AM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Substante organice	3/16/2016 4:14:00 AM	39	mg/l
ZONA SOVECORD SRL	Grasimi	3/16/2016 4:13:20 AM	61	mg/l
ZONA SOVECORD SRL	Temp	3/16/2016 4:13:20 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/16/2016 4:13:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/16/2016 4:08:40 AM	39	mg/l
ZONA SOVECORD SRL	Grasimi	3/16/2016 4:07:40 AM	61	mg/l
ZONA SOVECORD SRL	Temp	3/16/2016 4:07:40 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/16/2016 4:07:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/16/2016 4:03:00 AM	39	mg/l
ZONA SOVECORD SRL	Grasimi	3/16/2016 4:02:20 AM	61	mg/l
ZONA SOVECORD SRL	Temp	3/16/2016 4:02:20 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/16/2016 4:02:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/16/2016 3:58:00 AM	39	mg/l
ZONA SOVECORD SRL	Grasimi	3/16/2016 3:57:00 AM	62	mg/l
ZONA SOVECORD SRL	Temp	3/16/2016 3:57:00 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/16/2016 3:57:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/16/2016 3:52:40 AM	39	mg/l
ZONA SOVECORD SRL	Grasimi	3/16/2016 3:52:00 AM	62	mg/l
ZONA SOVECORD SRL	Temp	3/16/2016 3:52:00 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/16/2016 3:52:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/16/2016 3:47:20 AM	39	mg/l
ZONA SOVECORD SRL	Grasimi	3/16/2016 3:46:40 AM	62	mg/l
ZONA SOVECORD SRL	Temp	3/16/2016 3:46:40 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/16/2016 3:46:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/16/2016 3:41:40 AM	39	mg/l
ZONA SOVECORD SRL	Grasimi	3/16/2016 3:41:00 AM	62	mg/l
ZONA SOVECORD SRL	Temp	3/16/2016 3:41:00 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/16/2016 3:41:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/16/2016 3:36:20 AM	39	mg/l
ZONA SOVECORD SRL	Grasimi	3/16/2016 3:35:20 AM	61	mg/l
ZONA SOVECORD SRL	Temp	3/16/2016 3:35:20 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/16/2016 3:35:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/16/2016 3:30:40 AM	39	mg/l
ZONA SOVECORD SRL	Grasimi	3/16/2016 3:29:40 AM	62	mg/l
ZONA SOVECORD SRL	Temp	3/16/2016 3:29:40 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/16/2016 3:29:40 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/16/2016 3:24:20 AM	62	mg/l
ZONA SOVECORD SRL	Substante organice	3/16/2016 3:24:20 AM	39	mg/l
ZONA SOVECORD SRL	Temp	3/16/2016 3:24:20 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/16/2016 3:24:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/16/2016 3:19:20 AM	39	mg/l
ZONA SOVECORD SRL	Grasimi	3/16/2016 3:19:00 AM	62	mg/l
ZONA SOVECORD SRL	Temp	3/16/2016 3:19:00 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/16/2016 3:19:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/16/2016 3:14:00 AM	39	mg/l
ZONA SOVECORD SRL	Grasimi	3/16/2016 3:13:20 AM	62	mg/l
ZONA SOVECORD SRL	Temp	3/16/2016 3:13:20 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/16/2016 3:13:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/16/2016 3:08:20 AM	39	mg/l
ZONA SOVECORD SRL	Grasimi	3/16/2016 3:08:00 AM	62	mg/l
ZONA SOVECORD SRL	Temp	3/16/2016 3:08:00 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/16/2016 3:08:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/16/2016 3:03:00 AM	39	mg/l
ZONA SOVECORD SRL	Grasimi	3/16/2016 3:02:20 AM	62	mg/l
ZONA SOVECORD SRL	Temp	3/16/2016 3:02:20 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/16/2016 3:02:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/16/2016 2:57:20 AM	39	mg/l
ZONA SOVECORD SRL	Grasimi	3/16/2016 2:57:00 AM	62	mg/l
ZONA SOVECORD SRL	Temp	3/16/2016 2:57:00 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/16/2016 2:57:00 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/16/2016 2:51:20 AM	62	mg/l
ZONA SOVECORD SRL	Substante organice	3/16/2016 2:51:20 AM	39	mg/l
ZONA SOVECORD SRL	Temp	3/16/2016 2:51:20 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/16/2016 2:51:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/16/2016 2:46:00 AM	39	mg/l
ZONA SOVECORD SRL	Grasimi	3/16/2016 2:45:40 AM	62	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Temp	3/16/2016 2:45:40 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/16/2016 2:45:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/16/2016 2:41:00 AM	39	mg/l
ZONA SOVECORD SRL	Grasimi	3/16/2016 2:40:00 AM	62	mg/l
ZONA SOVECORD SRL	Temp	3/16/2016 2:40:00 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/16/2016 2:40:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/16/2016 2:35:20 AM	39	mg/l
ZONA SOVECORD SRL	Grasimi	3/16/2016 2:35:00 AM	62	mg/l
ZONA SOVECORD SRL	Temp	3/16/2016 2:35:00 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/16/2016 2:35:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/16/2016 2:30:20 AM	39	mg/l
ZONA SOVECORD SRL	Grasimi	3/16/2016 2:29:20 AM	63	mg/l
ZONA SOVECORD SRL	Temp	3/16/2016 2:29:20 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/16/2016 2:29:20 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/16/2016 2:23:40 AM	63	mg/l
ZONA SOVECORD SRL	Substante organice	3/16/2016 2:23:40 AM	39	mg/l
ZONA SOVECORD SRL	Temp	3/16/2016 2:23:40 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/16/2016 2:23:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/16/2016 2:19:20 AM	39	mg/l
ZONA SOVECORD SRL	Grasimi	3/16/2016 2:18:20 AM	63	mg/l
ZONA SOVECORD SRL	Temp	3/16/2016 2:18:20 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/16/2016 2:18:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/16/2016 2:13:00 AM	39	mg/l
ZONA SOVECORD SRL	Grasimi	3/16/2016 2:12:40 AM	63	mg/l
ZONA SOVECORD SRL	Temp	3/16/2016 2:12:40 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/16/2016 2:12:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/16/2016 2:08:00 AM	39	mg/l
ZONA SOVECORD SRL	Grasimi	3/16/2016 2:07:00 AM	63	mg/l
ZONA SOVECORD SRL	Temp	3/16/2016 2:07:00 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/16/2016 2:07:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/16/2016 2:02:05 AM	39	mg/l
ZONA SOVECORD SRL	Grasimi	3/16/2016 2:01:40 AM	63	mg/l
ZONA SOVECORD SRL	Temp	3/16/2016 2:01:40 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/16/2016 2:01:40 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/16/2016 1:56:00 AM	63	mg/l
ZONA SOVECORD SRL	Substante organice	3/16/2016 1:56:00 AM	39	mg/l
ZONA SOVECORD SRL	Temp	3/16/2016 1:56:00 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/16/2016 1:56:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/16/2016 1:51:20 AM	39	mg/l
ZONA SOVECORD SRL	Grasimi	3/16/2016 1:50:40 AM	63	mg/l
ZONA SOVECORD SRL	Temp	3/16/2016 1:50:40 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/16/2016 1:50:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/16/2016 1:46:00 AM	39	mg/l
ZONA SOVECORD SRL	Grasimi	3/16/2016 1:45:00 AM	63	mg/l
ZONA SOVECORD SRL	Temp	3/16/2016 1:45:00 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/16/2016 1:45:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/16/2016 1:40:20 AM	39	mg/l
ZONA SOVECORD SRL	Grasimi	3/16/2016 1:39:40 AM	63	mg/l
ZONA SOVECORD SRL	Temp	3/16/2016 1:39:40 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/16/2016 1:39:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/16/2016 1:35:00 AM	39	mg/l
ZONA SOVECORD SRL	Grasimi	3/16/2016 1:34:00 AM	63	mg/l
ZONA SOVECORD SRL	Temp	3/16/2016 1:34:00 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/16/2016 1:34:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/16/2016 1:29:01 AM	39	mg/l
ZONA SOVECORD SRL	Grasimi	3/16/2016 1:28:20 AM	63	mg/l
ZONA SOVECORD SRL	Temp	3/16/2016 1:28:20 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/16/2016 1:28:20 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/16/2016 1:23:00 AM	63	mg/l
ZONA SOVECORD SRL	Substante organice	3/16/2016 1:23:00 AM	39	mg/l
ZONA SOVECORD SRL	Temp	3/16/2016 1:23:00 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/16/2016 1:23:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/16/2016 1:18:20 AM	39	mg/l
ZONA SOVECORD SRL	Grasimi	3/16/2016 1:17:20 AM	63	mg/l
ZONA SOVECORD SRL	Temp	3/16/2016 1:17:20 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/16/2016 1:17:20 AM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Substante organice	3/16/2016 1:13:00 AM	39	mg/l
ZONA SOVECORD SRL	Grasimi	3/16/2016 1:11:40 AM	63	mg/l
ZONA SOVECORD SRL	Temp	3/16/2016 1:11:40 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/16/2016 1:11:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/16/2016 1:07:41 AM	39	mg/l
ZONA SOVECORD SRL	Grasimi	3/16/2016 1:06:00 AM	63	mg/l
ZONA SOVECORD SRL	Temp	3/16/2016 1:06:00 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/16/2016 1:06:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/16/2016 1:01:00 AM	39	mg/l
ZONA SOVECORD SRL	Grasimi	3/16/2016 1:00:40 AM	63	mg/l
ZONA SOVECORD SRL	Temp	3/16/2016 1:00:40 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/16/2016 1:00:40 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/16/2016 12:55:00 AM	63	mg/l
ZONA SOVECORD SRL	Substante organice	3/16/2016 12:55:00 AM	39	mg/l
ZONA SOVECORD SRL	Temp	3/16/2016 12:55:00 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/16/2016 12:55:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/16/2016 12:50:00 AM	39	mg/l
ZONA SOVECORD SRL	Grasimi	3/16/2016 12:49:40 AM	63	mg/l
ZONA SOVECORD SRL	Temp	3/16/2016 12:49:40 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/16/2016 12:49:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/16/2016 12:45:20 AM	39	mg/l
ZONA SOVECORD SRL	Grasimi	3/16/2016 12:44:00 AM	63	mg/l
ZONA SOVECORD SRL	Temp	3/16/2016 12:44:00 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/16/2016 12:44:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/16/2016 12:39:00 AM	39	mg/l
ZONA SOVECORD SRL	Grasimi	3/16/2016 12:38:40 AM	64	mg/l
ZONA SOVECORD SRL	Temp	3/16/2016 12:38:40 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/16/2016 12:38:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/16/2016 12:34:20 AM	39	mg/l
ZONA SOVECORD SRL	Grasimi	3/16/2016 12:33:00 AM	64	mg/l
ZONA SOVECORD SRL	Temp	3/16/2016 12:33:00 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/16/2016 12:33:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/16/2016 12:27:40 AM	39	mg/l
ZONA SOVECORD SRL	Grasimi	3/16/2016 12:27:20 AM	64	mg/l
ZONA SOVECORD SRL	Temp	3/16/2016 12:27:20 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/16/2016 12:27:20 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/16/2016 12:22:00 AM	64	mg/l
ZONA SOVECORD SRL	Substante organice	3/16/2016 12:22:00 AM	39	mg/l
ZONA SOVECORD SRL	Temp	3/16/2016 12:22:00 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/16/2016 12:22:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/16/2016 12:16:40 AM	39	mg/l
ZONA SOVECORD SRL	Grasimi	3/16/2016 12:16:20 AM	64	mg/l
ZONA SOVECORD SRL	Temp	3/16/2016 12:16:20 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/16/2016 12:16:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/16/2016 12:12:00 AM	39	mg/l
ZONA SOVECORD SRL	Grasimi	3/16/2016 12:11:00 AM	64	mg/l
ZONA SOVECORD SRL	Temp	3/16/2016 12:11:00 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/16/2016 12:11:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/16/2016 12:05:40 AM	39	mg/l
ZONA SOVECORD SRL	Grasimi	3/16/2016 12:05:20 AM	64	mg/l
ZONA SOVECORD SRL	Temp	3/16/2016 12:05:20 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/16/2016 12:05:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/16/2016 12:01:00 AM	39	mg/l
ZONA SOVECORD SRL	Grasimi	3/16/2016 12:00:00 AM	64	mg/l
ZONA SOVECORD SRL	Temp	3/16/2016 12:00:00 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/16/2016 12:00:00 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/15/2016 11:54:20 PM	64	mg/l
ZONA SOVECORD SRL	Substante organice	3/15/2016 11:54:20 PM	39	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 11:54:20 PM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 11:54:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 11:49:40 PM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 11:48:40 PM	64	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 11:48:40 PM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 11:48:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 11:44:00 PM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 11:43:20 PM	64	mg/l



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Temp	3/15/2016 11:43:20 PM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 11:43:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 11:38:40 PM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 11:37:40 PM	64	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 11:37:40 PM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 11:37:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 11:33:00 PM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 11:32:20 PM	64	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 11:32:20 PM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 11:32:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 11:27:40 PM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 11:26:40 PM	64	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 11:26:40 PM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 11:26:40 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/15/2016 11:21:20 PM	64	mg/l
ZONA SOVECORD SRL	Substante organice	3/15/2016 11:21:20 PM	40	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 11:21:20 PM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 11:21:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 11:16:40 PM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 11:15:40 PM	64	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 11:15:40 PM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 11:15:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 11:11:00 PM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 11:10:00 PM	64	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 11:10:00 PM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 11:10:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 11:05:40 PM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 11:04:40 PM	64	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 11:04:40 PM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 11:04:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 11:00:00 PM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 10:59:00 PM	64	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 10:59:00 PM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 10:59:00 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/15/2016 10:53:40 PM	64	mg/l
ZONA SOVECORD SRL	Substante organice	3/15/2016 10:53:40 PM	40	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 10:53:40 PM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 10:53:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 10:49:00 PM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 10:48:00 PM	64	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 10:48:00 PM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 10:48:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 10:43:00 PM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 10:42:40 PM	64	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 10:42:40 PM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 10:42:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 10:38:00 PM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 10:37:00 PM	64	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 10:37:00 PM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 10:37:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 10:31:40 PM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 10:31:20 PM	64	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 10:31:20 PM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 10:31:20 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/15/2016 10:26:00 PM	64	mg/l
ZONA SOVECORD SRL	Substante organice	3/15/2016 10:26:00 PM	40	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 10:26:00 PM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 10:26:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 10:20:40 PM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 10:20:20 PM	64	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 10:20:20 PM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 10:20:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 10:16:00 PM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 10:15:00 PM	64	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 10:15:00 PM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 10:15:00 PM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Substante organice	3/15/2016 10:10:00 PM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 10:09:20 PM	64	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 10:09:20 PM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 10:09:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 10:05:00 PM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 10:04:00 PM	64	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 10:04:00 PM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 10:04:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 9:58:41 PM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 9:58:20 PM	64	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 9:58:20 PM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 9:58:20 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/15/2016 9:52:40 PM	64	mg/l
ZONA SOVECORD SRL	Substante organice	3/15/2016 9:52:40 PM	40	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 9:52:40 PM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 9:52:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 9:47:40 PM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 9:47:20 PM	64	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 9:47:20 PM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 9:47:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 9:42:40 PM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 9:41:40 PM	64	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 9:41:40 PM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 9:41:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 9:36:40 PM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 9:36:20 PM	64	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 9:36:20 PM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 9:36:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 9:31:40 PM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 9:30:40 PM	64	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 9:30:40 PM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 9:30:40 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/15/2016 9:25:20 PM	63	mg/l
ZONA SOVECORD SRL	Substante organice	3/15/2016 9:25:20 PM	40	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 9:25:20 PM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 9:25:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 9:20:40 PM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 9:19:40 PM	63	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 9:19:40 PM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 9:19:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 9:14:40 PM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 9:14:00 PM	63	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 9:14:00 PM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 9:14:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 9:09:00 PM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 9:08:40 PM	63	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 9:08:40 PM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 9:08:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 9:03:40 PM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 9:03:00 PM	63	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 9:03:00 PM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 9:03:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 8:58:00 PM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 8:57:40 PM	63	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 8:57:40 PM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 8:57:40 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/15/2016 8:52:00 PM	62	mg/l
ZONA SOVECORD SRL	Substante organice	3/15/2016 8:52:00 PM	40	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 8:52:00 PM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 8:52:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 8:46:40 PM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 8:46:20 PM	62	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 8:46:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 8:46:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 8:41:40 PM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 8:41:00 PM	62	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Temp	3/15/2016 8:41:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 8:41:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 8:35:40 PM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 8:35:20 PM	62	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 8:35:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 8:35:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 8:30:40 PM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 8:30:00 PM	62	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 8:30:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 8:30:00 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/15/2016 8:24:20 PM	62	mg/l
ZONA SOVECORD SRL	Substante organice	3/15/2016 8:24:20 PM	40	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 8:24:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 8:24:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 8:19:40 PM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 8:19:00 PM	62	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 8:19:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 8:19:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 8:13:40 PM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 8:13:20 PM	61	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 8:13:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 8:13:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 8:09:00 PM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 8:07:40 PM	62	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 8:07:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 8:07:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 8:02:40 PM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 8:02:20 PM	61	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 8:02:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 8:02:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 7:58:00 PM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 7:56:40 PM	61	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 7:56:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 7:56:40 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/15/2016 7:51:20 PM	61	mg/l
ZONA SOVECORD SRL	Substante organice	3/15/2016 7:51:20 PM	40	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 7:51:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 7:51:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 7:46:40 PM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 7:45:40 PM	61	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 7:45:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 7:45:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 7:40:40 PM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 7:40:20 PM	61	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 7:40:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 7:40:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 7:35:40 PM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 7:35:00 PM	61	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 7:35:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 7:35:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 7:29:40 PM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 7:29:20 PM	62	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 7:29:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 7:29:20 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/15/2016 7:24:00 PM	61	mg/l
ZONA SOVECORD SRL	Substante organice	3/15/2016 7:24:00 PM	40	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 7:24:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 7:24:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 7:18:40 PM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 7:18:20 PM	62	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 7:18:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 7:18:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 7:13:20 PM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 7:12:40 PM	62	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 7:12:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 7:12:40 PM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Substante organice	3/15/2016 7:07:40 PM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 7:07:20 PM	62	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 7:07:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 7:07:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 7:02:20 PM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 7:01:40 PM	62	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 7:01:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 7:01:40 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/15/2016 6:56:00 PM	62	mg/l
ZONA SOVECORD SRL	Substante organice	3/15/2016 6:56:00 PM	40	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 6:56:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 6:56:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 6:51:00 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 6:50:40 PM	62	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 6:50:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 6:50:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 6:45:40 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 6:45:00 PM	62	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 6:45:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 6:45:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 6:40:00 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 6:39:40 PM	62	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 6:39:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 6:39:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 6:34:40 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 6:34:00 PM	62	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 6:34:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 6:34:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 6:29:00 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 6:28:40 PM	62	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 6:28:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 6:28:40 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/15/2016 6:23:20 PM	62	mg/l
ZONA SOVECORD SRL	Substante organice	3/15/2016 6:23:20 PM	41	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 6:23:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 6:23:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 6:19:00 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 6:18:00 PM	62	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 6:18:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 6:18:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 6:12:40 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 6:12:20 PM	62	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 6:12:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 6:12:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 6:07:40 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 6:06:40 PM	62	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 6:06:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 6:06:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 6:01:40 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 6:01:20 PM	62	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 6:01:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 6:01:20 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/15/2016 5:55:40 PM	61	mg/l
ZONA SOVECORD SRL	Substante organice	3/15/2016 5:55:40 PM	41	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 5:55:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 5:55:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 5:50:40 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 5:50:21 PM	61	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 5:50:21 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 5:50:21 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 5:45:40 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 5:44:40 PM	61	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 5:44:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 5:44:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 5:40:40 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 5:39:40 PM	61	mg/l



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Temp	3/15/2016 5:39:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 5:39:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 5:35:00 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 5:34:20 PM	61	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 5:34:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 5:34:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 5:29:40 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 5:28:40 PM	61	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 5:28:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 5:28:40 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/15/2016 5:23:00 PM	61	mg/l
ZONA SOVECORD SRL	Substante organice	3/15/2016 5:23:00 PM	41	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 5:23:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 5:23:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 5:18:40 PM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 5:17:40 PM	61	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 5:17:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 5:17:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 5:12:40 PM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 5:12:01 PM	61	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 5:12:01 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 5:12:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 5:07:40 PM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 5:06:40 PM	61	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 5:06:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 5:06:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 5:01:40 PM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 5:01:00 PM	61	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 5:01:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 5:01:00 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/15/2016 4:55:40 PM	60	mg/l
ZONA SOVECORD SRL	Substante organice	3/15/2016 4:55:40 PM	40	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 4:55:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 4:55:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 4:50:40 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 4:50:00 PM	61	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 4:50:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 4:50:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 4:44:40 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 4:44:20 PM	61	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 4:44:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 4:44:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 4:39:40 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 4:39:00 PM	61	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 4:39:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 4:39:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 4:34:00 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 4:33:20 PM	61	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 4:33:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 4:33:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 4:28:40 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 4:28:00 PM	61	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 4:28:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 4:28:00 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/15/2016 4:22:20 PM	61	mg/l
ZONA SOVECORD SRL	Substante organice	3/15/2016 4:22:20 PM	41	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 4:22:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 4:22:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 4:17:40 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 4:17:00 PM	61	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 4:17:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 4:17:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 4:12:00 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 4:11:20 PM	60	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 4:11:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 4:11:20 PM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Substante organice	3/15/2016 4:06:40 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 4:05:40 PM	61	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 4:05:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 4:05:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 4:01:00 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 4:00:20 PM	61	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 4:00:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 4:00:20 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/15/2016 3:54:40 PM	60	mg/l
ZONA SOVECORD SRL	Substante organice	3/15/2016 3:54:40 PM	41	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 3:54:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 3:54:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 3:50:00 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 3:49:20 PM	60	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 3:49:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 3:49:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 3:44:40 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 3:43:40 PM	60	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 3:43:40 PM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 3:43:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 3:39:00 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 3:38:20 PM	60	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 3:38:20 PM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 3:38:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 3:34:00 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 3:32:40 PM	59	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 3:32:40 PM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 3:32:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 3:28:00 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 3:27:20 PM	59	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 3:27:20 PM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 3:27:20 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/15/2016 3:21:40 PM	59	mg/l
ZONA SOVECORD SRL	Substante organice	3/15/2016 3:21:40 PM	41	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 3:21:40 PM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 3:21:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 3:16:40 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 3:16:00 PM	60	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 3:16:00 PM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 3:16:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 3:12:00 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 3:10:40 PM	60	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 3:10:40 PM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 3:10:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 3:06:00 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 3:05:00 PM	60	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 3:05:00 PM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 3:05:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 3:01:00 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 2:59:40 PM	60	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 2:59:40 PM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 2:59:40 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/15/2016 2:54:00 PM	60	mg/l
ZONA SOVECORD SRL	Substante organice	3/15/2016 2:54:00 PM	41	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 2:54:00 PM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 2:54:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 2:49:00 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 2:48:40 PM	60	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 2:48:40 PM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 2:48:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 2:44:00 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 2:43:01 PM	59	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 2:43:00 PM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 2:43:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 2:37:40 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 2:37:20 PM	59	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Temp	3/15/2016 2:37:20 PM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 2:37:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 2:33:00 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 2:32:00 PM	58	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 2:32:00 PM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 2:32:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 2:26:40 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 2:26:20 PM	58	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 2:26:20 PM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 2:26:20 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/15/2016 2:21:00 PM	58	mg/l
ZONA SOVECORD SRL	Substante organice	3/15/2016 2:21:00 PM	41	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 2:21:00 PM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 2:21:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 2:16:00 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 2:15:20 PM	59	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 2:15:20 PM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 2:15:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 2:11:00 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 2:10:00 PM	60	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 2:10:00 PM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 2:10:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 2:04:40 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 2:04:20 PM	60	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 2:04:20 PM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 2:04:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 1:59:40 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 1:59:00 PM	60	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 1:59:00 PM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 1:59:00 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/15/2016 1:53:20 PM	60	mg/l
ZONA SOVECORD SRL	Substante organice	3/15/2016 1:53:20 PM	41	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 1:53:20 PM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 1:53:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 1:48:40 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 1:48:01 PM	61	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 1:48:00 PM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 1:48:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 1:42:40 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 1:42:20 PM	61	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 1:42:20 PM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 1:42:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 1:37:40 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 1:37:00 PM	61	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 1:37:00 PM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 1:37:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 1:31:40 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 1:31:20 PM	62	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 1:31:20 PM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 1:31:20 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/15/2016 1:26:00 PM	62	mg/l
ZONA SOVECORD SRL	Substante organice	3/15/2016 1:26:00 PM	41	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 1:26:00 PM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 1:26:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 1:20:40 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 1:20:00 PM	61	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 1:20:00 PM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 1:20:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 1:15:40 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 1:15:00 PM	62	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 1:15:00 PM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 1:15:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 1:09:40 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 1:09:00 PM	61	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 1:09:00 PM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 1:09:00 PM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Substante organice	3/15/2016 1:04:40 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 1:04:00 PM	61	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 1:04:00 PM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 1:04:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 12:58:40 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 12:58:00 PM	61	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 12:58:00 PM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 12:58:00 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/15/2016 12:52:40 PM	62	mg/l
ZONA SOVECORD SRL	Substante organice	3/15/2016 12:52:40 PM	41	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 12:52:40 PM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 12:52:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 12:47:40 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 12:47:00 PM	62	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 12:47:00 PM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 12:47:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 12:41:40 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 12:41:20 PM	62	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 12:41:20 PM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 12:41:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 12:36:40 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 12:36:00 PM	61	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 12:36:00 PM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 12:36:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 12:30:40 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 12:30:20 PM	62	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 12:30:20 PM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 12:30:20 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/15/2016 12:25:00 PM	62	mg/l
ZONA SOVECORD SRL	Substante organice	3/15/2016 12:25:00 PM	41	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 12:25:00 PM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 12:25:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 12:19:40 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 12:19:20 PM	61	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 12:19:20 PM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 12:19:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 12:14:40 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 12:14:00 PM	61	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 12:14:00 PM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 12:14:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 12:08:40 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 12:08:20 PM	62	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 12:08:20 PM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 12:08:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 12:03:40 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 12:03:00 PM	61	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 12:03:00 PM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 12:03:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 11:57:40 AM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 11:57:20 AM	61	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 11:57:20 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 11:57:20 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/15/2016 11:52:20 AM	62	mg/l
ZONA SOVECORD SRL	Substante organice	3/15/2016 11:52:20 AM	41	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 11:52:20 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 11:52:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 11:47:00 AM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 11:46:40 AM	62	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 11:46:40 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 11:46:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 11:41:40 AM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 11:41:20 AM	62	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 11:41:20 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 11:41:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 11:36:00 AM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 11:35:40 AM	62	mg/l



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Temp	3/15/2016 11:35:40 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 11:35:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 11:30:40 AM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 11:30:00 AM	61	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 11:30:00 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 11:30:00 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/15/2016 11:24:00 AM	62	mg/l
ZONA SOVECORD SRL	Substante organice	3/15/2016 11:24:00 AM	41	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 11:24:00 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 11:24:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 11:19:40 AM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 11:19:00 AM	62	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 11:19:00 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 11:19:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 11:13:40 AM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 11:13:00 AM	62	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 11:13:00 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 11:13:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 11:08:40 AM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 11:08:00 AM	62	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 11:08:00 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 11:08:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 11:02:40 AM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 11:02:00 AM	62	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 11:02:00 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 11:02:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 10:57:00 AM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 10:56:41 AM	62	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 10:56:41 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 10:56:41 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/15/2016 10:51:00 AM	62	mg/l
ZONA SOVECORD SRL	Substante organice	3/15/2016 10:51:00 AM	41	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 10:51:00 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 10:51:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 10:45:40 AM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 10:45:20 AM	62	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 10:45:20 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 10:45:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 10:40:40 AM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 10:40:01 AM	62	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 10:40:01 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 10:40:01 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 10:34:40 AM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 10:34:20 AM	62	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 10:34:20 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 10:34:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 10:29:40 AM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 10:29:00 AM	62	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 10:29:00 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 10:29:00 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/15/2016 10:23:20 AM	62	mg/l
ZONA SOVECORD SRL	Substante organice	3/15/2016 10:23:20 AM	40	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 10:23:20 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 10:23:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 10:18:40 AM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 10:18:00 AM	62	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 10:18:00 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 10:18:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 10:12:40 AM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 10:12:20 AM	62	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 10:12:20 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 10:12:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 10:07:40 AM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 10:07:00 AM	62	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 10:07:00 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 10:07:00 AM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Substante organice	3/15/2016 10:01:40 AM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 10:01:21 AM	62	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 10:01:21 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 10:01:21 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 9:56:40 AM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 9:56:00 AM	61	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 9:56:00 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 9:56:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 9:51:00 AM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 9:50:20 AM	62	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 9:50:20 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 9:50:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 9:45:40 AM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 9:45:00 AM	62	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 9:45:00 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 9:45:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 9:39:40 AM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 9:39:20 AM	61	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 9:39:20 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 9:39:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 9:34:40 AM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 9:34:20 AM	61	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 9:34:20 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 9:34:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 9:29:00 AM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 9:28:40 AM	62	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 9:28:40 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 9:28:40 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/15/2016 9:23:20 AM	61	mg/l
ZONA SOVECORD SRL	Substante organice	3/15/2016 9:23:20 AM	40	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 9:23:20 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 9:23:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 9:18:00 AM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 9:17:20 AM	61	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 9:17:20 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 9:17:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 9:12:40 AM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 9:12:00 AM	61	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 9:12:00 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 9:12:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 9:07:00 AM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 9:06:20 AM	61	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 9:06:20 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 9:06:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 9:01:00 AM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 9:00:40 AM	61	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 9:00:40 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 9:00:40 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/15/2016 8:55:00 AM	61	mg/l
ZONA SOVECORD SRL	Substante organice	3/15/2016 8:55:00 AM	41	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 8:55:00 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 8:55:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 8:50:00 AM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 8:49:40 AM	61	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 8:49:40 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 8:49:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 8:44:40 AM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 8:44:00 AM	62	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 8:44:00 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 8:44:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 8:39:00 AM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 8:38:40 AM	62	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 8:38:40 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 8:38:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 8:33:40 AM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 8:33:00 AM	62	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Temp	3/15/2016 8:33:00 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 8:33:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 8:28:00 AM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 8:27:40 AM	62	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 8:27:40 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 8:27:40 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/15/2016 8:22:00 AM	62	mg/l
ZONA SOVECORD SRL	Substante organice	3/15/2016 8:22:00 AM	41	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 8:22:00 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 8:22:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 8:16:40 AM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 8:16:20 AM	62	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 8:16:20 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 8:16:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 8:11:40 AM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 8:11:00 AM	61	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 8:11:00 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 8:11:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 8:05:40 AM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 8:05:20 AM	61	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 8:05:20 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 8:05:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 8:00:40 AM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 8:00:00 AM	61	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 8:00:00 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 8:00:00 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/15/2016 7:54:20 AM	61	mg/l
ZONA SOVECORD SRL	Substante organice	3/15/2016 7:54:20 AM	41	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 7:54:20 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 7:54:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 7:50:00 AM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 7:49:00 AM	61	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 7:49:00 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 7:49:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 7:43:40 AM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 7:43:20 AM	61	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 7:43:20 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 7:43:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 7:38:40 AM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 7:37:40 AM	61	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 7:37:40 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 7:37:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 7:33:00 AM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 7:32:20 AM	62	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 7:32:20 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 7:32:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 7:27:40 AM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 7:26:40 AM	62	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 7:26:40 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 7:26:40 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/15/2016 7:21:20 AM	62	mg/l
ZONA SOVECORD SRL	Substante organice	3/15/2016 7:21:20 AM	41	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 7:21:20 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 7:21:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 7:16:40 AM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 7:15:40 AM	62	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 7:15:40 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 7:15:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 7:11:00 AM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 7:10:20 AM	62	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 7:10:20 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 7:10:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 7:05:00 AM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 7:04:40 AM	62	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 7:04:40 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 7:04:40 AM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Substante organice	3/15/2016 7:00:00 AM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 6:59:20 AM	62	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 6:59:20 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 6:59:20 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/15/2016 6:53:40 AM	62	mg/l
ZONA SOVECORD SRL	Substante organice	3/15/2016 6:53:40 AM	40	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 6:53:40 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 6:53:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 6:48:40 AM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 6:48:20 AM	63	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 6:48:20 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 6:48:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 6:43:00 AM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 6:42:40 AM	62	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 6:42:40 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 6:42:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 6:38:00 AM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 6:37:20 AM	62	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 6:37:20 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 6:37:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 6:32:00 AM	40	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 6:31:40 AM	63	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 6:31:40 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 6:31:40 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/15/2016 6:26:00 AM	63	mg/l
ZONA SOVECORD SRL	Substante organice	3/15/2016 6:26:00 AM	40	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 6:26:00 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 6:26:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 6:21:00 AM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 6:20:40 AM	62	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 6:20:40 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 6:20:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 6:15:40 AM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 6:15:00 AM	62	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 6:15:00 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 6:15:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 6:10:00 AM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 6:09:40 AM	62	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 6:09:40 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 6:09:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 6:04:21 AM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 6:04:00 AM	63	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 6:04:00 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 6:04:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 5:59:00 AM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 5:58:40 AM	63	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 5:58:40 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 5:58:40 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/15/2016 5:53:00 AM	63	mg/l
ZONA SOVECORD SRL	Substante organice	3/15/2016 5:53:00 AM	41	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 5:53:00 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 5:53:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 5:47:40 AM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 5:47:21 AM	63	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 5:47:20 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 5:47:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 5:42:40 AM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 5:41:40 AM	63	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 5:41:40 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 5:41:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 5:36:40 AM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 5:36:20 AM	63	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 5:36:20 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 5:36:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 5:31:40 AM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 5:30:40 AM	63	mg/l



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Temp	3/15/2016 5:30:40 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 5:30:40 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/15/2016 5:25:00 AM	63	mg/l
ZONA SOVECORD SRL	Substante organice	3/15/2016 5:25:00 AM	41	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 5:25:00 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 5:25:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 5:21:00 AM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 5:19:40 AM	63	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 5:19:40 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 5:19:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 5:14:41 AM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 5:14:00 AM	63	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 5:14:00 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 5:14:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 5:08:40 AM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 5:08:20 AM	63	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 5:08:20 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 5:08:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 5:04:00 AM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 5:03:00 AM	63	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 5:03:00 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 5:03:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 4:57:40 AM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 4:57:20 AM	63	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 4:57:20 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 4:57:20 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/15/2016 4:52:00 AM	63	mg/l
ZONA SOVECORD SRL	Substante organice	3/15/2016 4:52:00 AM	41	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 4:52:00 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 4:52:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 4:46:40 AM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 4:46:20 AM	63	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 4:46:20 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 4:46:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 4:42:00 AM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 4:41:00 AM	63	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 4:41:00 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 4:41:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 4:35:40 AM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 4:35:20 AM	63	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 4:35:20 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 4:35:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 4:30:40 AM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 4:29:40 AM	63	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 4:29:40 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 4:29:40 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/15/2016 4:24:20 AM	63	mg/l
ZONA SOVECORD SRL	Substante organice	3/15/2016 4:24:20 AM	41	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 4:24:20 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 4:24:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 4:19:40 AM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 4:18:40 AM	63	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 4:18:40 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 4:18:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 4:13:40 AM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 4:13:20 AM	63	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 4:13:20 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 4:13:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 4:08:40 AM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 4:07:40 AM	63	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 4:07:40 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 4:07:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 4:03:00 AM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 4:02:20 AM	63	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 4:02:20 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 4:02:20 AM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Substante organice	3/15/2016 3:57:40 AM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 3:56:40 AM	63	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 3:56:40 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 3:56:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 3:51:40 AM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 3:51:01 AM	63	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 3:51:00 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 3:51:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 3:46:40 AM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 3:45:40 AM	63	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 3:45:40 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 3:45:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 3:40:40 AM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 3:40:00 AM	63	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 3:40:00 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 3:40:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 3:35:41 AM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 3:34:40 AM	63	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 3:34:40 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 3:34:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 3:29:41 AM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 3:29:00 AM	63	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 3:29:00 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 3:29:00 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/15/2016 3:23:40 AM	63	mg/l
ZONA SOVECORD SRL	Substante organice	3/15/2016 3:23:40 AM	41	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 3:23:40 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 3:23:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 3:18:40 AM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 3:18:00 AM	63	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 3:18:00 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 3:18:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 3:13:20 AM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 3:12:20 AM	63	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 3:12:20 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 3:12:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 3:08:00 AM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 3:07:00 AM	63	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 3:07:00 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 3:07:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 3:02:40 AM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 3:02:20 AM	63	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 3:02:20 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 3:02:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 2:57:20 AM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 2:57:00 AM	63	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 2:57:00 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 2:57:00 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/15/2016 2:51:20 AM	63	mg/l
ZONA SOVECORD SRL	Substante organice	3/15/2016 2:51:20 AM	42	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 2:51:20 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 2:51:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 2:46:20 AM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 2:46:00 AM	63	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 2:46:00 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 2:46:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 2:40:40 AM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 2:40:20 AM	63	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 2:40:20 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 2:40:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 2:35:00 AM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 2:34:40 AM	63	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 2:34:40 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 2:34:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 2:29:40 AM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 2:29:20 AM	63	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Temp	3/15/2016 2:29:20 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 2:29:20 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/15/2016 2:23:40 AM	63	mg/l
ZONA SOVECORD SRL	Substante organice	3/15/2016 2:23:40 AM	42	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 2:23:40 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 2:23:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 2:18:40 AM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 2:18:00 AM	63	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 2:18:00 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 2:18:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 2:13:00 AM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 2:12:20 AM	63	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 2:12:20 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 2:12:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 2:07:40 AM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 2:07:00 AM	63	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 2:07:00 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 2:07:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 2:02:03 AM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 2:01:20 AM	63	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 2:01:20 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 2:01:20 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/15/2016 1:56:00 AM	63	mg/l
ZONA SOVECORD SRL	Substante organice	3/15/2016 1:56:00 AM	42	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 1:56:00 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 1:56:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 1:51:00 AM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 1:50:20 AM	63	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 1:50:20 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 1:50:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 1:45:20 AM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 1:44:40 AM	63	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 1:44:40 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 1:44:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 1:40:20 AM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 1:40:00 AM	63	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 1:40:00 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 1:40:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 1:34:20 AM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 1:34:01 AM	63	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 1:34:01 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 1:34:01 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 1:29:20 AM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 1:29:00 AM	63	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 1:29:00 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 1:29:00 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/15/2016 1:23:00 AM	63	mg/l
ZONA SOVECORD SRL	Substante organice	3/15/2016 1:23:00 AM	42	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 1:23:00 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 1:23:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 1:18:20 AM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 1:17:40 AM	63	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 1:17:40 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 1:17:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 1:12:20 AM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 1:12:00 AM	63	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 1:12:00 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 1:12:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 1:07:20 AM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 1:06:40 AM	63	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 1:06:40 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 1:06:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 1:01:20 AM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 1:01:00 AM	63	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 1:01:00 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 1:01:00 AM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Grasimi	3/15/2016 12:56:00 AM	63	mg/l
ZONA SOVECORD SRL	Substante organice	3/15/2016 12:56:00 AM	42	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 12:56:00 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 12:56:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 12:51:00 AM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 12:50:20 AM	63	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 12:50:20 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 12:50:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 12:45:20 AM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 12:45:00 AM	63	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 12:45:00 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 12:45:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 12:39:40 AM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 12:39:20 AM	63	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 12:39:20 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 12:39:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 12:34:20 AM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 12:34:00 AM	63	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 12:34:00 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 12:34:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 12:28:40 AM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 12:28:20 AM	63	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 12:28:20 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 12:28:20 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/15/2016 12:23:00 AM	63	mg/l
ZONA SOVECORD SRL	Substante organice	3/15/2016 12:23:00 AM	42	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 12:23:00 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 12:23:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 12:18:00 AM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 12:17:40 AM	63	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 12:17:40 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 12:17:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 12:12:40 AM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 12:12:20 AM	63	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 12:12:20 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 12:12:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 12:07:00 AM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 12:06:40 AM	63	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 12:06:40 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 12:06:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/15/2016 12:01:40 AM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/15/2016 12:01:20 AM	63	mg/l
ZONA SOVECORD SRL	Temp	3/15/2016 12:01:20 AM	14	gradCels
ZONA SOVECORD SRL	pH	3/15/2016 12:01:20 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/14/2016 11:55:20 PM	63	mg/l
ZONA SOVECORD SRL	Substante organice	3/14/2016 11:55:20 PM	42	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 11:55:20 PM	14	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 11:55:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 11:51:00 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 11:50:20 PM	63	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 11:50:20 PM	14	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 11:50:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 11:44:40 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 11:44:21 PM	63	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 11:44:21 PM	14	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 11:44:21 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 11:40:00 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 11:39:20 PM	63	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 11:39:20 PM	14	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 11:39:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 11:34:40 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 11:33:40 PM	63	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 11:33:40 PM	14	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 11:33:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 11:29:40 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 11:29:01 PM	63	mg/l



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Temp	3/14/2016 11:29:01 PM	14	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 11:29:01 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 11:24:00 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 11:23:20 PM	63	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 11:23:20 PM	14	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 11:23:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 11:18:40 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 11:18:00 PM	63	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 11:18:00 PM	14	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 11:18:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 11:13:00 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 11:12:20 PM	63	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 11:12:20 PM	14	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 11:12:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 11:07:40 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 11:07:00 PM	63	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 11:07:00 PM	14	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 11:07:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 11:02:00 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 11:01:20 PM	63	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 11:01:20 PM	14	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 11:01:20 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/14/2016 10:56:00 PM	63	mg/l
ZONA SOVECORD SRL	Substante organice	3/14/2016 10:56:00 PM	42	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 10:56:00 PM	14	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 10:56:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 10:51:00 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 10:50:20 PM	63	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 10:50:20 PM	14	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 10:50:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 10:45:20 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 10:44:40 PM	63	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 10:44:40 PM	14	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 10:44:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 10:40:00 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 10:39:00 PM	63	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 10:39:00 PM	14	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 10:39:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 10:34:20 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 10:33:20 PM	63	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 10:33:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 10:33:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 10:29:20 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 10:28:00 PM	63	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 10:28:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 10:28:00 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/14/2016 10:22:20 PM	63	mg/l
ZONA SOVECORD SRL	Substante organice	3/14/2016 10:22:20 PM	42	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 10:22:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 10:22:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 10:17:40 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 10:16:40 PM	63	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 10:16:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 10:16:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 10:12:20 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 10:11:40 PM	63	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 10:11:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 10:11:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 10:07:00 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 10:05:40 PM	63	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 10:05:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 10:05:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 10:01:20 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 10:00:40 PM	64	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 10:00:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 10:00:40 PM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Grasimi	3/14/2016 9:55:21 PM	64	mg/l
ZONA SOVECORD SRL	Substante organice	3/14/2016 9:55:21 PM	41	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 9:55:21 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 9:55:21 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 9:50:20 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 9:49:40 PM	64	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 9:49:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 9:49:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 9:45:00 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 9:44:20 PM	65	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 9:44:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 9:44:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 9:39:00 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 9:38:20 PM	64	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 9:38:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 9:38:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 9:33:40 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 9:32:40 PM	64	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 9:32:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 9:32:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 9:28:00 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 9:27:20 PM	65	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 9:27:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 9:27:20 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/14/2016 9:22:00 PM	65	mg/l
ZONA SOVECORD SRL	Substante organice	3/14/2016 9:22:00 PM	41	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 9:22:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 9:22:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 9:17:00 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 9:16:20 PM	65	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 9:16:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 9:16:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 9:12:00 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 9:11:20 PM	65	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 9:11:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 9:11:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 9:06:00 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 9:05:00 PM	65	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 9:05:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 9:05:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 9:01:00 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 9:00:00 PM	65	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 9:00:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 9:00:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 8:55:00 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 8:54:00 PM	65	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 8:54:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 8:54:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 8:50:00 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 8:49:00 PM	65	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 8:49:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 8:49:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 8:44:00 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 8:43:00 PM	65	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 8:43:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 8:43:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 8:39:00 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 8:38:20 PM	65	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 8:38:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 8:38:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 8:33:00 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 8:32:20 PM	65	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 8:32:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 8:32:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 8:27:20 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 8:26:40 PM	65	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Temp	3/14/2016 8:26:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 8:26:40 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/14/2016 8:21:40 PM	65	mg/l
ZONA SOVECORD SRL	Substante organice	3/14/2016 8:21:40 PM	41	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 8:21:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 8:21:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 8:16:20 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 8:15:40 PM	65	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 8:15:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 8:15:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 8:11:20 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 8:10:40 PM	65	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 8:10:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 8:10:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 8:05:00 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 8:04:40 PM	65	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 8:04:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 8:04:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 8:00:20 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 7:59:40 PM	65	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 7:59:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 7:59:40 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/14/2016 7:53:40 PM	65	mg/l
ZONA SOVECORD SRL	Substante organice	3/14/2016 7:53:40 PM	41	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 7:53:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 7:53:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 7:49:00 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 7:48:20 PM	65	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 7:48:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 7:48:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 7:43:20 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 7:42:40 PM	65	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 7:42:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 7:42:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 7:38:20 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 7:37:40 PM	65	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 7:37:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 7:37:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 7:32:20 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 7:31:40 PM	65	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 7:31:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 7:31:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 7:27:20 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 7:26:20 PM	65	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 7:26:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 7:26:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 7:21:00 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 7:20:20 PM	65	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 7:20:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 7:20:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 7:16:00 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 7:15:20 PM	65	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 7:15:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 7:15:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 7:10:00 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 7:09:20 PM	65	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 7:09:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 7:09:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 7:05:00 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 7:04:01 PM	65	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 7:04:01 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 7:04:01 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 6:59:20 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 6:58:20 PM	65	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 6:58:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 6:58:20 PM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Grasimi	3/14/2016 6:53:00 PM	65	mg/l
ZONA SOVECORD SRL	Substante organice	3/14/2016 6:53:00 PM	41	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 6:53:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 6:53:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 6:48:00 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 6:47:20 PM	65	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 6:47:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 6:47:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 6:42:40 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 6:42:00 PM	65	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 6:42:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 6:42:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 6:36:40 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 6:36:00 PM	65	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 6:36:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 6:36:00 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/14/2016 6:32:00 PM	65	mg/l
ZONA SOVECORD SRL	Substante organice	3/14/2016 6:32:00 PM	41	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 6:32:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 6:32:00 PM	8	unit pH
ZONA SOVECORD SRL	Temp	3/14/2016 6:31:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 6:31:20 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/14/2016 6:31:00 PM	65	mg/l
ZONA SOVECORD SRL	Substante organice	3/14/2016 6:31:00 PM	41	mg/l
ZONA SOVECORD SRL	Substante organice	3/14/2016 6:26:20 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 6:25:00 PM	65	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 6:25:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 6:25:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 6:20:20 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 6:19:20 PM	65	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 6:19:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 6:19:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 6:15:20 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 6:14:20 PM	65	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 6:14:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 6:14:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 6:09:20 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 6:08:40 PM	65	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 6:08:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 6:08:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 6:03:40 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 6:03:00 PM	65	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 6:03:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 6:03:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 5:59:00 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 5:57:20 PM	65	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 5:57:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 5:57:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 5:52:40 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 5:52:00 PM	65	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 5:52:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 5:52:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 5:47:20 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 5:46:20 PM	65	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 5:46:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 5:46:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 5:42:00 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 5:41:20 PM	65	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 5:41:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 5:41:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 5:36:20 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 5:35:20 PM	65	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 5:35:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 5:35:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 5:30:40 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 5:30:00 PM	65	mg/l



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Temp	3/14/2016 5:30:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 5:30:00 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/14/2016 5:24:20 PM	66	mg/l
ZONA SOVECORD SRL	Substante organice	3/14/2016 5:24:20 PM	41	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 5:24:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 5:24:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 5:19:40 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 5:19:00 PM	66	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 5:19:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 5:19:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 5:14:00 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 5:13:20 PM	66	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 5:13:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 5:13:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 5:08:40 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 5:08:00 PM	66	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 5:08:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 5:08:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 5:03:20 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 5:02:20 PM	66	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 5:02:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 5:02:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 4:57:40 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 4:57:00 PM	65	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 4:57:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 4:57:00 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/14/2016 4:51:20 PM	65	mg/l
ZONA SOVECORD SRL	Substante organice	3/14/2016 4:51:20 PM	41	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 4:51:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 4:51:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 4:46:40 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 4:46:00 PM	65	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 4:46:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 4:46:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 4:40:40 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 4:40:20 PM	65	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 4:40:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 4:40:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 4:35:40 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 4:35:01 PM	65	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 4:35:01 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 4:35:01 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 4:30:00 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 4:29:20 PM	65	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 4:29:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 4:29:20 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/14/2016 4:24:00 PM	65	mg/l
ZONA SOVECORD SRL	Substante organice	3/14/2016 4:24:00 PM	41	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 4:24:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 4:24:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 4:19:00 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 4:18:40 PM	64	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 4:18:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 4:18:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 4:13:20 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 4:12:40 PM	64	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 4:12:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 4:12:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 4:08:20 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 4:07:40 PM	63	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 4:07:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 4:07:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 4:02:20 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 4:01:40 PM	62	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 4:01:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 4:01:40 PM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Grasimi	3/14/2016 3:56:20 PM	62	mg/l
ZONA SOVECORD SRL	Substante organice	3/14/2016 3:56:20 PM	41	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 3:56:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 3:56:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 3:51:40 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 3:51:00 PM	62	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 3:51:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 3:51:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 3:46:20 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 3:45:20 PM	62	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 3:45:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 3:45:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 3:40:40 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 3:40:00 PM	64	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 3:40:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 3:40:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 3:35:20 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 3:34:20 PM	63	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 3:34:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 3:34:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 3:29:40 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 3:29:00 PM	62	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 3:29:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 3:29:00 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/14/2016 3:23:20 PM	63	mg/l
ZONA SOVECORD SRL	Substante organice	3/14/2016 3:23:20 PM	41	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 3:23:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 3:23:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 3:18:00 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 3:17:40 PM	62	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 3:17:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 3:17:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 3:13:00 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 3:12:20 PM	62	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 3:12:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 3:12:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 3:07:00 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 3:06:40 PM	63	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 3:06:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 3:06:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 3:02:20 PM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 3:01:20 PM	63	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 3:01:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 3:01:20 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/14/2016 2:55:40 PM	63	mg/l
ZONA SOVECORD SRL	Substante organice	3/14/2016 2:55:40 PM	41	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 2:55:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 2:55:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 2:50:40 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 2:50:20 PM	62	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 2:50:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 2:50:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 2:45:00 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 2:44:40 PM	63	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 2:44:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 2:44:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 2:39:40 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 2:39:00 PM	63	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 2:39:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 2:39:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 2:34:40 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 2:33:40 PM	63	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 2:33:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 2:33:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 2:29:00 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 2:28:00 PM	62	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Temp	3/14/2016 2:28:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 2:28:00 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/14/2016 2:22:40 PM	62	mg/l
ZONA SOVECORD SRL	Substante organice	3/14/2016 2:22:40 PM	42	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 2:22:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 2:22:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 2:17:20 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 2:17:00 PM	62	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 2:17:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 2:17:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 2:12:20 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 2:11:40 PM	62	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 2:11:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 2:11:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 2:06:20 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 2:06:00 PM	62	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 2:06:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 2:06:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 2:01:00 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 2:00:20 PM	62	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 2:00:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 2:00:20 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/14/2016 1:55:00 PM	62	mg/l
ZONA SOVECORD SRL	Substante organice	3/14/2016 1:55:00 PM	42	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 1:55:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 1:55:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 1:50:00 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 1:49:20 PM	62	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 1:49:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 1:49:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 1:44:20 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 1:44:00 PM	62	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 1:44:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 1:44:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 1:39:00 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 1:38:20 PM	62	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 1:38:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 1:38:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 1:33:20 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 1:33:00 PM	62	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 1:33:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 1:33:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 1:28:00 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 1:27:20 PM	62	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 1:27:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 1:27:20 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/14/2016 1:21:40 PM	62	mg/l
ZONA SOVECORD SRL	Substante organice	3/14/2016 1:21:40 PM	42	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 1:21:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 1:21:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 1:17:20 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 1:16:20 PM	62	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 1:16:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 1:16:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 1:11:00 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 1:10:40 PM	62	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 1:10:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 1:10:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 1:06:00 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 1:05:20 PM	61	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 1:05:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 1:05:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 1:00:20 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 1:00:00 PM	62	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 1:00:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 1:00:00 PM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Grasimi	3/14/2016 12:54:20 PM	61	mg/l
ZONA SOVECORD SRL	Substante organice	3/14/2016 12:54:20 PM	42	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 12:54:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 12:54:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 12:49:20 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 12:49:00 PM	61	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 12:49:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 12:49:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 12:44:20 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 12:43:21 PM	63	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 12:43:21 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 12:43:21 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 12:38:40 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 12:38:00 PM	63	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 12:38:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 12:38:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 12:33:00 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 12:32:20 PM	62	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 12:32:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 12:32:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 12:27:20 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 12:26:40 PM	62	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 12:26:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 12:26:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 12:21:40 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 12:21:20 PM	63	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 12:21:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 12:21:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 12:16:20 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 12:15:40 PM	63	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 12:15:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 12:15:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 12:10:40 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 12:10:20 PM	62	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 12:10:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 12:10:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 12:05:20 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 12:04:20 PM	62	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 12:04:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 12:04:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 11:59:00 AM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 11:58:40 AM	63	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 11:58:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 11:58:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 11:54:20 AM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 11:53:20 AM	62	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 11:53:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 11:53:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 11:48:00 AM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 11:47:40 AM	62	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 11:47:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 11:47:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 11:43:00 AM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 11:42:20 AM	62	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 11:42:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 11:42:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 11:37:00 AM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 11:36:40 AM	63	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 11:36:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 11:36:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 11:32:00 AM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 11:31:20 AM	63	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 11:31:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 11:31:20 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/14/2016 11:25:40 AM	63	mg/l
ZONA SOVECORD SRL	Substante organice	3/14/2016 11:25:40 AM	42	mg/l



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Temp	3/14/2016 11:25:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 11:25:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 11:20:40 AM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 11:20:00 AM	63	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 11:20:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 11:20:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 11:15:00 AM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 11:14:40 AM	64	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 11:14:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 11:14:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 11:09:40 AM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 11:09:00 AM	63	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 11:09:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 11:09:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 11:04:00 AM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 11:03:40 AM	63	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 11:03:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 11:03:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 10:59:00 AM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 10:57:20 AM	63	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 10:57:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 10:57:20 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/14/2016 10:52:00 AM	63	mg/l
ZONA SOVECORD SRL	Substante organice	3/14/2016 10:52:00 AM	42	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 10:52:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 10:52:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 10:48:20 AM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 10:46:40 AM	63	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 10:46:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 10:46:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 10:41:20 AM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 10:41:00 AM	64	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 10:41:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 10:41:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 10:37:40 AM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 10:36:00 AM	63	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 10:36:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 10:36:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 10:32:20 AM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 10:31:40 AM	64	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 10:31:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 10:31:40 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/14/2016 10:26:20 AM	64	mg/l
ZONA SOVECORD SRL	Substante organice	3/14/2016 10:26:20 AM	42	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 10:26:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 10:26:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 10:22:20 AM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 10:21:40 AM	64	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 10:21:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 10:21:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 10:16:20 AM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 10:15:20 AM	63	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 10:15:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 10:15:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 10:10:20 AM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 10:09:40 AM	63	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 10:09:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 10:09:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 10:04:20 AM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 10:04:01 AM	63	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 10:04:01 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 10:04:01 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 9:59:20 AM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 9:58:20 AM	64	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 9:58:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 9:58:20 AM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Grasimi	3/14/2016 9:52:40 AM	64	mg/l
ZONA SOVECORD SRL	Substante organice	3/14/2016 9:52:40 AM	42	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 9:52:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 9:52:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 9:48:20 AM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 9:47:20 AM	64	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 9:47:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 9:47:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 9:42:40 AM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 9:41:41 AM	64	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 9:41:41 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 9:41:41 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 9:37:00 AM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 9:36:00 AM	64	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 9:36:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 9:36:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 9:32:00 AM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 9:30:40 AM	64	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 9:30:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 9:30:40 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/14/2016 9:25:40 AM	64	mg/l
ZONA SOVECORD SRL	Substante organice	3/14/2016 9:25:40 AM	42	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 9:25:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 9:25:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 9:20:40 AM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 9:20:00 AM	64	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 9:20:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 9:20:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 9:15:40 AM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 9:14:40 AM	64	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 9:14:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 9:14:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 9:09:20 AM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 9:09:00 AM	64	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 9:09:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 9:09:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 9:04:40 AM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 9:03:40 AM	64	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 9:03:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 9:03:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 8:58:40 AM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 8:58:00 AM	64	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 8:58:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 8:58:00 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/14/2016 8:52:41 AM	64	mg/l
ZONA SOVECORD SRL	Substante organice	3/14/2016 8:52:41 AM	42	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 8:52:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 8:52:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 8:47:20 AM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 8:46:40 AM	64	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 8:46:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 8:46:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 8:42:20 AM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 8:41:20 AM	64	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 8:41:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 8:41:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 8:36:40 AM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 8:35:40 AM	64	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 8:35:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 8:35:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 8:31:40 AM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 8:30:20 AM	64	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 8:30:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 8:30:20 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/14/2016 8:25:00 AM	64	mg/l
ZONA SOVECORD SRL	Substante organice	3/14/2016 8:25:00 AM	42	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Temp	3/14/2016 8:25:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 8:25:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 8:20:40 AM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 8:20:00 AM	64	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 8:20:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 8:20:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 8:14:40 AM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 8:14:00 AM	64	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 8:14:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 8:14:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 8:09:40 AM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 8:09:00 AM	64	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 8:09:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 8:09:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 8:03:40 AM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 8:03:00 AM	64	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 8:03:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 8:03:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 7:58:20 AM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 7:58:00 AM	64	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 7:58:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 7:58:00 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/14/2016 7:52:01 AM	64	mg/l
ZONA SOVECORD SRL	Substante organice	3/14/2016 7:52:01 AM	42	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 7:52:01 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 7:52:01 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 7:47:20 AM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 7:46:40 AM	64	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 7:46:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 7:46:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 7:42:00 AM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 7:41:00 AM	64	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 7:41:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 7:41:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 7:36:00 AM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 7:35:21 AM	64	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 7:35:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 7:35:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 7:31:00 AM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 7:30:00 AM	64	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 7:30:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 7:30:00 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/14/2016 7:24:40 AM	64	mg/l
ZONA SOVECORD SRL	Substante organice	3/14/2016 7:24:40 AM	41	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 7:24:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 7:24:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 7:19:20 AM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 7:19:00 AM	64	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 7:19:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 7:19:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 7:14:40 AM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 7:13:40 AM	63	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 7:13:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 7:13:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 7:09:01 AM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 7:08:00 AM	63	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 7:08:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 7:08:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 7:03:40 AM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 7:02:40 AM	63	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 7:02:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 7:02:40 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/14/2016 6:56:40 AM	63	mg/l
ZONA SOVECORD SRL	Substante organice	3/14/2016 6:56:40 AM	41	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 6:56:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 6:56:40 AM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Substante organice	3/14/2016 6:52:40 AM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 6:51:40 AM	63	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 6:51:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 6:51:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 6:46:20 AM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 6:45:40 AM	63	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 6:45:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 6:45:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 6:41:20 AM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 6:40:20 AM	63	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 6:40:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 6:40:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 6:35:00 AM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 6:34:40 AM	64	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 6:34:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 6:34:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 6:29:40 AM	41	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 6:29:20 AM	64	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 6:29:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 6:29:20 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/14/2016 6:23:40 AM	63	mg/l
ZONA SOVECORD SRL	Substante organice	3/14/2016 6:23:40 AM	41	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 6:23:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 6:23:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 6:18:40 AM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 6:18:00 AM	63	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 6:18:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 6:18:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 6:13:20 AM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 6:12:40 AM	64	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 6:12:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 6:12:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 6:07:20 AM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 6:07:00 AM	64	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 6:07:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 6:07:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 6:02:20 AM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 6:01:40 AM	64	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 6:01:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 6:01:40 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/14/2016 5:56:00 AM	64	mg/l
ZONA SOVECORD SRL	Substante organice	3/14/2016 5:56:00 AM	42	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 5:56:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 5:56:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 5:51:20 AM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 5:50:40 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 5:50:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 5:50:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 5:45:40 AM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 5:45:00 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 5:45:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 5:45:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 5:40:00 AM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 5:39:20 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 5:39:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 5:39:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 5:34:40 AM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 5:33:00 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 5:33:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 5:33:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 5:29:20 AM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 5:27:40 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 5:27:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 5:27:40 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/14/2016 5:22:00 AM	66	mg/l
ZONA SOVECORD SRL	Substante organice	3/14/2016 5:22:00 AM	42	mg/l



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Temp	3/14/2016 5:22:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 5:22:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 5:18:00 AM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 5:16:20 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 5:16:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 5:16:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 5:13:00 AM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 5:12:21 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 5:12:21 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 5:12:21 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 5:07:20 AM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 5:06:40 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 5:06:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 5:06:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 5:02:00 AM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 5:01:20 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 5:01:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 5:01:20 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/14/2016 4:55:40 AM	66	mg/l
ZONA SOVECORD SRL	Substante organice	3/14/2016 4:55:40 AM	43	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 4:55:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 4:55:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 4:51:00 AM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 4:50:20 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 4:50:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 4:50:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 4:45:20 AM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 4:44:20 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 4:44:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 4:44:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 4:40:00 AM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 4:39:20 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 4:39:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 4:39:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 4:34:20 AM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 4:33:20 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 4:33:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 4:33:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 4:28:40 AM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 4:28:00 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 4:28:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 4:28:00 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/14/2016 4:22:20 AM	66	mg/l
ZONA SOVECORD SRL	Substante organice	3/14/2016 4:22:20 AM	43	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 4:22:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 4:22:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 4:17:40 AM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 4:17:00 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 4:17:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 4:17:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 4:12:20 AM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 4:11:20 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 4:11:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 4:11:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 4:06:20 AM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 4:05:40 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 4:05:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 4:05:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 4:01:20 AM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 4:00:40 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 4:00:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 4:00:40 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/14/2016 3:54:40 AM	66	mg/l
ZONA SOVECORD SRL	Substante organice	3/14/2016 3:54:40 AM	43	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 3:54:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 3:54:40 AM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Substante organice	3/14/2016 3:50:20 AM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 3:49:40 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 3:49:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 3:49:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 3:44:20 AM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 3:43:40 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 3:43:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 3:43:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 3:39:20 AM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 3:38:40 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 3:38:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 3:38:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 3:33:20 AM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 3:32:40 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 3:32:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 3:32:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 3:28:00 AM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 3:27:20 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 3:27:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 3:27:20 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/14/2016 3:21:40 AM	66	mg/l
ZONA SOVECORD SRL	Substante organice	3/14/2016 3:21:40 AM	43	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 3:21:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 3:21:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 3:17:00 AM	44	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 3:16:20 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 3:16:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 3:16:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 3:11:20 AM	44	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 3:10:40 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 3:10:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 3:10:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 3:06:00 AM	44	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 3:05:20 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 3:05:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 3:05:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 3:00:20 AM	44	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 2:59:40 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 2:59:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 2:59:40 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/14/2016 2:54:20 AM	66	mg/l
ZONA SOVECORD SRL	Substante organice	3/14/2016 2:54:20 AM	44	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 2:54:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 2:54:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 2:49:40 AM	44	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 2:48:40 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 2:48:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 2:48:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 2:44:20 AM	44	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 2:43:20 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 2:43:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 2:43:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 2:38:40 AM	44	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 2:37:40 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 2:37:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 2:37:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 2:33:20 AM	44	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 2:32:40 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 2:32:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 2:32:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 2:27:40 AM	44	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 2:27:00 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 2:27:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 2:27:00 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/14/2016 2:21:40 AM	66	mg/l
ZONA SOVECORD SRL	Substante organice	3/14/2016 2:21:40 AM	44	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Temp	3/14/2016 2:21:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 2:21:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 2:17:00 AM	44	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 2:16:20 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 2:16:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 2:16:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 2:11:20 AM	44	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 2:11:00 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 2:11:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 2:11:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 2:06:00 AM	44	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 2:05:20 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 2:05:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 2:05:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 2:00:20 AM	44	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 2:00:00 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 2:00:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 2:00:00 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/14/2016 1:54:20 AM	66	mg/l
ZONA SOVECORD SRL	Substante organice	3/14/2016 1:54:20 AM	44	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 1:54:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 1:54:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 1:49:20 AM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 1:49:00 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 1:49:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 1:49:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 1:43:40 AM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 1:43:00 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 1:43:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 1:43:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 1:38:20 AM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 1:38:00 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 1:38:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 1:38:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 1:33:00 AM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 1:32:20 AM	67	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 1:32:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 1:32:20 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/14/2016 1:27:20 AM	67	mg/l
ZONA SOVECORD SRL	Substante organice	3/14/2016 1:27:20 AM	43	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 1:27:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 1:27:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 1:22:00 AM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 1:21:20 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 1:21:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 1:21:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 1:16:40 AM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 1:16:20 AM	67	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 1:16:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 1:16:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 1:11:00 AM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 1:10:20 AM	67	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 1:10:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 1:10:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 1:05:40 AM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 1:05:20 AM	67	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 1:05:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 1:05:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 1:00:00 AM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 12:59:20 AM	67	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 12:59:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 12:59:20 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/14/2016 12:54:00 AM	67	mg/l
ZONA SOVECORD SRL	Substante organice	3/14/2016 12:54:00 AM	43	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 12:54:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 12:54:00 AM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Substante organice	3/14/2016 12:49:00 AM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 12:48:20 AM	67	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 12:48:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 12:48:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 12:43:20 AM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 12:43:01 AM	67	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 12:43:01 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 12:43:01 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 12:38:00 AM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 12:37:20 AM	67	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 12:37:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 12:37:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 12:32:20 AM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 12:32:00 AM	67	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 12:32:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 12:32:00 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/14/2016 12:26:21 AM	67	mg/l
ZONA SOVECORD SRL	Substante organice	3/14/2016 12:26:21 AM	43	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 12:26:21 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 12:26:21 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 12:21:20 AM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 12:21:00 AM	67	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 12:21:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 12:21:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 12:16:00 AM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 12:15:40 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 12:15:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 12:15:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 12:10:01 AM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 12:09:40 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 12:09:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 12:09:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/14/2016 12:05:00 AM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/14/2016 12:04:40 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/14/2016 12:04:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/14/2016 12:04:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 11:59:00 PM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 11:58:20 PM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 11:58:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 11:58:20 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/13/2016 11:53:20 PM	66	mg/l
ZONA SOVECORD SRL	Substante organice	3/13/2016 11:53:20 PM	43	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 11:53:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 11:53:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 11:47:40 PM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 11:47:20 PM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 11:47:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 11:47:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 11:42:40 PM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 11:41:40 PM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 11:41:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 11:41:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 11:37:00 PM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 11:36:20 PM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 11:36:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 11:36:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 11:31:40 PM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 11:30:40 PM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 11:30:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 11:30:40 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/13/2016 11:25:21 PM	66	mg/l
ZONA SOVECORD SRL	Substante organice	3/13/2016 11:25:21 PM	43	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 11:25:21 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 11:25:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 11:20:40 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 11:19:40 PM	66	mg/l



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Temp	3/13/2016 11:19:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 11:19:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 11:15:20 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 11:14:20 PM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 11:14:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 11:14:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 11:09:40 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 11:08:40 PM	65	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 11:08:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 11:08:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 11:03:40 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 11:03:00 PM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 11:03:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 11:03:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 10:58:40 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 10:57:40 PM	65	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 10:57:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 10:57:40 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/13/2016 10:52:00 PM	65	mg/l
ZONA SOVECORD SRL	Substante organice	3/13/2016 10:52:00 PM	42	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 10:52:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 10:52:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 10:47:40 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 10:46:40 PM	65	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 10:46:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 10:46:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 10:42:00 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 10:41:40 PM	65	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 10:41:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 10:41:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 10:36:20 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 10:35:40 PM	65	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 10:35:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 10:35:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 10:31:00 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 10:30:40 PM	65	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 10:30:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 10:30:40 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/13/2016 10:24:40 PM	65	mg/l
ZONA SOVECORD SRL	Substante organice	3/13/2016 10:24:40 PM	42	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 10:24:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 10:24:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 10:20:00 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 10:19:40 PM	65	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 10:19:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 10:19:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 10:14:20 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 10:14:00 PM	64	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 10:14:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 10:14:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 10:09:00 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 10:08:40 PM	64	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 10:08:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 10:08:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 10:03:20 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 10:03:00 PM	65	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 10:03:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 10:03:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 9:57:40 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 9:57:20 PM	64	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 9:57:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 9:57:20 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/13/2016 9:52:00 PM	64	mg/l
ZONA SOVECORD SRL	Substante organice	3/13/2016 9:52:00 PM	42	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 9:52:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 9:52:00 PM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Substante organice	3/13/2016 9:47:01 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 9:46:20 PM	64	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 9:46:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 9:46:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 9:41:20 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 9:41:00 PM	64	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 9:41:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 9:41:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 9:36:00 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 9:35:20 PM	64	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 9:35:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 9:35:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 9:30:20 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 9:30:00 PM	64	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 9:30:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 9:30:00 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/13/2016 9:24:00 PM	65	mg/l
ZONA SOVECORD SRL	Substante organice	3/13/2016 9:24:00 PM	42	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 9:24:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 9:24:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 9:19:20 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 9:19:00 PM	65	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 9:19:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 9:19:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 9:13:40 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 9:13:00 PM	64	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 9:13:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 9:13:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 9:08:20 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 9:08:01 PM	65	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 9:08:01 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 9:08:01 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 9:03:00 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 9:02:20 PM	65	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 9:02:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 9:02:20 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/13/2016 8:57:20 PM	65	mg/l
ZONA SOVECORD SRL	Substante organice	3/13/2016 8:57:20 PM	42	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 8:57:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 8:57:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 8:52:00 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 8:51:40 PM	65	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 8:51:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 8:51:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 8:46:40 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 8:46:20 PM	65	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 8:46:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 8:46:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 8:41:00 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 8:40:40 PM	65	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 8:40:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 8:40:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 8:35:40 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 8:35:20 PM	65	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 8:35:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 8:35:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 8:30:00 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 8:29:40 PM	65	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 8:29:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 8:29:40 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/13/2016 8:24:00 PM	65	mg/l
ZONA SOVECORD SRL	Substante organice	3/13/2016 8:24:00 PM	42	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 8:24:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 8:24:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 8:19:00 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 8:18:40 PM	65	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Temp	3/13/2016 8:18:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 8:18:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 8:13:20 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 8:13:00 PM	65	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 8:13:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 8:13:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 8:08:00 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 8:07:40 PM	65	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 8:07:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 8:07:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 8:02:20 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 8:02:00 PM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 8:02:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 8:02:00 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/13/2016 7:56:40 PM	66	mg/l
ZONA SOVECORD SRL	Substante organice	3/13/2016 7:56:40 PM	42	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 7:56:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 7:56:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 7:51:20 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 7:51:00 PM	65	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 7:51:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 7:51:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 7:45:40 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 7:45:20 PM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 7:45:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 7:45:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 7:40:20 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 7:40:00 PM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 7:40:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 7:40:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 7:34:40 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 7:34:20 PM	65	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 7:34:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 7:34:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 7:29:20 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 7:29:00 PM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 7:29:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 7:29:00 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/13/2016 7:23:20 PM	66	mg/l
ZONA SOVECORD SRL	Substante organice	3/13/2016 7:23:20 PM	42	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 7:23:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 7:23:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 7:18:20 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 7:18:00 PM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 7:18:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 7:18:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 7:12:40 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 7:12:20 PM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 7:12:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 7:12:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 7:07:20 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 7:07:00 PM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 7:07:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 7:07:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 7:01:40 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 7:01:20 PM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 7:01:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 7:01:20 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/13/2016 6:55:40 PM	65	mg/l
ZONA SOVECORD SRL	Substante organice	3/13/2016 6:55:40 PM	42	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 6:55:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 6:55:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 6:50:40 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 6:50:20 PM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 6:50:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 6:50:20 PM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Substante organice	3/13/2016 6:45:00 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 6:44:40 PM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 6:44:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 6:44:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 6:39:40 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 6:39:20 PM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 6:39:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 6:39:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 6:34:20 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 6:34:00 PM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 6:34:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 6:34:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 6:28:40 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 6:28:20 PM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 6:28:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 6:28:20 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/13/2016 6:23:00 PM	66	mg/l
ZONA SOVECORD SRL	Substante organice	3/13/2016 6:23:00 PM	42	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 6:23:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 6:23:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 6:17:40 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 6:17:20 PM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 6:17:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 6:17:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 6:12:20 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 6:12:00 PM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 6:12:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 6:12:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 6:06:40 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 6:06:20 PM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 6:06:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 6:06:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 6:01:20 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 6:01:00 PM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 6:01:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 6:01:00 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/13/2016 5:55:20 PM	66	mg/l
ZONA SOVECORD SRL	Substante organice	3/13/2016 5:55:20 PM	42	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 5:55:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 5:55:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 5:50:00 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 5:49:40 PM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 5:49:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 5:49:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 5:44:40 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 5:44:20 PM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 5:44:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 5:44:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 5:39:00 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 5:38:40 PM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 5:38:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 5:38:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 5:33:40 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 5:33:20 PM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 5:33:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 5:33:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 5:28:00 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 5:27:40 PM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 5:27:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 5:27:40 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/13/2016 5:22:20 PM	66	mg/l
ZONA SOVECORD SRL	Substante organice	3/13/2016 5:22:20 PM	42	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 5:22:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 5:22:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 5:17:00 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 5:16:40 PM	65	mg/l



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Temp	3/13/2016 5:16:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 5:16:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 5:11:20 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 5:11:00 PM	65	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 5:11:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 5:11:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 5:06:00 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 5:05:40 PM	65	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 5:05:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 5:05:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 5:00:20 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 5:00:00 PM	65	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 5:00:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 5:00:00 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/13/2016 4:54:40 PM	65	mg/l
ZONA SOVECORD SRL	Substante organice	3/13/2016 4:54:40 PM	42	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 4:54:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 4:54:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 4:49:20 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 4:49:00 PM	64	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 4:49:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 4:49:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 4:44:00 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 4:43:40 PM	64	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 4:43:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 4:43:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 4:38:20 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 4:38:00 PM	64	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 4:38:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 4:38:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 4:32:40 PM	42	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 4:32:20 PM	64	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 4:32:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 4:32:20 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/13/2016 4:27:00 PM	64	mg/l
ZONA SOVECORD SRL	Substante organice	3/13/2016 4:27:00 PM	42	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 4:27:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 4:27:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 4:21:40 PM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 4:21:20 PM	64	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 4:21:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 4:21:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 4:16:20 PM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 4:16:00 PM	64	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 4:16:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 4:16:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 4:10:40 PM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 4:10:20 PM	64	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 4:10:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 4:10:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 4:05:20 PM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 4:05:01 PM	65	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 4:05:01 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 4:05:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 3:59:40 PM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 3:59:20 PM	65	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 3:59:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 3:59:20 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/13/2016 3:53:40 PM	64	mg/l
ZONA SOVECORD SRL	Substante organice	3/13/2016 3:53:40 PM	43	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 3:53:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 3:53:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 3:48:40 PM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 3:48:20 PM	65	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 3:48:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 3:48:20 PM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Substante organice	3/13/2016 3:43:00 PM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 3:42:40 PM	65	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 3:42:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 3:42:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 3:37:40 PM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 3:37:20 PM	65	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 3:37:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 3:37:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 3:32:00 PM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 3:31:40 PM	65	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 3:31:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 3:31:40 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/13/2016 3:26:20 PM	66	mg/l
ZONA SOVECORD SRL	Substante organice	3/13/2016 3:26:20 PM	43	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 3:26:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 3:26:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 3:21:00 PM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 3:20:40 PM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 3:20:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 3:20:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 3:15:20 PM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 3:15:00 PM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 3:15:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 3:15:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 3:10:00 PM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 3:09:40 PM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 3:09:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 3:09:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 3:04:00 PM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 3:03:40 PM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 3:03:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 3:03:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 2:59:00 PM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 2:58:20 PM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 2:58:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 2:58:20 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/13/2016 2:52:40 PM	66	mg/l
ZONA SOVECORD SRL	Substante organice	3/13/2016 2:52:40 PM	43	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 2:52:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 2:52:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 2:48:00 PM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 2:47:20 PM	67	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 2:47:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 2:47:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 2:42:00 PM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 2:41:40 PM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 2:41:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 2:41:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 2:36:40 PM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 2:36:00 PM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 2:36:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 2:36:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 2:31:00 PM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 2:30:40 PM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 2:30:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 2:30:40 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/13/2016 2:25:00 PM	66	mg/l
ZONA SOVECORD SRL	Substante organice	3/13/2016 2:25:00 PM	43	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 2:25:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 2:25:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 2:20:00 PM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 2:19:40 PM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 2:19:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 2:19:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 2:14:20 PM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 2:14:00 PM	67	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Temp	3/13/2016 2:14:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 2:14:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 2:09:20 PM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 2:08:40 PM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 2:08:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 2:08:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 2:03:20 PM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 2:03:00 PM	67	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 2:03:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 2:03:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 1:58:00 PM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 1:57:20 PM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 1:57:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 1:57:20 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/13/2016 1:52:00 PM	66	mg/l
ZONA SOVECORD SRL	Substante organice	3/13/2016 1:52:00 PM	43	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 1:52:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 1:52:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 1:47:00 PM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 1:46:20 PM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 1:46:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 1:46:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 1:41:20 PM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 1:41:00 PM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 1:41:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 1:41:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 1:36:00 PM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 1:35:40 PM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 1:35:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 1:35:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 1:30:20 PM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 1:30:00 PM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 1:30:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 1:30:00 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/13/2016 1:24:40 PM	67	mg/l
ZONA SOVECORD SRL	Substante organice	3/13/2016 1:24:40 PM	43	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 1:24:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 1:24:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 1:19:20 PM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 1:19:00 PM	67	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 1:19:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 1:19:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 1:14:20 PM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 1:13:40 PM	67	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 1:13:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 1:13:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 1:08:20 PM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 1:08:00 PM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 1:08:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 1:08:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 1:03:20 PM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 1:02:40 PM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 1:02:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 1:02:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 12:57:40 PM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 12:57:20 PM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 12:57:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 12:57:20 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/13/2016 12:51:20 PM	66	mg/l
ZONA SOVECORD SRL	Substante organice	3/13/2016 12:51:20 PM	43	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 12:51:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 12:51:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 12:46:40 PM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 12:46:00 PM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 12:46:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 12:46:00 PM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Substante organice	3/13/2016 12:41:20 PM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 12:40:20 PM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 12:40:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 12:40:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 12:35:40 PM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 12:35:00 PM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 12:35:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 12:35:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 12:30:20 PM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 12:29:20 PM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 12:29:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 12:29:20 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/13/2016 12:24:20 PM	66	mg/l
ZONA SOVECORD SRL	Substante organice	3/13/2016 12:24:20 PM	43	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 12:24:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 12:24:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 12:19:20 PM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 12:18:41 PM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 12:18:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 12:18:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 12:13:40 PM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 12:13:20 PM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 12:13:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 12:13:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 12:08:40 PM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 12:07:40 PM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 12:07:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 12:07:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 12:02:40 PM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 12:02:20 PM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 12:02:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 12:02:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 11:57:40 AM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 11:56:40 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 11:56:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 11:56:40 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/13/2016 11:51:20 AM	66	mg/l
ZONA SOVECORD SRL	Substante organice	3/13/2016 11:51:20 AM	43	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 11:51:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 11:51:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 11:46:00 AM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 11:45:40 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 11:45:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 11:45:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 11:40:40 AM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 11:40:20 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 11:40:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 11:40:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 11:35:00 AM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 11:34:40 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 11:34:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 11:34:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 11:29:20 AM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 11:29:00 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 11:29:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 11:29:00 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/13/2016 11:23:40 AM	66	mg/l
ZONA SOVECORD SRL	Substante organice	3/13/2016 11:23:40 AM	43	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 11:23:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 11:23:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 11:18:20 AM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 11:18:00 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 11:18:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 11:18:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 11:13:00 AM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 11:12:40 AM	66	mg/l



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Temp	3/13/2016 11:12:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 11:12:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 11:07:20 AM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 11:07:00 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 11:07:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 11:07:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 11:01:40 AM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 11:01:20 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 11:01:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 11:01:20 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/13/2016 10:56:00 AM	66	mg/l
ZONA SOVECORD SRL	Substante organice	3/13/2016 10:56:00 AM	43	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 10:56:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 10:56:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 10:50:40 AM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 10:50:20 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 10:50:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 10:50:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 10:45:20 AM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 10:45:00 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 10:45:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 10:45:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 10:40:20 AM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 10:39:40 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 10:39:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 10:39:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 10:34:20 AM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 10:34:00 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 10:34:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 10:34:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 10:29:40 AM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 10:28:20 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 10:28:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 10:28:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 10:23:20 AM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 10:23:00 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 10:23:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 10:23:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 10:18:20 AM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 10:17:20 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 10:17:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 10:17:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 10:12:20 AM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 10:12:00 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 10:12:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 10:12:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 10:07:40 AM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 10:06:40 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 10:06:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 10:06:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 10:02:20 AM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 10:01:40 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 10:01:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 10:01:40 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/13/2016 9:56:00 AM	65	mg/l
ZONA SOVECORD SRL	Substante organice	3/13/2016 9:56:00 AM	43	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 9:56:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 9:56:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 9:51:20 AM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 9:50:20 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 9:50:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 9:50:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 9:45:20 AM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 9:45:00 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 9:45:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 9:45:00 AM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Substante organice	3/13/2016 9:40:20 AM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 9:39:20 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 9:39:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 9:39:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 9:34:21 AM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 9:34:00 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 9:34:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 9:34:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 9:29:20 AM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 9:28:40 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 9:28:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 9:28:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 9:23:40 AM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 9:23:20 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 9:23:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 9:23:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 9:18:00 AM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 9:17:40 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 9:17:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 9:17:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 9:12:20 AM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 9:12:00 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 9:12:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 9:12:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 9:07:00 AM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 9:06:40 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 9:06:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 9:06:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 9:01:20 AM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 9:01:00 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 9:01:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 9:01:00 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/13/2016 8:55:40 AM	66	mg/l
ZONA SOVECORD SRL	Substante organice	3/13/2016 8:55:40 AM	43	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 8:55:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 8:55:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 8:50:20 AM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 8:50:00 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 8:50:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 8:50:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 8:45:00 AM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 8:44:40 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 8:44:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 8:44:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 8:39:20 AM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 8:39:00 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 8:39:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 8:39:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 8:33:40 AM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 8:33:20 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 8:33:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 8:33:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 8:28:20 AM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 8:28:00 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 8:28:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 8:28:00 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/13/2016 8:22:00 AM	66	mg/l
ZONA SOVECORD SRL	Substante organice	3/13/2016 8:22:00 AM	43	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 8:22:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 8:22:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 8:17:40 AM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 8:16:40 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 8:16:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 8:16:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 8:11:40 AM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 8:11:00 AM	66	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Temp	3/13/2016 8:11:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 8:11:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 8:06:40 AM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 8:05:40 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 8:05:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 8:05:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 8:00:40 AM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 8:00:00 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 8:00:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 8:00:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 7:55:20 AM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 7:55:00 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 7:55:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 7:55:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 7:50:20 AM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 7:49:40 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 7:49:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 7:49:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 7:44:20 AM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 7:44:00 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 7:44:00 AM	15	gradCels
ZONA SOVECORD SRL	Substante organice	3/13/2016 7:39:20 AM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 7:38:40 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 7:38:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 7:38:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 7:33:20 AM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 7:32:40 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 7:32:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 7:32:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 7:28:20 AM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 7:27:40 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 7:27:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 7:27:40 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/13/2016 7:21:40 AM	66	mg/l
ZONA SOVECORD SRL	Substante organice	3/13/2016 7:21:40 AM	43	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 7:21:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 7:21:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 7:17:20 AM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 7:16:40 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 7:16:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 7:16:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 7:11:20 AM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 7:10:40 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 7:10:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 7:10:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 7:06:20 AM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 7:05:40 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 7:05:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 7:05:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 7:00:20 AM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 6:59:40 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 6:59:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 6:59:40 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/13/2016 6:54:00 AM	66	mg/l
ZONA SOVECORD SRL	Substante organice	3/13/2016 6:54:00 AM	43	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 6:54:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 6:54:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 6:49:41 AM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 6:48:40 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 6:48:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 6:48:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 6:43:40 AM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 6:43:00 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 6:43:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 6:43:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 6:38:40 AM	43	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Grasimi	3/13/2016 6:37:40 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 6:37:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 6:37:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 6:32:40 AM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 6:32:20 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 6:32:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 6:32:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 6:27:20 AM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 6:27:00 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 6:27:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 6:27:00 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/13/2016 6:21:00 AM	66	mg/l
ZONA SOVECORD SRL	Substante organice	3/13/2016 6:21:00 AM	43	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 6:21:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 6:21:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 6:16:20 AM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 6:15:40 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 6:15:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 6:15:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 6:10:40 AM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 6:10:00 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 6:10:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 6:10:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 6:05:00 AM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 6:04:40 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 6:04:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 6:04:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 5:59:40 AM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 5:59:20 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 5:59:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 5:59:20 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/13/2016 5:53:40 AM	65	mg/l
ZONA SOVECORD SRL	Substante organice	3/13/2016 5:53:40 AM	43	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 5:53:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 5:53:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 5:48:40 AM	44	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 5:48:00 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 5:48:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 5:48:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 5:43:00 AM	44	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 5:42:40 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 5:42:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 5:42:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 5:37:40 AM	44	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 5:37:00 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 5:37:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 5:37:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 5:32:00 AM	44	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 5:31:40 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 5:31:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 5:31:40 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/13/2016 5:26:00 AM	65	mg/l
ZONA SOVECORD SRL	Substante organice	3/13/2016 5:26:00 AM	44	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 5:26:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 5:26:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 5:21:20 AM	44	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 5:20:40 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 5:20:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 5:20:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 5:15:20 AM	44	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 5:15:00 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 5:15:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 5:15:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 5:10:20 AM	44	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 5:09:40 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 5:09:40 AM	15	gradCels



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	pH	3/13/2016 5:09:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 5:04:20 AM	44	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 5:04:00 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 5:04:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 5:04:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 4:59:00 AM	44	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 4:58:40 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 4:58:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 4:58:40 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/13/2016 4:53:00 AM	66	mg/l
ZONA SOVECORD SRL	Substante organice	3/13/2016 4:53:00 AM	44	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 4:53:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 4:53:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 4:48:00 AM	45	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 4:47:40 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 4:47:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 4:47:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 4:42:20 AM	45	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 4:42:00 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 4:42:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 4:42:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 4:36:40 AM	45	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 4:36:20 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 4:36:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 4:36:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 4:31:20 AM	45	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 4:31:00 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 4:31:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 4:31:00 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/13/2016 4:25:20 AM	66	mg/l
ZONA SOVECORD SRL	Substante organice	3/13/2016 4:25:20 AM	45	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 4:25:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 4:25:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 4:20:40 AM	46	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 4:20:00 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 4:20:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 4:20:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 4:15:20 AM	46	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 4:15:00 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 4:15:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 4:15:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 4:09:40 AM	46	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 4:09:00 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 4:09:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 4:09:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 4:04:00 AM	46	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 4:03:40 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 4:03:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 4:03:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 3:58:20 AM	46	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 3:58:00 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 3:58:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 3:58:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 3:53:00 AM	46	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 3:52:40 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 3:52:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 3:52:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 3:47:00 AM	46	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 3:46:40 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 3:46:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 3:46:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 3:42:00 AM	46	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 3:41:40 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 3:41:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 3:41:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 3:36:00 AM	46	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Grasimi	3/13/2016 3:35:40 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 3:35:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 3:35:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 3:31:00 AM	46	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 3:30:40 AM	67	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 3:30:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 3:30:40 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/13/2016 3:24:40 AM	66	mg/l
ZONA SOVECORD SRL	Substante organice	3/13/2016 3:24:40 AM	46	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 3:24:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 3:24:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 3:20:00 AM	46	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 3:19:40 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 3:19:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 3:19:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 3:14:00 AM	46	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 3:13:40 AM	67	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 3:13:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 3:13:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 3:09:00 AM	46	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 3:08:00 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 3:08:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 3:08:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 3:03:00 AM	46	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 3:02:40 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 3:02:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 3:02:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 2:58:00 AM	46	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 2:57:00 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 2:57:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 2:57:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 2:52:00 AM	46	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 2:51:40 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 2:51:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 2:51:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 2:46:40 AM	46	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 2:46:00 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 2:46:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 2:46:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 2:41:00 AM	46	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 2:40:20 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 2:40:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 2:40:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 2:36:00 AM	46	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 2:35:00 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 2:35:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 2:35:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 2:30:00 AM	46	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 2:29:20 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 2:29:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 2:29:20 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/13/2016 2:24:00 AM	66	mg/l
ZONA SOVECORD SRL	Substante organice	3/13/2016 2:24:00 AM	46	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 2:24:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 2:24:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 2:19:00 AM	46	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 2:18:20 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 2:18:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 2:18:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 2:13:40 AM	46	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 2:13:00 AM	67	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 2:13:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 2:13:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 2:08:00 AM	46	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 2:07:40 AM	67	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 2:07:40 AM	15	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	pH	3/13/2016 2:07:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 2:02:40 AM	46	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 2:01:40 AM	67	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 2:01:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 2:01:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 1:57:00 AM	46	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 1:56:40 AM	67	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 1:56:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 1:56:40 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/13/2016 1:50:40 AM	67	mg/l
ZONA SOVECORD SRL	Substante organice	3/13/2016 1:50:40 AM	46	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 1:50:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 1:50:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 1:46:00 AM	46	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 1:45:40 AM	67	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 1:45:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 1:45:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 1:40:20 AM	46	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 1:40:00 AM	67	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 1:40:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 1:40:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 1:35:00 AM	46	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 1:34:40 AM	68	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 1:34:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 1:34:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 1:29:20 AM	46	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 1:29:01 AM	67	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 1:29:01 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 1:29:01 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/13/2016 1:23:40 AM	67	mg/l
ZONA SOVECORD SRL	Substante organice	3/13/2016 1:23:40 AM	46	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 1:23:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 1:23:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 1:18:20 AM	45	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 1:18:00 AM	68	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 1:18:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 1:18:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 1:13:00 AM	45	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 1:12:40 AM	68	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 1:12:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 1:12:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 1:07:21 AM	45	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 1:07:00 AM	68	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 1:07:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 1:07:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 1:02:00 AM	45	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 1:01:40 AM	68	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 1:01:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 1:01:40 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/13/2016 12:56:00 AM	68	mg/l
ZONA SOVECORD SRL	Substante organice	3/13/2016 12:56:00 AM	45	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 12:56:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 12:56:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 12:51:00 AM	45	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 12:50:21 AM	68	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 12:50:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 12:50:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 12:45:20 AM	45	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 12:45:00 AM	68	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 12:45:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 12:45:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 12:40:00 AM	45	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 12:39:20 AM	68	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 12:39:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 12:39:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 12:34:20 AM	45	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Grasimi	3/13/2016 12:34:00 AM	68	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 12:34:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 12:34:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 12:29:01 AM	45	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 12:28:20 AM	68	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 12:28:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 12:28:20 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/13/2016 12:23:00 AM	68	mg/l
ZONA SOVECORD SRL	Substante organice	3/13/2016 12:23:00 AM	45	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 12:23:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 12:23:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 12:18:00 AM	45	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 12:17:20 AM	67	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 12:17:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 12:17:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 12:12:20 AM	45	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 12:12:00 AM	68	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 12:12:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 12:12:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 12:07:00 AM	45	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 12:06:20 AM	68	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 12:06:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 12:06:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/13/2016 12:01:00 AM	45	mg/l
ZONA SOVECORD SRL	Grasimi	3/13/2016 12:00:40 AM	67	mg/l
ZONA SOVECORD SRL	Temp	3/13/2016 12:00:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/13/2016 12:00:40 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/12/2016 11:55:20 PM	68	mg/l
ZONA SOVECORD SRL	Substante organice	3/12/2016 11:55:20 PM	45	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 11:55:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 11:55:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 11:50:00 PM	45	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 11:49:40 PM	68	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 11:49:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 11:49:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 11:45:00 PM	45	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 11:44:40 PM	68	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 11:44:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 11:44:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 11:39:00 PM	45	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 11:38:40 PM	68	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 11:38:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 11:38:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 11:34:00 PM	45	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 11:33:20 PM	68	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 11:33:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 11:33:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 11:28:00 PM	45	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 11:27:40 PM	68	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 11:27:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 11:27:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 11:23:00 PM	45	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 11:22:20 PM	67	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 11:22:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 11:22:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 11:17:20 PM	45	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 11:16:40 PM	68	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 11:16:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 11:16:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 11:11:20 PM	45	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 11:11:00 PM	68	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 11:11:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 11:11:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 11:06:00 PM	45	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 11:05:40 PM	68	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 11:05:40 PM	15	gradCels



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	pH	3/12/2016 11:05:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 11:00:40 PM	45	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 11:00:00 PM	68	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 11:00:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 11:00:00 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/12/2016 10:54:40 PM	68	mg/l
ZONA SOVECORD SRL	Substante organice	3/12/2016 10:54:40 PM	45	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 10:54:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 10:54:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 10:49:40 PM	44	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 10:49:00 PM	68	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 10:49:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 10:49:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 10:44:00 PM	44	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 10:43:40 PM	68	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 10:43:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 10:43:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 10:38:40 PM	44	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 10:38:00 PM	68	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 10:38:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 10:38:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 10:33:00 PM	44	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 10:32:40 PM	68	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 10:32:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 10:32:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 10:27:40 PM	44	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 10:27:00 PM	68	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 10:27:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 10:27:00 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/12/2016 10:21:20 PM	68	mg/l
ZONA SOVECORD SRL	Substante organice	3/12/2016 10:21:20 PM	44	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 10:21:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 10:21:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 10:16:40 PM	44	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 10:16:00 PM	68	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 10:16:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 10:16:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 10:11:00 PM	44	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 10:10:20 PM	68	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 10:10:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 10:10:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 10:05:40 PM	44	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 10:05:00 PM	68	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 10:05:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 10:05:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 10:00:00 PM	44	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 9:59:20 PM	68	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 9:59:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 9:59:20 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/12/2016 9:53:40 PM	68	mg/l
ZONA SOVECORD SRL	Substante organice	3/12/2016 9:53:40 PM	44	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 9:53:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 9:53:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 9:49:00 PM	44	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 9:48:20 PM	68	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 9:48:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 9:48:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 9:43:20 PM	44	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 9:42:40 PM	68	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 9:42:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 9:42:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 9:38:00 PM	44	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 9:37:20 PM	68	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 9:37:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 9:37:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 9:32:00 PM	44	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Grasimi	3/12/2016 9:31:40 PM	68	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 9:31:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 9:31:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 9:27:00 PM	44	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 9:26:20 PM	68	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 9:26:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 9:26:20 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/12/2016 9:20:40 PM	68	mg/l
ZONA SOVECORD SRL	Substante organice	3/12/2016 9:20:40 PM	44	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 9:20:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 9:20:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 9:16:00 PM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 9:15:20 PM	67	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 9:15:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 9:15:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 9:10:00 PM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 9:09:41 PM	68	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 9:09:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 9:09:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 9:04:20 PM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 9:04:00 PM	68	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 9:04:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 9:04:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 8:59:00 PM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 8:58:40 PM	67	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 8:58:40 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 8:58:40 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/12/2016 8:53:00 PM	67	mg/l
ZONA SOVECORD SRL	Substante organice	3/12/2016 8:53:00 PM	43	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 8:53:00 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 8:53:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 8:48:00 PM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 8:47:40 PM	67	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 8:47:40 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 8:47:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 8:42:40 PM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 8:42:00 PM	67	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 8:42:00 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 8:42:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 8:37:00 PM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 8:36:40 PM	66	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 8:36:40 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 8:36:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 8:31:40 PM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 8:31:00 PM	66	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 8:31:00 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 8:31:00 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/12/2016 8:25:40 PM	66	mg/l
ZONA SOVECORD SRL	Substante organice	3/12/2016 8:25:40 PM	43	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 8:25:40 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 8:25:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 8:20:40 PM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 8:20:00 PM	66	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 8:20:00 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 8:20:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 8:15:00 PM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 8:14:20 PM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 8:14:20 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 8:14:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 8:09:40 PM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 8:09:00 PM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 8:09:00 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 8:09:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 8:04:00 PM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 8:03:40 PM	64	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 8:03:40 PM	16	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	pH	3/12/2016 8:03:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 7:59:01 PM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 7:58:20 PM	64	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 7:58:20 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 7:58:20 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/12/2016 7:52:40 PM	64	mg/l
ZONA SOVECORD SRL	Substante organice	3/12/2016 7:52:40 PM	43	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 7:52:40 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 7:52:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 7:48:00 PM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 7:47:20 PM	64	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 7:47:20 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 7:47:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 7:42:00 PM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 7:41:40 PM	63	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 7:41:40 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 7:41:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 7:37:00 PM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 7:36:20 PM	63	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 7:36:20 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 7:36:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 7:31:00 PM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 7:30:40 PM	64	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 7:30:40 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 7:30:40 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/12/2016 7:25:00 PM	63	mg/l
ZONA SOVECORD SRL	Substante organice	3/12/2016 7:25:00 PM	43	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 7:25:00 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 7:25:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 7:20:00 PM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 7:19:40 PM	62	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 7:19:40 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 7:19:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 7:15:20 PM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 7:14:00 PM	62	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 7:14:00 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 7:14:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 7:09:00 PM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 7:08:40 PM	63	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 7:08:40 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 7:08:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 7:03:20 PM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 7:03:01 PM	63	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 7:03:01 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 7:03:01 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 6:58:00 PM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 6:57:40 PM	62	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 6:57:40 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 6:57:40 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/12/2016 6:52:00 PM	63	mg/l
ZONA SOVECORD SRL	Substante organice	3/12/2016 6:52:00 PM	43	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 6:52:00 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 6:52:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 6:47:00 PM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 6:46:20 PM	63	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 6:46:20 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 6:46:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 6:41:20 PM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 6:41:00 PM	63	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 6:41:00 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 6:41:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 6:36:00 PM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 6:35:20 PM	63	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 6:35:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 6:35:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 6:30:20 PM	43	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Grasimi	3/12/2016 6:30:00 PM	63	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 6:30:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 6:30:00 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/12/2016 6:24:20 PM	64	mg/l
ZONA SOVECORD SRL	Substante organice	3/12/2016 6:24:20 PM	43	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 6:24:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 6:24:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 6:19:20 PM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 6:19:00 PM	63	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 6:19:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 6:19:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 6:14:00 PM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 6:13:20 PM	63	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 6:13:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 6:13:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 6:08:00 PM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 6:07:40 PM	63	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 6:07:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 6:07:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 6:03:00 PM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 6:02:20 PM	63	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 6:02:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 6:02:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 5:57:00 PM	43	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 5:56:40 PM	63	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 5:56:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 5:56:40 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/12/2016 5:51:20 PM	63	mg/l
ZONA SOVECORD SRL	Substante organice	3/12/2016 5:51:20 PM	43	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 5:51:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 5:51:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 5:46:00 PM	44	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 5:45:40 PM	63	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 5:45:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 5:45:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 5:41:00 PM	44	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 5:40:20 PM	63	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 5:40:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 5:40:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 5:35:00 PM	44	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 5:34:40 PM	63	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 5:34:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 5:34:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 5:30:00 PM	44	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 5:29:00 PM	63	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 5:29:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 5:29:00 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/12/2016 5:23:40 PM	64	mg/l
ZONA SOVECORD SRL	Substante organice	3/12/2016 5:23:40 PM	44	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 5:23:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 5:23:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 5:18:20 PM	44	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 5:18:00 PM	64	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 5:18:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 5:18:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 5:13:00 PM	44	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 5:12:40 PM	63	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 5:12:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 5:12:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 5:07:40 PM	44	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 5:07:00 PM	63	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 5:07:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 5:07:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 5:02:00 PM	44	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 5:01:40 PM	64	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 5:01:40 PM	15	gradCels



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	pH	3/12/2016 5:01:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 4:56:40 PM	44	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 4:56:00 PM	64	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 4:56:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 4:56:00 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/12/2016 4:51:00 PM	63	mg/l
ZONA SOVECORD SRL	Substante organice	3/12/2016 4:51:00 PM	44	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 4:51:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 4:51:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 4:46:20 PM	44	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 4:46:00 PM	63	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 4:46:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 4:46:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 4:41:00 PM	44	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 4:40:20 PM	64	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 4:40:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 4:40:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 4:35:20 PM	44	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 4:35:00 PM	64	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 4:35:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 4:35:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 4:30:00 PM	44	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 4:29:20 PM	64	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 4:29:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 4:29:20 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/12/2016 4:23:40 PM	64	mg/l
ZONA SOVECORD SRL	Substante organice	3/12/2016 4:23:40 PM	44	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 4:23:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 4:23:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 4:19:00 PM	44	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 4:18:20 PM	64	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 4:18:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 4:18:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 4:13:00 PM	44	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 4:12:40 PM	63	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 4:12:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 4:12:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 4:08:00 PM	44	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 4:07:20 PM	63	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 4:07:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 4:07:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 4:03:20 PM	44	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 4:02:20 PM	64	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 4:02:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 4:02:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 3:57:00 PM	44	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 3:56:40 PM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 3:56:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 3:56:40 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/12/2016 3:51:20 PM	64	mg/l
ZONA SOVECORD SRL	Substante organice	3/12/2016 3:51:20 PM	44	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 3:51:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 3:51:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 3:46:00 PM	44	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 3:45:40 PM	64	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 3:45:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 3:45:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 3:41:20 PM	44	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 3:40:20 PM	64	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 3:40:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 3:40:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 3:35:00 PM	44	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 3:34:40 PM	64	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 3:34:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 3:34:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 3:30:20 PM	44	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Grasimi	3/12/2016 3:29:00 PM	64	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 3:29:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 3:29:00 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/12/2016 3:23:40 PM	64	mg/l
ZONA SOVECORD SRL	Substante organice	3/12/2016 3:23:40 PM	44	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 3:23:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 3:23:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 3:19:20 PM	44	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 3:18:00 PM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 3:18:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 3:18:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 3:13:00 PM	44	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 3:12:40 PM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 3:12:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 3:12:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 3:07:20 PM	44	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 3:07:00 PM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 3:07:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 3:07:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 3:02:00 PM	44	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 3:01:20 PM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 3:01:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 3:01:20 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/12/2016 2:56:00 PM	66	mg/l
ZONA SOVECORD SRL	Substante organice	3/12/2016 2:56:00 PM	44	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 2:56:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 2:56:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 2:51:00 PM	44	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 2:50:20 PM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 2:50:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 2:50:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 2:45:20 PM	44	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 2:45:00 PM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 2:45:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 2:45:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 2:40:00 PM	44	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 2:39:20 PM	66	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 2:39:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 2:39:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 2:34:20 PM	44	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 2:34:00 PM	66	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 2:34:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 2:34:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 2:29:00 PM	44	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 2:28:20 PM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 2:28:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 2:28:20 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/12/2016 2:23:00 PM	65	mg/l
ZONA SOVECORD SRL	Substante organice	3/12/2016 2:23:00 PM	44	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 2:23:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 2:23:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 2:18:00 PM	44	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 2:17:20 PM	66	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 2:17:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 2:17:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 2:12:00 PM	44	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 2:11:40 PM	66	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 2:11:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 2:11:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 2:07:00 PM	44	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 2:06:20 PM	66	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 2:06:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 2:06:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 2:02:20 PM	44	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 2:01:20 PM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 2:01:20 PM	15	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	pH	3/12/2016 2:01:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 1:56:00 PM	44	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 1:55:40 PM	66	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 1:55:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 1:55:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 1:51:20 PM	44	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 1:50:20 PM	66	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 1:50:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 1:50:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 1:45:00 PM	44	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 1:44:40 PM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 1:44:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 1:44:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 1:40:00 PM	44	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 1:39:00 PM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 1:39:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 1:39:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 1:34:00 PM	44	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 1:33:40 PM	66	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 1:33:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 1:33:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 1:29:00 PM	44	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 1:28:00 PM	66	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 1:28:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 1:28:00 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/12/2016 1:22:40 PM	66	mg/l
ZONA SOVECORD SRL	Substante organice	3/12/2016 1:22:40 PM	44	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 1:22:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 1:22:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 1:18:00 PM	45	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 1:17:00 PM	66	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 1:17:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 1:17:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 1:12:00 PM	45	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 1:11:41 PM	66	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 1:11:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 1:11:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 1:06:20 PM	45	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 1:06:00 PM	66	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 1:06:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 1:06:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 1:01:00 PM	45	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 1:00:20 PM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 1:00:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 1:00:20 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/12/2016 12:55:00 PM	65	mg/l
ZONA SOVECORD SRL	Substante organice	3/12/2016 12:55:00 PM	45	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 12:55:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 12:55:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 12:50:00 PM	45	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 12:49:20 PM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 12:49:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 12:49:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 12:44:20 PM	45	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 12:44:00 PM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 12:44:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 12:44:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 12:39:00 PM	45	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 12:38:20 PM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 12:38:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 12:38:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 12:33:20 PM	45	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 12:33:00 PM	66	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 12:33:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 12:33:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 12:28:00 PM	45	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Grasimi	3/12/2016 12:27:20 PM	66	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 12:27:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 12:27:20 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/12/2016 12:21:40 PM	66	mg/l
ZONA SOVECORD SRL	Substante organice	3/12/2016 12:21:40 PM	45	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 12:21:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 12:21:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 12:17:00 PM	45	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 12:16:20 PM	66	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 12:16:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 12:16:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 12:11:00 PM	45	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 12:10:40 PM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 12:10:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 12:10:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 12:06:00 PM	45	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 12:05:20 PM	66	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 12:05:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 12:05:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 12:00:00 PM	45	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 11:59:40 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 11:59:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 11:59:40 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/12/2016 11:54:20 AM	66	mg/l
ZONA SOVECORD SRL	Substante organice	3/12/2016 11:54:20 AM	45	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 11:54:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 11:54:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 11:49:00 AM	46	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 11:48:40 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 11:48:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 11:48:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 11:44:00 AM	46	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 11:43:00 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 11:43:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 11:43:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 11:38:00 AM	46	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 11:37:40 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 11:37:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 11:37:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 11:33:00 AM	46	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 11:32:00 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 11:32:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 11:32:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 11:27:00 AM	46	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 11:26:40 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 11:26:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 11:26:40 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/12/2016 11:21:00 AM	65	mg/l
ZONA SOVECORD SRL	Substante organice	3/12/2016 11:21:00 AM	46	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 11:21:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 11:21:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 11:16:00 AM	46	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 11:15:40 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 11:15:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 11:15:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 11:10:20 AM	46	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 11:10:00 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 11:10:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 11:10:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 11:05:00 AM	46	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 11:04:20 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 11:04:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 11:04:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 10:59:20 AM	46	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 10:59:00 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 10:59:00 AM	15	gradCels



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	pH	3/12/2016 10:59:00 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/12/2016 10:53:20 AM	65	mg/l
ZONA SOVECORD SRL	Substante organice	3/12/2016 10:53:20 AM	46	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 10:53:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 10:53:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 10:48:20 AM	46	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 10:48:00 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 10:48:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 10:48:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 10:43:00 AM	46	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 10:42:20 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 10:42:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 10:42:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 10:37:20 AM	46	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 10:37:00 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 10:37:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 10:37:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 10:32:00 AM	46	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 10:31:20 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 10:31:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 10:31:20 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/12/2016 10:25:40 AM	65	mg/l
ZONA SOVECORD SRL	Substante organice	3/12/2016 10:25:40 AM	46	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 10:25:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 10:25:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 10:21:00 AM	46	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 10:20:20 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 10:20:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 10:20:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 10:15:00 AM	46	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 10:14:40 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 10:14:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 10:14:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 10:10:00 AM	46	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 10:09:20 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 10:09:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 10:09:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 10:04:00 AM	46	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 10:03:40 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 10:03:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 10:03:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 9:59:00 AM	46	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 9:58:20 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 9:58:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 9:58:20 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/12/2016 9:52:40 AM	65	mg/l
ZONA SOVECORD SRL	Substante organice	3/12/2016 9:52:40 AM	46	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 9:52:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 9:52:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 9:48:00 AM	46	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 9:47:00 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 9:47:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 9:47:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 9:42:00 AM	46	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 9:41:41 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 9:41:41 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 9:41:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 9:37:00 AM	46	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 9:36:01 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 9:36:01 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 9:36:01 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 9:31:00 AM	46	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 9:30:40 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 9:30:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 9:30:40 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/12/2016 9:25:00 AM	65	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Substante organice	3/12/2016 9:25:00 AM	46	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 9:25:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 9:25:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 9:20:00 AM	46	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 9:19:40 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 9:19:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 9:19:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 9:14:20 AM	46	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 9:14:00 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 9:14:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 9:14:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 9:09:00 AM	46	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 9:08:20 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 9:08:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 9:08:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 9:03:20 AM	46	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 9:03:00 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 9:03:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 9:03:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 8:58:00 AM	46	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 8:57:20 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 8:57:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 8:57:20 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/12/2016 8:52:00 AM	65	mg/l
ZONA SOVECORD SRL	Substante organice	3/12/2016 8:52:00 AM	46	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 8:52:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 8:52:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 8:47:00 AM	46	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 8:46:40 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 8:46:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 8:46:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 8:41:20 AM	46	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 8:41:00 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 8:41:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 8:41:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 8:36:00 AM	46	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 8:35:40 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 8:35:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 8:35:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 8:30:20 AM	46	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 8:30:00 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 8:30:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 8:30:00 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/12/2016 8:24:40 AM	65	mg/l
ZONA SOVECORD SRL	Substante organice	3/12/2016 8:24:40 AM	46	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 8:24:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 8:24:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 8:19:20 AM	46	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 8:19:00 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 8:19:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 8:19:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 8:14:00 AM	46	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 8:13:40 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 8:13:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 8:13:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 8:08:20 AM	46	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 8:08:00 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 8:08:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 8:08:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 8:03:00 AM	46	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 8:02:40 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 8:02:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 8:02:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 7:57:20 AM	46	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 7:56:40 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 7:56:40 AM	15	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	pH	3/12/2016 7:56:40 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/12/2016 7:51:20 AM	65	mg/l
ZONA SOVECORD SRL	Substante organice	3/12/2016 7:51:20 AM	46	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 7:51:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 7:51:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 7:46:20 AM	46	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 7:46:00 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 7:46:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 7:46:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 7:41:00 AM	46	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 7:40:40 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 7:40:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 7:40:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 7:35:20 AM	46	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 7:35:00 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 7:35:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 7:35:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 7:30:00 AM	46	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 7:29:20 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 7:29:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 7:29:20 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/12/2016 7:23:40 AM	65	mg/l
ZONA SOVECORD SRL	Substante organice	3/12/2016 7:23:40 AM	46	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 7:23:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 7:23:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 7:18:40 AM	46	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 7:18:20 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 7:18:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 7:18:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 7:13:40 AM	46	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 7:13:00 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 7:13:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 7:13:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 7:07:40 AM	46	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 7:07:21 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 7:07:21 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 7:07:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 7:02:20 AM	46	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 7:01:20 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 7:01:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 7:01:20 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/12/2016 6:56:20 AM	65	mg/l
ZONA SOVECORD SRL	Substante organice	3/12/2016 6:56:20 AM	46	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 6:56:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 6:56:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 6:51:20 AM	46	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 6:50:41 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 6:50:41 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 6:50:41 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 6:45:40 AM	46	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 6:45:20 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 6:45:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 6:45:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 6:40:20 AM	46	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 6:39:20 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 6:39:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 6:39:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 6:34:40 AM	46	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 6:34:00 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 6:34:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 6:34:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 6:29:20 AM	46	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 6:28:40 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 6:28:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 6:28:40 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/12/2016 6:23:00 AM	65	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Substante organice	3/12/2016 6:23:00 AM	46	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 6:23:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 6:23:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 6:18:20 AM	46	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 6:17:40 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 6:17:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 6:17:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 6:12:20 AM	46	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 6:12:00 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 6:12:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 6:12:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 6:07:20 AM	46	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 6:06:40 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 6:06:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 6:06:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 6:01:40 AM	46	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 6:01:00 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 6:01:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 6:01:00 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/12/2016 5:55:20 AM	65	mg/l
ZONA SOVECORD SRL	Substante organice	3/12/2016 5:55:20 AM	46	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 5:55:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 5:55:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 5:50:20 AM	46	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 5:49:40 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 5:49:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 5:49:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 5:45:20 AM	46	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 5:44:40 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 5:44:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 5:44:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 5:39:20 AM	46	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 5:39:00 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 5:39:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 5:39:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 5:34:20 AM	46	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 5:33:20 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 5:33:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 5:33:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 5:28:40 AM	46	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 5:27:40 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 5:27:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 5:27:40 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/12/2016 5:22:20 AM	65	mg/l
ZONA SOVECORD SRL	Substante organice	3/12/2016 5:22:20 AM	46	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 5:22:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 5:22:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 5:17:40 AM	47	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 5:16:20 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 5:16:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 5:16:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 5:12:00 AM	47	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 5:11:20 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 5:11:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 5:11:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 5:06:40 AM	47	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 5:05:40 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 5:05:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 5:05:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 5:01:00 AM	47	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 5:00:00 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 5:00:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 5:00:00 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/12/2016 4:54:20 AM	65	mg/l
ZONA SOVECORD SRL	Substante organice	3/12/2016 4:54:20 AM	47	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 4:54:20 AM	15	gradCels



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	pH	3/12/2016 4:54:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 4:50:00 AM	47	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 4:49:00 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 4:49:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 4:49:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 4:44:40 AM	47	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 4:43:20 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 4:43:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 4:43:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 4:39:00 AM	47	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 4:38:00 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 4:38:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 4:38:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 4:33:40 AM	47	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 4:32:20 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 4:32:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 4:32:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 4:27:40 AM	47	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 4:26:40 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 4:26:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 4:26:40 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/12/2016 4:21:40 AM	65	mg/l
ZONA SOVECORD SRL	Substante organice	3/12/2016 4:21:40 AM	47	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 4:21:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 4:21:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 4:16:40 AM	47	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 4:16:00 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 4:16:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 4:16:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 4:11:20 AM	47	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 4:10:40 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 4:10:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 4:10:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 4:05:40 AM	47	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 4:05:00 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 4:05:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 4:05:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 4:00:20 AM	47	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 3:59:20 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 3:59:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 3:59:20 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/12/2016 3:54:20 AM	65	mg/l
ZONA SOVECORD SRL	Substante organice	3/12/2016 3:54:20 AM	47	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 3:54:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 3:54:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 3:49:20 AM	47	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 3:48:40 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 3:48:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 3:48:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 3:44:00 AM	47	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 3:43:20 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 3:43:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 3:43:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 3:38:20 AM	47	mg/l
ZONA SOVECORD SRL	pH	3/12/2016 3:38:20 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/12/2016 3:37:40 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 3:37:40 AM	15	gradCels
ZONA SOVECORD SRL	Substante organice	3/12/2016 3:33:00 AM	47	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 3:32:20 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 3:32:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 3:32:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 3:27:00 AM	47	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 3:26:40 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 3:26:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 3:26:40 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/12/2016 3:21:20 AM	65	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Substante organice	3/12/2016 3:21:20 AM	47	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 3:21:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 3:21:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 3:16:00 AM	47	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 3:15:40 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 3:15:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 3:15:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 3:11:20 AM	47	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 3:10:20 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 3:10:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 3:10:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 3:05:00 AM	47	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 3:04:40 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 3:04:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 3:04:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 2:59:40 AM	47	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 2:59:00 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 2:59:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 2:59:00 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/12/2016 2:53:40 AM	65	mg/l
ZONA SOVECORD SRL	Substante organice	3/12/2016 2:53:40 AM	47	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 2:53:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 2:53:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 2:48:40 AM	47	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 2:48:00 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 2:48:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 2:48:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 2:43:00 AM	47	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 2:42:40 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 2:42:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 2:42:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 2:37:40 AM	47	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 2:37:00 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 2:37:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 2:37:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 2:32:20 AM	47	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 2:32:00 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 2:32:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 2:32:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 2:27:00 AM	47	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 2:26:20 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 2:26:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 2:26:20 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/12/2016 2:20:40 AM	65	mg/l
ZONA SOVECORD SRL	Substante organice	3/12/2016 2:20:40 AM	47	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 2:20:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 2:20:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 2:16:00 AM	48	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 2:15:20 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 2:15:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 2:15:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 2:10:00 AM	48	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 2:09:40 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 2:09:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 2:09:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 2:05:00 AM	48	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 2:04:20 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 2:04:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 2:04:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 1:59:00 AM	48	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 1:58:40 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 1:58:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 1:58:40 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/12/2016 1:53:20 AM	65	mg/l
ZONA SOVECORD SRL	Substante organice	3/12/2016 1:53:20 AM	48	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 1:53:20 AM	15	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	pH	3/12/2016 1:53:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 1:49:00 AM	48	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 1:48:20 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 1:48:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 1:48:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 1:43:00 AM	48	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 1:42:40 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 1:42:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 1:42:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 1:38:00 AM	48	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 1:37:00 AM	64	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 1:37:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 1:37:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 1:32:00 AM	48	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 1:31:40 AM	64	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 1:31:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 1:31:40 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/12/2016 1:26:00 AM	64	mg/l
ZONA SOVECORD SRL	Substante organice	3/12/2016 1:26:00 AM	48	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 1:26:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 1:26:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 1:21:20 AM	48	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 1:20:41 AM	64	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 1:20:41 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 1:20:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 1:16:00 AM	48	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 1:15:00 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 1:15:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 1:15:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 1:10:20 AM	48	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 1:09:20 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 1:09:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 1:09:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 1:05:00 AM	48	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 1:04:00 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 1:04:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 1:04:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 12:59:20 AM	48	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 12:58:20 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 12:58:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 12:58:20 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/12/2016 12:53:00 AM	65	mg/l
ZONA SOVECORD SRL	Substante organice	3/12/2016 12:53:00 AM	48	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 12:53:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 12:53:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 12:48:20 AM	48	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 12:47:40 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 12:47:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 12:47:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 12:42:20 AM	48	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 12:42:00 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 12:42:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 12:42:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 12:37:00 AM	48	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 12:36:20 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 12:36:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 12:36:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 12:31:20 AM	48	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 12:31:01 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 12:31:01 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 12:31:01 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 12:26:00 AM	48	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 12:25:20 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 12:25:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 12:25:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 12:20:20 AM	48	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Grasimi	3/12/2016 12:20:00 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 12:20:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 12:20:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 12:15:00 AM	48	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 12:14:20 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 12:14:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 12:14:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 12:09:20 AM	48	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 12:09:00 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 12:09:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 12:09:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/12/2016 12:04:00 AM	48	mg/l
ZONA SOVECORD SRL	Grasimi	3/12/2016 12:03:20 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/12/2016 12:03:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/12/2016 12:03:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 11:58:00 PM	48	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 11:57:40 PM	65	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 11:57:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 11:57:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 11:53:00 PM	48	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 11:52:20 PM	65	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 11:52:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 11:52:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 11:47:00 PM	48	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 11:46:40 PM	65	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 11:46:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 11:46:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 11:42:00 PM	48	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 11:41:20 PM	65	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 11:41:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 11:41:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 11:36:00 PM	48	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 11:35:40 PM	65	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 11:35:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 11:35:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 11:31:00 PM	48	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 11:30:20 PM	65	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 11:30:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 11:30:20 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/11/2016 11:24:40 PM	65	mg/l
ZONA SOVECORD SRL	Substante organice	3/11/2016 11:24:40 PM	48	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 11:24:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 11:24:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 11:20:00 PM	48	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 11:19:00 PM	65	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 11:19:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 11:19:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 11:14:20 PM	48	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 11:13:40 PM	64	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 11:13:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 11:13:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 11:09:00 PM	48	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 11:08:20 PM	65	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 11:08:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 11:08:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 11:03:20 PM	48	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 11:02:40 PM	65	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 11:02:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 11:02:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 10:57:40 PM	48	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 10:57:20 PM	64	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 10:57:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 10:57:20 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/11/2016 10:51:40 PM	64	mg/l
ZONA SOVECORD SRL	Substante organice	3/11/2016 10:51:40 PM	48	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 10:51:40 PM	15	gradCels



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	pH	3/11/2016 10:51:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 10:46:40 PM	48	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 10:46:20 PM	64	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 10:46:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 10:46:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 10:41:40 PM	48	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 10:41:00 PM	64	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 10:41:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 10:41:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 10:35:40 PM	48	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 10:35:01 PM	64	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 10:35:01 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 10:35:01 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 10:30:40 PM	48	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 10:30:00 PM	64	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 10:30:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 10:30:00 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/11/2016 10:24:00 PM	64	mg/l
ZONA SOVECORD SRL	Substante organice	3/11/2016 10:24:00 PM	48	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 10:24:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 10:24:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 10:20:00 PM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 10:19:21 PM	64	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 10:19:21 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 10:19:21 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 10:13:40 PM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 10:13:00 PM	64	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 10:13:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 10:13:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 10:08:20 PM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 10:07:40 PM	64	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 10:07:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 10:07:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 10:03:00 PM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 10:02:20 PM	64	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 10:02:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 10:02:20 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/11/2016 9:57:20 PM	64	mg/l
ZONA SOVECORD SRL	Substante organice	3/11/2016 9:57:20 PM	49	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 9:57:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 9:57:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 9:52:00 PM	50	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 9:51:20 PM	64	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 9:51:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 9:51:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 9:47:00 PM	50	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 9:46:20 PM	64	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 9:46:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 9:46:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 9:41:20 PM	50	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 9:40:40 PM	64	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 9:40:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 9:40:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 9:36:00 PM	50	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 9:35:20 PM	64	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 9:35:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 9:35:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 9:30:20 PM	50	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 9:29:40 PM	64	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 9:29:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 9:29:40 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/11/2016 9:24:20 PM	64	mg/l
ZONA SOVECORD SRL	Substante organice	3/11/2016 9:24:20 PM	50	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 9:24:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 9:24:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 9:19:20 PM	51	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Grasimi	3/11/2016 9:18:40 PM	64	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 9:18:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 9:18:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 9:13:00 PM	51	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 9:12:40 PM	64	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 9:12:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 9:12:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 9:08:20 PM	51	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 9:07:20 PM	64	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 9:07:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 9:07:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 9:02:00 PM	51	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 9:01:40 PM	63	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 9:01:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 9:01:40 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/11/2016 8:56:21 PM	63	mg/l
ZONA SOVECORD SRL	Substante organice	3/11/2016 8:56:21 PM	51	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 8:56:21 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 8:56:21 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 8:51:20 PM	51	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 8:50:40 PM	63	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 8:50:40 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 8:50:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 8:46:20 PM	51	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 8:45:20 PM	64	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 8:45:20 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 8:45:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 8:40:20 PM	51	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 8:39:40 PM	63	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 8:39:40 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 8:39:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 8:35:00 PM	51	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 8:34:20 PM	63	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 8:34:20 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 8:34:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 8:29:40 PM	51	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 8:29:20 PM	63	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 8:29:20 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 8:29:20 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/11/2016 8:23:20 PM	63	mg/l
ZONA SOVECORD SRL	Substante organice	3/11/2016 8:23:20 PM	51	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 8:23:20 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 8:23:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 8:18:40 PM	50	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 8:18:20 PM	63	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 8:18:20 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 8:18:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 8:13:00 PM	50	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 8:12:20 PM	63	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 8:12:20 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 8:12:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 8:07:40 PM	50	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 8:07:20 PM	63	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 8:07:20 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 8:07:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 8:02:00 PM	50	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 8:01:20 PM	63	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 8:01:20 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 8:01:20 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/11/2016 7:56:00 PM	63	mg/l
ZONA SOVECORD SRL	Substante organice	3/11/2016 7:56:00 PM	50	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 7:56:00 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 7:56:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 7:51:20 PM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 7:51:00 PM	63	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 7:51:00 PM	16	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	pH	3/11/2016 7:51:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 7:46:00 PM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 7:45:41 PM	63	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 7:45:40 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 7:45:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 7:40:20 PM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 7:40:00 PM	63	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 7:40:00 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 7:40:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 7:35:00 PM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 7:34:20 PM	63	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 7:34:20 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 7:34:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 7:29:20 PM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 7:29:01 PM	63	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 7:29:01 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 7:29:01 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/11/2016 7:23:40 PM	63	mg/l
ZONA SOVECORD SRL	Substante organice	3/11/2016 7:23:40 PM	49	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 7:23:40 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 7:23:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 7:18:20 PM	48	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 7:18:00 PM	63	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 7:18:00 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 7:18:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 7:12:40 PM	48	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 7:12:20 PM	63	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 7:12:20 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 7:12:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 7:07:20 PM	48	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 7:07:00 PM	63	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 7:07:00 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 7:07:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 7:01:40 PM	48	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 7:01:20 PM	63	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 7:01:20 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 7:01:20 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/11/2016 6:56:00 PM	64	mg/l
ZONA SOVECORD SRL	Substante organice	3/11/2016 6:56:00 PM	48	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 6:56:00 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 6:56:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 6:50:40 PM	48	mg/l
ZONA SOVECORD SRL	pH	3/11/2016 6:50:40 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/11/2016 6:50:20 PM	64	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 6:50:20 PM	16	gradCels
ZONA SOVECORD SRL	Substante organice	3/11/2016 6:45:20 PM	48	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 6:44:40 PM	63	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 6:44:40 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 6:44:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 6:39:40 PM	48	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 6:39:20 PM	64	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 6:39:20 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 6:39:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 6:34:20 PM	48	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 6:33:40 PM	64	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 6:33:40 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 6:33:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 6:28:40 PM	48	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 6:28:20 PM	64	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 6:28:20 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 6:28:20 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/11/2016 6:22:20 PM	64	mg/l
ZONA SOVECORD SRL	Substante organice	3/11/2016 6:22:20 PM	48	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 6:22:20 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 6:22:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 6:17:40 PM	48	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Grasimi	3/11/2016 6:17:20 PM	64	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 6:17:20 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 6:17:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 6:12:00 PM	48	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 6:11:20 PM	64	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 6:11:20 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 6:11:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 6:06:40 PM	48	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 6:06:20 PM	64	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 6:06:20 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 6:06:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 6:01:00 PM	48	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 6:00:20 PM	64	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 6:00:20 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 6:00:20 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/11/2016 5:55:20 PM	63	mg/l
ZONA SOVECORD SRL	Substante organice	3/11/2016 5:55:20 PM	48	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 5:55:20 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 5:55:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 5:50:00 PM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 5:49:20 PM	63	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 5:49:20 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 5:49:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 5:44:20 PM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 5:44:00 PM	63	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 5:44:00 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 5:44:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 5:39:00 PM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 5:38:20 PM	63	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 5:38:20 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 5:38:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 5:33:20 PM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 5:33:00 PM	63	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 5:33:00 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 5:33:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 5:27:40 PM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 5:27:20 PM	63	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 5:27:20 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 5:27:20 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/11/2016 5:22:00 PM	63	mg/l
ZONA SOVECORD SRL	Substante organice	3/11/2016 5:22:00 PM	49	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 5:22:00 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 5:22:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 5:17:00 PM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 5:16:40 PM	63	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 5:16:40 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 5:16:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 5:11:20 PM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 5:11:00 PM	64	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 5:11:00 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 5:11:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 5:05:40 PM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 5:05:21 PM	64	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 5:05:21 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 5:05:21 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 5:00:20 PM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 5:00:00 PM	64	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 5:00:00 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 5:00:00 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/11/2016 4:54:20 PM	63	mg/l
ZONA SOVECORD SRL	Substante organice	3/11/2016 4:54:20 PM	49	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 4:54:20 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 4:54:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 4:49:20 PM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 4:49:00 PM	63	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 4:49:00 PM	15	gradCels



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	pH	3/11/2016 4:49:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 4:43:20 PM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 4:43:00 PM	63	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 4:43:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 4:43:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 4:38:40 PM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 4:38:00 PM	63	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 4:38:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 4:38:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 4:33:20 PM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 4:32:40 PM	62	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 4:32:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 4:32:40 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/11/2016 4:27:00 PM	63	mg/l
ZONA SOVECORD SRL	Substante organice	3/11/2016 4:27:00 PM	49	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 4:27:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 4:27:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 4:22:00 PM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 4:21:20 PM	62	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 4:21:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 4:21:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 4:16:40 PM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 4:16:00 PM	62	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 4:16:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 4:16:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 4:11:00 PM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 4:10:20 PM	62	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 4:10:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 4:10:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 4:05:40 PM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 4:05:00 PM	62	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 4:05:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 4:05:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 4:00:00 PM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 3:59:20 PM	62	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 3:59:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 3:59:20 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/11/2016 3:53:00 PM	61	mg/l
ZONA SOVECORD SRL	Substante organice	3/11/2016 3:53:00 PM	49	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 3:53:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 3:53:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 3:49:00 PM	50	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 3:47:20 PM	61	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 3:47:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 3:47:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 3:42:20 PM	50	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 3:41:40 PM	62	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 3:41:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 3:41:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 3:38:00 PM	50	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 3:36:20 PM	62	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 3:36:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 3:36:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 3:31:20 PM	50	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 3:30:40 PM	61	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 3:30:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 3:30:40 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/11/2016 3:25:20 PM	61	mg/l
ZONA SOVECORD SRL	Substante organice	3/11/2016 3:25:20 PM	50	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 3:25:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 3:25:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 3:20:20 PM	50	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 3:19:40 PM	62	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 3:19:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 3:19:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 3:16:00 PM	50	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Grasimi	3/11/2016 3:14:40 PM	61	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 3:14:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 3:14:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 3:09:20 PM	50	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 3:08:41 PM	61	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 3:08:41 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 3:08:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 3:04:40 PM	50	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 3:03:20 PM	61	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 3:03:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 3:03:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 2:59:20 PM	50	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 2:57:40 PM	61	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 2:57:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 2:57:40 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/11/2016 2:52:20 PM	62	mg/l
ZONA SOVECORD SRL	Substante organice	3/11/2016 2:52:20 PM	50	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 2:52:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 2:52:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 2:48:20 PM	50	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 2:46:40 PM	61	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 2:46:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 2:46:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 2:42:41 PM	50	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 2:41:20 PM	61	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 2:41:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 2:41:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 2:37:20 PM	50	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 2:35:40 PM	61	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 2:35:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 2:35:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 2:30:40 PM	50	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 2:30:00 PM	60	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 2:30:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 2:30:00 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/11/2016 2:24:40 PM	60	mg/l
ZONA SOVECORD SRL	Substante organice	3/11/2016 2:24:40 PM	50	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 2:24:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 2:24:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 2:19:40 PM	50	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 2:19:00 PM	59	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 2:19:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 2:19:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 2:15:00 PM	50	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 2:13:20 PM	60	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 2:13:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 2:13:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 2:08:40 PM	50	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 2:08:00 PM	59	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 2:08:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 2:08:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 2:04:00 PM	50	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 2:02:20 PM	58	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 2:02:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 2:02:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 1:57:40 PM	50	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 1:57:00 PM	59	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 1:57:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 1:57:00 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/11/2016 1:51:20 PM	59	mg/l
ZONA SOVECORD SRL	Substante organice	3/11/2016 1:51:20 PM	50	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 1:51:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 1:51:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 1:46:40 PM	50	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 1:46:00 PM	59	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 1:46:00 PM	15	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	pH	3/11/2016 1:46:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 1:41:40 PM	50	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 1:40:20 PM	59	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 1:40:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 1:40:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 1:35:20 PM	50	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 1:34:40 PM	60	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 1:34:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 1:34:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 1:31:00 PM	50	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 1:29:21 PM	59	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 1:29:21 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 1:29:20 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/11/2016 1:23:40 PM	60	mg/l
ZONA SOVECORD SRL	Substante organice	3/11/2016 1:23:40 PM	50	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 1:23:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 1:23:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 1:19:20 PM	50	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 1:18:20 PM	60	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 1:18:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 1:18:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 1:13:20 PM	50	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 1:12:40 PM	60	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 1:12:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 1:12:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 1:09:00 PM	50	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 1:07:21 PM	60	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 1:07:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 1:07:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 1:02:20 PM	50	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 1:01:40 PM	60	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 1:01:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 1:01:40 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/11/2016 12:56:20 PM	60	mg/l
ZONA SOVECORD SRL	Substante organice	3/11/2016 12:56:20 PM	50	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 12:56:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 12:56:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 12:51:20 PM	50	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 12:50:40 PM	60	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 12:50:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 12:50:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 12:46:40 PM	50	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 12:45:20 PM	60	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 12:45:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 12:45:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 12:40:20 PM	50	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 12:39:40 PM	60	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 12:39:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 12:39:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 12:34:40 PM	50	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 12:34:00 PM	59	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 12:34:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 12:34:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 12:29:20 PM	50	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 12:28:20 PM	59	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 12:28:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 12:28:20 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/11/2016 12:23:00 PM	59	mg/l
ZONA SOVECORD SRL	Substante organice	3/11/2016 12:23:00 PM	50	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 12:23:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 12:23:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 12:18:20 PM	50	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 12:17:20 PM	59	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 12:17:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 12:17:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 12:12:00 PM	50	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Grasimi	3/11/2016 12:11:40 PM	60	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 12:11:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 12:11:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 12:07:20 PM	50	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 12:06:20 PM	59	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 12:06:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 12:06:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 12:01:00 PM	50	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 12:00:40 PM	60	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 12:00:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 12:00:40 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/11/2016 11:55:20 AM	59	mg/l
ZONA SOVECORD SRL	Substante organice	3/11/2016 11:55:20 AM	50	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 11:55:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 11:55:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 11:50:00 AM	50	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 11:49:40 AM	58	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 11:49:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 11:49:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 11:45:20 AM	50	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 11:44:01 AM	58	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 11:44:01 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 11:44:01 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 11:39:00 AM	50	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 11:38:40 AM	58	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 11:38:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 11:38:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 11:34:20 AM	50	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 11:33:00 AM	59	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 11:33:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 11:33:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 11:28:00 AM	50	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 11:27:40 AM	59	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 11:27:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 11:27:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 11:23:20 AM	50	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 11:22:00 AM	59	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 11:22:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 11:22:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 11:17:20 AM	50	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 11:16:40 AM	58	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 11:16:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 11:16:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 11:13:40 AM	50	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 11:11:00 AM	59	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 11:11:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 11:11:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 11:06:20 AM	50	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 11:05:20 AM	58	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 11:05:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 11:05:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 11:02:00 AM	50	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 11:00:00 AM	58	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 11:00:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 11:00:00 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/11/2016 10:54:20 AM	59	mg/l
ZONA SOVECORD SRL	Substante organice	3/11/2016 10:54:20 AM	50	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 10:54:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 10:54:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 10:51:20 AM	50	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 10:49:20 AM	59	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 10:49:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 10:49:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 10:46:00 AM	50	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 10:44:20 AM	59	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 10:44:20 AM	15	gradCels



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	pH	3/11/2016 10:44:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 10:40:00 AM	50	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 10:38:20 AM	59	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 10:38:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 10:38:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 10:33:40 AM	50	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 10:33:00 AM	60	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 10:33:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 10:33:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 10:29:20 AM	50	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 10:27:20 AM	59	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 10:27:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 10:27:20 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/11/2016 10:21:40 AM	59	mg/l
ZONA SOVECORD SRL	Substante organice	3/11/2016 10:21:40 AM	50	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 10:21:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 10:21:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 10:18:20 AM	50	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 10:16:20 AM	60	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 10:16:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 10:16:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 10:11:20 AM	50	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 10:10:40 AM	59	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 10:10:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 10:10:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 10:07:20 AM	50	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 10:05:20 AM	59	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 10:05:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 10:05:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 10:00:20 AM	50	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 9:59:40 AM	59	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 9:59:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 9:59:40 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/11/2016 9:54:00 AM	59	mg/l
ZONA SOVECORD SRL	Substante organice	3/11/2016 9:54:00 AM	50	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 9:54:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 9:54:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 9:49:20 AM	50	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 9:48:40 AM	59	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 9:48:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 9:48:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 9:45:00 AM	50	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 9:43:00 AM	59	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 9:43:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 9:43:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 9:38:20 AM	50	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 9:37:40 AM	59	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 9:37:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 9:37:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 9:34:00 AM	50	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 9:32:00 AM	58	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 9:32:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 9:32:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 9:27:20 AM	50	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 9:26:40 AM	58	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 9:26:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 9:26:40 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/11/2016 9:21:20 AM	59	mg/l
ZONA SOVECORD SRL	Substante organice	3/11/2016 9:21:20 AM	50	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 9:21:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 9:21:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 9:16:20 AM	50	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 9:15:20 AM	59	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 9:15:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 9:15:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 9:12:00 AM	50	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Grasimi	3/11/2016 9:10:20 AM	59	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 9:10:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 9:10:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 9:05:40 AM	50	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 9:04:20 AM	59	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 9:04:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 9:04:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 9:01:00 AM	50	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 8:59:20 AM	59	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 8:59:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 8:59:20 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/11/2016 8:53:20 AM	59	mg/l
ZONA SOVECORD SRL	Substante organice	3/11/2016 8:53:20 AM	50	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 8:53:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 8:53:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 8:49:40 AM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 8:48:00 AM	59	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 8:48:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 8:48:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 8:44:00 AM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 8:42:20 AM	59	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 8:42:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 8:42:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 8:37:20 AM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 8:36:40 AM	59	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 8:36:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 8:36:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 8:32:20 AM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 8:31:20 AM	59	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 8:31:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 8:31:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 8:26:20 AM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 8:25:40 AM	59	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 8:25:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 8:25:40 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/11/2016 8:20:40 AM	60	mg/l
ZONA SOVECORD SRL	Substante organice	3/11/2016 8:20:40 AM	49	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 8:20:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 8:20:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 8:17:20 AM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 8:17:00 AM	60	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 8:17:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 8:17:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 8:11:40 AM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 8:11:20 AM	60	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 8:11:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 8:11:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 8:06:20 AM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 8:06:00 AM	60	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 8:06:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 8:06:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 8:01:00 AM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 8:00:40 AM	60	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 8:00:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 8:00:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 7:55:20 AM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 7:55:00 AM	60	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 7:55:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 7:55:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 7:50:00 AM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 7:49:40 AM	60	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 7:49:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 7:49:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 7:44:20 AM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 7:44:00 AM	60	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 7:44:00 AM	15	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	pH	3/11/2016 7:44:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 7:38:41 AM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 7:38:20 AM	60	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 7:38:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 7:38:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 7:33:20 AM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 7:33:00 AM	60	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 7:33:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 7:33:00 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/11/2016 7:27:20 AM	60	mg/l
ZONA SOVECORD SRL	Substante organice	3/11/2016 7:27:20 AM	49	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 7:27:20 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 7:27:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 7:22:00 AM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 7:21:40 AM	60	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 7:21:40 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 7:21:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 7:16:40 AM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 7:16:20 AM	60	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 7:16:20 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 7:16:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 7:11:00 AM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 7:10:20 AM	60	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 7:10:20 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 7:10:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 7:05:40 AM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 7:05:00 AM	60	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 7:05:00 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 7:05:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 7:00:00 AM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 6:59:20 AM	60	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 6:59:20 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 6:59:20 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/11/2016 6:53:00 AM	60	mg/l
ZONA SOVECORD SRL	Substante organice	3/11/2016 6:53:00 AM	49	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 6:53:00 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 6:53:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 6:49:00 AM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 6:48:20 AM	59	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 6:48:20 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 6:48:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 6:43:00 AM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 6:42:40 AM	60	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 6:42:40 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 6:42:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 6:38:00 AM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 6:37:20 AM	60	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 6:37:20 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 6:37:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 6:32:00 AM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 6:31:40 AM	60	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 6:31:40 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 6:31:40 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/11/2016 6:26:20 AM	60	mg/l
ZONA SOVECORD SRL	Substante organice	3/11/2016 6:26:20 AM	49	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 6:26:20 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 6:26:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 6:21:20 AM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 6:20:40 AM	60	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 6:20:40 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 6:20:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 6:16:00 AM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 6:15:20 AM	60	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 6:15:20 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 6:15:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 6:10:20 AM	49	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Grasimi	3/11/2016 6:09:40 AM	61	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 6:09:40 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 6:09:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 6:04:40 AM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 6:03:00 AM	61	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 6:03:00 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 6:03:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 5:59:20 AM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 5:57:40 AM	61	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 5:57:40 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 5:57:40 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/11/2016 5:52:00 AM	61	mg/l
ZONA SOVECORD SRL	Substante organice	3/11/2016 5:52:00 AM	49	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 5:52:00 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 5:52:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 5:48:21 AM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 5:46:40 AM	61	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 5:46:40 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 5:46:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 5:42:40 AM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 5:41:00 AM	60	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 5:41:00 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 5:41:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 5:37:20 AM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 5:37:00 AM	61	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 5:37:00 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 5:37:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 5:31:40 AM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 5:31:20 AM	61	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 5:31:20 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 5:31:20 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/11/2016 5:26:00 AM	61	mg/l
ZONA SOVECORD SRL	Substante organice	3/11/2016 5:26:00 AM	49	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 5:26:00 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 5:26:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 5:20:40 AM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 5:20:20 AM	61	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 5:20:20 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 5:20:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 5:15:20 AM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 5:15:00 AM	61	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 5:15:00 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 5:15:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 5:09:40 AM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 5:09:20 AM	60	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 5:09:20 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 5:09:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 5:04:00 AM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 5:03:40 AM	61	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 5:03:40 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 5:03:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 4:58:40 AM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 4:58:20 AM	60	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 4:58:20 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 4:58:20 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/11/2016 4:52:40 AM	60	mg/l
ZONA SOVECORD SRL	Substante organice	3/11/2016 4:52:40 AM	49	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 4:52:40 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 4:52:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 4:47:40 AM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 4:47:20 AM	60	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 4:47:20 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 4:47:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 4:42:00 AM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 4:41:40 AM	60	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 4:41:40 AM	16	gradCels



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	pH	3/11/2016 4:41:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 4:36:40 AM	49	mg/l
ZONA SOVECORD SRL	pH	3/11/2016 4:36:40 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/11/2016 4:36:20 AM	60	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 4:36:20 AM	16	gradCels
ZONA SOVECORD SRL	Substante organice	3/11/2016 4:31:00 AM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 4:30:40 AM	60	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 4:30:40 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 4:30:40 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/11/2016 4:25:00 AM	60	mg/l
ZONA SOVECORD SRL	Substante organice	3/11/2016 4:25:00 AM	49	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 4:25:00 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 4:25:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 4:20:00 AM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 4:19:40 AM	60	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 4:19:40 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 4:19:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 4:14:20 AM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 4:14:00 AM	59	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 4:14:00 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 4:14:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 4:09:00 AM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 4:08:40 AM	59	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 4:08:40 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 4:08:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 4:03:20 AM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 4:03:00 AM	59	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 4:03:00 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 4:03:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 3:58:00 AM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 3:57:40 AM	60	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 3:57:40 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 3:57:40 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/11/2016 3:52:00 AM	60	mg/l
ZONA SOVECORD SRL	Substante organice	3/11/2016 3:52:00 AM	49	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 3:52:00 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 3:52:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 3:47:00 AM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 3:46:40 AM	61	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 3:46:40 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 3:46:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 3:41:20 AM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 3:41:00 AM	61	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 3:41:00 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 3:41:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 3:35:40 AM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 3:35:20 AM	60	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 3:35:20 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 3:35:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 3:30:40 AM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 3:30:20 AM	61	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 3:30:20 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 3:30:20 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/11/2016 3:24:20 AM	60	mg/l
ZONA SOVECORD SRL	Substante organice	3/11/2016 3:24:20 AM	49	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 3:24:20 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 3:24:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 3:19:20 AM	48	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 3:19:00 AM	60	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 3:19:00 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 3:19:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 3:13:40 AM	48	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 3:13:20 AM	60	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 3:13:20 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 3:13:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 3:08:00 AM	48	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Grasimi	3/11/2016 3:07:40 AM	60	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 3:07:40 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 3:07:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 3:02:40 AM	48	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 3:02:20 AM	60	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 3:02:20 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 3:02:20 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/11/2016 2:56:21 AM	60	mg/l
ZONA SOVECORD SRL	Substante organice	3/11/2016 2:56:21 AM	48	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 2:56:21 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 2:56:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 2:51:40 AM	48	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 2:51:00 AM	60	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 2:51:00 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 2:51:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 2:46:00 AM	48	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 2:45:20 AM	60	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 2:45:20 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 2:45:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 2:40:40 AM	48	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 2:40:00 AM	60	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 2:40:00 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 2:40:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 2:34:40 AM	48	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 2:34:20 AM	60	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 2:34:20 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 2:34:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 2:29:40 AM	48	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 2:29:00 AM	60	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 2:29:00 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 2:29:00 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/11/2016 2:23:20 AM	60	mg/l
ZONA SOVECORD SRL	Substante organice	3/11/2016 2:23:20 AM	48	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 2:23:20 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 2:23:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 2:18:40 AM	48	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 2:18:00 AM	60	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 2:18:00 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 2:18:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 2:12:40 AM	48	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 2:12:20 AM	60	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 2:12:20 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 2:12:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 2:07:40 AM	48	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 2:07:00 AM	60	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 2:07:00 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 2:07:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 2:01:40 AM	48	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 2:01:20 AM	59	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 2:01:20 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 2:01:20 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/11/2016 1:56:00 AM	58	mg/l
ZONA SOVECORD SRL	Substante organice	3/11/2016 1:56:00 AM	48	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 1:56:00 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 1:56:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 1:51:00 AM	48	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 1:50:20 AM	58	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 1:50:20 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 1:50:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 1:45:20 AM	48	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 1:44:41 AM	58	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 1:44:41 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 1:44:41 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 1:39:40 AM	48	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 1:39:01 AM	59	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 1:39:01 AM	16	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	pH	3/11/2016 1:39:01 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 1:34:20 AM	48	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 1:33:40 AM	59	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 1:33:40 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 1:33:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 1:28:40 AM	48	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 1:28:00 AM	59	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 1:28:00 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 1:28:00 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/11/2016 1:22:40 AM	59	mg/l
ZONA SOVECORD SRL	Substante organice	3/11/2016 1:22:40 AM	48	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 1:22:40 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 1:22:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 1:17:40 AM	48	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 1:17:00 AM	60	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 1:17:00 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 1:17:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 1:12:00 AM	48	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 1:11:20 AM	60	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 1:11:20 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 1:11:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 1:06:40 AM	48	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 1:06:00 AM	60	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 1:06:00 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 1:06:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 1:01:00 AM	48	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 1:00:20 AM	60	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 1:00:20 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 1:00:20 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/11/2016 12:55:00 AM	60	mg/l
ZONA SOVECORD SRL	Substante organice	3/11/2016 12:55:00 AM	48	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 12:55:00 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 12:55:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 12:50:00 AM	48	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 12:49:20 AM	60	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 12:49:20 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 12:49:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 12:44:40 AM	48	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 12:44:00 AM	59	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 12:44:00 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 12:44:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 12:38:41 AM	48	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 12:38:20 AM	59	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 12:38:20 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 12:38:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 12:33:40 AM	48	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 12:33:00 AM	59	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 12:33:00 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 12:33:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 12:27:40 AM	48	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 12:27:20 AM	58	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 12:27:20 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 12:27:20 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/11/2016 12:22:00 AM	58	mg/l
ZONA SOVECORD SRL	Substante organice	3/11/2016 12:22:00 AM	48	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 12:22:00 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 12:22:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 12:16:40 AM	48	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 12:16:20 AM	58	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 12:16:20 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 12:16:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 12:11:20 AM	48	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 12:11:00 AM	57	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 12:11:00 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 12:11:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 12:05:40 AM	48	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Grasimi	3/11/2016 12:05:20 AM	58	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 12:05:20 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 12:05:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/11/2016 12:00:40 AM	48	mg/l
ZONA SOVECORD SRL	Grasimi	3/11/2016 12:00:00 AM	58	mg/l
ZONA SOVECORD SRL	Temp	3/11/2016 12:00:00 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/11/2016 12:00:00 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/10/2016 11:54:20 PM	58	mg/l
ZONA SOVECORD SRL	Substante organice	3/10/2016 11:54:20 PM	48	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 11:54:20 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 11:54:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 11:49:40 PM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 11:49:00 PM	58	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 11:49:00 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 11:49:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 11:43:40 PM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 11:43:20 PM	58	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 11:43:20 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 11:43:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 11:38:40 PM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 11:38:00 PM	58	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 11:38:00 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 11:38:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 11:32:40 PM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 11:32:20 PM	58	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 11:32:20 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 11:32:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 11:27:40 PM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 11:27:00 PM	57	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 11:27:00 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 11:27:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 11:21:40 PM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 11:21:20 PM	57	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 11:21:20 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 11:21:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 11:16:40 PM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 11:16:01 PM	57	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 11:16:01 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 11:16:01 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 11:10:40 PM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 11:10:20 PM	57	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 11:10:20 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 11:10:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 11:05:20 PM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 11:04:40 PM	57	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 11:04:40 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 11:04:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 10:59:40 PM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 10:59:20 PM	57	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 10:59:20 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 10:59:20 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/10/2016 10:53:41 PM	57	mg/l
ZONA SOVECORD SRL	Substante organice	3/10/2016 10:53:41 PM	49	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 10:53:41 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 10:53:41 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 10:48:40 PM	48	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 10:48:20 PM	56	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 10:48:20 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 10:48:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 10:43:00 PM	48	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 10:42:40 PM	57	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 10:42:40 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 10:42:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 10:37:40 PM	48	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 10:37:21 PM	57	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 10:37:20 PM	16	gradCels



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	pH	3/10/2016 10:37:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 10:32:20 PM	48	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 10:31:40 PM	56	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 10:31:40 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 10:31:40 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/10/2016 10:26:20 PM	57	mg/l
ZONA SOVECORD SRL	Substante organice	3/10/2016 10:26:20 PM	48	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 10:26:20 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 10:26:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 10:21:20 PM	48	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 10:20:40 PM	56	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 10:20:40 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 10:20:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 10:15:40 PM	48	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 10:15:20 PM	56	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 10:15:20 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 10:15:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 10:10:20 PM	48	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 10:09:40 PM	56	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 10:09:40 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 10:09:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 10:05:00 PM	48	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 10:04:20 PM	56	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 10:04:20 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 10:04:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 9:59:20 PM	48	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 9:58:40 PM	56	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 9:58:40 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 9:58:40 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/10/2016 9:53:20 PM	56	mg/l
ZONA SOVECORD SRL	Substante organice	3/10/2016 9:53:20 PM	48	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 9:53:20 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 9:53:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 9:48:40 PM	48	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 9:48:00 PM	56	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 9:48:00 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 9:48:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 9:43:00 PM	48	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 9:42:20 PM	55	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 9:42:20 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 9:42:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 9:37:40 PM	48	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 9:37:00 PM	55	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 9:37:00 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 9:37:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 9:32:00 PM	48	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 9:31:20 PM	55	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 9:31:20 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 9:31:20 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/10/2016 9:25:20 PM	55	mg/l
ZONA SOVECORD SRL	Substante organice	3/10/2016 9:25:20 PM	48	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 9:25:20 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 9:25:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 9:20:40 PM	48	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 9:20:00 PM	54	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 9:20:00 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 9:20:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 9:15:00 PM	48	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 9:14:20 PM	54	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 9:14:20 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 9:14:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 9:09:40 PM	48	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 9:09:00 PM	54	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 9:09:00 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 9:09:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 9:03:40 PM	48	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Grasimi	3/10/2016 9:03:20 PM	54	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 9:03:20 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 9:03:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 8:58:40 PM	48	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 8:58:00 PM	54	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 8:58:00 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 8:58:00 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/10/2016 8:52:20 PM	54	mg/l
ZONA SOVECORD SRL	Substante organice	3/10/2016 8:52:20 PM	48	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 8:52:20 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 8:52:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 8:48:00 PM	48	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 8:47:20 PM	53	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 8:47:20 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 8:47:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 8:41:40 PM	48	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 8:41:20 PM	53	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 8:41:20 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 8:41:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 8:37:00 PM	48	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 8:36:20 PM	53	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 8:36:20 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 8:36:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 8:30:40 PM	48	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 8:30:20 PM	53	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 8:30:20 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 8:30:20 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/10/2016 8:25:20 PM	53	mg/l
ZONA SOVECORD SRL	Substante organice	3/10/2016 8:25:20 PM	48	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 8:25:20 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 8:25:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 8:20:01 PM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 8:19:20 PM	53	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 8:19:20 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 8:19:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 8:15:00 PM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 8:14:20 PM	53	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 8:14:20 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 8:14:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 8:09:20 PM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 8:08:40 PM	53	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 8:08:40 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 8:08:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 8:04:00 PM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 8:03:20 PM	53	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 8:03:20 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 8:03:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 7:58:20 PM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 7:57:20 PM	53	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 7:57:20 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 7:57:20 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/10/2016 7:52:20 PM	53	mg/l
ZONA SOVECORD SRL	Substante organice	3/10/2016 7:52:20 PM	49	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 7:52:20 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 7:52:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 7:47:20 PM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 7:46:20 PM	53	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 7:46:20 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 7:46:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 7:42:00 PM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 7:41:20 PM	53	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 7:41:20 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 7:41:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 7:36:20 PM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 7:35:20 PM	53	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 7:35:20 PM	17	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	pH	3/10/2016 7:35:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 7:30:40 PM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 7:30:00 PM	53	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 7:30:00 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 7:30:00 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/10/2016 7:24:00 PM	53	mg/l
ZONA SOVECORD SRL	Substante organice	3/10/2016 7:24:00 PM	49	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 7:24:00 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 7:24:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 7:19:40 PM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 7:19:00 PM	53	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 7:19:00 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 7:19:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 7:14:00 PM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 7:13:20 PM	52	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 7:13:20 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 7:13:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 7:08:20 PM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 7:07:40 PM	52	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 7:07:40 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 7:07:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 7:03:00 PM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 7:02:20 PM	52	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 7:02:20 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 7:02:20 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/10/2016 6:56:40 PM	52	mg/l
ZONA SOVECORD SRL	Substante organice	3/10/2016 6:56:40 PM	49	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 6:56:40 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 6:56:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 6:52:00 PM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 6:51:20 PM	52	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 6:51:20 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 6:51:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 6:46:20 PM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 6:45:40 PM	53	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 6:45:40 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 6:45:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 6:41:20 PM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 6:40:40 PM	53	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 6:40:40 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 6:40:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 6:35:00 PM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 6:34:40 PM	53	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 6:34:40 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 6:34:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 6:30:20 PM	49	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 6:29:40 PM	52	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 6:29:40 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 6:29:40 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/10/2016 6:23:40 PM	52	mg/l
ZONA SOVECORD SRL	Substante organice	3/10/2016 6:23:40 PM	49	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 6:23:40 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 6:23:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 6:19:20 PM	50	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 6:18:20 PM	52	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 6:18:20 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 6:18:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 6:14:00 PM	50	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 6:13:40 PM	52	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 6:13:40 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 6:13:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 6:08:20 PM	50	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 6:08:00 PM	52	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 6:08:00 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 6:08:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 6:02:40 PM	50	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Grasimi	3/10/2016 6:02:20 PM	52	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 6:02:20 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 6:02:20 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/10/2016 5:57:00 PM	52	mg/l
ZONA SOVECORD SRL	Substante organice	3/10/2016 5:57:00 PM	50	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 5:57:00 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 5:57:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 5:51:40 PM	50	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 5:51:20 PM	52	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 5:51:20 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 5:51:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 5:46:20 PM	50	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 5:46:00 PM	52	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 5:46:00 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 5:46:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 5:40:40 PM	50	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 5:40:20 PM	52	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 5:40:20 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 5:40:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 5:35:20 PM	50	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 5:35:01 PM	52	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 5:35:01 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 5:35:01 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 5:29:40 PM	50	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 5:29:20 PM	52	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 5:29:20 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 5:29:20 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/10/2016 5:24:00 PM	52	mg/l
ZONA SOVECORD SRL	Substante organice	3/10/2016 5:24:00 PM	50	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 5:24:00 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 5:24:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 5:18:40 PM	51	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 5:18:20 PM	52	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 5:18:20 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 5:18:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 5:13:00 PM	51	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 5:12:40 PM	52	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 5:12:40 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 5:12:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 5:07:40 PM	51	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 5:07:20 PM	52	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 5:07:20 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 5:07:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 5:02:00 PM	51	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 5:01:40 PM	52	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 5:01:40 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 5:01:40 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/10/2016 4:56:20 PM	51	mg/l
ZONA SOVECORD SRL	Substante organice	3/10/2016 4:56:20 PM	51	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 4:56:20 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 4:56:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 4:51:00 PM	51	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 4:50:40 PM	51	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 4:50:40 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 4:50:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 4:45:20 PM	51	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 4:45:00 PM	51	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 4:45:00 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 4:45:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 4:40:00 PM	51	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 4:39:40 PM	51	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 4:39:40 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 4:39:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 4:34:20 PM	51	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 4:34:00 PM	51	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 4:34:00 PM	16	gradCels



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	pH	3/10/2016 4:34:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 4:29:00 PM	51	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 4:28:40 PM	51	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 4:28:40 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 4:28:40 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/10/2016 4:23:00 PM	50	mg/l
ZONA SOVECORD SRL	Substante organice	3/10/2016 4:23:00 PM	51	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 4:23:00 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 4:23:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 4:18:01 PM	52	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 4:17:41 PM	51	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 4:17:41 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 4:17:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 4:12:20 PM	52	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 4:12:00 PM	51	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 4:12:00 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 4:12:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 4:06:40 PM	52	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 4:06:20 PM	51	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 4:06:20 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 4:06:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 4:01:20 PM	52	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 4:01:00 PM	50	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 4:01:00 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 4:01:00 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/10/2016 3:55:20 PM	54	mg/l
ZONA SOVECORD SRL	Substante organice	3/10/2016 3:55:20 PM	52	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 3:55:20 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 3:55:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 3:50:20 PM	52	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 3:50:00 PM	55	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 3:50:00 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 3:50:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 3:44:40 PM	52	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 3:44:20 PM	54	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 3:44:20 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 3:44:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 3:39:20 PM	52	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 3:39:00 PM	53	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 3:39:00 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 3:39:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 3:33:40 PM	52	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 3:33:00 PM	55	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 3:33:00 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 3:33:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 3:28:40 PM	52	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 3:28:21 PM	55	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 3:28:21 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 3:28:21 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/10/2016 3:22:20 PM	55	mg/l
ZONA SOVECORD SRL	Substante organice	3/10/2016 3:22:20 PM	52	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 3:22:20 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 3:22:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 3:17:40 PM	52	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 3:17:20 PM	55	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 3:17:20 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 3:17:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 3:12:00 PM	52	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 3:11:40 PM	54	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 3:11:40 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 3:11:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 3:06:00 PM	52	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 3:05:20 PM	54	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 3:05:20 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 3:05:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 3:01:00 PM	52	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Grasimi	3/10/2016 3:00:00 PM	54	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 3:00:00 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 3:00:00 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/10/2016 2:54:00 PM	54	mg/l
ZONA SOVECORD SRL	Substante organice	3/10/2016 2:54:00 PM	52	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 2:54:00 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 2:54:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 2:50:00 PM	52	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 2:48:40 PM	53	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 2:48:40 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 2:48:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 2:43:40 PM	52	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 2:43:00 PM	51	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 2:43:00 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 2:43:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 2:39:00 PM	52	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 2:37:40 PM	51	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 2:37:40 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 2:37:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 2:32:41 PM	52	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 2:32:00 PM	54	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 2:32:00 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 2:32:00 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/10/2016 2:26:40 PM	54	mg/l
ZONA SOVECORD SRL	Substante organice	3/10/2016 2:26:40 PM	52	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 2:26:40 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 2:26:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 2:21:40 PM	53	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 2:21:00 PM	53	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 2:21:00 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 2:21:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 2:17:00 PM	53	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 2:15:40 PM	53	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 2:15:40 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 2:15:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 2:10:40 PM	53	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 2:10:00 PM	53	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 2:10:00 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 2:10:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 2:05:40 PM	53	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 2:04:40 PM	54	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 2:04:40 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 2:04:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 2:00:40 PM	53	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 1:59:21 PM	54	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 1:59:21 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 1:59:21 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/10/2016 1:53:40 PM	53	mg/l
ZONA SOVECORD SRL	Substante organice	3/10/2016 1:53:40 PM	53	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 1:53:40 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 1:53:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 1:49:20 PM	54	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 1:48:20 PM	53	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 1:48:20 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 1:48:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 1:43:40 PM	54	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 1:42:40 PM	53	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 1:42:40 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 1:42:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 1:38:20 PM	54	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 1:37:00 PM	53	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 1:37:00 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 1:37:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 1:33:00 PM	54	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 1:31:41 PM	53	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 1:31:41 PM	16	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	pH	3/10/2016 1:31:41 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/10/2016 1:26:00 PM	53	mg/l
ZONA SOVECORD SRL	Substante organice	3/10/2016 1:26:00 PM	54	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 1:26:00 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 1:26:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 1:22:00 PM	54	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 1:20:40 PM	53	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 1:20:40 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 1:20:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 1:16:20 PM	54	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 1:15:00 PM	53	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 1:15:00 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 1:15:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 1:10:40 PM	54	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 1:09:40 PM	53	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 1:09:40 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 1:09:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 1:05:20 PM	54	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 1:04:00 PM	53	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 1:04:00 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 1:04:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 12:59:00 PM	54	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 12:58:20 PM	53	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 12:58:20 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 12:58:20 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/10/2016 12:52:40 PM	52	mg/l
ZONA SOVECORD SRL	Substante organice	3/10/2016 12:52:40 PM	54	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 12:52:40 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 12:52:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 12:48:20 PM	54	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 12:47:40 PM	52	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 12:47:40 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 12:47:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 12:43:20 PM	54	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 12:41:40 PM	52	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 12:41:40 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 12:41:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 12:36:40 PM	54	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 12:36:20 PM	53	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 12:36:20 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 12:36:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 12:32:00 PM	54	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 12:30:20 PM	52	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 12:30:20 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 12:30:20 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/10/2016 12:25:20 PM	52	mg/l
ZONA SOVECORD SRL	Substante organice	3/10/2016 12:25:20 PM	54	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 12:25:20 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 12:25:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 12:21:20 PM	54	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 12:19:40 PM	52	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 12:19:40 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 12:19:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 12:14:40 PM	54	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 12:14:20 PM	52	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 12:14:20 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 12:14:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 12:10:20 PM	54	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 12:08:40 PM	52	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 12:08:40 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 12:08:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 12:05:00 PM	54	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 12:04:00 PM	52	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 12:04:00 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 12:04:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 11:59:20 AM	54	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Grasimi	3/10/2016 11:58:20 AM	52	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 11:58:20 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 11:58:20 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/10/2016 11:53:00 AM	52	mg/l
ZONA SOVECORD SRL	Substante organice	3/10/2016 11:53:00 AM	54	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 11:53:00 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 11:53:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 11:48:00 AM	54	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 11:47:20 AM	52	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 11:47:20 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 11:47:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 11:43:00 AM	54	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 11:42:00 AM	52	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 11:42:00 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 11:42:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 11:37:00 AM	54	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 11:36:00 AM	52	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 11:36:00 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 11:36:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 11:32:00 AM	54	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 11:31:00 AM	52	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 11:31:00 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 11:31:00 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/10/2016 11:25:00 AM	52	mg/l
ZONA SOVECORD SRL	Substante organice	3/10/2016 11:25:00 AM	54	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 11:25:00 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 11:25:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 11:20:40 AM	55	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 11:20:00 AM	52	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 11:20:00 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 11:20:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 11:15:00 AM	55	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 11:14:00 AM	52	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 11:14:00 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 11:14:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 11:10:00 AM	55	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 11:09:00 AM	52	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 11:09:00 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 11:09:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 11:04:00 AM	55	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 11:02:40 AM	52	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 11:02:40 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 11:02:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 10:58:20 AM	55	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 10:57:00 AM	52	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 10:57:00 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 10:57:00 AM	8	unit pH
ZONA SOVECORD SRL	pH	3/10/2016 10:53:00 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/10/2016 10:51:40 AM	51	mg/l
ZONA SOVECORD SRL	Substante organice	3/10/2016 10:51:40 AM	55	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 10:51:40 AM	16	gradCels
ZONA SOVECORD SRL	Substante organice	3/10/2016 10:47:00 AM	56	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 10:46:00 AM	51	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 10:46:00 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 10:46:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 10:42:00 AM	56	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 10:40:40 AM	52	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 10:40:40 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 10:40:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 10:36:00 AM	56	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 10:35:20 AM	52	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 10:35:20 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 10:35:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 10:31:00 AM	56	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 10:30:00 AM	52	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 10:30:00 AM	16	gradCels



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	pH	3/10/2016 10:30:00 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/10/2016 10:24:20 AM	51	mg/l
ZONA SOVECORD SRL	Substante organice	3/10/2016 10:24:20 AM	56	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 10:24:20 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 10:24:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 10:19:40 AM	57	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 10:19:00 AM	51	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 10:19:00 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 10:19:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 10:14:20 AM	57	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 10:13:40 AM	51	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 10:13:40 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 10:13:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 10:08:40 AM	57	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 10:08:00 AM	51	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 10:08:00 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 10:08:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 10:03:40 AM	57	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 10:03:00 AM	51	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 10:03:00 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 10:03:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 9:57:40 AM	57	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 9:57:00 AM	51	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 9:57:00 AM	16	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 9:57:00 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/10/2016 9:51:40 AM	51	mg/l
ZONA SOVECORD SRL	Substante organice	3/10/2016 9:51:40 AM	57	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 9:51:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 9:51:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 9:46:40 AM	57	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 9:46:00 AM	51	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 9:46:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 9:46:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 9:41:40 AM	57	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 9:41:01 AM	51	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 9:41:01 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 9:41:01 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 9:35:40 AM	57	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 9:35:00 AM	51	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 9:35:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 9:35:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 9:30:40 AM	57	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 9:30:00 AM	51	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 9:30:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 9:30:00 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/10/2016 9:24:00 AM	51	mg/l
ZONA SOVECORD SRL	Substante organice	3/10/2016 9:24:00 AM	57	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 9:24:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 9:24:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 9:19:40 AM	58	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 9:19:01 AM	51	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 9:19:01 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 9:19:01 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 9:13:40 AM	58	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 9:13:00 AM	51	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 9:13:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 9:13:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 9:08:40 AM	58	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 9:07:40 AM	51	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 9:07:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 9:07:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 9:03:00 AM	58	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 9:02:01 AM	51	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 9:02:01 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 9:02:01 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/10/2016 8:56:00 AM	51	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Substante organice	3/10/2016 8:56:00 AM	58	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 8:56:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 8:56:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 8:52:00 AM	58	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 8:50:40 AM	51	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 8:50:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 8:50:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 8:45:40 AM	58	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 8:45:00 AM	51	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 8:45:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 8:45:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 8:41:00 AM	58	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 8:39:40 AM	50	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 8:39:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 8:39:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 8:34:40 AM	58	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 8:34:00 AM	51	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 8:34:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 8:34:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 8:29:20 AM	58	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 8:28:20 AM	50	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 8:28:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 8:28:20 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/10/2016 8:23:00 AM	50	mg/l
ZONA SOVECORD SRL	Substante organice	3/10/2016 8:23:00 AM	58	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 8:23:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 8:23:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 8:18:40 AM	58	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 8:17:20 AM	50	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 8:17:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 8:17:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 8:13:00 AM	58	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 8:12:00 AM	50	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 8:12:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 8:12:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 8:07:40 AM	58	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 8:06:20 AM	50	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 8:06:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 8:06:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 8:02:20 AM	58	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 8:01:20 AM	50	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 8:01:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 8:01:20 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/10/2016 7:55:40 AM	50	mg/l
ZONA SOVECORD SRL	Substante organice	3/10/2016 7:55:40 AM	58	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 7:55:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 7:55:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 7:51:00 AM	58	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 7:50:20 AM	50	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 7:50:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 7:50:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 7:45:40 AM	58	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 7:44:40 AM	50	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 7:44:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 7:44:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 7:40:00 AM	58	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 7:39:20 AM	50	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 7:39:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 7:39:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 7:34:40 AM	58	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 7:33:40 AM	50	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 7:33:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 7:33:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 7:28:20 AM	58	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 7:28:00 AM	50	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 7:28:00 AM	15	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	pH	3/10/2016 7:28:00 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/10/2016 7:22:40 AM	49	mg/l
ZONA SOVECORD SRL	Substante organice	3/10/2016 7:22:40 AM	58	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 7:22:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 7:22:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 7:17:40 AM	59	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 7:17:00 AM	50	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 7:17:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 7:17:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 7:12:40 AM	59	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 7:11:40 AM	50	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 7:11:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 7:11:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 7:06:40 AM	59	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 7:06:00 AM	50	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 7:06:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 7:06:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 7:02:00 AM	59	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 7:01:00 AM	49	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 7:01:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 7:01:00 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/10/2016 6:55:20 AM	49	mg/l
ZONA SOVECORD SRL	Substante organice	3/10/2016 6:55:20 AM	59	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 6:55:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 6:55:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 6:51:00 AM	59	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 6:50:20 AM	49	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 6:50:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 6:50:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 6:45:20 AM	59	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 6:44:40 AM	49	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 6:44:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 6:44:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 6:39:40 AM	59	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 6:39:00 AM	49	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 6:39:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 6:39:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 6:34:20 AM	59	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 6:33:40 AM	49	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 6:33:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 6:33:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 6:28:20 AM	59	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 6:28:00 AM	49	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 6:28:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 6:28:00 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/10/2016 6:23:00 AM	49	mg/l
ZONA SOVECORD SRL	Substante organice	3/10/2016 6:23:00 AM	59	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 6:23:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 6:23:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 6:17:20 AM	60	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 6:17:00 AM	49	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 6:17:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 6:17:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 6:12:00 AM	60	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 6:11:40 AM	49	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 6:11:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 6:11:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 6:06:40 AM	60	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 6:06:01 AM	49	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 6:06:01 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 6:06:01 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 6:01:20 AM	60	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 6:00:40 AM	49	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 6:00:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 6:00:40 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/10/2016 5:55:00 AM	49	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Substante organice	3/10/2016 5:55:00 AM	60	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 5:55:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 5:55:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 5:50:00 AM	60	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 5:49:20 AM	49	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 5:49:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 5:49:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 5:44:40 AM	60	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 5:44:00 AM	49	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 5:44:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 5:44:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 5:39:20 AM	60	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 5:38:40 AM	48	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 5:38:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 5:38:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 5:33:20 AM	60	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 5:33:00 AM	48	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 5:33:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 5:33:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 5:28:20 AM	60	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 5:27:40 AM	48	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 5:27:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 5:27:40 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/10/2016 5:22:20 AM	48	mg/l
ZONA SOVECORD SRL	Substante organice	3/10/2016 5:22:20 AM	60	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 5:22:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 5:22:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 5:17:20 AM	61	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 5:16:40 AM	48	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 5:16:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 5:16:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 5:11:40 AM	61	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 5:11:00 AM	48	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 5:11:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 5:11:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 5:06:00 AM	61	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 5:05:40 AM	48	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 5:05:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 5:05:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 5:00:40 AM	61	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 5:00:00 AM	48	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 5:00:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 5:00:00 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/10/2016 4:54:40 AM	48	mg/l
ZONA SOVECORD SRL	Substante organice	3/10/2016 4:54:40 AM	61	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 4:54:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 4:54:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 4:49:40 AM	61	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 4:49:00 AM	48	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 4:49:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 4:49:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 4:44:20 AM	61	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 4:43:20 AM	48	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 4:43:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 4:43:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 4:38:40 AM	61	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 4:38:00 AM	48	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 4:38:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 4:38:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 4:33:20 AM	61	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 4:32:40 AM	48	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 4:32:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 4:32:40 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/10/2016 4:27:00 AM	48	mg/l
ZONA SOVECORD SRL	Substante organice	3/10/2016 4:27:00 AM	61	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 4:27:00 AM	15	gradCels



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	pH	3/10/2016 4:27:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 4:22:20 AM	62	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 4:21:20 AM	48	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 4:21:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 4:21:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 4:17:00 AM	62	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 4:16:00 AM	47	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 4:16:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 4:16:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 4:11:20 AM	62	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 4:10:20 AM	47	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 4:10:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 4:10:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 4:05:20 AM	62	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 4:05:00 AM	47	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 4:05:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 4:05:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 4:00:20 AM	62	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 3:59:00 AM	47	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 3:59:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 3:59:00 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/10/2016 3:53:20 AM	47	mg/l
ZONA SOVECORD SRL	Substante organice	3/10/2016 3:53:20 AM	62	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 3:53:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 3:53:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 3:49:20 AM	63	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 3:48:00 AM	47	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 3:48:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 3:48:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 3:42:40 AM	63	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 3:42:20 AM	47	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 3:42:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 3:42:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 3:38:00 AM	63	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 3:37:00 AM	47	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 3:37:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 3:37:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 3:31:40 AM	63	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 3:31:20 AM	47	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 3:31:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 3:31:20 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/10/2016 3:25:40 AM	47	mg/l
ZONA SOVECORD SRL	Substante organice	3/10/2016 3:25:40 AM	63	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 3:25:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 3:25:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 3:20:40 AM	63	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 3:20:21 AM	46	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 3:20:21 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 3:20:21 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 3:16:00 AM	63	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 3:14:40 AM	46	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 3:14:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 3:14:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 3:09:40 AM	63	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 3:09:20 AM	46	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 3:09:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 3:09:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 3:04:41 AM	63	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 3:03:40 AM	46	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 3:03:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 3:03:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 2:58:40 AM	63	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 2:58:20 AM	46	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 2:58:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 2:58:20 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/10/2016 2:52:40 AM	46	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Substante organice	3/10/2016 2:52:40 AM	63	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 2:52:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 2:52:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 2:47:20 AM	63	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 2:47:00 AM	46	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 2:47:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 2:47:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 2:43:00 AM	63	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 2:41:40 AM	46	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 2:41:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 2:41:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 2:36:20 AM	63	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 2:36:00 AM	46	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 2:36:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 2:36:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 2:32:00 AM	63	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 2:31:00 AM	46	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 2:31:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 2:31:00 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/10/2016 2:25:20 AM	46	mg/l
ZONA SOVECORD SRL	Substante organice	3/10/2016 2:25:20 AM	63	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 2:25:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 2:25:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 2:21:00 AM	64	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 2:20:00 AM	46	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 2:20:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 2:20:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 2:15:20 AM	64	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 2:14:20 AM	46	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 2:14:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 2:14:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 2:09:40 AM	64	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 2:08:40 AM	45	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 2:08:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 2:08:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 2:04:00 AM	64	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 2:03:20 AM	45	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 2:03:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 2:03:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 1:58:40 AM	64	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 1:57:40 AM	45	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 1:57:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 1:57:40 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/10/2016 1:52:20 AM	45	mg/l
ZONA SOVECORD SRL	Substante organice	3/10/2016 1:52:20 AM	64	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 1:52:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 1:52:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 1:48:20 AM	65	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 1:47:20 AM	45	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 1:47:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 1:47:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 1:42:20 AM	65	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 1:41:20 AM	45	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 1:41:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 1:41:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 1:37:00 AM	65	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 1:35:40 AM	45	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 1:35:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 1:35:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 1:31:20 AM	65	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 1:30:20 AM	45	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 1:30:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 1:30:20 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/10/2016 1:24:40 AM	45	mg/l
ZONA SOVECORD SRL	Substante organice	3/10/2016 1:24:40 AM	65	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 1:24:40 AM	15	gradCels

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	pH	3/10/2016 1:24:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 1:20:40 AM	66	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 1:19:20 AM	44	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 1:19:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 1:19:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 1:15:00 AM	66	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 1:13:40 AM	45	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 1:13:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 1:13:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 1:09:40 AM	66	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 1:08:20 AM	44	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 1:08:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 1:08:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 1:04:00 AM	66	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 1:02:40 AM	44	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 1:02:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 1:02:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 12:58:00 AM	66	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 12:57:00 AM	44	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 12:57:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 12:57:00 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/10/2016 12:51:40 AM	44	mg/l
ZONA SOVECORD SRL	Substante organice	3/10/2016 12:51:40 AM	66	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 12:51:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 12:51:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 12:47:00 AM	67	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 12:46:00 AM	44	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 12:46:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 12:46:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 12:41:40 AM	67	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 12:40:40 AM	44	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 12:40:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 12:40:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 12:36:00 AM	67	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 12:35:00 AM	44	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 12:35:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 12:35:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 12:30:40 AM	67	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 12:29:40 AM	44	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 12:29:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 12:29:40 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/10/2016 12:24:00 AM	44	mg/l
ZONA SOVECORD SRL	Substante organice	3/10/2016 12:24:00 AM	67	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 12:24:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 12:24:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 12:19:40 AM	68	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 12:18:40 AM	44	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 12:18:40 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 12:18:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 12:14:00 AM	68	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 12:13:00 AM	43	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 12:13:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 12:13:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 12:08:20 AM	68	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 12:07:20 AM	44	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 12:07:20 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 12:07:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/10/2016 12:03:00 AM	68	mg/l
ZONA SOVECORD SRL	Grasimi	3/10/2016 12:02:00 AM	43	mg/l
ZONA SOVECORD SRL	Temp	3/10/2016 12:02:00 AM	15	gradCels
ZONA SOVECORD SRL	pH	3/10/2016 12:02:00 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/9/2016 11:57:00 PM	43	mg/l
ZONA SOVECORD SRL	Substante organice	3/9/2016 11:57:00 PM	68	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 11:57:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 11:57:00 PM	8	unit pH
ZONA SOVECORD SRL	pH	3/9/2016 11:56:40 PM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Grasimi	3/9/2016 11:56:20 PM	43	mg/l
ZONA SOVECORD SRL	Substante organice	3/9/2016 11:56:20 PM	68	mg/l
ZONA SOVECORD SRL	Substante organice	3/9/2016 11:52:00 PM	69	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 11:51:01 PM	43	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 11:51:01 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 11:51:01 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 11:46:20 PM	69	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 11:45:40 PM	43	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 11:45:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 11:45:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 11:41:00 PM	69	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 11:40:21 PM	43	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 11:40:21 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 11:40:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 11:35:00 PM	69	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 11:34:40 PM	43	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 11:34:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 11:34:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 11:29:40 PM	69	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 11:29:00 PM	43	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 11:29:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 11:29:00 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/9/2016 11:23:40 PM	42	mg/l
ZONA SOVECORD SRL	Substante organice	3/9/2016 11:23:40 PM	69	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 11:23:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 11:23:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 11:18:40 PM	70	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 11:18:00 PM	42	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 11:18:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 11:18:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 11:13:00 PM	70	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 11:12:40 PM	42	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 11:12:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 11:12:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 11:08:00 PM	70	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 11:06:20 PM	42	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 11:06:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 11:06:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 11:01:00 PM	70	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 11:00:40 PM	42	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 11:00:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 11:00:40 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/9/2016 10:55:20 PM	42	mg/l
ZONA SOVECORD SRL	Substante organice	3/9/2016 10:55:20 PM	70	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 10:55:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 10:55:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 10:49:40 PM	71	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 10:49:20 PM	42	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 10:49:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 10:49:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 10:46:00 PM	71	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 10:44:00 PM	42	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 10:44:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 10:44:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 10:39:41 PM	71	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 10:38:20 PM	42	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 10:38:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 10:38:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 10:35:00 PM	71	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 10:33:00 PM	41	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 10:33:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 10:33:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 10:28:40 PM	71	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 10:27:20 PM	42	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 10:27:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 10:27:20 PM	8	unit pH



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Grasimi	3/9/2016 10:21:40 PM	41	mg/l
ZONA SOVECORD SRL	Substante organice	3/9/2016 10:21:40 PM	71	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 10:21:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 10:21:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 10:17:40 PM	73	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 10:16:20 PM	41	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 10:16:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 10:16:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 10:12:40 PM	73	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 10:10:40 PM	41	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 10:10:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 10:10:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 10:06:40 PM	73	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 10:05:20 PM	41	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 10:05:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 10:05:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 10:01:40 PM	73	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 9:59:40 PM	41	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 9:59:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 9:59:40 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/9/2016 9:54:00 PM	41	mg/l
ZONA SOVECORD SRL	Substante organice	3/9/2016 9:54:00 PM	73	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 9:54:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 9:54:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 9:50:40 PM	74	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 9:48:40 PM	41	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 9:48:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 9:48:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 9:45:00 PM	74	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 9:43:00 PM	41	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 9:43:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 9:43:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 9:38:00 PM	74	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 9:37:40 PM	41	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 9:37:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 9:37:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 9:34:00 PM	74	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 9:32:00 PM	40	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 9:32:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 9:32:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 9:27:00 PM	74	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 9:26:40 PM	41	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 9:26:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 9:26:40 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/9/2016 9:21:00 PM	40	mg/l
ZONA SOVECORD SRL	Substante organice	3/9/2016 9:21:00 PM	74	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 9:21:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 9:21:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 9:15:40 PM	75	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 9:15:20 PM	40	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 9:15:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 9:15:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 9:12:00 PM	75	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 9:10:00 PM	40	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 9:10:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 9:10:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 9:04:40 PM	75	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 9:04:20 PM	40	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 9:04:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 9:04:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 9:01:00 PM	75	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 8:59:00 PM	40	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 8:59:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 8:59:00 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/9/2016 8:53:20 PM	40	mg/l
ZONA SOVECORD SRL	Substante organice	3/9/2016 8:53:20 PM	75	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Temp	3/9/2016 8:53:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 8:53:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 8:50:00 PM	76	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 8:48:00 PM	39	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 8:48:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 8:48:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 8:43:40 PM	76	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 8:42:20 PM	40	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 8:42:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 8:42:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 8:39:00 PM	76	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 8:37:00 PM	39	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 8:37:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 8:37:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 8:32:40 PM	76	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 8:31:20 PM	39	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 8:31:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 8:31:20 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/9/2016 8:25:40 PM	39	mg/l
ZONA SOVECORD SRL	Substante organice	3/9/2016 8:25:40 PM	76	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 8:25:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 8:25:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 8:20:40 PM	79	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 8:20:20 PM	39	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 8:20:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 8:20:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 8:17:00 PM	79	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 8:14:40 PM	38	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 8:14:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 8:14:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 8:09:40 PM	79	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 8:09:20 PM	39	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 8:09:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 8:09:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 8:06:20 PM	79	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 8:04:20 PM	38	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 8:04:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 8:04:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 8:00:40 PM	79	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 8:00:00 PM	38	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 8:00:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 8:00:00 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/9/2016 7:54:40 PM	38	mg/l
ZONA SOVECORD SRL	Substante organice	3/9/2016 7:54:40 PM	79	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 7:54:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 7:54:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 7:49:40 PM	81	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 7:49:00 PM	38	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 7:49:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 7:49:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 7:44:20 PM	81	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 7:43:20 PM	38	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 7:43:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 7:43:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 7:38:40 PM	81	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 7:38:00 PM	38	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 7:38:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 7:38:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 7:33:00 PM	81	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 7:32:20 PM	38	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 7:32:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 7:32:20 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/9/2016 7:27:00 PM	37	mg/l
ZONA SOVECORD SRL	Substante organice	3/9/2016 7:27:00 PM	81	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 7:27:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 7:27:00 PM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Substante organice	3/9/2016 7:22:00 PM	83	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 7:21:20 PM	37	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 7:21:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 7:21:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 7:16:20 PM	83	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 7:15:40 PM	37	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 7:15:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 7:15:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 7:11:00 PM	83	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 7:10:20 PM	37	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 7:10:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 7:10:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 7:05:20 PM	83	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 7:04:40 PM	37	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 7:04:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 7:04:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 7:00:00 PM	83	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 6:59:20 PM	37	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 6:59:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 6:59:20 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/9/2016 6:53:40 PM	37	mg/l
ZONA SOVECORD SRL	Substante organice	3/9/2016 6:53:40 PM	83	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 6:53:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 6:53:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 6:49:00 PM	86	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 6:48:20 PM	36	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 6:48:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 6:48:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 6:43:41 PM	86	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 6:42:40 PM	36	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 6:42:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 6:42:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 6:37:20 PM	86	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 6:37:00 PM	36	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 6:37:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 6:37:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 6:32:20 PM	86	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 6:31:40 PM	36	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 6:31:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 6:31:40 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/9/2016 6:26:00 PM	36	mg/l
ZONA SOVECORD SRL	Substante organice	3/9/2016 6:26:00 PM	86	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 6:26:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 6:26:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 6:21:20 PM	90	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 6:20:40 PM	36	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 6:20:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 6:20:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 6:15:20 PM	90	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 6:15:00 PM	36	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 6:15:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 6:15:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 6:10:20 PM	90	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 6:09:41 PM	36	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 6:09:41 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 6:09:41 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 6:04:20 PM	90	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 6:04:00 PM	35	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 6:04:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 6:04:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 5:59:00 PM	90	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 5:58:20 PM	35	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 5:58:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 5:58:20 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/9/2016 5:53:00 PM	35	mg/l
ZONA SOVECORD SRL	Substante organice	3/9/2016 5:53:00 PM	90	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Temp	3/9/2016 5:53:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 5:53:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 5:48:00 PM	96	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 5:47:21 PM	35	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 5:47:21 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 5:47:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 5:42:20 PM	96	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 5:42:00 PM	35	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 5:42:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 5:42:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 5:36:40 PM	96	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 5:36:20 PM	34	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 5:36:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 5:36:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 5:31:40 PM	96	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 5:31:00 PM	34	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 5:31:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 5:31:00 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/9/2016 5:25:20 PM	34	mg/l
ZONA SOVECORD SRL	Substante organice	3/9/2016 5:25:20 PM	96	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 5:25:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 5:25:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 5:20:20 PM	103	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 5:19:40 PM	34	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 5:19:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 5:19:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 5:14:40 PM	103	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 5:14:20 PM	33	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 5:14:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 5:14:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 5:09:20 PM	103	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 5:08:40 PM	33	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 5:08:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 5:08:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 5:03:40 PM	103	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 5:03:20 PM	33	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 5:03:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 5:03:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 4:58:20 PM	103	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 4:57:40 PM	33	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 4:57:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 4:57:40 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/9/2016 4:52:20 PM	32	mg/l
ZONA SOVECORD SRL	Substante organice	3/9/2016 4:52:20 PM	103	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 4:52:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 4:52:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 4:47:40 PM	114	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 4:47:00 PM	32	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 4:47:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 4:47:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 4:42:20 PM	114	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 4:41:20 PM	32	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 4:41:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 4:41:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 4:37:00 PM	114	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 4:36:20 PM	31	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 4:36:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 4:36:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 4:31:00 PM	114	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 4:30:20 PM	31	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 4:30:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 4:30:20 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/9/2016 4:25:00 PM	31	mg/l
ZONA SOVECORD SRL	Substante organice	3/9/2016 4:25:00 PM	114	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 4:25:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 4:25:00 PM	8	unit pH



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Substante organice	3/9/2016 4:20:00 PM	133	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 4:19:20 PM	31	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 4:19:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 4:19:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 4:14:40 PM	133	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 4:14:00 PM	30	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 4:14:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 4:14:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 4:09:00 PM	133	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 4:08:20 PM	30	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 4:08:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 4:08:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 4:03:40 PM	133	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 4:03:00 PM	30	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 4:03:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 4:03:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 3:58:00 PM	133	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 3:57:20 PM	29	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 3:57:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 3:57:20 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/9/2016 3:52:00 PM	29	mg/l
ZONA SOVECORD SRL	Substante organice	3/9/2016 3:52:00 PM	133	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 3:52:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 3:52:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 3:47:00 PM	200	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 3:46:00 PM	28	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 3:46:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 3:46:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 3:41:40 PM	200	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 3:41:00 PM	28	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 3:41:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 3:41:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 3:36:00 PM	200	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 3:35:00 PM	27	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 3:35:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 3:35:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 3:30:20 PM	200	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 3:29:40 PM	27	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 3:29:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 3:29:40 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/9/2016 3:24:20 PM	26	mg/l
ZONA SOVECORD SRL	Substante organice	3/9/2016 3:24:20 PM	200	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 3:24:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 3:24:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 3:19:20 PM	160	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 3:18:40 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 3:18:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 3:18:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 3:14:00 PM	160	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 3:13:40 PM	25	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 3:13:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 3:13:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 3:08:20 PM	160	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 3:07:41 PM	25	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 3:07:41 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 3:07:41 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 3:03:00 PM	160	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 3:02:40 PM	24	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 3:02:40 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 3:02:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 2:57:20 PM	160	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 2:57:00 PM	23	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 2:57:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 2:57:00 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/9/2016 2:51:41 PM	23	mg/l
ZONA SOVECORD SRL	Substante organice	3/9/2016 2:51:41 PM	160	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Temp	3/9/2016 2:51:41 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 2:51:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 2:46:20 PM	110	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 2:46:00 PM	22	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 2:46:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 2:46:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 2:41:00 PM	110	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 2:40:20 PM	21	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 2:40:20 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 2:40:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 2:35:20 PM	110	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 2:35:00 PM	20	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 2:35:00 PM	15	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 2:35:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 2:30:00 PM	110	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 2:29:01 PM	19	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 2:29:01 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 2:29:01 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/9/2016 2:23:40 PM	18	mg/l
ZONA SOVECORD SRL	Substante organice	3/9/2016 2:23:40 PM	110	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 2:23:40 PM	16	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 2:23:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 2:19:00 PM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 2:18:20 PM	16	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 2:18:20 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 2:18:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 2:13:20 PM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 2:13:00 PM	24	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 2:13:00 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 2:13:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 2:08:00 PM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 2:07:20 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 2:07:20 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 2:07:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 2:02:00 PM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 2:01:40 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 2:01:40 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 2:01:40 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/9/2016 1:56:00 PM	26	mg/l
ZONA SOVECORD SRL	Substante organice	3/9/2016 1:56:00 PM	10	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 1:56:00 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 1:56:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 1:50:40 PM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 1:50:20 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 1:50:20 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 1:50:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 1:45:40 PM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 1:45:00 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 1:45:00 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 1:45:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 1:39:40 PM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 1:39:20 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 1:39:20 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 1:39:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 1:34:40 PM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 1:33:40 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 1:33:40 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 1:33:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 1:29:00 PM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 1:28:21 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 1:28:21 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 1:28:21 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/9/2016 1:22:40 PM	26	mg/l
ZONA SOVECORD SRL	Substante organice	3/9/2016 1:22:40 PM	10	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 1:22:40 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 1:22:40 PM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Substante organice	3/9/2016 1:18:00 PM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 1:17:20 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 1:17:20 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 1:17:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 1:12:00 PM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 1:11:40 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 1:11:40 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 1:11:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 1:07:00 PM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 1:06:00 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 1:06:00 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 1:06:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 1:01:00 PM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 1:00:40 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 1:00:40 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 1:00:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 12:56:00 PM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 12:55:00 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 12:55:00 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 12:55:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 12:50:00 PM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 12:49:40 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 12:49:40 PM	17	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 12:49:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 12:45:00 PM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 12:44:00 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 12:44:00 PM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 12:44:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 12:38:40 PM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 12:38:20 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 12:38:20 PM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 12:38:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 12:34:00 PM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 12:33:00 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 12:33:00 PM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 12:33:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 12:27:40 PM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 12:27:20 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 12:27:20 PM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 12:27:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 12:23:00 PM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 12:22:00 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 12:22:00 PM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 12:22:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 12:16:40 PM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 12:16:20 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 12:16:20 PM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 12:16:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 12:12:00 PM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 12:11:00 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 12:11:00 PM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 12:11:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 12:05:40 PM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 12:05:20 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 12:05:20 PM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 12:05:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 12:01:00 PM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 12:00:20 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 12:00:20 PM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 12:00:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 11:56:00 AM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 11:54:40 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 11:54:40 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 11:54:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 11:50:00 AM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 11:49:00 AM	26	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Temp	3/9/2016 11:49:00 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 11:49:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 11:45:00 AM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 11:43:41 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 11:43:40 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 11:43:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 11:39:00 AM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 11:38:00 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 11:38:00 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 11:38:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 11:33:00 AM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 11:32:40 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 11:32:40 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 11:32:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 11:28:00 AM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 11:27:00 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 11:27:00 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 11:27:00 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/9/2016 11:21:20 AM	26	mg/l
ZONA SOVECORD SRL	Substante organice	3/9/2016 11:21:20 AM	10	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 11:21:20 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 11:21:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 11:17:00 AM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 11:16:00 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 11:16:00 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 11:16:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 11:11:20 AM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 11:11:00 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 11:11:00 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 11:11:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 11:06:00 AM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 11:05:20 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 11:05:20 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 11:05:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 11:00:20 AM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 11:00:00 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 11:00:00 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 11:00:00 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/9/2016 10:54:20 AM	26	mg/l
ZONA SOVECORD SRL	Substante organice	3/9/2016 10:54:20 AM	10	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 10:54:20 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 10:54:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 10:49:20 AM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 10:49:00 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 10:49:00 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 10:49:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 10:44:00 AM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 10:43:00 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 10:43:00 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 10:43:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 10:38:20 AM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 10:38:00 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 10:38:00 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 10:38:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 10:33:20 AM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 10:32:20 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 10:32:20 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 10:32:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 10:27:00 AM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 10:26:40 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 10:26:40 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 10:26:40 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/9/2016 10:21:20 AM	26	mg/l
ZONA SOVECORD SRL	Substante organice	3/9/2016 10:21:20 AM	10	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 10:21:20 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 10:21:20 AM	8	unit pH



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Substante organice	3/9/2016 10:16:00 AM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 10:15:40 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 10:15:40 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 10:15:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 10:11:20 AM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 10:10:20 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 10:10:20 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 10:10:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 10:05:00 AM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 10:04:40 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 10:04:40 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 10:04:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 10:00:00 AM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 9:58:40 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 9:58:40 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 9:58:40 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/9/2016 9:53:20 AM	26	mg/l
ZONA SOVECORD SRL	Substante organice	3/9/2016 9:53:20 AM	10	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 9:53:20 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 9:53:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 9:49:00 AM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 9:47:40 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 9:47:40 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 9:47:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 9:43:00 AM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 9:42:20 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 9:42:20 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 9:42:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 9:38:00 AM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 9:36:40 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 9:36:40 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 9:36:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 9:32:00 AM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 9:31:21 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 9:31:20 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 9:31:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 9:27:00 AM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 9:25:40 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 9:25:40 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 9:25:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 9:21:00 AM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 9:20:00 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 9:20:00 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 9:20:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 9:16:00 AM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 9:14:40 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 9:14:40 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 9:14:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 9:10:00 AM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 9:09:00 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 9:09:00 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 9:09:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 9:04:00 AM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 9:03:40 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 9:03:40 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 9:03:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 8:59:00 AM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 8:58:00 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 8:58:00 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 8:58:00 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/9/2016 8:52:40 AM	26	mg/l
ZONA SOVECORD SRL	Substante organice	3/9/2016 8:52:40 AM	10	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 8:52:40 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 8:52:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 8:48:00 AM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 8:47:00 AM	26	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Temp	3/9/2016 8:47:00 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 8:47:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 8:42:00 AM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 8:41:20 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 8:41:20 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 8:41:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 8:37:00 AM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 8:36:20 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 8:36:20 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 8:36:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 8:32:00 AM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 8:30:20 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 8:30:20 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 8:30:20 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/9/2016 8:24:40 AM	26	mg/l
ZONA SOVECORD SRL	Substante organice	3/9/2016 8:24:40 AM	10	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 8:24:40 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 8:24:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 8:21:20 AM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 8:20:41 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 8:20:40 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 8:20:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 8:16:00 AM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 8:15:20 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 8:15:20 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 8:15:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 8:10:20 AM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 8:09:40 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 8:09:40 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 8:09:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 8:04:40 AM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 8:04:01 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 8:04:00 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 8:04:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 7:59:20 AM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 7:58:40 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 7:58:40 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 7:58:40 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/9/2016 7:53:00 AM	26	mg/l
ZONA SOVECORD SRL	Substante organice	3/9/2016 7:53:00 AM	10	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 7:53:00 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 7:53:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 7:48:20 AM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 7:47:40 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 7:47:40 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 7:47:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 7:42:40 AM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 7:42:00 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 7:42:00 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 7:42:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 7:37:20 AM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 7:36:40 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 7:36:40 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 7:36:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 7:31:40 AM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 7:31:00 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 7:31:00 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 7:31:00 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/9/2016 7:25:20 AM	26	mg/l
ZONA SOVECORD SRL	Substante organice	3/9/2016 7:25:20 AM	10	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 7:25:20 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 7:25:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 7:20:40 AM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 7:20:00 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 7:20:00 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 7:20:00 AM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Substante organice	3/9/2016 7:14:40 AM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 7:14:20 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 7:14:20 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 7:14:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 7:09:40 AM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 7:09:00 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 7:09:00 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 7:09:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 7:03:40 AM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 7:03:20 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 7:03:20 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 7:03:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 6:58:20 AM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 6:58:00 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 6:58:00 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 6:58:00 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/9/2016 6:52:20 AM	26	mg/l
ZONA SOVECORD SRL	Substante organice	3/9/2016 6:52:20 AM	10	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 6:52:20 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 6:52:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 6:47:00 AM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 6:46:40 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 6:46:40 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 6:46:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 6:41:40 AM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 6:41:20 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 6:41:20 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 6:41:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 6:36:20 AM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 6:35:40 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 6:35:40 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 6:35:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 6:30:40 AM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 6:30:20 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 6:30:20 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 6:30:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 6:25:20 AM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 6:24:40 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 6:24:40 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 6:24:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 6:19:40 AM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 6:19:20 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 6:19:20 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 6:19:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 6:14:20 AM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 6:13:40 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 6:13:40 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 6:13:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 6:08:20 AM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 6:08:00 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 6:08:00 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 6:08:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 6:03:20 AM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 6:02:40 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 6:02:40 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 6:02:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 5:57:21 AM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 5:57:01 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 5:57:01 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 5:57:00 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/9/2016 5:51:40 AM	26	mg/l
ZONA SOVECORD SRL	Substante organice	3/9/2016 5:51:40 AM	10	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 5:51:40 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 5:51:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 5:47:00 AM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 5:46:40 AM	26	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Temp	3/9/2016 5:46:40 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 5:46:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 5:42:00 AM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 5:41:00 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 5:41:00 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 5:41:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 5:36:00 AM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 5:35:20 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 5:35:20 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 5:35:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 5:31:00 AM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 5:30:00 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 5:30:00 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 5:30:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 5:24:40 AM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 5:24:20 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 5:24:20 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 5:24:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 5:19:20 AM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 5:19:00 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 5:19:00 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 5:19:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 5:14:21 AM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 5:13:20 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 5:13:20 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 5:13:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 5:08:20 AM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 5:08:00 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 5:08:00 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 5:08:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 5:03:40 AM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 5:02:00 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 5:02:00 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 5:02:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 4:56:40 AM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 4:56:20 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 4:56:20 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 4:56:20 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/9/2016 4:51:00 AM	26	mg/l
ZONA SOVECORD SRL	Substante organice	3/9/2016 4:51:00 AM	10	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 4:51:00 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 4:51:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 4:45:40 AM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 4:45:20 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 4:45:20 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 4:45:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 4:41:20 AM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 4:40:00 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 4:40:00 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 4:40:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 4:34:40 AM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 4:34:20 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 4:34:20 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 4:34:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 4:30:20 AM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 4:28:40 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 4:28:40 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 4:28:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 4:24:00 AM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 4:23:20 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 4:23:20 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 4:23:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 4:18:40 AM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 4:17:40 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 4:17:40 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 4:17:40 AM	8	unit pH



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Substante organice	3/9/2016 4:13:00 AM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 4:12:20 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 4:12:20 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 4:12:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 4:07:40 AM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 4:06:40 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 4:06:40 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 4:06:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 4:02:00 AM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 4:01:20 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 4:01:20 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 4:01:20 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/9/2016 3:55:40 AM	26	mg/l
ZONA SOVECORD SRL	Substante organice	3/9/2016 3:55:40 AM	10	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 3:55:40 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 3:55:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 3:51:00 AM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 3:50:20 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 3:50:20 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 3:50:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 3:45:40 AM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 3:44:40 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 3:44:40 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 3:44:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 3:39:40 AM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 3:39:00 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 3:39:00 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 3:39:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 3:34:40 AM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 3:33:40 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 3:33:40 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 3:33:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 3:28:20 AM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 3:28:00 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 3:28:00 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 3:28:00 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/9/2016 3:22:40 AM	26	mg/l
ZONA SOVECORD SRL	Substante organice	3/9/2016 3:22:40 AM	10	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 3:22:40 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 3:22:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 3:17:40 AM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 3:17:00 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 3:17:00 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 3:17:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 3:12:00 AM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 3:11:40 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 3:11:40 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 3:11:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 3:06:40 AM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 3:06:00 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 3:06:00 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 3:06:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 3:00:40 AM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 3:00:20 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 3:00:20 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 3:00:20 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/9/2016 2:55:00 AM	26	mg/l
ZONA SOVECORD SRL	Substante organice	3/9/2016 2:55:00 AM	10	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 2:55:00 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 2:55:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 2:49:40 AM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 2:49:20 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 2:49:20 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 2:49:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 2:45:00 AM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 2:44:20 AM	26	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Temp	3/9/2016 2:44:20 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 2:44:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 2:39:20 AM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 2:39:00 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 2:39:00 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 2:39:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 2:34:00 AM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 2:33:21 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 2:33:21 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 2:33:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 2:28:20 AM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 2:28:00 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 2:28:00 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 2:28:00 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/9/2016 2:22:20 AM	26	mg/l
ZONA SOVECORD SRL	Substante organice	3/9/2016 2:22:20 AM	10	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 2:22:20 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 2:22:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 2:17:01 AM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 2:16:40 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 2:16:40 AM	18	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 2:16:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 2:12:20 AM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 2:11:20 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 2:11:20 AM	19	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 2:11:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 2:06:00 AM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 2:05:40 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 2:05:40 AM	19	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 2:05:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 2:01:40 AM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 2:00:40 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 2:00:40 AM	19	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 2:00:40 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/9/2016 1:55:20 AM	26	mg/l
ZONA SOVECORD SRL	Substante organice	3/9/2016 1:55:20 AM	10	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 1:55:20 AM	19	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 1:55:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 1:50:40 AM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 1:50:00 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 1:50:00 AM	19	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 1:50:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 1:45:20 AM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 1:44:40 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 1:44:40 AM	19	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 1:44:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 1:39:41 AM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 1:39:00 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 1:39:00 AM	19	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 1:39:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 1:34:20 AM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 1:33:40 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 1:33:40 AM	19	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 1:33:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 1:28:40 AM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 1:27:20 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 1:27:20 AM	19	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 1:27:20 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/9/2016 1:22:00 AM	26	mg/l
ZONA SOVECORD SRL	Substante organice	3/9/2016 1:22:00 AM	10	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 1:22:00 AM	19	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 1:22:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 1:17:20 AM	9	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 1:16:20 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 1:16:20 AM	19	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 1:16:20 AM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Substante organice	3/9/2016 1:11:40 AM	9	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 1:11:00 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 1:11:00 AM	19	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 1:11:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 1:06:20 AM	9	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 1:05:20 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 1:05:20 AM	19	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 1:05:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 1:00:40 AM	9	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 1:00:00 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 1:00:00 AM	19	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 1:00:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 12:55:20 AM	9	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 12:54:21 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 12:54:21 AM	19	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 12:54:21 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 12:49:20 AM	9	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 12:48:40 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 12:48:40 AM	19	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 12:48:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 12:44:20 AM	9	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 12:43:20 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 12:43:20 AM	19	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 12:43:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 12:39:40 AM	9	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 12:39:00 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 12:39:00 AM	19	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 12:39:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 12:33:40 AM	9	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 12:33:20 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 12:33:20 AM	19	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 12:33:20 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 12:28:40 AM	9	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 12:28:00 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 12:28:00 AM	19	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 12:28:00 AM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/9/2016 12:22:00 AM	26	mg/l
ZONA SOVECORD SRL	Substante organice	3/9/2016 12:22:00 AM	9	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 12:22:00 AM	19	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 12:22:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 12:17:40 AM	9	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 12:17:00 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 12:17:00 AM	19	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 12:17:00 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 12:11:20 AM	9	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 12:10:40 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 12:10:40 AM	19	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 12:10:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 12:06:40 AM	9	mg/l
ZONA SOVECORD SRL	Grasimi	3/9/2016 12:05:40 AM	26	mg/l
ZONA SOVECORD SRL	Temp	3/9/2016 12:05:40 AM	19	gradCels
ZONA SOVECORD SRL	pH	3/9/2016 12:05:40 AM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/9/2016 12:00:40 AM	9	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 11:59:40 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 11:59:40 PM	19	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 11:59:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/8/2016 11:55:40 PM	9	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 11:55:00 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 11:55:00 PM	19	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 11:55:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/8/2016 11:50:00 PM	9	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 11:49:20 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 11:49:20 PM	19	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 11:49:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/8/2016 11:44:40 PM	9	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 11:44:00 PM	26	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Temp	3/8/2016 11:44:00 PM	19	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 11:44:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/8/2016 11:39:00 PM	9	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 11:38:20 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 11:38:20 PM	19	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 11:38:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/8/2016 11:33:20 PM	9	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 11:32:40 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 11:32:40 PM	19	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 11:32:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/8/2016 11:28:00 PM	9	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 11:27:20 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 11:27:20 PM	19	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 11:27:20 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/8/2016 11:21:40 PM	26	mg/l
ZONA SOVECORD SRL	Substante organice	3/8/2016 11:21:40 PM	9	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 11:21:40 PM	19	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 11:21:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/8/2016 11:16:40 PM	9	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 11:16:00 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 11:16:00 PM	19	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 11:16:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/8/2016 11:11:20 PM	9	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 11:10:40 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 11:10:40 PM	19	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 11:10:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/8/2016 11:05:40 PM	9	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 11:05:00 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 11:05:00 PM	19	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 11:05:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/8/2016 11:00:20 PM	9	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 10:59:40 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 10:59:40 PM	19	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 10:59:40 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/8/2016 10:54:00 PM	26	mg/l
ZONA SOVECORD SRL	Substante organice	3/8/2016 10:54:00 PM	9	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 10:54:00 PM	19	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 10:54:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/8/2016 10:49:20 PM	9	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 10:49:00 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 10:49:00 PM	19	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 10:49:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/8/2016 10:43:20 PM	9	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 10:43:00 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 10:43:00 PM	19	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 10:43:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/8/2016 10:38:20 PM	9	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 10:38:00 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 10:38:00 PM	19	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 10:38:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/8/2016 10:33:00 PM	9	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 10:32:40 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 10:32:40 PM	19	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 10:32:40 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/8/2016 10:27:00 PM	26	mg/l
ZONA SOVECORD SRL	Substante organice	3/8/2016 10:27:00 PM	9	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 10:27:00 PM	19	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 10:27:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/8/2016 10:22:00 PM	9	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 10:21:20 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 10:21:20 PM	19	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 10:21:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/8/2016 10:16:21 PM	9	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 10:16:00 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 10:16:00 PM	19	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 10:16:00 PM	8	unit pH



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Substante organice	3/8/2016 10:10:40 PM	9	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 10:10:20 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 10:10:20 PM	19	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 10:10:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/8/2016 10:05:20 PM	9	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 10:05:00 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 10:05:00 PM	19	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 10:05:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/8/2016 9:59:40 PM	9	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 9:59:20 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 9:59:20 PM	19	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 9:59:20 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/8/2016 9:53:40 PM	26	mg/l
ZONA SOVECORD SRL	Substante organice	3/8/2016 9:53:40 PM	9	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 9:53:40 PM	19	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 9:53:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/8/2016 9:48:40 PM	9	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 9:48:00 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 9:48:00 PM	19	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 9:48:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/8/2016 9:43:20 PM	9	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 9:43:00 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 9:43:00 PM	19	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 9:43:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/8/2016 9:37:40 PM	9	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 9:37:20 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 9:37:20 PM	19	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 9:37:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/8/2016 9:32:00 PM	9	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 9:31:40 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 9:31:40 PM	19	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 9:31:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/8/2016 9:26:40 PM	9	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 9:26:00 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 9:26:00 PM	19	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 9:26:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/8/2016 9:21:00 PM	9	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 9:20:20 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 9:20:20 PM	19	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 9:20:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/8/2016 9:15:40 PM	9	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 9:15:00 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 9:15:00 PM	19	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 9:15:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/8/2016 9:10:00 PM	9	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 9:09:20 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 9:09:20 PM	19	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 9:09:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/8/2016 9:04:20 PM	9	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 9:03:40 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 9:03:40 PM	19	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 9:03:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/8/2016 8:58:20 PM	9	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 8:58:00 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 8:58:00 PM	19	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 8:58:00 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/8/2016 8:52:41 PM	26	mg/l
ZONA SOVECORD SRL	Substante organice	3/8/2016 8:52:41 PM	9	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 8:52:41 PM	19	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 8:52:41 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/8/2016 8:47:20 PM	9	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 8:47:00 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 8:47:00 PM	19	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 8:47:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/8/2016 8:42:20 PM	9	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 8:41:40 PM	26	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Temp	3/8/2016 8:41:40 PM	19	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 8:41:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/8/2016 8:36:40 PM	9	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 8:36:20 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 8:36:20 PM	19	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 8:36:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/8/2016 8:31:40 PM	9	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 8:31:00 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 8:31:00 PM	19	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 8:31:00 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/8/2016 8:25:20 PM	26	mg/l
ZONA SOVECORD SRL	Substante organice	3/8/2016 8:25:20 PM	9	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 8:25:20 PM	19	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 8:25:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/8/2016 8:20:20 PM	9	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 8:19:40 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 8:19:40 PM	19	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 8:19:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/8/2016 8:15:00 PM	9	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 8:14:20 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 8:14:20 PM	19	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 8:14:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/8/2016 8:09:20 PM	9	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 8:09:00 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 8:09:00 PM	19	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 8:09:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/8/2016 8:04:00 PM	9	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 8:03:40 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 8:03:40 PM	19	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 8:03:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/8/2016 7:58:20 PM	9	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 7:57:40 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 7:57:40 PM	19	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 7:57:40 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/8/2016 7:52:00 PM	26	mg/l
ZONA SOVECORD SRL	Substante organice	3/8/2016 7:52:00 PM	9	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 7:52:00 PM	19	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 7:52:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/8/2016 7:47:20 PM	9	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 7:46:40 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 7:46:40 PM	19	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 7:46:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/8/2016 7:41:40 PM	9	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 7:41:00 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 7:41:00 PM	19	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 7:41:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/8/2016 7:36:20 PM	9	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 7:35:40 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 7:35:40 PM	19	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 7:35:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/8/2016 7:30:40 PM	9	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 7:30:20 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 7:30:20 PM	19	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 7:30:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/8/2016 7:25:20 PM	9	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 7:24:40 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 7:24:40 PM	19	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 7:24:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/8/2016 7:19:40 PM	9	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 7:19:20 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 7:19:20 PM	19	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 7:19:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/8/2016 7:14:00 PM	9	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 7:13:20 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 7:13:20 PM	19	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 7:13:20 PM	8	unit pH

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Substante organice	3/8/2016 7:08:40 PM	9	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 7:08:20 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 7:08:20 PM	19	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 7:08:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/8/2016 7:02:40 PM	9	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 7:02:20 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 7:02:20 PM	19	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 7:02:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/8/2016 6:57:40 PM	9	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 6:57:00 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 6:57:00 PM	19	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 6:57:00 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/8/2016 6:51:20 PM	26	mg/l
ZONA SOVECORD SRL	Substante organice	3/8/2016 6:51:20 PM	9	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 6:51:20 PM	19	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 6:51:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/8/2016 6:46:20 PM	9	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 6:46:00 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 6:46:00 PM	19	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 6:46:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/8/2016 6:41:00 PM	9	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 6:40:20 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 6:40:20 PM	19	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 6:40:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/8/2016 6:35:40 PM	9	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 6:35:01 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 6:35:01 PM	19	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 6:35:01 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/8/2016 6:30:20 PM	9	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 6:29:40 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 6:29:40 PM	19	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 6:29:40 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/8/2016 6:24:00 PM	26	mg/l
ZONA SOVECORD SRL	Substante organice	3/8/2016 6:24:00 PM	9	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 6:24:00 PM	19	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 6:24:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/8/2016 6:19:20 PM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 6:18:40 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 6:18:40 PM	19	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 6:18:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/8/2016 6:13:40 PM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 6:13:00 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 6:13:00 PM	19	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 6:13:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/8/2016 6:08:00 PM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 6:07:20 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 6:07:20 PM	19	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 6:07:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/8/2016 6:02:40 PM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 6:02:00 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 6:02:00 PM	19	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 6:02:00 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/8/2016 5:56:40 PM	26	mg/l
ZONA SOVECORD SRL	Substante organice	3/8/2016 5:56:40 PM	10	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 5:56:40 PM	19	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 5:56:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/8/2016 5:52:00 PM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 5:51:21 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 5:51:21 PM	19	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 5:51:21 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/8/2016 5:46:20 PM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 5:45:40 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 5:45:40 PM	19	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 5:45:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/8/2016 5:41:00 PM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 5:40:20 PM	26	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Temp	3/8/2016 5:40:20 PM	19	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 5:40:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/8/2016 5:35:40 PM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 5:35:21 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 5:35:21 PM	19	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 5:35:21 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/8/2016 5:30:00 PM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 5:29:20 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 5:29:20 PM	19	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 5:29:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/8/2016 5:24:40 PM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 5:24:00 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 5:24:00 PM	19	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 5:24:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/8/2016 5:18:40 PM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 5:18:00 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 5:18:00 PM	19	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 5:18:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/8/2016 5:13:40 PM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 5:13:00 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 5:13:00 PM	19	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 5:13:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/8/2016 5:08:00 PM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 5:07:20 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 5:07:20 PM	19	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 5:07:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/8/2016 5:02:00 PM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 5:01:40 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 5:01:40 PM	19	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 5:01:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/8/2016 4:57:00 PM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 4:56:20 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 4:56:20 PM	19	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 4:56:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/8/2016 4:51:00 PM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 4:50:40 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 4:50:40 PM	19	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 4:50:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/8/2016 4:46:00 PM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 4:45:20 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 4:45:20 PM	19	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 4:45:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/8/2016 4:40:00 PM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 4:39:40 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 4:39:40 PM	19	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 4:39:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/8/2016 4:35:00 PM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 4:34:00 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 4:34:00 PM	19	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 4:34:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/8/2016 4:28:40 PM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 4:28:21 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 4:28:21 PM	19	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 4:28:21 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/8/2016 4:24:00 PM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 4:23:20 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 4:23:20 PM	19	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 4:23:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/8/2016 4:18:00 PM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 4:17:00 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 4:17:00 PM	19	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 4:17:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/8/2016 4:13:00 PM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 4:12:20 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 4:12:20 PM	19	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 4:12:20 PM	8	unit pH



NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Substante organice	3/8/2016 4:06:40 PM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 4:06:00 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 4:06:00 PM	19	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 4:06:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/8/2016 4:02:00 PM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 4:01:20 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 4:01:20 PM	19	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 4:01:20 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/8/2016 3:55:20 PM	26	mg/l
ZONA SOVECORD SRL	Substante organice	3/8/2016 3:55:20 PM	10	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 3:55:20 PM	19	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 3:55:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/8/2016 3:51:00 PM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 3:50:20 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 3:50:20 PM	19	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 3:50:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/8/2016 3:45:00 PM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 3:44:20 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 3:44:20 PM	19	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 3:44:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/8/2016 3:40:00 PM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 3:39:20 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 3:39:20 PM	19	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 3:39:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/8/2016 3:34:00 PM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 3:33:20 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 3:33:20 PM	19	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 3:33:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/8/2016 3:28:40 PM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 3:28:00 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 3:28:00 PM	19	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 3:28:00 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/8/2016 3:22:20 PM	26	mg/l
ZONA SOVECORD SRL	Substante organice	3/8/2016 3:22:20 PM	10	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 3:22:20 PM	19	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 3:22:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/8/2016 3:17:20 PM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 3:16:20 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 3:16:20 PM	19	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 3:16:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/8/2016 3:11:41 PM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 3:11:00 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 3:11:00 PM	19	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 3:11:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/8/2016 3:06:20 PM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 3:06:00 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 3:06:00 PM	19	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 3:06:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/8/2016 3:01:00 PM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 3:00:00 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 3:00:00 PM	18	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 3:00:00 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/8/2016 2:55:00 PM	26	mg/l
ZONA SOVECORD SRL	Substante organice	3/8/2016 2:55:00 PM	10	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 2:55:00 PM	18	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 2:55:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/8/2016 2:49:20 PM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 2:49:00 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 2:49:00 PM	18	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 2:49:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/8/2016 2:44:40 PM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 2:44:01 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 2:44:01 PM	18	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 2:44:01 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/8/2016 2:39:00 PM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 2:38:20 PM	26	mg/l

NUME_LOCATIE	DENUMIRE_SENZOR	TIMESTAMP	VALOARE_MASURARE	UNITATE_MASURA
ZONA SOVECORD SRL	Temp	3/8/2016 2:38:20 PM	18	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 2:38:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/8/2016 2:33:40 PM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 2:33:00 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 2:33:00 PM	18	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 2:33:00 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/8/2016 2:27:20 PM	26	mg/l
ZONA SOVECORD SRL	Substante organice	3/8/2016 2:27:20 PM	10	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 2:27:20 PM	18	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 2:27:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/8/2016 2:22:40 PM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 2:22:00 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 2:22:00 PM	18	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 2:22:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/8/2016 2:16:40 PM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 2:16:20 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 2:16:20 PM	18	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 2:16:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/8/2016 2:11:20 PM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 2:11:00 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 2:11:00 PM	18	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 2:11:00 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/8/2016 2:05:40 PM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 2:05:20 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 2:05:20 PM	18	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 2:05:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/8/2016 2:00:00 PM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 1:59:40 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 1:59:40 PM	18	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 1:59:40 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/8/2016 1:54:20 PM	26	mg/l
ZONA SOVECORD SRL	Substante organice	3/8/2016 1:54:20 PM	10	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 1:54:20 PM	18	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 1:54:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/8/2016 1:49:00 PM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 1:48:40 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 1:48:40 PM	18	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 1:48:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/8/2016 1:44:00 PM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 1:43:20 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 1:43:20 PM	18	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 1:43:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/8/2016 1:38:20 PM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 1:37:40 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 1:37:40 PM	18	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 1:37:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/8/2016 1:33:00 PM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 1:32:20 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 1:32:20 PM	18	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 1:32:20 PM	8	unit pH
ZONA SOVECORD SRL	Grasimi	3/8/2016 1:26:40 PM	26	mg/l
ZONA SOVECORD SRL	Substante organice	3/8/2016 1:26:40 PM	10	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 1:26:40 PM	18	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 1:26:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/8/2016 1:22:00 PM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 1:21:20 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 1:21:20 PM	18	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 1:21:20 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/8/2016 1:16:20 PM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 1:15:40 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 1:15:40 PM	18	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 1:15:40 PM	8	unit pH
ZONA SOVECORD SRL	Substante organice	3/8/2016 1:10:20 PM	10	mg/l
ZONA SOVECORD SRL	Grasimi	3/8/2016 1:10:00 PM	26	mg/l
ZONA SOVECORD SRL	Temp	3/8/2016 1:10:00 PM	18	gradCels
ZONA SOVECORD SRL	pH	3/8/2016 1:10:00 PM	8	unit pH